The modern theory and practice of physic. Wherein the antecedent causes of diseases; the rise of the most usual symptoms incident to them; and the true methods of cure; are explained according to the established laws of nature, and those of the animal oeconomy. Together with a chemical analysis of the urine, and a statical examination of the blood, in every stage of each distemper where blood could be drawn with safety / by Browne Langrish.

Contributors

Langrish, Browne, -1759.

Publication/Creation

London: L. Hawes, W. Clarke, and R. Collins, 1764.

Persistent URL

https://wellcomecollection.org/works/hrsf772x


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



F. 111.





THE

MODERN

Theory and Practice

OF

PHYSIC.

BOOKS printed for L. Hawes, W. Clarke, and R. Collins, at the Red Rion, in Pater-noster-Row.

A NEW Treatife of the Venereal Disease, in three Parts: Comprising the most effectual Methods to restore the Tone and Vigour of the several affected Organs, through every Branch and Stage of the Disease. To which is added, a particular Dissertation upon the Nature and Properties of Mercury, and it's Effects upon human Bodies: Clearly demonstrating the pernicious Consequences of a Salivation under divers Circumstances of the Venereal Disease. Price 5 s.

A complete Treatife of the Gravel and Stone, with all their Causes, Symptoms, and Cures accounted for. To which are added, Propositions demonstrating that the Stone may be safely disloved without any Detriment to the Body; drawn from Reason, Experiments, and anatomical Observations. The third Edition, with large Additions, 8vo.

Price 5 s.

A new Method of treating Confumptions; wherein all the Decays incident to human Bodies are mechanically accounted for; with fome Confiderations, touching the Difference between Confumptions, and those Decays that naturally attend old Age; to which are added, Arguments in Defence of the Possibility of curing Ulcers of the Lungs. Also Reasons demonstrating, that the irregular Discharge of all the Evacuations in Consumptions, arise from the Resistance of the other Parts. Price 5 s.

A new System of the Spleen, Vapours, Hypochondriac Melancholy, wherein all the Decays of the Nerves, and Lownesses of Spirits are mechanically accounted for. Price

These four by Nicholas Robinson, M. D. and of the College of Physicians.

Colloquia Chirurgica; or, The whole Art of Surgery epitomized, and made Easy to the meanest Capacity. The fourth Edition. To which is added, an Appendix, containing a safe and easy Method in curing the Venereal Disease. Price 2s. 6d. By James Handley, Surgeon.

A Treatife of a Miliary Fever, with a Collection of Histories relating thereto. To which are prefixed, Rules for the Practice of Physic. Written in Latin by the Learned Sir David Hamilton, Knt. Now first translated into English.

M O D E R N Theory and Practice

OF

PHYSIC.

WHEREIN THE

Antecedent CAUSES of DISEASES,
The Rise of the most usual SYMPTOMS
incident to them,

And the TRUE METHODS of CURE,

According to the ESTABLISHED LAWS OF NATURE, And THOSE OF the ANIMAL Œ CONOMY.

Together with

A Chemical Analysis of the URINE, and a Statical Examination of the BLOOD, in every Stage of each Diftemper where Blood could be drawn with Safety.

By BROWNE LANGRISH,
Of the College of PHYSICIANS, London;
and Ffllow of the ROYAL SOCIETY.

The THIRD EDITION.

Artem Medicam denique videmus, si à naturali Philosophia destituatur, Empiricorum Praxi haud multum præstare.—Medicina in Philosophia non fundata, res insirma est.

VERULAM de Augm. Scient.

LONDON,

Printed for L. Hawes, W. CLARKE, and R. COLLINS, at the Red Lion, in Pater-nofter-Row.

M DCC LXIV.

Sir HANS SLOANE, Bart.

PRESIDENT of the

ROYAL COLLEGE of PHYSICIANS

in LONDON;

AND TO THE

CENSORS and FELLOWS
Of the fame.

GENTLEMEN,

As the Design of the laborious Task I have undertaken is calculated intirely for the Improvement and Instruction of young Practitioners in Physic; and as the Office of a Physician is of the highest Concern, I have used all imaginable Precaution in laying down A 3 a Set

vi DEDICATION.

a Set of Rules whereby young Beginners may steer their Course with Safety to their Patients, and Honour to themselves. But lest I should be prejudiced in Favour of my own Performance, and entertain Notions which it little deserves; I, with all Humility, beg Leave to make my Appeal to you, who are universally and undeniably acknowledged the most competent Judges.

The generous Incouragement You give to all who endeavour to promote natural Knowledge, is well known; and this prudent Conduct of your's hath done much Honour to the Profession, and Good to Mankind. Many useful Discoveries have certainly been lost for Fear of Censure; but since, Gentlemen, You have taken upon you to patronize that which is just, and to defend all laudable

DEDICATION. vii

dable Inquiries from the Rage and Infult of those who are too lazy to make Experiments, and too proud to admit of any one's knowing more than themselves; we hope to see Nature more closely pursued, by a continued Series of accurate, and well-grounded Experiments; from whence only we may expect a solid Theory, and a successful Method of Practice.

The Plan I have here laid down is very extensive: First, I propose to critically examine into the State of the Fluids, by analysing the Blood in every Disease, where Blood can be drawn with Safety; in order to discover the different Quantities of the several Principles thereof; which, we hope, may be useful as well as curious: For, to know the several Proportions which the Lymph, volatile Salt,

viii DEDICATION.

Salt, Oil, Air, Earth, and fixed Salt, bear to each other in a healthy State of the Blood, and the different Degrees of Variation from this Standard, in this or that Difease, or when such and such Phænomena appear, must needs direct us, in a great Measure, to the true curative Indications.

As to the Qualities of the constituent Parts of the Blood, after they have passed the Fire, we are sensible they are much commuted or altered, and rendered extremely alkaline, which Property is not actually to be found in them before Distillation, even in the most ardent Fevers; as I am convinced by innumerable Experiments. And, therefore, all we can infer from hence, is, that fince all Degrees of Heat tend towards corrupting the animal Juices, and rendering them alkaline; so in ardent Fevers,

Fevers, the continual, excessive Heat of the Body, must necessarily alter the Humours to an alkalescent State, though this Quality may never arrive to fuch a Degree as to ferment with Oil of Vitriol, to make a white Precipitate with a Solution of Sublimate, or to turn Syrup of Violets green.

Secondly, I propose to analyse the Urine after the same Manner with the Blood; whereby we shall see how varioully it is impregnated with faline and sulphureous Particles in different Difeases, and in different Stages of the fame Disease; and also be able to account for the great Advantages or Difadvantages which arife when the Urine is thick and turbid, or when it is thin, pellucid, and clear.

Thirdly, I propose to statically examine the feveral Proportions of Serum

Serum and Crassamentum which the Blood, in every Distemper, divides into, after standing twenty-four Hours in a cool Place for that Purpose. So that by a long Series of such Observations, I doubt not but we may arrive at a perfect Knowledge of the several Degrees of Thickness or Thinness of the Blood in each Disease.

Fourthly, I have invented an Infirument whereby I can exactly difcover the feveral Degrees of the Vis Cohæsionis between the Globules of Blood, when cold and united into Gore. Hence, I am in Hopes, that investigating the different Powers of Attraction or Cohesion between the Globules of Blood, or the various Degrees of Viscidity or Glutinousness of the Blood in each Disease, will further illustrate the curative Indications.

Fifthly, I have taken especial Care in searching after the antecedent Causes of Diseases, and in shewing by what Laws they produce such and such Phænomena, or by what Means such and such Distempers are generated.

Sixthly, From the Whole I have deduced rational Methods of curing Diseases, not only from my own Experiments and Observations; but I have had Recourse to the most approved Writers, and have freely taken from them what I found agreeable to Truth, and my present Design.

The few Sheets I now lay before you, Gentlemen, are but a Part of what I intend, if, by this Specimen, you shall judge what I have written to be reasonable, useful, and instructive. I am already furnished with a large Stock of Experiments,

and

and Observations on other Diseases, especially of the inflammatory Kind; and hope, in Time, to deduce many useful and practical Inferences from them.

All that I can plead in Behalf of this Treatife is, that the Experiments were made with the utmost Accuracy, and all the Phænomena are related exactly as they happened; that the Theory is deduced as much as possible from Experiments and known Truths, avoiding all precarious, ungrounded, and merely notional Hypotheses; and that the Practice is intirely founded upon, and agreeable to, a continued Series of diligent Observations and Experience.

I am sensible, however, of many Desects in the following Work, and that some will disapprove of it because there are many Things contained here, which

which may be found in other Books; but if I have collected the scattered Notions of the most approved Authors into one View, whereby they become more useful; if I have added to, or improved, what has been said before, so as to render the Theory and Practice of Physic more conspicuous and easy; and if, Gentlemen, I am so happy as to obtain your Approbation, I shall not, in the least, regard the Cavils of supercilious and pretending Critics.

I am,

Gentlemen,

With all due Respect,

Your most Obedient, and Most Humble Servant,

BROWNE LANGRISH.

BOOKS printed for L. Hawes, W. Clarke, and R. Collins, at the Red-Lion, in Pater-noster-Row.

1. PRACTICAL Remarks on the Hydrocele, or Watery Rupture, and some other Diseases of the Testicle, it's Coats and Vessels; (illustrated with Cases). Being a Supplement to a general Treatise on Ruptures, published in the Year 1756. Neatly printed in Octavo. By Percival Pott, senior Surgeon to St. Bartholomew's Hospital.

of Wounds and Contusions of the Head, Fractures of the Scull, Contusions of the Brain, &c. Pr. 3s. 6d.

3. A Treatise on Ruptures in general. Price 4s.

4. An Account of a particular Kind of Rupture, frequently attendant upon new-born Children, and fometimes met with in Adults. Price 1s. Or bound up with the foregoing, Price 5s.

5. Observations on that Disorder of the Corner of the Eye, commonly called Fistula Lacrymalis. Price stitched, 1 s. 6 d. The four last by the above Author.


6. Dr. Hillary's Observations on the Changes of the Air, and the concomitant epidemical Diseases in Barbadoes. To which is added, a Treatise on the putrid bilious Fever, commonly called the Yellow Fever. Price 5 s.

7. — His Practical Essay on the Small-Pox. The Second Edition, with Additions. Price 4 s.

8. Dr. Browne Langrish's Physical Experiments on Brutes, in order to discover a safe and easy Method of dissolving the Stone in the Bladder, by Injections. To which is added, Experiments upon the Lauro Cæressus, and of the Fumes of Sulphur, read before the Royal Society. Price 25. 6 d.

9. A New Essay on Muscular Motion, founded on Experiments, Observations, and the Newtonian Philosophy. Price 2s.

BROWNE LANGRISH.



PREFACE.

with Nature, is obliged to an unweations; he must diligently watch and observe each Phænomenon till he has gathered together a large Collection; and then, by comparing one with another, such Inferences may be deduced, as will give some Insight into the Laws of their Motions, their Natures, and their Causes: For, if the Things observed be true, the Inferences that are drawn may be as certain.

By these Means we may gain a Prospect of the Out-Skirts or Rough-Lines of Nature, which, perhaps, are the farthest the unassisted Senses are capable of arriving at: But if to these

these useful Observations we add a Number of careful and accurate Experiments, they may let us into the particular Laws of Bodies, and the Secret Operations of Nature; whereby we may be enabled to judge rightly, and to proceed upon fure Principles. The particular Properties of Bodies are not to be investigated merely by Reasoning, without diligent Experiment and Observation; and surely nothing can be more commendable than to fearch into, and endeavour to explore, as far as in us lies, the fecret Springs by which all Bodies are fet in Motion, continued, and regulated: And though it may not be possible for us to find out the true ultimate Causes of Things, yet, if our Observations are faithfully transmitted from one to another, and, without Intermission, continued for a long Time, it is inconceivable what Benefits may accrue from every one's improving upon the Observations of his Predecessor.

When I reflect on the Nobleness, Dignity, and Usefulness of the Art of Physic, I am highly delighted with the Advances that are daily made towards investigating the true

Causes

Causes of Diseases, and the Method of Cure. That the modern Physicians are happily arrived at some Certainty in their Practice; and are infinitely better versed in all the Laws and Motions of the animal Oeconomy, than what the Ancients could pretend to, is evident and obvious to all such who have been in the least conversant with medical Writers.

The Light that is daily derived from Anatomy, natural and experimental Philosophy, Chemistry, Botany, and Pharmacy, is so very advantageous and conspicuous, that, I think, I cannot do better, by Way of Preface, than exhort and advise all young Beginners, more particularly Apothecaries in the Country, who are obliged to prescribe Medicines by Reason of the Absence, or great Distance of Physicians, to a diligent and industrious Pursuit of these Studies; for (according to the learned Helvetius*) he who undertakes the Profession of any Art, without a thorough Knowledge of it's Rules and Principles, must expose himself to all the Disgrace that is due

^{*} Vide Preface to an Essay on the Animal Oeconomy.

to the Commission of Faults equally gross and numerous. And he who neglects to bestow a close Attention upon the Experiments which his Practice may furnish him with, renounces the most natural Way of Improvement in his Art, and even runs the Hazard of deviating, in Time, from the Rules themselves.

First, then, the best and surest Foundation for a true Knowledge of the Art of Physic is to be laid with an accurate Examination into the Structure, Make, and Constitution of the human Body (that divine Piece of Mechanism! the most sinished Fabric upon Earth!) and to find out by what particular Springs and Movements each Part is set to Work, continued, and regulated.

Physic being now-a-days reduced to Mechanism, nothing is so much talked of as the Automaton, or Machine of the Body; and did not Custom or Sensuality stupesy us *, it must be afflicting to a rational Mind, not to understand the Structure and Contrivance of the Body wherein it resides, and by Means where-

^{*} Vide Boyle on the Usefulness of Philosophy.

of it acquires all the Knowledge it has. The Study of Anatomy is so very essential towards a right Knowledge of Diseases, that no one ought to undertake the Cure of a Body, the Structure and Make of which he does not exactly understand; that is, he ought not to endeavour to rectify a Machine till he is previously acquainted with it's Nature.

We are told by the famous Steno *, that there are but two Ways of coming at the Knowledge of a Machine, either to be taught the whole Contrivance by the Maker, or to take it quite to Pieces, and examine each Piece by itself, as it stands in Relation to the rest. Since, therefore, the first of these is not to be expected, we must diligently pursue the other Method, by going through proper Courses of Anatomy, till we are well versed in the Structure and Disposition of the minutest Parts.

The Knowledge of Osteology and Myology, is soon acquired by the Inspection of human Bodies; as also the greater Organs which Nature uses in performing her Business, appear

^{*} Vide his Dissertation on the Anatomy of the Brain.

to the naked Eye; but what we most want to know is, the true Structure of the Glands, and the Modus of Secretion in the several Sorts of Glands. Here we have an ample Field for the Industry of the present and future Ages; here we have Room to make Variety of Experiments, in order to trace the Continuation of the Arteries till they come to secretory and excretory Vessels; whereby we may reasonably hope to have our Researches rewarded with such important Discoveries, as would let a vast Deal of Light into the Causes and Cures of Diseases. Though the Affair of Secretion may be, as yet, very abstrufe, and the glandular Texture may be thought much too delicate and fine ever to be discovered by our finite Intellect, by the most piercing Sight. or by the best of Microscopes; yet it is a Thing the most worthy of our Examination, since the Glands have much the greatest Share in the animal Oeconomy, and are the Seat of most Distempers. We are not to be discouraged because, at present, we know but little more of the Glands than their Surfaces; a large Series

ries of accurate and well grounded Experiments may discover their constituent Frame, at least of some of them; and, as every the smallest Part of this wonderful Fabric is wrought in the most curious and beautiful Manner, consequently every new Discovery in it, must be highly delightful and pleasing, as it gives us plain Signatures of the wonderful Hand of the Divine Architect.

Let us, therefore, proceed on, and adventure to seek after the bidden Treasure, to discover Nature's Mysteries, and to settle our Judgments upon the best and surest Principles, without regarding the Discouragements and Probibitions of some of our Predecessors; who, because they took Things and Notions upon Trust, without being at the Pains of making Experiments, would fain persuade us we are arrived at our Ne plus ultra, or that no more Discoveries remain to be made. We are all, indeed, too apt to make basty and erroneous Conclusions; but in Subjects of this Nature, we ought never to stint our Re-Searches; we Should pursue our Inquiries with the

the greatest Diligence and Alacrity, not doubting, as far as the Great Author of Nature allows, of inlarging our Understandings.

Possunt quia posse videntur, was the Opinion of Virgil. And I am persuaded many noble Hints have been dropped, and lost, for Want of Courage to pursue them, or to make proper Experiments in order to illustrate them. That which appears extremely difficult, or unsuitable to human Abilities, at first Sight, may, by a closer Attention, and an orderly Course of Experiments, be rendered very conspicuous; and since Health is of an inestimable Value, and by all wise Men preferred to every Thing, so every new Discovery in the medical Art transcendantly surpasses all other Inventions.

The Glands are well known to be no more than so many Branches of Arteries, Veins, Nerves, and Lymphatics, convolved together, and covered by a common Membrane. But the Manner of the several Convolutions, the various Angles which the decreasing Series of Vessels make, before they come to the secenting Tubuli; and the several Separations that are made

made from the Blood, in order to prepare for the Secretion of particular Fluids, are, in a great Measure, reserved as Secrets for suture Industry to discover.

By nice Injections we have already found out an infinite Number of Ramifications, and fuch exquifitely fine Tubes, as must needs furpass all Imagination in those unacquainted with Experiments of this Kind. We have discovered Arteries as small as 3240th Part of an Inch; that is, so fine, that only single Blood-Globules can pass them into the Veins: and among all the Promoters of this Art, the accurate and ingenious Dr. Hales * seems to have advanced it to the greatest Degree of Perfection; and I doubt not but vast Advantages will, bereafter, accrue from these or fuch-like Experiments, fince it is the most extensive Part of Anatomy that remains to be derived from a close Inspection of the minutest Tubuli.

All the Infight we have of Nature, is intirely experimental, and all the Advances

* Vide Statical Effays, Vol. II.

which ever will be made, must be by the same Means. It behoves every one, therefore, to make the best Researches he can into the Nature of our Bodies, in which there are such innumerable Beauties to be discovered; and could we but investigate how the largest of the Glands are platted, and wove together, and the Laws of Secretion observed in them, many useful Things might be deduced, to enrich or illustrate the Practice of Physic.

The Intestines are really a Gland*, and the most visible one in the Body; whose secretory Vessels are the Lacteals, and whose common Conservatory or Pelvis, is the Receptaculum Chyli. Here the Complications and Circumvolutions of the Tube are visible and beautiful; and the Modus of Secretion is apparent enough. The Testicles also, especially of a Rat, are capable of being unravelled, and from the infinite Number of Plications, or Circumvolutions of the sanguine and lymphatic Arteries, before they come to the secerning Ducts, we learn, in a great Measure, the

* Vide Cheyne's New Theory of Fevers.

Manner

Manner of Secretion in these Glands. And if ingenious and industrious Experimenters could possibly find out Ways and Means of evolving or unfolding other Glands, which are more closely connected than the Intestines or Testicles, and also of distending or inlarging the minute Vessels of such Glands, which, at present, are not conspicuous; I need not say how advantageous such Discoveries would be.

Another Thing that would contribute vastly to the Art of Healing, is dissecting morbid dead Bodies. If this was more customary among us, we should doubtless, in Time, investigate the true Seats and Causes of Diseases, as well as the Nature of the peccant Matter which proved destructive: For by diligently observing the Marks and Impressions of Diseases in different Bodies, the Alterations in the Humours, and in what Cavities or Organs they principally lodge, we should be able to solve the various Phænomena upon the best Principles, and to establish a just Methodus Medendi. Icannot, therefore, but wish, that many of our Physicians

Physicians would take more Pains than they do, to advance and encourage a Practice which would so greatly conduce to improve the curative Part of Physic: For since Physic owes it's Origin to Experience, so it's Improvements must arise from new Discoveries made, either in Art or Nature.

The Advantages that have accrued from comparative Anatomy are also well known to. be extremely useful. The lacteal and lymphatic Vessels came first to be discovered by diffecting Brutes alive. The Doctrine of the Circulation of the Blood was greatly confirmed and illustrated by the same Means; and many other useful Discoveries are daily made, because here many minute Tubuli and Passages are open, and appear to the Eye, which are closed and concealed in dead Bodies. Add to this, that we may boldly make such Experiments upon Brutes which we dare not venture upon in the Bodies of Men. Befides, generally speaking, the Parts of Brutes are so like the corresponding Parts in Men; that by comparing

one with another, they serve to illustrate each other, and to shew their Uses.

Thus the Knowlege of Anatomy is not only a delightful Study, as it unveils to us the secret Springs of the most stupendous Machine of the Universe; but it is highly useful, as it extends itself to the whole Compass of Physic; without which it is either nothing at all, or empirical. * For the Opinion of the Practitioner perpetually fluctuates, unless be perfectly under-Stands the Principles of his Art: And if by Chance any such should succeed happily, he would merit no other Commendation, than that be placed his whole Confidence upon Fortune. But, on the contrary, He who thoroughly understands the animal Oeconomy, will, at all Times, be able to reduce it's Rules to Practice, and to apply them, with the greatest Certainty, to the Cure of Distempers.

Secondly, Natural and experimental Philosophy have, without Doubt, enriched the modern Theory and Practice of Physic with a vast Stock of Certainty; and therefore who-

^{*} Vide Friend's Comment. on Fevers.

ever designs to do Mankind Service by practising of Physic*, must, first of all, make himself Master of the Laws of Nature, he must constantly meditate and make accurate Observations upon them, and obey them to a Tittle; for it is intirely owing to the noble Discoveries which have lately been made, by experimental Philosophy, that the modern Theory of Phyfic is so vastly preferable, and shines out so bright in Comparison to the ancient Ignorance; and I am verily persuaded, had the Laws of Nature been as well understood in the Age of Hippocrates, as they are now, and had proper Experiments and Observations been constantly made from that Time to this, Such Inferences would have been drawn, as to have reduced the Practice of Physic very near to a Certainty: By a long continued Series of Experiments, and accurate Observations, we Should not only have been exactly versed in the Causes of the various Phænomena of Diseases, but, in all Probability, we should have

discovered,

^{*} Vide Baglivi's Practife of Physic.

discovered, before now, specific Remedies for each Disease.

Ubi Philosophus definit, incipit Medicus, is a Maxim universally received, by Reason of the great Usefulness of Philosophical Inquiries towards investigating and illustrating the Laws of the Animal Oeconomy, and the Causes of Diseases. * If a Physician knows not how Heat and Cold, Fluidity and Firmness, Fermentation, Putrefaction, Viscosity, Coagulation, Dissolution, &c. are generated and destroyed in animal Bodies, he will be at a great loss when he comes to find out the Causes of Diseases; for many of them intirely depend upon the Presence or Absence, or Change of these or the like Qualities. On the contrary, it is a fine Advantage to have learned by a Variety of Experiments, the different Ways whereby Nature sometimes produces the same Effects; for several Solutions of the same Appearances may bence arise, which otherwise might never have been dreamed of. He therefore, who is only acquainted with a few of

Nature's

^{*} Vide Boyle on the Usefulness of Philosophy.

Nature's Ways of Proceedure, is unlikely to know how Abundance of Diseases are produced; and consequently, will sometimes mistake the Cause, and apply Remedies accordingly, when the poor Patient, perhaps, must dearly pay for his Physician's Ignorance.

Mechanics and Hydraulics must be well understood, before we can assign the Reason of the Phænomena of Diseases, and account for the apparent Motions of Nature. Every Alteration or Change which is made in the Body, either in Regard to the Texture of the Solids, or Consistence of the Fluids, is the Effect of Motion: For who can conceive a Thing changed, without a Motion made either in the Parts, or the Whole? Motion, therefore, being the Means whereby all the Operations in an animal Body are performed, it behoves every Practitioner in Physic to make himself Master of the Doctrine of Motion, i. e. Mechanics.

To shew the Structure of Animals, or the Motion of the Muscles, and to calculate the Weight that is equivalent to the Force they exert, are Tasks that require Mathematical Knowledge.

Knowledge. All the Fluids likewise are subject to the Laws of Hydrostatics. The Disference there is in the Streams and Velocity of the Blood depending upon the different Courses it steers, and the different Capacity of the Vessels that contain it; the arterial Blood running through Canals that are large at the Beginning, and are always growing less and less; the Venal, on the contrary, running from very small Vessels into large ones, that are continually widening: All these, and many other Curiosities occurring in the animal Oeconomy, are demonstrable by the Help of Mathematics and Hydraulics, and cannot be explained, or exactly known, without them.

Nothing is more apparent than that the Solids of our Bodies are formed by their Maker according to the strictest Laws of Geometry; and since all the Fluids are well known to move by Hydraulic and Hydrostatical Laws, certainly the likliest Means of investigating the Nature of their Motions, is by adapting our Experiments to those Laws; as manifestly appears from what Borellus bath taught us

in bis most admirable Treatise of the Motion of Animals. And again, since the human Body is nothing else but a fine Contexture of Solids and Fluids, which observe the Rules of Mechanism, it is amazing to find that Men Should think of finding any other Principles than the Mechanical to explain it by. tainly we should endeavour to solve and explain all the Phænomena of Nature, all Animal Oeconomy, Causes of Diseases, Reasons of Cure, and Operations of Medicines by mechanical Modes: Not that it is always in our Power to reduce these Rules into Practice, or to account for all the Phænomena of Diseases, from mechanic Laws; but, however, it behoves us to fearch into them as much as possible, and to explain, by their Assistance, the Nature of the antecedent Causes of Diseases, and the Manner bow they produce such and such Diftempers, with fuch and fuch Symptoms. By these Assistances the genuine Method of Cure will be greatly illustrated, though it must be confessed that Experience only can enable us to foretel the Issue of the Disease, as well

and that our best Reasoning upon such Subjects, bow mechanical soever, is only à posteriori.

Mathematical Inquiries, as far as they will enable us to reason rightly, or upon certain Principles, concerning the various Phæ. nomena of Diseases, and the Modus of Operation, whereby the Remedies subdue the same, are vastly useful; but in many Cases, where all is transacted by imperceptible Agents, where the true and real Cause of the Phænomena, as well as the Modus of Nature, in preparing and fitting the Matter of the Difease, to be thrown forth, will ever be hidden from us; we must trust intirely to Observation and Experience; since no Dissection nor Mechanism will assist us here, but only a diligent and sedulous Attendance upon all the Motions of Nature, which, by Degrees, will let us into the Knowledge of the Phænomena of Difeases, and their Effects; from whence we are to draw our curative Indications. I am not, therefore, so strict an Advocate for Mechanics, as to think we ought to make them the Rule of our Prescription any farther than Obfervation in the like Cases, or a well-grounded
Experience will justify the same: But I shall
ever be of one Opinion, that it is perfectly necessary for Physicians to understand Mathematics or Mechanics, so far, at least, as to be
able to solve such Appearances which happen
in the Body, as are explicable by such Laws.

The learned Boyle very justly imputes many of the Deficiencies in the Reasoning of Philosophers, to their having too hastily, and without due Observation, or a sufficient Number of Experiments, presumed to deliver Axioms, and establish Principles. For the Theories that are built but upon a few obvious Experiments, are very liable to be overthrown by a fuller Inquiry into Nature. And truely if Men were willing to regard the Advancement of Philosophy, more than their own Reputations, it were easy to make them sensible, that one of the most considerable Services they could do the World, is, to set themselves diligently to make Experiments, and collect Observations, without attempting to establish Theories upon them,

them, before they have taken Notice of all the Phænomena that are to be solved: For to regard only a few Phænomena, and to pronounce according to them, is the Bane of Philosophy.

Hence it is that Mechanics have fallen into Difrepute among some learned Men, be-cause some Conclusions, too hastily drawn from thence, would not stand the Test of strict Observation and Experience. But as this is to be imputed to the Eagerness, or Want of Skill in it's Professors, and not to the Science itself, the Objection is of no Force; neither will it, I am persuaded, deter any sensible Person from pursuing these Studies.

The true Method, therefore, of Investigation, is to confirm each Experiment by repeated Trials, and then we may safely proceed to Axioms, which may again point out new Experiments; for in the Interpretation of Nature, the Transitions of Experiments into Axioms, and of Axioms into Experiments, is natural and easy.

Thirdly, Chemistry is highly advantageous both to the Theory and Practice of Physic; by
b 2 Reason

Reason it not only affords and instructs us how to make many noble Medicines, but also lets in a vast deal of Light towards investigating the Causes and Natures of Diseases.

Hence we are instructed that both the Solids and Fluids of a human Body consist of watery, saline, sulphureous, aërial, and earthy Particles; that the Cohesion of these Particles, whether they constitute solid, or sluid Parts, depends upon a certain attractive Power; that different Degrees of Motion or Heat will alter the Bulk, Figuration, or Arrangement of the component Particles of the Body; and consequently, when they are extreme, they will cause great Changes, and produce surprising Essets.

Hence also we learn how smooth, mild, demulcent Liquors may gain sharp, rancid,
caustic Qualities, & è contra; what Effects
must ensue upon a Stagnation of the Fluids in
any Part of an animal Body, and what will
be the Consequence of a strong Circulation of
the Blood, a violent intestine Motion of it's
Parts, and a burning Heat of the Body. For
since

fince the Blood does not act folely as a Fluid flowing along it's Canals, according to the Laws of Hydraulics; but, at the same Time, exerts a Force of it's own, according as it is more or less impregnated with Salts, Spirits, Oils, &c. it evidently appears that he who rightly understands the Nature of Salts, Spirits, Oils, &c. is infinitely better qualified to regulate any Disorders in the animal Oeconomy, than one who is ignorant herein.

Chemistry, according to the Sagacious Lord Bacon, sheres us Philosophy in Action. And according to the learned Boerhaave, speculative Philosophy is made practical by Chemistry; which at the same Time that it explains Things, actually exhibits them to the Eye. Here we are daily delighted with the different Views of Rarifactions, Fermentations, Diffolutions, Concretions, Sublimations, Precipitations, Crystallizations, and many other Phænomena that daily occur in the Laboratory. Many Processes in Chemistry afford us great Light towards investigating the Nature of Digestion, Sanguification, barrely b 3 Nutrition.

Nutrition. Here also we see the natural Causes of Earthquakes, Thunder and Lightening, Snow, Hail, Heat, Cold, &c. Hence Boerhaave * complains of Lemery's Method of Chemistry, because a great Number of his Processes are calculated merely for the preparing of Medicines; and his View throughout the whole, is rather to furnish the Shops with Remedies, than to instruct his Readers in the Knowledge of Chemistry. But how hard and unjust, says he, is this on poor Chemistry! To make an Art a Drudge to Physic, which, in Reality, is the principal Part of all Philosophy.

Fourthly, Botany is a very useful and delightful Study; the infinite Number of different Sorts of Plants we meet with in every Country, makes the searching after them extremely pleasant; and there is nothing more likely to conduce to the Improvement of the Healing Art, than Physicians applying themselves to make Discoveries of new Remedies. But here I must beg Leave to observe, that the

^{*} Vide Preface to his Chemistry.

barely knowing the Facies externa of Plants, the ranging them in regular Classes, and giving them proper Names, is but of little Service, unless we know their medicinal Virtues, and what Effects they will produce; which it is impossible to do, without a sollicitous and experimental Scrutiny into their Actions on Animal Bodies.

Physic, without Doubt, took it's Rife from a Number of Experiments made with Plants, &c. without any Certainty à priori of what Effects they would produce; and by diligently collecting and comparing the various Successes of such Experiments, the Practice of Physic began to be an Art.

In Order, therefore, to investigate the Properties of such Plants as are not yet used in Physic, we must have Recourse to proper Experiments with them; and sirst of all upon Brutes, for Fear they should prove deleterious, though their Taste, Smell, or Figure give us no Reason to suspect such Things: An eminent Instance of which, we have lately met with in the Lauro-Cerasus. We have many unpromising

promising Plants worthy our Consideration, and might be of singular Advantage in the Practice of Physic, were their Virtues and proper Doses thoroughly known. For my Part, I shall always be of Opinion, that had half the Cost and Pains been bestowed upon a continued Series of Experiments with the known Plants, in Order to discover their medicinal Properties, and Effects on animal Bodies, as hath been to find out new ones, more prositable Discoveries would have accrued.

Fifthly, Pharmacy is what every Physician ought to be exceedingly well versed in; for he who does not rightly understand the Goodness, and several Qualities of Medicines, and the just Proportion of their Doses, can never be able to apply them successfully. But this is so well known, and evident, that it would be needless to expatiate upon it: I shall, therefore, conclude this Head, with advising the young Student, after he has made himself Master of Anatomy, natural and experimental Philosophy, Chemistry, Botany, and Pharmacy, to apply himself to the best practical Authors:

for visit the Sick assiduously, and to make constant and accurate Observations on the Phænomena of Diseases. By these Means he will,
in Time, get an exact History of Diseases, with
a true List of the Symptoms that generally attend them; he will see by what Means Nature
gets the better of her Enemy; through what
Outlets she commonly expels the morbisic Matter; and on what Days such Crisises happen.
By a long Catalogue of such Observations as
these, a Man cannot fail of being a happy and
successful Practitioner; for when the Nature
and Rise of Diseases are well known, the curative Indications are plain and easy.

Thus by accurately observing all the Phænomena of Diseases, which daily occur to us
in Practice, and by comparing them one with
another, we may possibly find out the true
Causes of many of them, and afterwards explain them by the Light of Reason, or by mechanic Rules. By the same Assistance we may,
in many Cases, investigate the Modus of Nature, in producing as well as carrying off Diseases.

eases. * The chief Defect in the Practice of Physic, does not proceed from the Want of Means to answer this or that Intention; but because we do not rightly know what that Intention is, which is to be answered: And truly I am very certain, that nothing can so much conduce to form the Judgment right in this Matter, as an exact Observation of the natural Phænomena of Diseases, and likewise of the Juvantia and Lædentia; and if these were diligently compared one with another, they would shew the Nature of the Complaint, and whence the curative Indications are to be taken: For a Physician may as certainly take the curative Indications from the smallest Circumstances of the Disease, as he does the Diagnostic from them; and therefore I have often thought, if we had an exact History of every Disease, we should never want a Remedy suitable to it; the various Phænomena. plainly shewing the Way we ought to proceed in, and which Phænomena, if they were carefully compared one with another, would lead us to * Vide Sydenbam.

those

those obvious Indications, which are taken truly from Nature, and not from the Errors of Fancy.

Hippocrates acquired his vast Skill and Character by accurately and diligently observing the Phænomena of Diseases, and deducing the curative Indications from them. Experience certainly is the best Guide; for, as there is much Subtilty in the Operations of Nature, as well as Medicines, he only can be a happy and successful Practitioner, who is well acquainted with the natural History of Diseases, and has collected a sufficient Number of Observations from the most remarkable Incidents, which proceed either from the Nature of the Distemper, or the Method of Cure.

He therefore who intends to shine in his Profession, and to be thoroughly versed in the Knowledge of Diseases, must not overlook the meanest Thing; he must be sedulous in observing and sinding out the Seats of Distempers, what Alterations happen in the Parts affected, what Symptoms attend upon such and such Diseases, and what their usual Consequences are.

Hence

Hence he will make himself Master of the diagnostic and prognostic Signs, which will enable him to distinguish one Disease from another, how like soever they may be: And when he has carefully collected a large Series of such Observations, he will be able to pronounce his medical Prediction from sound Principles, than which nothing gains a Man more Repute, or distinguishes a Physician from a mere Empiric more clearly.

From what has been said it evidently appears, that those who presume to practice Physic without a plenary Knowledge of it's Rules and Principles, run great Risques, and their Practise must needs be very precarious, absurd, and almost always contradictory. The Lives of Men are of too great Importance to be intrusted with those who do not understand how to preserve them. Ought not, therefore, such bold Empirics who dare to prescribe Remedies without knowing the Grounds of the Theory of Physic and Diseases, to be exposed and prosecuted for tristing with the Lives of People? I have been informed there are Laws wisely provided

vided for this Purpose, and great Pity it is they are not put in Execution.

It must be confessed indeed, the Ancients were very successful, and did many wonderful Cures notwithstanding their Ætiology, strictly taken, was wrong. And should it be asked, bow they cured so well with so bad a Theory. and with such indifferent Materials as they were possessed with; I answer, it was owing to their resolute and indefatigable Application to their Dexterity and Diligence in observing the Phænomena of Diseases, which, in a great Measure, directed them to the Cure. But had they understood the Circulation of the Blood, and the Laws of the Several Motions in the animal Oeconomy, and had they been furnished with as many useful Drugs as we are now-adays, I am perfuaded their Industry would bave left but little for the Moderns to difcover, and that they would have delivered down to us a most exact natural History of Difeases, together with their genuine Method of Cure.

Account of the following Work. And,

of every Physician to trace out the original Causes of Diseases, I have taken great Pains in remarking the several most usual Antecedents to each Distemper, and to illustrate and explain them in the most familiar Manner whence the Rise of the Symptoms may be easily accounted for, and the curative Indications drawn.

Physicians too commonly consider the outward and general Appearances of Distempers only, without penetrating into the particular Constitution of the Air, the Abuse of the Non-Naturals, &c. which occasioned, and support them, and that require, on these Accounts, different Methods of Cure. Hence it is that great Numbers of Medicines recommended to us in particular Diseases, do not answer under different Constitutions of the Air, or when the Distempers take their Rise from various Excesses, and Irregularities in Life. Our Ignorance of the antecedent Causes is oftentimes

the Occasion of fatal Errors, and gross Misapplication of Medicines; and if so, we cannot be too industrious in searching them out, and accurately examining into their Effects and Influences on the animal Machine.

2. I have been very careful in giving an exact Description of the Phænomena which characterize each particular Disease; and to shew by what Means, and by what Laws they arise from the Antecedents.

By a diligent and accurate Observation of the Symptoms, we become able to distinguish and remark their Progress, Variations, and several Accidents that usually attend them. Hence we are taught, that a Man actually affected with such and such Symptoms, has certainly such a Disease. And, indeed, since Nature so often shifts from one Appearance to another, it certainly is of the greatest Use to have the diagnostic or characteristic Notes of Distempers set in the clearest Light; for it is by these the specific Disferences between Diseases are to be determined, however analogous they may seem to a superficial Observer.

3. Because

3. Because some of the Phænomena of Diseases require that we should perfectly know the Consistence of the Blood, before we can rationally account for them, I have employed myself, for some Years last past, in statically examining the Blood in all the Stages of each Disease, where Bleeding was thought proper; in order to discover the several Degrees of it's Fluidity or Thickness, or the several Proportions of the Serum and Gore, which it would let go of it's own Accord, after standing 24 Hours in a cool Place.

I have also carefully remarked the several Degrees of Cohesion between the constituent Globules of the Crassamentum; whence I have had an Opportunity of seeing the State of the Blood when almost every Phænomenon appeared; and from thence I have demonstrated the Necessity of such and such Appearances from the different Consistence and Disposition of the sanguineous Mass.

4. There are other Phænomena that demand our Knowledge of the Several Principles or Qualities of the Blood, and of their several Proportions, Proportions, before we can rightly understand their Causes. In order, therefore, to know these Things, I have separated and divided the Blood into it's primitive and component Parts, by a chemical Analysis; and have very exactly set down the several Proportions of Phlegm, volatile Salt, Oil, Air, Earth, and fixed Salt, wherewith the Blood abounds, not only in Health, but in Diseases.

5. As the Inspection of Urine is oftentimes serviceable in judging of the Symptoms, and foretelling the Events, I have taken the Pains to analyse it in the same Manner with the Blood, that we might reason from self-evident Principles, and not from precarious and ungrounded Hypotheses.

Thus, by observing the Quantities and Qualities of the several Principles of the Blood and Urine in every Distemper, I have met with vast Advantages towards illustrating the Theory of Diseases, and in establishing a safe and successful Method of Practice: For, to know the State of the Fluids, from the Beginning of the Distemper to the End of it, is of the utmost Importance.

It is consonant with the right Method of philosophising *, first to analyse the Subject, whose Nature and Properties we intend to make any Researches into, by a regular and numerous Series of Experiments: And then by laying the Event of those Experiments before us in one View, thereby to see what Light their united and concurring Evidence will give us. If we reflect on the vast Discoveries that have been made in the animal Oeconomy, we shall find, that the most considerable of them are owing to statical Examinations, and chemical Processes. By the former were discovered the Quantities and Proportions of the Solids and Fluids in an animal Body; the different Rapidities and Force with which the Fluids are carried about in their proper Channels; the Proportion between the Aliment taken in, and the recrementitious Matter cast out of the several Emunctories, &c. By the latter, we have received great Light into the Nature of Digestion, and Sanguisication; the Properties of the several Fluids; the Manner of their

^{*} Vide Hales's Analysis of the Air.

Action on each other; the Nature of Fermentation; the Cause of Heat; and many other Things too tedious to enumerate. In short, experimental Philosophy puts us upon thinking farther and farther, and upon searching into the Recesses and Finesses of Nature without End.

The capital Things of Nature generally lie out of the beaten Paths; so that he who would make new and useful Discoveries, must take the Pains to walk by himself in untrodden Roads. And here let none despair, or be confounded (according to the Advice of Lord Bacon*) if the Experiments they attempt should not answer their Expectation: For though Success be indeed more pleasing; yet Failure, frequently, is no less informing.

Hence I was incouraged to pursue these Methods of Inquiry, and hope that the Tables I have given of the Crass of the Blood, and the Proportions of the several Principles of the Blood and Urine, both in a sound and diseased, State, will be highly useful in investigating

^{*} Vide De Augm. Scient. Sect. xii.

the Causes of the Phænomena of Diseases, and the most expeditious Way of relieving them.

6. The Method of Cure, which I have laid down in the following Sheets, is deduced intirely from the antecedent Causes, and the Phænomena that attend upon each Disease; so that nothing can be more rational, intelligible, or plain. It is the Refult of many Years' Experience, intermixed with the Observations and Directions of the most approved Authors; for I have always made it my Business, since I have been conversant in Practice, to minute down all remarkable Cases, with their Method of Cure. Hence I have the Satisfaction to think that the following Sheets are pregnant with known Truths, useful Observations, a just Theory, and sure Directions for Practice; and that they cannot fail of being great= ly serviceable to young Practitioners.

7. I have carefully avoided giving a long Detail of Prescriptions; and have only pointed out a few, plain, simple Medicines, which long Experience hath taught us to be most useful; being well assured that general Forms serve chiefly

chiefly to deceive the unskilful, by Reason they cannot be suitable to the various Circumstances · of different Patients: For, as various Caufes and Phænomena require different Medicines, therefore no Specific, or certain Formulæ can be depended upon in any Disease, but must be always carefully varied and fuited to the particular Disposition of the Humours, and to the Strength of the vascular System. I do not know of any thing which has been more prejudicial to the noble and generous Art of Phylic, or bas more exposed it to Reproach and Contempt, than crying up of Specifics, or giving pompous Forms of Medicines with magnificent Titles: For, fince it is absolutely impossible they should answer alike in different Constitutions, so when the Credulous or Ignorant make use of them, and are deceived by their own Experience, they are apt to despise and blame the Art of Physic, as delusory and uncertain, when the Fault was not in the Medicine, but in a wrong Application.

He therefore, and only He deserveth the Name of a good Physician, who always deduces bis curative Indications from the Cause of the Disease, and the Symptoms that attend it. And as the Causes of Diseases are more simple and plain than they are generally thought to be, so it is, most Times, an easy Matter to cure them by the Use of a few, and frequently plain Medicines. Those who prescribe a Multitude of Things, seldom have clear Ideas of the Causes of Diseases; they are diffident and wavering in their Opinion, and for Want of a sure Basis to found their curative Indications upon, they rely on a Farrago of Medicines, in Hopes that some of them may be useful.

Lastly, I have made a Distinction between slow Fevers and those which are actually malignant and putrid; because I am well assured that there are Fevers which strangely affect the Nerves, and exhibit all the Signs of a depressed State of the animal Spirits, without the least Degree of Putridity or Malignity in the Humours; and therefore, for Want of such Distinction, satal Errors are oftentimes committed, as we shall shew in it's proper Place.

If it be objected, that many Things mentioned in this Treatise, may be found already accounted for, and demonstrated in the Writings of others; I answer, that I am not ashamed of having fought Assistances from the Labours of others: I frankly acknowledge to have transcribed many Things; but since I have generally pointed out the Place and Person, I bope I shall not be accounted a Plagiary for so doing. It has cost me no small Pains to collect. the scattered Notions of the most approved Authors into one View; and as I have illustrated some, and added many useful Observations to others, such a Work must needs be serviceable in many Respects; since it is making Some Advance in Knowledge, further to illustrate even known Truths, or to confirm and explain them in the most intelligible and familiar Manner.

Some of my Readers, perhaps, may think me too prolix in describing some Things, which, to them, may appear minute and trivial; but, as this Work is designed merely for the Use of young Practitioners, I would desire them to consider

consider that a Design of this Nature cannot be too plain: It is oftentimes for Want of Perspicuity in Authors that the Unexperienced commit Blunders. My great Endeavour therefore, throughout the Whole, has been, to lay down the most exact Rules in Regard to Practice; and though, in Respect of some Readers, I might have been excused the Trouble, yet, I flatter myself, there are not a few to whom the following Papers will be serviceable and useful.

If any think my Style rough and unpolished, I would have them reflect, that in a Work of this Kind, Elegance of Style is not to be expected. My greatest Care has been to collect and lay up such Materials for the Work, as are sound and good; and to describe them closely and concisely, by plain, clear, and significant Expressions, rather than such as are ornamental. Rhetorical Flourishes ill suit, where the Design is only to inform; so that if what I have wrote be but intelligible, I shall be in no Concern for the Roughness of the Language.

If I have erred in any material Circumstance,

I shall be ready to retract upon the least

Notice; but as for trisling Mistakes, I answer,

that he who employs his Time in searching into
the Arcana of Nature, and is so generous as
to communicate his Discoveries, ought to be
esteemed a Benefactor to Mankind; and though
some Inaccuracies should happen in his Description of Things, and some of his Deductions
should not be so strong and conclusive as they
might have been, yet they ought to be kindly
received in regard to the Intention.

To conclude; I have taken a Deal of Pains in collecting Observations for the History and Cure of Diseases; I have diligently spent my leisure Hours in accurately examining into the various Phænomena of Nature; and if what I have written will add, in the least, to the Advancement of natural Knowledge, and to the Cure of Diseases, I shall think my Time well bestowed, whatever malevolent and ill-natured Men may think sit to say of it.

INDEX

OF THE

CHAPTERS.

1. OF the Antecedents to an acute of	continual
1. O F the Antecedents to an acute of Fever	Page I
2. Of the Symptoms incident to an ac	ute con-
2. Of the Symptoms incident to an actinual Fever	p. 42
3. Of the Cure of an acute continue	al Fever
to Physical tracks with the	
4. Of the Antecedents to an intermitting	ng Fever
tone quistoners plant and at small	
5. Of the Symptoms incident to an inter	
Fever	p. 224
Fever 6. Of the Cure of anintermitting Fever	p.238
7. Of the Antecedents to a hectic Fever	
8. Of the Symptoms incident to a heEt	
	p. 271
9. Of the Cure of a hectic Fever	p. 288
	10. Of

bas	An Index of the Chapters.	lix
10.	Of the Antecedents to a flow Fever	Page
7.7	Of the Symptoms incident to a slow I	329 Feguer
***	Of the Bymptoms increased to a five 1	336
12.	Of the Cure of a flow Fever	341
13.	Of the Antecedents to a malignant	Fever
		348
14.	Of the Symptoms incident to a malig	gnant
	Fever	361
15.	Of the Cure of a malignant Fever	367

Party Order of Arthur State and College an

the anticome of the Release of the stand of the standard of th

BOOKS printed for L. Hawes, W. Clarke, and R. Collins.

Lettres; or, An Introduction to Languages, Poetry, Rb toric, History, Moral Philosophy, Physic, &c. with Reflexions on Taste, and Instructions with regard to the Eloquence of the Pulpit, the Bar, and the Stage. The Whole illustrated with Passages from the most famous Poets and Orators, ancient and modern, with critical Remarks on them. Designed more particularly for Students in the Universities. By Mr. Rollin, late Principal of the University of Paris, now Professor of Eloquence in the Royal College, and Member of the Royal Academy of Inscriptions and Belles Lettres. Translated from the French. In 4 Vols. 8vo. Price 11.

2. A new Method of Education, defigned for the Use of

both Sexes. By Mr. ROLLIN. Price 1 s. 6d.

3. The Builder's Dictionary; or, Gentleman and Architect's Companion. Explaining not only the Terms of Art in all the feveral Parts of Architecture, but also containing the Theory and Practice of the various Branches thereof, requifite to be known by Masons, Carpenters, Joiners, Bricklayers, Plaisterers, Painters, Glaziers, Smiths, Turners, Carvers, Statuaries, Plumbers, &c. Also necessary Problems in Arithmetic, Geometry, Mechanics, Perspective, Hydraulics, and other mathematical Sciences. Together with the Quantities, Proportions, and Prices of all Kinds of Materials used in Building; with Directions for chusing, preparing, and using them: The several Proportions of the Five Orders of Architecture, and all their Members, according to Vitruvius, Palladio, Scamozzi, Vignola, M. Le Clerc, &c. Being a Work of great Use, not only to Artificers, but likewife to Gentlemen, and others, concerned in Building, &c. Faithfully digested from the most approved Writers on these Subjects. With Rules for the Valuation of Houses, and the Expence calculated for erecting any Fabric, great or fmall. 2 Vols. 8vo. with Cuts. We have perused these two Volumes of the Builder's Dictionary, and do think they contain a great Deal of useful Knowledge in the Building Bufiness. Nicholas Hawksmoor, John James, James Gibbs. Price 12 s.

4. The Posthumous Works of Mr. John Ward, Author of the Young Mathematician's Guide. In two Parts. Price

6 s.

M O D E R N Theory and Practice

OF

PHYSIC.

CHAP. I.

Of the Antecedents to acute continual Fevers.

I. Subject of this Chapter, we beg leave to lay down the following fundamental Propositions; the Truth where-of is so clear and well established, that they may safely pass for Axioms, or known Truths.

PROPOSITION I.

An animal Body is a delicate Machine, or a Compages or Congeries of vascular Tubes differently modified, platted, and woven together; and this Mechanism is governed and B conducted

conducted by the same Laws which support the great Orbs of the Universe: whence it is impossible for any Change, or Variation to be made in it, but from an Alteration of it's Matter and Motion.

PROP. II.

The several productive Causes of Diseases have their peculiar and certain Effects in producing particular Phænomena or diagnostic Signs, according as they alter the Texture, Figuration, or Bulk of the component Parts of the Fluids; or according to their Influence over the Solids, either by rendering them too tense and contracted, or too soft, flabby and relaxed.

PROP. III.

Matter, by what Name soever dignified or distinguished, can have no other Virtues or Properties, than such as result from the particular Figures and Modifications of it's constituent Particles.

2. From these *Propositions*, therefore, it appears, that the Method in which we are to proceed, requires us diligently to examine into, and investigate the *predisposing*,

or procatartic Causes of acute continual Fevers; and to shew upon what Principles they act, and by what Laws they influence, the delicate fine Fibrillæ of the Body, and

their contained Juices.

3. First then, Hippocrates * affures us, that the Changes of Seasons are the most effectual Causes of Diseases. And as daily Experience sufficiently teaches us the Truth of this, it is evident that there is not any Thing in all Nature of more immediate Concernment to us than the State of the Air; there being no Distemper but what may derive it's Original from, or owe it's Growth to, fome Alteration in it's Properties or Qualities, either in respect to it's different Degrees of Density or Levity, Moisture, Dryness, Heat, Gold, Motion, or as it happens to be more or less impregnated with beterogeneous Particles of one Kind or another. And fince our Bodies are only Congeries, or Bundles of infinitely minute Vessels, upon which every Alteration of the Atmosphere has a peculiar Effect, it is extremely requifite that we should be careful to remark these Alterations, and the Phanomena they produce.

* Vide Aphor. i. Sect. 3.

4. Almost every body knows what vast and fudden Alterations a little Change of Weather makes in a Barometer, Thermometer, Hygroscope, &c. And we should not fail to observe as great and regular Changes in the Tubes, Chords, and Fluids of our own Bodies, were it not partly for our Inattention, and partly for our unequal and intemperate Course of Living.

5. The Difference of Air in point of Gravity, may have very confiderable Influence over our Bodies, as is evident from climbing over tall Mountains, and from various Experiments in the Receiver of an Air-Pump; where it is no uncommon Thing for the Blood to gush out of the . Nose, Mouth, &c. by reason of the vast Expansion of the Air included in the Vesfels, when the external Pressure is, in a great measure, taken off from the Body.

6. Mr. Boyle * discovered by very accurate Experiments, that the Air, without any adventitious Heat, would, by the Force of it's own Spring, possess thirteen Thousand Times the Space it doth when pressed by the incumbent Atmosphere. The Difference of the Weight of Air that our Bodies fuf-

^{*} Vide Chap. of the Rarifaction of the Air.

tain at one Time more than another, is also very great. The whole Weight of Air which presses upon our Bodies, when the Mercury is highest in the Barometer *, is equal to 39,900 Pounds Troy. And the Difference between the greatest and the least Pressure of the Air, is equal to 3982 Pounds Troy.

7. Hence it is evident, that an Addition of the Atmospherical Pressure must have great Influence on Animal Machines; by condensing the Fluids, and rendering the Blood Globules more compact, grofs, and viscid; and by uniting the component Parts of the Solids: Whence the Diameters of the feveral Series of Vessels are lessened, whilst the Globules, which constitute the Fluids, coalesce and are inlarged. Add to this, that as the Lungs are more forcibly expanded when the Gravity of the Air is increased, and as the Circulation of the Blood meets with most Resistance towards the external Superficies of the Body, when the Pressure of the Air is greatest; it must necessarily follow, that the Velocity and Quantity of Blood will be greatly increased in the larger Arteries: Whence the Friction and Heat

^{*} Vide Wainwright of the Non-Naturals.

of the Blood may be great enough, especially if this State of the Air continues long, to inspissate the Juices, to generate Obstructions, and to produce ardent Fevers.

8. It is observable, that acute Fevers are most rife and violent in bot dry Summers. Hippocrates, in his most excellent Books of epidemical Diseases, takes notice, that an Excess of Drought produces continual Fe-

vers, with Delirium and Thirft.

9. Dry Air, if it continues too long, may render the Fibres rigid and stiff, and the Blood viscous and dense, by absorbing the watery humid Particles from the external Superficies of the Body, and from the internal Superficies of the Lungs, in too great Quantities. Hence the Areas of the transverse Sections of the several Series of Vesfels may be diminished, greater Refistance may be given to the Circulation of the Blood and Lymph (especially in the capillary Tubes) the Pulse will become quick, strong, and hard, the vital Heat will be increased, the Globules of Blood and Lymph will be rendered more gross and compact, and ardent Fevers will unavoidably occur more frequently in such Seasons.

10. Moist Air does not seem capable of producing ardent Fevers, by reason of it's relaxing and diluting Property; and therefore we shall defer speaking of it, till we come to treat of Intermittents.

Constitution, by thickening and inspissating the animal Fluids, and rendering them impassable through their Canals. The Blood of Animals in hot Countries is found to be thicker and blacker, by the dissipation of the serous Part, than in cold Climates. And indeed the Symptoms which we feel in extremely hot Weather, resemble those of a Fever; viz. A Pulse quicker than natural, great Thirst, Debility, Restlessings, and profuse Sweats.

of a temperate Air may be reckoned about forty-eight Degrees; which being much cooler than the animal Fluids, is very serviceable in abating the Heat of the Blood, and preventing a mortal Coagulation. Bu if the Heat of the Air should rise to eighty or ninety Degrees, no Person could live in it; because such a Degree of Heat would inspise

^{*} Vide New Theory of Chemistry.

fate or thicken the Fluids in fuch a manner, as to bring on immediate Death.

13. The natural and healthful Heat of our Blood is reckoned ninety two Degrees; and Heat not much exceeding an bundred Degrees is found to coagulate the Serum, like the White of an Egg: Whenever therefore, the Heat of the Air is much increased, it will tend to render the Blood and Lymph thick and grumous.

14. Another pernicious Property of bot Air is exalting and volatilizing the faline and fulphureous Principles of the animal Fluids; whereby they become acrid and corrofive, and stimulate the Vessels into more frequent Contractions. By several Chemical Processes we learn, that a moderate Degree of Heat, no greater than that of a healthy Man, will foon render the Blood, Lymph, Bile, Urine, &c. highly acrid and alkaline: No wonder then that the excessive Heats of a Summer should sometimes exalt and fubtilize the Animal Salts and Oils, and render them much more volatile, active, and powerful than at other Times. Add to this, that in Summer-Time, the Air is replete with volatile Spirits and Oils, raised from Animal and Vegetable Substances, which which may stimulate the Fibres, and exhilarate the Spirits, and thereby contribute towards increasing the Celerity of the Circulation.

- 15. It is true, moderate Heat relaxes the Fibres; but when it is violent, and continues long, Experience testifies, that it hardens and renders them more rigid and stiff; by exhaling their Moisture, and bringing their constituent Particles into closer Contacts. Upon the whole it appears, that exceffive Heat will dispose the Animal Fluids to be viscid, acrid, and alkaline, and the Vesfels to be stiff, elastic, and tense.
- 16. Extreme cold Weather has very fenfible Effects on our Bodies, by irritating the Fibres, and condenfing the Fluids. We may plainly perceive the Obstructions in the miliary Glands of the Skin, especially upon the Arms and Thighs, when cold Air has free Access to them; their excretory Ducts being thrust forward by the Pulsion of the perspirable Matter, and distended in such a Manner, as exactly to represent the Skin of a deplumed Fowl.

17. Sanctorius affures us, Aphor. ix. Sect. 2. If in a warm Season a cold Day happens, supposing the way of Living to be the same, about about a third Part of the perspirable Matter will be obstructed. And it is well known, that even a cold Evening supervening an excessive hot Day, will contract the Pores, and congeal the insensible Steams; and the Violence of Diseases arising from such Contrarieties of Weather, is always in proportion to the Degree of the former Heat, and

supervening Cold conjunctly.

18. In all Countries betwixt the Tropics *, their continual hot Fevers arise from a fevere cold Wind fuddenly blowing after excessive Gleams of Heat. This is so true, that all Travellers affign this as the Caufe, having constantly observed their Fevers to fucceed fuch fudden Changes of the Air. A pregnant Instance of which we have in the Phil. Trans. for Decemb. 1669. N. 259. in a Letter from Mr. Hugh Jones to Dr. Woodroof, concerning some Observables in Mary-Land; his Words are thefe: "The " North-West Wind is very sharp in Win-" ter, and even in the Heat of the Summer " it mightily cools the Air; and too often at " that Time, a sudden North-West Wind " strikes our Labourers into a Fever, when " they are not careful to provide for it,

^{*} Vide Cheyne's New Theory of Fevers.

[&]quot; and

To an acute continual FEVER. II

and put on their Garments while they are
at work."

constringes the Solids. It acts like a small Ligature on the Vessels, by which the Circulation to the external Surface of the Body is retarded, and the Blood driven upon the inward Parts with a greater Force. By many Experiments we are taught that Cold condenses and fixes all Sorts of Matter; the most solid Things are found so much the more firm and contracted, the freer they are from Heat or Fire: So that were a Man intirely destitute of Heat, he would immediately freeze into a Statue.

ther even the most solid Parts of our Bodies sink into less Bulk, and their component Particles cohere more strongly: which seems to be all that is requisite to augment their elastic Force, and to create a strict Constitution of the Fibres: For as the Vicinity of the Particles to one another, gives them new Power; inasmuch as the Force of Attraction between them, is hereby increased; so it will require a greater Impulse to bend such Bodies; and when they are bent, they will sty out again with a greater Velocity.

21. Cold, in a moderate Degree, is a Prefervative of human Bodies, by acting in opposition to Heat, and maintaining the Ballance: For, as hath been observed above, was the Atmosphere immediately furrounding us, in as great Agitation, Motion, and Heat, as the constituent Parts of our Bodies, both the Solids and Fluids would foon putrefy, corrupt, and fly off in volatile, alkaline Vapours.

22. The Interchanges, therefore, of Heat and Cold, between the Day and the Night, are perfectly necessary towards the Preservation and Oeconomy of animal Bodies; for the constant oscillatory Motions of Contraction and Dilatation produced by these Alterations, greatly affift in carrying on the Circulation, removing Obstructions, or dilating fuch Veffels as were too narrow before. Were it not for this Variation of Day and Night, animal Bodies could never subsist; the perpetual Presence of the Sun would be intolerable; it would heat our Atmosphere to fuch a Degree, that all animal Substances would grow alkaline, corrupt and flink. Hence it is that the Tropical Heat under the Pole, is greater than that under the Line, in proportion of 5 to 4; the Duration of the

To an acute continual F EVER. 13
the Sun above the Horizon, the whole 24
Hours, over-balancing the Difference of
the Inclination of it's Rays; as the accurate
and learned Dr. Halley * hath demonstrated.
And, on the other Hand, if there was no
Day, or no Sun above the Horizon, the
Fluids in our Hemisphere would soon become as rigid and hard as Stones; all Things
would fall towards the Centre of the Earth,
and remain in eternal Rest.

23. But, however, hot, fultry, fuffocating Weather does not always proceed merely from the Action of the folar Rays upon the Particles of the Air, or by being reflected back again from the Earth; for it . oftentimes happens from an intestine Motion or Effervescence between the strongly elastic, repulsive, aëreal Particles, and some strongly attracting sulphureous Vapours exhaled from the Earth. The Rev. Dr. Hales, in his Analysis of the Air, gives us many Instances of the brisk Agitation and Effervescence, which arises from the Mixture of fresh Air, with Air that is strongly impregnated with fulphureous Fumes, which are raised by Effervescence from several mineral Substances; and, fince we have many Proofs

of the brisk Action and Reaction there is between elastic Air and sulphureous Particles, we may, with the above-mentioned Author, reasonably conclude, that the irk-some Heat which we feel in what is called a close, sultry Temperature of the Air, is occasioned by the intestine Motion between the Air and the sulphureous mineral Vapours which are exhaled from the Earth. But to proceed;

- 24. High Winds have their Influence over our Bodies, by bringing a Succession of fresh Air, and by blowing off the Atmosphere of warm perspirable Matter that surrounds us. Hence a strong Current of Air appears far colder to the Touch, than the same Air not formed into a Stream; and for this Reason, the perspiratory and sudatory Vessels may be obstructed by Winds, without any real Addition of Cold to the Air.
- 25. The Air may be rendered unwholefome by mineral, sulphureous, saline Vapours which float in it, and which not only
 vitiate the Aliments by mixing with them,
 but they infinuate themselves into the Vasa
 inhalantia, situated on the external Superficies of the Body, and through the Pores

To an acute continual FEVER. 15 of the pulmonary Membranes, and pass on to the Blood through the recurrent Vessels.

26. Air *, if we confider it in general, is an universal Assemblage or Chaos of all Kinds of Bodies, elevated from the Earth, by the celestial or subterranean Heat. It is a Mass of Matter which continually surrounds our Bodies, in which we live and walk, and which we are continually receiving and casting out again by Respiration. No wonder then, that it is capable of producing surprising Alterations in the animal Oeconomy, according as it is more or less impregnated with mineral, sulphureous, or saline Particles.

ments and intestine Motions are perpetually raised in the Earth, which emit and diffuse through the vast, subtil, sluid Expanse, either their kindly and grateful, or their malignant, congealing, and putrefying Qualities. For though the Purity of this heterogeneous Fluid in general, is most wonderfully preserved by various Agitations and Motions, such as are produced by Heat, Winds, Fermentation, &c. yet it must necessarily happen, that the Air of particular Regions,

^{*} Vide Boerhaave's Chemistry.

Seasons, and Places, will differ very much in the Proportion to the Mixture of it's Ingredients; and therefore different Air must affect human Bodies variously, in proportion to the Excesses of such and such Principles contained in it.

- 28. The fagacious Lord Bacon * proposes an useful Experiment in order to try the Wholesomeness or Unwholesomeness of the Air. As Flesh, says he, putrefies sooner in some Cellars than in others, it were useful to transfer this Experiment to the Examination of Airs, as to their being more or less wholesome to live in; by finding those wherein Flesh remains longest unputrefied: And the same Experiment is applicable to discover the more wholesome or pestilential Seasons of the Year; for doubtless it is to these Vapours and Exhalations, that particular Healthfulness or Unhealthfulness in fome Places more than others should be afcribed.
- 29. The Variety of these Vapours is almost infinite; and there is scarce any Body in Nature that can be excepted from the Number+: For Gold sticks close to Sulphur

^{*} Vide De Augm. Scient. Sect. xii.

⁺ Vide Boerhaave ubi supra.

To an acute continual Fever. 17 in the Mines, and is raised with it. And, with the other Metals, alike inflammable, arfenical Sulphur is found intermixed; which being agitated by Fire, readily carries them off: And the other Fossils, as Coals, Marcafites, &c. rise still with more ease. So also all Sorts of Waters, Spirits, Oils, acids, alkaline, inflammable, compound, &c. must be ever floating, in Abundance, in the Air; as follows from the continual Distillations, &c. made thereof. Earths, we add, are many of them easily volatilized, and made to float in the Air; for all, even the most subtile, Oils yield a confiderable Quantity of Earth at the fecond Distillation; so that the Earth must float with the Oil. What then can be excepted? Nothing.

Experiments, that an animal Body absorbs or imbibes the Vapours floating in the Air, it is evident that as the Air is more or less impregnated with Corpuscles, or Principles of this or that Sort, or as they happen to coalesce or unite with other Principles of a different Nature, they may be exalted into dangerous Weapons, and become the Instruments of sundry Diseases. Thus, when the Air is impregnated with

C Particles

Particles whose Nature it is to stimulate and contract the feveral Series of Vessels in an animal Body, and to coagulate the Blood and Lymph, or to compact their component Globules together, so as to make them too bulky to pass freely through the lymphatic or fanguine capillary Vessels; the Lungs, Heart, and larger Arteries will be more than ordinarily distended with Blood, the Pulse will become full and strong, the Heat of the Body will be augmented, and acute continual Fevers may enfue, as we shall demonstrate hereafter. From what has been faid it is plain, that He who would perfectly understand the Art of Phyfic, ought to learn thoroughly the peculiar Constitution of every Season. We come now,

good or bad Water on animal Bodies. Water being the Fluid wherein all Manner of Nutrition is conveyed to the several Parts of the Body, may properly be esteemed the Stamen of Life, or that elemental Matter which principally conduces to the Growth of Bodies, and to the maintaining and preferving them afterwards. For though pure Water, as such, is not generally reckoned the

To an acute continual Fever. 19 the proper Nourishment of the Body, but chiefly the Vehicle thereof; yet it is furprizing to fee how great a Share Water has in the Composition even of the most solid Parts. Bones which have been dried and kept till they were almost as hard as Iron, afforded, by Distillation, half their Weight of Water; and from the Tendons of an Ox, I have procured very near 13 Parts of Water, as we shall give a particular Account of in the subsequent Chapter. Hence we may observe the fixed State of the watery Particles in animal Substances, which adhere so strongly to the other constituent Parts, as not to be discovered in them, nor separated from them, till they are exposed to the Fire.

ter, therefore, is of the greatest Importance in regard to Health. Boerhaave * indeed tells us, he is convinced no body ever saw a Drop of pure Water. The utmost of it's Purity known, only amounts to it's being clear of this or that Sort of Matter. Even Rain-Water, which seems to be the purest of all Waters we know of, is replete with Exhalations of all Kinds, which it imbibes

* Vide New Theory of Chemistry.

from the Air, or were raised up with it from the Earth; so that though filtred and distilled a Thousand Times, there still remain Faces behind; and if it be let stand some Time, it corrupts and stinks.

as this, we may content ourselves with finding out the several Degrees of Purity, by the different specific Gravity of Water. Hippocrates, in his Treatise de Aëre, Aqua, & Locis, observes, that the lightest Waters are the best. And in his Aphorisms*, he tells us, Water which is soonest hot, and soonest cold, is most light. For the Truth of these Assertions many Reasons might be offered, were they necessary; but since all Physicians agree in it, it would be trespassing on the Patience of the Reader to produce them.

34. Next to the Levity of Water, we are to take care that it be perfectly insipid and inodorous; for it does not appear, by any Experiment, that pure Water has the least Taste or Smell. Hence, therefore, we may reasonably conclude, that all Waters that have either Taste or Smell, are impregnated with Salt, or Sulphur, or Vitriol, or

^{*} Vide Aphor. xxvi. Sect. 5.

To an acute continual FEVER. 21 Copper, or the like, and, consequently, not proper for the common Diluent, or Dissolver of our Food.

35. Hence also it is evident, that all stagnant, putrid, corrupted, Water is highly mischievous, and capable of producing the worst of Diseases. Those Waters that contain the most active, pungent Particles are most likely to produce ardent Fevers.

36. Drinking too little Water, or too small a Quantity of watery, cooling, diluting Drinks, in Proportion to the solid Aliment,

may have the following Effects:

I. The Blood-Globules will coalefce, and the whole Mass of Blood and Lymph will become too viscous and thick, for want of proper Dilution.

II. In a viscid State of the Blood and Lymph, the several Excretions are well

known to be diminished.

III. The faline and oleaginous Particles not being sufficiently diluted for Excretion by the *Renal* Ducts, they will necessarily be accumulated in the Blood.

IV. The Serum of the Blood being the Receptacle and Vehicle of all animal Salts; confequently, when it is in too small a Quantity, the saline, sulphureous, and bilious C 2 Particles

Particles will be aggregated and united into larger Corpuscles; whereby they will irritate, corrode, and pass with Difficulty through the minutest and remotest Tubuli.

V. A Rigidity, or too great a Stiffness of the Fibres and Vessels may proceed from insufficient Supplies of suitable, diluting Drinks, to mollify and malax them, and to wash off the acrid irritating Salts adhering to their Sides, or sticking in their Interstices.

VI. A Viscidity of the Blood and Lymph; a Diminution of the Excretions; an Augmentation of the Quantity of saline and sulphureous Principles in the Blood, and too great a Tensity or Rigidness of the vascular Frame, are the only Requisites necessary towards the Production of acute continual Fevers, as we shall prove in the Sequel of these Papers.

37. Thirdly, Gluttony, in regard to it's Frequency, and pernicious Effects, ought to be placed foremost of all the Antecedents to acute Diseases. The bad Consequents of this Vice are so very obvious and plain, that they have been remarked in every Age, to produce Legions of Illnesses. Solomon * admonishes us thus: Be not greedy in thy Ban-

To an acute continual FEVER. 23 quets, and give not thyfelf over to Meat; for in much Meat there is Sickness, and Greediness will turn to Choler. Many have died through Fulness, but he who is temperate lengthens his Life. Hippocrates * also cautions us against Excess after a very particular Manner, and endeavours, with all his Rhetoric, to inculcate Abstinence and Exercise. He who studies his Health, fays he, must not over-fill himself with Meat, nor be idle and lazy. And, to mention no more, Sanctorius, in his admirable Aphorisms, takes a deal of Pains to discover to us the malign and fatal Effects of Gluttony. They need not fear any Distemper, who diligently take care that they be not over-charged with Crudities. Aphor. 89. Sect. 3. And again, If it be exactly known how much Food is convenient for every Day, such a Person may easily preserve his Health and Strength to a great Age. Aphor. 34. Sect. 3.

38. Doubtless a well-regulated Diet has a principal Share in the Prolongation of Life. If the *Epicures*, or such as indulge themselves in sensual Pleasures, and value the Gratification of their Palates and Tastes before any Thing else, did but know or con-

^{*} Vide Epidem. Aphor. 10. Sect. 4.

fider the incomparable Structure of their Bodies, of what delicately fine Filaments they are composed, and how easy it seems to be to destroy these Stamina Vitæ; they would furely be afraid to cram or gorge in the Manner they do. Such a superfluous Load put upon their poor passive Machines, must needs wear them out much sooner than ordinary, and would immediately put a Stop to their finest Springs and Movements, did not Nature, or the Strength of Constitution, or whatever you please to call it, find out Ways and Means to discharge the superabundant Matter through the excretive Glandules, or to heap up so much Fat out of the Verge of the Circulation.

39. The Friction and Collision that necessarily follows upon the Impenetrability of Matter*, the Communication of Motion, and the Impressions of the Bodies that surround us, must necessarily rub off, and wear out some Parts from our bodily Machine. The necessary Collisions that are made in our Juices, in breaking and subtilizing their Parts, to render them sit for the animal Functions: The various Secretions of what is not proper to be retained, or what is ne-

ceffary for the Preservation of the Individual, make a continual Waste of our Substance. To supply all which, it is absolutely necessary that a due and equal Proportion of proper Nourishment should be designed us: But whenever it happens that the Balance is cast too much on either Side, that is, when the Excretions by the several Emunctories do not tantamount to the daily Recruits by Eating and Drinking, or econtra, some Indispo-

fition or other must follow.

40. Too much Use of any particular Sort of Aliment which tends to create an alkaline, acrid, or glutinous Quality in the Humours, may be ranked among the Causes of ardent Fevers. Thus living too much upon Flesh-Meats, with rich and poignant Sauces, fires the Blood, and renders the Juices acrid and predatory; and is the original Cause of many Fevers: For when the folid Food is in too great a Proportion, either in Quantity or Quality, a greater Number of red Globules will necessarily be generated; and as they are naturally more receptive and retentive of Heat than the ferous Part of the Blood; and as the Solids in fuch Constitutions are generally very elastic and strong, the Velocity of the Circulation, and the Heat Heat of the Body are oftentimes increased,

by these means, to a vast Degree.

41. Variety of Savoury Dishes therefore, must be very unwholesome, as they convey into the Blood great Quantities of faline and fulphureous Particles, which are of great Activity, Solidity, Force, strongly attracting, and withal firey, and caustic; especially if they are too long retained in the circulatory Organs. Hence, as we shall shew hereafter, the several Series of Vessels may be irritated and stimulated into more frequent and more forcible Contractions; the Friction between the feveral Orders of Blood-Globules increased, the Heat of the Body augmented, and the strongly attracting Power of the Blood-Globules excited, so that the smallest Order may coalesce into larger ones, and these again into others of the highest Order, and so on, till ardent inflammatory Diseases are brought on, and fometimes mortal Coagulations.

42. Hence it is evident that an Excess in the Quantity of wholesome Food may too much increase the Quantity of the Fluids, and produce morbid Effects by fending into the Blood more Chyle than can be properly affimilated by the vital Powers: In confequence

quence of which, the Blood-Globules will grow too bulky, and incapable of passing freely through the minute sanguinary Tubuli. But if the Qualities of the Aliment are unsuitable or incongruous to the Constitution, by it's abounding too much with saline and sulphureous Matter, it will still prove more morbific, on the account of these sort of Particles attracting and being attracted by, and cohering with, some Parts of the Blood, so as to produce a greater Viscidity in the animal Fluids.

43. No Person is able to support a Diet of Flesh and Fish without Acids, as Salt, Vinegar, Bread, &c. and without large Quantities of cooling diluting Drinks; for an Excess of all animal Food is sure to occasion an alkaline Disposition of the Humours, and especially all delicately flavoured Meats, as Venison, Pidgeons, &c. which greatly abound with Salts and subtile Oils: And in Wild-Fowl, and such Animals as feed on animal Diet, the Salts and Oils are still more active, and naked, and tend more strongly to an alkaline Nature.

44. That all animal Diet is more apt to excite Heat than Vegetables, is most evident from common Observations, and the Reason

Reason of this is certainly owing to the Salts of Animals being volatile and alkalefcent; whereas the Salts of most Vegetables are of a fixed Nature, and acescent; and thence, when received into the Blood, remain inactive and quiet: Whereas the former, by the Heat of the Body, being volatilized and made more active, not only excite a greater Agitation in the Fluids, but stimulate the Solids into quicker and stronger Vibrations.

45. The ingenious and learned Dr. Arbuthnot hath lately instructed us how to regulate our Aliment. And Boerhaave, in his New Theory of Chemistry, affures us, that it intirely depends upon Chemistry to know when animal and when vegetable Food is proper; to what Constitutions Water, and to what Wine is best adapted; where Bread, and where Flesh is to be used; what is the Diet requisite for a Man of a studious, sedentary Life; what for a Man of an active Employ; and what for a Child; which Habits demand the Use of Alkalies, and which of Acids: with many other Particulars of the like kind. It is true, all thefe Things are discoverable by Experiments, made on the Persons; but Danger attends the

To an acute continual FEVER. 29 the making fuch Experiments: whilft Chemistry, without running any risque at all, shews us, that the natural Heat of our Bodies will turn Vegetables acid, and putrefy animal Substances. Whence we may learn, that in case of an alkaline Disposition of the Blood and Juices, when the Urine appears red, smells ill, and tastes alkalious; vegetable Acids are the proper Diet, and animal Food prejudicial. On the contrary, if the Humours are acid, as frequently happens in Infants convulsed from a Coagulation of the Milk in their Stomachs, Broths made of the Flesh of Animals, Eggs, or the like, are excellent; whilst vegetable Acids would prove hurtful. And this can be learned from nothing but Chemistry; which also instructs us how to give each Kind of Food it's proper Sauce or Menstruum, to forward it's Concoction or Diffolution in the Stomach.

46. Hence more particularly appears the Inconveniencies arifing from an Excess in any one Sort of Diet; for if it be ever fo innocent, a long Continuance of it, without any Alteration, may dispose the Humours to tend towards an acid, or an alkaline Difposition: so that our modern Dishes, which are so well fraught with Salt and Spices, must needs be very prejudicial, especially to those of an indolent, lazy Temper, by rendering their Blood hot, acrid, and grumous, and the Fibres dry, crispy, and tense.

47. If we consider that the Crises of almost all acute Diseases happen either by rank and setid Sweats, thick, lateritious, and lixivious Sediments in the Urine, black, putrid, and setid Dejections; it will evidently appear that the Rise of such Disorders is chiefly from Gluttony.

48. But, notwithstanding all these Things, it is a common Observation among your Free-Livers, that if a Man is able to eat a great deal, it prevents, in a great measure, the ill Effects of strong spirituous Liquors. Indeed, when the Appetite and Digestion remain good after a Course of repeated Debauches for many Years, it is an Argument of great Strength of Constitution, and that the Fibrillæ of the Stomach were originally very elastic and strong: but to the thinking, intelligent Man, it will appear, that it is not cramming down a Pound or more of Beef, &c. the Morning after a Drunken-Bout, that preserves the Debauchee; but, on the contrary, it helps to destroy him the sooner, by laying a greater Load on the Vessels, which

To an acute continual Fever. 31 which were before too full, and by that Means rebating the Elasticity of the Fibres, and preventing their assimilating the Juices so properly as they ought. If therefore our Appetites are ever so keen after drinking too much, we ought to refrain large Meals, or Meats hard of Digestion, till the superabundant Load is discharged through some of the excretive Glandules, and the Fibres are restored to their sormer Tone and Vigour.

49. But because we seldom see Drunkards fail whilst their Appetites remain good, they therefore conclude that eating a vast deal takes off the bad Effects of strong, spirituous Liquors: Whereas, I beg Leave to affure them, the Fallacy of their Argument confists in their Ignorance of the Laws of the animal Oeconomy, and the malign Influences that Eating and Drinking to excess, have on their Bodies, till they actually become vifible. A Man with strong, robust Nerves, will bear many Shocks of this Kind before he gives way; and all the while the destructive Agents of Gluttony and Excess are privately undermining him, and destroying the Texture of the delicately fine Machinulæ of his Body, he flatters himself with the Thoughts

Thoughts of Safety, till some Disease or other lays fast hold of him, and makes him too sensible of his Mistake.

50. Acute Diseases are oftentimes the immediate Confequents of this pernicious Cuftom; and chronic Diforders are much fooner brought to maturity when Gluttony is joined with Drunkenness. I readily confess, where the Stomach is already depraved, or where the Nerves were originally weak and relaxed, Drunkenness will sooner complete chronic Distempers, than in a Man who is ftrong, and can eat heartily; because of the vast Disproportion of their Strength, it requiring, perhaps, fome Years to reduce the latter to the same Standard of Weakness with the former. But what I infift upon is, that a Man of a strong, robust Constitution, whose Appetite does not fail him after a Drunken-Bout, may last longer by denying himself his usual Quantity of Food, and by chufing Meat of easy Digestion, with or after a Debauch, than if he indulges himself with the most luscious Meats, and high-seasoned Sauces.

51. As to spirituous Liquors, some certain Proportion of them may be absolutely necessary for all Men, to excite, rouze, and

To an acute continual Fever. 33 carry on the Circulation, Perspiration, and all the Secretions and Excretions with their proper Force and Vigour; for the Way of Life which promotes a generous Perspiration without inflaming, is the best Preservative of Health, and greatly conduces to Longevity. But then, too free a Use of them, especially of the stronger Kind, will render the Fibres rigid, and dry, and coagulate the Blood, from the vast Quantity of acrid Salts and volatile Oils they contain; which Salts and Oils being reduced ad minima by Fermentation, and Distillation, attract most strongly, and by that Means fix and bind together the constitutive Parts of the Blood, so as to render it thick, black, and grumous.

with Blood heats it, by the intestine, fermentative Motion immediately brought on by the Action of the saline and sulphureous Particles contained in both Liquors. Boerbaave * proves that Spirit of Wine being mixed with pure Water, increases it's Heat some Degrees; and certainly so heterogeneous a Fluid as the Blood, must produce more sensible Effects.

* Vide His Clemistry.

dent by Experience, that the Excretions from the Blood are manifestly stopped by the Use of strong, distilled Spirits: Diarrheas and profuse Sweats have been known to be checked by taking a little burned Brandy. Hence the sure Effects of an inordinate Use of strong, spirituous Liquors, are a Stimulus on the Vessels, too great a Degree of Heat in the Fluids, a Lentor in the Blood, and a Diminution of the Evacuations.

54. Fourthly, Immoderate and violent Exercise is oftentimes an Antecedent to acute Fevers: For notwithstanding Exercise is so very beneficial to the Body, that there is hardly any such Thing as enjoying a good Share of Health without it; yet if it be used to an extreme Degree, it requires a deal of Care to prevent it's Inconveniencies.

55. When the muscular Force is raised to it's highest Pitch, and continued so for some Time, it is almost inconceivable with what Celerity the Blood is pushed on; the Friction between the Solids and Fluids is vastly increased; the Heat of the Body is augmented; the Juices are broke into their Minima; and by this Division of their constituent Parts they rarify and possess a larger Space than usual:

To an acute continual FEVER. 35 tifual: Whence the Areas of the transverse Sections of all the Canals are inlarged, the Secretions are increased, and great Quantities of ferous Matter are thrown off from the Blood; whereby what remains is rendered more thick and viscous. Let us add, that Persons heated to this Degree, are oftentimes defirous of cooling themselves; for the Sake of which they incautioufly expose themselves to the cool Air, or pull off their Cloaths, or drink large Quantities of cold, small Liquors, or fit upon the Ground, &c. whence it is great odds but the perspiratory and sudatory Vessels or Tubuli are obstructed, and ardent Fevers are oftentimes the Confequents of fuch indifereet Practices.

if it be continued long, is the Inspissation of the animal Fluids, and rendering them acrid and alkaline by mere Heat. Ninety two Degrees of Heat in the Blood, is found to be the Standard which preserves the animal Fluids in that Consistence, which best subserves the Purposes of Life; but if it be increased some Degrees above this healthful Standard, the Blood and Lymph will grow glutinous and sizy, and the Salts and Oils will be exalted and volatilized; as we shall demonstrate

demonstrate in the subsequent Chapters. The Blood of labouring Persons is always more dense than that of inactive People.

57. Sydenham observes, that the evident, external Cause of most Fevers is to be sought from hence, viz. because the Sick either left off Cleaths too foon, or after being hot with Exercise, exposed himself unwarily to the Cold; upon which Account the Pores being suddenly stopped, and those Vapours retained which would otherwise have passed through them, this or that Sort of Fever is kindled in the Blood, as either the general Constitution which at that Time reigns, or the particular Disorder of the Humours is more inclined to this or that Sort of Fever: And I verily believe, fays he, more have died on this Account, than by the Plague, Sword, or Famine all together. For if any Physician shall inquire strictly of the Sick concerning the first Occasion of their Disease; if it be of the Number of acute Diseases, he will almost always find that either the Sick rashly left off some Cloaths that he was accustomed to, or that he exposed himself suddenly to the Cold, when his Body was heated with Motion; and that upon one of these Accounts he was seized with the Disease.

To an acute continual FEVER. 37

58. Fifthly, Acute Fevers may arise from a Suppression of any natural or accustomed Evacuation: For the Matter which is retained generally gives a greater Saltness and Acrimony to all the Juices, and alters their Quality from a foft, unctious, into an acrid and irritating Disposition. Besides, when any Discharge from the Blood is suppressed, and no other is increased in Proportion, the Vessels will necessarily grow turgid and full, from the Accumulation of that particular Humour; from a Plenitude of the Veffels (if it be not carried too far) the Secretion in the Brain will be augmented; from a greater Quantity of nervous Juice, the Action of the Solids will be more vigorous; from a more frequent and stronger Contraction of the whole vascular System, the Circulation of the Fluids will be accelerated; and from a more rapid Motion of the Blood will arise a greater Degree of Heat, the most diftinguishing Mark of a Fever.

aftringent, styptic Medicines may lock up the excretive Glandules so as to produce an ardent Fever: As I remember it happened once, upon the Use of the Bark, &c. given to stop

D 3

an Evacuation, falfly imagined to be defructive to the Constitution.

60. Sixthly, sharp, pungent Pain, especially in the membranous Parts, will either cause or increase a Fever*; for it is always attended with a Contraction of the pained Part (as is evident from the Bellinian Doctrine de Stimulis) and by this Contraction, the Motion of the Blood and Spirits is either totally obstructed or retarded, and the Part fwelled; and by their Pressure against the Sides of the Vessels, more forcibly, as they will, when their direct Motion is hindered, the Pain is both increased and propagated further, and the Contraction is more or less communicated to all the Parts of the Body; whereby the Secretions and Excretions are stopped, and the Quantity of Blood increased, which will either cause or increase a Fever.

61. Seventhly, Watching too much; or fitting up Night after Night, may be an Antecedent to this Disease, by obstructing Perspiration, and rendering the Fibres too stiff and rigid: For since by Sleep the whole System of the Solids is, in some Measure, relaxed, and as the Heat of the Bed greatly promotes the Excretion by the subcutaneous

^{*} Vide Wainwright's Non-Naturals.

To an acute continual Fever. 39 Glandules, it evidently follows that the want of Sleep, and the warmth of the Bed, may produce the above-mentioned Effects.

the Meninges of the Brain, together with the other Membranes and delicate Fibrillæ of the Body, may be braced up too tight and strict, and the Evacuations suppressed; as is manifest from the costive Habit of Body, which mostly attends the Studious, and from the great Difficulty of getting to sleep after intense Thinking.

those who have died of Hunger and Thirst, as at Sieges and at Sea, &c. have always died delirious and feverish. For as the Office of the Chyle is to attemperate, cool, and dilute the Blood, as well as to afford Nutriment to the several Organs of the Body; it must necessarily follow, that when this demulcent Liquor is wanting for some Time, the Blood will grow dense, hot, acrid, and alkaline, to such Degrees at least, as will be sufficient to render the whole Mass, in a few Days, unsit for any of the Faculties of Life. For all the passive Principles of Putrefaction*, being actually in the Substance of

* Vide Phil. Tranf. No. 414.

the Blood, and all the active Principles of Heat and Attrition being at work upon it to produce this Effect, it cannot fail to be brought about in a few Days; and the same would happen to all Animals, if what is effete, corrupted, or altered, so as to be unfit for the Use of the Animal, was not continually carried off by the Emunctories, and a fresh Recruit daily supplied from the prima Via, which Evacuations and Supply being kept up in their due Proportions, effectually prevent all Putrefaction and Acrimony, and keep the Blood and Humours in their natural Temperature.

64. It is not then a Defect in the Quantity of Fluids that kills an Animal in Fasting, but a poisonous Acrimony which the Blood and Humours naturally contract, for want of fresh Recruit and equal Evacuation. All Degrees of Digestion, from it's first Beginning in the Stomach, through it's whole Course, have a Tendency to Putrefaction; so that without a constant Supply of fresh, smooth, cool Chyle, the Humours will soon grow sharp, acrid, and alkaline, and in a few Days degenerate into a fatal Degree of Putrefaction.

To an acute continual Fever. 41

or fasting too long, is a thing we seldom or never meet with, unless by Compulsion; yet it is what we ought to take notice of among the Causes of acute Fevers, because it really is one. Proceed we now to shew after what Manner the most usual Symptoms incident to this Disease, arise from the Antecedents.

they are illmost nonuncernic,

CHAP. II.

Of the Rise of the most usual Symptoms incident to an acute continual Fever.

66. HIPPOCRATES, in his Books de Morbis, and that de Affectionibus, advises that none presume to enter upon the Province of curing Diseases, who have not first well considered their Causes. The great Affinity and Resemblance there is between the Symptoms of different Diseases, makes it absolutely necessary for every Practitioner to rightly understand the Cause of each Symptom, and the Root from whence it springs; or otherwise he will be apt to mistake one Disease for another, or in forming the true Indications, and the most effectual Method of Cure.

67. In describing Diseases we cannot be too careful in remarking the peculiar and perpetual Phænomena which characterize them; but as to the accidental or adventitious Symptoms, which arise from the different Temper, Age, Management of the Patient, &c. as they are almost innumerable, and fince

fince many of them are collected in one Person, and none appear in another; it is almost impossible, as well as unnecessary, to remark them all. The Reader, therefore, is not to expect that every one seized with a Fever is to have all the Symptoms we shall enumerate, or that he will never meet with others which are not taken notice of here: What we design being to explain those which most deserve our Attention; the chief pathognomonic Symptoms, whereby this Disease may most certainly be known from another.

- 68. From what has been said in the preceding Chapter, it evidently appears that the Body of Man is to be looked upon as a most excellent Fabric, a very compounded Engine, consisting of gross, hard, solid Parts, as well as Fluids of several Denominations, and Consistencies; all which are incessantly and variously moved; and as long as the Solids act upon the Fluids, and the Fluids react upon the Solids equally and regularly, the Constitution is preserved, and the Machine remains in perfect Order.
- 69. A Disease, therefore, arises from a Depravity of the Fluids, or Solids, or both; whereby the usual Occonomy is disturbed, irregular Motions are excited among the Solids,

Solids, and unnatural Coalitions, and Separations among the Fluids. Or, if the Blood is not sufficiently supplied with suitable Chyle, if all the Series of Vessels are not duly replenished with their proper Liquids; if the excrementitious, superfluous, heterogeneous Humours are not sufficiently excreted; if any thing be deficient or redundant in any Part of the Body; Health will be impaired, and some Disease or other will be the Consequence of it.

70. Hence the Nature and Manner of Production of all the Symptoms incident to Diseases, are to be deduced from the Structure and Oeconomy of the human Body, which always exhibits the Phanomena in Consequence of it's primitive Construction. And now if we look back to the antecedent Causes of this Disease, we shall find that all of them are disposed to render the animal Fluids acrid, gross, and viscous, or to generate Obstructions in some of the Outlets of the Body, whereby they augment the Quantity, Velocity, and Heat of the Blood.

71. Obstructions are generally formed in the last Series of the Vessels, or in the ultimate Branches of the sanguine and lymphatic Arteries; and always arise from an

Excess

Excess in the Diameter of the obstructing Matter above that of the Canal through which it ought to flow. Thus when one or more of the Antecedents form Corpuscles in the Blood or Lymph of a different Texture, Figuration, or Bulk, than what are natural to the Constitution, and which are too large to pass freely through the minutest Tubuli; or if too great a Stricture of the excretory Vessels should happen from a Stimulus applied to them, so that what is secreted by the Glands cannot be discharged out of the Body; it is plain to a Demonstration, that morbid Matter would be pent up in the Habit.

72. Those who are conversant in the Practice of Physic know that many of the Glands do not perform their Office as usual, during the Continuance of an ardent Fever; the Dryness of the Skin, Mouth, Larynx, &c. are manifest Proofs of this: But whether these Symptoms proceed merely from an Incapacity of the Juices to be secerned, by reason of their Thickness, or from an actual Obstruction or Stagnation of gross Matter in the secretory or excretory Ducts, I shall not take upon me to determine; it being sufficient for our Purpose, that the Excretions are diminished, and the retained Mat-

ter accumulated in the Lungs, Heart, and

larger Arteries.

73. The Office and Use of the Glands in general, is to separate and throw off from the Blood those Recrements and worn-out Parts which are no longer required for any of the animal Functions, or to fecrete those Juices which are required for the Prefervation of the animal Machine; so that if we reflect on the Proportion which the several Glands bear to the rest of the Body, and that the muscular Parts receive but little Blood in regard to their Bulk; it will evidently appear, that Obstructions to the Circulation of the Blood and Lymph through the Vessels which constitute the Glands, will give the most immediate Rise to acute Fevers. For supposing the miliary, renal, mesenterial Glands, or any other excretory Ducts, not to discharge their proper Contents from the Blood; those particular Fluids must necessarily be accumulated in the pervious and patent Vessels, contrary to the common Course and Design of Nature; and by being retained in the Habit longer than ordinary, they will grow sharp, viscid, and ill-conditioned.

To an acute continual FEVER. 47

74. Most of the Phanomena incident to Distempers take their Rise from an Increase or Diminution of the Quantity of Fluids; for though the Blood may be vitiated, and Disorders may seem to arise from thence, yet if we strictly examine into it, such Vitiation is generally occasioned by an Augmentation or Diminution of the Quantity of Fluids: That is, the Quantity of the Fluids greatly depends upon their Motion, and their Motion upon their Quantity. Thus, for instance, an impetuous Circulation continued long, will render the Blood hot, acrid, and alkaline; whereas too flow a Motion will fuffer it to be cool, grumous, and acescent: and when any of the Juices stagnate in their respective Vessels, or lie out of the Verge of the Circulation, they will ferment, and turn putrid, from an intestine, fermentative Motion, occasioned partly by the Heat of the Body, and partly from the Heterogeneity of their constitutive Parts.

75. Thus when any of the animal Juices grow too thick and tenacious, or when the gross, earthy, saline Parts of the Blood abound too much; they are apt to adhere to the delicate fine Vessels, and leave viscid Strice behind them; whilst the watery, or more serous

ferous Parts are easily squeezed forwards by the Conatus of the Sides of the Vessels to come together; whence they may furr up the infide of the Veffels, and in the end totally occlude an infinite Number of the minutest Tubuli. But if this be not the Case, the necessary Effect of a viscid State of the Juices, is a Retardment of their Circulation through the capillary Vessels, and an Accumulation and Increase of their Velocity through the larger ones: And when fuch a Number of the Parts of the Blood and Lymph are brought to coalesce, as renders the Course of the Blood through the capillary fanguine Arteries, and the Course of the Lymph through the minutest lymphatic Vessels, difficult and slow; the Blood and Lymph will be accumulated in the largest and most pervious Tubes.

76. Hence the first Symptom of this Disease is a Rigor, or cold Chill, which chiefly affects the extreme Parts, and external Superficies of the Body, from the Check which is given to the Circulation, by reason of the Lentor adhering to the capillary Vessels.

77. II. The Pulse are low and slow, at the very Beginning of acute Fevers, for the same reason.

78. III.

To an acute continual FEVER. 49

more and more retarded in the ultimate Branches of the Arteriolæ, it will foon occasion a quicker Flow in the larger Arteries, and the Circle of the greatest Part of the Blood being, by these Means, shortened, the Return to the Heart will be quicker; in Consequence of which, the Heart will begin to beat oftener, and the Heart will begin to beat oftener, and the Heat of the Body will increase: For such are the established Laws of the animal Occonomy, that these Things are only the necessary Effects or Consequents of the Fabric or Mechanism of the Body.

79. We have many Reasons to admire the Structure and Contrivance of the animal Machine, both as to the Solids and Fluids, which are so excellently adapted to the mutual Succour of each other, that one cannot be offended, but the other has immediate Intelligence of it. Thus when many of the minutest Vessels are rendered impervious, the Quantity of Blood in regard to the pattent Vessels, is increased, each Canal is bowledened with it's respective Liquor, the Impulse and Velocity of the Blood is increased in the larger Arteries, and as they are distractile Vessels, the lateral Pression will be

greatest

50 Of the Symptoms incident greatest when they are most distended. Hence,

80. IV. A large, quick, full Pulse is the necessary Concomitant of a Plethora ad vasa (if it be not carried too far) occasioned by a difficult Circulation through the minutest and remotest Tubuli; and this is no more than an Effort of Nature to attenuate the Blood and Lymph, so as to pass freely through all the decreasing Series of Vessels without Stagnation or Obstruction.

81. V. The Skin feels dry and hard, and the whole vascular System seems to be too elastic and tense. Now this does not seem to be owing intirely to the Quantity of the Fluids distending the Vessels; but to the Quantity of the saline and sulphureous Principles in the Blood, being augmented by some of the Antecedents, or to their being attenuated and volatilized by an impetuous Motion and Heat, whereby they become more acrid, sharp, and irritating; and consequently they will stimulate the Fibres, and increase their Tension, to a greater Degree than before.

82. But fince the Theory of Diseases depends so much upon a true Knowledge of the Nature of the Elasticity or Springiness of the Fibres, that many Phænomena cannot rationally

To an acute continual Fever. 51 trationally be accounted for without it; I shall here present the Reader with a chemical Analysis of the solid Parts of an animal Body, in order to investigate the Proportions and Qualities of their several constituent Parts; whereby we may probably receive some Light towards finding out which Principles contribute most towards the Cohesion of the Fibres, and which actuate and invigorate their elastic, contractile Property.

EXPERIMENT I.

83. I took the Tendons from the Legs of an Ox, and having exactly cleared them from the Membranes and Fat, I put a Pound of them into a Copper Body which held five Pints; to this I fixed a glass Still-head, and to the Neck of the Glass-head I fitted a large Recipient, by means of a wooden Plug turned round for that Purpose, and having a Hole bored through it just big enough to admit the Neck of the Still-head. I also bored a small Hole through the wooden Plug, and in that I fixed a glass Tube 5+1 Feet high, whose Bore was 1 Inch diameter. The Use of this Tube was to let out the Air that was generated and rarefied by Heat, or otherwife the Glass-head would have blown off,

or burst, before we could have increased the Fire so as to raise the volatile Salt and Oil; and by reason of the Smallness of the Bore, and the Height of the Tube, we prevented the Escape of any Thing else: for we could not perceive, in any of the sollowing Processes, that either the volatile Salts or Oils ever rose above eighteen or twenty Inches in the Tube.

84. The Apparatus thus prepared, and every Part being closely cemented together, I committed the Copper-Body to a Sandbeat, and, by a moderate Degree of Fire, raised all the Phlegm. The first that came over was almost insipid and inodorous; after that it grew stronger and stronger, and, at last, about an Ounce of it was so highly charged with sectid Oil and Salt, that it deferved the Title of Spirit.

85. After this I took the Copper-Body out of the Sand-heat, and fet it upon a naked Fire, which foon filled the Glass-head and Recipient with thick Clouds; and in this State I continued it as long as any thing would rife.

86. Lasty, I calcined the Caput mortuum, poured boiling Water upon the Calx, filtred it through Paper, and evaporated it to a Dryness.

To an acute continual FEVER. 53 Dryness. By these Means I gained as follows,

The Burney Land			
4 1	Ounc	. Dr.	Grains.
1. Lymph	xij.	vi.	Aria at go
2. Volatile Salt		ij.	vi.
3. Oil		iij.	iiij.
4. Cap. Mort. before?	::	i.	to a local
Calcin.	7).	1.	Х.
5. Cap. Mort. after?	i.	ij.	xxxxiiij.
Calcin.	**	4).	AAAAMIJ.
6. Fixed Salt		100	
7. Lost in Distilla-	O NO	iij.	xxxx.
tion	-	11).	AAAA.
8. Lost by Calcina-7		777	vvni
tion 31	-1	1.	xxvj.

86. Thus we see how vastly the watery or phlegmatic Principle abounds above the other Principles; it being almost 13 Parts of the whole Mass. And indeed it is surprizing to observe how great a Share of Water goes to make up several Bodies, whose Forms promise nothing near so much: even Bones, as we have observed before, afford half their Weight of Water.

Exp. II.

88. I diffected a Muscle from the Buttock of a very lean Bull, and having cleared it from the Membranes, and all visible Fat, I distilled a Pound of it, in the manner abovementioned, and obtained,

Laureza I a	Ounc	Dr.	Grains.	
I. Lymph	xij.	iij.	xx	
2. Volatile Salt		iiij.	Lv.	
3. Oil	i.	i.	TOUT.	
4. Cap. Mort. before?	1:	;;	tion	
Calcin. J		1),	1 HOLD	
5. Cap. Mort. after?		vi.	HON YY	
Calcin. S	111111	V1.	XX.	
6. Fixed Salt	50	W.SU	T . 68	
7. Lost in Distilla-?	191	iiij.	XXXXV.	
tion 5		mj.	AAAAV.	
8. Lost by Calcina-?		iii	VVVV	
tion S	1	11).	XXXX.	

89. Here we may observe, that since three Drachms and forty Grains of Matter were lost in the first Process, and four Drachms, and forty-five Grains in the second; and since such Care was taken that nothing but Air should escape, we may reasonably conclude that

To an acute continual Fever. 55 that much the greatest Part of that which was lost, was true permanent Air; and for the same Reason, I doubt not, but a great Share of that which was lost by Calcination, was Air likewise: For, as we shall shew hereafter, Air in solid Bodies, is of so fixed a Nature, that it will not rise, or be separated from them, but with the greatest Degree of Heat.

90. Here also we have evident Proof of the Proportions and Qualities of the several Principles, or constitutive Parts of the Fibres; but in what Manner they are ranged, or after what Manner they cohere together, fo as to be springy or elastic, is a Question not very easy to be solved. However, since daily Experience informs us, that when the animal Fluids are most of all impregnated with volatile Salts and Oils, the Fibres are highly rigid, elastic and tense; and when the phlegmy Principle abounds too much, they are foft, flabby, and relaxed; it is reafonable to conclude, that though Water or Phlegm has much the greatest Share in the Composition of the Fibres, yet the saline and fulphureous Principles are the chief Agents which actuate and invigorate the watery and earthy Parts, and which, by their ftrongly E 4

support of the Texture and Cohesion of the other Principles. The watery Part is easily separated, and rises with a small Degree of Heat; but the saline and sulphureous Principles adhere to each other, and to the earthy Part so tenaciously, that a great Violence of Fire is required to separate them; and therefore they seem to be the strongest Gluten which binds together the other constitutive Parts of animal Bodies.

91. I had almost forgot the Air, which certainly has a great Share in fixing and uniting the other Principles; for in the most solid Parts of the Body, or where the Cohesion of the Parts is the strongest, there we find great Plenty of Air. That the Air-Particles are eapable of being united, and fixed to folid Bodies, and by that Means may be esteemed a Part of their Composition, we have many evident Proofs in Dr. Hales's Analysis of the Air; and that those Particles do, in their fixed State, strongly attract the other component Particles, is evident, it being well known that the most strongly repelling and elastic Particles, when in a separate State, are the most strongly attracting when fixed to other Bodies.

To an acute continual FEVER. 57

92. Now, according to Dr. Hales, fince a much greater Proportion of Air is found in the folid than in the fluid Parts of Bodies; may we not with good reason conclude, that it is very instrumental, as a Band of Union in those Bodies; those Particles (as Sir Isaac Newton * observes) receding from one another with the greatest repulsive Force. and being most difficultly brought together, which, upon contact, cohere most strongly. And if the Attraction or Cohesion of an unelastic Air-Particle be proportionable to it's repulfive Force in an elastic State; then, fince it's elastic Force is found to be vastly great, so must that of it's Cohesion be also. Add to this, that the Air generated from the folid Parts of the Body, is not separated without great Violence; for it does not rife till the Clouds do, which contain and bring over the Salt and Oil: Whence it is evident that the aëreal Particles are firmly fixed, and confequently are very instrumental in the Union of the other constituent Principles.

93. † Small Bodies act upon one another in the same Manner, and by the same Laws and Mechanism, that the Systems of the

^{*} Vide Optics, Qu. 31.

[†] Vide Cheyne's Engl. Mal.

greater ones do: And he who would underftand the Effects of little Bodies, Fluids, or material Spirits upon greater Bodies, and the Nature of the Action of their Particles upon one another, has nothing to do (if he reasons rightly) but to resemble small Bodies to great, under particular Laws and Conditions.

94. Since, therefore, there is in all the Fibres an innate Springiness or Elasticity, which seems to be owing to the close Contact or Cohesion of their component Particles; and since too many serous or watery Particles soften or weaken the Cement between the saline, sulphureous, aëreal, and earthy Parts, we may reasonably conclude, that the Strength and Elasticity of an animal Fibre is chiefly preserved by the strongly attracting Power of the saline, sulphureous and aëreal Particles, which seem to solder and unite the watery and earthy Parts together.

of. The more Points the constituent Machinulæ touch at, the stronger will be their Cohesion; and consequently they will give more Resistance to any impressed Power, or require more Force to dilate or distract them; and when they are bent or stretched Velocity.

96. Hence it is that the Membranes and Fibres become unfit to be moved with Vigour, and are rendered stiff and inactive by Age; because, in length of Time, their component Particles get into the closest Contact, and consequently the Copula is more

powerful and strong.

97. From what has been faid it will most evidently appear, that in acute Fevers, where the faline and fulphureous Particles of the Blood are exalted and volatilized, and where all the Fluids are more acrid, sharp, and irritating, than usual; the Fibres which constitute the Canals will be extremely elastic and tense, and their contractile Power raised to the highest Pitch: hence the Blood will be propelled out of the Heart with the greatest Impetus, and it's Velocity increased to the greatest Degree, through every pervious Vessel. Hence,

98. VI. Arises Heat, which is the chief pathognomonic Sign of a Fever; for since it is well known that (cæteris paribus) the Heat of an Animal is in compound Proportion to the Quantity of the red Blood-Globules,

bules, (they being most receptive and retentive of Heat) and the different Degrees of Friction; or, in other Words, since the Heat of the Blood depends upon the Quantity of red Globules multiplied into their Velocity; it naturally follows, that where both the Quantity of red Globules (as we shall shew in the Sequel of this Chapter) and their Velocity are increased, the Heat must also.

99. The animal Solids and Fluids are in an incessant mutually vibrating State; the Canals contract and push on the Blood, the Blood recoils and resists in Proportion, and as Action and Reaction are always equal, the Blood-Globules must necessarily, in a Fever, strike much oftener against each other, and the Sides of the Vessels; whence such Friction is produced, as raises their Heat to a vast Degree.

an accelerated Motion of the Blood, by Labour or Exercise, does constantly increase it's Heat; whence we may, with good reason, conclude, that it principally acquires it's Warmth by the brisk Agitation it undergoes at such Times. And that the Heat of the Blood does arise principally from this Friction, is hence also probable, that on strong

ftrong or brisk Motion of the Body, it's Heat is increased much faster, than it could by any effervescent or fermentative Motion.

* As, therefore, fermenting and effervescent Mixtures acquire Heat by the brisk Agitation and rubbing of the Particles of the effervescent Mixture against each other; so the Globules of the Blood may well acquire their Warmth by being briskly agitated, in passing with great Velocity through innumerable, divaricating, and converging fine Canals.

deny a fermentative Motion in the Blood: For it must needs be that the Parts of a Fluid, which is stored with so heterogenedous, active Principles, will be in a vibrating State, while actuated with so considerable Degrees of Friction and Heat, as the Blood is in an acute Fever. A violent Effervescence or Ebullition indeed, as from a Mixture of Acids and Alkalies, is what never happens in the Blood; but that there is always a small Degree of intestine Motion, from the attracting and repulsive Power of the several constituent, heterogeneous Particles, is highly reasonable to believe.

^{*} Vide Hale.'s Statical Essays, vol. ii.

102. It is furprizing to think what vaft Alterations different Degrees of Heat produce in animal Bodies. When it is intense, it has a very confiderable Effect on the faline and oleaginous Parts; for though it is evident, from many Experiments, that the effential Salts in the animal Fluids, are, in a natural, healthy State, neither acid, nor alkaline, nor fixed, nor volatile, but of a neutral Quality; yet, in the Height of ardent Fevers, many of the Symptoms evince, that the Juices are tending towards an alkaline State; and by many obvious Experiments we learn, that the smoothest Oils will grow rancid by Heat, and lose their mild and gentle Nature, and become exceeding sharp, corrosive, caustic, and poisonous. The * Chyle contains a latent Acid; which easily discovers itself by Putrefaction; but this acid Salt having undergone a due Fermentation, or some other Action analogous to that in the animal Body, is changed into a volatile Alcali, obtainable in great Plenty from Blood, Serum, Bile, Urine, &c. In a healthy Body, however, these volatile Alcalies are never perfectly formed, the animal Salts being more of the Nature of Sal Armoniac, with a Mixture of earthy

12 201

^{*} Vide Geoffroy on Animal Substances.

To an acute continual FEVER. 63 and oily Parts, to which Mixture the glutinous Quality of the Blood and Serum is owing.

a smooth, demulcent Liquor, whose Globules both of the red and serous Parts are spherical and polite; but whenever the natural Forms of the component Parts are broken and destroyed, they must necessarily become angular, acrid, and pungent, and thereby, more or less, introduce an acrimonious Quality, which will weaken and destroy the vital Powers.

fore, feem to produce volatile, acrid, correfive Salts in the Blood and Humours, by
dividing and subdividing the Corpuscles of
the essential Salts, till they attain a certain
Degree of Minuteness and Asperity; but if
ever the Heat be violent enough to render
the animal Salts of an alkaline Disposition,
it is reasonable to believe, that they are then
conjoined, by their strongly attracting Power,
which is vastly increased by Heat, and the
Division of their Particles, to some other
Matter, which, in a healthful State, is never
in Combination with them. For since the
saline and sulphureous Particles do evidently

exist in the Blood before the Heat is applied to it, and yet exhibit no Signs of an Alkali; it plainly follows, that the Alteration is produced by the Union of some Principles, which thereby become different from what they were before the said Combination.

line Salts do result from the Combination or Union of the volatile Salts with the oleaginous or sulphureous Principles; from which Mixture of the saline and oleaginous Particles, there results such a Tertium quid as readily ferments with any Acid. And Tachenius's Method of preparing medicated Salts from Vegitables by Calcination; viz. by condensing the Smoak upon the Coals or Ashes, whereby he procured more Salt, seems to confirm the Truth of this Supposition.

tion is performed, we are affured by Bellini and Boerhaave, that the White of Eggs (and the very same thing will happen with the Serum of the Blood) will putrefy by Digerstion, and turn alkaline; and that a single Grain, or even half that Quantity of this putrefied Substance being taken into the Body, will, like the strongest Poison, pre-

* Vide Phil. Trans. No. 107.

To an acute continual FEVER. 65 fently cause a violent Nausea, Vomiting, and Erustations, a Fever, a Diarrhæa, &c.

107. Hence it is reasonable to believe that in a Causus, or the most intense hurning Fever, which lasts, perhaps, twelve or fourteen Days, the Salts and Oils must necessarily be rendered alkalisate, though not in such a Degree as to ferment visibly with Acids. And hence it is that the Matter which is suppreffed and pent up in the Body, by the antecedent Causes, or during the Continuance of a Fever, is vitiated, and of a noxious ill Quality; the Salts are attenuated and dissolved, and the Oils are exalted and rendered volatile; in consequence of which they gain a sharp, acrid, corrofive Quality; the Salt which was before mild, and somewhat indisposed to Volatility, becomes volatile and pungent; and the Oil, which before was gentle, and harmless, proves violently sharp and rancid.

is tending to inspissate or incrassate the Blood, it being, in an intense Fever, sometimes above the coagulating Point; and since the accelerated Pulses, and the strong vibratory Motion of the whole vascular System do necessarily continue to increase the Heat, it is amazing to think how the animal Machine can possibly hold out so long as it sometimes

F

does, under fuch violent Conflicts. Nothing could have preserved it in such Cases, had not the great Wisdom and Foresight of the Creator so ordered it, that the accelerated Motion of the Blood, and the strong vibratory Motion of the Vessels greatly promote Attenuation at the same Time that they increase Heat: So that there is a Sort of reciprocal Action between the strongly attracting Power of the Blood-Globules, assisted by Heat, which perpetually inclines them to coalesce, and the vibratory Motion of the Solids, which is continually dashing the Globules and preventing their Cohesion.

Texture and Consistence of the Blood, I have taken the Pains to examine it, in a statical Way, in every Stage of this Disease where Blood could be drawn with Sasety; in order to discover the different Proportions of Serum and Gore, and the different Powers of Cohesion between the red Globules which constitute the Crassamentum.

ments themselves, it may be proper to advertise the Reader of the Manner in which they were made. First, I always took care to bleed into a Porringer as near the same Shape and Size as possible; because a larger Surface of Blood should not be exposed to the Instuence of the Air in one Trial, than in another. Secondly,

To an acute continual Fever. 67

All the Blood was received in one Porringer, because I have found by Experience, that a Pound of Blood does not separate so much Serum when divided into several Parcels, as when contained in one Vessel. Thirdly, I always set the Blood in a cool Place, and after it had stood 24 Hours, I very carefully weighed the Serum and Cruor, separately, in order to find their different Proportions. Fourthly, I took a very thin Glass Tube 12 Inches long, and Inch Diameter, and having hermetically sealed up one End of it, I blowed it out to an obtuse Point about the Bigness of a middling Pea. Now this Point being set upon the Crassamentum, the Weight of the Tube was not of itself sufficient to press through, and but very feldom when filled with Water; so that my way of trying the Cohesion of the Gore was to pour Mercury into the Tube till it was just heavy enough to cut it's Way through; and as the Tube was exactly graduated, I could, by this Means, very nicely determine the Power of Cohesion between the Globules which constituted the Crassamentum. N. B. Every Degree was * Inch; fo that when it is faid in the following Table Degrees of Cobesion No. 48, we mean that the Cruor was fo tough as to be equal to the Weight of fix Inches of Mercury, besides the Weight of the Tube, which was three Drachms, and fifty-fix Grains.

A Statical

68 A Statical Examination of the BLOOD

68 A Statical Examination of the BLOOD,			
The Age of the Per-	The Day of the Disease	The Symptoms.	The Quan- tity of Blood ta- ken away.
A Man aged 45.	2d.	Intense Heat, Thirst, Vo- mitings, Looseness, excru- ciating Pains in the Head, Back, and Loins, and clear, pale, limpid Urine.	зхііј. Эіј.
AWoman aged 32.	ıft.	A quick, full Pulse, ex- treme Pain in the Head, and Loins, and delirious.	3xiiij, 3i.
A Man aged 23.	4th.	A foul, moist Tongue, crude Urine, strong, full Pulse, Delirium, excessive Heat, and frequent Vomitings.	3xv, 3ij. gr. xxv.
A Man aged 42.	3d.	Great Incalescence, strong, full Pulse, a Pain in the Head and Back, giddy, and Nausea Ventriculi.	дхіііј, дј, Эј.
A Boy aged 12.	2d.	A Phrenzy, with extreme Talkativenefs, a wild Stare with his Eyes, a dry, brown Tongue, a thick, black Film or Skin adhering to the Teeth and Lips, Subfultufes, and a quick, labouring Pulfe.	₹vj, 3j.
A Boy aged 10.	4th.	A flushed Countenance, an extreme quick, full Pulse, a brown, parched Tongue, with a white List round it, a Delirium, high- coloured Urine, and costive.	₹vĵ, 3ij. gr. xij.
A Girl aged 11.	3d.	Exceeding delirious, a full, quick Pulfe, pale limpid Urine, a dry, parched Skin, and coffice.	zvij: Dij.
A Man aged 34.	5th.	A burning Heat, un- quenchable Thirst, general Uneasiness, Watchings, still Pulse, and high-coloured Urine.	ξxij, zj. gr. xvj.

	In acute continual Fevers. 69				
1	The Quan-	The Tafte and	The Colour and	What Days the Cri-	
ı	tity of Se-	Colour of the	Consistence of the	fes happened, and	
i	rum.	Serum.	Crassamentum.	by what Outlets.	
ı	1 / Carlotte				
ı	-				
	Ziij,			On the 7th Day,	
	ziÿ,			by Sweat, and	
ı	3iý, 9j.	than healthy	there a blue	turbid Urine.	
1		Serum, and of	Speck. Degrees	The state of the s	
1		a flaming yel-	of Cohesion 34.		
1		low.			
1	3iy, 3v,	Almost in-	Extremely	On the 9th Day,	
j	Эij.	fipid, and of a	florid. Degrees	by profuseSweats,	
1			of Cohesion 26.	and thick Urine.	
1		lour.	Dalbara and		
1	Ziij,	Quick, fa-	Exceeding		
1	31,		florid, Degrees		
1	31, 9j.		of Cohelion 38.	Hæmorrhage at	
į	12 18 18 18	loured.		the Nose, plentiful	
1		14 1 1 200		Spitting, turbid	
1			WHICH BALL BUT	Urine, and mode-	
ı		m 1:0	00	rate Sweats.	
1	3 v,	Brackish,	Of a vivid		
4	31,	and of a Ci-		by turbid Urine,	
1	gr. xvj.	tron Colour.		andprofuseSweats	
ł		200	Speck upon it.		
1			Degrees of Co-		
1		¥7 C.1.	hesion 43.	Dial as the	
I	31,	Very falt,			
1	gr. xvj.	and or a	Coat at top, and	7th Day.	
1		bright yellow flammeous	north Degrees		
ı		Colour.	neath. Degrees of Cohesion 48.		
Í	To the same	Colour.	or Conchon 40.		
1		The state of the s			
1	E BOW	200			
1	1300	The state of the s	THE PARTY OF TAME		
1	7;	Brackish,	OfavividCo	On the 8th and	
1	557	clear, and		9th Days by mo-	
1	3j, 3 ^{iij} , 9j.	flammeous.		derate Sweats, and	
1	23.	namine out	or conchon 23.	5 or 6 loofe Stools.	
ł		14	and the way had been	,	
1	100	the second second	TETEL		
1	A SHOPE	Latin Start	THE PARTY NAMED IN	Last Last	
-	ʒij,	Very pun-	Of a vivid	On the 10th	
1	gr. xiiij.		red. Degrees	Day, by Spitting	
1		tremely yel-	of Cohesion 26.	turbid Urine, and	
-		low.	A Langito State	fwelled Legs.	
1			PITE AT STATE		
I	Зij,	Quick, fa-	Very florid.	On the 11th and	
1	gr. xv.	lineTafte, and	Degrees of Co-	12th Days, by	
1		of a bilious	hesion 56.	profuse Sweats,	
1		Colour.		turbid Urine, and	
-				Spitting.	

70 A Statical Examination of the Broom;

The Age		Examination of the Bill	
of the Per-	The Day of the Difeafe	The Symptoms.	The Quantity of Blood ta- ken away.
A Man aged 26.	1ft.	Giddiness, sick Fits, great Incalescence, a strong, full Pulse, Pains in the Head and Back, and clear, lim- pid Urine.	зхіііј, зіј.
AWoman aged 22.	3d.	Excruciating Pains in the Head and Loins, extreme Thirst, inward Burnings, dry, parched Skin, and strong, full Pulse.	дхіј, зј, Эј.
A Man aged 24.	5th.	A very frong, quick, full Pulse, Vertigo, bilious Vomitings, intense Heat, and unquenchable Thirst.	дхіііј. gr. xxvj.
A Man aged 46.	zd.	A brown, dry, parched Tongue, Pains in the Head, and Back, general Uncafi- ness, and full Pulse.	₹vij, 3vj.
A Man aged 21.	4th.	A quick, full Pulse, great Thirst, Pain in the Head, giddy, clear, limpid Urine, and costive.	₹x. ∂ij. gr. viij.
A Man aged 38.	zd.	Great Incalescence, ex- treme Thirst, bilious Vo- mitings, a parched Skin, and strong, quick Pulse.	3xv, 3ij.
A Girl	12th.	A Phrenzy, Subfultus Tendinum, a full, labour- ing Pulse, intense Heat, and a parched, brown Crust up- on the Tongue.	₹vi.
A Man aged 36.	13th.	A full, heavy Pulse, lix- ivious Urine, a slight Pain in the Side, a quick and dif- ficult Respiration, a black, parched Tongue, intense Heat, Subsultus Tendinum, and delirious.	3viij, 3j, gr. xvj.

1	~ ~ ~ 11	The Colour and	What Daniel Coin
The Quan-	The Tajte and	Confidence of the	What Days the Cri- ses happened, and
OF THE REAL PROPERTY.	Colour of the Serum.		by what Outlets.
rum.	Serum.		of the outlets.
-1-11-11			
3iij.	No Differ-	Ofagood Co-	On the 6th Day,
gr. xxxvj.	ence to be	lour. Degrees	by 8 or 9 loofe
	perceived	of Cohesion 22.	Stools.
A STAG	from healthy	tone is	
	Serum.	odi en andi	Vital Strong Late
3iij,	Pungent,	Exceeding	The 8th Day, by
gr. viij.	faline, and		Mensium Proflu-
	ftraw-co-	of Conenon 30.	vium, and mode-
10 300	loured.		rate Sweats.
Action Control	1000000	man has in	Constitution of the
дііj,	Much more	Very florid	The 11th Day,
7V.	brackish than		by profuseSweats,
зv, Эј.	healthy Se-	hesion 28.	and thick Sedi-
1	rum and deep-	A STATE OF THE STA	ment in the Urine.
4-13224	er-coloured.		
Ziij,	Quick,	A thin blue-	
zj,	pungent, and	ish Film at top,	
gr. xij.	yellow.	and florid un-	
Process !	deing ow so	derneath.Degr	tious Sediment in
4:	0.11.	of Cohefion 33.	
3 ij,	Saline, and	Very vivid.	The 5th Day, by an Hæmorrhage
311J.	bilious.	hefion 28.	at the Nose, and
gr. xv.		menon 20.	moderate Sweats
Augus .	STOWN SHIPE Y	TON I AMERICA	on the 6th Day.
Ziij,	Pungent,	Adelicatered.	
3iiij,	and very yel-		by profuse Sweat.
gr. vj.	low.	hesion 34.	to a figure a supplier and a
STATE OF ST	R ASSIST	Con second	dist i ore is
	100-1		mi v žile
3j,	Very falt,		The 22d and
3111.	and of a		23d Days, by mo-
A TOTAL	bright, flam- meous Co-		derate Sweats, Spitting, and very
, american	lour.		turbid Urine.
TOTAL TO	A STATE OF THE STA	10.120	The Chile
- 3j,	Exceeding	A thin Buff-	Diedontheigth
gr. xxij.		Coatattop, and	
100 00	of a deep bi-	more dusky	
134	lious Colour.	than ordinary	VI TO THE REAL PROPERTY OF THE PARTY OF THE
		underneath.	
	1	Degrees of Co	
The state of the	1	hesion 64.	

111. Before we proceed to make any theoretical or practical Deductions from these Experiments, I beg leave to take notice of the Reasons which induced me to draw away. the Blood from one Patient on the 12th Day, and from another on the 13th Day of the Disease; especially fince I have endeavoured, in the following Pages, to shew the great Usefulness of Bleeding in the Beginning of this Distemper, and the Danger of doing it towards the Criss. First, I was not confulted for either of them till those Days on which I drew Blood. Secondly, No Evacuations of any Kind had been made before those Times. Thirdly, As to the Girl, it was about the Time of Age that we might expect the Menstruæ Purgationes; Pains in her Back, Giddiness, Retchings to vomit, &c. preceded this Illness; her Pulse were full and weak, and feemed to struggle for want of Room. Fourthly, As to the Man, the Day before I visited him, he had taken an Ounce. of the Cortex, his Apothecary mistaking a little Remission, for a true Intermission of the Fever: Subsultuses, intense Heat, a difficult Respiration, and a Slight Pain in the Side foon followed the Use of the Cortex; and for these Complaints I found him taking Boluffes

To an acute continual Fever. 73 Iusses of Lap. Contray. Crocus, Castor. Sal. Vol. Suecin. &c. By this Treatment, I presume, he became delirious, his Countenance was flushed, his Tongue black and dry, his Urine extremely high-coloured, his Pulse full, beavy, and something unequal. These were the Symptoms, and these, in my humble Opinion, were fufficient Indications for Phlebotomy, though fo late in the Disease. I must add, that I never saw the Blood stream out so violently, and with so large an Arch, as it did from the Arm of the Man; and had not my Timidity prevented my taking away more Blood, I am perfuaded, I had stood a better Chance for the Recovery of my Patient. But to return.

appears, that in ardent Fevers the red Globules exceed the Proportion which they ought to bear to the ferous Part of the Blood: for, according to Mr. Boyle's Experiments and Observations of the Weights of the Crassammentum and Serum, after they have separated one from another, it appears that the Quantity of Serum which may be poured off from the Crassamentum, is about one Half of the whole Mass. And, indeed, from Experiments which I have purposely made on

the Blood of three young Men in perfect Health, I find it to be nearly the same; the Serum in all three Trials much exceeding one Third of the whole Mass, though I cannot say that in any of them, it sully arrived to one Half.

ferent Consistence of the Cruor in a febrile State, from that in Health. The Degrees of Cobesion in the Blood of the three young Men just mentioned, were 8, 9, 12, or the most viscid of their Blood gave way to the Weight of 1½ Inch of Mercury: whereas we find in the Tables above, that the Cohesion of the Globules which constituted the Crassamentum, was sometimes equal to a Column of Mercury seven or eight Inches in Height.

Fevers is more than ordinarily viscid and tenacious, and contains too great a Quantity of red Globules, notwithstanding the usual, most fluid Excretions are greatly diminished, even from the very Beginning of the Disease; let us inquire by what Means this Alteration is most likely to be produced.

Leeuwenhoek has shewn us that the largest

To an acute continual Fever. 75 red Globules of the Blood are made up of fix smaller Spheres clustered together in a very regular Manner; and that so nicely, that in a perfect Globule the Composition comes to be imperceptible. He likewise assures us, that he faw Globules in the Blood much less than those which composed the red Globules; whence we may reasonably conclude, there are feveral Orders of Globules in the Mass of Blood, the smallest of which, if properly united to others, and those again to the largest Order, exhibit red Globules. And, on the contrary, the largest Globules may be broken down into their compounding smallest Globules, and by that Means come again under the Denomination of Lymph or Serum.

ever will dispose the smallest Order of serous Globules to aggregate or unite into larger ones, and those again into such as are still larger, will at last produce red Globules. Now we know of nothing more likely to produce this great Change than strongly attracting, saline, and sulphureous Particles, together with Heat, which invigorates their attractive Power, and thereby greatly conduces

duces towards fixing and uniting the smallest Globules to each other.

117. From what has been faid in the preceding Chapter it is evident that most of the Antecedents are disposed to charge or impregnate the Blood with faline and fulphureous Matter; and, indeed, I can give no other Reason why one Man should catch Cold, and have a Fever, and another, perhaps, shall have the perspiratory Ducts more fully stopped, and yet have only a serous Defluxion on the Nose, Eyes, Lungs, &c. but because in one the Blood is more impregnated, by an intemperate Use of the Non-Naturals, with faline and fulphureous Particles, than in the other; and for that Reason the Juices are more likely to become hot, acrid, and grumous, fit for the Production of a Fever.

reflect on the different States of the Blood under different Diseases; e. g. in the Leucophlegmatia, Anasarea, Ascites, and indeed in all Distempers where the vital Powers are depressed, the Pulse weak, low, and slow, and the Heat of the Body is much below the natural Standard; here, I say, we may observe how very apt the Globules of the higher Order are to lose their Contexture, and to

To an acute continual F E V E R. 79 be broken down into the smaller compounding Globules, so as to increase the Quantity of Serum. Whereas in ardent Fevers, where the saline and sulphureous Particles abound too much, where the vital Heat is augmented above the healthful Standard, and all the Powers of the Body exert themselves to the greatest Degree; there we may observe the smallest compounding Globules intimately united into larger ones, whereby the red Globules increase, and the whole sanguineous Mass becomes more dense, heavy, viscid, and tenacious.

119. Hence we have good Reason to conclude, that the most necessary Requisites towards forming of red Globules in the Blood, and causing these red Globules to coalesce, are a certain Proportion of saline and sulphureous Particles, and a certain Degree of Motion and Heat; whereby the constitutive Parts of the Blood are made to attract each other more vehemently.

of an Egg, has not it's Effect merely by evaporating the most sluid Part, and thereby suffering the other Parts to approach nearer and nearer to each other; but it performs this sudden and wonderful Change by increasing

creasing the attracting Power of the saline and sulphureous Particles, whereby the smaller Order of Globules run into each other, and form larger ones; and these again join with others till the whole Mass is confolidated.

per Quantity of saline and sulphureous Matter, and a moderate Degree of Heat are perfectly necessary towards maintaining a natural and healthy Crass; but whenever they are increased above, or decreased below the natural Standard either in regard to their Quantity, or Motion, the Blood will become too grumous, and florid, or too thin, limpid, and pale.

122. In regard to the Action of the Veffels; if they have any Share in compressing and uniting the serous pellucid Globules of the Blood, and forming them into red Globules, we may reasonably conclude that in ardent, continual Fevers, where the Action of the whole vascular System is greatly increased, the Globules will be most of all compacted and joined together.

123. From the Whole it appears highly reasonable to believe, that a mere Plethora of languid, inert, unactive Matter, is not the

Foundation.

To an acute continual Fevers: 59
Foundation of ardent Fevers; but that the Blood, at such Times, is too plentifully stored with acrid, sharp, irritating, strongly attracting, saline, and sulphureous Particles. However, that nothing may be wanting towards investigating the true Causes of this Disease, I have thought it worth while to separate the constitutive Parts, or Principles of the Blood, and to take a just Estimate of their several Proportions.

124. By proper Distillations, and the Force of Fire, we may compel Nature to an Account; and though the Bulk and Figuration of the faline and fulphureous Parts are undoubtedly much altered and commuted by the Action of Fire; yet the Proportions of the feveral Principles of the Blood are not increased or diminished thereby; and confequently by carefully separating and weighing them, and feeing the feveral Proportions they bear to each other, we may arrive at a Knowledge very useful in accounting for fome of the Phænomena of Diseases, and directing us to a right Method of Cure. It is fatisfying and useful as well as curious, to reduce to Measure and Weight the constituent Parts of the Blood; and I am persuaded, 80 Of the Symptoms incident no inquisitive Person will judge it a vain Undertaking.

A Chemical Analysis of the BLOOD's both in HEALTH and in ardent FEVERS.

EXPERIMENT I.

125. Eight Ounces of Blood, taken from a young Man in perfect Health, and distilled in the same Manner, and with the same Apparatus above-mentioned, afforded as follows:

retedand communica by	Ounc.	Dr.	Grains.
1. Lymph.	vi.	iiij.	XXXXV.
2. Volatile Salt	Haipai	in Ita	xxxviij.
3. Oil.	Dinie.	0.70	Lij.
4. Cap. Mort. before	Militari	o you	Jesup 1
Calcin.	ge LEST	vij.	xxv.
5. Cap. Mort. after?	o do	0 01 2	and ruch
Calcin.	a made	ij.	x.
6. Fixed Salt	MICHAEL S	the f	V

126. The first three or four Ounces of Lymph seemed to contain but little volatile Salt or Oil, it being sætid or disagreeable either in Taste or smell; neither did it ferment

To an acute continual Fever. 81 ment strongly with Acids: but the latter Part was highly impregnated therewith, and fermented violently with Oil of Vitriol, made a white Precipitate with Solution of Sublimate, and turned Syrup of Violets green.

Exp. II.

127. From eight Ounces of Blood, drawn from a Man, fifty Years of Age, in perfect Health, fomething corpulent, and one who indulged in good Eating and Drinking, without using much Exercise, I obtained,

	casa this of the metal	Ounc	. Dr.	Grains.	
i.	Lymph	vj.	iiij.	XXV.	
2.	Volatile Salt			xxxxvj.	
3.	Oil		i.	xij.	
4.	Cap. Mort. before }		vij.	xxxvij,	The second second
5.	Cap. Mort. after { Calcin.	Source	iij.	xv.	The second second
6.	Fixed Salt	5 1 30	170	viij.	

128. Two Grains of the fixed Salt being laid upon a Piece of clean Glass, I dropped upon it one Drop of Oil of Vitriol, from whence arose a violent Fermentation, and a white, pungent Fume.

dissolved in two Ounces of Rain-Water, I added to it four Drops of a Solution of Silver in Aqua Fortis, which caused a manifest Milkiness, and evidently discovered the fixed Matter to be Sea-Salt; for no other Salt produces a white Fume with Oil of Vitriol, or a white Cloudiness with a Solution of Silver.

Exp. III.

130. Eight Ounces of Blood extracted from a Man, on the fecond Day of an intense burning Fever, afforded,

	Ounc.	Dr.	Grains	
1. Lymph	vj. 1	iiij.	vj.	1
2. Volatile Salt		i.	v.	1
3. Oil	7.63	i.	xxxij.	1
4. Cap. Mort. before?	1.0	vij.	xxvij.	
Calcin.		13.	Alevij.	
5. Cap. Mort. after?		ij.	XXXXV.	
Calcin.	0.880	100	772	
6. Fixed Salt	7 70 0	1	mis.	

Exp. IV.

131. Eight Ounces of Blood drawn from a Man of a robust Constitution, on the 4th Day of a most acute Fever, afforded,

1 Lymph

To an acute continual FEVER. 83

with the print the Adeler	Ounc.	Dr.	Grains.
i. Lymph	vj.	iij.	xxviij.
2. Volatile Salt	3197	i.	xxxiiij.
3. Oil	A MINE	i.	xxvij.
4. Cap. Mort. before?	1500D	vij.	Lvj.
Calcin.	4.88 10		110 0 0 0 11
5. Cap. Mort. after ?	13010	ii.	Liiij.
Calcin.	Shino	3.0	3-00-40
6. Fixed Salt		10,0	vj.

132. The fixed Salt in these Experiments exhibited the same *Phænomena*, with that in the preceding ones.

133. The Lymph in the two last Processes seemed to be more strongly charged with volatile Salt and Oil, than the others, and sermented more violently with Acids.

134. These were the Proportions of the several Principles which the sanguineous Mass afforded us by the most careful Distillation, &c. Whence it is evident, that the saline and sulphureous Parts did abound more in those seized with acute Fevers, than in those in Health: But as the Experiments may be thought too sew to deduce any practical Inferences from, we shall stop here, till we have had an Opportunity of G 2 examining

84 Of the Symptoms incident examining more particularly into this Affair. Proceed we, therefore, to the other Symptoms of this Disease.

135. VII. Pains in the Head, Back, &c. arise from too great Distress or Extension of the Veffels; for as all Pain proceeds from fome Violence offered to the Nerves, either by too great Contraction of the Fibres, as in Spasms or Cramps; or by an over Diftension of the Fibres from Plenitude; or from some acrid, pungent, corrosive Matter irritating and corroding the Extremities of the Nerves; and fince both the Quantity and Velocity of the Blood are mightily increased in acute Fevers, there must consequently be more Blood contained in each Section of a Veffel than what is common; and as every fuch Distension is in some Measure a Solution of Continuity, it must of course excite Pains, and those chiefly in the Head, Back, and Loins, because there the Muscles do not support the Blood-Vessels and refift the Expansion of the boiling Humours, as in other Parts of the Body.

136. VIII. Vomitings commonly happen in the Beginning of this Disease; from too great a Quantity of Bile, Pituit, and indigested Matter lying in the first Passages, and fretting

fretting them into frequent, and violent contractile Motions. By incessant Vomiting fresh Bile or Choler is pumped up by the inverted Motion of the Duodenum, which gives a yellow Colour, and a bitter Taste to what is vomited up. And at other Times, some subacid Juices, from the Pancreas and neighbouring Glands are brought up, which give a greenish Tincture to the Gastric Juice, or what is contained in the Stomach.

- Liquor, which may be altered from a mild, useful Fluid, into one of a pungent, corrofive, pernicious Nature, merely by the Heat of the Body; especially if it happens to be confined, or lie stagnant for some Time in the Primæ Viæ, and therefore ought always to be suspected in the Beginning of ardent Fevers.
- complained of in Fevers, arises partly from the Viscidity and rapid Motion of the Blood, which is an Enemy to Secretion; partly from the Tension, or too contractile State of the secretory and excretory Ducts; and partly from the extreme Heat of the Body, which soon evaporates the most sluid Part of that little which is secerned; so that the G3 Tongue

Tongue is discoloured with the Residue of it, and it's Fibres are left stiff and dry.

139. X. The Breath is short. If we confider the Reason why People grow shortbreathed by violent Exercise, as Running, &c. viz. by virtue of the Blood being more forcibly impelled into the Lungs, and accumulated in the Pulmonary Artery and Vein, we may reasonably conclude that in a Fever, where the Quantity and Velocity of the Blood are greatly augmented, the short and difficult Respiration arises from the fame Cause. The Impulse or Momentum of the Blood, when the Pulses are vastly accelerated and strong, feems to be sufficient to keep the Lungs in a greater Degree of Distension than what is natural, and by that means will not fuffer them to subside so much as usual in Expiration: Hence, as this Dilatation of the Lungs proceeds merely from the Force of the Blood in the pulmonary Artery and Vein, it evidently appears that the little Air-Bladders or Veficles, which are fituated immediately between these Blood-Vessels, will be greatly compressed, and Inspiration rendered difficult. But notwithstanding the Impetus of the Blood in the pulmonary Artery is greatly increased,

increased, it is not self-sufficient to expand the Lungs enough to promote a free Passage through the Arteriolæ, and consequently a quick Respiration is perfectly necessary to unfold the corrugated Extremities of the Arteries and Veins, and to let the impetuous, boiling Blood pass through them in proportion as it is derived from the Heart. Add to this, that since the Blood, in ardent Fevers, abounds too much with red Globules, it's Passage through the minutest sanguine Arteries of the Lungs may be something retarded, by which Means also Respiration may be more difficult.

140. XI. The Urine is but little in Quantity; sometimes it is very slammeous or high-coloured; and at others limpid, clear, and pale.

by Nature to throw out of the Body a recrementitious Liquor, which in Health is straw-coloured, or of a pale yellow, and contains little or no Sediment, or feculent Matter; being in effect a Lixivium, in which a Portion of the animal Salts and Oil is dissolved and washed away. If therefore, as we have Reason to believe, the secretory Ducts of the Kidneys are more than ordinarily

ther by the sharp, acrid Salts and Oil stimulating them as they pass along, or else by the general Tension of the Vessels at that Time; or if the Union or Attraction between the serous and globular Parts of the Blood is so strong as not to be separated by the renal Tubuli, we have a manifest Reason for the small Quantity of Urine.

Velocity of the Fluids; for a strong and swift Circulation is an Hinderance to all Secretions, by Reason they are performed by lateral Branches going off at or near right Angles, and consequently a swift Circulation or Motion along, or parallel to, the Axis, carries along with it what should be laterally secenced.

depends upon the Quantity of oily or fulphureous Particles wherewith it is impregnated; it being well known that Oil or Sulphur is the Cause of all Colours in Liquors, since neither pure Salt, pure Water, nor pure Earth can communicate any Colour at all. Add to this, that Oil gives the deeper Colour, the more it is attenuated and exalted by Heat and Motion. And again, when the increased

To an acute continual F E V E R. 89 increased Heat of the Body hath exalted the most sluid, aqueous Particles of the Blood, the Urine may become higher coloured, or intensely red, by the Proximity of the sulphureous Particles.

Urine so saturated with oily, saline, and terrene Particles, as to be a persect Lixivium; and at other Times, when the Salts and Oil are not determined to the Bladder along with the Urine; that is, when the Fibres of the Kidneys are over and above contracted, or the Salts and Oil are not attenuated and divided enough to suit the Orifices of the secenting Ducts, the Urine is as limpid and clear as common Water. The former of these argues an instammatory Disposition of some of the inner Viscera; and the latter threatens Deliria, and Convulsions, as we shall shew hereafter.

145. The rank, fætid Smell which oftentimes attends the Urine of Persons in ardent Fevers, proceeds from the Salts being volatilized and rendered all fine, and the Oil tending towards Putrefaction; all which is repugnant to the natural State of the Fluids.

146. Towards the Crisis of Fevers, when the saline, sulphureous, and terrene Particles

are attenuated and ground fine enough to pass through the renal Tubuli, the Urine is loaded with Contents, and lets fall a thick Hypostasis, or turbid Sediment, after it has stood some time.

147. Since, therefore, the Urine, by it's feveral Contents and Appearances, furnishes us with Signs as well diagnostic, as prognostic, it ought to be inspected every Day, in order to deduce our curative Indications, or to make our medical Prediction with greater Certainty; either from the Nubes at the Top, the Encoræma suspended, as it were, in the Middle, or the Hypostasis or Sedimentum subsided to the Bottom: The last of which is the best Indication of a kindly and regular Concoction.

we are taught the State and Progress of the Disease; and thereby enabled not only to make our Prediction, but we are also greatly directed thereby in our medicinal Practice. Hippocrates laid great stress upon this Observations on the Urine. And our own Countryman Willis is so sanguine as to tell us, that the Acidulæ or Spaw-Waters do not more certainly shew the Nature of the hidden Mine, through which they are strained, than

To an acute continual FEVER. 91 than Urines give Testification of the divers Manners of Dyscrasses of our Bodies and their Habitudes.

142. If, therefore, a bare Inspection of Urines is of fuch Advantage towards investigating the Nature, State, Progress, and Cure of Diseases; most certainly the natural Hiftory of it, or a more curious Search into the Contents of the Urine, in every Period of the Disease, will be of more moment in discovering the several Dyscrasses of the Blood, and in indicating the Method of Cure. than what we can meet with in the Urinal only. For this Reason I thought it worth while to make the following Experiments, that by an exact Analysis we might see the different Contents of the Urine, and the various Proportions of it's Principles, in the feveral Stages of this Disease.

A Chemical Analysis of the URINE, both in HEALTH, and in acute FEVERS.

EXPERIMENT I.

in the Space of Twenty-Four Hours, by a
Man,

Man, Thirty-Five Years of Age, in perfect Health, and of a regular Life; and shaking it together, I weighed out Two Pounds, and distilled it after the same Manner, and with the same Apparatus above mentioned. By these Means I gained,

urious Search into the	Ounc.	Dr.	Grains.
J. Lymph	XXX	vij	ij.
2. Volatile Salt	ed l	wij o	xviij.
al Dyfresher aliObs	ovo)	od) s	xxxij.
4. Cap. Mort. before ?	licatio	mini	xvij.
Calcin.	m'ng	3,977	acive crai
5. Cap. Mort. after ?	Real	eid; B	xxxxiii.
Calcin. galws	of ori	nake	rot olite
6. Fixed Salt	dus.	baxo a	xxxij.

The greatest Part of the Lymph was pellucid, insipid, and inodorous, and exhibited no Signs of an Acid or Alkali; but the latter Part was very strong and offensive, and fermented violently with Oil of Vitrial, made a white Precipitate with Solution of Sublimate and turned Syrup of Violets green.

152. When the volatile Salt first began to rise, it shot all over the Glass-Head and Recipient into most beautiful Crystals: Some

To an acute continual FEVER. 93 of which resembled fine Boughs, or Feathers; whilst others radiating from a Point or Centre, formed Stars or Roses of various Sizes.

135. When the volatile Oil was mixed with an Acid, a stinking Vapour arose, which smelt like a nasty Corner where People have piffed for a long Time.

154. I repeated this Experiment three Times, but as there was no material Alteration either in the Quantity or Quality of any of the Principles, it would be incroaching upon the Patience of the Reader to infert those Processes; and as this was the Mean between the other Two, I have chose it for the Standard of healthy Urine, whereby we may judge of all Variations from it.

Exp. II.

155. Ayoung Lad, Ten Years old, being feized with an acute Fever, attended with a Phrenfy, Subfultufes, and many other dangerous Symptoms; it continued till the Eighth Day, on which moderate Sweats broke forth, and the Urine let fall a vast Hypostasis.

156. All the Urine which was made on the 8th and 9th Days, being faved by my Order,

Order, it amounted exactly to Two Pounds; which being committed to the Still, and treated as in the former Experiments, it afforded,

	Ounc.	Dr.	Grains.
1. Lymph	XXX	ij	il inide
2. Volatile Salt	2 101	v	xxxxvj.
3. Oil	'Asia	i	xxiiij.
4. Cap. Mort. before?	thand	en ins	S. T
Calcin.	200	V	iiij.
5. Cap. Mort. after?	sigio	in 9 in	T
Calcin }	encis	the	Lvj.
6. Fixed Salt		P Pin	din ital

great Difference between the Contents of healthy Urine, and that made at the Crifis of a Fever; but we plainly see the Reason of the vast Advantages which generally accrue when the Urine is loaded with Contents, and lets fall a thick and turbid Sediment: For we have good Reason to believe from this Experiment, that the greatest Part of the Hypostasis consisted of saline and sulphureous Particles, which, whilst in the Blood, irritated the Vessels, and increased the Fever.

To an acute continual Fever. 95

158. The Lymph also seemed to be much stronger in this than in the former Experiment; and as it contained more volatile Salt and Oil, it fermented more violently, and smelt stronger when mixed with Oil of Vitriol.

Exp. III.

159. A young Woman, 17 Years of Age, lay ill of an ardent Fever, and from the 10th to the 15th Day, the Urine came away involuntarily; fo that none could be faved except about a Spoonful of limpid, clear Water on the 12th Day, at which Time the was raving, gathered up the Bed-Clothes, catched at imaginary Flies, &c. On the 13th and 14th she lay comatose. The 15th she raved again, had strong Subfultuses, and a black, parched Tongue. On this and the next Day, we faved Eight Ounces of Urine, which was fomething deeper coloured than a Citron, fmelt strong, and had a very thin, bright Cloud swimming in the middle. This Urine being distilled as above, we procured,

- Ounc. Dr.	Grains:
1. Lymph of bond vij. v.	B - 35300
2. Volatile Salt	XXXX.
3. Oil o diw bazim and	xxxij.
4. Cap. Mort. before?	- 1
Calcin.	vj.
5. Cap. Mort. after?	
Calcin.	xxj.
6 Fixed Salt	iiij.

to the 15th Dy.VI. Tx and and away in-

tended this poor young Woman on the 15th and 16th Days, were fomething alleviated on the 17th, by a gentle breathing Sweat, which happened that Morning; but the Remission was very short, a Rigor succeeded, and the Fever seemed to return with greater Violence than ever. All that Night she raved much. The next Day, viz. the 18th, I found her delirious, with frequent Catchings of the Tendons, and her Pulse so extremely quick as scarce to be counted.

on the 17th and 18th Days, I distilled Eight Ounces of it, and obtained,

Morny id an

ver villed alle lay seev	Ounc	Dr.	Grains.
t. Lymph	vij.	iiij.	xxxxv.
2. Volatile Salt	N VI	ST HAT	xxxxviij.
3. Oil	agilo	g one	xxxiij.
4. Cap. Mort. before?	D yell		a) sanu
Calcin.	41 TO	i.	X.
5. Cap. Mort. after?	in o	atten	xxiij.
Calcin.	2 bis		or an ev
6 Fixed Salt	hoan	2 14	iij.

about Four Ounces of this Urine, which was made during the little Remission of the Fever, was highly red at first; afterwards it grew thicker and cloudy, and the next Morning it had a laudable Hypostasis subsided to the Bottom. The other Part was much the same with that of the former Process.

and it smelling exceeding rancid and strong, though the Glasses were very clean in which it was contained; I thought it worth while to try if I could possibly discover any alkaline Property in this Urine, before the Fire had any share in it: And, accordingly, I divided it into four equal Parts; to the First Ilet fall some Solution of Sublimate, which made

H

no Alteration in it; to the Second I dropped in some Solution of Alum, which also lay very quiet; to the Third I added Oil of Vitriol, which manifestly gathered together, and collected the grosser thicker Contents of the Urine (which, by shaking the Bottle before we weighed out what was distilled, were equally scattered all over, so as to render it of an even turbid Colour) into little Rags, and left the Interstices clear. With the Fourth I mixed Oil of Tartar, which immediately dispersed the Thickness or Muddiness, and rendered it clear and almost of a Straw-Colour.

the Urine was not alkaline enough to raise a visible Fermentation with Acids; yet as the saline and oleaginous Particles were undoubtedly attracted and collected together by Oil of Vitriol, and repelled and dispersed by Oil of Tartar, we may reasonably conclude that the prodigious Heat of the Body had exalted the animal Salts and Oil to an alkalescent State: For this was the most intense Fever I ever met with, and as the Heat had been continued for Eighteen Days, I am persuaded it might be the Cause of these Phanomena.

od

Exp. V.

165. On the 19th Day of this young Woman's Illness, we had a Remission for four Hours; during which Time she came to her Senfes, drank plentifully, her Tendons were quiet, her Pulse regular, in Comparifon to what they had been, and by the affistance of a Clyster we procured two Stools. In the Evening the Rigor returned, though not with fo much Vehemence as on the 17th. The Fever, Delirium, Subsultus Tendinum, &c. foon fucceeded, fo that the Night was passed with great Inquietude. On the 20th, in the Morning, she had two Hours Sleep, which greatly refreshed her, and slackened the Pulse, both in their Hardness and Velocity. She now began to spit a good deal of frothy Matter; her Skin felt smoother and fofter than it had done before; and the Urine on both these Days was loaded with Contents, and let fall a very thick Hypoftafis. Eight Ounces of this Urine afforded,

Ounc. Dr. Grains.

1. Lymph	vij.	iij.	xxxij.	
2. Volatile Salt	ost, .	i.	xxxviij.	7
3. Oil all email doidy	gait	B- 22	Liij.	9
4. Cap. Mort, before }	y zini	ĩ.	xij.	
Calcin.	Mus.	191	era quiet	1
5. Cap. Mort. after	osel, s	adf &	xxvj.	200
Calcin.	2 4	0.8	lo pymal	
6. Fixed Salt	4 4 5 4	to min	vß.	

166. Having mentioned in the former Experiment, that Oil of Vitriol plainly collected, and Oil of Tartar as manifestly difpersed the turbid Parts of the Urine, I was induced to try it again with some of this Urine, before Distillation; because it seemed to be more impregnated with volatile Salts and Oil, and confequently it might exhibit the Phanomena more plainly. Accordingly I dropped a few Drops of Oil of Vitriol into an Ounce of it, from whence a thin white Froth arose to the Top of the Mixture, whilst the groffer Contents run together, and, after fome Time, fubfided to the Bottom. The Ferment, indeed, was but weak, however it was enough to discover, to any unprejudiced Person, an alkaline Matter in the Urine. I must

To an acute continual FEVER. 101

I must confess, indeed, I have repeated this Experiment a great many Times on the Urine of other Persons in ardent Fevers, and never could observe the same Appearances; but, as I said before, since all the Vessels, which received this Urine, were very clean, and since the Heat was most extreme, as well as of very long Continuance, I am positively sure the Phænomena proceeded from an alkaline Disposition in the Urine.

E x.P. VI.

man slept well. The next Morning I found her greatly refreshed, though not free from the Fever. All that Day, and the next, she continued mending; she spit much, had little breathing Sweats, and a Multitude of Contents in the Urine. All the Urine she made on the 21st and 22d Days being mixed together, and shook, in order to disperse the Contents equally, I distilled Eight Ounces, and obtained,

Rich bolsager aved I in F	Ounc.	Dr.	Grains.	The state of
1. Lymph	vij	iij	XX.	
2. Volatile Salt	dion !	io	xxxxij.	The same
3. Oil.	age, f	i	viij.	200
4. Cap. Mort. before 7	pia I	es de	T ::::	
Calcin.	19 (19)	doug	Liiij.	
5. Cap. Mort. after?	a year	south E	xxix.	
Calcin.	pot an	in 30 s	a Milwe	
6. Fixed Salt	Delt 1	fure	iiij.	-

Exp. VII.

Urine, and Spit, continuing on the 23d and 24th Days, my Patient was past all Danger; she slept quietly, and only complained of great Lassitude and Faintness: But as the Urine on these two Days continued to be very turbid and thick, I was invited to pursue my Inquiry, and from Eight Ounces I procured,

and the second second	Ounc. Dr. Grain			
1. Lymph	vij.	iiij.	v.	
2. Volatile Salt	Second R	i.	xv.	
3. Oil			Lvj.	
4. Cap. Mort. before \ Calcin.			Lviij.	
5. Cap. Mort. after \ Calcin.			xxvj.	
6. Fixed Salt	- 37		iij.	
			169,	

To an acute continual Fever. 103

Phlegm, or Spirit, which came over in this Process, being left in the Recipient all Night, I found the next Morning, several large and beautiful Crystals shot from them, some of which were as large, and much resembled the crystal Stones used for mourning Rings.

we may plainly observe, that the Urine became more and more impregnated with faline and fulphureous Parts in proportion to the Abatement of the bad Symptoms; till at the Criss it contained more than double the Quantity it did at first. Hence the several Organs of the Body were vastly relieved, their Tension was abated, the Blood grew polite and smooth, and the Cohesion between the several Orders of Blood-Globules grew less and less, by a constant Diminution of the Quantity of strongly attracting, acrid, irritating, saline, and sulphureous Particles.

Exp. VIII.

171. A young Man, on the 6th Day of an acute Fever, made exceeding limpid, clear, and pale Urine, which was soon followed with a Phrensy, Subsultus Tendinum, and H 4 other

other dangerous Symptoms. From Eight Ounces of this Urine I obtained,

ing, feroral large and	Ound	. Di	. Grains.
r. Lymph	vij.	v.	xxxxviij.
2. Volatile Salt	large.	PE 33	xij.
3. Oil	bom a	Store	xix.
4. Cap.Mort.before } Calcin.	effor) obferv	1. Hiso vini	xxxxiiij•
5. Cap. Mort. after {		hits	xxiij.
6. Fixed Salt		3000	ijß.

Experience, that if the Urine changes suddenly from a deeper Colour, to a crude Paleness without a Sediment, towards the Height of a Fever, it is the Forerunner of some fatal Metastasis, as of Deliria, Convulsions, &c. And here, in this Experiment, we have plain Demonstration of the Cause of it; viz. Because the animal Salts and Oils are not determined to the Bladder along with the Urine, but are accumulated in the Blood, and irritate the Meninges, and delicate Fibrillæ of the Brain, increase the Lentor in the Blood and Lymph, and generate Obstructions.

To an acute continual FEVER. 105

EXP. IX.

173. On the Tenth Day, the Urine of this young Man grew exceedingly turbid, with an even white Hypostasis at the Bottom, and all the bad Symptoms vanished. Eight Ounces of this Urine afforded,

elegated when iers, pele	Ounc.	Dr.	Grains.
1. Lymph	vij.	iij.	xxxiij.
2. Volatile Salt	E BI	i.	XXXXV.
3. Oil	3 8070	i.	vj.
4. Cap. Mort. before ?	131 67	0.0030	xxxxviii.
Calcin.	T U.S.		AAAAVIIJ.
5. Cap. Mort. after ?	1000		xxij.
Calcin 5	OBBB		
6. Fixed Salt	THE STATE OF		vj.

of what vast Advantage it is to the animal Oeconomy, to have the Salts and Oils properly attenuated, diluted, and drained off from the Blood, by the secerning Tubuli of the Kidneys.

analysing the Urine, without Fermentation or Putrefaction, or without the Addition of any suspicious Analyser, we have separated

rated the several constitutive Parts of Urine; whereby we have evidently demonstrated that the Urine in Fevers abounds more with faline and fulphureous Particles than it does in Health; and especially towards the Crisis, when the Salts and Oils are sufficiently attenuated, ground, and comminuted, it is loaded with a Multitude of Contents which gives great Relief to the Sick: But when it is pellucid, pale, and clear, and continues so for ome Time, it is a very dangerous Phanomenon, and requires the utmost Skill and Diligence to remove it. I shall only add, that the fixed Salt in all these Experiments, appeared, by the strictest Trials with Oil of Vitriol, and a Solution of Silver, to be Sea-Salt. Proceed we now to other Symptoms.

inflated; the Eyes look bright, and seem to start out further than usual. If we consider that the Cheeks are most plentifully stored with capillary, sanguine, and lymphatic Arteries, as is evident in Blushing, it will obviously appear that whenever these Vessels are more than ordinarily distended and tumid with Blood, the Countenance will be slushed and instated; and for the same Reason, and the great Tension of the Vessels, the Eyes shine,

To an acute continual FEVER. 107 shine, and seem to protrude further than usual.

177. XIII. There is a total Loss of Appetite. In many Places we have already expressed our Admiration of the most excellent Machinery and Contrivance of the human Body; which is fo wonderfully formed and put together, that each Part conspires to the Preservation of the Whole, and secondary Uses are allotted to most of the chief Springs and Movements: But in no one Part of the Body is the great Wisdom of the Creator more manifest than in the Stomach and Parts belonging to Digestion, which are most admirably contrived both to excite the Appetite, and to concoct the Aliment; and yet, in a plethoric State, where the Blood-Vessels are already too full, and Eating would confequently do much Mischief, there the Appetite is generally palled. Thus in a Fever, where all Flesh-Meats, or folid Aliment, would inevitably heighten the Difease, and destroy the Body; there the Secretion of the proper Menstruum or Dissolvent is interrupted, and for want of this Irritation, and from the Pressure of the diftended Blood-Vessels on the Nerves, the Stomach

Stoinach feems to be full, and loaths every Thing but cooling and diluting Liquors.

generally very tedious to People labouring under this Disease, and arise chiefly from an unusual Contraction or Tension of the Meninges, and nervous Fibrillæ of the Brain. Or it may proceed from the first Beginning of an Inflammation on the Membranes: Whence a Relaxation proper for Sleep cannot be procured.

ral Plenitude of the Vessels, and the Acrimony of the animal Salts and Oils, which towards the Height of the Disease are rendered acrid, sharp, and irritating, so as to prick and wound the delicate tender Vessels of the Cerebrum and Cerebellum. Hence the Ideas are hindered from being communicated to the common Sensorium in a regular Manner, and consequently the Discourse of such a Person must be irrational and inconsistent.

180. XVI. The Thoughts being in the utmost Consussion and Hurry, and every Muscle in the Body ready for immediate Contraction, the Patient eats or drinks any Thing very greedily, and sometimes requires three or four Men to hold him in Bed; both which,

To an acute continual FEVER. 109 which; Experience has taught us to be very dangerous Symptoms.

quicker both in the Stroke and in the Time, and no Excretions being forwarded in due Order, the Arteriolæ oftentimes burst, either in the Nose, Uterus, &c. from mere Plenitude, and Violence of Motion: Whence large Hæmorrhagæes sometimes ensue, to the great Relief of the Patient.

182. XVIII. Petechiæ sometimes break out upon the Skin by Reason of the extreme Velocity of the Blood's Motion, or from the unseasonable Use of strong Sudorifics and Cordials; which violently agitate and fuse the Blood, divide the Globuli, and dispose some of it's Parts to get into improper Veffels: For when one Globule is divided into two or three, they then may be capable of entering into the lymphatic Arteries of the Skin, which before would not receive nor admit them when only one; and as thefe divided red Globules are still too large to pass the Pores, they will stick in the excretory Ducts of the subcutaneous Glands, and form Petechial Spots.

138. XIX. Rank, fætid, ungrateful Sweats commonly arise towards the Decline of ar-

dent Fevers. It is generally thought that one great Use of the fat, oily Globules deposited in the Cells of the Membrana adiposa is to be reassumed into the Mass of Blood, and to correct and blunt any acrid, sharp, irritating Particles which may happen to get into the Blood. In most Diseases we may observe the adipose Cells to empty apace; and particularly in acute Fevers the Heat not only melts down the fat Globuli, but it renders them, if continued long, acrid, and alkaline: Whence we may, with good Reason, conclude, that the rancid, strong, offensive Sweats proceed chiefly from the oleaginous Particles being exalted and volatilized.

a Crisis should not happen in a reasonable Time, the Humours will corrupt and grow putrid, the Spring of the Fibres will decay, the vital Heat will languish, the Circulation of all the Fluids will grow feeble, and then the most grievous Symptoms of all will be introduced; viz. a Coma, Subsultus Tendinum, Singultus, cold and clammy Sweats, and a quick, low, intermitting Pulse. For as the Blood, at this Time, runs into thick Grumes and Clots, Obstructions will multiply

tiply in every Part, and those in the Brain will render the Person comatose, as well as interrupt the Secretion of animal Spirits. From a Paucity of Spirits arise involuntary Twitchings in many Parts of the Body; and as the Contraction of every Organ is now extremely weak and irregular, the Pulse are low, and intermit. Lastly, The excretory Ducts of the miliary Glands being greatly relaxed, a profuse Sweat breaks forth, which is cold, by Reason of the slow Motion of the Blood; and clammy, because very viscid Matter is now capable of passing the Pores of the Skin.

185. These are the Symptoms which are generally observed to precede Death; for since such a Relaxation or Weakness of the vital Powers, as is capable of producing these direful *Phænomena*, cannot rationally be supposed to happen till there is the greatest Desiciency of animal Spirits, or till the Vis Vitæ is vastly decayed; so it is almost impossible for one in such a Case to recover: The Circulation must necessarily stop, and the Vessels collapse.

plain the Nature of this Disease, as far as the antecedent Causes and Symptoms are obvious

III Of the Symptoms, &cc.

Principles; but we are far from imagining that every Thing is explored that ought to be known: There are many Things yet in the Dark, and some, perhaps, which will ever be beyond the Reach of our finite Capacities. However, we are not to be discouraged from seeking after them, because we do not know but a proper Series of accurate Experiments, attended with diligent Observations, may disclose every Thing that is necessary towards the Cure; to which we now proceed.

. 18c. Thefe we the Symptons which are

renerally observed to precede Death; for

fince fuch a Relaxation or Weakness of the

vied Powers, as is capable of producing their

direful Fhancama, cannot rationally by

Delicioner of animal Spirits, or all the

Fit Fite is validly decayed; to it is althout

impedible for one in fuch a Onfo to serover :

The Circulation much mecellarily fool only

cortecedent Caulo ind Sumpremerant cobvince

aled to happen till there is the great

CHAP. III.

Of the Cure of an acute continual FEVER.

Thing to be known in order to cure any Distemper, is the State of the Fluids and Solids; viz. whether the animal Fluids exceed or fall short of their natural Quantity, or whether they have only contracted some morbid Quality. As to the vascular System, we are to examine whether it be too tense, rigid and stiff, or too soft, slabby, and relaxed: All which may easily be discovered by the Quantities and Qualities of the Excretions; by the State of the Pulse; by the Hardness or Sostness of the Skin and Muscles; and by the Antecedents, if duly inquired into, and considered.

188. There is nothing conduces so much towards forming a right Judgment in curing Diseases, as an exact Observance of their natural Phænomena; and to investigate from what Sources they spring, after what Manner they arise, and what it is that supports them

them at such and such Heights. Hence it is universally acknowledged, that the true curative Indications are to be taken either by diligently observing the Method which Nature commonly makes use of, to free herself from the Enemy; or else by making ourselves perfect Masters of the specific Cause of the Disorder. Since, therefore, we have taken great pains in delineating all these Things, in the above written natural History of this Disease, we flatter ourselves, that our Method of Cure is deduced from self-evident Principles, and that it will be highly useful and instructive to young Beginners, because it is most obvious and easy.

the preceding Chapters, it may readily be conceived, that all the bad Symptoms of this Disease arise from the Blood and Humours being too viscous and thick, and too fully impregnated with saline and sulphureous Particles; whence the Course of the Blood is rendered more difficult through the minutest Tubuli; the Excretions by Perspiration, Sweat, Urine, Stool, &c. are diminished; too much Blood is accumulated in the more patent and pervious Canals; the Vessels grow too strict and tense; the Circulation becomes

An acute continual FEVER. II5 too quick; and all the Humours, by their impetuous Motion, acquire a much greater Degree of Heat and Acrimony than what is natural, or confistent with the well-being of the animal Oeconomy.

consists in lessening the Quantity of Blood; in attenuating, dissolving, and diluting the viscid, glutinous Juices; in rendering the Fibres of the several Parts of the Body more supple and slexible, particularly those which surround the secretory and excretory Ducts; in diminishing the too active and disproportioned Force with which the Blood is impelled against the Sides of the Vessels; and in sheathing, subjugating, and destroying all acrid, sharp, irritating Particles, abounding in the Blood and Humours.

convinced by Reason, as well as innumerable Instances which daily Experience surnishes us with, that Bleeding is the first Remedy: For though it may be remarked that Bleeding, during it's Performance, increases the Blood's Velocity, especially in the Canal which is cut, and it's corresponding Arteries; yet such an Augmentation quickly ceases, and a flower Motion is soon the Consequence

I 2

of the Blood's Diminution in Quantity. Befides, when the Vessels are in some Degree emptied by Bleeding, there being then a less Quantity of Blood in the Arteries and Veins, and consequently a less Quantity passing in equal Times through the Heart, it finds proportionably less Resistance from the precedent Blood; whence an Abatement in the Vigour of the Pulse. And it must be confelfed, that fince diminishing the Quantity. of Blood reduces the Force of it, so it increases the Sostness of the Flesh, and the Laxity of the Veffels.

192. Dr. Lobb, in his Rational Methods of curing Fevers, has evidently demonstrated the ill Effects of taking away Blood where there is no real Plethona, or where the red Globules bear too small a Proportion to the ferous Part; but where the Quantity of Blood in general is too great, or where the red Globules abound in too great Proportion, though the Quantity of that Compound, or mixed Fluid in the fanguine Veffels, does not exceed, Phlebotomy gives the most immediate Relief; because the Blood being less forcibly propelled through the capillary Vefsels, after Bleeding, and consequently undergoing An acute continual FEVER. 117 dergoing much less Friction, it grows senfibly cooler.

193. By the statical Experiments above mentioned, we are convinced, that, in ardent Fevers, the red Globules of the Blood do bear too great a Proportion; and by other Observations we are well assured, that all the Series of Vessels are too rigid and tense; whence the usual Excretions by Perspiration, Sweat, Urine, Stool, &c. are diminished. Hence it naturally follows, that the Humours which ought, in a healthy State, to be excreted, are now accumulated in the Body, and by the prodigious Force of the vital Powers; by the Strength and Fulness of the Pulse; by the flushed Countenance, fwolen Veins, extreme Heat, &c. I am fully fatisfied there is hardly any fuch Thing as an acute continual Fever without a Plethora in fome Degree or other, at the Beginning of it. Indeed, where the Strength is dejected; where there is no real Plenitude; where there is a small, weak, obscure Pulse; where the Nerves, and whole vascular System, are lax; where the Habit is foft, pale, and fat, with small Blood-Vessels, Bleeding is most certainly improper: But, on the contrary, it is commonly observed, that this Disease is peculiar I 3

peculiar to those who abound in Blood and Strength, and are of a full muscular Habit of Body, with large Blood-Vessels, and who indulge themselves in Eating and Drinking savoury and high-seasoned Things.

194. The Neglect of Bleeding, therefore at the Commencement of the Distemper we are treating of, is a Fault not to be compenfated in all the subsequent Stadia; the morbid Juices being not, as yet, prepared or concocted enough for any critical Discharge by Sweat, Urine, Stool, &c. If we omit this most falutary Evacuation, the Plethora will increase, the Blood and Lymph will grow more acrid, viscous, and fizy, and the capillary Vessels may be so far distended, as to bring on Deliria, Distraction of the Nerves, Inflammations of the Viscera, &c. All the cooling, refrigerating, diluting Medicines will avail but little without Bleeding beforehand; or if a Sweat happens to be forced out in the Beginning of a Fever, it will be very far from relieving the Symptoms, but will rather exasperate them, by leaving the Blood more dense, hot, and acrid.

Nature herself, as an Evacuation the best adapted to check the impetuous Motion of the

An acute continual FEVER. 119 the Blood, to unbend the Solids, and to promote a Crisis. How often do we see her fet to work, and discharge the superabundant Quantity by a spontaneous Eruption from the Nose, Hamorrhoids, Uterus, &c. when Bleeding has been neglected in the Beginning of the Disease, either through the Unskilfulness of the Physician, or the Obstinacy of the Patient? For when there is a Fulness of effervescent Blood; when the Momentum is too great, and the capillary fanguine Arteries are violently distracted, it is no wonder that they burst, and the Blood gushes out where it meets with the least Resistance: Quá data porta ruit. Nay, it hath been observed, that even after Death, large Bleedings have happened at feveral Parts of the Body; which further shews the great Necessity of drawing Blood in Time. Nothing can suggest the Use of Phlebotomy more plainly than these spontaneous Hæmorrhagies; and if we reflect on all the other Indications, the Advantages are fo clearly de-

Patient's Body as an Engine out of order; though so constituted, that, by concurring with

monstrated, that it is (as Willis expresses it)

a Wickedness to omit it.

with the Endeavours, or Tendencies of the Parts of the Machine, it may be brought to a better State; if he find, that, in the prefent Disposition of the Body, there is a Propensity to throw off the Matter that offends it, in a convenient Way, and at commodious Places; he ought then to act so, as to comply with, and further that Way of Discharge, rather than another. It is the Duty of a Physician to tread in the Footsteps of Nature; and Experience teaches us, that whatever Method Nature takes to remove the Distemper, may, for the most Part, be attempted by Art, to the Advantage of the Patient.

Strength of the Body is oppressed with a superabundant Load of Humours; or there is such a Plenitude in the Vessels, that it, in a great Measure, overcomes their Power; whence there arises a false Appearance of Weakness, and unless the Equilibrium be soon restored by Bleeding, there will be great Danger of a mortal Stagnation. By Bleeding in such a Case, the Vessels will be so far eased of their Burthen, as to be enabled to contract more easily, and to propel the

An acute continual FEVER. 121

several Humours through their proper Ca-

nals, in a more regular Manner.

198. As to the Quantity of Blood to be taken away, we must make our Estimate from the Violence of the Symptoms, and the Strength of the Body; both which are best known by the Pulse: To wit, whenever we meet with a strong, full Pulse, attended with bad Symptoms, it is the furest Indication for Bleeding largely. The Ancients used to bleed till the Patient fainted, or very near it; but the Moderns think it more adviseable, at least in our Climate, to take away a much less Quantity, and to repeat the Operation according to the Urgency of the Symptoms. Indeed it requires the nicest Judgment, the greatest Sagacity, and the most exact Knowledge of the animal Oeconomy, to know when to bleed, and when not, and how much Blood should be taken away.

199. The following Precept is founded upon Reason, and confirmed by daily Experience; viz. That it is always safest to stop something short of the full Quantity of Blood which may be spared, than offend the Strength by too profuse an Evacuation: For whatever may possibly be found desective,

may afterwards be compensated by repeataing the Operation, or by promoting other Evacuations, such as Stool, Sweat, or Urine. Whereas the Injury which may be done by too immoderate a Discharge of Blood, cannot be so easily repaired.

200. But however, there is no fuch Thing as laying down Rules which will fuit every Constitution; for as the Concomitants of Difeases are very different in different Subjects; fo also the Season of the Year, the Habit of the Body, the Manner of Living, the Difference of Sex, the Age of the Person, the Bulk and Weight of the Body, with many other Things, are to be considered, before the Quantity of Blood, which is to be drawn away, can be adjusted and determined. And therefore all that we shall say at present, in regard to acute continual Fevers, is, that whatever Quantity of Blood is thought proper to be let, it ought always to be done in the Beginning of the Disease; lest such an Evacuation towards the stationary Period should interrupt Nature in bringing on a Crisis: For when the Distemper is far advanced, and the febrile Matter begins to be concocted and separated from the founder Juices, the Plenitude is best carried off by Sweat,

An acute continual Fever. 123

Sweat, Urine, Stool, &c. and not by Bleeding. Whoever maturely considers this, will soon understand why Galen advises Bleeding early in this Distemper, and not when the morbid Matter is concocted.

201. But to carry this Inquiry further, it will be proper to examine into what Part of the Body, or from what Vein the Blood ought to be drawn, when such and such Phænomena appear; since much has been said concerning Derivation and Revulsion, and since great Stress ought sometimes to be laid upon them in curing Diseases.

202. By Revulsion is commonly meant, a driving back, or turning a Flow of Blood from one Part of the Body to another. But this is such an obscure Way of expressing it, that no one is ever the wifer for it: It appearing at first Sight, at least to those who have been conversant in the Laws of the animal Oeconomy, to be absolutely impossible for the Blood to be driven back, or made to slow both Ways in the arterial Tubes.

203. By Revulsion, therefore, I would be understood to mean (though perhaps the Term is not very adequate to my Meaning) whatever will lessen the Quantity of Humours circulating to any given Part of the Body.

And

And this can be performed no other Ways, than by diminishing the Areas of the transverse Sections of the several Vessels leading to, or properly belonging to the Part affected; or by abating the Velocity of the Fluids.

204. The first of these is, properly speaking, the only true Way of making Revulfion, to wit, by diminishing or contracting the Diameters of the Vessels. Thus, for instance, if we would make a Revulsion from the Leg, dipping it in cold Water, applying astringent Medicines to it, or rolling it up in Swathes, or laced Stockings will answer the End, by stimulating, contracting, and preffing upon the Vessels, whereby their Cavities will be lessened, the Resistance and Friction between them and the Fluids will be increased, and consequently the Quantity of Humours flowing to the Leg will be diminished in Proportion as the Vis inertia. prevails.

205. Hence it appears, that repelling Medicines, as they are commonly called, do not produce their Effects by driving back the Humours already received, through the same Vessels they arrived in, that being abfolutely inconsistent with the Laws of the Circulation; but they do it, by contracting

An acute continual Fever. 125 and diminishing the Areas of the transverse Section of the several Series of Vessels, whereby they propel the sluggish, stagnant Fluids on the Course of their Circulation; that is, through the capillary, sanguine, and lymphatic Arteries, into the capillary, sanguine, and lymphatic Veins; and they prevent a fresh Afflux of so large a Quantity of Blood and Lymph again, as long as the Instead of these Medicines is capable of giving proper Resistance to the Impulse of

the respective Fluids. 206. The Second Way of repelling, to wit, by abating the Velocity of the Fluids flowing to any Part, is, properly speaking, secondary to, or the Consequence, of Derivation. As, for Example, a Revulsion may be made in this Sense, by Bleeding, Purging, Vomiting, Sweating, or whatever will cause a Derivation of more Matter into any particular Part of the Body. Thus Bleeding in a Vein which arises from any of the ultimate Branches of the Aorta descendens, will make a Revulsion from every Part belonging to the Aorta ascendens, and vice versa, Purges and Vomits derive a greater Quantity of Blood into the cæliac and mesenteric Arteries than commonly circulates through them,

and thereby they decrease the Quantity which would otherwise flow to the Head. Limbs, and external Superficies of the Body. A profuse Sweat, as it is the greatest Evacuation which can possibly be made from the Blood, in the same Space of Time; so confequently it makes the greatest Revulsion from the Viscera, and from the whole internal Superficies, by deriving the greatest Quantity of Lymph to the Sudatory Vessels.

207. Hence it appears, that an animated human Body is not a mere Statue, or Congeries of the Materials it is composed of; but an admirably framed Engine, confisting of folid, liquid, and pneumatic Substances, so exquisitely adapted to their respective Functions and Uses, that an Alteration cannot be made in one Part, but it will produce it's Effect in another. A Derivation in one Place, will occasion a Revulsion in another, & e contra.

208. And here I beg leave to inquire whether the late learned Dr. Friend was not mistaken, in afferting in his fecond Commentary on Fevers, That Bleeding in the external Jugular Vein is not only the most compendious and expeditious of all Revulsions, but also the

An acute continual FEVER. 127 very strongest of those which are made from the Brain.

209. I shall make no Apology for disfenting from the Opinion of so great a Man; because in the Practice of Physic we are not to regard Authors so much as the Force of Reason. His Sentiments, indeed, (to say the same of Him as he did of Galen) oftentimes industriously to despise or reject, as it would be a Mark of great Arrogance, so, to be willing to follow him in every Thing, of much Superstition.

Physic has been a principal Cause of the slow Advancement of that Art. An absolute Resignation to the Opinion of any Man, how great soever, without taking proper Pains to judge, examine, and search into the Truth of it, is a slavish Submission, and very unbecoming a rational Creature. Let great Authors, therefore, (says the sagacious Lord Bacon *) have their Due; but so as not to defraud Time, which is the Author of Authors, and the Parent of Truth.

Antiquity and Safety of Bleeding in the Jugular Veins, in regard to the Operation, he

^{*} Vide General Survey of Knowledge.

tells us *, " They are opened for the Sake " of either making a Derivation or Revul-" fion; that the Blood flows in a greater " Quantity into the Parts affected, is oc-" pationed by Derivation, and with a less, 4 by Revulfion. Which Words, although " they are ancient enough, yet no one will " be able to understand them, nor confe-" quently to determine justly the Laws of " opening them in either Kind; unless the "Structure of the Vessels and the Motion " of the Blood be accurately known. "Therefore in Diseases which affect these " Parts, from whence the Branches of the " external Jugular arise, e. g. in a Quincy, "Ophthalmy, and Tumours in the Face; " when we cut the Trunk of this Vein, it " is plain we do it to cause a Derivation, " if we would be supposed to mean any " Thing by this Word, distinct from Re-" vulfion. For this Paffage being opened, " and the Refistance removed, which the " Blood pent up in the extreme Veins suf-" tained from that, which is contained in " the Trunk of the Jugulars; the Blood " flows with greater Liberty from the Ca-" rotid Artery, which we have faid to be

^{*} Vide II. Comment. on Fevers.

An acute continual FEVER. 129

joined with the Extremities of this Vein, and circulates swifter through the Part affected; so that there is a larger Quan-" tity of Blood derived into it, at the very " Time of making the Incision, than when " the Vein was not opened. Therefore, by " opening the Jugulars in such a Case as " this, the Blood acquires that Force by it's " Celerity, as to be able to propel, and carry " off, any Matter remaining in the smallest " Branches, and obstructing the Arteriolæ; " almost after the same Manner, as the " opening the Saphæna brings down the " Menses. " But this letting of Blood, from the external Jugular, not only removes the Ob-" structions and Inflammations that arise " without the Cranium, but it greatly re-" lieves those also which seize the Brain " and it's Membranes. For when the Ju-

"and it's Membranes. For when the fu"gulars are emptied in Diseases of the
"Brain, a Revulsion is made in the Part
affected: Which, says he, I shall explain

" a little more distinctly, because I hear

" fome Things objected against it; as if the

"Brain could not be relieved by this Me-

" thod of Evacuation, because the external

"Jugular carries nothing from it, neither

K

" has

" has it any Communication with the inter-

" nal Carotid, which moistens the Brain.

" This indeed is a specious Argument: But

" I shall easily prove to any experienced

" Anatomist, that however true that Reason

" may be which is drawn from the Struc-

" ture of the Vessels, yet what they gather

" from thence is so very far from the Truth,

"that, for that very Reason, the contrary

" Conclusion ought to be made.

"That this may the more clearly appear. " we must recollect from what has been " faid, that the carotid Artery is divided " into two Branches, the external and the " internal, of which this is joined at the " Extremity with the internal Jugular, and " that, in the like Manner with the exter-" nal. When, therefore, the Branches of " the internal Carotid are seized with an " Inflammation, the Nifus of the Blood, " and the elastic Power of the Vessels, re-" main in a State of Equilibrium, as if they " were tried with equal Weights; the one " being diminished, the other increases: " But if by opening a Vein we draw off " fome Part of that Blood which is wont " to be carried into the Vessels of the Brain, " that Force, with which the Mass of

" Blood

" Blood presses the Arteriolæ, will be di-

" minished, and consequently the Heat, and

" that Rarefaction which follows it, will

" decrease; so that the Coats of the Vessels

" having, as it were, recovered their Liber-

"ty, are able more strongly to contract

" themselves, and to force out whatever may

" remain in the very narrowest Passages."

- 212. In short, the Doctor contends, That Bleeding in the external Jugular diminishes the Quantity of Blood flowing to the Brain; and for that Reason, he says, it is the most proper Evacuation in a Phrensy which follows upon a Fever. In answer to which, I beg leave to observe,
- I. What Effects the laying a Ligature on the external Jugulars, so as to distend them sit for opening, is likely to produce, when the ultimate Branches of the internal Carotid in the Brain, are so much distracted with gross, viscid Blood, as to bring on a Phrensy.
- II. What immediate Effects the opening of the external Jugular is most likely to have on it's corresponding Blood-Vessels, and those in the Brain.
- III. What the Consequences will be in some little Time after Bleeding,

213. I. If a Ligature be made round the Neck, or any Degree of Pressure is applied to the external Jugular, so as to obstruct the Descent of the Blood through them, the Resistance will be immediately communicated to the external carotid Arteries, which are conjoined to these Veins: Hence, the Circulation of the Blood being, as it were, stopped in the external Carotids, the internal Branches thereof, which go to the Brain, will have a larger Share of Blood propelled into them, than before this Impediment was made in the external Jugulars; and what fad Confequences this may produce, when the Arteriolæ in the Brain are, perhaps, already obstructed, and distended to their utmost Stretch, is easy to guess at.

214. If it be objected, that this Obstruction to the Descent of the Blood through the Jugulars, does not last long, but immediately ceases upon opening the Vein; I anfwer, that unless the Surgeon be expert, and has been much used to this Operation, it is oftentimes longer before he opens the Vein, after the Ligature or Pressure is made, than ten or twelve Ounces of Blood is flowing out of the Orifice; especially if it be made

large, as it ought to be.

215. But, however, let the increased Impetus of the Blood, on the obstructed Arteriolæ of the Brain, remain ever so short a Time, yet if the obstructing Matter be so viscous and tough, or the obstructed Vessels have so far lost their contractile Power, that the Impedimenta will not give Way; it must necessarily follow, that more violent Impulse will greatly endanger burfting the obstructed capillary, fanguine, and lymphatic Arteries, or rivetting the Obstructions, and rendering them more obstinate. I know that many Surgeons do open the Jugular in an Instant, and without making a Ligature round the Neck; but I am fure I have fometimes feen the Sick almost Arangled before the Operation hath been performed: And where it requires fo much Time in bringing about, I am very apprehensive of the Mischief that may follow.

216. II. As foon as the external Jugular is opened, it is manifest the Blood will flow out of the Orifice with little Resistance, in Comparison to what it met with before, from the precedent Blood, and from the Friction against the Sides of a longer Tube: For the taking away the Impedimentum from one Side, is equivalent to the adding an K 3

equal

equal Momentum on the other. Hence, a greater Quantity of Blood will flow out of the external Jugular, when a large Orifice is made in it, than would have circulated through it before in the same given Time; and the Resistance being diminished in the external Jugular, the same will also happen in the external Carotid, and from thence even to the Heart itself; it being evident that one great Resistance to the Motion of the Blood, at the Heart, or in the Arteries, is the precedent Blood, which always hinders the fucceeding, feeing before the one fucceeds in it's Place, the other must be removed: And this Resistance is always proportional to the Quantity of Blood.

tract with it's usual Force, and the Impedimentum being abated in the Aorta ascendens, because one of it's principal Branches is cut, it will of course propel the Blood most freely towards the carotid Artery, where the Volume of the Blood is shortened, and the Friction is made less. Hence, the Velocity of the Blood will be augmented from the Heart to the Orifice in the jugular Vein; and from thence a greater Quantity of Blood will be derived into the external Carotid, whilst


An acute continual FEVER. 135 whilst the external Jugular is open, than there was before it was opened. But then it is not to be inferred from thence, that because the external Carotid has more Blood flowing through it than usual, that therefore the internal Branch must have less; no, we must consider that the Resistance is abated, not only in the external Carotid, but quite down to the Heart, and therefore an additional Quantity of Blood may be allowed to the external Carotid, and yet the internal shall have as large a Share, if not more, than before. For if we grant that Bleeding in the external Jugular increases the Velocity of the Blood in the Aorta afcendens, it is more than probable, that all it's Branches are more generously supplied with Blood.

218. But that we may illustrate this in the most easy Manner, give me Leave to reprefent the carotid Artery, both before and after it's Division, by the following Figure.

wistli storn will be will one note itesive

special medica of the taken the deli-

A.



A. The external Branch of the carotid Artery, which supplies the external Parts of the Head, Face, &c. with Blood; and whose Extremities are conjoined with those of the external jugular Vein.

B. The internal Branch of the Carotid, which goes to the Brain.

C. The main Stem of the carotid Artery before it's Division.

ternal Jugular, which is conjoined to A, be opened, the Blood will circulate more freely through A, than it did before; but then we must not immediately conclude that the Blood which is added to A, is taken away from B, because the Resistance is also abated

An acute continual FEVER. 137

in C; and confequently as long as a larger Quantity of Blood is derived to C, a greater Quantity may be allowed to A, without

diminishing that which flows to B.

220. The Doctor's Argument would undoubtedly hold good, was there fuch a given Quantity of Blood to flow through the Carotid Artery in a given Time, and never no more; for then the taking away more Blood than usual from one of it's Branches, would diminish the Quantity in the other. But fince the Velocity of the Blood is always in Proportion to the Impulse it receives from the Heart, and the Resistance it meets with in the Veffels; it follows, that the same impelling Force will be capable of circulating much more Blood through the Carotid Artery, in the same Space of Time, when the Resistance from the precedent Blood is diminished, as above mentioned; and consequently, both the internal and external Branches may receive a larger Quantity of Blood than they did before.

221. III. When the Orifice in the Jugular Vein is closed up, the Blood immediately takes to it's old Course again, and in fome little Time the Refistance in the external Carotid becomes equal to that in the internal, ternal, and yet there are several Reasons to believe that the Velocity of the Blood continues to be greater in the ascending than in the descending Trunk of the Aorta, for some Time after Bleeding; and if so, then the internal Carotid must necessarily have more Blood propelled into it, than there was be-

fore the Operation was performed.

in the Foot, in order to provoke the Menfium Fluxus, is a very strong Argument in
favour of what has been said; for when the
Vena Saphæna is cut, it is not done with an
Intent of deriving a greater Quantity of
Blood into the Crural Artery only, but also
into the Hypogastrics, which supply the Uterus, Vagina, &c. with Blood: And this
comes to pass by abating the Resistance to
the Blood's Motion in the whole descending
Trunk, so that all it's Vessels are more plentifully stored with Blood.

223. The Success of this Operation is every Day confirmed; and if Bleeding in the Foot will draw a greater Flux of Blood into the Vessels of the Uterus, &c. I think we have all the Reason in the World to conclude, that Bleeding in the Jugular will like-

wife

An acute continual FEVER. 139 wife derive a greater Quantity of Blood into the Vessels of the Brain.

Jugular has been oftentimes successfully practised in a Phrensy which followed upon a Fever, and even in Maniacs when all other Methods have failed; but then I have observed, it has not been so in the sirst Stage of the Distemper, not till other plentiful Evacuations have preceded it. And in the very Case of Lieutenant Pool, which Dr. Friend * Instances, as a remarkable Recovery from a Phrensy by bleeding in the Jugular, it appears that the

1. Day, Twelve Ounces of Blood were

taken from the Arm.

2. A Vomit was given, by which he also had a Stool.

3. A Vesicatory was applied to the Neck.

4. Large Blisters were applied to each Arm.

5. He was blooded in the Jugular.

6. A Clyster was injected, and a Vesicatory applied to the Head.

7. Another Clyster was injected.

8. Vesicatories were applied to both Thighs.

^{*} Vide Comment. II.

9. No Evacuation was made.

10. Twelve Ounces of Blood were again taken from the Jugular. From which Time his Delirium almost wholly went off on a fudden, and the other Signs were gradually changed for the better; fo that at the

last he perfectly recovered.

225. Now fetting aside the Structure of the Parts, I am humbly of Opinion, there is more Reason to attribute this Success from Bleeding in the Jugular, to Derivation than to Revulfion; for after so many Evacuations, and the Use of only temperate Medicines, it may reasonably be supposed that the Fibres began to flag, and the animal Spirits must be prodigiously wasted by the Tenth Day of such a Fever. Indeed, if we observe the Doctor's Expression, viz. bis Pulse was still pretty strong; it seems to imply that he began to fink: And if so, the obstructed Arteriolæ in the Brain, stood in need of a fresh Impetus to break through and dislodge the Lentor; which was no fooner done, by Bleeding in the Jugular, but his Senses returned, and he gradually recovered.

226. If we reflect on the spontaneous Eruptions of Blood from the Nose, which frequently happen in Fevers, and by which the Diseased

An acute continual Fever. 141

Diseased are often healed, as Dr. Friend observes from Hippocrates, it will appear that
this Evacuation is most likely to come from
a Branch of the internal Carotid. Dr. Keil*
tells us, The Vessels of the Nose are Arteries
from the Carotidals which pass with the olfactory Nerves; they are distributed in the
internal Nose: The external Carotidal and
Jugular, give Arteries and Veins to the external Nose. And Mr. Chefelden + observes,
That the internal Carotids send two Branches
to the back Part of the Nose.

that a spontaneous Hæmorrhage from the Nose does not relieve the Head so much in the Beginning of a Fever, as when it happens towards the stationary Period; I think it is plain, that in a Phrensy which follows upon a Fever, the safest Practice is to begin with Revellents; and this is most effectually performed by Bleeding in the Foot, and not in the Jugular. In short, from what has been said, it evidently appears, that whatever Diforder in the Head is relieved by Bleeding in the Jugular, the Success is owing to Derivation, and not to Revulsion. Q. E. D.

^{*} Vide Anatomy.

228. The Importance of this Subject is fo great, that I hope the Reader will not think I have been too prolix upon it. Proceed we now to other Matters, relating to the Cure of this Disease.

229. Proper Evacuation being made by Bleeding, we are, in the next Place, to have regard to the Viscidity, Glutinousness, or Lentor in the Blood and Lymph; which obstructing the free Course of the Circulation through the capillary, fanguine, and lymphatic Arteries, accumulates the Blood and Lymph in the more pervious and patent Tubes, and increases the Motion, Heat, Inspissation, and Acridness of the Juices.

230. It must therefore be our chief Care to dilute, and concoct all viscous fizy Humours; to attenuate those, whose Parts are too bulky to pass freely through the decreasing Series of Veffels; and to correct, absorb, and alter all saline, sulphureous, bilious Particles, which are now become much more angular, acrid, and pungent than in a healthful State.

231. The Concoction of the febrile Matter is no more than a preparatory Alteration of it for a convenient and falutary Discharge, either by Sweat, Urine, Stool, &c. Or when a Portion of peccant Matter is brought to

Coction,

An acute continual Fever. 143

Coction, it has acquired fuch a Disposition, as makes it sit to be separated from the sounder Parts of the sanguineous Mass, or from the Tubuli to which it adhered, and to be afterwards expelled the Body. That is, the viscous, obstructing, febrile Matter is diluted, dissolved, attenuated, and ground sine enough to pass the minutest, and remotest Tubuli without Stagnation, or Obstruction.

232. Now, whatever is able to attenuate or diffolve gross, viscid Matter in the animal Fluids, or adhering to the Sides of the Vessels, must affect it either by forcibly striking into, and cleaving it afunder, or elfe by gently infinuating itself into it's Pores, and attracting it's constituent Particles, so as to make them recede from one another, and embrace those of the Dissolvent. The former is the Work of ponderous and pointed Medicines, which increase the Velocity and Momentum of the Blood, and Strength, and Stiffness to the Vessels, and consequently rarefy and heat the whole Mass of Blood to a great Degree. The latter is the Office of fmooth, aqueous, demulcent Liquors, which being adapted to the Pores and Interstices of the morbific Matter, infinuate themselves between

between it's Corpuscles, and by their strongly attracting Power, divide, dissolve, and dilute it.

of these Sort of Medicines is most eligible in burning Fevers; viz. such as by their Weight, Volatility, Restringency, or Stypticity increase the Motion and Heat of the Blood, and render the several Series of Vessels more rigid and tense; or such as thin, cool, and check the impetuous Motion of the Blood, moisten the dry, parched Fibres, and promote a free Passage for the Blood through the capillary, sanguine, and lymphatic Arteries.

234. Those Medicines, therefore, which dilute the Blood, thin the Humours, separate and dissolve the Viscosities without increasing the Heat of the Body, are the Things indicated in this Disease; and these are universally allowed to be performed most safely by a liberal Use of some smooth, cooling, diluting, abstersive Liquors.

235. But before we point out the most proper of these Sort of Medicines, I would observe, that if the Patient has sick Fits with Vomitings, and upon Inquiry you find he has eaten or drank any Thing disagreeAn acute continual Fever. 145

ter is brought up; it will be proper, first of all to exhibit a gentle *Emetic*, after a sufficient Quantity of Blood has been drawn off, in Proportion to the Strength of the Body and Violence of the Disease.

from Vomiting in the Beginning of acute Fevers, will easily appear from the subsequent Reasoning:

I. It discharges any bilious, pituitous, or indigested Matter which might otherwise lie in the Stomach, and fret it into frequent Motions to vomit; and which, if it was not thrown off, would putrefy, corrupt, and grow acrid, and corrosive: Whence oftentimes arise dangerous Diarrhæas, towards the Height of the Fever, for want of vomiting in the Beginning.

II. It opens the secretory and excretory Ducts of the Glands of the Fauces, Oesophagus, Stomach, Intestines, Spleen, Liver, Pancreas, Omentum, and Mesentery; and unloads them of a great Quantity of viscous Phlegm, and bilious Matter.

III. By the forcible Contractions of the Muscles in Vomiting, they shake, agitate, divide, and attenuate the Lentor, and thereby

L

promote

promote the Secretions and Excretions, as is evident from the profuse Sweats which always break out after plentiful Fits of

vomiting.

\$200HQTH

237. Sydenbam (who justly deserved the following Encomium, viz. Artis nostræ Ornator & Ornamentum; qui sepositis Opinionum Commentis ad Observationes prorsus se dedit, & à prima Ætate ad extremum ufque Senium cum Natura cobabitavit) had so great a Notion of vomiting in Fevers, that when he was called in late, and the Patient had not been vomited before, he did not scruple to give one at any Time of the Disease, if the Patient had Strength to bear the working of it. He tells us, he often gave one on the twelfth Day of the Fever, though the Sick had left off vomiting before, and fo stopped a Looseness which prevented the Fever's coming to a Crisis.

238. In fuch a Case, indeed, where a Symptomatical Looseness hinders a Crisis, no. Medicines more powerfully revel the Humours, than those which excite vomiting ? and, therefore, upon such an Account, they may be falutary at any Time of the Difease: But when the Crisis is at Hand, and Nature is just ready to throw off the morbific MatAn acute continual Fever. 147 ter through some of the excretory Ducts, most practical Writers * forbid the Use of Emetics, because they are endued with so strong a Power of revelling, and by that Means they may disturb that Method of Relief which Nature, the best Guide in Practice, attempts.

239. When, therefore, the Fever is far advanced, and there is no Loofeness or other Symptom which immediately requires vomiting, it may be the most secure Way to let it alone; because when the Heat is most intense, and the Blood and Lymph inspiffated by the Heat, the Agitations and Concuffions, excited in the Fibres, in Fits of vomiting, may possibly augment the Heat, and aggravate the bad Symptoms: But in the Beginning of Fevers, before the Humours are boiled up into a Size, and before any Obstructions are firmly fixed in the Vifcera, nothing bids fairer to clear the primæ Viæ, and to promote the Secretions and Excretions, than a gentle Emetic.

240. The Liquors most approved of in acute, ardent Fevers, are the following, viz.

I. Barley Water, which by the Slipperiness of it's Parts, and it's Freedom from Vis-

^{*} Vide Friend's Comment. on Fovers,

cidity and Tenacity, is a fit Vehicle to di lute gross, fizy Humours, to divide the more firm, earthy, or saline Parts of the Blood, and to abate the Heat thereof; for as it leaves no Stimulus behind it, it will contribute greatly towards relaxing the too tense and contracted Vessels; and the more watery a Body is, the less susceptible it is of Heat. * We have good Reason to believe, that if pure Water were to pass through the Blood-Vessels, with a Velocity equal to that of the Blood, yet it would thereby acquire no Heat. Hence it appears that the more we dilute and divide the red Globules of the Blood, and prevent their Friction, by watery Drinks, the more we cool the Body.

II. Where the active, faline, and fulphureous Particles, abound too much in the animal Fluids, we must make use of Liquors confisting of the most passive Principles; upon which account it is, that thin, clear Whey, Water-Gruel, Teas made of Sage, Balm, Elder-Flowers, &c. are so serviceable. Water is the chief Principle to be depended upon; but the other Ingredients serve to render it moreflippery, abstersive and agreeable. There is no real Diluent but Water; every Fluid is

* Vide Hale's Statical Effays, Vol. II.

diluent

An acute continual Fever. 149 diluent as it contains Water in it. Water dilutes the Blood and Humours, and at the same Time relaxes the Fibres: Whence, as long as there is Thirst, a quick Pulse, Driness and Stricture of the Vessels, so long are smooth, watery Drinks safely exhibited. An emollient Drink of Mallow-Leaves, or Roots, a few Figs, and some Raisons of the Sun, may be fitly used to promote Dilution and Excretion.

III. When the Heat is extreme, and the other Symptoms demonstrate that the Humours are tending towards an acrid, alkaline Disposition, the above-mentioned Drinks should be acidulated with Vinegar, or the Juice of Oranges or Lemons; or they should be fuch whose Natures are acescent. In this Case nothing appears to be more cooling than Currants, two Ounces of their felly, dissolved in a Quart of warm Water, makes the most agreeable, sharp, acescent Drink in the World; it quenches Thirst, checks the too great Velocity and Rarefaction of the Blood, abates the Redundancy and Acrimony of the Bile; by it's acid Salts, it prevents the Humours from altering to an alkaline State, it is of a delicious Taste, and scarce ever palls the Stomach. A Decoc-L 3 tion sorrel, Lemonade, and roasted Apples dissolved in Water, are all of the same Nature, and exceedingly refreshing and cooling.

IV. Clear, old Small-Beer, neither bitter nor four, will agree very well with those who have no Nausea, Sickness at Stomach, nor Tendency to a Loofeness. Where the Symptoms are moderate, and where the Blood is not too much rarefied, to deny Small Beer, to be taken now and then moderately, is a needless Severity, and very often hurtful, especially where it has always been used as the common Diluter of the Food. But in others, whose vital Powers are wound up to their highest Pitch, and whose Blood is in vast Agitation, Small-Beer will not agree; because, however small, it contains a Portion of Spirit, which, by it's Brifkness, will irritate the Fibrillæ into more frequent and strong Contractions; and as it contains a deal of very elastic Air, it is ever ready to ferment, by which Means it will cause still greater Tumults in the Blood, and render the Patient delirious, if not so before.

V. If the Body be costive, an Ounce of Tamarinds boiled in a Quart of Barley-Wa-

ter,

An acute continual FEVER. ISI ter, makes a very agreeable, delightful Liquor.

241. Hence all these Sorts of Drinks produce wonderful, beneficial Effects, by mixing with, diluting, attenuating, and diffolving the Groffness and Cohesion of the Blood and Moleculæ, which foul the Glands, furr the Channels, and beget Obstructions in the minute, delicate Tubuli-of the Body. They also sheath, dissolve, and break the sharp Spiculæ of the acrid, alkaline Salts, and promote and haften their Discharge through some of the Emunctories. lastly, by their Smoothness and Slipperiness they supple, relax, and take off the too great Tension and Stiffness of the Fibres; upon all which Accounts they are excellently good.

ence, has recommended to us several Kinds of Aliment proper in ardent Fevers, viz. The intire Ptisan, the Cream of Ptisan, and Hydromel; all which are well adapted to the Cure of Fevers, by Reason they are light, smooth, cooling, and moderately abstersive, without the least Asperity or Astringency, which is very injurious to Persons in this

^{*} Vide Lib. de Diæta in Morbis acutis.

Distemper: Hence those Persons who sirst introduced among us the temperate and diluting Regimen, as it is called, gathered it almost wholly from *Hippocrates*; and without doubt this Method of Cure is not only most safe, but of the greatest Service.

243. But as the best Remedies may be falfly applied, or their Virtues destroyed by being administered in too large or too small Doses, so it has happened here: Some few, unskilful, unexperienced People observing the great Benefits which accrued from a moderate Use of watery Liquors, in the Beginning of Fevers, falily concluded from thence, that if two, three, four or five Pints of cold Water were to be drank all at once, or in a very little Time, it would haften Concoction, promote a Crisis, and cure the Sick immediately. Whereas Experience affures us, the fwallowing down an unreasonable Quantity of Drink, in the Beginning of Fevers, is oftentimes attended with fatal Consequences; for the perspirable Ducts being too tense and contracted, or bunged up with Matter too viscous and tough to give Way as yet, and the urinary Passages being too strict to be dilated or distended in Proportion to the Deluge, they will strain it off

An acute continual Fever. 153

but sparingly; so that a general Fulness will arise, with Sickness at Stomach, Deliria, Coma, &c. and the Disease will be prolonged, as well as rendered more dangerous.

244. Hippocrates, Lib. de Arte, tells us, whatfoever is beneficial, proves fuch by Virtue of the right Use and Application: For the innumerable unlucky Accidents that fall out, are owing not fo much to any ill Quality in the Remedy, as to false Indication, or the Defect of Cautions and Precepts relating to the Use of it. Agreeable to which is the Case before us; our chief Dependance, in the Cure of ardent Fevers, is upon smooth watery, abstersive Drinks, to dissolve and dilute the acrid, alkaline Salts, abounding in the Blood, and to waste, and wash away all viscous, glutinous Matter adhering to the Sides of the capillary Vessels, and obstructing the free Course of the Circulation. But as this cannot be done all at once, no more than we can remove Mountains, and as a violent Distension of the Vessels, and an increased Impetus of the Blood, from drinking too large Quantities of Liquors, would greatly endanger bursting the capillary, fanguine, and lymphatic Arteries, producing Inflammations, and a whole Train of de**fperate** fperate Symptoms; it evidently follows, that the fafest Practice is to use them moderately in the Beginning of this Disease, and towards the Height, or stationary Period, when the several Phænomena assure us that the morbid Matter is sufficiently attenuated, divided, and loosened, that it only wants an additional Impulse to dilate the Vessels, and cast it forth through some of the excretory Ducts; we may be more liberal, and allow our Patients Drink in larger Quantities.

245. I have fometimes disputed with myfelf whether it was most eligible to indulge my Patients in drinking any of the abovementioned Liquors, quite cold; fince the Desire of the Person, the extreme Heat, Thirst, parched Tongue, Throat, &c. feemed always to require it, and fince the Coldness of the Liquor would also help to condense the rarefied Blood, and act in Opposition to the intense Heat of the Humours: But then, on the contrary, maturely confidering the Danger that might arise from the Stimulus which would immediately be given to the Mouth, Throat, and Stomach, by large Draughts of cold Liquors; that this might probably constipate the excretory Ducts of the feveral Glands belonging to those Parts, and

An acute continual Fever. 155 and thereby increase rather than abate the Drought and Thirst so much complained of; and laftly, fince the Stomach is most plentifully stored with Blood-Vessels, and is furrounded by the Liver, Spleen, Aorta, descendens, &c. extreme cold Liquors might condense and incrassate the Blood, and suddenly contract the capillary Vessels, so that only the finest and thinnest Parts would pass through them, whilst the gross are obstructed, fixed, and wedged in: Whence Obstructions, Inflammations, Mortifications, &c. I fay, confidering the Rifque we might run in these Things, I, for my Part, always chuse to let the Drink be a little warmed, and believe it answers the End much the best, both as a Diluter, and Slaker of Thirst, by Reason it keeps the Vessel more pliable and lax, and thereby procures a freer Course for the Fluids to pass without Lett or Stoppage.

246. It is well known that Heat and Cold greatly dilate and contract our Vessels. Dr. Hales * has demonstrated by many curious Experiments, that the Vessels of an animal Body are manifestly contracted or relaxed, by different Degrees of Heat, or

^{*} Vide Statical Esfays, Vol. II.

Cold. He hath shewn us that cold Water is much longer in paffing the Minute, capillary Arteries, than when it is Blood-warm; and though it is not to be imagined that the Effects are so sudden and great in live Animals, as in those Experiments which he made; because in living Bodies, the several Fluids which are taken in, are more gradually, and in smaller Quantities imbibed and blended with the Blood; yet if we confider the easy Passage of so diluted a Fluid, as Water, from the Stomach and Guts immediately into the meseraic Veins, and the great Velocity of the Blood in circulating, it will appear that very cold Liquors, drank in large Quantities, may do much Mischief, by constringing the Vessels, and increasing the Force of the arterial Blood.

247. Some, indeed, there are, who are bold enough to render cold Water to be drank in large Quantities, through the whole Course of a Fever; but if we will hearken to the Advice of a very learned and ingenious Author *, he assures us, that those Things are more safe, which, besides their effectually cooling, help towards concocting the Matter, by their inciding and abstersive

* Vide Lommius, of the Cure of Fevers.

Faculties,

An acute continual FEVER. 157 Faculties, both which are wanting in cold Water. Besides, says he, drinking cold Water through the whole Course of the Disease, not only obstructs the Maturation of the Matter, but becomes so familiar to Nature, that it acts with much less Essicacy in the Height of the Distemper, when it ought to be liberally drank, that it may impel the Humours to Excretion.

248. As to Food of any Kind, the Sick, as hath been observed above, are generally averse to it, and take it with Reluctance; for fince Nature is wholly engaged in subduing, attenuating, dividing, and concocting the morbid Matter, it must consequently be very injurious to intrude upon her a viscid Chyle, which will require a great Share of Strength to assimilate, or otherwise it will increase the Lentor, and aggravate all the Complaints.

249. But if the Patient should seem to crave for something to eat, as it sometimes happens, smooth Water-Gruel, Panado, or Barley boiled to a Softness, and pulped, and sweetened to the Taste, are the only Things to be allowed of.

250. Having now shewn the great Advantages of Bleeding, Vomiting, and Dilution

tion in the Beginning of this Distemper, I shall here take an Opportunity of pointing out some very destructive Medicines, though too commonly made use of in the Beginning of acute Fevers; and then proceed to direct you to those which long Experience, and a continual Series of Observations, have established their Reputation, and proved their Usefulness.

251. First then, we must by no Means venture to exhibit strong Diaphoretics or Alexipharmics, such as the Theriaca & Mithridatium, Rad. Serpent. Virg. Antim. Diaphoret. Crocus, Coccinel. Campbor. Sal. Vol. Succin. Corn. Cervi, Aq. Epidem. Pæoniæ, Theriacalis, &c. This Custom, as it is exceedingly common with those who are intirely ignorant of the Laws and Motions of the animal Oeconomy, fo it is likewise extremely dangerous; for feeing fuch Medicaments as these, do rarefy the Blood, and increase it's Motion, instead of cooling and abating it's Velocity, they must necessarily weaken the vital Powers, by giving too great Resistance, and straining the animal Springs beyond what they are able to bear.

252. Where the innate Warmth is wanting the Vis Vitæ decayed, and the native Force Force weakened, these Sort of Medicines are of admirable Use; but in acute Cases, where the motive Powers, and vital Heat are raifed much too high; where the oily and faline Principles of the Blood are already too much attenuated, or raifed to a great Degree of Volatility; and where Blood and Lymph are already too viscid and glutinous, through extreme Heat; such Medicines must needs be quite, contrary to the curative Indications, and will certainly prove destructive, by adding to the Attrition of the Globules, and rendering the Blood more acrimonious, rancid, and alkaline: In consequence of which, the whole sanguineous Mass may be reduced to a State of Putrefaction, capable of producing Pains, extreme Thirst, Inquietude, Watchings, Deliria, Diftension of the Nerves, Hiccough, and other deadly Symptoms.

cerning Fevers, is of opinion, that the Theriaca and Mithridatium are so far from deferving the Title of Alexipharmics in acute, inflammatory Fevers, that they may rather be termed Pharmaca, as implying, in the worst Sense of the Word, Poisons; and which, I am afraid, says he, through their indiscriminate Use, have carried off more People than all the Plagues we ever had in England. And again, do we not generally find that all these hasty Sweats are symptomatical, seldom lessening the Fomes of the Disease, but increasing the same? Or what do we do hereby, but quicken the Motion and Heat of the Blood, and excite thereby Coma, Vigil, &c.

Medicines which too much exagitate the Blood, are to be shunned in a Fever, with the same Industry, as Blasts of Wind to burning Houses. And, indeed, if we consider the Mechanism of the Body, the Nature of the Disease, and the Properties of Medicines, we shall soon find it absolutely impossible for hot, acrid, spirituous, volatile Medicines to be of any service in the Beginning and Increment of this Disease; and seldom or never in the Height, unless the vital Powers begin to slag, and the Strength of the Body is not sufficient to bring on a Crisis without such Helps.

255. If Sweating could be raised without exagitating the Blood, and increasing it's Heat, it would necessarily diminish the Quantity of Lymph, and consequently leave the

the Blood and Humours proportionably more thick and viscous; but since the secretory and excretory Ducts of the Glandulæ miliares are either too tense and contracted, or the Lymph is too viscid and glutinous to be secerned, Sudorifics seldom answer the Intention, in the Beginning of Fevers, but augment the Complaints by increasing the Motion, Heat, and Inspissation of the Blood.

256. Secondly, There is another Madness also different from this *, which some are possessed with, who rely wholly upon Acids for a Cure; and place all their Hopes upon Vinegar and the Juice of wild Apples: As if because it is unreasonable to burn up the Patient, they should therefore quite kill him with Cold. It is not meant by this that Acids are always improper, and therefore to be condemned by the Lump; but, on the contrary, when the Heat is vastly intense, when the Salts of the Blood are volatilized, and rendered as acrid as possible, and the Oils are distolved, attenuated, and exalted, fo as to become extremely pungent, and when the feveral Humours of the Body tend towards Putrefaction; Vinegar, or some other Acid, moderately administered, and

^{*} Vide Friend's Comment, on Fevers.

fufficiently diluted, may be exceedingly proper: For Vinegar * is an acid, volatile, penetrating, unctious Liquor, that makes an Effervescence with Alkalies, cools the human Body, prevents the Effects of Drunkenness therein, and prevents all manner of Putrefaction and Corruption. It is not of a coagulating Nature, like all other Acids, but attenuates, incides, and resolves Obstructions.

commend the Use thereof in several acute Cases, as particularly in the Pleurisy, Peripheumony, Small-Pox, Plague, and burning Fevers; where the Blood and Humours are too thick and viscid, or where the several Juices tend towards Putrefaction. And therefore all that we mean by this Caution is, not to depend intirely upon Acids, or to exhibit them in too large Doses, or to mistake the Nature of other Acids, from what has been said concerning Vinegar.

of which Opium, and it's several Preparations are the chief, are destructive Medicines in the Beginning of this Disease; there being no one Drug yet known, which in so small a Quantity, affects the Brain and Nerves like

^{*} Vide Boerhaave's Chemistry.

An acute continual Fever. 163

Opium. This is what I advise all young Practitioners to avoid giving their Patients, in the Beginning or Increase of ardent Fevers, let them be never so restless and uneasy; because the Membranes, and nervous Fibrillæ of the Brain, are, at fuch Times, too tense and contracted to give Way to a Relaxation necessary for Sleep; fo that instead of Rest, the Sick will be delirious and frantic. I have known feveral Persons die raving mad, by the unskilful Administration of an Opiate, in acute Diforders. Sydenham fays, he once ordered it on the twelfth Day of this Disease to good Purpose, but he never knew it used fooner with any Success; but if it be deferred to the fourteenth Day, it will fucceed better, Separation then being more perfect: And indeed if the Patient be purged before the taking the Anodyne, it will prove more effectual.

and unexperienced Practitioners endeavour to repress the bilious Vomitings, which commonly happen in the Beginning of this Difease, with Salt of Wormwood Draughts; whereby they have precipitated the Destruction of their Patients. For, not to mention the great Benefit Nature aims at in M 2 ejecting

ejecting fo much acrid, sharp, irritating Mat ter, which, if absorbed, or imbibed, into the Blood, would vaftly augment the Fever the Salt of Wormwood, being a caustic, and firey Salt, is exceedingly improper at fuch Times. All alkaline Salts are dangerous Medicines in this Disease; for, as they have a Power of immediately rendering our native Salts of a sharp pungent Nature, and acting upon them like fo much volatile, alkaline Salt introduced into the Body *; thereby they turn our half-fixed Salts into fuch as are truly volatile; those that before were of a benign, gentle Nature, into such as are firey; those that were neutral and innocent, into fuch as are corrofive, &c. On which account they act like Poison in all such Diftempers where the animal Salts and Oils are too much attenuated and exalted; as in acute Fevers, inflammatory Cases, &c.

260. Hence many Men not duly attending to Nature's Direction, or not knowing the Seat or Cause of the Distemper, attempt to ease the Symptoms instead of the Disease; and thereby oftentimes create new and unheard-of Disorders. I lately met with an Instance of this Kind, where a hale, lusty,

^{*} Vide Boerhaave's Chemistry.

An acute continual Fever. 165 young Man, in the full Vigour of his Age, being seized with an acute continual Fever, and incessant Vomitings of bilious Matter, had taken two Drachms of Salt of Worm-wood, by the Direction of his Apothecary; the next Morning I found him raving mad, and notwithstanding Bleeding thrice repeated, several Stools procured by emollient Clysters, and Vesicatories applied to his Back, Arms, Thighs, and, lastly, to his Head, the Phrensy, Distension of the Nerves, Subsultus Tendinum, &c. continued till the tenth Day,

taken not to apply Blistering Plaisters too soon; that is, whilst the Fibres are too rigid and stiff, the Heat very intense, and the Pulse exceedingly sull, strong, and quick. This is a Caution to be observed, notwithstanding the Head and Nerves should be affected in the Beginning of this Distemper; for those who are delirious with an acute Fever, and a parched Tongue, die quickly upon the Application of Blistering Plaisters (says Baglivi*) and most of them are seized with Convulsions before they die. And besides, there is nothing that follows the Ap-

on which he died.

^{*} Vide de Usu & Abusu Vesicantium.

plication of bliftering Plaisters fo foon as Thirst, with a Dryness of the Tongue; which, fometimes, is fo great, in Persons not delirious, that nothing will pacify it but con-

tinual gargling with Water.

262. If we reflect on the Nature of Cantharides, how can we expect, in the Beginning of this Disease, any other Consequences from the Use of them, whose Composition is chiefly of the most subtile, pungent, caustic, firey Particles? That they are small enough to enter the Vafa inhalantia, and pass along with the refluent Blood, is evident from the Disury so frequently complained of after the Application of bliftering Plaifters; and if the Particles of Cantharides continue to be so pungent and caustic after they are secreted and diluted with the Urine, as to stimulate and inflame the urinary Passages, what bad Effects may we not expect from them, when they pass through the minute capillary Vessels, which are already too tense and contracted? For, fince the Coats of the capillary Vessels bear a much greater Proportion to the contained, small, cylindrical Fluid, than in larger Tubuli, the Properties or Qualities of any Medicament will proAn acute continual FEVER. 167 duce more considerable Effects in the former than in the latter.

263. I am not unacquainted that the learned Dr. Friend * recommends Vesicatories in ardent acute Fevers, and fays, "Any one " may very justly affirm, that more Persons " have been freed from Fevers by this Me-" thod of Cure than by any other; nay, " fays he, one may folemnly averr, that " more People have been recovered by this, " than by all the rest." To which I intirely agree, when they are properly applied, towards the stationary Period of the Fever, when the Solids begin to flag, and stand in need of a Stimulus; or when the natural Operations are infufficient to discharge the morbific Matter through the excretive Glandules without fuch Affistances. But, on the contrary, whilst the vital Powers are too strong, whilst the Vessels and Fibres are too rigid and dry, whilft the Blood and Lymph are viscous and inspissated merely by the Intenseness of the Heat, and whilst all the Efforts of Nature are sufficiently strong, the Application of bliftering Plaisters must needs be improper.

* Vide Comment. on Fevers.

264. The great Use of blistering Plaisters is where the Lymph abounds too much, and where the animal Veffels are too lax and feeble: In fuch a Case they do Service by discharging Part of the Lymph, and by exciting lively Motions, and brifk Vibrations or Oscillations in the Fibres; whereby the Heat is augmented, the Pulse are quickened, the Fluids are more intimately mixed, and the natural and healthy Crasis of the Blood is restored. Daily Experience assures us that the Elasticity, Tension, and contractile Power of the Fibres are vastly increased by the Application of bliftering Plaisters; whence the constituent Fibrillæ of the Membranes, Muscles, Arteries, Veins, Nerves, Lymphatics, &c. do contract more vigoroufly, and make more forcible Impressions upon the Fluids; the Fluids being propelled with greater Velocity than before, rebound upon the Solids; and by this mutual Action and Reaction, the sanguineous Mass is heated and inspiffated.

265. Hence it evidently appears, that in the Beginning of ardent Fevers, where the Blood is already too dense and acrid, where the Velocity of the Circulation is too great, where the feveral Humours of the Body tend towards

all the Essays of Nature are made with the greatest Strength and Violence; here, I say, to screw up the Tension and elastic Force of the Fibres to a greater Height, and to provoke them into more frequent and stronger Contractions, is only to increase the Complaints. Whoever wants further Proof of these Essects of Cantharides, let him consult Bellini de Stimulis.

266. Sixtbly, Innumerable Mischiefs arise from keeping the Air of the Room of a feverish Person too hot *, by depriving the Patient of the Benefit of Refrigeration by cool Air: For there is great Use to be made of temperating feverish Heat by outward Air, so that it be done with Safety; that is, fo as not to disappoint the Intention of keeping up a due Quantity of Perspiration. Nothing is more earnestly defired by the Patient than the breathing cool and fresh Air; and that the Blood is cooled by the Action of Inspiration, is a Matter past doubt. Befides, the fulphureous, animal Steams, if they are pent up in the Room, will destroy the Elasticity and vital Spirit of the Air; whence Respiration becomes difficult, a general Uneasiness arises, the Sick throw off the Clothes, toss about, and sometimes get out of Bed in

quest of cool Air.

267. Dr. Halley * found by undoubted Experiment, that a Gallon of Air, included in a Bladder, and by a Pipe reciprocally inspired and expired by the Lungs of a Man, will become unfit for any further Respiration, in little more than one Minute of Time; and though it's Elasticity be but little altered, yet in passing the Lungs, it loses it's vivifying Spirit, and is rendered effecte, and not unlike the Medium found in Damps, which is present Death to those who Breathe in it; and which in an Instant extinguishes the brightest Flame, or the Shining of glowing Coals, or red-hot Iron, if put into it. By an Experiment also of Dr. Hales +, 74 cubical Inches of Air could not supply him half a Minute without Uneafiness, and not one Minute without Danger of Suffocation; but if he had been shut up with a proportional Quantity of Air, which confequently must have been spoiled, not only by the Steams of the Lungs, but of the whole Body, the same Quantity would not have supplied

^{*} Vide Phil. Trans. No. 349. + Vide Statical Es-

An acute continual Fever. 171

him so long a Time. Hence it is evident, that renewing and cooling the Air, or perflating the Patient's Room, is absolutely necessary to support the Spirits, to abate the Heat and Rarefaction of the Blood, and to prevent an alkaline Disposition in the Humours.

268. Seventhly, Heaping on too much Clothes, under the Notion of incouraging Sweat, is a pernicious Custom; because it confines the Heat of the Body, and thereby increases it.

269. Eighthly, Too little Covering, especially in the Winter Season, may have as bad an Effect; for if cold Air has too free Access to the Surface of the Body, it acts as a Stimulus, constipates the excretory Ducts of the miliary Glands, and condenses the Fluids contained in them, into a greater State of Viscidity: Whence a Sweat may be interrupted, which might otherwise have broke out.

270. Proceed we now to those Medicaments which daily Experience testifies to be
salutary and useful, in the Beginning and Increment of this Disease: But first of all give
me leave to observe, that as a Fever is only
an Effort of Nature, arising from the mere
Mechanism

Mechanism of the Body, to solve the ObIlructions, and cast out of the Body whatever is offensive to it; so whilst the Symptoms are but moderate, there does not seem
Occasion for many Medicines; it being the
Duty of a Physician to follow the Guidance
of Nature, and not be too officious, lest he
should interrupt her Proceedings instead of
assisting her.

Remedies in the Cure of acute Fevers; for, abating a gentle Vomit, Clysters, or the like in the Beginning, he depended chiefly upon cooling, diluting, abstersive Ptisans, variously contrived, according to the Genius of the Disease; and, leaving the rest to Nature, expected a Crisis with Patience and Watchfulness.

272. Sydenbam, that diligent Observer of Nature, assures us that when the Fermentation (that is, the Heat) was neither too high nor too low, he left it in that State, and used no Remedies, unless he was obliged to do Something by the Importunity of the Sick, or his Friends about him, that might please them without hindering his Design.

^{*} Vide Lib. de Diæta in Morbis acutis.

An acute continual FEVER. 173

273. Hence the Physician is sometimes under a necessity of prescribing Non-significants merely to preserve his Character, and not be thought negligent or ignorant of the Cause of the Disease. The officious, busy Tempers of some Menhave greatly prevented their observing, as they ought, the Tendencies of Nature; they think to force a Crisis when they please, by boldly administering strong and powerful Medicines, whereas, it may be, the greatest Benefit is to be done by the most simple, easy, and gentle Means, or, perhaps, by leaving it intirely to the Management of Nature. Many Instances might be alledged to shew what vast Advantages have accrued by a strict Attendance to the Demands of Nature, without pouring in a Load of Physic. Nature is oftentimes conquered by obeying and humouring her; for by diligently watching and observing the Ways and Means she makes use of, in Order to free herself from the Disease, and then joining with her in the same Undertaking, when she needs our Assistance, we complete the Cure which otherwise might have been very uncertain.

274. It is a Precept to be held by all (says Willis) that you diligently watch and wait upon

upon the Footsteps of Nature: Which if it works wrongfully, it's Disorder is to be reduced; if rightly, yet too vehemently, to be bridled: If she works rightly, yet too slow-ly, or more weakly than she should, the Business will be, that her Endeavour may be incited, and affisted by the Help of Medicine. A great Secret, therefore, in curing Diseases, is to distinguish rightly between the Efforts of Nature, which are to be affisted, and those of the Distemper, which are to be destroyed.

our curative Indications are to be taken from the present Phænomena of the Disease, and a diligent Observance of Nature, which way moving to help herself; that is, if Nature makes but faint or weak Overtures, or if the incumbent Weight is likely to be too great for the utmost of her Strength, it is then our Business to affist her in such a Way as she seemed of herself to direct.

276. Thus in the Cure of this Distemper, if bleeding, vomiting, and diluting Medicines have been properly prescribed, and yet the Pulse continue to be too full and quick, and every Organ seems to labour and struggle to get rid of some offensive Matter; our next Step is, if the Body be costive, to inject lenient, cooling

An acute continual FEVER. 175

cooling Clysters pro Re nata: For a smooth emollient Clyster not only brings away the intestinal Load without any Violence or Disturbance to the Body, but it is a warm Bath to the Bowels, whereby it supples and: relaxes their Fibres, and abates the too great. Constriction of the excretory Ducts which open into them. Many of the most fluid and fubtile Particles also of the Clyster, may be conveyed into the Blood through the Vasa inhalantia, and mix with and attenuate the Fluids, and thereby render the excrementitious and morbific Humours minute enough to pass through the Glandules and Ducts fituated in the Membranes of the Intestines.

277. Hence Clysters do oftentimes difcharge a deal of Matter from the Blood, as well as bring away the hardened, fætid Excrements. And let me add, that if the Fæces were fuffered to remain in the Intestines too long, they might do much Mischief, and that for the following Reasons, viz.

I. When the Belly has been long thut up, and immoderately charged, some Part of the Fæces may be percolated into the Blood, contrary to the common Defign of Nature, and thereby not only augment the

Quantity

Quantity of the Fluids, but mix with them some vitiated Matter.

II. The excessive Heat of the Body must necessarily produce an Abundance of nasty, stinking Fumes from the Faces, if retained longer than usual; and such putrid, corrupted Vapours may possibly get into the Blood, and prove very noxious and hurtful to the Constitution.

III. The hardened Faces may dilate and distend the Intestines in such a Manner, as to press upon and obstruct the excretory Ducts of some of the intestinal and mesenterial Glands, and by that Means prevent the flowing in of the Juices: For we are affured by Experiment, that the thinner Part of the Blood will ooze through every Part of the mucous Coat of the Intestines; and that when large Quantities are secerned into the Cavity of the Viscera, it is not only from the Ductus Pancreaticus, Cholodochus, or other large and visible Ducts, but also through an infinite Number of extremely minute, fecretory Vessels, dispersed throughout the intestinal Tube.

IV. If the Intestines are very replete with hardened Excrements, it may so happen that they may press upon, and hinder the free

An acute continual Fever. 177

Arteries; or they may retard the Motion of the Blood in the Coats of the much distended Bowels: Hence the Heat may be increased by accumulating the Blood in the other Vessels, and the Head may be affected by Reason a larger Share of Blood will be propelled into the ascending Trunk of the Aorta, from the Impedimentum it meets with in the descending.

278. Clysters, therefore, may be useful, if the Belly does not answer, till the tenth; nay, sometimes, to the twelfth Day of this Disease, especially if Bleeding has been neglected in the Beginning; but they are not to be continued afterwards, lest they drain too much from the Blood, and thereby in-

terrupt a Crisis.

279. Another Caution is, that the Ingredients with which they are made, ought to be quite mild, so that they produce but one or two Stools; for should they exagitate the Blood, and occasion many Stools, they would protract the Disease, by thickening the Juices, and retarding Nature's Work, in concocting the morbid Matter.

280. This also is to be observed, that Clysters are not so successful, neither should N they

they be repeated so often, in old People as in young. To conclude this Head, Experience teaches us, that great Advantages are received when a moderately fœtid Discharge is procured either by Art or Nature.

281. Proper Evacuations being confidered, our next Dependance in the Beginning and Increment of this Disease, is upon such Medicines as will blunt, absorb, and sweeten all acrid, sharp, irritating Juices, which stimulate the Fibres, increase their Tension, and quicken their Vibrations; from whence the Blood is too impetuously moved, the Heat is increased, and the Blood inspissated.

282. The testaceous Powders, and partieularly the Pulv, è Chel. Canc. comp. are generally prescribed for this Purpose; though some among us deny the Possibility of these Medicines entering the Circulation, let them be ever fo finely levigated; but not to enter into this frivolous Argument, we constantly observe the best, and most experienced, Phyficians, prescribe some Preparation or other of the testaceous Drugs, in the Beginning, and Increase of acute Fevers, and believe them to be very beneficial in correcting and fubjugating the sharp, acrid, corrosive Humours. both in the Primæ Viæ, and in the Blood and An acute continual FEVER. 179 and Lymph, and also by gently disposing the Sick to a more plentiful Perspiration, and sometimes to little breathing Sweats, without augmenting the Heat of the Body, or endangering Inflammations, &c.

of it, is most Times joined with the testaceous Powders, or dissolved in the Drinks, in the Beginning and Increment of ardent Fevers, in order to cool and abate the Rarefaction of the Blood and Humours, which it does in the most effectual Manner; it being of a very refrigerating Nature, and allaying the Heat of the Body better than any other Medicine whatever: On which Account this Salt is highly esteemed, and constantly used, in all Distempers where the Blood boils with fervent Heat.

before any Preparation of it, which, instead of improving, may really alter it's Nature, or render it impure. Thus the Sulphur, which is thrown upon Nitre, whilst in Fusion, in order to make Sal Prunellæ, may leave such Matter behind it, as may render it hot, acrid, and alkaline, or not so good a Medicine as before; for it is certain that purified Nitre N 2

may be turned into a fixed Alkali *, as violent as Salt of Tartar itself, merely by putting a small Portion of live Charcoal into the Crucible, whilst the Nitre is fusing: Whence I should think the Lapis Prunellæ is to be sufpected, as being a Sort of Sal Polychreftus, or, at least, pure Nitre is preferable to it, as containing nothing fuspicious, and being the most effectual Cooler of the Blood in all Nature. Some, fays Geoffroy +, have, without Ground, suspected Nitre to be of a firey and caustic Quality; for which they have had no other Foundation but the Authority of the Ancients, who called their Nitre caustic, and the Deflagration of our Nitre with Charcoal. To correct this imaginary igneous Quality, they order it to be burned with Brimstone, or some such Substance. But, in the first Place, all these Operations have proceeded from a Mistake; and, in the next Place, these Concretions rather destroy than improve the natural Qualities of Nitre; and, accordingly, the best Chemists agree, that Salt-petre, well purified and crystallized, or melted, and formed into little Tablets, by the Name of

^{*} Vide Boerhaave's Chemistry.

⁺ Vide his Treatife of fossil, vegetable, and animal Sub-

An acute continual FEVER. 181 Crystal Mineral, is to be preferred to all the other Preparations of it.

with racking Pains, or when an obstinate Watching threatens a Delirium, Epithemas are profitable, of the warm Flesh, or Inwards of Animals, applied to the Soles of the Feet; or I have known good Success from bathing the Feet in warm Water, which, relaxing the Vessels, and encouraging the Blood to descend more freely into the Feet, has, by that Means, caused a Revulfion from the Head, and laid the Sick placid and easy, and sometimes inclined him to Sleep.

286. Setting the Patient upright, if he be strong enough to bear it, or bolstering him up with Pillows, may also be serviceable, by retarding the Motion of the Blood to the Head, and abating it's Impulse on the Meninges, and nervous Tubuli of the Brain.

287. We have already taken Notice of the great Advantages of letting in, or perflating the Patient's Room with fresh cool Air; to which we may add, if the Floor be sprinkled with Oxycrate, or Rose-Water mixed with Vinegar, and a little Nitre, it might be highly useful: For though it may be suspected that gross Air cannot get into

N 3

the

the Blood either through the Pores of the pulmonary Membranes, or those of the Epidermis; yet it is certain, that the Effluvia wherewith the Air is impregnated, do pass the absorbent Vessels; and consequently an Air, wherein sub-acid, nitrous Matter is plentifully disfused, may be of great Importance in reducing the Rarefaction, Motion, and Heat of the Blood.

288. It is well known, that when Air has been confined, for some Time, in a hot, close Room, and is disqualified, as it were, for Respiration; or when it is grown offensive by the Vapours arising from the Bodies of many People, Vinegar will purify it. *And it has been proved by Experiment, that Air which paffes through Cloths dipped in Vinegar, may be breathed to and fro as long again as the like Quantity of Air which is not thus purified. Vinegar has long been looked on as anti-pestilential; whence it is probable, that there may be a Ferment between this Acid, and the then too alkaline Air, which may thereby be reduced in some Degree from it's alkaline, to a neutral, more wholesome State; for many acid and alkaline Mixtures produce neutral Liquors.

Vide Hales's Statical Effays, Vol. II.

289. The Rigidity and Dryness of the Vessels also may be abated, by rendering the Air of the Chamber moist, especially in hot and dry Weather. The Lord Bacon * obferves, that there are Vapours that moisten, refresh, and are proper in burning Fevers, Confumptions, and Want of Sleep; fuch, for instance, as Rose-Water, Vinegar, Violets, Vine-Leaves, &c. And again, fays the same great Man, there are two Things which internally cool and condense the Spirits; and I recommend the fame to be tried externally in Vapour. The one is Nitre; which I would have dissolved in Malmsey, or Greek Wine, and the Smell of the Wine received; or, to make it more forcible, pour some of it upon a heated Fire-Shovel, as they do Rose-Water, and Vinegar. The other is distilled Water of Wild-Poppy, which may be mixed, in equal Parts, with Rose-Water, and so received, with the Addition of a few Cloves, in a perfuming Pan. 290. Lommius + advises the Room and

Bed to be strewed with the Branches of Willow or Vine. And I once remember (fays Boerbaave ‡) that, having a Patient

^{*} Vide Sylva Sylvarum. + Vide Cure of Fevers.

‡ Vide his Chemistry.

who was exceedingly reftless and delirious in a Fever; I brought a Bough of Elder, with the Flowers on it, into his Chamber, and putting them into fome warm Water, they breathed out their native Spirit into the Room, after fuch a Manner, that the Man was foon composed, and fell into a quiet Sleep; out of which he awaked greatly refreshed, and afterwards recovered. Something like this I lately met with. Being called to a young Man in a violent Fever, I found him almost suffocated under a great Heap of Bed-Clothes, and in a very close small Chamber. When I first opened the Door, I never smelled any thing more disagreeable; and, indeed, I refused staying in the Room, till the Door and Window had been opened some Time; I also ordered the Room to be sprinkled all over with Vinegar. When I returned, my Patient told me I had cured him already, for he could now breathe with great Ease, and found his Spirits vastly revived. Indeed, he seemed to recover from that Time, having a very good Night's Rest afterwards.

291. In short, the Administration of Steams or Vapours has not, as yet, been adverted so much as it seems to deserve; there being

An acute continual Fever. 185

being nothing to contra-indicate their Use, nor hardly any Distemper but what they may be suited to. Dry and tense Fibres may be softened and malaxed, by their Humidity and Smoothness; moist, slabby, and loose Vessels may be rendered more elastic by such Steams as contain acrid, pungent, stimulating Particles; alkaline Humours may be altered into a neutral State, by acid Vapours; and vice versa.

happens towards the Height of this Disease, especially if necessary Vomits were omitted in the Beginning; and this Sort of Looseness is dangerous, because the Sick is enervated thereby, and a Criss, or Depuration of the sebrile Matter is retarded many Days longer than it would otherwise have been. In such a Case, a gentle Emetic may still be proper, and afterwards moderate Astringners, and Opiates, must be complied with, in small Quantities.

293. When Spots appear in Fevers, take Care how you make any Efforts upon the first Passages; because if they should repel the Matter back again into the Blood, Anguish, Difficulty of Breathing, extreme Prostration of Spirits, Delirium, and Convulsions commonly

pear, and the nearer to the Status or Height of the Distemper, they are so much the better; for then the Disease tends to a Crisis, or Concoction: And, therefore, the Eruption ought to be promoted by gentle diaphoretic Medicines.

294. Having given full Directions for the Management of the Sick in the Beginning and Increment of this Disease, we come now to the stationary Period, where we are to expect the Symptoms to be most violent, by Reason a Crisis seldom or never happens without an Exacerbation of them. Every Power exerts itself, at this Time, to subdue and concoct the febrile Matter; the Arteries vibrate with the greatest Swiftness, each Veffel is more than ordinarily tense and contracted, the Heat of the Body is raised to the highest Degree, the Humours are attenuated and divided by the violent Impulse of the Solids; and all this is done in Order to correct, alter, separate, and dispose the morbid Matter to secrete, and be excreted.

295. Crififes, therefore, are only the Effects or Consequents of the wonderful Fabric and Mechanism of the Body; for in Consequence of the Construction of the se-

veral

An acute continual Fever. 187 weral motive Organs, and of the Affinity and Consent of Parts, when some of the Viscera are distended or vellicated, by the Abundance, or Acrimony of the noxious Matter, the whole Machine, by such Irritation, is made to contract more vigorously; and it is surprising to see what vast Commotions or Conslicts arise, how every vital Powers exerts itself, and how much the poor Patient is distressed, in Order to get rid, perhaps, of a very inconsiderable Quantity of morbisic Matter.

Union, or too close a Cohesion of the component Particles of the Fluids; so by Concoction of the Humours is to be understood, that they have acquired such a Disposition as makes them more sit than before, to be separated from the sounder Portion of the sanguineous Mass, or from the consistent Parts to which they, perhaps, adhered, and to be afterwards expelled out of the Body.

297. This then being the Case, we ought at this Time, to be more than ordinarily diligent and watchful, and to observe by what Means Nature attempts to throw off the sebrile Matter; for as a Crisis is uncertain when it will happen, so also by what Pas-

fages

fages or Outlets the Morbid Matter will be excreted, is, à priori, to us impenetrable. This depends upon the different Degrees of Concoction; that is, if the Matter be properly digested or attenuated, and ground fine enough to pass the secretory and excretory Ducts of the subcutaneous Glandules, the Fever is solved chiefly by Sweat; in others, where the morbid Matter fuits only the Tubuli of the mesenterial Glands, it goes off by loofe and fætid Stools; in others, by turbid Urine; in some, by violent spitting or vomiting; or by a spontaneous Eruption of Blood: And in others, them orbific Matter is cast off from the Blood into the Interstices of the Muscles, and there forms an Abscess. by whatever Outlet Nature endeavours to throw off the noxious Matter, this may be laid down as a perpetual Rule, viz. That she ought to be incouraged and affisted, unless it should happen to fall upon some of the inner Viscera, or seize upon some most noble Part, or run off in such Quantities as would inevitably destroy the Patient.

208. Hence it appears that when the Fever has attained it's Height, and the offending Matter is concocted, fluctuating, and ready to be evacuated; that is, when the

Texture,

An acute continual Fever. 189 Texture, Figuration, and Bulk of the febrile Particles are so altered and commuted, as to be capable of passing the minutest Foramina of the Body, and yet Nature is not able to direct it to it's proper Exit; it is then consistent with right Reason to give her some Assistance: But if she seems to be capable of duly finishing every Thing herefelf, we are not to interrupt her by strong Medicaments, or other Irritations, but suffer her to take her own Course in exercising the morbid Matter.

299. Mr. Boyle observes, that several Phanomena of Diseases may be illustrated by supposing Dirt thrown into a Phial of fair Water, and then the Phial to be shaken; whereby the Water will lose it's Transparency, upon a double Account; that of the Dirt, whose opake Particles are confounded with it, and that of the Bubbles, which swim at the Top of it: Yet to purify this Water, and make it recover it's former Transparency, there needs no particular Care or Defign of Nature; but according to the common Course of Things, after fome Time the Bubbles will break and vanish at the Top, and the earthy Particles which compose the Mud, will, by their Gravity, Gravity, subside to the Bottom, and settle there, whence the Water becomes clear again.

bisic Matter, or Lentor, is attenuated, disfolved, and dislodged from the Capillaries, and set associated to dirty Water, sull of heterogeneous or unaccustomed Particles; but according to the common Course of Nature; in Virtue of the mere Mechanism of our Bodies, these morbid Particles, being ground sine enough, are oftentimes discharged out of the Body, through some of the excretory Ducts, and the Blood left in a pure State.

is generally observed in the Urine; which, if it hath a white Hypostasis smooth and equal, prognosticates a Solution of the Disease; by Reason that seems to consist of Part of the peccant Matter, which beginning to be separated from the Blood, or dislodged from the capillary Vessels, mixes with the Urine, and is not usually distinguished from it, whilst this Liquor is warm; but when grown cold, appears in a distinct Form, and on Account of it's Weight, substitute to the Bottom.

An acute continual Fever.

302. Hence it follows, that when the febrile, faline, and fulphureous Particles are rendered small enough to pass the renal Tubuli, a little further Diminution will make them fit to be exterminated through the fubcutaneous Glands by Sweat; and as that is the largest Evacuation which can possibly be made from the Blood, in the same Space of Time, it is most capable of excreting the morbific Particles, and confequently of giv-

ing the most immediate Relief.

303. If, therefore, any Medicines are thought proper, it is consistent with the Conatus of Nature to exhibit, at this Time, mild Diaphoretics, joined with large Draughts of emollient, diluting Liquors, in order to promote and forward the Crisis; it being most natural to conceive, that a Disease which proceeds from, or is supported by, a Stoppage of the Pores, should, when Nature, or a proper Use of Medicines, has prepared the Humours in Order thereunto, be carried off by the same Passages; especially if the Work can be accomplished by Means which do not disturb or over-heat the Blood, and is attempted at fuch Times, as Nature herself does indicate.

304. This, fays Lommius, is the only Time when cold Water may be given with fuccess; not in Order to promote the Concoction; which is now completed, or suppose it be not, yet it cannot receive any Affistance from the Use of cold Water; but as this cold Water may begin some critical Evacuation either by Sweat, Urine, Stool, &c. It has been observed *, on drinking a great Quantity of Water, as three or four Pints at a Time, that all the Parts of the Body, and even the Fingers, have been dilated: The drinking of Waters should seem, therefore, to be of Use at this Time, by inlarging the Areas of the transverse Sections of the Vessels; whence the secretory Tubuli may be set to work, and the excretory Ducts kept in full employ to carry off the febrile Matter.

305. As to the Quantity of cold Water to be taken in, and what Observations are necessary to be made in drinking it, the above mentioned Author has fully explained in his Treatise of continual Fevers, to which I refer the Reader for further Satisfaction in this Point.

306. We come now to consider what is to be done, when a Diaphoresis cannot be raised either by the Strength of Nature or Art; that is, when the capillary Vessels which constitute the miliary Glands, are so

^{*} Vide Hales's Statical Essays, Vol. II. + Lommius.

An acute continual Fever. 193 tense and contracted, or the Texture and Cohesion of the sebrile Matter is so strong as to overcome the natural Powers, and render them too weak to alter it's Figuration and Bulk sufficient for a critical Discharge by Sweat.

307. In such a Case, the most experienced Physicians advise us to make an Attempt upon the Bowels, since the intestinal Glands are adapted to throw off corrupted Humours from the Blood, which are too gross to be expelled by any other Canals; and since there seems to be so much Consent between the excretory Ducts situated in the Bowels, and those of the Skin, that when the usual Discharge by one is obstructed, the other is generally increased, and vice versa.

308. But in prescribing cathartic Medicines we ought constantly to have in View the State of the Patient, to observe each Symptom, and from thence to deduce our Reasons for Purging. To be over-hasty may endanger the Welfare of the Sick; for to measure the Necessity of Evacuation by the Vehemence of the Symptoms, is a Precept not always to be regarded; since we may thereby weaken the Powers of the Body, struggling with those very Symptoms,

O

and disturb Nature, who is working her own Deliverance. And to be negligent and careless, and not to purge at all, or too late, when there is Occasion for it, may be equally dangerous.

309. Helvetius * has laid down the following Symptoms, denoting the Humours

fit for Expulsion by Stool:

Tongue are considerably abated, and those Parts become moist.

- 2. The Pulse are not so hard and contracted.
- 3. The Beats of the Arteries are not for dry, and are more distinct.
 - 4. The Parts are less firm to the Touch.
- 5. The Tendons of the Wrist are more supple, and not so tense as before.

6. The Muscles of the Belly less rigid,

and more flexible.

7. The Belly, though inflated, yields to the Touch, especially about the Hypochondria.

8. The Patient has Grumblings in his Belly, and an Inclination to go to Stool.

9. The Excrements discharged that Way, have acquired their proper Coction and Colour. They are not crude, but thick, yellow, or brown.

^{*} Vide his Essay on the Animal Oeconomy.

An acute continual Fever. 195

- To. The Urine loses it's former Qualities: It becomes less red and ardent, or less crude, and better coloured.
 - 11. The Patient's Thirst is abated.
- 12. The Violence of the Symptoms, which arose along with the Fever, is mitigated and diminished.
- had always been attended to, and thoroughly understood, the Cure of Fevers would have been reduced to greater Certainty than I fear it is at present. Concocta purgare & movere oportet, non cruda, says Hippocrates *, who very often instituted Purging in acute Fevers; and more particularly when they arose from a Redundancy of Bile.
- are sufficiently concocted, and whilst the whole vascular System is much too tense, there will be only some clear, serous Liquor squeezed out of the intestinal Glands, whereby the Lentor, or sebrile Matter, will become more gross and viscid, and consequently more likely to six upon, and be riveted in, some of the glandulous Bodies: And if we neglect this Evacuation when the Humours are duly prepared for Excretion; when they

Part, and Nature only wants an additional Impulse to discharge them; the Danger will be very great on that Side, lest they should seize upon some Viscus, and excite a satal Instammation.

312. The whole History of Physic does not afford, that I know of, any Instance of Recovery from this Disease, without some Discharge from the Blood; but, on the contrary, we meet with innumerable Instances where even a few Stools have averted a whole Train of Evils, and delivered the Patient from the very Jaws of Death. We are not, therefore, to be afraid of raising the Heat of the Body by this Method of Purging; fince those Things which are advised at this Time, are the most lenient, mild, and moderate: And Experience teaches us, that if they discharge their Office kindly, by purging off the cruder Humours, the Urine, at the same Time, generally lets fall a thick Sediment, and grows better coloured; the Pulse fink, and beat more even; the Concoction is hastened, and the Cure perfected by repeating the same Kind of Medicines at proper Intervals.

313. They trifle egregiously, therefore *, who wait an universal Declension of the Fe-

^{*} Vide Lommius on Fevers.

An acute continual Fever. 197

ver before they purge. For they, by suspending all necessary Assistance, permit a violent Distemper to prey upon the Life of the Patient, and prescribe *Physic* at that very Time, which, if the Disease is really decreased, is, according to *Galen*, intirely void of Danger, and when the Body is almost wholly freed from the morbid Matter.

314. From what has been faid it plainly appears, that though Hippocrates's Rule is perpetually to be observed, to wit, not to purge in the Beginning of acute continual Fevers; yet after the morbid Matter is, in some Meafure, subdued, when it is attenuated, loosened, and made fit to pass the mesenterial Glands, we may purge with Safety, without any Danger of increasing the Fever, or producing Inflammations. But one Caution may be necesfary; and that is, not to give the full Dose at once, but rather at two or three Times, at proper Distances; drinking between each, a large Draught of Gruel or Posset-Drink, by which Means an Hypercatharfis may be prevented, and the Sick fecured from being purged beyond his Strength.

315. As to other critical Evacuations, viz. by Spitting, Vomiting, Hæmorrhage, Abscess, &c. great Care is to be taken not to suppress them;

them; for as they are oftentimes very important and beneficial Evacuations, they ought, by all proper Means, to be industriously promoted, and by no Means suppressed, unless they should prove excessive, and productive

of ill Symptoms.

316. Not long fince I was called to a young Man, on the ninth Day of an acute Fever, which he caught by working hard in extreme hot Weather, and drinking large Draughts of cold fmall Beer whilst he was very hot. I found him vomiting up vast Quantities of bilious Matter, and discharging so much by Seige, that Lypothymies came frequently upon him; his Pulse were so low and quick as scarce to be felt or distinguished; the extreme Parts were cold; and clammy Sweats broke forth, with Hiccoughs, Subfultufes, &c. In short, he was the fickest Man I ever faw who did not die. Upon Inquiry his Friends told me (for he was not able to speak) that his Fever had been exceedingly high, with great Thirst, Restlessness, Pains in the Head and Back, Delirium, &c. till the Vomiting and Looseness came upon him, which, at first, gave him great Ease; but as he had had above a bundred Stools in 48 Hours, and had yomited up several Quarts of such Matter as

An acute continual Fever. 199

I there saw, the vital Powers were now reduced so exceedingly low, that unless this superabundant Flux could be immediately stopped, Death must inevitably be the Consequence of it, and that very soon. Indeed the extreme, quick, low Pulse, cold, clammy Sweats, Subsultus Tendinum, &c. exactly refembled those of an Animal bleeding to Death; so that though the Discharge was manifestly eritical, yet as Nature vastly exceeded her Bounds, it behoved me to check and repress her exorbitant Motions, as soon as possible; which, with the Assistance of Opiates, cordial Astringents, and bistering Plaisters, was happily effected.

317. This brings to my Mind the Character which the excellent Mr. Boyle gives of a Physician. I look upon a good Physician, says he, not properly as a Servant to Nature, but a Counsellor, and a friendly Assistant; who, in his Patient's Body, surthers these Motions, and other Things, that he judges conducive to the Welfare and Recovery of it: But, as to those that he perceives likely to be hurtful, either by increasing the Disease, or otherwise endangering the Patient, he thinks it his Part to oppose or hinder, though Nature manifestly seems to endeavour

DOWN

to exercise or carry on those hurtful Motions.

318. Hence we are to follow the Guidance of Nature wherefoever the appears to move right, and within bounds; and if her Efforts are too weak to eject her Enemy, or infufficient to relieve the Symptoms, we are to affist her: But when she over-acts her Part, and endangers Life, by violent Motions, and excessive Excretions, it is our Duty to oppose her; and certainly all Evacuations which refult from a Colliquation of the animal Fluids, or which depress the Spirits, and diminish the Strength, beyond a reasonable Degree, are hurtful, and ought, by all proper Methods and Medicines, to be restrained.

319. We are now arrived to the last and most dismal State of this Disease; and that is, when no Crifis can be obtained, either by the Strength of Nature, or the Power of Art. In this most deplorable Circumstance we can have but little Hopes; the Sick must necessarily begin to fink under the too great Weight of the Distemper; the Plethora will increase to such a Degree of Plenitude, that the Veffels will not be able to push on their contained Juices as usual; and, for Want of sufficient Motion, the viscid Parts of the Blood will coalesce, and form Grumes or

An acute continual FEVER. 201

Clots; the Humours will stagnate, and become more putrid; the Quantity of animal Spirits will greatly decay; the Solids will be more and more relaxed; the Pulse will grow low and slow; and a Stupor, Subsultus Tendinum, cold and clammy Sweats, &c. will now appear, which are remarked above to be the Forerunners of Death.

320. In this Case, the curative Indications are quite different from those already mentioned; all cooling, and refrigerating Medicines will now be detrimental; instead of which, sharp, acrid, volatile, pungent stimulating Things take place. Blifters here are of the greatest Service, to excite Motion, and to rouse up the drooping Spirits. The languishing Pulse dictates now, and oppressed Nature calls for the most agile Remedies; fuch as the volatile Salts, Campbor, Caftor, Saffron, Rad. Serp. Virg. Rad. Contrayerv. Theriac. Ven. Pulv. ad Guttetam, Confect. Raleighan. Alchermes, Spt. Corn. Cervi, Spt. Sal. Armoniac. Lavendul. Sal. Vol. ol. Ag. Pæon. & Epidem. &c. Some of these Sort of Medicines, washed down with large Draughts of comfortable diluting Drinks, are most likely to restore the Power of the Solids, and to thin, divide, and produce intestine Motions among the Fluids; and, if Nature

Nature is not too far spent, if the vital Powers, or the Faculties of the Body are not so far weakened or depraved, as to be utterly unable to perform the Functions necessary to Life, or at least to actuate and affist the Remedies employed; fome fuch like Medicaments as these may restore a proper Motion to the Blood, and produce a Crisis: But should they not be successful, there can be no Objection made against their Use, fince, according to the foregoing Theory, they are the only Anchor we have left to depend upon; and it is much more eligible to try a doubtful Remedy than none at all.

321. I have known a Fever baffle all these, and many more Medicines; and when the Patient has lain feemingly in the utmost Agonies of Death, Nature has surprisingly brought on a Crisis, and those Symptoms which, just before, threatened immediate Death, ceased as it were in an Instant, after the noxious febrile Matter was excluded. I advise, therefore, young Practitioners, not to abandon their Patients, or leave them for dead before they are actually fo: For should any old Woman come in afterwards, and give but two or three Spoonfuls of the most fimple, distilled Water, and a Crisis should happen, merely

An acute continual FEVER. 203

merely by the Strength of Nature, I need not fay how much fuch a Thing would be

reported to their Disadvantage.

fays, When the Disease is extremely dangerous, Experiments ought to be tried: For if they should succeed, you recover the Patient; and if not, he only suffers what would otherwise have happened. To pronounce Diseases incurable (according to the Lord Bacon *) is to establish Negligence, and Carelessiness, as it were by a Law; and to screen Ignorance from Reproach.

323. Let our Care, therefore †, be to comfort and refresh our Patients, in the very Agonies of Death; for it is the most scandalous Thing in the World for a Physician to turn his Back upon a Disease as incurable and bid Adieu to his Patient, two or three Days before he dies. We ought still to try new Remedies, and shift about upon several Sorts, to the very last Gasp: For while the Soul hovers within the Body, there is still Hopes to be placed in our admirable Art.

324. Dr. Turner, in his Discourse concerning Fevers, gives us a surprising Instance of this Kind; and, indeed, it were doing no

* Vide de Augm. Scient. + Vide Baglivi's Practice of Physic.

fmall Service to Mankind *, to make a Collection of the Cures of such Persons as have recovered after being pronounced incurable by the Doctors, to prevent them for the future, from fathering their own Ignorance upon the Weakness of Nature; and pretending to the World that the Art of Physic must fail with their Skill. Nor should the Cures of Nature be omitted in such a Catalogue, because they shew what may, possibly, be done by natural Means, to evacuate the morbific Matter, or change it's Nature; or else how far the Tone of a Part, or Strength of the Body may be vitiated or impaired, whilst it remains capable of some Restitution.

325. That in acute Diseases, Persons given over by Physicians have recovered, none will deny. Celsus says, it ought to be observed, in acute Cases, that the Signs of Life and Death are very fallacious. And Hippocrates, that Master in Prognostics, allows them to be very uncertain. Whence we may see the Truth of the French Proverb. viz. It is better to be sentenced by the Doctor, than the Judge.

326. I shall conclude this Chapter with taking some short Notice of the Rules to be

^{*} Vide Boyle on the Usefulness of Philosophy.

An acute continual FEVER. 205 observed after the Crisis is completed, and the Fever gone off.

327. First, Quæ relinquuntur in Morbis post Crisim, recidivas facere solent *: Whence it has been a general Custom, and surely for good Reasons, to exhibit a lenient Purge or two, lest any of the febrile Matter should remain in the Blood, and be liable to assimilate the Humours again, and to generate Obstructions.

328. Secondly, When the Blood is perfectly defected, and purged of all it's Recrements, our greatest Care ought to be to recover the Tone of the Viscera which may be weakened, either from Obstructions which happened in them during the Violence of the Fever, or from the Crisis falling upon them at the latter end. For this Intention the Bath, Tunbridge, Spaw, Pyrmont, or other chalybeat Waters, with Bitters, are generally prescribed.

329. Thirdly, Great Care ought to be taken in Regard to the Food; which ought to be flender, light and easy of Digestion: For fince the Viscera are weak, and the Tone of the whole vascular System is in a great Measure abated of it's natural Vigour, the Vessels cannot digest or assimilate much, or

^{*} Vide Hippocrates Aphor. 12. Sect. xi.

Arong Food. The Drink should be smooth demulcent, nutritious.

330. Lastly, Moderate Exercise, in a clear Air, should be used for some Time; by which the Body will be made relatively, as well as absolutely, lighter; the Fluids will be ground finer; the Secretions and Excretions will be properly performed; the Joints, Ligaments and Muscles will be freed from any excrementitious Matter which may happen to be lodged in them, or hang about them: Whence the Strength will return much fooner than it otherwise would, and all the animal Functions will be performed with their usual Force and Vigour.

CHAP. IV.

Of the Antecedents to an intermitting FEVER.

331. FROM what has been faid in the preceding Chapters it appears that an animal Body is a delicate Machine, confifting of Solids and Fluids; and that perfect Health depends upon a just Balance between the elastic, contractile, impulsive Force of the feveral Series of Vessels, and a proper

To an intermitting FEVER. 207

and equal Resistance from the several Orders of Fluids, circulating through their respective Vessels.

332. From this general, though imperfect Sketch of the animal Occonomy, it is eafy to apprehend, that Diseases may be brought on by almost innumerable Causes: For whatever will render the Fibres too dry, elastic, and tense, or too moist, supple, and flaccid; whatever will make the Blood too viscid, glutinous and fizy, or too thin, limpid, and ferous; whatever will impregnate the Blood with too many active, faline, fulphureous, bilious Corpuscles, or with too many poor, infipid, polite, fmooth, watery Particles; whatever will procure in the Humours, a Tendency towards an acid, or an alkaline Disposition; whatever will over and above promote, or retard any of the Secretions or Excretions; and, lastly, whatever will increase, or diminish the Velocity of the Circulation, or augment, or rebate the vital Heat and Vigour of the Body, beyond such a Degree, will be the primary and immediate Caufe of some Disease or other.

333. Now which are the productive Causes of intermittent Fevers, or Agues, and from what Sources they spring, is the Business of this Chapter.

334.

catartic, or external Cause of this Disease, is a moist Constitution of the Air. An observing Person may perceive his Fibres to grow strict or lax; or, in other Words, he may find himself more chearful, brisk, and gay, or more depressed and melancholy, according to the State of the Air; and many who live healthy in a dry Air, soon fall into all the Diseases that depend upon a Laxity of the Fibres, by removing into one that is moist.

335. It is agreeable to common Observation, that the Inhabitants of damp, wet, moist Countries are generally bloated, leucophlegmatic, and dull; subject to Catarrhs, and Serosities of all Kinds, from the Relaxation of their whole vascular System, occasioned by the Moisture imbibed from the Air through the Pores of the Skin.

336. Hence it is, that Intermittents, or Agues, are so rise in moist, damp Places, near the Sea-side, or in low, marshy Grounds; as in the Fens of Cambridgeshire, or in the Hundreds of Essex, &c.

337. A very moist Air infinuates itself into the Pores of the most compact Bodies, and consequently it must affect human Bodies to a surprising Degree, by relaxing the Fibres

To an intermitting FEVER. 209
Fibres, and weakening their contractile
Force. If we confider that the external Superficies of the Body is befet with an infinite Number of Vafa inhalantia, which strongly imbibe and absorb the Vapours diffused in the Air, it will be easy to apprehend, that Air abounding too much with watery
Particles, must be pernicious to our Constitutions; and that for the following Reasons:

I. When the Fibres are sobbed and soaked in too much Moisture, their most active, strongly-attracting, compounding Particles will be disjoined, and removed further from each other; whereby the constituent Fibrille of all the Vessels will swell and grow soft, spungy, flaccid, and relaxed.

of due Tone and Elasticity in the Fibres, the Pulse will grow weak and slow, and the vital Vigour of the Body will be rebated, in Proportion as the Vis Inertiæ prevails; it being a well-known Law in Mechanics, that the weakening the motive Powers of any Body, is the same as increasing it's Resistances, with regard to it's Percussion, and vice versa.

III. The Velocity and Force of the Circulation being diminished, the Blood will not be duly attenuated, and the several Or-

ders

ders of Globules will coalesce; whereby the Humours will become viscid and glutinous, or Corpufcles will be formed too bulky to pass freely through the minutest Tubuli of the Body: For it is evident, from repeated Experiments and Observations, that the Blood may acquire a Viscidity or Foulness, (though of a contrary Nature) either from too languid, or too quick a Circulation. too flow a Motion, the earthy, faline, and oleaginous Parts of the Blood may aggregate and unite themselves together, for want of proper Power in the Veffels to prevent their obeying their own proper Laws of Attraction, especially in the remotest capillary Tubes, wherethe Circulation is always flowest; whilst the most serous, watery Parts are squeezed forwards by the weakest Efforts of the Vessels.

IV. Hence the Secretions and Excretions may be rendered imperfect, and many morbific Particles retained in the Habit, for Want of due Force and Vigour in the vascular System to comminute the Humours, and prevent the Blood-Globules from running into unnatural Grumes and Clots.

V. The watery Particles floating in the Air, may pass directly into the Blood, through the Vasa absorbentia, and recurrent Vessels;

To an intermitting Fever: 211 and such an Admission of mere Water into the animal Fluids, in large Quantities, may render the Blood and Humours too inert and inactive, by dissolving and breaking the Spiculæ of the saline, oleaginous, and bilious Particles: On which Account also, the Fibres will be more and more relaxed, and the vital Vigour debilitated.

338. We are affured by Dr. Keil*, that he gained eighteen Ounces in one Night, from the moist Air; which is enough to produce surprizing Effects; and, if continued long, to destroy the natural Heat, and vital Force, of

the feveral Powers of the Body.

of the Body for the present, though it causes

a plentiful Perspiration afterwards.

that fince Water diffused in the Air, in moist Weather, or damp Places, may produce Diseases in human Bodies, that, therefore, it cannot be wholesome to drink Water, or to go into the Cold-Bath: † For this Inference will not follow, as will appear if a few Things are considered; viz. First, That the Water received into the Stomach by Drinking, mixes with the Contents of the Sto-

^{*} Vide Medicina Statica Britannica.

⁺ Vide Lobb's Rational Methods of suring Fevers.

mach, with the Chyle, with the bilious and pancreatic Liquids, before it passes through the Lacteals into the Blood; and so cannot this Way act on the animal Fluids, and Solids, as fimple Water; or that Water may do, which is imbibed through the Superficies of our Bodies directly from the Air into the Blood, and Lymph: But yet Persons may drink too much Water, and thereby weaken their Fibres, and too much dilute their Fluids, and bring on, or increase, some Diseases. Watery Drinks, in large Quantities, not only fobb the Fibres, and loosen the Crasis of the' Blood, but they wash off the saline and oleaginous Particles from the Blood and Lymph, in great Abundance; and, confequently, can be proper only for those who' live freely upon animal Food, and highfeafoned Sauces. Secondly, That the Water in a Cold-Bath, by it's Coldness and Gravity, shuts the Pores, contracts all the subcutaneous Vessels, so that but little Water can pass through them into the Body; which is very inconfiderable, in Comparison with the Water that is imbibed through the Vafa inbalantia many Days together in very moist Weather of long Continuance: But though the Cold-Bath is very fafe, and needful in To an intermitting FEVER. 213
many Cases, yet People should be more cautious in the Use of Bathing in warm Water, and of continuing long in it; especially if their Fibres and Vessels are lax; and their Fluids too thin.

341. From what has been observed in the foregoing Sections, we may infer, that it is as requisite for Persons to have Fires in their Rooms, when the Weather is too moist, for lessening the Humidity of the circumambient Air, and guarding against the ill Essects of it, as it is to have Fires when the Air is very cold.

342. A maist Air, by being treely admitted into the Vasa inhalantia, may lessen the Diameters of the perspiratory Ducts, and hinder Transpiration: For as these are distinct Series of Vessels, and are reasonably supposed to lie parallel to, and close by, each other, it may easily be apprehended that when the inhaling Vessels are dilated, and distended, by a free Instux of aqueous Particles from the Air, they must necessarily compress the transpiratory Tubes, and abate the Esseux of perspirable Matter; & sic vice versa.

343. Hence it is evident, how very useful and advantageous Exercise, and proper Means to promote Perspiration, are to those who live in a moist Air; since, whilst they keep

P 3

up a due Quantity of Perspiration, they are in no Danger of the inhaling Vessels attracting and receiving too much Moisture. But the Influence which the Vafa inhalantia may have on the transpiratory Tubuli, and the Advantages and Difadvantages which may be received by Matter passing into the Body through the absorbent Vessels, have not, as yet, been animadverted, fo much as they feem to deserve.

344. From what has been faid it is manifest, that foul Weather, and a cloudy Day, is a Disease alone. It is within the Compass of every one's Observation, how languid, dull, and heavy, we are in foggy, moist Weather, when the aqueous Vapours hang upon the Surfaces of our Bodies, and infinuate themselves into the animal Fluids, whereby they relax the Vessels, and obstruct Perspiration; and how lively and agile we are in a clear, fine, serene Air, where the perspirable Matter flies freely off, and the Vessels are properly emptied, and restored to their due Tone and Elasticity.

345. The Body, therefore, may properly be faid to be fometimes in a State of imbibing, and sometimes in a State of casting out; or, in other Words, the Body will grow heavier

heavier or lighter, in Proportion to the Moisture or Dryness of the Air, and the Quantity of perspirable Matter thrown out of the Body: * For the Quantity of perspired Matter sound by Ponderation, is only the Difserence between that and the watery Particles imbibed from the Air; so that after great Labour and Abstinence, which produce a Vacuity, and a great Diminution of Perspiration, it is possible that the Quantity abforbed, may exceed the perspired Matter.

346. Secondly, A Diminution of the atmospherical Pressure may be an Antecedent
to the Distemper we are treating of: For
when the Gravity of the Air is too little, or
it's Pressure on the external Superfices of our
Bodies, is too much abated, the internal Air,
or that which is contained in the Vessels,
will, by it's constant Nisus to unbend itself, expand quaquaversum, and thereby
greatly dilate the Vessels, so as to create general Uneasinesses, as Yawning, Stretching,
and the like.

347. Hence it is easy to apprehend why your Valetudinarians complain of a Lassitude and great Weariness before Rain, or windy Weather, viz. because their Vessels

are relaxed and dilated for Want of the usual Pressure from the circumambient Air; and their Fluids are rarefied and expanded more than ordinary, by the Spring of the included Air; and this, in very weak People, is sometimes carried fo far, as to give great Refistance to the Circulation, and to stretch the nervous Fibrillæ to that Degree, as to caufe the Sensation of Pain.

348. It is well known that Air is a very elastic Body, always exerting itself in Proportion to the Abatement of the incumbent Weight which compresses it; so that Mr. Boyle, as we have remarked above, found, by undoubted Experiments, that the same Quantity of Air, by only having the Preffure of the Atmosphere taken off, in the pneumatic Engine, and without any adventitious Heat to increase it's Spring, would possess above thirteen Thousand Times it's natural Space or Dimensions.

349. Hence we may plainly perceive, that a Diminution of the atmospherical Preffure may retard the Celerity of the Circulation; the Lungs will be more weakly inflated; the Chyle will not be properly affimilated; the Globules of Blood and Lymph will coalesce, so as to pass with Difficulty through To an intermitting Fever. 217 through the remotest and minutest Vessels; and consequently the Secretions and Excretions will be deficient at such Times: Hence the Quantity of animal Fluids will be augmented, and many morbisic Particles retained in the Habit, which ought to have been excreted.

350. Thirdly, Hot, fultry Air may caufe a Laxity of the Vessels: For though we have remarked, §. xv. that if the Air be hot and dry, and continues fo long, it will render the Fibres rigid and stiff, by exhaling the watery, humid Particles from the external Superficies of the Body, and the internal Superficies of the Lungs; yet it must be confessed, that all Bodies, even the most folid, are dilated and rarefied by Heat, the constituent Particles acquiring a Sort of repellent Force by the Action of Fire, in Virtue whereof, they endeavour to recede from each other, with a Tendency contrary to that of Attraction. Hence it is, that every Fibre in an animal Body is softened and expanded, and consequently it's Elasticity is diminished by Heat, unless it be very extreme, and continues so long, as to deprive the Fibres of a sufficient Quantity of Moisture.

351 If we reflect on the Alterations which may happen in the Blood and Hu-

mours

mours, by Means of warm Weather, it will appear that the finest, most subtile, sluid Part may be evaporated in too great Quantities, whereby the remaining Mass may become more dense, viscid, and glutinous; and Corpuscles may be formed too bulky to pass freely through the decreasing Series of Vessels.

352. Fourthly, Cold Weather immediately fucceeding hot, will hinder Perspiration, and bring on intermitting Fevers, or Agues; as is evident from their being so common about Autumn; and from an old Observation, viz. That whenever these Fevers are epidemical, the Wind is East, or North-East, a great Part of that Time.

which may stop or hinder Perspiration, either by condensing the perspirable Matter, and rendering it too gross to sly off through the excretory Ducts of the miliary Glands; or else by stimulating the Vessels, and overcontracting the Pores. Or, if we suppose the nitrous Particles to be imbibed too plentifully by the Vasa inhalantia, it is easy to apprehend that they may abate the vital Heat, retard the Circulation, dispose the Blood to be thick and grumous, and consequently they may diminish the Secretions and Excretions.

To an intermitting FEVER. 219

354. Hence we may plainly perceive, that though there is fuch vast Difference between the Action and Influence of Heat and Cold, yet it may possibly happen that the same Disease may result from either of them. By the former, the Fibres may be relaxed, and in Consequence of that, the Fluids may become gross and viscous, and Obstructions may be generated in the minutest Tubuli. By the latter, the feveral Orders of Globules in the Blood and Lymph may be condensed, and compacted; in Consequence of which, the Secretions are diminished, and the Solids depressed beneath their natural Balance: Both which tantamount to the same Thing, and will produce the same Phænomena, though brought on by different Causes, and began by different Means.

355. Fifthly, Too much Rest or Inactivity must not be omitted in enumerating the Antecedents to this Disease; on Account of it's rendering the Fibres supple and flaccid, and permitting them, and their Interstices to be laden and stuffed with gross, viscid Matter.

356. The vast Difference to be observed between the Strength of active, stirring Perfons, and those whose Inclinations and Conditions indulge them in Ease and Slothfulness,

nefs, is enough to convince the most unskilful of the great Use and Necessity of muscular Action; in Order to clear, and keep the animal Machine free from Incumberances. The excessive Strength some Men gradually acquire by a constant Practice of vehement Exercise, began whilst they were young, is illustrated sufficiently by the brawny Muscles of Porters, Plowmen, &c.

an animal Fibre be very delicate and tender, yet it improves by Exercife; and by Motion and Agitation becomes stronger, healthier, and more durable. Moderate Exercise not only prevents any slimy, mucous Matter from lodging in the Interstices, or adhering to the internal Surfaces of the Vessels, and casts forth the superabundant phlegmy, watery Parts, which only serve to sob and malax the Fibres; but it makes Room for the Apposition of new, solid, nutritive Matter, into the Ruptures, or open vacant Places which may happen in the Fibres; whereby they gain fresh Strength and Springiness.

358. If to these Considerations we add, that by Exercise, the Circulation of the Blood and Lymph is promoted, Perspiration and all the Secretions are forwarded, the Blood

and Juices are preserved in a due State of Fluidity, their Viscidity broken and dissolved, and all Obstructions hindered or removed; we may readily conceive the bad Effects of a supine, luxurious Course of Life, whereby the Habit is stuffed with gross Humours, the Body oftentimes grows to an enormous Size, the Fibres are enervated, and the Juices are thickened, and disposed to deposite a slimy Lentor on the sides of the capillary, sanguine, and lymphatic Arteries, and the Orisices of the secretory and excretory Ducts.

the Juices impoverished, and a Lentor produced in the Blood, by living too low, or upon Food of too little Nourishment, or too hard of Digestion; wherein may be included all acid, or unripe Fruits, Melons, Cucumbers, &c. on one Side; and all viscid, tough, glutinous Aliment on the other. These Things, if continued long, or eaten in too great Quantities, will vitiate the animal Fluids, by supplying them with Particles unfit to be affimilated into Nourishment, or such as are too gross and bulky to pass freely through the capillary Vessels.

360. A Laxity and Weakness of the Fibres and Vessels may proceed from too great a Quantity

a Quantity of oleaginous or pinguedinous Particles adhering to them; which weaken the Cohesion of their constitutive Parts, and abate their contractile Force: Hence eating too much Fat, Butter, Oil, &c. may sob, incumber, and relax the whole vascular System.

361. Seventhly, Profuse Hamorrhages, Diarrhages, or any large Evacuations from the Blood and Lymph, will drain the Vessels, relax the Fibres, and dispose the remaining Juices to be viscid and ill-conditioned.

362. Hence frequent Bleeding and Purging, by Way of Prevention, are most abfurd Customs, and oftentimes bring on Diseases, instead of confirming Health. And it seems as unreasonable to me, that a Man who is perfectly well, should bleed and purge every Spring and Fall, to prevent Diseases, as one who should alter the chief Springs and Movements of his Watch, in Order to make it go better, or continue to go right, which went perfectly so before.

363. Preventive Physic, therefore, is not to be tampered with, since all Evacuations make too great a Change and Alteration in the Constitution to be used indifferently. If there be no real Plethora, they must necessarily rebate the vital Vigour of the Body,

To an intermitting Fever. 223 by decreasing the Quantity of Fluids which were not in too great Proportion before; by retarding the Celerity of the Circulation; by abating the Heat; by relaxing the Vessels; by inducing a Viscidity and Thickness in the Humours; and by diminishing the several Secretions.

364. It is well known, that Bleeding and Purging are very apt to occasion the Return of Intermittents, after they have been cured by the Cortex, &c. so that consequently, we may with good Reason reckon them, if unadvisedly ordered, where there is no real Plethora, where the Primæ Viæ are free and clear, and where all the Viscera are

found, as predisposing Causes.

ter; From what has been said, and from the most diligent Observation of the Phænomena of Intermittents, I think it evident that the constant and common Cause of this Disease, is a Diminution of the due Force and Elasticity of the Solids, whereby the several Humours of the Body are less agitated; and upon this Retardation of their Motion, some of their component Globules aggregate and unite into Moleculæ too big to pass freely through the decreasing Series

224 Of the Symptoms incident

of Vessels; viscid Striæ are left upon the Sides of the capillary Tubes; many of the secretory and excretory Ducts are bunged up; Perspiration is obstructed; and the Blood is accumulated in the larger and more pervious Vessels; from whence, as we shall shew in the next Chapter, arises a Paroxysm of a Fever.

CHAP. V.

Of the Rise of the most usual Symptoms incident to an Intermitting Fever.

been faid in the preceding Chapter, it manifestly appears, that all the Antecedents to this Disease are disposed to unbend the Spring of the Fibres, to create a viscid Blood and Lymph, to retard the Circulation through the capillary, sanguine, and lymphatic Arteries, and to soul or obstruct the secretory and excretory Ducts.

367. Hence the first Phanomena that appear, are a Blueness or Lividness of the Hands and Nails, attended with a Rigor or cold Chills, which sometimes are so violent as to shake

To an intermitting Fever. 225 Thake the whole Body. The Pulse are low and slow; the Flesh feels cold and flaggy; the Countenance is pale; sick Fits arise, and vomiting; there is a general Lassitude and Uneasiness all over the Body, with Yawning, Stretching, and, most Times, exquisite Pains, either in the Limbs, Head, or Back.

391. That all these Symptoms do arise from a gross, viscid State of the Blood and Lymph, whereby their Motion is greatly retarded, the Tension and Elasticity of the Fibres are relaxed and weakened, and theultimate Branches of the Arteriolæ are clogged and laden with glutinous Matter; may eafily be apprehended by those who consider the Body as a Machine composed of an infinite Number of Organs, through which fome Fluid or other is continually flowing; and that the vital Vigour, natural Heat, regular Pulse, healthy Complexion, and Ease of the Body, intirely depend upon a certain Degree of protrufive Force in the several Series of Veffels, and an equable Refifrance from the Fluids; whereby the Crasis of the Blood is preserved from being too thick or too thin, the fecretory and excretory Veffels are kept patent and pervious, and the Tone

226 Of the Symptoms incident

Tone of the Fibres is neither above nor below a healthful Standard.

and weakened, by an Abuse of some of the Non-Naturals, &c. when the Velocity of the Circulation is greatly rebated, the several Orders of Globules both in the Blood and Lymph will coalesce and form Corpuscles too bulky to pass freely through the capillary Vessels; especially in the Extremities and external Superficies of the Body, where the progressive Motion of the Blood is slowest, as being farthest from the Heart. Hence,

370. I. The Hands and Nails look black and blue, by Reason the Circulation of the Blood is slower there, than in any other Part of the Body nearer the Heart.

371. II. Cold Chills seize the Body for Want of sufficient Agitation in the Fluids to

excite the usual Degree of Heat.

372. III. The Pulse are low and slow from a Laxity of the whole vascular System, and a Glewiness of the Blood and Lymph; whereby the impulsive Force of the Fibres is too weak, and the Friction, or Vis inertiae of the Fluids is too great, to be circulated with the same Rapidity as usual.

373. IV. The Flabbiness of the Flesh, pale Looks, and Languer, all manifestly proceed from a Desiciency of animal Spirits, and Want of due Force in the Vessels to attenuate the Blood sufficiently for a free Course through the minutest Tubuli.

374. V. Uneafiness and Pains arise from the capillary Vessels being stuffed with viscid, glutinous Matter, which retards the Circulation of the Blood and Lymph through them; in Consequence of which, the Arteriolæ are expanded beyond their usual Stretch, and Pains or Uneasinesses are excited in Proportion to the Distension of the nervous Fibrillæ, which help to constitute the arterial Tubes.

375. VI. Sick-Fits and Vomitings proceed from too great a quantity of Bile, and heavy, glutinous Pituit being thrown into the first Passages, by Reason of the Relaxation of the bilious and pancreatic Ducts, and the Glands of the Stomach. The cold, viscid Phlegm, which is cast into the Stomach, first of all occasions Sickness, that brings on Reachings to vomit, and those invert the Motion of the Duodenum; whence the Bile and Pituit are oftentimes brought up in vast Quantities.

376.

376. Thus the Symptoms continue till the Obstructions are multiplied in the Capillaries, fo as to accumulate the Blood in the larger Vessels, and to shorten it's Circle; in Consequence of which, a new Set of Symptoms will make their Appearance; For on the ceasing of the cold Chills, &c. immediately succeeds a great Heat, diffusing itself all over the Body, with a fuil, strong, quick Pulse, a difficult Respiration, violent Head-ach, Thirst, Watchings, Deliria, and all the usual Phænomena of a Continuent. But as there is all the Reason in the World to conclude, from Appearances, that these Symptoms proceed from much the same Causes with those of a Continuent; and as they have already been accounted for in their proper Chapter, it would be imposing on the Reader to explain them here again. Proceed we, therefore, in the next Place, to a Statical Examination of the Blood in intermitting, quotidian, tertian, and quartan Fevers, in Order to illustrate their Causes and to examine whether their different Periods may not depend upon a preceding greater Viscosity of the Blood in one, than in the other.

To an intermitting FEVER. 229

A Statical Examination of the Blood in an intermitting Quotidian Fever.

		i mi		171 01	100
The Age	the	The	The Quan-	The Colour	The colour and
of the Per-	DE	Quantity	tity of Se-	and Tafte of	Consistence of the
ion.	63	of Blood	rum.	the Serum.	Cruor.
Con well	afig	taken a-	in and		Confistence of the Cruor.
	, ,	way	de la lace	And the second	
A Man	4th	3xij,	ξiij,	Bilious and	Of a vivid red.
aged 25.		3j.	Эij.	more pun-	Degrees of Co-
	Frequency	1	1 112 115	gent than u-	
	1573			fual.	
A young	6th.	7 viii.	Zij,	Pale and	Of a healthy
Man aged		Эј.	ziiij.	infipid.	Colour. Deg.
19.		0,	3-3-		of Cohesion 18.
	201	3x,	дij,		Exceedingly
aged 36	300				florid. Deg. of
agua 30	200	3ij, gr.	3	pungent	Cohesion 38.
AWoman	10000	Barrier Control of the Control of th	дij,		A vivid red.
AWoman aged 28	34.		3499		Deg. of Cohe-
aged 20		3111J. 9j.		Tafte.	fion at
A Man		7:::	X1J.		
	5th.	3 xiij,	311j,		Florid, with
aged 42.	ANTE-				a littleFilm up-
-30000 40 -	199		xvij.	gent.	on it. Deg. of
4 35	TORRE			D-1- 1'	Cohesion 33.
A Man	20.	3xj, gr.	Ziij,	raie, iim-	A coarfered.
aged 22		xxxvj.	3j, 9j.	pid, and but	Deg. of Cohe-
1000		areal a belong to		little I aite.	fion 21.
A Man	6th.	3х, Эj.	, ₹ij,		Ofadelicate
aged 38	moit	.istpat	ziiij, Əij.	ous, and	red. Deg. of
ASS TOTAL	1001		1	pungent.	Cohesion 42.
AWoman	2d.	3vių,	,3 ij,	Inick,	Pretty florid.
aged 34	13.18	311, gr.	311, gr.	chylous, and	Deg. of Cohe-
14.	anouts.	xiij.	XVIIJ.		fion 23.
A Man	ıst.	3 x,	Zių,	Limpid,	Of a lively
aged 36	8603	. 3j, gr.	Эј.	pale, and in-	red. Deg. of
20.00	mor!	ix.			Cohesion 17.
AWoman	4th.	\vec{z} viij,	3ij,	Pale, and	Coarfe and
aged 23.		ziiij.	3v, Эj.	infipid.	bluish. Deg. of
10.01					Cohesion 20.
A Man	3d.	3ix,	3iij.	A bright	A good Co-
aged 29.	Settle	zvj, Bj.		yellow, and	lour. Deg. of
	non-				Cohesion 19.
A Man	2d.	3x,	дij,	Straw-co-	Of a beauti-
aged 24.	HEN	zij, Bij.	3j, gr.	loured, and	ful red. Deg. of
	7133				Cohesion 36.
The state of	be d	10	Q 3		A Statical
		1	-3		11 otatical

A Statical Examination of the Blood in an intermitting Tertian Fever.

The Age 5. The The Quan- The Colour The Colour and of the Per- Quantity tity of Se- and Tafte of Confiftence of the	1						
of the Per- Quantity tity of Se- and Tafte of Confistence of the	ı						
For Bloodens U. Comer Corton							
ion. Blood rum. the Serum. Cruor.	I						
fon. Sof Blood rum. the Serum. Cruor.	I						
fon. Blood rum. the Serum. Cruor.	ı						
A Youth 3d. 3vj, 3ij, Pale and Very bright	ı						
aged 16. 3ij. gr. xv. infipid. red. Deg. o.	F						
Cohesion 16.	1						
AWoman 6th. 3xij, 3iij, Bilious and Of a good							
aged 34. 3j. Ziiij, Dj. pungent. Colour. Deg							
of Cohefion 23							
A Man 4th. 3x, 3iij, Straw-co- Very florid							
aged 26. 3ij, gr. 3j, gr. loured, and Deg. of Cohe	-1						
xxxv. xxvj. well tafted. fion 25.	1						
AWomar 2d. 3viiij, 3ij, Pale and Acoarfered							
aged 32 3iij, gr. 3iiij. insipid. Deg. of Cohe	-1						
xvj. fion 32.	1						
A Man 3d. 3ix, 3ij, Very yel- A thin, blue							
aged 28.							
xxxvj. gent. Deg. of Cohe	-1						
fion 34.	1						
A Man 6th 3x, 3iij, Ofa Straw- A delicate	1						
aged 46. 3iij, gr. 3iiij, colour, and red. Deg. o	f						
xij. Dij, prettysaline. Cohesion 26.							
A Man 5th. 3x, 3ij, Yellow, and Healthy Co							
aged 24. 3j, 9j. 3vj, gr. pungent. lour. Deg. o							
xxviij. Cohesion 17.							
A Man 4th. 3xij, 3iiij, Pale, vif- A pale red							
aged 38. gr. xviij. gr.xxvj. cous, and in- Deg. of Cohe	-1						
fipid. sion 19.	1						
AWoman Ist. Zviij, Zij, Milky, and A weak red							
aged 25. 3ij. 3v, Dij. sweetish. Deg. of Cohe							
fion 24.	1						
AWoman 3d. Zix, Ziij, Pale, and Adusky red	1						
aged 29. 3j, gr. infipid. Deg. of Cohe	1						
	1						
aged 25. gr. xxv. ziij, Di pungent. Deg. of Cohe	1						
	1						
A Man 4th. 3xj, 3iiij, Limpid, A vivid red							
aged 37. 3iiij, Dj. 3j, gr. pale, and but Deg. of Cohe	1						
xxxviij. little Tafte. I fion 28.	1						
A Statical							

A Statical Examination of the Blood in an intermitting Quartan Fever.

The Age	17.6	The	The	The Colour	The Colour and
of the Per-	D.º	Quantity	Quantity	and Tofte of	The Colour and Confistence of the Cruor.
fon.	ife.Da	of Blood	of Serum.	the Serum.	the Cruor.
Hany Man	af	taken	MISHIRE		BESSEYS!
	1:00	away.			
AWoman	4th.		Ziij,	Pale, vif-	Of a faint red.
aged 28.	100	3ij.	Эj.		Degrees of Co-
8		22		fipid.	
A Man	oth.	gvj,			A coarfe red.
aged 26.	9	gr. xviij.	zij, gr.		Deg. of Cohe-
agen zo.	Sept.	8		brackish.	
A Man	6th.	zviij,			A pale red.
aged 23.		3,111,		loured and	Deg. of Cohe-
ageu 23.	1,011	ziij, Əj.	31j, gr.	infinid	Gon II
A Man	ıft.	7.	2;;;;	infipid.	Of a good
	111.		3111);	loured and	Of a good
aged 37.	2,54	Эij.	3], 91].	loured, and	Colour. Deg.
					of Cohesion 16.
4 35				ish.	
A Man	izin	3 vill,	3 V,		A very pale
aged 28.			gr. xviij.		red. Deg. of
		xv		fipid.	Cohelion 9.
AWoman	5th.	zviij,			A coarse red.
aged 22.	200	зј, Эј.			Deg. of Cohe-
Law room		A CHARLES	NO. 20 10 415	fipid.	
A young	ıft.	zvij,	31j,		A vivid red.
Woman	1 200	gr. xxv.	3vJ, gr.	loured, and	Deg. of Cohe-
aged 17.			xvj.	brackish.	fion 25.
E O E LA CREATA	3	The state of	F. 37/12 E	302.19 NE	CANADA L
A Man	1ft.	. 3x,	Ziij,	A good Co-	A pale red.
aged 24.		3j, gr.	ziiij, gr.	lour, and com	Deg. of Cohe- fion 18.
	1000	xv.	xxxviij.	mon Tafte.	fion 18.
A Man	18th	3vj,	₹11j,	Pale and	A very pale
aged 36.		Эi.	zij, gr.		red. Deg. of
	١	99 1	xij.	de la	Cohefion 12.
A Man	ıft.	Zviij,	Zii,	Yellow,	Pretty florid.
aged 25.	the on	zij, gr. x.	zv, Dij.		Deg. of Cohe-
	north and	33.5			fion 26.
The Part of the Pa					

232 Of the Symptoms incident

377. Hence we have evident Demonstration of the Viscidity and Glewiness of the Blood in Intermittents; and that the red Globules bear a greater Proportion than is consistent with Health: Whence we may reasonably conclude, that what has been said concerning the capillary, sanguine, and lymphatic Arteries being souled, laden, and many of them quite bunged up, by the adhesion of some sizy, viscid, glutinous Matter to their Sides, is perfectly true, and is the immediate Cause of every Fit or Paroxysm.

observe, that the Crassamentum is not so viscous and tenacious, neither is the Serum so bilious, saline, and acrid, as in acute continual Fevers; and also that the red Globules abound more, and the Cruor is more viscid or tough in Quotidians than in Tertians, and in Tertians than in Quartans: And may not this, therefore, be the chief Reason why the Paroxysm of the Fever is generally more severe in Quotidians, than in Tertians, and in Tertians than in Quartans?

379. Experience hath sufficiently taught us, that exhibiting hot, acrid, volatile, saline, and sulphureous Medicines, in the Beginning of Quotidians, or Tertians, has oftentimes altered

To an intermitting Fever. 233 tered them into Continuents; by augmenting the Heat, bracing up the Solids too hastily, and thereby increasing the Lentor, and confirming the Obstructions.

380. The Symptoms, as we have remarked above, are much the same during the Paroxysm of an Intermittent, as in a Continuent; and the only Reason that I can affign why the Fever-Fit of an Intermittent does not continue longer, or last for many Days, is because the Lentor, or morbific Matter which abounds in the Blood and Lymph, and which lodges in, or adheres to, the ultimate Branches of the fanguine and lymphatic Vessels, so as to obstruct the Circulation through them, and to cause a Redundancy of Blood in the larger Arteries, is not so compact, nor coheres so strongly to the Vessels, as it doth in ardent continual Fevers: For which Reason the additional Momentum of the Blood, by Means of a Fever-Fit, does foon dislodge, diffolve, and attenuate the morbid Matter fit for Excretion, by Sweat, Urine, &c.

381. That the Obstructions are perfectly removed, and the febrile Matter excreted, or, at least, ground and comminuted fine enough to pass freely through the minutest Tubuli, without Stagnation or Obstruction,

234 Of the Symptoms incident

is evident from the Abatement of all the feverish Symptoms, and the Ease which the Patient feels immediately after a profuse Sweat, and discharging a Deal of turbid Urine.

382. I have several Times analysed the Urine which was made just before, and immediately after the Paroxysm of an Intermittent; and always found that the Urine which was made at the Crifis, was vastly more laden with faline and fulphureous Contents, than that which was made before, or in the Fit: Whence it feems to me that the Crisis of every Paroxysm of an Intermittent, is as perfect, as that of a Continuent.

383. Thus much may be fufficient to account for a fingle Paroxysm, or Fit of an Intermittent; but that which is most perplexing, is, to give a rational Account of the Cause of it's Periods, and why it returns

at fuch and fuch flated Times.

384. In order, therefore, to inquire into this most intricate Affair, we must look back, and confider the primary Cause of this Difease; which, as we have proved above, is a Laxity of the several Series of Vessels, whereby the Circulation of the Blood and Lymph becomes too flow, the Humours

To an intermitting FEVER. 235

Excretions are imperfectly performed, and Matter is retained in the Habit, which ought to have been evacuated. Hence Obstructions are generated in the capillary Vessels, the pent-up Matter grows acrid and sharp, the Blood is accumulated in the more pervious and patent Vessels, it's Circle is shortened, and, consequently, it's Return to the Heart will be more quick, the Pulse will be more frequent, the Heat of the Body will be augmented, and a Fever will succeed.

385. If we diligently and accurately examine a Patient after the Fit is off, we shall find his Pulse lower, and slower, than in a healthful State; he is rather cold and chilly than otherwise; and his Muscles and Skin feel flabby and relaxed: So that though the immediate Cause of the Fever is removed, yet the primary, or remote one, still remains, viz. A Laxity of the whole vascular Hence the Digestion must necessarily be imperfect, the Chyle is fent into the Blood very gross and crude, Perspiration is obstructed, and morbific Matter, or Corpufcles, too bulky to pass freely through the Arteriolæ, are generated; and they, by their Power

236 Of the Symptoms incident

Power of Attraction, do affimilate more and more, till the Lentor is sufficient to bring on another Paroxysm, and that in a determinate Time, either every Day, or every other Day, or every third Day, according to the different Degrees of Laxity in the Solids, and the assimilating Power in the Fluids.

above, it appears, that in quartan Agues, the Blood is most of all depauperated, and the red Globules are broken down; whence it seems reasonable to conclude, that it requires a longer Time to assimilate the Particles of the animal Fluids, and to produce a Lentor sufficient to bring on a Fit of a Fever, when the Vessels are most lax, and the Circulation is slowest: And that the Fibres are most lax, and that the Motion of the Blood is slower between the Fits of a quartan Ague, than it is between those of tertian or quotidian, is manifest to every experienced Person.

387. That this, plain as it is, is the true Reason of the Difference of the Periods in quotidian, tertian, and quartan Fevers, may more obviously appear by observing how common it is for a Quotidian to decline into a Tertian, and a Tertian into a Quartan, after they have lasted some Time, and the

Veffels

To an intermitting FEVER. 237
Vessels grow more lax, and the Humours
are more and more depauperated.

388. If we consider the Consequences of fuffering intermitting Fevers or Agues to remain long, they may also serve to illustrate what has been faid: For Experience fufficiently testifies, that the Liver, Spleen, meseraie Vessels, Glandules of the Intestines, and many other Passages, are liable to be fouled and obstructed by the morbific Remainders of quartan Agues, which commonly leave Obstructions of the lower Belly behind them. with bard, knotty, scirrhous Glands. Hence the Jaundice, Cachexy, Dropfy, &c. are no unusual Consequents of an Intermittent of long Continuance: Which further shews, how far the Tone, Vigour, and Elasticity of the Fibres are decayed, and how much the Temperature of the Humours, and the Crasis of the Blood, are spoiled and destroyed.

389. I shall conclude this Chapter with observing, that if the Fever returns every Day, it is called an intermitting Quotidian; if every other Day, a Tertian; and if every third Day, a Quartan. When the Fit returns at regular and stated Times, it is called a periodical Intermittent; but when the Returns

Returns are not regular, or at certain Periods, but happen fooner or later, before or after the Time expected, it is called an erratic Intermittent. There are many other Divisions and Subdivisions of this Disease made by some Authors; but as they serve chiefly to confuse the Minds, and to burden the Memories of young Students, I chuse to avoid them.

CHAP. VI.

Of the Cure of an intermitting FEVER.

390. In treating of the Cure of this, or any other Distemper, the best Guides we can take are a close Attention to the antecedent Causes, and a diligent Observation of the Phænomena, in the same Order they make their Appearances. I shall begin, therefore,

391. First, with the cold Fit, which always, more or less, precedes the hot Fit of an intermitting Fever or Ague. Now, though there is seldom Occasion for exhibiting any Thing

Thing for the Removal of this Symptom, because, as the Obstructions increase in the Capillaries, and the Blood is accumulated in the larger Vessels, the Heat of the Body will necessarily be augmented in some short Time; yet it sometimes happens, in confirmed and inveterate Agues, and in old People, where the Vis Vitæ is much decayed, where the Strength, Tone, and Elasticity of the Fibres are weakened, and where the Fluids are much too grumous and clotty, that the cold Fit continues some Hours, and fometimes proves fatal: For it has constantly been observed, that if a Perfon dies with an Ague, he always dies in the cold Fit.

and threatens Danger, either through the Severity of the Disease, or the Weakness of the Patient, we must have immediate Recourse to warm, cordial, volatile, alexipharmic Medicines, viz. Rad. Contrayerv. Serpent. Virg. Antim. Diaphor. Sal. Vol. Succin. Camphor. Crocus, Confect. Raleighan. Spt. Corn. Cerv. &c. mixed, and washed down with appropriated Liquors, or Juleps; such as will rouze the drooping Spirits, stimulate the Fibres, excite, quicken, and strengthen

strengthen their Vibrations, and consequently accelerate the Motion of the Fluids, attenuate the Humours, and thereby prevent a mortal Coagulation. But as these Sort of Medicines are never to be administered, but where the vital Powers are exceedingly decayed, and where the Blood scarce moves on in it's Channels for Want of fufficient Impulse; we may easily apprehend the bad Effects they will produce, if given to young People, or to those whose vital Vigour is but little rebated; we may fet it down for granted, that they will double the Fit, augment the Heat, and render the Sick delirious and frantic, if not change the Fever into a Continuent.

393. A Draught or two, therefore, of warm Sack-Whey may be all that is necessary during the Continuance of the cold Fit; or if there be a Tendency towards Vomiting, let it be incouraged with large Draughts of Chamomile Tea.

394. Secondly, During the Exercabation, or bot Fit, the chief Indications are to attenuate the Lentor obstructing in the capillary Vessels; to break, divide, dissolve the Cohesion of it's Parts, and to make the Blood and Lymph more fluxil.

every Part of the animal Machine exerts it-felf during the Continuance of a Fever-Fit, in Order to comminute the Humours, and to discharge the morbid Matter out of the Habit; and that all this is merely the Refult of the stupendous Frame and Contexture of the Body: I say, if we consider that the several Organs of the Body are so constituted that in many Cases they are able of themselves to discharge the Burthen, and to get rid of the Incumberances; it will surely prevent our being too officious, or acting, perhaps, inconsistently with the Conatus of Nature.

396. Thus in Intermittents, where the Paroxysms are light, and where they go off by the Strength of Nature, in profuse Sweats and turbid Urine, there seems to be little or no Occasion for the Physician during the Fit; but if any of the Symptoms are violent, and threaten to last long, it is then our Duty to assist Nature, and to endeavour to abstract from the Materies Morbi.

397. And, in the first Place, if the Patient be delirious; if the Pulse are very full and quick; if sharp, pungent Pains are fixed in any Part of the Body; and if, by the Man-

R

ner of Living, or from an undue use of any of the Non-Naturals, we have good Reason to fuspect a plethoric Habit, Bleeding may be proper to abate the Redundancy of Blood in the large Veffels, to prevent Inflammations from fixing upon any of the Viscera, and to promote a Crisis. But where the Symptoms are not desperate, where the Pains are neither fixed, nor acute, and where you have no Reason to suspect a plethoric State; there drawing away Blood may be detrimental, as it will reduce the vital Strength of the Body, by abstracting from the Quantity of Blood, which was not too great before, and by leaving the Fibres in a greater Degree of Laxity.

398. Cooling, diluting Liquors, however agreeable to the thirsty Patient, do not seem to be so useful here as in continual Fevers: For since the febrile Matter does not adhere so firmly to the capillary Vessels, nor is the Cohesion of it's Parts so strong, but what the additional Momentum of the Blood, by Means of a Fever-Fit, is sufficient to shake, agitate, dissolve, and remove, in the Space of a few Hours; it seems unnecessary to pour in large Quantities of Liquors, which, however smooth, and innocent, will require some

An intermitting FEVER. 243 fome Force to affimilate them, and by further distending and dilating the larger pervious Vessels, they will aggravate the Symptoms, and prolong the Fit.

399. Whoever will confult the learned Lommius *, will be abundantly fatisfied in this Matter; who tells us, that during the Continuance of an intermitting Fever, all Liquids must be as much as possible excluded; the Patient, however, droughty, must abstain from them, and be informed that when the Fever goes off, the Thirst will go likewise; and that by drinking, the Fit will run out a greater length; fo that he who does not drink, will soonest cease to be thirfty. For much Extenuation is necessary, that the putrefied and impacted Matter, which ought to go off, may be thrown out; which Extenuation is retarded by a large Quantity of Liquor.

400. Blistering Plaisters are very beneficent in intermitting Fevers, especially if the Head or Nerves be affected; for since the Fibres are too lax, and the Fluids gross and glutinous, from too slow a Motion, their Application can never be attended with Danger. the Body is costive; but they should by no Means be repeated often, because a constant Drain this Way would retard the Criss, by rendering the Blood more viscous, and reducing the Power of the Solids.

402. Mild, diaphoretic Medicines, such as the Pulv. e Chel. Canc. comp. Pulv, Purpureus, or Lapis Contrayerv. washed down with some weak Sack Whey, or a Draught of Barley-Water, may be very useful where the Symptoms are violent, in Order to promote a breathing Sweat, and to forward a Crisis.

tions during the Paroxysm of a regular Intermittent: But if one Fit returns before the last is perfectly gone off, if there be only a short and slight Remission, if the Pulse continue to be too quick and full, and if the Urine does not grow foul, or let fall a laudable Settlement, we are to suspect the Sweats as only symptomatical, and that the Fever is what Bellini calls a periodical Continuent. In such a Case we are to continue the Use of mild Diaphoretics till the febrile Matter is attenuated and made less viscid and glutinous; and as the Fever is near a-kin to a Continuent, we may be more free with cool-

ing, diluting Drinks, than in a regular Intermittent; and, indeed, in most Respects, we are to behave as though it was an acute continual Fever, and above all Things take Care how we exhibit the Bark till the Intermission is regular, and lasts some Hours, with an even, steady Pulse, and a thick lateritious Hypostasis in the Urine.

404. I have feldom had Occasion to repent of treating my Patients after this Manner; but I have often known fatal Effects from exhibiting the Bark too foon, or where there has been only a Remission of the Fever for a few Hours, without an Abatement of the bad Symptoms. And, indeed, if we confider that the Viscera are laden with a heavy, pituitous, glutinous Matter; that the capillary, fanguine, and lymphatic Arteries are stuffed with fizy Blood and Lymph; and that neither of these Impediments are perfectly removed when there is only a Remission of the Fever; it will evidently appear that the Administration of the Bark must necessarily be attended with the utmost Danger: For to constringe the Vessels, and to lessen the Diameters of the fecretory and excretory Ducts, whilst a Lentor is existing in the Blood and Lymph, can feldom be attended with Success. Add to this, that it here be the least Suspicion of an inflammatory State of the Blood, the Cortex is direct Poison. Proceed we now to the curative Indications during a regular Intermission of a Fever or Ague.

405. First, If we consider the Laxity of the Fibres, and the Glewiness of the animal Fluids; that the Stomach is generally laden with a heavy Pituit, and the Primæ Viæ clogged with a viscid Saburra, it will appear that Vomits claim the first Place, where there is no inward Injury, or great Weakness to forbid them. For as they wonderfully excite strong Vibrations, and contractile Motions in the Solids, they must consequently shake, agitate and divide the Fluids, and dissolve the Band of Union between the several Orders of Globules which constitute a viscid State of the animal Juices.

that an Emetic given two or three Hours before the Fit, is of fingular Service, by difcharging a deal of pituitous, bilious Matter from the first Passages, and by adding to the Momentum of the Blood, so as to attenuate the Juices, and to provoke a plentiful Breathing by Perspiration and Sweat.

407. Hence the judicious Pitcairn * highly commends the Use of Vomits, and prefers them to Purges, because the Viscidity, from whence the Fever has it's Origin, for the most Part, has it's Rise from what is taken in by Way of Diet, and the Lentor is derived from the first Passages: And because Vomits more effectually remove such Lentor than Purges, and by the necessarily greater and more frequent Contraction of the Stomach and Abdomen, press out that Lentor which adheres to the small Vessels, in a short Time, which Purges would hardly reach in an Age; and, because Delays are dangerous in a Fever, therefore a Vomit ought always to be timely enough given, for it's Operation to be over before the Return of the Fit; and may be repeated once, and, fometimes, twice, at a due Distance, if there be a Propensity, or urging to vomit, and if the Make of the Person is such, that he can vomit without much Difficulty, and is not subject to cast up, or spit Blood.

408. Secondly, Though the Preference be here given to emetic Medicines, in most intermitting Fevers, yet we are not to discard the cathartic Tribe: For where the Primæ

* Vide Elements of Physic.

Viæ are foul, or where we have Reason to suspect glandular Obstructions in the Mefentery, and Vifcera of the lower Belly, as it oftentimes happens in obstinate and inveterate Agues; great Care must be taken to make proper Evacuations, both by vomiting and Stool, and to dislodge those Obstructions, before we think of administering the Bark: Because if any of the Viscera are unfound, or their complicated Vessels obstructed, or the Glandules grown scirrhous, so that the Fibres have not Room to vibrate or contract with a fufficient Impulse; if we endeavour to enforce their Springs before the obstructing Matter is dissolved or loosened, the Fibres will only be strained to no Purpose, and consequently weakened: For whenever an Effort is made to remove any Thing by an elastic Body, if the first Exertion fails, every Impetus afterwards languishes, and the Spring is spoiled.

409. We are not, indeed, to make choice of the most active, strong Medicines, because if too much Lymph be drawn from the Blood, the remaining Juices will become more viscid and glutinous, and confequently the Disease will be increased; but it seems most consonant with Reason and good

good Practice, to pitch upon such as act rather as Alteratives, than strong Cathartics, by attenuating the Humours, dissolving their Cohesions, and dislodging Obstructions. Thus the Pil. Rusi. Pil. Stomach. cum Gummi, Aloe rosat. with Rhubarb, Calomel, &c. suited to the Strength of the Patient, so as to purge but little, are of singular Advantage, as they are adapted to scour the mesenterial Glands, and to remove Obstructions, when they are not immediately ejected by Stool.

410. This, perhaps, may feem a Paradox to some People, viz. That when these Sort of Medicines purge but little, they four the meseraic Vessels most: But the Truth of it may eafily be apprehended, if we reflect on the infinite Number of absorbent Veffels which are fituated all along the intestinal Tube; in Consequence of which, there Medicines do país from the Intestines into the Blood, and when they are secreted by the Liver, Spleen, Pancreas, or mefenterial Glands, and brought back again into the intestinal Tube, they may, for the same Reason, if they are not hurried along by a vast Flow of Humours, enter the Vasa abforbentia a fecond Time, and fo on a third, and fourth, before they happen to be discharged from from the Body. Whereas the most active and strongest purging Medicines occasion such a vast Flux of Humours into the Bowels, that they are immediately, as it were, discharged; and consequently cannot be supposed to be serviceable in the present Case, by Reason they have not the Opportunity of attenuating the morbid Matter, lodged in the Viscera; but, on the contrary, they leave it more tenacious and adhesive, by draining away the most sluid Parts of the Lymph.

of Diseases, is the best Testimony of the Truth of the Theory we ground our Method of Practice upon; I can truely affirm, that in long continued Agues, or intermitting Fevers, which have baffled the Bark, and many other Medicines, I have met with more Advantage from Rhubarb and Calomel, exhibited in small Doses, than from any other Medicines I ever tried. But to proceed;

made, according to the Urgency of the Case, the next general Indication of Cure is to grind, dilute and dissolve the whole Mass of Fluids to a proper Degree of Sostness, Smoothness, and Fluidity; to resolve the Obstructions generated by Viscidity and Glewiness;

Glewiness; to render the Circulation free and easy; and to make all the Secretions and Excretions flow in their due Proportion and Order, by restoring a proper Tone and Force to the whole vascular System.

413. Now whatfover is to be effected by bracing the Fibres, and invigorating their Vibrations, is with Certainty to be had from the Cortex, which now-a-days is boldly administered; and were it's Effects as durable as they are fudden and furprifing, it would doubtless deserve the first Place among all Medicines yet known: But there feems to be wanting, in obstinate and confirmed Intermittents, fomething that is more strongly endued with a Property of attenuating and diffolving the viscid Cohesions in the Blood and Lymph: For though it is certain that fuch Things as constringe the Vessels, in any Degree, do also proportionally increase the Force of the arterial Blood, and thereby invigorate the Animal; and when the Blood is more forcibly impelled through the smaller capillary Vessels, it will thereby acquire a greater Degree of Heat, and be also more attenuated and digested; yet daily Experience informs us, that the Cortex is not felf-sufficient to cure many inveterate and confirmed Intermittents or Agues.

414. The Modern Practice therefore, of joining Rbubarb with the Bark, is an excellent Method, in gross and plethoric Habits, or where there is the least Suspicion of the Liver, Spleen, meseraic Vessels, &c. being fouled or obstructed.

415. The alkaline Salts also are, in many Cases, advantageously prescribed either by themselves, or in Conjunction with the Bark: For as they gently stimulate the Solids, attenuate the Juices, and refolve the coagulated Humours; they consequently must be useful, as proving deobstruent and aperitive. Boerhaave * affures us, that this Salt is a very powerful Medicine in stubborn Fevers or Tertian Agues. The Quantity of three Drachms thereof, fays he, being dissolved in Water, and taken at feveral Times, in the Interval of two Paroxysms, will seldom fail to cure an obstinate Tertian or Quartan Ague. For by it's penetrating and active Virtue, it breaks away all Obstructions in the Capillaries, and opens a Passage for the impacted Matter to escape at, through the Glands of the Skin; whereby all the febrile Lentor is

^{*} Vide New Method of Chemistry.

An intermitting Fever. 253 at length dissolved, and carried clean out of the Body. But then we must be careful to what Persons we use our Remedy; and be well assured they are able to undergo the Operation thereof: For it might prove of ill Consequence to give it to such as are Phthysical Hestical, or labour under any inflammatory Disorder.

timony, Myrrh, Gentian, Alum and Nutmeg, &c. have fometimes been successfully administered; and, indeed, in slight Intermittents, there are a Thousand Things, which have, at one Time or other, cured them: But in obstinate Quartan Agues, when they have been of long Continuance, and threaten to degenerate into some chronic Disease, we must have Recourse to more powerful Medicines to assist the Bark, and to prevent the Return of the Fever.

derous Medicines are useful, especially after the Fever is put off by the Cortex, to dissolve the fizy Humours, to scour the Glands, to add to the Momentum of the Blood, to brace up the Fibres, and to amend and restore a healthful Crasis to all the Humours. I have met with vast Success by joining Campbor,

phor, Rad. Helleb. nig. Rubig. Ferri, Cinnab. Antim. Æthiops Mineral. &c. with the
Cortex, in Order to prevent the Return of
Agues. The whole vascular System is agreeably agitated by the Impulse of these Medicines against the Sides of the capillary Vessels; and the minutest Passages are forced
open by their Subtilty, Weight, and the increased Velocity of the circulating Fluids.

418. But in fuch a Case as this, and with fuch Medicines, it is absolutely necessary to have Recourse to the Use of constant and proper Exercise, which will concur and give energy to them, and be a Means of producing their defired Effects much sooner: For whenever the Tone of the Solids is almost spoiled, when the whole nervous System is flaccid and relaxed, the most wonderful Relief is to be found by a constant Course of riding on Horseback; whereby so many little, gentle Concuffions are given to the Body, and particularly to the lower Belly, that the several Strainers of the Body, as well as the Juices to be strained, are very much affected by it.

419. Hence Riding is to be preferred to all other Exercises, where the Patient is able to bear it, because you have sufficient Motion

Motion given to the Body at the least Expence of Spirits; but then it never should be violent, or continued so long as to tire; for that would do more Hurt than Good, by wasting the animal Spirits, and leaving the Fibres more lax than they were before.

420. The Cold Bath, where Age, or no inward Weakness forbid it, is exceedingly proper, especially in the Summer Season, to recover the lost Tone of the Fibres, and to grind and comminute the viscid, ill-conditioned Juices, and to prevent catching Cold.

A21. Being curried well with a Flesh-Brush opens the Pores, promotes Perspiration, quickens the torpid Motion of the Blood in the capillary Vessels, enlivens the Circulation of it's whole Mass, attenuates the lymphatic Juice, and restores the weak, relaxed Fibres to their proper Tone and Elasticity.

422. A Removal from a cold Air into a warm one, or from a damp, moist, Place into one-that is dry, may be of vast Advantage; for a good Air, alone, does frequently perform what was, in vain, expected from Physic. He who duly considers what has been said above, concerning the antecedent Causes

of this Disease, will be at no Loss to apprehend the Truth of this.

> 423. The Aliment proper for Persons of weak, relaxed Fibres, is fuch as requires the least Force to digest, and convert it into animal Substances. Milk, Eggs, Broth, Chickens, Veal, Lamb, Mutton, &c. are generally eafy of Digestion and Assimilation; but all salted, acid, viscid, glutinous Food is to be avoided, because it will produce a coarse Chyle, Particles may get into the Blood too bulky to pass freely through the minutest Tubuli, Nutrition will be imperfect, the most fluid Secretions may be diminished, the Fibres more and more relaxed, and Obstructions may be generated in the ultimate Series of Vessels, for want of Power to comminute, and push forward their contained Juices.

> 424. Drinks proper for People subject to this Disease, are strong, austere, red Wines, diluted with Spaw, Pyrmont, or some other chalybeat Water; or if these are thought too forcible for some weak and delicate Constitutions, fine Spring-Water may be used in their stead. All Malt-Liquor is pernicious, as it is of a vifcous and glutinous Quality, and requires great Strength to affimilate into Nourishment, or convey it out of the Body.

Advantage an exact Observance of the Non-Naturals is, towards the Cure of this Distemper; and I dare pronounce, that more People fail in their Cure, and more Fevers return after they have been put off by the Bark, &c. for Want of due Care in these Things, than from any other Means what-soever.

CHAP. VII.

Of the Antecedents to a hectic Fever.

Causes of bectic Fevers, are, first, more than ordinary Evacuations by Sweat, Urine, Stool, immoderate Fluxes of the Menses, Fluor albus, Hæmorrhæges, Ulcers, or any profuse Discharges from the Blood; whereby the nutritious Parts run off more abundantly than they can possibly be supplied by Aliment.

of thin, spare Habits, long Necks, of a deli-

cate Make, whose Veins look blue, and almost diaphanous, from the Thinness of their Coats, whose Flesh feels soft, and whose Nerves are susceptible of the least Impresfions, are most subject to this Disease: For as the Make and Contexture of their Fibres is extremely neat and fine, fo they are exceedingly weak and tender, and, confequently, more liable to be ruffled, and put out of Order, by any Alteration, or a Misuse of the Non-Naturals.

428. Hence the Viciffitudes of Seafons, an Alteration of Climate, a Change of Diet, more than ordinary Sleep, or Watching; too much Exercise, or Inactivity; a Retention of any Matter in the Habit which ought to be excreted; or an inordinate Difcharge from the Blood, and the Passions of the Mind, have the greatest Influence over those whose Nerves are weak and tender; and if any of these Things are extreme, or continue long, they must necessarily rebate the vital Vigour of the Body, retard the Circulation, and produce viscid, sharp, and ill-conditioned Juices, which, in the End, may feize upon some of the Viscera, generate Obstructions, and lay the Foundation of bectic Fevers, as we shall shew hereafter.

420. Experience teaches us, that immoderate Excretions, by any of the Emunctories, are the Effects of lax Fibres, either in general, or in the Part particularly affected. Thus habitual and profuse Discharges by Sweat, Urine, Stool, Menses, Fluor albus, &c. are most certainly the Consequents of a Relaxation of the fecretory and excretory Ducts of the miliary, renal, and intestinal Glands, and of the uterine Vessels, &c. Whence we may reasonably conclude, that though the strongest Person's may, by an Abuse of the Non-Naturals, or by some accidental Cause, be fometimes troubled with the above-mentioned excessive Discharges; yet, before they become habitual, or constant, the Tone, Vigour, and contractile Force of the Fibres must be greatly decayed, either in Part, or all over the Body. Proceed we, therefore, to inquire after the most general procatartic Causes, whereby the Vigour of the Fibres, even of the strongest Persons, may be reduced, and particular, or general Weaknesses brought on.

430. First, then, Too free a Use of strong, spirituous Liquors, will inevitably destroy the Tone of the Solids, and the Crasis of the Fluids, by the stimulating, and strongly attracting, Power, of acrid, firey, caustic, faline, and fulphureous Particles, wherewith they abound. We are affured, by many obvious and undoubted Experiments, that strong, spirituous Liquors, will coagulate the Blood and Lymph; and though, for a Time, they may feem to contract and shorten the Fibres, and to give fresh Force and Vigour to them, yet, in the End, they will most certainly corrode, abrade, and wear away fome of their constituent Particles, and render them thinner and weaker.

431. Hence the Chearfulness, and sudden glowing Heat, which distilled spirituous Liquors give to the poor, unhappy, habitual Drinkers thereof, foon cease, and end in a cold, relaxed, and languid State; whereby the Sufferings of these People become very grievous, because nothing will give them immediate Relief, but the same baneful Liquors which were the Foundation of all their Miseries. This, it must be confessed, is a most deplorable Condition, and requires the utmost Resolution and Courage to conquer: They must forego their only Comfort and Delight; they must labour under incessant fick Fits, and Vomitings, with the utmost Horror and Despair; and all these, perhaps

perhaps, for a long Time, before they can recover the due Tone and Vigour of their Fibres.

432. The first Organ that generally is affected, by an habitual Drinking of distilled spirituous Liquors, is the Stomach; whose inner, villous Membrane, is abraded, and worn off by them, and thereby it's nervous Coat is exposed to the rude Insults of the most sharp, acrid, sirey Particles; by which Means the Springiness or Elasticity of the Fibres is enseebled, and the whole Stomach becomes soft, slabby, and relaxed. Hence,

I. Arises a Want of Appetite, and an Inability of digesting the little that is taken in.

II. From a Weakness of the Stomach, and alimentary Tubes, will ensue Crudities, Vomitings, Purgings, and a coarse, viscid Chyle; which will consequently depauperate the Blood, and fill it with Particles too bulky to pass freely through all the decreasing Series of the Vessels.

III. The Glands of the Stomach being greatly relaxed, and their excretory Ducts widened, a Deal of gross, phlegmy, pituitous Matter will fall into it's Cavity; which will further create Sicknesses and Vomitings.

IV.

IV. The Laxity of the Glands continuing, they may, in the End, be totally obfiructed with viscid, sizy Matter, and rendered hard, knotty, and scirrhous: Whence continual Reachings to vomit, and terrible, cruciating Pains in the Stomach.

easily apprehend the bad Effects which distilled, spirituous Liquors will have on the other Viscera of the Body: For, since they are disposed to weaken the whole vascular Frame, and to produce a Lentor in the Fluids, by settering and entangling the Globules of Blood, and proving a powerful Copula between the most sluid Parts thereof; we may reasonably expect Obstructions, Tumours, bestic Fevers, Impostbumes, Abscesses, Ulcers, &c. to sollow a constant Use of them, as we shall demonstrate in the subsequent Chapter.

A34. Secondly, Excessive Venery, without Dispute, depauperates the Blood, wastes the Spirits, and very much debilitates the Tone and Vigour of the Fibres, by the violent and intense Contractions they are under at such Times, and by draining from the Blood the most volatile, subtile, active, stimulating Particles thereof. Those who are experienced in these Affairs can well tell us, how active, lively,

lively, and agile, they are upon refraining some Time from venereal Exercise; and how dull, flaggy, and relaxed they feem to be after excessive Debaucheries. Since, therefore, a right Discharge of all the animal Functions depends upon a due Tension and Springiness of the Solids, it is plain, that whatever disorders and weakens this Disposition of the Fibres, must necessarily prejudice the whole Constitution; and fince Coition, perhaps, may be the most violent Action the Fibres are capable of, it cannot be doubted, but if it be too often repeated, it will injure their Contextures, and debilitate their Springs: Hence particular Weaknesses may ensue, which oftentimes lay the Foundation of consumptive Cases.

known to weaken the Nerves, and unbend the Spring of the Solids; to depress the vital Heat, and to hinder the due Comminuation of the animal Fluids; whence the Appetite is weakened, the Digestion is rendered impersect, and gross Chyle is sent into the Blood, too viscous to be assimilated as it ought, and, consequently, unfit for Nutrition and Excretion: Hence the Circulation is retarded through the minutest Vessels, the

S 4 Fluids

264 Of the Antecedents

Fluids become foul and grumous, and Obstructions are oftentimes generated, which
lay the Foundation of bectic Fevers. Morton * observes, that all who are upon the
Confines of a Consumption are subject to
Passion, to Sadness, hypochondriacal Oppressions, hysteric Fits, and to a Want of Appetite: All which are evident Tokens of
weak and relaxed Fibres.

436. Fourthly, Intense Study may be prejudicial, by fitting still too much, by hindering Digestion, by wasting the Spirits, by contracting and lessening the Capacity of the Vessels, especially those of the Brain, by too great an Intenseness of Thought, and by rendering Respiration less frequent and ftrong. Whoever maturely confiders thefe Things, and that the Blood receives a very material Alteration in it's Texture, from the Action of the Lungs, will readily conceive the bad Effects of a fedentary, studious Life, particularly to Persons of delicate Constitutions, who have naturally a Disposition to form Obstructions in the Glandules, from a viscid, indigested Chyle, and for Want of fufficient Power in their feveral Organs, to attenuate and affimilate the Fluids.

^{*} Vide Phthyfiologia.

Air, or upon viscous, glutinous, oleaginous Food, may relax the Vessels, unbend the Spring of the Fibres, and dispose the Blood and Lymph to generate Obstructions; as we have demonstrated already.

438. Sixtbly, In enumerating these Things we must not forget a simple, ridiculous Custom of wearing Flannel next the Skin; which, as it relaxes the subcutaneous Glands, and their excretory Ducts, will consequently promote Perspiration and Sweat; and since it is generally advised to weakly People, whose Veffels are already too lax, and who sweat too much, it must needs be a very pernicious Custom. The common Excuse for it is, that it dries up the Sweat, and prevents their catching Cold; but this is a great Deceit, and so inconsistent with the Laws of the animal Oeconomy, that any one, who is in the least versed in them, may easily discover the Fallacy. A Cold-Bath will more effectually prevent catching Cold, than a Flannel Shirt.

439. But not to carry this Inquiry any further, it appears that whatever will relax, unbend, and destroy the Spring of the Fibres, may be the Cause of profuse Excretions,

and Humours to be gross, viscid, and glutinous. And this brings me to consider some other antecedent Causes of heetic Fevers, which, though they may seem of a different Nature from those already mentioned, yet they are all sure to spoil the Crass of the Blood, and to weaken the Vessels.

440. These are, too bastily suppressing any natural or unaccustomed Evacuations; such as the Catamenia in Women, the Hæmorrhoids in Men, insensible Perspiration, Sweating in the Hands or Feet, Fistulas, Ulcers, Issues, &c.

pressed, and continues so for some Time, it is evident that much Matter will be retained in the Habit, which ought, in a healthful State, to have been excreted: Hence a greater Weight will be laid on the Vessels, and the Blood and Lymph will not only pass through the capillary Arteries more difficultly, but be apt to deposit a slimy Mucus upon any Part that is disposed to receive it. Add to this, that daily Experience, and the established Laws of the animal Oeconomy, sufficiently inform us, that when supersluous Blood, or any of the Humours secreted from

it, however innocent they may be at first, are pent up in the Body much longer than usual, they will necessarily grow hot, sharp, acrid, and irritating; in consequence of which, they may produce an inflammatory Disposition, which, if it should fix upon any of the internal Viscera, might probably end in Tubercles, Tumours, Abscesses, Ulcers, and deep incurable Confumptions.

442. II. Accustomed Evacuations of long standing, oftentimes become, at last, very useful and advantageous, to the animal Oeconomy, by draining from the Blood some superfluous, useless, excrementitious Matter, which otherwise might incumber the delicate fine Vessels, and lay too great Stress upon them; or they excrete some putrid, acrid, corrofive Particles, which, if retained in the Mass of Blood, might corrupt the Fluids, and debilitate the Solids.

443. Hence it appears how dangerous it might be to shut up Issues, Ulcers, Fistulas, or to stop periodical Hæmorrhages, Sweating in the Hands, and Feet, &c. without proper Advice. An eminent Instance of this we meet with in the Philosophical Transactions, No 272. where a Man, by stopping a periodical Hæmorrhage in one of his Thumbs, which which he had been accustomed to from his Infancy to the twenty-fourth Year of his Age, brought on a Sputum Sanguinis; which had like to have cost him his Life. I have more than once met with incurable Confumptions, which were brought on by suppressing the Excretion of Sweat in the Feet, Hands, and Arm-pits; and others I have known, who have impaired their Healths, and rendered themselves weakly and sickly ever afterwards, by the like unadvised Practices: For when Nature has chosen, and, for some Length of Time, exercised new and extraordinary Methods of Oeconomy, she seems to be as fond of their Continuance, as at other Times, and in her most regular State, she is of that which is her most usual and ordinary Course.

444. From what has been said it is obvious to every one, how irrational it is to stop any natural or accustomed Evacuation, at least without previously disposing the Humours to pass freely through the minutest Tubuli, and strengthening the whole vascular Frame, so as to be able to assimilate the Matter which is retained in the Habit, into wholesome Juice, and to prevent it's tending either to an acid, or an alkaline Acrimony.

445. Lastly, By diligent Observation it appears, that there are few Instances of this Disease, which are not, some Way or other, symptomatical, or that take not their Rise from some preceding Illnesses *; so that it may be made a Question, whether we have any Consumptions Original, unless the Hereditary, or those which, from the Parent, are impressed on the prima Stamina Vitæ, in the Offspring Fætus.

446. Hence acute, intermitting, and scarlet Fevers, Measles, Small-Pox, Peripneumony, Pleurify, Hoarfenefs, Cough, King's-Evil, Asthma, Green-Sickness, Cachexy, Scurvy, bypochondriacal and bysterical Affections, and many other Distempers, oftentimes terminate in a hettic Fever, by leaving the Fibres in a lax, weak Condition, and the Fluids grofs, vifcous, and fizy; in confequence of which, Obstructions are generated in the Viscera: For when some Parts of the Blood are aggregated, or united into Corpufcles too bulky to pass freely through the decreasing Series of Vessels, those Canals are most likely to be obstructed, whose Texture is weakest, and where, by their different Windings, and Turnings, the greatest Resistance is given.

^{*} Vide Discourse concerning Fevers.

270 Of the Antecedents, &c.

Now fince the Glands are only so many Convolutions of minute Vessels wound up together, it is inconceivable what an infinite Number of Angles and Turnings the sanguine and lymphatic Arteries must necessarily make; and as the Resistance to any circulating Fluid is according to the Angle of Incidence, so, consequently, the Lungs, Liver, Spleen, Pancreas, Kidneys, mesenterial Glandules, &c. are the most likely Parts to be obstructed by viscid Humours, as being the greatest Bundles of Vessels wrapped up together.

447. Experience sufficiently testifies, that some of these are the Parts principally assected by the Antecedents to this Disease; and from what has been said, we may reasonably conclude, that the Cause of Obstructions in any of the glandulous Bodies, is a viscid Blood and Lymph damming up the sanguine and lymphatic Arteries; in confequence of which, the Juices grow acrid, and irritating, and many direful Phænomena are excited, as we shall shew in the following Chapter.

CHAP. VIII.

Of the Rise of the most usual Symptoms incident to a hectic FEVER.

going Chapter we may observe, that the Antecedents to this Distemper are disposed to weaken the Tone, Vigour, and Elasticity of the animal Fibres; to inlarge or suppress the natural or accustomed Evacuations; and to render the Blood and Lymph viscous and acrid; in consequence of which, Obstructions are generated in the Viscora, and the following most usual diagnostic Phanemena are produced:

449. I. A quick, low, weak Pulse, is the first Appearance of a Tendency towards a bestic Fever.

450. To illustrate this in the clearest Manner, it may be proper to observe, that the Quickness of the Pulse seems, in a great Measure, to be owing to the Quantity of refluent Blood derived to the Heart, in a given Time: For, was not the Heart to receive, and cast out the Blood as fast as it returns, it would

would presently pen back, and be accumulated in the larger Veins, and produce polypose Concretions, so as to put a Stop to all Motion.

- 451. Now the Quickness of the Pulse in the present Case, is undoubtedly owing to the Laxity, and Dilatation of the several Series of Vessels, whereby the Blood passes with less Resistance through the ultimate, minutest Tubuli, and that for these Reafons *:
- I. The Vessels being dilated, the Cylinder, whose Base is the perpendicular Section through the Axe of the narrowest Passage of the Canal, will thereby be augmented, and consequently many more Particles than otherwise, get free, without striking against the Sides of the Canal.
- II. Those Particles which do not strike, are removed to a greater Distance from the Sides of the Canal, i. e. their Motion is quicker; for, in this Case, the Sides of the Vessels are as Fulcra, and the greater Distances, as longer Vestes, and, consequently, the Celerity as these Vestes.
- III. The Surfaces of little Things have a greater Proportion to their Bulks or Solidi-

^{*} Vide Cheyne's New Theory of Fevers.

fies, than those of greater Things to theirs; and therefore the internal Surface of a smaller Vessel, will be greater in respect of it's contained Fluid, than those of a greater Vessel in respect of it's; and, consequently, against the internal Surface of this dilated Canal, fewer Particles of Blood will strike, than against the same when it was narrower.

452. To demonstrate the Verity of our Theory, we need only take Notice of the Pulses of young Children, which are always found to beat quicker than those of grown Persons, by Reason the tender Fibres of the Coats of their Blood-Vessels, give less Refistance to the flowing Blood. And if we add, that the Pulses of grown Persons are observed to beat faster during Sleep, than at other Times, (the ordinary Number of Pulfations in a Minute, being from 70 to 80 under a State of waking and moderate Heat; and from 80 to 96 during the Time of Sleep) it is enough to convince those who are most propense to the contrary, that the Quickness of the Pulse may be increased merely by a Relaxation, or an Inlargement of the Diameters of the Veffels.

453. Another Cause of the Quickness of the Pulse, in the Increase of heetic Fevers, may

may be the profuse Discharges which are oftentimes made from the Blood; whereby the Impedimentum from the precedent Blood is, in some Measure, removed, and less Refistance is given to the Motion of the Heart and Arteries. Whoever doubts this, may be perfectly fatisfied of the Truth of it, by examining those accurate and ingenious Experiments which Dr. Hales * hath lately communicated to the World. In Exp. H. he tells us, he took a Horse and tied him down, and opened the crural Artery. The Horse's Pulse beat forty Strokes in a Minute, before he was disturbed or tied down; but when the crural Artery was opened, and the Blood let out to the Quantity of 10 or 12 Quarts, the Pulse was more and more accelerated, as the Horse grew fainter, so as to beat a bundred Times, or more, in a Minute.

454. Hence it is evident, that though the Vis Vitæ was vastly decayed, and the projectile Force of the Blood was exceedingly weak, yet the Pulses were extremely quick: And the very same Thing we sometimes meet with in consumptive Cases, where the Habit is prodigiously drained by excessive Sweats, Diarrhæas, &c.

^{*} Vide Statical Essays, Vol. II.

455. A third Cause of the Quickness of the Pulse, in this Disease, may be some Ob-structions in the Viscera, which, as they shorten the Circle of the Blood, will make it's Return to the Heart more frequent, and consequently accelerate the Pulse, as hath been sufficiently demonstrated above, Chap. II.

456. From what has been faid, we may deduce the following Corollaries:

I. If the Quantity of Blood be suddenly diminished, without any previous Relaxation of the Vessels; the Pulse may be accelerated, merely by abating the Resistance of the precedent Blood, or by lessening the Vis Inertiæ of the Fluids.

II. If the Vessels are dilated, though the Quantity of the Blood continues the same, the Velocity of the Pulse may be increased, by abating the Friction from the internal Surfaces of the Canals.

III. If Obstructions are fixed in the Vifcera, the Pulse will be quick, by reason of a more plentiful Flow of Blood to the Heart; and they will continue to be so till the Obstructions are removed.

IV. The Force of the Blood, and the Quickness of the Pulse are continually varying,

ing, according to the more or less plethoric State of the Blood-Vessels, and according to a greater or lesser Degree of Tension in their component Fibres.

457. The Weakness and Lowness of the Pulse are generally owing to a Diminution of the Quantity of Blood, and to an Inlargement of the arterial Tubes; for when the Quantity of Blood is lessened, and the Diameters of the Arteries are grown bigger, the Resistance from the precedent Blood will be less, and therefore the Expulsion of the Arteries outwards will be less also.

of bettic Fevers, in a greater or lesser Degree. At the Beginning it is very moderate, giving no other Uneasiness than Flushings in the Face, or more than ordinary Warmth in the Hands: For though the Pulse may be exceedingly quick, the progressive Force of the Blood may not be proportionate thereto; and since the Blood-Vessels of hectic Persons are remarkable for being large, it is certain that the Friction and Collision of the Blood-Globules, against the Sides of the Vessels, and against each other, is much less than when the Fibres are tense and contracted, and the transverse Sections of the several Se-

ries

ries of Vessels are diminished. Hence, though the Heat may be something above the healthful Standard, yet it falls vastly short of that of an acute Fever.

459. Hettic People always complain of more than ordinary Heat after a full Meal.

I. Because the distended Stomach may press upon the descending Trunk of the Aorta, and resist the Motion of the Blood downwards: Whence a greater Share may be propelled into the ascending Trunk, and, consequently, the Arteriolæ in the Cheeks and Hands will be more plentifully stored with Blood than usual.

II. A large Quantity of Chyle being thrown into the Blood, when the Vessels are weak and lank, will occasion a Faintness, Listlesness, and a glowing Heat; especially in the Face, Hands, and Feet, they being more plentifully supplied with Blood-Vessels than any other external Parts of the Body. The Fullness of the Vessels, and the Friction, Collision, and intestine fermentative Motion which always necessarily happen between the component Particles of the Blood, and those of the newly received Chyle, does give some Uneasiness to the strongest Men, when they eat too much; and, consequently, in

very weak Persons, where the Vigour of the Vessels is not sufficient to assimilate the Chyle as usual, the strongly attracting Power between the constituent Particles of two such heterogeneous Liquors, as the Blood and Chyle, will occasion a greater Degree of Fermentation, a Quickness of the Pulse, and a greater Degree of Heat.

460. III. In the Increase of this Distemper, when the Veffels grow more and more lax, the Globules both of the Blood and Lymph may be compacted and united into little Grumes or Clots, through the Slowness of their progressive Motion, especially in the decreasing Series of Vessels, and the Power of their own Attraction; whence their Superficies being increased, and their fpherical Form destroyed, they become less capable of paffing the minutest Meanders. Hence Obstructions are fixed in the Viscera, the Blood is accumulated in the larger Arteries, the Agitation and Friction of it's Globules are greatly increased, the Blood becomes more acrid and irritating, and the Heat grows more intense; so that the Fever, at this Time, feems to border upon the inflammatory Kind, and is commonly attended with darting, pungent Pains in several Parts of To a hettic Fever. 279 of the Body, but more particularly where

the Obstructions are feated.

when Tubercles, Tumours, or Swellings of the Glands, tend towards Suppuration; when there is any Collection of purulent Matter, or any internal Ulcers, the Heat is increased, not only by Pain and Obstructions, but by some acrid, sharp, and ill-conditioned Particles which are continually received into the Mass of Blood from the putrid, purulent Matter; and which, by their Acrimony, irritate and waste the Solids, and by their corrosive dissolvent Quality, corrupt the Juices, and render them hot, acrid, and alkaline. The Fever, at this Time, commonly puts on the Face of an Intermittent.

462. Hence Imposthumations, Abscesses, putrid internal Ulcers (and the very same Thing would happen from external ones, if the purulent Matter was not to be wiped away) quicken the Pulse, accelerate the Motion of the Blood, and render the Juices there again and ill conditioned

Marp, acrid, and ill-conditioned.

463. Thus in regard to the Heat, or Fe-ver, it matters not in what Part of the Body the Obstructions are fixed; for whether it be in the Lungs, Liver, Spleen, Kidneys, Mesen-

tery, or in any other Viscus, the Pulse will be quickened, and a Fever will ensue.

they must necessarily vary, according to the Situation of the Disease: Thus, for Instance, if the Obstructions are in the Lungs, the chief Pathognomonic Signs will be as follow, viz. A Dissiculty of Breathing, with a Sense of Weight, and a slight obtuse Pain, and Uneasiness in the Breast, which is most perceivable in a full Inspiration; a Hoarseness, dry Cough at first, frequent Vomitings, spitting of viscid, purulent, sanious Matter towards the latter End, spitting of Blood, a Vomica Pulmonum, &c.

465. I. If we consider the Mechanism of the Lungs, and that as much Blood passes through them, in the same Space of Time, as through all the other Parts of the Body, it will evidently appear, that when numerous Obstructions, or Tubercles, are formed in their Glands, which either partially, or totally, obstruct the Course of the Blood, through an infinite Number of capillary Blood-Vessels, a greater Quantity of Blood, must necessarily be accumulated in the more pervious Tubes; in consequence of which, they will be more than ordinarily distended and

and thereby they will press harder than usual upon the little Air-Bladders, or Vesicles which receive the Air at every Inspiration; Hence a Difficulty of Breathing; or there is a stronger Force required to inslate the Vesicles.

466. II. The Perception of a greater Weight than usual upon the Breast, may arise either from the Quantity of morbific Matter lodged in the Lungs, or from a Relaxation or Weakness of the Muscles serving Respiration; whence there may be a false

Appearance of Weight.

467. III. Though Tubercles in the Lungs are not very troublesome in the Beginning, yet when they are confirmed, and the obscructed Parts begin to suppurate, it may easily be apprehended that the capillary Arteries will be violently distracted, and slight Inflammations, with darting Pains, will arise; which sometimes imitate a Peripneumonia; and, if the Lungs adhere to the Pleura, a Pleuritis.

468. IV. When the Glands of the Lungs, whose Office it is to secen some smooth, mucous, oleaginous Matter, in Order to soften and malax the nervous Membranes which line the Larynx, and other Parts serving

serving the Modulation of the Voice, and to defend them from the Injuries of the Air, are obstructed, a Hoarseness will necessarily arise from the Rigidity of the Membranes, and an Inability to proper Contractions for forming the Voice

forming the Voice.

469. V. A Cough is the most perplexing Concomitant belonging to a Consumption of the Lungs. At first it is dry, and arises from an Irritation of the Matter pent up in the obstructed Glands, as also from the Stiffness of the nervous Membrane lining the bronchial Pipes, and from the Stimulus of the Air, which has now too free an Access to the nervous Fibrillæ, for Want of mucous Matter to defend them. But in the Progress of the Disease, when the obstructed Matter begins to digest and corrupt, the serous, watery, or thinnest Parts will, of Course, be squeezed out first, through the excretory Ducts, into the Cavity of the bronchial Veffels; and being very acrid, faline, and sharp, it further irritates the Nerves, and excites most grievous Fits of Coughing. And in the Height of the Disease, when the Matter is farther digested, and the excretory Ducts are widened, or when Abscesses or Ulcers are formed in the Lungs, the Cough is aggravated

vated by a vast Quantity of viscous, putrid Matter, which is discharged into the bronchial Pipes. The Matter which is spit up, is fometimes fweet, and at other Times very fætid, fanious, and offensive; according as it has lain a longer or shorter Time out of the Verge of Circulation.

470. If the Tubercles are placed on one Side of the Lungs, more than on the other; or if one Side of the Breast is more affected than the other, the Cough is excited by lying on one Side, more than on the other.

471. The Cough is also aggravated by a full Meal, which, as it presses upon the Diaphragm, and thereby lessens the Cavity of the Thorax, excites Fits of Coughing, and by the Consent of Parts, neither the Stomach nor Cough are easy till the Aliment is vomited up.

472. VI. Spitting of Blood is very common when the Obstructions are fixed in the Lungs; for as every Impulse from the Heart is an Effort of Nature to dislodge and remove the Impedimenta, and as the obstructing Matter is too viscous to give way, it must necessarily happen that some of the fine, tender, delicate Arteriolæ will burst, by the long continued and repeated Impulses

of the circulating Blood. Hence we may apprehend how dangerous it is for those of weak Lungs to use violent Exercise or Motion; for when a Man strains to lift a great Weight, or to run hard, &c. the Blood will be more forcibly propelled into the Lungs, and the Heart will oftentimes beat, instead of 70, 120 Times in a Minute.

473. VII. When the Tubercles are large and inflamed, and several of them run together, they form Tumours, or large Swellings which will necessarily aposthemate, and burst; for the obstructing Matter, by lying out of the Verge of Circulation, will, in Time, according to the established Laws of Nature, corrupt, putrefy, and degenerate into Pus; and this purulent Matter being contained in a Cystis, formed out of the veficular Substance of the Lungs, and the Quantity of it continually increasing, from the Mouths of the ruptured sanguine and lymphatic Arteries, the Membranes must, in the End, give way, and the Pus will fall either into the Bronchial Pipes, or into the Cavity of the Thorax. When it bursts into the bronchial Veffels, it produces a true Vomica Pulmonum; and when it discharges itfelf self into the Cavity of the Breast, it occa-

fions an Empyema.

474. These are the Phanomena which most usually attend a Phthysis, or Consumption of the Lungs; but when a Confumption arises from Tumours and scirrhous Swellings in the Glands of the Mesentery, or in any of the Viscera of the lower Belly, the Symptoms are according to the Parts affected, and the Pains generally direct us to them. Thus, if the intestinal Glands are obstructed, griping Pains, a costive Habit, and all the Symptoms of a Chlorofis, and Cachexia, generally begin the Complaint. If the renal Glands are affected, the Symptoms refemble those of the Stone. And if the Liver or Spleen be the difeafed Parts, the Phanomena are agreeable to those of the Jaundice, Hypochondriacal Affections, &c.

475. But in the last Stadium of this Difease, whether it proceeds from Tumours in the upper or lower Belly, there are some Symptoms which equally attend it; viz. profuse, colliquative Sweats, a Diarrhæa, making large Quantities of Urine, and swelled Legs.

476. These are the Consequents of the greatest Decay of vital Vigour in the Fibres, whereby

whereby the excretory Ducts of the miliary, intestinal, and renal Glands are vastly dilated and widened; and of an acrid, corrosive, dissolvent Quality in the Fluids, from the long continued Heat, which renders the animal Salts and Oils of an alkaline Disposition, whereby they strongly attract and dissolve the Band of Union between the several Orders of Blood-Globules, and reduce the red

ones back again into Lymph.

477. It is impossible to have an Opportunity of examing the Blood at this Time of the Disease, because Bleeding would inevitably hasten Death; but I am persuaded by the Symptoms, that the red Globules bear but a small Proportion to the serous Parts of the Blood: So that confidering how long, and how much the serous Parts of the Blood have been wasted, by profuse Excretions at several Emunctories, it manifestly appears, that the remaining Mass of Blood would be all Gore, at this Time, and could not afford such Quantities of Lymph, as run off by Sweat, Urine, and Stool, if the Veffels had a Power of affimilating the Aliment into red Globules as they ought, and if the saline and oleaginous Particles did not acquire by the long continued Heat, a diffolvent

folvent Quality. In the Beginning of bectic Fevers, the Blood is oftentimes smooth, mild, balfamic, and offends only by being too vifcous and thick; but in the Progress of the Distemper, a putrid, alkaline Acrimony is certainly the Consequence of it, and colliquates the Humours.

478. The Sweats are mostly at Nights, because the Heat of the Bed, and Sleep both increase the Motion of the Blood, and relax the excretory Ducts, terminating in the external Superficies of the Body.

479. The Loofeness, and profuse Discharge by Urine, on the contrary, are chiefly in the Day-time, by Reason the excretory Ducts of the Skin are then contracted and shut up, and the serous Matter is reverted upon the Bowels and Kidneys.

480. When all these Excretions are in some measure suppressed, the detained Matter will fall upon those Parts where it's Motion is flowest, and the Resistance to it's Pressure is least. * Now the Legs being at the greatest distance from the Heart and Brain, and in the Day-time in a depending Posture, the Motion of the Blood will be there the flowest, and the Tensity of the

^{*} Vide Wainwright's Non-Naturals.

Fibres of the weakest; and consequently the Legs will swell sooner than any other Part of the Body.

CHAP. IX.

Of the Cure of a hectic Fever.

481. If ROM the Reasons adduced in the precedent Chapters, it is pretty manifest, that before we can arrive at a plenary Knowledge in curing Diseases, we must be able to account for the principal and efficient Causes which give rise to them, and the Phænomena that accompany them.

482. Now the Symptoms above recited, do indifcriminately shew a Laxity in the several Series of Vessels, a Lentor in the Fluids, and Obstructions sixed in some of the Viscera; in Consequence of which, Tubercles arise in the Lungs, or Tumours in the lower Belly, which oftentimes end in Impostbumes, Abscesses, Ulcers, &c.

483. For these Reasons, therefore, we have thought it most proper to divide our Method

of Cure into three Parts; viz.

I. We shall shew the most rational Practice where the Symptoms arise merely from lax Fibres, and excessive Evacuations by Sweat, Urine, Stool, immoderate Fluxes of the Menses, Fluor albus, &c. without any Obstructions being actually fixed in the Viscera, either of the upper or lower Belly.

II. We shall point out the best Medicines where the Phanomena proceed from Obfructions or Tumours, either in the Cavity of the Thorax, or in that of the Abdomen.

III. We shall lay down the most probable Method of relieving internal Ulcers, both in the Lungs, and in the Viscera of the lower Belly.

484. First, In the Beginning of this Disease, where the Fever is not confirmed, where no Obstructions are settled in the capillary Vessels, and where the Phænomena proceed merely from lax Fibres, and profuse Excretions, without any Impedimenta to the Circulation, through the glandular System; it is evident that the chief Business is to restore the natural Vigour and Elasticity to the Vessels, and to amend and preserve the Crass of the Blood and Humours, whereby the several Secretions and Excretions may be performed in a regular and healthy Manner.

J Now

Now it is well known, that whatever will recover a due Tone in the Fibres, will greatly affift in rendering the Blood of a proper Confistence, and duly fluxile; and whatever will amend the *Crass* of the Blood, will help also to recover the Spring of the Fibres.

485. But before we proceed to the Use of those Medicaments which free the Blood from Acrimony, and Viscidity, and render the Fibres in general more elastic and tense; we must consider that some Parts of the animal Machine are more affected by the Antecedents than others are; and therefore it may be perfectly necessary to make some Revulsion from the offended Parts, or to ease them of a superstuous Load of Humours slowing to them, whereby they may be able to contract more readily, and recover their former natural Dimensions with more Ease.

plaints are excessive Excretions by Sweat, Urine, Fluor albus, &c. it is always thought necessary to cleanse the Primæ Viæ, and to drain the Humours from the affected Parts, by gentle, lenient Cathartics: For though these may abate the vital Vigour of the rest of the Body, yet since they are supposed to give Ease to the Parts aggrieved, by making a Revulsion

Revulsion from them, they are constantly to be exhibited before the Use of Alteratives

and astringent Medicines.

487. If the Complaint be an immoderate Flux of the Menses, it is the general Practice, if the Patient be not extremely weak, both to bleed in the Arm, and to purge, before the Administration of styptic Remedies.

488. And when the Disorder is a Diarrhæa, Vomits are most useful to make a Revulsion, and Purges are then given only to carry off the excrementitious Matter lodged in the Bowels and intestinal Glands; which, if suffered to lie there, would become more acrid, sharp, and irritating, and would, consequently, excite more frequent Discharges.

489. We have already taken Notice, that the purging Medicines ought to be very mild and lenient; such, for Instance, as Rhubarb, Manna, Senna, &c. and for an Emetic, the Rad. Ipecacuanha has, undoubtedly, the Preference to all other Medicines in intestinal Fluxes.

490. Revulsion being made according to the Strength of the Patient; our next Step is, to brace up the Fibres, and to render the Blood smooth, mild, and balsamic. But, since the most general Cause of the Laxity

U 2

of the Vessels, and the Depravity of the Fluids, is an Abuse of some of the Non-Na. turals, it feems most rational to begin with a Regulation of them; for the best Medicines in the World will avail but little, if the same indiscreet Practices are continued, which gave Being to the Disease.

I. The Air most suitable to Persons of weak, flaccid Fibres, is that which is thin, clear, and freest from Moisture; neither too heavy, nor too light, nor too hot, nor too sharp: So that if our Patient lives in an Air whose Qualities are different from any of these mentioned, we ought to advise a Removal into one more agreeable to his Constitution.

II. The Food ought to be fuch as is eafily digested, and affimilated into Blood and nutritious Particles, without laying fuch Stress upon the Vessels, or requiring such Force as will weaken their Springs. To those Perfons who are not very lean, and where the Pulse are not very quick, moderately acrid, and aromatic Aliment may be proper; but to lean, spare Habits, smooth, emollient, vifcous Food may be most convenient.

III. As to Drinks, they should be subaftringent, mild, and nourishing; Bristol WaOf a hettic Fever. 293

ter mixed with red Wine, or Milk-Water, Snail-Water, &c. feem exceedingly proper where the Blood is acrid and hot.

IV. Much Sleep, or lying in Bed above eight Hours in twenty-four, is a pernicious Custom, and ought not to be indulged to those of weak Nerves; since more than this is well known to sob and relax the Fibres, and to weaken the Habit by prosuse Perspiration and Sweat.

V. Watching too much may have as bad an Effect, by hindering the Secretion of animal Spirits, and by wasting those already secern-

ed, in too plentiful a Manner.

VI. Moderate Exercise, especially riding on Horse-back, is, above all Things, to be infisted upon, as giving the greatest Life and Vigour to the Fibres, and attenuating and comminuting the grosser Parts of the Blood, so as to make them pass freely through the minutest Meanders, and to clear the Fibres and capillary Vessels of all foreign, heterogeneous Matter, which may happen to adhere to them. I have so often seen People recover from most desperate Cases, by a continued Course of Riding, in a clear, dry Air, that I am induced to believe there is scarce any Tendency to a Disease, that may not

be corrected by some appropriated Exercise.

491. Full Directions being given in regard to the Non-Naturals, and to the Idiosyncrasy of the Patient, we are to proceed to the Use of those Medicines which Experience hath taught us to be most serviceable in recovering weak, relaxed Fibres, and in preventing profuse Excretions from the Blood. Now the Strength and Elasticity of the Fibres is well known to be increased by any Sort of Matter whose constituent Particles are rough, angular, and sharp-pointed; by which Means they stick into, and irritate the Nerves, excite more lively Contractions in the Fibres, shorten their Length, and, confequently, lessen the Diameters of the feveral Series of Vessels. Or, where the Fibres are wasted, and the Coats of the Vessels are exceedingly thin, we must not trust to the Force of a Stimulus, but it depends more upon the Apposition of soft, subtile, strongly attracting, nutritious Particles to the Sides of the Fibres, to recover their lost Union, and to folder their broken Parts: For the thicker. the Fibres are, provided they are found, the stronger and more elastic they are, it requiring more Force to bend them and when they

Of a hectic FEVER. 295

they are so bent, they vibrate back again

with a greater Velocity.

Peruvianus is most famous, and, with proper Management, is capable of doing Wonders, where the Fibres are only relaxed, and where no Obstructions are actually fixed in the Course of the Circulation. Terra Japan. Bol. armen. Sang. Dracon. Coral. rub. Gum. Lacc. Cort. Granator. Flor. Balaust. Rosar. rub. Rad. Rhabarb. tost. Tinet. Styptic. Helvet. and all the Tribe of Astringents are calculated for the same Purpose.

493. The Cold-Bath also, in some Cases, may be exceedingly proper to stimulate and contract the vascular System, and to give

Strength and Energy to the Fibres.

494. A proper Use of the Flesh-Brush may likewise have it's Advantages, in stimulating and contracting the subcutaneous Glandules, and thereby preventing profuse Excretions by Sweat.

495. For the fecond Intention, Vipers in Broth, in Wine, or in Substance, are excellent; as also the Rad. Eryng. Consolid. maj. Gum. Arabic. Mastic. Oliban. Succin. alb. Bals. è Meccà, Copivi, Album Ovi, Iethyocol. Vermicelli, Sago, &c. are Medicines which

give Consistence to the Blood, and are capable of adhering to the Sides of the Vessels, and filling up their Vacuities. Milk, Calves Feet, Jellies, &c. are convenient Food, and ought always to be prescribed. Proceed we now to the second Thing proposed, viz.

496. Secondly, To point out the best Medicines when hettic Fevers arise from Tubercles in the Lungs, or scirrbous Swellings in the Vis-

cera of the lower Belly.

497. If the Account above given of this Distemper be just, there will be no difficulty in forming the true Indications, and the most effectual Method of Cure; for fince the most common and usual Phanomena of this Disease proceed from viscid, glutinous Blood adhering to, and sticking in, the ultimate Branches of the Arteriolæ; or from thick, foul Humours, obstructing the fecretory and excretory Ducts of the Glands; I think it pretty evident, that the first and general Indication is to dislodge the obstructed morbific Matter, and to attenuate it fine enough to pass out of the Body through some of the Emunctories. And feeing the Obstructions arise from some clotted, viscous Matter, bunging up the capillary, fanguine, and lymphatic Arteries, and excretory Ducts Of a hettic Fever. 297 of the Glands, it is reasonable to conclude that the most probable Means of resolving the Obstructions are,

I. To abate the Tension of the obstructed Vessels, or those leading from them, if at any Time they appear to be more than ordinarily contracted.

II. To attenuate, comminute, dilute, and dissolve the glutinous, viscous, sizy Matter lodged in, and adhering to, the Vessels.

498. If, therefore, an Obstruction happens on a very nervous, sensile Part, the Distension of the Vessels must necessarily create Pain, in Proportion to the Distraction of the nervous Fibrillæ, which help to constitute the obstructed Vessels: And since all Pain is well known to bring on a greater Tenfion of the obstructed and adjacent Parts, and a greater Flow of Humours to those Parts, it is evident that the Veffels will be more and more diftended, and an Inflammation will arise, attended with cruciating Pains, which nothing will relieve but Bleeding: For though the original Cause of the Disease might be a Relaxation of the Vessels, and profuse Excretions, whereby the Quantity of Blood was diminished beneath it's natural, and healthful Standard; yet when the Obstructions are large, or numerous, and have been standing some Time, the Blood will be accumulated in the larger Vessels, and there may be as great a *Plethora* in Regard to the passable Canals, as though there was much more Blood, and no Impediment to it's Circulation.

499. The Pulse, at these Times, sufficiently evince the Truth of what has been said; and the Momentum of the Blood seems to be much too strong against the obstructed Parts as appears by the throbbing, pulsing Pains always complained of when the Inflammations are large.

on in the Beginning of Obstructions fixed in any of the Viscera, provided they are attended with darting Pains, and an inflammatory State; in order to revel from the obstructed Part, to abate the Distension of the Vessels, and to prevent any immediate Danger of their bursting. Besides, let us add, if Bleeding be omitted in the Beginning, and the obstructed Vessels are suffered to be long upon the Stretch, there will be much more Danger of the instance Tubercles in the Lungs, or Swellings in the Glands of

Of a hettic Fever. 299 the lower Belly, aposthemating and exulce-

rating.

501. After Bleeding, the Medicines which take Place are those which will dilute, and restrain the Heat and Motion of the Blood, destroy and sheath the Acrimony of the Humours, lubricate and relax the obstructed Veffels, and abate the Inflammation. The Species Diatragacanth. frigid. Pulv. Hali, Pulv. è Chel. Canc. comp. Sperma Ceti, Sal Nitri, smooth emollient Linetuses, and such like Medicines are generally prescribed till the Inflammation and Pains are abated; drinking after them the Pectoral Decoction, the common Emulsion, Barley-Water, Linseed, or Liquorice Tea, a thin Decoction of Marsh-Mallows, Medicated Whey, prepared with Fol. Tuspilag. Heder. Terrest. Agrimon. Pulmonar. Scabiof. Capil. Ven. Flor. Bellid. maj. &c.

502. Thus bectic Fevers, when they arise from inflamed Viscera, are to be treated as common inflammatory Fevers, till the Heat, full Pulse, darting, throbbing Pains, and all the Symptoms of an Inflammation are abated: For since Suppuration is the Confequence chiefly to be dreaded and prevented, the first and general Indication is to hinder the

the tumefied Glands from aposthemating. But fince the constituent Vessels of the Glands are prodigiously complicated, fince their Fibres are generally very lax, fince the Antecedents are disposed to deposite a flimy Lentor on the capillary Vessels of the Glands; and fince this Lentor is feldom removed by abating or taking off the Inflammation, it follows, that the most difficult Task may yet be behind, viz. To dissolve the Lentor obstructing in the capillary, Sanguine, and lymphatic Arteries, and in the secretory and excretory Ducts of the Glands; which is the Foundation of Tubercles in the Lungs, and of Tumours in the lower Belly; and which, if not removed, in a proper Time, will inevitably terminate in Aposthemations, Abscesses, Ulcers, &c.

503. We are affured by Hippocrates, Lib. de Medic. that it is a very artful Thing to cure Tubercles in the Lungs: For fince the Texture of the Glands are but weak and fpungy, they are not always able to bear an Impulse proportionable to the Viscidity of the morbific Matter, obstructing in them, without further distending the Vessels, and producing a fresh Inflammation, or an Ha= moptoe. And if we do not exhibit Medi-

ciñes

cines capable of attenuating, and resolving the Lentor, we only palliate the Matter, and deceive our Patients.

Pulmonary Consumptions so extremely difficult, especially in those of a delicate Make, whose Fibres are exceedingly thin and tender, and whose Blood-Vessels are almost diaphonous. These People cannot bear the Impulse of sharp, active, irritating, volatile, and ponderous Medicines; by Reason the former will increase the Heat and Acrimony of their Humours, and the latter will endanger an Inslammation, or an Hæmoptoe.

be to find out such Medicines as will dissolve, and dilute the Lentor, before the Body is too much extenuated, and give Ease to the Symptoms without inflaming or bursting the Vessels. But as Obstructions in different Parts will produce different Phænomena, and may require different Treatment; we shall here make some Distinction between the Cure of Tubercles in the Lungs, and the Cure of Swellings in the Viscera of the lower Belly.

506. First then, of the Cure of Tubercles in the Lungs. If the Cough be very violent,

bronchial Pipes be dry and uneasy, for Want of mucous Matter to lubricate and defend it from the Irritation of the Air, and Particles floating in it; some smooth, emollient, oily Linctus may be prescribed, with appropriated suitable Liquors, to sheath the naked, tender Parts, with a mucilaginous Softness; though, at the same Time, they may be pernicious to the original Obstructions.

507. For the same Reason, receiving the Steam of some smooth emollient Decoction, into the Lungs, along with the Breath, may be of Service to soften and malax the Mouths of the excretory Ducts of the obstructed Glands, and to promote Expectoration, by rendering the Membranes soft and yielding.

508. Opiates also are sometimes ordered, to abate the Violence of the Cough, by giving the Parts a Sort of Insensibility, and by thickening the thin, sharp, acrid Juices which are squeezed out of some of the Glands, and which are apt to stimulate the nervous Membrane of the Trachea into frequent Contractions: But these are dangerous Remedies where the Obstructions are large, or where there is a Tendency to an Instammation; and ought never to be given but in

the last Extremity, where the Cough threatens Convulsions, and where no Sleep can possibly be procured by Reason of a constant Irritation.

509. Many, fays an ingenious Author *, place all their Hopes in Things directed to the Cough; the Lozenge and Linctus are in every Body's Hand, but this must be attributed to their leading People to take a wrong Aim, to level at the Symptom instead of the Disease. I am confident, says he, Legions of the Dead might have been above Ground, if they had but conceived the Fallacy of these Means (to wit, Balsamics;) if they had but stuck close to the proper Quantities of any good Alterative, they might have plunged out of their feveral Maladies. Indeed, if we confider the Matter rightly, it will appear that Obstructions formed in the ultimate Branches of the Pulmonary Arteries, can never be relieved by Expectoration (unless after a Suppuration, or an Hæmoptoe;) for fince they have no other Termination but into the Pulmonary Veins, they can only be carried off by a Resolution. And if the Obstructions are situated in the bronchial Arteries, whose excretory Ducts terminate

^{*} Vide Fuller's Medicina Gymnastica.

in the several Ramifications of the Bronchia, it is impossible that oily, smooth, emollient Medicines should avail, any more than easing the Cough, before the obstructed Humours are attenuated, and prepared fit for Expulsion.

be expected from such Medicines as bid fair to dislodge the Obstructions, and to dissolve, dilute, grind, and absorb the sharp, acrid, irritating Particles, which excite the Cough, and other Symptoms: And when these are cast out through some of the excretory Channels, and the Blood is freed from Acrimony, the Blood itself will prove the best Balsamic, and be able to heal up such Vessels, as have any Ways been injured.

511. If we consider that most Obstructions in the Glands, begin with an Incrassation of the Humours which ought to be secreted there, it will obviously appear that the most rational Practice is to depend upon the following Sort of Medicines, which are well known to attenuate, and divide all viscid Cohesion, or Moleculæ in the Blood and Lymph, and to absorb all acrid, saline, sharppointed Particles, and to carry them out of the Habit through some of the Emunctories.

512. I. Gentle mercurial Purgatives, in small Doses, bid the fairest to clear the Primæ Via, to attenuate the viscid Humours, and to excrete a Portion of the acrid, saline Particles from the Blood; for which Reason they ought to be preferred to other Purgatives, and to be exhibited according to the Strength of the Patient, and the Obstinacy of the Obstructions. Nor ought we to be deterred from the Use of them, if they agree, by Reason of the Weakness of the Patient; for fince they comminute and dissolve the Fluids, and promote the Secretions, they will make abundant Amends for the Injury they may feem to do by evacuating Part of the Lymph, and by reducing the Strength. Experience fufficiently testifies the Truth of this; for we often fee outward and inward Swellings softened and discussed by the Help of mercurial Purges alone; which restore Fluidity to the viscous Juices dammed up in the secretory and excretory Ducts of the Glands. We are therefore to look upon gentle mercurial Purges as Medicines, whose Virtue is to dissolve the Humours, and to evacuate them when dissolved.

513. II. On the intermediate Days, and after proper Purging, Electuaries, Bolusses, Pills,

Pills, Powders, Decoctions, Infusions, &comay be made of some of the following most suitable Ingredients to dissolve the fizy, viscid Humours, and to resolve the Tubercles; viz. Millepedes, Sapo Venet. Flos Sulphur. Lac Sulphur. Sal Tartar. Sal vol. Succin. Gum. Ammon. Myrrh. Benzoin, Styrac. Balfam. Tolut. Rad. Enul. Camp. Irid. Flor. Rub. Tinct. Lign. Guaiaci, Rad. Sarsaparil. Chin. Fol. Marrub. alb. Heder. Terrest. Tusilag. Hyssop, &c.

extremely proper, and conduce very much towards the Cure of this Disease, where there is no Danger of Inslammation, or where the Swellings are crude, and of a cold Nature; for as they attenuate and dilute the Blood, and contribute greatly towards recovering the Crass of the Fluids, they must necessarily be serviceable in resolving the viscous Matter sticking in the Glands, and in dislodging the Obstructions, by dilating the Vessels, and by adding to the Momentum of the Blood.

515. Vesicatories may be serviceable in contributing towards the Attenuation of the Humours, in bracing up the Solids, and in suppressing the Cough.

fuch as Campbor, Crocus, Rad. Serp. Virg. &c. and all strong, distilled, spirituous Liquors, are to be avoided, however faint and spiritless the Patient may seem to be: For as they heat the Blood without resolving the Obstructions, the Humours may be more impacted in the obstructed Glands, and the Tubercles may sooner come to Suppuration.

517. When the Violence of the Symptoms is abated, and the Cough grown rotten, (as it is vulgarly termed) that is, when the obstructing Matter in the pulmonic Glands, is attenuated, diffolved, and loofened, and fome Part of it is daily brought up by coughing; nothing will contribute more towards freeing the Glands from tough, viscous Matter hanging in them, than a gentle Puke with Oxymel Scylliticum, which has a peculiar Property of deterging the Glands, both as an Emetic, and as an Alterative: But then we must be sure that the morbific Matter is already thinned, and loofened, and wants only an additional Impulse to thrust it forth; for should you give an Emetic during the Obstinacy of the Obstruction, it is great Chance but you rather increase than remove it.

518. But in desperate Cases, where the Obstructions will not give Way to the abovementioned Medicines, and where the Disease feems to be chronical, and lingering, our greatest Dependance is upon ponderous Medicines, or fuch as by their Weight may break through and dislodge the viscid, obstructing Matter. And among all the Medicines of this Kind, Mercury, or some Pre. paration of it, feems best adapted to resolve the Obstructions; it being about ten Times as heavy as Blood *, and therefore every Particle of it will have ten Times the Force to dissolve the Lenter, that a Particle of Blood of the same Magnitude will have: For the Momentum of either a Particle of Mercury or Blood, to break through any Obstacle, or overcome any Resistance, is a Rectangle under the Celerity with which it is moved, and the Quantity of Matter contained in it, which is measured by it's Weight.

519. Hence Dr. Cheyne, in his New Theory of Fevers, with good Reason tells us, that the Blood, affisted by any considerable Quantity of Mercury, will be able to do as much, in the Removal of Obstructions, in

^{*} Vide Wainwright's Non-Naturals.

Of a hectic FEVER. 309

one Day, as the Blood unaffisted in three Years. And if we add, that Quickfilver is the most study of all Fluids, and divisible into the minutest Parts by the smallest Force, it will more clearly appear, that it must be signally beneficial in glandular Swellings, as it is most capable of passing the least permeable Vessels, of susing the Humours, and colliquating the Juices; and, consequently, of resolving stubborn Obstructions, scarce otherwise to be removed.

alkalisatus, Cinnab. nativ. Cinnab. Antimon. Antibecticum Poterii, &c. are most advantageously joined with some of the abovementioned Medicines, when there is no Inflammation, nor Tendency to an Hamoptoe; for the incrassated Humour lodged in the Glands, being, by these Sort of Medicines, agitated, attenuated, and comminuted fine enough to renew it's Course, the Vessels will recover their Strength and Elasticity, and the Disease will be wholly removed.

521. Moreton *, one of the best Writers in this Case, tells us, that, for the most Part, these Tubercles of the Lungs are glandulous Tumours of a chronical and cold Nature,

^{*} Vide Phthysiologia.

and somewhat like King's-Evil Swellings, having their Original from the Glutinous-ness of the Humours, or from an Obstruction of the Pore or Duct of the Glandules. Hence, and from the Arguments adduced, we think it reasonable to conclude, that the Method we have laid down, is the only rational one, and most likely to be successful: And if near twenty Years Experience may be allowed as a Witness, I can solemnly aver, that I have always found it so.

522. If, therefore, this be true, what must we think of those who rely intirely upon the testaceous Powders, Asses' Milk, a few pectoral Medicines, and the Bark, when the Fever becomes putrid, and mimicks an Intermittent. The fad Prognostics they make, of confirmed bectic Fevers, may well be verified, when they prescribe only such insignificant or dangerous Medicines; and this is well known to be so common a Practice, that whenever a Patient dies under a decent Course of sweetening Powders, and Asses' Milk, a few Lozenges for the Cough, and a pectoral Drink to nourish him; his Relations are well fatisfied, believing all was done for him, that could possibly be done, and that they lost their Friend according to the strictest Rules

Rules of Physic, as well as the established Laws of Nature.

523. I shall beg Leave to subjoin one Example of this kind of Practice, which, though it was not a pulmonary Confumption, may ferve to illustrate, in a very particular Manner, the Truth of our Theory, and the Uncertainty of those who presume to prescribe without knowing the Seat of the Distemper, the Causes of the Symptoms, or the Means by which Medicines produce their feveral Effects.

524. A Gentlewoman, aged 36, of a full Habit of Body, and of a fanguine Constitution, was feized with a Pain in the lower Part of the right Side of her Belly, some Time after a hard Labour, which continued more or less for some Months, and then went off without the Application of any Medicines. About four Years afterwards the Pain returned (without being with Child from one Time to the other) with more Violence than at first, and was then attended with a bectic Fever, which fometimes appeared in the Shape of an Intermittent. Upon this, a certain Practitioner in the Country was confulted, who immediately prescribed the Bark, without any other Preparation than a fingle X 4 Purge

Purge of Decott. Sennæ, &c. and though the Pain and Fever both increased, he perfisted in the Use of the Cortex for more than fix Weeks. After this he put her into the Course of the testaceous Powders, and Asses' Milk, which the continued near four Months.

525. The poor Woman labouring under a Deal of Pain, was, at last, persuaded to change her Physician; but the Obstructions were fo firmly riveted, by an unskilful Administration of the Cortex, &c. that all that could then be done by Bleeding, Purging, attenuating and deobstruent Medicines, was to no Purpose: The Tumour came to Suppuration, a vast Abscess was formed, and the Woman died. But to proceed;

526. Great Regard, during the whole Cure, is to be had towards the Non-Naturals; for, without a careful Ordering, and a cautious Use of them, the most noble Remedies will not avail. Nothing, therefore, is to be allowed of by way of Eating and Drinking, which is hard of Digestion, or that will, by any Means, create a gross, viscid Blood, or heap up in the Humours too many excrementitious Particles: For when the digestive Faculties are weak, we cannot take too much Care in contriving Food

Of a hectic FEVER. 313

Food of good Nourishment, and of easy Digestion. A bad Concoction in the first Passages is not to be remedied in the second; especially where the Lungs are disordered, and the vital Vigour of their Vessels decayed: For fince the Chyle, or animal Emulfion, is to undergo a Sort of a second Digestion in the Lungs, by the Pressure of the Air, and the impetuous Motion of the Blood through them, it is not reasonable to fuppose that a viscid, coarse Chyle can be properly comminuted, divided, affimilated, and intimately mixed with the Blood, fo as to be fit for Nourishment, or to pass freely through the minutest Tubuli, when the Action of the Lungs is depressed, or any of their Organs are faulty.

the concoctive Faculties can digest with Pleafure, than to give what equals or exceeds their Strength, either in Quality or Quantity: For a large Quantity of the most innocent Chyle being hastily poured into the Lungs, when faulty, will render the Circulation through them still more uneasy, and create Heat, Flushings in the Face, a Cough, &c. 528. For these Reasons, therefore, the white Meats, such as Chickens, Veal, Rabbits, Calves' Feet, &c. are to be allowed of, in small Quantities. Fish which are smooth, are also very good, viz. Plaice, Whitings, Soals, Flounders, Cray-Fish, &c. But when the Stomach is so far impaired as not to be able to digest these Things, we must have Recourse to the most mild and balmy Food; such as Jellies, Milk, Snails, Chocolate, Sago, Sallop, Rice, Turneps, Asparagus, Viper-Broth, and new-laid Eggs hot from the Hen.

nutritious than new-laid Eggs, especially their Whites, which, in every Respect, tally with the Qualities of the Serum of the Blood*; and therefore no Diet can be more proper to replenish a decayed Constitution with kindly Juices, where the Organs of the first and second Digestion are impaired, than the Whites of new-laid Eggs dissolved in a Draught of warm Barley-Water, or in any other convenient Vehicle: For nothing is more free from Acrimony, or more capable of correcting that Disposition in consumptive Fluids; and nothing is more easily assimilated into Blood, and nutritious Juice.

^{*} Vide Barry's Treatife of Consumptions.

People, with Tubercula in their Lungs, they ought to be such as will cool, dilute, dissolve, nourish, and free the Blood and Humours from Acrimony, without leaving behind them a glutinous, viscous Residuum, and without being apt to create intestine, fermentative Motions in the Blood, which only augment it's Heat, without contributing towards resolving the Obstructions.

531. Hence all *Malt Liquors*, however mild, must needs be pernicious, as they are glutinous, and very fermentative; and, confequently, apt to relax the Vessels, as well as to excite Heat, and increase the Viscosity of the Humours.

532. If the Pulse are not too full, if there be no spitting of Blood, or Danger of an Inflammation, the Spaw or Pyrmont Water may be most proper Drinks, as they attenuate, dissolve, and add to the Momentum of the Blood, without increasing it's Heat to a great Degree. But if the Habit be too weak to bear the Force of these Waters, Milk-Water with a sew Snails in it, Honey boiled in Water and scummed, old Malaga Wine mixed with Water, &c. are most suitable.

533. Proper Meats and Drinks being agreed upon, the next Thing to be advised, is Exercise; which, if duly followed, every Day, in a clear dry Air, and in Proportion to the Strength of the Patient, will do Mi-By a patient and exact Observance racles. of the diætetic and gymnastic Rules, a very bad Constitution may be restored; but then the Sick must conspire with his Physician, and strive indefatigably to follow these Rules; for if he lets slip this golden Opportunity, whilft he has a tolerable Share of Strength remaining, he may not be able to purfue them as he ought, when, perhaps, he most earnestly desires it.

Reason, testifies, that riding on Horse-back is the best Exercise in the World; it preferves those who are in Health, it comforts and strengthens the Weak and Dispirited, it attenuates the animal Juices, and adds fresh Vigour and Elasticity to the whole System of Fibres, by giving a most agreeable Motion to every Part of the Body, at the least Expence of Spirits. And in bestic Fevers, the frequent little Jolts, or the repeated gentle Concussions which are given to the Body, will vastly contribute towards dislodging the Obstructions.

Obstructions. Hence Sydenbam sincerely asferts, that Mercury in the French-Pox, and the 'Jesuit's Bark in Agues, are not more effectual than the Exercise above-mentioned in curing Consumptions.

535. The Choice of Air also is a very weighty Concern, and oftentimes a necesfary Part of Advice: For the Lungs being of a lax, delicate Texture *, with a Surface of a larger Extent than of the whole Skin exposed to the outward Air, and of a much hotter Temperature, must be extremely senfible of the Qualities of the outward Air, and affected by them as by outward Contact; therefore the Choice of Air to People of tender Lungs, is a Matter of great Importance: First, as to Humidity, the least Quantity of it must produce a Cough; as for hot Air, the Lungs cannot bear Air that is hotter than the animal Fluids; Heat and Moisture together produce Putrefaction; confumptive People often die in a hot Day: But those two Qualities seldom reside long in the Air together. It ought likewise to be confidered, that heating Rooms by any Contrivance which does not let the Vapours escape, may be dangerous to the Lungs: On the contrary, Air intenfely cold, by it's Contact, may condense and coagulate the Blood, through the thin Coats of the Vessels, so as to produce Inflammations which reign here in the Winter, and in many Countries upon cold Blasts. Dry Air, and not intensely hot, must be favourable to the Lungs; accordingly Countries, where the Air has those Qualities, are pretty free from pulmonic Consumptions, and ought to be preferred by those who are already seized with that Distemper.

536. Above all Things, advise your Patients to be chearful; for there is nothing that unbends the Spring of the Solids, and confirms the Disease, more than *Grief* and

Sadness. We come now,

537. Secondly, To the Cure of heetic Fewers, which arise from Obstructions in the Viscera of the lower Belly. And here we shall be very brief, by Reason the Indications of Cure are very much the same with those already taken Notice of: Bleeding, lenient Clysters, and emollient, cooling, diluting Medicines, take Place whilst there is any Instantation, or acute Pains; and after that, such Medicines as attenuate, grind, and comminute the viscous Humours, absorb the acrid,

acrid, faline, corrofive Particles, and add to the Momentum of the Blood, are most adviseable. The only Difference is, that here we may be more free with active, and ponderous Medicines, than we could in a pulmonary Confumption; because the Vessels which constitute the Glands of the lower Belly are larger, and stronger, than those which make up the pulmonary Glands; and, consequently, they are not so liable to burst, or to be inflamed.

538. Mercurial Purges, or Mercurius Dulcis mixed up with the Gums, in small Quantities, so as not to run off too hastily through the first Passages, are the most effectual Medicines to begin with; especially if the Tumour be disposed to terminate in a Scirrbus, or where an eroding Acrimony is joined with the Viscidity of the Humours.

539. Oxymel Scylliticum, either as an Emetic, or corrected into an Alterative, is oftentimes of great Use in resolving Obstructions, and deterging the Vifcera of the lower Belly.

540. The Sapo Venet. Millepedes, Sal Tartar. Sal vol. Succini, Æthiops Mineral, Chalybs cum Sulph. ppt. Cinnab. Antimon. Cinnab. Nativ. Rad. Curcum. Rub. Tinet. &c. are the Medicines to be depended upon, in order to attenuate the gross, tough, glutinous Matter adhering to the Sides of the Vessels, and obstructing the secretory and excretory Ducts of the Glands.

541. The learned Boerbaave * affures us, where there is no Inflammation, or Tendency to an alkaline Disposition of the Humours, that Soap, rightly prepared, without Lime, is one of the most pure and excellent Medicines we posses; the numerous Virtues whereof may ease the Physician, who is acquainted with them, of a great Load of Simples of much less Efficacy. It is an univerfal Deobstruent; or good for all Obstructions arifing from an Excess in the Diameter of the obstructing Matter above that of the Canal through which it ought to flow. If we confider what Kind of Matter it must be that causes Obstructions in the Body, we shall find that Soap is admirably suited to diffolve it's Texture, and force it a Passage with the circulating Fluids. Now, it can only be the more gross and viscid Parts of the Fluids themselves, which, coming together, fall into Cohesion, and block up the Cavity of the Veffels: But all the animal Fluids confift

^{*} Vide New Theory of Chemistry.

of nothing more than Water, Salt, Oil, and Earth; of all which none is more apt to stick than the Oil, upon the Account of the superior Tenacity of it's Parts, and it's Indisposition to dissolve, like Salt, in Water. And in Effect, we feldom find that Earth is the Cause of Obstructions in the Body; but an unctious Matter that fometimes appears like Chalk, fometimes like Rosin, and sometimes like an oily Substance; all which are incapable of being dissolved by Water, and hardly by common Salt, but readily yielding to fixed Alkali and Alcohol; the former whereof, however, might first corrode the Vessels of the Body before it reached the Part, whilst the latter would coagulate the Fluids contained therein, and by constringing the Vessels increase the Obstruction, at the Time they produce the other Effect: So that Soap is the only Remedy which can be used with Safety and Success in the Cure of Obstructions. And this will prefently, and effectually, dissolve away inspissated and hardened, or pitchy, unctious Matter, unite it to itself, and fit it for Expulsion, or a free Circulation in the Canals again; and all this too in a Manner as mild and gentle as it is effectual.

this Disorder, are the same with those above-mentioned; and Riding is peculiarly excellent in removing Obstructions in the lower Belly. We seldom observe those who ride much, to have large Bellies, or to be afflicted with the Dropsy, Jaundice, Spleen, or any other Distempers arising from mesenterial Obstructions. And another remarkable Thing is, that the Legs of those who ride very much, are generally small, and scarce ever swell; which surther shews how much this Exercise braces up the Fibres, and attenuates the Fluids.

ferved and continued, will feldom fail of curing heetic Fevers, if they are taken in Time, before the constituent Vessels of the obstructed Glands are broken or have quite lost their Tone; or before the animal Fluids are too much corrupted and depraved. But when the Constitution both of the Solids and Fluids, is vastly impaired, when Aposthemations and Abscesses are already formed, and sanious purulent Matter is continually discharged from the Mouths of the ruptured Vessels; the Abscesses or Imposthumations must necessarily break, and the Wounds will

Of a hectic FEVER. 323

will soon degenerate into putrid Ulcers, from the Acrimony of the Humours; and then the Medicines above-mentioned, will not avail, neither indeed have we much Reason to expect that any others should: But since there have been some Instances of Success, even when Things have come to this Pass; we undertake,

544. Thirdly, To lay down the most probable Method of relieving Ulcers in the Lungs, or in any internal Part of the Body.

545. If we maturely confider how far the Strength, Vigour, and Elasticity of the animal Fibres is decayed, and how much the Crasis of the Blood is degenerated from a fmooth, mild, balsamic Liquor; if we confider the Situation of the Ulcers, the membraneous or veficulary Composition of the Parts, the Delicacy of the Fibrillæ which are broken, corroded, and eaten away, and the Acrimony of the Humours flowing to them; and, lastly, if we consider how much the Parts are stretched and distended, and how thick, hard, and scirrhous their several Vessels and Membranes are rendered, by the Acridness of the Juices, and the Apposition of new and foreign Particles; it will manifestly appear to require the utmost Skill in

the Physician, as well as the greatest Courage and Resolution in the Patient, to be successful, even where internal Ulcers are small and benign.

546. Ulcers are more or less dangerous according to the Nature of the Part they are fituated in: Thus Ulcers in the Lungs are most dangerous of all, by Reason their loose, spongy Texture; and their continual Motion, renders all Solutions of their Continuity almost impossible to be healed. Ulcers in the Kidneys or Bladder are also extremely difficult to cure, because of the continual Flow of Urine through them, which incessantly irritates the Mouths of the ruptured Vessels, prevents the Apposition of nutritious, healing Particles, and renders the Lips of the Wounds hard and scirrhous. Ulcers in all other Parts of the Body are more or less dangerous, according as the Part is more or less vital, more or less nervous, and has a greater or leffer Flow of Humours to it.

547. But, however, fince the most delicate Fibrillæ of the Body, are well known to send forth a proper Cement, or a Pituita, or Mucus, which serves to elongate their broken Ends, and to unite them when there is a Solution of Continuity; it behoves us to affist

affift Nature in this great Undertaking, and to contribute, as much as possible, towards a Coalition of the broken Fibres.

548. From what has been faid, and from the established Laws of the animal Oeconomy, it obviously appears, that the Cure of all internal Ulcers consists in preventing too great an Assume of Humours to the affected Part; in deterging and cleansing the Mouths of the broken Fibres; in keeping the Part, as much as possible, in a State of Rest; and in disposing all the Humours which arrive there, to be mild, smooth, and balsamic.

us, that Ulcers cannot be healed whilst they ooze out a great Deal of acrid, corrosive Matter, it seems most rational to begin the Cure with moderate Revellents; or by gently drawing away, by Stool, some of the morbid Matter. Calomel, in small Doses, is generally esteemed the best Medicine to prevent the Desluxion of Humours, and to carry off sharp, acrid, saline, corrosive Particles from the Blood: But then it ought to be exhibited in the very Beginning of Ulcers, or whilst the Patient has a tolerable Share of Strength remaining; or otherwise, such forcible Me-

Y 3

dicines

dicines may further decay the Vis Vitæ, and aggravate the Complaints.

550. Is may be serviceable, by making a gentle Revulsion from the ulcerated Part, and by draining from the Blood a Portion of the sharp, irritating Particles, which retard the Healing of the Ulcers.

Practice, for deterging, and digefting of Ulcers, are Balfam. è Meccâ, Balf. Peruv. Balf. Copivi, Balf. Tolut. Gum. Galban. Myrrh, Aloes, Oliban. Mastic. Tereb. Ven. è Chio, &c. mixed with the Yolk of an Egg, or made up into Pills, and exhibited with a vulnerary Decoction of Fol. Tussilag. Hæder. Terrest. Scabios. Capil. Ven. Flor. Bellid. maj. Hyperici, Rad. Altheæ, Glycyrrb. Consolid. maj. &c.

Opiates are sometimes useful, to abate the Cough, and to give so much Rest to the ulcerated Parts, as to allow Time for the purulent Matter to be well digested, and for the nutritious Particles to fix themselves: But they generally leave such a Lowness and Depression behind them, when their Force is worn off, that it would be dangerous to repeat them often.

frong Motions are to be avoided; and therefore some Amusement or Entertainment of the Mind should constantly be invented: For the Entertainment of the Mind, and keeping it agreeably diverted from reflecting on it's Missortunes or Miseries, is of great Use; whereas Anxiety and Concern depress the Spirits, and weaken the Body.

of the Fluids, and to fill the Blood with foft, smooth, nutritious, balfamic Particles, Vipers, Snails, Whites of Eggs, Juice of Turneps, Rad. Chin. Eryngo, &c. are calculated; which not only nourish, but soften and take off the Sharpness and Acrimony of the Humours: They also contribute to re-unite the broken Fibres, and to heal up the Ulcers, by rendering the animal Juices sweet, smooth, and consolidating. They afford a Kind of natural Balfam, sit to sustain and connect the new succeeding Fibres, without which no Ulcer can ever be healed.

555. Lastly, The Choice of Diet is of the greatest Importance to such as have internal Ulcers; it being evident that the Aliment ought to be such as requires the least Force to convert into Blood and animal Substances:

For fuch as have an imperfect Circulation through any Organ of the Body, ought to take the greatest Care not to charge their Vessels with gross and much Matter. Let us add, that Nutrition being performed in the smallest vascular Solids, it requires the most subtile Matter, and is the most perfect animal Action.

556. Milk, therefore, is univerfally esteemed the best Restorative, it being Chyle already prepared, and most easily assimilated into Blood, and converted into Nourishment. All Milk is of a foft, cooling, nourishing Nature, putting the least Stress upon the several Organs of the Body to digest it, and affording as few excrementitious Particles as can be: But, above all, Women's Breaft-Milk is most to be depended upon, and has raised many People from the most deplorable Conditions. * The Milk drawn from the Breasts of Women is the sweetest; the nearest whereto is Asses' Milk, which, indeed, has a saccharine Sweetness, and comes almost up to the human. This is fucceeded in Virtue and Goodness by that of Mares, which is better than that of Goats; yet even this exceeds

^{*} Vide Beerhaave's Chemistry.

that of a Sheep, as theirs does that of Cows, which is the coarsest of all.

557. Hence Milk is most fit to repair the greatest Decays of consumptive People, and to recruit their exhausted Spirits; and ought always to be drank warm as it comes from the Body, before the spirituous Gas evaporates, and slies off.

CHAP. X.

Of the Antecedents to a flow FEVER.

A L L medical Writers hitherto, have treated of flow, or nervous, and malignant Fevers, as one and the same Disease, notwithstanding many of the antecedent Causes, and the diagnostic Phænomena vary so essentially from each other, that diseasent Opinions have arisen in regard to the Appellation of the Disease; some chusing to call it flow, by reason of the mild Heat, weak, low, flow Pulse, cold, clammy Sweats, &c. Others are of Opinion, that it deserves the Title of Nervous, because of the Languor, or Prostration of Spirits, the sudden Decay of Strength,

Strength, tremulous Nerves, Subsultory Tendons, &c. And there are others who are well affured it deserves the Name of Malignant, from the manifest Proofs we often meet with of Putridity or Malignity in the Humours. For my Part, I have many Reafons to convince me that there are Feners which arise merely from a Paucity of animal Spirits; from some Obstruction to the Secretion in the Brain, or from too profuse a Discharge of this vital Fluid, after it is fecerned; and that these Fevers sometimes run out great Lengths without exhibiting the least Signs of Putridness or Corruption in the Blood. Whereas others are feized, from the very Beginning, with an alkaline Corruption, or Malignity in the Humours; which diffolves the red Globules, creates an intestine fermentative Motion in the animal Fluids, and renders them sharp, acrid, and corrofive.

559. In the former, fome Parts of the Blood run into unnatural Coalitions and Grumes, whilst others are broken down and diffolved for Want of sufficient Motion and Heat to preserve their Crass.

560. In the latter, the Blood and Humours are too thin and dilute, from the Action diggeth,

To a flow FEVER. 331

Action of volatile, acrid, alkaline Salts and Oils, which dissolve the Band of Union between the several Orders of Blood-Globules, and reduce them too small to subserve the

Purposes of Life.

561. It is for Want of this Distinction that we meet with fuch various and inconfistent Directions relating to the Cure of Now, and malignant Fevers: In one, alexipharmic, volatile, attenuating Medicines feem to be most proper; whilst in the other, acid, absorbent, and moderately astringent Remedies, most certainly take Place. So that, confequently, where the Theories of these Fevers. and the Methods of Cure, are promiscuously treated of, young Students must necessarily be confused, and not capable of determining which Remedies are most applicable, till, by a patient and diligent Observance of the various Phænomena, they make themselves Masters of what was not to be learned from Books.

562. For these Reasons, therefore, I have thought it proper to make a Distinction between flow and malignant Fevers, both in the Theory and Practice, and hope with Emolument. Those who are averse to this Division, and think it trisling and useless,

may, if they please, blend the following Chapters together, and reduce them back again to one Disease. Proceed we to the Antecedents of flow Fevers.

563. I. Whatever prevents a proper Recruit of animal Spirits, hinders or impedes their Secretion, absorbs or setters them when secenced, or exhausts, or evaporates them in too great Quantities, will necessarily rebate the vital Vigour of the Body, the Velocity of the Circulation, and the Heat of the Blood: Hence living too low, or upon Food of too little Nourishment, may be very pernicious.

Consequents of a slender Diet are more fatal than one that is more plentiful. The latter may be remedied either by Exercise, or gentle Evacuations; but the Decay of Strength, the Laxity of the Vessels, and the Poverty of the Fluids, the natural Consequents of too spare, or too poor a Diet, are not so easily repaired.

Aliment does not replenish the Blood and Juices with nutritious Particles in Proportion to the Waste which is daily made by the

^{*} Vide Aphor. 5. Sect. 1.

feveral Excretions, the Vis Vitæ must necesfarily decay, and the feveral Series of Veffels and Fibres will grow thinner and weaker; in Consequence of which, the Velocity of the Circulation will be rebated, the Fluids will run into unnatural Clots and Grumes, the Secretions will be diminished, and Obstructions will be generated in some of the minutest Tubuli.

566. If the Laxity of the Vessels be very great, and the vital Heat funk much below it's healthful Standard, some Parts of the animal Fluids may thence be liquified, and the natural Confistence of their Parts diffolyed. For, fince Heat, much above the natural Standard, or above a hundred Degrees, will tend to inspiffate the animal Fluids; it is as certain, that too little Heat, or Heat below eighty Degrees, will incline the Blood and Lymph to be thinner than they ought to be. Ninety-two Degrees of Heat in the Blood (as we have observed above) is found to be the Standard which preserves the animal Juices in that Confistence, which best subserves the Purposes of Life.

567. Hence living too much upon Vegetables, especially Cucumbers, Melons, Mushrooms, Lettuce, and all those abounding with cold. cold, viscid Juices, may be hurtful to some Constitutions, by thickening, and bringing a Lentor upon the animal Fluids, and thereby hindering Perspiration, &c.

568. II. An immoderate Use of Venery may fo far debilitate the Nerves, unbend the Spring of the Solids, and depauperate the Blood, as to bring on a slow Fever.

569. III. This Disease is also apt to succeed the Courses which are generally gone through in venereal Cases; for Mercury, in large Doses, and long continued, is very prejudicial to the Nerves.

or those who have formerly been oppressed, and sunk by Illnesses, are observed to be most liable to slow Fevers: For since their Fibres are lax, their Digestion weak, and their Circulation slow, it must consequently follow, that an Abuse of the Non-Naturals, or any accidental Alteration in them, will sooner spoil their Blood and Humours, and render them viscid and ill-conditioned, than in those whose Organs are strong, and their Blood duly fluxile.

571. V. Too copious a Discharge of the most subtile Parts of the animal Fluids may occasion

occasion flow Fevers. Dr. Lobb * supposes that the nervous Tubuli which terminate either in the internal or external Superficies of the Body, are defigned by Nature to throw off some recrementitious Matter from the nervous Juice, as well as to be the Organs of Sensation. If, therefore, this be true, as it is reasonable to believe, it will evidently appear, that when the Extremities of the Nerves are relaxed, or more than ordinarily dilated, they may let fly, not only the excrementitious, but the most useful and necessary Parts of the animal Spirits; and confequently fuch an Evacuation may be more detrimental to the Constitution, than an Excess in any other Excretion.

572. VI. To conclude this Chapter, it is fufficient to observe, that whatever will vitiate and impoverish the Blood, by rendering some Parts of it more gross and thick, and others more fluid than natural; or whatever will diminish the Secretion in the Brain, or by any other Means enervate the Fibres, and render them too flaccid and relaxed, may be the antecedent Cause of this Disease.

^{*} Vide Rational Methods of curing Fevers.

CHAP. XI.

Of the Rise of the most usual Symptoms incident to a slow Fever.

which sometimes return many Times in a Day at great Uncertainties. For, as Obstructions happen to be generated in the capillary Vessels, by those Corpuscles of Blood and Lymph which are aggregated, through the Slowness of their Motion, in Grumes too large to pass freely through the Arteriolæ, they irritate the adjacent nervous Fibrillæ into frequent Vibrations; which being communicated from Part to Part, oftentimes become general, and are no more than so many Efforts of Nature to remove the Impedimenta, and to dislodge the Obstructions.

574. II. Frequent Inclinations to vomit, from a Deal of cold, viscid, phlegmy, pituitous Matter thrown into the Stomach, by Reason of the great Laxity of the Ducts which open into it's Cavity.

most commonly attends this Disease: For as the Crass of the Blood is vitiated, the Secretion in the Brain diminished, and the Fibres are too lax; consequently their Impulses will be weak, and the Expulsion of the Arteries outwards but faint: And as the Obstructions in the capillary Vessels happen to alter the Flow of the Blood and Spirits to the Heart, the Pulse will be quicker or slower, or more or less unequal, proportionate thereto.

576. IV. The Heat is but mild: For fince the Fibres are greatly relaxed, and the transverse Sections of the several Series of Vessels widened; the Friction of the Blood-Globules, both against the Sides of the Canals, and one another, will be less than usual, and consequently the Heat of the Body will be but moderate.

577. V. It sometimes happens that the Extremities are cold, whilst the Patient complains of an inward Heat; the Cause of which may be easily apprehended, if we consider that the Legs and Arms are at the greatest Distances from the Heart, and confequently the Motion of the Blood will be slowest there: And if the capillary Vessels towards

338 Of the Symptoms incident

happen to be obstructed, or to give more than usual Resistance to the Circulation, the Blood may be, by that Means, so much accumulated in the inner Viscera, as to occasion great Uneasinesses, and Heat; though, at the same Time, the Hands and Feet feel cold, like a dead Carcase.

Blood being but weak, and the secretory and excretory Ducts of the subcutaneous Glands being greatly relaxed and widened, cold and clammy Sweats are apt to break out in the Beginning of this Disease, which are only symptomatical, and very prejudicial: For since the morbid, most viscous Matter of the Blood is not, as yet, prepared for a critical Discharge; and as the Sweats confist of soft, smooth, oleaginous, nutritious Particles, they must necessarily enseeble the Body, and retard the Crisis.

579. VII. The Thirst is seldom very troublesome; by Reason the Heat is but moderate, and, consequently, a less Quantity of Saliva will serve to moisten the Fauces, &c.

580. VIII. Frequent Sighings, with an Oppression on the Pracordia, are pretty constant Concomitants of this Disease; from the

the Power of the Muscles serving towards Respiration being rebated, and from the Lentor obstructing in the capillary Vessels, and refisting the protrusive Force of the Blood through the Lungs, &c. whereby it's Motion becomes more difficult, and a heavy Load feems to press upon the Breast, which the Sick is oftentimes endeavouring to remove by deep Inspirations.

581. IX. The Urine is generally limpid and clear, in the Beginning of this Fever, by Reason the Salts and Oils are not attenuated and ground fine enough to be fecerned by the renal Tubuli. Towards the Stationary Period, it most Times grows turbid, and let's fall a Sediment; but it is feldom or never intenfely red or high-coloured.

582. X. In the Height of this Disease, when the animal Spirits are most deficient, a Stupor, Subsultuses, &c. sometimes seize the

Patient, and continue for fome Days.

583. These are the Symptoms which I have observed to attend some flow Fevers, which have lasted 20 or 30 Days, and where I have met with no Phænomena to indicate, nor have had the least Reason to suspect a Corruption, or Putrefaction, or Malignity in the Humours; but only a viscid State of 340 Of the Symptoms incident, &c:

fome Parts of the Fluids, and too great a Thinness in others; as must necessarily happen when some Parts of so heterogeneous a Fluid as the Blood, are suffered to obey their own proper Laws of Attraction, and unite into Clots; whilst the most sluid Parts are squeezed out, for Want of a proper Degree of Motion and Heat to preserve their Crass.

more desperate than what I have here mentioned, and the vital Vigour of the Body seems to decay beyond what we could reasonably expect; there may then, perhaps, be too much Ground for us to suspect an alkaline, putrid, corrupting Disposition in the Blood and Humours, which will not only occasion different and more direful *Phænomena*, but require a different Method of Cure, as we shall shew in the Sequel of these Papers.

These are the Symptoms which I

have elleved to attend force form Reports

which have haved zeror to Dave, and where

I Have mer with no Pharmones to indicate,

nor have had tile teath Marian to fulpedt a

ruptions or Patrefaction, or Malignity in

CHAP. XII.

Of the Cure of a flow Fever.

of the Antecedents, and Symptoms of this Disease, I think it pretty evident that the Cure consists in attenuating, diluting, and dissolving the Moleculæ obstructing the free Course of the Blood and Lymph through the capillary, sanguine, and lymphatic Arteries; to rouze the weak and languishing Fibres into quicker and smarter Vibrations, in order to recover the healthful Crass of the Blood; and to cast out of the Body the morbisic, worn-out, useless Particles of the animal Fluids, by the most pervious and patent Outlets.

586. As to Evacuations, Vomits are the only ones to be depended upon in the Beginning of flow Fevers: For as they throw off a Deal of viscid, phlegmy, pituitous Matter from the Stomach, without draining from the Blood any Thing that is useful; and as they agitate and shake the Vessels, and increase their Vigour, they must necessarily contribute

contribute largely towards resolving the Lentor, and removing the Nausea Ventriculi.

587. Blisters are exceedingly proper, and ought never to be neglected throughout the whole Course of this Disease. In the Beginning, they are useful in securing the nervous System, and preventing Convulsions, Deliria, &c. In the Increase, they greatly maintain, support, and preserve, the Springiness and Elasticity of the Fibres, so that they do not fink under their Load before the Lentor is attenuated, and prepared fit for Excretion, or to pass freely through the vascular Frame. And in the Height of the Fever, they further comminute the febrile Matter, and support the Tone and Vigour of the Vessels; whereby they greatly contribute towards excreting the morbific Particles. Thus bliftering Plaisters are to be shifted from Place to Place, as they dry up, and as the Phanomena require.

588. Sweats are not to be incouraged in the Beginning, and Increment of this Disease: For since it is the Nature of the subject Matter to despume but slowly; that is, since the Crisis of a slow Fever requires many Days to bring it to Maturity, we must not be too hasty in forcing it by hot, acrid, volatile,

pungent

pungent Medicines, lest Nature should be weakened and confounded, by overstraining the animal Springs, and elongating the Fibres, instead of shortening and contracting them.

Beginning and Increase of slow Fevers: For daily Experience sufficiently informs us, that whenever there is a general Relaxation or Flaccidity of the Solids, a Poverty of the Fluids, and a Languor upon the Spirits, the gentlest purging Medicine creates great Uneasiness: And, indeed, if any Excretion be considerably inforced, some Inconvenience or other will be sure to succeed it, at such Times especially, where there is no morbid Matter sit for Expulsion, nor no critical Discharge to be made from the Blood.

590. But, above all Things, be fure to refrain the Use of the Lancet, as you value the Life of your Patient, and your own Reputation: For fince nothing so immediately rebates the Vigour of the Fibres; since no other Discharge from the Blood, lets out the red Globules thereof; and since these are most instrumental in maintaining the Heat and Strength of the Body; consequently

Z 4 Bleeding

Bleeding is, of all Evacuations, the most pernicious in flow Fevers.

591. As Purging has been proved to be injurious in the Beginning and Increment of this Disease, we need not therefore be sollicitous about Stools, unless the Patient happens to be more than ordinary costive; and then the most lenient Clysters that can be contrived may be fufficient.

592. The Medicines which I most heartily recommend in the Beginning of this Diftemper, are the Pulv. è Chel. Canc. comp. Pulv. Purpureus, Lap. Contrayerv. Confect. Raleighan. Pulv. ad Guttetam, &c. with a few Grains of Saffron and Castor, in Proportion to the Weakness of the Pulse, and the Languor of the Spirits.

593. Sack-Whey, Barley-Water, with some soft agreeable Wine, or some appropriated Julep, may serve to wash down these Medicines, which ought always to be in liquid Forms, by Reason of the Weakness of the Stomach, and alimentary Tubes. Pills and Boluffes have been known to pass through the Intestines, in extreme weak Cases, without being dissolved.

. 594. But in the Increase, or rather towards the stationary Period of this Disease, it may be proper to have Recourse to warmer or more active Remedies, in Order to forward the vital Motions, to undulate and strengthen the Fibres, to attenuate, grind, and comminute the Fluids, and to prepare the peccant Matter fit for some critical Difcharge. These are the Rad. Serp. Virg. Rad. Contrayerv. Rad. Valerian. Sylv. Decoct. Sacrum in Pharmacop. Fulleri, Lap. è Goâ, Antimon. Diaphor. Bezoar miner. Caftor. Crocus, Sal Vol. Succini, Sal Vol. Corn. Cervi, Spec. Diambræ, Conf. Raleighana, Alchermes, Sal Vol. Ol. Spt. Corn. Cervi, Spt. Lavendul. Ag. Pæon. & Epidem. &c. For whenever the nervous Tubuli, or animal Spirits feem torpid, and want to be excited, these Sort of Medicines are of admirable Use; and should be continued whilst any Parts of the Blood remain too viscous for Want of Motion, and as long as there is no alkaline Acrimony in the Humours, in Hopes of forwarding and promoting a Crisis.

595. As to the Crisis, we are not to expect it to be by any large or profuse Discharges from the Blood; for since there is no real Plethora, it does not seem to require it: A small breathing Sweat, a little Hypostassis in the Urine, a loose Stool or two, or even a slight

a flight Discharge from an Aposthemation in the Ear, has been known to avert a whole Train of direful Symptoms. It is sufficient that the natural Crass of the Blood be restored, that the whole vascular Frame be rendered duely elastic and tense, and that all the Secretions and Excretions be performed in a usual and regular manner.

596. But if there be a peculiar Idiosyncrasy in the Patient, or if the morbific, febrile Mattle be so tough, viscous, or obstinate, as not to give Way to the Efforts of Nature, affisted by the above-mentioned Medicines, in some reasonable Time, the Symptoms will necessarily increase, and grow worse, and then we have scarce any Chance left for the Recovery of our Patient, but by the Use of moderate purging Medicines: For fince the natural Excretions by Perspiration, Sweat, Urine, &cc. are diminished, or at least they are not fufficient to excrete the morbid Matter, this Evacuation seems to bid the fairest at this Time of Day. For though all the bad Symptoms proceed from weak and relaxed Nerves, yet if the febrile Matter be fitted for Excretion, and the miliary and renal Ducts deny it a Passage, however assisted by our Art, the retained Matter will inevitably grow putrid, the vital Vigour will decay, and Death will most certainly ensue, unless the Body be timely relieved by some few loose Stools.

lenient Cathartics, rightly ordered, where the morbid Matter is properly attenuated, diluted, and divided fit for Expulsion, are not only safe, but necessary; and the whole System of Nerves, instead of being weakened, will gain Strength thereby: So that when these Fevers have continued for a long Time, and there has been no perfect Crisis, they will hardly admit of any other Cure than what is carried on by gentle Cathartics.

ease changes into a true and regular Intermittent, and gives Way to the Cortex, even when there have been little or no Hopes lest: But even in such a Case, before we venture to exhibit the Cortex, we ought to be very sure that the Intermission is fair, and that we are not deceived by an Exacerbation of the Fever at one Time of the Day, and a Remission only of it at another.

would prove fatal; and though the Patient, perhaps, would have died, had not the Cortex

348 Of the Antecedents

been given, yet, fo censorious are the People, it is great Odds but they report it to the Prejudice of the Physician. For these Reasons, therefore, I advise young Practitioners to watch the Phanomena most diligently, and to observe whether the Paroxysm returns at regular and stated Times; whether it goes off by Sweat; whether the Pulse are steady and quiet during the Intermission; and whether the Urine grows turbid, or lets fall a laudable Settlement, as is usual in Intermittents: If most of these Appearance fail, it is, in my Opinion, more adviseable to continue the Use of moderate Alexipharmics, till the Intermission is fair, or till the Fever is carried off, than to run any Risque in administering the Cortex.

CHAP. XIII.

Of the Antecedents to a malignant FEVER.

600. I. T is a common Observation that malignant or pestilential Fevers seldom breed in cold Weather, but are generally

rally the Consequents of excessive Heat; and that because of a general Tendency towards Putrefaction in all animal and vegetable Substances at such a Time.

601. Hence Sanctorius * very justly obferves, that an obstructed Perspiration in Summer, disposes to malignant Fevers; whereas in Winter it makes but small Alteration: For Bodies are more subject to an Acrimony or Sharpness of the perspirable Matter in Summer, than in Winter Seafons. For when the Fibres are weak, as in Summer and fultry Weather, and the perspirable Matter, by any Cause whatsoever, happensto be obstructed, the Solids then must needs be much less able to circulate it, and break it small enough for Transpiration; and the Heat also of the external Air, will favour it's fooner falling into fermentative and intestine Motions, and dispose it thereby to Corruption; from whence will arise such as are commonly called malignant and putrid Fevers. But in cold Weather, both the Constitution is better able by Degrees to overcome and wear away fuch an additional Load, and the obstructed Matter will besides not be so apt to Putrefaction, but sometimes

Foam,

350 Of the Antecedents

continue a confiderable while without any

great Injury.

-HOD

than ordinary Vibrations and Agitations in the dullest of Matter; so that in animal Bodies, whose Texture consists of the most active, heterogeneous, strongly attracting, elastic Particles, it is beyond our finite Capacities to conceive into what Commotion their constituent Particles are put, when agitated by Heat; or how suddenly their Texture, Bulk, and Figuration are commuted or changed by such intestine, fermentative Motions.

made by putting a Dog into a Sugar-Baker's drying Stove, the Heat of which was so great as to raise the Mercury in Fahrenheit's Thermometer to an hundred and forty six Degrees, does well illustrate the ill Effects of very hot Air. After the Dog, says he, had been in seven Minutes, he panted much for Breath, though he did not sweat, and in a Quarter of an Hour expressed great uneasiness; soon after which he grew faint, and died in twenty eight Minutes: He drivelled all the Time a great Quantity of red

^{*} Vide New Theory of Chemistry.

Foam, which did stink so intolerably, that a strong labouring Man, who went near it, was almost struck down in an Instant with this Stench.

604. From this Experiment the Doctor observes the dire Effects of this Degree of Heat, how foon it brought on a most acute Distemper, with very violent and mortal Symptoms; how fuddenly the Humours were changed from a healthy to a nauseous, putrid State, more peffilential and deadly than the rottenest Carcase; how greatly the Humours must be altered in so short a Time. to make the Saliva red. He also justly observes, that these were not the mere Effects of the Heat of the Stove; for if the Flesh of a dead Animal had been hung up there, it would have dried, and not have turned to pestilential Corruption, which must, therefore, arise from the Friction caused by the vital Motion of the Blood in the Lungs; where it being in this Case not at all refrigerated, did thereby acquire a greater Heat than that of the Stove; whence it's sudden Tendency to Putrefaction, the Oils, Salts, and Spirits of the Dog being thoroughly putrefied in twenty eight Minutes. He also observes, that when a Man breathes an

Air as hot as his natural Heat, he foon finds fuch a Difficulty of Breathing, that he cannot long endure it, but earnestly pants after cooler Air, which invigorates, while hot Air weakens and dispirits; for neither Animals nor Plants can long bear a hot Air, without intervals of cool refreshing Air.

605. Hence it is plain to Demonstration, that extreme bot Weather may dispose to putrid, malignant Fevers, by rendering the animal Salts and Oils acrid, and alkaline, and by destroying the healthful Crasis of the Blood and Humours.

- 606. II. If the Air be moist as well as warm, it will render the animal Fibres more supple and lax, and sooner dispose the Humours to corrupt and putrefy: For as moist Air may help to diffolve the Crasis of the Blood, and to spoil it's Consistence, by rendering it too thin and inactive, so it may weaken the Action of the Heart, Lungs, and Arteries, and thereby bring on putrid Fevers.

607. III. It fometimes happens, that the Air is contaminated with some certain Effluvia which destroy the healthy Crass of the Blood, and render malignant Fevers endemial. But what these Effluvia are, whence they arise, from what Bodies they are pro-TIA

duced,

To a malignant FEVER. 353

duced, how they act upon the several Fluids of the Body, and excite such strange and disinal Symptoms, seems exceedingly hard to determine, and can only be deduced from accurate and diligent Observations of their Effects on animal Bodies.

608. It is certain the venomous Miasma wherewith the Air is impregnated at fuch Times, may pass immediately into the Blood through the Vafa inhalantia fituated on the external Superficies of the Body, and the internal Superficies of the Lungs, as well as fwallowed along with the Aliment; fo that confequently the Blood and Humours may be affected in fuch Seafons according to the Nature and Properties of the morbid Effluvia: And if we may be allowed to guess at their Manner of Action, from the Symptoms they produce, it is reasonable to suppose, that upon their Mixture with the Blood, a fort of an Effervescence arises, or by their strongly attracting and repulfive Power they create more than ordinary Agitations and Commotions in the animal Fluids; in Confequence of which, Corpuscles are generated de novo, fome of the Globules coalefce and form Moleculæ too bulky to pass freely through the minutest Vessels, whilst others are dissolved

and melted down, so as to be of no further Service to the animal Oeconomy. Hence the Blood is rendered unfit for the Generation of fresh Spirits, the vital Vigour of the Body decays, and the compounding Globules both of Blood and Lymph, are assimilated from smooth, polite Spherules, into angulated and sharp-pointed Corpuscles. The Languar, sudden Decay of Strength, Oppression on the Pracordia, colliquative Sweats, Petechial Spots, &c. seem all to prove the Truth of this Supposition, as we shall shew more clearly in the subsequent Chapter.

mals, especially such as are rotting, has many Times produced pestilential Fevers in that Place. * The Steams of great Quantities of corrupted Vegetables have produced the same Effects in their Neighbourhood. The Effluvia of human live Bodies are extremely corruptible: The Water in which human Creatures bathe, by keeping, smells cadaverous. And less than three Thousand human Creatures living within the Compass of an Acre of Ground, would make an Atmosphere of their own Steams about 71 Feet high, in 34 Days; which, if not carried away

To a malignant FEVER. 355

by Winds, would turn pestiferous in a Moment: From whence we may infer, that living in great and populous Cities, or in Camps, or near a Number of dead Carcases, may dispose to putrid, malignant Fevers.

Fevers cannot always be ascribed to the senfible Alterations of the Weather, or the manifest Qualities of Heat, Cold, Moisture, or Dryness, highly predominant in the Air; but they sometimes proceed from something more nice and latent than all this.

611. IV. Putrefied or corrupted Food may occasion this Disease, by mixing with the Blood some deleterious, morbid Particles, which will impress the same Qualities on the animal Fluids, that they are possessed of themselves. For fince the constitutive Parts of all animal, and some vegetable, Substances, are highly exalted and volatilized, and changed from a neutral State to one that is acrid and alkaline, whenever they are corrupted fo as to stink; it evidently follows, that stale, stinking Meat, or stagnant, corrupted Water, may vitiate and corrupt the animal Juices, by affimilating them into their own Nature, and by rendering them alkaline, corrofive and poisonous.

356 Of the Antecedents

612. A Corruption or Putrefaction of the animal Fluids is no more than a Disjunction of their component Parts, whereby the proper Cohesion, or Cement between their Globules, or that Confistence which best subferves the Purposes of Life is destroyed; and whereby the Globules both of the red Blood and Lymph, divide into leffer and leffer, and continue fubdividing till some of their Particles (chiefly the faline and oleaginous) become volatile, acrid, and pungent. And if the Diffolution be carried further than this, as in dead, corrupting Bodies; thefe volatile, pungent Particles become more minute, and fly off the Body in great Quantities, and yield a strong and fætid Scent.

observed above,) the most innocent Thing in the World, when digested and putressed, is well known to operate like a Poison, causing Vomiting, Looseness, &c. Whence I should think that the polite Way of hanging up Venison, Rabbits, &c. till they turn green, or stink, must oftentimes be unwhole-some and prejudicial. Not long since I was called to a poor Man who had eaten heartily of stale Mutton, which he bought by Reason of it's Cheapness; I found him vomit-

ing and purging to a strange Degree, and in all Respects he seemed as if he had been poisoned: Vinegar diluted with Water, contributed most towards the Cure.

614. V. If any of the Excretions are obstructed, and the obstructed Matter is neither removed by Nature, nor a feverish Heat, there is immediate Danger of a malignant Fever; according to Sanctorius's Aphor. 46. Sect. 1. For if the pent-up Matter be fo much corrupted or degenerated from it's natural Crasis, that it cannot be excreted, or if the Vessels have so far lost their Vigour or Elasticity as to be unable to excite a feverish Heat; the obstructed Matter will, by being long detained in the Body, grow acrid, putrid, and corrofive, and will be disposed to produce intestine, fermentative Motions in the animal Juices, whereby fome Parts will coalesce and form Corpuscles too bulky to circulate freely, whilst others will be reduced too low for a healthy State.

615. VI. Preceding Illnesses sometimes degenerate into malignant Fevers, Bellini, under the 27th Proposition, in his Mechanical Account of Fevers, tells us, That malignant Fevers are fometimes the Consequences of those that are not so; that a simple intermitting Tertian easily changes into a double intermittent, and this into a continuent, and that into a malignant Fever. Since, therefore, says he, all these Changes are only from a lesser to a greater Tenacity and Adhesion of Lentor, a malignant Fever must necessarily be from the same Origin as the rest; and as those go on from lesser to greater, even to the utmost Aggravation of Lentor, the last must be the same as the first, and consist in the highest Degree of Lentor.

616. But as to the latter Part of this Affertion, I cannot acquiesce to it, for the following Reasons: 1st, That in the Height of a continual Fever, when the Phanomena are most dreadful, when the Heat has been very intense for a long Time, when the Humours seem to grow putrid, and the Fever is bordering upon a malignant State, the animal Salts and Oils are volatilized and exalted into an acrid, alkaline, corroding State; whence they contract a diffolvent Quality; they colliquate and melt down the red Globules; the Quantity of Lymph increases, and all the Humours contract an alkaline Acrimony. 2dly, Though we allow that when Intermittents happen to be changed into Continuents, the Lentor is aggravated;

To a malignant FEVER. 359

yet when Continuents degenerate into malignant Fevers, the most usual diagnostic Signs plainly discover the Texture of the Blood to be weakened, and consequently the Attraction between the constituent Globules of the Lentor to be less strong.

617. If it was allowable to let Blood in malignant Fevers, the Thing would evidently appear; but as it is not, we must depend upon the Symptoms for our Guide. I shall only add, that I have fome few Times feen fome Blood which flowed from the Nose of Persons afflicted with this Disease, and which had not only more Serum than I ever found in ardent Fevers, but the Crassamentum was more tender, and a deal of red Powder was funk to the Bottom of the Cup, which feemed as though the red Globules had been ground and torn to Pieces, by some dissolvent Quality in the malignant Matter. However, as the Instances are but few, and the Quantities of Blood were but small, I cannot pretend to lay much Stress upon these Phænomena, only as they are analogous to the Arguments we have deduced from the Symptoms of this Disease.

618. VII. I would observe here, that there is some Reason to think that the nervous, as A a 4 well

well as the other animal Fluids, are sometimes affected by the Antecedents, not only by diminishing the Secretion in the Brain, but by altering the Quality of the Matter fecreted. For though the nervous Tubuli are exceedingly minute, and though very fubtile Particles only can pass through them; yet it is eafy to apprehend that some of the malignant, febrile Particles may be small enough to be fecerned by the Glands of the Brain, and fent through the Nerves; fince any Particles, whose Bulk is less than the Diameter of the Orifices of the Secreting Tubuli, may enter into them, though they are of different Figures and Sorts. * And, indeed, if different Sorts of Particles did not fometimes happen in the nervous Fluid, it doth not feem possible, that so great a Variety of nervous Disorders should afflict human Bodies, as have occurred to the Obfervation of Physicians. If the nervous Fluid was purely simple, and consisted but of one Sort of Particles, which admitted of no Variation, and only could differ from the healthful Standard by Excess or Deficiency in their Quantity, nervous Distempers might be fewer in Number, and more

^{*} Vide Lobb's Rational Methods of Curing Fevers.
uniformly

uniformly the same in their Appearances. But if the Crass of the Blood may be so far dissolved, and the animal Salts and Oils so comminuted, and divided, and the Mouths of the secreting Tubuli of the Brain so much widened and relaxed, as to admit of some sorieign, heterogeneous Particles to pass along with the nervous Fluid; then it will follow, that as they render it either more sharp and acrid, or more viscous and less sluxile, they will produce a large Train of direful Symptoms, proportionate to the Qualities and Quantities of the morbisic Particles.

CHAP. XIV.

Of the Rise of the most usual Symptoms incident to a malignant Fever.

619. NOST Authors agree that the general and true characteristic Phænomena of this Disease are as follow, viz.

I. Cold Shiverings at the Beginning, and a quick, low, unequal Pulse; which arise from

362 Of the Symptoms incident

from the same Causes with those already taken Notice of §. 575.

620. II. Great Heat, in the inward Parts, foon succeeds the Rigor, not only from the Blood being accumulated in the larger Arteries and Viscera, but also from the intestine, fermentative Motion, between the elastic, strongly attracting, morbific Particles, and those of the Blood.

621. III. The Thirst is oftentimes exceedingly troublesome, and much beyond the Measure of Heat; by Reason of the Paucity of Saliva, and the Acrimony of the Juices which are fecreted by the Glandules of the Fauces, Oefopbagus, and Stomach, and which fret, and irritate the nervous Tunicles, so as to cause a perpetual Uneasiness. The Extremities of the capillary Vessels which terminate on the Superficies of the Tongue, sometimes mortify, by Reason the proper Supply of Blood and Lymph is prevented by some Obstructions, and from a Tendency in the Fluids towards Putrefaction. But if the Patient recovers, these dry, black, mortified Fibres are floughed off from the founder Parts, in thick Skins, by the impulse of a fresh and sufficient Supply of Juices.

break forth in the Beginning and Increase of this Disease, which greatly debilitate the Nerves, and aggravate the Symptoms. They arise from the Dissolution of the Blood and Lymph, and the Relaxation of the miliary Glands, and their excretory Ducts.

623. V. The Vigour of the Stomach being abated, and it's Glands relaxed, a Deal of viscous, sharp, ill-conditioned Matter is commonly cast into it, at the Beginning of this Disease: Whence an Inappetency, Nau-

Sea, Vomiting, and Heart-burning.

624. VI. Violent Head-Ach, Pains in the Back, and Loins, Oppression on the Breast, and frequent Sighings, arise from Obstructions in the Arteriolæ, and the Distension of the Vessels from the intestine, fermentative Motion of the Fluids.

625. VII. Pertinacious Watchings, Deliria, Coma, &c. proceed from the same

Cause in a greater Degree.

626. VIII. A Languor, Fainting, Horror and Despair are almost constant Concomitants of this Fever; by Reason the Crass of the Blood is vitiated, and the Secretion of animal Spirits diminished: And, perhaps, not only so, but the Decay of the Vis Vitæ

364 Of the Symptoms incident

is sometimes so extremely sudden, that it seems as if the malignant Matter had entered the Nerves, and fixed and destroyed the Elasticity or Virtue of the nervous Juice already secreted.

627. IX. Petechial Spots, or red Efflorefcencies in large Areas sometimes appear upon the Skin, and never rife above the Surface. * They feem to be constituted of broken Particles of red Blood oozing from the capillary fanguine Arteries through the lymphatic Arteries, and cutaneous Glandules; which being not minute or fubtle enough to perspire through the Pores of the Epidermis, nor large enough to produce Tumours, do remain between the Epidermis and the Cutis, in the form of flat Spots. They do not feem to be critical Discharges from the Blood, because the Sick does not grow a Whit the better upon their Appearance. The brighter red they are of, so much the better Sign; but when they appear of a purple, brown, dusky, or black Colour they manifest a greater Degree of Putrefaction.

628. X. When the venomous Miasma have very much ruined the Crass of the Blood, and broken down the red Globules

^{*} Vide Lobb's Rational Methods of Curing Fevers.

into their Minima, it is no uncommon Thing for them to run out of their own proper Channels, and produce Tumours, Buboes, Carbuncles, Hæmorrhages, &c.

629. XI. The Urine is sometimes limpid and pale like that of Hypochondriac and Hysteric Persons; and at other Times it is intenfely red and high-coloured. When it is most crude and clear, the Symptoms are generally aggravated, by Reason the acrid, sharp, corrosive, saline and sulphureous Particles are left behind in the Blood, which are apt to inflame the Meninges of the Brain, and dispose the Patient to be delirious, &c.

630. XII. Towards the Height of this Disease it is common for an Apthæ, or an Inflammation of the Membranes which line the Mouth, Gullet, Stomach, and intestinal Tube, to arise; and is generally esteemed to be an Effort of Nature to throw off the morbific Matter through the excretory Ducts of the Glands which ferve those Parts.

631. XIII. In the last State of malignant Fevers, when the Secretion of animal Spirits is greatly diminished, when the Humours are most putrid, when the animal Salts and Oils are rendered extremely acrid and corrofive, when the red Globules are melted

down,

366 Of the Symptoms incident, &c.

down, and the Crass of the Blood is utterly spoiled, it is no uncommon Thing for the Sick to be desicient in his Sight, Hearing, Smelling, Taste, through the Paucity of animal Spirits, and the languid, relaxed State of the Nerves; which are no longer able to receive and convey the Ideas, in a proper Manner, to the common Sensorium in the Brain.

por, Syncope, tremulous Nerves, subsultory Tendons, Hiccoughs, involuntary Effusions of the Fæces and Urine, Coldness of the Extremities, Loss of their Motion, and Mortistications may arise: For when the Vis Vitæ is at the lowest Ebb, there is nothing bad that does not happen at that Time; and, of all the Miseries that afflict human Life, there are none more deplorable than those, which, at some Time or other, attend malignant Fevers.

CHAP. XV.

Of the Cure of a malignant FEVER.

Disease is plainly deducible from what has been said in Regard to the Antecedents, and the Phænomena that attend it; viz. To support the vital Power of the whole vascular Frame, to dissolve the grumous Parts of the Fluids, to correct and alter the animal Salts and Oils from their acrid, alkaline Property, back again into a neutral State, and to restore to the whole Volume of Blood and Lymph their natural and healthy Crasis.

634. I. Vomits seem to be most proper in the Beginning, to discharge the acrid, corrosive Matter from the first Passages, and to attenuate the Lentor.

635. II. Blistering Plaisters may be serviceable in bracing up and constringing the Fibres; though, perhaps, in Regard to the alkaline Acrimony of the Fluids, they may do Mischief.

636. III. What has been faid in Relation to Sweating, Purging, and Bleeding, in the Cure

Cure of flow Fevers, may be applied more earnestly here, they being sure to bring on fatal Consequences.

be any preternatural Heat, with a scorched, dry Tongue, and Throat, Diluents and Coolers are most certainly indicated, not-withstanding some of the Symptoms may seem to require more generous Liquors. If we consider how long these Fevers sometimes last, if we reslect on the Nature of the Lentor, and the Acrimony of the Humours, it may easily be apprehended how necessary cooling, acescent, diluting Drinks may be, and how prejudicial those which are hot, acrid, and spirituous.

638. V. All farinacious Things therefore are proper, as having an acescent Quality. Rhenish-Wine mixed with Water, Barley-Water with Vinegar, Sack-Whey with the Juice of Lemons or Oranges, and even the strongest Acids, viz. Ol. Vitriol. Ol. Sulphur. per Camp. Spt. Vitriol. &c. dropped into some convenient Vehicles, produce good Effects, by strongly attracting, and fermenting with the alkaline, animal Salts, and reducing them back again to a neutral State.

A malignant FEVER. 369

the Action of the Heart, Lungs, and Arteries, raise the Pulse, and promote the Secretion of animal Spirits, without colliquating and dissolving the Globules of Blood, and increasing the alkaline Acrimony of the Juices, are of excellent Use. Such are, Rad. Tormentil. Rad. Bistort. Bol. Armen. Terra Japan Coral. rub. ppt. Margarit. Ocul. Canc. Chel. Canc. Bezoar Orient. Lap. è Goâ, &c.

640. But all volatile Salts and Spirits, fuch as, Sal Vol. Succini, Corn. Cervi, Armoniac. Viperarum, &c. Spt. Corn. Cervi, Sal Vol. Ol. Spt. Sal Armon. &c. are destructive Medicines, because they are known to break down and colliquate the Blood-Globules, and to render the animal Juices more acrid and alkaline; so that, consequently, where the Blood tends to an alkaline Corruption, where the Bile is too acrid and pungent, and where the Solids and Fluids are dissolved and melted dowr, such Medicines as these should be avoided as Poison.

641. VII. If petechial Spots appear, and the Symptoms continue moderate, it is sufficient if what you give be able to keep out the Eruptions, and to preserve them of a good Colour.

of this Difease, when every Thing seems to take a satal Turn, we frequently meet with Aptha *, which may be conjectured coming on, from the great Dryness of all the Parts of the Fauces, but especially those more backward, attended with some Difficulty in passing of his Liquors: When this proves white, and separates kindly, after sew Days, the Patient has still a good Chance for an Escape: But if black, shining, or glassy, spreading surther over the Palate, too long durable; or if casting off, returning again, there is little to be expected as to Recovery.

643. This Thrush is not to be meddled with, but suffered, like Fruit duly ripened, to fall off itself; nor is any Thing to be advised, unless a little of the warm pectoral Decoction to be thrown in at these Times: For Nature, who has found out the Way of this particular Criss, will, in her own Time, best sit it for throwing off, which Art may possibly interrupt, by too hasty a Suppuration, from the Use of maturating Gargarisms, or six them faster by restringent ones.

644. IX. If Tumours, Carbuncles, or Buboes arise, or if the Crisis happens to fall

^{*} Vide Turner's Discourse concerning Fevers.

A malignant FEVER. 371

upon any Part, where external Applications can be serviceable, it ought to be immediately incouraged, by fostening, relaxing, emollient Cataplasms.

either by Art, or the Strength of Nature; if the Pulse flag, the Tremor, and Subsultus Tendinum increase, the Tongue falters, the Urine and Fæces come away involuntarily, the Features sink, the Patient keeps picking up the Bed-Clothes, and the extreme Parts are cold; we are to make a fatal Prognostic, and endeavour to support him with the bighest Cordials, as long as Life remains: For we do not want Instances of those who have recovered, even after all these Symptoms have been upon them.

FINIS.

BOOKS printed for L. Hawes, W. Clarke, and R. Collins.

All written by the learned Dr. Thomas Burnet, late Mafler of the Charter-House (to which is prefixed the Author's Effigies, curiously engraven by Mr. Vertue).

- I. A Treatife concerning the State of DEPARTED Souls, Before, At, and After the RESURRECTION. Translated into English by Mr. DENNIS. Price 5 s.
- 2. The Faith and Duties of Christians; a Treatise in eight Chapters, giving an Account of, 1. The Foundation of natural and instituted Religion. 2. The Authority and Usefulness of the Jewish Religion. 3. The Christian Dispensation, the Nature and Author of it. 4. The Worship of God, and it's facred Rites, according to the Christian Law. 5. Moral Rules and Precepts, according to the Christian Law. 6. The Christian Articles of Faith. 7. The secondary Articles of the Christian Doctrine explained. 8. The Christian Church, it's Government and Discipline. Translated into English by Mr. DENNIS. Price 4s.
- 3. De STATU MORTUORUM & RESURGENTIUM Tractatus, adjicitur Appendix de futura Judæorum Restauratione. Price 6 s.
- 4. ARCHÆOLOGIÆ PHILOSOPHICÆ; five Doctrina Antiqua de Rerum Originibus. Libri duo. Editio Secunda. Accedunt ejusdem Epistolæ duæ de Archæologiis Philosophicis. Price 6 s.
- 5. De FIDE & OFFICIIS CHRISTIANORUM. Liber Posthumous. Editio Secunda. Price 4s.
- N. B. There are a small Number of Latin Pieces on large Paper.







