Contributors

Alberti, Michael, 1682-1757.

Publication/Creation

Halle : Orphanotropheum, 1727.

Persistent URL

https://wellcomecollection.org/works/ev6kk3jh

License and attribution


This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org






MEDICAL SOCIETY OF LONDON




ACCESSION NUMBER

PRESS MARK

AIBERTI, M.





D. MICHAELIS ALBERTI SACR. MAL REG. BORVSS. AVLICI ET CONSIstorii magdeb. consiliar. medic. et philos. Natvr. prof. pvbl. ordin. acad. caesar. natvr. cvr. collegae et societ. scient. reg. borvss. berol. sodalis. &c.

TENTAMEN LEXICI REALIS

OBSERVATIONVM MEDICARVM, EX VARIIS AVTHORIBVS SELECTARVM, IN VSVM LITTERATVRAE MEDICAE


AD SVFFRAGIA PERITORVM ET DOCTORVM VIRORVM CONFERENDA ET ALLEGANDA, EDITYM,

OMNIVMOVE FACULTATUM APPLICATIONI COMMENDATUM



HALAE MAGDEBVRGICAE IMPENSIS ORPHANOTROPHEI

M DCC XXVII.



ILLVSTRI, PRAENOBILI AMPLISSIMOQUE FAMA MERITISQUE PRAECLARO DOMINO DN. IOHANNI KÜHTZE

TINSTELS ET PRAENOBILIS DOMINE.

ELVIOR FIT ARELING DEVENERANDE

POTENTISSIMI AVGVSTISSIMIQUE REGIS BORVSSIAE CONSILIARIO REGIAE CAMERAE INTIMO, VT ET GENERALIS FISCALIS ET DOMANIALIS DIRECTORII QUAESTORI

FIDELISSIMO DEXTERRIMOQVE, DOMINO FAVTORI AC AFFINISVO OMNI HONORIS, AMORIS ET OFFICIOSITATIS CVLTV PROSEQUENDO SALVTEM ET PROSPERITATEM.

Pavoris Tai

mantem mean rener; fiquidem vele-

memoria

and

ILLVSTRIS ET PRAENOBILIS DOMINE, FAVTOR ET AFFINIS DEVENERANDE.

ILLVSTRI, PRAENOBILI AMPLISSIMOOVE FAMA MERITISQVE PRASCLARO OVIMOD

INMAHOI MO

KTHTZE

POTENTISSIMI: AVGVSTISSIMIQVE REGIS'BORVSSIAE CONSILIARIO REGIAE CAMERAD INTIMO. VT ET GENERALIS FISCALIS ET DOMANIALIS DIRECTORI OVAESTORI

FIDELISSIMO DEXTERRIMOQ



DOMINO FAVTORI AC Aetor omnino, quoties spectabilis Nominis Tui Gloria & integerrimi Favoris Tui memoria mentem meam reficit; fiquidem celebris

bris Tua fama, meritorumque Tuorum splendor, quibus Sacræ Majestatis Regiæ Boruffiæ Clementiam acquifivisti, & hactenus cum eximio applausu conservasti, me etiam præclaræ TVAE Personæ cultorem fecit: Lætor porro, tanto Viro affinitate me conjunctum esse, ejusque Favore & Benevolentia frui, de cujus candore mentis, & virtuosa vitæ integritate illustria inclaruere specimina. Hanc præstantissimæ TVAE Famæ dignitatem adauget Favor ille, quo bonarum scientiarum & artium Doctores & promotores amplecti, infuperque elegantia & utilia studia prosequi laudabili hactenus sueuisti ardore: Accedit, quod hactenus me fingulari benevoli ac faventis affectus gradu amplexus&prolecutusfueris.Quare publi-Augu):(co

co aliquo testimonio meam in TE propensionem meumque TVI cultum de-clarare & probare hac malui occasione, qua denuo sub reliquis meis publicis officiis libellum quempiam in publicumemitto. Hunc itaque laborem IL-LYSTRI TVO NOMINI bona nunc dico & inscribo fiducia: Accipe hoc litterarium munufculum placido & favente animo, idque tanquam sinceræ mentis & officiosi affectus symbolum a me oblatum annuentibus adspice oculis. Pia denique annecto vota, ut Fonsperfectissimæ prosperitatis in Te Tuosque perennem cœlestem & temporalem effundat benedictionem, indies augescentes animi ac corporis vires emittat, nominis' TvI splendorem accumulet, falutis Tuæ valorem confirmet, Regis Augu-00

Augusti Clementiam Tibi conferuet, Teque omnibus animi ac corporis bonis locupletet: ita sub Tuo Flore ac Honore, ut peto, ut voveo, Tuo etiam constanti Favore frui mihi licebit, qui ingenuo affectu permanebo

ILLVSTRIS NOMINIS TVI SPLENDIDISSIME DOMINE CONSILIARIE INTIME COLENDISSIME DOMINE AFFINIS ET FAVTOR

ebus na-Dab, Halæ Magdeb, Ill. Calend, Sept. A. O. R. MDCCXXVII, denter,& quantum ners potell, tob anorum n-

-19370

Neeralios boni ac probati Medici charafteres

de diftra approbatione & confectione diffe-

rere queat, ne vana loquacitate, quicquid in buccam venit, proferat, neve fibi foli rantum fapere gestiat, fed aliorum lententras & obfervationes attendat, comparet, confirmet & illuffret: Lazifinuts coim campus, qu'in foro Medico parce, non uno aur aftero, fed multis viris adieun concedir & m

jungits quanobrenin enca, vericates & oblarvationes non

unius hominis fune negocium, flowidem relebri ac laudabi Cultor officiofus &caddictus

Alls quordin equegio conatu ao fiticio MICHAEL ALBERTI. vericares inclarescere, & utiliffinia obfervationes accrefeere reperunt: - Talls erudita occupatio tantum porro Medicina



HILVSTRIS NOMINIS TVI ENDIDISCOLTATAAAAAANINIS TVI COLENDISSME DOMINE APPLIES ENTIME



Nter alios boni ac probati Medici characteres ille non infimæ dignitatis eft, ut de rebus naturalibus feite, perite, folide, perfpicue, prudenter,& quantum fieri poteft, fub aliorum fide digna approbatione & confenfione diffe-

rere queat, ne vana loquacitate, quicquid in buccam venit, proferat, neve fibi foli tantum fapere geftiat, fed aliorum fententias & obfervationes attendat, comparet, confirmet & illuftret: Latiffimus enim campus, qui in foro Medico patet, non uno aut altero, fed multis viris aditum concedit & injungit; quamobrem inventa, veritates & obfervationes non unius hominis funt negotium, fiquidem celebri ac laudabili inftituto Collegia & Societates in Italia, Germania, Gallia, Anglia erecta fuere, fub quorum egregio conatu ac fludio indagatio rerum naturalium magis magisque efflorefcere, veritates inclarefcere, & utiliffimæ obfervationes accrefcere ceperunt: Talis erudita occupatio tantum porro Medicinæ attu-

attulit ornamentum & adjumentum, ut cum viris non vires & veritates medicæ defunctæ fuerint, fed ut fub qualibet eruditorum solitudine cum mortuis colloquia institui, illorumque labores in multum ac varium usum converti queant: Et quamvis veritas se ipsamtueatur, ac firmo fulciat testimonio, tamen eruditorum virorum suffragia illam adeo fublevant, ut tanto citius & facilius aliorum applaufum & affensum nanciscatur; dum enim errare humanum est, ita & dogma quoddam, & aliquod factum, ex duorum & plurium ore & fide probatum, eo citius & certius veritatis fulgorem induit, atque famam præjudicii, credulitatis, fuperstitionis &c. declinat: Prudentis itaque viri studium est, ut, quæ profert & in orbem litterarium emittit, non ut sua æstimet, sed ut vera commendet; neque gloriose fibi laudem & honorem tribuat arrogetve; fed potius sciat, quod vel ante ipfum alii docti eandem coluerint veritatem, quæ ob vicifitudines rerum ac temporum aliquandiu aut delituit, aut aliis opinionibus & falsis traditionibus obscurata fuerat; quam vero nunc denuo ex fuis ruderibus ipfe trahit, & abaliis commentis purgat, hinc antiquiorum auctoritatem & industriam defendit, illorumque celebri affenfu nunc dupla gaudet fruge; Interea in conquirendo tali eruditorum suffragio, judicio & prudentia opus est, ne verbis consona quædam adferta, in rebus tamen eximie discrepantia, pro una eademque assumantur & circumferantur veritate: quid? quod tanta nonnulli dubia ac diffidente præditi funt indole, ut nihil rectum, certum & verum effe putent, nifi quod aliorum affenfu ac fuffragio confirmatum eft; Et quamvis veritas facti non hominum nitatur auctoritate, tamen a viris fide dignis bonoque judicio instructis diversi effectus observari, & congruo loco applicari debent. Sed dum hodienum farragines ac):():(plau-

plaustra observationum prostant, ita in selectu illarum iterum prudentia & judicio opus est; nam multum refert exacte nosse, a quo tales casus medici observati & annotati sint, quoniam homines tantum curiositatibus immersi, novitates affectantes, gloriofi, inconstantis animi, obliviofi, negligentioris indolis, præcipitati studii, in aliena distracti, garruli & nugaces, &c. haud fide dignas observationes medicas in publicum usum emittunt, sed alios, ut cœcus cœcum, feducunt, ac vero & falutari fuccessi destituunt. Sane eximia observationum & observatorum multitudo attentos postulat animos; siquidem non pauci hac observationum larva &gloria superbiunt, qui, denudata hac vagæ praxeos medicæ pelle, in fœdo Empiriæ cœno fluctuant, aut ad minimum aliquando, præter vel propriam affectatam, vel aliorum auctoritatem omni solido aliisque probato judicio destituti deprehenduntur. Quantæ enim fabulæ passim in observationibus medicis oberrent, quam fluctuans etiam sæpe in historiolis nonnullis deprehendatur animus, demonstratu haud est difficile. Interdum ex unica æquivoca curatione & fanatione per accidens mox solennes confarcinantur observationes;ast fi ex tota Decade una observatio judiciose examinatur, justa resonat ingeminatio: ubi vero sunt novem? aut uti D. Pfeiffer in præf. Panfophiæ Mofaicæ dixit: ubi eft liber ad hunc titulum hinc illæ lacrymæ, quod multæ observationes liberum progressium in foro medico lubricum & falebrosum reddant: Quicunque enim tantum ad facram illam observationum anchoram provocant, illi sæpe ad Empiriæ atrium alios ablegant ; Diffusæ enim observationum compilationes non reddunt Medicum, sed Empiricum: ob id judicii practici officium est, ut casus rariores, aut plane dubii & ancipites, a reliquis discernantur, & ad alios usus applicentur. Etenim multum refert, varios morborum eventus ex prævia me-

medendi methodo, hominum natura, viribus, vitæ genere, diæta prægressa, climate &c. dijudicare, & cum aliis analogis morborum decurfibus comparare. Interea tamen multum in artis Medicæ certitudinem & finceritatem cedit, fi quædam afferta & phænomena parallelis probari poffunt testimoniis : & quamvis notitia talium testimoniorum & suffragiorum pro ornamento eruditionis medicæ inferviat, tamen formalem & essentialem hujus partem haud constituit; interim ejusmodi suffragia & attentos & certos reddunt animos, partim in dijudicundis & comparandis morbis, partim in proponendis & defendendis veritatibus: In hac solerti doctorum virorum conciliatione Medica scripta non adeo operosa & speciosa observantur, ac Jure consultorum labores communiter eminere videntur, qui nil fine lege, nilfine doctorum consensu vulgo proferre solent; haud infimam itaque dignitatem illi medici ex antecessoribus nacti funt, qui aliorum probatorum virorum adsensu nituntur, adeo ut inter Medicos, qui unquam scriptis inclaruerunt, ob nominatam qualitatem indignabunda quædam concertatio orta fit, quemadmodum hoc titulo Zacutus Lusitanus & Caspar Rejes olim innotuerunt. Ne porro culpa novaturientis animi in quenquam devolvatur, quando notatu dignas quasdam observationes, nondum singulis cognitas & probatas, profert, propterea aliorum peritorum virorum inventa & annotata conferre necessitas postulat, quibus utiles animadversiones in veritate & sinceritate sua magis confirmentur, aliorumque approbationi instillentur: Et licet nonnullis Medicis non æque sub aliorum applausu veritates suas proponere placeat, propterea neutiquam talia fuffragia& teftimonia defunt, quibus alii illorum theoremata&observataillustrare & comprobare possunt : Interea ratio officii & oc-):():(2 cupa-

cupationum non permittit, ut quilibet diffuse scriptorum lucubrationi operam dare queat; neque mihiille fugitivus librorum intuitus placet, quin rectius mihi ad minimum perplacuit, librum, quem perlustrationi subieci, ab introitu ad finem perlegere: Ita factum est, ut, quantum reliqua mea officia concefferant, varios in qualibet Facultate auctores perspexerim, & ex iisdem pro meo gustu ac modulo varia excerpta collegerim, ex quibus aliqua illo tempore, dum per DEI bonitatem & Regis clementiam Academiæ fasces tenui, in ordinem congessi, alia ad aliud refervare volui tempus; quapropter hunc libellum utpote Tentamen aut Prodromum in lucem emifi, in fronte vero nonnullos auctores & libros nominavi, qui sub manibus meis volutarunt, licet multos alios, quos quidem in frontispicionon recenfui, sparsim allegaverim: neque indignum illud æstimavi institutum, ut ad plenum & perfectum Lexicon aut Gazophylacium observationum medicarum aditus paretur, quo in cuiuslibet thematis pertractatione idonea quædam doctorum virorum testimonia inveniantur & conferantur. Talis conatus neque unius, neque decem virorum labor est, hinc mutuæ applicandæ sunt manus, siquiden in meæ Jurisprudentiæ medicæ altera parte pauca aliorum sunt; Viri cordati vero est, ut Deo & publico bona fide inserviat, & pro suarum virium modulo artis emolumentum adjuvet, nec fibi tantum placere studeat, sed aliorum suffragia admittat. Offero itaque hoc opusculum benevolis omnium ingenuorum virorum oculis. Promitto vero cum Deo proxime & intra exiguum temporis ambitum Supplementum ad hoc opusculum, in quo Acta Naturæ Curioforum & Eruditorum Lipfiensia, quæ in hoc tentamine non nisi cursorie & sparsim excerpta sunt, pleniori cura & in-

integra, una cum nonnullis aliis auctoribus in fimilem Lexici speciem redacta : optarem etiam, ut aliqui e choro & foro Medico perlustrandos, excerpendos & congerendos fibi fumant seligantque scriptores Physiologos, alii Pathologos, quidam observatores anatomicos, nomulli chymicos, aliqui quosdam in hanc vel illam Materiæ Medicæ partem'commentantes &c. &c.ad quod laudabile institutum vel ipse mentem consultatricem & manus auxiliatrices, divina annuente gratia, conferre mallem. Interea totus spero, quod tales labores quilibet Bibliopola necessariis impensis, quo publico usui reddantur, fit excepturus & promoturus ; in qua posteriori solicitudine atque cura & ego sincerum adjutorium bono affectu polliceor, infuperque pro viribus allaborabo, quo ad imprimendum & publicandum talem laborem honestus & gratus comparetur editor. Inde fiet, ut completum tale Lexicon cum Deo & die eximio cum fructu in publicum emittatur, quod specialioribus titulis omnes scitu dignas observationes medicas subministrat. Præsens Tentamen, dum in hoc instituto glaciem frangit, ad minimum ex voluntate mea & fecundum negotiorum meorum cumulum æstimari debet: quemadmodum nec ipfe ullum ei tribuo perfectionis initium, sed pro manuductione, aut ad minimum pro honesta & amica intentione, provocatione & compellatione habeo, quo alii viri celebres meis petitis & confiliis

):():(3

an-

annuentes præbeant aures, & imposterum meam opellam meumque conatum præstantioribus imitationum speciminibus collustrent; non mihi in tali instituto ullum tribuo honorem, sed cum delectatione voti mei compotem mejudicabo, fi clarisfimi viri ac Medici tali labore litteraturæ medicæ firmamentum & ornamentum promovebunt: forte prudentioribus & a fædis præjudiciis liberioribus conatus & scripta mea haud nauseam aut vomitum movebunt', ne ipsi utpote poma natantia haberi debeant, qui iniqua & ridicula censura aliorum labores denigrare, & bonarum scientiarum atque artium promotoribus exosos reddere volunt: Interim me brevi hoc præfamine omnium cordatorum virorum benevolo affectui commendo, malevolorum vero & invidiælivore ac prægrandis auctoritatis præjudicio turgentium censuram non curo; de reliquo singulis cœlestem benedictionem bona voluntate apprecor. Dabam Halæ Magdeb. III. Calend. Septembr. A. O.R. CID 10 CC XXVII.

A11-

Auctores in hoc Lexico

occurrentes.

Almuthi Observationes. Barthol. C. h. Bartholini Anatomicarum Historiarum Centuriæ. Barthol. C. E. Ejusdem Epistolæ Medicæ. Barthol. Ejusdem Acta Hafnienfia. Tulpii L. c. Tulpii observationes Medica. Lib. cap. Zwingeri Diff. pag. Zwingeri Differtationes felecta. Borelli C. obf. Borelli observationes cent. obf. Zittm. M. Cr. C. Zittmanni Medicina critica. cent. caf. Merclini Cafus incantationum. Lent. liat. Lentilii liatromnemata Medico-Practica. Ejusdem Miscellanea Medico-Practica. Hachft. D. c. Hachftetteri observat. Medicin. Dec. cal. A. N. C. Dec. ao. obf. it. Cent. Acta Natura Curioforum (a Decuria I. ad cent. X. incluf.) Cattieri observationes. Bootius de affectibus omifis. Rosfii Confultationes & observat. Questelius de pulvinari morientibus non subtrahendo. Möllenbroccius de Arthritide Vaga Scorbutica. Zac. Luf. P.A. Zacuti Lusitani Praxis admiranda. Ejusdem Medicorum Principum Historiæ. Editio in fol.

Simon

Simon de Impotentia conjugali. Frankenau Satyræ Medicæ. Garmannus M.M. Miracula Mortuorum. Kornmannus M.M. Mir. Mort.

Ejusd. Mir. viv. Miracula vivorum. Hildani obfervationes Chirurgicæ. Rejes Campus Elyfius jucundarum quæstionum. Editio in 410.

Marcelli Donati Historia Medica mirabilis. Langii Epistolæ Medicinales. Bravo de Medicinæ dogmaticæ præstantia.

Ejusdem Refolutiones & Confultationes Medicæ. Gabelchoveri Curationes & obfervat. Medicinales. Beccheri Phyfica fubterranea. Diemerbræck obfervationes. Blegny Zodiacus Gallicus. Plateri obfervationes. Edit. Bafil. ao. 1614. Henr. Smetii Mifcellanea Medicorum. Alberti Iurisprudentia Medica.

Ejusdem Praxis extemporanea. Hagendornii observationes & Historiæ Medicæ. Reinzer Meteorologia Philosophico-Politica. Reineri Solenandri Confilia Medicinalia.

NB. Acta Naturæ Curioforum, Eruditornm Lipfienfia & nonnulli alii authores curatiori & pleniori labore in titulos translata, proxime in Supplemento hujus Lexici exspectanda sunt.





AB.

Bdita Naturæ & Pharmaca. vid. Occulta.

Abdomen introrfum tractum. A. N. C. Cent. 1. p. 432. Abdominis & Tibiarum inflammatio cum afthmathe & dolore finistri lateris Gabelch. Cent. I. Cur. 47. & Hypochondriorum dolores cum Lipothymiis Gabelchov. Cent. 3. Cur. 58. paracentelis iterata. A. N. C. Cent. 3. p. 371. percuffio lethalis. A. N. C. Cent. 9. p. 278. Tumor sponte curatus. A. N. C. Dec. 3. ao. 9. obs. 144. Tumor verminofus. A. N. C. Cent. I. p. 108. vulnus fingulare. Hagendorn. Cent. 3. hift. 64. p. 363. Abelis fanguis ad Deum clamat Garm. L. 2. tit. 7. §. 100. Ablactationis festum. A. N. C. Cent. 5. p. 213. feq. Abortus confideratio medico-legalis. Alberti Jur. Med. P. 1. p. 127. §. 5. Abortus & Animatio fœtus. Alberti Jurispr. Med. P. 1. C. 6. p. 115-117. Abortus cum mola Barth. C. 3. H. I. it. A. N. C. Cent. 7. p. 217. cum magno sanguinis profluvio ex utero. Gabelchov. Cent. 1. cur. 88. & Cent. 3. cur. 68. Abortus cum retentione secundinarum A.N. C. Dec. 2. ao. 1. obf. 100 cum Lochiorum fluxu destitutus A. N. C. Dec. 2. ao. 4. obf. 171. remedium. A. N. C. Cent. 9. p. 140. Abortum præcavendi & retinendi auxilium. Zac. Luf. P. A. L. 2. obf. 161. præcavendi remedium fontinella & V. S. Zac. Luf. P. A. L. 2. obl. 159-161. excludendiremedium Z. Luf. P. A. L. 2. obf. 162--165. frequens præcavendus. Alberti Jur. Med. P. II. p. 505. Caf. 40. periodicus & confuetudinalis an detur? & eius præcautio. ibid. P. II. p. 511. Caf. 50.

Abor-

Abortus prouocari meretur in morbo acuto.Hagendorn. cent.3.p.307
de Abortu nefanda arte provocato vid.effatum. Speneri Lebens, Dflich.
ten Fest. annunc. Mar. p. 426. & P. II. p. 569.
Abortus putridus frustulatim post 12, annos exclusus Zac. Lus. P. A.
L.2. obf. 166.
Abortus V. Sne impeditus. A. N. C. Cent. 1. p. 192. app. it. Dec. 1. 20.7.
obf. 204. it. ao. 2. obf. 47. it. ao. 10. obf. 48.
revocatus Barth. C. 4. H. 57.
fimulatus. Bor. C. 4. obf. 49. Alberti Iur. Med. P. 1. p. 292. §. 10.
varii hiftoria A. N. C. Cent. 9. p. 251. certo tempore & feptimana fæpe accidens. A. N. C. Dec. 2.'ao. 7.
obl. 184.
per vomitum rejectus. A. N. C. Dec. 1. 20. 1. obf. 108. Alberti Jur.
Med. P. 1. p. 135. §. 13. a.
feliciter inhibitus. A. N. C. Dec. 3. ao. 7. obf. 133.
Abortus a gestatione. Des Blanctscheids. Frankenau p. 216. vid. Blands
scheid. Planchette.
ab alapa. Frank. p. 522.
a Dyfenteria. A. N. C. Dec. 2. ao, 6. obf. 160.
ex Tenefino. A. N. C. Dec. 2. ao. 10. obf. 142.
ex Plethora. Mauriceau von der Schwangerschafft und Geburth .
143. 157.
a fumo extinctæ lucernæ. Rejes qu. 50. p. 620.
ob denegatum cibum. Rejes qu. 50.
abditæ caufæ. Hildan. Cent. 2. obf. 50.
cerevisiæ vapor causa mortis Rejes qu. 50. p. 620.
ex ictu bombardæ incoxam recepto. Hild. cent. 4. obs. 59.
quovis imprægnationis tempore Rejes qu. 51.
ex V. Sne neglecta. Lentil. Mifcell. med.
frequens & Hæmorrhagia vteri. Solen. Sect. 1. Conf. 14. Abortus nefarie procuratus A. N. C. cent. 3. p. 377. Alberti Jurispr Med.
P. 1. c. 9. p. 177-192.
non est provocandus propter vitia in corpore matris. Rejes qu. 51.
p. 652. 653. it. p. 659. 660.
provocationem qui admiferint. Rejes. qu. 51. p. 643.644.
quælibet prouocatio periculosa Rejes. qu. 51. p. 653.
provocati pœna. Alberti Jurispr. Med. P. 1. p. 131. §. 9.
Abortin

Abortus qua ratione sine medicamentis provocari possit. ibid. P. I. p.
129. 9.7. Abortum prouocantia remedia. Rejes. qu. 51. Alberti Jurispr. Med. P.I.
p. 130. §. 8
frivole prouocare impium est. ibid. p. 641646. Testimoniis pro- batur p. 646
inanimatum prouocare licere, qui afferant, ibid. p. 646.648
nonlicere ib. p. 643. 652
Abortus ex mensium fluxu in gravida Hild. c. 9. obs. 59
an prouocandus sit, ut mater maneat superstes ?Alb.Iur. Med. P.I.
p. 131. §. 9. it. p. 132. lit. c. e. it. p. 133. §. 10
an cum eo plagium committerere posit obstetrix? P. I. p. 134. §. 11
an iura matris habeat? P. I. p. 135. §. 12
voluntario per immodestam corporis commotionem procuratus.
P.I. Caf. II. p. 138
falfo creditus. P. 11. p. 29. Caf. IV
caufæ veræ. ibid. P. II. p. 510
caufæ falfæ. P. II. p. 509
progressi signa. P. I. p. 128. §. 6
frequens. Plater. obs. Lib. 3. p. 698700
decimus quartus ob calculum in rene renisque confumtionem ib.
p. 701
embryonis hydropici in vtero matris facti. ibid. p. 702
fœtusimmaturi mortui præcedens partum legitimum vivi & matu-
ri fœtus. ibid. p. 702. 703
ex constipatione alui Hildan. cent. 6. obs. 62
varia symptomata secuta. Gabelchov. cent. 2. cur. 7
Abortivi fœtus an baptizandi? Kornem. M. M. P. 8. c. 68
Abortivi an refurgant? ibid. P. 8. c. 69
Abscessus internus circa asperam arteriam mire detectus. Hagendorn.
cent. 1. Hift. 88. p. 128
externus asperæ arteriæ ibid. hift. 89. p. 129
Abscessus ex vulneratione pulmonum paracentesi ventilatus. Alberti
Jurispr. Med. App. p. 176. Caf. 30
musculorum abdominis lethalis & non lethalis. Hild. c. 2. obf. 37-39
Abscessus abdominis curatus A. N. C. cent. 1. obf. 98. Dec. 1. ao. 1. obf.
82. Hild. c. 2. obf. 38

Abs-

4 AD.
Abscessie in abdomine. A. N. C. Dec. 2. ao. 6. obf.34 in abdomine ex umbilico evacuatus & curatus. A. N. C. Dec. 1. ao. 3. obf. 287
per Abscessum abdominis fœtus putridus cum pure exclusus. Blegny Zod. gall. ao. 1679. Mart. obs. 3
Abscessi apitis & mors ex usu Chin-Ching. A.N. C. cent. 3. p. 52. & 42 Cerebri Barth. c. 1. h. 100
Hepatis per urinam & alvum excretus. Salmuth. c. 1. obf. 28 musculi pilosus. Barth. c. 1. h. 100
muco carnofa botryoide finiftri labii vulvæ feliciter excifus.A.N.C. Dec. 3. ao. 7. obf. 81
inguinalis incurabiles veficulas continens curatus. A. N. C. cent. I. obf. 103
inguinis lapides prodit. Blegny Zod. ao. 1679. Jul. obf. 3. in inguinibus verminofus: Blegny Zod. gall. ao. 1679. Maj. obf. 1
post febrem. Barth. c. 3. h. 48 ex intempestiua Hæmorrhagia suppressa post abortum. A.N.C.Dec.
3. ao. 1. obf. 103 ex falcino ortus. Alberti Jurispr. Med. P. I. p. 228. Caf. 2
ex Abscessi gutturis spina piscis ante biennium deglutita extracta. Hildanus cent. 1. obs. 33
Abscessus in capite recens natorum. Hagendorn. cent. 1. hift. 3. p.6 post aures serius apertus febrim & mortem induxit. Hildanus cent.
1. obf. 39 Ab sceffus in pulmone ex inflammatione ortus feliciter curatus. Hilda- nus cent. 1. obf. 44
in finistro hypochondrio ex vehementissimo dolore colico, cum intestini erosione, & excrementorum per alvum ejectione felici- ter curatus. Hildanus cent. 1. obs. 54
Abscessus in Hepatis regione apertus subitam mortem causatur. Hild. cent. 2. obs. 39
& tumores vermicondi. Garmann. Mir. Mort. c. 3. tit. I. §. 116 Abscessus ventriculi. Bor. c. 1. obs. 54. 66
mirus, fingularis. Bor. c. 2. obf. 86. it. Blegny Zod. gall.ao. 1680.Apr. obf. 11
fub lingua. ibid. ao. 1679. Jun. obf. 7 Hypocranius. Boot. A. O. Cap. 1
Abscessus

Abscessus thoracis ex retrogradis variolis curatus. A. N. D. Dec. 2. ao. 8. obf. 39 profundus circa femoris caput. Roffius obf. 4 Jumborum. Blegny Zod. gall. ao. 1680. Jun. obf. 13 bufonem emittens. A. N. C. Dec. 1. ao. 8. obf. 103 fupra genu curatus. Blegny Zod. gall. ao. 1680. Apr. obf. 8 pectoris f. mediastini. id. Jul. obf. 15 per urinam judicatus. idid. ao.1679. Sept. obf. 4 fupra apophylin maftoiden. ibid. obf. 16 continet corpus extraneum mirandæ formæ. ibid.ao.1682.Febr.obf.3 Abscessibus tonfillarum aperiendis instrumentum. A. N. C. cent.3. p.45 Abscessus apertio utrum ante perfectam suppurationem molienda? Z. Luf. M. P. H. L. 3. hift. 5. p. 458 in neruofis partibus utrum cuuterio, an scalpello aperiendi. Zac.Luf. M. P. H. l. c. qu. 459 Abscondita pharmaca, vid occulta. Absorbentia quandoque alvum laxant. A. N. C. Dec. 2. ao. 1. obf. 131 Abstemii. Plater. obf. L. I. p. 222 Abstemia pertinax avino & cereuifia post febrem tertianam. A. N. C. Dec. 2. ao. 5. obf. 246 Abstinentia ab omni animali fanguine prædito. Salmuth.c. 2. obf. 100 Abstinentia diuturna virgini mortem adfert. Blegny Zod. gall. ao. 1682. obí. 10 longa. A. N. C. Dec. 1. ao. 3. obf. 173. vid. Inedia. cibi quartanæ lethalis. Tulp. L. 3. c. 53 mira. Bor. c. 3. obf. 35 fingularis a vino. A. N. C. Dec. 2. 20. 9. obf. 180 a pane perpetua. A. N. C. cent. 1. p. 191. app. Hildan. cent. 2. obf. 41. vid. Panis. ciborum alias confuetorum. Plater. obf. L. I. p. 221 a cibo & potugravidæ, cujus cum fœtu nutritionem clyfteres fupplerunt. Hildan. c. 4. obf. 30 Abstinentia a potu curat Hydropem. Hild. c. 4. obf. 41 Abstinentia a potu. Bor. c. 2. obf. 68. Rhod. c. 2. obf. 56. Plater. obf. L. 1. p. 221 a venere. Alberti. Jur. Med. P. I. p. 32. 6. 16 a coitu falutaris. Rejes qu. 46. p. 167 Abfti-A 3

Abstinentia a coitu noxia. ibid.p. 569. 570.vid. Venus & Coitus. a coitu voluntaria. Alberti Jurispr. Med. P. I. p. 28. §. 12

a medicamentis quando fit noxia? ibid. P. I. p. 369. §. 10 Absurda deglutiens. Blegny Zod. gall. ao. 1679. Maj. obs. 2 Absurdarum & monstrolarum rerum aspectus gravidis cauendus. A.

N.C. Dec. 3. 20. obf. 74

6

Absynthium carpis impositum appetitum restituit. Rejes qu. 83. p.1084. 1085. n. 6

Absynthii Syrupus remedium famosum. Borell. c. 1. obs. 41 Absynthii vires Borell. l. c.

ex Absynthii usumaculæin toto corpore. Hagendorn. cent. 3. hist. '92 p. 406

AC.

Ex Acaro graviffima symptomata. Hild. c. 1. obs. 96 Accretio subita Bor. c 1 obs. 1

Acetum an virulentis animalium morfibus aliisque venenofis morbis reluctetur? Zac. Luf. M. P. H. L. 5. hift. 6. p. 808. feq.

Acetum fupra plumbum dulcescit, cum terreis amarescit. Bech. Ph. S.L. I. Sect. 4 c. 3. p. 205

Aceti contariæ vires. Lang. L. 2. Ep. 33. p. 705

potus lethalis. Hildan. c. 3. obf. 49

Achores infantum adfinitatem habentes cum lue venerea. Albert. Jurispr. Med. P. II. p. 588

ex Achoribus retropulsis epilepsia. Hagendorn. cent. 1. hist. 8. p. 14 Acida corrodunt ventriculum Garm. M. M. L. 2. tit. 1. §. 24 Acida diuersa cur diuersa metalla soluant? Becch. Ph. S. L. 1 S. 5. c. 2.

n. 107. 108. p. 354

Acidi & Alcali natura. Blegny Zod. gall. ao. 1682. Jul. Aug. Sept. Oct. it. ao. 1683. Apr. p. 73. feqq. it. Maj. p. 91. feqq.

Acidi fucci in ferum fanguinis actio. A.N.C. cent. 5. p. 178 Acidorum nimius ufus foetui noxius A. N.C Dec. 1. ao. 2. obf. 149 Acidule quid fint? Becch. Phyf. fubt. CI. 1. Sect. 6. c. 2. p. 531. Sturm.

phyl. Hypoth. Tom. II. p. 1121-1123. Kircher. Mund. fubt. L. 5.p. 247. & Hamel. de Meteoris p. 18-19

ex Aciculis deglutitis vomitus cruentus caufatus infuso Arnicæ curatur. A. Berol. Vol 1 p. 53

de Acicularum & Nummorum deglutitione. Alberti, Prax, Extempor. Cal, 14. Acidu-

Acicula deglutita, vid. Acus. Deglutitio. Acicula deglutita. A. N. C. Dec. 1, ac. 4. obf. 86. it. Dec. 2. ao. 7. obf. 106. Hagend. cent. 1. hift 81 Aciculæ deglutitæ varia exempla, Rejes qu. 92, p. 1177, 1178, n. 2, Reusnerus obf. med. 56 Aciculam oesophago infixam detrudendi modus, A. N. C. Dec. 1, 20, 3. obi. 141, 223 Acicula fine noxa deglutita. ib. Dec. 2. ao. 3. obf. 59 Aciculæ deglutitæ per urinam excretio ib, cent, I. p. III per anum emifiæ. Blegny Zod. gall. ao. 1680. Apr. obf. s. Acicula deglutita per inguinis abscessium exitum quærens. Ruyschii obf. anat. chir. obf. 55 Acicula prodiens ex absceffu vmbilicali, A. Berol. Vol. 6. p. 73 per crus post annum egrediens. Rod, a Castro de Morb, mul, c. 26,-Schol. Acidula & thermæ quid fint? Becch. Ph. S. L. I. S. 2, c. 1, n. 3. P. 44. & S. 6. c. 7. p. 532 Acidula Würtenbergica. A. N. C. cent. 1. p. 358 Acidularum Egranarum laus. A. N. C. cent. 9. p. 275 Acidularum copia tanta vnde? Becch. Ph. fubt. L. I. S. 2. C. I. n. 5. p. 45 fingularis operatio. A. N. C. cent. 5. p. 32 ab Acidularum usu varia symptomata, quæ excoriationi cutis non sanatæ fupervenerunt. Gabelch. cent. 1. cur. 48 Acmellæufus A. N. C. cent. 1. p. 285. app. Aconitum venenum vegetabile. Albert. Jurispr. Med. P.I.p. 261. 9. 21 Acrochirismus quibus hoc exercitium apud Hipp. constabat. Lang. L. 1. Ep. 52. p. 266 Aculei foramen in Scorpione Africano, A. N. C. cent. 3. p. 58 Acum, qua cadaver in funebri veste fuit consutum, ad impotentiam virilem caufandam ufurpant. Kornm. M. M. P. 5. C. 22 Acus deglutitæ varia exempla. Rejes qu. 92. p. 1177. 1178. n. 2 NB. vid. Natura. Deglutitio, Acicula. Acus deglutita ex crure erumpens. Meinichen. obf. 21 Acus deglutita postmensem per cervicem circa aurem exclusa, Rej. qu. 92. p. 1176. n. 1. intra vesicam intrusa, A, N, C, cent, 5, obf, 42

Acus

Acus per magiam in brachium intrufa. A. N. C. Dec. 3. ao. 2. obf. 55 diu fine moleftiis in corpore retentæ. Hild. c. 6. obf. 36 cum urina excreta. A. N. C. cent. 1. p. 11. oder obf. 43. it. Dec. 1. ao. 2. obf. 3. p. 4

Acus deglutita A. N C. Dec. 1. 20. 4. obf. 86. M. Donat. L. 2. c. 12. n. 223 crinalis tartaro oblita ex vesica extracta. A. N. C. c. 1. obf. 94. p. 183 sutoria in corde vaccæ reperta. A. N. C. cent. 9. p. 462 per infolitas vias excreta ib. Dec. 1. 20. 2. obf. 74

aliaque aliena deglutita. A. N. C. Dec. 1, ao 3. obf. 141, vid. Acicucula. Deglutitio.

Acusticum cornu. L.ent. latr. p. 6

8

Adamas impolitus deglutitus cruentam dejectionem, tabem, mortem attulit. Z. Luf. P. A. L. 2. obf. 18

Adamantis innoxia deglutitio A.N. C.Dec. 3. 20. 9. obf. 97 Adami status ante lapfum. Luther. Tom. IX. Altenb p. 31. b.

Adamus vbi creatus fuerit? & nomen ejus. Kornmann, M. viv.p. 6

Adamum & Hevam Hermaphroditum fuisse & fexum ob peccatum

divisum fuisse afferuit Martinus Polonus, vid. Rejes. Camp. Elys. qu. 48. p. 593

Adipsa antiquorum quæ fuerint, famis & sitis remedia. Lang. L. 2. Ep. 28. p. 679

Admirandus morbus. Blegny Zod. gall. ao. 1682. Mart. obf. 4

Adolescens utrum in passivis qualitatibus perveniat ad mediocritatem, Braov. P. I. disp. 4. Sect. 5. p. 124

Adstringentia & Roborantia. Smet. Mifc. L. I. Ep. 3

Adstringentia in prima mensa sumta alvum sistunt, in ultima alvum provocant. Zac. Lus. M. P. H. L. 2. hist. 80. p. 324. seq.

Adstringentium usus in gravi Hæmorrhagia nafi enormem intumescentiam profert. A. N. C. Dec. 2. ao. 8. obs. 226. p. 82. §. 3

Aduncas nafus prominensque in magnatibus fignum prudentiæ & felicitatis. Garm. M. M. pag.82. 83. Porta.Phyfiognomia hum. p. 152

Adulterii fæminarum probatio in veteri Teftamento. Korman. Mir. viv. p. 261

Advocati an omnia defendere debeant? Alberti Jur. Med.P. I.p.392. §. 2 Advocati confessionem spontan. male applicantes. ibid. P. II. p. 67 Advocatorum officia circa res medicas, ibid. P. I. p. 6, §. 23

Advo-

the second se
Advocatorum stratagemata iniqua in casibus Medicis legalibus. Alber
Jurispr. Med. P. I. c. 18. p. 300. feg.
& quid contra illa a Medico observandum. p. 394. §. 5
Advocatorum figmenta contra Medicos. ib.P. I.p. 367. 0.9. 10. it. p. 400 S
Advocatorum cavillationes contra Medicos.ib. P. J. p. 401 & 16
Advocatorum allegatis an statim fides habenda? ib.P.I. p. 398. §. 12. 13
All surgers and some start of the second start
Ægagripilorum virtutes cohibendi fanguinem intra venas. Lent. Mif
Med. p. 381
Ægilops. Plater. obf. L. 2. p. 356. 357
Æger prius animæ, quam morbi curam habeat. Rejes qu. 13. p. 143.144.15
Auguatoris inconstatius eit vius potuum refrigerantium, quam aque v
tæ. Blegny Lod. gall. ao. 1682. Apr. obl. 2.
de Are. Reinzer. Meteorol. diff. 12. qu. 12. p. 294
in Aëre infolita simulacra conspicua. ibid. Meteorol. diff. 5. qu.8.p.9
In Aere colores apparentes. Keinzer. Meteorol. ditt. 5 du 2 p 70
Aer an ex cadaveribus hominum aut brutorum inhumatis contagiofu
reddatur. Garm. M.M.L. 2. tit. 2. §. 80.
vid. Cadaver.
in montibus altisfimis subtilis. Garm M.M.L. 2. tit. 3. §. 1
an in cerebrum pertingat!ibid. §. 57.58
an cum cibis in corpus nostrum penetret? ibid. §. 59
an grauis, an levis?ibid. §. 62
Aëris fal Joëlis. Barth. cent. 2. Ep. 42. p. 531
vis in fanandis fiftulis. Barth. A. H. Vol. 3. obf. 43
noxain gravidis. A. N. C. cent. 1. p. 48
vfus ad vitam humanam. Becch. Ph. S. L. I. S. 3. C. 4. p. 162
inspirati emissio ex aure sinistra suppurata. A.N.C.Dec. 1.ao. 6.obs.8
ex Aëre folo viuentes. Kornm. M. viu. p. 122. feq.
vivacitas. Becch. Ph. S.L.2. S. 5. c. 1. n. 45. 46. p. 289. vid. Nutrio.
Sympathia & Antipath. Becch. Ph. S. L. I. S. 3. C. 4. p. 162. 163
in Aëre navigare. Garm. L. 2. tit. 3. §. 62. 63
Aëris acceffus ad vulnera noxius. Alberti Jurispr. Med. P. II. p. 280
Aërem in pulmones impelli, non attrahi. vid. Pulmones.
Aër an per infpirationem vafa fanguifera ingrediatur, & cum fudore
per poros cutis egrediatur? Hift. Acad. Reg. Scient. ao. 1700.p.454 Garmann. Mir. mort. L. 2. tit. 3. §. 55. 62
Aër

Aër negativam tenent. Andr. Cæsalp. L. 5. quæst. peripat. 4. fol. 121. Cafp. Hoffmann de viu Part. L. 6. n. 385. Herm. Conringius de calido inn. c. 10. p. 99. Ant. Linden difp. Phys. 42. S. 34. difp. 57. S. 7. Highmorus difquif. Anat. L. 2. P. 2. C. 9 denfatus non convertitur in aquam nec rarefactus in ignem. Rohaultus Tr. phyf. P. III. c. 3. §. 8. P. I. c. 12. §. 39 Aëris grauitas. Garmann. mir. mort. L. 2. tit. 3. §. 62. Sturm. phyf. hypoth. Tom. II. p. 143. fegq. de Aëris altitudine. Weigelius in sphæra Euclidea L. 2. c. 4 Aëris elasticitas. Rohault. Tr. phys. P. I. c. 12. §. 34. feqq. Clericus phys. tit. 3. c. 1. §. 10. p. 190. Hamel. phyl. general. p. 297. fegg. Sturm. phyf. Hypoth. Tom. 1. p.329 in Areo vafe legumina cocta lethalia. Rhod. c. 3. obf. 95 ex cibo cocto noxa A. N. C. Dec. 3. ao. 7. obf. 102 ex Ære varia in officinis. Garmann. mir. mort. lib. 3. tit. 2. §. 71. feq. Ærug inofa fubjecta quafi venenata. Alberti Juris. Med. P. I.p. 260. §. 20 Æsculapii fimulacri explicatio. Rejes qu. 3. p. 64-66 Æsculapio cur gallus facrificabatur? Rejes qu. 3. p.66. 67 Ætites lapis remed. contra abortum. A. N. C. Dec. 2. ao. 9. obf. 80 Ætas utrum fit menfura durationis vitæ humanæ. Brauv P. I. difp. 4. Sect. 1. Refol. 1. p. 116 Ætates utrum fint quinque ibid. Refol. 2. p. 118 Ætatis dijudicatio quomodo fieri debeat. Alberti Jur.M.P. I. p.1370. §-2 Ætatis morbi. vid. Morbus. Æternitas mundi. Smet. Mifc. L. 2. c. 18 Ætheres anima vocantur. Garm. M. M. L. 2. tit. 10. §. 76 Ather. Io. Clericus phys. L. I. C. 12. S. 10 AF. Africana animalcula rara recens allata. Blegny Zod. gall. ao. 1681. Aug. obf.3 Affectum, sub quo animalia quædam interemta sunt, remanere in ipsorum partibus. Campanella de fenfu rerum L. 4. c. 9 AG. Agilitas mira quorundam hominum. Kornm. Mir. viv. p. 256 Agni casti seminis efficaciamin oestro venereo extinguendo & castitate concilianda merito dubiam declarat Aman. in Iren.qu.2.p.37 Agnus vegetabilis an detur, & a quibus describatur. Frank. Sat.p.233 Agros hermaphroditus. A. N. C. Dec. 3. ao. 9. obf. 252

Agros pinguefaciunt cadavera. Garm. M. M. p. 118. §. 186 Agrypnia diuturna ex nimio tabaci víu. A. N. C. Dec. 1. ao. 3. obf. 185
AH.
Abeni fundum quare deurit, quando aqua incalefcere incipit? quare non deuritin fummo aquæ fervore? Blegny Zod. gall. ao. 1682 Mart. obl. 2
AL.
Alabastri larga comestio innoxia. A. N. C. cent. 3. p. 126
Alapa lethalis. A. N. C. Dec. 1. ao. 7. obf. 207. it. ao. 2. obf. 122. p. 203. it.
Frank. p. 523. it. Blegny Zod. gall. ao. 1682. Febr. obf. 5. Alberti Ju-
rispr. Med. P. I. p. 302. §. 32
cæcitatis caula. Zac. Lul. P. A. L. I. obl. 52. Franck. p. 518-527
Lipothymiz caufa. A. N.C. Dec. 1. ao. 2. obf. 122
Apoplexiz & mortis caula. Hild. cent. 6. obl. 11
A labe grammatica & onomatologica tractatio. Frank. p. 514. 517
Alapæ Christi, quatenus Theologi deillis agant. Frank. p. 511
quatenus ICti agant. ib. p. 511-513
quatenus Philosphi eas tractent. Frank. p. 513
usus medicus. Frank. p. 513. 514
Alapam defiderans a marito grauida. Camerarius cent. 2. Syllog. rer. mem. §. 32
Alapa furditatis caufa. A. N. C. Dec. 2. ao. 5. obf. 95
Alapis dentes excutiuntur, cousa hæmorrhagiarum, vomitus, cæci-
tatis, surditatis, fatuitatis, epilepsia, phrenitidis, apoplexia, abor-
tus.hæmoptyfeos, mortis. Frank. p. 518-527
Alapa medicina odontalgiæ. A. N. C. Dec. 2. ao. 9.0bl. 197
curatur Febris. A. N. C. Dec. 3. ao. 2. obf. 202
Albuginis remedium. Zac. Luf.P. A. L. I. obf. 60
Albugo in pupillæ fede vifum præpediens. Plater. obf. L. I. p. 105
Albus Fluor. vid. Fluor.
Alcaheft. Beech. Ph. S. L. I. S. 3. C. 4. p. 155. 156
liquoris differentia & Mercurii Philosoph. Becch. Ph. S. L. 1. Sect. 3.
c. 4. p. 160 liquoris cujusdam adfinis præparatio. Becch. Ph. S. L. 1. S. 3. c. 4. p. 161
Alcali & acidi natura. Blegny Zod. gall. ao. 1682. Iul. Aug. Sept. Oct. it.
ao. 1683. Apr. p. 73. feqq. it. Maj. p. 91. feqq.
Alcali natiuum. A. N. C. Dec. 1. 20. 10. obl. 194. n. 19
B 2 Alcali

π

12	AL.
Alcaliv	itriolatum. ib. cent.1. p.403
Alcalina	e Tincture. A. N. C. cent. I.D. 400
Alchym	ie origo & destillationis aquarum ac olei cum eius modie ac
VII	IDUS. Langius L. I. Ep. 53. p. 269
de Alch	ymiftis judicium. Becch. Ph. S. L. I.S. 4. C. I. D. 18. n. c
Alexiph 3.0	barmacum stercus humanum adversus venena. Zac. Lus. P.A.L.
Alexiph	armaca circa dies criticos utilia. Alberti Iur. Med. P. II. p. 593
Alima a	intiquorum quæ fuerint, famis & sitis remedia. Lang. L. 2. Ep.
28.	p. 679
exott	um ad venerem stimulandam. Zac. Lus. P. A. L. 2. obs. 125 ibus. Blegny Zod. gall. ao. 1681. Jun. obs. 4
hi	ta tenuia an debeant præcedere crassa. Zac. Luf. M. P. H. L. 2. A. 80. p. 325
Aliment	orum varietas an pro fanitatis tutela utilis fit. ib. p. 326
Aliment	um ut fano robur, fic febricitanti morbus. Hipp.Sect. 7. Aph.65
Alindefi. 52.	p. 266
Alkerm	es confectio & ejus præparatio. Hild. c. 6. obf. 23
Aliptica	Hydrargica. Z. Luf. P. A. L. 2. obf. 135
Allanton	dis tunicæ constitutio & historia. A. N. C. cent. '1. p. 433. &
cen	IL. S. D. 231
tit,	aufa mali odoris in homine, qui illud comedit. Garm. L. 2. 8. §. 44
cen	atiflimum præfervatorium a calculo. A. N. C. cent. 1. obf. 55. it. it. 1. p. 126
Alliiufu	sin calculo. Barth.cent. 4. ep. 39
Alliariæ	usus. Hildan. cent. 2. obf.94
Almyroa	les. Rejes qu. 68. p. 929. 930
Alni folia	a, fudoriferum topicum. Bor. c. 1. obf. 35
efficac	us nimius caufa urinæ cruentæ. Barth, A. H. V. 2. obf. 64 ia. Zac. Luf. M. P. H. L. 1. hift. 21. p. 36. b. 37. b. untiam qui ex veteribus defcripferunt. ibid.
Aloe free	quenter vtentes in magnos morbos non incidunt. ibid.
Alopeciæ	remedium utile est Nicotiana. Zac. Luf. M.P.H.L. 1. obf. 1. p.3.a.
Alpinim	uris anatome multa notabilia detecta. Hildan. cent. 6. obl. 97
Alteratio	mentis sub plagis lethalis. Alberti Jur. Med. P.II.p. 395. seqq. Alter-
17 61	

and a state and a state of the
Alternatio menfium & hæmorrhoidum ibid. P. II. p. 494
Altheærad. acrimonia. A. N. C. Dec. 1. ao. 10. obf. 100
Aluminis fpecies. Solenandri Conf. Med. Sect. 5. conf. 18
Alumen sterilitatem conciliat. Barth. A. H. V. 4. obf.41
putredinem cohibet. Becch. Ph. S. L. I. S. 5. c. 1. n.36.p. 284
de Alumine. Reinzer. Meteorol. diff. 12. qu. 3. p. 253. Marxius in der Dias
terialien=Cammer. Garm. L. 3. tit. 2. §. 87
Alvus a purgantium odore mota. Lent. Misc. Med. p. 222
Alvi adstrictionis mira exempla. Rejes. qu. 87. p. 1134
aditrictio contumacifima curata. A. N. C. Dec. 3. ao. 9. obf. 28
Alvi fluxus ab intermissa vacuatione, aut ab asperitate annuli devorati
concitata. Zac. Luf. M. P. H. L. 2. hift. 84. p. 331
ex fordido vlcere concitatus. ib. hift. 85. p. 332
biliofus fola Salvatellæ fectione curatus Zac. Luf. M. P. H. L. 2. hift.
81. p. 328
fluxus nec alia vacuatio in febribus tentanda ante ventriculi lafio-
nem aut debilitatem ablatam. ibid. hift. 82. p. 328
fluxus ex debilitate unius brachii fubortus auxilio roborante fana-
tur. Zac. Luf. M. P. H. L. 2. hift. 76. p. 323
fluxus cerebralis finapismo in capite curatur. ibid. p. 319
fluxus periodicus. A. N. C. cent. 1. p. 134
fluxus lapidosi historia. Z. Lus. P. A. L. 3. obs. 133
fluxus pinguis. A. N. C. Dec. 1. 20. 2. obf. 20
fluxus admirandi. M. Donat. L.4. C. 20
fluxus cum magna inappetentia Gabelch. cent. 3. cur. 53
fluxus variarum materiarum. Gabelch. cent. 3. cur. 73
fluxu Pleuritis curata. Zac. Luf. P. H. L. 1. obf. 114
in Alvi fluxu conclamato num cauftica per sedem infundenda. Zac.
Lul. M. P. H. L. 2. hift. 85. p. 332
in Alvi fluxu per esum ceparum, aut muriam per clysterem injectam
cauftica proficua & noxia fuerunt. ibid. p. 334
in Alvi fluxu sanguinis missio proficua. Zac. Luf. M. P. H. L. 2. hift. 81.
P. 327 Plura de Alui fluxu. vid. Diarrhaa.
Alvus urinam emittens. Hild. cent. 5. obf. 47. vid. Vrina.
Alvina excrementa per genitalia rejecta. A. N. C. Dec. 1. 20.4. obf. 157.
vid. Excrementa & Vrina.
Aluina

Aluina

14	
	ta per finum muliebrem ejecta. A. N. C. Dec. 3. ao. 7.
obf. 213	States States and A to a find of the of the
Alvina cruorisni	gricantis & fere picei dejectio, e vomitu fanguinis re-
preno. A. N.	C. Dec. 1. ao. 10. obf. 20. p. 71
Alvi depolitio per	fcrotum. Barth. cent. 3. Ep. 5.
depolitio cum 1	anguine grumofo. Barth. c. 2. h. 70
	Barth. c. 4. h. 49. 11
	Tulp. L. 3. C. 18. 19
	A. N. C. Dec. 1. ao. 10. obf. 165. Salmuth. c. 2. obf. 93.
c. 3. obl.	I. Greg. Horft. Part. II. obf. med. L. 4. obf. 30. A. N.C.
	0. 1. obl. 103. Barth. c. 4. hift. 19. A. H. Vol. 2. obl. 39.
Reinefiu	
depolitio mira c	continet. Hild. c. 3. obf. 75
	oufone stupendo offium sceleti animalis. A.N.C.Dec.
1. a0. 3. obf. 12	
	erpente. Bor. c. 1. obf. 23. A. N. C. Dec. 1. ao. 6. obf. 190
depositio cum f	rustulis fætus. Tulp. L. 4. c. 48
cum pure a d	extri brachii ulcere. Rhod. c. 2. obf. 89
	nulis intestinalem tunicam referentibus. A. N. C.
cent. J. C	
	viridibus ceræ globulos referentibus in filiola
Coni. C	fundlingii.
	anis piper referentibus. A. N. C. cent. 1. p. 129. 130.
obf. 57	Australity range. Dematel and the
Alvus pigra. Bor. c	4. Obl. fo
	inaciffima. A. N. C. cent. 5. p. 30
Alvi constipatio. I	
	inax cum variis symptomatibus. Gabelch. c. 1. cur. 52
and the second state of the second state and the second state and the second state of the	maximis angustiis. ib. cur. 59
	nax. A. N. C. Dec. 1. ao. 10. obl. 53. it. Gabelch. cent.
2. cur. 6	C
	fu acidularum. Gabelch. cent. 2. cur. 52
	cilis. Gabelch. cent. I. cur. 41. 42
	tio. ibid. cent. 2. cur. 50
conitipatio in Ce	ephalæa. Plater. obs. L. I. p. 210
	. Salmuth. c. 2. obf. 65. 98. c. 3. obf. 26. Barth. c. 4. h.
	1. H. Vol. 4. obf. 60. Rejes qu. 87. p. 1134. Solenand.
Sect.3.Conf.29	Alus

AL. AM.

Contraction of the second second second and the second sec
Alvi obstructio contumax & gravis curata. A. N. C. Dec. 3. ao. 9. obs.
20 if cent 7 D. 47
obstructio cum vomitorio & suppositorio curata. A. N. C. Dec. I.
ao. 3. obf. 25
obstructio fumo tabaci curata. A. N. C. Dec. 3. ao. 1. obs. 52
obstructio cum mercurio crudo foluta. A. N. C. Dec. 1. obs. 157
obstructio lethalis. Z. Lus. P. H. L. 3. obf. 105. it. Rhod. c. 2. obf. 82
obstructio lethalis ex cafeo. A. N. C. Dec. 1. ao. 10. obf. 182
obstructio abortus causa. Hildan. cent. 6. obs. 62
fuppreflio innoxia. Rhod. c. 2. obf. 81
obstructio diuturna in variolis innoxia. A. N. C. cent. 1. obs. 144. &
obstructio lethalis ex lapillis ceraforum. A. N. C. Dec. 3. a0.9.0bf. 211
obstructio iethalis ex lapinis ceratorum. A. H. C. Deci, uci yes and obstructio cum infigni ventris duritie. Gabelch. cent. 2. cur. 101
obstructio ex ulcere in intestino recto. A. N. C. Dec. 1. ao. 2. obs. 77
obstructio ab excrescentia in intestinis. A. N. C. Dec.1. ao. 6. obs. 97
Alvus fæpe ad 10. 12. dies fine fastidio adstricta. Hoechst. Dec. 9. C. 10
per Alvum glandulærejectæ. Hagendorn. cent. 2. hift. 21. p. 182
Alvi contumacia quibusdam familiaris. Hagendorn. c. 2. h. 22. p. 184
Aly fum. Lang. L. 2. Ep. 37. p. 730
AM.
Amara non omnia funt balfamica, nec bilis balfamica. Garm.M. M. L.
tit. 3. tit. 1. §. 12. 17
Amaurchs vid. vifus imbecillitas.
A miner manim patronas animi Reses CIII. 20, D 242
Amor tacitus juvenem ad deiperationem & venencium ipontaneum
adigens. Plater. obl. L. I. p. SI
Amor infanus. A. N. C. Dec. 3. ao. 1. Obl. 11
ocultus caufa aphoniæ. ib. Dec. I. ao. 6. obl. 136
nimius caufa fubitaneæ mortis. Korn. mir. mort. Part. IV. C. 8t
felis erga hominem. A. N. C. Dec. 1. ao. 6. obf. 162
animalium erga homines. Rejes qu. 45-p-535-536.Kornm. M. viv.p.207
ferpentis erga virginem. ibid. 'p. 207
Amoris eroticus affectus. Lang. L. I. Ep. 24. p. 11
immoderati paffio. Rejes. qu. 29. p. 347. 348
rhetorica descriptioibid. p. 350
Amorem indirecte diabolus excitare potest. Rejes. qu. 29. p. 357

id	MAAM.
Amor	e cur plerumque fæminæ persequantur eum, cui primum virgi,
1. 10 M CO.	nitatis iux norem delibarunt. Reles que 40, p. 480, feag
ex An	nore puellæ nimio mania in cæco. A. N. C. Dec. 3, ao. 9. obf. 17
deAn	ubra. Keinzer. Meteorol. dill. 12. qu. 3. p. 252
Amba	ri usu curatur ructus. Zac. Lus. P. A. L. 2. obs. 8
Amba	num cetis nocivum. Rejes qu. 84. p. 1090. n. 10. p. 1091. n. 11
Ambr	a. Becch. Ph. S. L. I. S. 6. c. 5. p. 514. Garm. M. M. L. 2. tit. 8. §. 74
gry	fea. A. N. C. Dec. I. ao. 10. obf. 194. n. 17. p. 459
gry	fea vegetabilis fubftantia creditur. A. N. C. Dec. 2. ao. 1. obf. 171
Amor	a quid? Garm. M. M. L. 2. tit. 8. §. 74
Amor	e virtutes. Rejes qu. 84. p. 1087. n. 2. 3
Amh	effentiæ vis hypnotica. A. N. C. Dec. 3. ao. 9. obf. 254
Amor	Mir. viu. p. 202. feqq.
Amh	fio fubitæ mortis caufa. Hild. c. 2. obf. 76. 77
Amh	fio. Diemertr. obf. 5. 22
Ambt	flionis remedia. Bor. c. 1. obf. 50. 76. A. N. C. c. 1. p. 188. app.
Amba	stio levis ex ufu remediorum frigidorum in Herpetem degene-
T	ans. Hild. c. 1. obf.99
Amen	tia aterrore. A. N. C. Dec. 2. 20. 0. obf. 67
Amen	tia fimulata. Alberti Jurispr. M. P. I. p. 201
Amen	tia non fimulata. ibid. P. II. p. 107. caf. 20
Amph	emerina febris. Rejes. qu. 68. p. 931
Ampu	llofa febris. Z. Luf. P. A. L. 3. obf. 15
Ampu	tatio brachii non confulta. Alberti Jur. Med. app. p. 50
Ampul	tatio manus. vid. Manus.
	tatio tibiæ.vid. Tibia.
Amut	eta per figna & characteres exprobrantur. Hoechft. Dec.3. p. 213-215
ebri	etatis. Zac. Luf.P. A. L. 3. obf. 127
per	medicamenta sunt fallacia Hoechst. Dec. 3. p. 215
Amun	a. Barth. c. 3. h. 62
	epliz. Barth. c. 4. h. 69
Amil	Re Transplance 1 T I
timut	atio. vid. Frank. p. 463.464. vid. Transplan-
Amula	ta antihæmorrhoidalia. Frank. p.461
Amygo	lalarum fignificatio, varia appellatio, & fynonymia. Zwing. diff.
p	. 114.115 Amygda-
The state of the	Ann ygus-

Amygdalarum felectus. ibid. p. 126 analyfis phyfico-chymica. ibid. p. 134-140 dulcium vius medicus. ibid. p. 141-157 Amygdale amaræ quibusdam animalibus nocivæ. A. N. C. cent. 1. p.194. app. Dec. 1. ao. 8. obf. 99 21mmen halten ob es erlaubt? vid. Laslans. it. Gerbers unerfante Sunden P. I. c. 431. P. III. c. 53. p. 1106. Scriveri Geelen=Schat P. III. p. 660. Erafmus in Colloqu. de puerpera. Schuppius p. 499 AN. Anas in ventriculo aurum habet. A. N. C. cent.1. p. 382 Anafarca ex febre. Hoechft. Dec. 3. c. 1. vid. Hydrops. ex scabie retropulsa. Lent. Misc. Med. p. 180 per absceffus curata, A. N. C. Dec. 1. ao. 8. obf. 73 vtile remedium rad. vincetoxici decoctum. A. N. C. Dec. 2. ao. 7. obf. 18 Anastomofin vaforum tractat Galen, de ufa part. L. 6. c. 17. Sim. Petrejus in nova demonstratione & vera Hift. Anastomosion vaforum. Anatomia an licita? Suryk. ufus modern. L.47. tit.12. §. 5 vegetabilium. Nehem. Grav. Dec. 1. ao. 8. p. 287. feq. infusoria. Bor. c. 4. obf. 6 mine and an interior statila to ter cholera defuncti. A. N. C. Dec. 3. ao. 7. obf. 180 fubmerfi. ib. cent. 5. p. 253 quomodo & quo tempore inftituenda? Garm. L. 2. tit. 2. §. II practica in demortuis ad indagandam morborum causam commendatur encomio. Garm. L. 2. tit. 2. §. 22. 25. A. N. C. cent. 5.p. 396 ab Helmontio improbatur, qui propterea refutatur. Garm. L. 2. tit. 2. 5. 23. 24 commendatur, & simul Bartholini conatus & Boneti opus laudatur. Garm. Lib. 2. tit. 2. §. 25. 26 ab ipfo Helmontio tractata. Garm. L. 2. tit. 2. §. 27. 28 infectorum est nociva, it. pestiferorum, scorbuticorum. Garm. L. 2. tit. 2. 9. 45 ad Anatomiam Medicis cadauera concedenda. Rhetus Difp. de Medicis c. 2. §. 21. it. Stephan. de Iurisdict. L. 1. c. 6. n. 140. feq. it. Gomez. varior. refolv. Tom. 3. c. 14. n. 9. Berlich. concluf. 48. n. 25. Carpz. Proc. crimin. qu. 137. n. 74. it. Feltner. de Cadav. infpic. c. 26. §. s. 6. it. Ziegler. discept. felect. Themat. XI. de eo, quod justum est circa.

circa mortuos. c. 4. th. 47. p. 460. it. Schwendendörfferi Medicorum anatome jure divino licita. it. Spenet. Theol. Bedencten. P.II. c. 3. art. 3. Sect. 15. p. 367. Kornm. M. M. P. IX. c. 35 inter Anatomia opus reviviscentium exempla, Marc. Donat. Hift. Med. mir. L. 7. c. 11. Cornarius Tr. de hift. admir. rar. hift. 1. 2 Anatomici an raro longævi fiant? Garm. L. 2. tit. 2. §. 10. 11. 13 qualiliquore balfamico pro cadaveribus fuis hyeme & aftate vtantur? Garm. L. 2. tit. 2. (.12 Anatomicorum longævorum exempla. Garm. L. 2. tit. 2. §. 14 Anatomie præftantia & vtilitas. Z. Luf. M. P. H. L. 6. hift. 4. p. 922 inuentores, cultores & illustratores. ibid. Amatomia viva. Zac. Luf. l. c. utrum ad Medicum aut Chirurgum fpectet. ibid. p. 945 & Chirurgia quousque Medico forensi funt necessiariæ. Alberti Iurispr. Med.P.I.p. 10. §. 7 Anatrope ventriculi in nephritide & crurum flupor. Lang. L. I. Ep. 45. p. 223 Androdus a leone fervatus. Kornm. Mir. viv. p. 288 Androgynos. Blegny Zod. gall. ao. 1679. Aug. obf. 8. vid. Hermaphroditus. Androgyna foemina aliam imprægnavit foeminam. Sim. Imp. Conj. c. 2. th. 3. n. 20. c. 6. h. 6. n. 5 Aneurisma arteriæ magnæ. A. N. C. Dec. 3. ao. 5. 6. obf. 179. it. cent. 1. p. 188. it. cent. 9. p. 142. cent. 1. obf. 96 curatum feliciter. Blegny Zod. gall. ao. 1681. Febr. obf. 3. it. Mart. obf. 3. it. Maj. obf. 1. it. Barthol. cent. 1. ep. 53. Plater. obf. 111. p. 643. Hild. cent.3. obf. 42--44 feliciter a se curatum. A. N. C. Dec. 3. ao. 9. obf. 177 carotidis curatum. ibid. cent. 3. p. 150 genu curatum. ibid. cent. 3. p. 39 nafi post variolas. Barth. A. H. V. 2. obf. 81 arteriæ magnæ in thorace a contusione & fractura costarum. A. N.C. Dec. 3. ao. 9. obf. 162 Aneuri/matis hiftoria. A. N. C. cent. 5. p. 128 Angelorum bonorum munera & potestas. Cleric. Pnevmatol. Sect. 2. c.g. Spen. Lautert. des Ev. Chriftenth. P. I. Domin. Invocav.p. 414. feq. Angeli gratum odorem de se spargunt. Garm. L. 2. tit. 8. §. 16 Angeli fuerunt primi mundi motores: Becch. Ph. S. L. I. S. I. c. 3. n. 7. p. 25.26 Angi-

Angina. Gabelchov. cent. 3. cur. 63 annua præfervatur fonticulo. Zac. Luf. P. A. L. I. obf. 97 canina fcarificatione & V. Sne curata. Zac. Luf. P. A. L. I. obf. 94.95 interna. Tulp. L.I.C. ST States and south mirabilis. Bor. c. 4. obf. 60. M. Donat. L. 3. c. 6 - ex retentione muci narium. A. N. C.cent. 1. obf. 61. p. 134 præfocativa intra 4. horas interficit. Zac. Luf. P. A. L. 1. obf. 96 Bronchotomiam utilem agnofcit. Barth. cent. 1. Ep. 81. p. 345 jugularibus fectis fanata. Zac. Laf. M. P.H. L. I. hift. 73. p. 131 ex menfium fuppreffione, V. Snein pede curata. ibid. hift. 75. p. 134 Angine post dyfenteriam cura periculofa. Hild. c. 3. obf. 27 Anglicanum Sal purgans Ebfomenfe. A. N. C. cent. 3. p. 397 Angues e medulla hominis spinali. Garman. Mir. mort. L. 3. tit. 1. S. 126 Anguillæ ufus Medicus. Frank. p. 157--163 corium in fuffimigio contra uteri prolapfum. Corbejus Gynæc. L. 1. c. 6. p. 127. Franken. p. 159 hepar partum promovet. A. N. C. Dec. 1. ao. 10. obf. 35. Frank. p. 161. 162 exuvium vrinæ fuppreflionem curans. A. N. C. Dec. 3. ao. 2. obf. 196 efum qui commendent. Frank. p. 155--157 efus non eft falubris. Frank. p. 152. 153 cfus quales morbos caufetur. Frank. p. 153. 154 defcriptio. Frank. p. 142-164 ovarium. A. N. C. cent. I. p. 153. app. Angustia genitalium an fit virginitatis fignum? Alberti Lurispr. Med. P. 1. p. 63. 9. 4.5 genitalium unde interdum fiat. ibid. §. 4.5 genitalium artificialis & naturalis. ibid. §. 5 Anhelitus foctor. Diembr. obf. 36 difficultas ex gulævitio. Langius L. 2. ep. 43. p. 757 Anima hominis pertraducem creatur, & non est calor innatus cæleftis. Smet. Mifc. L. VIII. Ep. 6. 7 Anima hominis dicitur immortalis lux & ignis. Garm. L. 2. tit. 9. §. 15 Chrifti a virginis Mariæ anima provenit. Spener. Lautert. Evangel. Chriftenth. Feft. III. Nativ. Chrifti. p. 143. F. annunc. Mariæ p. 157. ejusd. Sonntags-Undachten F. III. Nativ. Chrifti p. 70. Epiftol. Sont. 21nd. F. Neu Jahr p. 88. F. annunc. Mar. p. 260

C 2

Anima

AU CALTO
Anima hominis an sit immortalis? Garm. L. 2. tit. 10. §. 16
hominis rationalis quo tempore corpori infundatur. A. N. C. cent.t.
p. 130. app. Rej. qu. p. 656
hominum quod extraduce proveniat, & quidem ex anima Adami,
qui afferuerint. Rejes qu. 51. p. 654. Thomaf. diff. de orig. Animæ Sect.
3. §. 157. quivero hanc sententiam refutarint. Rejes ibid. p. 16.
& 655.656
hominum creatur. Rejes qu. st. p. 655. n. 32
hoministertio, septimo, 30. 35. 40. 50.80mo conceptionis die quod a
Deo infundatur, qui adseruerint. ibid. p. 656
generationem perficit. Becch. Ph. S. L. I. S. 4. C. 5. p. 210. n. 6.7. Spener.
Wiedergeb. Pr. 60. p. 966. it. p. 1615. Lütkemann. P. II. c. 2.
eft caufa vitæ. Frank. p. 56. 57. vid. Vita.
& vita fimul. Thomaf. Not. ad Lancel. L. 4. §. 7. p. 2101
movens principium in corpore humano. A. N. C. Dec. 1. ao. 6. obf. z.
Becch. Ph. S. L. I. S. 4. c. 4. p. 210. n. s. Digby de immort. anim.
cap. 59
corpori imperat. Zac. Luf. M. P. H. L. 1. hift. 15. p. 28. b.
incorporea corpus movet. Garm. L. 2. tit. 3. §. 25
Animæ humanæ miræ potestates. A. N. C. cent.r. obs. 23
Anima hominis au sit incorporea. Garm. L. 2. tit. 10. §. 17. 18. Greg. Nyf-
fen. opif. hom. c. 15
potestesse in corpore fine operatione. Becch. Ph. S. L. L. S. s. c. I. n.
44. 45. p. 288. it. S. 6. c. 8. p. 768. Anima a corpore folutæ sensus auditus & visus tribuitur, quod Augu-
Anima a corpore louita lenius auditus & vilus tribuitur, quod Augu-
stinus de visione Genandii attestatur. Merkl. p. 37
aliquandiu in corpore defuncti commorari possunt. Garm. L. 2
tit. 7. §. 64
winculum cum corpore. Garm. p. 58. §. 83-90 æthereæ vocantur. Garm. L. 2. tit. 10. §. 76
Animam naturam effe, veteres statuerunt. Janus Huartus in Scrutinio
ingeniorum.
Animam causam vitæ naturalis este. vid. Spenerus Evangel. und Epistol.
Cont. Undachten P. III. Fefto3. pafch. p. 449. 450. Epiftol. Sont.
And. domin. 15. Trinit. p. 183. Lautert. Des Evangel. Chriftenth,
Tom. II. Feft. Vif. Mariæ p. 329. bon ber 2Biedergeb. sifte Dres
digt p. 880. seq.
Ani-

Anima perdendanon est ad corpus redimendum. Rejes qu. 46. p. 573.574 Anima mundi Platonica. Comment. Conimbr. in Lib. 2. Arift. de cælo cap. 1. p. 175 Anime & fanguinis relatio. Garm. L. 2. tit. 7. §. 121 interfectorum. Kornm. Mir. mort. P. 8.17 Animarum exilia post mortem quandiu durent. Garm. L. 2. tit. 10. §.38 purgatio quomodo post mortem fiat fecundum Ethnicos. Garm. ibid. §. 39 color post mortem quotuplex. Garm. ibid. §. 40 evocatio. Garm. 1. c. §. 43-50 Anima præsente præsens eft vita, & viceversa. Garm. Mir. mort. L. 2. tit. 7. §. 125 de Animarum transmigratione Pharifæorum aliorumque opinio. Kornm. Mir. mort. P. VIII. c. 32. 36 Anima & vita pro uno eodemque habentur subjecto. Rejes Camp. Elys. qu. 31. p. 366 Animarum ledes post mortem secundum ethnicos. Garm.L.2. tit. 10. 5. 19. 20. Animas post mortem alias quam humanas futuras. Garm. L. 2. tit. 10. §. 60. 61 impiorum in cacodæmones mutari, qui afferuerint. Garm, L. 2. tit. 10.6.65.66 piorum post mortem lucidas apparere. Garm. I. c. §. 67.68 fapientum maftra vehi. ibid. §. 72. 91 feparatascirca cadavera versari. Garm. L. 2. tit. 10. §.19.178 pott mortem circa corpora sua vagari, crediderunt etiam Christiani. Garm. ib. §. 21 post morrem fabis delectari, Pythagoræ opinio. Garm. ib. §. 24. 25 post mortem vel in orcum, vel in Elysium campum pervenire, qui credant. Garm. L. 2. tit. 10. §. 31. 32 poft mortem dormire quidam flatuerunt. Kornm.M.m.P.VIII.c. 35 Animæ an procellas in aëre vel in undis concitent? Lang. L.2. Ep.35.p.717 corpore folutæ, de his opinio græcorum & latinorum. Kornæ.M.m. P. VIII. c. 44 origo fecundum veteres Ethnicos. Garm. Mir. mort. L. 7. tit. 4. §.4 Anima an corpus informet, fi cor mortuum. Kornm. Mir. mort. P. Ans C 3 VII. C. 57

Animam triplicem refutavit. Joh. Bodinus in theatro naturæ Lib. 4. de anima p. 485. 487. 489

Anima & Spiritus convenientia & differentia occasione dicti S.S. Geist, Geel und Leib. vid. Lutherus Tom. I. Altenburg. fol. 758. Jenens. Tom. I. fol. 479. Spen. Theol Bed.P.I.c.2. art.5. Sect.2. p.451.152. Sect. 28. c. 1. p. 180. Sect. 74. p. 326. Sect. 1. p. 129. Part. II. c. 3. art. 4. Sect. 2. p. 389. c. f. art. 2. Sect. 18. p. 762. 770. Sect. 44. p. 895. Glaubens= Troft Festo 1. Pentec. p. 5. Epistal. Gont. Andacht. Fest. 3. Pentec. p. 492. Dom. 8. Trinit. p. 98. 99. von der Biedergeburt 62ste Pred. p. 997. leste Theol. Bed. P.I. c. 1. Sect. 50. p. 276. n. 3. Lauterf. des Evangel. Christenth. Fest. Visit. Mariæ p. 329. 330. Dannhauer. Hodosophia Ph. 5. p. 420

Anima brutorum quod sit ignea. Garm. L. 2. tit. 9. §. 16

brutorum noctiluca. Garm. L. 2. tit. 9. §. 14

22

brutorum divisibilis. Verulamins in hift. vit. & mort. art. 15. §. 32

- puerorum fine baptifinate decedentium. Kornm. M. m. P. VIII. c. 18 Animæ propagatio. Valent. Pand. Med. leg. P. I. Sect. 1. caf. 21. Spener. Diegergeb. p. 19. 127. 386. 773. 774. Thomaf. difp. I. & Chr. Thom. Not. ad Lancelot. L. 4. §. 7. p. 2101
 - propagatio per creationem & infusionem. Bellarmin. de amiss. grat. L. 4. p. 389

Anima a folo patre provenit. Mei fnerus Phil. Sacr.P.I.p. 921. Comachius de Anima c. 2. p. 48

a fola matre quod proveniat. M. W. Ck. Vrfinus Epift. Oswald. Vliani Progymn. de Anima creat.

Animam a patre & matre fimul provenire. Iac. Thom. difp. pecul, Sect. 4. §. 17

Animam propriam an fœtus in utero habeat. Aman. Iren. qu. 4. p. 55 Anima & spiritus diuisibilis. Acta Apost. c. 17. v. 26. Spener. Sontags:

Andachten Dom. Lætare p. 240. Glaubens-Lehr Dom. 13. Trinit. p. 1086. Wiedergeburth 23. Pr. p. 386. it. Pr. 48. p. 774. ejusd. Nachlefe Pr 6. p. 107

Animarationalis per traducem quod propagetur, primus statuit. Theod. Thummius, quem acerrime perstringit Wechtlerus de homine or. & occid. L. 1. disp. 9

Animam e semine patris a Deo creari aperte Lutherus fatetur.

Animal

ALL TO BY
Animal musica magnitudine præter lendes & pediculos in capillis ab-
feiffis repertum. Blegny Zod. gall. ao. 1682. Mart. obf. 19
Animalia putrescunt. Becch. Ph. S. L. r. S. s. c. 1. p. 266. n. 8
Animalium generatio falfa. Becch. Ph. S. L. I. S. 4. c. 4. p. 21. n. 10
cum vegetabilibus comparatio. ibid. L. n. S. s. c. r. p. 266. n. 8
ab Animalibus amati. Kornan. M. viv. p. 207. vid: Amor.
Animalia hyeme femimortua latitantia Ada Anglic. philof. p. 285. Mar-
cell. Donatus hift med. mirab. lib. 4. c. 12
Animalcula cur crefcant in rebus putrefactis. Becch, Ph. S. L. I. S. S. c.
1, n. 44. 45. p. 288. S. 6, c. 8. p. 768
rara ex Africa recens adlara. Blegny Zod. gall. ao. 1681. Aug. obf. 3
afellis fimilia per urinam in muliere excreta. ib. ao. 1682. Mart.obf.1
Animalia & vegetabilia, quomodoin terrafulphurea differant a mine-
ralibus. Becch. Ph. S. L. I.S. 3. C. 3. p. 134
Animi deliquium. vid. Lipothymia & Scotomia.
Animorum & morum cognitio Medico utilis. Alberti Jur. Med. P. I.
p. II. §. 10
Animi pathemata caufa purgationis. vid. Purgatio.
commotio causa nouæ rupturæ arteriæ antea vulneratæ & ferme
fanatæ. Hildanus cent. r. obf. 18
affectibus diversis dicatæ funt partes corporis diversæ. Rej. qu. 5. p.83
perturbationis variæ caufæ. Plater. obf. L. 1. p. 3848
passionum miri effectus. M. Donat. L. 3. C. 13
perturbatio ex imaginatione inventi Lap. Philof. Plat. L. 1 p. 48
Animatio foetus. Alberti Jurispr. Med. P. I. c. 6. p. 115-117. & cap. 2.
p. 177192
Animatio fortus & abortus. ibid. P. I. p. 121. & p. 408
Animatio foetus cum conceptione uno temporis termino contingit.
ibid. p. 137
Animationis tempus. ib. P. I. p. 122. S. 2. 3. p. 136. caf. 1. it. diff. Alberti de
hac materia:
Animi morbos describunt Perdulcus. it. Marinellus.
morbi ex philtris. Bonell. cent. 1. obf. 65
Annose difficulter pariunt, Hagendorn. cent. 3. hift. 1. p. 281
Anififemen & acini Alkekengi cum urina excreti. Hild. c. 3. obf. 72. vid.
Vrina: Wind Marken A in the state of the sta
Annulus argenteus morborum index. Lent. Mifc. Med. p. 299
Annuli medici. Rejes qu. 23. p. 247. 248 Annu-

Annalo aureo primus donatus fuerat ab Augusto Cæsare Antonius Musa. Rejes p. 13

Annulos gestandi jus Medicis concessure annulos gestandi jus Medicis concessure annulos gestandi jus Medicis concessure annus maximus Platonis. Garm. Mir. mort. L. 3. tit. 4. § 8. 9 Anniversarium fymptoma. A. N. C. Dec. 1. ao. 4 obs. 127 Annua tabes vernali calore soluta. Zac. Lus. P. A. L. 3. obs. 155

pleuritis Saphænæ Sectione curata. ib. obf. 116 Annus luctus (Erauer-Jahr) quot menses contineat, Alberti Jur. Med.

P.I.p. 157. 9.17

24

Anodyna quædam euporista non vulgaria, A. N. C. Dec. 1 ao. 6. obf. 171. officula porcelli auditus exficcata pulverista; Lac sullum potum & temporibus ac fronti tepide applicatum; cranium hum, pulvinari ægro inscio suppositum; succus Nasturt. aquat, cum aceto naribus illitus; pinguedo luci piscis naribus illita; aures leporinæ pulvinari suppositæ; linteola sanguine leporino tincta pone aures adhibita; was sich als eine grüne Galbe an die Muht-Mader hangt, temporibus illitum; semen fol, Hyosc, albi sub pulvinari,

vera. A. N. C. cent. 9. p. 396

Anomalia Hæmorrhoidum, Alberti Jur. Med. P. II. p. 425. cal. 36. & p. 443. cal, 49

Anomalia menfium convulfiva. ib. P. II. p. 494. caf. :48 Anorchin generat Monorchis. A. N. C. cent. 1. p. 418 Anorexia, Diemerbr. obf. 58

mirabilis. A, N. C. Dec 1. 20, 10. obf. 54 Ansfer domesticus cristatus. A. N. C. Dec 1. 20, 6, obs. 182

quadrupes. A. N. C. Dec. 2. ao. 4. obf. 41 Anferes ex arbore. Bor. c. 3. obf, 50. 4. 96 Anferum longævitas. A. N. C. Dec. 1. ao. 6. obf. 169 Anferis ex morfu noxa, A. N. C. Dec. 2. ao. 2. obf. 75 Antaphrodifiaca remedia, Rejes qu, 44. p. 527 Anthelmintica remedia, Rejes qu 36, p. 437. 438 Anthrax maximus benignus, curatus in fene. A. N. C. cent. 5. p. 58 Antopophagi, Kornm. Mir, viy. p. 169 Antiarthritica Ariftolochiærot, vis, A. N. C cent. 5. p. 112 Antidotum Mercurii, vnguentum ex auro, Zac. Luf. P.A, L., 2. obf. 136

Anti-

Antifebrilia carpis imposita. Rejes qu. 83. p. 1083. n. 2.3 de Antimonio. Reinzer. Meteorol. diff. 12. qu. 3. p. 254 Antimonii vires & usus. Smet. Misc. L. 2. c. 65. A. N. C. cent. 6. obf. 40. Bravo Confult. Med. 8. p. 294 Antimonii f. Stibii Paracelfici ufus refutatio. Smet. Mifc. L. 2. c. 66 Antimonium martiale diaph. Ludov. A. N. C. Dec. 1. ao. 8. obf. 72 Antimonium & acidis aliisque falsis solvi potest. Barth. A. H. v.2.obf.72 Antimonium furditatem & fatuitatem adfert. Hild. c. s. obf. 12 Antimonii calces. A. N. C. cent. I. p. 415 crudi usus medicus. ibid. cent. 5. p. 281 cerussa utilitas in ulceribus. ibid. Dec. 1. ao. 6. obf. 98 diaphhoretici virtus antipleuritica. ibid. Dec. 1. ao. 3. obf. 72 regulo cur stella appingatur. Becch. Ph. S. L. I. S. 6. c. 8. p. 815 Sulphur auratum & antivenereum. A. N. C. cent. I. p. '46 Antimoniata venenis adnumerata. Alberti Jur. Med. P. I. p. 258. §. 18 quænam præcipue offendant. ibid. P. I. p. 259, f. Antipathia cum anguilla. Frank. p. 152-155 gravidæ cum anguillis. A. N. C. Dec. 2. ao. 9. obf. 208 cum odore Rola. Rejes. qu. 84 p. 1089. n. 7-9 as. Ginta cum Mentha A. N. C. Dec 2. ao. 4. obf. 51. cent. 9. p. 435 cum Pœonia. A. N. C. Dec. 2. ao. 9. obf. 40 Brafficæ cum vitibus. Smet. Mifc. L. 2. c. 53 IN G. REFTR cum felibus. A. N. C. Dec, 2. ao. 2. obf. 50. & Dec. 1. 20. 3. obf. 146. Barth. c. 6. hift. 58. Smet. Mifc. Lib. 2. c 34 cum nomine suo proprio Barth. A. H. V. 5. obf. 15 opiatorum hæreditaria. A. N. G.Dec. 2. ao. 4. obf. 46 virginis cum baccis cynosbati. A. N. C. Dec. 2. ao. 7. obf. 149 cum cafeo. A. N. C. Dec. 3. ao. 3. obf. 149. vid. Cafeus. panis A. N. C. Dec. 1. ao. 2. obf. 144. vid. Panis. Abstinentia. fæminæ cum ferro, ex cujus contactu illa mox magno sudore obruitur. A. N. C. Dec 1. ao. 10. p. 456 ferpentum cum bufonibus. A. N. C. Dec. 1. ao. 1. obf. 137 & sympathia araneæ & felis. ib. ao. 3. obs. 146 araneæ cum bombice. A. N. C. Dec. 1. ao. 1. obf. 121 Berning aranez cum bufone Rejes. qu. 96. p. 1206. n. 10 cum perdicibus aflatis & fympathia cum vivis. A. N.C. Dec. 3 ao. 3. obf. 57.

Anti-

20 . AIV. MI.
Antipathia mortuorum inter fe. Garm. p. 102. §. 154-156 mortuorum cum vivis Garm. p. 105
Antipathie varize & curiofae. Barth. c. 3. h. 28. Zwing. D.p. 834. A. N.C.
cent. 1. p. 191. app. Dec. 1. a0. 1. obf. 135. it. Dec. 1. a0. 2. obf. 207.it. a0. 7. obf. 199. it a0. 10. obf. 47. it. Dec. 3. a0. 7. obf. 103
Anthrar in dorfo, Plater, obf. L. 2. p. 516
Antivenereum est Sulphur Antimonii auratum. A. N. C. cent. 1. p. 46 Anus vid, Podex.
Anus f. podex deficiens, Frank. p. 118. 119. A. N. C. Dec. 3. ao. 5. 0. ODI.
282. ao. 2. obf. 50 imperforatus. Bor. с. 1. obf. 77. А. N. C. Dec. 1. ao. 1. obf. н. Frank.
D. H8. 110
imperforatus apertus. A. N.C. Dec. 1, ao. 3. Obl. 257
occlusus & glans imperforata. ib. Dec. 2. ao. 7. obf. 8. 62. ao. 10. obf. 75 clausus in variis infantibus. <i>Rejes</i> qu. 91. p. 1173-1175. <i>Hildan</i> . cent. 1. obf. 73
imperforatus cum ventris tumefacti sacco, A. N. C. Dec. 3. ao. 5. 6.
Ani imperforatio, apertio & cura, cum cautelis circa illam. Frank. p. 119. Rejes qu. 91. p. 1173-1175. n. 1-3. p. 1176. Hild. cent, 1. obf. 73
dolores. Bor. c. 4. obf. 82 procidentia. Gabelch. cent. 1. cur. 71. vid. Procidentia.
prolapfus quomodo reducendus. Hild. c. 3. obl. 76
Anus claufus in puella. Rejes. qu. 91 claufus in puero. A. N. C. Dec. 3. ao. 5. 6. obf. 282
claufus in infante recens nato, cum defectu inteftini recti. A. N. C. cent. 13. p. 463
imperforatus caufatur, ut stercus per virgam sit excretum. Zaf. Luf. P.A.L. 3. obs. 72. Hildan. cent. 1. obs. 75
'Ano claufo excrementa per inguen egeri folita. Hildan. cent. 1, obf. 74. vid. Excrementa.
Anxiofa febris. Zac, Luf. P. A.L. 3. obf. 17 AP.
Apes, mortuo patre aut matre familias moriuntur. Kornm, Mir. mort. P. IV. c. 148
Apumictus. A. N. C. Dec. 1. 20. 8. obf. 67
velmorfus gangrænam adfert. Zac, Luf. P. A. L. 3. obf. 83 Apum

26 .

Apum ictus curiofa post se trahit symptomata. A.N.C.Dec.3.ao.7.obf.194 cinere superposito curatus. Zac. Luf. M.P.H.L. 5. hift. 10. p. 836 Aphonia Epilepfiam præcedens. Salmuth. c. 2. obf. 58 fubitanea recidivans & sponte curata. A. N. C. Dec. 1. 20. 3. obf. 121 ex vulnere pectoris. Blegny Zod. gall. ao 1680. Jun. obf. 18. 24 ex Gonorrhœa virulenta ortum trahens. Zac.Luf. P. A. L. 1. obf. 105. curatur, quæ eft ex nervorum recurrentium infrigidatione, Zac. Luf.P. A. L. 1. obf, 106 ex crapula. Hoech/t. Dec. 3. p. 250 ex variolis. A. N. C. Dec. 1. 20. 2. obf. 201 ex variolis post septennium restituta. A. N. C. Dec. 2. ao. 1. obf. 38 ex mensium vitio orta V. Sne curata. Hoechst. Dec. 4. cal. 1 ex V. Sneimprovida. A. N. C. Dec. 2. ao. 5. obf, 140-145 exiracundia. it. Dec. 2, ao. 3. obf. 49 exterrore. ib. Dec. 2. ao. 4. obf. 27 ex cafu ab alto. Hoechft. Dec. 4. caf. 5 ex amore occulto. A. N. C. Dec. 1. ao. 6. obf. 136 ex vermibus mirabilis. Z. Luf. P. A. L. 2. obf. 43 ex percuffione. A. N. C. Dec. 2, ao. 8. obl. 15 & Hemiplagia a Cholera triduana. ib. cent. 3. p. 5 periodica. A. N. C.cent. 3.p. 201 cum flupore corporis. Gabelch. cent. 1. cur. 26 ex Hemicrania Hagendorn. cent. 1. hift. 39. p. 67 Aphrodifiaca. Lent. Jatromn. p. 27 ludicre ordinantes Medici peccant. Simon Impot. Conj. cap. 2. th. 5. n. 19. legg. Aphthænon confundendæ cum infectione venerea, Alberti Jurispr. Med. app. p. 185 Aphtharum remed. euporifton. oleum raparum. Barth. A.H. V.4.obf 16 remed. crocus cum oleo amygd. dulc. mixtus. A.N.C. cent. 1. p. 187. app. Apoplexia cum fanguinis profusione ex ore & naribus, it. ex cafu. Plater. obf. L. 1. p. 13 Apoplexia fubitanea ex cerebro diffoluto & fluido. ibid. p 14 Apoplexia post tormina ventris. Hagendorn. cent. 1. hist. 29. p. 52 ex retentione urinæ. ibid. hift. 30. p. 53 in juvenibus, ibid, hift, 32. p. 57

D 2

Apo-

ab Apoplexia non femper liberant vomitoria. ibid. hift. 31. p. 55 Apoplexia fimulata. Alberti Jur. Med. P. I. p. 201. §. 9 ex tumore cranii. Barth. c. 4. H. 86. & mors ex alapa. Hild. cent. 6. obf. II ex comeftis fungis. Barth. A. H. V. 2, obf. 116 ex retropulfa scabie. A. N. C. Dec. 1. ao. 1. obf. 58 ex hæmorrhagia narium fuppreffa. Hild. c. 3. obf. II ex venere. A. N. C. Dec. 1. ao. 10. obf. 159 ex fubita confternatione animi. Hild. c. 6. obf. 12 a calculo felleo. A. N. C. cent. 3. p. 288 ex epilepfia. Blegny Zod. gall. ao. 1682. Jan. obf. 5 ex hæmorrhoidibus cœcis translatis. A. Berol. Dec. 11. Vol. 1. p.29 ex menfibus fuppr. lethalis. Zac. Luf. P. A. L. 2. obf. 104 ex menfibus retentis. A. N. C. Dec. 2. ao. 5. obf. 115 ob vermes correptus revixit. Zac. Luf. P. A. L. 2. obf. 42 epidemica. A. N. C. cent. I. p. 60 forti correpti interdum revixerunt. Rejes qu. 79. p. 1052, 1053 ex podagra translata. A. Berol. Dec. 2. Vol. 1. p. 31 Apoplexiæ quatuor species. Rejes qu. 719. p. 1031 cura. A. N. C. cent. 9. p. 368 admirandæ. M. Donat. L. 2. c. 6 Epilepfiæ, Cari, Comatis, Catochæ, Catalepfiæ, Lethargi, Phrenitidis, morborum capitis differentia. Lang. L. I. Ep. 25. p. 116 Apoplexiam fortem folubilem non effe, quomodo Hippocrates L. 2. Aph. 42, fit intelligendus, Rejes qu. 79. p. 1057. 1058. Ambr. Nunnez. com. 42. Aph. L. 2 Apoplexia bis curata tertio rediens lethalis. A.N. C. Dec. 3. a0.7. obf. 196 quinquies recurrens in muliere, restituta. A. N. C. Dec. 2, ao. 7. ob1.37 fanguinis miffione curata, Zac. Luf. P. A. L. I. obf. 20 Apoplecticus pro mortuo habitus post biduum reviviscit. Zac. Lus. P. A. L. 1. obl. 19. obl. 190 obvermes revixit. Zac. Luf. P. A. L. 2. obf. 42 Apoplectici pro mortuis habiti, quibus fignis explorandi, an adhuc vita præditi fint? Rejes qu. 79. p. 1054. n.9 anatome. A. N. C. cent. 9. p. 8. cent. 7. p. 78. app. Apoplecticus infultus pro veneficio habitus. Alberti Jurispr. Med, app. p. 97, cal. 17 Apo-

Apopletticis an motus corporis conveniat? Hoechft. Dec. 9. caf. 5. p. 328
Apoplectici post mortem læpe copiose sanguinem effundunt. Garm. L. 2. tit. 7. §. 28
in Apoplectico (sensibus adhuc pluribus prædito) deglutitio ablata. A.
N.C. Dec. 1. ao. 6. obf. 40
Apoplecticorum sternutatio non semper falutifera. A. N. C. Dec. 3. ao. 7. obf. 92
de Apoplexia vid. Franc. Bayle, Nymannus, Schneider, Wepfferus de Apopl.
Apositia, sive omnimoda potus abstinentia. Plater. obs. L. 1. p. 221. vid. Abstinentia.
Apostema internum. A. N. C. Dec. 3. ao. 7. obf. 57
in peritonxo. Lang. L. 3. Ep. 5. p. 987
ab intra erumpens per dorfum e vitio renum. A. N. C. Dec. 1. 20.6. obf. 39
Apostematio offium in dolore morbi gallici. Lang. L. I. Ep. 42. p. 200
Apostolorum linguas igneas fpiritus accentos fuille, qui alterant. Garma
M. m. L. 2. tit. 9. §. 17. Kornm. M. viv. p. 103 Appellatio ad Deum. Kornm. M. m. P. IX. c. 19. 20
Appetitus bonus. vid. Cibus.
Appetitus depravatus, feu Picain gravidis. Plater. obf. L. I. p. 223
Appetitus avidus cancros comedendi. A. N. C. Dec. 1. ao. 3. obf. 187
Appetitus vitiofus ex ulcere circa fauces. Hildanus cent. 1. obl. 37 Appetitu minime privato contabefcentia puellæ. Hildanus cent. 1.
obf. 70
Appetitus mire vitiofus. Hagendorn. cent. 1. hift. 100. p. 155
gravidarum an matris, an fœtus sit? Rejes qu. 60. p. 628-630 ciborum frigidorum cum siti, dolore stomachi & ventris. Gabelch.
Cent 2 Chir 47
nimius Spiritus vini sedatur ab aqua, qua mortuus lotus. A. N.C.
Dec. 2, 20 4 obt 146
Appetentia rerum alias nauseam adferentium & abominalium. Plater. obs. L. 1. p. 223
AQ.
De Aqua submersis Alberti Prax. Extempor. cal. 7 Mateorol diff. 0.
Aque quænam falubriores & præstantiores. Reinzer, Meteorol. diff. 9.
qu. s. p. 199 D 3 Aqua

Aqua. Jonston. Tavmatograph. Cl. 2. c. 3. 4. 6. Rohault. Tr. phys. P. III. cap. 3.

Aqua & Aër nutrit homines. vid. Nutrit. it. Vivere. Aqua falubris indicium. Lang. L. 1. Ep. 44. p. 219.

frigidæ ufus in balneo. vid. Frigidum & Balneum.Potus. frigidæ perfusio fphaceli &c. causa. Hild. c. 346. 50 frigidæ nimius potus causa Arthritidis. Gabelch. cent. 2. curat. 55 frigidæ potum mentis alienatio secuta. Hild. c. 4. obs. 38 frigidæ lotio causa Arthritidis.Gabelch.cent. 3. cur. 33 frigidæ lotio oculis noxia. Hildan. cent. 1. obs. 27 frigidæ potus post corporis exercitium, variorum symptomatum

caufa. Gabelch. cent. 4. cur. 26. Hildan. cent. 3. obf. 47. 48. 59 frigidæ cura eft periculofa in dyfenteria. Hild. cent. 4. obf. 43 frigidæ hauftus lipothymiam & ingentem ventriculi dolorem cau-

fatur. ib.cent. 5. obf. 29 dulcis balneum mors fecuta Hildan. cent. 6. obf. 96 frigidx an purgationis die exhibendx. Rejes qu. 74. p. 1005 frigidx hauftu febricitans fubito moritur. Hild. c. 3. obf. 48. ftygix hauftus exitiofus remediis domefticis curatus A. N. C. Dec. 3. ao. 7. obf. 77

Aqua paludofa rubicunda & fanguinolenta. A. N. C. cent. 1. p. 193. & 209. app. Garm. L. 2. tit. 6. §. 26

e capite multa excreta. Barth. A. H. V. 2. obf. 40 ex utero gravidæ duobus mensibus ante partum innoxie effluens.

A. N. C. Dec. 2. ao. 2. obf. 100. Salmuth. c. 2. obf. 59 aranea ebibita. M. Donat. L. 2. c. 12 mifcetur cum Vitriolo, Borrace, Nitro, & Sale. Becch. Ph. S. L. I. S.

2. C. I. p. 44

30

petrefaciens. A. N. C. Dec. 2. ao. 5. obf. 232. Rohault. Tr. phyf. P. III. c. 10. §. 13. Blefken. in defcriptione Islandiæ c. 6. p. 50. Lúcas in fuo Itinerar. Breyn. in Epift. de melonibus petrefactis Gaffendus in vita Peirefcii L. 2. Rzaczynski in hift. nat. curiof. regn. Poloniæ Sect. 1. Tr. 4. p. 116. Acta Er. Lipf. ao. 1722. menf. Januar. p. 13. 14. Acta Angl. Oldenb. ao. 1665. menf. Novembr. n. 5. p. 77. Happel. Relat. curiof. P. II. p. 586. Sach f. de mir. lap. nat. p. 70-81. A. N.C. cent. 9. obf. 82. Stúrm. phyf. hypoth. Tom. 1. p. 536. phœn. 6 petrefacta. A. N.C. cent. 9. p. 186

Agua

and the second s
Aqua qua mortuus lavatur fedat nimium & abusivum appetitum. A. N. C. Dec.ao. 4. obs. 146
centralis vaporofa & tepida eft. Becch. Ph. S. L. I. S. 2. c. 2. p. 65
Aque centrales in scaturigines abeunt. Becch. Ph. S. L. I. S. 2. C. 2. p.66
Aqua pluvialis. A.N.C. Dec. 3. ao. 7. obf. 44
Aque pluvialisefficacia. Zuc. Luf. M. P. H. L. I. hift. 7. p. 13. b.
Aque minerales afylum nonnullorum Medicorum. Alberti Jurispr. Med. P. II. p. 470
de Aque natura. Sturm. phyf. hypoth. Tom. 2. p. 204. Honor. Fabri
phyf. Tr. 5. L. 2. prop. 210. Gaffendus in animady. in 10. L. Diog.
Laërt. Cartesius in Princip. philof. P. IV. n. 48. & de Meteoris c. 1.
n. 3. Hamel. phyf. general. Tr. 1. diff. 3. c. 4. p. 89
Aque supracelestes. Pfeiffer. dub. vex. p. 5. seqq. Burnet. in histor.tell.
facr. L. 2. c. 8. p. 515. 516
ex Aque potu in tertiana pleuritis. Hagendorn. cent. 2. hift. 53. p.228
Aque medicate Canstadienses. A. N. C. cent. 1. p. 358
fulphurez Laurovienfes. A. N.C. cent. 7. p. 49
medicatæminerales lapidescentes aliæque. Reinzer. Meteorol. diff.
9. qu. 8. p. 211
minerales ardentes. A. N. C.Dec. 1. ao. 4. obf. 171
vitæ vires. A. N. C. cent. 3. p. 43
nitrofæ unde? Becch. Ph. S. L. 1. S. 2. C. 2. p. 82
Aquæ fortis potus correctus & curatus. Hoechst. Dec. 3. p. 226. A. N. C. Dec. ao. 4. obf. 119
Aqua fortis epota. Bor. c. 4. obf. 28. Alberti Prax. Extemp. cal. 25
ab Aqua fortinoxa. Hagendorn. cent. 3. hift. 81. p. 392
Aqua, quæ gravior, quæve levior. Garm. L. 2. tit. 3. §. 23
in qua corpora fubmergere non possunt. Garm. l. c. §.3
Aque Ægyptiorum. cur in fanguinem converse. Garm. L. 2. tit.7. §.39
fupra cœleftes. A. N. C. cent. 9. p. 543
marinæponderofæmelius ferunt naves, quam flumina. Garm. L. 2. tit. 3. §. 3
Aquarum præcipue marinarum splendor. Garm. L. 2. tit. 9. §. 59
de Aquarum circulo perpetuo. Sturm. phys. hypoth. Tom. II. p. 192.
224. 230
de Aquis calidis, Reinzer. Meteorol. diff. 9. qu. 7. p. 206

Aquis

The second se
Aquis cur innatent cadavera & pisces mortui. Kornm. Mir. mort. P.
VI. c. 2. Garm. L. 2. tit. 3. §. 70
an fagæ immergi queant. Garm. L. 2. tit. 3. §. 11. 14. 15. 41
immergi non potuerunt nonnulli martyres, quamvis pondera ipfis
appensa fuerint. Garm. l. c. §. 17
thermarum non immergi possunt gravidæ & varii valetudinarii ob
flatulentiam corporis. Garm. L. 2. tit. 3. §. 36. feqq.
fubmerforum hiftoriæ dijudicatæ. A. N. C. Dec. 1. ao. 6. obf. 130
fubmersi qua ratione aliquandiu sine respiratione esse possint. A.N.
C. Dec. 1. ao. 6. obf. 89. 192
ex aquisliberatio divina. Hagendorn. cent. 3. hift. 79. p. 389
de Aquis fubterraneis. Jonston. Tavmatogr. class. 2. c. 3. art. 4. p. 6r. Happel. relat. med. P. I. p. 154. Kircher. mund. fubterr. L. 4. c. 3. p.
186. & 431
Aquis submersi quando aliquandiu vivunt, foramine ovali utuntur.
A. N. C. Dec. 1. ao. 6. obf. 125
fubmersi in vitam redierunt. Garm. M.M.p. 13. A. N. C. Dec. 1. 40. 6.
obf. 20. ao. 6. obl. 75
fubmerforum indagatio cum pane in aquam rejecto, qui ibi fluctu-
are dicitur, ubi fubmerlus jacet. Fallopius. L. 3. Secret. c. 119. inve-
nitur fallax. Garm. L. 2. tit. 3. §. 48
fub Aqua viventes homines. A. N. C. Dec. 3. 20. 5. 6. obf. 71
Aqua communis rectificatisfima metalla folvit. Beech. Phys. S. L. r. S. 5.
C. 2. 11. 23
Aquarum spadanarum vis mirabilis in Hydrope. Zac. Lus. P.A. L. Z.
obf. 55 A reampling hibe confilii Pauli Anoftoli explication for a MCG
Aquam ne amplius bibe, confilii Pauli Apostoli explicatio. Smet. Misc. L. XI. Ep. 3. p. 604. 619
Aquarum differentia, commodum & noxa. Smet. Mifc. Lib. XI. Ep. 3. p.
604. feqq.
Aqua falfa quomodo in hydragogis canalibus dulcefcat Kirch. mund.
1ubterr. L.3. p. 175
cur difficilius congelet, quam dulcis. Rohault. Tr. ph. P. III. c. 4
Aquarum in parturiente mora. Hagendorn. cent. 3. hift, 11. p. 205
Aquilæ usus medicus. A. N.C. cent. 1. obs. 200
AR. mailing
Aranea carpis applicata antifebrile. Rejes qu. 83. p. 1083. n. 3
Ara-

and the second s
Aranearum elus innoxius. Rejes. qu. 63. p. 818. A.N. C. Dec. 1. ao. 2. obf. 10. ao. 4. obf. 85. Dec. 2. ao. 5. obf. 116. Dec. 3. ao. 3. obf. 55
14 plo- 10. Celle 3. p. 97
Aranee ictus f. punctura. A. N. C. Dec. 3. ao. 2. obf. 73. cent. 9. p. 131
Actus Actualis. A. IV. C. Dec. 7. 40. 4. ODI. 87
allumtæ cura. A. N. C. cent. 3. p. 30
antipathia cum bombyce, ib. Dec. 1. ao. 1. obf tar
antipathia cum bufone. Rejes qu. 96. p. 1206. n. 10. Erafm. Dialog. de
Aranei funt venenofi. Rejes L. C. D. 1206 Mercurial I A
Araneus deglutitus. Salmuth. c. 1. obf. 48. Bor. c. 1. obf. 81. cent. 3. obf. 19
an which will nutritio ex sere. A. N. L. Dec I so I obliss
ictus remedium præfentaneum falvia A N C Dec 1 co o al C
ab Araneis interfectorum urina telas aranearum an contineat. Rej. qu.
62. p. 807. 809
ex Araneo noxa. Alberti. Prax. Extempor. caf. XVII.
Arbor camphoritera. A. N. C. Dec. 2. 30. 10. obf. 27
Philofophorum quid? Becch. Ph. S. L. I. S. G. c. 8. p. 878
VOCITETA. BOT. C. 3. ODI. 03
an sterilescat, fi quis de eadem se suspendit? Garm. L. 2. tit. 2. §.71
Aroures in nomine nate. Der. C. I. obl. 10
pinguefaciunt cadavera. Garm. p. 118. §. 186
Arborum quarundam noxia umbra. Lang. L. 2 En 2 n Co.
Arcanum duplicatum falis Epfonienfis fuccedaneum. A. N. C. cent. 9.
p. 401
Archaus quid? Paracelf. in Labyrintho Medicornm c. 5
Architectorum mira exempla. Kornm. M. viv. p. 258. feg.
Ardor urinæ. vid. Urina & Stranguria.
Ardoris ventriculi remedium. Zac. Luf. P. A. L. 2. obf. 4
Avenulærubræ & tophi in Hepate, Plater, obf. 1. 2. p. 842
Arenam & calculos mingit puella. Blegny Zod. gall. ao. 1680. Jun
ODI. 26. VIG. Calculus.
Arenula cum fanguine excuntes. A. N. C. Dec. 2. ao. 9. obf. 86
Areno/us languis. Zac. Lu/. P.A. L. 3. obf. 54. vid. Canquis.
de Argento. Keinzer. Meteorol. diff. 12. au. 11. p. 287
Argentum ex limo generatum, Berg, Mild, Becch. Ph. S. L. I. Sect. 7. 6
S. p. 176

-

Argen-

Argentum in Aqua forti folutum spiritus urinosi additione variat odores. Becch. Ph. S. L. 1. S.4. c. 3. p. 205 vegetabile. A. N. C. Dec. 1. ao. 1. obf. 31. p. 257. ao. 2. obf. 113. p. 190. 191 conficiendi ars cum fulphure & Mercurio. Becch. Ph. S. L. I. S. 3.c. 3. p. 140 a rore inspissato, aureo colore tinctum. A. N. C. Dec. 1. ao. 3. obf. 249 Argenti, auri, & cupri differentia colorationis. Becch. Ph. S. L. I. S. 3. c. 3. p. 147 analyfis. Becch. l. c. S. 6. c. 8. p. 667 calx præcipitata non amplius in aquaforti folvitur. ib.S.3. c. 3. p. 137 ufus an in Electuariis an Tragæis falutaris. Lang. L. 2. Ep. 49. p. 789 vivi inunctio nervos opticos obstruit. Hild. c. 5. obs. 13. vid. Mercurius currens. Aridura & Atonia pedum ex affectu spasinodico corrupto. Alberti. Jur. Med. P. II. p. 463. caf. 43 Arietis seu vervecinus morbus. Gabelch. cent. 5. cur. 49 Arion Citharœdus fervatus a Delphino. Kornm. Mir. viv. p. 210. Aristain collo. Bor. c. 2. obf. 61 Aristolochiærot. vis antiarthritica. A. N. C. cent. 5. p. 112 rot. vis arthritica.ib. cent. 7. p. 424 Arma intoxicata. Garm. Mir. mort. 1.3. tit. 1. §. 44. vid. Venenum. Arnica lapforum panacea. A. N. C. Dec. 1. ao. 10. obf. 2 Ars & artificia diversa vina componendi. A. N. C. Dec.2, ao. 3. obf.82 Arfenicum. Becch. Ph.S.L.I.S. 5. 6. C.I. n. 44. Alberti Jur. Med. P. I. p. 255. S. 15 fublimatum peftis auxilium. Zac. Luf. P. A. L. 3. obf. 46. Lacuna in Dioscor. in præfat. L. 6 pro faccharo comeftum. Salmuth. c. 2. obf. 96 non eft certum amuletum antipeftilentiale. Hoechft.Dec. 3. p. 215.Augenius L. 9. Tom. 3. Ep. 1. Rejes qu. 66. p. 891 feli medicina. Salmuth. cent. 3. obf. 96 fine inflammatione necans, A. N. C. cent. 3. p. 283 Arsenici malignitas & periculofa applicatio in cancro, Hild. cent. 6. obf. 80.81 Arfenici vapor icterum producit. Zac. Luf. P. A. L. 3. obf. 79 funti venenum. A. N. C. cent. I. p. 60. cent. 9. p. 461. 462 Ar/e-

AR. 35
Arfenici noxæ. A. N.C.Dec. 3. 20. 9. obf. 220. Amat. Luf. C. 2. c. 68. it.
Foreft. L. 18. obl. 28
fumti cura. A. N. C. cent. 5. p. 76. it. cent. 3. p. 33
vis cito infracta. A. N. C.cent. 5. obf. 51
Arsenico oppositum euporiston. Barth. A. H. V. 2. obs. 104
Arsenici modus operandi & effectus. Alberti Jur. Med. App. p. 155
Arjenici albi damna. ibid. app. p. 37. 38
ex Arfenici incauto usu mors. Hagendorn. cent. 3. h. 80. p. 390
Arteriæ afperæ abscessus internus mire detectus. Hagendorn. cent. 1. hist. 88. p. 128
Arteriæ afperæ absceffus externus. ibid. hift.89. p. 129
Arteriam asperam prementes lapides. Kerkringius obf. Anat. 27
asperam premens nimia pinguedo. Bonetus lib. 2. sect. 1. obs. 46. p. 504 asperam coarctans tumor A. N. C. decur. 3. obs. 205
Arteriæ asperæ inflammatio. Rhodius obs. 28. cent. 2. & cent. 1. obs. 100
circa Arteriæ asperæ caput putamen nucis avellanæ inhærens. Hoch-
fetterus obl. 16. cal. 10. Tulpiùs lib. 2. cap.7
Arteria vulnerata & pene curata ex animi pathemate denuo rupta.
Hildanus cent. I. ODI. 18
In Arteriam asperam illapsa peregrina. Camerarius syllog. Memorab.
Med. cent. 15. Part. 19. 1eq. Stenkius obl. Med. lib. 2. p. 231.232
Arteriæ cerebri numerofiores, quam venæ. vid. Cerebrum.
Arteriæ non habent valvulas. Frank. bon. nov. anat. §. 48
Arteria incifa sponte confolidata & subsistens. Merkl. p. 25. Alberti Iur.
Med. P. I. p. 358. §. 5
in V. Sne læfa. A. N. C. Dec. 3. ao. 9. obf. 55
magna offea. ib. cent. 5. p. 306
Arteriarum jugularium mirabilis distributio. Hild. cent. 1. obs. 9
Arteriæ magnæ vulnus lethale. A N.C.Dec. 3. ao. 7. obf. 166
aortæ afcendentis rami quatuor. A. N. C. cent. 1. p. 433
cruralis læfio, vulnus. A.N.C. Dec. 3. ao. 7. obf. 125
axillaris læsio lethalis. Alberti Jur. Med. P. II. p. 597. 598
cruralis læfio mortis ad 14. dies dilatæ caufa. A. N. C. Dec. 1. 20. 2. obf. 16 1
trachææ vulnus a sclopeto charta masticata saltim infarcto inflictum lethale. A. N. C. Dec 3. 20. 7. obs. 168
Arteria offex in bove. ibid. Dec. 2. ao. 3. obf. 38
E 2 Arte-

Arteriæ afperæ vulnus. Barth. c. 5. hift. 89
Arteriarum vinbilicalium anatome. A. N. C. cent. 1. p. 433
fibræ transverlæ. 1b. cent. 9. p. 444
peculiaris fitus in manibus. ib. cent. 9. p. 329
Arteriarum vulnera quænam non lethalia. Alberti Jur. Med, P. II. p.349.
351. vid, Vülnus.
Arteriarum vulnera quænam lethalia. ibid. p. 353
Arteriæ afperæ vulneratio quæ lethalis aut illethalis ibid.P.I.p. 322.6. 48
Arteriæ asperæ & Laryngis musculorum affectus. Solenand, Sect. 2.
Conf. 24
Arteriotomia. Tulp. L. 1. c. 48
fpontanea cura Hemicraniæ. A. N. C. Dec. 1. ao. 8. obf. 72
num celebranda. Zac. Luf. M. P. H. L. 2. hift. 43. p. 260. feg.
Arteriotomia utilitas. A. N. C. Dec. 1. ao, 6. obf. 60. Zac. Luf. P. A. L. 3.
obf. III
ufus. A. N. C. cent. 3. p. 143. Galenus, Severus, Castellanus de Arterio-
tomia, Severinus de efficaci Medicina. P. 2. Angiologia, Manget-
tus Biblioth. Chirurg. Tulp. L. 1. c. 48. Panarolus.
Articularis dolor. Gabelch. cent. 4. cur. 31. vid. Arthritis. Solenand.Sect.
5. conf. 2. 3
dolor ex catarrho cum tuffi aspera. Gabelch. cent. 2. cur. 71
dolor ex neglecta V. Sne. id. cent. 4. cur. 32
dolor ex diarrhœa suppressa. A. N. C. cent. 9. p. 14
dolor ex offium humanorum pulvere affumto curatus. Z. Luf. M. P.
H.L.3.h. 30. p. 579
Articulorum doloribus balnea naturalia proficua. Zac. Lus. P. A. L. z.
obf. 173
tophi. Z. Luf. P. A. L. 2. obf. 186. 187
tophi cafeo acri in cruris suilli salsi decocto macerato dicussi. Z. Lus.
M.P.H.L. 3. hift. 37. p. 579
exficcatio. Barth. c. 3. h. 11
dolori topica innoxia. Solenand. Sect. s. Conf. 4
dolor a capitis imbecillitate & defluxionibus. Plater. obf.L.II.p.467
Arthritis vaga ex tonfillarum inflammatione. A. Berol. Dec.2. Vol.1.p.72
Arthritis ex suppressione mensium. A. Berol. Dec. 2. Vol. s. p. 67
Arthritis ex hæmorrhoidum suppr. ibid. Vol. 1. p. 75. Crato, Ep. 236
is a second and a second
Artbri-

Arthritis. Plater. obf. L. II. p. 458. Gabelch. cent. I. cur. 88. Diemerbr. obf. 92. peftilens. Gabelch. cent. 5. cur. 97 menstrua. Barth. c. 3. h. 63 convultiva cum Tetano. A. N. C. cent. 3. p. 16 hæreditaria. Plater. obf. L. II. p. 473 anomala. A. N. C. cent. 1. p. 341 epidemica A. N. C. cent. 1. p. 12. app. vaga ex terrore ib. Dec. 3. ao. 9. obl. 7 hæmorrhoidalis. A. N. C. cent. 7. p. 100. obf. 53 nodofa fingularis. Blegny Zod. gall. ao. 1679. Nov. obf. 7 puerorum & infantum. A. N. C. Dec. 1. ao. 8. obf. 12. (NB. hoc casu autor Hippocratis assertum destruere conatur, quo dixit, quod pueris podagra non eveniat.) cum febre tertiana. Gabelch. cent. 2. cur. 57 terrore curata. Salmuth. c. 1. obf. 48 tortura fanata. Hildan. cent. 1. obf. 79 ira fanata. Barth. A. H. V. 3. obf. 74 post partum. Plater. obf. L. II. p. 460 cum subsequente febre Hectica & putrida. ibid. p. 469 & præsertim Gonagra in viro & muliere. ibid. p. 460. 463 generalis post particularem Podagram. ibid. p. 465 Arthritis vaga fingularis. Hagendorn. cent. 3. hift. 22. p. 309 Arthritis vaga ex nimio Sacchari ufu. ibid. hift. 23. p. 310 vaga cum tumore fub clavicula lethalis ibid, hift. 24. p. 311 puerorum. ibid. hift. 26. p. 314 in Arthritico nullus effectus Vesicatorius. Hagendorn. cent. 3. hift. 96 p. 411 Arthritidis cum tumore circa uterum remedia. Solenand. Sect. I. Conf. 19 Arthritidis confilium & remedia, Solenand. Sect. 1. Conf. 20. it, Sect. 4. Coni. 22--24 Arthritis cum Melancholia & renum affectu Solenand. Sect. 4. Conf. 21 Arthritidis exquisita signa diagnostica & curatio. Solenand. Sect. 4. Conf. 25 in Arthritide cum Cacochymia juncta confilium. Solenand. Sect. 5. Conf. 8 in Arthritide Mercurii inunctionis infelix fucceffus. Hildan, cent. 4. ob1.82 E 3 III

in Arthritide alumen & thermæ aluminofæ noxiæ, Hildan. c. 5. obf. 83 de Arthritide. Hildanus cent. 6. obf. 84. 85 Arthritis balneis naturalibus & oleo offium humanorum fanata. Zac. Luf. P. A. L. 2. obf. 173. 177 diuturna. A. N. C. Dec. 3. 20. 7 obf. 147 ex nimio potu aquæ frigidæ. Gabelch. cent. 2. cur. 55 ex lotione in aqua frigida. Gabelch. cent. 3. cur. 33 per contagium contracta. A. N. C. Dec. 3. ao. 7. obf. 130 lethalis post applicatum causticum. Zac. Lus. P. A. L.3. obf. 147 univerfaiis falivatione curata. A. N. C. Dec. 3. ao. 5. 6. obf. 156 & fcorbutus falivatione curatur. ibid. Dec. 3, ao. 7. obf. 7. Arthritidis præservativum afininum lac utilissimum. Zac. Lus. M. P. H. L.3. hift. 40. p. 590 cruciatus præferuatus abstinentia vini & veneris. ib. hist. 47. p. 591 auxilia. Zac. Inf. P. A. L. 2. obf. 179. 180 Arthriticus mediocriter incedens, Medici imperitia medicamento applicito in totum fine motu remanfit. Zac. Laf. M. P. H. L. 3. hift. 40. p. 584 Hermodactylorum ope fanatus. ibid. p. 584 Arthriticis pix falutaris. Barth. c. 6. h. 95 oleum fulphuris utile. Tulp. L. 4. c. 57 Arthritica molimina ex narium Hæmorrhagiis non procedentibus. A. Berol. Dec. 2. Vol. 1. p. 41 Arthritis & hamorrhoides caca fymbolizantes. A. Berol. Dec. 2. Vol. 1. p. 75. vid. Alberti Tr. de Podagra fine Sale. Arthritidi cura lactis proficua. A. N. C. Dec. 1. ao. 1. obf. 141. & app. p. 32. it. 20. 6. obf. 58. vid. Lac. Artifices egregii fine brachiis. Plater. obf. L. III. p. 556 Artifex cæcus ab infantia multa artificiose fabricans. Plater. obs., L.I. p. 103 AS. Afarum bonum Emeticum in 4tana. Burth. A. H. V. 4. p. 76 Afe fatida usus in affectibus ex fascino ortis. Merklin. p. 35.36 Ascarides per vulvam rejecta. A. N.C. cent. 9. p. 458. vid. Vermis. Afcites. vid. Hydrops Afcites. Aselli cum lochiis rejecti. A. N. C. Dec. 2. ao. 5. obf. 37 per urinam excreti. Blnegy Zod. gall. ao. 1682. obf. II Afini caro ad lepram. Barth. c.6. h. 33 Afini-

Afinini lactis ufus vid. Lac. Alitia. Diemerbr. obf. 37. vid. Apolitia. A fodes febris. Rejes qu. 68. p. 928 Afpectus rerum abfurdarum & monstrofarum gravidis cavendus. A. N. C. Dec. 3. ao. 1. obf. 74 Afperam arteriam nucleus illapfus tuffi redditur. Hagendorn. cent. 1. hift. 80. p. 110 Afperæ arteriæ vulnus. Barth. c. 5. hift. 89. vid. Arteria & Vulnus. Afperæ arteriæ inflammatio. Rhod. c. 1. obf. 100. vid. Larynx. Asphaltum. Reinzer. Meteorol. diff. 12. qu. 3. p. 253 Afpidis ictus in puero aceto fuperbibito, curatus. Zac.Luf.M. P.H.L. 5 hift. 6. p. 807 Apphyxia diuturna. A. N. C. cent. s. p. 180 Affimilatio parentum. Alberti Iurispr. Med. P. I. c. 8. p. 169. 175 Affulæligneæ & ferreæ, vid. Planchette. Afthma. Diemerbr. obf. 43. Gabeich. cent. 2. cur. 30. it. cur. 77. cent. I. cur. 15. 70. vid. Difpnoea. Solen. Sect. 1. conf. 7 admirandum M. Donat. L. 3. C. 12 a pulmonum concretione cum coftis. Rhod. cent. 2. obf. 23 a pulmonum scirrho. A. N. C. cent. I. p. 220. obf. 106 ab omento pingui. Rhod. c. 2. obf. 24 ex fascinii fuspicione. A. N. C. cent. 9. p. 212 ex fcabie. Gabelch. cent. 3. cur. 99 plurimorum annorum fubito lethale. A. N. C. cent. 5. p. 74. obf. 50 ob congestionem intra pulmones. Plater. obf. L. I. p. 166 a calculo in quatuor ægris. ibid. p. 168 a vermibus. A. N. C. Dec. 3. ao. 4 obf. 19. p. 307. 'ao. 7. obf. 188 Asthma cum raucedine ex dentitione. A. N. C. Dec. 1. 20. 9. p. 153 ob pulmonum ariditatem. Guaknonius Confult. Med. p. 379 a pulmonibus exficcatis. Rhodius cent. 2. obf. 21. Heurnius de morb. Pector. c. 4. Saxoniæ Prælect. Practicæ lib. 1. c. 26. Diemerbr. anat. 11b. 2. C. 13 Allbma scorbutico-hystericum. A. N. C. Dec. 2. ao. 7. obf. 133 Afthma hypochondriacum falutare. Act. Erud. Lipf. ao. 1707. Menf. Nov. p. 523 Afthma a metallis in pulmonibus concretis. Semmertus lib. de confent. & diffenf. c. 9. Magnanus de tabaco, Bonetus fepulchret. anat. lib. 2. Sect. 1. obf. 43 Althma

40
Asthma molitoribus in Holfatia familiare. A. N.C. Dec. 3. 20. 5. obf. 63 Asthma ab infpiratis halitibus. Ramazini de morbis artificum & litera- torum Riedlin, Lin. Med. Menf. Junio lib. 5. p. 162
Affima flatulentum. A. N.C. Dec. 1. ao. 5. & 6. obf. 2. p. 15
Asthma convultivum flatulentum. A. N. C. Dec. II. 20 7. obf. 116. p. 119. §. 202
Afthma a variolis fpiritu falis ammoniaci optime curatum. A. N. C. Dec. 3. ao. 2. obf. 126. p. 187
Asthma a scabie retropulsa. A. N. C. Dec. 3. ao. 5. & 6. obf. 58. p. 148. in append.
. Astma diuturnum a materia gypsea in pulmonibus. Bonetus sepulchret. anatom. lib. 2. Sect. 1. p. 555
Afthma periodicum convulsivum stratagemate curatum. A. N. C. Dec.
3. ao. 5. & 6. obf. 117. p. 243
Asserie a flatu tumidis inteftinis&lapide infignis magnitu- dinis in cyftide fellea. Bonetus fepulchr. anat. lib. 2. Sect. I. obf,147
p. 545
Afthma cum obstructione viscerum. Gabelch. cent. 1. cur. 6.
cum difficili sputi rejectione & gibbo. Gaaelch. cent. 3. cur. 87
cum doloribus punctoriis finistri lateris. Gabelch. cent. 2. cur.96
cum tuffi. ibid. cent. 3. cur. 84.85
cur empyemate. ibid. cent. 3. cur. 87
humidum fonticulo curatum. A. N. C. cent. 5. p. 320
vesicatoriis in suris applicatis curatum. A. N. C. cent. 1. obs. 164.
P. 333
curat fyrupus laudetiffimus. Zac. Luf. P. A. L. 1. obf. 123
convultivum cum fovea fub fterno. Hagendorn. cent. 1. hift. 90.p. 130 a coalitu pulmonum cum coftis. ibid. hift. 91. p. 132
Astra & orbes cœleftes utrum fint inevitabilis causa naturalis interitus. Bravo P. I. disp. 4. Sect. 2. Resol. 5. p. 133
Astra habent influxum in corpora inferiora & fublunaria. Rejes qu.95.
р. 11011б
animas demortuorum in se recipere. Garm. L. 2. tit. 10. §. 72. seq.
A ftrorum motus & lunæ configurationes an observare debeat Medicus ad sanguinem mittendum, vel purgandum. Rej. qu. 75. p. 1006
Astrologia, quid de ca sentiendum? Smet. Misc. L. 4. Ep. s.
Aftro-

Aftrologia judiciaria vana e. g. vom Kinder entwehnen, Saar abschnei
Den &c. Rejes qu. 75. p. 1019. 1020. Schneideri dilput. A. N. C. cent
1. p. 251. Gerbers unerfannte Gunden part. 3. c. 49. p. 971
medica vana prædicatur. Rejes qu. 75. p. 10231028
Medico quod sit necessaria, qui reputaverint. Rejes p. 75. p. 1015
Astrologia divinatricis observationes & mathematica ephemeridum
tabulæ, an Medicis in ægrorum cura fint obfervandæ. Lang. L. 1.
Ep. 35. p. 167
Afternamice curioficates refutator Reach Dh SI - S
Aftronomice curiofitates refutate. Becch. Ph. S. L. I. S. 4. c. 6. p. 249. n. 8 AT.
Atheroma renale. A. N. C. cent. 3. p. 2
Atheroma fub mento. Plater. obf. L. III. p. 658
Atmofphæra Erafm. Francisci Luft-Sauf der Dber-DBelt p. 52. Micrelie
Lexicon philoloph. Barthol. ipecimen phyl. nat. p. 75, C. II on A
Kepplerus de nova itella ierpentarii c. 23. Galileus in fine nunris
fiderei. Sturm. Phyf, Hypoth Tom. II. p. 669. 987. Cleric. phyf.
L.I.C.12 IO
Atomi an dentur. Hamel. phyf. general. Tr. 1. c. 2. p. 48. feqq. & Rohault.
I r. phyl. P. I. C. Q. Barthol, Ipecim, phyl. nat. C. 2, du. I. p. 21 Part
Gullend, in animadueri. Iuis in Lib. 10. Diog. Laert, & in Phyl Gua
Atrabilary vomitus chalypis ulu leuatur. Zac. Lul. P. A. L. 2 obf
vomitus per multos annos vitam cuidam conceffit. Z. Laf. l. c. obf. 14
Atrabilarius morbus. Blegny Zod. gall. ao. 1682. Mart. obf. 1.
Atramenti potio. Bor. c 4. obf. 40. Rhod. c. 2. obf. 51
Atreta. A. N. C. Dec. z. a0. 10. obf. 159. cent. 7. p. 89. cent. 9. p. 384
Atreta cuiusdam rariffima conceptio. A. N. C. Dec. 3. ao. 7. obf. 83
Atretus curatus. A. N. C. cent. 5. p. 327
Atretorum exempla. ib. cent. 3. p. 96. 463
Atrifia ani & pudendorum arte aperta. A. N. C. Dec. 1. ao. 3. obf. 2.3
vteri multiplex. Frank. Sat. p. 21.22
Atrophia & scabies ex Hepatis intemperie. Solen. Sect. 3. Conf. r
Atrophia cum vomitu quotidiano. A. N. C. cent. 5. p. 205
Atrophiæ cura. Zac. Luf. P. A. L. 1. obf. 136
aura aum arcano duplicato: & Tindund situi Mania
cura cum arcano duplicato: & Tinctura vitri Martis aperitiva.
A. N. C. Dec. 1. ao 3. obf. 250
Atrophia in febre Hectica, continua. Plater. obf. L. III. p. 694. 698
Attritio ventriculi curatur. Zac. Luf. P. A. L. 2. obf. 3.
• Attri-

Attritione nuda fortiori aurum fulminans accenfum. A. N. C. Dec. 2. 20. 10. obf. 153

AV.

Auctoritas Medici in caufa vulnerum maxime valet. Alberti Iurispr. Med. P. I. C. I. §. 28. b.

Medici præ Chirurgo prævalet in lethalitate vulnerum. ibid. Auditus cornutus. Barthol. Ep. anat. rar.

in Auditus difficultate confilium. Solennad. Sect. 2. Conf. 10. 11 Auditus reftitutio. A. N.C. Dec. 1. 20. 1. obf. 35

diminutus. Gabelch. cent. 1. cur. 60

officula qui invenerint. Frank. p. 614. 615

Auditus imbecillitas fimulata. Alberti Iur. Med. P.I. p. 104. 5. 13. vid. Surditas.

Aversio animi adversus sponsum indeque orta Epilepsia. Alberti Iur. Med. P. 1. suppl. p. 407. §. 30

Aven e vis diuretica. A. N. C. cent. 9. p. 526

August e vindelicorum descriptio physico-medica. Hoechst. Dec.3. c.1. p 303- 340

Avis Paradifiaca. Barth. c. 6. hift. 56

charadria. Lang. L. 2. Ep. 36. p. 723

Aves an hyeme in calidiores terras avolent? Frank. Sat. p. 2. 30-33 Avium Canarienfium mors fubitanea ex amygdalis amaris. A. N. C.

Dec. 3. 20. 1. obl. 156

Avibus Linguam foluere. vid. Lingua. Auri acicula infinuata feliciter extracta. Hildanus cent. 1. obf. 6

Auri infinuatum pifum feliciter eductum. Hildanus cent. 1. obf. 5

in Auris meatum nucleus cerafi intrusus naturæ beneficio per suppurationem expulsus. Hildanus c. 3. obs. 4

in Auris meatum immiffus globulus vitreus, caufa graviffimorum fymptomatum. Hildanus cent. 1. obf. 4

Auris mordicus abrupta Plater. obf. L. III. p. 557

Auris nativa occlusio. Barth. c. 6. h. 36. A. N. C. Dec. 1. ao. 6. obf. 178 dolore laborans usu opii emortua. Zac. Lus. L. 1. obf. 166

dolor scarificatione curatus. Zac. Luf. P. A. L. I. obf. 69

& tonfillarum inflammatio cum infigni dolore. Gabelch. cent. 3. cur. 64

dextra occlufa. A. N. C. Dec. 1. ao. 6. obf. 178

finiftra

43
finistra copiosum llquorem limpidum effundit, ib. obs. 12
epiphora, A. N. C. cent. 5. p. 154
Aures purulentæ. Hildan. cent. 3. obf. 2. 3
Aures mobiles. Bor. c. 2. obf. 16. Frank. Sat. Med. p. 203210, A. N. C.
Dec. 2. ao. 4
Aurium tinnitus remedium. A. N. C. cent. 5. p. 23
Aurium tinnitus ex cafu. Plater. obf. L. 1. p. 114
in Aure grillus cum oleo grilli extinctus. A. N. C. Dec. 1. ao. 4. obf.50
in Aure verminatio. Zac. Luf. P. A. L. I. obf. 68. vid. Vermis.
ex Aure aqua copiofa. Plater. obf. L. III. p. 735
ex Aure pueri cerafus nascens. M. Donat. L. I. c. 12. Bor. cent. 1. obf.10
femen Anagyridis germinans. M.Donat. L. 2. C. 12
tinea ex Trincavellio. M. Donat. L. 2, C. 12
fungus scirrhosus pullulans curatus. Hildanus cent. 3. obs. 1
mulca. M. Donat. L. 2. C. 12
fuppurata aëris infpirati emiffio. A. N. C. Dec. 1. ao. 6. obf. 85
Aurium ulcus cum tinnitu & difficili auditione. Plater. obf. L. 2.p.362
fonitus ob fensus audiendi exquisitam acrimoniam. Solen. Sect. 1.
Conf. 3 - Leina, and for the second of the second of the second of the
Aurium dolor extracto officulo fopitus. Hagendorn cent. 1. hift. 64.p.97
de Aures inopinato ingressis vermibus. Alberti Prax, Extempor.
Caf. XI.
Auricula monstrofa. A. N. C. cent. 1. p. 248
Auricula muris fuccus aduerfus afcarides egregium remed.Zac. Luf.
M. P. H. L. 2. hift, 99. p. 360. feq.
Auricularum a nativitate absentia, Hagend. cent. 1. hift. 66. p. 100
de Auro. Reinzer. Meteorol. diff. 12. qu. 10. p. 282
Aurum in ventriculo anatis inuentum. A. N. C. cent. 1. p. 328
chymicum. A. N. C. Dec. 1. ao. 1. obf. 17
vegetabile. ib. obf. 131. Barth. A. H. V. 3. obf. 10
in aquis invenitur, 2Bafch=Gold. Becch. Ph. S. L. I. S. 3. c. 2. p. 129
ex arena Salæ fluvii. Spener. Confil. Theol. Latin. Part. 7. c. 3. art. 1.
p. 164
ex cantharid. & plumbo. Becch. Ph. S. L. I. S. 4. c. 6. p. 254. n. 17.
in capitibus auratorum. Becch. l. c.
ex Mercurio & Antimonio fuso. Becch. l. c. S. 3. c. 8. p. 757
quomodo extendi possit. Becch. Ph. S. L. I. S. 6. c. 8. p. 675. feq.
F, 2 fub-

44 AV.
fubtilisatum omne argentum in aurum commutat. Becch. Ph. S. L.I. S. 6. c. 8. p. 739
friabile redditur per spiritus urinosi successivam affrictionem. A. N. C. Dec. 1. 20.3. obs. 248
vel argentum aliquandiu sub alimentis animalibus oblatum, hæc
reddit lucida. Garm. L. 2. tit. 9. §. 49. 50
ex argento & Sulphure quodam. Becch. Ph. S. L. I. S. 3. c.3. p. 141
folutum febrem malignam curat. Bor. c. 1. obf. 6
Auri analyfis Becch. Ph. S. L. I. S. 6. C. 8. p. 667
potabilis usus in Melancholia. Zac. Lus. P. A. L. 2. obs. II
Aurum potabile. Becch. Ph. L. 1. S. 5. c. 3. p. 426. n. 83 Aurum factitium num detur? Smet. Mifc. L. XII. p. 696
Aurum fulminans vnde? Becch. Ph. S. L. I. S. S. C. 2. p. 356. n. III
fulminans nuda fortiori attritione accenfum. A. N. C. Dec. 2. ao. Io.
obf. 153 Auri fulminantis virtus. A. N. C. cent. I. p. 276
fulminantis improuisa detonatio. A. N. C. Dec. 1. a0.10.0bf. 136
usin Electuariis & tragæis an sit falutaris? Lang, L. 2.Ep. 49.p.789
maturatio folis calore. A. N. C. cent. 1. p. 38 crocus fubtilis. ib. cent. 1. p. 401
argenti, cupri differentia colorationis. Becch. Ph. S. L. I. S. 3. c. 3. p.
147. feq.
vires. Zac. Luf. M. P. H. L. 1. hift. 36. p. 69. 70
ex Auro unguentum, Mercurii andidotum. Zac. Luf. P. A. L. 2. obf. 136
Aureus nummus per biennium in faucibus deliteícens, iterumque ex- cretus. Hoechst. Dec. 6. c. 10
Aureum femur Pythagoræ quid? Garm. L.2. tit. 9. 5.37.38
ex Auro factæ compositiones. Zac. Lus. M. P. H. L. I. hist. 36. p. 69
Auream arenam ex Sala fluvio prope Ienam collectam possedit B. Spe-
nerus Confil. Theol. Latina. Part. II. cap. 5. art. 1. p. 164.talis etiam ex Rheno colligitur non procul Argentina.
Auripigmentum an venenum. Alberti Iur. Med. P. 1. p. 259. §. 19
Auripigmenti pernicies in puero. ibid. p. 272. caf. 2
Auripigmentum. Becch. Ph. S. L. 1. S. 3. c. 8. p. 757
Autochiria in genere, & medica. Alberti Iurispr. Med. P.I. c. 10. p. 361-370
Autochirus fit patiens impatiens morbi. Hagendorn. cent, 1, hift. 50.
p. 81
ABII0-

Autochiria Medici Zac. Luf. P. A. L. 3. obf. 148. Alberti Iurispr. Med. P. 1. p. 363. §. 3 Autochirorum cadavera. Kornm. M. M. P. 9. c. 28 Autochiri quinam vocentur. Alberti Iur. Med. P. 1. p. 362. S.I. Autochiria quænam videatur licita. ibid. p. 362. e. Autochiria ex Melancholia. ibid. P. II. p. 231 Automatum capitis humani loquens. A. N. C. Dec. 2. ao. 10. obf. 29 Autoritatem Medici multum suffulcit eius promotio. Alberti Iurispr. Med. P. I. C. I. S. 27. b. vid. Autoritas. Antoritas in Medicina quid & quantum valeat? Frank. Sat. p. 435-437. Alberti Iur. Med. P. I. C. I. §. 26 -- 28 Autumnalis inundatio, A. N. C. Dec. 3. ao. 7. obf. 4 AX. Axillarum foetor fontinellis in cruribus curatur. Zac. Luf.P. A. L. I. obf. 102 BA. Mare Recht. Alberti Iur. Med. P. 1. p. 348. §. 68 Balans juvenis. Tulp. L. 4. C. 10 Balbutiei curatæ exempla. Zwing. diff. p. 389. 390 Balena ad littora Rupellæ propulfa. Blegny Zod. gall. ao. 1680. obf. 2 Balnei artificialis fuccessus. Hiklan. cent. 6. obf. 95 Balneum aquæ dulcis mors fecuta. Hild. cent. 6. obf. 96 Balneum lactis curat urinæ ardorem. Zac. Luf. P. A. L. 2. obf. 79 noctambulum reftituit. Zac. Luf. M. P. H. L. 1 hift. 15. p. 28. b. Balnei efficacia in lethargo. Zac. Luf. l. c. hift. 17. p. 29. b. 30. a. frigidi usus in India in Dysenteria & circa paroxysmum febrium. A. N. C. Dec. 1. ao. 10. obf. 194. n. 20. p. 460 frigidiusin variolis & morbillis. ib. p. 461. n. 21 frigidi usus sudorem in febri producit. A. N. C. cent. 3. p. 244 Balnea naturalia articulorum doloribus utilia. Zac. Lus. P. A. L. 2. obf. 173 Balneorum vetus fabrica &ufus. Lang. L.1. Ep. 50. p. 247 quinam ex veteribus mentionem fecerint. Zwing. diff. p. 473.474 Balneatoris experimentum lethale. A. N. C. cent. 3. p. 243 Balfamica non funt omnia amara, nec bilis balfamica. Garm.M.M.I. 3. tit. I. S. 12. 17 Balfamum naturale corporum. Garmann. Mir. Mort. L. 3, tit. 1. 9.7 Balfa-F 3

46 Balfamus vitalis. Garman. L. 3. tit. 1. §. 7 descendit ab Hebræo Baal-schemen der Serr Des Orthe. Porft. Theol. Viat. P. 3. c. 38. §. 4. p. 1577 Ballama externa antipodagrica. A. N. C. cent. 3. p. 78 e cadavere Martyrum exftillantia. Garm. L. 2. tit. 8. §. 13 Balfamationis cadaverum ratio. Rejes. qu. 34. p. 413-417 Bapti/mi defectus an Embryones dainnet. Alberti Iur. Med. P. 1. p. 165. §. 27. lit. a. fine Bapti/mate animæ puerorum decedentium. Kornm. M.M.P.8.c.18 Baptismus an monstris competat. Alberti Iur. Med. P. 1. p. 114. 117. §. 19 Baptismus an infanti nondum plenarie excluso conveniat. ibid, P. I. p. 125 Barba. Kornm. M. viv. p. 93. feq. Medicorum & Philosophorum. Rejes. qu. 5. p. 84. 85 arte reftituenda. Lamzweende app. inftit. Chir. tab. 9. p. 23. it. Frankenaup. 508 carens gens. Kornm. M. M. p. 94 ab odontalgia præfervatrix. A. N. C. Dec. 3. ao. 9. obf. 229 Barbæ generatio in viris unde fit? & defectus in fæminis & pueris unde fit? Kornm. Mir. viu. p. 93 Barbam radere & capitispilos post convalescentiam deponere an liceat. Rejes qu. 82. p. 1077. 1078. n. 6. 7 Barbate & hirfutæ mulieres. A. N. C. Dec. 1. ao. 10. obf. 95. vid. Hirfutus. it. Dec. 3. ao. 5. 6. obf. 283. Rejes qu. 57. p. 712. Lent. latr. p. 479-481. Rhod. c. 3. obf. 40. Garm. p. 39. 0. 57. Kornm. Mir. viv.p.94 Barbata puella. Zac. Luf. P. A. L. 3. obf. 95 Barbati pueri. Blegny Zod. gall. ao. 1680. oct. obf. 9. Garm. p. 38. 9.56 valde. Garm. p. 47. §. 72 Barba duplicis coloris. Hagendorn. cent. 3. hift. 55. p. 354 Barbioua comesta noxia. A. N.C. Dec. 2. ao. 1. obl. 25. & Ichol. (NB. vielleicht hat die Perfon zu viel von Barben gegeffen.) ova comesta causa purgationis. Frank. p. 67 Bardana nitrofa. A. N. C. Dec. 1. ao. 3. obf. 222 Barometri moderna augmenta. A. N. C. cent. 1. p. 373 Barometrica observatio. A. N. C. cent. 3. p. 49. app. in Barometro ad- & descensus mercurii causa. A. N. C. cent. 1. p. 92. app. Dec. 3. ao. 4. p. 54. app. & ao. 8. p. 78. app. Acta Erud. Lipf. ao. 1701. mení. Novembr. p. 512 Bals-

BA. BE.

Basiliscus. A. N. C. Dec. 1. 20. 3. obf. 128 546 Bafilifcus verus. Rejes qu. 65. p. 869. n. 3--873 fpurius. Rejes l. c. p. 873-876 utrum inveniatur in rerum natura? Zac. Lul. M. P. H. L. s. Hift, 5. p. 805 ex ouo veteris galli gallinacei generari traditur. Rejes qu. 65.p.874 an fic fiat? Rejes l.c. p. 875. n. 14. p. 876. n. 15 fe non ipfum interficit, quando speculum intuetur. Delrius L. I. c. 3. qu. 4 Basilisci in cella capti historia. Rejes qu. 65. p. 877. 878 Beatorum corpora fintne fanguinem habitura? Kornm. M. M. P. S. c. 65 Beccheri querela circa incognitam notitiam Chymiæ. Becch. Ph. S. L.I.S. 4. C. I judicium de plurimis doctoribus. Becch. l. c. S. 3. c. 2. p. 194. n. 17. p. 195. 196 Bella donna Clufii. A. N. C. Dec. 3. ao. 9. obf. 92 Bella donna in cancro occulto vtilis. Alcerti Iur. Med. P. II. p 567 Belzaar lapis in malo Hypochondr. Zac. Luf. P.A. L. 2. obf. 10 Benzoin. Lang. L. 1. Ep. 62. p. 329 Bergettannlein vid. difp. Rumpelii de virunculis metallicis. Langius Lib. 2. epift. 35. Bartholinus Act. Haffn. Vol.2. obf. 7. p. 12. Garm. Mir. Mort. Lib. 2. tit. 10. S. 9. Lehmann Suftorifcher Ochau. Platze. ste Abtheilung c. 7. von Berg-Geipenftern. Craufi Programma de virunculis metallicis. Reydan. de pygmæis five dæmonibus subterraneis. Posner de virunculis metallicis Athan. Kircher. Mund. fubt. Tom. II. Lib. 8. Sect. 4. p.122. Agricula de animal. fubterr. Alberti Medicina Theol. p. 575 Berg= Mild. Becch. Ph. S. L. I. S. 3. C. s. p. 176 Bestia immanis ex utero mulieris exclusa. Zac. Luf. P. A. L. 2. obf. 149 Betonica sancta herba & a visionibus adversis præservans dicitur. Kornm. M. M. P. 2. C. 8 Betonicæ experimentum. Farth. c. 3. h. 97. Bor. c. 3. obf. 8 Betülæ fuccus caufa diabetis lethalis. A. N. C. Dec. 1. ao. 2. obf. 198 Bezoar de Goa conficitur ex pulvere Cantiano f. Cometifiæ a Kent, quem Rad. Serpent. virg. ingreditur. Dygbæi Med. experiment. Wedel. difp. de Serpent. virgin. Bezoar

Bezoar lapis defcribitur. Rejes. qu. 67. p. 894. feq. Hild. cent. 6. obf.29 fcriptores de eo. Zac. Luf. M. P. H. L. 1. hift. 36. p. 71 lapidis vires & vfus. Zac. Luf. ibid. A. N. C. cent. I. p. 63. app.

lapidis virtutem qui denegent? Rejes qu. 67. p. 906. 908 lapidis virtutem qui extollant? ibid. p. 909--911

probatio & examen. ibid. p. 913. 914

vix alexiteria extollitur. ibid. p. 915

differentia. ibid. p. 918. 919

orientalis. Barth. cent. 2. Ep. 79

48

Arabum ex lacryma cervorum. Lang. L. 2. Ep. 24. p. 657

lapis in quibus animalibus reperiatur. Rejes qu. 67. p. 919-922

in Dama repertus. A. N. C. cent. 9. p. 185

in alio Bez. lapide repertus. Frank. p. 79

lapis utrum quibuslibet possit offerri a vulgaribus fine errore? Brave Med. dogm. præst. p. 168

Bezoardicus lapis verus rariffimus, spurius frequens. Rejes qu. 67. p. 911. 913

Bezoardici lapidis cognitio & electio difficilis. Hild. cent. 4. obf. 24 Bezoardici lapides in homine. Tulp. L. 3. c. 4. it. Garmann. Mir. Mort.

L.3. Tit. 3.5. 76 Bezoardici lapidis usus intempestivus causa quartanz & mortis. Hildan. cent. 6. obs. 88. p. 615

Rog-Bezoar hippolitorum hiftoria. A. N. C. Dec. 1. 20. 4. obf. 167

BI.

Bibliotheca vererum Medicinæ aliarumque facultatum. Lang. L. 2. Ep. 3. p. 550

Bibliothecken=Migbrauch. Gerbers unerkandte Sunden P. 1. c. 53 Bibacitas. Kornm. M. viv. p. 109. feq.

Bihens nunquam homo. Kornm. M. viv. p. ur.vid. Abstinentia.

Bibo Melitenfis. Barth. c. 1. h. 39

Biceps homo. Barth. cent. 2. h. 55. vid. Monstrum.

monftrum. Blegny Zod. gall. ao. 1679. Nov. obf. 2

Bilis habet virtutem balfamicam. Garm. M. M. L. 2. tit. 3. §. 44. L. 3. tit. 1. §. 11

Bilis novus ductus. Barth. cent. 2. h. 54

Bilis

Bilis lapidescens in vesica fellea. A. N. C. cent, I. p. 128. cent. 3. p. 227.
vid. Calculus.
Bilioforum calculorum excretio. A. N. C. Dec. 1, ao. 2. obf. 89. Leipziger
Seitungen ao. 1725. n. 21. p. 200
Bilis tota faxea. A. N. C. cent. 3. p. 144
putrida. A. N. C. cent. 7. p. 281
corofiva mortis caufa. Alberti Iur. M. P. II. p. 184. Caf. 19
venenum æmulans. ibid. P. II. p. 189
effusio ex ira provocata. ibid. P. II. p. 190
profusio nimia non semper & proxime a spasmis oritur. ibid. P. II.
p. 190
Bilis ufus. Garm. M. M. L. 3. tit. 1. §. 13
Bilis flauæ regurgitatio ad ventriculum. Gabelch. cent. 2. cur. 22
effusio in ftomachum ex liberiore vini hauftu, Gabelch. cent.3. cur 24
defectus in brutis. Frank. p. 121, feq. 125
defectus in hominibus. id. p. 126128
defectus nocivus. Frank p. 128
odor. Garm. L. 2. tit. 8. §. 36
Biliofa podagra lactis equini ufu curatur & præservatur. Zac.Luf.P. A.
L. 2. obf. 184
Bilis primæ concoctionieft inimica. Garm. M. M. L. 3. tit. 1. §. 15
Bilis non est virtutis balfamicæ, sed recrementum sanguinis, quia non
omnia amara funt balfamica. Garm. M. M. L. 3. tit. 1. §. 12. 17
Bilis vtrum humor sit tenuis, amarus, flavus vi jecoris majori ex parte
ex igneis partibus factus. Bravo P.I. difp.V. Sect. 2. Refolut. 7, p. 171
Bismuthi meminit Becch. Ph. S. L. 1. S. 6. c. 4. p. 507
Bitumen. Garm. L. 3. tit. 2. §.90 BL.
Bland Scheit (Assulæ ligneæ, eburneæ, ferreæ) quarum damnum,
vid. Planchette.
Viu. 1 unicocite. BO.
Bolus ad vermes enecandos. Zac. Luf. P. A. L. 2. obf. 44
Bombardarum terror puero Epilepfiam lethalem adfert. Zac. Luf. P.A.
L. 1. obf. 34. vid. Epilepsia.
Bombardæictus furditatis caufa. Hildan. c. 3. obf. 6
Bombicum nutrimentum. A. N. C. Dec. I. ao. I. obf. 122
antipathia cum aranea. vid. Aranea.
G Boreuus

-

Borellus credulus. Garm. L. I. tit. 10. 6. 17 Borraginis noxa. A. N. C. Dec. 3. ao. 9. obf. 224 Boum pinguefactio per infufflationem. A. N. C. cent. 3. p. 441 Bovis cornu fub coitu hujus rafum, & cerebrum pafferis in actu veneris transfossi venerem stimulare dixit Garman. M. M. L. 2. tit-7.5.79 Boum fanguinis efus caufa mortis. Zac. Luf. P. A. L. 3. obf. 80 BR. Brachium fascinatum. A. N. C. Dec. 3. ao. 1. obf. 125 monftrofum. Hildan. cent. 4. obf. 69 Brachii & alæ dolor. Gabelch. cent. 3. cur. 54 tumor. Blegny Zod. gall. ao. 1680. Oct. obf. 8 atio ad ventrici Below Hante Fe fractura miranda. vid. Fractura. Brachiorum amifforum reftitutio. Frank. p.508 convulfio. Rejes qu. 97. p. 1210--1213 de Brachiis. Kornm. M. viv. p. 124. feq. Brachiorum defectus in artifice. Plater. obf. L. 3. p. 556 Brachii fractura in fene decrepito. Hild. c. 3. obf. 90 fractura vbi offa disjuncta mansere. Hild. c. 3. obf. 91 Brachii febris particularis. vid. Febris, Brafiliensismorbus, vermis dictus. Zac. Lus. P. A. L. 3. obf. 98 Brafficæ cum vitibus antipathia. vid. Antipathia. Braffica muriatica remedium contra Gangrænam. A. N. C. Dec. 1. 20. 3. obl. 321 Braut Kräge Scabies Neonuptorum. Alberti Iur. Med. P. I. p. 79. §.3. Garm. L. 2. tit. 8. 9. 41 Bregmatis in gemellis mira subsidentia. Hagend. cent. 1. hift, 4. p.7 Breve vas. vid. Vas. Brillen, deren Erfinder. A. N. C. Dec. 1. 20. 10. obf. 140 Britannica herba. Lang. L. 2. Ep. 37. p. 730 Bronchiorum fragmenta a substantia pulmonum avulsa. Bonetus fepulchr. Anat. Lib. 1. Sect. 20. obf. 5. p. 496 Bolw ad vommes checan a Bronchiis tracheæ coarctatis & conftrictis dyspnœa convulsiua. Willisius pathol. cerebri cap. 12 Bronchocele curatio fortuita. Blegny Zod. gall. ao. 1680. Febr. obf. 11. Apr. obf. 9. ao. 1679. Mart. obf. 1. Apr. obf. 4 Bronchotomia in Angina vtilis. Barth. cent. 1, Ep. 1. p. 345 Bruta

Brata non comedunt cadavera & subjecta contagiosa. Garm. L. 2. tit.
2. §. 60
Brutorum actiones non a nudis legibus mechanicis dependere. vid. Hamelius Phyf. gener. tract. 1. diff. 2. c. 1. concl. 2. Spenerus Lauter.
feit des Evangel. Christenth. dom. Invoc. P. I. p. 413
Brutorum esculentorum infectorum carnes comesta an noxia ? Garm.
L. 2. tit. 2. §. 55. 56
Bruta cadavera veneno extincta non arrodunt. Garm. L. 2. tit. 2. §. 62
cadavera fulmine tacta non invadunt. Garm. L. 2. tit. §. 2. §. 61
animam rationalem habent, quia voces miscent. Rejes qu. 46.
p. 692 Brutorum varia miscela cum hominibus. Becch. Ph. S. L. I. S. 4. c. 4.
p. 214. 215
gratitudo erga benefactores. Rejes qu. 19. p. 217
Brutorum Anima. A. N. C. Dec. 2. ao. 9.p. 115. Hiftoria curiofa de Lupo.
de Brutorum imaginatione. Marci a Kronlands philos.vet.reftit.P. 3. Sect.
1.Subl. 2. p. 281. Alberti tr. de admir. anim. præc. humanæ effecti-
bus ejusdemque Philof. und Medicin. Schrifften. vid. Index.
Bryonia laudatur ut egregium purgans antimelancholicum. Zac. Luf. M. P. H. L. 1. hift. 37. p. 76
BV.
Bubo venereus retropulfus. A. N. C. Dec. 1. ao. 8. obf. 78
venereus non mature apertus quænam fymptomata habeat. Hildan.
c. s. obf. 65
venereus fanguinis missionem postulat. Zac. Lusar. P. A. L. 2. obf. 139 brachii non perfecte curatus. Gabelch. cent. 5. cur. 83
fub brachio cum dolore pungitivo, vomitu, fastidio cibi, siti & tussi.
Gabelch. cent. 5. cur. 78. 79
femoris dextri. ib. cur. 80
in muliere partui vicina. ib. cur. 81
habet lymptomata. ib. cur. 84.85
cum magnis pustulis citrinis tibiarum & brachiorum, atque do-
lore pungitivo in muliere gravida. Gabelch. cent. 5. cur. 88 peftilens in fummo humero mox evanefcens. Gabelch. l. c. cur. 82
pestilens cum lipothymiis insignibus. Gabelch. cent. 5. cur. 86
Buhonum caufæ. Alberti Jur. Med. app. p. 187
Bubonocele. Hagendorn. cent. 3. hift. 76. p. 385
G 2 Bube-

Bubonum peftilentialium locus. A. N. C. cent. 5. p. 249 in Babone curando error Chirurgicorum. Zac. Luf. P. A. L. 1. obf. 123 Bufonum damna. Benzettus L. 3. C. 12. Adroinus devenen. L. 4. c. 7. Porta L. 3. Pythag. c. 4. 6. Libavius L. 3. batrach. fchol. ad c. 17. Zachias Qu. Med. legal. L. 2. qu. 3. 9. Paraus L. 20. c. 24. Salmuth. cent. I. obl. 59. Rejes qu. 96. n. 9 Bufo magnus. A. N. C. Dec. 2. ao. 2. obf. 6 deglutitus. ib. cent. 3. p. 373 deglutitus urinæ fuppreffionem movet. ib. cent. 7. p. 422 exficcatus umbilico applicatus hæmorrhagiam uteri compescit. A. N. C. Dec. 1, ao. 10. obf. 166 exficcatus & pulverifatus ulceribus desperatis inspersus utilis. Barth. A. H. V. 4. p. 139 medicamentis per alvum expulsus. Salmuth. c. 2. obf. 93. c. 3. obf. 1 vid. Alvi Excretio A. N. C. Dec. 1. ao. 10. obf. 3 ex abfceffu. A. N. C. Dec. 1. 20. 2. obf. 95 ex fudore natus. Bor. c. 3. obf. 50 Bufonis remedium ad peftem & quartanam. Bor. c. 1. obf. 22. A. N. C. Dec. 2. 20. 8. obf. 104 M. P. H.L. Bufones innoxie comefti. Garm. L. 2. tit. 2. §. 63 excreti. vid. Rana. Bor. c. 3. obf. 57. A. N. C. Dec. 1. ao. 10. obf. 165. Salmuth. c. 2. obf. 93. c. 3. obf. 1 Bufonis oleum ad fcrophulas. Bor. c. 4. obf. 38 Bufonum venenum. Rejes qu. 96. p. 1206. n. 9. A. N. C. cent. 3. p. 255 lapidum generatio. A. N. C. Dec. 2. ao. 9. obf. 72 pluvia. A.N.C. cent. 3. p. 393 ufus in hydrocele & anafarca. A. N. C. cent. 7. p. 422 antipathia cum araneis. Rejes qu. 96. p. 1206. n. 10. Erafm. Dialog.de Amicitia p. 626. 627. vid. Antipathia. de Bufonum damnis. Alberti Prax. extemp. Caf. XIX. Bulimia periodica ex verme. A. N. C. cent. 3. p. 318 Bulimus. Salmuth. c. 7. obf. 10 Butyri effectus. Bor. c. 3, obf. 26 a Butyro mors. A. N. C. Dec. 3. ao. 7. obf. 65 Buxi foliorum decoctum fanguineam dejectionem caufatur Garman. M.M.L. 2, tit. 6. §. 57 Buxi Buxi

CA. 53 Buxi ligni decoctum capillorum accremento inferuit. A. N. C. Dec. 2. ao. 2. obf. 155 circa Cadever muliebre nonmuliADemorabilia obli Aapebæ plantæ descriptio & vsus. A. N. C. cent 1. p. 254 Cachexia cum inflatione ftomachi. Gabelch. cent. 1. cur. 9 Cachexia. Gabelch. cent. 2. cur. 12. 21. Plater. obf. L. III. p. 565-- 572 a corruptione vifcerum. A. N. C. cent. 1. p. 217 cum febre fortuita curata. Blegny Zod. ao. 1679. Oct. obf. 1 cum hydropis principio, ulcere in crure a natura aperto, fanata. A. N. C. Dec. 3. ao. 9. obf. 20 cum dentium dolore. Plater. obf. L. III. p. 570 potu aquarum acidarum curata? ibid. p. 570. 572 Cachinnus inufitatus mortis immaturæ prænuntius. A.N. C. Dec. 3. ao, 2. obl. 10 Cachunde ad imbecillitatem ventriculi auxilium, Zac. Luf. P. A. L. 2. obf. 6 fuaveolentis compositio, Garm, L. 2, tit. 8. 9. 52. Zac. Luf. M. P. H. L.I.C. 36. 0b1. 37 Cacochymie cum Arthridide juncte confilium. Solenand. Sect.5. conf.8 Cacoëthica ulcera uteri. Zac. Luf. P. A. L. 2. obf. 96. vid. Vlcus. Cadaver unde derivetur. Garm. M. M. L. 2. tit. 4. S. 18. p. 7. Calp. Sagittarius in not. ad Sulpicium. in lapidem mutatum. Kornm. M. M. P. 3. c. 36 Cadavera inhumata contagii & peftis caufa. Garm. L. 2. tit. 2. §. 9. vid. Aër. it. Zac. Luf. P. A. L. 3. obf. 43 contagiola. Garm. M. M. L. 2. tit. 2. §. 36 non contagiofa effe, qui afferant. Garm. M.M. L. 2. tit. 2. §. 47 an e longinquo vultures & canes olfaciant, Garm. M. M. L. 2. tit. 2. 6. 18 Perfarum. Kornm. M. M. P. 3. C. F pinguefaciunt agros & arbores. Garm. M. M. p. 115. §. 186 flaccida. Garm. M.M.L. 2. tit. 4. §. 41-43 cur aquis innatent. Kornm. M.M.P. 6. c. 2. 4. & 5. primum rigida, deinde flaccida sponte reddita. Garman. M. M. L. 2. tit. 4. 5. 43 cur viventibus fint grauiora? Kornm. Mir. Mort. P. 6. c. 25. 24 Cadaver ad quartum diem calidum. A.N. C. Dec. 2. ao. 4. obf. 18 G 3 Ca-

54 CA. C/L.	
Cadaver in sepulchreto antiquo repertum cum vrn	is. A. N. C. Dec. 2.
ao. 6. obl. 84	20. 2. 0bf. 155
circa Cadaver muliebre nonnulla memorabilia o	bseruata. A, N. C.
Dec. 3. ao. 7. obf. 165	Property adverse 73
Cadavera virorum supina, fæminarum prona fluit	ant. Kornm. M. M.
P. 6. c. 3 Cadaveris humani partium magicus usus. Garm. M.	M. p. 122. feq.
attactus menfium fuppr. & fubfequentem Icteru	m caufatur. A. N.C
Dec. 3. ao. 1. obf. 7	a sign hwdronia n
e Cadaveribus varia infecta, Garmann. Mir. Mort. L.	3. tit. 1. 5. 148
Cadaverum incorruptibilitas. Garman. Mir. Mort. I	ib. 2. tit. 2. p.041
de Cadaverum condituris scriptores. Garman. Mir.	Mort. Lib. 2. tit. 2.
in S. 94 . S. A. S. suisanner promisente 2. 40.	
Cadavera cur mare ad littora pellat. Garman. Lib.	tit 2 6 IOI
Cadaveris adípectus gravidis vitandus. Kornm. Mir	Mort P 7 c 6
Cadaverum refuscitatio & refurrectio. Garm. Lib. 3.	tit 4
Cadaver infantum. Kornm. M. M. P. 5. C. 1	un4 0.100
Cadaveri sensum qui adscripserunt. Garm. M. M. L.	2 tit 7 6 76
Cadaverum petrefactio Garm. L. 3. tit. 3	1. 20 CILO /. 90 / 0
Cadaverum putredo. Kornm. M. M. P. 3. C. 2	e uno antelaceour
pondus. Kornm. M. M. P. 6. c. 24	Eacosnorra Elicera un
fubtilitas. Kornm. M.M. P. 6. c. 22	There are the factor of the
cruentatio. A. N. C. cent. 5. p. 174. vid. Cruentat	SOUTH AN ABY YOL
odor fuaveolens. Garm. L. 2. tit. 8. §. 4-6	Cadreers interna
Cadmia fosfilis, Fliegen=Gifft. vid. Cobaltum.	THE M. LUC.
	companelignation
	non contagion
Cacus pater 5 filios cacos gignit. A. N. C. Dec. 3. ao.	4. 001. 07
per 40. annos, & iterum videns Kornm. Mir. viv.	P. 18
Cecinati. Kornm. Mir. viv. p. 76. feq.	1940 A. AHU 12172 9
Cacitas fubitanea. A. N.C. cent. 1. p. 148	pingueraciunt a
a fortisternutatione. Hagendorn. cent. 1. hift. 55. p	Hacerda, (an76.
fubitanea ex efu Mercurii dulcis. A. N. C. cent. 7.	p. 420 superus
exhumoris cryftallini effluxu. Plater. obf. L. I.p.	
	Edward and The survey
ex scabie retropulsa. A. N. C. cent. 9. p. 14	CHC MIN ALL DUS
sponte cessans. Hagendorn. cent. 1. hist. 56. p. 89	
-23 E	Caci-

CÆ. CA. 55
Cacitas post furditatem. Barth. cent. 4. Ep. 40
post convulsiones incurabilis. Plater. obl.L. 1. p. 102
Cacitatis metaftafis in Epilepfiam. A. N. C. cent. I. p. 264
Cecitar noft curatam Enilenfiam Hild, cent. 5. Obl. 5
Cacitas repentina ex vulnere in occipitio. vid. Visus. M. Donat.L. 2.C.II.
Hildan cent s obl 17
incurabilis a suppressione hæmorrhagiæ narium in Theologo Ha-
noverano.
incurabilis atumore globofo in cerebro. Plater. obf. L. I. p. 101
a nimio fludiorum exercitio. Frank. p. 591. leq.
ex Epilepfia. Hagendorn. cent. 1. hift. 17. p. 31 0. 1. 1. hift. 17. p. 31
Cacus per nares videns. Smet. Mifc. L. 5. Ep. 13
Cacus Eruditus. Barth. c. 3. h. 44
Cacus Eruditus. Barth. c. 3. h. 44 Cacus ab infantia ex confuetudine multa artificiose fabricans. Plater.
Cecitatex vomitorio, vifusque per medicamina reftitutio, Hild, cent.
diagnolis interita A. N. C. cent. 1. p. 200. app. 01. ido.?
5. obf. 19 Cecitas propter nervorum opticorum obstructionem quomodo re-
movenda. Hild. C. 5. Obl. 20
Cecitas poft hæmorrhagiam narium. Hild. cent. 6. obl. 5
Cecum intestinum duplex cum Liene magno. A. N. C. Dec. 1. ao. 1.
obf 20 vid Intestinum.
Cecitas poft V. Snem. A. N. C. Dec. 3. ao. 7. obl. 40. 70. Hua. C. 5. Obl. 18
ex terrore. A. N. C. Dec. 3. ao. 5. 6. obl. 28
Cecitas ex alapa. Zac. Luf. P. A. L. 1. obi, 52
ex lactatione & imprægnatione. Salm. c. 3. Obl. 27
ex cafe ab alto Salmuth C. 2. Obl. 42
ex lapide in nervis opticis. Blegny Lod. gall. ao. 1079. Apr. Obl. 14
exveneno (ulo, l. C. 3)
fugay ab extractione calculi. Blegny Zod. gall. ao. 680.1un. Opt. 8
per 22 horas durans. Haechlt, Dec. 9. C. 6
repenting ex morbo Gallico. Zac. Lul. P. A. L. I. ODI. 53
Cafarea sectio. A. N.C. cent. 3. p. 316. it. vid. Partus. Blegny Zod. gall.
20, 1680, Oct. obl. 4
Casones & Casares quomodo differant. Alberti Iur. Med. P. 1. p. 141.
ASTER 199. C. T. P. O. T. DORT MERSON PARAMETER CO. 107 20121 20124
Caincimonofic Karman Mir. VIV D 272
call in Cal-

50 in Calcaneo cornu enatum. Zac. Luf. P. A. L. 2. obf. 188 Calcei vestigium fumo suspensum, an aliquid nocere possit. Alberti Iur. Med. P. I. p. 388 Calceorum cum veftigiis conciliatio, Jug= Spuhr. ibid. p. 187. §. 2. p.388 Calcitratio. vid. Calx. DIA "DILICICO DI PL Calceati male & frigidi, vulgo vocantur impotentes. Solen. Sect. 4. - Conf. 19 Calculus. Diemerbr. obf. 73. Solenand. Sect. 4. Conf. 10 fub lingua. A. N. C. cent. 1. p. 197. app. Plater. obf. L. 3. p. 368. Borell. c. 2. obf. 17. Tim. a Guldenkl. L. I. Caf. 35. A. N. C. Dec. 1. 20. 3. obf. 1. 43. ao. 10. obf. 144 es Epilophia, Magendary, conta t. hift. uteri fungiformis. A. N. C. cent. 1. obf. 95. p. 187 ex utero. Barth. cent. 3. Ep. 28 tus. Barrn. c. 2. h. 44 Calculis refertus uterus. A. N. C. cent. I. p. 148 Calculus in dextra maxilla. A. N. C. cent. I. obf. 66. p. 136 Calculi diagnofis & prognofis. Zwing. D.p. 619-629 diagnofis incerta. A. N. C. cent. I. p. 200. app. in ductu falivali. A. N. C. cent. 9. p. 400 1 20 33 m ex musculo abdominis ib. cent. 9. p. 23 ex mammilla. Plater. obf. L. 3. p. 841 Calculi in corde. Zac. Luf. P. A. L. 1. obf. 141. Kornm. M. M. P. 4. C. 70 in ipfa cordis fubstantia, musculo Deltoide & testiculo. Blegny Zod. gall. ao. 1680. Iun. obf. 1 L.C.Da CECERTED OLE V Calculus in pericardio. A. N. C. Dec. 3. ao. 7. obf.75 Calculus cordis in Hydropico. A. N. C. Dec. 3. ao. 9. obf. 89 in corde Capreoli A. N. C. Dec. 2. ao. 1. obf. 133 Calculi biliarii f. fellei in cyftide fellea. A. N. C. cent. I. p. 57. 128. 152. 317. cent. 3. p. 227.& 9. app. Dec. 1. ao. 1. obf. 44. 129. ao. 7. obf. 221. ao. 10. obf. 55. p. 144. obf. 139. 181. cent. 3. p. 380. cent. 5.p. 1. Hild. cent. 1. obl. 60 Calculus veficæ felleæ. A. N. C. cent. 9. p. 461. Blegny Zod. gall. a0.1679. Apr. obf. 7. Maj. obl. 6. Iun. obf. 5. Plater. obf. L. 3. p. 840 fellez veficz Apoplexiz autor. A. N. C. cent. 3. p. 380 vesicæ felleæ pellucidus Icterum producit, Blegny Zod. gall. ao. 1679. Apr. obf. 8 vefice fellee Bor. c. 1. obf. 4. Hoechft. Dec. 10. c. 9. p. 440. Rhod. c. 3. obl. 2, A. N. C. Dec. 1. au. 3. obl. 283. Plater, obl, L. 3. p. 840 Calcu-

Calculus vesice vrine infignis. A. N. C. cent. 1. p. 130. Gabelch. cent. 2.	
cur. 88. A. N. C. Dec. cent. 9. p. 437. 352	
vesicæ incipiens quomodo curatus. Hild. c. 3. obs. 71	
vesicæinsignis magnitudinis. A. N. C. cent. 1. p. 200. app. it. Zac. Lus.	
P.A.L. 2. obf. 68. 70. A.N.C. cent. 3. p. 371	
vesicæ unciarum 14.cum canali a natura perforatus. A. N. C. Dec. 2.	
ao. 1. obf. 19	
Calculi quam plurimi ex vesica extracti. Hild.c. 3. obs. 69. 70. c. 4. obs. 91	
Calculi veficægenefis. A. N. C. cent. 1. obf. 94	
vesicæ comminutio possibilis cum Indica planta Cacho. Rejes qu.87.	
p. 1135. n.11. 12	
vesicæ mictione redditi. Plater. obf. L. 3. p. 838	
vesicæ comminutio per medicamenta testimoniis probatur. Rejes qu.	
87. p. 1136. n. 14	
vefice comminutionem qui'negarunt. ib. p.1137.n. 15. p. 1139. 1141	
vesica comminutio per medicamenta impossibilis. ib. p. 1137. 1141. n.	
15.18.19. p. 1142. n. 20.23.	
vesicæ comminutionem promittentibus non credendum.ib. p.1142.	
1143. n. 21-23	
vesicæ diffoluti medicamentis. Blegny Zod. gall. ao. 1679. Aug. obs.	
16. Nov. obf.9	
inftar olivæ ex vefica excretus. Hild. cent. 3. ohf. 68	
vesice & renum non folvi posiunt. A. N. C. Dec. 1. ao. 2. obf. 158	
Calculus vesicæ monstrosus per lithotomiam eductus. Blegny Zod.gall.	
ao. 1681. Oct. obf. 2. Hild. cent.1. obf. 78	
an cum vesica concrescere possit. Alberti Iur.Med. P. 2. p. 535	
Calculi cum vesica concretio quomodo fiat, eaque ab autorum testimo-	
niis probatur. ibid. P. 2. p. 540. 541	
Calculus in ipfo scroto genitus. Hild. c. 6. obs. 57	
Calculus vesice exfectus. Plater. obf. L. 3. p. 838. 839	
Calculus vesicæ canis extractus. A. N. C. Dec. 3. ao. 9. obs. 170	
a septagennaria excretus. A. N. C. Dec. 2. ao. 2. obs. 182	
in fæmina 54. annorum sponte excretus. A.N. C. Dec. 1. ao.	
7. obf. 195	
in vesica bouis. Bor. c. r. obf. 5	
in urethra ipfa retentus. Hildanus cent. 6. obf. 56	
iu vesica repertis baccis juni perinis in superficie repletus.	
H Cal-	

58 CA.
Calculi in vesica prægrandes post mortem reperti. Hildanus c. 4. obf-
44. 50. 51
Calculi in vesica, renibus, fellis folliculo & pulmone geniti Lang. L.
2. Ep. 57 Calculus vesicæ mucidus excretus snb aëre statim exarescit. Barth. A.
H. V.3. obf. 70 veficæ ftupendæ formæ. Zac. Luf. P. A. L. 3. obf. 138
Renuman per sectionem extrahi possit, & qui hanc extractionem
commendarint. Rejes qu. 87. p. 1139. n. 16. 17
Renum in gravida. Solenand. Sect. I. Cont. 16, 17
Renum balfami ope excretus. Zac. Lul. M.IP. A. L. 2. Hilt. 128. p. 411
Calculi Renum pafferculus traglodytes remedium laudatillimum. Zac.
Luf. M. P. H. L. 2. hift. 129. p. 414. leq.
in Calculo ren finister sæpissime patet. vid. Ren.
Calculo Renum num fenes, vesica num pueri magis obnoxii sint. Zac.
Luf. M. P. H. Hift. 128. p. 413
an folus homo laboret. ibid. p. 413 vtriusque renis ingens lethalis. A. N. C. cent. 5. p. 310
Calculus Renum cum mictu fanguinis. Plater. obf. L. 2. p. 435
Calculus Renum immensus, Ren absumtus. ibid. p. 436
Calculi Renum mictione excreti, Ibid. L. III. p. 837
Calculi remedium fingulare. A. N. C. Dec. 3. ao. 7. obl. 109
remedium femen Dauci. A. N. C. cent. 1. p. 188. app.
fuccus betulæ & cerevilia in qua candentes filices extincti. A.
N.C. Dec. 1. ao. 3. obf. 188
Veronica. A. N. C. Dec. 1. ao. 1. obf. 107
aqua Cort. Fabarum. Barth. cent. I. Ep. 55. p. 238
præfervatorium allium. A. N. C. cent. 1. obf. 55. p. 1.6 Calculus & arena per urinam excernuntur. Blegny Zod. gall. ao. 1680.
Lalculus & arena per unmain excernancur. Bugny 200. gan. ao. 1080. Iun. obf. 26
Calculi & arenulæ e fonticulo spontaneo. A. N. C. Dec. 1. 20.10.0bf.69
ex juncturis arthriticorum eruti. Blegny Zod. gall. ao. 1679. Jun. obf.
6. Plater. obf. L. II. p. 476. L. III. p. 664
ex abfceffu inguinis erumpentes. Blegny Zod.gall, 1679. lul.obf. 3
Calculus in nervis opticis cephalalgiam & coecitatem inducens. ibid.
Maj. obf. 14
Calca

Calcu-

Calculorum extractio ex urethra cœcitatem fugacem causatur. ib. ao.
1680. Iun. obf. 8
Calculum ex urethra eximendi modus. Tulp. L.3. c. 8. Plater. obf. L.3.
p. 838. 839
Calculi per virgam citra dolorem excreti. Blegny Zod. gall. ao. 1679.
Apr. obf. 15
Calculus in urethra fuctione prolicitus. Hagend. cent. 2. hift. 39. p. 2108
Calculus ex penis superiore porte excisus. A.N.C. Dec.1. ao. 6. obs.34
in orificio penis hærens. A. N. C. cent. 5. p. 80
in fine virgæ desperatus curatus. Zac. Lus. P. A. L. 2. obs. 75. 77
in fine virgæ lethalis. Zac. Lus. P. A. L. 2. obf. 76
Calculi multi, miræque figuræ. Hagend. cent. 2. hift. 38. p. 206
Calculi pulmonum. Salmuth. c. 1. obf. 7. Barth. c. 1. hift. 33. Bor. c. 1. obf.
67. A. N. C. Dec. 1. 20. 1. obf. 158. 20. 7. obf. 222. 20. 2. obf. 181
pulmonum a vapore calcis vivæ frequentius infpirato geniti. A. N.
C. Dec. 1. ao. 3. obf. 16. 6. obf. 132. Kornm. M. M. P. 4. C. 70
pulmonum tuffi rejecti. Bor. c. 1. obf. 67. Rhod. c. 2. obf. 3. Zac. Luf.M.
P. H. L. 2. hift. 37. p. 248. feq. A. N. C. Dec 2. ao. 3. obf. 89. Zac. Luf.
P. A. L. 1. obf. 103. A. N. C. Dec. 2. ao. 3. obf. 63. Barth. c. 3. Ep.80
Calculus asperæ arteriæ. A. N. C. Dec. 1. ao. 10. obs. 55
arterialis. Tulp. L. 2. C. 25
Calculi arteriæ aortæ. A. N. C. cent. 9. p. 442
cum fanguine ex vena profilientes. A. N. C. Dec. 1. ao. 1. obf. 65
Calculus venæthoracicæ. Tulp. L. 4.c. 22.
Calculi ex tumore iuxta aures & in fupercilio. Plater. L. III. p.663.664
Calculo obductum ovum ligneum. A. N. C. cent. 5. p. 295
Calculi in folliculis. A. N. C. cent. 3. p. 229
filicei excreti. ib. p. 265
in digito geniti. A. N. C. Dec. 2. 20. 3. obf. 89
per octennium fere in urethra gestati. A. N. C. Dec. 3. ao. 9. obs. 45
Calculus ex tonfilla excifus. A. N. C. cent. 5. p. 302
suppressionem urinæ post sextum diem solutam causatur. A. N.C.
Dec. 3. ao. 9. obf. 90 ventriculi. Barth. cent. 3. Ep. 50. A. N.C Dec. 1. ao. 2. obf. 181. ao.
3. obf. 86 Calculi pulmonum offiformes. Hagendorn. cent. 1. hift. 94. p. 135
Calcul pulmonum onnormes. The math a bift AL D 211
vesicæ spontança exclusio. ibid. cent. 2. hist. 41. p. 211 H 2 Cal-
11 4

Calculi intestinorum. Tulp. L. 1. c. 59. A. N. C. Dec. 1. 20. 2. obf. 136.
ao. 8. obf. 70
ingentes in Mesenterio & Pancreate reperti. A. N. C. Dec. 1. 20. 8.
obf. 50
in Perinzo. A. N. C. Dec. 1. ao. 10. obf. 33
in Hepate. Plater. obl. L. 3. p. 842
Calculus excretus per Perinæum. A. N. C. cent. 9. p. 200
ex lingua. Hagendorn. cent. 1. hift. 71. p. 105
per scrotum erumpens cum urina. A. N. C. Dec. 1. ao. 7. obf. 206
per Anum exclusi. A. N. C. cent. 3. p. 310. cent. 9. p. 25. Dec. 1. 20. 8.
obf. 70.40. 10. obf. 90. plurima testimonia de hac observ. vid.Dec.
1. 20. 10. obf. 122. Barth. c. 4. h. 48. 11. A. H. V. 5. obf. 65. A. N.C.
Dec. 1, ao. 10. obf. 185
Calculus cerebri. A. N. C. Dec. 2. ao. 1. obf. 131
in cerebro Damæ repertus. A. N. C. Dec. 2. 20. 1. obf. 33
Calculi intra Meninges reperti. A. N.C. cent. 1. p. 208. app.
Calculi in cystide fellea. Hagendorn. cent. 2. hist. 8. p. 166
ex umbilico. ibid. hift. 9. p. 167
Galculus per palatum reiectus. Hildan. cent. 5. obf. 1
Calculi ex Naribus. Barth. c. 1. h. 33. A. N. C. Dec. 2. ao. 3. obf. 79. Dec.
3. ao. 9. obf. 145
deglutiti. Bor. c. 1. obf. 69
trecenti majores biennio excreti. Hildan. cent. 1. obf. 69
excretio ab ipso ægro præstita. Tulp. L. 4.c. 31.
excretionis promotio cum gaudio & terrore. Barth. A.H.V. 3. obf.38
lethalia figna. Zw. D. p. 630. 631
in infolitis corporis locis reperti. Rejes qu. 36. p. 444
in Hepate. A. N. C. Dec. 1. 20. 2. obf. 104
in facculo membranaceo hepatiadnexo. A.N. C. Dec. 1. ao. 10.
obl. 104
in omnibus partibus corporis, in fronte, palpebris, lingua &c. Gar-
maim. Mir. Mort. L. 3. tit. 3. §. 41. & feq.
Calculus per Lumbos excretus. Tulp. L. 4. c. 28. A. N. C. cent. 9.p. 375
per vmbilicum excretus. A. N. C. cent. 9. p. 344
Lanuginofus. Barth. A. H. V. 2. obf. 55
fungiformis in vtero. A. N. C. cent. 1. obf. 95. p. 187
Calcu-

Calculosi urina fanguinem mentita calculis materiam exhibens. A. N.
C. Dec. 3. ao. 9. obf. 81
Calculosus affectus pro fascino habitus. A. N. C. cent. 3. p. 157
alvi fluxus. Zac. Luf. P. A. L. 3. obf. 133
Calculosi an finttorquendi? Alberti Iur. Med. P. 1. p. 239. §. 9
Calculoss exenteratio. Hagendorn. cent. 2. hist. 40. p. 209
von des Calenders guten und bofen Zeichen. Gerbers unerkandte Guns
den. P. 2. c. 17. p. 265
Calendarium fauciatorum perpetuum. A. N. C. Dec. 2. ao. 6. obf. 4.
Weger. de nonnullorum hominum Ephemeridibus. Frank. Sat.
Med. p. 173. Helmont. de magica vuln. cura. Boyle novum Expe-
rim. 8. Alberti Praxis extemporanea Caf. 30
Cali herbælargus proventus in Transylvania. A. N. C. cent. 1. p. 132.
Caliditas & humiditas vtrum in pueritia debeatur homini. Bravo P. 1.
difp. 4. Sect. 1. Refol. 3. p. 120
Calidum innatum in corpore humano vtrum detur. Bravo P. I. difp. 7,
Sect. 1. Refol. 1. p. 213
Calidum innatum quid fit. ibid. Refol. 2. p. 214
ex Calido innato calor refultans quid fit. ibid. Refol. 3. p. 216
Calidum innatum propter quid requiratur in vivente. ibid. Refol. 4.
D. 217
Calidum innatum lucidum effe. Garm. M. M. L. 2. tit. 9. §. 16
Calidorum præposterus usus in febribus acutis. A. N. C. Dec. 3. ao. 9.
obf. 40
de Calore disquisitio. Smet. Misc. L. VIII. Ep. 4. p. 409. it. Ep. 5. Ro-
hault. Tr. phyf. P. I. c. 23. Ariftot. L. 2. degener. & corr. c. 2. Car-
tef. de meteor. c. 1. n. 7. Ioh. Clauberg. difp. 21. le Grand Inftit. phi-
lofoph. P. 6. art. 18. Greydanus Phyf. L. I. Tr. c. 10. Sturm. phyf.
hyp. p. 305
Caler in cadaveribus poft mortem. Garm. M. M. L. 2. tit. 4. §. 37 40
vernalis utilis in Tabe annua. Zac. Luf. P. A. L. 3. obf. 115
febrilis adurens. Garm. L. 2. tit. 9. §. 24
eft de effentia febris. Barth. cent. 4. Ep. 46
auctus an fit fignum febris? Barth. cent. 3. Ep. 71-73
naturalis deficiens in cordis imbecillitate. Solen. Sect. 3. Conf. 14
præternaturalis dorfi. Gabelch. cent, 6, cur, 101
a putredine. Garm. L. 2. tit. 4. §. 40
H3 Calo

GE

	62 CA.
	Caloris utriusque differentiæ, species, vires & substantiæ. Lang. L.I.
	Ep. 13. p. 61 Calor innatus quod non fit cœleftis. Smet. Mifc. L.VIII. Ep. 6.7
	Calor innatus & fanguis funt duo inteftini hostes vitæ nostræ nobis- cum nati. Smet. Misc. L. XI. Ep. 2. p. 593
	ex Calefacta facie, aqua frigidistima abluta, gravia fymptomata. Hilda-
	nus cent. 1. obf. 29 Calor utrum adolescentibus debeatur æqualis ac pueris. Bravo P. 1.
	disp. 4. Sect. 1. Resol. 4. p. 122 Calor innatus, seu adscititius ex partibus igneis, seu aëris substantifici
	temperamenti ortis, vtrum sit neaessaria, & inevitabilis causa mortis naturalis. Bravo ibid. Sect. 2. Resol. 6. p. 135
1 22	Callus manuum eminens. Barth. L. 5. h. 86
	Calli pedum cura cum oleo laterino. A. N. C. Dec. 1. 20. 4. p. 12. app.
¥	vlcerum cura cum facco chelidonii. A. N. C. Dec. 1. ao. 4. p. 57. app. Calvities ex Baccho & Venere. Garm. p. 78. §. 121. Rejes qu. 56. p. 697. 698
	a morbo. Garm. M. M. p. 80. §. 122
	posttineam. Plater. obs. L. III. p. 560
	Calx viva exficcat & corrumpit cadavera. Garmann. Mir. Mort. L. 3.
	tit. 1, §. 72 Calxviva, circaque eam facta experimenta. A. N. C. Dec. 1. ao. 7.
	obf. 244
2	de Calce. Garm. Mir. Mort. L. 3. tit. 3. §. 89
	Calce recenti tectum cubiculum caufa mortis. Kornm. M. M. P. 6. c. 39 Calce recenti illiti ac nuperrime exstructi & concamerati conclavis
	inhabitatio periculofa fymptomata excitavit. A. N. C. Dec. 3. ao.
	9. obf. 74 Calcitratio capitis & abruptio funiculi umbilicalis mors infantis &
	caufa infanticidu. Alberti Iur. Med. P. II. p. 69. Cal. 8
	Campanæ a pontificiis pestem sugare dicuntur juxta versiculum:
	Laudo Deum verum, plebem voco, congrego clerum, Defunctos ploro, pestem sugo, festa decoro.
+ >	quam superstitionem rejicit. Gerber in unerfandten Gunden P. 1. c.
	67. p. 898. feg.
14	Campana sonitus surditatemit. Epilepsiam causatur. vid. Surditas &
	& Epilepfia.
	Cam-

the second se
de Camphora. Reinzer. Meteorol. difl. 1240.c.3 p. 254
Camphora an fit frigida an calida. Zac. Luf. M. P. H. L. 3. hift. 20. Rejes
qu.34. p. 523
frigida & calida afferitur. Rejes qu. 44. p. 528
olfactui nocens. Barth.c.4. hift.91
veneri nonrefiftit. A. N. C. Dec. 1. ao. 7. obf. 235
Camphoræ usus in rubore & pustulis oculorum. A. N. C. Dec. 3. ao. 6.
obl. 19
Campfones, Cambiones, MBechfelbalge. Alberti Iur. Med. P. 1. p. 116
Canalis venofiin fœtu descriptio. A. N. C. cent. 5. p. 236
Canales aque ductus plumbee & salubris aque indicium. Lang. L. I.
Ep. 44. p. 219
Canarienfes aves alba & nigra. A. N. C. Dec. 1. 20. 7. obf. 230
Cancer in Cancro. Frank. Sat. p. 79. A. N. C. Dec. 1. ao. 6. obf. 122
capiti nocens. Barth. c. 6. hift. 57
in terra extra aquam plurimum vivens. Frank. p. 125
Cancrorum lapides veri & factitii. A. N. C. Dec. 3. ao. 3. obf. 151. Barth.
A.H.V.3.obf.65
Cancrorum regeneratio & palingenesia ex cineribus corum. Becch. Ph.
Subt. L. I. S.3. c. 4. p. 151. Bor. cap. 4. obf. 34. A. N. C. cent. 7. p. 35
Cancri memorabile exemplum. Zac. Luf. P. A. L. I. obf. 125
fupra oculum nati hiftoria rarisfima. Zac. Luf. P. A.L. 1. obf. 126
faciei fub oculo finistro. Plater. obf. L. II. p. 490
Caucer faciei rarus lethalis post variolas. A. N. C. cent. 1. obf. 123. p.249
ex verruca faciei caufficis tractata. A. N. C. cent. 5. p. 58
ex fiffura labiorum. Tim. a Guldenklee L.1. Caf. 3
genarum. Barth. c. 6. h. 26. Plater. L. II. p. 490. 491
in mammis mulicrum. Plater. L. II. p. 489. 495
in mammilla mulieris annua purgatione levatus. Zac. Luf. M. P. H.L.
2. hift. 28. p. 231. vid. Mamma.
Mammarum & Narium curatur cum fucco onopondi. Bor. c. 2.
Cancriformibus manibus pedibusque virgo. Hagendorn. cent. 3. hift. 32.
and the state of the second state of the secon
Cancri in mammis exulcerati excisio. Barth. cent. 1. hilt. 100
Cancer fub lingua, in labiis, palato & nare, Plater. obf. L. II. p. 369. 491
Cancer Iub mig da, in labits, parato & mare, 1 rater. Obi. L. in p. 507. 49
· · · · · · · · · · · · · · · · · · ·

04
Cancer gingiuarum. Plater. ibid. p. 370
Cancri cura. Bor. c. 2. obf. 51. 67
occulti periculofa cura. A. N. C. Dec. I. ao. 8. obl. 21
euporiftum vitriolum. A. N. C. cent. S. p. 302
in Cancro Arfenici malignitas. Hildanus cent, 0. obi. 81
Cancro recenti proficuus succus Chelidonii cum filis discerptis admo-
tus, A. N. C. Dec. I. ao. 4. p. 51. app.
Cancri ulcerati cura cum Helleboro. Zac. Luf. M. P. H. L. 2. hift. 29
p. 238
Cancer in collo. Plater. obf. L. II. p. 492
in utroque inguine prægrellis filtulis. 1bid. p. 493
Cancer mammillæ finiftræ excifus. Hagendorn. cent 3. hift. 72. p.375
Cancer ulcerosus & contagiosus affectus. Zac. Lus. P. A. L. I, obs. 124.
Tulo. L. 4. c. 8
ulceratus non contagiofus. Zac. Luf. M. P. H. L. 2. hift. 28. p. 232
per 50. annos innoxius. Tulp. L.1. c. 47
in femore. Plater. obf. L. II. p. 492. 493
offis, Tulp. L. 4. c. 13
in genus, Plater, obf. L. II. p. 494
penis venereus fistulosus. Blegny Zod. gall. ao. 1689. Sept. obl. 4
occultus curatur. Hildanus cent. 3. obf. 86. 87
uteri externus. A. N. C. cent. 7. p. 371
linguæ graviffimus. Hild. c. 3. obf. 84
refice Tulp I A. C. 28
occultus ex Erysipelate perverse curato. Alberti Iur. Med. P. II.
p. (67
occultus per so, annos innoxius, ibid.
Cancri occulti indoles fi periculofior eft. ibid. P. II. p. 504
occulti cura quod periculofa fit probatur. ibid. p. 507
occulti cura quomodo inftituenda. ibid. p. 564. 567
occulti exfectio quomodo inftituenda. ibid. p. 566
Cancrosus Ficus in oculi dextri orbita, cum gruvissimis capitis sym-
promatibus, feliciter extirpatus. Hildan. cent. I. obl. I
in Cancrolis erodentia & acria medicamonta periculola. 1b. p. 5. b.
Cancrolifcirrhi ex lacte coagulato. Hild. cent. 2. Obl. 78. 80
Candele accense cur a veteribus juxta cadavera mortuorum positæ.
Garm.M.M. L. 2. tit. 10. 179
Cande-

CA.	65
Candelæ extinctæ fumus abortum caufatur. Rejes qu. 50. p. 620	The
Canis triceps. Bor. c. 2. obf. 83	and i
rabidi figna. Rejes qu. 61. p. 787. vid. Rabies.	S.
non rabidi levior morfus perniciofus. A. N. C. Dec. 3. ao. 9. obf.	2
periodice catalepticus. A. N. C. Dec. 2, ao. 5. obf. 96	1.1.3
Canúm morbus epidemicus. A. N. C. Dec. 3. ao. 5. 6. obf. 160	
Canum sagacitatem fidelitatem & vigilantiam qui explicaverint. I	Pipe
qu. 61. p. 786. 787	1.1.1.
Canis figuræ in urina. Bor. c. 1. obf. 28.38. vid. Hydrophobia.	in the
Canum ejulatus an aliquid mali ominetur? Garm. L. 2. tit. 2. 6.18.1	0.57
Canis I. catellus a puero ex alvo excretus A. N. C. Dec. J. ao. 8. ob	1 .2
aviro per vomitum rejectus. Schenkius A.N.C. Dec. 1. ac	2. 8.
obl. 58 . and and the second s	lab
marini dentes. Blegny Zod. gall. ao. 1682. Mart. obf. 17	de
Catelli ex canis rabiofi faliva in veste relicta. Salmuth. c. 2. obf. 83	Ća
Catulos peperit mulier. A. N. C. Dec. 2. ao. 4	A REAL
Canities in puero & iuvene. Bor. c. 1. obf. 11. A.N. C. Dec. 2. ao. 1. obr	6.60
ab infantia. Garm. p. 62. §. 95. 98	
Canities. Kornm. M. viv. p. 59	
hereditaria. Garm. p. 65. §. 99	The
a ftudiis. Frank. p. 579	I.
exterrore & venere. Garman. p. 69-72. §. 107112	
repentina. Bor. c. t. obs. 26. Garm. p. 66. §. 100	4ST
repentina ex animi pathematibus, e.g. terrore, mœrore. Rejes	qu.
86. p. 1117. n. 18. M. Donat. L. I. C. I	Print 1
ex causis diversis. Garm. p. 65. §. 102112	E.
ex levi caufa orta. Garm. p. 66, §. 101	
nigrorum capillorum post mortem. A. N. C. Dec. 2. ao. 8. obf. 103	3
intra nychemeron a metu. A. N. C. Dec. 2. ao. 4. obf. 60	
Cannabis virtus ad dilatandas fissuras cranii. Lent. Mifc. Med. p. 223	D
Canonifatio mortuorum Kormm. M. M. P. 8. c. 20	1.7
Canstadienses aque medicate. A. N. C. cent. 1. p. 358	0.3
Cantharides quomodo tam velociter ad vesicam perferantur. Sm	tet.
Mife. Lib. 2. cap. 41	N.
Cantbaridum noxa in vulnere. Alberti Iur. Med. app. p. 57	(m)
Cantharidam alæ cum plumbo aurum produxerunt. Becch. Ph.S. L.	1.5.
4. c. 6. p. 254. n. 17	and a star
	an-

Cantherides ftranguriæ caufa. Barth. c. 5. h. 21 Cantharidum usus medicus. A. N. C. Dec. 1, ao. 1. obf. 133. fchol. Cantharidum Tinctura. Barth. c. 5. h. 82 ufus internus. Barth. c. 5. h. 8201041109 2010001 101001 inder 1000 ufus ad venerem periculofus. Salmuth. c. 3. obf. 23. Garman. L. I. tit. 11. 0. 25 noxia & lethalis vis. Zac. Luf. M. P. H. L. 5. hift. 9. p. 835 infusi usin suppressione urinæ. A. N. C. cent. 5. p. 103 Cantharidibus numero 10. utuntur Hungari interne innoxie. A. N.C. rulating an anglud inali ommenur Dec. 1, ao. 1, obf. 133 de Cantharidibus applicatis aut in pyxide gestatis nocivis. Paschalius de curandis Morb. c. 44 de Cantharidum noxa interna. Alberti Prax. Extemp. Caf. 24 de Cantharidam ulu externo noxio. Hildan. cent. 6. obf. 98 Cantharides devoratas graviffima fecuta fymptomata curata. Hild.cent. 6. obf. 99 Capilli veneris fingularis ufus in Ictero. A. N. C. Dec. 1.ao. 4. p. 44.app. in ferpentes mutati. Bor. c. 1. obf. 23 post mortem canescentes. A.N.C. Dec. 2. ao. 8. obf. 103. vid. Canities. virides natura. Barth. c. 1. h. 40. A. N. C. Dec. 2, ao, 6. obf. 226, ao. 7. obf. 155 Capillorum denigratio & exficcatio. Bor. c. 3. obf. 2 defluvium ex cutis raritate. Solenand. Sect. I. Conf. I varii colores. Kornm. M. viv. p. 56. vid. Pilus. incrementum post mortem qui denegent &adfirment. Garm. p. 15.16. 6.20--22. vid. Pilus. incrementum & flavedinem adjuvat decoctum Ligni Buxi. A.N.C. Dec. 2. ao. 2. obf. 155. Matthiolus. Capiftratio quid? Alberti Iur. Med. P. 1. p. 37. §. 23 Capones cornuti. vid. Cornutus. Diemerbr. obf. 33 Capreæ anatome. A. N. C. cent. 9. p. 451 Caput deficit in hominibus viventibus. Frank. p. 134. feq. Kornm. M. VIV. D. 62 Capitis defectus an folus efficiat monstrum. Alberti Iur. Med. P. I. p. 110, 9.13 Ars of D. Capitis Cars-

Vi Commence and an and and
Capite truncati aliquandiu corpore erecti & rigidi manserunt. Garms
1 2. tit. 4. 6. 12 1
orbatorum f. decollatorum incessus. Rejes qu. 31. p. 366. 367. 368.
Garm. L. 2. tit. 5. 6. 13. Frank. p. 133
decollati loquela. Frank. p. 134. 190. Garm. L. 2. tit. 5. 5. 12. 47
Carrie dolor vid Dalar & Caphalaland
dolor periodicus. A. N. C. Dec. 2. ao. 8. obf. 12
dolor per fonticulum in fumma manu curatur. Zac. Lus.P. A. L. n.
obf.8
dolor infignis cum vigiliis. Gabelch. cent. I. cur. 12
dolor cum aurium tinnitu. Gabelch. cent. 1. cur. 24
Capite avulso motus continuatus. Frank. p. 135137. Garman.L. 2. tit.5.
p. 14. 16. 49
avulfo vomitus. Frank. p. 137. 138. Plater. obf. L. III. 754
ex Capitis percussione mania. Hagendorn. cent. 1. hist. 36. p. 63
Capitis diuturnus dolor ejectione vermis per nares solutus. Hildanies
cent. 1. obl. 8
Capite amputato motus in animalibus. Garm. L. 2. tit. 5. §. 15. 18. 19
amputato an vivere possi animal, an præcifum naturaliter loqui pos-
fit? Rojes qu. 31. p. 366. Negatur p. 375
cum Capite decollato experimentum Medicorum & Chirurgorum va-
num, an iterum cum trunco confolidari possit? Garman. L. 2. tit.
5. 9. 45
Capitis gravedo & fluctuatio in eo. Plater. obf. L. II. p. 339
Capitis consensus cum pedibus. A. N. C. cent. 3. p. 105
Capitis confenfus cum pedibus. A. N. C. cent. 3. p. 105 vulnus.vid. Vulnus.
vulnus non lethale. Blegny Lod. gall. ao. 1680. Febr. obl. 3
vulnus lethale.ib. ao. 1680. Febr. 9. Alberti Iurispr. Med. P.II. p.282.
Cal 26 it D 84
dolor sonitu campanarum curatus. A. N. C. Dec. 3. ao. 2. obf. 32
dolor immanis cum accellu frigoris. A. N. C. Dec. 3. ao. 4. obl. 42
dolor pertinax nullis cedens remediis in canem transplantatus. A.
N. C. Dec. 3. obf. 130
podagra. A. N. C. Dec. 3. ao. 7. obf. 214
Caput informe supra sinistrum hypochondrium juvenis habens. A.N.
C. Dec. 3. 20. 7. obf. 22
gallinælapideum. A. N. C. cent. 3. p. 237
gaining inprotoning in the second sec
time is a sub-

68 Capita brutina habentes homines. Kornm. p. 63 Capitis lafiones quanam lethales. Alberti Iur. Med. P. I. p. 302. S. 32. p. 309. 5. 38 Capitis & thoracis compressio lethalis. ibid. P. II. p. 65. p. 6 Capitis contusiones a partu difficili. ibid. app. p. 69 Carbones devorati provocant menses per decennium suppressos. Zac. Luf. P. A. L. 2. obf. 108 Carbonum fumo interemtus Iovianus Imperator. Kornm. M. M. P. 6. c. 38. Eutropius L. X. c. 9. vid. Vapor, Fumus. Carbonum vapores mortem caufantur. Plutarchus in vitis parall. Eutropius L. 10. c. 9. M. Donat. Med. mirab. Hift. p. 170. Chriftoph. Vega, Io. Matth. de Gradibus, Forestus L. 9. ob. 4. Fried. Loffius obf. L. 1. obf. 26. Hift. Acad. Reg. Scient. ao. 1710. p. 21 Carbonum malignitates. Hild. cent 6. obf. 27 Carbone affectus fanguinis miffione curatur. Zac. Luf. P. A. L.3. obf.122 a Carbonibus in conclavi claufo accenfis mors. Hagend. cent. I. hift. 23. p. 41 Carbunculus ex medicamento, Salmuth. c. 1. obf. 40 in lingua. Salmuth. c. 2. obf. 32 in tibia. Gabelch. cent. 5. cur. 93 mit hin und herlauffen der Glieder. ib. cur. 95 Carcerum infpectio. Alberti Iurispr. Med. P. I. p. 377. §. 9 Cardiaca paffio. Lang. L. I. Ep. 22. p. 104 Cardiacus vermis. Zac. Lu. P. A. L. I. obf. 139 Cardialgia five cordis dolor cum impedimento, velut bolo in faucibus. obf. L. II. p. 408 & colica post usum Hellebori. ibid. p. 411 mortalis ob arfenicum propinatum. ibid. p. 412 & raucedo ob deglutitum scarabæum, it. ob devoratam anguillam. 1bid. p. 414 ob deglutitum cochlear. ibid. p. 414 ob luctum gravem. ibid. p. 415 ob amislium processium judicialem desperationem causans. Plater. L. II. p. 416 famina decepta a quodam, maritum se ejus mentiente, atque ita adulterium admittens, ad desperationem adigitur. ib. p. 416. 418 Car-

	GA.	69.
Cardialgia ex vermibus in v	entriculo. Barth, F	. H. V. 5. obf. 34. Rhod.
c. 2. obf. 73	trailing the second from	Abe allekaripon
ex vermibus mire sopita.	Hagend. cent. 2. hi	ft, 4. p. 160
ex efu murænarum. ibid.	hift. s. p. 161	nontrik the substance.
sex ufu pulverum freque	nti. ibid. hift. 6. p.	162
ab hirudinum morfu. Rhe		of the state inter such
ex potu aquæ frigidæ. Rh	od. c. 2. obf. 71	witten and a second second
a flatu. Rhod. c. 2. obf. 70	用的资源公司44630023	and and an and a super-
cum multis flatibus. Gabe		information the second second
lethalis. A. N. C. cent. 1. p	. 185 app.	ablitutes to a long the way
Cardialgiæ remedia. A. N. C.	cent. 3. p. 336	the search and an and
Cardinales 4. qualitates que	the second is a second to second it is the second s	
fitionum. Blegny Zod.g	gall.ao. 1682. Sept. (Oct. c. s
Cari, Apoplexiæ, Epilepfia	e, Lethargi, Coma	tis, Catochæ, Catalepsiæ,
		a. Lang. L. 1. Ep. 25. p.116
Caries osfium. Blegny Zod. g	the second se	
offis bregmatis & tempor	um. A. N. C.cent. 7.	p. 284
cranii. Rhod. c. 1. obf. 34	Contraction of the particular	and the source of the source of the
Carfunctel. vid. Febris Ephen		Cates upposed to be here
Carlinæ virtus defatigatoria.	A. N. C. Dec. 2. ac	0.1.0bl. 169
Carnifices an fanguinem hun	nanum bibant? Ka	ornm.M. M.P.5.C. 21
de Carnificibus. Kornm. M. N.		Gladius, Decollatus.
Caro lucens. Barth. c. 2. h. 14	- Bor. c.1. obl.3	all and the statistical for the
Caro humana an pro cibo in	herviat? vid. Hun	nana.
fuilla humanæ carni fimil	llima. Zac. Luj. M. I	P.H.L. o. n. 14. p. 957
Caro fuilla, Hippocratis &v	eterum iententia	de ea. Lang. L. I. Ep. ol.
.p. 320	ANC D.	is an California
animalium ægrotantium	noxia. A. N. C. De	ec. 1. ao. 6. obl. 102 cent,
5. p. 123	in de an landet	C. Commun I a size
animalium infectorum co	imeita an contagio	Dia? Garman. L. 2. 11.2.
	and the second s	
infectorum innoxie come	m novio comodio	Lant Mile Mod p too
Carnis animalium infectorum	in noxia comettio.	Lem. Mile. Med. p. 509.
A.N.C. cent. 5.obf.70.p Carnes fale conditæ alterati	onem indunet P	ach Ph ST . S
the second states and the second states at the seco	onem madulit. D	00000 x 110 So La lo So So Co Ia
n. 34. 35. p. 282		Con line in
Carry an	13	Carnis

70
Carnis esus præ pane magis salubris este prædicatur. Rejes qu. 85. p. 1103.
1104. n. 10. 20
esum inter homines antediluvianum qui adseruerint. Melch. Sebi-
tzius L. 3. de Aliment. facultat. c. 2. Rejes qu. 85. p. 1103. Ioach. Clu-
ten. in fasciculo Iuris Canon. p. 9. Spener. Lebense Dfl. Adv. 11. p. 27
esus inter Hebraos quando ceperit. Rejes qu. 85. p. 1102. n. 12.16
inter gentiles quando ceperit. ibid. n. 18
non fatis naturæ proficuus. Rejes qu. 85. p. 1102. n. 12. 16
iuscula febricitantibus parum proficua. Lent. Misc.Med. p. 262
abstinentia longævitatis caufa. Spener. Lebens= Pflicht. Dom. II. Adv.
p. 27. Alberti Prax. extemp. Caf. 1. p. 949
Carotidis aneurisma feliciter curatum. A. N. C. cent. 3. p. 150
Carotidis vulnus eximperita Chirurgia lethalis. Alberti Iur. Med.P. II.
p. 342. Caf. 28
Carpions capitis dimidia pars in fœtu, vid. Fætus.
Carbiones 200, 300. annorum. A. N. C. Dec. 2, a0, 10. obl. 9
Carpionum comeftio recurrentem paroxyimum podagra provocat.
A. N. C. Dec. 2, ao. 5. ob. 46
Carpis imposita variis membris medentur. Rejes qu. 83. p. 1084. n. 4
impositum absynthium appetitum restituit. Rejes qu. 83. p. 1084.
inge, n. 614 Martin Constitution and an internal and
Cartilaginis enfiformis incurvatio periculofa. Barth. A. H.V. 5. obf. 79
Cartilaginofus cesophagus. A. N. C. Dec. 1. ao. 3. obf. 170
uterus. A. N. C. Dec. 1.ao. 4. obf. 57
Carancule five Epulis in ore. Plater. obl. L. III. p. 625
Carancula in urethra. A. N.C. cent. I. p. 143.200
methre veneres. A. N. C. Cent. S. D. 349
venerea cum massa ex Mercurio sublimato & vir. ær. ablata. A. N. C.
Dec. 1. ao. 8. obf. 92
Carunculas venereas pudendi auferentia remedia. Lent. latr. p.143.Bor.
c.1.obf.79
Carunculæin urethra curatio extraordinaria. Blegny Zod. gall. ao. 1679.
Mart. obf. 7
Caruncularum myrtiformium qualitas an virginitatis fignum præbeat.
Alberti Iur. Med. P. 1. p. 64. §. 6
Caryophyllatæ Rad. & herbæ vis ophthalmica. A. N. C. Dec. 3. ao. r.
obf. 150
Caryo-
and the second and the second second and the second s

Caryophylli aromatici. A. N. C. Dec. 2. ao. 1. obf. 21 Cafeus alvi obstipationis lethalis causa. A. N. C.Dec. 1. ao. 10. obf. 182 Cafeus in intestinis diu retentus & vermiculi excreti. Plater. obf. L. 3. or. p. 844 2.2 auto . gmi 的机力运行和日本的运行的和利用。自由的自己的目的生产 Cafeus an edendo fit falubris? Lang. L. 2 Ep. 29. p. 685 Cafei odor animi deliquium adfert. Zac. Luf. P. A. L. 3. obf. 107 antipathia & averfatio. Mart. Schokii Tr. it. Zwing. de Antipath. it. Rhod. c. 2. obf. 58.A. N. C. Dec. 1. ao. 3. obf. 149 Castitatis fingulare exemplum. A. N. C. Dec. 1. ao. 10. obf. 59 Castitatis testimonia. Rejes qu. 46. p. 572 varii fcopi. Simon. Imp. Conj. c. 6. th. 3. n. 8. 11 Caftorei mira vis. Barth. c. 2. hift. 17 1日月20月0次日 ufus ad abortum. A. N.C. cent. 9. p. 141. Bregl. Gefch. 5. Derf. p. 1608 odor gratus. A. N. C. cent. 9. p. 435 Callergy mayori profile of an ve de Caftore, Polluce & Helena, Reinzer. Meteorol. diff. 2. qu. 3. p. 23 Caftratio. vid. Eunuchus. Caftrat vir fe ipium. Blegny Zod. gall. ao. 1680.' Iul. jobf. 7 Castrat fe Origenes ex male intellecto dicto. Matth. IX. v. 12. vid. Sim. Imp. conj. c. 3. th. 3. n. H. c. 6. th. 3. n. 8 Caftrationis poena. Simon. Imp. conj. c. 3. th. 3. n. 17-19 arabitrariæ finis multiplex Simon. Imp. conj. c. 3. th. 3. n. 1 olim in hominibus peractæ finis, vt eo facilius faginari queant. Simon. Imp. conj. l. c. n. 9 Castratio ad vitandum adulterium. ibid. n. 21 Heliogabali ob caftitatem. Cic. L. s. Tufcul. Rhodigin. Lect. antiq. L. 2. c. 13. Simon. Imp. conj. c. 2. th. 1 antem orge propter exercitium cultus divini. Sim. Imp. conj. c. 3. th. 3. n. 11-16 mentis (i.e. abstemia propter religionem), licet non corporis, rara. ibid. c. 6. th. 3. n. 18 cura Maniacorum. vid. Mania. medicina adverfus nonnullos morbos. Frank. Sat. p. 38 in Hernia periculofiffima. Hildan. cent. 6. obf. 72 in hoftes victos peracta. Simon. Imp. conj. c. 3-th. 3. n. 22 masculorum. Frank. Sat. p. 37 ab ancilla masculo ftuprum intendenti illata. Simon. Imp. conj. c. 3. th. 2, n. 18 - COLOR ELECTION chiq.e.auso Caftra-

Catar

72	- CA.
Caftratio mi Imp. co	ulierum, Ringein. A. N. C.Dec. 1. ao. 2. obf. 208. p. 310. Sim. onj. c. 3. th. 1. n. 2629. Frank. Sat. p. 3842. Alberti Jur.
	. 1. p. 39. §. 24. Plater. L. I. p. 244
fæminaru	m quomodo punienda? Simon. Imp. conj. c. 3. th. 2. n. 10
	lterorum. ibid. n. 16. 17
	udicra punienda. ibid. n. 1. feq.
	n. Frank. p. 37. 39. 40
	onem genitalium per fascinationem. Simon. Imp. conj. c. 6.
th.4 n	sdam affectibus pro Medicina habita. Alberti Med. P. I. p.
- 40. §. 2	
	inventores qui primi habeantur? Simon. Imp. conj. c. 6.
th. 3. 11	
Caftrati ma	iori pretio olim vendebantur. Simon. l. c. c. 3. th. 3. n. 8
corporen	nagis libidinem experiuntur. Simon. l. c.c.6.th. 3. n. 9
pofiunt f	eminas imprægnare. Frank. Sat. p. 28
Castratorun	diversa appellatio. Sim. Imp. conj. c. 6. th. 3. n. 5
Cafus ab alt	o furditatis caufa. Hild. cent. 3. obf. 7
Casus ab al	to fomnambulonum ad altitudinem 14. ulnarum innoxi-
US. Hu	dan. cent. 2. obf. 84 o diversa fymptomata & eventus. A.N.C. cent.9. p.97.Blegny
Cajus ad alco	gall. 20. 1680. Iun. obl. 22, Solen. Sect. 2. Conf. 3. Sect. 5. Conf.
9. vid.	
	1. N. C. cent. I. p. 287
Cafu curati.	M. Donat. L. 6. c. 5
ex Calumen	noriæ abolitio. A. N. C. Dec. 2. ao. 6. obf. 147
Cafus rarior	es in Medicina Legali. Alberti Iur. Med. P. 1. p. 6. §. 14
Casus rario	resan regulam constituant. ibid. P. 1. p. 400. §. 14
Catalephs h	ngularis. Foreft. L. 10. obf. 42. schol. Rej. qu. 97. p. 1212
Catalephs c	urata. A. N. C. cent. 5. p. 195
	la in cane. A. N. C. Dec. 3. ao. 7. obf. 122 in cane. A. N. C. Dec. 2. ao. 5. obf. 96
	eriodica. A. N. C. Dec. 2, ao. 1. obl. 1
	cum palpitatione cordis horrenda in moribundo. A. N. C.
	ao. 9. obf. 238
	convultivis morbis conjuncta. Rhod. c. 1. obf. 37
	onvulfivo. A. N. C. cent. 9. p. 46
	Cata-

Catalephisex amore. Tulp. L. I. c. 22 ex vini generofi potatione. Plater. obf. L. I. p. 30 Catalepfi correpti corpore rigidi manent. Garman. Lib. 2 tit. 4. §. 19-21 Cataleptica ex febre. Barth. A. H. V. 3. obf. 52 gallicant, quam non didicerat, linguam fine hæsitationeloquitur. A. N. C. Dec. 1. 10. 4. p. 285 puella. Hagend. cent. 1. hift. 35. p. 61 Catameniorum fluxus in muliere 83 annorum. A. N. C. Dec. 3. ao. 9. obl. 226. vid. Menfes. actil minul M 53995.23 ad Cataractam deponendam novum instrumentum. Hild. c. 4. obf. 16 Cataracta in momento orta. Hild. cent. 5. obf. 14 Cataracta rara. Barth. c. 4. h. 21 Cataracta ex lacrymatione. Hildan. c. 4. obf. 15 Cataracte natura, A. N. C. cent.9. p. 3500 ni set 1900 topin and depositio cum singulari Dei providentia. Hild. c. 6. obs. 2 caufa. Barth. A.H. V. 5. A. N. C. cent. I. p. 426. Blegny Zod. gall. ao. 1682. Apr. obf. 12 Cataractam humoris crystallini obscurationem effe dixerunt Antonius Traite des maladies de l'oeil, Briffeau Traite de la Catarracte & du Glaucome, Boerhav. A.N.C. cent. 2. obf. 199 Catarrhus. Gabelch. cent. 2. cur. 40 ex rofarum odore. A. N. C. Dec. 2, ao. 5. obf. 23 cum afthinate. Gabelch. cent. 1. cur. 87 calidus & acris cum ferpigine faciei. Gabelch. cent. 1. cur. 58 epidemicus. A. N.C. cent. 1. p. 14. app. Blegny Zod. gall. ao. 1679. Decembr. obf. 6 fuffocativus fternutatorio curatus. A. N. C. cent. 1. obf. 156. p. 322 fuffocans. Plater. obf. L. I. p. 174 Catarrhi & destillationes. Gabelch. cent. 4. cur. 64 ex Catarrho gingivarum, gangræna & mors, Hildan. cent. 1. obf. 30 Catarrhus fuffocativus periculofus. Hildan. cent. 3. obf. 10 Catarrhi ad pectus compendiosa curatio. Hildanus cent. 3. obf. 41 Catarrbus deorfum delapfus in sphacelum degenerans. Hildanus c. 6. obf. 19 Catarrhorum extractio, das Fluffe-21bjapffen. Barth. A. H. V. 2. obf. 102. A. N. C. Dec. 1. ao. 1. obf. 34.it. vid. Rhaphanus. Or que unus Chirurgus anerius carum raxat, reprehendenda. Celosonard

Catar-

Catarrhus quavis nocturna duodecima affligens periodicus. Hagendcent. 1. hift. 54. p. 87

fuffocativus a scabie retropulsa. ibid. hist. 92. p. 133

Catechu. A. N. C. Dec. 1. ao. 8. obf. 54. Dec. 2. ao. 4. obf. 3

fub lingua detentum tuffun curat. Barth. A. H. V. 3. obf. 10 Catellus vid. Canis.

Catharsis coitu communicata. Alberti Iur. Med. P. 1. p. 82. n. 3 Cathemerina febris. Rejes qu. 68. p.931. vid. Febris.

Catheteris usus in urinæ suppressione. Blegny Zod. gall. ao. 1681. Febr.

abufus, A. N. C. cent 9. p. 357

Caudatus puer. Barth. c. 6. h. 44

Caudati homines. A. N. C. Dec. 1, ao. 10, p. 456. Dec. 2, ao. 9. obf. 129 Caufonis audax temeritas in cura Chirurgorum Germaniæ. Lang. L. 1.

Ep. 4. p. 22

Cauffici inepta & periculofa applicatio. Hild. c. 4. obf. 72

Caustica aliquando proficua in dyfenteria desperata. Zac. Lus. P.A.L. 2. obf. 20

Causticum fuper tophos gallicos impositum egregium. Zac. Lus. P.A.L. 2. obs. 130

in arthritide lethale. ibid. L. 3. obf. 147

fub genu applicatum causa dolorum vehementissimorum, inflammationis & febris. Hild.c. 1. obs. 94. vid. Vesicatorium, Cauterium.

Causus crisimira folutus. Zac. Lus. P.A.L. 3. obs. 114

Cauterii potentialis in brachio applicati infelix fucceffus. Hildanus cent. 4. obf. 73

Cauteria potentialia tutiffima. Barth. c. 5. h. 36. vid. Caufticum. Vesicatorium.

Cauteriorum usus in arthritide & podagra. A. N. C. Dec. 1. ao, 1. obf. 27 usus in fluxu cerebrali. Zac. Lusat. P. A. L. 2. obf. 22

usua nonnullis prorsus damnatur. Garm. L. 2. tit. 1. §. 5

noxa in colico dolore. Zac. Luf. P. A.L. 2. obf. 31

Cauterisatio vaforum fanguiferorum, maxime arterioforum, an sit fidum remedium. Alberti Iurispr. Med. P. II. p. 349

CE.

Celotomia extremum remedium in Ileo. A. N. C. Dec. 2, ao. 3. obf.98 Censura, qua unus Chirurgus alterius curam taxat, reprehendenda. Alberti Iur. Med. P. II. p. 639. seq.

Centaurii minoris virtus antihydropica. A. N. C. cent. 9. p. 456 Centauri negantur. Rejes qu. 45. p. 537 affirmantur ibidem. Ceparum efu hydrops fanatur. A. N. C. cent 5. p. 61 Cephalaa. Gabelch. cent. 2. cur.2 epidemica cum magno æftu, Gabelch. cent. 5. cur. 12 ex intermifia V. Sne in pede. Lent. Mifc. Med. p. 193 V. Sne in fronte curata. Zac. Luf. P. A. L. 1. obf. 11 vena in cantho oculorum fecta tollitur. Zac. Luf. P. A. L. I. obf.10 expulso per nares verme curatur. ibid. obf. 7 cauterio in vertice capitis curata, ibid, obf. 12 Trepano curata. Rhod. c. 1. obf. 70 cum crustis e capite erumpentibus. Plater. obf. L. II. p. 342 inveterata cum uterino dolore. Plater. L. 1. p. 343 in lue venerea. ibid. p. 344 inveterata per fifluram cranii curatur. Hild. cent. 2. obf. 8 Cephalalgia. vid. Dolor & Caput. Cephalalgia graviffima cum totius corporis laffitudine. Gabelch, cent.s. cur. 52 graviffima cum vigiliis, Gabelch. cent. 5. cur. 34. 35 epidemica graviffima, ibid, cur. 33 epidemica cum vigiliis, respiratione difficili & tuffi. ib. cur.23. 24.32 epidemica cum multo fomno, dolore ventris, excretione fecum involuntaria. ibid. cur. 45 epidemica cum anxietate & dolore ventriculi finistrique lateris. ibid. cur. SI epidemica lethalis cum infigni fœtore anhelitus & urina turbulentiffima. ibid. cur. 47 cum faciei rubore. Plater. obf. L. II. p. 338 in febre continua, ardente & maligna, ibid. cum lumbricis. ibid. Cephalalgia in furorem versa. Hagendorn. cent. 1. hift. 27. p. 49 in lethargum mutata. ibid. hift. hift. 26. p. 48 in Cephalalgia futura capitis hifcentes. Hagend. cent. 1. hift. 40. p. 67 Cephalalgia periodica. A. N. C. Dec. 1. ao. 6. obf. 173 periodica in hæmorrhagiam narium terminata. A. N. C. cent. 3. p. 351 Wi admiranda for Sura. 2 NK. C. cent. 5. P. 187. Cepha-1888 C

78	ČE.
]	phalalgia periodica pediluvio fanata. A. N. C. Dec. 1. ao. 2. obf. 247 periodica & pertinax ex hydrope cerebri. A. N. C. cent. 3. p. 30 venerea cum empl. de ran. cum Mercurio Vigonis curata. Barth. cent. 3. Ep. 55
	crudelis incantationis fulpecta, ex turgefcentia menftruorum. A. N. C.Dec. 2. ao. 6. obf. 69 mira & obftinata. A. N. C. Dec. 3. ao. 9. obf. 188. Hildan. cent. 4. obf.6 per decennium durans. A. N. C. cent. 9. p. 203
	diuturna ex verme poftmodum per nares excreto. Blegny Zod. gall ao. 1679. Apr. obf. 3 futurarum cranii disjunctionem caufatur. vid. Cranium. Hild. cent.2
	obí. 7 & oculorum paffiones ex vifu & odore rofarum. A. N. C. Dec. 2, ao 2. obí. 140, ao. 10. obí. 3
	ex lapide in nervis opticis. <i>Blegny</i> Zod. gall.ao. 1679. Apr. obf. 14 a lapillo intra duram piamque matrem reperto. A. N. C. Dec. 1. ao, 8. obf. 48
-this	ex verrucis duræ matris orta. A. N. C. cent. 1. p. 139 ex lactatione. A. N. C. cent. 1. obf. 46. p. 117 a vermibus. Barth. c. 6. h. 3
.92 191	ex ebrietate. Tim. a Guldenklee L. t. c. 5 cum delirio. Gabelch. cent. t. cur. 49 infignis cum fudore capitis. ibid. cent. 4. cur. 47
zie	hypochondriaca imprægnatione fublata. A. N. C. cent. 3. p. 297 per faphenam apertam profligata. Rhod. c. 1. obf. 73 hirudinibus temporibus applicatis curata. Zac. Luf. P.A. Lib. 1. obf. 9
-tra	anatura devicta. Tulp. L. I. C. 32 ephalalgiæ magnum remedium funt hirudines. A.N. C. Dec. I. 20.6.
	obl. 9 confenfus cum folis ortu & occafu. A.N. C. Dec. 1. ao. 6. obf. 8 cum dolore & flupore brachii & fluxu humorum in fauces & gingi- vas. Solenand, Sect. 1. Conf. 5. 6
C	ephalalgia contumacifima fetacei ope curata. Hild. c. 4. obf. 7 erafus in aure. Bor. c. 1. obf. 10. M. Donat. L. 1. c. 12 erafi nucleus auris meatui intrusus sponte per suppurationem ex-
-60-	pulsus, Hild. cent. 3. obs. 4. vid. Auris. erebelli admiranda structura, A. N. C. cent. 5. p. 157

Cere-

 Cerebelli Iztiones utplurimum lethales. Alberti Iur. Med.P. 1, p.317, 5, 43 Cerebro utrum omnis influens qualitas, an ab ejus fiat membranis. Bravo P. 1. difp. 6. Sect. 3: Refol. 9, p. 206 Cerebroutrum qualitas, quæ influit, refultet, & fiat media fenfitiva facultate. ibid. Refol. 8: 10, p. 204, 207 Cerebrifubflantia. vid. Willif. Anat. cerebri, Fracaffaus Ep.ad Malpigh. de cerebro, Malpigh. Exercit. de cerebro, Glaferus de cerebro, Rob. Fladd. Anatomia cerebri myftica. Semmerus, Ruzenius de cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. e. 5. obf. 4. Cerebrum an ft pinguedo. Blegny Zod.gall. ao. 1681, Apr. obf. 8. Cerebri anatome. Cerebri defectus in abortu. Welfebias obf. Med. obf.9. effluxus ex naribus, auribus. Hagend. cent. 1. hift. 51. p. 52. Cerebri anatome. Cerebri defectus in abortu. Welfebias obf. Med. obf.9. effluxus ex naribus auribus. Hagend. cent. 1. hift. 51. p. 52. Cerebri defectus in abortu. Welfebias obf. Med. obf.9. effluxus ex naribus auribus. Hagend. cent. 1. hift. 51. p. 52. Cerebri defectus in abortu. Welfebias obf. Med. obf.9. effluxus ex naribus auribus. Hagend. cent. 1. hift. 51. p. 52. Cerebri defectus in abortu. Welfebias obf. Med. obf.9. effluxus ex naribus auribus. Hagend. cent. 1. hift. 51. p. 52. Cerebri defectus in abortu. Welfebias obf. Med. obf.9. effluxus ex naribus auribus. Hagend. cent. 1. hift. 51. p. 52. Cerebri du cencusfiones gravisfima curata. Hildan. cent. 1. obf.12. Garman. L. 2. tit. 5. §. 23. Cerebri concusfiones gravisfima curata. Hildan. cent. 1. obf.14. Cerebri in fuppureum. Tulp. L. 4. c. 13. Cerebri fubtantia fine morte deperdita. Bor. c. 1. obf. 52. f. 53. Cerebri fubtantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130. A. Anat. reform. L. 3	berran the second s	Contra la
 a Cerebro utrum omnis influens qualitas, an ab ejus fiat membranis. Brave P. 1. difp. 6, Sech. 3: Refol. 9: p. 206 a Cerebroutrum qualitas, quæ influit, refulter, &fat media fenfitiva facultate. ibid. Refol. 8: 10: p. 204. 207 Cerebri fubftantia. vid. Willif. Anat. cerebri. Fracaffaus Ep.ad Malpigh. de cerebro, Malpigh. Exercit. de cerebro. Glaferus de cerebro, Rob. Fluid. Anatomia cerebri myftica, Sennertus, Ritzenius de cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. c. 5. obf. 4 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift. 71. p. 82 Cerebrum bovis lapidefcens. Barth. c. 6.h. 91. A.N. C. Dec. 1. ao. 1. obf. 26(130. app. p. 8 quadantenus ex cranio porcelli extractum femovit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri conmustion in principio neglecta gravifilmorum fymptoma- tum caufa. Hildan. cent. 5. obf. 8: it. cent. 1 Cerebri in fuppuratum. Tulp. L. 4. c. 1 Cerebri in fuppuratum. Tulp. L. 4. c. 1 Cerebri in neuro futhum teli ferrei 14. annis exflitit. Barth. A. H. V. 2. obf. 132 Cerebri fublitantia fine morte deperdita. Bar. c. 1. obf. 12 Cerebri fublitantia fine morte deperdita. Bar. c. 1. obf. 59. Re- jes qu. 31. p. 370. 371 defectus i	Cerebelli læfiones utplurimum lethales. Alberti Iur. Med.P. 1. D. 217. 6.43	2
 Bravo P. 1. difp. 6. Sect. 3. Refol. 9. p. 206 a Cerebro utrum qualitas, quæ influit, refultet, &fiat media fenfitiva facultate. ibid. Refol. 8 10. p. 204, 207 Cerebri fubftantia. vid. Willif. Anat. cerebri, Fraeaffam: Ep.ad Malpigh. de cerebro, Malpigh. Exercit. de cerebro, Glaferus de cerebro, Rob. Fludd. Anatomia cerebri myftica, Sennertus, Ritzenius de cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. c. 5. obf. 4 Cerebri ufus. vid. Calp. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebri anatome. Cerebri defectus in abortu. Welfchius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift, 51. p. 82 Cerebri mo bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movir, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 33 Cerebri conmotio in principio neglecta gravifimorum fymptomatum caufa. Hildan. cent. 5. obf. 8 it. cent. 1. Cerebri min quo fruthum teli ferrei 14. annis exflitit. Barth. A. H. V. 2. obf. 12 Cerebri valida concuffio pefilma inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubfitantia fine morte deperdita. Bor. c. 1. obf. 82. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130. Cerebri fubfitantia fine morte deperdita. Bor. c. 1. obf. 59. Rejes qu. 31. p. 370-371 defectus in puero & Humano. Barth. c. 1. h. 83. Bor. c.3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puero & admomentum vivente. A. N.C.Dec. 2. ao. 10. obf. 20. Dec. 1. ao. 4. obf. 51 	a Cerebro utrum omnis influens qualitas, an ab eius fiat membranis	
 a Cerebro utrum qualitas, quæ influit, refultet, &fiat media fenfitiva facultate. ibid. Refol. 8 10. p. 204. 207 Cerebri fubftantia. vid. Wilif. Anat. cerebri, Fracaffaus Ep.ad Malpigh. de cerebro, Malpigb. Exercit. de cerebro, Glaferus de cerebro, Rob. Flüdd. Anatomia cerebri myftica, Sennertus, Ritzenius de cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. c. 5. obf. 4 Cerebri uns. vid. Cafb. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebri ufus. vid. Cafb. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebri ufus. vid. Cafb. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebri defectus in abortu. Welfebius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift, 51. p. 82 Cerebri mosvis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26.130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptomatum caufa. Hildan. cent. 5. obf. 8 it. cent. 1 Cerebri fuppuratum. Tulp. L. 4. c. 1 Cerebri dia concuffio pefima inferens fymptomata. Cautier. obf. 7 commotio onortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 19 Cerebri fubftantia fine morte deperdita. Bor. c. 1. obf. 19 Cerebri fubftantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7.obf. 59. Rejes qu. 31. p. 370-371 defectus in puelo axo admomentum vivente. A. N.C.Dec. 2. 20.10. obf. 20. Dec. 1. 20.4, obf. 15 	Bravo P. 1. difp. 6. Sect. 3. Refol. 9. p. 206	12
 cultate. ibid. Refol. § 10, p. 204, 207 Cerebrifubftantia. vid. Willif. Anat. cerebri, Fracaffants Ep.ad Malpigh. de cerebro, Malpigb. Exercit. de cerebro, Glaferus de cerebro, Rob. Fluidd. Anatomia cerebri myftica, Sennertus, Ritzenius de cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. c. 5. obf. 4 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 168t. Apr. obf. 8 Cerebru fus. vid. Cafp. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebru fus. vid. Cafp. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebru fus. vid. Cafp. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebru bovis lapidefeens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26.130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim in quo fruftum teli ferrei 14. annis exflitit. Barth. A. H. V. 2. obf. 12 Cerebri fubfiania inferens. Hildan. cent. 1. obf. 12 Cerebri in quo fruftum teli ferrei 14. annis exflitit. Barth. A. H. V. 2. obf. 13 Cerebri in puercoilo pefilma inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 10 Cerebri fubfitania in morte deperdita. Bor. c. 1. obf. 88. Bardifi colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130 defectus in puerco amorte humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puerco admomentum vivente. A. N.C.Dec. 2. ao. 10. obf. 20. Dec. 1. ao. 4. obf. 15 		
 Cerebri fubftantia. vid. Willif. Ånat. cerebri, Fracaffatus Ep.ad Malpigh. de cerebro, Malpigh. Exercit. de cerebro, Glaferus de cerebro, Rob. Fludd. Anatomia cerebri myftica, Sennertus, Ritzenius de cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. c. 5. obf. 4 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebri anatome. Cerebri anatome. Cerebri defectus in abortu. Welfebius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift, 51. p. 82 Cerebri movis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26.130. app. p. 8 quadantenus ex cranio porcelli extractum femovir, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptomatum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebri dippuratum. Tulp. L. 4. c. 1 Cerebri an quo fruttum teli ferrei 14. annis exfitit. Barth. A. H. V. 2. obf. 132 Cerebri fublitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Rejer qu. 31. p. 370-371 defectus in puelo nato admomentum vivente. A. N.C. Dec. 2. ao. 10. obf. 20. Dec. 1. ao. 4. obf. 3. 	cultate. ibid. Refol. 8 10. p. 204. 207	
 de cerebro, Malpigh, Exercit. de cerebro, Glaferus de cerebro, Rab. Fluidd. Anatomia cerebri myftica, Sennertus, Ritzenius de cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. c. 5. obf. 4 Cerebrum an fit pinguedo. Blegny/Zod.gall. ao. 168t. Apr. obf. 8 Cerebri anatome. Cerebri defectus in abortu. Welfchius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift, 51. p. 82 Cerebri movis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum femovir, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptoma- tum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebri an quo fruttum teli ferrei 14. annis exfitit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio pefilma inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 7. Cerebri i hubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Re- jer qu. 31. p. 370-371 defectus in puerlo comoffro humano. Barth. c. 1. h. 83. Bor. c.3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puerlo admomentum vivente. A. N.C. Dec. 2. ao. 10. obf. 201, Dec. 1. ao.1, obf. 15 	Cerebri fubftantia. vid. Willif. Anat. cerebri, Fracaffatus Ep.ad Malvigh	
 Rob. Fluidd. Anatomia cerebri myftica, Sennertus, Ritzenius de cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. c. 5. obf. 4 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebri diss. vid. Cafp. Haffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebri defectus in abortu. Welfibius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift. 51. p. 82 Cerebri defectus in abortu. Welfibius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift. 51. p. 82 Cerebri defectus in abortu. Welfibius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift. 51. p. 82 Cerebri defectus in abortu. Self. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptoma- tum caufa. Hildan. cent. 5. obf. 8 it. cent. 1 Cerebri oncustiones gravistima curate. Hildan. cent. 1. obf. 12 Cerebri oncustiones gravistima curate. Hildan. cent. 1. obf. 12 Cerebri oncustiones gravistima curate. Hildan. cent. 1. obf. 12 Cerebri valida concuffio peffima inferens fymptomata. Cartier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bar. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 effectus in hominibus. Prank. p. 130 effectus in hominibus. Prank. p. 130 defectus in hominibus. Armak. p. 130 effectus in puello nato admomentum vivente. A. N.C.Dec. 2. ao. 10. obf. 201, Dec. 1. ao.4, obf. 15 	de cerebro, Malpigh. Exercit. de cerebro, Glalerus de cerebro	
 cerebro. Cerebrum in cadavere 50 annis fub terranon putrefactum. Hildan. c. 5. obf. 4 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebrum antipus, auribus. Hagend. cent. 1. hift. 51. p. 82 Cerebrum bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptomatum caufa. Hildan. cent. 5. obf. 8 it. cent. 1 Cerebri concustiones gravistime curate. Hildan. cent. 1. obf. 12 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 188. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 59. Rejer. 9: 30. 19: 370-371 defectus in hominibus. Frank. p. 130-133. A.N. C. cent. 7. obf. 59. Rejer. 19: 370-371 defectus in puerlo comoffro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 	Rob. Fludd. Anatomia cerebri myftica, Sennertus, Ritzenius de	e
 Cerebrum in cadavere 50 annis fub terra non purrefactum. Hildan. c. 5. obf. 4 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebri utus. vid. Caff. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebri defectus in abortu. Welfchius obf. Med. obf. 9 effluxus ex naribus.auribus. Hagend. cent. 1. hift. 51. p. 82 Cerebrum bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri connuotio in principio neglecta gravifimorum fymptomatum caufa. Hildan. cent. 5. obf. 8 it. cent. 1 Cerebri oncussiones gravistima curata. Hildan. cent. 1. obf. 12 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 71 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88.Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130 defectus in puero & monfiro humano. Barth. c. 1, h. 83.Bor. c.3. obf. 3- Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. ao. 10 obf. 201, Dec. 1. ao. 4. obf. 15 		n.
 obf. 4 Cerebrum an fit pinguedo. Blegny Zod.gall. ao. 1681. Apr. obf. 8 Cerebri ufus. vid. Cafp. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri defectus in abortu. Welfebias obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift. 51. p. 82 Cerebrum bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim in quo fruftum teli ferrei 14. annis exflicit. Barth. A. H. V. 2. obf. 132 Cerebrin fubfuancing operational for each of the formation of t		
 Cerebrum an fit pinguedo. Blegny/Zod.gall. 20. 1681. Apr. obf. 8 Cerebri ufus. vid. Cafp. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebri defectus in abortu. Welfchius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift. 51. p. 82 Cerebrum bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. 20. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim in quo fruttum teli ferrei 14. annis exfittit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Rejes qu. 31. p. 370-371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c.3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. 20. 10. obf. 201. Dec. 1. 201. 5 		-1
 Cerebri ufus. vid. Cafp. Hoffm. de ufu cerebri & Lienis. Steno in diff. de cerebri anatome. Cerebri defectus in abortu. Welfchius obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift. 51. p. 82 Cerebrum bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta graviflimorum fymptoma- tum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebri concustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebri oncustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebri valida concuffio pefilma inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5.'obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88.Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59.Re- jes qu. 31. p. 370-371 defectus in puero & monftro humano. Barth. c. 1, h. 83.Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. ao. 10. obf. 201, Dec. 1. 40.f. 15 		*
 cerebri anatome. Cerebri defectus in abortu. Welfchias obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift, 51. p. 82 Cerebrum bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repolitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptoma- tum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebri i concustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebri concustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebri valida concufilo peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 8. Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Re- jes qu. 31. p. 370-371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N. C. Dec. 2. a0. 10. obf. 201, Dec. 1. a04, obf. 15 		e
 Cerebri defectus in abortu. Welfchins obf. Med. obf. 9 effluxus ex naribus, auribus. Hagend. cent. 1. hift, 51. p. 82 Cerebrum bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26. 130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repolitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptoma- tum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim in quo fruftum teli ferrei 14. annis exfitit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 8. Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88.Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59.Re- jes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83.Bor. c.3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. a0. 10. obf. 201, Dec. 1. a0.1, obf. 15 		*
 effluxus ex naribus, auribus. Hagend. cent. 1. hift, 51. p. 82 Cerebram bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26.130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repolitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta graviffimorum fymptomatum caufa. Hildan. cent. 5. obf. 8 it. cent. 1 Cerebri concustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebri concustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebri valida concuffio peflima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri tabitantia fine morte deperdita. Bor. c. 1. obf. 59. Rejes qu. 31. p. 370. 371 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Rejes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato admomentum vivente. A. N.C.Dec. 2. a0. 10. obf. 201. Dec. 1. a0.1, obf. 15 		
 Cerebrum bovis lapidefcens. Barth. c. 6. h. 91. A.N. C. Dec. 1. ao. 1. obf. 26.130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repolitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptomatum caufa. Hildan. cent. 5. obl. 8. it. cent. 1 Cerebri i concustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 81 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 50. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Rejes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato admomentum vivente. A. N.C.Dec. 2. ao. 10. obf. 201, Dec. 1. ao.1, obf. 15 		
 26.130. app. p. 8 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta graviffimorum fymptomatum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebri concustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebrivan in quo frutum teli ferrei 14. annis exfittit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Rejes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. ao. 10. obf. 201, Dec. 1. ao.1, obf. 15 		ſ.
 quadantenus ex cranio porcelli extractum fe movit, iterumque in illud cranium repofitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptoma- tum caufa. Hildan. cent. 5. obl. 8. it. cent. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim in quo fruftum teli ferrei 14. annis exfitit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obl. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Re- jes qu. 31. p. 370-371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. a0. 10, obf. 201, Dec. 1. a0.4, obf. 15 		
 illud cranium repolitum, porcellus paululum obambulavit. Garman. L. 2. tit. 5. §. 23 Cerebri commotio in principio neglecta gravifimorum fymptoma- tum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebrim in quo fruftum teli ferrei 14. annis exflitit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 8. Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Re- jes qu. 31. p. 370-371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N. C. Dec. 2. a0. 10. obf. 201, Dec. 1. a0.1, obf. 15 		1
 Garman, L. 2. tit. 5. §. 23 Cerebri commotio in principio negleĉta gravifimorum fymptomatum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebri concustiones gravistima curata. Hildan. cent. 1. obf. 12 Cerebrim in quo fruftum teli ferrei 14. annis exfitit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88.Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59.Rejes qu. 31. p. 370-371 defectus in puero & monftro humano. Barth. c. 1. h. 83.Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. a0. 10. obf. 201, Dec. 1. a0.1, obf. 15 	illud cranium repositum, porcellus paululum obambulavit	
 Cerebri commotio in principio negleĉta gravifimorum fymptomatum caufa. Hildan. cent. 5. obf. 8. it. cent. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebri concustiones gravistimæ curatæ. Hildan. cent. 1. obf. 12 Cerebrim in quo fruftum teli ferrei 14. annis exftitit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Rejes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C. Dec. 2. a0. 10. obf. 201, Dec. 1. a0.1, obf. 15 		
 tum caufa. Hildan. cent. 5. obf. 8 it. cent. 1 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebri concussiones gravissimæ curatæ. Hildan. cent. 1. obf. 12 Cerebrim in quo fruftum teli ferrei 14. annis exflitit. Barth. A. H. V. 2. obf. 132 Cerebrivalida concussiones effima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130-133. A. N. C. cent. 7. obf. 59. Rejes qu. 31. p. 370-371 defectus in puero & monstro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. a0. 10. obf. 201, Dec. 1. a0.1, obf. 15 		-12
 Cerebrim fuppuratum. Tulp. L. 4. c. 1 Cerebri concussiones gravislimæ curatæ. Hildan. cent. 1. obf. 12 Cerebrim in quo fruftum teli ferrei 14. annis exfitit. Barth. A. H. V. 2. obf. 132 Cerebri valida concussio pessiona inferens symptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obs. 5 cent. 5. obs. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obs. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130133. A. N. C. cent. 7. obs. 59. Rejes qu. 31. p. 370-371 defectus in puero & monstro humano. Barth. c. 1. h. 83. Bor. c. 3. obs. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. 20. 10. obs. 201, Dec. 1. 20.1, obs. 15 		
 Cerebri concussiones gravislimæ curatæ. Hildan. cent. 1. obf. 12 Cerebrum in quo fruftum teli ferrei 14. annis exflitit. Barth. A. H. V. 2. obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130133. A. N. C. cent. 7. obf. 59. Rejes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. a0. 10. obf. 201, Dec. 1. a0.1, obf. 15 	Cerebrum Suppuratum. Tulp. L. 4. C. 1	
 Cerebrum in quo fruftum teli ferrei 14. annis exflitit. Barth. A, H. V. 2. obf. 132 Cerebri valida concufio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130133. A. N. C. cent. 7. obf. 59. Rejes qu. 31. p. 370.371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. 20. 10. obf. 201, Dec. 1. 20.1, obf. 15 	Cerebri concussiones gravissimæ curatæ. Hildan. cent. 1. obf. 12	
obf. 132 Cerebri valida concuffio peffima inferens fymptomata. Cattier. obf. 7 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130133. A. N. C. cent. 7. obf. 59. Re- jes qu. 31. p. 370-371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. a0. 10. obf. 201, Dec. 1. a0.1, obf. 15	- Cerebrum in quo frustum teli ferrei 14. annis exstitit. Barth. A. H. V. 2	
 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1, obf. 88.Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130133. A. N. C. cent. 7. obf. 59.Rejes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83.Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. 20. 10. obf. 201, Dec. 1. 20.1, obf. 15 		
 commotio mortem inferens. Hild. c. 4. obf. 5 cent. 5. obf. 11 Cerebri fubitantia fine morte deperdita. Bor. c. 1, obf. 88.Bardili colleg. Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130133. A. N. C. cent. 7. obf. 59.Rejes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83.Bor. c. 3. obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. 20. 10. obf. 201, Dec. 1. 20.1, obf. 15 	Cerebrivalida concuffio peffima inferens fymptomata. Cattier. obf. 7	
Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130133. A. N. C. cent. 7. obf. 59. Re- jes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3- Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. ao. 10. obf. 201, Dec. 1. ao. 1, obf. 15		
Pathol. Exerc. 4. coroll. 4. Frank. p. 130 defectus in hominibus. Frank. p. 130133. A. N. C. cent. 7. obf. 59. Re- jes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3- Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. ao. 10. obf. 201, Dec. 1. ao. 1, obf. 15	Cerebri fubitantia fine morte deperdita. Bor. c. 1. obf. 88. Bardili colleg	
jes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3- Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. 20. 10. obf. 201, Dec. 1. 20.1, obf. 15		
jes qu. 31. p. 370. 371 defectus in puero & monftro humano. Barth. c. 1. h. 83. Bor. c. 3. obf. 3- Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. 20. 10. obf. 201, Dec. 1. 20.1, obf. 15		-
defectus in puero & monftro humano. Barth. c. 1. h. 83.Bor. c.3.obf. 3. Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. ao. 10. obf. 201, Dec. 1. ao. 1, obf. 15	jes qu. 31. p. 370. 371	
Barthol. Anat. reform. L. 3. c. 3 defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. 20. 10. obf. 201, Dec. 1. 20.1, obf. 15	defectus in puero & monftro humano. Barth. c. 1, h. 83. Bor. c.3. obf. 3	
obl. 201, Dec. 1. ao. 1, obl. 15	Barthol. Anat. reform. L. 3. c. 3	
obl. 201, Dec. 1. ao. 1, obl. 15	defectus in puello nato ad momentum vivente. A. N.C.Dec. 2. ao. 10	
	lf an Dearran & obf Tr	1
		-

Cere-

Cerebri defectus in puella viva nata. A.N.C.Dec. 1. ao. 3. obl.129. Frank. p. 130. feq. Blegny Zod. gall. an. 1681. Apr. obl. 3. Wepff. Fontanus Refp. & curat. med. L. 1. p. 13. Cf. Clerc. Biblioth. Anat. Tom. 1. p. 339

defectus in puella viva, 24, horis post partum mortua A.N.C. Dec. 1. ao. 8. obs. 64. ao. 2. obs. 36. vid. p. 64. & app. p. 392

defectus in puella viva 3. annorum. Zac. Luf. P. A. L. 1. obf. 9 defectus in brutis. Frank. p. 130. 131

læssiones a causa violenta externa, illæso cranio. A. N. C. cent.9.p.103 laceratio violenta non lethalis. A. N. C. cent. 9. p. 246

Cerebrum confensum habet cum semine. Rejes qu. 56. p. 697. 698 Cerebri vulnera lethalia. Alberti Iur. Med. P. 1. p. 315. §. 42. & 43

Cerebri læsiones quænam lethales aut illethales. ibid. p. 314. §. 40.seqq. vulnus post totum mensem lethale. ibid. P. II. p. 334. Cas. 27. seqq.

Cerebro læso aut etiam portiunenla ejus amissa non ex necessitate mortem confequi. Hildan. cent. 1. obs. 13

Cerebri vulnus lethale. Hagendorn. cent. 1. hift. 24. p. 43

Cerebri arteriæ sunt numerosiores & teneriores, quam venæ. Frank.

Sat. Med. p. 441. Horne in Microcofm. §. 46. Sylvius difp. med. 3. §. 19. & 4. §. 14. 15

Cerei fummi pedes. Zac. Luf. P. A. L. 3. obf. 131

Cerevisiam parandi ratie Smet. Misc. L. XI. p. 611-613. feqq.

Cerumen aurium tussis caufa. A. N. C. cent. 3. p. 203

Ceruminis aurium ufus. Lent. latr. p. 81-87

78

Ceruffe usus internus noxius. A. N. C. cent. 1. obf. 145. p. 300

Cervus halitu fuo ferpentes e cavernis fuis extrahere & fine noxa edere fertur. Plinius L. 8. c. 32

Cervus an nativam proprietatem habeat aduersus venenum. Zac. Lus. M.P. H. L. 5. hist. 29. p. 899. Alberti lur. M. P. II. p. 394

Cervi stomachus serpentem petrefactum continet. vid. Serpens.

Cerui cornuum ramorum numerus. A. N. C. cent. 5. p. 122

lacryma. Bor. c. 1. obf. 1. Rejes qu. 67. p. 919. 920. 921. A. N. C. Dec. 2. ao. 6. obf. 118

cur longiorem, quam homines, vitam agant. Becch. Ph. S. L. I. S. 4. c. 5. p. 227

descriptio s, Elaphographia edita ab Andr. Graba. Cervitaurus. Blegny Zod. gall. ao. 1680. Febr. obs. 15

Cerva

Cerva cornuta. A. N. C. Dec. 1. ao. 10. obf. 88 Ceti historia ad littora Rupellæ propulsi. Blegny Zod. gall. ao. 1680. Mart. obl. 2 Ceti sperma quid, & vnde ? ibid. ao. 1682. Apr. obf. 7. vid. Sperma Cetorum genera: Barth.c. 4.h. 24 Ceyloniensis Infulæ incolarum Medicina. Blegny Zod. gall. ao. 1682. Ian. obf. II CH. Chalcographia. Lang. Lib. 2. Ep. 3. p. 550 Chalybis ufus. A. N. C. cent. 1. p. 141 ufus in hypochondr. affectione. Rejes. qu. 73. p. 982. feq. Chalybificatio. Becch. Ph. S. L. I. S. 5. C. 3. p. 452. n. 121 Charta masticata sclopeto explosa cranium perforat. A. N. C. cent. 3. p. 452 Chelenophagi Kornm. Mir. viv. p. 170 Chelidonium majus febrifugum. A. N. C. Dec. 2. ao. 9. obl. 28 Chinæ corticis descriptio. Barth. c. 6. h. 50 Chine-Chine ulus. A. N. C. Dec. 2. ao. 8. obf. 189 usus fatalis. ibid. Dec. 3. ao. 9. obf. 109 ufus anthelminticus A. N. C. Dec. 3. ao. 2. obf. 123 usus in tertiana mali moris ibid. cent. 3. p. 55 febrifugus in Dania probatus. Barth. A. H. V. 5. obf. 113 ad multarum febrium curationem, quarum species recensentur. Blegny Zod. gall. ao. 1683. Iul. p. 163. feq. in podagra. A. N. C.cent. 3. p. 383 in hypochondriacis. ibid. p. 450 in rheumatismis. ibid. p. 145 noxius. ibid. p. 52. Alberti Iur. Med. P. II. p. 531 Chironomia, quibus hoc exercitium apud Hippocratem constabat. Lang. L. I. Ep. 52. p. 266 Chirurgiam an Medicus fimul exercere debeat? Rejes qu. 87. n. 18 Chiringia & Medicina non feparari debent. Bohn. off. Med. dupl. P. I. c. 22. p. 479. Berengarius de Fract. cran. c. 13 Chirurgiam Medicum nobilem & honoratum non decere, dicit Avenzoar. II. Theifir. Tract. 6. c. 1. cum hoc confentit Galenus 6. Epidem.Sect. 5. Tr. 1 Chi-

Chirurgum a Medico diftinguit Hippocrates Lib. de Flatibus & decenti ornatu. vid. Galenus 6. Method. c. 8. de Morb. vulg. L. 6. c. 5. Celfus L. 7. c. 1

de Chirurgia partim Medica, partim inftrumentali feripferunt Hildanus obf. chir. Guido de Cauliaco Tr. 7. chirurgiæ, Severinus de effic. Medic. & fynopfis chirurgica, it. recondita abfeelf. natura, Scultetus chirurg. Barbette chirurg. Doleus Encyclop. chir. Horne Microtechne, Forestus obf. chir. Paræus in chir. Aquapend. in chir. Vidi Vidi chirurg. Paracelf. chir. magna, Agricola chir. parva, Müys chir. rational. Felix Wurzius in prax. chir. Glandorpius in speculo chirurgico, Ieffenius Instit. chir. Conr. Gesnerus de Medicinæ & chir. præstantia & antiquitate, Solingius & Guilemaü operat. chir. Rüyschius operat. Anat-chirurg. Palfyn. operat. chirurg. Rossa & Mekren observat. chirurg. Marchette observ. Med. chir. Musitanus in Trutina chir. Sennertus, Etmüller, Clerk, Münnick, Dionis, & Heisterus in chirurgia.

Chirurgia non ab Æsculapio, Podalirio, Machaöne orta. Frank. Sat. p. 29. 30.

infusoria in canibus. A. N.C.Dec. Dec. 3. ao. 9. obs. 204

Chirurgiæintuforiæ ope chronici & desperati morbi curati. A. N. C. Dec. 3. ao. 9. obf. 77. Brefil. Gesch 4. Bers. p. 989. 1089

Chirurgi reverentiæ in Medicum parænefis, Alberti Iurispr. Med. P.II. p. 596

Chirmgorum error in bubone curando. Zac. Luf. P. A. L.3. 'obf. 123

ignorantia inexpiabilis in curandis articulorum vulneribus, phlegmone obseffis. Lang. L. I. Ep. 3. p. 16

Germaniæ temeritas in Caufonis cura. Lang. L. I. Ep. 4.p. 22

cæca ignorantia in cæca cranii fractura (curanda. Lang. L. I. Ep. 5. p. 27

ignorantia in methodo curandi vulnera, pyrobolis cum glande plumbi aut æris facta, qui vanum in extinguendo pulveris nitri ardore fibi negotium facesfunt. Lang. L. 1. Ep. 9. p. 39

Chirurgi phlebotomatos qua temeritate fanguinem absorbere tremulum cogant. Lang. L.1. Ep. 8. p. 36

Chirargo, an Medico magis fit credendum? vid. Fides.

Chirurgus alterius curam non inique cenfere debet. vid, Cenfura.

Chirur-

and a second s
Chirurgus an possit folus sectionem perficere. Alberti Iur. Med. P. I. p. 380. §. 13
Chirurgus in morbis medendis haud licentiam habet. ibid. P. II. p. 550.
a 03, ieq.
Chlorofis. A. N. C. Dec. 2. ao. 9. abl. 114
matrimonio curata. ibid. Dec. 2. ao. 8. obf. 10
Chloroticarum virginum folatium mas. A. N. C. cent. 5. p. 370
Chocolada. Frank. p. 452
hæmorrhoides caufatur. Frank. p. 432.453
ad roborandum ventriculum remedium. Zac. Luf. P. A.L. 2 . obf. 7
Choleaucht port via intolita. A. N. C. cent. 3. D. 02
Cholera. Gabelch. cent. 2. cur. 51. 72. Kornm. Mir. viv. p. 271. Plater. L.
111. p. 153
periodica. Rhod. c. 2. obf. 69
curata.Zac. Luf.P.A.L. 2. obf. 16. 17
interdum venenum ingestum æmulatur. Rejes qu. 64. p. 854. n. 30.
or p. 850. 857. Fernelius C. O. de partium morbis.
defuncti anatome. A. N. C. Dec. 3. ao. 7. obf. 180
Chorea S. Viti. Tulp. L. 1. c. 16. Rejes qu. 97. p. 1212. n. 3. 4. 6. Venerus in
Temporum Enchiridio. A. N. C. Dec. 3. ao. 2. obf. 128
Choreæ S. Viti primum casum recenset Belluacensius, vid. Viti saltus. Choreizantes per anum. Kornm. Mir. viv. p. 287
Chrystalli generatio. Garm. Mir. Mort. L. 3. tit. 3. §. 127
Chrift-21epffel. A. N. C. Dec. 1. ao. 2. obl. 252
Chryfostomi effatum de doctrina peregrina. Becch. Ph. S. L. I. S. 4. C. I.
p. 131
Chylus ex defluxibus. Lang. L. 2. Ep. 17. p. 624
Chyli fluxus ex vulnere abdominis, it. thoracis. A. N. C. Dec. 1. ao. 4.
p. 43. app. Dec. 2. 20. 6. obf. 209. Barth. cent. 3. Ep. 37
Chylireceptaculi inventor. Frank. p. 618. fqq.
Chymia in quem finem a Medicinæstudiosis sit discenda. Alberti Iur.
Med. P. II. p. 621
Chymica principia. Blegny Zod. gall. ao. 1682. Apr. obf. 5
Chymicum medicamentum mors fecuta. Hild. c. 1. obf. 37
Chymicorum medicamentorum fpirituoforum noxa. A. N. C. cent. I.
p. 123. Blegny Zod. gall. ao. 1682. Apr. obf. 3
Chymistæ infignes pollicitationes. Blegny Zod. gall. ao. 1682. Apr.obf. 4
L

CI. Cibi cum bono appetitu fumti magis profunt. Galen. L. 3. de Temp.c. 2. & 6. de valetudine tuenda c. 3. it. Epidem. L. 3. Com. 2. Ægrot. 4 Cibus. vid. Elus. ex Cibo in æneo vale cocto noxa. A. N. C. Dec. 3. ao. 7. obf. 102 fine Cibo diutius viventes. M. Donat. L. IV. c. 12. Smet. Mifc. L. X.p. 554vid. Vivere. it. Aer. Ciborum & vermium ex inguine exitus. Plater. obf. L. 3. p. 831 Cicatrix falivans. A. N. C. cent. 9. p. 197 Cicatrices refurgentium. Kornm. M. M. P. 8. c. 72 Cichorii vsus in phthisi. A. N. C. cent. 5. p.338. Ciconic anatomia. A. N.C. cent. 5. p. 209 Ciconia an in terras calidiores æstate præterita avolent. Frank. p.2.30-33 Ciconia podagrica. Barthol. A. H. Vol. 4. obf. 51 Cicuta venenum. Alberti Iur. Med. P. I. p. 262. §. 22 Cicuta fine noxa comesta. A. N. C. Dec. 2. ao. 4. obl. 50. Rejes qu. 63. p. 816 Cieute loco petrofelini noxia comestio. Rejes qu. 63. p. 821. Hier. Tragus fimpl. c. 159. Cardanus de venen. c. 20 Wepfferus. comeftæ noxa. A. N. C. cent. 9. p. 355. 369 fuccus innoxie hauftus. A.N. C. Dec. 1. ao. 4. obf. 106 efus noxius. Hagendorn. cent. 3. hift. 85. p. 396 Cilia ex nigro fubito albicantia. A. N. C. Dec. 2. ao. 9. obf. 136 Cimices & pulices homo quidam ex lecto fugabat. Rejes qu. 24. p.262. 0. 8. Cinguli instrumenti declaratio & utilitas. Hildan. c.5. obf.86. p. 479 Cineres farmentorum & lupuli vetuftorum remedium adversus lumbricos. A. N. C. Dec. 2. 40. 7. obf. 240 Cinnamomi arbor. Barth A. H. V. 3. obf. 90. obf 91. A. N. C. Dec. 2. 20. 8. obl. 59 ex Cinnamomi arbore remedia. Barth. A. H. V. 5. obf. 91 Circulus fanguinis. vid. Sanguis. Cincumcifio medica. Frank. p. 14 Inn. ho Same Iudæorum. Frank. Sat. p. 12--14 anom . fæminarum. Frank. Sat. p. 38. Alberti Iurispr. Med. P. I. p. 47. lit. c. Circumforanei fape homicidia committunt, Alberti Iur. Med. P.I. p. mes policitationes. Elegry Zod. gail. 20. 16 2. 252. obt 4 Cir: 19

SZ

CL CL?

Circumstantiæ ponderandæ. ibid. P. 1. p. 17. §. 22. p. 19. §. 25. p. 395. §. 6. P. II. p. 523
Citationis in vallem Iofaphat confideratio phyfica. A. N. C. cent. 7. p. 781
Citrium pomum prægnans. A. N. C. cent. 7. p. 90, app. Barth. cent. 2.
Ep. 41 Citrum in citro. A. N. C. Dec. 1. 20. 4. obl. 54. Dec. 3. 20, 4. obl. 24. Frank. Sat. p. 79-81 CL.
Claudi sponte facti. Bor. c. 1. obs. 7
Clavis pedis & Gemuría. A. N. C. cent. I. obf. 192. Plater. obf. L. III. III. p. 664. Plin. L. 26. c. 1
pedis refectus caufa gangrænæ & mortis. Bor. c. 1. obf. 82. Hildanus cent. 6. obf. 100
Clavi pedis certa cura. A. N. C. Dec. 3. ao. 7. obf. 108. Hildan. cent. 6. obf. 100
Clavus post 30 annorum decursum comatus. A.N.C.Dec.3. ao. 7. obf. 12. hystericus. Lentil. latr. p. 279
Clavi species infolita. A. N.C. cent. 1. p. 419 periodici historia. A. N. C. cent. 3. p. p. 445
Clericis an liceat praxin medicam exercere. Alberti Iur. Med. P. 1. p. 218. §. 6
Clima quod fit humanæ temperiei aptius. Bravo P. r. difp. 3. Sect. 2. Refol. 6. p. 99
Climattericus annus, qui periculum minatur. Brave Confult. Med. V. p. 262. feqq.
Climactericus annus primus variolofæ funeftus. A. N. C. cent. 3. p. 290 Clitoris. Rhod. c. 3. obf. 42
offeus. Barth. c 3. h. 69 magnus. Plempius. Fundam. Med. p. 139. Zac. Luf. P. A. L.2. obf. 82.
Rejes qu. 49. p. 600. qu. 57. p. 717. Alberti Iur. Med. P. 1. p. 45. 5.29. Clitoridis adustio, ne amplius crescat, vocatur circumciso mulierum.
Frank.p. 38
defcriptio anatomica. Simon. Imp. conj. th. 2. n. 9 abufus in congressu faminino contra naturam, Simon. Imp. conj. c. 2. th. 2. n. 8
A. Lil. 2. II. O

Glodo-

CL.CO.

Clodoveus Rex Francorum christianus II. ejusque baptismus. Kornm. Mir. viv. p. 175 Clysteret nutriunt gravidam cum foeru per fex hebdomadum spatium a cibo & potu abhorrentem. Hildanus c. 4. obl. 30 Clysmata blanda in variolis petechiis innoxia. A. N. C. cent. 3. p. 36 Clyfteres injiciendi ridiculum impedimentum. Hagendorn. cent. 3. hift. 88. p. 400 Clyfteris ufus. Lang. L. I. Ep. 80.p. 482 ufus in odontalgia. A. N. C. cent. 9. p. 460 in hydrope. A. N. C. Dec. 3. ao. 4. obf. 55 lethalis. Zac. Luf. P. A. L. 3. obf. 142 in herniis, vid. Hernia. Hildan. c. 6. obf. 73 falutaris efficacia in mola. A. N. C. Dec. 2. ao. 9. obf. 153 felix aflumtio per os. ib. Dec. 3. ao. 2. obf. 81 vlusimmoderatus. Tulp. L. 3. c. 16 Clysteres nutrientes. Zac. Luf. M. P. H. L. I. hift. 9. p. 200 nutrientes & febrifugi. A. N. C. Dec. 3. ao. 3. obf.11 Clyfter inebrians. Bor. c. 1. obf. 56 frigidus. A. N. C. Dec. 3. ao. 5. obf. 174 frigidus mortis caufa. Barth. c. 1. h. 76 ex Tabaco & pro eo inftitutum novum. Barth. c. 6. h. 66. Valentini de Polychreft. exot. p. 73. A. Berol. Dec. 2. Vol. 1. p. 54 ad ventriculum penetrans. Barth. c. 4. obf. 68 ad Clysterem fibimet ipfi injiciendum minimo negotio inftrumentum. Hildan, cent. 1. ob!. 78 ad Clysterem applicandum situs ægrotantis accommodatus. Hildanus cent. 1. obl. 77. Clyster innoxie vomitu per os rejectus. A. N. C. Dec. 1. ao. 10. obí.94. Dec. 2. ao. 5. obf. 195. Dec. 3. ao. 7. obf. 39 NB. Talis evomitio clyfteris innoxia in hyfterica mea conjuge aliquoties obtigit. Chyfteris in hernia periculofiffima per os rejectio. Hildan. cent. 6. obf. 70 CO. Cobaltum venenum (five Cadmia foffilis, five Fliegen= Stein= Dulver.) Alberti Iur. Med. P. 1. p. 255 cum Cadmia foffili (f. Cobalto) veneficium absolute lethale, ibid. app. p. 167, Cal. 27 Cobal-

6)
Cobaltum (Cadmia fosfilis) quid. ibid. app. p. 168
Coccygis offis dolor infignis. Gabelch. cent. 4. cur. 34
Cochinelle. A. N. C. Dec. 1. 20. 3. obf. 104. Ad. Angl. Oldenb. 20. 1668.
Octobr. n. 4. p. 667
Cochlearis domuncularis eximia vis diuretica. A. N. C. Dec. I. ao. 10.
obl, 79. Güfferns Tab. med. 25. Morellus Mat. Med. p. 137
Cochleariæ lucco lichuria fanata. A. N. C. cent. 9. p. 455
Coctio num putredini reliftat? Zac. Luf. M. P. H. L. 2. hift. 66. p. 295
alimentorum, an suo, an ventriculi calore contingat. ibid.
Coctionem mixti esse non elementi? ibid. L. 1. hist. 7. p. 13. b. per Coctionem an omnia fiant crassiora, calidiora, suaviora & dulciora.
per Cochionem an omnia fiant crassiora, calidiora, suaviora & dulciora.
ibid. L. 4. hift. 15. p. 679
ad Coctionem debilem juvandam strenuum auxilium ventriculus vul-
turis, ibid. L. 2. hift. 66. p. 295
Calum quid, & in quo confiftat? Becch. Ph. S. L. I. S. I. C. I. n. 4. p. 12.
n. 12. p. 15
& Terra mundi principia. ibid. c. 2. n. 1. p. 16
cur prius terra creatum? ibid. c. 1. n. 2 in omnibus creaturis. ibid. S. 4. c. 8. p. 610. 611
Cali & globi terraque aërei status comparatur. ibid. L. 1. S. 1. c. 3. n.
2. p. 24
Cameterium unde dicatur ? Kornm. M. M. P. 7. c. 3 .
Cameteriorum confectatio. ibid. P. 7. c. 7
terræ contagium. Garm. M. M. L. 3. tit. 1. §. 68
Cana an prandio frugalior, & quando expediat. Lang.L.I.Ep. 55.p.284
Coffée infusum præstantissimum remedium ad cephalæas contumacis-
fimas, modonon quotidie forbeatur. Lent. latr. p. 431
Coffée decocti vapor cum semine fœnic. probatum remedium adver-
fus grandinem oculi. A. N. C. Dec. 2. 20. 10. obf. 200
Cogitationes hominum an sciat diabolus. Alberti Iur. Med. P. 1. p. 204
§. 13. p. 205. lit. s.
Coire iterum dicuntur animalia diffecta. Garm. L. 2. tit. 5. §. 35-37
Coitus mirus. Bor. c. 2. obf. 31
fymptomata admiranda. M. Donat. L. IV. c. 18
caufa morbi. Bor. c. 4. obf. 87
nimius caufa morbi venerei. Alberti Iur. Med. P. II. p. 162. 164
nimius caufa mortis, Rejes qu. 44. p. 533. Garm. L. I. tit. 11. 9. 15. 16
L 3 Coitus

Coitus nimii damna. Rejes qu. 46. p. 565. 566 nimius animi deliquii caufa. Zac. Luf.P. A.L. 2. obf. 116 nimius electuario minuendus. Zac. Luf. P.A.L. 2. obf. 17 caput imbecille reddit. Schenk, L. 4. Genit. malc. obf. ult. affiduus camphoræ ufu minuitur. Zac. Luf.M. P. H. L. 3. hift. 20. p. 521 in & post Coitum languis emissus. Hagendorn. cent. 2. hist. 42. p. 212 fub Coitu mortui & rigidi corpore deprehensi homines mas & fa-> mina. Garm. L. 1. tit. 11. p. 17. M. Donat. L. 4. c. 17 ex Coitu mortui. Kornm. Mir. Mort. P. 4. c. 80 Coitus fine ulla feminis ejectione. A. N. C. Dec. 3. 20. 5. 6. obf. 287. Albertilur. Med. P. I. p. 54 ord one main an Ominia hard cum multa flatuum emissione loco feminis. Aetius Tetrabibl.3.Serm. 3. c. 35. Ann. Lupt. cent. 6. cur. 95. M. Donat. L. 4. C. 18 an ægrotis conducat. Alberti Iur. Med. P. L. p. 79. §. 2 Coitus ante partum nocivus. Salmuth. c. 2. obf. 69 Coitus unanimis & voluntaria inter conjuges abstinentianon est causa divortu. Alberti Iurispr. Med. P. 1. C. 2. J. 12. d. dolorofus an virginitatem testetur. ibid. P. 1. p. 66. §. 8 an fit remedium altercationis. ibid. P. 1. p. 79. §. 2 Coitus fanguineus. Bor. c. 4. obf. 17 DISK SIIDSTERN cum puella quinquenni cafus horrendus. Simon. Imp. conj. c. 2. th. 4.11.22 cum brutis, & ipfius poena. Simon. Imp. conj. c. 4. th. I.n. I.4. A. N. C. cent. 9. p. 552 cumbrutis inchoatus, fed non peractus mitius punitur. Simon. 1. c. C. 4. th. I. 11. 6--- 8 cum brutis fanitatis caufa aliquando commendatus. Simon 1. c. c. 4. th.I.n. 5 Sodomiticus, vid. Sodomia. cum peftiferis innoxius. Garmann. L. 2. tit. 2. §. 37 cum infectis vivis & mortuis nocivus. Garm. L. 2. tit. 2. §. 43 cum mortuis ejusque pœna Kornm. M. M. P. 9. c. 40. Simon Imp. conj. c. 2. th. 4. n. 14. 19-- 21. Garm. L. 1. tit. 9. S. 1. Alberti lur. Med. P. L. p. 375. S. 7 cum pictura & ftatua. Simon Imp, conj. c. 2. th. 4. n. 18 viri cum ore fæminæ, & pæna illius. Simon Imp. conj. c. 2. th. 4. 1. 24--29 Coitus

Coitus impotentia, vid. Impotentia. Sterilitas. quem fæmina fibi conciliat cum certo inftituto. Simon 1. c. c. 6.th. 2. 1.9 intermissio vmbilici tumorem, Epilepsiam & mortem adfert. Zac. Luf. P. A. L. 2. obf. 118. 119 ignaviam Pilulæ levant. Zac. Luf. P. A. L. 2. obf. 122 potentis in matrimonio existentis cum alia persona extra matrimonium, quoniam prioris coniux impotens, est pœna ordinaria adulteriinon puniendus. Simon. Imp. conj. c. 7. th. 2. n. 45 inter virum & fæminam cum inverso fitu & ordine susceptus culpofus & bestialis dicitur, Simon. l. c. c. 4. th. I. n. 9 per fascinationem, qua homines canum instar sibi invicem adhærefcunt. ibid. c. 6. th. 4. n. 24 an licitus cum grauida. Alberti Iur. Med.P. 1. p.408 vid. Superfatatia. cum fæmina menstruata pro causa lepræ habitus, ibid. P. II p. 163. Coitus cum puella sedente & dormiente. Alberti Iur. Med. P. II. p. 194. Caf. 20 Coitus impeditus ab orificio vulvæ obdurato, Blegny Zod.gall, ao. 1679. Nov.obf.6 impeditus ob coalitum cervicis uteri, Plater. L.I. p. 241 diaboli. vid. Diabolus. diaboli cum fagis. Simon. Imp, conj. c. 5. th. 2. n. 5-13 diaboli per 35: annos cum muliere nulla opera veneficii exercente: A. N. C. Dec. 2. 20. 6. obl. 172 cum diabolo pœna. Simon Imp. conj. c. s. th. 2. n. 35.36 cum diabolo eft caufa divortii. Simon ibid. n. 34.35 Satanici Melancholiæ caufa. A.N.C. cent. 3. p. 294. Coitu purgatio communicata. Frank. p. 66. Garm. L. I. tit. II. S. 21 nimio exhausti quomodo reficiendi? Rejes qu. 44. p. 533. vid. Concubitus. Coitus denegandi caufæ. Alberti Iur. Med. P. I. p. 80. S. 4. 6. 7 Coitus quando a Magistratu possie imperari, ibid. P. 1. p. 84.5.8. plura vid. Conceptio & Concubitus. Colica paffio, Diemerbr. obf. 49.79 Colica periodica. Barth. c. 4. h. 59. A. N. C. Dec. 3. ao. 7. obf. 37. ex odore malorum citrinorum. A. N.C. Dec.2. ao. 1. obf. 72ex absceffibus mesenterii. A. N.C. cent. 1. p. 63. Calica

Colica graviffima cum inteftini jejuni incuneatione. A. N. C. cent. 5. P. 378 spasmodica, convulsiva manuum ac pedum tonica, terrore incendii fubito curata. A. N. C. Dec. 3. ao. 9. obf. 213 cum cruciatibus intenfifimisMercurii vivi beneficio ex voto fublata. ibid. ao. 9. obl. 78 aquæ frigidæ fontanæ potu curata. A. N. C. cent. 5. p. 193. 194. cent. 9. p. 273 Nephritica curata. Blegny Zod.gall. ao. 1679. Mart. obf. 9. ao. 1680. Iun. obf. 7. ao. 1681. Maji obf. 7 Hæmorrhoidalis, vid. Diff. mea. parefin caufatur, A. N. C. Dec. 1. ao. 2. obf. 39. it. ao. 3. obf. 108 Colica ex vermibus quomodo curata. Hild. cent. I. obf. 57 de Colico dolore. Hildanus cent. 1. obf. 58-Colica Paralylin caufatur, Baglivus Pr. med. L.I. Colica cum obstructione, curata globulo cum Mercurio illito. A. N. C. Dec. 1, 20. 3. obl. 96 post purgationem lethalis, Barth. c. s. h. 23 purgatione fanata. A. N. C. cent. 7. p. 405 emetico curata. Thonerus obf. med. L. 3. obf. 6 Colice pituitofa & flatulenta remedium. Blegny Zod. gall. 20, 1680. Mart, obl. 6 Colica frigidis sopita. Hagendorn. cent. 2, hift. 23. p. 185 in Parefin mutata. ibid. hift. 24. p. 186 Colicus dolor vehemens. Gabelch, cent, 1. cur. 10. 37. cent, 2. cur. 13" cent. 2. cur. 73 dolor cum fuppreffione alvi. Gabelch, cent. 1. cur. 51. 67 dolor cum suppressione vrinæ, Gabelch. cent. 1. cur. 68 dolor cum renali conjunctus. ibid. cur. 84 &renalis dolor cum ardore gutturis & fiti valida ex vberiori vini ingurgitatione, Gabelch. cent. 3. cur. 25 dolor cum vomitu affiduo & conftipatione alvi. Gabelch. cent. 1. cur. 62 vnde oriatur. Solen. Sect. 3. Conf. 28 cum multis ructibus. Gabelch. cent. 3. cur. 96 pestilens & contagiosus per frigida curatus. Zac. Lus. M. P. H. L. 2. hift, 89.p. 336. A. N. C. cent. 5. p. 193 Coli-

CO. 89
Colicus dolor pestilens ac contagiosus quod novus sit morbus. Zac. Lus.
M.P.H.L. 2. hift. 89: P. 336 I A 1 M. J. M.
a mordacibus fuccis pronatus hiera affumta curatus. ibid. hift.
91. p. 344 man of this targe him all strate mail robuit 100
ex opio enatus lethalis. Zac. Luf. P. A. L. 2. obf. 32
ex verme pronatus, ibid. obf. 33 anties action que and missions
rarus ex vitrea pituita lubortus perforantis dolorem inferens. Zac.
Lul. M P. H. L. 2. hill. 04. p. 357
a bile pronatus frigida potione curatus. ibid. hift. 93. p. 351
ab Hippocrate & Galeno probe diftinctus a Nephritico. ibid. p. 352
ab ira. Plater. obf. L.2. p. 419.420
in Herniofo ibid. p. 424
in calculofo. ibid. p. 416. 428 ex Colico dolore absceffus in finistro hypochondrio, cum intestini ero-
fione & excrementorum per ulcus ejectione feliciter curatus. Hil-
dan. cent. 1. obl. 54
Colicus dolor cum Tympanitide. Plater. obf. L. II. p. 424
Colicus dolor animadverfus Gallicus. Zac. Luf. P. A. L. 2. obf. 24
remediis expertis curatus, ibid, obf. 29. 30
allii ufu fanatus ibid. M. P. H. L. 2. hift. 95. p. 355
nive circumpolita curatus. Zac. Luf. P. A. L. 2. obf. 25
urine potu curatus. ibid. obf. 27
Colico dolore afflictus fibimet ipfi mortem cultello accivit. ibid. obf.28
doloripndendum taurinum mirabile. ibid. obf. 26
in Colico dolore num purgatio celebranda. Zac. Luf. M. P. H. L. 2. hift.
90. obf. 344 Colico dolore an Galerita & stercus lupinum conducat? Smet. Misc.
Couco dolore an Galerita & Hercus Iupinum conducat? Smet. Misc.
L. 2. C. 45 ex Calica Conita mira fumptomata Unam dana Contra hillion and
ex Colica sopita mira fymptomata. Hagendorn. cent. 2. hift. 25. p.188
Caliportio abfeillanon lethalis ANC cent I obf 6 p 12
Coli valvula. Frank. bon. nov. anat. §. 51 Coli portio abfeiffanon lethalis. A.N. C. cent. 1. obf. 6. p. 43 Coli inflammatio ex nimio hæmorrhoidum impulfu. Alberti Iur. Med.
P. II. p. 417
P. II. p. 417 Colis palpitatio. Zac. Luf. P. A. L. 2. obf. 113. vid. Penis.
Collum scrophulosum monstrosum. Hild. c. 3. obs. 85
Colli mensura præbeat fignum virginitatis. Alberti Iur. Med. P. I. p. 64.
§. 6.vid. Virginitas.

Con-

Colli

Colli lafiones quanam lethales aut illethales. ibid. P. I. p. 322. S. 48 Colliquans febris. Zac. Luf. P. A. L. 3. obf. 24. vid. Febris. Colli defectus. Plater. obf. L. III. p. 556 a mor actions incoss me 1 Colli ftupor fingularis, Hagend. cent. 1. hift. 77. p. 111 Colloquium duorum amicorum in diftans. Garm. M.M. p. 94. §. 24 Colores in Aere apparentes. Reinzer. Meteorol. diff. 5. qu. 2. p.79 Colorum theoria. Sachfus in Gamarolog. c. 16. 9. 3. p. 329. Garm. p. 57. 6.86.p. 60. 9.91 philosophia. Blegny Zod. gall. ao. 1681. Jun. obf. 4. Jul. obf. 1. Septobf. 5. Oct. obf. 9. Nov. obf. 2. Rohault. Tr. phyf. P. I. C. 27. Hift. Academ. Reg. Scient. obf. 1. p. 23. 20. 1699. & p. 99 Colores hominum varii. Kornm. Mir. viv. p. 270 Colocynthidis improvifus ufus. A. N. C. Dec. 3. ao. 8. obf. 118. Talp. L. 4. -010 C. 26. Plater. L. III. p. 805 extractum vtile in Melancholia. A. N. G. Dec. 1. ao. 3. obf. 202 Colocynthis manu detenta alvum movet. Frank.p. 63 Columba biceps. A. N. C. Dec. 2. ao. 5. obf. 57 Coma ex usu opii sub clystere. Salmuth. cent. 2. obf. 97 Aus den Cometen aberglaubische Beiffagung. Berbers unerfandte Guns den. P. II. c. 18. p. 282 Cometa. Frankenau p. 335. feqq. Becch. Ph. S. L. I. S. 5. c. I. n. 17. p. 272. Reinzer. Meteorol. diff. 4. qu. 1. p. 57--69 de Cometis.BlegnyZod. gall. ao. 1681. Decembr. obf. 2. Spener. Conf. Theolog. P. I. c. I. art. I. conf. 73. p. 185. feq. Cometæ 20. 1680. vifi descriptio. Blegny Zod. gall. 20. 1681. Febr. obf. 7 figura ovum referens.ib. obf. 8. it. ao. 1683. Oct. p. 226. feqq. num per se novorum morborum autores sint. ibid. ao. 1681. Mart. obf. 2 ex Cometis Prognostica. Reinzer. Meteorol. diff. 4. qu. s.'p. 70 Cometas illustrium virorum mentes nonnulli vocarunt. Garm. L. 2. tit. 10. 5. 77. 79: 84. 85 Comitialia remedia occulta. Smet. Mifc. L. 2. c. 33 Complicati morbi cujus indolis. Alberti Iur. Mcd. P. II. p. 540 Complicatus morbus. A.N. C. Dec. 3. ao. 9. of. 221 Conceptio monstrofa ex imaginatione. Aberti Iurispr. Med. P. I. P. J20. Caf. 2 9 ex uno coitu possibilis, ibid. P. I. p. 9899 S. G. rid. I man Colle ConConceptio fine coitu. Pomponius Mela lib. 3. c. 10. de Æthiopicis quibusdam fœminis fcribit, quod fine maris coitu concipiant: quara relationem. Rejes Camp. Elyf. qu. 41. p. 498. falfam declarat. Rhodiginus, Ambrofius, Bafilius Morus, Ælianus vulturum fæminas fine coitu imprægnari afferunt. vid. Sinnibaldus Geneanthrop. Lib. 1. tr. 3. c. 4. feq. Fæminas fine maris coitu generare poffe, Galenus Lib. 2. de Semine abfurdum effe credit. Ex imaginatione natus vid. Bartholinus cent. 6. hift. 61

Conceptio ex fola affrictione penis feminisque afperfione ad orificium matricis externum. Gnillemeau de hûreux accouchement. L. 4. c. 19. Collect. Med. Phyf. c. 3. obf. 63. A.N.C. Dec. 1, ao. 3. obf. 233. Mænichs obf. 13. Lenzonius in Notis ad hunc locum p. 43. Bohnius Exerc. Phyfiol. 24. de generat. §. 2. Fabr. ab Aquap. Operat. Chirurg. it. Riolan. Antropog. L. 2. c. 34. Frank. Sat. Med. p.'20. Bohnius Med. Forenf. Spec. 3. §. 9. Anton. Sidobre de Variol. & Morb. p. 60. Dæbelius obf. Anat. p. 240. Afaytati Confid. Phyf. & Aftron. c. 2. Harvæus generat. animal. Deufingius de generat. foet. extra uterum Sect. 3. §. 67. de Genefi Microcofmi. P. 1. Sect. 2. §. 69. Eber-

bard. de hominis & bruti ortu. p. 31

Conceptio fine penis intromiffione, it. de femine a mare in balneum e-) miffo. Alberti Iurispr. Med. P. I. c. 2. §. 13. d. it. p.404.it. §.21. p. 35. A. N. C. Dec. 1. ao. 3. obf. 273

Service .

Conceptio falfa. A. N. C.Dec. 1. 20. 1. obf. 1. Alberti Iurispr. Med. P. 1. p. 137. Solenand. Sect. 4. Conf.

in infomnio. A. N. C. cent. 3. p. 108. Alberti Iurispr. Med. P. 1. c. 2. §. 13. c. 1. P. II. p. 194. 200

tubaria. A. N. C. Dec. 3. ao. 4. obf. 77. cent. 7. p. 25. Dec. 1. ao. 4. p. 64. app. Alberti Iur. Med. P. 1. p. 93. 94

tubaria partum post se relinquit. vid. Tubaria. Conceptio. Blegny Zod. gall. ao. 1679. Decembr. obs. 1.

imperforatarum. Alberti Iurispr. Med. P. I. c. 2. §. 13. d. it.p. 404 impossibilis virginitatis claustro non violato. Rejes qu. 41. p. 491. 492. feqq.

possibilis judicata virginitatis claustro non violato. ibid. p. 492-494-497

illæsa virginitate facta historiis probatur. ibid. p. 492-495

- 110 2

92 ·CO.
Conceptio fine coitu humana & brutina num fit poshibilis, ibid. p. 498.
499. Alberti Iurispr. M.P. r. c. 2. §. 13. b. §. 21
quod fine fæminæ delectatione interdum fiat, qui afferant & ne- gent. p. 505. 506
femper fit cum voluptate fæminæ Rejes qu. 42. p. 512. 514
fine ordinato menfium fluxu. Barth. c. 4. h. 37
ante primam mensium eruptionem. Alberti Iur. Med. P. 1. p. 88. b.
Conceptio mensibus absolute deficientibus. Rejes. qu. 49. p. 614. Barth. cent. 4. h. 37
naturalis. Zac. Lufat. P. A. L. 2. obf. 143
pueri rofati. ibid. obf. 142
per ovanon fit. Blegny Zod. gall. ao. 1680. Mart. obf. 1. vid. Ovum.
intra tefticulum muliebrem. ibid. ao. 1682. Ian. obf. 3.
Conceptione facta an uterus claudatur? Frank. p. 230
Conceptionem impedientes fæminæ, quando post coitum mingunt, aut
fe erigunt, ut semen effluat, peccant. Simon. Imp. conj. c. 2. th.
Lingin. 211 Jan on this annual. In anna an sharran 12.2.3
Conceptionis modus fiendi. A. N. C. Dec. 1. 20. 7. obf. 196. Alberti Iur.
Med. P. I. p. 84. §. 9
Conceptionis modum descripferunt Hornius, Kerkringius, Græfius, Swam-
merd. Ruyfch.
certum & infallibile fignum an detur? Zac. Luf. M. P. H. L. 3. hift.4.
P. 499
varia specialia signa. Rejes qu. 49. p. 606. 608. A. N. C. cent. 1. p. 114.
Alberti Iurispr. Med. P. I. c. 4. p. 85. 86. §. 10: 11 impedimenta arbitraria. Alberti. ib. p. 94
aptiora tempora ibid. p. 86. n. 8
factæ experimenta apud antiquos ibid.
Conceptus spurius. Alberti Iur. Med. P. II. p. 29. Caf. 4. p. 34
Concoctio magna & admiranda. A. N. C. cent. 1. obf. 183
Concrementum uterinum salutariter expulsum & falso pro abortu ha-
bitum. Alberti Iur, Med. P. II. p. 29. Cal. 4
Concretio fratrum. Barth. c. 1. h. 66
Concubitus cum sponso an pro stupro sit habendus. Alberti Iur. Med. app. p. 208
Concubitus hominis cum brutis an foetum producere possit. ibid. P. 1.
p, III. §. 15 2 M
Con-

Con-

and and an an an and an an an and an
Concubitus Satanici Melancholiæ caufa. A. N. C. cent. 3. p. 294. vid. Coitus & Conceptio.
Condiendi funus medicatum modus. Solenand. Sect. 5. Conf. 14
d Confessionem incendiarii extorquendam pulvis datus. A. N. C. Dec.
3. ao. 7. obf. 23
Confessio spontanea. vid. Spontanea.
Confractio & strepitus in corpore ex lapfu per scalas. Gabelch. cent. 3.
cur. 27
Congelationes miræ. M. Donat. L. 2. C. 7
Congelationis potentia mira. Zac. Luf. P.A.L. 3. obf. 103-106
Conjuges utriusque fortunæ focii. Simon. Imp. conj. c.7. th.4. 11. 7.8
Conjugia quælicita & prohibita. Simon. Imp. conj. c. 9. th. 2
Conjugium inter patrinum & illam, que ex facro fonte baptismatis se
lavavit, an licitum. Simon l. c. th. 2. n. 1 Conjugium inter parentes & liberos, fratres & forores, usque ad quar-
tum gradum confanguineos, prohibetur, & quoad vltimos non
propter 4. humores. Simon Imp. conj. c. 9. th. 1. n. 3. 4
medicina paffionis hystericæ, quod tamen in alia hysterica nihil
profuit. A. N. C. Dec. 1. 20. 10. obf. 42
Conjugale debitum conceptio & graviditas. Alberti Iur. Med. P. 1. c. 4.
p. 78-96
Conjugale debitum denegantes caufæ. ibid. 80-84
Conscientia Medicum decet. ibid. P. 1. c. 1. S. 17. a. e. vid. Medicus.
Conscientia Medica taciturnitatem postulat. ibid §. 19. a.
Conscientiæ Medicæ requisita ibid. P. 1. c. 1. p. 14. §. 17. seq.
Consensus pedum cnm capite. Rejes qu. 83. p. 1085. n. 8
manus & summi humeri in læsione cubiti. Alberti Iurispr. Med. P.
II.p. 610
partium corporis humani. A. N. C. Dec. 1. ao. 1. obf. 20 cephalalgiæ cum folis ortu & occafu. A. N. C. Dec. 1. ao. 6. obf. 8
Confilium mutare in alterius damnum non licet. Alberti Iur. Med. P.
I.C.I. §. 21 h.
Confolidæ Maj. vis agglutinans, confolidans, conftringens. Hæchft. Dec.
3. p. 235. 236
Conflantia decet Medicum. Alberti Iurispr. Med. P. t. c. t. §. 8. a.
onstellationes Planetarum pro experimentis chymicis falle, fuppofitæ
funt, Becch. Ph. S. L, I. S. 4. C. 2. p. 192
M 3 Con-

94 Consuetudinis mentionem facit Hipp. Sect. 2. aph. 49. 50. Galenus de adfuetudine c. 2.3 Constietudo est altera natura. Galen. de Temper. L. z. c. 4. de fimpl. facult. L. 3. c. 15 de motu Musc. c. 7. de off. Med. com. 3. test. 20 Confuetudinis vis. Bohn. off. Med. dupl. c. 4. p. 78. 79. Rejes qu. 93. p. 1187. feqq. Zac. Luf. M. P. H. L. 6. hift. 18. p. 963. Frank. Sat. Med. P.393. S. 97 ex Consuetudine odor suaveolens rustico adversus, Rejes qu. 93. 11. 7. Lemnius pe occult. naturæ Mirac. L. 2. c. 9 ob Consuetudinem vitæ in mari, piscator a nimiis odoramentis in fyncopen delapfus. ad littus maris denuo delatus & cum limo & algo. coopertus, fubito convaluit. Rejes qu.93. p.1190.1191. n. 7 Confuetudo utrum differat a temperamento acquisititio. Brave P.I. disp. 3. Sect. 2. p. 101 Confuetudo vitæ generis durioris in homine, qui ex meliori vitæ genere mortuus, ex viliori vero denuo convaluit. Solenand. Sect. s. Conf. 15. n. 16. Rejes qu. 93 in fomno. Frank. Sat. Med. p. 393. §. 97 in cibo & potu. Rejes qu. 93. p. 1188. n. 2. Galen. de rat. vict. text. 21-24 in evacuationibus, Rejes p. 1189. 11. 3 debites monocores in potu tepido. ibid. vid. Potus. in fonticulo perferendo. ibid. p. 1189. n. 5 in perferendis venenis & purgantibus. ibid. p. 1189. n. 16 Consuetudo ab Aristotele L. 21. probl. 14. describitur, quod sit habitus ex frequenti actione f. passione impressus, propter quem promptius & diutius & cum delectatione operamur & patimur. vid. Galenus de confuetud. c. 2. & 3. Valesis ; Controv. L. 8. c. 5. Chrift.a Vega Lib. art. med. Sect. 2. Valeriola loc. comm. L.I. c. 6. Consuetudo præcipuam in Medicinam habet vim, ita vta clarissimis Medicis Natura adventitia nuncupetur. Galen. de Temper. L. 2. c. 4 & de Simpl, L. 3. c. 18. de Motu Musc. c. 7. de off. Med. Com. 3. teit. 20. Consuetudo prava difficillime dimovetur. Galon. L. 2. de Hipp. & Plat. decret. C. 3 Consuetudo Hæmorrhagiarum. Rejes qu. 93. n. 4

Confuetudo num in curatione respici debeat. Rod. a Castro in Med. Poconlit. L. 2. C. 13

2 IV1

Confuerado filonga & antiqua, licet pessima, servari debet, nisi magna ad mutationem urgeat necessitas, Hipp.& Galenus fatentur omnes.
<i>Rejes</i> qu. 93. n. 8
Confuetudo confuetudine vincitur. Thom. a Kempis Imit. Chrift. c, 21
Confultationes Medicorum approbantur. Rejes qu. 16. p. 176 de Contagio judicium. Smet. Mifc. L. V. Ep. 13. p. 260. it. Ep. 14. 16. 17
Contagii existentia. Garm. L. 2. tit. 2. §. 3
existentiam nonnulli negant. ibid. §. 1
mira communicatio ex pelle. Lent. latr. p. 34.35. Simon. Paul. c. 53
pestilentialis propagatio e cadaveribus. Garm. L. 2. tit. 2. §. 48-50.
Zac. Luf. P. A.L. 3. obf. 43
pestilentialis nefanda propagatio. Garman. L. 2. tit. 2. §. 48
venerei communicatio. Alberti Iur. Med. app. p. 179. Caf. 31
Contagium majus an a vivis corporibus infectis, an cadaveribus prove-
niat. Garm. L. 2. tit. 2. §. 47-52
Contagia boum & vaccarum. A. N. C. cent. 3. p. 347. cent. 9. p. 110
boum in hominestranfeuntia. A. N. C.cent. 7. p. 319
Contagiofa crurum ulcera. Barth. A. H. V. 5. obf. 44
Contagiofus fcorbutus. Alberti Iur. Med. P. II. p. 167. 171 Continens imputris V. Sne curatur. Zac. Lufat. P. A. L. 3. obf. 3. vid.
Febris.
putrida V. Sne liberali curata.ibid. obf. 6
Continentia. vid. Castitas. Castratio. Eunuchus.
a carnali copula præditi Eunuchi dicuntur. Simon Imp. conj. c. 6. th.
3. n. 8-11
Continui folutio. Smet Mife. L. IV. Ep. 1.
Cootractura fubitanea a vermibus. A. N. C. Dec. 3. ao. 9. obf. 54. vid.
Vermes.
& curvatura lumborum fubito nata. Gabelch. cent, 2. cur. 78
cruris ex terrore. Salmuth. c. 2. obf. 68
post variolas. ibid. obs. c. 1. obs. 34
ex mensibus suppress. A.N. C. Dec. 2. ao. 2. obf. 118
Contractio digitorum. Plater. obf. L. 1. p. 137. 141. 145-147
Contractio cruris versus nates. ibid. p. 141. 145147 pedis inferioris in latus. ibid. p. 152. 153
brachii ob nervum in venæ fectione læsum. ibid. p. 149
Con-

Contradictio. Becch. Ph. S. L. I. S. 4. C. 4. p. 213. n. 13. cap. 212. n. II Contrafi Juræ an fint lethales. Alberti Iur. Med. P. 1. p. 313. §. 40 Contusio capitis ex cafu ab alto. Rosfii obf. 5.6 capitis propter malum regimen lethalis. Zittm. c. I. c. 55 curata fine perforatione cranii. Rhod. c. 1. obf. 30 cum confecuta magna extravafatione fanguinis ex accidenti lethalis. Alberti Iur. Med. app. p. 1 Convulsio circa rotatoria. A. N. C. Dec. 3. ao. 3. obf. 87 affectus rarus. A. N. C. cent. I. p. 225. M. Donat. L. 2. C. 3 post confolidata pedum ulcuscula. A. N. C. Dec. 3. ao. 2. obf. 74 mefenterii mira. ibid. cent. 1. p. 432 post puerperium. ibid. cent. 7. p. 215 averme. Blegny Zod. gall. ao. 1682. Febr. obf. 31. A. N. C. Dec. 1. 20. 6. obf. 187 unguibus incaute refectis. Rhod. c. 1. obf. 50 & mors ex scabie capitis evanescente. A. N. C. Dec. 2. ao. 5. obf. 224. lethifera ex nervo puncto. Rhod. c. 1. obf. 51. 52 ex Elleboro albo. A. N. C. Dec.3. ao. 1. obf. 65 epileptica ex nimia crapula. Gabelch. cent. 4. cur. 58. Diemerbr. obf. 76 terribilis in puerulo, qui offa capitis confregit. A. N. C. Dec. 1, ao. 2. obf. 225 mirabilis. Gabelch. cent. 3. cur. 89. cent. 4. cur. 57 ex ira. Plater. obf. L. I. p. 34 per febrem curata. A. N. C. Dec. 3. ao. 1. obf. 29 lethalis ob terrorem exintuitu suspens & inspectione cadaveris oborta. Plater. obf. L. I. p. 33 Convulsiones ex manuum extremitatibus. Hagendorn. cent. 1. hift.7.p.13 Convulsio flatulenta Ebeni decocto aurata. Zac. Lus. P. A. L. 1. obs. 44 flatulenta candentibus ferramentis curata. ibid. obf. 45 Epileptica. Diemerbr. obf. 76 13.7.13 fedentaria. Tulp. L.1 c. 14 penis rara. Zac. Luf. P. A. L. 3. obf. 118 oculorum. Plater. obf. L. I. p. 131 post variolarum eruptiones semper lethalis. A. N. C. Dec. 2. ao. 8. obi. 112 Charles and the state of the state of the state of the state of the Con-

the second se
Convulsio ob vermes aqua raphan. ruft. cum aliis aquis temperata cu-
rata. A. N.C. Dec. 1. ao. 6. obf. 187
ex zinaria bile pronata dextræ Salvatellæ sectione curata. Zac. Lus.
P. A. L. I. obf. 43
rarior. A. N. C. Dec. 3, a0. 7, obf. 108
Convulsivorum motuum universalium rarum & notabile exemplum. A.
N. C. Dec. 3. ao. 9. obf. 173
Convullivi motus ex aëre & vapore maligno. Hild. c. 6. obf. 25. 26
Convulsivi motus ad horologii pulsum repetentes. A. N. C. Dec. 3. a0.4.
obf. 41
Convalfious fcorbuticus morbus. Hagendorn. cent. 1. hift. 22. p. 39
Coqui ignorantia stoliditatem causatur. Zac. Lus. P. A. L. 3. obf. 144
Coquendi cibos pro ægris & fanis noua ratio. Blegny Zod.gall. ao. 1681.
Maj. obf. 6
Coralli Tinctura. Blegny Zod. gall. ao. 1681. Jun. obf. 4
Corallierum virtus in partu promovendo. A. N. C. cent. o. p. 212
Cor effe primum movens & vltimum moriens. Arift. de Generat.'ani-
mal. L. 2 c. 6
Cor non eft primum movens, nec ultimum moriens, Barth, A H W
obf. 101. p. 246. Helmont. L. de Flat. n. 16, Garm. lib. 2. tit. 5. 5. 56.
Frankenau D. 130. VId. Sanguis, Spiritus.
magnum. A. N. C. Dec. 1. ao. 1. obf. 70. ao. 4. 5. obf. 31. Garm. L. I. tit. 7.
§. II. A. N. C. Dec. 3. ao. 9. obf. 223. cent. 9. p. 408
crinofum. Kornm. M. M. P. 4. c. 74. 76. A. N. C. Dec. 3. ao. 5.6.
obf. 122 11 000 Duist de Character and a constant
fingulis binis annis ad drachmam 1. ante 50. annum crefcens, postea
iterum decrescens. Garm. L. 1. tit. 7. §. 1. 2. 9. 10
Cor inverfum A. N. C. Dec. 1. ao. 2. obf. 76
tabidum & ulcerofum. Garm. L. 1. tit. 7. §. 13
eft musculosa substantia. Barth. cent. 3. ep. 71. Garm. L. I. tit. 7. §. 23
unius ventriculi. A. N. C. Dec. 1. ao. 4. obf. 44
bifidum. Barth, c. 1. h. 67. Garm. L. I. tit. 7. §. II
duplex. A. N. C. cent. 7. p. 264
triplex in anfere. A. N. C. Dec. 1. ao. 10. obf. 108
deficiens. Frank. p. 138-141
extractum in homine, & tamen vita aliquandiu durans. Barth. c. 2 h
15. Frank. p. 141. Garm. L. 2. tit. 5. S. 20. Rejes qu. 32. p. 387
N Cor
Cor,

Cor evulfum, animal tamen vivum. A. N. C. Dec. 1. ao. 8. obf. 10. ao. 3. obf. 263. it. Marc. Marci Philof. vet. reftit. P. 4. S. 1. p. 392. Frank. p. 139-141. Garm. L. 2. tit. 5. §. 21. 24

sum pulmonibus excifum ultra horam fe movit Barth. cent. 3. Ep. 76 in fubiectis fenfu & moru privatis, & detruncato capite, fystole &

& diastole aliquandiu præditum. Wepfferus de cicut. aquat. c. 8. p. 90

humanum in decollatis ultra horam fe movet. Garm. L. 2. tit. 5. 9.22.

in frustula diffectum se movet. Garm. L. z. tit. 5. §. 34. 49

conis exfcindendi modus, vt canis aliquandiu currat & clamet. Frank. p. 140. Garm. L. 2. tit. 5. §. 24. A. N. C. Dec. 1. 20. 3. obf. 263

Cordis motus non fit ob ftimulationem aut necessitatem mechanicam. Fort. Licetus de sponte viventium ortu Lib. 1.c.49. Bakius de Corde

S. 3. c. 2. p. 238. Lowerus de corde c. 2. p. 66. Bohn. Exerc. Physiol. 9. §. 10

Cordis motus quomodo arte reducendus? Garm. M. M. Lib. 2. tit. 5. §. 70-73

Gordis motus arte productus per inflationem in ductum thoracicum. Wepff. de Cic. aquat. c. XI. Hift. 2. p. 181

Cordus motus reductus per inflationem in venam cavam. Wepff. Cic. aquat. c. XX. hift. 6. p. 115. Mayow. de Respir. p. 265

Cordis imbecillitas cum caloris naturalis defectu. Solen. Sect. 3. Conf. 14

fine Corde an vivere possit animal? Casp. Rejes Camp. Elys. qu. 31.'32

a Corde utrum una tantum influat qualitas. Bravo P. 1. disp. 6. Sect. 3. Resol. 5. p. 201

in Corde genita offa & lapides diversæ figuræ. Kerkringius Spicil. Anat. obs. 78. Horstius lib. 4. tom. 2. obs. 47. Zac. Lus. Prax. admiranda

lib. 2. c. 161, Vierius de præstig.dæmon. lib. 4. c. 16

Cordis motus quo ordine in morientibus cellet? Garm. L. 2, tit.5. §.59 motus post revulsos nervos ad cor abeuntes. A. N. C. Dec. 2. ao. 4. obl.33

motus unicus nempe fystalticus, vid. Lowerus de corde c. 2. p. 84 Cordis vulnus non lethale. A. N. C. Dec. 2. ao. 6. obf. 77. vid. Vulnus. Corde vulnerato aliquandiu animalia vixerunt. Rejes. qu. 92. p. 1179.

n. 4

98

Corde

Corde vulnerato aliquot dies homo vixit. Henr. ab Heer obf. 11
adhuc vivens, non exigua sui parte putrefacta. Hild. c. 2. obs. 27
Cor vulneratum in 4tum diem vivens. A. N. C. Dec. 2. ao. 3. obf.
113. 114
phthisici diffecti os continens. Barth. c. r. h. 50. & c. 2. h. 45
marcidum factum. Zac. Luf. P. A. L. 1, obf. 142.
morbo confumtum. Frank. p. 139
incombuftibile. Garman. L. 1, tit. 7. §. 14. 15
in quo folium viride Sifymbrii repertum. A. N.C.Dec. 1. ao. 1. obf.41
in quo anguis repertus. Zac. Luf. P. A. L. I. obf. 140
Calculos continens. Zac. Luf. P. A. L. 1. obf. 141. Blegny Zod. gall.
ao. 1680. Iun. obf. 1
cervi lapide repletus. Barth. c. 6. h. 93
avari post mortem inter nummos repertum. (wo euer Schabift, ba
ift auch euer Derts) St. Saccenfis in vita Antonii c. 49. Frank. p. 139.
Kornm. M. M. P. 4. C. 29
per 50. annos crescere & totidem decrescere Ægyptii crediderunt
Garm. L. 1. tit. 7 §. 1. 2. 9.10
Cordis structura. vid Ottonis Casmanni fabrica cordis hum.
Cordis varii affectus. Blegny Zod. gall. ao. 1683. Febr.
calculus. Blegny Zod. gall. ao. 1680. Jun. obf. 1. Zac. Luf. P. A. L. I.
obf. 141
palpitatio in hypochondriis. A. N. C. Dec. 2, 20. 8. obf. 114. vid. Pal-
pitatio.
palpitatio ita vehemens, vt extra domum a transeuntibus exaudia-
tur. Foreft. L. 17. obf. 1
palpitatio valida scarificatione terminata. Zac. Luf. L. 1. obf. 143
palpitatio a polypo cordis lethalis. A. N. C. Dec. 2. ao. 6. obf. 232
omniumque arteriarum palpitatio. Rhod. c. 2. obf. 40
palpitatio fracturam coftarum provocans. Alberti Iur. Med.P. II.p. 618
palpitatio in Melancholia & Epilepfia. Plater. L. I. p. 219. 221
Cordis polypus. A. N. C. cent. 3. p. 269
palpitationem cordis lethalem caufatur. A. N. C. Dec. 2. ao. 6.
obf. 232
ruptura ab iclu thoracis. A. N. C. Dec. 3. ao. 9. obf. 164
pulfus in dextro latere. Barth. A. H. V. 2. obl. 44. A. N. C. Dec. 1.
ao. 2. obf. 194
N 2 Cor-

Cordis mortuorum miraculofa offert Kornm. M. M. P. 4. c. 28 dolor. vid. Cardialgia.

foramen ovale in iuvene patiens. A. N. C. cent. 5. p. 358 feptum pervium Galenus statuit. A. N. C. Dec. 1. ao. 4. obf. 30. ao. 10.

p. 125. Blegny Zod. gall. a0, 1679. Aug. obf. 15

humani pondus. Kornm. M. M. P. 6. c. 26

auriculæ dextræ dilatatio. A. N.C. cent. 7. p. 79. app.

dilatatio utrum arteriarum dilatationem, conftrictio carum conftrictionem fimultaneam fecum ferat? Zac, Luf. M. P. H. L. s. hift. 26.

p. 886

ventriculus finister an sit præstantior dextro? Zac. Lus. ibid. hist. 7. p. 820

a Corde ad cerebrum influens vis, an fit animæ potentia. ibid. p. 814 Cor an vita fuperstite abscessis patiatur. ibid. p. 821

an omnium facultatum sit principium. ibid. p. 811. vt statuit Aristot. Averhoës & Aphrodisaus.

an fit fons innati caloris & vitæ principum. ibid. p. 816

non est parenchyma (quod primum acufare cœpit Erafistratus testante Galeno) vid. Hipp. Lib. de Corde, Harvæus Exerc. 1. de motu cordis & fanguinis, Lower. de motu cord. & fangu. c. 1. Frank. bon.nov. anat. §. 6. p. 609

Cordis feptum porofum observatum. A. N. C. Dec. 1. 20.4. p. 125. Blegny Zod. gall. 20. 1679. Aug. obs. 15

Cordis feptum non transmittit fanguinem. Lowerus de corde c. 2. p. 87. Maur. Hoffmann. Difp. de transitu sanguinis per septum cordis impossibili.

Coriandrum curat quartanam. A. N. C. Dec. 2. ao. 10. obf. 85

Corri humani vsus & præparatio. Barth. c. 3. h. 87. vid. Cutis it. Humanus.

- Corium a ligno quercino hæmorrhagias sistens. A. N. C. Dec. 2. ao. 4. obs. 149
- Co. nu cervi spiritus Medicorum sacra anchora. Alberti Iur. Med. P. II. p. 516

Cornu cervi spiritus usus in febribus malignis. A. N. C. Dec. 3. ao. 1. obl. 91

5-1

Corni

100

607%

Cornuin fronte puellæ. A. N. C. Dec. 3. ao. 4. obf. 65 in facie. Bor. c. 1. obf. 14 in palpebris. Barth.'A. H. V. s. obf. 104 Cornua in pede habens capra. Bor. c. 1. obf. 10. c. 4. obf. 52 mentientia concrementa præternaturalia. Garm. L.1 tit. 10. §.12. 13 apud multas gentes infamia. Rejes qu. 77. p. 1038. 1039. n. I Cornu ex oculis mortui natum. Garm. L. I. tit. 10. §. 15 e terra crefcere fabulofum eft. Garm. L. I. tit. 10. §. 17 in calcaneo Hiftoria. Zac. Luf. P. A. L. 2. obl. 188 Ammonis hiftoria. A. N. C. cent. 5. p. 15. app. tauri sub coitu eius rasum venerem armare dixit Garm. M. M. L. 2. tit. 7. §. 79 Cornua in hominibus & animalibus. A. N.C. Dec. 1, ao. 1. obf. 30. Garm. L. I. tit. 10. §. II Cornutorum hominum exempla varia. Garm.L.1.tit.10. S.14.Zac. Luf. P. A.L. 3. obf. 98. Barth. cent. 1. Ep 19. Hildanus cent. 2. obf. 25. p. 103--105 Cornuta mulieres. Blegny Zod. gall. ao. 1681. Iul. obf. 3. Barth. c. 1. h. 78. c. 5. h. 27. A. H. V.3. obf. 67. Hildan. cent. 2. obf. 25. p. 105 Cornutus equus. Barth.c. 2. h. 10 Cornuti capones. Garm. L. I. tit. 10. S. H. Barth. in unicornu c. 7. p. 48. Bor. c. 1. obf. 18. Deufing. confid. foetus. S. 2. S. 52. Barthol. cent. 1. Ep. 38.69. Diemerbr. obf. 33 galli gallinacei a parentibus cornutis provenientes. Garm. L. 1. tit. 10. J. II. A. N. C. Dec. 2. au. 8. obf. 26 Cornutæ gallinæ. Mandelsloh. L. 2. Itiner. orient. c. 19. Barth. de unicornuc. 7. p. 49 Cornutorum appellatio unde? Rejes qu. 77. p. 1037. 1039. feqq.n.4-9 Cornutus auditus. Barth. Ep. anat. rar. Corpus hominis exanimatum credidit Th. Campanella L. 4. de fenfu rerum c. 9. p. 296 humanum eft valde proclive in putredinem. Gorm. L. 3. tit. I. S. I Corporis universi inflatio cum asthmate. Gabelch. cent. 1. cur. 61 totius & linguæ ficcitas post pleuritidem. Gabelch. cent: 2. cur. 92 Corpori mortuo & nudo aliquid vitæ fupereffe, dixit Ioh. Marcus Marci & Campanella. vid. Garm. L. 2. tit. 7. 5. 76-78 Corpulentia nimia. Alberti Prax, Extempor. caf. 2 N 3 Cor-0.5878

Corpulentia ex hereditate. Alberti Iur. Med. P. II. p. 516
impedimentum fœcunditatis. ibid. p. 518
Corpulentia nimia impedit fapientiam. Rejes qu. 27. p. 321
corporis monstrola. M. Donat. L. s. c. 2. Bonet. Med. Septentr.
Tom. 1. L. 2. Sect. 23. caf. 7
nimia fubitæmortis caufa. A. N. C. Dec. 1. ao. 2. obf. 87
olim castratione promota. Simon. Imp. conj. c. 3. th. 3. n. 9
nimiæ infelix cura. A. N. C. Dec. 2. 20. 9. obf. 219. vid. Craffities.
Corpülentorum exempla. Garm. L. I. tit. 8. §. 12. Plater. obf. L. III.
p. 547
Corpusculorum gravitas juxta Becch. Ph. S. L. I. S. 3. C. I. p. 106
Corruptio, que post mortem reperitur, non semper est causa morbi,
quia paucis ante mortem horis interdum oritur. Helmont. Tr.
ignotus Holpes morbus. Garm. M. M. L. 2. tit. 2. §. 23. 24
Corticis Peruviani ufus in Febribus intermitt. Blegny Zod. gall.ao.1682.
Febr. obf. 29
Corvi cibantes Eliam, Antonium & Paulum. Kornm. M. viv. p. 209
Corylus ad hæmorrhagias, fracturas & contusiones. Bor. c. 3. obs. 77.78
Coryza fingularis. Barth. c. 6. h. 37
Cosmetica aqua. Zwing. Diff. p. 156
Coste per callum connexæ in ove & porco. Hildan. c. 3 obf. 91
Costæ fæminarum quid de illis Anatomici. Alberti Iur. Med. P. II. p. 617 Costæ luxatæ a palpitatione cordis. ibid. P. II. p. 618
Coftæ undecim in thorace. Barth. c. 5. h. 1 Coftarum spuriarum separatio a cartilaginibus. Alberti Iur. Med. P. II.
p. 613. Caf. 62
fractura. vid. Fractura.
Coturnices utrum folæ præter hominem Epilepfia tententur. Zac. L
M, P. H. L. 5. hift. n. p. 839
Coturnicum esus noxius. A. N. C. cent. 9. p. 145
esus frequentem convulsionem adfert. Zac. Lus. M. P. H. L. s. hift.11.
p. 838
Coxæ dolor. Gabelch. cent. 1. cur. 69. cent. 4. cur. 33. 35
cum tabe cruris. Gabelch. cent. 4. cur. 36
hirudinibus curatus. Zac. Luf. P. A.L. 2. obf. 168
colocynthidis ufu curatus. Zac. Luf. M.P. H. L. 3. hift. 31. p. 564
a fanguine ortus V, Sne curatus. ibid. hift. 32. p. 569
Coxen-

Coxendicus dolor in viro it. in muliere. Plater. obf. L. II. p. 479. 480
Coxendicis, cervicis & Homoplatæ dolor. ibid.p. 476
Coxendicus five Ifchiadicus dolor ulcera gignens circa coxam, claudos
efficiens, it. in febre. ibid. p. 481
Coxendici mali reminiscitur Hipp. Sect. 3. Aph. 22. Prorrhet. L. 2.
§. 45. n. t. de affect. §. t. n. t. de intern. affect. §.5 4. n. t. Galenus pas-
fim. vid. Ischiadicum.
CR.
Cranium futuris carens. Kornm. Mir. Mort. P. 4. c. 78
læsum licet extrinsecus nihil conspiciatur, in mortuis tamen eius a-
pertio inftituenda. Garm. L. 2. tit. 1. §. 58
multoties perforatum cum variis fracturis offium absque manifesta
caufa. A. N. C. Dec. 3. ao. 7. obf. 151 .
humanum pulverifatum ad scrupulum 1. vel semi drachmam præ-
misso purgante & diaphoretico euporiston in Febribus. A. N.C.
Dec. 3. ao 2. obf. 79
humanum in Epilepfia. Smet. Mifc. L. 2. c. 52
perforatum per chartam explosam. A. N. C. cent. 3. p. 452
& cerebrum deficiens in puero nato. A. N. C. Dec. 3. ao. 9. obf. 106
loquens. Kornm. M. M. P. 4. c. 10
perforatur feliciter undecima die post acceptam fracturam. Hildan.
c. 4. obf. 4
Crania infolita. Bor. c. 2. obf. 63
Cranii caries exulcere. Barth. c. 6. h. 8
fissura. Diemerbr. obs. 51
discessio perceptibilis in Cephalalgia. A. N. C. Dec. 2. 20. 4. obs.142.
143. Hildan. cent. 2. obf. 7
vulnere cephalæa inveterata curata. Hild. cent. 2. obf. 8
depressio & fissura in puero feliciter curata. Barth. A. H. V. 3.
obl. 69 g to a find the state of the state o
depressionis symptomata & elevationis modus. Hildanus cent. 2.
ob1.3-5
depreisio per cataplasma ex herbis aromaticis curata. A.N.C.Dec. 3.
ao. 9. obf. 87
perforatio neglecta caufa mortis. Hild. cent. 2. obs. 6
futurarum usus. A. N. C. Dec. 2. ao, 10, obf. 203
Cranij
Crani,

104	CR.
Cranii vu	lnus præter spem curatum. Rhød. c. 1. obs. 31. vid. Vulnus.
fractur	a lethalis. Alberti Iur. Med. P. II. p. 250. Caf. 23
fractur	a exaccidenti lethalis. ibid. P. II. p. 253. Caf. 24
depret	lio stupiditatis causa. Hildan. c. 3. obs. 21
Hypocra	mius absceffus. Boot. A. O. cap. 1
Hypocra	ania vomica. Boot. A.O. c p. 2
Crapula	five Cephalalgia ex mero. Lang. L. 1. Ep. 30. p. 138
in part	tu difficili innoxia. A. N. C. cent. 5. p. 20
Crapula	defuncti anatomia. A. N. C. Dec. 3. ao. 9. obs. 236 prodigiosa corporis hirudinibus & scarificatione curata.
Crapitie	. Lus. P. A. L. 3. obs. 112. Cf. Corpulentia.
Calulit	atem fugiat Medieus. Alberti Iur. Med. P. 1. p. 18. §. 23
Creaum	raventris in hydropica feliciter fanata. A. N. C. Dec. 3. ao, 9.
	. 122
	ra cordis, vid. Cordis ruptura.
Crepitus	ventris accenfi. A. N. C. Dec. 1. ao. 1. p. 159. Rudolph. Goclenius
inF	Physiol. Crep. ventr. Problem. 16. Garmann. M. M. L. 2. tit. 9.
	0. 71
Cretaga	llis gallinaceis adverfa. Barth. c. 5. h. 38
Crimini	s lælæ Majestatis rei etiam post mortem puniuntur. Kornman.
M.	M. P.6.c. 33
Crines I	oulcros habens mulier. Kornm. M. viv. p. 58
Crines fi	uspensis crescentes. Kornm. M. M. P. s. c. s. 6
Crines.	vid. Capilli.
Crifis an	in omnibus morbis exspectanda? Smet. Misc.L. 1, Ep. 15
Crifeos	Etymologia. Lang. L. 1. Ep. 37. p. 182
auctor	r natura. Zac. Lul. M. P. H. L. 1. hift. 63. p. 113
Crifis in	igularis. A. N. C. cent. 3. p. 238
mira	n caufo. Zac. Luf. P. A. L. 3. obf. 114 It per fe falutaris. Bohn. off. med. dupl. P. I. C. 7. p. 155
none	ngues. Barth. A. H. V. 5. obf. 25
peru	ribus. Lang. L. 2. Ep. 60. p. 844
- fimpli	iciter dicta intelligitur ad falutem. Holl. comment. 2. aph. 12
Crifesci	ir noftro tempore rariores. Zac. Lufat. M. P. H. L. I. hift, 63.
p. I	A CANADA A C
Critici m	nenfes. Hipp. I. Epid. comm. 2. 3. Epid. ægrot. 10
Critice	Hæmorrhagiæfigna. Zac. Luf.M. P.H.L.I. hift. 36. p. 112. vid. Hæ-
	rhagia. Criti-

Criticus fudor nimius in Syncopen defiit. Zac. Luf.P. A. L. I. obf. 144
dies feotimus an præstantior sit decimo quarto, & vigesimus vige-
fimo primo? Zac. Luf. M. P. H. L. 6. hift. 19. p. 976. feqq.
de Criticis diebus eorumque causis. Zac. Lus. M. P. H. L. 6. hist. 19. p.
067. Smet. Mifc. L. I. Ep. 13. 14. Claudius Dariotus.
Cristatus anser domesticus. A. N. C. Dec. 1. 40. 6. obf. 182
Crocodillis devorati. Kornm. M. M. P. 7. C. 26. 27
Crocus tingit foetum in utero. A. N. C. Dec. 1. ao. 1. obf. 60
Crocinoxæ. Bor. c. 4. obf. 35
Crocimachia quibus hoc exercitium apud Hippocratem constabat.
Lang. L. I. Ep. 52. p. 266
Cruenta dejectio ex adamante deglutito, Zac. Lus. P. A. L. 2. obf. 18. vid.
La rais 7. S. 13-47. Adam Iner Med. P P. 128. S. 19 Links M. o. St.
Cruentatio portentosa avenæ in agro uxoricidæ. A. N. C. Dec. 3. ao.
end hontemper pretente occilore hat Kanawaw. M. 201 . 1do ce o
ædium fignum occiforum in illis ædibus. Garm. L. 2. tit. 7. 6.39
ruentatio, vid. Sanguis, vid. Pfauzius de fluxu languinis e corpore
occifiad præfentiam occitoris.
cadauerum. A. N. C. Dec. 3. 20. 1. obl. 50. Lent. Milc. Med. p. 480
qui de ea scripserunt autores. Rejes qu. 33. p. 383
abscissorum membrorum ad præsentiam homicidæ. Garm. L.2. tit.7.
6.40
abscifforum membrorum aut veitimentorum occili olimin iudiciis
civilibus follicite observabatur. Garm. L. 2. tit. 7. obs. 50. 51
Cruentationis cadaverum exempla. Rejes qu. 33. p. 383-386. Kornm. M.
M. P. 9. C. 24. 25
cadaverum variæ examinantur caulæ & opiniones, qua ratione fieri
posfit. Rejes au. 3. p. 388-394. Kornm. Mir. Mort. P. 9. C. 23. Garm.
1 2 tit. 7 6.8187. 106. Albertt lur. Med. P. I. C. 14. p. 348. 349. item
disput. de hæmorrhagia mortuorum thes. 3. 10-12
cadaverum cause communes examinantur, & variantes opiniones
inter auctores quoad tempus, locum, modum, mortis genus,
Garm. L. 2. tit. 7. §. 9699. 106
caufæ naturales. Rejes qu. 33. p. 397.398400. Garm. L. 2. tit. 7.
§. 60.72
caufasupra naturalis. Garm. L. 2. tit. 7. §. 54-59

£

Cruen-

TEO CK.
Craentatio cadaverum a quibusdam imaginationi interfectoris adferi
bitur. Rejes qu. 33. p. 388
miraculosa divina justicia adscribitur. Rejes qu. 32. p. 393.394
Cruentationem occiforum an diabolus dolofe efficere queat, ut inno
centes in damnum conjicere queat. Garman. L. 2. tit. 7. §.57-59 aliquando diabolus caufari poteft. Rejes qu. 30. p. 396
Cruentatio cadaverum an animabus occiforum adhuc in terris vagan
tibus adscribi queat? Garm. L. 2. tit. 7. §. 62-70. 111-115. Rejes qu
33. p. 386 388
an a spiritibus animalibus proveniat. Garm. L. 2. tit. 7. §. 72. 80 116. 120
occiforum an præsentem homicidam prodat, qui affirmant. Garm
L 2. tit. 7. §. 4348. Alberti lur. Med. P. 1. p. 348. §. 58. it. p. 349.8
.or difput. de mortuorum & jure cruentationis.
cur non femper præfente occifore fiat. Kornman. M. M. P. 9. c.26 cadaverum an faciat certum indicium ad torturam. Kornm. M. M.
P. 9. C. 27
proincidio homicidæ a ICtis habita. Garm. L. 2. tit. 7. §. 88
pro dubio indicio habetur. Garm, L. 2. tit. 7. §. 89. feq. 104.
106.140.141
circa Cruentationem cadaverum monita quædam ad judices & ICtos.
Rejes qu. 33. p. 402
Cruentationem occiforum quomodo homicidæ præcavere foleant
Garm. L. 2. tit. 7. §. 46
Cruentatio post diversum temporis terminum præterlapsum facta. Garm. L. 2. tit. 7. §. 96
Garm. L. 2. tit. 7. §. 96 fubjectorum exfanguium miraculofa. Rejes qu. 33. p. 395
Cruentationis jus, Das Baar-Recht Ius Sandapilæ & Feretri, Garm. L. 2,
tit.7. §. 53. 105. vid. Baar-Recht.
Crus unum longe majus altero. Plater. obf. L. III. p. 627
Crus artefactum. Frank. p. 509
Cruris affectus ex cafu equi. Solenand. Sect. 5. conf. 9
de Cruribus. Kornm. Mir. viv. p. 164
Crurum & coccygis offis infignis dolor. Gabelch. cent. 4. cur. 34
Crux sanguinolenta in facie defuncti. Hagendorn, cent, 3. hist. 44.
P. 340
Crux

and the second
Crux tanquam omen in veftibus & corporibus vivorum & mortuo-
rum orta. Garm. L. 2. tit. 1. 9. 44
Crucifixum in medio fagi arboris trunco natura depictum. A. N. C.
Dec. 3.ao. 9. obf. 158
Crymodes febris. Rejes qu. 68. p. 927
de Cryftallo. Reinzer. Meteorol. diff. 12. qu. 7. p. 269
Cryftallus. Frank. p. 6769
Crystalli vis medica. Frank. p. 71.72
lapis frigidus. Frank. p. 71
glacies autnixindurata. Frank. p. 6971
nitriformes ex spiritu Salis & oleo Tartari. Becch. Ph. S. L. I. S. 5.
c. 3. p. 434. n. 83 partin amulera? Korra 18 . n. 434. n. 83
Antwisper veroa dui autores impart. V.Derint? Cens qui. 22. p. 242. 344
Cubiti vulnus grave. A. N. C. cent. 9. p. 264
Cucurbita monstrosa. Hild. c. 3. obf. 83
Cucurbit e funesta comestio ejusque noxa. A.N.C.Dec. 2. 20. 1. obf. 139.
.bal cent. 9. p. 152
Cucurbitularum in scapula applicatarum infelix successus. Hild. cent.
5. obf.71
Cucurbitularum periculosa applicatio in hæmorrhagia narium. Hild.
cent. 6. obf. 13
Culpa & pœna Medici imperiti. Alberti Iur. Med. P. I. c. 1. §. 1. a. b.
Cultri dimidium lumbis infixum post biennium sine noxa extractum.
Hildan. cent. 1. obf. 62
Cultelli dimidium per octennium intra cerebrum citra noxam latens.
Zac. Luf. P. A. L. T. obf. 6
Culter e natium dextra per abscessum progrediens. Lent. Misc. Med.
p.600
Cultrivororum hiftoriæ diverfæ. Rejes qu. 92. p. 1182. A. N. C. cent. 9. p. 151. Forestus L. 15. obs. 28. Montus in Anasceve L. 1. Tom. 3. c. 16.&
chirurg. c. 19. Paræus L. 14. c. 19. Apulejus L. 1. de Afino, Galenus,
Wierus in Epift. ad Guil Fabric. Hildan. vid. Hildan. cent. 1. obf.
54. Sennertus Prax. L. 3. c. 3. Crollius in Præfat. Bafil. p.64. Horftius
L. 3. Epift Sect. 12. Barthol. A. H. Vol. 5. obf. 107
Cultrivorus Londinenfis. Barth. A. H. V. 5. obf. 107
Hallenfis. A. N.C. Dec. 2. ao. 10. obf. 1.
Bafilienfis. A. N. G. Dec. 1. ao. 3. obf. 178
O 2 Cul-

Cultrivora. A. N. C. cent. 9. p. 151 Cupreffus ad funera & luctum cur adhibita? Kornm. M. M. P. 7. c. 43 Cuprum conficiendi ars. Becch. Ph. S. L. J. S. s. c. 3. p. 453. feqq. Cupri analyfis. Becch. Ph. S. L. I. S. 6. c. 8. p. 666, fegg. vis cataractica. A. N. C. Dec. 2. ao. 9. obf. 2 Cupreis in valis cocti cibi comefti, peffimorum effectuum caufa. A. N. C. cent. 1. p. 54. 58 Cupriferax aqua Hungarica. A. N. C. Dec. 1. ao. 6. obf. 119 Cura morbi divina. Barth. A. H. V. 4. obf. 40 fpontanea tumoris uteri. Zac. Luf. P. A. L. 2. obf. 90 Curæpertactum, vifum &c. A. N. C. cent. I. p. 85 fuperstitiofæ per verba, figilla, amuleta? Rejes qu. 23. p. 247 Curas per'verba qui autores impugnauerint? Rejes qu. 22. p. 243. 244 Curatio Febris per terrorem. A. N. C. Dec. 2. ao. 3. obf. 93 Curationes vernales. A. N. C. cent. 7. p. 150. app. Curatio Medici absentis ab ægro. Rejes qu. 10. p. 126--130 Curationes perverse ab aliis factæ recognoscendæ. Alberti Iur. Med. P. I. p. 217. §. 5 1 allolni muratosiloga alagast minin alas Curare an seipsum Medicus possit? Rejes qu. 9. p. 124. 126 Curfores. Kornm. Mir. viv. p. 164. fegq. Curva puerorum crura. Hagendorn. cent. 3. hift. 31. p. 321 Cuticula in febre acuta abscedens. Plater. obf. L. III. p. 558 Cuticulæ seccífio a cute in febribus malignis. Hagendorn. cent. 3. hift. 62. p. 361 Cuticula in toto corpore abscedens. Salmuth. c. 3. obf. 2 in Cute vesicæ ardentes Hagendorn. cent 3. hist. 59. p. 318 Catis universa corticis arborei instar duriffima. Zac. Luf. P. A. L. 3. obf. 100 anatome. Blegny Zod.gall. ao. 1681, Ian. obf. 2 glandulæ. Frank. p. 631-633 æruginofa admiranda. M. Donat. L. 1. 2.9 de Cute. Kornm. Mir. viv. p. 169 Cutis collofavolarum manuum. Plater. obf. L. III. p. 552 a cranio divultio. Hagendorn. cent. 1. hift. 5. p. 9 Cutis humanæ præparatio. Garmannus Mir. Mort. L. 3. tit. 2. 9. 176. vid. Human. Halleniss. A. 2. 1906. 2. 30. Rossy ans. A. G. Dec 1. 20. 5. obl. 178

1e8

Ctele-

CY.
Cyccon quid sit, & jus album, & de cerebro nonnulla. Lang. L. I. Ep.
58. p. 308
Cyclops. Bor. c. 3. obf. 3
Cydoniorum miva ad dejectam appetentiam mirabilis, Zac. Luf. M. P.
H.L.2. hift. 67. p. 302
de Cynoglossa manipulus causa fuit diarrhœx. A. N. C. Dec. 2. ao. 6. obl. 202
de Cynoglossa pillularum usus ad defluxiones serosas proficuus. A. N.C. Dec. 1. ao. 10. obs. 32
Cystidis fellex lapides infignes. Blegny Zod. gall. ao. 1679. Apr. obf. 7.
vid. Bilis & Calculus.
DA.
D Emones. Maldound Erdo Manntein, Maffer-Nipen. Garm. L. 2. tit. 10. §. 9-13
an corpora humana morbis affligant. Lang. L. 2. Ep. 34. p. 709. Al-
berti Iurispr. Med. P. 1. p. 410. it. p. 219. §. 8
quales a veteribus crediti. Garm. L. 2. tit. 10. §. 913
fieri dicebantur animæ interfectorum. Garm. L. 2. tit. 10. §. 104
nullos credidit Democrates. Rejes qu. 27. p. 322
an per media naturalia fugentur. Rejes qu. 27. p. 331. feqq.
fugare ab obsessis Regem Hifpanorum sola fua præsentia, qui testen-
tur & narrent scriptores. Rejes qu. 27. p. 342. 343
Reges Hifpaniæ cur expellere poffint? Rejes qu. 27. p. 346
an morbos, quos intulerunt, curare possint? Rejes qu.30. p. 361
morbos naturales curare possunt. Rejes qu. 30. p. 361. 362
& mortui quando & ubi maxime fentiantur ? Kornm. Mir. Mort,
P.7. c. 69
naturaliter videri poffunt. Kornm. Mir. Mort. P. 7. c. 71
Demonum visio ab ægrotante. Bor. c. 1. obf. 51
Damones obsefforum exauctorati an procellas in aëre vel undis con- citent? Lang. L. 2. Ep. 35. p. 717. plura vid. Diabolus.
Demoniaci. Barth. A. H. V. 2. obf. 8.
Damoniacus miles noctu vexatus. A. N. C. Dec. 3. ao. 2. obf. 144
Damoniacus fimulatus. Bor. c. 4. obf. 47
Damoniacorum obsessorum figna pathognomonica. Merkl. Præf.
Demoniaca virgo. Hagend. cent. 3. hift. 100. p. 415
Datu-

Datura Indorum. Barth. c. 6. h. 76 Datura comesta damnum. A. N. C. cent. 9. p. 206 Datura virulentiam acetum corrigit. Hoechst. Dec. 7. p. 157

Datura femen & herba. Alberti Iur. Med. P. II. p. 196. 197. 201. 205

Daturæ femen an foporem conciliet? ibid. p. 201

femen an virgini søporem conciliaverit talem, ut sub eodem sedens & infcia imprægnari potuerit? ibid. p. 164

femen an Epilepfiæ caufa effe poffit. ibid. p. 104. n. 4 David curfor. Kornm. Mir. viv. p. 166

DE

Dealbandi offa modus pro sceletopolia. Barth. A. H. V. 2. obs. 18 Debilitas & gracilitas corporis in scetu persecto ejusque causa. Alber-

ti Iur. Med. P. 1. p. 152. §. 14 Debilitats naturæ nimia cachexiæ caufa. ibid. app. p. 144. Cal. 24 Debilitatis per viam refolutionis & aggravationis diferimen. Gabelch. cent. 6. cur. 97

Debitum conjugale, conceptio & graviditas. Alberti Iur. Med. P. 1.c.4. p. 80--84

Decimena poffibilis. Zac. Luf.P. A.L. 3. obf. 34 Decipere ægrotum falutis caufa an Medicoliceat? Rejes qu.12. p. 135.vid.

Stratagema & Melancholia. Decollatus caput fuum ad illum locum, vbi nunc ejus templum eft, tulit. Kornm. Mir. Mort. P. 4. c. 11. 12. 15

Decollatorum aliquandiu vita & cordis motus fuperstes. vid. Cor. Decompositorum exempla. Becch. Ph. S. L. I. S. 4. G. 3. p.203. n. 5 Defectus arteriarum spermaticarum. A. N. C. Dec. 1. ao. 3. obs. 113 cordis vid. Cor.

cerebri vid. Cerebrum &c.

clamoris & motus in infante an certum fignum mortui fœtus fit. Alberti Iur. Med. P. II. p. 119

Defloratio diffimulata. Alberti Iur. Med. P. 1, p. 210. §. 21 Defloratio fine fanguine frequens. M. Donat. L. 4. c. 15 Defluvii pilorum gallici præsidium. Zac. Luf. P. A.L. 2. obs. 119. vid. Pilus. Defluxuum concoctio. Lang. L. 2. Ep. 16. p. 621 Defluxuum a capite varii morbi. Lang. L. 2. Ep. 35. p. 807 Defluxuum diffimulatio. Alberti Iur. Med. P. 1. p. 210, §, 21 Deformationum diffimulatio. Merkl. p. 158. 159 Deformatio formatio formation fo

TIO

Deformis. vid. Forma. Defuncto injuria facta. Kornman. Mir. Mort. P. 9. c. 17 Deglutitio mire impedita. Hagend. cent. 1. hift. 78. p. 112 Deglutitio. vid. Natura, Acus, Forfex.&c. Deglutitio impedita & læfa. A. N. C. cent. 7. p. 125. Plater, obf. L. I. p. 207. 208.209 difficilis ex gulæ vitio. Lang. L. 2. Ep. 43. p. 757 læfa ex epiglottidis convulsione. A. N. C. cent. 3. p. 267 impedita curata. A. N. C. cent. 7. p. 410 Deglutitionis absurdorum modus curandæ. A. N. C. Dec. 1. 20.3. obs.141 Deglutiens abfurda. Blegny Zod. gall. ao. 1679. Maj. obf. 2 Deglutita varia, ut numifinata, officula, scalpelli frusta &c. iterum fingulari directione naturæ excreta. Rejes qu. 92. p. 1183. 1184. n. 6. 7. M. Donat. L. 2. C. 12. A. N. C. Dec. 1. a0. 3. obf. 141 Deglutitorum infuetorum fubjectorum cura. Rejes qu. 92. p. 1187. n.12 Deglutitio inconvenientium innoxia. A. N. C. Dec. 1. ao. 10. obf.109 Deglutitio in apoplectico fenfibus adhuc prædito ablata. A. N.C. Dec.I. ao. 6. obl. 40 Deglutitio ferri, ligni, corii &c. A. N. C. Dec. 1. ao. 3. obf. 179 lapidum. Barth. A. H. V. 5. obf. 107. Bor. c. 1. obf. 69 adamantis innoxia. A. N. C. Dec. 3. ao. 9. obf. 97 ferpentis lethalis. M. Donat. L. 2. C. 12 Deglutitorum officulorum gutturi infixorum modus eximendi, Hild. cent. 1. obf. 36 Deglutitio Hirudinis. Blegny Zod. gall. ao. 1680. Iul. obf. 9 Scorpionum. Barth. c. 4. h. 95. Rhod, c. 3. obf. 91 viperarum. Barth. c. 4 h. 15 bufonis. Bor. c. 2. obf. 37 Ranævivæ A. N. C. Dec. 1. ao. 10. obf. 143 aranex. Bor. c. 1. obf. 81. c. 3. obf. 19. c. 4. obf. 56. Rhod. c. 3. obf. 91 veficatorii. Barth. c. 3. h. 16 fistulæ per alvum tertio die excretæ. Barth. c. 1. h. 59 acus. M. Donat. L. 2. C. 12. acus caufa horrendo rum fymptomatum. Hildanus cent. 1. obl. 34 aciculæ per urinam excretæ. A. N. C. cent.1.obf. 43. p. 111. vid. Acicula forficis. Blegny Zod.gall. ao. 1680. Iul. obf. 8. vid. Forfex. cultrorum. Barth. A. H. V. 5. obf. 107. vid. Cultrivorus. Deglii-

112	DE.
Deglutin	tio officuli cerafi. Barth. c. 4. h. 85
	perniciofa. Barth. c. 4. h. 66. vid. Vitrum.
penn	æanferinæintegræ. Blegny Zod. gall. ao. 1679. Febr. obf. 4
	ri. A.N. C. cent. 9. p. 406
	m aureorum indemnis. A. N. C. cent 9. p. 318
	a acicula, annulus &c. Hagendorn. cent. 1. hift. 81
Degluti	acicularum & nummorum. Alberti Prax. Extemp. Caf. XIV.
Deglaitin	tio frusti corii nociva. Hildan. cent. 1. obs. 31
	li nociva, feptimo die excreti. Hildan. cent. 1. obf. 32
	n incongruarum causa mortis. Hildan. cent. 1. obs. 35
Deligati	o felix farcomatis. A. N. C. Dec. 1. 20. 6. obf. 37
Deligati	onis nimis arctæ damna. Hæchst. Dec. 2. p. 620. 621
Deligati	onis nimis tarda solutio in fracturis quænam symptomata tra-
Dengan	. Hild. cent. 2. obf. 91
Daliminia	n an possit causari bilis atra & humor melancholicus. Amman-
Dettitut	Irenic. qu. 1. p. 24. feq.
ev fri	gida aqua Eryfipelati capitis applicata. Hagend. cent. 1. hift. 38.
No. In the second	
Delining	m periodicum. Salmuth. c. 1. obf. 63
Deuria	dicum alexipharmacis curatum. A. N. C. Dec. 3. ao. 5. 6. obf.50
Mela	ncholicum grave. A. N. C. cent. 7. p. 122
Mani	aco-Melancholicum Helleborinis curatum. A. N. C. Dec. 3.
Ivian	5. 6. obf. 116
frmn	tomaticum Melancholicum. A. N. C. cent. I. p. 39
iyinp	ofum. A. N. C. Dec. 3. ao. 7. obf. 135
incof	um & ridiculum ex nimio abusu spiritus frumenti. A. N. C.
De	c. 3. ao. 9. obf. 13
dubin	Im. A. N. C. cent. 7. p. 321
cum i	erocia ex baccis Solani. A. N. C. Dec. 3. ao. 7. obf. 176
ov cat	fitate. A. N. C. Dec. 2. ao. 9. obf. 189
cx cal	tere vinofo aromatifato. Rhod. c. 3. obf. 38
abine	dia. Bor. c. 3. obf. 81
ap Inc	iltro. A. N. C. cent. 1. obf. 116
and	iis. Frank. p. 588
anuu	pressa hæmorrhagia narium. Gabelch. cent. 3. cur. 78
exiup	cina febris ardentis. Zac. Lus. P. A. L. 3. obl. 8
meur	Deli-
- Support	Den-

Delirium puerperæ infanticidæ. Alberti Iur. Med app. p. 71.p. 25 ob fepti inflammationem. Plater. obf. L. I. p. 87 in caufone. ibid. p. 87 Dementia ex mensibus retentis. Bor. c. 2. obf. 30 ab Hyofcyamo. Bor. c. 4. obf. 45 post dolores dentium. Hach/t. Dec. 9. c. 3 Dens Hippopotami. vid. Hippopotamus. Dens usu masticatoriorum elapsus. Plater. obf. L. III. p. 558 Dens aureus. Garm. M. M. p. 206-208. §. 22-24 Dens ferreus. Barth. c. 2. h. 24 ex aure. Barth. cent. 3. Ep. 17 mortui in fuffimigio folvit impotentiam. Kornm. M. M. P. 5. c. 26 Dentis cancer. A. N. C. Dec. 1. ao. 1. obf. 5 evulfio caufa hæmorrhagiæ, quam fubito repressam mors sequitur A. N. C. Dec. 1. ao. 3. obf. 316. Plater. obf. L. III. p. 726 Dentis evulfio caufa hæmorrhagiæ facili remedio curatæ. Zac. Luf. P. A, L. 1. obf. 90. A. N. C. Dec. 3. ao. 8. obf. 18. vid. Hamorrbagia. fub evulfione maxillæ portio exemta. Plater. obf. L. III. p. 558 evulfio lethalis. A. N. C. Dec. 2. ao. 2. obl. 49 evulsio sub oculis periculosa. Salmuth. c. 1. obs. 86 extractione Hemicrania fanata. Hild. c. 2. obf. 10 ocularis extractio. A. N. C. Dec. 2. ao. 10. obf. 62 canini nova eruptio in octogenario. A.N. C. Dec. 2. ao. 10. obf. 134. Dentium reftitutio. Frank. p. 506.507 reftitutio in senibus decrepitis. Kornm. Mir.viv.p. 92. Rejes qu. 26. p. 299. 301. A. N. C. cent. I. p. 197. app. Dentes in mortuo erumpentes. Salmuth. c. 3. obf. 37. Kornmann, M. M. P. 3. C. 42 Dens molaris ferius erumpens. Rhod. c. 1. obf. 93. & 94 erumpensin quinquagenario. A. N. C. Dec. 3. ao. 1. obf. 28 Dentes molares in fæmina quinquagennaria aliis supercrescentes. A. N. C. cent. 1. obf. 107 Dentitio quæ inferat symptomata. Alberti Iur. Med. P. II. p. 545 Dentitio caufa afthmatis. A. N. C. Dec. 1. a0. 9. p. 153 Densitio fera. A. N.C. Dec. 1. 20. 10. obf. 112. 171. p. 388. Dec. 2. 20. 9. obf. 212. Act. Angl. Oldenb. 20. 1666. Ian. n. 10. p. 314

Den-

	114 DE
	Dentitio in fene. A. N. C. cent. 1. p. 197. app. & 206. 207. app. Rhod.cent. 1. obf. 94. A. N. C. 1. ao. 10. obf. 112. 171. Rejes qu. 26. p. 299.301. Kornm. M. viv. p. 92
	Dentitio præmatura. A. N. C. cent. I. p. 206
	Dentium defectus in Infante bimulo. A. N. C. Dec. 1. ao 6. obf. 183
	Dentium & vnguium lapfus cum cuticula abeunte. Plater. obf. L. III. p. 559
	Dentes decidui. Barth. c. 4. h. 65
1.1	Dentium casus ex intempestivo spiritus vitrioli usu. Tim. a Gulden. L. 1. cas. 40
	cafus ab ufu opii externo & largo Tabaci fumo in odontalgia. A.N.
	C. Dec. 2. ao. 2. obf. 163
	Dentes tactu avulfi. Bor. c. 1. obf. 2
	Dentium fenfus. Garm. p. 195. §. 2 duplex ordo in infante. A. N. C. Dec. 3. ao. 7. obf. 101
	unio five Dentes continui. Bar. c. 1. obf. 10. A. N. C. cent. 1. p. 222.
	Barth. c. 1. h. 35. Kornm. Mir. viv. p. 90. feqq.
	mirum robur. A. N. C. Dec. 2. ao. 8. obf. 93
	fingularia. A. N. C. cent. 1. p. 200. app.
	natura, morbi, remedia. Blegny Zod. gall. ao. 1680. Febr. obf. 14.
	Iun. obf. 11
	læfio infignis ex Tabaci fumatione fecundum Neotericorum in-
	ventum. A. N. C. Dec. 3. ao. 9. obf. 10. Dec. 2. ao. 2. obf. 163
	ex Dentium qualitatibus prognoftica. Kornm. Mir. viv. p. 89. feqq.
	ad Dentes defluxio ophthalmiam, visus & oculi abolitionem causatur.
	Hild.c. 2. obf. 2
	Dentes facile putrescunt. Becch. Ph. S. L. I. S. S. C. I. n. 35. p./283
	Dentes canis marini. Blegny Zod. gall. ao. 1682. Mart. obf. 17
	in recens nato. Barth. A. H. V. 4. p. 88. A. N. C. Dec. I. ao. 8. obf. 47. Garm. p. 196. §. 4. Rhod. c. 1. obf. 92
	de Dentatis. Kornm. Mir viv. p. 90
	Dentes tertium renascentes. Hagendorn. cent. 1. hift. 74. p. 108
	fpurii. ibid. hift. 75. p. 109
	Dentium dolor. Diemerbr. obf. 2. fol. 3. obf. 22
	doloris remedium. Zac. Luf. P. A.L. I. obf. 84. it. Blegny Zod. gall.
	ao. 1680. Iun. obf. 10. ao. 1681. Maj. obf. 7. Barth. c. 5. h. 54. vid. O-
	dontalgia Den-
	·······································

Dentium dolor viso medicamento sedatus. A.N.C. Dec. 2. 20. 5. obf. 31 & gravites auditus fubfultu corporis curatur. Barth. A. H. V. 5. obl. 126 alapa curatus. A.N.C. Dec. 2. ao. 9. obf. 197 nive circumpolita fanatur, Zac. Luf. P. A. L. I. obf. 85. it. M. P. H.L. 1. hift. 66. p. 117 remediis calidis & mandibulæ inflammatione fanatus. Zac. Luf. M.P.H.L.I. hift. 67. p. 119 horrendus. Bor. c. 3. obf. 8. 27. c. 4. obf. 68. 75. Hildan. cent. 4. obf. 21 in fenectute. Bor. c. 2. obf. 81 maxillarum, temporisque dextri dolor infignis. Gabelch. cent. 3. cur. 35 dolor lethalis, imposito Philonio intra dentis cavum. Zac. Lus.P.A. L.1. obf. 86 epidemicus. A. N. C. cent. 1. p. 3. app. ex verme dentis. Salmuth. c. 3. obf. 32. Barth. A. H. V. 5. obf. 108. A. N. C. Dec. 1. ao. 10. obf. 24 doloris mira caufa. A. N. C. (cent. s. p. 28 dolor, Hemicrania, uteri fuffocatio & cachexia. Plater.obf. L.II.p.371 dolor cum tumore aquofo fub lingua & in faucibus. ibid. p. 375 caninorum ante incifores eruptio. Hagend. cent. 1. hift. 73. p. 107 in Dentium vacillatione confilium. Solen. Sect. 3. Conf. 24 Defperatis adhibenda manus eft. Zac. Luf. M. P. H. L. I. hift. 62. p. III Destillatio calida in varias corporis partes. Gabelch. cent. 4. cur. 102 Destillatio frigida a capite ad asperam arteriam & pulmones delapsa febriculam excitans. &c. in fene 64. annorum. Gabelch. cent, 6. cur. 82 Destillatio male curata phthisin causatur. Solen. Sect. 2, Conf. 28 Destillationis. Gabelch. cent. 2. cur.35 mit viel fliegender Sige. Gabelch. cent. 4. cur. 62. 63. & catarrhi. Gabelch. cent. 4. cur. 64. vid. Catarrhus. in Destillatione e capite confilium. Solen. Sect. 2. Conf. 29 DI.

Diabetes vocatur a Seidelio Polyguria, Hydrops ad matulam, Diarrhœa urinz.

Ballin all a State CO . P 2 and

Dia-

Diabetes in Febre maligna. Salmath. c. 2. obf. 53. Barth. A. H. V. 3. p.70 calculofi. Barth. c. 1. h. 68 Diabetes. A.N. C. Dec. 2. ao. 9. obf. 204. 122. ao. 10. obf. 155. Dec. 1. ao. 8. obf. 26. Blegny Zod. gall. ao. 1681. Aug. obf. 6. Tulp. L. 2. c. 46. Salmuth. Schenkius, Bartholinus, Pifinius & Seidelius. historia & cura mira. Zac. Luf.P.A.L. 2. obl. 80. Hild. c. 5. obl. 53 ftranguriofus periodicus. A. N. C. cent. 3. p. 20 nothus diarrhœa colliquativa curatus. A. N. C. Dec. 3. ao. 9. obf.288 in utero. A. N. C. Dec. 2. ao. 10. obf. 91 in fene. Barth. c. s. h. 30 curationi mitiori expurgantia num fint ex ufu. Zac. Luf. M. P. H. L. 2. hift. 38. p. 423 folo aquæ ferratæ ulu curatus. A. N. C. Dec. 3. 20. 9. obl. 207 per totam vitam. A. N. C. Dec. 1, ao. 2, obl. 175 Galeno non nisi bis in praxi occurrit, quod testatur L. 6. de loc. aff, c. 3. & Lib. de diff. fyrnpt. c. 6 Diaboli existentia. vid. Porstius in Theologia viatorum practica L. III. c. 26. 5. 4. 5. p. 1376. leq. Diaboli prædicata & potestas Porstius Theol. viatorum pract. L. III. c. 26. §. 4. p. 1376. vid. Alberti diff. pecul. it. Ioh. Andreas de malorum Angelorum potentia. Diaboli potestas homines cruciandi. Spener. Lautert. Des Evangel. Chrift. P. 1. p. 459. 509. it. Theol Bedencten P. 1. c. 1. Sect. 49. p. 238 Diabolus diambulans. Kornm. Mir. Mort. P. 7. C. 72 per preces fugari poteft. vid. Fascinatio. an per herbas fugari poffit. Simon. Imp. conj. c. 5. th. n. 31. 32 an & gravem & levem se aliosque reddere queat? Garm, L. 2. tit. 3. 0.12 an foetorem de se spargat? Garm. L. 2. tit. 8. 5. 16 an possit phoenomena in aere formare? Garm. L. 2. tit. 10. 6. 138 omnia mundi regna Chrifto oftendens Major, Cofinodix, Satan. Frommann. de Fafcin. L. 3. P. 4. S. I. C. I. §. 3. p. 543. Garman. L. I. tit. 10. 0. 155 an per coitum infantem generet, & cujus sit infans, an diaboli, an hominis? Simon. Imp. conj. c. s. th. 2. n. 19. 20. 25 an pollit fub specie fæminæ imprægnari, & parere infantes, 2Bech. fel=Balge vocatos. Simon Imp. conj. c. 5. th. 2. n. 21--23 Diabo-

Diabolus an in coitu corpus affumere & iterum deponere, & femen fine contactu fæminæ communicare poffit? Simon Imp. conj. c. 5. th, 2. 11.31--33 quomodo perfectum coitum celebret? Simon Imp. conj. c. s. th. 24 n. 14. 15 Diaboli coitum cum fagis qui negent. Simon. Imp. conj. c. s. th. 2. n.2. 3 quistatuant. ib. n. 3 Diabolus an monstra generare possi? Alberti lurispr. Med. P. I. C. S. p. 111-114 an poffit morbos homini infligere, ibid. P. 1. p. 219. §. 8. p. 410 an possit in corpus agere. ibid. P. I. p. 220. it. Alberti diff. pecul. an sciat hominum cogitationes. Alberti Iur. Med. P. I. p. 204. §. 13. p. 209. Spen. Glaubens-Lehre Dom. Oculip. 344. 345 an corporaliter apparere possit. ibid. P. II p. 238. Spen. Theol. Bcd. P. II. cap. 4. Sect. 15. p. 591 an pactum erigere possit cum homine. Alberti Iur. Med.P. II. p. 239 an possit sub humana specie libidinem cum homine exercere. ibid. P. 1. p. 408. fuppl. Spen. Theol. Bed. P. II. c. 4. S. 15. p. 591. Plura vid. Coitus & Dæmones. Diæta optima medicina. Gardonius de conferv. vitæ hum. Diæta parca ad jejuni vulnera curanda. Blegny Zod. gall. ao. 1682. Mart. obf. 14 bona & victus ratio laudatur. Rejes qu. 88. p. 1145. n. 4 Diæta opipara, plena, intemperans, edax, luxuriofa taxatur. Rejes qu. 88. p. 1144. n. 12. p. 1145. n. 2. 3. 4. p. 1146 Diæta prava autochiriæ medicæ Species. Alberti Iurispr. Med. P. 1. p. 367. 5. 8 Diætæ subitam mutationem damna moliri. Hipp. de Nat. hum. §. 9. text. 8 Dia-Medici. Lent. latr. p. 174 Diaphoreticum topicum. Bor. c. 1. obf. 35 Diaphragma in fulpenfis utpl. verfus thoracem retrahitur. A.N. C. Dec. 1. ao. 8. p. 62 Diaphragmatis spasmus. Salmuth. c. 3. obf. 79 ruptio ab immodica ventris extensione. A. N. C.Dec. 2. ao. 4, obf.99 defectus in animalibus. Frank. p. 128 Dia-P 3

Diaphragmatis vulnus. vid. Vulnus.

læfi fymptomata. Alberti Iur. Med. app. p. 160

contufiones lethales. ibid. P. 1. p. 306. §. 34

Diaphragmatis concretio cum Liene, ventriculo, hepate. Blasius obs.s Diaria Febris ex potu nimio & venere. Zac. Lus. P. A. L. 3. obs. 1

ex ebrietate orta, aquæ frigidæ potu fanata. Zac. Luf. M.P. H.L. 3. hift. 1. p. 599

ex meatuum conftipatione. Zac. Lufat. M.P. H.L. 3. hift.2.p.601 fame curatur. Zac. Luf. P. A. L. 3. obf. 2. plura vid Febris it. Ephemera.

quid & quotuplex sit. Bravo P. 3. disp. 2. Sect. 1. resol. 1. p. 564 Diariarum causa quot sint?ibid. resol. 5. p. 570

Diarie divisio utrum in legitimam & non legitimam sit univoca. ibid. refol. 3. p. 566

Diaria utrum ex pulsu possit cognosci. ibid. Sect. 2. resol. 4. p. 576 utrum ex caloris modo sit cognoscibilis. ibid. resol. 5. p. 577

Diariæ utrum proprium fit, quod folvatur cum fudore. ibid. refol. 6. p. 578

Diariæ cura fimplex legitima & illegitima ibid. Sect. 3. refol. 1. 3. p. 580. 582

Diariæ ortæ ex ventriculi frigida cruditate aut nidorofa diagnofis, prognofis & curatio ibid. refol 4. p. 582

Diarrhaa. Diemerbr. obf. 64.vid. Fluxus & Alvus.

& dyfenteria contagiofa. Smet. Mif. L. V. Ep. 13

fingulis menfibus recurrens in gravida. A. N. C. Dec. 2. ao. 5. obf. 149 periodica. A. N. C. cent. 1. obf. 63

ab urinæ fuppreffione. Rhod. c. 2. obf. 84

ex obstructionibus suborta, aperientibus curata. Zac. Lus. P. A. L. 2. obs. 21

colliquativa, diabete notho curata. A. N. C. Dec. 3. ao. 9. obf. 228 chylofa cum atrophia. A. N. C. Dec. 1. ao. 2. obf. 152

a Terrore orta. A. N. C. Dec. 1. ao. 10. obf. 94

adstricta articulorum dolores provocat. A. N. C. cent. 9. p. 14

Diarrhea cura fingularis. ib. cent. 5. p. 179

variæ species. Blegny Zod. gall. ao. 1680. Nov.

Diarrhaa ob vini dulcis, novi, it. musti haustum. Plater. L. III.p.799.801 in prægnante innoxia, Hagend, cent. 2. hist. 97. p. 276

Dioge-

a second and the seco
Diogenes Cynicus Mastuprator. Rej. p. 569. Amat. cent. 2. cur. 47
de Digitis. Kornin. Mir. viv. p. 120.130
Digiti racemofi, Tulp. L. 4. c. 55
vulnera lethalia. Barth. c. 4. h. 89
juncti & coaliti a natura. Bor. c. 1. obf. 85. Kornm. Mir. viv. p. 120
Iuperflui. Salmuth. c. 2. obf. 31. Barth. A. H. V. 2. obf. 30. Ber. c. Lobf.
85. A. N. C. cent. 1, p. 191. app. Plater. obf. L. III. p. 551
fex in manibus & pedibus. 11. Sam. 21. v. 20. A. N. C. cent. 1. p. 191. app.
cent. 3. p. 23. Dec. 1. 20. 6. obl. 118
octo cujusdam gentis. Kornm. Mir. viv. p. 131
deni in fingulis manibus. ibid.
Discissio venæ & arteriæ subclaviæ lethalis, Aberti Iurispr. Med. P. II. p. 352. Cas. 29
Dispensatio medicamentorum Medico quousque liceat?ibid.p.627.628
Disruptio lienis lethalis, cum clathri capite fine vulnere. ibid. P. II. p.
380. Caf. 32
Dislocatio viscerum. A. N. C. Dec. 3. ao. 9. obs. 216
Diffimulatio morborum. Alberti Iur. Med. P. 1. p. 207. §. 17
Diffolutio lapidis vesicæ. Blegny Zod. gall. ao. 1679. Nov. obs. 9. vid.
Calculus.
de Disputationibus judicium B. Speneri allgemeine GOttes - Gelahrheit
Pars I. p. 245-255. & Lautert. Des Evangel. Chriftenth. Vol. II. Fefto
Stephan p. 713
Distans colloquium duorum amicorum. vid. Colloquium.
Distorsio capitis. Boot. A.O.c.5
Divinatio ex mactatorum hominum visceribus. Kornm. Mir. Mort.
P. 5. C.29
an naturali modo cadat in homines? Rejes qu.'27. p. 310
Divinandi vim naturalem anima non habet. Rejes qu. 27. p. 318
Divinandi vim quo modo atque tempore anima nancifcatur. Rejes qu.
27. p. 319. 320
Divinantes Melancholici. Rejes qu. 27. p. 314
Divinantium hominum exempla. Rejes qu. 27. p. 310-314. Kornm. Mir. viv. p. 226. feqq.
Divini in morbis exempla. A. N. C. cent. I. p. 231
Divinum in morbis Hippocratis. A. N.C. cent. 3. p. 107.129
Divortii

Divortii caufælegitimæ & illegitimæ. vid. Impotentia. Divortii caufa non est unanimis conjugum voluntaria abstinentia a coitu. Alberti Iurispr. Med. P. I. C. 2. S. 12. d. Divortii caufæ medicæ. Alberti Iur. Med. P. 1. p. 26. §. 9. it. p. 28. §. 12. it. p. 35. p. 20. it. p. 43. §. 28 Diuretica remedia. Zwing. D. p. 637--641 DO. Dolor articularis. vid. Articulus & Arthritis. omnium articulorum, lassitudo corporis cum inappetentia. Gabelch. cent. 3. cur. 60 circa os facrum, & ardor circa pudenda inftantibus menfibus. Gabelch. cent. 3. cur. 65 fixus circa os facrum. Gabelch. cent. 3. cur. 97.98 vagus matricis. Gabelch. cent.4. cur. 96 vagus totius corporis. Gabelch. cent. 1. cur. 46. Blegny Zod. gall. 1680. Oct. obl. 7 vagus exturbido spiritu. Zac. Laf. P. A. L. 3. obf. 109 ischiadicus. Diemerbr. obf. 87. Zac. Lus. P. A. L. 2. obf. 169-171 immanis fub offe fterni. Diemerbr. obf. 69 pungitivus. Gabelch. cent. 4. cur. 66 pungitivus infra scapulas. it. sinistri lateris, brachii & alæ. Gabelchov. cent. 3. cur. 54. it. cent. 2. cur. 32 mordens & lancinans tibiarum cum Eryfipelate in capite & digitis. Gabelch. cent. 1. cur.57 poft partum. Barth. c. 4. h. 52 brachii in puerperio primo ortus, altero vero fponte fublatus. A. N. C. cent. 1. obf. 79 femoris. Gabelch. cent. 4. cur. 82 pectoris & gulæ cum tuffi & coryza. Gabelch. cent. 3. cur. 52 coxæ curatur. Zac. Luf. P. A.L. 2. obf. 168 ventriculi ex abdita caufa. Zac. Luf. P. A. L. 2. obf. I ventriculi cum voinitu. Diemerbr. obf. 93 ventris a lumbricis. Blegny Zod. gall. ao. 1682. Mart. obf. 13 & inflatio abdominis cum contripatione alvi. Gabelch. cent.1.cur.79 Hæmorrhoidum. Blegny Zod. gall. ao. 1679. Febr. obf. 5 dorfi ex intempestiva icarificatione. Gabelch. cent. 2. cur. 53. vid. Dorfum. Dolor

Dolor ex ulcere vesicæ ortus ovis crudis recentibus mitigatus. Zac. Lus. M. P. H. L. 2. hift. 131. p. 416 dentium. vid. Dens. & odontalgia. furiosus ex nova causa pronatus. Zac. Lus. P.'A L. 3. obs. 99 circa vmbilicum, Gabelch. cent. 3. cur. 75 cervicis. Gabelch. cent. 4. cur. 30 frontis cum magno æftu capitis. Gabelch. cent. 2. cur. 19 capitis. Diemerbr. obf. 70. vid. Caput. capitis pestilens. Gabeleb. cent. 2. cur. 81 epidemicus. Gabelch. cent. 6. cur. 51, cent. 3. cur. 29.30. cent. 4 cur. 50 ex bile cum vigiliis & febricula. Gabelch. cent. 1. cur. 78. cent. 3. cur. 88 a percussione cum sibilo & tinnitu aurium & debilitate ventriculi. Gabeleb. cent. 1. cur. 97 ex melancholia. Gabelch. cent. 2. cur. 16 ex nimia potione cum torminibus ventris. ibid. cent. 3. cur. 72 ex flatu. Gabelch. cent. 2. cur. 28 ex occurfu duorum funerum atque inde orto terrore. Gabelchov. cent. 5. cur. 66 & præcordiorum ex multis obstructionibus internis. Gabelch. cent. 3. cur. 65 a vermibus, Barth. c. 6. h. 3 ex nimia mora fub fole. Gabelch. cent. 2. cur. 48 per confensium ab utero. Gabelch. cent. 1. cur 85 per confensum ex stomacho & hepate. ibid. cent. 1. cur. 86 cum sudore frigido frontis. Gabelch. cent. 4. cur. 48 cum auditu imminuto, dolore lumborum, & refrigeratione corporis. Gabelch. cent. 2, cur. 30 cum delirio. Gabelch. cent. 3. cur. 79 cum tremore & dyfpnoea. ibid. cent. 1. cur. 80 cum catarrho & tuffi. ibid cent. 1. cur. 35 cum inappetentia & ructibus. Gabelch. cent. 2, cur. 61 infignis in occipite. Gabelch. cent. 4. cur. 49 & ftomachi &matricis. ibid. cent. 2. cur. 86 pulsatilis & pungitivus in gravida. Gabelch. cent. 3. cur. 92. cent. 4. cur. 51

121

Dolor

DO. DR. DV.

122

Dolor capitis grauatiuus cum destillationibus plurimis & inappetentia. Gabelch. cent. 3. cur. 28 Dolorum primariæ caufæ, Lang. L. I. Ep. 41. p. 195 caufæ, & offium apostematio in dolore morbi gallici. Lang. L. 1. Ep. 42. p. 200 Medicina patientia eft. Rejes qu. 88. p. 1151. n. 10. 11 Medicina est animi delectatio & amica confabulatio. Rejes qu. 88. p.1152.11 13 Dolores grauidarum a Colicis & Nephriticis diftinguendi. Alberti Iur. Med. P. 1. p. 144. §. 6. n. 5 Dolores fimulati. ibid. P. I. 201. S. 10 Dolus puella Eslingenfis. M. Donat. L. 2. C. 12 Dolus & Falfitas Medica. Alberti Iur. Med. P. I. C. I. S. 16.18 Dormientes feptem. Kornm. Mir. viv. p. . 285. it. Mir. Mort. P.2. c. 42 Dormientes quinque. Kornm. Mir. Mort. P. 2. c. 43 Dormiendum quamdiu? Frank. Sat. Med. 18. p. 378-- 390. vid. Somnus. de Dorfo. Kornm. Mir. viu. p. 132 Dorsi dolor exintempestiua scarificatione subortus. Gabelchov. cent. 2. CUT. 53 & totius corporis dolor ex gestatione molis grauioris. Gabelchov. cent 2. cur. 67 calor præternaturalis. | Gabelch. cent. 6.cur.101 Dorfo exclusi bufones. A.N.C. cent. 3. p. 395 Dorfe dolor in febre, in fene cum diarrhœa. Plater. obf. L. II. p. '481 Dorfe dolor circa offa in lue venerea. ibid. p. 481 DR. Draco volans Breftauische Geschichte ao. 1719. p. 165. Reinzer. Meteorol. diff. 2. qu. s. p. 27 Draconis fanguis, ac cinnabaris species. Lang. L. 1. Ep. 65. p. 357 Draconum dentes ad venena Bor. c. 2. obf. 85 Dracunculi morbum qui descripferint. Rejes qu. 36. p. 428 DV. Ductus lapidis boni, den Gang, die Rlufft und Quarg. Becch. Ph. S. L. I.S. 3. C. 2. p. 128 falivales. Frank. p. 627. legg. vid. Saliva. thoracici inventor. Frank. p. 620. feqq. vid. Thorax. thoracici fibræ annulares. A. N. C. cent. 5. p. 235 Ductus

Ductus thoracici laciones an lethales. Alberti Iur. Med. P. J. p. 338. 0. 52 biliarii læsiones an lethales ibid. §. 60 Duodenum fphacelofum. Alberti Iur. Med. P. II. p. 409 Duodeni & lienis vulneratio transversalis lethalis. ibid. app. p. 193. Caf. 33 DY. Dygbaus regenerare fecit cancros ex cineribus cancrorum. Beech. Ph. Ph. S. L. I.S. 3. c. 4. p. 151. vid. Cancer. Dyscrafia humorum in gravidis adeft. Alberti Iur. Med. P. II. p. 575 Dyfenteria. Diemerbr. obf. 17. 18. 28. 29. Gabelch. cent. 2. cur. 68. Plater. obf- L. III. p. 806-808 a mufcis Cobalto (Mucten=oder Fliegen=Pulver) enecatis & inopinato epotis. A. N. C. Dec. 3. ao. 7. obf. 174 cum fingultu non lethali stipata. Barth. A.H. V. 2. p. 138 lethalis ex febre neglecta. Gabelch. cent. 1. cur. 50 lethalis. Plater. obf. L. 3. p. 809--822 cum torminibus ventris & febricula. Gabelch. cent. 1. cur. 45 a potu lixivii perniciofa. Rhod. c. 2. obf. 86 cum vomitu cruento. A.N.C.Dec. 1. ao. 2. obf. 44. Plater. obf. L. 3. p. 826 cum vomitu excrementorum lethalis. Plater. L. 3. p. 821 ex suppressis mensibus. Zac. Lus. P. A. L. 2, obf. 19 in canibus & felibus. Salmuth. c. 3. obf. 55 & fluxus Hepaticus. Plater. obf. L. 3. p. 822, 826 Vomitoriis curatur. A. N. C. cent. 1. p. 107 cum tabe, balneis & refrigerantibus auxiliis curata. Zac. Laf. M. P. H. L. 2. hift. 88. p. 335 cereuifia Numburgenfi curata. A. N. C.Dec.2. ao. 5. obf. 237 venenofa Smaragdo curata. Zac. Luf. P. A. L. 3. obf. 91 desperata aliquando causticis levatur. Zac. Lus. P. A. L. 2. obf. 20 acidulis e. g. Swalbacenfibus curata. A. N. C. Dec. 1. ao. 2. obf. 212. it. Dec. 1, ao. 3. obf. 272 aqua fuberata curata. Bor. c. 1. obf. 57 & diarrhœa contagiofa. Smet. Mifc. L. V. Ep. 13 Dysenteria cum Petechiis. Hagend. cent. 2. hift. 39. p. 195

Q 2

Dyfen-

	124 DY.
221	Defenteria indolens. ibid. cent. 2, hift. 28. p. 193
	potu aquæ curata. ibid. hift. 29. p. 194
	Defenteriæ remedia Bor. c. 1. obf. 13. 57 c. 2. obf. 40. 82
*	cura per aquain frigidam periculofa. Hild. c. 4. obf. 43
	cura cum infulo Solani. A. N. C. Dec. 2. ao. 3. obf. 64
	adstringentia mag snoxia, vti Croc. Martis. Barth. A. H.V.I. obf.12.
	p. 23. Lentil. latr. p. 583- 586
	Dysenteria in gravida fætui funesta. Hagend. cent. 2. hist. 98. p. 277
	Dysenterica gravida feliciter curata. A. N. C. Dec. 1. ao. 3. obf. 17
	post Dysenteriam gangræna abdominis. Hagend. cent. 2. hist, 32. p. 148
	tuffis convulfiva & mors, ibid. hift. 31 p. 197
	Dylpnoea. Gabelch. cent 2. cur. s.vid. Afthma.
	ex gutturis exulcerazione. Hollerius obf. med. 8
	ex potu aquæ frigidæ. Gabelch. cent. 2. cur. 17 18
	in infante ex hydrope pectoris, Acta Berolin. Dec. 1. vol. 4. p. 90
	cum magna ventriculi imbecillitate. Gabelch. cent. 4. cur. 20
	a contorfione spinæ dorsi instar majusculæ literæ S. Hildan. cent.
	6. obf 43
	cum dolore circa præcordia, & conflipatione alvi. Gabelch. cur. 81
-	periodica a defluxione Plater. obf. L. I. p. 161
	in hydrope, it. in febre tertiana. ibid. p. 166
	in congeftione humorum ibid. p. 165. 166
	Dyspnoea ab absceffibus pulmonum. Dodonæus obf. med. c. 19
	ab hydrope thoracis, pulmonum, pericardii. Rondeletius Meth. cur.
	morb. lib. 2. c. 23. Bonetus sepulchret. anat. Lib. 2. Sect. 1. obl. 72.
	73. 77. 85. Regn, de Græf de Succo Pancreat, c. 9. Rhodius obf.
	med. cent. 2. obf. 22
1	a pulmonum corrugatione Sylvius Prax. Lib. 1. C. 32. §. 17. 18
	ob pulmonum vitream duritiem Sylvaticus Hift. med. 30
	ob pulmonum lapideam duritiem. Bartholinus Anat. reform. Lib.
	2. C. O
R.S.	ob pulmones sanguine infarctos. Bonetus sepulchret. anat. Lib. 2.
	Sect. 1. obf. 17
	a cartilaginea costarum parte in osseam substantiam indurata. Plat.
1	Prax. lib. 1. c. 4. Diemerbr. Anat. lib. 9. c. 14
	ab offibus in pulmonibus. Columbus Anat. lib. 15. p. 488
	Dy Conora

DY.EB.

Dyfpnoea a polypis & valvulis mytralibus offcis redditis. Iob. Com
Peier exercit. anat. med. 23
agangræna pulmonis. A. N. C. 1672. obf. 337
a cancro pulmonis. Iacotins in comment. 1. in lib 5. Sect. 2. aphor. 67
coacar. Hippocr.
a pulmonibus femiputridis & purulentis. Bonetus fepulchret. anat
lib. 2. Sect. 1. p. 464
a vesicis humore flavo plenis Lælius a Fonte confult. 8
convulsiva a bronchiis tracheæ coarctatis & constrictis, Willisus Pa
thol. cerebric. 12
Dyfuria. Diemerbr. obf. 7. 40. vid. Vrinæ fuppressio.
rara. A. N. C. cent. 1. p. 396. obf. 186
lethalis. A. N. C. Dec. 1, ao. 10. obf. 113. Dec. 3. ao. 7. obf. 27
ex Cantharidum potu. Lang. Ep. L. I. Ep. 47. p. 231
ab inepta herniotomia. A. N. C. cent. 5. p. 324
ex partu difficili. Barth. cent. 3. Ep. 23
Dysuriæ virga aurea expertum remedium Boylei. Lent. Misc. Med.
P+ 79
EB.
E Bur fossile, seu Sceleton Elephantis in fabulo repertum. A.N.C.
Dec. 3. ao. 7. obf. 175
Eboris efficacia. Zac. Luf. M. P. H.L. I. hift. 24. p. 41. b. it. P. A.L. 2.
obf. 9
Ebrietatis laus descripta ab Hegendorffino, Bucoldiano, & Türnero. vid.
Zachias Quæft. med. legal. L. 2. tit. 1. qu. 11
Ebrietas per V. Snem mutata in fobrietatem. Barth. A. H. V. 5. obf. 72
Icarificatione difcuffa. A. N. C. Dec. 2. ao. 9. obf. 194
frigore & terrore difcuffa. A. N. C. Dec.I. ao. 2. obf. 217
caufa Cephalalgiæ. Tim. a Guldenklee L. 1 Caf. 5
lethalis. Zac. Luf. P. A. L. 3. obf. 126
eft meditatio infaniei. Pythagoras.
ex nimia mellis affumtione. A. N. C. Dec. 3. ao. 2. obf. 31
Ebrietatis descriptio. Seneca Ep. 83
Ebrietatis remedia. Salmuth. c. 3. obf. 44
pernicies. Warlitz de Morbis Bibl. c. 3. p. 61
fympathetica cura. Garm. p. 113. §. 175
amuletum. Zac. Luf. P. A. L 3. obf. 27
Q3 Ebrie-

EB. EC. ED. EF.

Ebrietate sudor frigidus curatus. Zac. Luf. P. A. L. 3. obs. 125 febris 4tana curata. A. N. C. Dec. 3. ao. 9. obs. 113

Ebrietas an excufet vulnera alteri inflicta. Alberti Iur. Med. P. I. p. 303. 304

de Ebrietate. Alberti Prax. Extempor. Caf. XIII. Ebrietas quomodo caveri poffit. Plater. obf. L. 1. p. 38 Ebrius non erit vir bonus, nec eft in animi potestate. Seneca Ep. 83 Ebrii.multa faciunt, quibus sobrii erubescunt, nihil aliud eft ebrietas, quam voluntaria infanies. Seneca Ep. 83

EC.

Echomira. Bor. c.'3. obf. 63

Ecchymofis partium genitalium infignis. Hild. c. 3. obf. 81 Eclipfes folares morbos caufantur. A. N. C. cent. 1. p. 156. & 6. app.

Eclipfum observationes. A. N. C. cent. 3. p. 133. app.

Ecstafis diabolica cum prædictione futurorum. Rejes. qu. 81. p. 1069 1070. n. 5

diabolica inter Lappones Garm. p. 20

Kejes. qu. 81.p. 1068. 1069. n. 3. 4. Kornm. Mir. Viv. p. 297.298

naturalis. Garm. p. 21

voluntaria. Garm. p. 25

fimulata. Alberti Iur. Med. p. I. p. 205. 9. 14

In Ecstasi quomodo futurorum notitiam capessa anima? Garm. p.28. 29 In Ecstasi anima non separatur a corpore. Rejes qu. 81. p. 1068. 1069. n. 4 Ecstatica mulier. Bor. C. 2. obs. 54

ED.

Educatio infantum recens-natorum fine nutricibus. Blegny. Zod. gall. ao. 1681. Maj. obf. 8

EF.

Efflorescentia candicans in partibus oris interioribus infantis. A. N. C. Dec. 3. ao. 2. obl. 200

Effluvia vaporum de corpore. Lang. L. 2. Ep. 36. p. 723

Effluvia ignea ex hominibus vivis. Garm. M. M. L. 2. tit. 9. §. 27. 30 - 38. Bartbol. Cent. 1. hift. 70. it. de Luce animal. Rejes qu. 35. A. N. C. Dec. 1. ao. 3. obf. 138

EI.

Ein-

Einwitterung, quid? Becch. Ph. S. L I.S. 2. C. 2. p. 96 Eißens Miere. Becch. Ph. S. L. I. S. 3. C. 5. p. 175

EI. EL.

Ejulatus infantis post partum primi ratio. Spener, Theol. Bedencf. P. 1.

c. 2. Art. s. Sect. 1. p. 130 EL. Elementa utrum quatuor dentur, & in rebus & pro mixtis necessaria? Bravo P. I. Difp. 2. fect. 1. Refol. I. p. 17 Elementa utrum fint propter mixtionem. ibid refol. 7. p. 29 Elementum utrum sit minima pars ejus rei, cujus est elementum. ibid. refol. 2. p. 18 Elementa utrum pro mixtis necessaria fint quatuor. ibid. refol. 3. p. 19 Elementorum numerus. Blegny Zod. Gall. ao. 1680. Apr. obf. 12. c. 3. ao. 1681. Jun. obf. 4. Tertullianus Lib. de anima. Plinius Lib.7.c.52. Cardanuslib. 2 contradict. tract. 2. contrad. 7. Rejes Camp. Elyf. qu. 81. p. 1067. 1. 1 de Elementorum natura, & necessitate in mixto. Bravo P. I. Difp. 2. Sect. 1. refol. 1 - 7. p. 17 - 29. Sect. 2. Refol 1 - 12. p. 31 - 58 Elementa, quæ sunt in mixto, an retineant suas formas substantiales ib. refol.3.p.35 ex Elementis quatuor, utrum in prima creatione omnia mixta fuerint facta. ibid. Refol. 2. p. 34 Elementorum transmutationem qui crediderunt. Aristot. L. I. Gen. c. 5. Cartef. P. 4. Princip. n. 48. Sennertus. L. 3. epit. nat. fcient. c. 3. Plato in L. de elementorum circuitu Elephanti docilitas. Barth. c. s. h. 31 Elephantia Iavænova. A. N. C. Dec. 2. ao. 2. obf. 5 Elephantiasis in quodam fortuito, in aliis ob viperarum & remediorum vim arte curata. Zac. Luf. M. P. H. L. 6. Hift. 1. p. 907 Elephantias musto viperino largissime sumto mirabiliter curatur. Zac. Luf. M. P. H. L. 6. hift. 2. p. 912 Elephantiafis feu lepra Arabum. Plater, obf. L. III. p. 665. vid. Lepra, Elias Propheta. Kornm. Mir. viv. p. 173. feq. Elixirium P. P. motus hæmorrhoidalis caufa. Alberti Iur. Med P u p. 493 Ellebori ipecies. Lang. L. 20. Ep. 20. p. 637. vid. Helleborus Elodes febris, qualis sit! Rejes qu. 68. p. 926 Elodes evacuatione curatur. Zac. Luf. P. A. L. 3. obf. 18 Eloquentiæ exempla. Kornm. Mir. viv. p. 282. fegg. Elyfius campus quid fit? Garm. L. 2. tit, 10. §. 32. 33 Elyfaus

128 Elyffeus. Kornm. Mir. Vir. p. 174 EM. Embryonis motus. Alberti Iur. Med. P. 1. p. 90. S. 15. & p. 91. vid. Fætas. Embryo hydropicus. A. N. C. Dec. 1. ao. 1. obf. 42 mortuus diu in utero detentus. A. N. C. cent. 5. p. 26 in vesica urinaria repertus. A. N.C. cent. 5. p. 29 Embryonis sexus an possit præsagiri. Alberti Iur. Med. P. 1. p. 92. §. 16. p.93 Embryonis mortem an indicet defectus clamoris & motus. ibid. P. I. p. 119 Embryones per superfœtationem concepti. ibid. P. I. p. 103. §. 3. Emeticum Antimoniale Epileptico mortem adfert. Blegny Zod. gall. ao. 1682. Febr. obf. 15. Emeticorum noxa in oculorum affectibus. Guldenklee. Epift, Med. L. r. p. 430. vid. Vomitoria. Emetico colica curata. vid. Colica. Empirici temerarium experimentum in feipfo lethale. A. N. C. cent. 3. p. 243 Emplastrum barbarum & enemon. Lang. L. 1. Ep. 77. p. 463 Galen. fupprimit fluorem fanguinis gingiuarum Zac. Luf. P. A. L. I. ob1.91 in hydrope. Zac. Luf. P. A. L. 2. obf. 53 ftomachale Cratonis veficat. Hagendorn. cent. 1. hift. 48. p. 141 Oxycroceum & de mucilaginibus in fracturis offium non femper locum obtinet. Hild. c. 4. obf. 99.100 Empyema. Gabelch. cent. 2. Cur. 100 ex prægreffa Pleuritide. Gabelch. cent. 1. Cur. 72. per urinam folutum & evacuatum. Zac. Luf. P. A. L. I. obf. 118. A. N. C. cent. 9. p. 344 per clyfterem fortem curatum, A.NC. cent. 7. p. 163 fectione curatum. Zac. Luf. P. A. L. I. obf. 120. A. N. C. Dec. 3. 20. I. obf. 126. cent. 7. p. 446 cum phthifi. Plater. Obf. L. III. p. 732 Empyreuma relictæ febris. Gabelch. cent. 2. Cur. 82 Emülgens sinistra duplici ramo constans, quorum alteri Azygos vena inferta erat Blegny Zod. Gall. ao. 1629. Apr. obf. 6. Emulgentium vaforum rara conformatio Blegny. Zod. Gall. 20. 1680. Iul. EN. obf. 4.

EN. EP.

EN. Energunemus vifus A. N. C. cent. 9. p.28 Enterocele. Plater. obf. L. III. p. 707. 708. vid. Hernia. & Epiplocele in inguine cum inflammatione & gangræna, Plater.obf. L.III. p. 710 Enterocele Magnete curata? A. N. C. cent. 3. p. 10 Enterocelen secutum ulcus in inguine. Blegny. Zod. gall. ao. 1681. Oct. ob1.5 Enterocele cum confilio. Solenand. Sect. 4. Conf. 16. vid. Hernia inteftinalis. curatio & inteffinorum repositio. Hildan. cent. 2. obf. 82 mortis caufa. Hild. cent. 2. obf. 81 EP. Ephebi cur hircum oleant. Lang. L.2. Ep. 6. p. 575 ne statim ad matrimonium ruant. Alberti. Iur. Med. P. I. C. 2. §. 4. C. vid. Pubertas. Ephemera. Forest. obf. L. I. vid. Febris Ephemera. it. Volcamerus difp. Ephemera fame curata. Zac. Luf. P. A. L. 3. obf. 2 lethalis ex abusu potus & veneris. Zuc. Luf. P. A. L. 3. obf. 1 a fomno. Rhodius cent. 1. obf. 2 mira. Borell. cent. 2. obf. 100 Ephialtes. A. N. C. Dec. 2. ao. 8. obf. 105 Epiale febris remedium. Zac. Luf. P. A. L. 3. obf. 26 fine Epidermide infans. Hagendorn. cent. 3. hift. 61. p. 360 Epiglottis indurata. P. Barbette Anat. Pract. lib. I. c. 4 Epiglottidis functio. Lang. L. 2, Ep. 44. p. 762 Epilepsiam dignoseendi & curandi methodus Paracelsistica. Smet. Misc. L. XII. Ep. 16-18. p. 706--720 Fpilepfia mirabilis. Gabelch. cent. 2. cur. 45. M. Donat. L. 2. c. 4. Smet. Mifc. L. VIII. Ep. 3.p. 396--409 contagiola. Salmuth. c. 1. obf. 55 horrenda & contumax. A. N. C. Dec, 3. 20. 7. obf. 103. cent. 5. p. 315 Apoplexiz fuperueniens lethalis. A. N. C. Dec. I. ao. 7. obf. 212 in apoplexiam definens. Blegny Zod. gall. 20. 1682. Ian. obf. 5. Zac. Luf. P. A. L ... obf. 24 Epilepfie, Apoplexia, Cari, Comatis, Catocha, Catalepfia, Lethargi, Phrenitidis, morborum capitis differentia. Lang. L. I. Ep. 25. p. 116 Lp1-

Epileplie historia. Hoechl. Dec. 4. p. 267 idiopathicæ figna. Lent. latr. p. 153-156 veræ & fimulatæ figna. Alberti Iur. Med. P. I. p. 200. §. 8 Epilepliæ remedia fingularia. Barth. hift. 78. A. H. V. 4. obl. 50. V. 5. obl. 15. Zac. Luf. P. A. L. 1. obf. 25 remedium mitigans Semen Saponariæ. Bor. c. 1. obf. 18 fpecificum remedium cor Talpæ. Barth. A. H. V. 4. obf. 50 remedium confusifimum. Zac. Luf. P. A. L. 1. obf. 25 remedium Radix Imperatoriæ recens manuum & pedum pollicibus applicata. A. N. C. Dec. 1. ao. 4. obf. 42 Epilepsia curata. A. N. C. cent. 1. p. 157. 158. Blegny Zod. gall. ao. 1682. lan. obl.7 ex animi affectibus. Gabelch. cent. 4 cur. 59 aterrore. A.N.C. Dec. 2. ao. 3. obf. 101. Dec. 3. ao. 9. obf. 56. 57. Lentil. Mifc. Med. p. 309. Hagendorn. cent. 1. hift. 13. p. 23 exterrore ob confpectum Epileptici. A. N. C. Dec. 1. ao. 4. obf. 43 in fœtu ex terrore, quem mater de Epileptico vifo conceperat. Hild. cent. 3. obf. 8 ex terrore curata. A. N. C. Dec. 3. 20. 9. obf. 151. Gabelchov. cent. 4. cur. 23 fenfu & ratione faluis. A. N. C. Dec.'3. ao. 5. 6. obf. 40 hæmorrhagiam ex oculo & poro narium inferens. Salmuth. cent. 2. obf. 60 hæreditaria. Zac. Luf. P. A. L. I. obf. 36 TOTOTOTO lethalis ex fissura offis frontis. A. N. C. cent. 7. p. 299 lethalisin gravida. Hachft. Dec. 8. c. 5. 6 lethalis ex abstinentia Veneris. Zac. Luf. P. A. L. 2. obf. 119 lethalis in puerpera tres filias enixa. Zac. Luf. P. A. L. 1. obf. 33 lethalis in puero bombardarum terrore fubito correpto. Zac. Lus.P. A. L.I. obl. 34 infantis in utero. Alberti Iur. Med. app. p. 33 senibus est familiaris Vega L. 3. de Locis. Augenius Tom. 2. L.3. Quæft. ad Fabium Epicelum. Epilepfiæ falfæ conceptioni fuperueniens. A. N. C. cent. 9. p. 296 gravidam eiusque embryonem per 25.hebdomadas infeftans. A.N.C. Dec, 1, ao. 3. obf, 160 since of whoten a build Epilepha

131
Epilepsia ingravidationis indicium. A. N. C. cent. I. p. 115
a prægnatione. Rhod. c. 1. obf. 60
in primipara. A. N. C. Dec. 3. 40. 2. obf. 100
in puerpera curatur. A. N. C. Dec. 3. ao. 7. obf. 124
languinis millione curata. Rhod. c. 1. obf. 64. Zac. Lulat. P. A. I.
obl. 21. 29. Hach/t. Dec. 8. Cal. 16
puerperæ vesicatorio curata A. N. C. Dec. I. ao. 10. obf. IA
in gravida plethorica V. Sne in talo curata, Zac. Luc P.A. L. obf and
poit partum nirudinibus internæ uteri parti applicatis curatur.
Lac. Luj. P. A. L. 1. 001. 20
ex suppressis hæmorrhoidibus hirudinibus curata. Zac. Luf. P. A.
L. I. ODI. 28
ex fanguine orta V. Sne curata. Zac. Luf. P. A. L. I. obf. 21. 29. Rhod.
c. 1. obl. 64. Hach/t. Dec. 8. Cal. 10
nonimestris hirudinibus super mariscas affixis curatur. Zac. Lust.
P. A. L. 1. Obl. 28
præservatur secta ex internallis Saphena. Zac. Lus. P. A. L. 1. obf. 29
Venæ sectione menstrua curata. Hæchst. Dec. 8. c. 10. Zac. Lus. P. A.
L. 1. obf. 29
actu fluentibus menfibus V. Sne in lepore nafi curatur. ibid. obf. 30
ex ulcere in lepore nafi occlufo orta, aperta fontinella in tibia cura-
tur, ibid. obf. 32
ex aversione animi adversus sponsum. Alberti Iurispr. Med. P.I.
fuppl. p. 407. §. 30 ex retropulsi achoribus. Hagend. cent. 1. hift. 8. p. 14
ex scabie retropulsa. ibid. hist. 9. p. 17
cum fragore in abdomine. ibid. hift. 10. p. 18
Epilepsia ulcere in crure fanata. A. N. C. Dec. 3. ao. 2. obf. 29
hæmorrhoidum fluxu repressa. Rhod. c. 1. obs. 65
febre quartana foluta. Salmuth. c. 2. obf. 84. Barth.c. 2. h. 68
fponte fanata. Tulp. L. 1. c. 8
fanguine humano non curatur. A. N. C. Dec. 1. ao. obf. 149. vid.
Sanguis.
correptis sanguis humanus datus. Tulp. L. 4. c. 4
felle canino curata. Barth. A. H. V. 3. obf. 20
per Salivationem Mercurialem curata. A. N. C. Dec. 3. ao. 7. obf. 171.
cent. 1. p. 272. cent. 3. p. 231. 299
R 2 Epi-

Epilepsia terebratione cranii fanata. Rhod. c. 1. obf. 66

V. Sne in puero cachectico fanata. A. N. C. Dec. 3. ao. 9. obf. 185 matrimonio curata. A. N. C. cent. 1. obf. 23. p. 80. Dec. 2. 20. 10. obi. 127 lapfu in ignem curata. A.N.C. Dec. 1 ao. 2. obf. 9 Rutæ decocto fanata. A. N. C. cent. 1. obf. 85 ftercore pavonis curata, Bor. c. 3. obi. 15 fyrupo ex fucco Nicotianæ curata. Zac. Luf. P. A. L. I. obf. 23 ex ventriculo orta vomitorio ex Nicotiana curata. Zac. Luf. P. A. L.I. obl. 24 per vomitorium in Apoplexiam conuerfa. Zac. Lufit. P. A. L. I. ob1.24 ex vomitorio. Alberti Iur. Med. P. II. p. 544 fortisfima stibii ope curata. Zac. Lus. P. A. L. I. obf. 31 a femine Daturæ num prouenire possit. Alberti Iur. Med. P.II.p. 104 Epilepha post quartanam. Hagendorn. cent. 1. hist. 11. p. 20 cum uteri procidentia. ibid. hift. 12. p. 21 post Epilepsiam loquelæ amissio ibid. hift. 14. p. 25 ex Epilep/ia cæcitas. ibid. hift. 17. p. 31. vid. Cæcitas. Epilepfia ex vermibus. Barth. c. 4. hift. 7. c. 6. hift. 20. Rhod. c.r. obf. 59-A. N. C.Dec. 3. 20. 3. obf. 191 ex verme in ventriculo. A.N. C. Dec. 3. ao. 2. obf. 133 ex conflipatione alui. Gabelch. cent. 2. cur. 38 ex inepta venæ sectione Hildan. c. 4. obs. 22 ex urinarum anadrome correptus magno labore curatus. Zac. Luf. P.A.L. 1. obl. 35 ex percuffione oculi. Salmath. c. 1. obf. 74 ex percuffione temporum. Alberti Iur. Med. P. 1. p. 411 ex sternutatione non succedente Salmuth. c. 1. obf. 93 ex confpectu phlebotomiæ. Salmuth. c. 2. obf. 73 ex præcedentibus visionibus. Salmuth. c. 3. obf. 41 a spectro. A. N. C. cent. 1. p. 189. app. Dec. 1. ao. 6. obf. 32 ab intuitu hominum. A. N. C. Dec. 2. ao, 2. obf. 149 ex vapore aquæ fortis naribus excepto. Hæchft. Dec. 7. c. 9 a fudorifero. A. N. C. Dec. 3. ao. 2. obf. 46 11122112011 post colicam cum multis grauibus accidentibus. Gabelch. cent. 1. cur. 95 Epilepha

Epilepfia ex inanitione. A. N. C Dec. 3. ao. 5. 6. obl. 263
ab herpete. Rhod. c. 1. obf. 62
ex fono campanarum. A. N. C. Dec. 2. ao. 2. obf. 149. Dec. 3. ao. 5.6.
obf. 27
ex plagis in dorfo. Alberti Iurispr. Med. app. p. 166
hyfterica ex fl. Lap. Hæmat. ibid. P. II. p. 494
Epilepfia in Maniam verfa. Hagendorn. cent. 1. hift. 19. p. 38
ex cohibita narium hæmorrhagia. ibid. hift. 20. p. 35
& mors ex forti purgante. ibid. hift. 21. p. 36
Epilepsia ab oleo Iunip. in fæmina nephritica. A. N. C. Dec. 1. ao. 2.
e pollice avoiras, cutice politer imposes cumur 288. ido P. A.
exinfomnio. A.N.C.Dec. 2. ao. 4
ex nimio anguillæ efu. Frank. p. 153. 154
ex partu. A. N. C. Dec.2. ao. 2. obf. 32
exeryfipelate refrigerato. A. N. C. Dec. 3. ao. 9. obf. 200
ex araneæ & equi morfu. Salmuth. obf. 35.cent.1
ex renibus & vesica. Barth. c. 5. hist. 61
a fplene. Tulp. L. 1. c. 9
a vulva. Tulp. L. I. C. 10
ex pede. Barth. c. 6. h. 78. A. N. C. cent. 1. obf. 80
ex pollice pedis. Tulp. L. 4. c. 2. Bor. c. 2. obf. 95. Hagendorn. cent. 1.
hift. 6. p. 10
ex pollice dextræ manus. Rhud. c. 1. obf. 57
a finistra manu orta. Hæchst. Dec. 4. c. 7
ex brachio reliquum corpus corripiens. A. N. C. cent. 1. obf. 85
in apice digiti indicis inchoans cum dolore punctorio. A. N. C. Dec.
2. ao. 1. obf. 124
periodica lunaris. A. N. C. cent, I. p. 137. Dec. I. ao. 2, obf. 95
rara. A. N. C. cent. 1. p. 245
epidemica. A. N. C. cent. 1. p. 7. app.
desinens in cæcitatem, visusque recuperationem. A. N. C. cent. 1.
obf. 130. it. p. 264. Hildan. cent. 5. obf. 5. vid. Cæcitas.
inveterata V. Sne curata. A. N. C. cent. 3. p. 231. 299
puellæ continua per sex septimanas, cum cæcitate, surditate & lo-
quelæ amiffione. A. N. C. Dec. 3. ao. 9. obf. 30
uterina. Alberti Iurispr. Med. P. II. p. 573
R 3 Epilepsia
manifed my The Theoline

à

Epilepha duorum annorum virgis curata. A. N. C. Dec. 3. ao. 7. obf. 187 post 25 annum fanata. Rhod. c. I. obf. 63 caufastrabilmi. A. N. C. Dec. 1. ao. 3. obl. 162 cum vocis suppressione. Tulp. L. 4. c. 3 第二日 日本 0231. 27 faltatoria. A. N. C. Dec. 2. au. 3. obl. 69 procurfiva. Boot. A. O. c. 611 . 1. bidi terrest qe. I. It ye aparterio levis in febre quotidiana notha. Solen. Sect. 1. Conf. 25 chronica cum febre epidemica curata. A. N. C. Dec. 3. ao. 7. obf. 179 diuturna lunatica cum menfium suppressione. Plater. L. I. p. 19 ecstatica. A. N. C. Dec. 1. ao. 4. obf. 81 met al . gunul oblo de alleste e pollice excitata, cauftico pollici imposito curatur. Zac. Lus. P.A. L. 1. 001. 22 exiptomato. A.A.C. Dec. 2. 30-4 atumorein manu fuborta. Plater. obf. L. 1. p 22 cum spermatis ejectione finita. Zuc. Lusit. M. P. H. L. I. hift. 19. p. 31. a.eos Job . v. OB . S. O. D. M. M. Othraginion soniscitoria ex nimia animi intenfione. Plater. obf. L.I. p. 27 Epilepsie causa non est cerebri semper affectus & neruorum cerebri. Zac. Luf. M. P. H. L. I. hift. 18. p. 30. b. cassa in conformatione capitis reperti. Blegny Zod. gall, ao. 1679. S. S. D. C. CONT. L Obl. No. Febr. obf. 7 all all a Epilepiicus puer ab Emetico Antimoniale moritur. Blegny Zod.gall. ao. 1682. Febr. obf. 15 Epilepticus pro mortuo sepultus. Salmuth. c. 2. obs. 95 Epilepticorum geftus varii. Barth. c. 2. h. 90 Epilepticus absurdorum esu delectatus. A. N. C. 2. ao. 2. Dec. obf. 150 Epilepticus gravidam torve intuens, eius partum accelerat. Alberti Iur. Med. P. II. p. 25. Caf. 3 Epileptici an torquendi. ibid. P. 1. p. 237. S. 6. it. p. 238 Epileptice fæminæan fub partu in hunc morbum inclinent. Alberti Iur. Med. P. 1. p. 80. 81 enderaice. A. A. C. cont. I. P. Epilepticorum fplendores. Hagendorn. cent. 1. hift. 15. p. 26 Epileptici tuberculain brachis. ibid. hift. 16. p. 29 Epileptici maculæ vultus. ibid. cent. 3. hift. 49. p. 346 Epiphora auris. A. N. C. cent. 5. p. 154 mirabilis. Zac. Luf.P. A. L.1. obf. 62 mering, diversitariant, Med. 19 ft. epidemica. Bregl. Befch.&c. Epiple-

Epiplocele in vno fubiecto. A. N. C. cent. 5. p. 164.vid. Hernia. Epiploon totum in dextro hypochondrio collocatum. Blegny Zod. gall. ao. 1680. Febr. obf. 4 Epispasmus judaicus. Alberti Iur. Med. P. 1. p. 38. S. 24 Epfoniense Sal. vid. Sal. ex Epulide mors. Zac. Luf. P. A. L. I. obf. 03 Epulis seu carunculain ore. Plater. obf. L. III. p. 625 EQ. BIO CONTRACTS Equus cornutus. Barth. c. 2. h. 10 Equi currentis impetus mirandus. A. N. C. cent. 7. p. 221. 222 Equina lues. A. N. C. cent. 3. p. 27. app. Equini vermes. A. N. C. cent. 3. p. 466 Equini lactis potus Podagræ biliofæ proficuus. Zac. Lufit. P. A. L. 2. obf. 184 Equinum ftercus antipleuriticum. A. N. C. cent. 3. p. 426 Equiferi infidus ufus in calculo. A. N. C. cent.1 p. 127 Erectio penis examinanda. Alberti Iur. Med P.H.p. 14. 18. 19. vid. Renis. Erinacei fæminæ anatome. Blegny Zod. Gall. ao. 1680. Jun. obl. 3 Erotomania. Linden. Exercit. 15. §. 46 Errhinovum incommoda Empiricorum. vid. Sternutatio. Errhinum tutiffimum vitriolum alb. A. N. C. Dec. 1. ao. 3. obl. 14 Errores Medicorum. Alberti Iur. Med. P. 1. fuppl. p. 410 Error Medici in præfagiendo. Zac. Luf. P. A. L. 3. obf. 152. vid. Præfagium. multos morti tradit. ibid. obf. 145--154 autoxessía. Zac. Luf. P. A. L. 3. obf. 148 illorum, qui exiftimant: si febre aut alio morbo corripiuntur, re aliqua præsente hoc factum effe. Gabelch. cent. 6. cur. 78 Errores in Medicina quandoque falutares. A. N. C. Dec. 2, ao. 7. op1. 216 chirurgorum in bubone pestifero curando. Zac. Lusit. P. A. L. 3. ob1.123 proprios confiteri doctis competit. Rejes qu. 20. p. 220. S. 6. 7. p. 223 Errat tamen homo. Rejes qu. 20. p. 219. §. 2. 3. 220 Erratica febris. Zac. Luf. P. A. L. 3. obf. 33 Prz (fchlaffendes) Becch. Ph. S. L. I. S. 2. C. 2. p. 96 Erg

Erg (rothes, guldenes) Becch. Ph.S.L. 1. S. 3. c. 3. p. 141
Eruce verbis fugate. Bor. c. 1. obf. 19
Eryngii radix. Lang. L. 2. Ep. 21. p. 644
Erysipelas. Rosfii Conf. 3. Solenand. Sect. 5. Conf. 12
epidemicum. A.N.C. cent. 1. p. 13. app.
oleo inunctum in gangrænam mutatum. Hild, cent. 1. obf, 82
ulceratum. Gabelchov. cent. 2. cur. 74
cruris œdematofum in febre fynocha. Plat. L. II. p.485
cruris. Diemerbr. ob. 82
cruris œdematofum cum ulcere. Plater. obf. L. II. p. 483
totius corporis ex cholagogo oblato, fed nihil operato. Salmuth. c. 1.
obf. 31
in tibia. Gabelch. cent. 3. cur. 57. & 86
capitis cum deglutitione difficili. Gabelch. cent. 4. cur. 28
Eryfipelatis capitis cura fympathetica. Barth. A. H. V. 2. obf. 100
Eryfipelatis falfa cura. Lang. L. 1. Ep. 32. p. 144. Alberti Iur. Med. P. II.
p. 567
neglecti varia symptomata. Gabelch. cent. 3. cur. 12
faciei in abscessium & Aegylopem conuersa. Plater. obs. L. II. p. 485
Eryfipelatodeus tumor manus. Gabelch. cent. 1. cur. 34
in Erysipelate externo fanguinem mittere prohibet Galenus. Zac. Lus.
M.P.H.L.I. hift. 10. p. 22. b.
Erysipelatis cura per sanguinem leporinum. Helmont. in Imag. Ferm. §.13
Eryfipelas vagabundum. Hagend. cent. 3. hift. 48. p. 345
in Erysipelate note præseruatoria & cura. Solenand. Sect. 5. Conf. 13
Frythreis Febris, Rejes qu. 68. p. 931
ES.
Effrits follets. Blegny Zod. gall. ao. 1681. Decembr. obf. 1
Esig: Sals, quid? Becch. Ph. S. L. I. S. 5. c. 2. p. 371
Ffuritiones miræ. M. Donat. L. 4. C. 2
Esus variorum absurdorum. A. N.C. Dec. 1. ao. 1. obl. 83. Frank. p. 298.
feqq. Rejes qu. 92. n. 8. 10, qu. 58. p. 724. 725. vid. Zagens
steffer. absurdorum araneorum. A. N. C. Dec. 2. ao. 4. obs. 70
Cancrorum noxius. A. N. C. Dec. 2. ao. 3. obf. 35
farciminum nimius variorum fymptomatum caufa, Gabelch. cent.
I, Cur, 18 Dog a product of all of a state o
Lavie Lavie

EV. EX.

EV. EX.	137
Eva. Kornm. Mir. viv. p. 8	Fund
Evacuatio an in universali febrium principio competat. Lang. L. I.	.Fn'
39. p. 188	. rh.
confueta retenta mortis caufa. Zac. Luf. L.3. obf. 105	
Evacuationis confuetæ exemplum mirum. Zac. Luf. P. A. L. 3. obf.	106.
Rejes qu. 93. p. 1189. n. 3	DC
Euacuationum confuetarum intermiffio. Lent. Mifc. Med. p. 632	32.52
Evaporationes ad caput cum vertigine & obstructionibus. Gabell	chov.
cent. 2. cur. 31	Exere
Eulenspiegels, qui vocatur Tylus Saxonicus, Grabmahl. Garm. I	. 2.
tit. 4. §. 49	
Eunuchus natura talis. A. N. C. Dec. 3. ao. 4. obf. 32	Erm
Eunuchi. Frank. Sat. p. 37. vid. Castratus. it. Alberti Iur. Med. P. 1. p	.40.
§. 25. p. 137. lit. d.	ista Ont
an a natura fiant? Simon. Imp. Conj. c 1. th. 3. n. 7	
poterant filios adoptiuos feligere, testamenta scribere, non	vero
matrimoniuminire. Simon. Imp. Conj. c. 6. th. 3. n. 15-17	CB3
Eunuchorum Etymologia. Simon. Imp. Conj. c. 6. th. 3. n. 12	
fignificatus. Simon. Imp. Conj. c. 6. th. 3. n. 711 De Conj. c. 6. th. 3. n. 711	
Eunachandi modus per remedia externa, a quibus describatur. I	Rejes
qu. 44. p. 528	
Evomitio vermis. A. N.C. Dec. 3. ao. 7. obf. 61	a cost
de Euphorbio. Hild. cent. 2. obf. 92. 93	~
Euphrafiæusin caligine oculi. A. N. C. Dec. 2. ao. 10. obs. 133	
Exampliance Plades a obfer	adam
Exanthemata non maligna. Rhod. c. 1. obf. 27 Exanthemata, vt variolæ & morbilli, non a fanguine menstruo p	and k
dont Zay LuCM P H L 2 hift 2 p 167	en-
dent. Zao. Luf. M. P. H. L. 2. hift. 3. p. 167 Exanthematum prognofis. Bor. c. 2. obf. 35	T.
Exanthematum differentia. Hachft. Dec. 1. p. 1722.	31-1-2
Excoriatio ab oleo vitrioli. Tulp. L. 3. c. 43	
Excrementa per umbilicum excernens adolescens. Hildanus cen	t.T.
obf. 51. vid. Alvus.	
Excrementa per sequiannum retenta. Salmuth. c. 1. obs. 24	Time
alvi valde dura. Salmuth. c. 3. obf. 45. Plater. obf. L. 1. p. 210	man
nigra picea in hypochondriaco. A. N. C. Dec. L. ao. 1. obf. 63	Feller
- animalium suaveolentia. Garm. L. 2. tit. 8. §. 53. 57	Encade
	cre-

Excrementorum foetor vnde? Garm. L. 2. tit. 8
Excrementa ex abdomine. Plater. obf. L. 3. p. 827. vid. Anus.
Excrementa e genitalibus. A. N. C. Dec.1. ao.4.obf.157.vid. Alvus. Vrina.
per vomitum. Plater. obf. L. 3. p. 821
exinguine Rhod. c. 2. obf. 91. 92. Barth. c. 2. h. 63. Hild. cent. I. obf. 74
per penem rejecta. A. N. C. Dec. 2. ao. 4. obf. 75. Hild, cent. 1. obf. 75
ex vefica. Bor. c. 3. obf. 16
per umbilicum. Salmuth, c. 1. obf. 88. A. N. C. Dec. 3. ao. 1. obf. 46
Excrefcentia ventriculi. Lent. latr. p. 504509. Barth. cent. 3. Ep. 11. 12
Excrescentia in infante ex pathetica alteratione matris. Alberti Iur. Med.
app. p. 33
Excrescentia carnea scapulæ sinistræ abligata. A. N. C. Dec. 1, ao. 6.
E anterte Frank. Sat. p. 37. vide Colorates. in. Alerte Mit. Mertel. ido
mirabilis carnea. M. Donat. L. 5. c. 3
carnea portentofæ magnitudinis. Zac. Luf. P. A. L 3. obf. 77
in vefica. Zac. Luf. P.A.L. 2. obf. 71
carnea ex labio vulvæ feliciter amputata. Blegny Zod. gall. ao. 1679.
Nov. obf. 1 2. de 0. 2. 10 . end ac . S. angolannyat marsed anni A
in inteftinis caufa adriftæ alvi. A. N. C.Dec. 1. 20. 6. obf. 97
Ecxrescentiarium cura cum impositis laminis Saturneis in aceto Sambuc.
merat. A. N. C.Dec. 1. ao. 4. p 27. app.
Excrescentias mortificandi vim sudorem mortuorum habere, dicit Hel-
montius Latex humorum neglectus n. 17
Excretio per umbilicum rei deglutita. A. N. C. Dec. 2. 20. 10.0bf. 185
per cutem superat quantitate alvinam. Garm. L. 2. tit. 3. §. 61
Excretio purisalvina. Barth. cent. 3. Ep. 87
per alvum stupenda ossium de sceleto animali. A. N. C. Dec. 1. ao. 3.
obf. 126
Excretiones naturales substantiarum infolitarum, vt cultri, aciculæ.
Merkl. p. 157.&c. Excusationes infanticidii fæminis & Advocatis familiares. Alberti Iur.
Excusationes infanticion fæminis & Advocatis faminiares. Auberti fur.
Med. P. II. p. 88.117 bloop areanonin Komm Mir Mort P
Exequiæ antiquorum, eorumque ceremoniæ. Kornm. Mir. Mort. P.
7. C. 34 Exhalationes aerez quid producant? Becch. Ph. S. L. 1. S. 2. C. 2. p. 71
Experimentatores Medici & Chirurgi. Alberti Iur. Med. P. I. p. 355.§.
-rox Hallum may colement. Carro. L. & tit. S. 5. 53. 57

Exorcifmi qua methodo recte curandi. Lang L. z. Ep. 34. p. 709 Expectorantium operationis modus. Smet. Milc. L. 2. c. 43 Exoftofis cranii interior. A. N. C. cent. 5. p. 221 Expiratio frigida lethalis. A.N.C.Dec. 2. ao. 2. obf. 160 Exspuitio glutinose materie interdum funesta. Hagend.cent.1.h.96.p.139 Experimentum citra rationem. vid. Fidendum. Ecstafeos caufæ & effectus. Blegny Zod. gall. ao. 1680. Ian. obf. 1 Extabescentia ex vitio ventriculi. Diemerbr. obf. 67 Extensio membrorum contusorum & contortorum periculosa. Hildan. c. 2. obf. 90. c. 3. obf. 29. 30 Extenuatio tabifica curatur. Zac. Luf. P. A. L. 3. obf. 124 Exterinicei. Alberti Iur. Med. P. 1. p. 149. S. 11 Extorquenda ab incendiario confessionis gratia pulvis datus. A. N. C. Dec.3. ao. 7. obl. 23 Extravasatio fanguinis in infante dubia Alberti Iur. Med. P. II. p. 102 Extravasatio in diaphragmate lethalis. ibid. app. p. 158 EY. Lyer, Ofter=Ever, vid. Ofter=Lyer. Baafen Lyer. Frank. p. 401. 402 FA. Aba græca & lens fomnia terribilia & visiones causari dicitur. Diofcor. de remed. L. 2. c. 127-129. Garm. M. M. L. 2. tit. 10. 5. 194 Facies hominis, imago animi, Sinibald. Geneanthr. L. 2. Tr. 2. C. 12. Garm. p. 142 mutata. Bor. c. 2. obl. 89 ante mortem interdum atavis, parentibus, avis affimilatur. Garman. p. 166. §. 37. 38 tumor a cafu. Diemerbr. obf. 84 eft pedum inflatio cum afthmate. Gabelch. cent. I. cur. 10 livor infvetus. Zac. Luf. P. A L. 3. obf. 110. Plater. L. III. p. 585 rubedo & puftulæ variæ. Plater. obf. L. III. p. 579-589 dimidia pars rubra. ibid. p. 588 macula fusca ab ortu. ibid. p. 589 Facule ferales. Sobten-Lichtlein. Valentin. diff. epift. 3. p. 153. Garman, Mir. Mort. L. 2. tit. 10. §. 123 Facultates utrum fint aliud ab animæ fubstantia. Bravo P. I. difp. 9. fect. I. p. 242 S 2 Facul-131122

Facultas quid fit. ibid. Refol. 2. p. 244

140

Facultates corporex utrum inhæreant in partibus organicis ibid.Refol. 4. p.246

naturales utrum aliud fint a temperamento. ibid. fect. 2. Refol. 1. p. 248

Facultas naturalis quid fit. ibid. Refol. 3. p. 253

generativa utrum differat a nutritiva. ibid. Refol. 6. p. 256

aliqua vitalis utrum in corde fit peculiariter fic dicta, ordinata ad vitæ confervationem, ibid. fect. 3. Refol. 1. p. 259

vitalis quæ refidet in corde, utrum fit illius facultas nutritiva. ibid. Refol. 2. q. 262

generativa fpirituum vitalium utrum sit distincta a facultate vitali. ibid. Refol. 3. p. 264

pulsifica utrum sit, quæ in corde dicitur vitalis. ibid. Resol. 4. p. 265 pulsifica utrum sit vitalis intrinsecus ibid. Resol. 5. p. 268

localiter motiva, a qua efficientet fiat motus, utrum detur. ibid.fect. 4. Refol. 1. p. 271

Facultatis locomotivæ proprium fubiectum. ibid. Refol. 2. p. 272 Facultates externæ cognofcitivæ utrum fint neceffariæ. ibid. fect. 5.Re-

fol. 1. p. 274

Facultas externa cognoscitiva quid, & quotuplex sit. ibid. Resol. 2., 3p. 276

Facultates rectrices utrum animali fint neceffariæ, ibid. fect. 6, Refol. 1. p. 278

Facultas interna cognoscitiva quid fit. ibid. Refol. 2. p. 279

Facultates rectrices omnes, utrum in cerebro fecundum illius partes fimul hæreant.ibid.Refol. 4. p. 283

Facultas imaginativa seu phantasia utrum sit distincta a sensu communi ibid.Resol. 6. p. 286

æftimativa feu cogitativa utrum admittenda ut diftincta a phantafia ibid. Refol. 7. p. 288

Feces. vid. Excrementa.

Fagus figurata. A. N. C. cent. 3. p. 224

Falciformi in proceffu calculus. Blegny Zod. gall. 20. 1680. Iun. obf. 2 Fallaciæ Medica. Bor. c. 1. obf. 2. c. 3. obf. 30

Phylicæ. Bor.c. 2. obf. 74 Chymicæ Bor. c. 2. obf. 21

Chymicæ. Bor. c. 3. obf. 21

Sallen

Sallen. vid. Nafci.

Falfitas & dolus a Medico abesse debent. Alberti Iurispr. Med. P. I.C.I. §. 16. a. §. 18. a. b. c.

Fames prodigiofa. Hild. cent. 4. obf. 31

Fames canina. A. N. C. Dec. 3. ao. 4. obf. 81

canina ob lumbricos 12 cubitorum excitata, hieræ beneficio persanata. Zac. Luf. M. P. H. L. 2. hift. 68. p. 303

canina copioso vini generosi potu curata. ibid. hist. 69. p. 306 & sitis quibus remediis cohiberi possint? Rejes qu. 58. p. 750. 751

planta restinguuntur. Blegny Zod. gall. ao. 1681. Iul. obs. 2 an & quomodo sedatur Tabaco. Rejes qu. 58. p. 750. 751

curat diariam. Zac. Luf. P. A. L. 3. obf. 2

commissa autochiria in Chiliasta. Alberti Iur. Med. P. 1. p. 363. d. fanitatem debilitare an liceat. ibid. p. 368. lit. a. §. 9

Farciminum efus nimius caufa variorum fymptomatum. Gabelch. cent. 1. cur. 18

Farina mineralis. A. N. C. Dec. 3. ao. 7. obf. 209

Fasciæ & ligulæintestinorum rejectæ. Plater. obf. L. III. p. 836

Fascinatio an sterilitatem inducat. Zac. Lus. M. P. H. L.3. hist. 16. obs. 509

an per contactum fieri possit. Merkl. p. 62

de Fafcini morbis vid. Codronchus L.3. de Venef. Lang. L. I. Ep. 38. L. Z. Ep. 34. 36. Gemma L. 2. de divin. charact. c. 4. Hucherius Lib. 4. de Malef. Cardanus Lib. 2. contrad. Tr. 2. contr. 7. Roder. a Caftro Lib. 4. Med. Pol. c. 2. Bodinus L.3. Dæmonol. Nic. Remigius Dæmonol. Delrius difquif. magic. Strozius, Ciccogna Lib. 4. Magiæ omnifar. Torreblano, Villalpandus in Magia divinat. Petrus Tholufanus Lib. 34. Syntagm. jur. vniv. c. 14. Rejes qu. 97. n. 7. 8. A. N.C. Dec. 3. ao. 7. obf. 126. cent. 1. p. 197. app. Salmuth. c. 3. obf. 34. vid. Veneficium. Magia.

Fascinationum morbos naturalibus causis utplurimum adscripferunt Agrippa, Paracelfus, a Porta, Wierus, Platonici, Stoicus Clenodedenus, Pythagoras, Empedocles, Thyaneus &c. contra quos scripserunt Casp. Ciruelus, Aneas Robertus, Delrius, Pereira, Vega, Hucherius, Sennertus, Langius, Valefius.

per Fascinationem & naturaliter varia in humano corpore genita.vid. Magia.

ex Fa-

111. 1 1.	all and a la
ex Fascino apostema cruris. Hagendorn. cent. 3. hist. 71. p. 373	all. D
Fascinum ad infaniam. Bor. c. 4. obf. 22 lods ocidet a	Dia a
datum a faga matri & infanti. Gabelchov. cent. 1. cur. 16. 17	artises 2
ad odium. Bor. c. 1. obf. 91	Turin'T
Fascinationis rariora & varia exempla. A. N. C. Dec. 3. ao. 2. obl	. 204.
Rod. a Castro Polit. Med. Lib. 4. c. 1. Rejes qu. 97. p. 1215.	n. 10.
	The Report of th
remedia naturalia. Rejes qu. 97. p. 1218. n. 12. seqq. Spener. C	Confil.
Theol. P. 1. p. 148	x
remedium preces. Spener. Glaub. Lehre p. 352. it. app. p. 69. (Confil,
Theol. P. I. Confil. 7. p. 145	212
Fajcinationes varias quales autores commemoraverint. Rejes o	u. 97.
p. 1214. n. 7. 8 Fascino inductus dolor. Diemerbr. obs. 46	00
Fascino inductus dolor. Diemerbr. obs. 46	not c
producta contabelcentia mirabilis. A. IV. C. Dec. 3. ao. 7. obi.	78
interemti. Kornm. Mir. Mort. P. 6. c. 34	13432
ex Fascinatione aphonia & surditas. A. N. C. Dec. 3. ao. 2. obs. 169	Forin
morbi Alberti Iur. Med. P. I. C. II. p. 219-223	Fidel
vomitus variorum infectorum. A. N. C. cent. 7. p. 64	Fallen
per Fascinationem injecta. A. N. C. cent. I. p. 191. app. oder Dec.	2. 20.
I. obi. 37	tin 1
Fascinate credite cura. A. N. C. cent. 9. p. 60	de Fo
de Fascinantibus hominibus. Kornm. Mir. viv. p. 118	Part - Kan I
de Fascinantibus per visum. ibid.	a constant
de Fascinantibus per laudem. ibid. p. 118. seqq. Fastus medicus. vid. Ostentatio.	
Fatuitas. vid. Stupiditas.	REDRE
Faucium tumor in Angina cum periculo fuffocationis. Plater, o	LC T
II.p 385	DI. L.
Faucium ulcerum cura. A. N. C. cent. 3. p. 362	2 All
& oris exulceratio cum febre continua. Gabelch. cent. 2. cur. 8	2-7
ulcus palatum exedens, columellam absumens. Plater. obf.	I.II
P+ 377- 379	~
ardor in febre continua. ibid.p. 377	1
tumor cum dentium dolore. ibid.	
dolor ab officulo illic hærente, it. a numismate deglutito.	ibid.
p. 385. 386	* 2354 L
	Febris
THE AND A CALL	CONTRACTOR OF

A CONTRACTOR

FE.

Febris quid fit. Bravo P. 3. difp. 1. fect. 1. refol. 1. p. 521 utrum omnes lædat operationes naturales. ibid. refol. 8. p. 537

Lipyria utrum fit febris, morbus aut accidens ibid. fect. 2. refol. 3. p. 545

febris divisio quænam magis sit adæquata. ibid. resol. 6.p. 550

humoralis utrum ab humoribus non alteratis possit supervenire. ib. refol. 7. p. 552

utrum fpiritus ratione putredinis valeant caufari. ibid. refol. 8. p. 554

Febrium caufæibid. fect. 3. p. 555

·说。新1月33年1月7日、1141日時

Febris caufa efficiens quid & quotuplex fit. ibid. fect. 3. refol. 2.3. p. 556. 5 57

Febris fubiectum utrum fit aliud a fubftantia ibid. fect.1.refol. 10. p.539 Febris ex cruditate curatio cum lumbricis. Bravo P.3. difp. 2. fect. 3. refol. 5. p. 586

intermittens utrum perveniat ad 'omnimodam infebricitationem. ibid. difp. 4. fect. 4. refol. 1. p. 672

intermiffio utrum fit morbi tempus. ibid. refol. 2. p. 674 a Febre intermittente utrum fit rigor infeparabilis. ibid. refol. 4. p. 680 pro Febribus curandis utrum victus ratio, pharmacia & chirurgia fint ex

ufu. ibid. fect. 5. relol. 1. p. 690

Febrientibus utrum aerem mutare liceat. ibid. refol. 2. p. 692

Febre putrida laborantibus utrum localis motus fit exercitium utile. ibid. refol. 3. p. 693

pro Febribus humoralibus utrum fanguinis missio fit utile remedium. ibid. refol. 4. p. 695

pro Febrium curatione utrum purgatio aut clyfterium ufus fit utilis. ibid. refol. 6.7. p. 702.706

Febris Dea. Rejes qu. 89. p. 1156. n. 7

Febris statuæ inter Romanos. Valer. Max. L. 2. c. 2. Augustin. de civit. Dei L. 2. c. 14. Cicero de Nat. Deor. L. 3. Sabellicus L. 4. Alex. ab Alexandro genialium L. 1. c. 13. Plin. L.2 c7.

punctularis lethalis. Zac. Luf. P. A. L. 3. obf. 13

puncticularis an veteribus innota fuerit. Zac. Laf. M. P. H. L. 2. h. 3. p. 165. feqq.

purpurea V. Sne curatur. Zac. Luf. P. A L. 3. obf, 8.9

Febris

Febris culicularis curata. Zac. Luf. P. A. L. 3. obf. 14. vid. Petechialis. ephemera, Carfunctul, cum tumore colli. Plater. L. II. p. 257 diaria. vid. Diaria. Bor. c. 2. obf. 100 diaria ex lassitudine. Zac. Luf. M. P. H. L. 4. hift. 7. p. 624 ephemera a fomno. Rhod. c. 1. obf. 2. vid. Ephemera & Diaria. remissa cum multis flatibus. Gabelch. cent. 6. cur. 99 Febrium intermitionis exquisitæ rationem difficilem reputavit Hipp. Lib. de facr. morb. Galenus de diferet. L. 3. c. 8. quam tamen explicavit Metamoros L. 4. de Febr. Tr.2. difp. 8 pro Febrium curatione utrum cucurbitulæ, scarificationes, sanguisugæ, vesicatoria fint utilia. Bravo P.3. disp. IV. fect. 5. refol.8.p.709 Febricitantibus utrum vinum competat. ibid. refol. 9. p. 710 Febrientibus utrum juscula carnis sola, aut alterata, carnes ipse aut pifces fint cibus utilis. ibid refol. 10. p. 713 Febrientibus utrum fomnus profundus sit utilis. ibid. refol. 11. p. 716 Febres intermittentes maligna. A. NC. cent. 1. obf. 163. p. 330. Zac. Lif. M. P. H. L. 4 hift. 30. p. 717. Rhod. c. 1. obf. 9. 10 intermittentes arfenico curatæ. A. N. C. Dec. 2. ao. 3. obf. 46 intermittens terrore curata. A. N. C. Dec. 1. 20. 2. obf. 150 intermittens Tertiana lethalis a terrore, A. N. C. Dec. 3. ao. 3. obf. 47 Febris Tertiana. vid. Tertiana. Solenand. fect. 1. Conf. 21 Tertiana intermittens. Gabelch. cent. 2. cur. 103. Diemerbr. obf.61.77 Tertiana putrida intermittens. Gabelch. cent. 3. cur. 62. cent. 6. cur. 61. cent. 4. cur. 91. cent. 1. cur. 33 intermittens l'carificatione in brachio fublata. A.N.C. Dec. 2. 20. 6. obf. 228 putrida intermittens, cum magna angustia circa præcordia. Gabelch. cent. 6. cur. 108 putrida intermittens, farrago variorum symptomatum ex neglecta V. Sne. ibid. cent. 6. cur. 7 cum vomitu X vuarum ante tres menfes ingestarum. Kerkring. obl. rar. 6 Febris Tertiana vuarum ante 9. hebdomadesingestarum. Brefl. Gefc. Der Matur und Runft. 8. Derf. p. 593 Febris Tertiana putrida intermittens vnica purgatione & V. Sne foluta. Gabelch. cent. 6. cur. 9 ca V. Sne curatur, Lat. Lof. P. A. L. 3. obf. 8.9 Febris Feby is

145
Febris Tertiana putrida intermittens cum infigni siti, æstu, maximo-
que extremarum partium dolore. Gabelch. cent. 6. cur. 62
putrida cum infigni dolore dorsi & inappetentia cibi. Gabelch.
cent. 5. cur. 64
putrida spuria intermittens. Gabelch. cent. 4. cur. 90
Ipuria f. notha. Gabelch. cent. 1. cur. 96. Diemerbr. obf. 90
nothaintermittens. Diemerbr. obf. 78. 94
notha an longior sit quotidiana? Zac. Luf. M. P. H. L. 4. hift.
28. p. 713 100 c. 1000 data data data data data data data d
maligna & diuturna. Zac. Luf. M. P. H. L. 4. hift. 30. p. 717
maligna intermittens. A. N. C. Dec. 3. ao. 7. obf. 58
inFebribus intermittentibus usus corticisPeruviani. Blegny Zod.gall.ao.
1682. Febr. obl. 29. Barth. c. 5. h. 50
Febris intermittens quotidiana quatuor annorum. Rhod. c. 1. obf. 5
tertia vice recidivans lethalis. A. N. C. Dec. 1. ao. 6. obf. 161
diuturna recidivans. Plater. L. II. p. 273
Tertiana annua, fola præcautoria V. Sne fanata. Zac. Luf. M. P. H.
L. 4. hift. 25. p. 701
notha per 30 annos durans. Zac. Luf. P. A. L. 3. obf. 29
intermittens brevis & longa. Plater. obf. L. II. p. 268. 269
in fene annoso. Zac. Luf. P. A. L. 3. obs. 28. A. N. C. Dec. I. ao.
6. obf. 137
exquisita. Diemerbr. obs. 83
exquisitain sene, frigido & humido victu sanata. Zac. Lus. M.
P.H.L.4. hift. 26. p. 704
exquifita utrum fit morbus falubris. ibid. p. 706
intermittens diuturna lethalis. Plater. L. II. p. 274
Febris semitertiana celebris. Zac. Lus.M.P. H. L. 4. hist. 29. p. 714. Pla-
ter. obf. L. 1. p. 291
femitertiana lethalis. Zac. Lus. P.A.L. 3. obf. 31
Tertiana per fympathiam curata. A. N. C. cent. I. p. 242
Tertianæ auxil um peregrinum. Zac. Lusit. P. A. L. 3. obf. 27
Tertianæ cura cum lardo intra pedum digitos demisso & per noctem
gestato. A. N. C. Dec. 1. ao. 3. obs. 200
contrarium huius experimenti.vid.ibid. p. 244
cura per immissionem ægrotantis in aquam frigidam. A. N. C. Dec. 1. ao. 3. obs. 211
T. Febra
A. CEOTH

146	FE.
Feb	ris Tertiana a potu aquæ frigidæ orta in Hydropem mutatur. A. N. C. Dec. 1. ao. 6. obf. 52
. da	frigido & largo potu curata. A. N. C. Dec. 2. ao. 5. obf. 32
	per lagenas, Marm Slaschen, curata. A. N. C. Dec. 1, 20. 3. obs. 234
	vomitu ex naufea curatur. A. N. C. cent. 1. obf. 36
	fingularis. M. Donat. L. 3. C. 14
, Ali	fingulari typo. A. N. C. cent. 7. p. 82
	fimplex cum infigni fiti. Gabelch. cent. 3. cur. 26
	fimplex in duplicem metamorphifata ex intempeftivo acidula- rum balneo. Gabelch. cent. 6. cur. 67
202	duplex. Gabelchov. cent. 1. cur. 13. cent. 6. cur. 65. 95. A. N. C.
	Dec. 2. ao. 7. obf. 217. Plater. obf. L. 1. p. 285. 286
	duplex cum infigni fiti & dolore circa præcordia. Gabelchov.
-1	duplex cum dolore capitis. ibid. cur. 69
H	duplex in muliere gravida. ibid. cur. 72
15	tertianæ duplicis fymptoma in muliere hyfterica, ex medicamen-
	tis purgantibus. Gabelch. cent. 6. cur. 70
Fel	ris Tertianæ exquisitæ quidditas, causæ, signa, prognosis & cura.
.GR	Bravo P.3. difp. 5. fect. 4, refol. 1. p. 750
T	certiana sola exquisita utrum oriatur a sincera bile. ibid. resol. 2.
Sec. 1	p. 753 certianæ exquisitæ siccitas utrum sit de essentia?ibid. resol.3. p.754
	certiana exquifita utrum fit morbus acutus? ibid. refol. 5.p. 756
The st	tertiana exquifita an fit morbus periculofus? ibid. refol. 6. p. 757
	tertianænothæ diagnofis & curatio. ibid. fect. 5. refol. 1. p. 758
- Wei	tertiana notha utrum fit longior quotidiana. ibid. refol. 7. p. 767
1	tertiana notha utrum fieri poffit ex bile & melancholia commixtis.
-	ibid. refol. 4. p. 764
Fe	bris Tertiana triplex. Zac. Luf. M. P. H. L. 4. hift. 28. p. 712
mer.E.	quadruplex, Tulp. L. 4. c. 46
and a little and	lacte fapius recocto fublata. A. N. C. Dec. 3. ao. 7. obf. 48 mutatione aëris curata. A. N. C. Dec. 3. ao. 7. obf. 16
	ex venæ fectione. A. N. C. Dec. 2. ao. 4. obf. 171
S. K.	rebellis ufu balnei & fudore curata. Gabelch. cent. 6. cur. 68
	fpafmodica, A. N. C. Dec. 2. ao. 10. obf. 199
Grind.	Febris
and and	

The second
Febris tertiana cum imbecillitate ventriculi. Gabelch. cent. 6. cur. 63
intermittens, Icterus. Plater. obf. L. II. p. 327
Colicus & Nephriticus dolor. ibid. p. 329
Febris quartanæ diagnosis, prognosis & curatio Bravo P. 3. disp. 5.
feet 17 refol L. D. 779
Febrem quartanam utrum dogmaticorum schola cognoscere & curare
valeat? ibid refol. 2. D.780
Febris quartana utrum ex omni melancholia, fi putrescat, fiat?ibid
refol a n 785 and a state of the state of th
Febris quartana utrum pluries eidem possit accidere? ibid. refol. 4.
a -0- is a data to i taget the bill be a to the
in Febris quartanæ curatione utrum vomitus fit vtilis? ibid. refol.5
2 200
:. Febre quartana utrum purgatio lenitiva fit utilis? 10id.reiol.8.p.790
quartana utrum purgatio selectiva sit utilis ante signa coctionis
ibid refel o p 702
Febre quartana laborantibus utrum vinum album competat pro potus
ibid. refol. 7. p. 789
Eabric Opartana, vid. Quartana.
Quarrana cum delirio. M. Donat. L. 3. C. 14
& mors ex Bezoardico lapide. Hild. c. 6, obl. 88
infantis in utero. A. N. C. Dec. 2. ao. 5. obl. 44
cum lue venerea. Plater. obf. L. II. p. 285
ventriculo fuillo curata. A. N. C. Dec, 2. ao. 5. obi. 50
confilium. Solenand. fect. 1. Conl. 22
ab halece curata. A. N. C. Dec. 2. 20. 5. Obl. 21
Organization Plater, obf. L. H. D. 283
Quartana curata, eiusque infallibile remedium. A. N. C.Dec. 3.40. 9
obf 22
Gnoularis in tribus fororibus. Hagendorn. cent. 2. hift. 54-p.22
venere curata, A. N. C. Dec. 2. 30. 10. Obl. 128
cum Epileplia, Hagendorn. cent. 2. huit. 55. p. 230
matrimonio curata. A. N. C. Dec. 3. ao. I. ODI. 137
mionnie Hagendorn, cent. 2. hilt. 50. p. 231
larga vuarum comeftione curata. A. N. C. Dec. 3. ao. 4. Obl. 00
faltatione curata. A. N. C. Dec. 3. ao. 3. obf. 100
T 2 Febr

Febris Quartana ebrietate curata. A. N. C. Dec. 3. ao. 9. obf. 114 pleuritide curata. Barth. A. H. V. 4. obf. 71 per biennium durans fanata. Plater. L. II. p. 285 post fextum paroxysmum cessans. ibid. p. 281 purgatione curata. Zac. Luf. M.P. H. L. 4. hift. 32. p. 722 per Theriacam fanata. ibid, hift. 33. p. 724 ex liene fuborta tere lethalis. Zac. Luf. M. P. H. L. 4. hift. 36. p. 731 in fenibus non curatur. M. Donat. L. 3. C 14 peftilens. Marc. Donat. L. 3. c. 14 typi peculiaris. M. Donat. L. 7. c. 6. L. 3. c. 14 nigris maculis terminata Rhod. c. 1. obf. 16 imaginationi cedens. Rhod. c. 1. obf. 17 diuturna. Gabelch.cent. 6. cur.74 diuturna, rebellis & pertinax usu acidularum Daynachensium curata. Gabelch. cent. 6. cur. 81 chronica sepius recidiva feliciter curata. A. N.C. Dec.3. ao.9. obf. 52 fexies recurrens. Rhod. c. 1. obf. 14 fex tantum paroxyfmis terminata. Gabelch. cent. 6. cur. 79 novennis. A. N.C. Dec. 2. ao. 8. obf. 45 per 24. annos durans. Donat. L. 3. C. 14 brevis. Rhod. c. 1. obf. 13 duplex admiranda. Zac. Luf. M. P. H. L. 4. hift. 34. p. 727 triplex. Gabelch. cent. 6. cur. 76 Quartanæ cautio dignifima. Zac. Luf. P. A. L. 3. obf. 32 curatio. Gabelch. cent. 6. cur. 77 remedium sempervivi minimi succus unc. 1. cum vino unc. 3. A. N.C. Dec. 1. ao. 4. p. 46. app. fingulares. M. Donat. L. 7. c. 6 In Febribus, præcipue quartana oedemata, & scabiem exorta, curanda non effe. Gabelch. cent. 6. cur. 75 Febris Quartanæ laudes. Gell. Noct. Ath. L. 17. c. 12 Febris Quintana. Tulp. L. 3. c. 52. A. N. C. cent. 1. p. 196. app. cent. 7. p. 308 fæpeanimadverfa. Zac. Luf. M. P. H. L. 4. hift. 37. obf. 732 Febris

Febris fextana & octana. A. N. C. cent. 7. p. 265 feptena. Rhod. c. 1. obf. 18 octana. Salmuth. c. 3. obf. 13. Rhod. c. 1. obf. 19. A. N. C. Dec. 1. ac. 4. obf. 70. Hagend. cent. 2. hift. 57. p. 232 octana & fextana. A. N. C. cent. 7. p. 265 octana ad lunæ periodos. A. N. C. cent. 5. p. 317 decimana. Zuc. Lufit. P. A. L. 3. obf. 34 periodica lunaris. A. N. C. cent. 1. obf. 68 raræ periodi. M. Donat. L. 3. c. 14 Quotidiana curata. Zac. Luf. P. A. L.3. obf. 30 Quotidiana particularis dextri brachii. A. N. C. Dec. I. ao. 3. obf. 205 intermittens quatuor annorum. Rhod. c 1. obf. ç quotidiana notha cum levi Epilepfia. Solen. Sect. 3. Conf. 25 quotidie invadens cum infigni dolore circa præcordia, fiti, inappetentia cibi. Gabelch. cent. 6. cur. 55. 56 quotidie invadens cum magno fervore & ardore hypochondrii dextri. Gabelch. cent. 6. cur. 67 continens putrida. vid. Continens. Synocha. continua. Gabelch. cent. 4. cur. 87 continua mali moris. Gabelchov. cent. 6. cur. 73 continua putrida brevior. Plater. obf. L. II. p. 361 continua cum multis fymptomatibus. Gabelch. cent. 6. cur. 4.5.20.28 continua putrida longior: Plater. L. II. p. 362 continua cum infigni æftu, fiti, tufficula. Gabelch. cent. 6. eur. 23 continua cum profluvio alvi. Gabelch. cent. 6. cur. 25 continua an fuerit legitima. Alberti Iurispr. Med. P. II. p. 482 chronica vicennaria. A. N.C. Dec. 3. ao. 9. obf. 51 Icterico-chronica. A.N.C. cent. 1. p. 32 diuturnæ mala crifis varia post se trahit symptomata. Gabelch. cent. 4. cur. 4 diuturna cum tumore hepatis & totius ventris,& motu aquæ inter cutim. Gabelch. cent. 6. cur. 91 continua maligna epidemica. Plater. obf. L. II. p. 294.296 diuturna cum tuffi, tumore lienis & plica capillorum. Gabelch.cent. 6. cur. 52 diututnæ lethalia fymptomata ex neglecta V. Sne. Gabelch. cent. 6. cur.8

Febris

Febris diuturna fingulis diebus invadens, cum fiti, dyspnœa, tuffi, lassitudine membrorum. Gabelch. cent. 6. cur. 58

diuturna fingulis diebus & certa hora invadens. Gabelchov. cent. 6. cur. 59

diuturna in Hecticam mutata cum tuffi violenta & plurimis fymptomatibus. Gabelch. cent. 6. cur. 60

quotidiana quid & quotuplex fit? Bravo. P. 3. difp. 5. Sect. 6. refol. 1. p. 770

quotidianæ caufæ, figna & curatio. ibid.

quotidiana intermittens utrum detur. ibid. refol. 3. p 773

quotidiana utrum possit oriri a pituita naturali? ibid. refol. 4.p.774 quotidiana utrum incipiat cum rigore. ibid. refol. 5. p. 775

quotidiana nocturna utrum periculofior fit, quam diurna. ibid. refol. 6. p. 776

latica utrum differat a continua quotidiana. ibid. refol. 7. p. 778 acuta in gangrænam defignens. *Hild.* c. 3. obf. 93

quotidiana particularis dextri brachii. A. N. C. Dec. 1. ao. 3. obf. 205 Hectica particularis cum maxima depressione sterni. Gabelch. cent. 4. cur. 17

Hectica ex balneis naturalibus intempeftive applicatis. Zac. Luf. M. P. H. L. 4. hift, 41. p. 738

Hectica Hydrælæo curatur. Zuc. Luf. P. A. L. 3. obf. 35.36

Hectica Ranis curatur. Zac. Luf. P. A. L. 3. obf. 35.36

Hectica cum Tertiana duplici & Atrophia. Plater. obf. L. II. p. 320 Hectica & putrida post Arthritidem.ibid. p. 320

Recidiva. Gabelch. cent. 3. cur. 9

exira. ibid. cent. 6. cur. 92

tertia vice recidivans intermittens lethalis. A.N.C. Dec. 1. ao. 6. obf. 161

Recidiva ex affumto medicamento vehementissime purgante. Gabelch. cent. 6. cur. 27

Nocturna cum lipothymiis. Gabelch. cent. 6. cur. 86

Nocturna cum siti & inappetentia cibi. Gabelch ibid. cur. 87

Nocturna cum magna inquietudine, fluxu fanguinis per nares & ficcitate alui. Gabelch. cent. 5. cur. 39

Nocturna cum infigni anxietate circa præcordia, fudore multo & æstu. Gabelch. cent. 6. cur. 85

ISO

The second se
Febris fynocha cum fudore fanguineo. Zac. Luf. P. A. L. 3. obf. 2
fynocha, catarrhus, lateris dolor. Plater. L. II. p. 320
fynocha, Eryfipelas cruris œdematofum. ibid. p. 322.
fynocha & morbilli. ibid. p. 324
Febris fanguinea. Aquilanus & Montanus. vid. Sanguinea.
Febres acutæ fenibus non funt familiares. Avicenn. Fen. 14. Tr. 2. C. 7.
Hipp. S. 1. Aph. 14. Lib. de Locis.
Febris synocha putrida sola Venæ Sectione usque ad animi deliquium
perfanata. Zac. Lufit. M. P. H. L. 4. hift. 8.9. p. 627635
fynocha simplex ex motu nimio & ira, Plater. obf. L. II. p. 258.vid.
Continens.
acuta sudore croceo finita. A. N. C. Dec. 2. ao. 4. obs. 168
præpostere tractatur ufu calidorum. A.N.C. Dec. 3. ao. 9. obs. 40
Ardens ab enormi gaudio. Rhod. c. 1. obf. 3
epidemica. Gabelch. cent. 5. cur. 8
cum tuffi, scabritie gutturis & faucium, fissuris linguæ, lassitu-
dine totius corporis. Gabelch. cent. 5. cur. 16
cum phrenitide lethalis. Gabelch. cent. 5. cur. 48
ex usu balnei post liberiorem vini maluatici assumtionem. Ga-
belch. cent, 6. cur. 36
cum plurimis symptomatibus. Gabelch. cent. 5. cur. 58
ex contagio erucarum. A. N. C. Dec. 3. ao. 9. obf. 197
Febris fynochæ imputris diagnofis, prognofis & curatio. Bravo P. 3. difp.
5. Sect. 1. refol. 1. p. 717
fynochæ pulfus utrum fit vehemens.ibid. refol. 3. p. 720
in Febre synocha imputri pulsus utrum sit æqualis? ibid. resol. 2. p. 720
Febris synochæ pulsus utrum sit velocior, quain in Causonide. ibid.
refol. 4. p. 721
fynocha imputris utrum percurrat quatuor rempora. ibid. refol. 5.
p. 721 in Febre fynocha utrum conveniat fanguinis missio usque ad animi de-
in Febre synocha utrum conveniat languinis millio usque ad animi de-
liquium. ibid. refol. 8 p. 724
Febris lynochæ putridæ curatio. ibid. Sect. 2. refol. 1. p. 727
in Febre fynocha utrum fanguis possit putrescere. ibid. refol. 2. p. 730
Febris intermittens utrum possit fieri ex sanguine putrescente. ibid.re-
fol. 4. p. 733
Febris

1.535

f E.
Febris continens utrum fieri possit a folo fanguine. ibid. refol. 5. p. 735 ardentis & continuæ tertianæ curatio. ibid. Sect. 3. refol. 1. p. 737 ardens exquisita utrum fit duplex. ibid. refol. 2. p. 741
Febrem ardentem utrum bilis putrefacta in quibuslibet venis causetur?
ibid. refol. 4. p. 743 Febris biliofa continua utrum per fluxum fanguinis narium posfit ter-
minari, ibid. relol. 6. p. 745
pro Febribus biliofis utrum ova fint utilis victus. ibid. refol. 8. p. 748
Febri ardente laborantes paucam quantitatem fanguinis emittere de- bent. Gabelch. cent. 6. cur. 10
Febrem ardentem excipit inflatio totius corporis, cum tussi ficca, &
fastidio cibi. Gabelch. cent. 6. cur. 38 Febris ardentis accessio succo peponum curata. Zac. Lus. M. P. H. L4
hift. 24. p. 701
exacerbatio balneis naturalibus curata. Zac. Luf. M. P. H. L. 4.
hift. 18. p. 699 Ardens ex humore turgente orta, phlebotomiæ ope curata. Zac.
Luf. M. P. H. L. 4. hift. 17. p. 684
Ardens ex usu thermarum. Alberti Iur. Med. P. II. p. 521 Ardens seu Causus cum delirio, catarrho, tussi. Plater. obs. L. II.
p. 266
Ardens vigente bruma citra coctionem & viribus imbecillibus le-
thalis. Zac. Luf. M. P.H. L. 4. hift. 15. p. 674 purgatione curata. ibid. L. 4. hift. 12. p. 667
delirio curatur. Zac. Luf. P. A. L. 3. obf. 8.9
continua ex lapíu in aquam frigidam, & orto inde vehemen- tiori terrore. Gabelch. cent. 6. cur. 21
aquæ gelidæ potu fanata. Zac. Luf. M. P. H. L. 4. h. 1. p. 663
ardentissima nive curata. A. N. C. &c.
causus aquæ gelidæ potu largo curatur. Zac. Lus. P. A. L. 3. obs. 7 in Febribus malignis vomitus lumbricorum. Hagendorn. cent. 2. hift.
47. p. 218
in Febribus biliofis aqux potus utrum fenfim aut affatim concedendus? Zac. Luf. M. P. H. L. 4. hift. 11. p. 664
Febrium malignitatis indoles. vid. Malignitas.
Febris Maligna. Diemerbr. obf. 2527. Gabelch. cent. 2. cur. 84. cent. 5.
cur. 59 Febris

Febris Maligna Hidrotico curata. Blegny. Zod. gall. ao. 1682. obf. 25 Mufica curata. A. N. C Dec. 3. ao. 9. obf. 27 ex metu. Gabelch. cent. 5. cur. 64.65 ex vermibus. Blegny Zod. gall. ao. 1682. Febr. obf. 33 cum multis symptomatibus, præsertim palpitatione cordis &c. Gabelch. cent. 5. cur. 54--56 cum petechiis. Gabelch. cent. 5. cur. 3 cum petechiis & fanguinis e gingivis eruptione. Blegny Zod. gall. ao. 1682. Febr. obf. 32 cum fingultu. A. N. C. Dec. 3. ao. 7. obf. 127 cum infigni gravitate lingue & impedita loquela. Gabelchov, cent. 5. cur. 57 falivatione foluta. A. N. C. Dec. 3. ao. 5. 6. obf. 127 cum fudore fanguineo. Rej. qu. 86. n. 16. 17 cum dolore pungitivo lateris. Gabelch. cent. 5. cur. 60 pestilens cum sudore perpetuo, siti & carbunculo in tibia. Gabelch. cent. 5. cur. 92 fignis maleficentissimis comitata fexto die interficiens. Zac. Lul. M. P. H. L. 4. hift. 52. p. 778 Malignæ cautio. Zac. Luf. P. A. L. 3. obf. 49 curatio per Vomitorium. A. N. C. Dec. 3. 20. 5. 6. obf. 144 Maleficentisfima curatur. Zac. Luf. L. 3. obf. 90 Febrium malignarum fedes ventriculus. Barth. c. 3. Ep. 42 Febres malignæ intermittentes. A. N. C. cent. 1. obf. 163. Rhod. c. 1. obf. 9. 10. p. 330. Zac. Laf. M. P. H. L. 4. hift. 30. p. 717 Febris maligna Tertiana intermittens. A. N. C. Dec. 3. ao. 7. obf. 58 & diuturna Tertiana. Zac. Luf. M. P. H. L. 4. hift. 30. p. 717 in Febrihus malignis fanguis extreme diffolvitur. Galen. Lib. de fuccorum bonitate & vitio L. 1, Zac. Luf. P. A. L. 3. obf. 41. Rejes qu. 86. 1. 16. 17 in Febribus malignis & petechialibus circumfpectus Venæ fectionis ufus. A. Berol. Dec. 1. Vol. 1. p. 13. 14. Dec. 2. Vol. 1. p. 33 Febris Pestilentialis. Diemerbr. obf. 3. vid. Pestis. quartana, f. quartana pefti fuccedens, M. Donat. L. 3. C. 14 horribilis. Zac. Luf. P. A. L. 3. obf. 38 cum delirio. Gabelch. cent. 3. cur. 63

Febris

Sebris Pestilentialis cuminsigni dolore capitis & fluxu alvi. Gabelch?
cent. f. cur. 90
linguæ affectio rara. ibid, cur. 9
lethalis. Gabelch. cent. 5. cur. 69
bubonica lethalis. Zac. Luf. P. A. L. 3. obf. 39
Peftis mira. Zac. Luf. P. A. L. 3. obf. 40
Pestis senibus non familiaris. Plin. L. 7. c. 50. Rejes qu. 100. n. 21
Petechialis. A. N. C. Dec. 3. ao. 7. obf. 132
diabete foluta. Barth. A. H. V. 5. obf. 41
tumore critico cervicis foluta. A. N. C. cent. 7 p. 42
maligna. Gabelch. cent. 5. cur. 3. Blegny Zod.gall. ao. 1682. Febr.
obf. 32
five culicularis curata.'vid. Petechialis.
Hungarica. Gabelch. cent. 1. cur. 8. Hildan. cent. 6. obf. 31
cum dolore capitis intenso, tussi violenta, æstu insigni, Ga-
belch. cent. 5. cur. 1
cum infigni dolore capitis & articulorum, fiti intenfa & impe-
dita ambulatione. ibid. cur. 2
eum ingenti dolore capitis, sputo sanguinis & torpore digito-
rum. ibid. cur. 29
cum dolore capitis, ardore faucium & gutturis. ibid cur. 5
cum dolore faucium & gutturis, tussique molesta. ibid.
cum læsione plurium sensuum & multis symptomatibus.ibid.
100 cur. 10
cum dolore infigni capitis & præcordiorum. ibid. cur. 11
cum dolore infigni capitis & præcordiorum. ibid. cur. 11 cum infigni dolore capitis, & frequentibus lipothymiis. ibid.
eur. 1021
cum intenso dolore capitis & molestis vigiliis. Gabelch. cent.
5. CUT. 22
cum ingenti dolore capitis, diarrhœa, dolore ventris, lassitudi-
ne tibiarum, afperitate faucium. ibid. cur. 44
cum infigni dolore capitis, delirio, vigiliis, dolore dorfi. ibid.
cur. 53
cum siti inexhausta, æstu molestissimo & tussi. ibid. cur.25
cum anhelitu fœtido, excretione vermium, dolore capitis,
præcordiorum, ficcitate faucium, deglutitione difficili. ibid.
cur. 28
Febris

The second s
Febris Hungarica cum tussi, dolore circa ventriculum, lassitudine, toti-
us corporis. ibid. cur. 30
cum vigiliis, siti & tuffi. ibid cur. 31
cum fluxu fanguinis copiofo, tuffi ficca, dolore capitis vehe-
mentisiimo. ibid. cur. 36
cum fastidio cibi, ficcitate gutturis & faucium, dolore infimi
circa præcordia, extenuatione totus corporis, ibid cur
cum infigni dolore oculorum & aurium, frigiditate tibiarum. ib.
cur. 41
cum tumore ventris & suppressione urinæ. ibid. cur. 42
cum infigni æstu totius corporis, dolore capitis, fastidio cibi,
fiti inexhausta, vigiliis per triduum. ibid. cur. 46
cum infigni dolore capitis & præcordiorum, difficili deglutiti-
one & filluris linguæ. ibid. cur. 17. 18
Febris Epidemica ardens. Gabelch. cent. 5. cur. 8
maligna cum abortu. Hagendorn. cent. 2. hift. 44. p. 214
cum vermibus e naribus. ibid. hift. 46. p. 217
præfocans vomitoriis curata. ibid. hift. 45. p. 216
maligna Gorlicenfis 1684. ibid. hift. 48. p. 219
cum eryfipelate capitis & cruris. ibid. hift, 50. p. 224
Febris Notha. Diemerbr. obf. 90
fimulata. Alberti Iur. Med. P. 1. p. 199. §. 7
Erratica. Gabelch. cent. 6. cur. 88
mali moris, cum infigni dolore capitis, æstu & siti ingenti, ma-
cie totius corporis. Gabelch. cent. 5. cur. 61
varia cum multis fymptomatibus. Gabelch. cent. 6. cur. 89
cum intenso dolore capitis. Gabelch. cent. 6. cur. 10
ex cochlearum nimia comestione contracta. ibid. cur. 91
curata. Zac. Lus. P. A. L. 3. obf. 33
variolarum non connectit cum fudaminofa. Zoc. Lusit. P. A. L. 3.
obl. 16
Livida non femper lethalis. Zac. Luf. P. A. L. 3. obf. 10
Rheumaticæ hiftoria. ibid. obf. 12
Ampullofa curatur. ibid. obf. 15 Bullofa A. N. C. Dec. 1 and 9 abf. af
Bullofa. A. N. C.Dec. 1, ao. 8. obf. 56 Sudaminofanon connectit cum varialis Zea LuC D A L
Sudaminofanon connectit cum variolis. Zac. Luf. P. A. L. 3.
U 2 Febris
reotu

Febris

Febris Anxiofa. Zac. Luf. ibid. obf. 17 Elodes curatur. ibid. obf. 18 non vulneraria, cum vulnere complicata, mortis caufa. Alberti Iur. Med. P.II. p. 379 ofcitans. Barth. A. H. V. 4. obf. 62 Horripilatoria continua, maligna, fallaciffima. Zac. Luf. P. A. L.3. obf. 19 fingultuosa curatur. ibid. obs. 20, A. N. C. Dec. 1. ao. 4. obs. 48. Dec. 2. ao. 8. obf. 217 singultuosa ex diarrhœa intempestive suppressa. A.N.C. Dec. 2. ao. 8. obl. 212 Lassitudinaria. Zac. Lus. P. A. L. 3. obf. 21 Colliquans. ibid. obf. 24 Epiala optime curatur. ibid. obf. 26 Syncopalis. Tulp. L. 4. c. 47 minuta. Zac. Luf. P. A. L. 3. obf. 22 humorofa. ibid. øbf. 23 Lipyrica. Gabelch.cent. 6. cur. 84. vid. Lipyria. ex inflammatione ventriculi, Zac. Luf. P. A. L. 3. obf. 25 Febres Lipyrica, bilis furfum ac deorfum effusione non accedente, non folvuntur. Hipp. Coac. Prænot. §. 1. text. 171 Febris lethalis. A. NC. cent. 1. obf. 160 & graviffima cum retentione urinæin fene. Gabelchov. cent. 6. cur. so lethalis quartana in fenibus. M. Donat. L. 3. c. 14 in fene nonagenario. Barth. c. 3. h. 82. A. N. C. Dec. I. ao. 6. obf. 137. Zac. Luf. P. A. L. 3. obf. 28 Icterico-chronica. A. N. C. cent. 1. p. 32 cum Ictero. Gabelch. cent. 6. cur. 29 fenis valde annoliphlebotomia curatur. Zac. Luf. P. A. L. 3. obf. 5 Britannorum sudorulentæ causa, & an sit veterum febris illa Typhodes, & fuerit antiquis Medicis cognita? Lang. L. I. Ep.19. p.91 Febres variæ. Rejes. qu. 68--71. innumeras ftatuit Seneca Ep. 95 admirandæ. M. Donat. L. 3. c. 14 raræ. ibid. per diversa tempora paroxyzantes. Rejes qu. 71. p. 948. 949 Febris

Febris mali moris. Gabelch. cent. 4. cur. 89 cum multis fymptomatibus. Gabelch. cent. 6. cur. 105-107. it. 18 cum vigiliis & multo æftu. Gabelch. cent. 1. cur. 73 in muliere gravida. ibid. cent. 6. cur. 71 cum magno dolore capitis, tuffi, fastidio cibi & potus. Gabelchev. cent. 6. cur. 12. 16 cum delirio. Gabelch. cent. 6. cur. 13 cum tumoribus colli, & dolore capitis gravissimo, ibid. cur. 14 cum dolore temporis dextri maximo, ibid. cur. 15 cum dolore capitis & parotide. ibid. cur. 17 cum afthmate & fiti. ibid. cent. I. cur. 27 cum menstruis. ibid. cent.6. cur. 31 cum fiti infigni, profluuio menfium, capitis dolore, ibid. cur. 30 cum Infigni cibi fastidio, siti, respiratione difficili, lipothymiis. ibid. cur. 32 cum tusfi & dyfpnœa. ibid.cur. 33 cum infigni oppressione & anxietate circa præcordia & palpitatione cordis. ibid. cur. 34 cum infigni dolore lumborum. ibid.cur. 49 Febris cum infigni capitis dolore. Gabelch. cent. 6. cur. 11 cur habeat delirium Melancholicum circa res triftes? Donat. L. 3. cap. 14 Febris ex neglecta V. Sne confueta. Gabelch. cent. 6. cur. 6 ex intempeftiua V. Sne. Zac. Luf. P. A. L. 3. obf. 53 ex umbra Sambuci orta, curata cum Roob Sambuci. A. N. C. Dec. 2. 20. 2. obi. 127 ab injectione decocti frigidi in fauces. A. N. C. Dec. 3. ao. 7. obf.93 ex vulnere capitis. Gabelch. cent. 6. cur. 93 ex copiofa cœna. Zac. Luf. M. P. H. L. 4. hift. 6. p. 618 eximaginatione. A.N. C. Dec. 1. ao. 2. obf. 165 ex mœrore. A. N. C. Dec. I. ao. 3. obl. 234 ex pavore mortis. Gabelch. cent. 6. cur. 22 exterrore (cum calore incipiens & frigore definens) Barth. A. H. V.3. obl. 37 ex usu purgatorii validissimi. Gabelch. cent. 6. cur. 26 ex verme. Blegny Zod. gall. ao. 1682. Febr. obf. 31 ex intermissione balnei. Zac. Lass. M. P. H. L. 4. hift, 3. p. 606 Febris U 3

158	FE. 1
ablatio p	ntermissione exercitii in naturis calidis. ibid hift. 4. p. 611 per exercitium forte susceptum in die paroxysmi. Gabelchov. 6. cur. 39. 40
	ypo turbata spasmum pro consectario habens. Alberti Iur.
	P.H. p. 486 b alles alles and a boloh oncen mito
fuppres	fio præmatura menfibus præjudiciofa. ibid.p. 531
Febrium si	Idationes laudantur. Becch. Ph. S. L. I. S. 5. c. 2. n. 97. p. 348. 98-99
Anticip	atio & Postpositio quid significet ? Gabelch. cent. 6. cur. 96 sinistra varia causatur symptomata. ibid. cur. 102. it. cent. 1.
cur.3	
curatio	per alapam. A. N. C. Dec. 3. ao. 2. obf. 202
curatio	remedio Anglico. Blegny Zod. gall. ao. 1683. Iun. p. 1
intermu ao. 16	ttentium curatio per corticem Peruvianum. Blegny Zod.gall. 82. Febr. obf. 29
Name I Color of Party of States	eo curata. Zac. Luf. P. A. L. 3. obf. 37
vomitu	curata. A. N. C. cent. 1. p. 103
in Febribus	ardentibus non denegandus potus. Hagendorn. cent. 2. hift.
49. p.	
Februm cu	ira per usum quinquinæ. Blegny Zod.gall. 20. 1680. Aug.
	fpecies Chinæ-Chinæ vfu curantur. Blegny Zod. gall. ao.
	echanica explicatio. Blegny Zod. gall. ao. 1679. Iul. obf. 2.
	obl. 6
Caufæ. /	Blegny. Zod. gall. 20, 1682. Jan. obf. 1
Febris mal	igna ex Mercurii laboribus. Hagendorn. cent. 2. hift. 43.p.213
Febris infci	itia Medici ad mortem exacerbata fanatur, Zac. Lus. P. A.L.
3. obf.	
an dari p	ossit fine calore ? Zac. 'Luf. M. P. H. L. 4. hift. I.p. 600. hift.
2. p. 6	04
	lor comburens. Garm. L. 2. tit. 9. §. 24
Calor T	hermometro exploratus. A. N. C. cent. 1.p. 372
211	idem fit cum naturali? Zac. Luf. M. P. H. L. 4. hift. 4. p. 611
anf	ossit ab aliquo principali corporis membro, præterquam a
1- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	corde, proficisci? Zac. Lus. M. P. H. L. 4. hift. 7. p. 624
1 45 . 001	
- Tenter	EU
AT THE REAL PROPERTY OF	

and the second se
Febrilis æstus cum multo sudore fœtido, cum mala famis tolerantia. G#-
belch, cent. 6. cur. 42
Rigoris tempore ex ingreffu balnei varia fymptomata. Gabelch. cent.
6. cur. 3500 2 050 . MA & Addings thromos ones
inæqualitas cum horrore & æftu. Gabelch. cent. 6, cur. 44
cum multis fymptomatibus. ibid. cur. 47. 48
cum profluvio fanguinis narium. cent. 1. cur. 44
Febrilium paroxysmorum incommoda cohibitio. Gabelchev. cent.6.
cur. 209
fedatio varia post se trahit symptomata. ibid. cur. 110. 111
prohibitionem statuentium improbatio. ibid. cur. 110
accessionis impedimentum fymptomata confecuta. ibid. cent
1. cur. 43.
Febriles paroxyfmi non femper per exercitium forte fusceptum curar
folent. Gabelch. cent. 6. cur. 41
Febrilia fymptomata. Gabelch. cent. 1. cur. 30. cent. 3. cur. 15. cent. 4
cur. 88. cent. 6. cur. 1. 2. 3. 45. 46
Febricula ex nimio ufu thermarum Libencellenfium, Gabelchov. cent
4. cur. 86
a destillatione frigida a capite ad asperam arteriam & pulmones de
lapfa, cum tuffi, exfpuitione difficili, amaritudine oris, fastidio
cibi & potus, vomitu in fene 64. annorum. Gabelchov. cent. 6
cur. 82
cum dolore stomachi, siccitate alvi, fastidio cibi, dolore capitis
ibid cur. 43
Febrifuga varia. Bor. c. 1. obf. 32. c. 4. obf. 77. Blegny Zod. gall. ao. 1679
Sept. obf. 3
fuperstitiofa. Salmuth cent. 3. obf. 81
Febrifugum certum. Blegny Zod. gall. ao. 1679. Oct. obf. 9. ao. 1680. Jan
obf. 2. ao. 1682. Febr. obf. 6
arcanum. ibid. ao. 1679. Apr. obf. 12. ao. 1680. Apr. obf. 1
lethale. Blegny Zod. gall. ao. 1680. Decembr. obf. 2. ao. 1682. Febr
obf.19
Febrifugus pulvis. A. N. C. Dec. 3. 20. 7. obf. 74
pulvis Peruvianus. Barth. c. 5. hift. 50. Blegny Zod. gall. ao. 1682. Febr
-ol 19 obf. 29 a statute data i di tanta mana data i -ol oblico waken al a
Fere

TOO T.E.
Feces alvinæ. vid. Excrementa. Fel. vid. Bilis. Felis ccrebrum gestum. Salmuth. c. 3. obf. 99
Felino ex cerebro memoriæ amiflio. A. N. C. Dec. 2. ao. 6.obf. 16 Felis pariens per os. Barth. c. 5. h. 98
excludit ova. A. N. C. Dec. 2. ao. 4. obf. 171
fciurum lactans. A.N. C. Dec. 2. ao. 9. obf. 183 amor erga hominem. A. N. C. Dec. 2. ao. 6. obf. 162 antipathia. Barth. c. 6. h. 58. vid. Antipathia.
Femoris fracturæ curandæ novainventio. Hild. c. 5. obf. 86
Fermentationis definitio. Becch. Ph. S. L. I. S. 5. C. II. n. 10
distinctio a putredine. ibid. c. 1. n. 39. p. 285
Fermentationem cur Tonitru impediat. ibid. c. 11. n. 11
Fermentationi finem imponit Spiritus vini, & Sal vel Oleum Tartari.
ibid. c. 2. n. 21. p. 317 Fermentationem & putredinem quidam confundunt. Garm. M.M. L.
3. tit. §. 22. quæ tamen differt. §. 23
Fermentum stomachicum. Barth. A. H. V. 2, obf. 105
Metallorum (Berg= Buhr). Becch. Ph. S. L. I. S. 3. c. 3. p. 142
Ferri Analysis. Becch. Ph. S. L. I. S. 6. c. 8. p. 665. feqq. Reinzer. Me-
teorol, diff. 12. qu. 13. p. 294
generatio in nubibus. Becch. Ph S. L. 1. S. 6. c. 8. p. 602 Conversio in Cuprum, Bor. c. 3. obs. 75. A. N. C. Dec. 1. 20. 6. obs. 120
cent. 9. p. 425
Hiftoria & nix. A. N. C. cent. 7. p. 25. app.
usur medicus vindicatus. A. N. C. cent.9. p. 280
Ferrum & plumbum cur tam diu fine noxa in corpore gestetur? Rejes
qu. 90. 92. p. 1180. n. 6. p. 1181
incalescit cum aqua simplici. A. N. C. Dec. 1. ao. 10. obs. 37
fub forma renum nascens. Becch. Ph. S. L. I. S. 3. C. 5. p. 175
ex limo. ibid. Sect. 6. c. 8. p. 584 ex terra. ibid. p. 590602
fine igne candens producendi ratio. Brefl. Giefch. XI. Berf. p. 126
Ferreas scobes frangendi modus. A. N. C. Dec. 3. ao. 9. obl. 85
Fertilitatis adjumentum. Bor. c. 1. obf. 29
Festucarum collectio & tremor manuum in Febb. acutis non femper le-
chalis. A. N. C. Dec. 1. 20. 2. obf. 90. vid. Flocculi.
Belta

.

Seftmachungs= Huflofung per intrusionem gladii in stercus fuillum, vel globuli bombardæin sphincterem ani. A. N. C. Dec. 2, ao. 8. ob1.78 FI. Ficus cancrofus in oculi dextri orbita, cum grauisfimis capitis symptomatibus feliciter extirpatus. Hildanus cent. 1. obf. 1 Ficus fcirrhofus ad maiorem oculi canthum feliciter extirpatus. Hildan. cent. I. obf. 2 Fidendum num magis Chirurgo, quam Medico sit in vulnerum lethalitate? Alberti Iur. Med. P. I. C. I. §. 16. d. §. 28. c. Fidendum num sit rationi magis absque experimento, quam experimento citra rationem? Zac. Luf.M.P.H.L. 3. hift. 37. p. 579 Fides num danda Medico imperito. Alberti Iur. Med. P. I. C. I. S. 2 Fides perito in fua arte adhibenda. vid. Peritus. Fila meteorica. A. N. C. cent. 7. p. 83 Fila Maria. Brefl. Gefch. der Matur und Runftao. 1717. p. 210. A. N. C. cent. 3. & 4. p. 357. Dec. 2. ao. 5. p. 276 Filii fuis moribus prorfus contrarii parentibus. Rejes qu. 76. p.1031 115. Artaxerxis. Kornm. Mir. viv. p. 154 32. Comitis Babonis. ibid. p. 154 Fimi Ignis ad extractionem aquarum e plantis. Blegny Zod. gall, a0.1682 Apr. obl. 10 Finum Argentum, gediegen, fein Stahl gang. Becch. Ph. S. L. I. S. 3. c. 5. p. 176 Fissura cranii ex accidenti lethalis. Alberti Iur. Med.P. II. p. 265. 280 offis humeri & radii cum fanguinolento faccato tumore ingenti ftipata legitime curata. ibid. P. II. p. 596. Caf. 61 Fissura cranii in offe petrofo Epilepfiæ caufa. A. N. C. cent. 5. p. 226 Fiffuras labiorum pudendorum unguentum curans, Zwing. diff. p. 151 Fiffura. vid. Schlig=Bruch. Fiftula. Lang. L. 3. Ep. 5. p. 987 Fistula inferioris maxillæ compendiose curatur. Hildan. c. 3. obf. 32. 33 lacrymalis. A. N. C. Dec. 2. ao. 6. obf. 36. Platerus obf. L. II. p. 359. c.4. obf. 19 fanata. A. N. C. cent. 7. p. 376 ope setacei sanata. Hild. chirurgia: socum vide infra. aquis Plumbarienfibus curata. Zw. diff. p. 560 х

Fiftulo

Fiftula & Phthifis ex vulnere pectoris feliciter curata. Blegny Zod. gall. ao. 1679. Dec. obf. 2

in perinæo it. in inguine vrinam emittens, Plater. L. II. p. 538 in ventre, e quo stercus egressim. ibid.

Fistulosum pectoris apostema. Hagendorn. cent. 1. hist. 97. p. 140 Fistulosumor cruris dextri. Hagendorn. cent. 3. hist. 30. p. 319 Fistulosum farcoma in dorso. ibid. hist. 29. p. 318

Fistulosus tumor sub maxilla. Ibid. hist. 97. p. 412

Fistula lacrymalis feliciffime curata. Hild. cent. 5. obf. 22. vid. Lacrymalis. it. Hild. cent. 6. obf. 3

Fistula ex parotide curatur. Hild. c. 5. obf. 80 Fistula compendiosa curatio. Hild. c. 5. obf. 79 Fistula Vrachi. Hildan, cent. 6. obf. 58

162

FL.

Flagellationum damna in corpore humano. Alberti Iur. Med. P. II.p.390 Flammulæ vitalis explicatio & defensio. Garm. Mir. Mort. Lib. 2. tit. 9. §. 19-21

Flamma vitalis in corde, a quibus statuatur. Garm. L. 2. tit. 9. §. 19-21 volans. Zac. Luf. P. A. L. 3. obf. 101

exoculis. A. N. C. Dec. 1. ao. 8. obf. 28

ex ore animalium, Garm. L. 2. tit. 9. \$. 69

ex ventriculo. Barth.C. 1. hift 70. A. N. C. Dec. 1. ao. 1. obf. 77. ao. 4. 5. obf. 17

ex ventriculo mortuorum. Garm. L. 2. tit. 9. §. 69

ex vtero. M. Donat. L. 4. C. 25. Rejes qu. 35. p. 420. Garman. L. 2. tit. 9. §. 25-27

ex utero vehemens cum magno fragore fub partu. A. N. C.Dec. 2.ao. 6. obf. 41

Flatulentia nimia & fingularis. Alberti Iur. Med. P. II. p. 437 Flatulentia cum fenfu animalis in inteffinis volutantis. A. N. C. Dec. 2. ao. 5. 6. obf. 35

Flatus furiofi hiftoria mira. Zac. Luf. M. P. H L. 6. hift. 5.p. 946.feqq. fusque deque eruptio. Blegny Zod. gall. ao. 1682. Mart. obf. 8 furiofi in ambitu corporis M. Donat. L. 1. c. 6

confusio cum affectu splenis. Fel. Platerus Prax. Med. Tom.3. L.2.c.3 accendi possunt. Garm. L. 2. tit. 9. §. 70. Plura vid. infra.

Flatuum

T LITTLE & LEAVES OF LEVEL

Flatuum enormis & funesta in corpore humano tragœdia. A. N. C.
Dec. 3. ao. 9. obf. 172
Flatus ex pudendo. A. N. C.Dec. 2. ao. 5. obf. 91
ex pudendo puerperæ erumpentes. Salmuth. c. 2. obf. 57. vid. Ven-
tus.
ex pene loco feminis. Zac. Luf. P.A.L. 2. obf. 127. Barth. A. H.V.2.
obf. 44. V. 3. obf. 40. A. N. C. Dec. 1. ao. 2. obf. 46. Dec. 3. ao. 9.
obf. 134
intestinorum accendi posiunt. Garm. M. M. L. 2. tit. 9. §. 70. 71. Ru-
dolph. Goclenius Physiolog. crep. ventr. probl. 16. A. N. C. Dec.
I. ao. I. p. 159
Fletus nimius Bor. c. 2. obf. 99
Fletus primus infantum post partum. vid. Ejulatus.
Fletus pueri in utero matris. A.N.C. Dec. 3. ao. 5. 6. obf. 233. cent. 1. obf.
50. vid. Vagitus.
Fliegen= Stein, Fliegen= Pulver, Fliegen= Gifft five Cadmia foffilis. Al-
berti Iur. Med. app. p. 167. 168. vid. Cobaltum.
Flocculorum collectio ante oculos in malignis non lethalis. A. N. C.
Dec. 1. ao. 3. obf. 269. Dec. 1. ao. 2. obf. 90
collectio in morbis malum fignum. Garm. M. M. L. z. tit. 9. §. 93-95
Flores in nafo nati. Bor. c. 1. obl. 10
Flumen. Sturm. phys. Hypoth. Tom. 2. p. 1136
de Fluminibus fubterraneis. ibid. phœn. 5
de Fluminum quidditate, differentiis & origine. Reinzer. Meteorol.diff.
9. qu. 1. p. 186
de Fluminum affectionibus. Keinzer. Meteorol. dill. qu. 3. 4. p. 192. leg.
Fluor albus fæminæ, marito noxius. Alberti Iurispr. Med. P. 1. p. 100
Fluor albus, ejus appellatio & caufa. Hachft. Dec. 4. p. 295. Rolfink. &
Friderici disp. de Fluore albo.
in puella septenni & octenni. A. N. C. cent. 1. p. 193. & 202. app.
Dec. 1. ao. 8. obl. 25. ao. 10. obl. 28
inveteratus tribus tantum remediis feliciter curatus intra 14.
dies. A. N. C. Dec. 3. ao. 9. obf. 168
falivatione sponte orta sanatus. A. N. C. Dec. 1. ao. 9. obs.140
fuppressus caufa Phthiseos. A. N. C. Dec.1. ao. 6. obf. 103
balneis Vitriolatis suppressus causa Phthiseos & mortis. A.N.C.
Dec. 1.ao. 3, obf. 331
X 2 Fluor

and the second state of th
Fluor albus fœminarum benignus & malignus ex quo fundamento per Mercurium dulc. cum fructu curetur? Alberti Iur. Med. P. II.
p. 588
Fluore albo laborantes virgines non semper propterea sunt defloratæ, Hæchst. Dec. 4. obs. 295
tam albo, quam rubro tentata puella primo a nativitate octiduo &
quafimenstruo laborans. A. N. C. Dec. 3. ao. 7. obf. 140
Fluorem album curare debet Rosmarinus, Sem. Trifol. alb. & Ruta,
Cort. Avellanæ. Lent. latr.
Fluor albus ex terrore. Hagendorn. cent. 2, hift. 87. p. 265
Fluor muliebris croceus. A. N. C. Dec. 1. ao. 10. obf. 114
fanguinis ex gingivis emplastro Galen. suppressus. Zac. Lus. P. A. L
I. obf. 91
Sluffe-21bzapffen. vid. Catarrhus.
Fluvii auriferi Silefiaci. A. N. C. Dec. 3. ao. 1. obf. 2
Fluvius. Clericus L. 2. c. 7. p. 168
Fluxus hepaticus ex utero ferofus cum Confilio. Solen. Sect. 4. Conf. 5
Fluxus hepaticus curatus, Bor. c. 1. obf. 99
ex Roob Sambuci vfu, Salmuth. c. 2. obf. 11
cerebralis cauterio curatur. Zac, Luf. P. A. L. 2. obf. 22
Fluxuum complicatorum varii affectus. Solen. Sect. 4. Conf. 9
Fluxus alvi. vid. Diarrhæa. it. Alvus.
lapidofus. Zac. Luf. P. A. L. 3. obf. 133. vid. Calculus.
Fluxu menstruo persistente, hæmoptoë. Hagendorn. cent. 1. p. 134.
hift. 93
Fluxus menftruus cum confilio, Solenand. Sect. 4. Conf. 4. vid. Menfes
& Hamorrhagia Vteri.
Fluxus uteri. vid. Vterus.
FO.
Fodina Sulphur, Vitriolum & Aurum ferens, Barth. A. H. V. 3. obf. 87
Fæcunda nonnunquam ova infectorum, fine prævia maris cum fæmel- la conjunctione. A. N. C. Dec. 3. ao. 9. obf. 11
Fæcunditas mira in fene. Hagendorn. cent. 2. hift. 82. p. 259
Facunditas in fenio 62. annorum. A. N. C. Dec. 2. 20. 10. obf. 177
popularis. Kornm. Mir. viv.p. 154
nimia fibi ipfi exitiofa. A. N. C. cent, 7. p. 259
Facun-
· · · · · · · · · · · · · · · · · · ·

Facunditas fine menstruis. A. N. C. Dec. 3. ao. 7. obf. 19. 41. Dec. 2. ao. 1.
obf. 41. vid. Menstruum & Menses.
Fæminæ Formofanæ quomodo fætum in utero enecent. Alberti Iur. Med. P. 1. p. 100
Famine Indorum quomodo libidinem exerceant, infciis viris. ibid.P.
II. p. 196. 2020
Famina nunquam mensium aut lochiorum profluxum passa, que ta-
men peperit. A.N.C. Dec. 2. ao. 1. obf. 41. Dec. 3. ao. 7. obf. 41. 19.
cent. 7. p. 177. Albert: Iur. Med. P. 1. C. 2. S. 10. C.
ex scabie in Melancholiam desperatam incidens, lochiorum fluxu
curate A. N. C. Dec. 2. ao. 2. obf. 187
peperit cancros. A. N. C. Dec. 2. ao. 4 catulos. ibid.
tres mammas habens. A. N. C. Dec. 2, ao. 9. obf. 55
non ambidextra Kornm. Mir. viv. p. 128
androgyna aliam imprægnauit fæminam. Simon. Imp. Conj. c. 2. th.
3. n. 20. c. 6. th. 6. n. 5
in virum mutata. Rhod. c. 3. obf. 41
in virum naturaliter mutata. Simon. Imp. Conj. c. 4. th. 3. n. 1-7
Fæminæ quænam torturæ non fubmittendæ? Alberti Iur. Med. P. 1. p.
240. §. 9. 10 Fæminæ mutatio in virum fabulofa creditur. Simon. Imp. Conj. c. 4.
th. 3. 11. gII
que habitum mentite funt, & virilem induerunt. Rejes qu. 46.
1. UD. \$79
barbatæ. Barth. cent. 3. Ep. 94. vid. Barba.
fluentibus mensibus in locis genitalibus sunt laxiores & latiores,
post hoc tempus vero arctiores. Rejes qu. 41. p. 496
Foemina utrum calidior fit masculus. Bravo P. 1. disp. 3. sect. 2, Resol.
I. p. 83
Foeminarum nonnullarum enormis libido. Simon. Imp. Conj. c. 2. th. 2. n. 1. 2
le Foeminis & uxoribus varia & finistra judicia & testimonia. Rejes
qu. 29. p. 350
Foemina utrum femen fæcundum pro generatione emittat. Bravo P. I.
difp.10. fect. 1. refol. 6. p. 295 10 11 10 10 10 10 10 10 10 10 10 10 10
Estimation abbidentes. A. M. C. cent S. p. 383

X 3

E'acin

somobildit on Foemina

and the second
Foemina utrum cum semen emittat, valeat sola generare. ibid. resol.
7. p. 298
Foeniculata quovis modo usurpata, sunt specifica in Hæmorrhagia na-
rium. Lent. latr. p. 289
Foenum nudo calore accenditur. Garm. L. 2. tit. 4. §. 40
Foetidi an fint Iudzi. Garm. M.M. L.2. tit. 8. §. 28. 30. vid. Indaus.
Foetor exftinctæ candelæ gravidis nocet. Alberti Iur. Med. P. I. p. 129.
§.7.&p. 130
Foetor in foemina. Barth. A. H. V. 3. obf. 19. A. N. C. Dec. 1. ao. 2.
obf. 191
a fœmina exspirans cadaverosus hæreditarius, a matre, sætorem
cadaueris sub graviditate aversante, communicatus. Gerbers uns
Fandte Gunden P. 3. c. 13. p. 184. 185
putredinosus subitus in cadavere. A. N. C. cent. s. p. 30
putridus in vivis & mortuis. Garm. L. 3. tit. 1. §. 39
quorundam nativus. Hagendorn. cent. 3. hift. 93.p.407
hominum vivorum. Garm. L. 2. tit. 8. §. 27-29
ægrotorum & morientium. Garman. L. 2. tit. 8. §. 39. L. 3. tit. 1. §. 39
animalium ab ceftro venereo. Garm. L. 2. tit. 8. §. 42
Magorum & Sagarum. Garm. ibid. \$. 50
a diabolo. ibid. §. 16. 50
axillarum curatur fontanellis. Zac. Luf. P. A.L. 1. obf. 102
Foetovis oris remedium. ibid. obf. 87
- caufa Garm. Mir. Mort. L. 3. tit. 1. §. 82
Evetus cum variolis in lucem editus. Hagendorn. cent. 2. hift. 58. p. 231
Foetus fine funiculo vmbilicali editus. A. N. C.Dec. 2. ao. 7. obf. 209
purifimus e matre lue Venerea confpurcatifima. A. N. C. cent. 3.
D. 39
viviligna. Albertt lur. Med. P. I. C. 9. p. 178. 179. 3. 4. 11. p. 127
mortui cum fecundinis extractio. A N. C. Dec. 3. ao. 5. 6. obf. 79.
Hildan. cent. 6. obf. 64
mortui admiranda excretio. Lang. L. 2. Ep. 39. p. 736
quasi emortui per suctionem mammillæ sinistræ in vitam restitutio.
A. N. C. Dec. 2. ao. 7. obf. 67
alterutrius in utero mora. Hagend. c. 3. hift. 4. p. 286
in utero materno extincti pulmones ex parte aque innatantes, ex
parte subsidentes. A. N. C. cent. 5. p. 383
Foetus

Foetus mortuus der trimestre in utero sine noxa detentus. Hildenus
cent. 2. obi. 51
in utero mortui historiæ rarislimæ. M. Donat. L. 4. c. 22
mortui fignum ponderofitas in abdomine. Garm. L. 2. tit. 3. §. 33
mortui excludendi fignum tenefinus. Alberti Iurispr. Med. P.II.p.46
mortuus a chirurgis falva matre extractus, A. N. C. Dec. 3. ao. 7. obf.
67. Hildan cent. 6. obf. 63
mortui figna. Barth. c. 5. h. 78. Hipp. de Superfoet. Sebitius Exerc.
med. p. 604. Rhod. a Caftro de Morb. Mul. c. 2. Alberti Iur. Med. P. 1. c. 9. p. 182-184. & p. 127. it. app. p. 173
mortuus frustulatim exclusus. Zac. Luf. P. A. L. 2. obf. 166
mortui offa & caro per os matris excluía. Fontecha Lumin. 2. c. 7. Re-
jes qu. 41. p. 497. qu. 90. p. 1172. n. 16
mortuus frustulatim per alvum excretus. Tulp. L. 4. c. 40.
& putrefactus per umbilicum & vulvam lacer & particulatim
prodiens. Blegny Zod. gall. ao. 1682. Ian. obf. 10. 12. 13
in vesica urinaria repertus. A. N. C. cent. 5. p. 29
Foetus a matre materiam, a patre principium movens accipit. Aristote-
les. Lib. 1. de gener. anim. c. 21
Foetus mortui spontanea exclusio. Hagendorn. cent. 3. hist. 10. p. 294
Foetus mortuus & putridus per umbilicum transiens cum offibus, abs- que sterilitate matris. Zac. Luf. M. P. H. L. 3. hist. 17. p. 512. seqq.
mortui & putridi offa per abfceffum abdominis cum pure exclufa.
Blegny Zod. gall. ao. 1679. Mart. obf. 3
mortuus & putrefactus per multos e.g. 20. annos in utero materno
delitefcens. M. Donat. L. 7. c. 2. Blegny Zod. gall. ao. 1679. Ian.obf.
9. Rejes qu. 90. n. 3
per 46. annos in utero detentus. A. N. C. cent. 9. p. 337
humani sceleton per triennium in utero retentum. A. N. C. cent. 5.
p. 370
mortuos ad excludendos remedium & auxilium. Zac. Luf. P. A. L. 2.
obf. 162165
mortuus post obitum matris exclusus. Hoechst. Dec. 6. c. 3
post matris obitum exclusus. Salmuth. c. 2. obf. 36. Frank. Sat. p. 8183
diagonia path objetum matrix exclusive ANC Dag a co a ablas
vivus fub partu evancicens. Salmuth. c. 2. obf. 55
Foetůs

168 FO.
Foetus vivi ex Lepore mortuo. A. N. C. Dec. 2. ao. 3. obl. 53
fabricitantes, Barth, cent. 2, ED. 86
in utero febri quartana laborans. A. N. C. Dec. 2. ao. 5. ODI. 44
fine fevus diferimine, Blegny Lod. gall. ao. 1079. Apr. obl. 9.
cum capite dimidio carpionis. Marc. Marci a Cronland. A. IV. C.
Dec 1 20 2 0bf 61
Foetus, calente manu abdomini imposita, se movet. Franc. Feyneus Med.
Pract I 1 C. SO. Garm. M. M. D. 397
Foetus in foetu, five prægnans. Frank. Sat. p. 7781. Barth. cent. 3. Ep.
and come 6 hift 100
humanus humanum fœtum continens & excludens. A. N. C. Dec. 2.
a0.3. obf. 72
fitus mirabilis in utero, vterique ruptura. Hild. c. 4. obs. 57. cent. 6.
obf. 64
in utero plorans. A. N.C. cent. 1. p. 121. vid. Vagitus.
in utero exficcatus. Barth. c. 1. h. 12. A. N. C. Dec. 3. ao. 7. obf. 24
numerofus. A. N. C. Dec. 3. ao. 7. obf. 216. vid. Filius.
quatuor uno partu exclusi. A.N. C.&c. non nutritur per os. Rej. qu. 50. p. 630. idem creciderunt Galenus,
Epicurus. Democr. Plutarchus L. 5. de Plac. Phil.
foramen ovale diu patulum. A. N. C. cent. 7. p. 129. cent. 3. p. 376
quod respiret & fugat, statuit Hipp. Lib. de princip. & carnibus §.8
in utero non respirat. Garm. p. 37. Frank. p. 129. Laurent. Anat. L.8.
n of Sepitarius diff 14
in utero quod respiret, qui credant. Frank. p. 129. Majobius, Boyle in
experim. phys. mechan. experim. 41. p. 432. Act. Erud. Lipf. ao.
ree Meni Octobr. D. 538
caleatus an fortunatus. Schapper. dill. Med. curiol.
circulus fanguinis. Hiltor. Reg. Scient. ao. 1699. p. 35
antioquis A. N.C. Dec. 2, 20, 2, 001, 181
Ludronicus A. N. C. Dec. I. 20. I. ODI. 42
niger exclusus a matre pulvere pyrio adusta. A. N. C. Dec. 2. 20. 6.
ohf. 12
fine cuticula natus. A. N.C. Dec. I. ao. 2. p. 233
1. some Garm 1 . 2. tit. 1. 6. 4850
variæ maculæ, morbi & cutis alterationes. Garman. L. 2. tit. 1.
6. 47. 48
Foetns

The second	1
Foetus præter opinionem & intentionem parentum admiranda i	nuto
ro materno confervatio. A. N. C.Dec. 3. ao. '7. obf. 55	in ute-
an in periculo parientis ex utero sit extrahendus. Alberti Iur,	Mod
P. I. p. 134. §. 11	TALEO.
an in cafu neceffitatis interficiendus fit. ibid.	97450 Z
a tempore conceptionis animatus. ibid. P. r. fuppl. p. 409	Black
Foetus septimestris an legitimus. Alberti Iurispr. Med. P. 1. p. 165.	E CLUS
vid. Partus.	. 5. 27.
	make 1
Foetus nonnulli præmaturi vitam retinuerunt. Rejes qu. 90. p. 1163	1 6391
octimestris vivus frigidus & rigidus. A. N. C. cent. 9. p. 62	100
octimestris monstrosi anatome. A. N. C. cent. 7. p. 72	17
an octavo mense ægrotet. Alberti Iur. Med. P. 1. p. 152. §. 15	11.1944年1
extra uterum in abdomine repertus. Barth. c. 6. hift. 92. A. 1	V. C.
Dec. 1. ao. 1. obl. 110. cent. 9. p. 21. Velfing in Syntagm. and	itom.
Hildanus obf. chir. cent. 1. obf. 64. Faufus Ep. ad Strauf. de F	octu
Mussip. Rosfatus de Part. Conf. 4. 5. c. 4. Alberti Iur. Med. P.	p.
93. §. 18	
in ventriculo & tumore colli an possibilis. Alberti Iurispr. Me	d. P.
I. p. 94	-
in utero materno fingultiens. A. N. C.Dec. 2.20.6. obf. 15	
exfectio. Alberti Iur. Med. P. 1 p. 164. §. 26	
ex utero ulcerato extractus. A. N. C. cent. 7. obf. 46	
in uterum retractio. Alberti Iur. Med. P. 1. p. 185. §. 11	
Foetui nomina & imagines inferipta. Garm. L. 2. tit. 4. §. 7	
Foetus quod octavo mense ægrotet ex influxu Saturni, credit Con	cilia-
tor in differ. Phys. differ. 49. Grillandas de Sortil. qu. 13.]n.	3.4.
Sennert. Inftit. vid. Partus.	CEA.
Follis fabrilis & Hydrargyrum funt ex vfu in volvulo. Zac. Lufit. I	. A.
L. 2. obf. 35	
Fomentorum calidorum aqua calida optimum. A. N. C. cent. 3. p.2.	48
de Fontium quidditate, eorumque differentiis & origine, Reinzer.	
teorol. diff. 9. qu. 1. p. 186	1.1.
de Fontium observationibus, hydrognomia eorumque venis & fo	catu-
rigine. Reinzer. Meteorol. diff. 9. qu. 2. p. 190	
de Fontium affectionibus. Reinzer. Meteorol. diff. 9. qu. 3. p. 192	alle .
Fons lethifer. Blegny Zod. gall. a0. 1679. Nov. obf. 8	
	mta-
	11114-

Fontanella in infante circulo livido circumfcripta indicium infanticidii commissi. Alberti Iur. Med. P. II. p. 119

Fontanelle depressio causa mortis in infante ibid. P. II. p. 107 Fontanelle læsio quot modis siat. ibid. P. II. p. 118

Fontanella in cervice infantum nociva. Hild. cent. 1. obf. 42 Fontes lapidifici. Bor. c. 1. obf. 5

medicati interdum venerem stimulant. Garm. L. 1. tit. 11. §. 24 Fonticulus duplex in brachio innoxius. Hagendorn. c. 3. hist. 89. p. 401 Fonticuli an antiquis vsitati fuerint. Rejes qu. 56. p. 701

ad poplitem fucceflus maximus. Hild. c. 4. obf. 74

fyncipitis periculofi funt. Barth. A. H. V. 3. obf. 12

Fonticulorum beneficio dolor fciaticus curatus. Hild. cent. 4. obf. 75 Fonticulorum utilitas in affectibus oculorum. Barth. A. H. V. 3. obf. 12. Vol. 4. obf. 48

in capitis dolore manui applicatorum. Zac. Lufat. P. A. L. I. obl.8

in vlceribus chronicis. A. N. C. Dec. 1. ao. 3. obf. 214

in cervice improbatio, & loco horum Setacei commendatio. Hild. c. 6. obf. 4

in Angina. Zac. Luf. P. A. L. 1. obf. 97

in Hæmorrhoidum dolore. Zac. Luf. P. A. L. 2. obf, 82

ad Tabem, ibid. L. I. obf. 122

multiplex A. N. C. Dec. 1. ao. 3. obf. 156. Dec. 3. ao. 5. 6. obf. 60. Zac. Luf. M.P. H. L. 1. hift. 20. p. 33. 34. a.

ufus non femper tutus. A. N. C. cent. 1. p. 313

emolumenta inobfervata. Barth. A. H. V. 4. obf. 48

modum applicandi & indolem qui descripterint Autores. A.N.C.Dec. 1 ao. 8. obf. 156. p. 239-242

Fontium origo Ionston. Tavmatogr. nat. Claff. 2. c. 4. p. 72. Kircher. mund. fubterr. Tom. 1. L. 5. Sect. 1. p. 247

Foramen ovale diu apertum A. N. C. cent. 3. p. 376. cent. 7. p. 129 Foramen in ventriculo ex venenatione. Alberti Iur. Med. P. 1. p. 267. S. 31. & p. 268

Forfex deglutitur. Blegny Zod. gall. ao. 1680. Iul. obf. 8. 13 Formatio partium pulli. Becch. Ph. S. L. 1. S. 4. c. 4. p. 219. 220 Formæ theoria. Rohaltus Tr. phyf. L. 1. c. 18. Barthol. in fpecim. phyf. nat. c, 2. Ariftot. L. 4. metaph. c. 8. & de gener. & corr. L. 2. c. 9.

Hong-

Honorat. Fabri Tr. phys. 5. L. I. prop. 66. 86. Tr. de plant. L. I. prop. 28. de gener. anim. prop. 55. Gaffend. in phyf. Sect. 1. L. 3. c. 4. Sealig. exerc. 307. Boyle de orig. form. conf. Act. Angl. Oldenb. ao. 1665. menf. April. n. s. p. 145. Freitag. de form. orig. Helmont. form. ort. Sperling. de form. orig. Hamel. phyl. gen. Tr. 1. diff. 1. c. 2. conclut. I. Formarum origo. Smet. Mifc. L. 2. c. 14. 16 Formarum dator an Deus? Smet. Mifc. Lib. 2. C. 15.17 origo an ab aftris pendeat. ibid. cap. 16 Formice dant fpiritum acidum & urinofum. A. N. C. cent. 3. p. 192 faciei corrofivæ funt auxilium. Zac. Luf. P. A. L. 1. obf. 76 in Paralyfi infigni ufui funt. A. N. C. Dec. 1. ao. 4. obf. 128 Deformes infantes aliquando magnam formolitatem acquirunt. Garm. p.144.145. §. 2 ististici Formula in fchedula cum arena (den Streu-Sand) deglutita, curat quartanam. A. N. C Dec. 2. ao. 3. obf. 92 Fortes viri in Suecia & Scotia. Kornm. Mir. viv. p. 148 Fortitudinis mira exempla. Kornm. ibid. p. 145 Fortunati juxta Aftrologos qui fint. Rejes qu. 17. p. 193 Fortuna Medici. Bohn. de off. Med. dupl. L. I. cap. 2 de Fossilibus eorumque generatione Reinzer. Meteorol.diff. 12.qu. 1. FR. p. 245 Fractura cranii lethalis. A lberti Iur. Med. P. II. p. 250. feqq. Caf. 23. vid. Cranium & Vulnus Capitis. Fractura cranii ex accidenti lethalis. ibid. P. II. p. 253 Fractura cranii, ubi post undecimum diem perforatio feliciter instituta. Hild. c 3. obl. 4 Fractura brachii fibi ipfi illata curat paralyfin manus. Hildan. c. 5. obf.84 in Fracturis offium ulus corticum arborum loco ferularum, & inde incommoda enata. Hildan. cent. 4. obf. 98 Fracturis offium an conducat usus alimentorum viscoforum. Hild. c. 1. obl. 92 Fractura cranii enormis & grauis. A. N. C. cent. 5.p. 55.cent.9.p. 269. Plater. obf. L. II. p. 543 offis frontis a jactu minimi filicis. A. NC. cent. 7. p. 218 tibiæ in gravida. Hild. cent. 5. obf. 87. cent. 6. obf. 68 fpinæ dorfi. A. N. C. cent. I. obf. I. p. T Y 2 Fra-

野丁

1/2
Fractura vertebræ fpinæ ex cafu. Plater. obf. L. II. p. 544
offis humeri rara. A. N. C. Dec. 3. ao. 9. obf. 175
brachii it. pedis rara & miranda. Hildan. cent. 2. obf. 66. 67
femoris cum vulnere. Blegny Zod. gall. ao. 1681. Aug. obf. 1
Fractura patellæ. Hild. c. 5. obf. 88
femoris dextri infignis, eiusdemque notabile fragmen per absces-
fum feparatum. A. N. C. Dec. 3. 40. 1. obf. 76
offis femoris nova methodo curata. Hild. c.5.obf.86
cruris cum vulnere prope juncturam pedis. Roffi obf. 1-3
offium. vid. Os.
coftarum feliciffime curatur. Hildan. c. 5. obf. 89
offium in gravidis curatu difficilis. A. N. C. Dec. 1. ao. 1. obf. 25
coftarum ex palpitatione cordis. Alberti Iur. Med. P. II. p. 618
Fracturis offium prodeft & obeft ofteocolla. Hild. c. 1. obf. 90. 91
Fractarum tibiarum fitus. Hildan. c. 1. obf. 93
Fraga recentia in infante recens nato reperta, cujus mater paucis ante
partum diebus maximo cum deliderio fraga recentia comedit.
A. N. C. Dec. 1. ao. 3. obf. 268
Fragorum vis diaphoretica. Barth. c. 4. h. 32
esum mortis periculum secutum. Hild. c. 5. obs. 38
Fraxini vis. Bor. c. 3. obf. 78
Ligniaqua. A. N. C. Dec. 3. ao. 7. obf. 128
Frenuli linguæ periculofa fectio. Hild. cent. 3. obf. 28. vid. Lingua.
Frictionis usus in stupore, & atrophia partium corporis exteriorum.
A. N. C. Dec. 3. ao. 2. obf. 5
Refrigeratus extreme vini potu fervatus. Zac. Luf. M. P. H. L. 6. hift.12.
P. 954
Frigidi & male calceati impotentes vocantur.' Solenand. Sect. 4.
conf. 19 Frigida collutio noxia. Tulp. L. 4. c. 11
Frigida collutio noxia. Tulp. L. 4. c. 11 infpiratio mortis prodromus. Garm. L. 2. tit. 4. §. 1
Frigido potu extincti. Zac. Luf. P.A.L. 3. obf. 104. M. Donat. L. 2. c. 6.
A.N. C. Dec. 3. ao. 7. obf. 73
Frigidi decocti injectio in fauces febrem provocat. A.N. C. Dec. 3. ao.
7. obf. 93
Frigidæ aquæ potus. Lang. L. 1. Ep. zi
Frigidæ aquæ usus per lavationem inter Indos in dysenteria & extra
febrium
Acontidin

febrium paroyfmum. A.N. C. Dec. 1. ao. 10. obf. 194. 11. 20.p.460 in variolis & Morbillis. ibid. p. 461 in febre tertiana. A. N. C. Dec. 1. ao. 3. obf. 211 Frigus puerperæ ante partum an fit caufa fœtus in utero mortui. Alberti Iur. Med. P. II. p. 112. 115 Frigus ingens anni 1709. A.N. C. cent. 1. p. 15. & 41. 74. 78. &c. app. intempeftivum. A. N. C. Dec. 3. ao. 9. obl. 71 fignum mortis. Garm. L. 2. tit. 4. §. I caufa falutis. A. N. C. cent. 1. obf. 139. p. 281 Frigoris commodum. A. N. C. cent. 3. p. 244 in orbits Frigore congelati. Bor. c. 1. obf. 84. c. 3. obf. 32 extincti homines in illo fitu & ftatu corporis deprehenfi, in quo a morte correpti & obrigefacti. Garm. L. 2. tit. 4. §. 9 exanimatorum reftitutio. Garm. M. M.p. 17 Frigoris theoria. Sturm. Phys. Hypoth. p. 303. Clauberg. diff. 32 Frontis dolor cum magno æftu capitis. Gabelch. cent. 2. cur. 19 Frontis vulnera an lethalia. Alberti Iur. Med. P. 1. p. 319. §. 46 Frontis & colli defectus in infante modo nato. Plater. obf. L. III. p. 556 Frümentum per artem multiplicandi artificium. A. N. C. Dec. 2. ao. 6. obf. 171. Glauberus. de Fulgure. Reinzer. Meteorol. diff. 3. qu. 2. p. 36 Fulmen quotuplex. Reinzer. Meteorol. diff. 3. qu. 3. p. 39 Fulminis impetus & motus obliqui caufa. Reinzer. Meteorol. diff. 3. qu. 5. p. 45 Fulmen terebrans gravifimum innocuum. A. N. C. Dec. 1. ao. 3. obf.260 Fulmine dolia exhauriuntur intactis operculis. Garm. M.M.L. 2. tit. 3. §. 69. Plin. L. 2. C. 57. Lucretius L. 6. de Nat. rerum V. 227 Fulminis effectus admirandus & rarus. Hild.cent. 3. obf. 26.A.N.C. cent. 1. p. 389. cent. 3. p. 438. cent. 7. p. 13. app. Bor. c. 2. obf. 38. c. 4. obf. 3. Barth. A. H. V. 4. obf. 9. Reinzer. Meteorol. diff. 3. qu. 6. p. 48 Fulminis theoria. A. N. C. Dec. 1. ao. 2. p. 67. Sennert. Epit. nat. fcient.L. 4. C. 2. Magirus Phyf. Peripat. L. 4. C. 4. Heinr. Nollius Phyf. Hermet. L. 7. c. 2. Sect. 4. Ich. Sperling. inftit. phys. L. s. c. 7. Gilbertus Iackeus inftit. phys. L. 7. c. 4. 5. 6. Albertus Kyperus inftit. phyl. tom. 1. L. 2. c. 9. Iob. Ianfton. Tavmatograph. nat. cl. 3. c. 5. Fr. Baco de Verulamio Hift. nat. & experim. de vent. THIN ad a.t. 32. Libertus Fromannus meteorolog. p. 711, Barthol. Kekerm, ivitem. X3

vf I 6 c. 6 Gr. Horfins Inftit phyl.

Fumus fornacis recens exftructe lethargum & mortem caufatur. Hild. c. 4. obf. 11

Fumus carbonum & Mercurii perniciofus. Barth. A. H. V. 2. obf. 79. vid. Carbo.

Fumus Mercurii paralyfin linguæ & aphoniam caufatur. Schenk. obf. L. 8

Tumus Mercurii infpiratus tremorem membr. & capillorum cafum relinquit. Foreft.L. 8. obf. Fünam-

Funambulus. Kornm. M. viv. p. 256 Funebris coena. Kornm. M. Mort. P. 7. c. 36 Funebres Ludi Romanorum. Kornm. M. Mort. P. 7. C. 35 Fungus male curatus caufa mortis Hildanus cent, 1. obf. 14 Fungilegitima curatio. Hildan. cent. 1. obf. 15 Fungi læfarum partium. Hild. c. 2. obf. 35 Fungus stellatus. Bor. c. 1. obf. 3 cancrofus in figura. Hildan. cent, 3. obf. 88. p. 274 ex vulva excifus. Tulp L. 3. c. 33. 34 fcirrhofus ex aure emicans curatus. Hildan.c. 3. obf. 1 pedis lethifer ex leui contufione. A. N. C. cent. 7. p. 229 Fungi tam carnofi, quam offei. Hild. cent. 2. obf. 36 Fungi per totum corpus erumpentes. Bor. c. 1. obf. 34 luper apparatum chirurgicum enati. Blegny. Zod. gall. ao. 1679. Iul. obl. 5 in homine circa genu sponte nati citra externam occasionem. A. N. C. Dec. 1. 20. 10. obf. 63 Fungorum ortus. A. N. C. cent. 5. p. 47. app. lolus contactus noxius. Hildan. c. 4. obs. 36 rara species valis figulinis Faventini innascentium. Blegny Zod. gall. ao. 1681. Aug. obf. 2 efus noxa & vomitus provocatio. Hildan. c. 4. obf. 34.35 venenum. Zac. Luf. M. P. H. L. 5. hift. 23. p. 872. Alberti Iur. Med. P. 1. p. 263. lit. a. Funiculus umbilicalis non deligatus, disruptus, mortis causa. Alberti Iur. Med. P. 1. p. 188. §. 16. it. p. 192. §. 20. it. P. II. p. 67. Caf. 7. it. p. 69. Cal. 8 Funiculus umbilicalis collo circumdatus, fuffocationis causa. Alberti Iur. Med. P. 1. p. 81. it. P. II. p 107. it. p. 119. 124 Funiculus umbilicalis non deligatus, an caufa infanticidii fuerit. Alberti lur. Med. app. p. 172 Funiculus umbilicalis optime describitur a Laurentio L. 6. c. 9. it. Spicgel, Riolano. Funiculus umbilicalis num figna præbeat mafculi vel fæminæ in futura conceptione. Albuma far Introductor. Avicenna L. 3. Fen. 21. Tr. 1. C. 17. vid. Rejes qu. 52. p. 661. 662. Spiegelius de Format. fœtus. C. 9 Funus

Funus medicatum condiendi modus. Solenand. Sect. y. Coni. 14 Furfuracea universi corporis affectio. M. Donat. L. I. C. 3 Furiofus dolor ex nova causa pronatus. Zac. Luf. P. A. L. 2, obs. 99

flatus curatus lactis ufu. A. N. C. Dec. 3 ao. 7. obf. 17 in Furorem versa Cephalalgia. Hagendorn. cent. 1. hift. 27. p. 49 Furor uterinus. A. N. C. Dec. 3. ao. 1. obs. 12

ex pleuritide notha. Barth. A. H. V. 4. obf. 63 ex inflammatlone uteri. A. N. C. Dec. 3. obf. 124 Fufilis Terra, zarter Kalct oder Ochieffer. Becch. Ph. S. L. 1. S. 3. c. 2. p. 121 Fustigatio. vid. Relegatio. Futurorum notitiam quomodo in Ecstafi anima acquirat ? Garmann.

p. 28.29

2438345

GA.

CAleati infantes. Kornm. Mir. viv. p. 46. 47 Galeni defensio pathetica. Zac. Luf.M.P. H.L. I. hift. 28. p. 56. a. Galeritæ vires in colica. Smet. Milc. L. 2. C. 45 Gallica epidemica febris. Diemerbr. obf. 24 Gonorrhœa Ebeno curata. Zac. Luf. P. A. L. 2. obf. 128 Gallici morbi tubera. Lang. L. 2, Ep. 14. p. 615 Raucedo fignum manifestum, Zac. Luf. P. A. L. I. obf. 107. vid. Venus it. Lues. Gallico morbo cibus laudatus. Zac. Luf. P. A. L. 2. obf. 132 Mercurii potus proficuus. Zac. Luf. P. A. L. 2. obf. 133 inveterato & pervetle tractato confilium. Solen. Sect. 3. Conf. 3 Gallicus morbus contagiofus ad diftans. Zac. Luf. P. A. L. 2. obf. 134 fontanella sponte aperta curatus. Zac. Lus. P. A. L. 2. obf. 131 Gallico pilorum defluvio præsidium. Zac. Lus. P. A. L. 2. obs. 129 Gallicorum tophorum remedium. Zac. Luf. P. A.L. 2. obf. 130 Gallina revivifcens. A. N. C. Dec. 2. ao. I. obl. 132 fuperfœtans. A. N. C. Dec. 2. ao. 8. obí, 117 pullum pariens. A. N. C. Dec. 3. ao. 1. obf. 42 cæca pillulis Cochiis curata. A. N. C. Dec. 3. ao. 9. obf. 46 Gollmen. Becch. Ph. S. L. I. S. 3. C. 5. p. 172 Gallus gallinaceus oviparus. Barth. c. 3. Ep. 52, A. N. Dec. 1. ao. 3. obf. 77. Dec. 2. ao. 1. obl. 145. 211. 212 gallinaceus oviparus venenofus. ibid. obf. 211, 212 fine corde. A. N. C. Dec. 2. ao. 4

Galli

Gallusquadrupes. A. N. C. Dec.2. ao. 4 Galli gallinacei vindicta fat acris. A. N. C. Dec. 3. ao. 9. obf. 147 Gammari deglutitio adfert mortem dolorificam. Hild. cent. 3. obf. 53 Ganglion in poplite utriusque cruris. Plater. obf. L. III. p. 660 Ganglion in fronte. Bor. c. 1. obf. 15 ad Ganglion lamina aurea cum hydrargyro illita. A. N. C. Dec. 1, ao. 4. p. 43. app. ad Ganglion in fumma finistra manu confilium. Solen. Sect. 1. conf. 24 Gangræna faciei ab aquæ frigidæ applicatione lethalis. Hagendorn. cent. 3. hift. 35. p. 328 Gangrana abdominis ex Hydrope. ibid. hift. 37. p. 331 digiti ex annulo. ibid. hitt. 38. p. 332 fcroti. ibid. hift. 39. p. 333 fcrotum depascens curata. Hild. c. 5. obf. 76 genu dextri cum morte. Hagend.hift, 40. p. 334 penis. ibid. hift. 41. p. 336 pedis dextri cum morte. ibid. hift. 42. p. 337 fcroti & perinæi curata. Hild. c. 5. obf. 76. 77 scroti & inguinis ex contusione intra 24. horarum spatium necati Hild. cent. 2. obf. 83 gravissima ex morfu equi progenita. Hild. cent. 2. obf. 86 ex frigore & congelatione. Hild. cent. 2. obf. 87 ex intemperie frigida & ficca cum defectu alimenti, curata. Hildan, cent. 2. obl. 88. 89 post Hemicraniam in pede suborta. Hildan. cent. 3. obs. 45 ex perfusione aquæ frigidæ in corpus calefactum. Hildanus cent, 3. obl. 46 Gangrana univerfalis. Tulp. L. 3. c. 46 post febrem acutam curatam. Hild. c. 3. obf. 93 a frigore. Bor. c. 3. obf. 24 a tibiæ inflammatione. Plater. obf. L. II. p. 542 1 x 627. a clavo. Bor. c. 1. obi. 82 abimpetigine circa carpum leviffima, Hild. c. 4. obf. 90 ab immunditie. Bor. c. 3. obf. 17 post luem veneream & pestem. Hild. c. 3. obf. 94.'95 a veficatoriis. Rhud. c. 3. obf. 88 mesenterii & ventriculi, Barth, c. 4. Ep. 29 Gan-

175

178 GA. GE.
Gangrana ex morfu apum curatio. Zac. Luf. P. A. L.3. obf 83 nova explicatio. Blegny Zod. gall. ao, 1682. Febr. obf. 2. Hild. cent. 5. obf. 64
remedium braffica muriatica. A. N. C. Dec. 1. ao. 3. obf. 321 cura. Bor. c. 1. obf. 7. c. 3. obf. 65
Gangræna ex intemperie frigida & ficca, Hild. c. 4. obf. 92 Gangræna inteftinorum adfert fuffocationem. A. N. C. Dec. 3. ao. 7.
obf. 145 in membro virili, quo amputato ulcus relictum. Plater. L. II. p. 540. 541
in Enterocele post inflammationem. ibid. p. '541 Gangrana ex interceptione spirituum animalium. Hild. cent. 1, obs. 3
ex longo decubitu. ibid. p. 15 in pedibus hydropicorum. ibid.
post curatam dysenteriam. Hildan. c. 4. obs. 91 Gangrænofus pollex pedis dextri feliciter separatus in viro septuagena- rio. A. N. C. Dec. 3. ao. 9. obs. 255
Garum. Lang. L. 1. Ep. 59. p. 312 ex Gaùdio mors. A. N. C. Dec. 2. 20. 9. obf. 22. Kornm. Mir. Mort. c. 106. vid. Mors. GE.
Gebürge, ein edles, zartes, geschmeidiges, it. rauhes, wildes, grimmiges, fes ftes, tanbes Gebürge. Becch. Ph. S. L. 1. S. 3. c. 2. p. 123
Gemella. Bor. c. 2. obf. 95 Gemellarum partus rarus. A. N. C. cent. 1. p. 369. cent. 7. p. 88 Gemellorum generatio extraordinaria, Blegny Zod. gall. ao. 1680, Iun.
obf. 15 origo. A. N. C.Dec. 1. ao. 7. obf. 198 coalitorum hiftoria & anatome. A. N. C.Dec. 3. ao. 9. obf. 189
Gemelli fibi invicem adnati, feliciter feparati. A. N. C. Dec. 2. ao. 8. obf. 145 rara animorum & corporis fimilitudine. A. N. C. Dec. 2. ao. 7. obf-
175. Kornm. Mir. viv. p. 141 non confundendi cum supersoetatione. Alberti Iurispr. Med. P. 1.
p. 104. §. 4 præmature nati. ibid. P. II. p. 25. Caf. 3

Can.

Gemel

and the second
Gemellorum coalitorum sceleton Ianiforme. A. N.C. Dec. 3. ao. 9. obs. 190
Gemellorum varia. A. N. C. cent. 3. p. 364
Gemellorum differentia ab infantibus monotocis. Alberti Iurispr. Med. P. II. p. 29
Gemelli ejusdem fexus una fecundina obvoluti. Blegny Zod. gall. 1679.
Nov. obf. 5
in mola conclufi. A. N. C. cent. 3. p. 375
Gemellos novies parturiens mulier. Hagendorn. cent. 3. hift. 7
Gemini. Kornm. Mir. viv. p. 140. feqq.
fimul nati, fimul ægrotantes, fimul convalescentes. Kornmann.
ibid. p. 141 mg about any his state to have a state of the source
germani. Kornm. Mir. viv. p. 144
Geminum corpus humanum, quorum unum integrum, capite demto,
alteri innatum erat. Plater. obf. L. III. p. 550
Quadrigemini uno partu exclusi. A. N. C. Dec. 3. ao. 5. 6. obs. 157
Gemme lævigatæ non plus proficiunt, quam si silices aut vitra præpa-
rata assumantur, dicit Helmont. Tr. de Febb. c. 8. §. 6
Gemmarum odor. Barth. A.H.V. 5. obf. 37
virtutes fabulosæ. Rejes qu. 6. p. 90 vsus an in Electuariis ac Tragæis sit salutaris. Lang. L. 2. Ep. 49. p. 789
Gemurfa Plinii quid? A. N. C. cent. 1. p. 420
Generatio utrum aliqua substantialis sit possibilis. Bravo. P. 1. disp. 10.
Sect. 1. refol. 1. p. 292
Generationis ratio vera utrum in hominis productione sit. ibid. refol.
4. p. 293
Generatio ex ovo. Blegny Zod. gall. 20.1679. Sept. obf. 7
Generationis ratio per ova nulla. Blegny Zod. gall. ao. 1680 Mart. obf.
I. Iul. obf. 22
actus in hominibus. Becch. Ph. S. L. I. S. 4. C. 4. p. 216. n. 22
Generatio animalis num pendeat a spiritibus. Blegny Zod. gall, a0.1682
Apr. obf. 1
animalis non pendet ab utero, vid. Vterus.
eft opus animæ. Rej. qu. 45. p. 539. Becch. Ph.S.L.I. S.4.C.4.p.210.n.6.7.
Spener. Wiedergeb. Pr. 60. p. 966. Pr. 63. p. 1615. Lütkemann. P.
Air II. C.2 and stand and and Z z z and merinicarity on Gr
L Sulla Gr

180 GE.
Generatio fubstantialis viventis quid fit. Bravo P. 1. Sect. 1. refol. 3. p.2 pro Generatione animalis utrum fœmina requiratur ut fimplicit neceffaria. ibid. refol. 5. p. 294
Generatio puerorum. vid. Puer. it. Natiuitas.
fera & cita admiranda. M.Donat.L., 4. c. 14
Generandi facultas in fenibus maribus & fæminis, Rejes qu. 90. p.110 1168. n.12
in puero 8. 10. annorum, & puellæ 7. 8. 9. annorum. Rejes qu. 9 p. 1166. 1167. n. 10. 11
Genii pro dæmonibus habiti. Rejes qu. 89. p. 115. n. 3. feq.
mutantur per loca. <i>Rejes</i> qu. 89. p. 1157. 1158. n. 10 quos Galli vocant Esprits follets. <i>Blegny</i> Zod. gall, 20. 1681. De
obl. 1
Geniorum varia acceptio. Rejes qu. 89. p. 1153. n. 1. 2
Genitalia confenfum habent cum capite. Zac.Luf. M. P. H. L. I. hift. I
p. 31. a. Genitalium angustia artificialis & naturalis. vid. Angustia.
Genitalium angustia virginitatis fignum. vid. Angustia. & Virginitac
Genitalium defectus & excellus. Rejes qu. 48.p. 501. 502
cruentatio fub primo coitu an fignum virginitatis. Alberti Iur.Me P.1. p. 66. p. 9. 10. vid. Virginitas.
utriusque fexus structura & usus. Blegny Zod. gall. 20. 1680. Mar
obl. 3 et and the state of the
muliebrium rariora. Blegny Zod. gall. an. 1681. Febr. obf. 1. Au obf. 8
Iæfiones an lethales Alberti Iur. Med. P. I. p. 343. §. 64
incurabilis læho. ibid. P. 1. p. 56
Genitalia puelle purulenta & tumida an fignum violentæ ftupratio
nis perpeffæ? ibid. app. p. 7. 6. & p. 9. 6 Gens barba carens. Kornm. Mir. viv. p. 94. vid. Barba.
muta.Kornm.ibid. p. 97
manibus carens. ibid. p. 126. feqq.
octo digitorum. ibid. p. 131 decem digitorum, ibid. p. 131. vid. Digitus.
villofa. ibid. p. 169
Gen Seng Canadenfis. A. N C. cent. 7. p. 187. app.vid. Ginfen.
Gentiana intermittentem febrem, ut China, tollit. Barth. c. s. hift
50. p. 115 Genui

Genua. Kornm. Mir. viv. p. 163. legg. Genu dolor. Gabelch. cent. 2. cur. 28. & 94 diuturnus diureticis perfanatus. Zac. Luf. M. P. H. L. 3. hift, 34. P. 572 curatur. Zac. Luf. P. A. L. 2. obf. 175. 176 gravis tumor & rigor ex lapfu curatur. Hild. cent. 3. obf. 96 tumor antiquus emplastro ex stercore caprino parato curatus. Zac. Luf. M.P. H. L. 3. hift. 33. p. \$70 tumor gravis. Blegny Zod.gall. ao. 1679. Apr. obf. 5 Rigor ex frigore obortus, cauftico curatus. Zac. Luf.M.P.H.L. 3. hift. 31.p. 576. legg. Narcoticum admotum lethale. ibid. P. A. L. 2. obf. 174 aperto ventus loco puris egreditur. Zac. Luf. P. A. L. 2. obf. 172 per Gestationis totum tempus menstrua. Hagendorn, cent. 2. hift. 94. p. 273 vid. Menfes & Gravida. GI. Gibhofitatis caufa abdita inventa eft in cranio, dum vertebrarum cariofæ partes in media fere pulmonum fubstantia deprehensæ. Hild. cent. 1. obl. 45 Gibbus. Plater. obl. L. 1. p. 153 Gibbus paralyfin crurum caufatur. Hild.c. 5. obf. 7 Gilbofitas ex arctioribus infantum involucris. Hild. c. 2. obf. 99 Gibbus, in que post mortem vertebræ cariofæ & medulla fpinalis denudata fuerunt. Hild. c. s. obf. 66. & 67. vid. Luxatio & Spina. Gigantes diverfi, illorumque ortus. Kornm. Mir. viv. p. 9--36 Gigas puer. Borell. cent. 1. obf. 42 Gigantum origo diabolo adicribitur. Simon. Imp. Conj. c. s.th. 2.n.30 existentia probatur. Garm. L. 1. tit. 10. J. 20--23 offa. Barth. c. 1. h. 98 Gigantis Sceleton. Plater. obf. L. III. p. 548 Gigantes etiam fuerunt in locis septentrionalibus, Garmann. L. I. tit. 10.0.24 Gingivarum erofio, ex vermium abundantia, lethalis. Hildanus cent. 1. obl. 59 Gingive menfium viz. Schenkius L. 4. Ronfeus, Zac. Luf. P. A.L. 2, obf. 100. Rhod. cent. 3. obf. 51. vid. Menfes. Z 3 Gin-

-o-
Gingiva teirrhus. Salmuth. c. 3. obf. 20
offex. A.N.C. Dec. 3. ao. 5. 6. obf. 66
ad Ginginas catarrhus caufa gangrænæ & mortis Hild cant , obf.
Gingrourum cruentatio. Hacht. Dec. z. c. z. A. N. C. Dec. z. c.
obf. 151. Garm. L. 2. tit. 6. §. 52. A. N. C. Dec. 1. 20. 2. obf. 48. 20.
001. 310. cent. 5. 001. 49
fluor Emplastro Galen. suppressus. Zac. Lus. P. A. L. I. obf. 91
fluor criticus. Lac. Luj. P. A. L. I. obf. 92
gangræna icorbutica. Hagend, cent. 1, hift. 70, p. 114
Ginhi Ninh, radix Indorum. Barth. A. H. V. s. ohf to ANC Dec
a0. 4. ODI. 2. a0. 5. ODI. 39. 2Stepl. Betch. Der Matur und Eunft
Berfuch. Claff. 4. Art. 7. p. 1091A. N. C. cent. 7. p. 187. app.
for here a light a light on a star when a star a star and all and an and
de Glacie. Reinzer. Meteorol. diff. 9. qu. 6. p. 202
Glacies pentecoltalis, Nix canicularis & Inundatio autumnalis. A.N.
Dec. 3, 30, 7, 0DI, 4
Glaciei figura. Bor. c. 2. obf. 21. c. 3. obf. 11. & 71. A. N. C. Dec. 1. 20.
ODI: 1/2
ufus Blegny Zod. gall. ao. 1683. Nov. & Dec. p. 245. feqq.
noxa. Bor. c. 3. obl. II
Gladius carnificis. Kornm. Mir. Mort. P. 5. c. 17
quo quis decollatus. Kornm. Mir. Mort. P. 5. c. 16
Glandium liberalis efus, caufa Febris Lipyricæ. Barth. A. H. V.
ODI. Y/
Glandula porcellorum moschata. A. N.C. Dec. 3. ao. 5. 6. obf. 42
Glandule, I nymiulus. Dregl. Weld. Derl. I. D. 37, Rerf. 6 p 1807
Glanaula pinealis arenula. A.N. C. cent. 9. p. 149
duræ meningis. A. N. C. cent. 1. p. 139. app.
falivales. Frank. p. 627. §. 2830
thyroideæ nova delineatio. A.N. C. cent. 7. p. 365
fubcutaneæ. Frank. p. 631633. bona nov. Anat.
ventriculi & inteftinorum. Frank. p. 625, 626
intestini duodeni. A. N. C. Dec. 3. ao. 1. obs. 96
ex mammis excretæ. A. N. C. p. 103
Glans imperforata & anus occluia. A. N. C. Dec. 2. ao. 7. obf. 8
fclopetaria venenata. A. N. C. Dec. 2. ao. 8. obf. 77
Glan

the second se
Glandis membri virilis qualitates in inquirenda caftitate & virginitate.
in mare. Alberti Iur. Med. P. 1. p. 69. §. 12
Glag.und Ragen=Freffer, Detalle= Stein=und Solh= Freffer. Rejes qu. 92.
p. 1184. n. 810
Glires ovibus infensi. A. N. C. Dec. 2, ao. 9. obf. 60
Globi Terr-aqueo-aërei & cœli status comparatur, Becch. Ph. S. L. I.S.
I. C. 3. n. 2. p. 24
Globo cervi venter, falva vita, trajectus. A. N. C. Dec. 3. ao. 7. obf. 51
Globulus sclopeti innoxie retentus. Hagend. cent. 3. hist. 87. p. 399
Globalus sclopetarius fine damno per 6. menses intra cranium & duram
matrem detentus. Hildanüs. cent, 2. obl. 2
per 25. annos in naribus delitefcens. A. N. C. cent. 9. p. 403
felopetarius in vesica per 30. annos latitans repertus. Hild. c. 3.
obf. 67
cupreus, in prolapsione vteri, per 18. annos in vtero gestatus,
qui tandem vleus post se traxit, rursus vero arte Chirurgica
exemtus. A. N. C. Dec. 2. ao. 5. obf. 55
plumbeus per multum tempus intra corpus gestatus Rejes. qu.
92. p. 1178. n. 13
Globuli sclopetarii extrahendi modus & instrumentum. Hild. c. 1. obs. 88
in fonticulo. A. N. C. Dec. 3. ao. 9. obf. 70
in corpore gestatus mutat situm suum. Hildan. cent. 3: obs. 76.
Solenand. cent. 5. conf. 10. Fontech. Lum. 2
cum Mercurio illitus curat Colicam cum obstructione. A. N. C.
Dec. 1. 20. 3. obf. 96
Gloria affectata Medici. vid. ostentatio
Glossopetræquid? A. N. C. cent. 7. p. 3
Gonagra. Diemerbr. obf. 47
inveterata curata. A. N. C. cent 5. p. 25
in viro & muliere. Plater. obf. L. 11. p. 460. 469
Gonorrhæa; Diemerbr. obf. 4. p. 4. Plater. obf. L.3. p. 720. 722
fimplex. Blegny Zod. gall. ao. 1679. Maj. obf. 5
in puero feptenni, ibid.Iul obf.7
gallica Ebeno curata. Zac. Luf. P. A. L. 2. Obi. 128
balneis naturalibus curatur. Zac. Luf. P. A. L. 2. Obl. 126
retenta causatur Aphoniam, quæ fonticulo ininguine curatur. Zac.
Lul. P. A. L. 1. obf. 105
a Ga-

a Galeno Lib. 6. de Loc. aff. c. 6. vocatur perpetua seminis excretio
fine pudendi tenfione.
Gonorrhææ suppressio noxia. A. N. C. cent. 9. p. 141
virulente suppressio viceris seui causa. Zac. Lus. P. A. L. 2, obf. 127
virulentæ fedes. Barth. c. 2. h. 36
variæspecies. Lang. L. 2. Ep. 5
rara alleuatio. A. N. C. cent. 1. p. 318
triplicis dignotio & cura, Galeno veteribusque Medicis ignota. Lang.
L. 2. Ep. 5. p. 570
Gonorrhaam fiftunt Pilulæ Riverianæ. A. N. C. Dec. 1. eo. 4. p. 22
per Gonorrhaam sponteneam vlcera pedum curata. A. N. C. Dec. 3. ao.
9. obf. 227
in Gonorrhaa thur. mafc. drachm. I. ex ouo forbili indies data. A. N. C.
Dec. 1. ao. 4. p. 32. app.
Gonorrhæa virulenta causa impotentiæ virilis temporariæ. Alberti Iur.
Med. p. 1. p. 54
Gonorrhaa virulenta indicium Venerez infectionis. ibid. P.II. p.161
in Gonorrhaa extinctis vlcera & cicatrices prostatarum reperit Wirfun-
gius. A. N. C. Dec. 1. ao. 4. obf. 20
Gradus qualitatem in medicamentis. Frank. Sat. Med. p. 311. §. 34
Grandinis formatio. Ber. c. 1. obf. 5
Grandines extophis Podagricorum. Zac. Luf. P. A. L. 2, obf. 185
de Grandine. Reinzer. Meteorol, diff. 6. qu. 7. p. 147
Gravede, Germanis Die Schlaff-Rrancheit. A. N. C. cent. 3. p. 138
Gravidarum inspectio. Alberti Iur. Med. P. I. p. 373. §. 6
Gravide an cohabitare liceat & expediat. ibid. P. 1. p. 82. m. it. p. 32. n.
Gravida edens 1460. haleces. Tulp. L. 2. c. 24
a marito alapam desiderans. Camerar. cent. 2, Syllog. rer. memori
§. 32
demens, alias fana mente mulier. A. N. C. Dec. 3. ao. 2. obf. 4
infomnis. Barth. c. 4. h. 70
pro mortua habita, & interea temporis fœtum mortuum feliciter e-
nixa. A. N. C. cent. 1. obf. 177. p. 381
interfecta gemellos peperit. Salmuth. c. 2. obf. 1
quoties filium gestavit, toties ultimis mensibus uteri prolapsionem
perpessa. A. N. C. cent. 1. p. 116
Gravi-
- Merina

Gravida variolofa, Zac. Luf. P. A. L. 3. obf. 47. it. M.P. H. L. 2. hift, 3
0.108
morbillofa. A. N. C. Dec. 1. ao. 3. obf. 347
mutin apectu, mutinum peperit fillim, Karth, A H V a obf o.
cancrorum nimium appetitum in infantem propagat. A. N. C. Dec.
3. ao. 9. obf. 133 and another bivergei avy gome H eland
Gravide an maritus cohabitare debeat. Alberti Iurispr. Med. P.I. p.408.
Suppl ad Cap IV 6 6
Suppl. ad Cap. IV. §. 6
in Gravida hæmoptoë innoxia. Hagendorn. cent. 2. hift. 95. p. 274
Gravidarum vomitiones innoxiæ. ibid. hift. 96. p. 278
STREAM ON AMAGINATION DUT DUT UN CENT. 1. P.D. 10. 17
W W W M A MALLON OW MAN A LA L
Itetuin montrolum callatur. Rleany / od gall ag 1600 Nor
aiver anoreffi fentics per diem phileb (249.9.290 % ata revin
& Dec. p. 249 visimaginationis. Blegny Zod.gall. ao. 1679. Mart. obf. 5. 6. ao. 1683. Nov. Dec. p. 249
vitent cadaverum & lepulcrorum adjoectum Carm I's site of
Agrinit, Ivi. Iviolit. F. 7. C. Ol
dyfenterica feliciter curata. A.N. C. Dec. 1. ao. 3. obf. 17
nunquam per totam vitam menstruata. A. N. C. Dec. 2. ao. 1. obf. 41.
Dec. 3. ao. 7. obf. 19. 41. cent. 7. p. 177
hemorrhoidibus & mentibus laborana ANCD
hæmorrhoidibus & menfibus laborans. A. N. C. Dec. 1. ao. 6. obf. 63
menstruata. Barth. A. H. c. 3. h. 13. A.N.C. Dec. 1. ao. 6. obf. 63. Blegny
Zod. gall, ao. 1680. Iul. obf. 1
cui nunquam menses fluxerant, nisi graviditatis tempore. A.N.C.Dec.
I. ao. 3. obf. 138
menses per urinam experta. Salmuth. c. 3. obs. 36
Gravida, salvo Embryone, per totum gestationis tempus menses ex-
pertæ. Rejes qu. 79. p. 1972. 1073. A. N.C. Dec. 1.40. 10 obf 20
aravide languinis evacuationes expertæ citra abortus periculum. Zac
Lufit. M. P. H. L. J. hift. 36. p. 68. a.
Manidic nonnullic Hamorehagin infine si insi
p. 116. 117. Rejes qu. 74. p. 994. 595 A a
Aa Cra

Gravidis nonnullis fanguinis vomitus quotidianus innoxius. A.N.C Dec. 1. 20. 10. obf. 6

venæsectio innoxia. Hagendorn. cent. 2. hift. 93. p. 272

Gravida ex nimio fanguinis profluvio mortua. A. N. C. Dec. 3. a0.7. obf. 76

Gravidis Hæmoptyfisingravidationis fignum effe folet. A.N.C. cent. 1. obf. 114

qui autores V. Sem concesserint. Zac. Luf. M. P. H. L. I. hift. 32, p. 61. b.

Gravidæ ex V. Sne non femper abortiunt. ibid. L. 3. hift. 13. p. 488 Gravidis an e talo fanguis mittendus? *Rejes* qu. 74. p. 992 in Gravida V. Sio absque ulla noxa unoquoque gestationis mense cele-

brata. A. N. C. Dec. 3. ao. 9. obf. 19 Gravida caufone laborans ex V. Sne revixit.Zac.Luf. P. A. L. 2. obf. 146 angina oppressa fepties per diem phlebotomia celebrata revixit. Zac. Luf. P. A. L. 2. obf. 145

peperit feliciter partum septimestrem ex repetita phlebotomia. Zac. Lus. P. A. L. 2. obs. 144

Gravidæ uteri vulneratio an lethalis. Alberti Iur. Med. P. I. p. 343. §.64 Gravidælæfio, qua fœtus moritur. ibid. P. I. p. 297. §. 26 Gravidis purgatio quandoque innoxia. A. N. C. cent. I. p. 112-114

purgandis catharcticum. Zac. Lufit. P. A. L. 2. obf. 147

Graviditatis figna. Rejes qu. 49. p. 605. 606. Alberti Iur. Med. P. I. c. 4. p. 86--93. §. 12. 17

fignum Hæmoptyfis. A. N. C. cent. 1. obf. 114

lac in mammis. Rejes qu. 49.p.614

ptyalismus. A. N. C. Dec. 3, ao. 3. obf. 50. cent. 1, obf. 114

Gravidæ fymptomata. Barth. c. 6. h. 31

Gravidis noxius annus. Barth. c. 3. h. 59 manitu 29 zalnam

noxius eftaer. A.N.C. cent. I. p. 48. app. novide lovel aliman

Graviditatis figna vera. Alberti Iur. Med. P. II. p. 511 395 20190

Graviditas dubia. A. N. C. cent. 3. p. 165. Alberti Iur. Med. P. II, p. 153 mira. Bor. c. 4. obf. 26

ignorata mira. Zac. Luf. P. A. L. 2. obf. 148 allumon thing

25. annorum. Blegny Zod, gall. ao. 1679. Febr. obf. 8. vid. Partus.

Gravi-

1, 30, 3, 051, 125

Graviditas fructuum, lapidum, embryonum, ovorum &c. A. N.C. Dec. I. ao. I. obf. 36 Graviditatis occultatio. Alberti Jur. Med. P. 1. p. 190. §. 19. p. 191. it. P.IL. Gauta lerena post parcum. Salianth. p. 41 Graviditatis figna individualia. ibid. P. I. p. 92. S. 17 1 201910 20 Ingravidatio falfa, & flatuum loco foetus exclusio, AN. C. Dec. 3. ao. 7. obi. 33 fimulata & fucata. Alberti Iur. Med. P. I. p. 95. §. 19. it. p. 207. S. 16 fimulata ex menfium retentione. A. N. C. Dec. 1. ao. 3. obf. 218 Obh diffimulata. Alberti Iur. Med. P. 1. p. 210. §. 22 Graviditatem mentiens mola. ibid. P. 1. p. 119. Caf. 1 Gravior una caro præaltera. Garm. L. 2. tit. 3. §. 18--20 Graviora quo anni tempore corpora viva evadant. Garm. L. 2. tit. 3.5.5 an fint ægrotantium corpora, quam mortuorum, Garman, L. 2. tit. 3. 5.21--24 1000 cur fint cadavera. Garm. L. 2. tit. 3. §. 65 & leviora interdum corpora fanctorum per miraculum reddital Garm. L. 2. tit. 3. §. 69 Gravitas & levitas. Blegny Zod.gall. ao. 1680. Febr. obf. 1 Grillus in aure cum oleo grilli extinctus. A. N. C. Dec. 1. 20. 4. obf. 50 Grillorum cantus. A. N. C. Dec. 2. ao. 4. obf. 32 Griphus antiquus. Garman. M. Mort. L. 3. tit. 4. §. 176 GV. Gulæ coalitus a variolis, Luconica fublatus. ' A. N. C. Dec. 3. ao. 7. obf. 47 Gule & pectoris dolor cum tuffi & Coryza. Gabelch. cent. 3. cur. 52. Gule refolutio vini potu curata. Zac. Luf. P. A L. 1. obf. 100 Gummatum productio. Becch. Ph. S. L. I. S. 4. c. 5. p. 234. 235 Gummi guttæ defcriptio. Hæchft. Dec. 3. p. 180. feq. Gurgulionis miræ inflammationes. M. Donat. L. 3. c. 3 præcifio tabem & mortem adfert. Zac. Luf. P. A. L. 1. obf. 98 Gustus & olfactus fingularis læsio. A. N. C. cent. 7. p.38 Guttæ gummi descriptio. Hæchft. Dec. 3. p. 180--188 ad drachm, I. cum damno exhibitum. A. N. C. Dec. I. ao. S. obf. 82 Gutta rofacea curata. Zac. Luf. P. A. L. I. obf. 74 ex compa Errhino curata. A. N. C. cent. 1. obf. 141 Aa 2 Gutte

GV. HAE.

Gutte rofacez fubita cellatio periculofa. Hagendorn. cent. 3. hift. 47. P. 344

Guttarubræ curatio. Zac. Luf. P. A. L. 1. obf. 75 Gutta ferena post partum. Salmuth. c. 1. obs. 75

188

ex capitis scabie retropulsa. A. N. C. cent. 7. p. 303

o ferenæ ex nervorum opticorum obstructione curatio. Zac. Lus.P.A. L. 1. obf. 56

Gutturis incifi curatio. A. N. C. cent. s. p. 419 de Gutturofis. Kornm. Mir. viv. p. 123. feqq.

HAE. Della TLI MARCHIE ADE

Hematoscopia fapientia & audacia chalybs. Heliodorus L. 5. Æthiop. Hamatofcopie fallaciam describit Bohn. off. Med. dupl. c. 5.p.155-161 Hæmagoga planta mira. Borell. c. 4. obf. 91

Hæmatitis lap. vires qui descripserint. Zac. Lus. M. P. H. L. II. hift. 5. p. 172. it. Verulam. cent. 10. Sylv. experim. 967. n. 959. Boyle de Gem. Sect. 2. p. 198

de Hamifphariis Magdeburgicis. Happel. relat. curiof. P. 1. p. 141. feqq. Hæmoptoë persistente fluxu menstruo. Hagendorn. cent. 1, hist. 93. 3051.02 p. 134

Hemoptoë in gravida innoxia. ibid. cent. 2. hift. 95. p. 274 Hæmeptycus ex sensu titillationis præsagiens instantem Hæmoptysin.

Rhed. c. 2. obf. 34. A. N. C. Dec. 1. 20. 10. obf. 27

Hamoptyfis. Diemerbr. obf. 41. & 56

graviditatis fignum. A. N. C. cent. 1. obf. 114

periodica a retentione menfium. Lentil. Mifc. Mcd. p. 118

periodica plurium annorum. A. N. C. Dec. 3. ao. 5. 6. obf. 24

periodica fine Febre. Rhod. cent. 2. obf. 34

periodica menstrua cum infussicienti mensium fluxu succedens, A. N. C. Dec. 1. ao. 10. obf. 27

ex haufta hirudine. Zac. Luf. M. P. H. L. II. hift. 9. p. 182

B. W. C.

ab hirudine infcie deglutita. Bor. c. 1. obf. 24 :

fine tuffi. Rhod. c. 2. obf. 32. 33. A. N. C. Dec. 1. 20. 2. obf. 45. cent. & obf. 33

vera absque tuffi. A. N. C. cent. 7. p. 305 rara. Bor. cap. 1. obf. 24. c. 2. obf. 35

ex compressione thoracis. Plater. obf. L. III. p. 737

ab alapa. Frank. p. 523

athles

Hæ-

COT DHUE?

Hamoptyles ex percussione calcibus equi facta. Plater. obf. L.III. p. 737. lethalis ex ictero nigro. A. N. C. cent. I. p. 199. app. ex terrore & imaginatione. A. N. C. Dec. 2. ao. 4. obf. 45 poft congretfum. Plater. obf. L. III. p. 738 poft febrem. ibid. p. 745 metus phtifeos. ibid. p. 745.746 Hamopty/is in gravida A.N. C.cent. 1. p. 235 menstrua in gravida. A. N. C. cent. 9. p. 325 periculum emefi declinatum. A. N. C. cent. 5. p. 312 a fanato pedis ulcere Rhod.c. 1. obl. 35 ex menfibus fuppreffis. Salmuth. c. 62. obf. 18. A. Berol. Vol. 4. ex Hæmorrhoidibus fuppreffis. A. Berol. Vol. 4 cum titillatione prægrefla. Salmuth. cent. 3. obf. 43 Hamoptyfeos caufa Blegny. Zod. gall. ao. 1682. Mart. obf. 6 remedium oleum Lini. A. N.C. Dec. 1. ao. 7. obl. 209 prænuntius titillatio in afpera arteria. Salmuth. c. 3. obf. 43 Hamopry/i Sem. Hyofc. proficuum. A. N. C. Dec. 1. 20.3. obf. 21. p. 34 Hamopty/in febris acuta infecuta. Barth. A.H. V. 2.obf. 7. in Hamoptyfi utilitas V. Sionis revulforiæ. Zac. Luf. M. P. H. Lib. II. hift. 7. p. 176 Hemorrhagiarum discrepantia quoad ætates. Hipp. Sect. 3. Aph. 27.29.30 Hæmorrhagia narium Diemerbr. obf. 11. & 62. it. Salmuth. cap. 2. obf. 20. Hild.c. 3. obf. 2 enormis Rhod. c. 1. obf. 90 ad vituli balatum & vituli confpectum excitata ibid. obf. 89 magna Hydrops curatus Hild. cent 1. obf. 50 exceffiva pulvere ex alumine & Laeca mufica curata A.N.C.Dec. 1.20.1.0bf.24. & 20. 10. obf. 151 fuppressa caussa caussi curabilis in Theologo Hannoverane Löbero coërcita fugillationum in capite caufa. Hach. Dec. 2. cap. 9 fubfistens caufa Arthriticorum moliminum. Act. Berol. Dec. 2. Vol. p.4I Ex Hæmorrhagia narium cohibita epilepsia Hagendorn. Cent. 1. hist.20. P-35 Hamorrhagia narium aqua simplici curata A. N. C. Dec. 2. 10. 10. obf.136 immersione in aquam frigidam in juvene curata. Hild. c.2. obf. 17 Hæn Aa 3

Hamorrhagia narium in fene octuagenario faluberrima A. N. C. Dec. 3. ao. 9. obf. 186 in sene quomodo cohibenda. Hild. c. 2. obs. 16 paroxyimi inftar recurrens. A. N. C. Dec. 3. ao. 7. obf. 217 artificialis per pennam inducta Zac. Lafat. M. P. H. L. I, hift: 10. p. 220 quomodo listenda. Hild. c. 2. obf. 15 vicaria per lacrymas fanguineas. Rejes. qu. 86.p. 1110. 1111. n. 4.5 Zac. Lusit. prax. adm. c. 1. obl. 50 cauterio in pede curatur. Zac. Lusit. P. A. L. 1. obf. 72 suppressa causia Apoplexia. Hild. c. 2. obf. 11 in infante 15 hebdomadum. A. N.C. Dec. 2. 20. 5. obf. 79 rad. Cich. d. 22. Iul. die Mar. Magd. intra 11. & 12. ore tacente effoffa, mitigata, ut amuleto. A.N.C.Dec.3.ao. 5. 6. obf. 86 cæcitatis caufa. Hild. c. 6. obf. 5 enormis, a ventofa regioni hepatis & nuchæ applicata, curata.A. N.C. Dec. 1. ao. 6. obl. 90 fuppressa morbillorum caussa Salmuth. c. 3. obf. 31 Nyctalopiam fequens. A. N.C. Dec. 1. ao. 3. obf. 243 fiftitur cum aceto rofaceo cum fucco urtica mixto, excepto naribus A. N. C. Dec. 1. ao. 4. p. 59. app. critica. Galen. L. de Prænot. Garm. M. M. L. 2. tit. 10. 9. 193 menstrua critica. A. N. C. Dec. 1. ao. 4. obf. 45 infignis cum aranea fympathetice curata Barth. A.H.V. 3. obf. 18 specifice fœniculata curant. Lentil. Iatr. p. 289 foeniculo moderata. A. N. C. Dec. 3. ao. 5. 6. obf. 85 ex Hæmorrhoidibus fubfiftentibus. Schenk. L. 3. Auicenna.lib. 3. Fen. 17. c. 3. Fromann. de Hæmorrhoid. P. 1. in obf. 10. p. 51 Hamorrhagia narium ex mictu cruento in tebre caufone fuppresso, lelis. Höechft. Dec. I. c. 3. in febre exanthematica. lethalis. ibid. c. 4 ex Lochiis fuppreffis. Salmuth. c. 1. obf. 89 in fæmina 59. annorum ex neglecta V. Sione. A. N. C. Dec. 1, ao. 10. obf. 90 exceffiua cachexiæ & mortis caufa. Hild. cent. 2. obf. 18 gingivarum & uteri cum petechiarum eruptione absque febre A. N. C. Dec. 3. ao. 9. obf. 108 in He-

are an appears a proper state the second state of the second state
in Hemorrhagia narium cucurbitularum applicatio noxia. Hild. c. 6.
obf. 13 Hamorrhagiam narium curat stercus fuillum calefactum, abdomini applicatum A. N. C. Dec 1. 2010. obf. 56
a Hamorrhagia narium suppressamors. A. N. C. Dec. 2. ao. 10. obf. 125
ex Hæmorrhagia narium fuppressa delirium. Gabelch cent 3. cur. 78
In Hæmorrbagia narium interna cerebri vafa aperiri affeveravit Schul- zius A. N. C. Dec. 1. ao. 4. obf. 45. & Slevogt. Difp. de dura Matre.
Hæmorrhagia uteri in gravidis A. N. C. cent. 1. obf. 146. it cent. 1. p. 303.
Solenand. Sect. 4. conf. 6
in gravida falvo fœtu. A. N.C. Dec. 3. ao. 3. obf 135
in septuagenaria falutaris. A. N. C. Dec. 2. ao. 8. obf. 47. & dec. 1. ao. 10. obf. 166
fuppressa caussa carcinomatis uteri. Barth. A. H. V. 5. obf.128
purgante curata. A. N. C. Dec. 2. ao. 9. obf. 126
cum bufone exficcato umbilico applicato curata. A. N. C. Dec.
1. ao. 10. obf. 166. p. 366
in recensnatis A.N.C. Dec. 2. ao. 10. obf. 84
in Puella recens nata. A. N. C. Cent. 9. p. 376
lethalis puellæ fexennis. A. N. C. cent. 7. p. 92
vehemens repressa. Blegny. Zod. gall.ao. 1681. Maj. obf. 3
ex Hæmorrhagia narium mors. Hagendorn. cent. 1. hift. 60. p. 92
ex Hamorrhagia narium tumor totius corporis. ibid. hift. 61. p. 94
Hemorrhagia uteri ferme incurabilis caufa excandescentiæ, tandem
fanguine excreto propinato curata. A. N. C. Dec. 3. ao. 9. obf. 215
Hæmorrhagia admiranda per penem. Hildan. c. 6. obf. 46. vid. Micrus
cruentus.
Hæmorrhagia uteri & mensium excedentium differentia. Lentil. Iatr.
The second se
per pudenda periculofa. Hild. cent. 6. obf. 47
Hæmorrhagiæ uteri emplaftrum. Zac. Luf. P.A.L. II. obf. 103
Hamorrhagia uteri empianti uni. Zac. Eag. 1.11. E. 11. Obi. 103
ab Hæmorrhagia uteri enormi gutta ferena. A. N. C. cent. 3. p. 428 Hæmorrhagia ex omnibus corporis excerniculis. Rejes qu. 86. p. 1114.
Hemorrhagia ex oninibus corporis excernicuis. Rejes qu. 60. p
Matth. de gradibus practicæ. P. I. c. 35. Alberti Med. und Phil. Odr.
p. 580. obf. 6. Casp. Wolffins de obf. propr. Schenk. L. 3. de venis &
languine obf.u
are and a substance and a consigning and one sound by He-
an fundamentarias v

Hamorrhagia univerfalis. A. N. C. cent. 9. p. 320. Plater, obf. L. III. p. 727 waria. ibid. p. 465 Fleenes diuturna ab hepate magno & purulento. ibid. p. 410 in mortuis, Garman. L. 2. c. 6. & 66 ets marking poftmortem enormis. Kornm. Mir. Mort. P. 4. C. 63 fpontanea interna & externa. A. N. C. Dec. 2. ao. 7. obf. 199 verbis curata. Bor. c. 1. obf. 94 in coitu Borell. c. 4. obf. 17 in variolis ex remedio calido expellente. A. N. C. Dec.2. ao. 4. obf.37 perpetua. Borell. c. 2. obl. 37. 87. annua mense Majo e regione hepatis. Fallop. de Vuln. C. 73 in vetula. Barth. c. 6. hift. 34 in gravida. ibid. c. 4. hift. 36 num cohibeatur a V. Sione. Blegny Zod.gall. ao. 1682. Mart. obf. 6 cum fomite, Sunder, cohibita. A. N. C. Dec. 2. ao. 2. obf. 35 per pulverem fympath.curata.ibid.ao. 4. obf. 55 omnis in febre causone magna lethalis eft. Hachft. Dec. I. p. II periculofiffima per vifum magice curata.A. N. C. cent. 1. obf. 25 lethalis ab afpectu ranæ. A. N. C. Dec.2.ao.6. obf, 28 lethalis in lienofo. A. N. C cent. 9. p. 445 a ferpentibus caufata. Garman. L. 2. tit. 6. §. 42. 43 largior e cavitate dentis maxillaris. A. N. C. Dec. 3. ao. 7. obf. 181 lethalis ex scarificatione. A.N.C. cent. 9. p. 13 lethalis gravidarum innoxia. ibid. p. 323. & 327 incompescibilis ex vulnusculis scarificatis. vid. Scarific. ex infolitis viis & locis. Rejes qu. 86. p. 1113. n. 9. & Garman. L. 2. tit. 6. 0. 50-55 ex oculis. Gabelch. cent. 4. cur. 42 ex oculis auribus & ore lethalis. A. N. C. cent. 5. p. 325 oris periodica. Boost. A. O. c. 7 gingivarum notabilis. A. N. C. cent. 5. p. 72 gingivarum magna, ibid. Dec. 1. ao. 2. obf. 48 post evulsum dentem & mors post subito repressam talem hæmorrhagiam. ibid. ao. 3. obf. 316. Plater. obf. L. III. p. 726. vid. Dens & Gingiva. ex dente evulfo, nuce juglande ad locum affectum applicata, curata. Ha-A. N. C. cent. 1. obf. 7

Tamorrhagia ex dente. Tulp. L. 1. c. 49. Salom. Alberti de Sud. fang. p.
17. Garm. M. Mort. L. 2. tit. § 52. Hachft. Dec. 8. c. 1. A. N. C.Dec.
1. ao. 10. obl. 51. Dec. 3. ao. 8. obl. 180
penis spontanea. A. N. C. Dec. 2. ao. 3. obs. 205
ex pene periculofa. ibid. cent. 9. p. 326
menstrua per talum in pede gravidæ. A. N. C. Dec.1. ao. 1. obf. 96
ex utero curata quomodo? Smet. Mifc. Lib. IV. Ep. 2.3
ex ano. A. N. C. cent. 7. p. 305. Smet. Lib. IV. Ep. 9
exfaucibus. A. N. C. Dec. 1. ao. 1. p. 93. 178 umbilici. A. N. C.Dec. 3 ao. 9. obf. 143. it. Barth. c. 4. hift. 97. Hild.
c. 3. obf. 37
aurium curata cum succo urtice. A. N. C. Dec. 2. ao. 3. obs. 54.
epidemica. A. N. C. cent. 1. p. 4. app.
fæminæ adulterii fuspectæ. Alberti Iurispr. Med. P. II. p. 150. Caf.
15. it. p. 152 Jose 200
violenta & enormis quomodo fedari debeat.'ibid. app. p.'49
Temorrhagie caufa. Blegny Zod. gall. a0. 1682. Mart. obf. 6
remedium eft fuccus expressive urticæ minoris paululum edulco-
ratus, Aqua Burfæpaftoris. A. N. C. cent. 1. p. 195. 196. app.
remedium per fanguinem humanum. A. N. C. Dec. 2. ao. 10. obf. 74.
ex dente evulso remedium. ibid. cent. 1. p. 45
magice curatæibid. p.48
per appensa naturalia cohibitæ. Garm. L. 2. tit. 7. §. 6
offeanimalis cuiusdam egregie & conftanter represse. Zac. Lus. M.
P. H. L. 1. hift. 22. p. 39. b. oppressio magica. Garman. L. 2. tit. 7. §. 5
in exanthematibus lethales. Hachft. Dec. 1. C. 8
Hemorrhagia ex amputatione manus fubito fedata. Plater. obf. L. III.
p. 557
ex lingua & digito ptæmorfis fedata. ibid. p. 725. & 726
Hamorrhagias curans mirum remedium. Barth. c. 1. obf. 95
fiftens flipticus liquor egregiæ virtutis. Barth. A. H. V. 2. obf. 41,133.
V. 3. obf. 2. & 45
fiftens mentha & urtica. Garm. L. 2. tit. 7. §. 7
tractandi imperita ratio. Alberti Iur. Med. P. 1. p. 356. §. 9
fiftentia superstitiofa. Barth. A. H. V. 2. p. 119.120
Intentia animalia. Garman. L. 2. tit. 7. S. 8-11
Bb He-

194	HA.
Hemorrhagias cur	antia fingularia. Barh. c. s. hift. 97
	res. Garm. L. 2. tit. 7. §. 3
	erreftris efficacia. Blegny Zod. gall. ao. 1679. Febr
obf. 6	New state to on the state of the formation of the state was
the second se	thritis. A. N.C. cent. 7. p. 100. Erato Ep. 236
fanguis non eft	nelancholicus. Frank. p.432-454
	exus cum vena splenica. Blasius ad Vesling. syntagm
p. 49. Frank.	
Hemorrhoidales a	nomalizin Principissa. Alberti Iurispr. Med. app.
p. 121. Caf. 22	HA TON AND THE AND THE OF STORE STORE THE PARTY AND THE PA
Hemorrhoidale chi	nomaliæ 2b usu vomitorii. ibid. P. II. p. 433. Caf. 39
it. p. 425. Cal	
Hemorrhaidalium	venarum descriptio. Frank. p. 442. 443
Hæmorrhoides. Fra	ank. diff. pecul.
Hemorrhoidarius	octennis. A. N. C. Dec. 3. ao. 4. obf. 5
Hemorrhoidesina	laciam fanant. Rhod. c. 2. obf. 72
Hemorrhoidesicte	erum folventes. Barth. A. H. V. 2. p. 138
Hemorrhoides her	reditariæ. Frank. p. 456
in puero fexent	ni. A. N. C. cent. 7. p. 307
in puero o, anno	orum. ibid. Dec. 2. 20. 9. obf. 124
in pueris, ibid, c	cent. 1. p. 202. app. Dec. 1. ao. 10. obf. 178. Frank. p.
ASO ASLAN	I. C. cent. 9. p. 205
mieris fluentes.	A. N. C. Dec. 2. ao. 4. obf. 97
cæcæ dolentes (cum vesicæ & uteri orificii dolore. Plater. obs. L. II.
p. 455	Last and the set of th
in puerulis inn	ocuis. A.N.C. Dec. 1. ao. 8. obf. 22
endemiæ. Fran	
in faminis A.N	C. cent. 1. p. 202. app. & Dec. 1. ao. 3. obf. 22. Frank.
p. 449. 450	Pr. 577
abufu chocolad	læ.ibid. p. 432. 453
in forminis Alb	erti Iur. Med. P. II. p. 493
in fæmina novil	unio, & menses plenilunio. A.N.C. Dec. 1. 10. 4.
obf. 281. vid.	Menfes.
in fæmina a pler	nilunio ad novilunium quotidianæ, & menses a no-
vilunio ad pl	enilunium quotidiani. Frank.p. 450. Alberti Iur. Med.
P. II. p. 494	A Strang Lugs Digitie Analy 3. H. C. LET 9.1
menfruz in fæ	minis loco menfium, Frank, p. 450
menter de mine	Hæ-
	- 110

Hemorrhoides menttrux in octuagenario. ibid. p. 451 menstrux per 40. annos. A. N. C. Dec. 2, ao. 3. obf. 108 menstruæibid. ao. 1. obf. 70. Dec. 1. ao. 2. obf. 192. ao. 10. obf. 134. ao 4. obf. 44. & Frankenau p. 456. Hagendorn cent. 2. hift. 34. p. 199. & menfes in gravida. A. N. C. Dec. 1. ao. 6. obf. 63 quomodo provocandæ. Gabelch. cent. 3. cur. 22 fanans unguentum. Blegny Zod. gall. ao. 1680. Iul. obf. II maximum cognationem habent cum affectu hypochondriaco. A.N. C. Dec. 1. ao. 3. obf. 22. p. 35 male curatæ in ulcus fiftulofum & epilepfiam lethalem mutatæ.A. N. C. Dec. 3. ao. 1. obf. 119 cæcæ ab arctiori constrictione thoracis. Frank. p. 218 per vomitum rejectæ. A. N. C. Dec. 3. ao. 4. obf. 102 oris. ibid. ao. 9. obf. 117 referatæ tollunt infignem dolorem dorfi in hypochondriaco. Salmuth. c. 1. obf. 46. Rejes qu. 73. p. 977. 980 tabis periculum declinant. Rhod. c. 2. obf. 9 hirudinibus, non scalpello aperiendæ.vid. Hirudines. Rejes qu. 73. p 977.980. Zac. Luf. P. A. L. 3. obf. 60. Brave Confult. Med. 10. §. 6 p. 330. Crato Conf. Med. 174. p. 494 grumolæ tollunt dolorem capitis ex obstructione hæmorrhoidum ortum. Salmuth. c. 1.obf. 73 hypochondriacis utilifimæ. Hæchft. p. 570 falutares. Barth. c. 6. hift. 41 long zvitatis caufa. difp. Alberti pecul. Sennert. Pr. Med. L. 3. p. 2.c. 13 Rollius, Fromman. difp. fupendæ & excedentes. Borell. c. 4. obf. 58. Frank. p. 437. 438 voluntariæ fluentes & retentæ. Panarol. Pentec. 2. obf. 47 cæcæcurantur. Blegny. Zod. gall.ao.1679. Mart. obf. 10 externæ fuppressæ Hemiplexiæ causa. A. Berol. Dec. 2. Vol. 1. p.29 ab ulu Tabaci. Frank. p. 432.453. criticæ. Frommann. de Hæmorrhoid. P. 1. probl. 2. p. 12. 19. Frank. p. 438. 439 vel suppressas vel nimium fluentes hydrops sequitur. Hachst. Dec. 2. p. 113. Rhod. c. 3. obf. 5 mucum albicantem quandoque excernunt. Hachft.Dec. 5. p.486 tollunt infaniam & Lycanthropiam. Zac. Lufu. P. A. L.1.obf. 51 Hæ-Bb 2

196	11110
Har	merrhoides veficæ.A. N. C. Dec. 3. ao. 9. obf. 119
n	nultis hypochondriacis confuetæ & proficuæ. ibid.Dec. 1. 20. 3. obf.
04 -	54. p. 79. 150
·E	Epilepfiæremedium. Rhod. c. 1. obf. 65
Hæ	morrhoidum circumspecta apertio cum scalpello. Frauk. p. 458-459
a	ffectus cum variis fymptomatibus. Solen. Sect. 4. Conf. 20
ç	ura per amuleta & figilla. Frank. p. 461. 463
P	per transplantationem.ibid. p. 464
, u	iftio periculofa. ibid. p. 464
d' d	olor fontanella curatur. Zac.Luf. P.A.L. 2. obf. 82
T	emedium. A. N. C. cent. 1. p. 265
d	oloris evporista. ibid. cent. 5. p. 62
f	luxus ichorofus. ibid. p. 150
100	dolor. Blegny Zod. gall. ao. 1679. Febr. obf. 5
C	lolor in fæmina.Bravo Confult. Med.X. p. 322
1	uppressionem medicam sequebantur quartana & mors. A. N. C.
	Dec. 1. ao. 3. obf. 331
0.2	Suppressio fiftulosa ulcera producit. Hild. c. 2. obf.75
1	luxus a prima juventute ad 80.90. annum durans. A. N. C. Dec.1.20.
mas	4. obf. 69
1	luxus mensibus suppressis superveniens bonus. Z.L.P.A.L.2.0bf.160
•	cum varicibus fociatæ auxilium contra maniam. Alberti Iurispr, Med.
19	P.II. p. 571
11.1	nexus cum Arthritide. vid. Arthritis. largus fluxus innoxius. Frank. p. 437
	Auxus quotidie ad libram fanguinis effundens falutaris. Panarolus
	Pentecofte 1. obl. 46
1	falubritas & infalubritas. Frank. p. 438. 439
-	Auxus ex arteriis fuppofitus a Frank.p.439-443
6.	apertio in scorbuto laudatur. Tim. a Güldenkl. L. 3. Cas. 34
	apertio per frictionem. Frank. p. 460
Alter	suppressione'saborans, talia pathemata expertus, qualia fæminæ
	menfium suppressione laborantes. Barth. A. H. V. 3. obs. 18
Dec	Auxus curatus vomitorio. A. N. C. Dec. 2. ao. 15. obf. 216
	cæcarum amuletum Fabaria. A. N.C. Dec. 1. ao. 2. obf. 195
	albus fluxus A. N. C. Dec. 1. ao. 1. obf. 75. Frank. p. 438
	fluentium & dolentium expertum remedium, A. N. C.cent.1.obf.131
STA	Hæ-

HE.

Heclas mons. Kornm. Mir. Mort. P. 2. c. 46. Ionft. Tavmatogr. Cl. 2. c. 2. Hapelii relat. curiof. P. 1. p. 126 Hectica. M. Donat. L. III. c. 14. vid. Febris Hectica. ex inflammationibus & absceffibus. Lent. latr. p. 390 febris, an contagiofa fit. Rejes qu. 69. p. 93. 934 cum urina bona. A. N. C. Dec. 3. ao. 9. obf. 83 ex intempeftivo Theriacæ ufu adaucta. Zac. Luf. M. P. H. L. 4. hift. 42. p. 740 Hectica cum febre putrida complicata. ibid. hift. 43. p. 741 an nulla alia præcedente febre invadere poffit. ibid. p. 742 diversimode curata. Zac. Luf. P. A.L. 3. obf. 35. 36. 37 ex fuperbia & dolo Medici lethalis vlolento modo. ibid. obf. 153 a fcirrhofitate pylori & pancreatis. A.N. C. cent. 7. p. 207 Hectica febris quid & quotuplex fit. Bravo P. III. difp. 3. Sect. I. refol. 2. p. 594. refol. 12. p. 608 febris utrum fit calor præternaturalis, habitualis, æqualis, ibid. refol. ·4. 5. 6. p. 596-598 febris utrum sit independens a causa. ibid. resol. 8. p. 601 Hectica febris caufa quid & quotuplex fit. ibid. Sect. 2. refol.1.p. 610 Hedica utrum possit incipere a causa pro catartica. ibid. refol. 3. p. 612 Hedice febris figna ibid. refol. 4. p. 613 cura dogmatica. ibid. refol. 2. Sect. 3. p. 618 in Hectica curatione aeris usus. ibid refol. 3. p. 618 curatione balneorum usus. ibid. refol. 4. p. 620 pro Heffice curanda inunctionum ufus. ibid. refol. 5 Hellicæ ventriculi cura. Zac. Luf. P. A. L. 2. obf, 5 Hecticus post verbera mortuus. Blegny Zod. gall. ao. 1679. Aug. obf. 4. Hellebori albi & nigri decoctio & infufio. Smet. Mifc. L. I. Ep. 9-12 Hellebori albi usus causa mortis. A. N. C. Dec. 1. ao. 2. obf. 182. Gabelch. cent. 2. Cur. 79 Hellehorus napellus innoxie comestus. Rejes qu. 63. p. 816 Helleborus fonticulo inditus caufa vomitus. Frank. p. 67 Helmontius refutatur, quia Anatomiam practicam improbaverit. Garm. L. 2. tit. 2. 5. 23. 24 Helmontii effatum, quod pauca medicum nobilitent. Becch, Ph. S.L.I. S. 5. C. I de Hel-

de Helmontii Theoria judicium. Beech. Ph. S. L. I. S. 4. C. I. p. 182. n. 8
de Helmontio judicium Wormii. Barth. cent. 1. Ep. 79. p. 331
Hemiplexia ex hæmorrhoidum externarum translatione. A. Berol.
Dec. 2. Vol. 1. p. 29
Hemiplexia ex usu repellentium in podagra. Hagendorn. cent. 1. hift.
28. p: 50 anon sangur fastgore bal
Hemicrania. Gabelch. cent. 2. cur. 90. cent. 4. cur. 52. Plater. obf. L.II.
p.344.00 . Bollinks mot relation and the
periodica. Lent. Iatr. p. 293. A. N. C. Dec. 1. ao. 1. obf. 51
lethalis. A. N. C. cent. 9. p. 429
cum dentium dolore. Plater. obf. L. II. p. 348.
cum ophthalmia. ibid. p. 348
Hemicrania ex aphonia Hagendorn. cent.1. hift. 39. p. 67
Hemicrania cum lacrymarum fluxu. A. N. C. cent. 5. p. 321
chronica curata, ibid.cent. 7.p. 71
diuturna fanguinis per alvum prolutione, it. dentium extractione cu-
rata. Hild. cent. 2. obf. 9. 10
fingulis diebus paroxizans. A. N. C. Dec. 2. ao. 9. obf. 141
Henoch vivus in Paradifum translatus, an capillos & ungves fibi refecet.
Garman. L.1. tit. 10 §. 1
Hepatica medicamenta quotuplicia? Smet. Mifc. L. 2. c. 26-30.
Hepar vasculosum esse corpus vid. Ruischius in thesaur. anat.& de Iussient
de naturali fecretione bilis in jecore. p. 2
Hepar magnum libras 14. A. N. C. Dec. I. ao. 7. obl. 219
libras 18. ibid. ao. 10. obf. 139
in gallina.ibid. Dec. z. ao. 1. obf. 16
ibid. ao. 2. obf. 15. & cent. 9. p. 58. 323. 410.
in puella duorum annorum.ibid. Dec. 2. ao. 2. obf. 71
& lien exceffiux magnitudinis. Hild. c. 2. obf. 45
maximum Salmuth. c. 1. obf. 21. Lentil. Iatr. p. 566. A. N. C. Dec. 1. 20.
1. p. 14. ao. 10. obf. 178. cent. 1. p. 194. app.
eft glandula conglomerata. Frank. bon. nov. anat §. 10
non eft venarum principium. Franckenau.Sat. 2. p.28
vomitu rejectum Salmuth. c. 1. obf. 27
ut organon sanguificationis redivivum. Barth. cent. 3. ep. 1
an post mortem se movere possit. Garmern. L. 2. tit. 5. §. 30
coftis spuris & diaphragmati accretum. Barth. A. H. V. 4. p. 56.
Hepar

Hepar in hydrope	injuste inculpatum. A. N. C. Dec. 3. ao. 7. 06, 186
ver.ninofum in	injuste inculpatum. A. N. C. Dec. 3. ao. 7. 06, 186 ovibus ibid. Dec. 1. ao. 7. obf. 188

defunctum. Barth. cent. 3. ep. 31

Hepatis Vulnera an & quæ lethali vel illethalia, Alberti Iur. Med. P. 1. p. lemploxia en ulu repellentitum in produ 336. 5.59

Hepatis vulnus non per se, sed propter purpuræ concursum lethale. ibid. P. II. p. 367. caf. 21

& Renum calor cum Ventriculi frigore. Solen. Sect. 1. conf. 11. Sect. 3. T. D. 293. A. . (allechad 5 conf. 23.

Hepatis scirrhus num ab ejus inflammatione oriri possit. Zac. Lusit. M. P. H. L. 2. hift. 105 p. 372

durities scirrhosa cum ventriculo duro ad tactum renitente. Solen. Sect. I. conf. 13

fcirrhus curatur. Zac. Luf. P. A. L. 2. obf. 48

ardor curatur. ibid. p. 47 notaulorg muyls and stranged serurab

intemperies Hydropem minans cum confilio. Solen. Sect. 3. conf. 2 lobus ventriculum perforatum ingreffus. A. N. C. cent. 3. p. 26 abfceffus per urinam & alvum ex cretus. Salmuth. c. 1. obf. 28 debilitas unde cognoscatur. Zac. Lusit. M. P. H. L. 2. hift. 106 dolor fanatus ungvento ex oleo nucum & de vitello ovorum facto ibid. hift. 107 p. 374 Manual M. Div augros alla muto uster and

inflammatio ab applicatione remediorum calidorum circa os ventriculi, & cucurbitularum ad Hepatis regionem Hildan. cent. 2.

obf. 46. 47. 48

defectum mafia carnea fupplet. Zac. Laf. P. A. L. 2. obf. 45 & Lionis obstructio Solen. Sect. 1. conf. 12.13

intemperies causa scabiei & atrophiæ. Solen. Sect. 3. conf. 1. & 20 frusta per vomitum rejici non possunt Höechst. Dec. 2. p. 163-165 defectus. Frankenau. p. 101-103 BIAKI CALL ALTANAL C. L. O. O. S. S.

affectus grauis, & fubinde recidivans Icterus, cum confilio. Solenand. Sect. 3. conf. 8 11 Monthed Ameri

vulnus lethale. vid vulnus. epitaphium. Barth. cent. 3. ep. 33

officium colatorium. ibid. ep. 34

& ventriculi calidior dycrafia cum aliis fymptomatibus. Gabelch.cent.

11-X1227011

- HE. 201
Hepatis aposteina curatum. A.N. C. cent. 9. p.416
vulnus curatum ibid. p. 339
Hepatice maculæ. ibid. cent. r. obf. 93. p. 181
Hepaticus fluxus Rovell ex obl oo
Hepaticus fluxus. Borell. c. 1. obf. 99
curatus cum aqua Cichorii. A. N. C. Dec. 2. ao. 9. obf. 47
Hepaticus fluxus chronicus, ibid. obf. 140.
Hepaticus fluxus cum dysenteria lethalis. Plater. obf.L. 3. p. 822. 826
Hepar anferum ampliatur. fi ficubus & lacte multum laginantur. Nonni- us de re cibaria lib. 2
Herbe metallliferæ. Becch. Ph. S. L. I. S. IV. c. 6. p. 254
quibus virtutes prodigios & fabulos adscribuntur Rejes. qv. 27.
P. 33I
Hermaphroditus vid. Androg ynus. Barth. c. 2. hift. 57. A. H. V.4. obf. 79.
A.N. C. Dec. 1. 20. 8. obf. 8. Dec. 3. obf. 167. 168. Kornm. mir. viv.
pop. 400 .q. bidi annali lina nu la han muli lina il il
putatus ob scrotum illius pudendum muliebre nonnihil repræsen-
tans. Plater. obf. L.III.p. 550
fine cute. ibid. hift. 12
quisfuit? Simon. imp. conj. c. 4. th. 2. n. 1
fingularis. A.N. C. cent. 3. p. 305
puerpera. ibid. Dec. 2. ao. 10. obf. 55
agnus. ibid. Dec. 3. ao. 9. obf. 252
for imprograme Frankonan Satur p an at Afantati de company
fe imprægnans. Frankenaù. Satyr. p. 20. 21. Afaytati de conceptu Androgyneo. c. 2.
Hermaphroditi. Alberti Iurispr. Med. P. 1. c. 2. p. 50-54
Hermaphroditi cura. Borell. c. 1, obf. 100
an dentur Rejes qv. 48. p. 590. 592. 593
unde dicantur. ibid.
inter Romanos & Ethnicos prodigiofi & enecati, Simon. c. 4. th. 2.
n. 5-7. Rejes. qv. 48. p. 591. 592
debilioris membri usum adjuvare debent. Simon. c. 4. th 2. n. 9
debiliori membro utentes Sodomiam committunt. ibid.
quibus signis prævaleus sexus dignosci possit. Alberti Iur. Med. P. r.
p. 52. § 33
quomodo baptizandi. ibid. p. 53. §. 34 do g. a. Auf and
intpectio. ibid. P. 1. p. 372. §. 5
Lc Her-

202 Hermaphroditi a medicis infpiciendi & dijudicandi funt, alias ad matrimonium non admittendi. Simon. Imp. conj. c. 4. th. 2. n. 10--13 an commiffarios agere & ad feudum admitti debeant. n. 14-16 æquali gradu duplici fexu pollentes an dentur, & quomodo confiderandi. ibid. n. 17-25 nullo membro habiles, funt inepti ad matrimonium. ibid. n. 26 funt, qui naturalem fexum mutarunt, ibid. th. 3. n. 1--67 inter bruta. Rejes qu. 48. p. 592 funt monstra ibid. p. 593 historia. A. N. C.-cent. I. p. 205. Blegny Zod.'gall. ao. 1679. Aug. obi. 8 Hermaphroditorum species. Simon. c. 4. th. 2. n. 2 caufæ diverfæ. Rejes qu. 48. p. 594 differentiæ quatuor. ibid. p. 599 de Hermaphroditorum legibus qui ICti fcripferunt. ibid. p. 602. 604 Hermaphroditica. A. N. C. Dec. 1. ao. 2. obf. 203 Hermaphroditicus hoedus. ibid. cent. I. p 235 Research Princes Hermaphroditum primum fuisse hominem credidit Plato. Simon. Imp. conj.c.4. th.2. n. 34. Alberti Iur. Med.P. 1. p. 50. 5. 31 Hernia periculofiffima cum clysteris rejectione per vomitum, Hildan, cent.6. obl.70 in Hernia fcrotali' clyfterum præftantia. Hild. cent. 6. obf. 173. p. 595 Herniæ intestinalis curatio. Hildan. c. 6. obf. 73 Herniæ inteftinalis fymptomata graviffima. Hildan. cent. 6. obf. 71. vid. Enterocele. Herniæ cura per castrationem infelicisfima. Hildan. cent. 6. obf. 72 Herniæ ejusque curæ & deligationum apparatus descriptio. Solenand. Sect. 4. Conf. 13. Hernia intestinalis. A.N.C.cent. 3. p. 10. per fympathiam curata. Diemertr. obf. 39. vide Sympathia & Transplantatio. Hernia umbilicalis. vid. Omphalocele. per tiliam fillam fanata. Barth. A. H. V. 2. obf. 61 gravillima in fene. Hild. cent. 6. obf. 69 poft Colicam. Barth. c. 6. hift. 70 in sene curata. Hild. c. 5. obf. 54 er-Hectio. Ibid. F. u. p. 371. 5 5

00

Hernia monstrosa magnitudinis. A. N. C. cent. 7. p. 307
fcrutalis an impotentiam faciat. Albertilur. Med. P. I. p. 43. § . 28. vid.
Enterocele.
ex Hernia sphacelus curatur. Hildan. cent. 1. obf. 55
Hornie inguinalis confilium. Solenand. Sect. 4. Conf.r4
Herniainguinalis cumgangræna. Diemerhr. obf. 66. Plater. obf. L. III. p.710
diaphragmatis. A. N. C. Dec. 3. ao. 2. obf. 124
cariofa quare utplurimum in dextrolatere oriatur. Hildan. cent.4.
obf. 64
uterina graviditatis tantum tempore manifesta lethalis. Blegny Zod.
gall. ao. 1681. Apr. obf. 2
rara ibid. ao. 1679. Febr. obf. 1
oculi. Plater. obf. L. III. p. 719
Herniæ transplantatio. A. N.C. Dec. 1. ao. 4. obl. 102vid. Symp.& Transpl.
nova species. Hist. Acad. Reg. Scient. ao. 1700. p. 465
carnofæ imprudens sectio in sene. A.N. C.cent. 7. p. 48
umbilicalis cura fympathetica. ibid. p. 94
aquosæ sectionem mors secuta. Hildan. c. 4. obs. 68
aquosæ felicissima it. periculosa sectio. Hild. c. 4. obs. 66. 67
hæreditariæ. A. N. C. cent. 5. p. 171
Hernia cum colico dolore, it. in Hydrope. Plater. obf. L. 3. p. 714
Herniarum ars curatrix. Blegny Zod. gall. ao. 1679. p. 185. feqq.
Herniam intestinalem signa quædam antecedentia. A. N. C. Dec. 3.40.
9. obf. 1501, o Mend 12 and a state of the s
Herniosi an torquendi.' Alberti Iur. Med. P. I. p. 238. §.7
ad Herniam Emplastrum. Blegny Zod. gall. 20.1681. Aug. obf. 5. 20.1679.
Nov.obf. 10
Herniotomia inepta ischuriam causatur. Hild. c. s. obs. 61
Herophylus bonus anatomicus. Frank. p. 608. 609
ad Herpetem in capite confilium. Solen. Sect. 2. Conf. 2
ad Herpeten miliarem succus tabaci cum unguento rosato alb. Campla.
A. N. C. Dec. 1. ao. 4. app. p. 23
Herpetis varix species. Plater. obf. L. II. p. 510514
HI. HI.
Hippocrates an librum de septimanis scripferit. Rejes qu. 71.p. 954
Hippocratica pietas, Linden. Sel. Med. exemp. 3
Cc 2 Hip-

204 Hippocratis laudes. Rejes qu. 4. p. 69. leqq. fcripta multa Polybii effe qui afferant. Rejes qu. 51. p. 658 Empiria. A. N. C. cent. 3. p. 250 Natura morborum medicatrix. Smet. Mifc. Lib. IV. Ep. 4. 8. Lib. in all contribution and MUD EXCHINE TO SARATSE vindiciæ. Barth. cent. 3. Ep. 96 divinitas Medicorum. A. N. C. cent. 3. p. 178 purgatio moralis. ibid. p. 167 Hippocraticarum veritatum commendatio. Garm. M.M.p. 189 Hippomane. A. N. C. Dec. 1. 20. 8. obf. 57. Dec.2. 20. 8. obf. 31. cent. I. p. 193. app. Hippocacoannæ virtus antidysenterica. A. N.C. Dec. 2. ao. 10. obf. 115 Hippopotami dens an ab extra applicatus hæmorrhagias fiftat, Garman, L. 2. tit. 7. S. 10. 11 . 100. 4 . OF A . DOC . D. A. B. OLIDER SICEPETS SMETH de Hippopodibus hominibus. Kornman. mir. viv. p. 161. feq. Hircorum foetor. Garm. L. 2. §.8 Hircum mulgere, & cafeus hircinus, A. N. C. Dec, 2, ao. 8. obf. 41 Hircus lactans. Frank. p. 253 在自动时间,其18(20)。在10),在10)的时间,如此10 monstrofus. Borell. c. 4. obf. 20 Hircini fanguinis vis lithontriptica. Smet. Mifc. L. 2. c. 44 Hirfuta puella. Barth. cent. 2. Ep. 83 Hirfuti toto corpore. Garman. p. 34. §. 50-51. Plater. obf. L. III. p. 553. toons intelligible light quertant antecedoui vid. Pilofus. Hirfutus & rugofus infans. Barth. c. 3. hift. 18. Borell. c. 1. obf. 10. Barth. A. H. V. s. obf. 103. Lent. latr. p. 196--202 Hirudo in aure. Barth. c. 4. hift. 74 in faucibus. Borell. c. I. obl. 24 auribus admota corporis tumorem excitat. Rhod. c. 1. obf. 86 nafum penetrans lethalis. Zac. Luf. P. A.L. 3. obf. 62 per anum ingrediens semimortua extracta. ibid. obs. 61 Hirudines enecant puellam. A. N.C.Dec. 2. ao. 2. obf. 142 quem præcipue fanguinem libentius fugant. Barth. A. H. V. 3. Herpetis variation in the Content of the Priver S obf. 73 curant epilepfiam a suppressis hæmorrhoidibus ortam. Zac. Luf. P. Hippuerates an ubrium de leptimanis for pleas, key A. obf. 28.L. I diu confervandi artificium. Zac. Luf. P. A. L. 3. obf. 64 Hi-

WHI. H 205
Hirudines pone aures applicata oculorum affectibus medentur. Zac-
Luf. M. P. H. L. I. hift. 4. p. 6. a.
furis atfixæ capitis morbos juuant. ibid.
in uteri affectibus falutares.ibid.
ano applicatæ medentur affectibus abdominis ob V. P. divaricatio-
nem ibid. p. 6. b.
curant Melancholiam. ibid. p. 6. 7. b. a.
internæ uteri parti applicatæ curant Epilepfiam ex retentis lochiis
ortam. Zac. Laf. P. A. obf. 26.L. 1
Hirudinum usus in dolore temporum. Zac. Luf. P.A.L.1. obf. 9.
in arthritide. Gabelch. cent. 4. cur. 32
ufus. Tulp. L. 4. c. 14 de louge zaigenter de sus mide du sei anna le
usin cephal. Dec. 1. ao. 6. obf. 9
in hæmorrhoidibus. Borell. c. 1. obf. 63. Frank. p. 459. 460. &
Zac. Luf. P. A.L. 3. obf. 60. vid. Hæmorrh.
usus in Melancholia hypochondriaca. Tim. a Guldenk. L. 1. Caf. 10
historia. A. N. C. cent. 7. p. 338
deglutitarum cura. ibid. p. 60
multarum simultanea applicatio causa hæmorrhagiæ ingentis &
mortis. Barth. A. H. V. 2. obf. 126
Hirudinum ufus in variis morbis. A. N. C. Dec. 2. 20. 4. obf. 23. 24
usui remedium, ut emineant venzinternz ani Zac. Lusit. P.A.L.
2. obf. 83
us in affectibus variis spasticis approbatur. Zac. I ust. M. P. H. L. 1. hift. 4. p. 5. a. ut & in multis aliis affectibus a langvinis commo-
tione profectis.
modus applicandarum. Fromannus de Hæmorrh. P. 2. Probl. 27
in Hirudinibus applicandis cautio. Zac. Luf. P. A. L.3. obf. 63
Hirundinis morfus noxius. A. N.C. Dec. 2. ao. 4. obf. 23. 24
Hirundo alba. ibid. Dec. 3. ao. 1. obf. 58 mais and 100. on one Hi-
Hirundines ubi hyeme degant. Frankenau. Sat. p.2. 30-33
de Histrione.Kornman. Mir.viv. p. 257
HO. 2. du a mam a bionora
Homicidii Infpectio legalis. Alberti Iur. Med. P. r. p. 378. S. H. fega.
Homicidium per Venena. Alberti Iurispr. Med. P. 1. c. 13. p. 246.270
malitiolum per manum & inftrumenta, ibid. c. 14. p. 275
artificioium five medicum. ibid. c. 15. p. 350-361
Cc 3 Ho-

200
Hamicidium cafuale quid ICtis. ibid. P. 1. p. 297. §. 26
De jure Principis Chriftiani aggratiandi circa
Homicidium negato. Difp. D. D. Rechenberch. & M. Petri.
per plagas dubium. Alberti. Iur, Med. app. p. 39. Caf. 9
oin animo dolofum. ibid. P. 1. p. 411. fuppl.
Homo muscofus. Borell. c. 1. obf. 1
cur statim ploret, ac nascitur. Rejes. qv. 46. p. 684. 685. vid. Ejulatus.
a nativitate ægrotat. ibid. qv. 99. p. 1228. n. 2
Hominis ortus mifer & vilis Rejes. qv. 99. p. 1228. n. 2
naturalis infirmitas eleganter descripta ibid. p. 1234. n. 3
Hominis partes tres, corpus, anima & spiritus. Wiedeburgi Diff.
Hominis lecundum autores multiplex appellatio. Rejes. qv. 100. p. 1239
Homines Sylvestres humanis actionibus desuefacti, quia inter bruta
conuerfabantur. Garman. p. 35-37
Paracelsus cum calore fimi equini parare voluit. Frankenau Satyr. p.
2.34.35. Cardan. de fenfu rerum & magia Lib. 4. append. ad. c. 19. p. 217.
feq. Paracelf. lib.1. de nat. rerum lib. de generat. nat. lib.3. de vit. long.
Hominum proprietas. Borell. c. 2. obf. 90.1.3. obf. 6
Homunculus in ventriculo lucii. A.N.C. Dec. 2. ao. 4. obf. 3
Homoplatæ & scapularum dolor in lue venerea. Plater.obs. L.II. p. 478
Hordeivires. Borell. c. 4. obf. 89
Horologium. Becch. Ph. S. L. 1. S. VI. c. 8. p. 716
Horripilatoria febris. Zac. Luf. P. A. L. 3. obf. 19
ex Horrore mortua puella. A. N. C. Dec. 3. ao. 3. obl. 29
Horrores cum lassitudine totius corporis & appetitu rerum frigidarum
Gabelchov. cent. 6. cur. 103
Hostes duo intestini vite nostre nobiscum nati, calor nativus & sangvis.
Smet. Mifc. LXI. Ep. 2. p. 593
HU.
Humana caro, osla, fangvis, an pro cibo infetviant. Garman. Lib. 2. tit.
2. § 67-70
offa ad ulcera, dyfenteriam, colicos dolores & pediculos fugandos
proficua. Garman. p. 116. §. 181-185
figura in ovo gallinaceo. Blegny Zod. gall, ao. 1681. fept. obf. 1
Humanæ salivæ virtus medica. Iohrenii Disp. de Christo Medico. cap. 2.
s.10
-amuHeroum.ibid. Cis pass-366

Humanæ cutis præparatio. Barthol. c.3. hift. 87. vid. corium. it. Garmama. Mir. Mort. L. 3. tit. 2. §. 136 Humani fanguinis vfus. vid. Sangvis. Humani cadaveris partium usus magicus. Garman. Mir. Mort. p. 122. legg. Humeriluxati reftitutio. Blegny. Zod. gall. ao. 1679. oct.obf.7 offis rara fractura. A. N. C. Dec. 3. ao. 9. obf. 175 offis & radii fiffura. Alberti Iur. Med. P. 11. p. 596. Humidum radicale utrum aliud fit a calido innato. BravoP.1. Difp. 7. Sect. 2.Refol. 1. p. 219 bri, hepatis ac nervorum + 1: Humidum radicale qvid fit. ibid. Refol. 2. p. 220 Humidum radicale utrum fit pabulum calidi innati? ibid. Refol.3. p. 220 radicale propter quid fit. ibid. Refol. 4.p 222 de Humoribus Bravo. P. I. difp. V. Sect. I. Refol. I-II. p. 139. 159. Smet. Mifc. L. VII. Ep. 5 Humores oculi effusos instaurandi artificium. Blegny. Zod. gall. ao. 1682. Apr.obf.9.vid.Oculus. Humores omnes quatuor utrum generentur ex chylo immediate. Bravo. P. I. Difp. 5. Sect. I. Refol. 5. p. 146 Humerum putredo utrum fit poffibilis. Bravo. P. 3. Difp. 6. Sect. 2. refol. 1. p. 648 (195.) munchonec TT THIS COPPORTS Humoralis febris utrumdetur. ibid. Sect. 3. refol. 1. p. 660 febris utrum ratione putredinis valeat fieri. ibid. refol. 2. p. 663 febris utrum ab uno humore valeat oriri. ibid. refol. 3. p. 664. quotuplex fit. ibid. refol. 5. p. 668 putridæ febris figna. ibid. refol. 8. p. 671 Humores corporis utrum omnes vi jecoris fiant. ib.difp. 5.S. Ref. 6.p. 150 Humor quilibet utrum sit propter nutritionem partium nostri corpo. risibid. Refol 9. 156 Humorum neceffitas. Smet. Mifc. L. VII. Ep. 6. L. VIII. Ep. 2.3-Humorum. putredo. ibid. Ep. 7 Hungaricum morbum qui selectiores autores descripserint. A. N. C. Dec. 1. au. 3. p. 228: Hungarica Febris. vid. Febris. Charcobobia vidi suiam Babie Hunnorum ortus. Kornman.mir.viv.p. 184 -alen ovin meruent, ibid, p. 810, En L. mil. Inr. p. 40. 41.

Hid HY davab. oirequaratio. Bareb XH hit. Hydatides abdominis lapfu ruptæ & curatæ. A. N. C. Dec. 1.ao. To. obf. 17 in venis ibid. Dec. 2. ao. 7. obf. 206. duæ utero adnatæ. Blegny. Zod, gall. ao. 1682. Mart. obf. 10 ATT LINE OTHER ATTACK Hydatidum partus A. N. C. cent. 9. p. 164. 193 Hydrargyri vires. Smet. Mifc. L.2. c. 64. vide Mercurius. Hydrargyri ufus in volvulo desperato. Zac. Lust. P. A. L. 2. obf. 35 illitus mortem ducit. ibid. L. 3. obf. 89 osils of radin taking . All osei virulentia dentes vacillare, offa putrescere, ftrumas & tubera nasci: Cerebri, hepatis ac nervorum vires vitiari: apoplexiam & paralyfin folo ejus vapore excitari, Langius. L. I. ep. 43. p. 221 in aqua coctio. A. N. C. cent. 7. p. 30 Hydrocele cauterio curata. Rhod. c. 3. obf. 38 fiphonecuratur. Zac. Luf. P. A. L. 2. obf. 84. Hydrocephalica puella anatome. A. N. C. cent. 9. p. 407 Hydrocephalus. Hildan, c. 4. obf. 10 Hydrocephalus viginti quatuor annorum. A.N. C. cent. 1. obf. 29. p. 90 exinfigniafthmate, tuffi & macie. Gabelch. cent. I. cur. 70 artificiofus. Hildan. cent. 3. obf. 18 Hydrophali periculofa apertio. Hild. cent. 3. obf. 17 1 ober 18 1911 Hydrocephalus ex inunctione capitis arfenicali. A. N. C. cent. 1. p. 323 in viro, cujus caput magnitudine bovinum æqvabat, curatur. ibid. monftrofus, Hildanus, cent. 1. obf. 10. cent. 3. obf. 19 infignis. A. N. C. Dec. 3. ao. 9. obf. 111. Barth. c. 1. hift. 28. Tupl. L. I. c. quality in the selon ap 24. Borell. c. obf. 38 dimidiati capitis Tupl. L. I. C. 25 -8 . lolar . budi . angil sindal abirturg in infante recens nato curatur. A. N. C. Dec. 3. ao. 9. obf. 181 ex maginatione matris in vtero contractus. Hildan. cent. 5.obf. 3 Hydrometrica instrumenta qui autores descripserint. Garman. L. 2. tit. 3. S. 7. Job. Tholdenus P. 2. Haligraph. p.76. Aug. Hauptmann. von Molckensteinischen Rad c. 3. p. 26. D. Carl. Aug. Schefer. Galts. Drobe. Kircher. Mund. fubterr. L. 5. Sect. 2. c. 5. p. 275. Sect. 4. c. z. p. 298 Hydrophobia. vid. etiam Rabies. CAN BERRAR OF THE Hydrophobi an in aqua catulos confpiciant. Rejes. qv. 62. p. 810-814.

cur aqvam metuant. ibid. p. 810. 811. Lentil. Iatr. p. 40, 41.

Hydrophobia a caufa interna. A. N. C. cent. 3. p. 112.
per contagium communicata. Rejes, qv. 61. p. 800. feqq. per diftan-
tias id fieri, qui differant. p. 803
mira affectio. M. Donat. L. VI. c. I
Tulp. L. I. c. 20. Lent. latr. p. 27. A. N. C. Dec. 1. ao. 6. obf. 147. Plater.
obf. L. 1. p. 83
felina, ultra annum occultata. A. N. C. Dec. 3. ao. 7. obf. 148
mente fana. Rhod. c. 1. obf. 46
fingularis. A. N. C. cent. 5. p. 51
contagiofa.ibid. cent. 7. p. 5. app.
fine prægreffo morfu canis aut animalis rabidi orta. Borel. c.3. obf. 38.
Salmuth. c. 2. obf. 52. Rejes. qv. 61. p. 797. 798
ex morbo cholerico. A.N.C. cent. 9. p. 171
Hydrophopia per multos annos occultata A. N.C. Dec. I. ao. 10. obf. 43
ex vehementi indignatione orta. ibid. Dec. 3. ao. 19. app. p. 249
Hydropbobiæ cura. Lent. latr. p. 47-49.54.55. A. N. C. Dec. 2. ao. 4. p. 79.
vid. Morfus.
contagium cur diu se occultet. Rejes qv. 61. p. 804
species in febre maligna. Salmuth. c. 2. obf. 52
Hydrophobiæ cura per hæmorrhoides. Zac. Luf. P. A. L. I. obl. SI
hiftoria. A. N. C. cent. 9. p. 86
exempla descripserunt. ibid. Dec. 1. ao. 6. obs. 147
Hydrodrophobici an in urina & vulneribus catelli observentur. Garman,
L.2. tit 10. §. 182-185. Rejes. qv. 62. p. 806. Borell. c. 1. obf. 28.38
pueri cafus A. N. C. cent. 7. p. 101
contagii subtilitas & potestas unde constet. Lent. Iatr. p. 39
Hydrophobicum contagium exarefacit humores & partes. Lent. latr. p. 40
Hydrophobicus affectus fine morfu canis aut animalis rabidi. A.N.C. Dec.
2. 20. 6. obf. 220. Borell. cent. 3. obf. 38. Salmuth. cent. 2. obf. 52. Re-
jes. qv. 61. p. 797. feq.
Hydropicæ umbilici punctio infeliciter fuccedens. Hildan. c. 4. obf. 42
Hydropica, expulsa per vulvam copiosa aqua, convaluit. Zac. lusit. M. P.
H.L.2. hift. 123. p. 405.
Hydropica tefticulum magnum pilis refertum gerit. Hild. c. s. obf. 48
foramine in pollice dextri pedis aperto excreta copiofa aqva, conva-
luit. ibid.
Dd Hydra

111.
Hydropica Afcitica, perforato naturæ vi umbilico, integre curata. Zac. Luf. M. P. H. L. 2. h. 123. p. 406 curata. Barth. c. 5. hift. 46
Hydropico-Tympaniticus affectus. Alberti Iur. Med. p. 188. Caf. 32
in Hydropicis scarificatio funesta. Hagendorn. cent. 2. hist. 20. p. 181
Hydropicus fibi indulgens, urina fua epota interiit. Zac. Luf. M. P.H. L.
2. hift. 125. p. 407
& Herniofus. Plater. obf. L. III p. 609
Hydropicus Medici pertinacia moritur. Zac. Luf. P. A obf. 140
Hydropico vesicatoria adtibias adhibita causa gangrænæ & mortis. Hil-
dan. cent. 1. obi. 49
infans ex mala diæta matris in lucem editus & feliciter curatus.A. N.
C. Dec. 3. a0. 9. obl. 167
in Hydrope vomitiones nigricantes. Hagend. cent. 2. hift. 16. p. 177
Hydropici paracentefis & anatome. A. N. C. Dec. 3. ao. 7. obf. 153
hepar scirrhofum. ibid. Dec. 2. ao. 1. obf. 2
Hydropicorum dyfpnœa. Plater. obf. L. III. p. 598. 615
Hydropicorum mira vivendi cupiditas. A. N. C. cent. 9. p. 397
Hydropifis ambulatoria. Hagendorn. cent. 2. hift. 14. p. 174 Hydrops Afcites curatus. A. N. C. cent. 1. p. 159. & 386. Plater. obf. L.
III. p. 594. 595
pectoris. A. N. C. cent. 1. p. 12. 98
per fomnum periodicum curatus. ibid. p. 147
tympanites cum ex spuitione nigra& dejectione. Plat. obf.L.III.p.617
tympanites A.N.C. cent. 1. p. 387. vid. Tympanites.
tympanites cum conuolvulo & verme. Plater. L. III. p. 616
cerebri. ibid. cent. 3. p. 30
pericardii. Hildan. cent. 1. obf. 43. A. N. C. cent. 3.p. 321
fcarificatione curatur. Zac. Luf. P. A. L. 2. obf. 54
aquis Spadanis curatur. ibid. obf. 55
ex Hydrope cæcitas. Hildan. cent. 1. obf. 50
Hydrops fyrupo de chalybe curatur. Zac. Luf. P. A. L. 2. obf. 56
per umbilicum evacuatus. Hildanus c.5. obf.47
per pudenda evacuatus. Hildanus cent. 1. obf. 48
fonticulo curatur Zac. Lus. P. A.L. 2. obf. 59 maxima hæmorrhagia narium curatur. Hildan. cent. 1. obf. 50
and the second
Hy-

Hydrops abstinentia ab aqua curatur. Zac. Luht. P. A.L. 2, obl. 60 tubæ uterinæ. Blegny Zod.gall. ao. 1680. Febr. obf. 12 num concitai possit suppressione vel evacuatione nimia.Zac.Lus.M.P. H. L. 2. hift. 116. p. 392 victu attenuante curatus. ibid. hift. 117. p. 394 per potus abstinentiam curatus. Hild. c. 4. obf. 41 V. Sione fæpe curatus. Zac. Luf. hift. 18. p. 397 ex frigido potu, fanatus diacurcuna. ibid. hift. 119. p. 399 Ascites a renibus perforatis, it. Hepate fisto. Plater. obs. L. III. p. 601--608 Hydrops in lethargum &c. mutatus. Hagendorn. cent. 2. hift. 17. p. 177 Hydrops laureola fanatus. Zac. Lufit. hift. 120. p. 400. ex orthopnœa. ibid. hift. 121. p. 401. feqq. cum dyfpnœa fumma. Plater. obf. L. III. p. 598 frigidis auxilius læpe-curatus. Z. L. hift. 122. p. 404 triplex. Smet. Mifc. L. VII. Ep. 3. 4 num ex causa calida per se oriri possit. Zac. Luf.hist. 122. p.404 thoracis (& pulmo confumtus) Salmuth. c. 1. obf. 13. Barth. c. 2. hift. 66. & 7. Tulp. L. 2. c 16. Barth. A. H. V. 2. obf. 118 Hydrops thoracis orthopnozam caufans. Tulp. lib. 2. cap. 44. A.N.C. Dec. 4. 20. 3. p. 243. Act. Berol. Dec. 7. Vol. 10. p. 26 pulmonum. M. Donat. L. 3. C. II diureticis curata. A. NC. cent. 9. p. 139 cum vesiculis mesenterii. Tulp. L. 2. c. 34 tympanitis cum afcite. Plater. obf. L. III. p. 612. 615 tympanitis, mictu cruento folutus. A. N. C. Dec. 3. ao. 7. obl. 173 post tertianam. ibid. Dec. 1. ao. 6. obf. 52 ex crebra V. Sione. ibid. Dec. 2. ao. 2. obf. 169 uteri. Tulp. L. 3. c. 32. A. N. C. cent. 5. p. 114 uteri, fætum comitans. Hildan. cent. 2, obl. 56 in cornibus uteri. Tulp. L. 4. c. 45 mirus. M. Donat. L. 4. 21 ovarii. A. N. C. cent. 7. p. 167 pulmonum cognitu difficilis. ibid. p. 405 urinæ potu curatus. Hild. c. 3. obl. 51 urina hirci curatus. A. N. C. Dec. 1. ao. 2. obf, 219 Dd 2 Dd Hy-

212	THI.
Hy	drops lethalis ex affumta nimia balfami fulphuris Therebinthinati
	quantitate. ibid. Dec. 3. ao. 9. obf. 5
	omnis hepatis labe innititur. Barth. A. H. V. 2. p. 298
0.5	jecore fano. Rhod. c. 3. obf. 4. Vater.
	anafarca curata. A. N. C. Dec. 3. ao. 9. obf. 24. vid. Anafarca.
	ascites cum ictero nigro. Plater. obs. L. III p. 615
	uteri tubarum. Blegny Zod. gall. ao. 1679. Iun. obf. 9
	afcites notandus. Borell. c. 1. obf. 70
. 77	ascites ob Hepatis & lienis vitium, fissuras & vesiculas. Plater. L. III.
	p. 595. 596 afcites, in quo viscerum vitia, cordis situs mutatus, & os in eo inven-
	The second se
	anafarca ex febre. Hæchst. Dec. 3. Caf. 1
	ex febre continua. Blegny. Zod. gall. 20. 1679. Aug. obf. 5
	unico purgante, temerarie licet exhibito, feliciter curatus. A. N. C.
	Dec. 3. ao. 9. obf. 41
	ab Epilepfia. Borell. c. 3. obf. 34
	ab Hæmorrhoidum fupprettione. Rhod. c. 3. obf. 5
.Itil	ex Caehexia. Lent. Iatr. p. 286
	potius purgantibus, quam fudoriferis curandus.A. N.C. Dec. 3. ao.
• 54 •	9. obf. 42
	pectoris. A. N.C. cent. 9. p. 307. Dec. 3. ao. 5. 6. obf. 154
	fudore genuum folutus. ibid. p. 379
	pectoris feliciter curatus. ibid.cent.1. obf. 3 fanatus. ibid. obf. 181. cent. 5. p. 16. 177. 260. 281
	Afcites vino abfinthico curatus. Rhod. c. 3. obf. 13. paracentefi eura-
273	tus. Rhod. c. 3. obf. 14. A. N. C. Dec. 1. ao. 7. obf. 220. p. 322. Dec.
	3. ao. 4. obf. 127
	uteri cafu curatus. A. N. C. Dec. 3. ao. 5. 6. obf. 57
1 stag	paracentefi abdominis dubie curatur. Tulp. L. 2. c. 38
s. 2	pulmonis fectione thoracis curatur. Zac. Lufit. P. A. L.I. obf. III
	pudendorum in gravidis. A. N. C. Dec. 1. ao. 3. obf. 256
	a quartana febre, & illius encomium. Lang. L. 1. ep. 48. p. 235
	lethalis in muliere gravida. Gabelchov. cent. 3. cur. 36
4	abdominis faccatus. A.N. C. Dec. 2. ao. 7. obf. 141
	nteritirermis curatus. ibid. Dec. 3. ao. 5.6. obf. 162
3.1	faccatus. ibid. Dec. 2. ao. 8. obf. 233 pectoris lethalis. ibid. Dec. 3. ao. 1, obf. 51 Pfende
	pectoris lethalis. 101d. Dec. 3. 20. 1, 001. 51 Pfende
	A CONTRACT OF A

ALL.
Pfeudo-Hydrops uteri curatur. Zac. Luf. P. A.L. 2. obf. 89
Hydrops afcites in gravida. Plater. obf. L. III. p. 597. 598
Hydrops fæminam in quocunque graviditatis tempore invadens.ibid.
p. 598
Hydrops Afcites deploratus. ibid. p. 599
Hydrops ascites, in quo aqua per vesicam in umbilico natam educta.
ibid. p. 611. 612
Hydropis afcitis confilium. Solen. Sect. 3. Conf. 21
Hydrops afcites, in quo aqua ex pedibus & fcroto fponte emanauit.
Plater.obf. L. III. p. 610
Hydropis species rara. Zac. Luf. P. A. L. 2. obf. 52. 64
cum cordis palpitatione confilium. Solen. Sect. 3. Conf. 9
emplastrum. ibid. obf. 53. A. N. C. Dec. 3. ao. 9. obf. 112
remedium expertum. Blegny. Zod. gall. ao. 1681. Jun. obf. 3
curam per scarificationem crurum suspectam declarat Rolfink. in
Meth. medend. vid. Bonet. Polyalt.
caufa particularis. Blegny Zod. gall. ao. 1682. Mart. obf. 5
cura per fonticulos it. per venæ sectionem. Hild. cent. 6. obf. 41. 42
principium. Gabelchov. cent. 3. cur. 76. Plater. obf.L. III. p. 593
cognitio & curatio. M. Donat. L. 2. C. 7
cura per transplantationem & ungues resectos fallax. Bonet. Polyalt.
L. 4. c. 47. p. 818
in viscerum corruptionem nondum trangressi evporiston absinth.c.
bacc.Iunip. in forma decocti. A. N. C. Dec. 1. ao. 10. obf. 18
uterini remedium. Blegny Zod.gall. ao. 1680. Febr. obf. 8
cura per vesicatoria anceps. Willif. Rolfink. Riverius, Wedel. Amœn.
p.gr
cura per abstinentiam a potu. Bohn. de off. Med. dupl. P. I. C. 7. p. 152.
Dodonaus obf. 116.117. Hollerius de morb. int. c. 36. 39. Hildanus
c.4. obf. 44. Panarolus pent. 4. obf. 88. Riverius II. pr. 6. & obf.
a locoz. comm. 21. Willif. phil. rat. p. 2. S. 1. c. 5. Sydenham. de hy-
drop. Lysther. de hydrop. xgr. 1.ac 17. Hanc curam per abstinenti-
am a potu Heraclius Ephefius primus & Riverius ordinarunt.
Hydropi Electuarium proficuum. Zac. Luf. P. A. L. 2. obf. 58
Hydropem minans Hepatis intemperies frigida, Solen, Sect. 3. Conf.2
Hydropi conducit Tabacus. Barth. c. 6. hift. 17
Dd 3 Hy-

214	HY.
OD	i communia Hydragoga draftica nocent. A.N.C. Dec. 3. 20.10. f. 18. p. 65
& fcr	ophulis Vincetoxicum proficuum. A. N. C. Dec. 1. ao. 1. obf.57
in Hydr hif	tope materia lebacea per vomitum rejecta. Hagendorn. cent. 2.
Hydrop 3.0	e & marcore puer correptus lactis ope curatur. Zac. Lus. P.A.L.
rubei	ope ruptio umbilici lethalis. Hagendorn. cent. 2. hift 11. p. 169 cens urina. Zac. Luf. P. A. L. 2. obf. 63
mem fumn	branæ &c. per alvum excretæ. Hagendorn. cent. 1. hift.12. p. 171 na cura adhibenda. Zac. Lul. P. A. L. 2. obf. 61
curan	ido fontanellæ mirabiles. Zac. Luf.M.P.H.L. 2. hift. 120. p. 407
Hymen	dari qui athrment, quique negent. Rejes qu. 29. D. 476-470
Hymen	an & quid lit. Alberti lur. Med. P. I p. 60. 8.3
an cer	rtum virginitatis fignum. ibid. P. 1. p. 6063. 9. 13. it. Suppl.
D	407
Sat	adeft in puellis, attamen non eft nota integritatis. Frankenan. .p. 17-20
memt	orana. Blegny. Zod. gall. ao. 1679. Apr. obf. 10
Hymene	illæfa, facta tamen imprægnatio Frankenau. Sat. p. 20. 21
Hymenis	anatomica descriptio & confervatio. ibid. 15. 16. 18
abien	tia frequens absqve defloratione. ibid. p. 16. 17
præle	ntia magis monftrofis concrementis annumeranda. ibid.
Tyorcya	mus an externo vfu inColica fpafmodica vtilis. Alberti Iur. Med.
Hunfour	p. 130
Hyofeya	mi comeftio loco Paftinacæ noxia. ibid. P. 1. p. 271. Caf. 1 mi vis. Borell. c. 4. obf. 45
	is efficacia. Salmuth. c. 2. obf. 88
	& virtutes. A. N. C. Dec. 1, ao. 3. obf. 21
	in hæmoptyfi utile, ibid. p. 34
comp	ofitio & usus in tumore & dolore Scroti. ibid. ao. 10. obf. 158
fufficu	snoxius. Hagendorn. cent. 3. hift. 84 p. 395
Hypercan	tharfis. Diemerbr. obf. 35. Borell. c. 2. obf. 54. A. N. C. cent. I. p.
263.	Smet. Milc. L 2. c. 58. vid. Purgatio.
ex Ta	rtaro emetico A. N. C. Dec. 3. ao. 2. obf. 206
	caufa. Borell. c. 2. obf. 64

Hy-

H I.
Hypercatharfis ex elucurionum fambuci, A. N. C. Dec.2.ao. 9. obf. 17
ex gr. XV. refinæ Ialap. A. N. C. Dec. 2, ao. 7. obf. 112
periculofaibid. cent. 7. p. 216.306
curata ibid. cent. 9. p. 302. Solenand. Sect. 1. conf. 9
a medicamento mercuriali A. N. C. Dec. 1. ao. 1. obf. 54
Hypnoticum rarum. A. N. C. Dec. 1. ao. 10. obf. 58
Hypochondriaca passio calida remedia respuit. Höechst. Dec. s. c. 2. p. 560
Hypochondriacus dolor atrox, Hagendorn. cent. 2. hift. 26. p. 189
Hypochondriæ morbus cur dicatur heroica affectio. Rejes. qu. 73. p. 966-
974. leqq.
morbus V. Sione in pede fublevatur. ibid. p. 976
in Hypochondriaca passione ab usu medicorum & medicinarum absti-
nendum, quia calida vulgo medicamenta in eadem adhibentur.
Höechst Dec. s. c. 2. p. 560
Hypochondriacis ante prandium & cœnam Sacharum rofaceum Monta-
nus exhibuit. ibid. p. 976
Hypochondriacis confilium datum. Solen. Sect. 3. conf. 19
abstinentiam a cibo & usum potus commendat Fernelius. vid. Huchst.
Dec. 5. c. 2. p. 976 aquæ potus proficuus. ibid. p. 560. 561
alöetica proficua. ibid. p. 565
apertio hæmorrhoidum utilifima ibid. p. 570
Hypochondriacum malum Melancholiæ causa. Alberti Iur. Med. P. II.
p. 237
Hypochondriacum malum literatorum morbus eft. Frankenau. p. 580.
feqq.
hæreditarium. A. N. C. cent. 5. p. 171
continet symptomata hæmorrhoidalia. Tim. a Güld. L. 3. caf. 31
lapide Bezoar. curatur. Zac. Luf. P. A. L. 2. obf. 10
Hypochondrii dextri dolor a contufione illius lateris & vaforum interio-
rum. Plater. obf. L. II. p. 441
Hypochondrii dextri tumor curatus. Rhod. c. 3. obf. 1
finistri dolor ex obstructione jecoris & lienis. Gabelch. cent. 1. cur. 36
utriusque dolor ex retenta purgatione. Gabelchov cent. 2. cur. 37
dolores menstrui. A.N. C. Dec. 1. ao. 4. obs. 140
finistri tensio. Plater. obs. L. II. p. 437
finistri tumor in febre semitertiana. ibid. p.441
Hy-

Hypochondriorum dolor a caufa inaudita. ibid. p. 439 Hypochondrii dextri dolor pungitivus cum magnis pustulis in tibiis. Ga belchor. cent. 5. cur. 96 musculorum absceffus cognitio. Zacut. Lusit. M.P. H. Lib. 2, hift 108. p. 375 murmur fero lactis mitigatum. ibid. hift. 109. p. 376 dolor lethalis ibid. p. 377. feqq. Hypochondriorum & abdominis dolores cum lipothymiis Gabelchov. cent. 3. cur 58 Hypofpadiæi quid. Alberti Iur. Med. P. 1. p. 41. §. 26 Hypoftafis metallorum. Beccher. Ph. S. L. I. S. III. c. 2. p. 12 I Hysterica vociferatione levatur. Hagendorn. cent. 2. hift. 88. p. 266 Hysterica paffio ex mensium obstructione. Lent. Misc. Med. p. 207 convulfio fingularis. A. N. C. cent. 3. p. 162 Symptomata. Gabelchov.cent. 1. cur. 90. cent. 2. cur. 76. Plater. obl. L.I.D. 175-177 pro mortua habita revivifcit. Salmuth c.2. obf. 86. Garman. p. 17. Rejes qu. 46. p. 562 conjugio curata, quod tamen in alia hysterica nihil profuit. A. N. C. Dec. 1. ao. 10. obf. 42 cum larga V. Sione in pedibus curata. ibid. obf. 58 tabaci fumo fublevata. ibid. Dec. 2. ao. 2. obf. 171 lactis afinini usu fanata. ibid. Dec. 3. ao. 5. 6. obf. 125 Hysterica passionis admiranda fymptomata. ibid. Dec. 3. ao. 9. obf. 174 mulieres pro mortuis elatæ. M. Donat. L. IV. c. 11 quomodo vivant fine respiratione. ibid. mariti officio indigentes. M. Donat. ibid. Hystericarum conclamatarum cura cum V.Sione in poplite. A.N.C.Dec. I. ao. 4. app. p. 27 Hystericus affectus typum febris quotidiana imitans. ibid. Dec. 3. ao. 5. 6. obl. 136 motus ex uteri abscessu falsus pro epilepsia habitus, feliciter curatus. ibid. ao. 9. obf. 154 affectus fimulatus. Alberti Iur. Med. P. 1. p. 206. §. 15 IA. Alappæ damnum. Barth. c. s. hift. 69 rad. ad unc. 1, cum euphoria adhibita. Barth, cent. 3. Ep. 35 lalap-

JA. IC.

JA. IC.	217
Jalappæ magna dofis puerperæ exhibita. A. N. C. cent.7. p. 22	S. A.T
infulum gratum. Barthol. cent. 3. ep. 36	in south
Januarii Calenda. Kornm. mir. mort. P. 7. c. 41	347
Jaspis ad hamorrhagias cohibendas utilis.' Garman. L. 2, tit.	-
6. 6	1.
Jaspis antinephriticus usu topico. AN. C. Dec. 2. ao. 7. obf. 2	J.Con
IC.	
Icta septies mulier. Kornm. mir. viv. p. 280	1771
Icterus quid fit. Alberti Iur. Med. App. p. 192	h
Icterus quartanæ fuperveniens non femper malus. Barth. c. 3. hift. 4.	
ex vulnere sclopeti. ibid. c. 6. hist. 85	
mirus argentum colorans. Borell. c. 1. obf. 68. c. 2. obf. 40	ant -
atabaco. ibid. c. 4. obf. 31	al pa
ex colica. Barth. c. 5. hift. 62. Hachft. Dec. 8. c. 4	it to
in gravida suspectus. Alberti lurispr. Med. P. II. p. 575	Sound .
in puero. Plater. obf. L. III. p. 574	
Iclerus vocatur morbus regius, Arquatus, Icteritia, Aurigo.	· · ·
Iderus fingularis. A. N. C. cent. 5. p. 61. Plater. L. III. p. 573	Clark.
corporis dimidii. A. N. C. cent. 3. p. 145	194
infantis lactantis e matre ira commota concitatus. ibid. 'cent. I. ob	G
90. p. 176	1.
cum multis accidentibus. Gabelch. cent. 1. cur. 66	
niger cum Hydrope afcite. Plater. obf. L. III. p. 574. 578	
niger ex infrequentifima caufa natus. Zac. Lufit. P. A. L.3. obf. 137	
niger in febre tertiana intermittente. Plater. L. III. p. 579	in .
a lapide pellucido in vesica fellea. Blegny Zod. gall. ao. 1679. Maj	-
obf.8	
fola purgatione fæpe fanatus. Zac. Lusit. M.P.H.L. 2. hift. 11	- 15
P•387)•
a veneno non femper flavus. ibid. p. 388	
auripigmento curatus. A. N. C. Dec. 3. ao. 5. 6. obf. 137	
Idericus infans a nativitate. Hagendorn. cent. 3. hift. 57. p. 356	a Sel
Ideri infelix cura per pediculos. Barth. A. H. V. 3. obf. 91	
transplantatio. ibid. V. 4. obf. 23. vid. Transplantatio.	
pertinacis cura cum musco pulmonario quercino. A.N. C.Dec. 1.ac	2.
3. obf. 290	
rmedium singulare est capillus veneris. ibid. ao. 4. p. 44. app.	
	'n

IC. ID. IG.

218 IC. ID. IG.	and the second second
In Ictero fubinde recidivante confilium. Solen. Se	ct. 3. Conf.8
Icterici jecur fubviride. Rhod. c. 3. obf. 21	J. Como
Icteritia diuturna. Hagend. cent. 2.p. 163. hift. 7	and the second states of the second
de Iduvesparum apum similiumque animaliu	m. Alberti Prax. Ex-
temp. Caf. 23	
Ictus ferpentum. Garm. Mir. Mort. L. 3. Tit. 1.§. 4	s.vid. Morfus.
ID.	Wings and a series that
Idiofynerafia mira. A. N. C. cent. 7. p. 83. vid. Ant	ipathia.
fæmellæ cum aqua rofarum. ibid. Dec. 2. ao. 8	. obf. 169
inter maritum & uxorem. ibid. ao. 7. obf. 215	AND THE REAL PROPERTY OF
cum rofis in conferva. Hachft. D. 7. c. 9. p. 14	3 A LAND AND AND AND AND AND AND AND AND AND
Idiofyncrafia cum primo acetariotum & halecum	the second se
ram tamen hi cibi comedi potuerant. A. N. C.	
Idiofyncrafieraræ. Barth. A. H. V. 2. obf. 86. V.4	.obf.44. A. N. C. Dec.1.
ao.2. obf. 11. Zac. Luf. P. A. L. 3. obf. 108	STREAMER FRANKLING
JE.	1. do . van Steaming at a
Jecoris calidior intemperies. Gabelch. cent. 2. cui	r. 85.vid. Hepar.
ex Jecoris & lienis obstructione dolor sinistri hy	pochondrii. ibid. cent.
1. cur. 36	D'C C C C
ex Jecore utrum aliqua influat qualitas. Bravo I	2.1. Dilp. 6. Sect. 3. Re-
fol. 6. p. 201.	
Jejunans puella per quatuor annos. Kornm. mir.	.viv. p. 117. leqq.
Mofes, Elias, Jefus Chriftus Salvator. ibid. p.	112.113
S. Catharina Sinenfis, Ioh. Baptifta &c. ibid. p	obly sa
Jejunium per novem dies. A. N. C. Dec. 3. ao. 2 Jejuni vulnera parca diæta curanda. Blegny Zo	
obf. 14.	u, gan. ao. 1082. Mart.
de Jejunantibus. ibid. p. 3. vid. Abstinentia.	Levis remaining for
de Je/u Christo Salvatore nato fine Patre. Kornn	mir. viv n. 194
IG.	
Ignem permeans Petrus Cardinalis. Kornm. mir.	viv. D. 278
quæ fubjecta ex nudo calore concipiant. Garr	
perferens manus. Barth. c. 6. hift. 51	Locard and and a second second
Ignem fine noxa nudo fuo corpore tractantes. G	Farman. L. 1. tit. 7. 5. 30.
31. 37	力 体的别情的第三日的公务
in Igne quæ nafcantur animalia. Garman. L. I. tit.	7. 5. 26. 34
	in
and the second	The state of the state of the state of the state of the

in Igne qui vivant homines. Garman. L. I. tit. 7. §. 29.37 illæfus Poppo, Kornm. mir. viv. p. 278

puer. ibid. p. 279

Igni caliditas utrum cum ficcitate fit propria. Bravo P. I. Difp. 2, Sect. I. Refol. 5. p. 24

ab Igne illæfum linteum Britii. Kornm. mir. viv. p. 287

Ignis. vid. Jonfton. Tavmatograph. claff. 2. c. I. Rohaultus Tr. phyf. P. 2. c. 9. Sturm. phyf. Hypoth. Tom. II. p. 93. Camerar. Difp. de Pyretologia. Alex. Aphrodifaus in Arift. L. 2. Meteorol. c. 8. Cafalpin. L. I. qu. 7. p. 21. Gaffend. in L. 10. Diog. Laërt. p. 38. Caffatus de igne p. 3. 4. Ruffinus L. 2. hift. 26. Cafp. Barth. Tr. de terra, aëre & igne. Grandorgaus de nat. ignis. Petrus Petitus de ignis & lucis natura. And. Romani Pyrotechnia. Hamel. phyf. gener. p. 74. feq.

Ignis in aqua. Plin. L. 2. C. 107. Liv. L. 33. Jonfton. Tavmatogr. Claff. 2. c. 1. art. 2. p. 45

Ignis fubterranei necessitas & essentia, & utrum verum fit elementum Kircher. fubter. Mund. L. 3. p. 179

Ignis & aquæ intra terram conjugium. ibid. L.4. p. 185

Igne fubterraneo Italiam fcatere. ibid. p. 188

Ignis pondus. Sturmius phys. Hypoth. Tom. II. p. 5. 25--27.36.37.60.61 Ignis fatuus unde? Garm. L. 2. tit. 10. §. 121. 124. Cardanus L. 16. de var. rer. c. 93. Wolffg. Meurer. quæft. Meteorolog. p. 210. 214. Conrad. Gefner. de herb. Lunar. p. 20. feqq. Heinr. Noll. L. 7. phyf. herm. c. 2. Sect. 3. §. 4. p. 276. Cafp. Barthol. P. 2. phyf. fyftem. L.I.meteor. c. 6. Jac. Gaffarell. curiof. inaud, c. 5. n. 10. p. 99. Reinzer. Meteorol. diff. 2. qu. 6. p. 29

in facris Ethnicorum perpetuus. Lang. L. 2. ep. 52. p. 807 æternus. Garm. L. 2. tit. 10. §. 159-168. 171

in coemeteriis & e fepulchris. ibid. §. 169. Kornman. Mir. Mort. P. 7. c. 68

e quibus hominibus profilire vifus eft. Rej. qu. 35

exempla ex antiquitate. ibid. p. 418. 419. 420

ex animalibus quibusdam. ibid. p. 421

fimi ad extractionem aquarum ex plantis. Blegny Zod, gall. ao. 1682, Apr. obf. 10

ex utero, ventriculo, oculis. vid. Flamma.

Ee 2

Ignis

Ignis ex fanis hominibus. Garm. L. 2. tit. 9. §. 27. 33-38. Barth. cent. I.
hift. 70. it. de Luce animal. Rejes. qu. 35. A. N. C. Dec. I. ao. 3.
obf. 135
e capite hominum. Garm. M. M. L. 2. tit. 9. §. 3034
lambens. ibid. §. 6366. Reinzer. Meteorol. diff. 2. qu. 4. p. 25
ecapillis. Garm. L. 2. tit. 9. §. 62
noctilucus conftans. A. N. C. Dec. 1. ao. 8. p. 238 feqq. vid. Noctilu-
cum & collegium phyficum Alberti.
de Igne subterraneo. Reinzer. Meteorol. diss. 11. qu. 3. p. 239 Ignivomos montes imitandi experimentum. Zwing. Diss. p. 544
Ignovantia Medici fæminam enecat. Zac. Luf. P.A. L. 2, obf. 86
Pharmacopœi mors. ibid.L. 3. obf. 140
Phlebetomi mors. ibid. obf. 143
coqui ftoliditas orta. ibid. obf. 144
Medici mortis caufa. ibid. obf 145. 146. 150. 54
IL. A formally and the second se
Ilei a vermibus perforati cura. A. N. C. cent. 7. p. 263
inteftini infignes portiones ablata mulieri superititi. Blegny Zod.gall.
ao. 1681. Apr. obf. 4
Ileus ex ira. Julp. L. 2. c. 41. vid. Volvulus.
exintestinorum convolutione. Lent. Iatr. p. 392. 393
ex vermibus. A. N.C. Dec. 2. ao. 5. obf 19
ex Hypercatharfi curatus. ibid. Dec. 3. ao. 1. obf. 90
morbus endemius in Iamaica. Lent. Iatr. p. 393-396 curatus. A. N. C. Dec. 1. ao. 10. obf. 114
Mei caufa varia. Barth. c. 3. hift. 93. Bonetus Polyalte L. 4. c. 26
cura cum Mercurio. Lent. latr.p. 399. Rhod. c. 2. obf. 80. Martiantis.
cura Helmontii cum globulis plumbeis. Lent. p. 399
fucco pomorum Porsdorffianorum. A. N. C. cent. I. p.
191. app. Dec. 1. ao. 6. obf. 114
melle ad confistentiam cocto & in globulum converso
cum oleo olivarum. ibid.
Ilei dolorem lenire sanguinem vespertilionum, dicit Plinius & ex eo
Altomari Pr. c. 80. Joel Tom. 3. L. 4. S. 2. p. 172
Iliaca passio gravissima ab hernia intestinali excitata, mediante mercu-
rio vivo profpere devicta, A. N.C. Dec. 3. ao. 9. obf. 79. Hildan.c.
6, obi. 37 Iliaca
I HI US

Iliaca paffio fanata. A. N. C. cent. 9. p. 372
ex deglutitione nummorum aureorum orta & fæpius perpeffa. ibid.
cent. 1. obf. 154
aurea. ibid. cent. 1. p. 318
mire curata. ibid. p. 191-app.
curata ex deglutita pila plumbea. Zac. Luf. P. A.L. 2. obf. 34
clystere ex oleo, prius Ruta & Aphronitro decocto, parato fanata.
Zac.Laf. M.P. H.L. 2. hift. 97. p. 357
agelida potione suborta, calidis medicamentis curata. ibid. hist. 98-
ex feirrho & ulcere cancrofo in inteftino cæco. Hild.cent.1. obf.61
Iliacus. Linden. Select. Med. exerc. 4
IM.
Imaginaria mola. Tulp. L. I. C. 19
Imaginarius dolor in digitis pedum abscissorum crurum.A. N.C. Dec.
1.20. 2. obf. 16
Imaginatio gravidæ. Salmuth. c. 1. obf. 95. Bart. A. H. V. 2. obf. 1
melancholicajucunda. vid. Melancholia.
imprægnationis caufa. Barth. c. 6. hift. 61
gravidæ fætum monftrofum profert. Blegny Zod. gall. ao. 1683. Nov.
& Dec. p. 249. Alberti Iurispr. Med. P. 1. p. 115. §. 17. & p. 120. Caf.2
animalium in negotio graviditatis. Rejes qu. 50. p. 634 efficax ad affimilationem infantum. Alberti Iur. Med. P. 1. p. 172.
\$.6.7 molemum concernation i an fam prophet, ibid. P. L. D. 109. 5. 7
molarum generationi ansam præbet. ibid. P. 1. p. 109. §. 7 Imaginatio matris sætui distorsionem pedis inducit. Hildanus cent. 6.
obl. 90
Imaginatio gravidæ foetui noxia. A. N. C. Dec.1, ao. 2. obf. 61. ao. 8.
obf. 46
caufa febris. ibid. ao. 2. obf. 165
caufa purgationis. vid. Purgatio.
mortis caula. A. N. C. Dec. 1. ao. 2. obl. 137. & app. p. 401
morbum augens. Alberti Iurispr. Med. P. 1, p. 211, Cal. 1.
quid efficere poffit. ibid. P. II. p. 239
Imaginationis vis in mutando fœtu. Rejes qu. 45. p. 542. qu. 50. p. 631-636.
Hild. cent. 3. obf. 56. 8. Barth. cent. 2. hift. 44, Helmont. Schenkius,
Gregorius, Horftins.
Ee 3 Imagi-

Imaginationis vis in ægrotis & fanis. Rejes qu. 11. p. 133. 134 circa mortem repentinam. ibid. in fœtum caufaliter explicari non poteft. ibid.qu.50.p.636.637 in fœtum levis adumbratio caufalis. ibid. p. 638-640 in gravidis, qui eam descripferint. A. N. C. Dec. 1. ao. 8. p. 75 in gallinis circa ovorum generationem, ibid. Dec. 2. ao. 1. obf. 16. 20. 2. obf. 119 in anate. ibid. Dec. 2. ao. 6. obf. 43 in gravida. Blegny. Zod.gall. ao. 1679. Mart. obf. 5.6. A. N. C Dec. 2, 20. 6. obf. 43 corrupta. Alberti Iur. Med. P. II. p. 206. Caf. 21 vera & falla efficacia. Garman. L. 2. tit. 7. §. 133 falfa accufatio a Paracelfo. ibid. ob Imaginationem fæmina fætum gestavit cum aquilæ capite. A. N. C. Dec. 2. ao. 8. obl. 132 per Imaginationem nati in utero humano elephantes, leones, feles, canes, porcelli. Rejes qu. 36. p. 431 Imaginatione intenta fæmina formofum puerum depictum intuita in concubitu, non patri, sed picto similem peperit. Zac. Lusit. M.P.H.L.3. hift. 12. p. 486 ex Imaginatione an gravida? Barth. cent. 1. Ep. 16 matris Hydrocephalus in utero contractus. Hild. cent. 5. obf. 3 brachii dolor. A. N. C. Dec. 3. ao. 9. obf. 202 Imaginationes Melancholicorum. Barth. c. 1. hift. 79.85 Imaginatricis facultatis affectiones miræ. M. Donat. L.II. c. I Imagines ex Ecclesiis remotæ. Frank. p. 289 Imbecillitas virium. Smet. Mifc. L. I. Ep. 3. 4 Imberbis. A. N. C. Dec. 2. ao. 5. obf. 48 Imperatoriæ rad. recens curat Epilepfiam, manuum& pedum pollicibus applicata. A.N. C. Dec. 1. ao. 4. obf. 42 Imperforata virgo. Borell. c. 1. obf. 78. Impreforatus anus. Borell. c. 1, obf. 77. A. N. C. Dec. I. ao. 1. obf. 11. Dec. 3. ao. 9. obl. 194 podex & pudenda arte aperta. ibid. Dec. 1. ao. 3. obf. 2. 3 Imperitorum Medicastrorum circa propinata remedia refugium. Alberti Iur. Med. P. II. p. 559 Impetigo retropulsa lethalis. A. N. C. cent. 9. p. 469 fera. Blegny Zod, gall. ao. 1679. Aug. obf. 13 ad

d Impetigines oleum ceræ c. fl. Sulphuris aut balf. fulph. Ruland. &	
camph. A. N. C. Dec. 1. ao. 4. p. 32. app.	
mpoffibilia speramus & aftimamus. Becch. Ph. S. L. I. S. S. C. 3. p. 414	
mpotentes frigidi & male calceati vocantur. Solen. Sect. 4. Conf. 19	
mpotens absolute, non secundum matrimonium inire debet. Simon. c.	
7.th.6.n. 16	
mpotentia quid fit. Sim. imp. conj. c. 5. th. 1. n. 1-2. Alberti Iurispr. Med.	
P. I. C. 2. p. 2159	
viri. A.N. C. cent. 9. p. 375	
ad venerem. A. N. C. cent. 1. p. 329	
mpotentiæ caufæ generales. Alberti Iur. Med. P. L. C. 2. p. 30-32	
mpotentie virilis speciales caufa. Alberti Iurispr. Med. P. I. c. 2. p. 32	
§.17	
in fæminis caufæ. ibid. P. 1. p. 45. §. 29. it. Plater. obf. L. I. p. 243	
e Impotentia virili. Alberti Prax. extemp. Caf. 5. Hildan.cent. 5. obf.40	
mpotentiæ virilis diversus status, quando sub virga erecta semen emit-	
tinon potest, quando præputium ante contactum, vitia penis,	
laxitas penis. Simon. imp. conj. c. 6. th. 2. n. 3-6. 11-13	
mpotentia per medicamenta provocata. Simon. imp. conj.c. 6. th. 4.n. 1.	
Alberii Iur. Med. P. II. p. 31. §. 15	
per fascinationem, dum membrum virile ablatum & in nido avium a	
malefica affervatum fuit. Sim. imp. conj. c. 2. th. 4. n. 21. 22	
ex nimia corpulentia. ibid. th. 5. p. 1	
ex lumbricis terreftribus fabulofa. Glaub. Pharm. Spag.P. II.c. I	
ob gonorrhæam. Zac. Luf. M. P. H. L. 3. hift. 19. n. 519	
ob testes amissos. Plater. obf. L. 1. p. 231	
fascinatione conciliata, an salva conscientia illius solutio tentanda.	
Simon. c. 7. th. 7	
ob membri languorem. Plater. L.I. p. 233. 235. 237	
arte & arbitrarie causata punienda, & non ad solutionem matrimonii	
admittenda. Sim. c. 7. th. 5. n. 1. 2	
ob membri nimiam brevitatem. Plater. obf. L. 1. p. 237	
obmembrinimiam craffitiem. ibid. p. 233	
fub matrimonio superveniens, non est causa divortii. Sim. c. 7. th. 4.	
n. 610. Alberti Iur. Med. P. 1. c.2. §. 12. b. c.	
aperta præsentaneam matrimonii dissolutionem admittit. Sim.cap.7.	
th. 3. n. 5-7. Alberti Iur. Med. P. 1, c. 2. §. 9. c.	
Im-	

Impotentia dubia intra triennium probanda. ibid. n. 1--3. Alberti Iur. Med. P. 1. c. 2. §. 9. d.

ad venerem ex vulnere capitis. A. N. C. Dec. 1. ao. 2. obf.104 virilis a nimia corporis nutritione. ibid. cent. 1. obf. 161

virilis imaginatione præconcepta. Salmuth. c. 2. obf. 78

desperata curatur. Zac. Luf. P. A. L. 2. obf. 123

junioris mariti ex defectu feminis Alberti Iur. Med. P. 1. p. 54. 55

Impotentia ex fascino. Barthol. c. 3. hist. 71. Simon. imp. conj. c. 1. th. r. n. 2. 3. c. 3. th. 1. n. 18. seqq.

virilis caufa foluti matrimonii. A. N.C.Dec. 1.ao. 8. obf. 94. vid. Matrimoninm

virilis a frigore. ibid. ao. 3. obf. 41

ex vitio membri virilis. Simon. imp. conj. c. 3. th. 1. n. 3. c. 6. th. 2. th. 5.

virilis oculari infpectione indaganda. Simon. imp. conj. c. 3. th. 1. n. 4. c. 7. th. 1. n. 25 26

propter contusionem capitis & lumborum. Hild. cent.6. obf. 59 ex nimia frigiditate, ficcitate, pinguedine. Simon. imp. conj c. 3. th.

I. n. 7-10

ob frenum nimis breue & durum. Hild.cent. 6. obf. 60

a nimia equitatione. Sim. c. 3. th. 1. n. 14

propter dolorificum coitum & penem nimis longum curata. Hildan. obf. 61. cent. 6

per nodationem, ligaturam f.fascinationem cum sua pœna. Simon. imp. conj. c. 3. th. 1. n. 22. 23. c. 6. th. 4. n. 2-8. 15. 16. Spener, Theol. Bed.P. I. c. 2. Sect. 14. Art. 6. p. 231

virilis pernodationem durchs Defel fnupffen exemplum. Simon. c. 3. th. 2. n. 14. Alberti Jur. Med. P. 1. p. 32. §. 16. vid. ligatura. Barfs

Dorffer Schauplats c. 59. p. 212. & Simon. c. 6. th. 4. n. 15. 16. Carpz. Confiftor. L. 2.text. 11. Def. 202. n. 6. 7. Prax. Crim.P. 2. qu. 61

per fascinum conciliatæspecies. Simon. c. 6. th. 4. n. 8-28.

Maris abfoluta ex immedicabili genitalium læfione. Alberti Jur. Med. P. 1. p. 56. 57

virilis imputata fed nondum abfoluta. ibid. P. 11. p. 3. caf. 1. it. p. 20 Impotentiæ etymologia & homonymia Simon. imp. conj. c. 1. th. 2. n. 1-8 caufain fxminis. ibid. c. 6. th, n. 2

Impo-

Contraction of the second s	ILy1.	225
Impotentiam conjugale neque matrimoni curantia remedia Ba	i folutionem cupiunt. ibid.	to perferunt animo, c. 7. th. 1. n. 8-10
Impotentia ex imbecili contracta. Plater.	litate vaforum feminalium	per veneris abufum
Impotentia muliebris ol	b coalitum cervicis uteri. ib	de l'acessarianes morn
Impotentiam propriam	confitentes, infpectionem	vero reculantos non
funt admittendi, n.4.5	nisi folidior probatio acce	dat.Simon. c. 3. th. I.
Impotentium diverfæfp	becies. ibid. c. 9. th. I-4	PHEOMA DISCOULDED HE
Imprægnatio an fieri po	fit paucis ante obitum mari	iti diebus, Alberti Iur.
Med P. I. p. 155. §.	. 15	the start of the
Imprægnatio viduæ 70 a	annorum. Salmuth. c. 3. obf.	59
mortuæ. Kornm. de	Mir. Mort. P. 4. c. I	the first of a second a sound
ex imaginatione Ban		a inter intermediate the
an fieri pollit in fæm	nina incorrupta. Rejes qu. 41.	.p. 491
falla. Barth. A. H. V.	. 2. obf. 3. Hagend. cent. 2. h	1. 92. p. 270
fæminæ ex iemine, l	balneo, quod ingressa erat,	immillo. Rejes qu.41.
p. 499. 500	n fa 1 N C comt a n	highling manager
Cum ny drope conju	ncta. A. N. C. cent. 1. p. 113 ntromiffione facta, ibid. De	a Loo a abf and
femine a femina, vi	d. Fæmina Androgyna. it. Ste	C. 1. a0. 3. 001. 273
fine prævijs menftru	is. A. N. C. Dec. 3. ao. 1. ob	f 22
	tata. ibid. cent. 3. p. 159	· · · · · · · · · · · · · · · · · · ·
the second s	fignum. ibid. cent. 1. p. 114	Diquestinit.
	nfolita indicia. ibid. cent. 1.	
Imprægnationes variæ.		iter inter and the state
	ie ad quem annum dirigend	la? Alberti Iur. Med. P.
I.C I. §. 3	a the rant of vid the	the standard and
Impuberes qui fint. Fra	mk. p. 73. vid. Pubertas , Pot	entia, Impotentia.
utriusque fexus gen	erarunt. ibid. p. 73. 74. vid.	Puer. Puella.
	rtui in V. T. Garm. L. 2. th.	
	enenum in corpore produc	ens Alberti Iur. Med.
P. II. p. 189	maleters. A. R. Dukslan	Mentrib movoa
perfecte Imputrescibili	acularum lividarum caufa. i ia quæ cenfeantur. Garman.	Mir. Mort. L. 3. tit.
2. 9. 2	Ff	In-
	H F	111-

In-

IN.

Inappetentia. Gabelch. cent. 3. cur. 44. vid. Abstinentia & Inedia.

Incalescentia a cibo utrum sit febris Hecticæ proprium & inseparabile fignum. Zac. Lusit. M. P. H. L. 4. hist. 41. p. 739

de Incantatione morbus mirabilis. A. N. C. Dec. 3. ao. 7. obf. 25. vid. Fascinum.

tumor mirabilis, ibid. 20.9. obf. 183 Incarceratorum infpectio. Alberti Iur. Med. P. 1. p. 376. §.8 Incontinentia. Barth. A. H. V. 2. obf. 109 de Incorruptibilitate cadaverum & Mumiis. Garm. Mir. Mort. c. 3. tit.2.

Incorrupta nonnunquam cadavera hominum diabolus fervat. Rejes qu. 34. p. 406. 407

Incorruptarum partium in defunctis & fepultis exempla, ibid. p. 404 Incorruptorum cadaverum exempla, ibid. p. 407. 408 de Incorruptis variæ relationes. Kornm. Mir. Mort. P. 3. c. 8. feqq. de Incorruptibilitate corporum defunctorum. Refes qu. 34 Incubus an melancholiam faciat. Alberti Iur. Med. P. 2. p. 247 Incubus per vigilias invadens. Rbod. c. 1. obf. 54

corruptæ phantafiæ caufa. Garm.L. 2. tit. 10. §.149 Incubo fubito emortuus. Zac. Luf. P. A. L. 1. obf. 46 de Incubis & fuccubis. Kornm. Mir. viv. p. 185. vid. Succubus. de Incubo Polycrito. ibid. p. 188

Brafiliano. ibid. p. 190

Marfico. ibid.

226

Marciano.ibid. p. 193

de Indigo virture ad compescendos rhevmatismos. Lent. Misc.med.p. 480 Indusia an ægroti mutari & ab aliis sordibus purgari debeant. Rejes qu. 82. p. 1079. 1080

Inebrians clyfter. Borell. c. 1. obf. 56. vid. Clyfter. Inedia miraculofa & plane divina. Rejes qu. 58. p. 729. 731. vid. Abstinentia. dæmoniaca. ibld. p. 731

per totam vitam. ibid. p. 739

triennalis puellæ. Lang. L. 2. ep. 27. p. 679 novem dierum in muliere. A. N. C. Dec. 2. ao. 9. obf. 52

plurimorum dierum. Rhod. c. 2. obf. 54. 55

undecim dierum. Tulp. L. I. C. 43

Inedia

and a second
Inedia miraculofa nostri temporis, M. Donat. L. 7. C. I. Hildan, cent. 2"
obf. 40. 42
notabilis. A. N. C. cent. 7. p. 81
prodigiosa in puella. Hild. cent. 5. obs. 33
14 dierum. Barth. A. H. V. 4. p. 86
15 dierum Merkl. p. 59
trium annorum. Hildan. cent. 2. obf. 40
Inedia naturalis exempla. Rejes. qu. 58. p. 732-739
diuturnæ hiftorias qui negarunt. ibid. p. 741
de Inedia diuturna opiniones diversæ. ibid. p. 741. 745
Infans, qui nullum vagitum emifit, an pro vivo habendus. Aberti Iur.
Med. P. I. p. 161. §. 23
Infans nondum plenarie exclusus an baptizandus. ibid. P. I. p. 162
Infantes ab animalibus nutriti. Kornm. mir. viv. p.47-56
Infans cur statim post exclusionem ejulet. vid. Ejulatas.
modo in lucem editi loquentes & progredientes. Frank. p. 190. A:
riftot. probl. 29. Sect. 2
locuti. Kornm. mir. viv. p. 100. fegg.
nondum nati locuti. ibid. p. 102
Infantia perpetua in fæmina 37 annorum. A. N. C. Dec. I. ao. 4. obf. 108
Infans fine collo & fronte. Plater, obf. L. 3. p. 556
Infantis a partu difficili quasi emortui in vitam restitutio. A. N. C.
Dec. 2. ao. 6. obf. 59
Infantes post mariti mortem exclusi. Alberti Iur. Med. P. 1. p. 161. §. 23
Infantes Magnatum cur facilius moriantur. ibid. P. I. p. 367. 6. 7
Infantes recens nati an flatim medicamentis obruendi. ibid. P. 1, p. 366.
E. OS. 7 Chandle and a bis of the action of the Contract of the Contract of the
Infantis jam sepulti examinatio. ibid. P. 1. p. 186. Caf. 4
nati inspectio. Alberti Iur. Med. P. 1. p.372. S. 5
fuffocatio cum funiculo umbilicali. ibid. P. 2. p. 81
involutio in linteamina aut in lecto an statim suffocationem efficiat.
ibid. P. z. p. 88. 89
Infanticidii indicationes & contraindicationes. ibid app. p. 170
Infanticidium quot modis fieri possic. Alberti Iur. Med. P. I. p. 185. §. II.
feqq. it. P. 2. p. 124
Infanticidium malitiofum per luxationem capitis & neglectam deliga-
tionem funiculi umbilicalis commissum. ibid. P. 1. p. 194. Caf. 2
Ff 2 Infan-

Infanticidium a confracto cranio, difrupto funiculo umbilicali & fuffocatione in aquam ortum. ibid. P. 2. p. 35. Caf. 5 per compressionem pectoris & fuffocationem perpetratum. ibid. P. 2. p. 65. Cal. 6. it. p. 66 周期的自己来行的推进 cum neglecta deligatione funiculi umbilicalis & compressione cranii patratum. ibid. P. 2. p. 67. Caf. 7. it. p. 107 calcitratione capitis & disruptione funiculi umbil. caufatum.ibid.P. 2. p. 69. Caf. 8. it. p. 88. it. P. 2. p. 89. it. p. 97 per folam abruptionem funiculi umbilicalis & gravem Hæmorrha. giam provocatum, ibid. app. p. 9. Caf. 4 per læsionem capitis commissum. ibid. app. p. 64. Cas. 14 a puerpera delira admifium. ibid. app. p. 71. Caf. 15 Infanticidii figna & fpecies. Alberti Iur. Med. P. I. C. 9. p. 185-189 Infanticidium ex Melancholia.Zittm..L.I. c.92. Alberti Iurispr. Med. P. I. p. 189. 5. 18 Infanticide fæminæ vulgo in aquam fubmerfæ, dein confueto tempore & more extractæ ac rurfus convalescenti perpetua relegatio dictata. Struv. Comment. ad L. V. Decretalium c. 4. obf. 7 Infernus. Garm. L. 2. tit. 10. §. 35. 41. 42 Inflammatio tefticulorum vomitu curata. Zac. Lufit. M. P. H. L. 3. hift. 30. p. 530 生产生的方面的行为 派的问题 afperæ arteriæ. Rhod. c. 1. obf. 100 ventriculi lethalis. Zac. Lufit. P. A. L. 2. obf. 177 pulmonum lethalis. Rhod. c. 2. obf. I auris & tonfillarum cum infigni dolore. Gabelchov. cent. 3. cur. 64 abdominis a convultione. A. N. C. cent. 1. p. 179 curatur per Sambuci corticem medianum. A. N.C. Dec. 1. ao.3. obf. 319 totius corporis cum tibiarum scabie. Gabelchov. cent. 2. cur. 75. Roffie Cont.2 manus ex pondere, altero pondere in altera manu gestato perfanata. Zac. Luf. M. P. H. L. 2. hift. 52. p. 274 Inflatio totius corporis. Gabelch. cent. 1. cur. 29. cent. 4. cur. 27. Plater obf. L. III. p. 593 universi corporis cum asthmate. Gabelch. cent. I. cur. 61 19551) [1959] & dolor abdominis cum constipatione alvi. ibid. cur. 79 totius corporis cum infigni dispnœa ex retentis mensibus. Gabelch. cent. 4. cur. 98 Infla-

ALT LIT
Inflatio totius corporis cum respiratione difficillima, vertigine tenebri
cofa, vomitu omnium affumptorum. Gabelch. cent. 5. cur. 43
totius corporis post febrem ardentem cum tussi sicca, fastidio cibi.
-1 ibid. cent. 6. cur. 38
Infibulati. Alberti Iurispr. Med. P. I. p. 39. §. 24
Informe caput supra sinistrum hypochondrium juvenis habens. A.N. C.
Dec. 3. ao. 2. obf. 22
Infusi varii liquores in venas animalium variorum, & circa hæc obser-
vata. A. N. C.Dec. 3. ao. 9. obf. 21
Infusiani, Traduciani, Eductivi. Jac. Martin. cent. 1. Qu. illustr. Disp.
5. qu. 6
Infusio liquorum acidorum in fanguinem animalium vivorum cum
effectu mortifero. A. Angl. Oldenburgii ao. 1667. Aug. & Septembr.
n. 2. p. 396. n. 5. Novembr. p. 445
medicinalium liquorum in venas illiusque effectus.ibid. Decembr.
n. 3. p. 458. fegg. & ao. 1668. n. 2. p. 641
Infusoria Chirurgia. vid. Chirurgia & Transfusio.
Ingravidatio falfa. Hagend. cent. 2. hift. 92. p. 270. vid. Imprægnatio.
Inguinis ulcus Enterocelen fecutum. Blegny Zod. gall. ao. 1681. Octobr.
obf.4.5. Colorest and hand a stand all and the second all all all all all all all all all al
panum ex mensibus suppress. Zac. Luf. P. A. L. 2. obf. 105
Inguinum dolor curatur. ibid. obf. 81
per Inguina menses.ibid. obs. 102. vid. Menses.
per Inguina excrementa.vid. Excrementa it. Anus.
Inhalationes pro lapidibus metallificandis, eine Mitterung. Becch. Ph.S.
L.I.S-2. C. II. p. 96 al. at an a. A bidi and be rise de
Injecta. A. N. C. Dec. 3. ao. 7. obf. 123
per fascinationem. ibid. cent. 1. p. 197. app.
Injectio anatomica Histor. Reg. Acad. Scient. ao. 1699. p. 53. 152.
Innocens ad fupplicium damnatus. Kornm. Mir. Mort. P. 4. c. 37
Innocenter decollati fanguis albus, ibid.
Infania per V. Sionem curata. A. N. C.Dec. 2. ao. 4. obf. 10
periodica. ibid. cent. 9.p.15
hæreditaria. ibid. Dec. 3. ao. 3. obf. 61
Infaniam tollunt hæmorrhoides. Zac. Luf. P. A. L. r. obf. 51 curat hæmorrhagia per infenfibilem porum in interfemineo. ibid.
Ff 3, Infani

Infani an torquendi. Alberti Iur. Med. P. 1. p. 236. §. 5. it. p. 346. §. 10 de Infomniis. Spener. That. Chriftenth. Dom. poft Circumcif.p. 247-249. Gerbers unerf. Gunden P. I. C. 35 Infomnia quorundam morborum remedia medicantia. Rejes qu. 37. p. 448. 449 diabolica dantur. ibid. p. 458.vid. Somnia. quæ vera extiterunt. ibid. p. 451. 454 post usum opii multa. A. N. C. cent. 1. obf. 15. de mortuis quid fignificent. Kornm, Mir. Mort. P. 4. c. de sepultura. ibid. c. 158. 159 demortuis reviviscentibus ibid. c. 160 de Infomniiis. Macrobius de fomnio Scip, c. 3. Claudianus, Tibullus L.3. Eleg.4 Infomnium de mortuis iterum morientibus. Kornm. Mir. Mort. P. 4. C. 161 interdum mortis prælagium. ibid. c. 164 exitiofum. A. N. C. Dec. 1, ao. 3. obl. 95 morbi nuncius. ibid. ao. 4. obl. 104. Lang. L. 2. ep. 45. p. 765 ex Infomnio prælagium. Bregt. Gefch. Berf. 4. p. 982 ex Infomnio mors. A. N. C. Dec. 2. ao. 9. obf. 195. ao. 10. obf. 152 Inspectio Medico-legalis. Alberti Iur. Med. P. 1. p. 370-389 Inspectio in quibus locum habeat. ibid. P. 1. p. 372. S. 5 Inspectio genitalium. ibid. P. 1. p. 25. §. 8. it. p. 67. §. 10 Inspectio ocularis viri pro impotente habiti. ibid. P. 2. p.4.5 quomodo fiat. ibid. P. 2. p. 10. 11. it. fuppl. p. 411 tempeftive fiat. ibid. P. I. p. 372. §. 4 ventris an fieri debeat.ibid. P. 2. p. 13. 16. feqq. ventris ab obstetricibus instituenda. ibid. P. 2. p. 190. 192. §. 20 cadaveris in caufa vulnerum. ibid. P. 2. p. 278. §. 4. p. 279 vulneris pulmonalis manca & infufficiens, ibid, P. 2. p. 354. Caf. 30. 16. p. 357 ventris in caufa infanticidii infufficiens. ibid. app. p. 172 Integritatis, castitatis figna amissi in maribus. Alberti Iurispr. Med. P. 1 p. 69. §. 11. legg. Integritas Medici. vid. confcientia. Iufulæ novæ Americani orbis. Lang. L. 1. ep. 63. p. 336 Intemperantia in cibo & potu taxatur. Frankenau. p. 305.306 Intermissionis Febrium ratio. vid. Febris intermitt. Inter-

Intermittens febris lethalis ob nimium fudorem criticum. Blegny
Zod. gall, ao. 1682. Febr. obl. 17. vid. Febris intermittens.
Interpretatio benignior in pœnis facienda. Alberti Iur. Med. P. I. C. I. S. 21
Intestina a vermibus perforata. A. N. C. cent. 1. p. 365. vid. Ileum.
Intestinitunica interior excreta. Tulp. L. 3. c. 17. Rhod. c. 2. obf. 57
recti excrefcentia magna ablata. A. N. C. cent. 7. p. 373
coli feirrhus. Rhod, c. 2, obf. 76
portio abscissa non lethalis. A. N. C. cent. 1. p. 43
Intestini duodeni & lienis vulnera lethalia. Alberti Iur Med. App.p. 190.
caf. 33
Intestini pars extra abdomen pendula. A. N. C. cent. 9. p. 424
cæci inflammatio & abscessus. ibid. cent. 1. p. 431
Intestinum cxcum duplex. A. N. C. Dec.1.ao. 1. obf. 29
lutestinitenuis pars per anum exclusa. ibid. Dec. 3 ao. 5. 6. obf. 177
Inteftinorum defectus. Frankenau. p. 128
procidentia ex diarrhæa. Salmuth. c. 1. obf. 30
perforationes sponte curatæ. A. N. C. Dec. 3. ao. 4. obf. 10
portio infignis excreta superstite ægro. ibid. ao. 3. obs. 129
totalis fectio. Blegny Zod. gall. ao. 1680. Iul. obf. 19
vulnera an & quænam lethalia. Alberti Iur. Med. P. 1. p.333. \$ 563
inflammatio. Barth. c. 3. hift. 60. Rhod. c. 2. obf. 78
obturatio mira. M. Donat L. 4. C. 10.
Intestinum cæcum flatuum receptaculum. A. N. C. Dec. 1. p. 89
ileum innoxie ulceribus perforatum. ibid. Dec. 3. ao. 5. 6. obf. ro8
in Intestinis venenata animalia. Gabelehov. cent. 1. cur. 43
Intumescentia ventris an fignum graviditatis. Alberti Iur. Med. P. I. P.
89.5.14
Intumescentia ventris ex mensibus retentis. ibid. P. 2. p. 150. 153
Inventi unius plures possunt esse autores. Frankenau. Sat. p. 85;
Invicti homines & illæfi. Kornman. Mir. viv. p. 273. 274
S. Iohannes in oleo fervente illæfus. Kornman. Mir. viv. p. 277
lovis analyfis. Becch. Ph. S. L.I. S. VI. c. 8. p. 668
IP.
Ipecacuanha illud famofum contra dyfenteriam fpecificum. A.N.C. Dec.
3. ao. 9. obf. 9
Precacumpe in defenteria ufus ANC cent 1 D 104

Ipecacuanhæ in dyfenteria ulus. A. N. C. cent. 1. p. 104

Ipecacuanhæ virtus. A. N. C. cent. 9. p. 529 analyfis. Hift. Acad. Reg. Scient. ao. 1700. p. 287. 335. 370 1 R. Ira podagricis utilis. Barth. c. 6. h. 22 puerperis noxia. Tulp. L. 2. c. 20 phrenitidis caufa. vid. Phrenitis. Techenerel consultation in multis caufa mortis. Rejes. qu. 60. p. 624-627 interdum eft medicina. ibid. qv. 79. p. 1560 mortem adfert. Zac. Lusit. P. A. L. 1. obf. 147 matris icterum infanti lactanti fert. A. N.C. cent. I. p. 176 & mœror medicina. ibid. Dec. 2. ao. 5. obf. 196 eft species infaniæ. Zac. Luf. M. P. H. L. 2. hift. 13. p. 194 Iræ effectus in ulceribus. Hildan. cent. 5. obf. 75 Iram repentinæ mortis caufam effe, qui obfervarint. Zac. Lufat. M. P. H. L. 2. h. 13. p. 193 ex Ira mutus vomitorio curatus. A.N.C. Dec. 3. ao. 4. obf. 103 Iracundia fanati claudi & contracti. Rejes. qv. 79. p. 1059. n. 23 Iracundia damna. ibid. p. 1060. n. 24. p. 1061. n. 25 Iracundia largiorem bilis profusionem causatur. Alberti Iur. Med. P. 2. p. 190 Ireos noftr. rad. fuccus hydropem tollens. A. N. C. Dec. 2. ao. 8. obf. 63 De Iride. Reinzer. Meteorol. diff. 5. qv. 5. p. 89-97 Iris arbores, fylvas, plantas odorantiores reddit, quibus incumbit. Gar-Iridis folaris in planitie terræ confpectæ nonnulla phænomena. A. N. C. Dec. 3. 20. 9. obf. 12 repræsentatio. I. B. Porta L. 4. Mag. nat. edit.prim. c. 3. fol. 12. Wolffg. Meurerus Meteorol. p. 146. D. Sennert. L. 4. Epit. nat. Scient. c. 9. p. 345. Athanaf. Kircher.L. 3. c. 3. exper. 1. p. 435. Garm, Mir. mort. L.2. tit. 9. §.53 IS. Ischiadica periodica. Lentil. Iatr. p. 147. Vateri Diff. de Ischiagra. Schneider de Ischiagra, Weideman. Diff. pecul. Ifchiadici dolores. Borell. c. 2. obf. 10. c. 4. obf. 55. vid. Coxendicus faluatellæ & hirudinum ufu curantur. Zac. Lusit. P. A. L. 2. obf. 170. 171. Thonerus.obf. Medicinal. L., 4. obf. 1 I/chia.

Ischiadicus dolor periodicus acutifimus A. N. C. Dec. 3. ao. 7. obf. 207
dolor epidemicus, lott, cent, b. 14 app
in Ifchiadico & articulari dolore confilium. Solenand. Sect. 5. Conf.3
I Courta Iulianca. I up. L. 2. C. 43. VIG. V Tina jupprello.
diuturna aliquoties recidivans non lethalis. A. N. C. Dec. 1. ao. 10.
obl. 78
14 dierum lethalis ex infarctu & obstructione renum. ibid. obf. 179
11 dierum curata. ibid. ao. 6. obf. 110
renalis per 20 dies durans, ibid, cent, 5 p. 217
oleo fcorpionum, ex errore fumpto, curata. ibid.Dec. 3. 40. 7. obf.115
ex inepta Herniotomia. Hildan. cent. 5. obf. 61
fucco cochleariæ curata. A. N. C. cent. 9. p. 455
diuturna lethalis. A. N. C. Dec, 1. ao. 10. obf.78
diuturna non lethalis. ibid. Dec. 1. ao. 2. obf. 30. 176. ao. 10. obf. 78
p. 200
lethalis ibid an in ohf 50 n 200 200
renalis curata. ibid. Dec. 3. ao. 9. obf. 29
fingularis. Hagend. cent. 2. hift. 35. p. 200
confirmantic Hacht Dea 6 a to
rara. Barth. A. H. V. 3. obf. 8
admirabilis. Zac. Luf. P. A. L. 2. obf. 73
Ifchuriæremedium. ibid. obf. 74
caufa rara. A. N. C. cent. 1. p. 396
Ischuriam fingultus comitans lethalis. Riverius Prax. Costerus Tab. 27.
Paulus de Sorbnit Med. Pract. tract, 1, c. 71
JU.
Judaica herba. Borell. c. 4. obf.99
Jude mors. Garman. L. 1. tit. 8. §. 27. 28. 30. 35. 42. 49. 50
NB. Salices annosæ crepare creduntur, quia Judas Ischarioth de sa-
lice se suspendit. ibid. §. 35
Judæi an quotannis sanguinem humanum effundant. Kornm. Mir. mort.
P. 5. C. 24
laborantes menstruo, ibid. mir. viv. p. 139. vid. Menses. Rejes qu. 47.
p. 581. 582
an fanvine humano utantur. Lang. L. 1. ep. 71. p. 417
Medici. A. N. C. Dec. 1. ao. 6. obf. 151
an foeteant. Garm.L. 2. tit. 8. §. 28. 30
an foeteant. Garm.L. 2. tit. 8. 3. 28. 30 Gg Judei
26 fem

Judai cur, barbam rubram frequentius habeant. Garmann. L. 2. tit. 9.
§. 52. 53 Judicium suum Medicus interdum suspendere debet. Alberti Iur. Med.
P. I. C. I. §. 24. e.
Jadicium criminale de ufu Mercurii vivi interno caute dandum. A. N.
C. Dec. 3. ao. 9. obf. 256
in Judicio extremo homines, quos vivos inveniet Chriftus, an morituri. Kornm. Mir. mort.P. 8. c. 73
Judicii & rationis usus nondum pubertatem conftituit. Alberti Iurispr.
Med. P. 1. c. 2.'s. 4. e.
Jugularium venarum & arteriarum mirabilis distributio. Hildan. cent.
1. obf. 9 Jungfern: Garn, quid fit. A. N. C. cent. 3. p. 357
Jure Confultorum & Medicorum connexio. Alberti Iur. Med. P. I. p.
4. §. 4 Juniperi oleum in nephritica causa epilepsiæ. A. N. C. Dec.1. ao.2. obs.8
Juramentum semel tantum præstare debet Medicus ordinarius. Alberti
Iur. Med. P. I. C. I. §. 28
Jus minima circumstantia variat, ita in Medicina. Becch. Ph. S. L. I.S.IV.
c. 11. p. 189. n. 5 Jus Feretri, five Sandapile. vid. Baar=Recht.
Juvenis sapientia. vid. Sapientia.
in tenebris videns. A. N. C. Dec. 3. ao. 1. obf. 35
Fynges in magia naturali quid fint. Lang. L. 2. ep. 59. p. 841
KA.
K Ali Tranfylvanum. A. N.C. cent. 1. p. 266
A.B.agen- greßer, Glaß= Metall= Stein=Rohlen-und Holk= Freffer. Rejes qu. 92. p.1185. n. 8. 9. 10. vid. Vitrivorax.
Gilber. Becch. Ph. S. L. I. S. 3. C. 2. p. 124
Kergeri medicam. contra omnes febres. Becch. Ph.S.L. 1. S. 5.c. 2.n. 91.
P. 344 Zinder-Slecten quid. Alberti Iurispr. Med. P. 1. p. 90. §. 15
Braut-Kräze. Garm. L. 2. tit. 8. §. 41
KU.
Rungeln unde dictum. A. N. C. cent. 5. p. 177 Rubren, zechen. Becch. P. S. L. 1. S. 111. c. 2. p. 122
Zugten seigen Bernard und in grand

Buffen, Analectis, quibus utuntur virgines, Den Leib bamit auszustopfe fen. Frank. p. 219 0000000000000

LA. Jul obusting as sugary man.

L'Abia craffa. Borell. c. 4. obf. 49

Labii leporini cura. Franken. p. 506

Labiorum mira intumescentia. A. N.C. Dec. 3. ao. 9. obs. 130

cruftæ periodicæ curatæ. ibid. cent. 7. p. 411

inflatio post febres. Salmuth. c. 2. obf. 2

Labor utilis eft ad vitæ confervationem. Zac. Lufit. M. P. H. L. I. hift. 28. p. 52. a. Rejes qu. 93. n. 1. vid. Sanitas. pro fangaine e detrancatis ellisions

Labro Sulcium. Boot. A. V. c. 10

- Lac nihil aliud effe, quam chylum, confentiunt Frank. Sat. Med. p. 273. 274. Charletonius de Oecon. animali Exercit. 3. Huic contrariatur Adrianus Auzetius Med. Parif. in Epift. Differtationi Anat. Pecqueti adnexa, ex illo fundamento, quia non obfervetur via, per quam possit chylus ad mammas deferri.
- Lac exchylo fieri, dixerunt Entius, Horstius, Veslingius, Deusing. & Craanen.
- Lac ex fanguine & chylo fieri, afferunt Caftellus & Martianus.

Lacex fanguine mammarum generari dixit Sylvian.

Lac ex lympha mammarum provenire fatetur Drellincurtius.

Lac pus mammarum nominavit Clemens Alexandrinus.

Lac & fanguinem menftruum effe eandem materiam, dixerunt Arif. Hift. animal. L. 7. c. 2. & 4. it. de generat. animal. c. 8. it. Galenus fac. fimpl. L. 5. c. 22. de V.S. adv. Erafistr. c. 15. 14. Franken. Sat. Med. p. 272. 273

Lac fanguinem menstruum inversum nominat Mizaldus.

Lac fenum effe vinum dulce dixit Avicenna. vid. Rejes qu.85. n. 16.27

Lac veneris dulce vinum dixerunt Athenaus & Apulejus.

Lac mores communicat. Rejes qu. 47. p. 584. 585. Garm. L. 2. tit. 2. §. 70 Lac inquinatur per venerem. Garm. M. M. L. 2. tit. 8. §. 41

Lac virginum naturale qui negent. Frank. p. 238-242, 254

qui affirmant. ibid. p. 245-247

38.1

exabundantia fanguinis. ibid. p. 272. 273 pharmacevticum vario modo parari folitum. ibid. p. 275.feqq. an in virginibus & viris generari poffit. Rejes qu. 47. p. 575

micnetic

Lac præsens an sit indicium in puncto infanticidii ad torturam. Alberii Iur. Med. P. 1. fuppl. p. 409 Lac in virgine ex miraculo. Rej. p. 575. qu. 47 absque imprægnatione, ibid. p. 576 ex menfium vitio. id. p. 578-580 in virginibus brutorum. Frank. p. 248. 249. 252. 253 nuda fuctione provocatum. Frank. p. 247 muliebre pro phthisi. Zac. Luf. P. A. L. I. obs. 129. Blegny Zod. gall. ao. 1681. Sept. obf. 1 ex mammis gravidæ largiter effluens. A. N. C. cent. 3. p. 297 pro fanguine e detruncatis effluens. Garm. L. 2. tit. 7. S. 144. Rejes qu. 47. p. 583 in mainmilla virginis. Diemerbr. obf. 75 ex utero. Frank. p. 244. 270. 271 mammarum fuctione provocatum. Rejes qu. 47. p. 576. 577 in mammis non femper indicium est prægresi partus. ibid. p. 577. Alberti Iur. Med. P. 1. p. 89. §. 14. d. it. P. 2. p. 143. 147. it. App. p. 92 masculorum, ibid. p. 578-580. vid. Lac in viris. ex languine e vená extracto. Rejes qu. 47. p. 583 in pueris & juvenibus. Frank. p. 251-253. 271. 272. in fæminis non femper eft deflorationis fignum. ibid. p. 254.255. 258. 259.260 in non gravidis an a mensium suppressione oriatur. id. p. 272. Alberti Iurispr. Med. P. I. p. 89. S.14 perumbilicum excretum, A. N. C. Dec. 2. ao. 8. obf. 177 coagulatum fcirrhos cancrofos caufatur. Hild. cent. 2. obf, 78-80 noxium eterrore. A. N. C. Dec. 2. ao. 9. obl. 35 post quatuor feptimanas revocatum. ibid. Dec. 3. ao. 7. obf. 114 in fenibus & pueris generatum. ibid. obf. 86 abundans. ibid. Dec. 2. ao. 2. obf. 43 in infante. ibid. ao. 10. obf. 144 caprænigræ aufert tabem dorfalem ex venere ortam. Zac. Luf.P. L. 1. obf. 131 afininum in medicina efficax. Alberti Iur. Med. App. p. 142 B. virginis Mariæ ad multas superstitiones & fucos applicatur. Frank. p. 289 Lunæ Bethlehemiticum.id. p. 291-293 Lac

Lac in papillis puerorum. Barth. cent. 3. ep. 38
in mammis virilibus. A. N. C. cent. r. p. 194. app.
in puelle fanguine. Barth. c. 1. obf. 17
in puella. Rhod. c. 2. obf. 37
multum in gravida. Barth. A. H. V. 3. obf. 16
in vitulis nuda fuctione prolicitum. A. N.C. Dec. 1. ao. 2. p. 219. ao.
3. obf. 10. Frank. p. 247
in mammis non gravidæ, nec puerperæ, nec lactantis. A. N. C.Dec. I.
ao. 3. obf. 130
absinthiacum ex nimio absinthii usu ante puerperium. Barth. A.
H. V. 2. obf. 62
viride. A. N.C. Dec. 2. ao. 6. obf. 23
e brachio fæminæ cancro mammarum laborantis. Barth. A. H. V. 2.
obf. 83
toto gestationis tempore e mammis esluens citra fætus debilitatem.
Tim. a Guldenkl. L. 4. Caf. 23
in viris. Lent. latr. p. 489. A. N. C. cent. 1. p. 194. app. Borell. c. 1. obf.
49. Alberti Iur. Med. P. 1. p. 89. §. 14. lit. d.
in juvene. A. N.C. Dec. 1. ao. 2. obf. 135. Alex. Bened. L. 3. c. 4. Arift.
Hift anim. L. I. c. 12. L. 3. c. 20. M. Donat. de var. & morb. c. 8. Andr.
Laur. anat. L. 2. c. 2. Frank. p. 250-252
ex vena fecta in viro. A. N. C. Dec. 1. ao. 3. obf. 123
intra mammas per ductum thoracicum, ibid. ao. 1. obf. 6
in recens nato infante. A.N. C. Dec. 1. ao. 8. obl.86. Frank. p. 249.250
per scarificationem extractum. A. N. C. Dec. 1. ao. 10. obf. 65
evenis fectis. ibid. ao. 1. obf. 38. 132. ao. 3. obf. 123. ao. 7. obf. 214
Lactantibus fæminis an nutrices substituere liceat? Brefil. Gesch. 4.
Berfuch. p. 1296. 1297. it. 9. Verf. p. 385. Rejes qu. 47. p. 583. Spen.
Lebens Pflicht Dom. I. Epiph. p. 170. Theol. Bedenct. P. II. c. 3.
Art. 2. Sect. 2. p. 225. Hertlinus disp. de Ventre §. 12. p. 27. vid.
21mmen.
Lactens fexagenarius. A. N. C. Dec. 2, ao. 5. obf. 16
Lactans virgo. Salmuth. c. 1. obf. 92. Barth. c. 1. hift. 27. A.N.C. Dec, I.
a0. 2. p. 218. 219. Frank. p. 245-247
Lactatio cephalalgiæ caufa. A. N.C. cent. I. p. 117
eforamine prope papillam. Salmuth. c. 2. obf. 12
Lactatio impedita ob papillarum defectum. Plater. obf. L. 1. p. 231 Gg 3 Lactea
Gg 3 Lactea

Lactea mictio. vid. Mictio. febris. A. N. C. Dec. 2. ao. 7. obl. 98 vafain inteftinis craffis. A. N. C. cent. 5. p. 234 Laclearum venarum inventores. Frank.p. 615. 616 delineatio a Galeno. Cattier. obf. 18 maken a un array idea. Fran Lasteus humor e femore effluens. A. N. C. Dec. 1. ao. 10. obf. 66 Lactantibus olim sub pœna capitali prohibitum suit, ne coëant aut gravidas reddi patiantur. Garm. L. 2. tit. 8. §. 41 Lactis faccharum. A. N. C. cent. 3. p. 69. Dec. 3. ao. 9. obf. 155 confenfus cum fœtu in utero. Frank. 242. 243. 244 afinini usus in ventriculi affectu. Solen. Sect. I. Conf. 8 equini potus contra biliofam Podagram. Zac. Luf. P. A.L. 2. obf. 184. potus curat suppurationem ex pleuritide. ibid. L. 1. obf. 119 larga profusio emammis gravidæ innoxia. A. N. C. Dec. 2, ao. 2. 001. 99 examen. ibid. cent. 1. p. 57 & menftrui fanguinis an eadem fit natura. Frank.p. 272-274 cum vino mixtio mala comprobatur ratione, experientia & autoritare. Rejes qu. 94. p. 1193-1197 feri aut acidi damna. Barth. A. H. V. 2. obf. 87 mira copia in lactante. Borell. c. 3. obf. 82 via per os in famina. A. N. C. Dec. 2, ao. 6. obf. 76 horror. Borell. c. 4. obf 61 defectusin puerpera pleuritica. Plater. obf. L. 1. p. 230 I.adis ulus in Arthritide & Podagra. A. N. C. Dec. 1. ao. 1. obf. 141. app. p. 32. ao. 6. obf. 58. Brave Confult. Med. 3. p. 255. vid. Arthritis. La Je prædita animalia bruta masculina. Rejes qu. 47. p. 580 propagati mores. Garm. L. 2. tit. 2. §. 70. Rejes qu. 47. p. 584. 585 Laduce efus fomnum conciliat. Zac. Luf. M. P. H. L. I. hift. 13. p. 24. b. Lastnerpostaliquot hebdomadas rejecta. Hagendorn. cent. 3. hift. 86. P. 398 Laceria deglutita. A. N. C. cent. 5. p. 126 per V. Sionem egreffa. Blegny Zod.gall. ao. 1680. Jun. obf. 14 Lacerte morfus. Borell.c. 1. obf. 43 ex Lacrymatione intempestiva cataracta fuborta. Hild. c. 4. obf. 1; Lacrymales glandulæ & ductus. Frank. p. 630 cilliging do stibogan Lacry-

Lacrymalis Fiftula. vid. Fiftula. Lacrymæ fanguineæ. Lent. Mifc. Med. p. 331. A.N. C. cent.7.p. 266.Dec. 1. ao. 7. obf. 200. ao. 10. obf. 99. Garm. L. 2. tit. 6. §. 54. Hachft. Caf. 1. Dec. 1. Borell. c. 2. obf. 56. Drexelius Delic. gentis humanæ P. 2. c. 2. vid. Menfes & Sanguis. ex Encanthide male curats. Zac. Luf. P. A. diu per circuitus repentes. Zac. Luf. ibid. obf. 55 criticæ hyftericarum. Barth. c. 2. h. 97 vitrez. A. N. C. Dec. 1. 20. 2. p. 428. cent. 1. p. 90. difp. Bayeri. petrefactæ. A.N. C. cent. 3. p. 418, it. Blegny Zod. gall. ao. 1679. lun. obf. 1. Mart. obf. 8 verminofæ. A. N. C. Dec. 2. 20. 5. obf. 20 cervi. vid. Cervus. Ratuarum. Garm. L. 2. tit. 6. S. I Lacryme multe lactee ftatuarum. Garm. L. 2. tit. 6. §.21. 22 Lacrymarum vitrearum ruptura. A. N. C. cent. 3. p. 440 Lacus. Sturm. phyl. Hypoth. Tom. II. p. 1150. feq. Lesiones & symptomata ab Advocatis confunduntur. Alberti Iurispi-Med. P. I. p. 402. §. 18 Lefiones fine vulnere. ibid. P. I. p. 301. §. 31. it. p. 305. §. 33. feq. arteriarum & venarum quænam lethales.ibid. P. 2. p. 353 Lesiones variæ externorum sensuum. Gabelchov. cent. 4. cur. 45 Lampades inter antiquos accensa testimonium immortalitatis animæ fuerunt. Garm. Mir. mort. L. 2. tit. 10, §. 178. Cafp. Rejes camp. Ely1. juc. qu. 58. p. 757 Lanionum morbi. A. N. C. cent. 3. p. 154 Lapilli a phthisico tuffi rejecti. ibid. Dec. 3. ao. 4. obs. 109 Lapis.vid. Calculus. offifragus. Hildan. cent. 3. obf. 90 de Goa, A. N. C. cent. 3. p. 86. app. araneorum. ibid. p. 97 intumore humeri. Borell. c. 1. obf. 87 bezoardico fimilis in ventriculo capreolij inventus nucleum plumbeum continens. A. N. C. Dec. 3. ao. 7. obl. 191 fupra mucronem lingux enatus. Zac. Luf. P. A.L. 1. obf. 78 renalis miræ formæ, coloris, magnitudinis. Zac. Lufit. P. A. L. 7. cbf. 68 Lapis Lapis in virga. vid. Calculus.

Buttleri. 1A. N.C. Dec. 3. 20. 4. obf. 117

in hepate juxta vesicam felleam inventus. Kornm. Mir. mort. p. 4. c. 66

Lapidis in lingua generatio. Zac. Luf. M. P. H. L. 1. hift. 70. p. 122 Bezoardici usus in lithiafi, Zac. Luf. P. A. L. 2. obf. 67

de Lapide Suecico producente Sulphur. Vitriol. Alum. & Minium. A. Angl. Oldenburg. ao. 1666. Ian. n. 6. p. 310

Lapides num in qualibet corporis parte gigni poffint. Zac. Luf. M. P. H. L. I. hift. 70. p. 122

fulminares. Borell. c. 3. obf. 86. 87. it. A.N. C. cent. 1. p. 89 ex utero excreti in fascinata. ibid. cent. 3. p. 157

pretiosi in hominibus reperti. Rejes qu. 36. p. 440

de Lapidum natura & proprietatibus. Reinzer, Meteorol. diff. 12. qu. 5. 6. p. 260. feq.

de Lapidibus pretiofis. Reinzer. Meteorol. diff. 12. qu.7. p. 268

Lapides in universi corporis singula parte. M. Donat. L. IV. c. 30

in toto corpore. Borell. c. 1. obf. 67.5

Lapides & offa variæ figuræ intra cor genita. vid. Cor.

Lapides aërei. Garm. Mir. mort. L. 3. tit. 4. §. 190

in quibus metallagenerantur, quomodo dicantur. Becch. Ph.S. L. f. S. 2. c, 2. p. 96

Lampa da

UNITS BLUE

20. Laplin

renalis india ionale co

prægnantes. Frank. Sat. p. 81

figurati. A.N.C. Dec. 1. ao. 6. obf. 66

ferpentum. ibid. Dec. 2. ao. 9. obf. 74

conchylii figura fignati. ibid. Dec. 3. ao. 9. obf. 301 in Lapidem mutatum cadaver. Kornm. Mir. mort. P.3. c.36. vid. Petrefacta.

Lapidea vesica. Borell. c. 1. obf. 1

Lapidum fpecies. Becch. Ph. S. L. I. S. 3. C. 2. p. 120

bufonum generatio. A. N. C. Dec. 2. ao. 9. obf. 72

cancrorum collectionis historia. A. N. C. cent. 7. p. 417

Lapidibus uterus refertus. A. N. C. cent. I. p. 148

Lapidifactum equifetum submarinum orientale. A. N.C. Dec. 3, ao. 6. obf. 160

Lapidifici fontes. vid. Fontes. Ipiritus. Borell. c. 1. obf. 5

Lapideus puer. Borell. c. 1. obf. 5

Lapfus ab alto urinæ retentionem & veficæ abfceffum producit. Hildan. cent. 3. obf. 66
Lapfus ex alto indemnis. A. N. C. Dec. 1. ao. 3. obf. 71. vid. Cafus.
in glacie graviffimus cum conquaffatione corporis. Gabelchov. cent.
3. cur. 82
ante Lapfum an extiterint herbæ venenatæ. A. N. C. cent. 7. p. 216. app.
Laqueo suffocati revixerunt. Garman. p. 13. L. 3. tit. 4. p. 1235. Rejes qu.
66. p. 893. qu. 79. n. 10. p. 1054. vid. Suspensus.
Laqueus fupensi pilis obsitus. Blegny Zod. gall. ao. 1682. Mart, obs. 18
de Laqueo strangulatis. Alberti Prax. Extemp. Caf. 8
Laryngis musculorum affectus difficilis & plenifimus. Solenand. Sect.2.
Conf. 24
Laferpitium. Lang. L. I. ep. 62. p. 329
Lassitudinaria febris. Zac. Lusit. P. A. L. 3. obs. 21 Lassitudototius corporis inappetentia, dolor lumborum. Gabelch.c.1.c.31
omnium membrorum cum dolore dorfi a morbo regio.ibid, cent, 2.
cur. 50
tibiarum & pedum. ibid. cent. 4. cur. 83
corporis cum inappetentia. ibid. cent. 3. cur. 60
membrorum cum dolore capitis, lumborum, prostrata appetentia,
fiti. ibid. cent. 4. cur. 63
ulcerofa totius corporis. Gabelch. cent. 4. cur. 21
Lateris finistri dolor molestus. ibid. cent. 2. cur. 27.33
dolor infignis cum lassitudine ulcerosa dextri brachii & spatulæ.ibid.
cent. 2. cur. 56
dolor pungitivus cum deambulatione impedita & torpore extre-
morum ex lapfu. ibid. cent. 3. cur. 20
utriusque infignes punctiones cum lipothymiis. ibid. cur. 59
Laudandi mortuos mos. Kornm. Mir. mort. P. 8. C. 21
Laudani noxa. Borell. c. 4. obf. 57
Laudani successus felicissimus in puero decimestri. Hild. c. s. obs. 60
Laudes hominis. Rejes qu. 20. p. 218. §. I
Laus diversorum vitiotum. Frank. p. 528. 529
Laxantis potiunculæ aspectus Hypercatharsin adsert. A.N. C. cent.I.
p. 263 LE.
fine Lege loqui erubescunt JCti Alberti Iur. Med. P. I. C. I. S. 21. a.b.
me Lege mundus en
Hh Leges

- 241

24 ² L.E.
Leges respiciat Medicus Alberti Iurispr. Med. P. 1. p. 16. §. 21
Legum anima ratio. Alberti Iur. Med. P. I. C. I. § 9. a.
de Legitimationis liberorum figno apud Germanos & Gallos. Kornm.
Mir. viv. p. 261
Legitimus partus. vid. Partus.
Legumina in aure & nafo. Bor. c. 1. obf. 10
Lentigines. Bor. c. 4. obf. 21
Lentes antitoxicum remedium. Salmuth. c. 2. obf. 45
in pleuritide concedi poffunt. Zac. Lusit. M. P. H. Lib. 2. hift. 21.
p.218. a.
variolas non expellant. Hachft. Dec. 1. p. 97
Lenticula nova Italorum febris. Lang. L. 2. ep. 15. p. 619
Lens & Faba græca dicitur, quod tumultuosa somnia & terribiles visio-
nes faciat. Dioscor. de remed. L. 2. c. 127-129. Garm. Mir. mort. L.
2. tit. 10. §. 194
Leo Androdum fervans. Kornm. Mir. viv. p. 208
a Leone fervatus Sandrocottas? ibid. p. 210
a Leonibus tutus Daniel. ibid. p. 209
Lepus cornutus. A. N. C. Dec. 2. ao. 6. obf. 83. Barth. cent. 2. epift. 79
Leporina axungia ad oculorum pannos. Barthol. A. H. V. 5. obf. 126
Leporinus sanguis Erysipelas, Dysenteriam curare dicitur. vid. Sanguis.
Leporis caro Melancholiam adjuvare dicitur. Zac. Luf. M. P. H.L.I. hift.
28. p. 54.a
Leporum carnis vires. Langius L. 1. ep. 67. p. 377
Lepram tractat Ranchinus, Fumanellus de Lepra & Elephant. Hæpffner.
in Epift. de Lepra & Eleph. Varandæus de Elephant. Villanova de fignis Leproforum, Palmarius, Fulginatis Tr. de Lepra. Helve-
tius de Lepra Gracorum. vid. Elephantias.
Lepræ Arabum & Græcorum differentia. Rejes qu. 60
Lepra non oritur a comeftionis fanguinis abstinentia. Barth. A. H. V.2.
obf. 105
Lepra non oritur a comestione suillæ carnis. Barthol. de Morb, bibl.
n.8 Lepra pœna peccati. Num. XII. v. 10. it. 2. Reg. 5. v. 27
Lepra Arabum, Elephantiafis. Plater. obf. L. III. p. 665
Lepra Græcorum, Pfora perverfa. ibid. p. 670
The Dracorality round and head

-43
Lepra curata. A. N.C.Dec. 3. ao. 9. obf. 153. Bor. c. 2. obf. 37
Lepra ex scorbuto. Alberti Iur. Med. P. II. p. 474
Lepra an ex concubitu cum menstruata oriatur. ibid. p. 163
Lepræremedium afini caro. Barth. c. 6. h. 33
Lepræ fimulatio & diffimulatio. Alberti Iur. Med. P. I. p. 206. §. 15. p. 209. §. 20
a Leprofo fanguinis per venæsectionem extracti mira congelatio. M. Donat. L. I. c. 4
Lethalitatis ex accidenti caufa. Alberti Iurispr. Med. P. 1. p. 290. §.16
Lethalitatis figna. ibid. p. 288. §. 14. 15. & p. 298
Lethalitas vulnerum fubitanea fine lethali vulnere. A. N. C. cent.3.p.7
Lethale & non lethale quid? Alberti Iur. Med. P. 1. p. 279. §. 5
Lethargus cauterio curatus. Zac. Luf. P. A. L. 1. obf. 17
critica furditate curatus. ibid. obf. 18
Paralytici post usum balnei. Hild. cent. 5. obs. 6
ingens curatus. Bor. c. 1. obf. 52
Leucophlegmatia ex nimia sanguinis detractione. Plater.L. III. p. 591
Leucophlegmatia inunctione Mercuriali per urinam foluta. Rhod. c. 3.
obf. 9
Levitas & gravitas. Blegny Zod. gall. ao. 1680. Febr. obf. 1
Levia an evadant corpora humana, que fulmine tacta. Garmann. L. 2.
tir. 3
Leviora unde reddantur corpora humana, Garman. L. 2. tit.3. §. 25-28
The second states of the second states and the second states and the second states and the second states and the
La province and the second LI. A province I when a second second
de Liberis duodecim fratribus Martyribus. Kornm. Mir. viv. p. 152
Norvegis ibid. p. 153. feqq.
multis. ibid. p. 152. feqq.
Libido in nonnullis fæminis. Simon. imp. conj. c. 2. tit. 2. n. 1. 2
venerea infolita in fene. A. N. C. Dec. 2. ao. 2. obf. 121
Lichenes hypochondrii dextri in ulcera abeuntes. Hagendorn. cent. 3.p.
Lichenes hypochondrin dextrin dicera abednices. Thegendor w. cent. 3.p.
359. hift. 60
Lien quale viscus. Alberti Iur. Med. P. II. p. 384
Liennon'eft parenchyma. Malpigh. Exerc. de Liene c. 4. Frank, bon.

nov. anat. §. 8

Lien

Lien eft membranofum corpus. vid. Malpigh. & Frank. l. c.

244

Lienem quidam dicunt effe glandulofum. Frank. ibid. it. Tilingius in Anat. Lienis.

Lienis anatomico-pathologica explicatio. Hachft. Dec. 5. p. 468. feq. Lienis usum explicat. Casp. Hoffm. de usu cerebri & Lienis. it. Piso de

Liene. Metzger hift. anat. Lienis. Lienis ufus infervit functioni Hepatis. Hachft. Dec. 5. p. 493 Lienis nullum plane effe ufum dixerunt. Erafistraius, Democritus, Ru-

fus Ephefius.vid.Galen.de ufu part. L. 4. c. 15.comment. 3. in Hipp. Lib. de Alimentis, Barbatus de fanguine & fero p. 5. Deufingius de fanguific. Paracelfus Lib. 2. de Nat. hum. c. 4. & 6.Frank.Sat. Med. p. 104

Lienis excifio morborum Hypoch. Melanch. Ictericor. fcorbuticor.febrium 4tanarum caufa. Guldenkl. Refp. 45. p. 957

Lien ab herba Scolopendrii abfumi creditur. Frank. p. 106

Lien quod fermentum specificum ad concoctionem immediate in ventriculum demittat, asseruernt Galenus L., 3. de Natur. facult. & Laurentius L. 6. qu. 26

Lien ablatus. A. N. C. cent. 5. p. 233. Dec. 1. ao. 1. obf. 29. p. 87. Barth. c. 4. hift. 51. Frank. p. 106. 107. Laur. Anat. L. 6. c. 25. Kerkr. obf. 11

citra fanitatis læfionem excifus. A. N. C. Dec. 3. ao. 9. & 10. obf. 199 duplex & triplex. A. N.C. Dec. 1. ao. 3. obf. 172. & cent. 5. obf. 52. it.

p. 78. & Dec. 3. ao. 9. obf. 63. Frankenau p. 103. A. N. C. cent. 7. p. 80.

disruptus. Tulp. L. 2. c. 29. A. N. C. cent. 1. obf. 108 e curioribus exfcifius fabula eft. Frank. p. 110

exiguus Vidus Vidius L. 10. c. 10. de curat. morborum. Frankenau p. 104. 105

functione fua infervit officio hepatis. Hachft. Dec. 5. p. 493 in ventriculo delitescens. A.N. C. cent. 7. p. 120. app.

in Melancholicis infons ibid. cent. 5. p. 244

induratus. Barth. cent 1. hift. 60. A. N. C. Dec 1. ao. 6. obf. 133

magnus. Tulp. L. 2. c. 30. A. N. C.Dec. 1. ao. 1. obf. 229. & ao. 4. obf. 30.

it. Dec. 2. ao. 9. obl. 56. Barth. cent. 4. ep. 13 maximus. A. N. C. cent. 3. p. 23. & cent. 7. p. 24. 215 non eft fedes rifibilitatis. Frank. p. 2. 24 non eft veneris fedes. ibid. p. 108. 109

Lien

L.I.
Lien non eft officina Melancholici fucci. Frank. p. 454
non eft pars generandis pravis fuccis apta. Hachft. Dec. s. c. 1. fchol.
Plater. prax. L. I. Tr. 3. c. 2. Pifo de Liene. Baubin. anat. L. L. c. 43.
Reusnerus de scorbuto exc. 4. Tim. a Guldenkl. resp. 45
non Melancholiam efficit. Frank. p. 2. 28
plures habet arterias, quam venas. Frank. p. 444
petrefactus. A. N. C. cent. 9. p. 13
offe præditus. Bor. c. 1. obf. 14
ruptus. A. N. C. Dec. 3. ao. 2. obf. 24
Lienem fine damno exfcindi non posse, qui dicant. Frank. p. 106
Lienis vulnera quæ lethalia autillethalia. Alberti Iur. Med. P. 1. p. 339-
§. GI.
Lienis & duodeni vulneratio transversalis lethalis. ibid. app. p. 193-
Cal 33
Lienis vas breve. Tilingius in Tr. pecul.
Lienis anatomico-pathologica explicatio. Hachff. Dec. 5. p. 468-482
& Hepatis exceffiva magnitudo. Hild. c. 2. obf. 45
defectus. Salmuth. c. 1. obf. 21. Frank. p. 103 -111 dolor e ructibus acidis. Gabelch. cent. 1. cur. 14
venx fectione curatus. Zac. Luf. P. A. L. 2. obf. 49
exfectio in cane vivo. A. N. C. Dec. 1. ao. 4. obf. 165. Barth. cent. 3.
exfectio. Barth. c. 4. h. 50. A. N.C. Dec. 1. ao. 1. obf. 29. p. 87. & Dec.
3. ao. 7. obf. 162. Frank. p. 107. feq.
hydrops. A. N.C. cent. 9. p. 107
mutilatio indemnis. A. N. C. Dec. 2. ao. 7. obf. 150
non occurrit dittensio, sed, quæ lieni adscribitur, flatulentia intesti-
ni coli effe fertur. Hachst. Dec. 5. p.501. 502
obstructio. Diemerbr. obs. 14. 80. 86
&Hepatis obstructio & durities. Solen. Sect. I. Conf. 12
parsin corpore abrupta. A. N. C. cent. 3. p. 24
ruptura. A. N. C. cent. 1. p. 222
lethalis. ibid. cent. 5. p. 418. Alberti Iurispr. Med. P. 2. p. 380. it.
p. 284
a forti percussione, cadaverumque jam sepultorum ac iterum
effosforum quandoque injectio valde necessaria eft. A. N. C.
Dec. 3. ao. 9. obf. 6
Hh 3 Lienis

246	· Ll.
Lienis	forrhi compendiofa curatio. Hild. c. 2. obf. 49
fcir	rhus. A. N. C. cent. 1. p. 205. app.
	cauterio curatur. Zac. Luf. P. A.L. 2. obf. 50
tum	nor ab hepatis intumescentia. Blegny Zod. gall. 20. 1682. Mart.
	obf. 7
	lochiorum largo fluxu folutus. A. N.C. Dec.1. ao. 8. obf. 95
tum	orem incipientem curavit Tabaci malagma. A. N. C. Dec. I. ao.
	. obf. 38
ex Lie	nis dilaceratione repentina mors. ibid.Dec. 3. ao. 2. obf. 70.
& j	ecoris obstructione dolor finistri hypochondrii. Gabelchov. cent.
	cur. 36 de la contra de la cont
in Lien	ofis fanguinis miri fluxus. M. Donat. L. 4. c. 9
Liente	ria periodica. A.N. C. cent. 6. p. 137
Liente	rie cura. Lentil. latr. p. 312. Plater. obf. L. 3. p. 803.804
	ra magica ad caufandam impotentiam, das Deffel-Rnupffen. Al-
	erti Iur. Med. P. 1. p. 32. §. 16. Befoldus Thef. pract. fol. 659. Speide-
li	us de Notabil. p. 895
aLiga	tura brachii forti sphacelus. Hagend. cent. 3. hist. 46. p. 329
	ra fortis causa sphaceli. A. N. C. Dec. 1. ao. 2. obs. 248. vid. Spha-
	elus.
Ligatu	ræ digitorum diversi effectus. A. N. C. Dec. 2. ao. 5. obs. 29
Me	dicorum physicæ, annuli & periapta. Langins L. 1. ep. 34. p. 159
	ura Martis cruda ad propellendos vermes. A. N. C. Dec. 3. ao. 1.
0	bf.7
Limon	ium in Limonio. Frank. p. 81
Limus	in ferrum converti potest. Becch. phys. S. L. I. Sect. 3. c. s. p. 175
Lingu	evulneratæ curatio. Hild. cent. 1. obf. 28
Langu	duplex. A. N. C. cent. 3. p. 96. Bor. cent. 2. obf. 63
	in puella, ibid. Dec. I. ao. 10. obf. 137
defi	ciente, loquela præfens. Frank. p. 120. Kornm. Mir. viv. p. 100.
	eq. Breithaupt progammata felecta progr. XI. p. 121. feq. vid. Lo-
TTT	praica prima fuit. Rejes qu. 44. p. 690
Hel	an Chaldæa altera antiquior. ibid. p. 693
(cróm)	na. A. N. C. Dec. 2. ao. 2. obf. 51
mag	nbrum eft ad bonum & malum applicabile. Frank. p. 418
Gual	ngua loquentes Martyres. Kornm. Mir. viv. p. 100. feq.
mac La	Ingan inquentes marches and international transferrer
	the state of the s

Lingua fub convultionibus morfu ablata. Frank. p.119. 120 Lingue abfciffio. Frank. p. 119 affectæ in pestilenti febre rara historia. Gabelch.' cent. 5. cur. 7 ardor & ficcitas in febre. Boot A. O. c. 8 defectus. Barth. cent. 2. hift. 22. Frank. p. 119--124 alio instrumento compensatus. Frank. p. 507 durities & ficcitas cum fiffuris. Gabelch. cent. 5. cur. 7 frenulum vario modo folvitur. Frank. p. 424--429. vid. Frenulum. frenuli dilaceratio ab unguibus noxia. Frank. Sat. §. 5-7. p. 419-424 incifio in avibus loquacibus. Barth. A. H. V. I. obf. 49 Lingue vulnera an lethalia. Alberti Iur. Med. P. I. p. 320 Lingue varia ex Melancholia. ibid. P. 2. p. 245. 111. Lingue cancer monstrofus. Hild. c. 3. obf. 84 Lingue ligamenta fecandi ratio & cautelæ. Hildan. c. 3. obf. 28. vid. Frenulum. Lingue ligamenti incauta fectio lethalis. A.N.C. cent. 5. p. 323 miritumores. M. Donat. L 3. c. 4 in Linguæ mucrone lapis. Zac. Luf. P. A. L. I. obf. 78 verruca Gallica, ibid. obf. 79 paralyfi confilium. Solen. Sect. 2. Conf. 14. Lingue refolutio fectis raninis curata. Zac. Lufit. P. A.L. I. obf. 82.L.I quadantenus absciffæregeneratio. Frank. p. 120 paralysis cum aliqua mixtura curata, qua lingua illinebatur. A. N. C. Dec. 1. ao. 6. obf. 92 ftupenda magnitudo. Barth. cent. 3. hift, 43 tumor fuctu hirudinum & scarificatione curatur. Zac. Luf. P. A. L.I. obf. 80. & 81 Linguam fibi amputans an torturæ fubjiciendus. Alberti Iur. Med. P. r. p. 236. §.5. lit. d. Linguam referens tumor fub lingua. Hachft. Dec. 9. c. 8 ex Lingua calculus. Hagendorn. cent. I. hift. 71. p. 105 Linguarum diutfio. Kornm. Mir. viv. p. 96. 97 peregrinarum fermocinatio a qua caufa pendeat. Frank. p. 194-200 dæmoniaca abindoctis. Frank. p. 188. & 189. Rejes qu. 27, p. 328. & 329 naturalis. Frank. p. 194--197 varietas, Kornm. Mir, viv. p. 97 Lin-

Linguas peregrinas loquentes sub morbis, ex vermium præsentia, qui il. las nunquam didicerant. Franken. p. 181--188. A. N. C. Dec. I. ao. 4. p. 285 in certorum morborum vigore, quorum adducuntur exempla. Rej. qu. 17. p. 314.315. 321 de Linguis Apostolorum ignitis. Kornm. Mir. viv. p. 103 Linum catharcticum. A.N.C. cent.7. p. 336 Lini oleum in hæmoptyfi ad cochlear unum in dies affumendum. A. N. C. Dec. 1, ao. 7. obf. 209 olei virtus vulneraria. ibid. cent. 9. p. 460 olei virtus in pluritide. Gesnerus L. 1. Ep. 49 Lintea noctu lucentia. A. N. C. Dec. 2. ao. 1. obl. 171 Lippitudo mucaginofa. Boot. Affect. Omiff. c.9 purgatione curata Zac. Luf. M. P. H. Lib. 1. hift 55. p. 95 Lipothymia cum cardialgia. Plater obf. L. 1. p. 219 ex caufa occulta. Hild. cent. 6. obf. 33 Lipothymia in formina ex receptione feminis virilis. A. N. C. Dec. r. ao. 3. obl. 233. Alberti Iur. Med. P. I. p. 83. f. ex cafei odore. Zac. Luf. P. A. Lib. 3. obf. 107 ex colapho. A. N. C. Dec 1. ao. 2. obf. 122 ex punctura vespæ ad carpum. Hildan. cent. 4. obf. 77 ex fanguinis millione. Blegny. Zod. gall. ao, 1680. Iul. obf. 10 exvento Salmuth. cent. 3. obf. 7 num a tortura liberet. Alberti Iur. Med.P. 1.p. 244. n. 1 ex hauftu aquæ frigidæ. Hild. c. 2. obf. 29 Lipyria Arabum valde diftat a Lipyria Græcorum, Zoc. Lus. M. P. H. Lib. 2. hift. 20. p. 216. vid. Febris Lipyrica. vera ex inflammatione ventriculi. Zac. Luf. P. A. Lib 3. obf. 25. vid. Febris Lipyrica. Liquorum naturæ noua explicatio in corpore humano.Blegny.Zod.gall. ao, 1681. Mart. obf1. April. obf. 1. Mai. obf. 5. ao. 1682. obf. 8 Literati multis morbis funt obnoxii. Frank. p. 566-573 Lithargyrii Bifmuthi noxa in vino. A. N. C. Dec. 3. ao. 5. 6. obf. 261 fumus noxius. Lentil. latr. p. 63-65 circa Lithargyrii noxam experimenta. A. N. C. Dec. 3. ao. 4. obf. 92 Lithargyrii in vinum fucatum inquisitio, occasione sacchari saturni ex Lithargyrio confecti, & inde ortanoxa. A. N. C. Dec. 3. ao. 7. Litharobf. 134

Lithargyriata vina examinandi modus. Lentil. latr p. 67. 69.70 noxia. ibid. p. 65-76.A. N.C. Dec. 3. ao. 4. obf. 92 Lithiafis balfamo curata. Zac. Luf. P. A. Lib. 2. obf. 66 lapide bezoardico curatur. ibid. Lib. 2. obf. 67 Lithotoca mulier pro fascinata habita . A. N. C. cent. 3. p. 155 Lithotomia Douglassiana a Petro Franco reperta vid. eius Traité des Hernies, Roffetus gelehrte Leip3. Seitungen. Ao. 1724. n. 3. p. 116. it. n. 18. p. 170. it. n. 65. p. 669. 670. it. Hiftor. Reg. Scient. a0. 1699. D. 42 Lithotomie observationes. Blegny. Zod.gall.ao. 1682. Febr. obf. 4. Lithontripticum cingulum. A. N. C. cent. 7. p. 348 Lithontriptica utrum dentur. Lentil. Milc. Med. p. 180 quid de iis sentiendum. Alberti Iur. Med. P. 2. p. 541 Lithontriptica virtus hircini fanguinis. Smet. Mifc. L. 12. C. 44 Lividus puerin toto corpore. Hagendorn. cent. 3. hift. 56. p. 355 Liver faciei infuetus. Zac. Luf. P. A. L. 3. obf. 110 LO. Localis motus promovet secundinarum expulsionem. A. N. C. cent. I. p. 122 Lochia. Alberti Iur. Med. P. 2. p. 575 Lochia aquofa. A.N. C. Dec. 2. ao. 1. obf. 92. & ao. 5. obf. 128 imminuta caufa phthifeos. Cattier. obf. 11 nimia. A. N.C. Dec. 2. ao. 7. obf. 96 per alvum. Barth. cent. 3. h. 19 nares. Salmuth. cent. 1. obf. 89. A. N. C. Dec. 1. ao. 2. obf. 184 puerperænulla. Salmuth. cent. 3. obf. 89 ex ulcere mammæ fluentia. A. N. C. cent. 9. p. 137 retenta caufa pleuritidis. Tim. a Guldenkle. L. 4. caf. 35 nec ante nec post partum videns prægnans. Hagendørn, cent. 3. hift.9. p. 293 Lochiorum defectus perpetuus in fœmina fana fæpiusque puerpera faeta. A. N. C. Dec. 1. ao. 3. obf. 265. Salmuth. c. 3. obf. 89 excessiona a medicamento calido impellente, mitigatur per applicationem fuliginis fornacis, &quantum fatis acidi vini quali cataplasmatis inftar genubus applicatum. A. N. C. Dec. 3. ao. 5. obf. 84 immoderata eruptio in puerpera, cui secundinæ aliquando vi fuero eruptæ. A. N. C. Dec. 2. ao. 6. obf. 159

Li

Lochio-

250	LU.
	a largus fluxus lienis tumorem refolvit. ibid. Dec. 1. ao. 8.
obf.	95 Hild cost 5 obf 44
nimius	fluxus jugulat puerperam. Hild. cent. 5. obf. 44
parcus	fluxus alvi promotione reftitutus. Barth. A. H. V. 2. obf. 5
five lan	guinis immodici profluvium remedio domestico probatissi-
moc	uratum. A. N.C. Dec. 3. ao. 7. obf. 182
fuppret	fio. Diemerbr. obf. 19. & 41
retentio	o gravissimi morbi causa. Hild. c. 5. obs. 42. 43
fuppre	fionem excipit efflorescentia tuberculorum in tota corporis
fupe	rficie. Barth. A. H. V. 2. obf. 5
Locus qui	d? Aristot. L. 4. phys. c. 3. text. 8. Rohanltus in Tr. phys.
Rob-Bat	, Laconici coriariorum usus in arthritide. A. N. C. Dec. I. ao.
7. ob	f. 229 The state of half the state of the st
Lolium ex	ctritico. A. N.C. cent. I. p. 171. app.
Longævi.	A. N. C. Dec. 2. 20. 9. obf. 211. & Dec. 3. 20. 1. obf. 25
Longævita	as. A. N. C. Dec. 2. ao. 8. cbf. 159. vid. Sanitas & Senectus. Borell.
cent	. 2. obf. 39. Alberti Prax. extemp. Caf. 1.
	taria. A.N.C. Dec. 3. ao. 3. obf. 116
	m.ibid. Dec. 1. ao. 6. obf. 170
an ab al	bstinentia carnium pendeat. Spener. Lebens= Dfl. p. 27. Alberti
	c. extemp. Caf. 1. p. 949
Longevite	atis caufa quod vitæ sit simplicitas. Rejes qu. 25. p. 289. 290
de Lange	vitatis ante diluvianorum vera causa. Burnet. in theor, tellur.
facr.	L. 2. C. 3. D. 00. fead.
evenin	bla. Barth. cent. 5 hift. 28. Bor. cent. 2. obf. 39. A. N. C. Dec. 1. ao.
2.01	of. 163. Garm. L. 1. tit. 6. §. 6
	imentum inter noftrates. Garm. L. 1. tit. 7. §. 6
do Lange	vitate. Kornm. Mir. viv. p. 234. feq. 255. feq. A. N. C. Dec.1. ao.
	bf. 222
	Imi funt fanguinei. Zac. Luf. M. P. H. L. 2. qu. 9
de Longio	pris vitæ masculis. Kornm. Mir. viv. p. 234
Longitid	oimmensa in muliere & puella. Kornm. p. 25. 26. it. p. 255. seqq.
Longitud	A C. Que and Albert In Med P a D. 405
	defectus curatus. Alberti Iur. Med. P. 2. p. 405
Loqueta	amissio ejusque fymptomata. Plater. L. 1. p. 201
Loquettia	barte & non a natura est. Rejes qu. 46, p. 690, 691. 694
E ROUGE AND	Our set and the set of
a the state	Loque-

Loquela abscisso capite. vid. Caput. brutorum extraordinaria & humanæ fimilis. Frank. p. 190.191 naturalis. Rej. qu. 46. p. 691 infantum præmatura. Frank. p. 189. 190 lingua deficiente. ibid. p. 120. 121 poft linguam exemptam. Rej. qu. 46. p. 688. Frankenau. Sat. Med. 1. 120. 121 fera & feptimo demum anno in puero. A. N. C. Dec. 2. ao. 9. obf. 52 statuarum, lapidum, arborum. Frank. p. 191 de Loquela & voce. Kornm. Mir. viv. p. 95. leq. Loquela utrum homini naturalis fit. Rej. qu. 55 Loquela & auditus restitutio. A. N. C. Dec. 1. ao. 1. obf. 35 Loquens mortuus. Kornm. Mir. mort. P. 4. c. 17. 32 cranium & caput. ibid. P. 4. c. 10. 33 Loquacitas muita Medicum prudentem non decet, & eft alter morbus ægrotanti. Alberti Iur. Med. P. I. c. I. §. 24. a. fine Loquela puer fexennis. Hagend. cent. 1. hift. 41. p. 69 Locuti infantes nati. Kornm. Mir. viv. p. 101 nondum nati. ibid. p. 102 Martyres fine lingua. ibid. p. 100.feqq. qui funt a prima nativitate, infantum exempla. ibid. p. 101. feq. Rejes qu. 46. p. 686 Loquuntur arbores, mare, boves, canis, ferpens. Rej. qu. 46. p. 689 Loquelæ amifio post epilepsiam. Hagend. cent. 1. hift. 14. p. 25 Lothi uxor. Kornm. Mir. mort. P. I. C. 4 uxoris statua salina mensibus laborare somniatur. Frank. p. 98 uxoris metamorphofis. Garm. Mir. mort. L. 3. tit. 4. §. 165 IU. Ludovici Antimonium diaphoreticum Martiale. A. N. C. Dec. 1. ao. 8. 001.65 Lumborum contractio & curvatura fubito nata. Gabelchov. cent. 2. cur. 78 infignis dolor, vomitus bilis, & inappetentia. ibid. cent. 3.cur. 44 offisque facri calida intemperies. ibid. cent. 3. cur. 42 vertebræ fex in sceleto virili. A. N. C. Dec. 3. ao. 7. obf. 164 dolor hirudinibus curatus, Zac. Luf. P. A. L. 2, obf. 65 Lum-Ii 2

In Lumborum morbis venæ fectio ex talo externa celebranda eft. Zac. Luf. M. P. H. L. 2. hift. 126. p. 407 Lumbricus in rene canis fanguineus. A. N. C. Dec. 2. ao. 4. obf. 72 Lumbrici lati & longi mirandi. Hildan. cent. 2. obf. 70-73. vid. Vermis. Lümbrici caufantur ventris dolores. Blegny Zod. gall. ao. 1682. Mart.

obl. 13

prodigiosa longitudinis. ibid. obs. 12

veficæ. A. N. C. cent. 1. p. 363

volvulum caufantur. ibid. cent. I

Lumbricorum terrestrium spiritus & sal volatile anti-arthriticum. ibid. Dec. 2. ao. 6. obf. 90

Lues popularis in Italia. Gabelch. cent. 5. cur. 50

Lues venerea. Diemerbr. obf. 63. Blegny Zod. gall. ao. 1682. Febr. obf. 13. vid. Venus.

ex veste infecta. Hild. c. 1. obf. 100

contagiofa, Rhod. cent. 3, obf. 82. Zac. Lift. M. P. H. L. I. hift. 73. P. 129

Hippocrati & Galeno jam innotuerunt. ibid. Lib. 1. hift. 70. p. 122. it. hift. 73. p. 124

recidiva post annos XXII. Rejes qu. 58. p. 774

in neonuptis. Plater. obf. L. 3. p. 672

in febre quartana. ibid. p. 676

Luis venereæ inveteratæ antidotum eft Mercurii illinitio. Hildan. cent. 5. obf. 95. 96.

Lues venerea ex Mercurii vapore oritur & curatur. Hildan. cent. 5. obf. 98. 99

Lues an novus morbus fit. Rejes qu. 59. p. 766--771

Gallica an fine contagio poffit oriri. *Rejes* qu. 59. p. 763. 764 an fit contagiofa ad diftantias. ibid. qu. 60. p. 773 non convertitur in Hecticam. *Rej.* qu. 60. p. 782. 783 ex lecto hoc malo affecti contracta. *Hild.* cent. 5. obf. 100 non communicatur in diftantias. *Rejes* qu. 60. p. 777. & 778 quod in diftantias operetur. *Rejes*, qui Zac. Lufitanum reprehendit qu. 60. p. 777

variis modis accidit. ibid. p. 775. 776

pennatorum & pifcium epidemica, A. N. C. Dec. 3. ao. 5. 6. obf. 170

Luis

Luis venerex cura. Bor. cent. 2. obf. 37. 96 Luis venereæ figna. Alberti Iur. Med. app. p. 185 ars curatrix & obfervationes. Blegny Zod. gall. ao. 1679. p.255 fcriptores quis collegerit. Zac. Luf. M. P. H. L. i. hift. 70. p. 122 in muliere curatio. Blegny Zod. gall. ao. 1679. April. obf. 1 Luem Gallicam ex contagio contrahi qui asseuerant. Rejes qu. 59. p. 771. 772 fine contagio ex nimio veneris usu contrahi qui flatuant. ibid. p. 772. Nicol. Maffa de Morb. Gall. Valefius in 3. Epid. com. 22. & 4. ejusd. text. 131. Zac. Luf. M. P. H. L. I. hift. 36 Lue Gallica laborantibus proficua ese unguenta Mercurialia. Zac. Luf. M. P. H. L. I. hift. 73. p. 129 Luis gallicæ diversa denominatio. Rejes qu. 59. p. 764. 765. Sennert. Pr. Med. Lib. 6. P. 4. cap. 11 Lumen. Rohault. Tr. phyf. P. I. c. 27. Spener. Theol. Bedence. P. I. c. z. art. r. Sect. 2. p. 150 De Lunæ fubstantia & natura. Sturm. Phyf. hypoth. Tom. H. p. 881 De Lune Iride. vid. Leipz. gelehrte Seitungen ao. 1724. Menf. Octobr. n. 52. p. 852. ao. 1725. Menf. Novembr. n. 92. p. 884 Luna cornuta quid? Becch. phyl. fubt. L. r. Sect. 5. c. 1. n. 34. p. 282. & Sect. 6. c. 8. p. 779 unde. ibid. Sect. 5. c. 1. n. 111. p. 356 malas caufatur impreffiones. Rejes qu. 53. p. 668. 669 mutata, an mutentur varia corporis humani concrementa. Garman. Lib. 2. tit. 3. 9. 10 mutata, an nonnulla animalia mutentur. ibid. 6.6-10 Luna crefcente, cerebrum crefcere, observavit in vulnerato Salmuth. cent. 1. obl. 72 Lune motus nihil confert causis dierum criticorum. Smet. Mife. Lib. I. Ep.14 influxus in corpora inferiora, vulnera, verrucas, animalia &c. Helmont. p. 88.89. n \$5. edit. in fol. A. N. C. cent. I. p. 57. app. Angelicus P. 1. qu. 7. art. 1. Galen: L. 3. de dieb. decret. c. 2 Lunæ radii ad putredinem difponunt cadavera, Garman, Mir, Mort. L. 3, tit. 1. 5. 60

Line

254	-
Luna faciem, decrementum & accrementum ab animabus eo deugé prouenire. Garm. L. 2. tit. 10. §. 72. feq.	tis'
influxus in corpora morbofa. A. N. C. cent. p.57.	-
mutationes ad fanguinem mittendum vel purgandum non effe atte	n-
dendas, unde probetur. Rejes. qu. 75. p.1019	The second
influxus in fublunaria corpora A. N. C. cent. 9. p. 543. Drefil. C	ie=
schichte der Matur und Bunft ; Dersuch. p. 1376.	1
Lunaticus curatus. A. N. C. dec. 3. ao. 9. obf. 152.	
Lumbrici terrestres impotentiam inferre inique dicuntur a Glaube	ro
pharm. P.2.C.I	江北
Lupanaria interdum approbantur & tolerantur. Frank. p. 528-534	
ex medicis rationibus improbantur. ibid. p. 540. 543-549	No.
reprehenduntur. ibid. p. 534 537 Lupanariorum etymologia & diueríus fignificatus. Frank. p. 537-540	12
Lupia infignis ova continens. Blegny. Zod gall.ao. 1683. Nou. Dec. p. 2	CT
Lupus fidelis. A. N. C. dec. 2. ao. 5. obf. 88	.).
homini vocem non adimit, si hunc primum conspicit. Scaliger	8
Laurentius.	
Lupi rabies. Bor. cent. 1. obf. 75	
Lupinistercoris virtus in Colica, Smet. Mifc. L. 2. c. 45	
Lutherum incubum fuisse & a diabolo genitum, tradunt Pontificii.	H-
mon. imp. conj. c. 5. th. 2. n. 28. 29	+ A
Lax vid. Flamma. Ignis. ab aëre an proveniat ? Garm. Lib. 2 tit. 9. §. 60. 61	1
ab angelis facta. Becch. phyf. Subt.Lib. 1. Sect. 1. c. 3. n. 4. p.'25	
animalium ab ingestis alimentis, auro, vel argento. Garm. L tit.	0
§. 48. 49. 50	
aquarum. ibid. L. 2. tit. 9. §. 59	7
diuina in Mofe & Stephano. ibid. §. 4	
habetur pro principio vitæ. ibid. §. 13	1 de
in cadaueribus humanis naturali & violenta morte enecatis. ibid. §.	12
diuina in fanctis hominibus. ibid. §. 5. 6. 8. 9	
Lux in pecudum mactatorum cerebro Garm. Lib. 2. tit. 9. §. 2 in putridis fubiectis. ibid. §. 3	1
humorum, fanguinis, lymphæ, bilis, fudoris, urinæ. Garm. L. 2. t	
9. §. 39-41. & 45-47	
oculorum. ibid. §. 42-44	
	üx
	Seg.

Lax pifcium.ibid. §. 56-58 radians circa caput unde originem traxerit, cur postea in picturis Sanctorum adhibita. ibid. §. 11 fine igne ope chymica producta. ibid. §. 89-91 Lucis confideratio Phyfico-Theologica. Arndt. ver. Chrift. L.4. c. t Lucis in diuersis subjectis infolitæ causæ examinantur. Garm, L. 2. tit. 9. §. 75. leq. in diuerfis fubiectis infolita caufa an fit putredo. ibid. §. 76-87 matrix fulphur eft. A. N. C. Dec 1. ao. 10. obf. 167 ex Luce obiectorum infolita varia præfagia. Garm, L. 2. tit. 9. §. 93. 94 Lucens caro. Barth. cent. 1. epift. 9. 12. 13 noctu urina. A. N. C. Dec. 1. ao. 6. obf. 193 mulier. Barth. cent. 3. hift. 70 Lucentes homines atque infecta. Garm. L. 2. tit. 9. §. 28.89 Lucentia multa, ut caro, planta. &c. Bor. cent. 1. obf. 3. A. N. C. Dec. I. ao. 1. obf 138 Lucescens mortuus Korn. mir. mort. part. 4. C. 13 Lucidi lintei. A. N. C. Dec. 3. ao. 7. obf. 94 Lucernæ antiquorum inextinguibiles. Rejes. qv. 58. p. 756. feq. Luxatio coccygis reftituta. Rhod. cent. 3. obf. 80 coccygis offis. A. N. C. Dec. 1. ao. 3. obf. 135 coftarum spontanea. Bor. cent. 2. obf. 71 coftarum sponte sanata. Barth.cent 1. hift. 22 Luxatio femoris utriusque. A. N. C. Dec. 1. ao. 8. obf. 24 femoris utriusque a caufa interna. ibid.cent. 5. p. 218 humeri offis funefta. A. N. C. cent. 9. obf. 75. humeri offis reftituta. Blegny. Zod. gall. ao. 1679. oct. obf. 6. Hild. c. 5. obf. 67. vid. Gibbus. vertebrarum dorfi introrfum facta, curata. A. N. C. Dec. 1. ao. 4. obf. 77. Hild. c. 5. obf. 68. 69 Luxationum curatio. A. N. C. cent. 9. p. 207 Luxata oscitatione mandibula. Hagendorn. cent. 1. hift. 76. p. 110 Luxata inftaurandi recta methodus. Langius. Lib. 1. epift. 82. p. 501 LY. Lycanthropia, qua fubintelligitur hominum in lupos conversio, negatur ab Angustino. Lib. de Civ. Dei L. 18. c. 18. de spiritu animæ, c. 26. vid. Wepferus von der Bererey P. 5. 9.42

Lycan-

Lycanthropia. A. N. C. Dec. 2. ao. 4. obf. 79. Alberti Pr. extempr. Caf. 22. vid. Hydrophobia.

Hæmorrhoidibus curata. Zac. Luf. Pr. Adm. obf. 51

Lycopodii fulphur non eft caufa fulphureæ pluviæ. A. N. C. cent. 3. p. 193 virtus. A. N. C. cent. 9. p. 316

Lymphæ copiofus fluor ex nare finiftra. Hagendorn. cent. 1. hift. 65. p. 99 Lymphatica vafa inhomine Barth. cent. 3. hift. 2

vafa in capite. Barth. cent. 4. hift. 38

256

Lymphaticor um vaforum prima inventio. Barth. cent. 2. hift. 28. Frank. p. 621-623. Rüdbekius, (& quem Warthonus addit in Adenograph. c. 15) Iolivius, cui vltimo applaudit Gliffon. & Charleton. Oecon. animal. Exerc. 9.

MA.

MAcies ab hypercatharfi. Bor. cent. 2 obf, 64 a nuce myriftica. ibid. cent. 4. obf. 63 curata. ibid. cent. 4. obf. 89 Maculæ scorbuticæ singulares. Hagendorn. cent. 3. hift. 52. p. 351 Macula ab infectis venenatis. Garm. L. 2. tit. 1. §. 53 diversa in foetu. ibid. §.47 in ventriculo in variis morbis. ibid. §. 25 & vesiculæmiræ in cute fanguineæ; copiofaque fanguinis per urinamin puero emiffio, A. N. C. Dec. 3. ao. 7. obf. 121 hepatica. A. N. C. cent. 1. p. 181 in foetu an fint fignum foetus occifi. Garm. L. 2. tit. I. §. 45. 46 in fulmine tactis. ibid. §. 29 in hominibus apoplexia aut epilepfia mortuis, ibid.§. '31 rubræ facies Plater. obf. L. 3. p. 588 fuscæ faciei ab ortu. ibid. p. 589 Macula seu linea rubra originalis corpus secundum longitudinem pervadens. ibid. Macule in hominibus pefte demortuis. Garm. Lib. 2. tit. 1. §. 14.15 in hominibus variis morbis demortuis. ibid. §. 31 in hominibus veneno extinctis. ibid. §. 17 in hominibus violenta morte extinctis. ibid. §. 16 in morientibus. ibid. §. 12. Hagendorn. cent 3. hift. 43. p. 939 nigræ exanthematicæ, Lorphea nigra dictæ. A.N.C. Dec. 1. 20. 8. obl. 59

Macula

Maculæ per incantationem in corpore ortæ. Garmann. Lib. 2. tit 1. §. 59 pestiferæ, quæ post mortem evanuerunt, si cum aceto fervente abluuntur, iterum comparent. ibid. §.42 mortuis fupervenientes. ibid. §. 13 fcorbutice ante & poft mortem efflorescentes. Garm. ibid. § 33 vultus in Epileptico. Hagendorn. cent.3. hift. 49. p. 346 vagæ. ibid. hift. 50. p. 349 crurum liridæ. ibid. hift st. p. 350 Macrocofmi cum microcofmo analogia A. N. C. cent. 9. p. 531 Magia naturalis. Alberti Iur. Med. P 1. p. 222. S. II. & p. 388 Magia & rerum naturalium fympathia. 1 angius Lib. 1.epift. 33. p. 149 pyretechnica. Garm. Lib. 2. tit. 10. S. 157 Magie confusio cum exemplis opticis. Garm. Lib. 2. tit. 10. §. 153-156 fpecies. Langius. Lib. 2. epift. 46. p. 772 vanitas. Bor. cent. 2. obf. 21. & cent. 3. obf. 87. 97 per Magiam acus in brachium intrusa. A. N. C. Dec. 3. ao. 2. obf. 55 Magicorum morborum figna. Barth. cent. 5. hift. 35 pathognomica. Merkl. præfat. & p. 189 Megicus morbus. Barth. cent. 3. epift. 60. vid. Fascinum. partus ovorum gallinaceorum. A. N.C. cent. 1. p. 85 usus partium cadaveris humani. Garm.p. 122. feq. Magicis morbis convenit fumus Adianthi aurei.A.N.C. cent. 1. obf. 116. p. 240 Magorum exempla miferrimo fine & exitu fublatorum. Rejes qu. 22. p. 242 Magice curata hæmorrhagia. A. N. C. cent. 1. p. 84 per Magiam naturaliter in homine generari posse lapides, ligna, arenas, testas, credit Galenus 2. ad Glaucum c. 7. it. ungues, pilos, offa.Lib. 14. Method. c. 12. vid. Lemnius L. 2. deNat.miracul. c.40. Schenk. L. 4. de variis uteri aff. it. Rej. qu. 97. p. 12. 17 de Magnete. Reinzer. Meteorol. diff. 12. qu. 8. p. 273 Magnes contusus non attrahit ferrum. Becch. phys. fubt. L. I. Sect. 5. C. 1. n. 57. p. 295 Magneticæ aquæ. Bor. cent. z. obl. 6 Magnefie albæ appellatio. Zwing. D. p. 208. 209 deferiptio & origo. ibid. p. 209--211 virtus. ibid. p. 212--215. 221

Magne-

258 MA.
Magnesia dosis & tempus assumtionis, ibid. p. 216. 217
imprægnatio imputata. A. N. C. cent.3. p. 159
Magnitudo viscerum infolita. Marchetis. Anat. c. 4. & 10
Majoranæ olei infignis ufus in epilepfia. A. N.C.Dec. 3. ao. 9. obl. 32
ex Majorano oleo fal volatile. ibid. Dec. 2. ao 5. obf. 38
Malabathron. Lang. L. I. cp. 67. p. 377
Malacia. Salmuth. cent. 3. obf. 86
mira & rarior in puella quadrienni. A. N. C. Dec. 3. ao. 7. obf. 85
Malacia caufa. Rejes qu. 50. p. 622. 623
in gravidis cura ibid. p. 627
Malignitas morborum dicitur de iis etiam, qui non facilem curatio-
nem admittunt. Linden. Exerc. 13. §. 268. Dietericus in latreo n.427. vid. etiam Feliciani Beteræ Enarrationes de morb. mal.
Malignitatem de pessima latente cacochymia prædicat Linden. Exerc. 8.
S. 57 Malum Perficum, citrium. Lang. L. 1. ep. 67. p. 377.
Sinenfe prægnans. A. N. C. Dec. 3. ao. 2. obf. 118
Malorum punicorum sive granatorum acidorum usus medicus. Zac.
Luf. M. P. H. L. 2. hift. 5. p. 172
Mammarum tumor cum inflammatione, it. abscessus. Plater. obs. L. 2.
p. 486. 487
Mamma cancrofa Mercurius stillans. Barth. cent. 1. hift. 7. vid. Cancer.
mentulata. A. N. C. Dec. 2. ao. 7. obf. 123
fcirrhofa & quafilapidea. Salmuth cent. 2. obf. 8. 34
ftupendæ magnitudinis. ibid. obf. 89. Barth. cent.3. hift. 46. Bor.cent.
1. obf. 48
Mammis excoriatis proficit puluis Tragac. aspersus. A. N. C. Dec. 1.
ao. 4. p. 59. app.
in Mamma una papillæ duæ. A. N.C. Dec. 2. ao. 10. obf. 138
Mammæ cereviliam stillantes. A. N. C. Dec. 1. ao. 4. obs. 15 inflammatæ exarctiori thoracis strictura. Tim. a Guldenkl. Lib. 4.
Caf. 37
inflatæ. Act. Angl. Oldenh. ao. 1669. Menf. Oct. n. 3. p. 872. & 887.
Menf. Nov. n. 1. p. 892
fine papillis. Lent. Mifc. Med. p. 81
in dorlo. A. N. C. Dec. 1. ao. 10. obf. 156
Mam-

Mammæ an virginitatis fignum præbeant. Alberti Iur. Med. P. 1. p.66. §.8
Mammæ offeæ in virgine cum hydrope pectoris. A. N. C. Dec. 2. ao. 6.
obi. 210
tres. Bor. cent. 1. obf. 49. Barth. A. H. V: 3. ob1. 93. A. N. C. Dec.I. ao.
2. obf. 72. & app. p. 396. Barth. cent. 4. ep. 38
Mammarum morbi quas caufas habeant. Alberti Iur. Med. P. II. p. 566
Mammarum pathemata ex humorum impuritate. ibid. app. 186
Mammarum cura quomodo instituenda. ibid. P. 2. p. 567
Mammarum consensus cum utero, an venis mammariis & epigastricis
nitatur. Frank. p. 266-268
inflatio ingens. A. N. C. cent. 1. p. 136
ulcus exphthifi. A. N.C. cent. 1. obf. 47. p. 118
malum pilare. Garm. p. 44. §. 67
inflatio fubitanea. A. N. C. cent. 1. obf. 67
abiciffio. Hildan. cent. 2. obf. 79
ex Mammis glandulæ excretæ. A. N. C. cent. 1. p. 103 pro Mammillis applicatio aquarum periculofa. Hagendorn. cent.3. hift.
IG. p. 301
Mammillæ absque papillis. A. N. C. Dec. 2. ao. 9. obf. 3
Mammillæ finistræ cancer exfciss. Hagend, cent. 3. hist. 72. p. 375
Mammillarum fissura cum gosfypio cum succo Geranii Robertiani illita
a pilecto cerato geraniato curata. A.N. C. Dec. 1. ao. 4. p. 30. app.
Mammillis excoriatis proficit pulvis Tragacanthæ infperfus, A. N. C.
Dec. 1. ao. 4. p. 59. app."
Manci ut fint refurrecturi. Kornm. Mir. mort. P. 8. c. 71
Mandibula Luci piscis minoris deglutita per anum iterum rejecta. A.N.
C. Dec. 3. ao. 2. obf. 8.
oscitatione luxata. Hagendorn. cent. 1. hist. 76. p. 110
Mandragora. Barth. cent. 2. hift. 51. A. N. C. Dec. 1. ao. 1. obf. 44. Iac.
Difp. pecul.
falfa. Bor. cent. 2. obf. 74
Mandragoram quod impostores & agyrtæ artificiose præparent. Rejes
qu. 43. p. 520. Matthiol. L. 4. c. 71. Mizaldus cent. 5. n. 59. Barthol.
cent. 2. hift. 51
Mandragorævis prolifica. Rejes p. 516. 517. qu. 43
vis perniciofa. ibid. p. 515. 516
Kk 2 Man-

Mandragora fuperfitiofus & impius ufus. Gerbers unert. Gunden P. 3. c. 75. §. 1. p. 1470 Mania ex amore nimio. A. N. C. Dec. 2. ao. 10. obf. 126 hæreditaria. A. N. C. Dec. 3. ao. 7. obf. 49. & cent. 5. p. 329 ex Melancholia inveterata. Hild. c. 4. obf. 98 aphiltro. Bor. cent. 1. obf. 65 ex plica abfciffa. A. N.C. cent.I. p.102 ex ufu feminis Daturæ. ibid. Dec. 3. ao. 3. obf. 170 ex mœrore, Plater. obf. L. 1. p. 80 ex furore uterino. ibid. p.81 ex morfu canis & lupi rabidi. ibid. p. 83 in virgine nupturiente. ibid. p. 80 in Maniam versa epilepsia. Hagend. cent. 1. hift. 19. p. 36 Mania ex percuffione capitis. ibid. hift, 36. p. 63 Maniacum delirium post quartanam. ibid. hift. 36. p. 65 Mania in cœco ex nimio puellæ amore. A. N. C. Dec. 3. ao. 9. obf. 17 a vini abufu. ibid. cent. 3. p. 225 curata. A. N. C. cent. 1. p. 134. 157. Hild. c. 3. obf. 13 castratione in puero curata. Hild. cent. 1. obf. 62 Manjaci an caftrandi. Amann. Iren. qu. 29. p. 240 Maniacus curatus. A. N. C. Dec. 3. ao. 7. obl. 15 Maniacorum memoria firma, Alberti Iur. Med. P. 2. p. 228 Manna Ceylonenfis. A. N. C. Dec. 1. ao. 10. obf. 194. n. 13. p. 459 de Manna. Reinzer. Meteorol. diff. 7. qu. 10. p. 158 Mannæ feu mellis aërei hiftoria elegans, Zac. Luf. M. P. H. L. 6. hift. 8. P.949 Manus amputatæ Hæmorrhagia fubito fedata. Plater. obf. L. 3. p. 557 Manus aërem perferens. Barth. cent. 6. hift. 51 & digiti impiorum e fepulchris prominentes. Garmann. Lib. 1. tit. 5. 5. 68 mortui curat strumam. A. N. C. cent. 1. p. 199. app.vid. Struma. adverfus tumores. Kornm. Mir. mort. P. 5. c. 25 mortua. Kornm. P. 9. Mir. mort. c. 22 exficcata. Barth. cent. 3, hift. 54 amissa restitutio. Frank. p. 508 dextræ æftus cum infigni dolore renum. Gabelch. cent. 3. cur. 5 Ma-

Manuformis radix Raphani & Dauci fativi. A. N. C. Dec. 1. ao. 6, obf. 1. &	5
ao. 10. obf. 82	
Manuuna & uno pede homines. Kornm. Mir. viv. p. 126	5
Manum truncatam recuperans, ibid. p. 127	5
Manuum utilitas pro hominibus. Rejes qu. 100, p. 1245, n. 12	
de Manibus. Kornm. Mir. viv. p. 125. feq.	4
carente gente. ibid. p. 126	
igneis Nonnii. ibid. p. 128	
Marafmus, Sebizius. Solen. Sect. 2. Conf. 25	
Marafinus senectutis in juvene Medicinæ auxilio vitam prolongans.	-
Zac. Luf. M.P. H.L. 4. hift. 45. p. 748	2
a pancreatis excrescentia. A. N. C. Dec. 1. ao. 8. obs. 31	
Marafini cura per balneum aquæ dulcis. A. N. C. cent. 1. p. 187, app.	
cura per balneum, lac, & alia humectantia. Zac. Luf. M.P. H. Lib. 4.	
hift. 44. p. 743	
Marcafita. Becch. phyf. fubt. L. I. Sect. 6. c. 4. p. 507	
optime adjuvat folutionem metallorum cum Mercurio. ibid. c. 8.	
	-
p.751 Marcor. Galenus.	
Marcor in puero. Zac. Lufit. P. A. L. 3. obf. 129	
Mare. vid. Aqua.	
mortuum. Kornm. Mir. mort. P. 4. c. 157	
de Mari. Kornm. Mir. viv. p. 162	
Mare utrum in fundo falsius sit, quam in superficie. Kircher. Mund. subt.	
L. 3. p. 176 Mari Salledo eft concreata. Sturm. Phys. Hyp. Tom. II. p. 228. 234. Fa-	
bri Tr. 6. prop. 14. Cartef. meteor. cap. 3	
Maris Salfedinis caufa. Untzerus tr. de Sale c. 9. p. 32. feq. B. Arndt. in	
in vero Chriftianifmo L. 4. c. 5	
Maris fluxus & refluxus. A.d. Angl. Oldenb. ao. 1666. Menfe August. n.	
I. p. 204. Menf. Septemb. n. 2. p. 234. & n. 3. p. 235. Menf. Octobr.	
n. 1. p. 247. Menf. Januar n. 8. p. 312. ao. 1667 n. 3. p. 253. Menf. A pr.	
ao. 1667. Menf Mart. n 3. p. 518. ao. 668. Menf. April. n. 4. p. 540.	
Jonfton. Tavmatograph. natural. Cl. 2. c. 6. art. 5. p. 86. Valentin.	
Armamentar. nat. fyftemat. Part. gener. c. 7. p. 93. Rohaultus Tr.	
phyf. P. 2. c. 9. Joh, Clericus L. 2. c. 8. S. 15. p. 181. Arndt. ver. Chri-	
ftian. L. 4. c. 5 Kk 3 de Ma-	-
ILA 3 GOVING	

de Maris quidditate ejusque divisione & nominibus. Reinzer. Meteorol. diff. 8. qu. 1. p. 161

de Maris Salfedine. Reinzer. Meteorol. diff. 8. qu. 2. p. 164

de Maris denfitate, gravitate & colore. Reinzer. Meteorol. diff. 8. qu. 3. p. 167

de Marium situ, profunditate & colore. Reinzer. Meteorol, diff. 8. qu. 4. p. 170

de Maris variis motibus. Reinzer. Meteorol. diff. 8. qu. 5. p. 173 de Marini æftus caufa. Reinzer. Meteorol. diff. 8. qu. 6. 7. p. 176-181

de Maris exundationib. Reinzer. Meteorol. diff. 8. qu. 8. p. 183

Mare an cadavera humana perferre nequeat. Garm. L. 2. tit. 3. §. 42--47. it. L. 3. tit. 3. §. 191

Maris falfedo & pinguedo. Lang. L. 1. epift. 28. p. 129. Boyle pecul. Tr. Jonft. Tavmatogr. cent. 2. art. 4. p. 84

Maria Ægyptiacaficco pede fuper Jordanem ambulans. Kornm. Mir. viv. p. 280

Maritus pro uxore puerpera dolens & decumbens.Barth.cent.5.hift.79 Mars fulminans. vid. Fulminans.

Mars virginum chloroticarum folatium. A. N. C. cent. 5. p. 370

Martis ufus in Ictero. A. N. C. cent, 7. p. 292

Martialium felectus. ibid. cent. 1. obf. 189. p. 407

Martyres fine lingua loquentes. Kornm. Mir. viv.p.100. feq.vid. Lingua. e Martyrum cadaveribus balfamus exftillans. Garm. L. 2. tit. 8. §. 13

Mas menstrua patiens. Zac. Luf. P. A. L. 2. obf. III. vid. Menfes.

lac in mammis habet. A. N. C. cent. 1. p. 194. app. vid. Lac.

Masculus utrum calidior fit foemina. Bravo P. I. disp. 3. Sect. 2. Refol. I. p. 83

Masculi non semper in dextro uteri latere gestantur. Barth. cent. 5. hist. 88

Mares post divortium generantes in secundo matrimonio. Alberti Iur. Med. P. 1. p. 43. §. 28

Maslach Turcarum. A. N. C. cent. 7. p. 135

Turcarum aphrodifiacum. Garm. L. 1. tit. 11. §. 28. 29 Masticatio neglecta concoctioni incommoda. Hachst. Dec. 5. c. 2. p.571 Masticatoria remedia. Zwing. D. p. 465

Mastuprator Diogenes Cynicus, Rej. p. 569. Amat. cent. 2. cur. 47

2 2 1

Ma-

the second
Mastuprationis vitium, exempla, pœna. Simon. Imp. Conj. cap. 2. th. 5.
n. 1-7. Alberti Iurispr. Med. P. 1. p. 36. §. 22. it. fuppl. p. 405. f. vid. Sodomia.
Materia perlata unde conftet. Barth. A. H. V. 3. p. 49. feq.
quomodo præparetur. ibid. p. 53. 54
quomodo præparetur. ibid. p. 53. 54 Materiam medicam dederunt Diofcorides, Mathiolus, Pancovius, Taber-
namontanus, Ludovici, König, Wedel, Zornius, Rivinus, Sim. Pauli,
Machafius, Hermannus, Marxius, Pommet, Valentini, Margrav.
Wormius, Borrichius, Beccher. Parnaff.
Materiam stellarum elemento analogam explicat Aristot. L. 2. de Gen.
anim. c. 3. & L. 3. c. 11
Materiæ effentiam in extensione ponit Rohaultus in Tr. phys.P. 1. C.7
Materiæ perlatæ ufus Medicus. Barth.A. H.V. 3. p. 55. feq.
Materni Nævi. vid. Nævus.
Mathufalem. Kornm. Mir. mort. P. 1. c. 3
Matrimonium. vid. Conjugium.
an pumilionibus, Swerd), concedendum. Simon. Imp. Conj. c. 7. th.
2. 11. 22. 23
juvenis cum vetula an licitum. ibid. n. 1830
non statim Ephebi affectare debent. Alberti Iur. Med. P. I. C. 2. 6.4.C.
1enum an concedendum. ibid. P. I. p. 27. §. 10
Matrimonii dissolutio ob impotentiam maris vel fæminælicita. Simon.
Imp. Conj. cap. 7. th. I. n. I. vid. & Divortium. Impotentiam.
Matrimoniata mulier ad 20. viros. Kornm. Mir. viv. D. 155
Matrimonium lenum an verum fit, Sim, Imp, Coni, c. 7, th. 2, p. 7, 8, 9
virorum iub larua fœminæ cum aliis viris, ibid, c, 2, th, 3, 4, 8
folvi potett, fi fæmina mariti impotentiam nesciverit. Simon. Imp.
Conj. c. 7. th. 2. n. 14
folvi non potest, si sub eodem demum conjuges in genitalibus pati-
untur labem, ob quam impotentes evadunt. ibid. th. 4. n. 610
non est folvendum, nisi causa impotentiæ a Medico explorata suerit,
an curari pollit. ibid. th. 3. n. 7
non est, siscienter potens cum impotente contrahit. Simon. Imp.
Conj. c. 5. th. 1. n. 5-7
nullum est si conjuges, vel ambo, vel una persona, impotentes sunt.
101d. c. 7. th. 2. n. 1-3. & cap. 3. th. 2. n. 6
fanat Epilepliam. A. N. C. cent. 1. p. 80

Ma-

Matrem duram incifam & perforato cranio, ubique cranio firmisfime adhærere invenit Hildan. cent. 1. obf. 7

ad Matrem duram vermes reperti. Hildan. cent. 1. obf. 18 Matris duræ motus caufa. A. N. C. Dec. 3. ao. 10. app. p. 77. feq.

Matrix adempta & admiranda fœtus mortui excretio. Lang.L. 2. epift.

39. p. 736

metallorum. Becch. Ph S. L. I. Sect. 3. c. 2. p. 124 Matricis præfocatio. Lang. L. I. epift. 23. p. 106

dolor vagus. Gabelch. cent. 4. cur. 96

ftomachi & capitis dolor. ibid. cent. 2. cur. 86

Matricidium per veneficium. Alb. Iur.M. app. p. 15.Caf. 5. it.p. 152, Caf. 26 Maxilla fuperior femper immobilis. Barth. cent. 3. hift. 86

Maxilla calculus, A. N. C. cent. I. p. 136

fractura. ibid. cent. 7. p. 12

Luxatio. Rhod. cent. 1. obf. 98

robur. ibid. cent. 1. obf. 97

Maxillairum dentium & temporis dextri dolor infignis. Gabelchov.cent. 3. cur. 35

ME.

Meatus immediate tendens ad renes & vesicam. Blegny. Zod. gall. ao. 1682. Mart. obs. 3

Mechanica demonstratio vitæ humanæ. A. N. C. Dec. 1, ao. 10. obf. 1 Medica materia. vid. Materia.

Media via eligenda in perplexis rebus. vid. Via.

Medicina optima est labor. Zac. Lusit. Med. P. II. p. 52. a. Rej. qu. 93. n. I Medicina optima est diæta. vid. Diæta.

Medicina Ægyptiorum magica & magiæ species. Lang. L. 2.ep. 46. p.772 Iudæorum prohibita. Rejes qu. 13. p. 149

dogmatica an faciat nobiles fuos Professores. Bravo de Medicina dogmat. præstantia p. 75

dogmatica an fit præftantior Theologia. ibid. p. 84

& Medici olim multis excipiebantur honoribus magnisque præmiis. Rejes qu. 19. p. 207-210

co tempore, quo mutari inter Romanos cepit, æstimari desiit. Rejes

quam ægre ab inveterata errorum opinione & superstitione vindicari possie, Lang. L. 1. ep. 2. p. 13

Medi-

LC. 265
Medicina quid circa animi curam valeat & operetur Reias au ac
Medicina præservatoria præstantior quam curatoria. Rejes Camp. Elys.
p. 1222.qu. 98
utuntur omnes homines, omnesque ztates, ibid, qu. 10 p 207
opportuna sæpe negligitur cum damno. ibid. qu. 98. p. 1222. n. I
debet effe tempeltiva, ibid, qu. og. p. 1225
Medicina utrum fit necessaria in fubsidium falutis humanæ. Bravo. P. 1.
dilp. I. Sect. I. p.2.
Medicina dogmatica utrum præstantiorsitreliquis Sectis. ibid. refol.
2. p. 4
Medicina dogmatica quid fit. ibid. refol. 4. p. 9
dogmatica utrum sit speculativa. ibid. resol. 5. p. 12
Medicine objectum utrum fit corpus humanum ut fanabile. ibid. refol.
. 1 . O. D. 13
Medicinam impediunt scientiz nude physicz, mechan. & chymicz. Al-
berti Iur. Med. P. I. C. I. S. 6. a.
Medicina paucis remediis contents elle potest. ibid. P. 2. p. 630
Medicina an fit ars longa. Bravo dogmat. Medic. præftantia p. 43
Medicinæ origo. Blegny Zod. gall. ao. 1681. Febr. obf. 8
Ægyptiorum, Chaldzorum, Græcorum & Latinorum origo. Lang.
L. 2. ep. 2. p. 522 R. Dhilo Conhine moralis a sure Reisen of the
& Philosophix moralis nexus. Rejes p. 3638
& jurisprudentiæ confenfus. Barth. A. H. V. 4. obf. SI
objectum est homo tam quoad corpus, quam quoad animam, Reses
p. 39 incolarum Infulæ Ceylonis. Blegny Zod. gall. ao. 1682. Ian. obf. 11
utilitas & dignitas. Rejes p. 28-31
indigenælaus. A. N. C. cent. 5. p. 165. app.
præstantiam an minuant Poëtarum malevola carmina. Bravo de med.
dogm. præft. p. 104
Medicina Clinica & Forensis nexus & differentia. Alberti Iur. Med.
Proleg. p. 4. §. 5. b.
Medicina forensis quid. ibid. P. 1. p. 3. §. 2
Medicina forenfis requifita. ibid. P. 1. p. 4. S. 6. it. p. s. S. 818. p. 9. S. 1
Medicina antiquitas & præftantia. Smet. Misc. L. I. Ep. I
Medicina nova Paracelli. Smet. Mifc. L. S. Ep. 1
LI Medi-
Internet and a second se

Medicinæ præstantiam an minuant objectiones a Juris Professoribus factæ. Bravo de Med. dogm. præftant p. 104

Medicine cum Chirurgia nexus. vid. Chirurgia.

præstantiam an minuant Plinii iniqua dicteria. Bravo ibid. p. 120 præstantiam an minuat usus rerum fordidarum pro hominum falute. ibid. p. 127

præstantiam an minuat quod sit religioni contraria. ibid. p. 229 Medicine forenfis nexus cum aliis difciplinis. Alberti lur. Med. P.J. p.4.

6. 6. ejus fundamenta.p. 5. 6.7. ulus p. 8. 6. 19. objecta varia. p. 8. 6. 20 Medicinam de exercentibus pastoribus judicia. Lentil. Misc. Med. p. 608--617

p. 608--617 olimetiam foeminæ exercuerunt. Zac. Lusit. M. P. H. Lib. 1. hift. 7.

p-11. a--b Medicamenta nimis frequenter ufurpata noxia. Alberti Iurispr. Med. P. I. p. 365. §. 5. Medicamenta vulgaria quomodo evadant arcana, ibid. P. 2. p. 627

Medicamenta Arabum exotica, fero a Græcis cognita. Lang. Lib. 1. ep. 64. p. 350 herbarum divina veteres ex Ægypto philosophos magica & anili

fuperstitione turpiter defædasse & infamasse. ibid. epist. 72.p.434

morbis proficua ab animalibus inventa. Rejes qu. 3. p. 53-54 gradus qualitatum habent. Frank. Sat. Med. p. 311

pilorum genefin adiuvantia. Zac. Lusit. M.P. H.L. I. hift. I.p. 3. a.

venenis fimilia. Alberti lur. Med. P. 1. p. 252. \$.9 heroica, metallica, concentrata, chymica noxia. ibid. P. 1. p. 356. §. 8.

&. p. 358. §. 12 Medicamentorum fimplicium neceffaria & erronea cognoscendi ra-

tio. Lang. L. 1. epift. 73. p. 443 variatio in morbis quomodo mala, & bona. Zac. Luf. M. P. H. L. 1. hift. 3. p. 4. b. & s. a.

abfurda & affectata citra methodum compositio. Lang. L. r. epift. 46. p. 458

occultorum proprietates, quid & quotuplices fint? Smet. Mifc. L.2. Medicamentis natura quandoque affuefcit. Zac. Luf. M. P. H. L. I. hift. 3. p. s. a.

p. r. a. Medicastri rejiciuntur. Alberti Iur. Med. P. 1. p. 13. J. 14. p. 352. S. 3. is. P. 2. p. 1627 Ates Medi-

-ME. 8267	
Medicastrorum falutatorum deferiptio & illorum deceptio Rejes qu. 24.	
p. 264. 265. 266. Albertelur. Med. P. 2. p. 950 Star The SURETODY	
Miedicinifche Mord= Mittel. ibid. P. r. p. 359. 6. 17 Degraudinmo no	
Medicus primus Adamus. Rejes p. 34.	
isotheus. A. N. C. cent. 3. p. 178 and q a . I bidi aunaithad in	
inurbane facit, fimercedem exigit. Rejes qu. 19. p. 2130 oming	
an fimul chirurgiam exercere debear. ibid. qu. 87. p. 1140. 1141. n. 18	
qui habet officinam, an possit esse Physicus. Zittm. c. I.c. 22	
an teneatur curare deploratos. Bravo de Med. dogm. præft. p.148-154	5
Medicorum confilio ICti & judices sæpe vtuntur. Albern Jurispr. Med.	
quot agros curandos fulcipers políticibil qual 4.2 Pioleg. 19.4.	
Medicorum diffensus qualia damna inferat. ibid. \$. 16. a.	
Medici requifita & officia. ibid. P. t. c. t	
Medicus omnis doli, ignorantiæ, falfitatis culpa carere debet. Alberti	
Iur. Med. P. I. C §. 16. a. §. 17. a. c.	
Medicus confcientiofus taciturnitati interdum ftudeat. ibid. §. 19. a. confcientiofus focios fibi adjungic in cafibus dubiis. ibid. §. 20. a.	
Medici peccatum mortale. ibid. P. I. c. I. §. 4. a. §. 20. a.	
Medicus contra falutem animæ nihil fuadeat, ibid. §. 20. c.	
fine lege effe erubescat. ibid. §. 21. a.	
Medici feientiæ requisita. Alberti Iur. Med. P. I. c. 1. 5. 110	
Medici peritiz requifita. ibid. §. 11-16 1000 que con conservation	
Medici confcientia quasnam habeat leges. ibid. §. 1721	
Medici prudentia in quo confiftat. ibid. §. 22-25	
Medico auctoritas necessaria. ibid. §. 26-28	
Medicas cito, tuto & jucunde curare debet, dixit Asclepiades.vid. Galen.	
* Meth. L. 14. C. 13 Of . And Marth 20 2000 111 and schoold orat	
Medica prudentia refistunt loquacitas, ostentatio & avaritia. Alberti Iur.	
Med.P. 1. c. 1. §. 24. a. b. c. d.	
Medici auctoritati multum tribuit, si est promotus, tentaminibus solen-	
nibus exploratus & probatus. ibid. §. 27. b.	
Medicus publicus ordinarius juramentum semel tantum præstare tene- tur. ibid. §. 20. a.	
Medico in caufa vulnerum maxime credendum. ibid. §. 28. b.	
Medici auctoritas præ chirurgo prævalet. ibid. §. 28. d.	
Medicus imperitus. ibid. P. I. p. 9. §. 2	
Medicus falfarius. ibid, P. 2. p. 627	
LI 2 Medi-	

268	ME.
Medicus potator.	ibid. P. 1. p. 357. §. 10
veteranus an t	oræferendus juniori?ibid. P. 1. p. 13. §. 15
an omnibus p	ericulis se exponere debeat in morbis graffantibus.
ibid. p. 364	
	s. ibid. P. 2. p. 627
primo doceat	& persuadeat, quid sit ægro faciendum, & non prius
imperitam	anu parabit. Plat. de Legibus. 1.
Medicus ne fit m	ilvius & avarus. Alberti Iur. Med. P. 2. p. 628
nihil fuscipiat	; cui par non eft. ibid. P. 1. p. 401. §. 17
Medicusanfeipt	fum curare posit. Rejes qu. 9. p. 124126
quot ægros c	urandos fuscipere possit. ibid. qu. 82. p. 1081. n. 12. 13
exignorantia	αυτόχεις. Zac. Luf. P. A.L. 3. obf. 148
præfagiendo	lemper errat, ibid. obf. 152
quibus qualit	atibus præditus effe debeat. Zac. Lusit. M. P. H. L. 2.
hift. 7. p. 20	
unusalterum	ejusque opiniones ne spernat. Rejes qu. 16. p. 177. 178
an requiratur	qui multos morbos ipfe expertus, an qui fanus & ve-
	squ. 9. p. 122126
ne fit elatus, r	necgloriofus. ibid. qu. 16. p. 180183
Medici experien	tia, scientia, conscientia, diligentia, constantia &c. in
	enfibus. Alberti Iurispr. Med. P. I. C. I. p. 920
	ab Hippocrate & Galeno descripti. Zac. Luss. M. P. H.L.
1. hift. 64. p	
imperiti a Za	. Lusitano descripti. ibid. p.113
præter meriti	im in Doctores promoti. Rejes qu. 6. p. 88. 89
nomine & no	on peritia tales. ibid. p. 88
fine theoria fi	int nugatores. Frank. Sat. p. 36
ignorantiam	ortem adfert ægris. Zac. Luf. P. A.L. 3. obf. 145. 146. 147.
148154	
non effe debe	ent fervi ægrotantium, ut illorum defideriis ubique ob-
	. Rejes qu. 8. p. 116
quodmerced	lem exigere debeant, testimonia. Rejes qu.19. p. 211. §.6.
Brave p. 15	4. feg.
errores fuos	confiteri debent. Zac. Luf. M. P. H. L. 1. hift. 79. p. 140
Medici culpa &	poena. Alberti Iur. Med. P. I. C. I. S. I. a. b.
Medico dogmat	ico, fanitatis caufa an liceat fallere & mentiri. Bravo
p. 158	The bearing a stall of the P. A. D. C. T
E 20	Medico
The states	

in Me-

MIL.
In Melancholia & arthritide confilium. Solenand. Sect. 4. conf. 21 Melancholia utrum fit fæx fangvini.sBravo. P. 1. Difp. V. Sect. 2. Refol. 9.
p. 173 Wəlancholia utrum quadruplex præternaturalis detur. ibid. Refol. X.
p. 174 Melancholia utrum fit humor naturalis. Bravo. P. 3. Difp. 6. Sect. 1. refol
3. p. 633 Melancholia naturalis utrum fola vijecoris valeat generāri, ibid. refol.4.
p. 635
Melancholia hæreditaria. Alberti Iur. Med. P. 2. p. 248. §. 7 ex fuppreffis hæmorrhoidibus. Zac. Luf. M. P. H. Lib. 1, hift. 37. p. 75
ex amore. ibid. p. 79. a. ex suppressis hæmorrhoidibus orta, fonticulo curatur. Zac. Lus. P.
A. Lib. 1. obf. 50
& pavor ex conversatione cujusdam, qui ex loco peste affecto hunc visitavit. Gabelch. cent. 5. cur. 68
uterina. A. N.C. Dec. 2. ao. 7. obf. 103 periodica ibid. Dec. 2. ao. 8. obf. 43
in prægnantibus. ibid. Dec. 3. ao. 4. obf. 28
a concubitu Satanico. A. N. C. cent. 3. p. 294 jucunda. Salmuth. cent. 2. obf. 79
& mœftitia infignis cum palpitatione cordis. Gabelch. cent. 3. cur. 80
stupenda. Cattier. obs. 6 per Venæ Sectionem curata. A. N. C. Dec. 2. ao. 5. obs. 52
Trepano fublata. Rhodius cent. 1. obf. 43 ftratagemate curata. Zac. Luf. P. A. L. obf. 48. 49. A. N. C. Dec. 1. ao.
2.0bf. 49. Bohn. de Offic. Med. dupl. p. 89.
infanticidii causa. ibid. P. 1. p. 189. §. 18 Melancholiæ hypochondriacæ principium. Gabelch. cent. 2. cur. 69.
Plater. obl. L. 1. p. 57-61 hypochondriacæ fymptomata. ibid. cent. 4. cur. 53
funiculos in brachiis & pedibus fingentis cura stratagematica.
A.N.C. Dec. 1. ao. 3. obf. 94 Colocyinthidis decoctum proficuum. A.N.C. Dec. 1. ao. 3. obf. 202
uterinæ caufa feralis. ibid. cent. 7. d. 255
attonitæ figna. Rejes qu. 97. p. 1211. 1212. n. 2 augmentum per gradus. Alberti Iur. Med P. 11. p. 250
recognitio an simulata autvera. ibid. p. 241. 249 Melan-

Melancholicus uvulæ absciffionem urgens AN.C. Dec. 1. ao. 10. obf. 41
humor an recte ab Hippocrate aqua appelletur. Rejes. qu. 72. p. 964.
965. feq.
.E .3100 humor eft biliofus. Frank. p. 455
fibi digitos detruncans. Barth. cent. 3. hift. 30
loquinolens. ibid. cent. 3. hift. 18
Melancholiam an bilis atra caufari possit? Amannus in Iren. qu. 1. p. 24
Melancholicus artificio quodam reftitutus. Hagendorn. cent. 1. hift. 44.
p. 72 folkudinem quærens.ibid. hift. 45. p. 75 autorikalist and
Melancholiæ vanus metus A. N.C. Dec. 1. ao. 10. obf. 46
Melancholicus mortem metuens. A. N. C. Dec. 1. 30. 3. obf. 148
ingenio curatus. Zac. Luf. P. A. Lib. 1. obf. 48
miro artificio curatus. ibid. obf. 49
March disi anidam shartefic funt comunity in roliquis vero opera-
Melancholici quidam phantafia funt corrupti, in reliquis vero opera-
tionibus mentis integri. Spener. Theol. Bed. P.3. c. 6. art. 3. Sect. 58.
P. 495 det q .viv. nill antertoA vertage and find
Melancholici fi arte curari non poffunt, industria & fallacia opus eft, qui-
bus fanari experientia confirmat. Zac. Luf. M. P. H. Lib. 1. hift. 37.
p. 75. 2. Rejes. qu. 12
imaginationes. Barth. cent. 1. hift. 79. 85. A. N. C.Dec. 1, 20. 2. obl. 151.
.do. Alberti Iur. Med. P. 11, p. 214, feqq p. 223. feqq.
paroxyfini. Alberti Iur. Med. P. 11. p. 217. 226
Melancholicorum duorum cadaverum anatome A. N. C. cent. 5. p. 242
diversus vanus metus. A. N. C. Dec. 1. ao. 10. obf. 46
deceptiones salutares. Rejes. qu. 12. p. 141
imaginationes quæ, & commemoratæ. ibid. p. 966. 967
morborum omnium remedia. Blegny. Zod. gall. ao. 1679 Aug. obf. 2
memoria firma. Alberti Iur. Med. P. 2. p. 228. 00.00
Somitus cruentus. ibid.p.2.p.248. qu. 8
de Melancholicis Kornm. Mir. Vir. p. 270
Melancholicus venerem appetens Hagendorn. cent. 1. hift. 46. p. 76
Melancholica moestitia auro potabili curatur. Zac. Luf. P. A. Lib. 2.
ochtenning, fuid, center, p. 93
veneficam fe imaginans. A.N. C. cent. 7. p. 184
Melinch licum delirium grave. A. N. C. cent. 7. D. 122
Melancholie varie caufe. Plater. obf. L. 1. p. 57-79
Meliceris viridis, Rhod. cent. 3. obf. 75 Meliceris

272	IVI C. IA
Meliceris ex	caula levissima orta. Hildan. cent. 6. obs. 94
	es. Bor. cent. 4. obf. 75
Membrum vi	rile. vid. Penis
Memoria gra	ivi capitis percussione singulariter lasa. A. N. C. cent. 3.
p. 133	This digiture decision and Barris, contra, hift age
	ificialis. Plat. L. I. p. 4
and the second sec	Cælaris. Kornm. Mir. viv. p. 221
a second s	regis. ibid. p. 223
Cyn	ex.ibid. p. 224
A LOW ALL AND A LOW AND A REAL PROPERTY	elancholicorum & maniacorum firma. Alberti Iur. Med. P.
2. p. 22	since la faliging aufligi quingdam Halferi & N.C. Dean
Memoria ad a0.9.0	miranda felicitas rustici cujusdam Holfati. A. N. C. Dec 1. bl. 38
enervatio	a ftudiis nimiis. Frank. p. 587 idi automo orolline orim
repenting	abolitio & reftitutio, licet sine manifesta causa. A.N.C.
. Dec. I.	ao. 3. obf. 198
Mena cur n	ovis nuptis appareat. Kornm. Mir. viv. p. 136
Meninx med	lia. Frank. p. 649
Meningis cr:	affæ cum cranio &c. cohærentia nulla. A. N. C. Dec. 3. ao. 7.
obf.166	p.st. & Wheel, duins
Menses in p	uella 2. 4. 5. 9. 10. annorum & dierum. Tulp. L.3. c.36. Barth.
	obf. 91. Frank. Sat. Med. p. 93- 96. A. N. C. Dec. 1. ao. 10. obf.
28. & C	ent. 1. p. 186. app.
in puella	fexenni. A. N. C. Dec. 2. 20. 5. obf. 78
quarto æ	tatis anno fluentes. ibid. Dec. 3. ao. 7. obf. 149 ri. ibid. Dec. 1. ao. 4. obf. 23. cent. 1. p. 191. app.
præmatu	re fine noxa definentes. ibid. Dec. 1. ac. 8. obf. 34
præmatu	o anno erumpentes. Tim. a Guldenkl. L. 4. Caf. 13. Hildan.
	obl. 60
ante & D	oft confuetam ætatem fluentes. A. N. C. cent. 1. obl. 42. &
Dec.L	ao. 3. obf. 114. Tim. a Guldenkl. L. 4. Caf. 14
anativita	te paffa puella. A. N. C. Dec. 2. ao. 9. obf. 100
feptuage	nariæ e fonticulo cruris. A. N. C. Dec. 1, 20. 10. obl. 9
octogena	riæ. ibid. cent. 7. p. 93
invetulis	ibid. cent. 9. P. 291. 324
invetula	60. 70. 100. annorum. Rhod. c. 3. obf. 48. A. N. C. Dec. 1. 20.3.
The state of the second s	. Frank. Sat. Med. p. 96-98.541. Hild. cent. 2. obf. 61.cent. 4.
obf. 63	Addit and Menfes

Menses singulis duabus septimanis fluentes. A. N. C. Dec. 1. 20. 6.
ODI. 154
a novilunio ad plenilunium quotidiani, & hæmorrhoides a pleni-
lunio ad novi lunium quotidianæ. Frank. p. 450. A. N. C. Dec. 1.ao.
4. obf. 281
ultra 50. annum fluentes. Barthol. cent. 3. hift. 90. A. N. C.; cent. 1. obf. 115
fuppreffi. Barth. cent. 2. hift. 87. Alberti Iur. Med. P. 2. p. 144
retenti fimulant ingravidationem. A.N. C. Dec. 1. ao. 3. obf. 218
obstructos referat lotura linteaminum menstruatorum ad magnitu-
dinem imperialis haufta. A. N. C. Dec. 1. ao. 10. obf. 35
retenti & fubito erupti cum mola. Lent. Mifc. Med. p. 538
retenti caula menstruz scabiei. A. N. C. Dec. 1. ao. 3. obf. 62
fuppressi adferunt dysenteriam. Zac. Lusit. P. A. L. 2. obs. 19 1
retenti verrucarum caufa. Salmuth. cent. 2. obf. 27
retenti caufa dementiæ. Bor. cent. 2. obf. 30
retenti colocynthyde curati. Tim. a Guldenkl. L. 4. Caf. 9
recurrentes & excedentes ex terrore. Salmuth cent. 3. obf. 49 obstructivefrigeratione referati. A. N. C. cent. 1. obf. 139. p. 284
post duas septimanas ordinarie revertentes. A. N.C. cent. 7. p. 311
suppressi fœcunditati nihil præjudicant. Alberti Iurispr. Med. P. I.
C. 2. §. 10. C.
fuppressi an statim imprægnationem arguant. ibid. P. 1. p. 99. & 159.
§. 19.
anomali sterilitaris caufa. ibid. P. 1. p. 55. 56
anomali caufa abortus. ibid. P. 2. p. 510
Aenses præcoces. Hagendorn. cent. 2. hift. 83. p. 240
Aenses deficientes & non nisi graviditatis tempore fluentes. A.N.C. Dec. 1. ao. 3. obs. 348
qui in virginitate fluxerunt, iu matrimonio vero nunquam, fœcun-
da tamen matre. A. N. C. Dec. 2. ao. 4. obl. 126
infufficientes hæmoptyfin periodicam menstruam invitantes. A.N.C.
Dec. 1. 20. 10. obf 27
cur lactantibus deficiant. Frankenau. p. 260
imminuti hirudinum appositione in uterum curati. A. N. C. Dec. 2. 20. 10. obf. 92
and the second second second second second second second second
M m Menfes

Menses in gravidis. Reusneri obs. p. 15. Burth. cent. 3. h. 13. Hild: cent. 5. h. 41. Columbus de Form. Foet. Lib. 12. Frank. p. 268-269. A. N. C. Dec. 1. 20.3. obs. 80. Alberti Iur. Med. P. 1. p. 88. Zac. Lus. M. P. H. p. 6

gravidæ per urinam. Salmuth. c. 3 obf. 36

fub lactatione continuantes. Frank. p. 268, und fur for and state

Menses vicarii per Lacrymas fangvineas. Rejes. qv.86. p. 1110. n. s. Schenkius. L. 4. Brassavolus. Lib. 4. Aph. 25. Dodonæus Cap. 15. obf. Mercatus L. 1. de morb. mul. c. 7. Salomon Albertus. de sudore fangvineo, Sennertus. Prax. L. 4. Part. 2. Sect. 2. c. 14. vid. Lacrymæ.

Menses ex poro oculorum. Dodonæus Cap. 15. obf. Med. Gabeleh. cent. 4. cur. 42. p. 86

Menses ex dentibus. Rhod. cent. 3. obf. 51. vid. Gingiva. Hamorrhagia exdente, vid. Dens.

Mensium suppressionis nexus cum Anthritide & Podagra. vid. Arthritis. Menses critici. Hipp. 1. Epid. Comm. 2. 3. Epid.ægrot. 10

Mensium suppression colli matricis inflammationem, ulcus & gangrænam causatur. Hild. c. 2. obs. 62--64

Mensium immodicum profluvium ex violenta sternutatione. Hildanus cent. 3. obf. 58

profluvium in gravida abortus caufa. Hildan. cent. 3. obf. 59 Menses perpetuo fine noxa retenti. Hild. c. 5. obf. 41

per minimum manus digitum& annularem finistræ manus ordinario fluentes. Lud. Mercatus L. 1. c. 7. de Mul. affect.

Menses per nares excreti. Brasavolus Comment. ad Aph..33. L. 5. Hipp. it. Paræus L. 23. c. 12

per hæmorrhoides evacuati. Paræus. ibid.

per os vomitu rejecti. Hippocr. L. 1. de Morbis mul. it L. 5. Aph. 32. it. Aretæus L. 2. c. 2. Rabbi Moyfes Part. 24. Aphorifm. Benivenius cap. 41. de abditis fanat. & morb. cauff. Brafavolus Comment. 2d

Aph. 31. 33. L. 5. Hippocratis. Galenus L. 5. Aph. 33

cum urina excreti. Brafavolus Comment. ad Aph. 75. L. 7. Hippocr. ex oculis & auribus erumpentes. Sennert. Prax. L. 4. Part. 2. Sect. 2. cap. n. Brafavolus comment. ad Aph. 25. L. 4. Hippocr. Dodoneus

cap. 15. obf. Med.

per majorem finistri oculi angulum fluentes Lud. Mercatus L. s. de Morb. mul. c. 7.

Men-

Menses ex dente molari perpetui post dentis evulsionem. Ronsfeus Lib. dehom. primord. c. 28 AC 20. 10.200 A 400 per mammarum papillas. Amat. Iuf. cent. 2. cur. 21. Parætis L. 23. c.52. Corden's comment. 6. in L. I. de mul. morbis Hipp. per umbilicum. Nic. Florentin. Serm. 2. cap. 8 vomitu rejecti ob iracundiam. Lentil. Mifc. Med. p. 300 per vulnus digiti fluentes. A. N. C. Dec. 2, ao. 8. obf. 86 frigidi. A. N. C. Dec. 1. ao. 10. obf. 176 tot. How I on nigri. A. N.C. Dec. Dec. 1. ao. 10. obf. 76.& Dec. 2. 20. 5. obf. 16 fluxue in ruella lebreingt. A. N.C. centra. verminofi. ibid. obf. 15 lactei. ibid. Dec. 2. ao. 5. obf. 106 vicarif ex gena manuque. Barth. c. 1. h. 13 e cantho oculi. Didonæi hift. c. 15 e naribus. Barth. A. H. V. 5. obf. 74. A. N. C. Dec. 1. 20, 8. obf. 61 per os &nares post mortem. Hild. c. 3. obf. 12 e mammis. Frank. p. 243 Antrastantici phonosiam, A. per gingivas fluentes. Zac. Lufit. P. A. L. 2. obf. 100 ex dorlo fluentes. A. N. C. cent. 7. p. 206 per inguina erumpentes. Zac. Luf. P. A. L. 2. obf. 102 per umbilicum. Rhod. cent. 3. obf. 49. Zac. Luf. P. A. L. 2. obf. 101 ex alvo. Barth. A. H. V. 2. p. 138. A. N.C. Dec. 1. ao. 3. obf.24. & Dec. 3. ao. 5. obf. 197. Plater. obf. L. 3. p. 724 ex pedibus. Barth. cent. 1, hift. 16. Rhod. c. 3. obf. 50. Alberti Med. & Phil. Schrifften P. 2 ordinarie per sudorem expulsi. A. N. C. Dec. 2. ao. 6. obf. 46 in juvene. Barth. c. 5. h. 33. Frank. Sat. Med. 6. p. 92. 93. Febr. Tr. de Abfynth. p. 138. Thiermeyer. L. 1. Conf. p. 186. 189 in statua falis uxoris Lothi. Frank. p. 98 in brutis animalibus. Frank. p. 90. A. N. C.Dec. 1. ao. 10. p. 456 vicarii ex naribus. Alberti Iur. Med. P. 2. p. 491 ex locis hæmorrhoidalibus. ibid. P. 2. p. 491 per urinam. ibid. P. 1. p. 88 anomali fecundas nuptias impedientes. ibid. p. 58 Mensium anomalia an a tortura præservet. Alberti Iur. Med.P. 1. p.240, & 245 Mensium eruptionem maculæ præcedentes manuum, Salmuth. cent. 3. obf. 18

Men-

Menfium nimium profluvium cum multis symptomatibus. Gabelchav. sero waring mansh cent. 4. cur. 92. & 93 fluxus per labia. A. N. C. cent. 1. obf. 48 fiuxu laborare Judæi traduntur. Rejes qu. 47. p. 582 fluxus in fœmina LXII. annorum. A. N.C. Dec.2.ao,1. obf.166 fluxus in muliere LXIV. annorum. ibid. Dec. 3. ao.5. 6. obf. 91 fluxus cum multis gravibus fymptomatibus in gravida. ibid. Dec. 2, ao. 1. obf. 110 fluxus in gravida. Blegny. Zod gall. ao. 1680. Iul. obf. 1 fluxus in puella septenni. A. N. C. cent. 5. p. 83 fluxus ex pedibus. ibid. cent. 3. p. 241 fluxus exgenu. ibid.p. 319 21 2 fild tone hall litton odine 29 fluxus graviditatis fignum. ibid. 335 fluxus mmodicus per scabiem curatus. A. N. C. Dec. 2. ao.g.obf.207 fluxus immodici remedium. A. N.C. Dec. 3. 20. 9. obf. 235 &hæmorrhoidum fluxus alternans. Alberti Iur. Med. P. 2. p. 494. A. N. C. Dec. 2. 20. 5. obf. 80 in fœminis ratio. Becch. Ph. S. L. I. Sect. 4. c. 4. p. 217. 218 profluvium immoderatum cum multis fymptomatibus. Gabelchov. ex alvo, Bartel, A. H. V. S. D. 158-16, N.G. Dec. cent. 7. cur. 77 fluxus initium & finis A. N. C. Dec. 1. 20. 3. obf. 151 infolitæ viæ. Frank. p. 269. 270. 439. 440. Garman. L.2. tit. 6. 5. 53.54. A. N. C. Dec. 1. ao. 4. obf. 75. cent. 5. obf. 54. 85 maturior eruptio a vino. A. N. C. cent. 5. p. 187 ALT THE STREET STREET fcaturigo. ibid. p. 36 suppressio & ex hac dysenteria lethalis, ex terrore & aspectu agonizantis. A.N.C. Dec. 3. ao. 7. obf. 34 fuppreffio ex nima triftitia. Gabelch. cent. 1. cur. 81 Suppressio mutitatis causa. Salmuth. cent. 2. obf. 28 obstructio cum cachexia & fedibus cruentis. A. N. C. Dec. 2. ao. 3. obf. II Der Hrund Handhalt inde obstructio ab odore lupuli. ibid.ao. 8. obf. 87 fuppreffio & fucceffus Icteri ex tactu cadaveris. A. N. C. Dec. 3. ao. r. obf. 87 fuppreffio per incongrua remedia caufa tumoris in abdomine, A. N. C. Dec. 1, 20. 2. obf. 26

Men

A REAL PROPERTY OF THE PARTY OF	277
Menfium fuppreffio caufa Melanci	holiæ. Plater. obf.L. I. D. 228
suppremioni temper convenit	venælectio in talo. Zac Tuf M D LI
L. I. HILL. 77. D. 125127	the set of
retentio caula intumefcentiæ v	entris. Alberti Iur. Med D II n rea
Cale 13. p. 153	ATTERNAL IN FRANK AND A COMPANY
suppremo in viraginibus duabu	IS. Plater. obl. L. L. D. 2:0
Menfes suppress in lactantibus, al	las minime. Plater, obf. I. I. D. 220
Menjum suppressionein curantes	pillulæ, Barth, A. H. V. 2, obf. 15
a Menfum lupprenione triduan	a fternutatio ANC Dec 2 20 9
. ODI. IS2 marter management	anifun abart the second a second a second a
mennum anomalia convulliva. Alb	erti lur. Med. P. 2. D. 404. Cal. 48
wienjuum defectus abiolutus. A. N.	(. Dec. 1. 80, 6, obf. 109, M. Donat. I.
2.1004. C. 23. Albertt lur. Med. 1. 2	. p. 420
defectus perpetuus innoxius, A	. N. C. cent. 1. p. 203. app. Rhod. cent. 3.
OD1.47	Est of Sairin and Company and and the
delectus a partu. Gabelch. cent.	I. CUT. 22
defectus cum suspectione impr	ægnationis.ibid. cent. 1. cur. 55
detectum alui profluvium lupp	olet. A. N. C. Dec. 2, 20, 10, obf. 102
defectus cum multis & variis	fymptomatibus. Gabelchov. cent. 13.
cur. 40	at the king will be the second of the second
retentio caufa obstinatæ oblivio	onis. Barth. A. H. V.2. obf. 82
retentio caula Epilepliæ Vener	e & puerperio curata. A. N. C. Dec.
1. ao.1. obf. 86	Contrat fit venerafies maxing.
fignum fingulare. A. N. C. cent.	3. p. 164
pro Mensium immodico fluxu eup	oriiton. Lentil. Misc. Med. p. 480
ex Mensium vitiis æstus internus. B	arth. cent. 3. ep. 39. 40
Menfes extraordinarii utplurimum	vel morbos vel mortem præsagiunt.
Hagendorn. cent. 2. hift. 86. p.	204 grand Data Anna Anna
Mensium suppression a viso funere. il	bid. hilt. 85
	acitas utilis. Zac. Luf. P. A. Lib. 2.
um obl. 105 unfldo on oine mu	proficux. ibid. obf. 106
næmorrhoides iupervenientes	proneux. ibid. obl. 106
provocancis penuius explique	ICHES. IDId. ODI. 107. 109
dencientious reminæ concipien	tes & parientes. A. N.C. Dec. 1. 20.'3.
001, 205. & 20. 0. 001. 04. cent.	1. p. 203. app. Frank. p. 98100. Hik-
danus cent. 5. obf. 41	Barth. A. H. V. 2. obf. 177 Mm 3 a Mon-
nuentibus vena lecta periculoia.	Barth. A. H. V. 2. obl. 77
do Alex	Mm z a Men-

a Mensibus suppressis palpitatio cordis, cachexia, apoplexia & mors. A. . N. C. Dec. 2. ao. 5. obf. 225 2:nov Juno 100 regard incallorgal

ex Mensibus suppressis apoplexia lethalis. Zac. Lus.P. A.L.2. obs. 104 fupprellis pauo inguinis, ibid, obf. 105

Menstruits fanguis utrum fit neceffarius pro fœtu. Bravo P. I. difp. X.

fanguis utrum recte definiatur. ibid. refol. 2. p. 305 Horgen Tomes. fanguis utrum peccat in quanto aut quali, ibid. refol. 3. p. 307

fanguis utrum expultrici fola vi deferatur ad uterum.ibid.ref. 6.p.313 Menstrui sanguinis utrum immediata causa periodicationis sit luna. ib. Adentified and the source of the set of the refol. 4. p. 309

Menstrua purgatio utrum petat fieri per uterum. ibid. refol. 5. p. 311 Menstruus fluxus in puella trienni Blegny.Zod.gall. ao. 1679. Sept. obl. 5 fluxus in vetula. A.N. C. cent. 1. p. 139 Dixonni anusquaganislab

fluxus infueto tempore. ibid. p.114 fluxus per vomitum. ibid. p. 110 in arisonalsiand antrag seufsalah

fluxus per labia.ibid. p.120

fluxus immodicus febre tertiana curatus. ibid. Dec. 2.ao.7. obf. 213 fluxus fanguinis in beftiis. A.N.C.Dec. 1. ao. 10. p. 456. Frank. p. 90 fluxus in maribus. Rejes qu.47.p. 181

fanguis Calendulæ odore præditus. Garm. Mir. mort. Lib. 2. tit. recentio caula Epilepias Venero & puerperto curata. 48 .8.

fanguis an fit venenofus, noxius. Hachft. Dec. 1. p. 100. Frank. Sat. STE. 18. 14. (. 60121. ... p. 88--90

fluxus in duobus viris Pyriacis. A. N. C. Dec. 3. ao. 9. obf. 136 fanguis nocivus. Rejes qu. 53. p. 669 autori autor aitir mannal x9 Menstruns fluxus in maribus. A. N. C. Dec. 2. ao. 6. obf. 83. Rejes qu. 47.

p. 581. Aquapend. Chirurg. L. 3. c. 13. Arethaus L. 4. diuturn. c. 3. Zac. Luf. P. A. L. 2. ob. 102. 111. Welfchius obf. Med. 69. Frankenan AFAMALINATUDDICUIS CITIDUCIAN VOTOCILAS UCIUS

P. 92. 93 Menstrui ex utraque vel altera tantum purgatione obstructa morbi mulierum graviores. Lang. Lib. 2. cp. 11. p. 601 and asbiod mornad

dolores hypochondriaci. A. N.C. Dec. 1, 20. 4. obf. 140

fluxus ubertas. Barth. cent. 3. hift. 8 g 0000 commet and the offet

Menstruo fluxu persistente Hæmoptoë. Hagendorn. cent. 1. hist. 93. p. 134 Menstruo fluxu laborantes Judæi, Kornman. Mir. viv. p. 139. Rejes qu. & tak

de Men-

the second design of the secon
de Menstruo sanguine mulierum. Kornman. Mir. viv. p. 135. feq.
Menstruum fanguinem qui malignum appellant, & qui benignum. Zac
Luf. M. P. H. L. 1. hift. 77. p. 135. Alberti Iur. Med. P. 2. p. 162. 163
Hachft. Dec. I. p. 100
quarto die post mortem effluxum. A. N. C. Dec. 3. ao. 4. obs. 31
Man American fur prefin Diemerbr obf 0 8 24
Menstruorum fuppreffio. Diemerbr. obf. 8. & 34
fillicidium. Zac. Luf. P. A. I. 1, obf. 103
fluxus periodicus ex ductibus falivalibus. A. N. C. Dec. 3. ao.;
obf. 87 Menstruum fluxum naturalem exvenis colli & cervicis uteri proce-
Menstruum fluxum naturalem exvenis colli & cervicis uteri proce-
dere, dixit Barth. de Morb. bibl. XVII. p. 61
Menstrua excedentia a terrore. A. N. C. Dec. 2. ao. 9. obf. 213
per ulcus tibiæ emiffa. ibid. ao. 5. obf. 81
cum calculis ex umbilico. ibid. ao. 7. obf. 228
Menstrua juniores in nova, provectiores in veteri Luna pati, dici
Santorellis. vid. Frank. p. 93. 94
per totum gestationis tempus. Hagend. cent. 2. hist. 94. p. 273
Menstrua mulierum hæmorrhagica. Lang. L. 2. ep. 10. p. 596
per oculos. Blegny Zod. gall. ao. 1689. Febr. obf. 6
Menstruale folum animal mulier. Plin. L. 7. C. 15. vid. Frankenau p. 91
Menstrue purgationis defectus cum variis præter naturam affectibus
Gabelch. cent. 1. cur. 54
Menstrua pica avis. Frank. p. 91 9 bid acimostalit toistant
Menfruata octogenaria. Barth. cent. 3. ep 86
nonagenaria. A. N. C. Dec. 2. ao. 6. obf. 145. Hagendorn. cent. 1. h. 84
nutrix non fit. Zac. Luf. P. A. L. I. obf. 127
fimia & pifcis. A. N. C. Dec. 3. ao. 9. obf. 217. Dec. 2. ao. 4. app. Hor
nius Arca Mosis p. 119. Gassendus L. s. de vita Peirescii p. 169. Alex
de Infula Breviar. rer. mem. Frank. p. 91
de Mensuratione corporisin morbis. Hagend. cent. 3. hift. 91. p. 404
Mentha conceptionem impedire dicitur. Rejes qn. 44. p. [23
hæmorrhagias fiftit. Garm. L. 2. tit. 7. §. 711
venerem stimulare fertur. Rejes qu. 44. p. 522. 525
Mentula duplici gaudens puer. A. N. C. Dec. 3. 80.3. obf. 77
Mentula duplici gaudens puel. 1. 1. 0. Dec. 3. a. 5. Obi 1/
Mercedem quod exigere debeant Medici, testimonia. Rejes qu. 19. 1
211. S. 6 and I she di end invite non recordence maint al
Mer

Mercurius quid. Becch. Ph. S. Lib. 1. Sect. 6. c. 8. p. 753. Reinzer. Meteorol. diff. 12. qu. II. p. 287 Willy THAT TANK eft arfenicum fluidum, ibid. p. 759 philosophorum quid. Zwing. D. p. 228. 229 corporum & metallorum, ibid. p. 230. 231 Alentis any print istant communis quid. ibid. 236--238 vivus ex fale communi cum plumbo, vel antimonio produci poteft. Becch. Ph. fubt. L. I. Sect. 3. c. 1. p. 3 vivus cum vino assumptus per penem emissus. Hachst. Dec. 3. TRAXITOLING CONTRACTOR STARS p. 229--234 vivus carpis applicatus caufa mortis. Barth. A. H. V. 5. obf. 52 vivus emanans ex superficie corporis hominis vivi. A. N.C. Dec. 3. ETUICES GUIS OTHER, EDHS, 20. J. CON ao. 5. obi. 172 crudus ad partum difficilem. Barth. cent. 3. ep. 86 currens in malis armeniacis. A. N. C. Dec. 3. ao. 2. obf. 59 ex hæmatite. A, N. C. Dec. 2. 20. 1. obf. 75. plantarum. Bor. cent. 3. obf. 88 ex mamma cancrofa ftillans. Barth. cent. 1. hift. 7 circa offa collectus. M. Donat. L. 2. c. 12. vario in corpore humano variisque ejus locis inventus.' A. N. C. Dec. 1. 30. 1. obf. 81 diversæ doses. Alberti Iur. Med. P. 2. p. 579 Mercurii parcior ufus fecurior. ibid P. 2. p. 580 Address Dictor 210 215 Mercurii ulus quid requirat. ibid. p. 781 usus innocens in fluore albo. ibid. p. 583. Caf. 59 Mercurius cum auro incalescens. A. N. C. Dec. 2. ao. 1. obf. 34 Æthiops mineralis. Zwing. D. p. 264 Arcanum corallinum. ibid. p. 267.268 Aurum horizontale. ibid. p. 268. 269 Cinnabaris ant monii. ibid. p. 271 ATT IN coagulatus. Barkhausen Pyrosoph. ibid. p. 426 diaphoreticus. Zwing. Difp. p. 275. 276 dulcis. ibid. p. 276-278 fublimatus. ibid.p. 279 præcipitatus albus, flavus, ruber, & viridis. tbid. p. 282--234 Regulum antimoniin on folvit. Becch. Ph, Subt. Lib. 1. Sect. 6. c. 8. p. 760 Mer-

281
Mercurius in Saturno folutus per corium transit. Becch. p.'760
dium corpore latitans. A. N. C. Dec. 2, ao. 4, obt of
vermium vel pabulum vel stabulum. A. N. C. Dec 2 co = ol C
Ions millus allubus, mila cranium repertus, / entil Mile Mad
præcipitatus quando in Steatomate utilis & fecurus Rawth a san ag
vita ulcitul pararium mortis. Aottiching 1 ib A obli Med a soli
Wercurius lubilitatus venenum. Albertt lur. Med P I p 2:6 6 .6
Mercurius præcipitatus vitæ, dulcis, currens an venenofus, Alberti Iur.
Wieu. F. I. D. 257
vivus an fit venenum. ibid. app. p. 17
vivus an vomitus enormes excitet, ibid, app. p. 19
ublimatus an in corpore humano iterum folyi poffir ibid ann a s
dulcis an in forma pulveris melius fumatur, quam in pilulis. ibid,
P. 2. p. 580. 581
Mercurii genesis. Zwing. D. p. 241. vid. Hydrargyrum.
locus natalis. ibid. p. 239, 240
principia. ibid. p. 240
Ipecies. Becch. Ph. S. L. 1. S. 6. c. 8. p. 756
color. Zwing. D. p. 245
boni figna. ibid. p. 238. 239
minera, ibid. p. 243
gravitas. ibid. p. 248
destillatio. ibid. p. 247
vittutes, quando crudus affumitur. ibid. p. 249. feq.
virtutes. ibid. p. 251255. Alberti Iur. Med. P. 2. p. 582. 588. 589. Smet.
Mifc. L. 2. c. 64
dulcis præparatio. A.N. C. cent. 1. obf. 190. p. 413. Alberti Iur. Med,
P. 2. p. 579
dulcis ufus ad luem veneream. Rhod. cent. 3. obf. 84
dulcisufus in variolis. A. N. C. Dec. 1. ao. 3. obf. 9
dulcis usus alexipharmacus. A.N.C. Dec. 1. ao. 3. obf. 56
ex ufu dulcis fubitanea cœcitas. A. N. C. cent. 7. p. 420
de Mercurialium suspectorum remediorum infelici effectu. Alberti
Prax, extemp. Caf. XVI.
Mercurii vivi præparatio. Becch. Ph. S. L.I. S. 5. c. 3. p. 405
vivi etymologia. Zwing. D. p. 224. 225
vivi fynonymia.ibid. p. 226, 227
Nu

Nn

Mer-

vivi noxa. A. N. C. Dec. 2. ao. 8. obf. 158

vivi beneficio paffio colica cum cruciatibus intenfifimis ex voto fublata. ibid. Dec. 3. ao. 9. obf. 78

vivi usus internus non lethalis, & judicium criminale caute dandum. ibid. obf. 256

Mercurius vivus innoxie affumtus & excretus. Plater. obf. L. 3. p.845 Mercurii currentis ufus in vermitus. A.N. C.Dec. 1. 20. 4. obf. 120. vid. Argentum.

currentis utius in corpore humano. *Rhod.* cent. 3. obf. 85 currentis unc. 20. per 6. vices in corpus receptæ, quamvis aliquot purgationes prægreffæ. A. N. C. Dec. 1. ao. 6. obf. 176

201112

currentis inunctionem mors fecuta. Hild. c. 3. obf. 92

currentis inunctionis noxa. Hild. c. 5. obf. 92

crudi usus internus innoxius. A.N.C. Dec. 2.40. 6. obs. 131 antimonii præparatio, *Langelotti* in A.N.C. Dec. 1. 40. 3. p. 88 metallorum præparatio. *Becch*. Phys. Subt. L. 1. Sect. 6. c. 8. p. 633. sq. metallorum cum tartaro folutio & productio metallorum. ibid. p. 792. 795. 796. sq.

fpiritus fumans. Zwing. D. p. 285.286

philofophici qualitates. Becch. Phyf. Subt. Lib. 1. Sect. 6. c. 8. p. 757 Teparatio & fublimatio cum oleo tartari. ibid. 778

fublimati noxa externe manibus applicata. A. N. C. Dec. 3. ao. 5. obf. 204

periculofus ufus antimonio diaphoretico emendatus. A. N. C. Dec. 2. 20. 2. obf. 190

noxas qui exposuerint. Zac. Lusit. M. P. H. L. 1. hift. 73. p. 129 fumus luem veneream curat. Hild. c. 5. obs. 98

fumus hauftus caufa cardialgiæ, scotomiæ. Barth. A. H. V. 2. obs.79 Hildan. cent. 5. obs. 99

usus ex quibus causis falivationem causari possit non intentatam,

IN

Alberti Iur. Med. P. 2. p. 587

2569m

inunctio eft antidotum in lue venerea inveterata tam prægnantium, quam puerorum. Hild. c. 5. obf. 95--97

Mercurii usiin puellula. Barth. cent. 3, epist. 100

Mercurii dulcis ufus in puero 12. annorum noxius. Alberti Iur. Med.
P. 2. p. \$76
motus varii in corpore humano. Blegny Zod. gall. ao. 1680. Iun.
obf. 19. it. Iul. obf. 23. & Oct. obf. 3 ogni i tore i and i and
præcipitati in ulcusculis. Barth. cent. 3. epist. 56
præcipitati damna miri effectus. Hild. cent. 5. obf. 94
vitæ virtus in educendis rebus non naturalibus in corpore hæren-
tibus. Merklin. p. 34-35 CI. M. R. and
vitæ noxa.A. N. C. cent. 3. p. 429
vitæ frequens usus corrodit ventriculum. Garman. L. 2. tit. 1. §.24
cinguli hiftoria rara. Hild. c. 5. obf. 93
in corpore latentis extrahendinovum auxilium. Zac. Luste. P. A. L. 2.
obf. 137 antidotum unguentum ex auro. ibid. obf. 136
In fiftula Torricelliana afcenfus & descenfus causa. A. N. C. cent. I.
p. 92. app. ad-& defcenfus in Barometro. A. N. C. Dec. 3. 20.4. p. 53. app. ao. 8.
p.78.app. vid. Barom.
de Mercurii indole fulphur participat. Becch. Ph. S. Sect. 6. c. 8.
p. 757
Mercurium folventia. Hift. Acad. Reg. Sc. ao. 1700. p. 289. 337
Mercurium crudum affumendi cautelæ. Zwing. D. p. 250. feq.
ufurpandi modus, ibid. p. 256. Alberti Iur. Med. P. 2. p. 581
Mercurio mediante vivo passio Iliaca gravistima, ab Hernia intestinali
excitata, prospere devicta. A. N. C. Dec. 3. 40. 9. obl. 91
a Mercurio intempestive assumto biennium exorta febris maligna
Ptyalifino foluta, ibid. obf. 91
ex Mercurio luis Venerez gratia nimia copia assumpto mors. Blegny
Zod. gall. ao. 1679. Oct. obf. 4
Mercurialis suspecta inunctio. Hachft. Dec. 3. p. 245-248. Rhod. cent. 3.
obl. 86
inunctio lethalis in hypochondriaco. A. N. C. Dec. 1. ao. 1. obf. 80 Mercuriale amalgama, quomodo parandum. Zaving. D. p. 259. 260
medicamentum hypercatharfeos. A. N. C. Dec. 1. ao. 1. obl. 54
Mercuriali ex inunctione noxa in infantibus. A. N. C. Dec. 2. ao. 4.
ODI, 16 Mer-
and the second s

283.

Mercurialia quid operentur. Alberti lurispr Med. P. 2. p. 580 Mercurialia unguenta in gallicis oris ulceribus. Zac. Luf. P. A. Lib. I. obf. 88 unguenta supra caput imponenda. ibid. L. 2. obf. 138 Merum an pueris ac puellis vel aqua dilutum fit falubre. Lang. L. 2, ep. 51. p. 802 Meferæum fuperatum. Salmuth. cent. 1. obf. 11 Mesenterium absceffibus scatens. A. N.C.Dec. 3. ao. 3. obf. 139 Mesenterii absceffus. Barth. cent. 4. hift. 96 Mefenterii absceffus a partu disruptus. Tulp. L. 2. C. 37 absceffus phthisin caufans. M. Donat. L. 7. c. 5 abiceffus fine febre. Rhod. cent. 2. obf. 95 mira convulfio. A. N. C.cent. I. p. 432 miræ affectiones. M. Donat. L. 4.c. 7 & ventriculi gangræna. Barth. cent. 4. Ep. 29 parsoffea. Rhod. c. 2. obl. 96 vulneraan lethalia. Alberti Iur. Med. P. I. p. 334. p. 57 Metall (unterschuttetes) Beech. Ph. S. L. I. Sect. 3. c. 2. p. 124 Metallum perfectum quiefcens. ibid. Sect. 2. c. 2. p. 96 exhalans, lebendig Metall. ibid. p.96 extractum, todt Metall. ibid. fixatum, novis exhalationibus volatile factum, quomodo dicitur. ibid. Metalla transmutandi artificium, Reinzer. Meteorol. diff. 12. qu.9.p.277 Metalla ex terra, & metallorum in terram reductio. Becch. Phys. S. L. I. Sect. 3. c. 5. p. 176 ... mathematic ostation nutriuntur vapore minerali. ibid. L. I. S. 4. C. 7. P. 257. n. 2 non corrumpuntur. ibid. L. 1. S. 5. c. J. n. 60. p. 296 non putrefcunt. ibid. n.66. p. 298 aquaforti foluta, abstracta in oleo tartari, in liquorem filiceum rejecta intumescunt & in ramusculos excrescunt. ibid. c. 2. n. 6. p. 311 in animalibus nata. Bor. cent. 1. obf. 10 Metallorum productio per artem. Becch. Ph. Subt. L. I. Sect. 6. c. 8. p. 603--609 Metamorphofis varia ftirpium, arborum, frugum, animalium & hominis. Lang. L. I. ep. 70. p. 410 Metamorphofis Nebucadnezaris. Barth. cent. 2. ep. 100 Me-

ME. MI.

.

205
Metaschematismus morborum unde? Alberti lur. Med. P. 2. p. 567
Metastasis febrilis. Salmuth. cent. 2. obs. 49
mira. A.N.C. cent. 9. p. i
Metempfychofis animarum. Garm. L. 2. tit. 10. §. 36. L. 3. tit. 4. §. 5
Meteora. Blegny Zod. gall. ao. 1683. Menf. Oct. p. 226. feq. Valentini Ar-
mamentar. nat. fystem. Part. special. c. 6. propos. 7. p. 146. feqq.
de Meteoris ignitis. Sturm. phys. hyp. Tom. 2. p. 278. Greydanus inftit.
phys. L. 5. p. 132. Sperling. instit. L. 5. Hamelius de meteoris. Scotus
phyl. curiof. L. 2. c. 9. Erafm. Francifci im Erds und Lufft- Erenft p.
576.580
Meteoris an corpora mixta materiam præbeant. Reinzer. Meteorol.qu.
4. p. II. diff. I
Meteora omnia an habeant causas naturales, & an ex illis quædam præ-
ominari possint, quamque causam finalem sortiantur. Reinzer.
Meteorol. diff. 1. qu. 5.p 15
Meteora ignita. Reinzer. Meteor. diff. 2. qu. 16
Meteorica filamenta. A. N. C. cent. 3. p. 357
a Mezerei baccis comestis Hypercatharfis. A. N. C. cent. 7. p. 297
finguine descents could intel Miccuto Barmero singlero, A N. K.
Microscopia. A. N. C. Dec. 1. 20. 1. obf. 13
de Microcofmo & eius characteribus. Kornm. Mir. viv. p.1
Millio fanguinis in fenibus funesta. Hagendorn. cent. 2. hift. 30. p. 204
Micijo calculorum fimulata. Barth. cent. 3. ep. 16
lapidea.ibid. ep. 59. Plater. obf. L.3. p. 766
pultacea diuturna. A. N. C. cent. 5. p. 118
purulenta largisfima curata. A. N. C. cent. 5. p. 326. Plater. obf. L. 3.
p. 761. 766. 783. 784. 757
fanguinis cum infigni dolore circa vesicam. Gabelchov. cent. 3.
cur. 38
involuntaria post partum difficilem. Plater. obf. L. 3. p. 755
Michus cruentus. Barth. cent. 4. hift. 45. Lentil. latr. p. 349. feq. Plater.
L.3. p. 785 - 790. vid. Vrina.
cruentus a vulnere thoracis. Rhod. c. 2. obf. 18
cruentus in variolis periculosus. Salmuth. cent. 2, obf. 70. Hachfl.
Dec. 1. c. 7. 9
cruentus a spiritu Thereb. Hild. c. s. obs. 52
cruentus innoxius. A. N. C. cent. 1. p. 192. app.
Mietus Mietus

286	. WII.A
Michus cruentus pe	criodicus. Salmuth. cent. 3. obf. 47. Zac. Luf. P. A.L.
2. obl. 102. Ag	map. Chir. L. 3. c.'13
	ruus. Rejes qu. 86. p. 1112, n. 8. Zac. Luf. P. A. L. 2. obl.
102. Aquap. C	
cruentus plet	thoræ oppositus. Reses qu. 86.p.112. n. 8
	nmotione corporis per equitationem. A. N. C. Dec.
	. Solen. Sect. 3. Conf. 27
Cruentus ex har	norrhoidibus suppressis. A. N. C. Dec. 1. ao. 8. obs. 23. ationem, quomodo hæmorrhoidibus suppressis Mi-
Aus cruentus	oriatur. vid. etiam Rolfink, Diff. anat. L. S. C. 20, A.
Berol. Dec. 2.	
Michus cruentus re	epentinæ mortis caufa. Hild. c. 6. obf. 45
Mittus fanguinis cr	iticus. Zac. Luf. P.A. L. 2. obf. 78. & M. P. H. L. 2.
hift. 139. p. 42	4 malant automous quainers finites finites 4
fanguinis copio	fus innoxius. A. N. C. cent. 1. p. 192. app. & Dec. 1.
ao. 8. obf. 23	Firmerszeniaz Remzers Mercent dill 2011 5.00.
	a meri potione subortus, phlebotomia curatus. Zac.
Luf. M. P. H.I	
fanguinis fubla	tus cum bufone ficcato humero alligato. A. N. C.
Dec. 2. ao. 5. 0	
	tus. Alberti Iur. Med. P.1. suppl. p. 410 alysis ex hæmorrhoidibus suppressis. Hild. c. 2. obs. 11
calculofus Catt	ier. obf. 1.vid. Calculus, Vrina.
	C. Dec. 1. ao. 1. obf. 89
capillorum perio	odicus. Tulp. L. 2. c. 52
adipofus. Tulp. I	
	A.H. Vol. 5. obf. 105
Lapidofus. Tulp.	Lib. 2. c. 47. A. N. C. cent. 3. p. 13
	Lib. z. p. 784. Sylvins Pr. Med. Lib. 1. cap. 55. Senner.
tus Pr. Med. L.	. 4. P.3. Sect. 2. c. 4 the numper flog emandlesse
	cent. 3. obf. 36 fild parage dried summary within
Mercurn. Rhod. o	cent. 13. obl. 37
	multos annos. A. N. C. Dec. 1. 20. 10. obf. 66.p. 195
the second	niafis. A. N. C. Dec. 1. a0,10. obf. 12. Garman. p. 43. S.
64. Hild. cent.	Dec. 1, ao. 2. obf. 168
purulentus, Bart	b. A. H. V. 4. obf. 29. Bor, cent. 1. obf. 17
Puratorication	Mietus
and the second	

M	T	53	Æ	0	
141	1.	1	1	U	+

Mictus purulentus in puero. A. N. C. cent. 9. p. 207 vermis cruenti. Tulp. L. 2. c. 49 vermium quotidianus. ibid. c. 51 & vomitus lapidofus. A. N. C.cent. 3. p. 13 Miliaris maligna febris. A. N.C. Dec. 3. ao. 7. obf. 206 Mineræ puræ, gediegen Erts. Becch. Ph. S. L. I.S.3. C. 2. p. 125 fimplices, die Stuffen. ibid. c. s. p. 170 ubi copiofiores. ibid. c. 2. p. 95 Minerarum effluvia, Gallmey, Berg=grun, Ochmalk=Rotel, Bolus. ibid. C. S. Mineras inveniendi modus. Reinzer. Meteorol, diff. 12. qu. 9. p. 277 Mineralis farina. A. N. C. Dec. 3. ao. 7. obl. 209 Mineralia que magis promte a fua terra separari possunt, unterschuttes tes Metall vocant. Becch. Phyl. Subt. L. I. Sect. 3. c. 2. p. 124 Miraculi definitio. Garman. Lib. 2. tit. 7. 9. 107 de Miraculis ingeniorum. Kornm. Mir. viv. p. 221. feq. Mirachialis affectio Eboris ufu curatur. Zac. Luf. L. 2. obf. 9 de septem Miferiis hominum in hac vita. Kornm. Mir. viv. p. 4 Mifogamos, Sagestols, quid? Alberti Iur. Med. P. I. c. I. S. 3. d. p. 21 Mithridates rex affuetus affumere antidotum Mithridaticum, a veneno vel violentissimo interfici non potuit, quo hausto plures interiere. Zac. Luf. M. P. H. L. 5. hift. 26. p. 874. leq. 19 x 20 Mixtio naturalis ac perfecta, & artis illius æmula. Lang. L. 2. epift. 54. p. 822 animalis artificiofifima & operofiffima eft & corruptibiliffima. Becch. Phyf. Subt. L. I. Sect. 4. c. 4. n. 25. p. 222. Garm. Mir. mort. Lib. 3. tit. I. (. I mineralis a reliquis fixitate differt. ibid. c. 6. n. 1. p. 244 Mixturum corporum natura. Blegny Zod. gall. ao. 1680. Menf. Febr. obf. 10. item Menf. April. obf. 3. & ao. 1679. Apr. obf. 1. Maj. obf. 4. Oct. obf. 8 • MO. Maror caula febris. A. N. C. Dec. 1. ao. 3. obf. 234 num febrem talem & mortem concitare poffit. Zac. Luf. M.P. H. L. 2. hift. 114. p. 385 Maflitia & Melancholia infignis cum palpitatione cordis. Gabelchov. cent 3. cur. 80 Mafti.

288	MO.
and the second se	melancholica auro potabili curatur. Zac. Lusit. P. A. Lib. 2.
	am fœtu fimul gestata. Alberti Iur. Med. P. 1. p. 109. §. 11. Hildan.
	2. obl. 12. 52. 54
Mola g	ravitatem præ fe ferens. Alberti Iur. Med. P. 1. p. 119. caf. 1
Mola II	nembranofa. Zac. Luf. P. A.
	virginibus generetur. Höchst. Dec. 6. p. 697
libra	rum XX. per 3. annos gestata. A. N. C. Dec. 1. ao. 10. obf. 22
Mola,1	uperfœtatio & Monstra. Alberti Iur. pr. Med. P. I. C. S. P. 101, seq. fangvine expulsa. ibid. P. 2. p. 150, cas. 15. p. 154.
Malair	igens & vterus peritonzo adnatus. Hild. c. 2. obf. 55
mol	ftrofa pilis referta. Hild. cent 5. obf. 49
Mola 1	carabæos & mures referens, rejecta. Salmuth. cent. 1. obf. 65
fing	ularis. Barth. cent. 4. hift. 48. Hild. c. 2. obf. ss. A.N.C. cent. 1. p. 77
vidu	1æ. Rhod. cent. 3. obf. 53
exv	idua fexagenaria. A. N. C. Dec. 3. ao. 7. obf. 222
virg	inum. Barth. A. H. Vol. 4. obf. 11 cularis per naturalia Matronæ cujusdam præter spem procidua.
ven	N.C. Dec. 3. ao. 9. obf. 159
	lex. A.N.C. cent. 5. p. 86
Moles	pellatio. Garm. Lib. 2. tit. 3. 5. 26 million om Minuston long
gen	eratio & expulsio Blegny Zod. gall. ao. 1681. Menf. Iun. obf. 1. Pla-
· · · tt	r. obf. Lib. 3. p. 832. 835
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	nirabiles. M. Donat. Lib. 4. c. 25. Alberti Iur. Med. P. I. p. 105. §. 6.
	ofæ exemplum, mirum. Zac. Luf. P. A.
aqu	nez exemplum J Lib. 2. obf. 152
2011	ofæ exemplum. Hild. cent. 2. obf. 53 theil alepilor a ader infor
elic	iendæ auxilium. ibid. obf. 154
ven	tofæpræsidium. Zac. Lus. P. A. Lib. 2. obs. 151
vita	les. Alberti Iur. Med. P. 1. p. 105. §. 6
and the second se	quoque in virginibus & viduis generari possint, ibid. P. I. p. 106.
N. IS	.7. p. 107 um hiftoria. A.N.C. cent. 9. p. 251. 285
Molar	nerus incredibilis. Zac. Luf. P. A. Lib. 2. obf, 156
gen	efis. Alberti Iur. Med. P. 1. p. 104. 105. §. 6
fign	a, ibid. P. 1. p. 107. S. 8. feqq.

Molatica

Main Martin Contraction of the C	289
Molatice forming an jura prægnantium habeant. ibid. P. I. p. 109	6
and the state of t	-y. 11
a monocer ous comu, Reles. QU. 600, 804, 100 vid Unicound	2 A
monor chis Anorchun generans. A. N. C. cent I p. 419	ailms
Monorchis canis. A.N.C. Dec. 2 ao. 7 obf 162	d min
Wonorchis toecundus. Tim. a Guild, Lib. 2, caf 45	gente
Mons norrhonus apud Ferraram, Kornm Mir Mort Dart	ideero
March and March	J C.L.
2. C. G. Sect. I. D. 194. LID. 2. C. 10. II. (Jericus Phys I ::	A LAL A LAL
Priest reg. r al chills Greograph. Cab. 10. Drop. C B 100 for	D. Z. C. 3.
- Coluce CullOle 1 dile le De 120	COLORADO DE CARA DE
Mons Atna. A.A. Philosoph. Angelic, Oldenburg an 1660 Mar	
num. 2. p. 856. Kircher. Mund. Subter. Lib. 4. p. 200. Jonfto	n. Sept.
Montes non fuisse ante diluvium. Burnet. theor. tellur. Sacr. 1	Cause
	The state of the s
Mons Vefuvius, Kircher, Mund, Subrer Lib , n D.	
Brefil. Beschichte der Nat. und Aunft 8. Derfuch P. 576.	Castellus
fuvius.	nd. Ve-
de Montibus. Reinzer. 'Meteor. Diff. 11. qu. 1. p. 211	uter
Monstrum quid? Alberti Iur. Med. P. 1. p. 110. 13. 14	inter 1
Monstrum acephalon. ibid. P. I. p. 110	Monfir
Monstrum biceps, Bleany Zod sall 20 1605 Monf No. 16	Alon 'r
a muliere editum kmiæ toga hiftrionica indutæ fimile. ibid. Menf. Mart. obf. 20	atalla
Menf. Mart. obf. 20	20.1682.
a conftrictione abdominis per vestimenta. A. N. C. Dec. 2. ac	ALAS
102). 2. obf.
humanum fine cerebro. Barth, cent. 1. hift. 83	Alertile
Norwegicum. Barth. A. H. Vol. 2. obf. 33	Manife
an interficere liceat. Alberti Iur. Med. P. I. p. 117. §. 19	natitia -
biceps an dupliciter baptizandum.ibid. p. 118. §. 20	Alaves
Monstri bicipitis humani anatome. A. N. C. cent. 3. p. 127. app.	Sharr
bicorporei deferiptio Blagmi Zod gall go :62. 31. app.	All and a second
bicorporei defcriptio. Blegny. Zod. gall. ao. 1683. Nov. Dec Item ao. 1679. Menf. Aug. obf. 9	. p. 250.
humani descriptio. ibid. ao. 1681. Menf. Nov. obf. 1	TTUI
Monfracum roftro fimo & pede bifuloo	19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Monstra cum rostro simo & pede bifulco. Alberti Iur, Med. P.	I. p. 118.
y.40	Sharper .

-

Monftra

こころにも

2902	and the second second and a second second second second second	in the second
Monfira admiranda	a. M. Donat. Lib. 24. C. 2	arte late
the second se	per imaginationem genita. Rejes. qu. 45. p. 54	15. 546.
Alberti Iur. M		1. 4 1 F.
a second s	ura. Kornm. Mir. Mort. Part. 8. c. 70	adrice to
cum fex roftris a	natinis. Alberti Iur. Med. P. 1. p. 120	and a second
	imi harmoniam prodentium. Rejes. qu. 45. p.	561
	rantur ex congressu hominum brutis. ibid.	
ex hominibus &	brutis genita. ibid. p. 537. 538. 545. 546	The second second
	erare poffit ? Alberti Iurispr. Med. P. I. c. 5. p.	111-114.
p. 115. §. 18	and the state of t	
Monfrorum gener	ratio. Blegny. Zod. gall. ao. 1679. Menf. Mart.	obf. 4.
	or. Med. P. I. c. 5. p. 101-118	in marke
generationesno	nnulli aftris adscripferunt. Rejes. qu. 45. p. 540)
divisio. Alberti Iu	ur. Med. P. I. p. 111. §. 16	In the Ta
caufæ. ibid. p. 114	1. 9.17	A south
	Blegny. Zod. gall. an. 1679. Menf. Oct. obf. 2. an	
I STREET CONTRACTOR OF STREET STREE	& ao. 1681, Febr. obf. 5. August. obf. 9. Oct. ob	of. 3. ao.
1683. Nov. & I		er . andfin
	eductus. ibid. ao. 1681. Oct. obf. 2. vid. Calculu	15.
	ex legitimo concubitu. Rejes qu. 45. p. 541. 542	Mo5
	Blegny Zod. gall. ao. 1680. Menf. Jul. obl. 6	A domaily
	a legitimo generentur. Alberti Iur. Med. P. 1.	p.11
	lia. ibid. P. 1. p. 112. §. 16	Alo
	ro homine aut bruto æftimanda, ibid. p. 13	
Monjtris quando co	ompetat.baptifinus. Alberti Iur. Med.P.1. p.114	.117.118.
Monjira quomodo	differant a portento & prodigio. ibid. P. I. p. I	11. 9.10
	deformatio. Salmuth. cent 2. obf. 15.19	4 11.5.
Monstrofæ arbores.	infantis. Hagendorn.cent. 1. hift. 1. p. r	and a
Monumentimund	e dicatur. Kornm. Mir. Mort. Part. 7. cap. 5	ola 1
	intur per lac. Garm. M. M. 2. tit. 8. §. 41	ang l
	prægnans parit infantem morbillofum Hill	d. c. A.
	C. Dec. 2. ao. 3. obf. 97	Allahor .
Contraction of the second second second second second	. A. N. C. cent. I. p. 14. app.	DEC.
intraunius men	fis spatium secunda vice redeuntes. A. N. C.	cent. s.
A CONTRACTOR OF A CONTRACTOR AND A CONTRACT	the set of a set of the set of th	DR
Str. que, 1 densi, 110	for cum coffico fissio & pede biliphese alleres i	Morbilli
LA SE STATION	0.20	and the second
Monfiera		
	The second	The state of the state

291
Morbilli ex hæmorrhagia narium fuppreffa. Salmuth. cent. 3. obf. 31
ingravida. A. N. C. Dec. I. ao. 3, obl. 347.
matris exferunt se in foetu. A. N. C. Dec. 2. ao. 3. obs. 97
in febre synocha, Plater. obl. L.3. p. 580
post Morbillos intempestiva in aëre versatio exitiosa. Hagendorn. cent.
2. hift. 77. p. 253
Morbillorum fymptomata. Zac. Luf. P. A. Lib. 3. obf. 48
periculosa retrocesso causata per largiorem comestionem pomo-
rum Sinenhum. Bohn. de off. Med. dupl. Part. I. C. 7. D. 152-152
recursus cum magno æstu & tussicula, Gabelch. cent. 3. cur. 18
origo ex lympha. vid. Variola.
post Morbillos gangræna. Hagendorn. cent. 2. hist. 74. p. 250
exPleurefis, ibid hift. 75. p. 250
Morbillos sequitur pollutio nocturnam quoda injuvene. A. N. C. Dec. 1.
ao 10. obf. 15
post Merbillos diarrhæa cnm amprocidentia Hagendorn. cent. 2. hift. 76.
p. 252
In Morbillis Venæ Sectio utiliter celebrata. A. N. C. cent. 7. p 430
Morbus incurabilis causa repudii. Alberti Iur. Med. P. i. p. 48. 5.30
Morbus bilofus venenum æmulens. ibid. P. 1. p. 217. §. 5
Morbus permanens, quinam. ibid. P. 1. p. 219. §. 7.
Morbus mammarum quas habent caufas. ibid. P. 11. p. 566
Morbus Brafilienfis Vermis dictus. Zac. Luf. P. A. Lib. 3. obf. 98
Hungericus cum diversis symptomatibus. Gabelch. cent. 5. cur. 26
incogruus. A. N. C. cent. 7. p. 82
in Oftenda mirabilis Gabelch. cent. 6. cur. 54
nouus creditus, qui in regni Polonici, Hungarici finibus anno 1599.
graffari cœpit, ejus fymptomata & horrida natura Gabelch. cent. 6.
cur. 53
novus caro ex partibus naturalibus prolapía. Zac. Luf. M. P. H. Lib.
6. hift. 3. p. 919
Morbus a tortura eximens. Alberti Iur. Med. P. 1. p. 237. 5. 6. & p. 244
Morbus utrum fit ens reale. Bravo P. 2. Difp. 2. Sect. 1, refol. 1. p. 373
utrum fit relatio. ibid. refol. 2. p. 376
utrum divagetur per omnia prædicamenta. ibid. refol. 3. p. 378
utrum fit affectus præter naturam. ibid.refol 4. p. 380
utrum diversi generis a tota substantia. ibid. Sect. 2. resor. 5. p. 394
Oo 2 .Morbus

MIO. 293
Morbus ex incantatione. A. N.C. Dec. 3. ao. 3. obf. 98
trans Naturam ortus remediis trans naturam curatur. Zac. Luf. P. A.
L1b.3. obl. 139
complicatus. A.N. C. Dec. 3. an. 9. obf. 221
Morbi simulatio & diffimulatio, siue veri & ficti. Albert Jurispr. Med.
P. I. C. 10, p. 196-211
Morbi & Mortis Recognitio. ibid. c. 11. p. 214-227
Morbi admirandi descriptio. Blegny. Zod gall. 20. 1682. Menf. Mart.
obf. 4
ante pubertatem occurrentes. Rejes. qu 39. p. 1252. n. 21
cordis varia genera. Blegny. Zod. gall.an. 1683. Febr.
ætatum Rejes. qu. 99. p. 1231. 1232. Hipp. de septim. partu. Fort. Fidel.
Relat. Med. L. 2. S. 3. c. 2. p. 230
Laniorum. A. N. C. cent. 3. p. 154
mulierum varii. Blegny. Zod. gall. ao. 1683. Menf. Mart. p. 49
novi. Lang. Lib. 2. Ep. 13. p. 615. Marcellus. Donat. Lib. 4. c. 4
animi. Perdulcus & Marinellus. vid. Philtrait. Animi.
novi an dentur. Höchst. Dec. 1. p. 21. Möllenbr. Proem. p. 2. segq.
Frank. p. 327
novi nonnulli recenfentur. Rejes. qu. 59. p. 766. 767
novipro pœna divina habentur. ibid. p. 767
fubstantiæimpugnandi. Smet. Misc. L.s. Ep. 15. L. 6. Ep. 1-6
pectoris. Blegny. Zod. gall. ao. 1682. Jun.
primi hominum. Rejes. qu. 99. p. 1231. n. 6
ex nimia studiorum cultura. Frank. p. 566-573
tempora universalia utrum variis signis distingvantur. Zac. Lus. M.P.
H. Lib. 4. hift. 54. p. 782
ex fascino. Alberti Iurispr. M. P. I. C. II. p 219-223
Morbo indigefto an purgatio competat. Lang. Lib. 2. Epift. 41
De Morbo & fanitate differtatio. Blegny. Zod. gall. an. 1683. Nou. & Dec.
p. 240. leq.
a Morbo Hungarico præservantia. Gabelch. cent. 5. cur. 27
Morborum figna. Alberti Iur. Med. P. 1. p. 198. S. 4. feqq.
Merborum Malignitas. vid. Malignitas.
Morborum ætatum ratio per septennarios annorum progreditur. Hipp.
de Septim, part. Forr. Fidel. Relat. Med. L. 2. S. 3. C. 2. p. 230
Morborum Magicorum figna. Barth. cent. 5. hift. 35. vid. Fafcinum. In-
cantatio. Oo 3 Morborum

294	MO.
n	<i>rborum</i> miraculoforum figna. <i>Rejes.</i> qu. 24. p. 256 nultitudo. <i>Frank.</i> p. 326. 327
	ræoccupatio variis testimoniis probatur. Rejes qu. 98. p. 1222. n. 1. mationes fortuitæ. Rejes. qu. 17. p. 190
d	e caufa conjuncta & duplici eorum conftitutione. Lang. Lib.1. epift. 15. p. 69
1	Venereorum variæ species. Blegny. Zod. gall. ao. 1683. Mens. Jun. p. 102. seq.
	rborum recognitio. Alberti Iur. Med. P. 1. p. 214. 215. §. 3. 4. rborum metafchematifmus. ibid. P. 2. p. 567
	rbis Chronicis non fero Medicina opponenda eft. Rejes. qu. 98. p. 1226
Mo	rbis incurabilibus laborantes an debeat Medicus ad mortem promo- vere. Alberti Iur. Med. P. 1. p. 360. §. 15
	rbos oculorum numerat Galenus CXV. in Introd.c. 15 Morhos omnes Melancholicos remedia. Blegny. Zod. gall. 20. 1679.
	Menf. Aug. obf. 2 rborum infinita eft multitudo. Plin. L.7. c. 51. Senecd Ep. 95. Juvenal.
200	Sat. 10. V. 218. feq. Frank. Sat. Med. 17. §. 1. 2 rs quid fit. Garm. p. 76. §. 114-124
1110	a carbonibus inconclavi claufo accenffis. Hagendorn. cent. I. hift. 23.
	P. 41 naturalis an Medicinæ beneficio retardari poffit. Rejes. qu. 26. p. 293
	ut levior reddatur. Kornm. Mir. Mort. Part. 6. c. 43 bfque dolore. Ibid. c. 44
	ex contusione pectoris cum pugno. Barth. cent. 4. epist. 11 ex pugno in umbilico illato Zac. Lus. P. A. Lib. 2. obs. 37
	Subita ex percuffione regionis ventriculi. A. N. C. cent. 1. p. 430 ex contusione auriculæ cordis. Barth. A. H. Vol. 4. obf. 47
1	ex alapa. Barth. cent. 5. hift. 34. vid. Alapa. ex alapa post viduum. Blegny. Zod. gall. ao. 1682. Menf. Febr. obf. 5
19	ex depressoventre. Tulp. Lib. 2. c. 40 Iuxato pede. Tulp. Lib. 4.c. 50
e	repentina a pancreate sphacelato. A. N. C. Dec. 1. ao. 3. obs. 45 ex xulnere pectoris. Blegny. Zod. gall. ao. 1681. Mens. Febr. obs. 4
3	acus punctione caufata. Alberti Iur. Med. P. 1. p. 178. §. 24. it. p. 347. 348 Mors
C. S. S.	

to M

Mors a bile corrofiva, male veneficio imputata. ibid. P. 2. p. 18.	or Jean
Mors ex vulnere inteftini recti. A.N. C. Dec. 3. ao. 9. obf. 234	f. Cal. 19
ex vulnere cranii neglecto. ibid. Dec. 1. ao. 3. obf. 199	a ray the
ex amore nimio. Korn. Mir. Mort. part. 4. C.112. & 81-83	mire a
extimore. Barth. cent. 4. hift. 76. Rhod. cent. 1. obf. 45. Kor	mm. Mir.
Mort. Part. 4. c. 106-109. feq. vid. Timor.	
ex gaudio. Suidas. Gellius. Noct. Attic. Lib. 3. c. 15. Cicer	Tufe.
quaft. Lib Paulas Ienifius. hift. urb. Annaberg. Part. 2. 1	2. 22. Val
Max. Lib. 9. c. 12. Berbers. Unert. Gunden: P. 2. p.1009-10	IL Korn-
mann. Mir. Mort. P. 4. c. 106-108. vid. Gaudium.	11. 2107 10-
ex rifu nimio improvifa. A. N. C. Dec. 1. ao. 10. obf. 125. Korn	m Mir
Mort. P. 4. cap. 107 vid. Rifus.	
ex mœrore. Kornm. Mir. Mort. P. 4. c. 111. Barth. cent. 2. I	Thift 86.
ex pudore. A. N.C. Dec. 2. ao. 4. obf. 157. Kornm. Mir. Mort. I	A. C.112.
exterrore. Kornm. Mir. Mort. P. 4. c. 48	.d. curbe
ex Ira. Zac. Luf. P. A. Lib. 2. obf. 37	
ex imaginatione. A.N. C. Dec. 1. ao. 2. obf. 137. & p. 401. app.	TT FO
exinfomnio. Höechft. Dec.7. c. 1. p. 47	Complete St.
ex tetro odore. A.N.C. Dec. 3. ao. 4. obf. 90	at response
exignorantia Medici Zac. Iuf. P. A Lib. 2. obf. 86	
exignorantia & Diaria. ibid. Lib. 3. obf. 1	120
exignorantia pharmacopæi. ibid. obf. 140.	2 22
Medici fibi met ipfi accita. ibid. obf. 148	Prop in all
fibi ipfi accita cultello præ dolore colico. ibid. Lib. 2.obf. 28	En rate of the
accellerata inquodam celebri Medico, qui se peste la	borare,
credere noluerat. Gabelch. cent. 5. cur. 75	a top 1
ex malitia obstetricis. Zac. Luf. P. A. Lib. 3. obf. 141	here's a series
ad adfpectum vetulæ. Kornm. Mir. Mort. P. 4. c. 85	
an ex maculis & fugillatationibus in caufa infanticii decerr	iquæat.
Alberti Iur. Med. P. 1. p. 186-188. 190	CHART AND
abimaginatione, ira & terrore gravidæ orta, non a plagis. il	oid. app.
p. 29. caf. 6	ista -
Mors aliqua utrum possit dici naturalis. Bravo. P.I. Difp.4. Sect.	2. Refol.
I. D. 128	and the second
Mors naturalis utrum fiat cum voluptate. ibid. Reiol. 8. p. 137	
Mors in ægrotantibus, qui confervari non poffunt, non acce	eleranda.
ANC Dec 2 20 I obf 10 Scholium.	

A. N. C. Dec. 2. ao. 1. obf. 19. Scholium.

Mors

Mors fubitanea ex nimia ingurgitatione panis. A. N. C. Dec. 3. a o 9. obf. 237 ex nimio potu. Barth. cent. 6. hift. 16 a frigida aqua. Sim. Majolus Canicul. Dier. Tom. 1. colloq. de montibus. A. N. C. Dec. 3. ao 7. & 8. obf. 73 a clystere frigido. Barth. cent. 1. hift. 76. A.N.C. Dec. 2. ao. 5. obf. 83 a clystere actu calidifimo injecto. Zac. Luf. P. A. Lib. 3. obl, 142 exflore calcis Tulp. L. 3. c. 41 ex fungo male curato. Hild. cent. 1. obf. 14 ex Epulide. Zac. Luf. P. A. Lib. 1. obf. 93 ex Gurgulide præcifa. ibid. obf. 98 ex Helleboro albo. A. N. C. Dec. 2. ao. 2. obf. 96 ex XII. gr. Theriacæ. ibid. ao. 5. obf. 138 ex Hydrargyri illitu repentina. Zac. Luf. P. A. Lib. 3. obf. 89 ex Hirudinibus nafum penetrantibus. ibid. obf. 62 ex Narcotico fupra genu admoto. ibid. Lib. 2. obf. 174 exmorfu hominis. ibid. Lib. 3. obf. 88 ex purgatione intempeftiva. ibid. Lib. 2. obf. 68.70 ex scarificatione. ibid. obf. 66.67 ex Syrupo. ibid. Lib. 3. obf. 69 ex fangvinis elu taurini. ibid. obf. 80 ex semine Ricini ad vomitum. ibid. obs. 81 ex Phlebotomiæ incuria. ibid. obf. 143 ex Emetico in Epileptico. Blegny. Zod. gall. ao. 1682. Febr. obf. 15 a pyro cocto devorato. Rhod. cent. 2. obf. 49 ex grillo in aure. A.N. C. Dec. 2. ao. 2. obf. 39 ex Suppresso fudore. A. N. C. cent. 1. obf. 65 ex mala curata scabie. A. N. C. Dec. 3. ao. 9. obl. 16 ex cohibito fangvinis profluvio per nares in cephalalgia epidemica, Gabelch. cent. 5. cur. 37 ex febrifugo. Blegny.Zod.gall, 20. 1680. Menf. Dec. obf. 2 ex nimia obelitate. Hagendorn. cent. 3. p. 317. hift, 28 Mors ex adamante deglutito. Zac. Lufit. P.A. L. 2. obf. 18 ex lapidein fine virgæ. ibid. obf. 36 in cubiculo calce recenti tecto. Kornm. Mir. Mort. P. 6. c. 39 ex intemperantia Venerea. Garm. Lib. 1. tit. 2. §. 14 fub coitu. Garm. Lib. 1. tit. 11. S. 15. 16. vid. coitus.

Mors

Mors subitanea in zstu Venerco. A. N. C. Dec.3. ao. 9. obf. 10	62
ex abstinentia veneris. Zac. Luf. P. A. L. 2, obf. 119	Sim man colve
ex partu difficili. Barth. cent. 5, hift. 47	noserus n
ex violenta fecundinarum eruptione. A. N. C. Dec. 2. ao. 4	obfice
ob fangvinem e mammis exfuctum. A. N. C. Dec. 2. ao. 7. 0	.001.08 106
a Andria Frank n col fag	01.45
a reudits. 174nk. p. 198. red.	rolf Aboren
a studiis. Frank. p. 598. seq. ex germinatione nuclei a malo in ventriculo. A.N. C.Dec.3,	ao.9.0bf.15
critice dilata. A. N. C. cent. 3. p. 239 11. minuteland nisation	de Morte ex
critice dilata. A. N. C. cent. 3, p. 239 in aqua & undisolim formidabilis. Garm. Lib. 2. tit. 10. §. 7 Martis & Morborum recognitio. Alberti Iurisp. M. P. 1. G. U.	Morecor
and the center of and recognicio. The of the larisp. W. I . I. C. II.	0. 214. 223.
9.12.1eqq.	Caning St. See. 1
Mortis fimulatio. ibid. P. 1. p. 211	nera 15
Mortis fimulatio. ibid. P. 1. p. 211 Mortis hæreditaria genera Kornm. Mir. Mort. P. 4. c. 61	in one sittle line a
Incentatio Finiorophila cit. The the D. 72. N. 108. 110	and the second sec
comparatio cum fomno Frank. p. 360-364	analinan 25
mater nox eft. ibid. p. 364-366	t tostanse coral
præfagium. A. N. C. Dec. 2. 20. 4. obf. 85	
præfagia quandoque funt infomnia. Kornman. Mir. mort. I	A. C. 164
chorea (der Sodten, Tang) Bafileæ. ibid. P. 7. c. 82	101.61 1944
fignum ex sternutatione. ibid. P. 4, c. 163	genuex.
templum ibid P. 6. c. 16	Mortha CLS
templum. ibid. P. 6. c. 16 fimulacrum in conviviis Ægyptiorum.ibid. P. 7. c. 80	Morenez 601
nome ibid P 6 c 7	e feretro
poma.ibid.P.6 c. 7	be muila
nomine pifcis notatus. ibid.C.20	n munit
conteintus. ibid. P. 8. c. 50 him and the state of the	monear
de Mortis articulo. ibid. P. 9. c. 38	Alorianterin
in Mortis articulo constitutus an matrimonium contrahen	e pollit.
ibid.c. 39	canda(ca
post Mortem ruptio venarum. Hagendorn. cent. 3. hist. 45. p. 3	41
post Mortem tumor & rubor capitis. ibid. hist. 46. p. 343	N.F. di VESS
Mortem excipiens fudor. A. N. C. Dec. 1. ao. 3. obf. 83	annoista
qui pro pecunia emant. Rejes qu. 21. p. 225	nar-habit
ægrotanti denuntiare an debeat Medicus. ibid. qu. 11. p. 132.	133
nonnulli stantes & in occupationibus subierunt, wie bie	Rachtigall
im fingen. Garmann. L. 2. tit. 4. S. 14	and an of the set
cur Clerici præ aliis ægre ferant & perhorrescant. Kornma	ann. Mir.
mort P. 8. c. 8	the distant, and
Pp	Mortem

298	MO.
Mortem an C n turalem c. 49	christianus optare debeat. 161d. c. 51 differri posse Astrologiæ & Medicorum præsidio. ibid.
ante Mortem p. 202. f	& post eandem ambulantes homines. Kormann. Mir.viv.
6.130	
Morte corpor violenta e violenta &	olfactu præfagium. Hagendorn. cent. 1. hift. 67. p. 101 ra redduntur rigidiora. Garm. L. 2. tit. 4. §. 27 extincti hominis corpus an flaccefcat.ibid. §. 11. 12 capitis truncatione, imo naturali extincti, aliquandiu ere-
a Morte an lil ritum p	ferunt. ibid. §. 12 15 Deret aliquem damnatum, quando virgo iplum adma- etat. Kormm. Mir. mort. P. 9. c. 11
Mortaliter p 6. 20. a.	eccat Medicus imperitus. Albberti Iur. Med. P. I. c. I. §. 4.a,
ventriculi	quid? Becch. Phyf. Subt. L. 1. S. 5. c. 1. n. 67. p. 299 allii efu curatur. Zac. Luf. P. A. L. 2. obf. 12 Varcotico. ibid. obf. 174
Mortua cred Mortuus cur e feretro alium adm	ita mulier reviviscens. Hagendorn. cent. 2. hist. 89. p. 267 efferatur pedibus ante. Kornm. Mir. mort. P. 7. c. 58 exfiliens. ibid. P. 4. c. 7 nonens. ibid. c. 31 entiens. ibid. c. 8
manum p Mortuus inte lucefcens candefcer	er fepulchrum extendens. ibid. P. 3. c. 47 errogatus refpondens. Kornm. Mir. mort. P. 4. c. 9 . ibid. c. 13 ns. ibid. c. 14
an citra a	rtificium aliquot septimanis in corruptus manere possit. . 7. c. 62
revivifcer refufcitat P. 9. c.	ns. Blegny Z.gall. ao. 1680. Menf. Dec. obf. 1.vid. Revivifcens. us utrum reftituatur in integrum. Kornmann. Mir. mort.
Mortuo cord infanti of	le, an anima corpusinformet Kornm. Mir. mort. P.7. c. 57 culum datum. ibid. c. 66
dentes en	rumpunt. Salmuth, c. 3. obf. 37 Mar-

Mortuo vis illata. Kornman. Mir. mort. P. 10. c. 4. 7. 9-11 patre aut matre familias, moriuntur illorum apes. ibid. P. 4. c. 148 in Mortuo murmur, purgatio. Garman. L. 2. tit. 5. §. 11 Mortai creditiin vitam redierunt Difp.de pulvin. mort. non fubtrah. c. 2. §. 20. 21. 22. Alberti difp. memento mori. §. ult. Garm. p. 11-19 quid fint inter Judæos, cura quam effundebant, quæ in domo erat. monis quoid manus, brachia, rodes, ibid. 1 - ri. 5. 4.8. bidi in fitu viventium reprehenfi. Garm. L. 2. tit. 4. §. 15--23 Adoration and fedentes & ftantes affervati, ibid. §. 46--49 manus vis medica. Garman. Lib. 2. tit. 6. 9. 174. 175. p. 112. Kornm. Mir. mort. P. s. c. 25 manus ftrumam curat. A.N. C. cent. 1. p. 199. app. quomodo ad motum reduci queant. Garmann. Lib. 1. tit. 5. 5. 70-73 venerem exercentes. Kornm. Mir. mort. P. 4. c. 2 sub coitu & rigidi corpore deprehensi homines mas & scemina, Garman. L. I. tit. II. S. 17. Alberti Iur. Med. P. I. p. 80. lit. c. aliquando commotiones exercent ac vivi. Rejes qu. 33. p. 400 Mortui clamantes. Kornm. Mir. mort. P. 4. C. C. 5. 6. 17 an ftatim fepeliefidi ibid. P. 7. c. 56 A monor bul of a state of cur sepeliantur in locis facris. ibid. P. 8. c. 14 cur nigro habitu lugentur. ibid. P. 7. c. 33 quando & ubi maxime fentiantur. ibid. P. 7. c. 69 naturaliter videri poffunt & quomodo. ibid. P. 7. c. 71 an viventes feliciores. ibid. P. 8. c. 52 HO STORIGE ON refurgentes an fefe mutuo agnituri fint. ibid. c. 64 quando accufari poffunt. ibid. P. 9. c. 16 cadaver num pœna affici potuerit. ibid. c. 31 dens in fuffimigio folvit ligamentum impotentiæ. ibid. P. 5. c. 26 cum vivis conversantes. ibid. P.4. c.3 infantes in lucem editi. Hagendorn. c. 3. hift. 3. p. 287 Mortuorum anthipathia cum vivis. Garmann. p. 10501 antipathia inter fe. ibid. p. 102. §. 154--156 mort. P. J. 55 corpora cur floribus exornentur. Garmann, L, 2, tit, 10. S. 22 exhumatio. Kornm. Mir. mort. P. 10. c. 1. 13

1.107 A

Mor-

NIO.
Mortuorum Baptisma. ibid P. 8. c. 16
corporum præservatio, an sit opus Dei vel naturævel diaboli. ibid P. 7. c. 63
Loquela. Garman. L. 1. tit. 5. §. 18. & L. 2. tit. 5. §. 53. vid. Loquela.
motus & obambulatio. ibid. L. 2. tit. 5. §. 5
motus divina, magica, aliaque ratione redintegratus. ibid. L. I. tit.
guid functioner Judsconstrateur estundobane, que 97-695-? erse
motus quoad manus, brachia, pedes. ibid. L. 2. tit. 5. §. 12
Mortuorum Judæorum revolutio in terram Canaan ad refurrectio
nem: figmentum Judæorum. Garman. L. 2. tit. 5. §. 4
firus. Kornman. Mir mort. P. 7. C. 17. 18
vestitus. ibid. P. 7. c. 31. 32
venæ fectio. Garm, L. 2. tit. 5. §. 6 . Alt Spilo marmini autor
Mortilos an Papa abfolvere pollit. Kornman. Mir. mort. P. 9. C. 15
gravidæ ne adípiciant. Garman. L. 2. tit. 2. §. 7
laudandi mos. Kurnm. Mir. mort. P. 8. c. 21 100 bigin to 10 00 01
fpolians an peccet. ibid. P. 10. c. 2
Mortuis an Eucharistia danda. Kornm. Mir mort. P. 9. c. 14 obres pile cur faces præferuntur.ibid. P. 7. c. 47
de Mortuis opinio Judæorum. Kornm. Mir. mort. P. 8. c. 45
pro Mortuis homines habiti revocati. Rejes qu.3 p. 60. 61
Moriua ad excretionem alvi revivifcit. Salmuth. cent. 3. obf. 78
credita parturiens revivifcens. A. N. C. cent. I. p. 381 du 2 change
fæmina ex febre ardente, cum phrenitide, dissecto capite, quid in
illo apparuerit. Gabelch. cent. 5. cur. 48
illo apparuerit. Gabelch. cent. 5. cur. 48 habita virgo ad vitam rediit. A.N.C.Dec. 1. ao. 8, obf. 96 anogulat
imprægnata. Kornm. Mir. mort. P. 4. ć. Historillog orshuosa of muse
mulier pariens. ibid. c. 4
mulier fe ipfam devorans, ibid. P. 7. c. 64
Mortue manus contactus tollit tumores & verrucas. A. N. C. Dec. 2.ao.I.
obf. II 732 of a finite a down a state of a
Mortue puerperæ lectum fuperstitiosi sternere solent. Kornman. Mir. mort. P. 7. p. 65
Mortuum corpus non est homo. Garman. p. 85
cur Moriantur in bello multa hominum millia uno die, quæ non eodem
aftrorum adípectu nata, Kornman. Mir. mort. P. 8. c. 9
- so Mari

Mori per fapientiam, quomodo hic locus Plinii intelligendus. Frank. p. 173. & 174. 601. feq. Waldschmid. Difp. mori per sapientiam Plinii. a Moriente utrum liceat requirere, quod fibi revelet ftatum fuum poft mortem. Kornm. Mir. mort. P. 8. c. 15 Morientes cur fuper plumis mori nequeant. Kornman. Mir. mort. P. 6. C 42 Morientium maculæ. Hagendorn. cent. 3. hift. 43. p. 339 Morientium fudor mirificam vim mortificandi hæmorrhoides & excrescentias possidere, dicit Helmontius, Latex humorum neglectus n. 17. Garman. L. 2. tit. 6. 6. 73 Morientibus hominibus a superstitiofis fenestræ aperiuntur. Garman. Lib. 2. tit. 2. §. 29 & mortuis olim adftantes ofculis valedixerunt. Garman. Lib, 2. tit 2. 9.30--32 parentibus cur filii oculos conprimere non debeant. Kornm. Mir. mort. P. 7. C. 9 Moribundi difficulter moriuntur in præsentia cognatorum. Kornman Mir. mort. P. 8. c. 13 Morituros an aves & canes ptælentiant. Garman. Lib. 2. tit. 2. §. 15. 16.18 Morfus lupi. Hildan.cent. 4. obf. 89.vid. Lycanthropia & Hydrophobia. Morfus equi in gangrænam abiens. Hild. c. 2. obf. 86 Morfus apum in gangrænam definens. Zac. Luf. P. A. L. 3. obf. 83 canum rabidorum. Bor. cent. 1. obf. 74. A. N. C. Dec. 3. ao. 3. obf.105. Hildan. cent. 1. obf. 86. 87. it. cent. 4. obf. 88. cent. 2. obf. 97. 98 de Morfu canino. Alberti Prax. extemp. Caf. XXI. vid. Hydrophobia. Morfus gallivenenatus. A. N. C. Dec. 2. ao. 10. obf. 82 galli gallinacei vetufti venenofus. Rejes qu. 65. p. 875 humani curatio. Hild. cent. 1. obf. 84. 85. c. 4. obf. 87 hominis in mortem definit. Zac. Luf. P. A. L. 3. obf. 88 Leonis rabiem caufatur. A. N. C. Dec. 1. ao. 10. p. 453 · quorundam animalium maligni. A. N. C. cent. 1. p. 203. app. Salmuth. cent. 3. obl. 4. fimiæ. Blegny Zod.gall.ao. 1679. Aug. obf. 12 venenofi, cur fint lethales. Garman. L. 2. tit. 1. \$. 55 venenofi diffinctio a non venenofo. ibid. §. 54. 55 vipera. Khad. cent. 3. obf. 89. vid. Vipera & Serpens. Pp s 1330824 ad.

ad Morjum canis rabidi Scarabæi majales remedium. A. N. C. Dec. 1.
20. 3. obf. 302
Morfu avulta auris, mala, digitus. Plater. obf. L. 3. p. 557
Morju hominis læsus Baldus ICus, rabie interit. Kornm. Mir. mort. P. 6. c. 37
ex Morfu hominis in iracundia effectus. A. N.C.Dec. 2. ao. 2. obl. 172
Morum & educationis harmonia. Rejes p. 38
vitioforum propagatio. Salmuth. cent. 2. obf. 38
Moschus & Zibetum an estercoribus parari possint. Garman. L. 2. tit. 8. §. 7678
Mofchi & Ambræ virtutes. Rejes qu. 84. p. 1087. n. 2. 3. Zac. Laf. M. P. H.
L. r. hift. 9. p. 21. a
folliculi. A. N. C. Dec. 1. 20. 10. obf. 38
historiam concernentes circumstantia. Barth. A. H. V. 2. obf. 19
Mofchifer animal. A. N. C. Dec. 1. ao. 8. obf. 53
Mofes. Kornm. Mir. mort. P. I. C. 5
fictitius. ibid. P. 4. c. 38
Mofes lucens. Garman. Lib. 2. tit. 9. §. 4
mortuus an lucens fuerit, ibid. §. 7
omnium gloriofiffime fepultus, Kornm. Mir. mort. P. 7. c. 83
radios jaculans exfacie. Kornm. Mir. viv. p. 72 -
Moles animam Deum osculo extraxisse. Hoc statuerunt R. Salomon
Farchi & R. Fonathan Ben utziel.vid. Gaulmynus in not. Libri Rah-
binici de vita & morte Mosis p. 169. Creilii disi. de sepultura Mo-
fis, Gleich. disp. de singularibus quorundam Theologorum fatis.
cap. 4. §. 16. Garm. L. 2. tit. 2. §. 30
fepulchrum detectum fuaveolens. Garman. L. 2. tit. S. S. 8
Motus nimius corporis abortus caufa. Alberti Iur. Med. P. 1. p. 138.
- Caf. 2
Motus Embryonis. vid. Embryo.
Mosus. Robault. in Tr. phyf. P. 1. C. 10. §. 13. Ariftot. in Lib. phyf. c. 25.
Stairus in explorat. physiolog. L. 3. Sect. 2. Galen. de tremore c. 4.
Valeriola L. 6. enarrat. med. 3. Garman. Mir. mort. L. 2. tit. 5. 5. 1.
Budd. in Elem. phys. theor. P. 5. C. I. S. II
Motum quinegat, non verbis, sed verberibus coercendus, tactus e-
nimipsemotus est, dixit Valentini in Armamentar. nat. systemat.
c. 4. de motu §. 4
Motus

303
Motus definitio. Ariftot. L. 3. phys. c. 2. text. 16. Sturm. phys. hyp. Tom.
1. p. 159. feqq. Plutarch. de placitis philos.L.s. c. 23. Simplic, in Com-
ment. luo L. 8. text. 7. in Arift.
localis cum tempore arctius cohæret. Sturm. phyf. hypoth. Tom. L.
p. 230. §. 2
Motus progressivi impedimento confilium datus. Solenand. Sect. 2.
Conf. 16
Motus a centro ad circumferentiam terra denominatio. Becch. Phyf.
fubt. L.1.S.2. c. 2.p. 96
an in hominibus & brutis transversim divisis credendus. Garman.
Lib. 2. tit. 5. §. 32. 33
capitis decollati, it. linguæ, cordis, cerebri in mortuis. ibid. §. 16.
23. 44 cadaverum.vid. Mortui.
etiam est stare (five quies etiam est motus) Galenus Lib. de tremore
c. 4. Valeriola Lib. 6. Enarrat. Med. 3. Garm. Lib. 2. tit. 5. §. 1
& greffus capite privatorum. Garmann.Lib. 2. tit. 5. §. 13. Frankenan
p. 135. 138. vid. Mortuus & vita restituta per insufflationem in venam. A. N. C. Dec. 2. 20. 5.
obf. 53 fœus in matre demortua. ibid. obf. 137
in pifeibus eventoratis & diffectis Commany Lib a tit of har et en
in piscibus exenteratis & diffectis. Garmann. Lib. 2. tit. 5. 5. 34. 51. 52
localis adjuvat excretionem fecundinarum. A.N.C. cent. 1. p. 122
post mortem. Barth. c. 6. hist. 4
fanguinis in mortuis. Garm. L. 2. tit. 5. §. 7
Mottis & clamoris defectus in infante an certum indicium mortui foe-
tus fit. Alberti Iurispr. Med. P. 2. p. 119
Motus terre Pythagore est congregatio mortuorum. Garmann. Lib. 2.
tit. 5. 5. 2
urinæ, fonticulorum, feminis in mortuis. ibid. §. 8. 9
ventriculi, intestinorum, uteri, pedum, &c. inbrutis mortuis Garm.
ibid. §. 31
voluntarii instrumentum immediatum an sit musculus. Zac. Lus. M.
P.H.L.3. hift. 27. p. 546
involuntarius torius corporis, constante mente. Plater, obf. Lib.1.
P. 155 Control for invite rid Control taken
Motus corporis est tutela fanitatis.vid. Sanitas, labor.
Ma-

Ma-

Movenda non funt immobilia. Garm.p. 137. §. 59 Moxa. Barth. A. H. V. 5. obf. 3. A.N.C. Dec. 2. ao. 4. obf. I. Zornii Botanol. Valentini Mufæum, antipodagrica germanica, Ranunculus pratenfis exficcatus. A. N. C. Dec. 1, ao. 10. obf. 128 Germanica cum Lino crudo aliisque indigenis lanuginofis. ibid. Dec. 2. ao. 1. obl. 6 Hippocrati fub ufu Lini crudi nota. ibid. obf. 1 noxia. ibid. Dec. 3. ao. 1. obi. 145 Sinenfium. A.N.C. Dec. 2. 20. 1. obf. 6 vix in Podagra utilior, quam aliud veficatorium. Barth. A.H.V. 5. obf. 80. A. N. C. Dec. 1. ao. 7. obf. 218. 224 MU. Muhamedis farcophagus. an in aere pendeat. Garman. L. I. tit. 5. §. 76 Mulier absque inteftinis vivens. A. N. C. Dec. 2. ao. 6. obf. 205 matrimoniata ad XX. viros. Kornm. Mir. viv. p. 155 nono anno gravida. ibid. p. 156 peperit catulos. A.N. C. Dec. 2. ao. 4 iemel tantum pariens. Kornm. Mir. viv. p. 156 12123 Mulieres barbatæ. ibid. p. 95. vid. Barba. Mulierum morbi variæ species. Blegny Zod. gall. ao. 1683. Mart. p. 49 Muli fenilis Athenienfium immunitas. Lang. L. 2. ep. 1. p. 517 Mumie vox unde. Garman. Mir. mort. L. 3. tit. 2. §. 119 de Mumiarum viribus. Garm. L. 3. tit. 2. S. 182 Mumia. Kornman. Mir. mort. P. 5. c. 3 Mumia abominandum remedium. Hachft. Dec. 3. p. 203 de Mumia variæ observationes. Garm. Lib. 3. tit. 2. §. 120 Mundi æternitas. Smet. Mifc. Lib. 18. Sturm. phyf. hypoth. Tom. p.1. 447. fegg. Ariftot. L. I. de cœlo c. 10. &L. 2. c. 1 Mundi primi motores. Becch. phys. fubt. L. I. S. I. C. 3. n. 7. p. 25. 26 Mundus fine legibus. vid. Lex. Muria, Lang. L. 1. ep. 49. p. 308 Mus vivus intra os dormientis irrepfit, & ante illius obitum per anum exiit. A. N. C. Dec. 1. ao. 10. obf. 142 Mures agreftes. A. N. C. cent. 9. p. 427 vivi a muliere gravida editi. Salmuth. cent. 1. obf. 62 e Muribus atrophiæ remedium. A. N. C. Dec. 2. ao. 4. obf. 101

· Contraction of the second	501
Maris alpini anatome multa memorabilia detecta. H	lildanus cent. 6.
001. 97	ner Hugard
Musca compluribus vermibus forta. A. N. C. Dec. 3. a	0.7. obf. 197
In capillis absciffis præter lendos & pediculos repe	rta. Bleen Zod
gall ao. 1682. Mart. obf. 19	Lindoren stationa
per urinam excreta. Zuc. Infit. P. A. L. z. obf. 110	Austice ex mem
a Muscis Cobalco enecatis & inopinato epotis dysenter	ICIANC Dec
3. ao. 7. obf. 174	A SUBJET ANDEC.
de Musculis. Galen. L. 2. de Musculorum motu c. 5. die	it and fuit her
ra instrumenta facultatis motricis voluntariæ.	as quou mit pu-
Musculus vomitu rejectus. A. N. C. Dec. 2. 20. 8. obf. 14	neriodice h
Musculerum motus quomodo in mortuis revocandus.	Carron and Til
tit. 5. §. 73	darmann. LID.I.
pyramidalium quis inventor. Frank. p. 649	Alura & Forda pu
Milley sterreftris A N C Dec Loc Lob and a ch	
Muscus terrestris. A. N. C. Dec. I. ao. 1. obf. 79. ao. 2. obf	· 12. a0. 3.001. 15
Musci arborei usus diversi. A. N. C. Dec. 1. 20. 2. obf. 91	control and and t
pulmonaris ulus. A. N. C. Dec. 1. 20. 2. p. 91.92	and service and
terrestris efficacia in sistenda hæmorrhagia.Blegny Zo	od.gall. 20. 1679.
Febr. obf. 6 Shir gan . Eine tain er seine state in eine	r and source in arrive in
Musica animam temperat & movet. Frank. p. 467	a state of the sta
Medicis proficua. ibid. p. 471. Rod. a Caftro Polit. Me	d. L. 4. C. 14. Iq.
Musicæ antiquitas (Adamum exercuisse Musicam asseru	nt) Frankenau
p. 465. 466	and a stand of the second
effectus miraculosi in homines & bruta ibid.	the second man equility
laus. ibid. p. 464467	Million Souther
vis medica. ibid. p. 479	· · · · · · · · · · · · · · · · · · ·
I I I I I I I I I I I I I I I I I I I	N wer material.
vis ad dolores. ibid. p. 488. 489	A A A
vis ad febres, malum hypochondriacum, Icterum,	fœtum mortu-
um, præcavendum malum Ifchiadicum.ibid. p. 489-	-405
Mulica vis in ira & metu. Franckenau D. 470. 480	ango. wa hur for
visin Lafcivia, ibid. p. 480 000. A. A. A.	jali bunßeniat
vis in Deliriis curandis. ibid. p. 482485	infaites a perci
vis in Melancholia, ibid. p. 479	Neuvrain magness
vis in Tarantismo. ibid. p. 495	C. Kapitalloyna
Mustum destillatum quid exhibeat. Beech. Phys. Subt. L.	. I. Seft. c. c. a
a. 35	
Qq	Mailis
4 4	ti triger

MU. MY. NA.

Musti vaporibus extincti revixerunt. Garmann. p. 13. Alberti Prax. extemp. Caf. 12 Mutatio naturæ mirabilis in brutis & vegetabilibus demonstratur, Rejes qu. 26. p. 296 in capilles anicides Mutare fententiam. vid. Sententia & Confilium. Mutitas ex menfium fuppreffione. Salmuth cent. 3. obf. 28 Mutili quales fint refurrecturi. Garm. L. 3. tit. 4. §. 54 Mutus factus Zacharias. Kornm. Mir. viv. p. 99. 100 ex morbo ante mortem vocalis factus. Zac. Luf.P. A. L. 1. obí. 108 ra influencenta fregience materias we loquens. Tulp.L. I. C. 41 periodice loquens, A. N. C. Dec. 2, ao. 3. obf. 40. 41 hora prima meridiana quavis loquens. A. N. C. Dec.1. ao. 10. obf. 183 hora quavis pomeridiana loquens. A. N. C. cent. 9.p. 252. 329 Muta & furda puella. Plater. obf. L. 1. p. 201 Muti nati. Kornm. Mir. viv. p. 100 ex nativitate in mari. ibid. p. 98.99 Muto furdorum cura. A. N. C. cent. I. p. 233, app. Muta gens. Kornm. Mir. viv. p. 97. feq-Mutus puer per 24. horas in febre maligna. Hagendorn. cent. 1. hift. 42. Massica aumanntemperar & inover Frank. p. 467 Medicis provienta ibid, p. 476, FYM, Cafre Polit, Med. J p. 70 Myrachialis affectionis dilucidatio. M. Donat. L. 4. c. 8 Myrrha. Lang. L. 1. ep. 62. p. 329 Myrabalanus. ibid.ep. 66.p. 362 Myrobalanorum contrariæ vires. ibid.L. 2. ep. 33. p. 705 NA. N 1501 materni. Salmuth. cent. 2. obf. 14. Barth. A. H. Vol. 3. obf. 83. A. N. C.cent. 9. p. 268. Hagend. cent. 3. hift. 54 materni historia. A.N. C.cent. 3. p. 304. Ludovicus Septalius. materni unde. Becch. Phyf. Subt. L. L. S. 4. p. 213. n. 13. 14. 35-0, mil miri. Bor. cent. 3. obf. 49. cent. 4. obf. 74 menstruo fanguine deleti. A. N.C.Dec. 3. ao. 5. 6. obf. 118 infantis a percuffione matris. Alberti Iur. Med. app. p. 19. Cal. 6. Nævorum maternorum cura per excisionem. Barth. A. H. Vol. 3. obs. 83 fingularia. A. N. C. cent. 5. p. 29 Nanus. Plater. obf. L. 3. p. 545. 546 Naphta

20

305

arie 25

			100
		100	1.000
N	10.00	24	15.4
		-	
	_		

Naphtha. Becch. Phys. Subt. Lib. 1. S. 6. c. 5. p. 519. Reinzer. Meteorol.
(IIII. 12. (U. J. D. 2)).
Napellas. A. N. C. Dec. 3. 20. 92. Alberti Iur. Med. P. 1. p. 261. §. 21 Napelli antidotum est Petroleum. A. N. C. cent. 1. obs. 4
Narcotica. Alberti Iur. Med. P. 2. p. 205. vid. Opium, Anodyna.
Narcotica mortis caulo. Zac. Luf. P. A. L. 2. obf. 174
Falutaria in pollicis dolore. ibid. obf. 183
topica an in oculorum affectibus usurpanda. Zac. Luf. M. P.H. Lib.I.
nut. ss. p. 96. D
cui ufui interviant. Alberti Iur. Med. P. 2. p. 567
Narroticorum suspectus usus in intestinorum morbis. M. Donat. L. 4.
Narcoticis eft etiam vis diaphoretica. Hachft. Dec. 3. p. 190192
a Narcoticis in profundium fomnium conversorum exempla, Garman.
p. 16 ACA signation and an and an and the second second second second
Narium ulcerofa obstructio ex pifo. Hagend. cent. 1. hist. 58. p. 92
Narium vulnera an lethalia. Alberti Iur. Med. P. 1. p. 320
Narium cancer. Plater. obf. L. 2. p. 367
Narium pinna divisa læsæ virginitatis causa. Garman. p. 149. §. 8 pinna percusta mortis causa. Salmuth. cent. 2. obs. 23
Narium coalitus in morbillis & panniculus in oculo. Plater. obf. L. 3.
p. 563
per Nares vermis excretus post diuturnum capitis dolorem. Blegny
Zod. gall. ao. 1679. Apr. obf. 3
de Naribus. Kornm. Mir. viv. p. 81
in Naribus phafeolsu intumefcens. M. Donat. L. 2. C. 12
carcinoma. Hagend. cent. 1 hilt. 59. p. 92
Nasci, fallen, es ift gefallen, veteribus mos fuit, primum natos in terram
deponendi. mox tollendi inque finum recipiendi : quod apud
Papinum Statium notavit Barthius Sap. 7. verf. 3. und ich bin auch
gefallen aufs Erdreich. vid. Caranza de partu naturali & legitimo cap. 3. n. 20. p. 225. & cap. 4. n. 8. 9. p. 317. conf. Hymnus (warum
Cate ich mich denn gramen verl. 2.
M. Comercinfantis modus, Kornm. Mir. VIV. D. 5
Nascentium omnia varia. ibid. p. 170. seq.
Nascentium omnia varia. ibid. p. 170. leq. Nascente diutifime in collo uterino innoxie gestatum. 'Blegny. Zod. gall. ao. 1680. Apr. obs. 4 Og 2
ao. 1680. Apr. obf. 4 19x9 oliob 9 mentiones mention mention
ao. 1000. 11pr. obi. 4 . Qeginginger Deginger biv. per ide Nafus

Nafus frigore congelatus. Plater. Lib. 2. p. 367
Nalus duplex. Barth. cent. 1. hift. 25. Bor. cent. 3. obl. 43
Nafus prægandis. Hagendorn, cent. 1. hift. 1. hift. 62. p. 95
Nafus abicillus non reftitutus. ibid. hift. 63. p. 96
Nafus abiciflus quomodo reftitutus? Hild. cent. 3. obl. 31
mobilis. A. N. C. Dec. 3. ao. 3. obf. 179
aduncus prominensque in magnatibus felicitatis & prudentia 4-
gnum. Garm. p. 82. §. 3. Prrta in Phyliogn. hum. p. 152 101003
Nasi profundum vulnus fanatum. A. N. C. cent. 7. p. 448
omnino præcisi conjunctio. Blegny Zod. gall. ao. 1680. Mart.
obf. 5 Nafi, aurium & labiorum abscifforum restitutio. Bor. cent. 1. obf. 10. Gar-
man, p.84. 86. §. 8. 9. 11-14. Frank. p. 501506. feq.
Natta ab uteri labio pendens. Zac. Luf. P. A.L. 3. obf. 78
de Natandi peritia infigni Sivardo. Kornm. Mir. viv. p. 197
peritis Ichthyophagis. ibid. p.196
peritiffimo Julio Cæfare. ibid. p. 197
Nativitas hominis a vacca, cum qua vir congreffus, vaccinis moribus
præditi. Rejes qu. 44. p. 559
præditi. Rejes qu. 44. p.550 de Nativitatis & mortis eodem die anniverfario. Kornm. Mir. viv. p. 177
Nati conjunctis digitis. ibid. p. 130
cum certo figno. ibid. p. 179
fine patre, horum exempla. ibid. p. 182. seq.
ex animalibus. ibid. p. 195 homines e brutis, belluinis moribus præditi. Rejes qu. 45. p. 549. 550
homines e brutis, belluinis moribus præditi. Rejes qu. 4). p. 149. 55
ex urfo, item ex vacca. Kornman. Mir viv. p. 195. 196
de non Natis exempla. ibid. p. 181. feq. Natura igne juvari poteft. Becch. Phyf. Subt. L. 1. Sect. 6. c. 1. p. 613
in opere fuo non turbanda. A.N.C. Dec. 3. ao. 9. obf. 65
contra duos hostes interdum pugnans. Alberti Iur. Med. P. 1. p. 352.
§. 4. ejusd. Diff. pecul.de hac materia.
Natura quandoque Medicamentis affuescit. Zac. Luf. M. P. H. L. I.
hift, 2, D, S, 2.
rerum in dies imbecillior & imperfectior evadit. Rejes p. 277.278
non imbecillior evadit. ibid. p. 280283
femper agit, neque quiefcit. Becch. Phyl. Subt. L. I. Sect. 2. C. I
spicam filigineam deglutitam e dorso exprimit. A. N. C. Dec. 1. 20.
10, obf. 197. vid. Acus. Deglutitie. Natu-
and the second

Natura Hippocratis morborum medicatrix. Smet. Mifc, Lib. 4. ep. 4.8it. L. 7. ep. 1. 2 Nature apologia in calumnatiores, Lang. L. 2. ep. 3. p. 522 definitio. Becch. Phyf. Subt. L. 1. Sect. 6. c. 8. p. 543 errores notabiles in formatione forus. A. N. C.Dec. 2. 20.6. obf. 58 laus in operationibus admirandis. Rejes qu. 92. p. 1185. 1187. n. 10. 11 hufus in animalibus & vegetabilibus. A. N. C. Dec. 1. 20. 7. obf. 239 lufus in faba. Rhod. cent. 3. obf. 97 matris mirabilis activitas in ejiciendo fœtu. A. N. C. Dec. 2, 20, 6 obf. 58 motus phyficus de liquido ad folidum tendit. Becch. Ph. Subt. L. I.S.6. dolores cura a Hilden cent. 4. obl. 48 C.8. P. 775 mundanæ definitio. ibid. L. I. S.3. C.I. p. 104 robur in gravida. A. N.C. Dec. 1. ao. 1. obf. szorani roleben ada M folertia in expellendo fœtu & curandis vulneribus. Barth. cent. 3. Neal river is motoriaca Gal and cont. 3. cur. 24. epift. 18. vis extollitur. Rejes qu. 100. p. 1237. n. 2.3 Naturam fequatur Medicus. Alberti Iur. Med. P. 1. p. 12. §. 13 Naturam non delinquere, nec imbecilliorem fieri, demonstratur. Rejes qu. 25. p. 280-2830nA you nod Amerilashavlay mesded ne surviv Trans Naturam morbi orti, trans naturam curantur. Zac. Luf.P.A.L.3. fed meda is prodeune I hank. She Med. 17. S. p. 31 epr. Ido ov. Naturalia in Dæmones agere non poffunt. Rejes qu. 27. p. 334. 335 Dæmones fugare poffunt. ibid. p. 335. 336 100 alle non Naturales res quid & quot fint, Brave P. 2. difp. 1. Sect. 2. refol. 2. 3. p. 367. 368. 310 1. 1. beld. 101 madie. eiledteine stor uv Naufea carnis ob difciffum gallum oviparum. A. N. C. Dec. 2, ao. 7. obf. 44 panis. A.N. C. Dec. 2. 20. 2. obf. 42. vid. Panis. Abstinemia. Nebucadnezar an substantialiter in bestiam transmutacussit. Kornman, Mir. viv. p. 205 . . . VIELS NOICHTEL. N 10/19/02 Callervicin leno. Nebula fingularis febris malignæ lethalis caufa. A. N. C. Dec. 3. ao. 9. 1.2.2.19 obl. 94 de Nebulis. Reinzer. Meteorol. diff. 6. qu. 2. p. 139 Necessitas & utilitas Phylicæ fubrerraneæ. Becch. Phyl. S. bt. intr. n. 9 de Neffefogliis apud Turcas. Kornm. Mir. viv. p. 187 rido Tal.A. T.M.S. Qg 3 Store Negen-N. M.S.

and a second
Neganda non statim funt illa, quæ intellectus capere non potest. Rej. qu. 58. p. 741
Martinutic outro in Medicum andors and the Allenituring Mr. T
Negligentiæ culpa in Medicum cadere non debet. Alberti Iurispr. Med. P. 1. C. 1. §. 5 a. p. 353
Nephritis. vide Calculus renum. Gabelchov. cent. 1. cur. 91. Diemerbr.
laus in operationibus admirandis, leger qu. 947.80,44.62.1do 11
an curari aut mitigari poffit. Alberti Iur. Med. P. 2. p. 536
cum conftipatione alvi. Gabelch. cent. 3. cur. 48 and malet ni entel
cum infigni dolore dorfi, lumborum & ureterum. ibid. cur. 39
Nephriticorum diæta. Alberti lur. Med. P. 2. p. 537. 538
Nephritici lapidis viseximia in urinæ fuppreffione. Rhod. cent. 3.obf.30
dolores curati. Hildan. cent. 4. obf. 48
dolores periodici. A. N.C. Dec. 3. ao. 7. obfigerintal mathematic
Nephritico dolori fonticulus in orure utilifimus. Zac. Lufit. M. P. H.
folercia in expeliendo foeta & curandis vulage in expeliende alne 3.
Nephritica fymptomata. Gabelch. cent. 2. cur. 24
Nephriticus dolor cum colico. Plater. obf. L.z. p. 433
Nepetes quare avunculis & aliis cognatis frequentius hodie, quam par
rentibus nafcantur fimiles. Rejes qui 54.p. 672 feq. b non moreus M
Nervi an habeant valvulas Frank. bon. nov. Anat. \$. 498:
Nervi, ut opticus, oculorum motorius; acusticus & alii non e cerebro,
fed medulla prodeunt. Frank. Sat. Med. 17. §. 13. p. 331. bon. nov.
anat. §. 52. p. 648
Nervorum origo hodie non e cerebro, fed e medulla fpinali. Franken.
p. 613. bon. nov. anat. 5. 150 anition p & blup est whermali non
vulnera an lethalia. Alberti Iur. Med. P. I. p. 321. §.47. TOE. q. 8.
Deffel-Knupffen. vid. impotentia per nodationem. Simon. imp. conj. c. 6.
th. 4. n. 6. vid. Nodatio, it. Ligatura.
Reffel. Sucht: Purpurænova species. A. N. C. cent. 5. p. 415
Neona herre an telefter to liter in .IN barn transmit anistic Kormins.
Nicotiana confervat in fene vifus aciem. A. N. C. cent. 3 p. 12 . 11.14
weile reinddium contra Alopœciam. Zac. Luf. M. P. H. Lib. I. hift. I.
p. 3. a. vid. Tabacur. Nicetianæ fyrupus Epilepfiam curavit. Zac. Lufa. M. P. H. Lib. 1. hift.
Menters willing Phylice tubrer areas Beach, Payl Scie 7219, 029
30. p. 57. a Nigredinis falfa Theoria. Garm. p. 60. §. 91
Nigredini faciei præsidium exoticum. Zac. Lus. P. A. L. 1. obs. 77
Nigri

Nigri & Nili inundatio ejusque caufæ. Sturm. phyf. hypoth. Tom. 2.
the p-1140-150 iii obomoup 2 . abine supersoning in a province
Nilus nitro fertilis creditur. Zwing. D. p. 171
Nimium omne naturæinimicum. Hipp. S. 2. aph. 51. Plin. L.'11. C. 54.
Nequidnimis Pythagoras dixit. vid. Erafini Adag. Chil. 1. n. 196.
Frank p. 348 . our nild un web subiba M some mutaning of sco
Ninzin Canadenfis. A.N.C. cent. 7. p. 187. app.
Nisi radicis usus. A. N. C. cent. I. p. 227
Nisiradix Indorum. vid. Ginsin.
Nitrum. Garman. Mir. mort. L. 3. tit. 2. S. 88. Becch. Phyf. Subt. L. I. Sect.
6. c. 5. p. 518 Aphro-Nitrum. Zwing. D. p. 174. Becch. Phyf. Subt. Lib. 1. Sect. 6. c. 5.
Aphro-Nitrum. Zwing. D. p. 174. Becch. Phyl. Subt. Lib. I. Sect. 6. c. s.
p. 518
Nitrum quid fit. Zwing. D. p. 165. Reinzer. Meteorol. diff. 12. qu. 3. p. 253
an ibi a primo tempore fuerit, ubi reperitur. Zwing. D. p. 18. 182
e lapidibus. ibid. p. 181
ex lumbricis. Becch. Ph. S. Lib. 1. Sect. 5. cap. 1. n. 51. p. 292
exterræglebis. Zwing. D. p. 180 autibbs r zuiron omed I olin e uself
conficiendi modus. ibid. 178. 179
in aëre nullum eft. ibid. p. 182184
murarium. A. N. C. Dec. 1. ao. 4. obf. 203
nativum ubi proveniat. Zwing. D. p. 173. 174
nativum ju Deiffenfelf im Retter. ibid. p. 176
non eft fal inflammabile. ibid. p. 165. 166. Barth. A. H. V. 5. obf. 88
falacitatis cura. Tim. a Guldenkl. Lib. 3. Caf. 52
unde generetur, ejusque locus natalis. Zwing. D. p. 168. 170 Nitri antimoniati folutio valde nutrit vegetabilia. Zwing. D. p. 197
artificialis confectio. A. N. G. Dec. 3. ao. 1. obf. 110
altificialis confectio. Al 14 de Deciseate del no
color. Zwing. D. p. 185. 186 effectuum in morbis caufa & ratio. ibid. p. 199-201
Nitri etymologia & fynonimia. Zwing. D. p. 163. 164. Barth. A. H. Vol.
a p co feo
3. p. 50. feq. feracis terræ figna. Zwing. D. p. 177
flores & cryftalli. A. N. C. Dec. 2. ao. 7. obf. 157
inflammabilitas ab aliis adjectis dependere afferitur. Zwing. D.p.167
qualitates. 1bid. p. 186190 præparata Chymica. ibid. p. 192196
Nitri

Nini fpiritus, ibid. p. 190 and schuss of anto one bound wer southand

spiritus esiluvia perpetua emittit, & quomodo illa visibilia evadant. ibid. p. 190

· ulus in morbis. ibid. p. 197--199. 201--205

ulus externus. ibid. p. 205--208 19 Juli a

cœmeteriorum usus Medicus. Garman. Mir. mort. L.3. tit. I. §. 183 Nitri fertilis creditur Nilus. Zwing. D. p. 171 Nitrofa Bardana. A.N.C. Dec. 1. 40, 2. obf. 222

Nitrofa Bardana. A.N.C. Dec. 1. ao. 2. obf. 222

Nitrofæ aquæ unde? Becch. Phyf. Subt. Lib. 1. Sect. 2. cap. 2. p. 82 Nix canicularis. A. N. C. Dec.3. a0.7. obf. 4

curat dolorem colicum. Zac. Luf. P. A. L. 2, obf. 25 12 200

prodeft in odontalgia. ibid. L. 1. obf. 85

2. 2. 2. 12. 19.00

rubra. A. N. C. cent. 7. p. 6. app.

de Nive. Reinzer. Meteorol. diff. 7. qu. 5. p. 142-145 Nivis usus Medicus. Zac. Luf. M. P. H. L. 1. hift. 67. p. 118 Nive in ore detenta, odontalgia reftituta. ibid. p. 119

Noab a filio Chamo sterilis redditus. Simon. imp. conj. c. 3. th. 1. n. 20. 21

NO.

A. SI

Nectambulatio periodica. A. N.C. Dec. 3. ao. 5. 6. obf. 119

de Noclambulis. Alberti Prax. extemp. Caf. 32

Noctambulus. Lang. L. 2. epift. 45. p. 765. Zac. Luf. P. A. L. 1. obf. 47. vid. Somnambulatio.

balneo curatus. Zac. Luf. P. A. L. 1. obf. 47 Noetambulorum differentiæ & caufæ. Jac. Hæchst. Tr. pecul. Wechtlerus, Paracelf. Schenk. Taudlerus, Hoffman. Bohnius.

Noctambulo an in delictis excufetur. Kornm. Mir. viv. p. 201. feq. Noctambolonis cura. A. N. C. cent. 5. p. 24

de Nocturno ambulone exemplum. Kornm. Mir. viv. p. 199. 200. Zwing. diff. p. 60. 75

ambulone Pifano, ibid. 201 and statuto and sago any

ambulone puella Sinenfi. ibid. p. 201

Noclambulorum historias qui descripserunt. Rejes qu. 27. p. 325. qu. 37. p. 462--467

Nocfilucum mare Indicum. A. N. C. Dec. 2. 20. 1. obf. 22

Nodatio, ligatura, Deffel-Rnupffen. Alberti Iur, Med. P. 1. p. 32. S. 16. vid. Ligatura. Impotentia.

Nodos

the state of the s	2.2
Nodos in tuniculo umbilicali rotundos mares, oblongos sæmin	nas fi-
gnificare, qui afferuerint. Kejes qu. 52. p. 661. 662. Falfam han traditionem afferitur p. 663	iceffe
Nodi in cute ex consternatione. Salmuth. cent. 3. obf. 68	1 - 191 -
per uniuerfum corpus exorti cauterio curantur. Zac. Lus. P.A	Lib
3. obf. 113	
vasorum umbilicalium an filios 'parituros prædicent,' Rejes q	11. 52.
unde tales nodi proveniant. p. 664	
Nostalgie cura. Zwing. D. p. 109-111	in the
diagnofis & prognofis.ibid. p. 88. 106. 108	the life of
non folum Helvetiæ incolæ & quidem Bernenfes, fed & aliæn	atio-
nes expositæ funt. ibid. p. 95. 96	int.
fubjecta, ibidem. p. 95. 96	AT A
Nostalgiæ exempla. ibid. p.92-9 s. it. Bregl. Giefd). 3. Berf. p. 832	Tob .
Nox mater somni mortisque inter gentiles. Frank. p. 364-366	Nyn
NU.	
Nubeculæ curatio. Hildan. c. 3. obf. 23	×2.
de Nubibus. vid. Sturm. phys. hypoth. Tom. 2. p. 1217. feqq. Hon	orat.
Fabri in physica. Cartef. de Meteor. c. 5. Reinzer. de Meteorol,	ditt.
7. qu. I. p. 126	0.0
de Nubifragio. Reinzer. Meteorol. diff. 6. qu. 4. p. 137	100 0
Nucha lafiones an lethales, Alberti Iur. Med. P. 1. p. 307. §. 35. it. p	• 317.
5. 44 Nucleus in afperam arteriam illapfus tuffi redditur, Hagendorn. ce	ant r
hift. 80. p. 116	111. 1.
Nucleus avellanæin afperam illapfus arteriam, phthifin inducens. A	N.C.
Dec. 3. au. 3. obf. 18	1
cerafi delapfus in pulmones phthifin caufavit. A.N.C. Dec. 2. ad	0. 10.
obf. 66	Can
ex pulmonibus.Barth.cent. 2, hift. 27	alles .
ex Nuclei germinatione a malo in ventriculo, mors. A. N. C. De	ec. 3.
ao. 9. obf. 15	N
Nummus deglutitus. A. N. C. Dec. 2. ao. 7. obf. 102	in the
deglutitus & post duos Menses vomitu rejectus. ibid. 20. 9. obf.	47
Nutrix, vid. 21mmen.	37.199
Nutris menstruata non sit. Zac. Luf. P. A.L. 1. obs. 127	150
Nutritio foetus non fit per os. Rejes qu. 60. p. 630	10.
Kr	Jutri.

NTET NTV

314	NU. NY. OB.
in aqua. Bor.	ua, a quibus & qua ratione credatur. ibid. qu. 58. p. 745 cent. 3. obf. 37
non cum va P.747.74	poribus in aëre, neque cum terra contingit. Rejes qu.58.
Nutrireaquan	non posse, qui credant, ibid. p. 745
Vivere.	ëre. ibid. p. 739. & 743. Kornm. Mir. viv. p. 122. vid. &
Nux vomica o vomica inn	fficinalis. A. N. C. cent. 3. p. 73. app. oxie a cane deglutita. A. N. C. Dec. I. ao. 10. obf. 146 NY.
Nyclalopia. Ga	abelch. cent. 4. cur. 43
Ny Ealopiæ cui	ra per hepar bovinum. A.N. C. Dec. 1. ao. 3. obf. 133 s longærefectæ. Alberti Iur. Med. P. 1. p. 65. §. 6
de Nymphæ minis	Kornm. Mir. mort. P.6. c. 11
Nymphatomia	Zac. Luf. P. A. L. 2. obf. 91
Section The Party AL	OB.
ex OBelitat	e nimia mors. Hagend. cent. 3. hift. 28. p. 317 28 pueri recens nati stupenda ex matris gravidæ impres-
Gor	ne. A.N. C.Dec. 2. ao. 6. obf. 190
Obelitas corpo	rissterilitatis causa. Alberti Iur. Med. P. I. p. 55. 56
Obesitas vel p	er morbum vel per violentiam gravius affligitur, ibid.
P.2. p.39	O The Tib & a th
Ublivio a 1210	occipitio. Tulp. Lib. 4. c. 15 Rione. Barth. A. H. V. 5. obf. 71
repenting.	Salmuth. cent. 2. obf. 41
Obsessio damo	miaca fimulata. Alberti Iur. Med. P. I. p. 204. S. 13
Obselfionis ver	a figna. ibid.
Obsessa credit	tæ cura. A. N. C. cent. 9. p. 60.
Objejji. Vid. D	amoniaci, Diabolus. xamen. Barth. A. H. V. 2. obf. 22
imperitia.	Lentil. Jatr. p. 407. 428. Alberti Iur. Med. P. I. p. 164. §. 26
verus offici	um. Lang. L. I. epift. 49. p. 241
malitia mo	ors multiplex puerperarum. Zac. Lu/. P. A. L.3. obl. 141
	i lethalis ex hæmorrhoidibus fuppress. A. N. C. Dec.2
ao. 2, ob	f. 117. vid. Alvus. fæminarum fyrupus eximius, Zac. Iuf. P. A. L. 3. obf. 11
Obtumescenti	a ex variis caufis, A. N. C. cent 9. p. 331
- Mana -	Occife-
in the second	

OC. I Charles Berner States OC.
Occiforem interdum miraculofo modo bruta detegunt. Rejes qu.33.p.396
Occiforum animæ. Kornm. Mir. mort. Part. 8. c. 17
motus accedente occifore. Garm. L. 2. tit. 5. §. 12. vid. Cruentatio.
Occulta Pharmaca quid & quotuplicia fint, eorum proprietates, qui-
bus in morbis, quomodo, quando, quem usum, habeant? Smer.
Mife. Lib. 2
Occultas vires rerum qua via veteres investigaverint? Smet. Misc. L.
2. C. 5I
Occulta varia in natura proponuntur. Rejes qu. 53. p. 665. feq. Smet.
Mife. L. 2
Oculus artificialis. A.N.C. Dec. 3. ao. 7. obf. 220
Oculi anatome. Hildanus cent. 1. obf. 1. p. 5.6
Oculus artificialis vitreus. Frank. p. 500
in Ocalo officulum repertum. Hild. cent. 1. obf. 1. p. 10. a.
Oculus cultro discissio, a Langio, illaso visu, curatus. Lang. Lib. 1.
epift. 7. p. 34
erutus & reftitutus. Kornm. Mir. viv. p. 78
Oculi humani effigies artificiofa. Hild. cent. 2. obf. 1
Ocnlus unus.KornmMir.viv.p.68
Oculi dolor, ardor, rubor, palpebrarum tumor & lacrymæ. Plater. obf.
L. 2. p. 348. 350-352 Oculi purulenti & lacrymantes. ibid. p. 353
Oculi humores sponte restituti. Hagend. cent. 1. hist. 53. p. 85
Oculi cantho fpina 30. annis fine incommodo infixa. Barth. A. H. V.
4. obf. 64
cnm binis pupillis. Kornm. Mir. viv. p. 79 & digiti annularis confenfus. Barth. A. H. V. 5. obf. 51
a digiti annularis comentus. Darth. A. H. V. J. Obl. Ji
humor aqueus renatus. Rhod. cent. 1. obf. 82
humor vitreus putrescit. ibid. obs. 83
humores instaurare effusos. Blegny Zod. gall. 20. 1682. Menf. Apr.
obl.9
prolapsi excisionem symptomata secuta. Hild. c. 6. obs. 1
flammam emittentes. A. N. C. Dec. 1. 20. 8. obf. 28
procidentia. Tulp. Lib. 1. c. 28. NB. talem expertus in confule von
DBingheim. A. N. C. cent. 1. obf. 195. p. 425. Bor. cent. 2. obf. 97.
Rhod, cent. 1. obf. 84. Ruyfchius obf. anat. chir.
Rr 2 Oculi

Oculi

316	OC.
- alter an alter and a	and the second
Oculi procident	ia ex catarrho. Salmuth. cent. 3. obf. 15
proditores ar	nimi & amoris. Rejes qu. 29 p. 346.347
	b. A. H. V. 4. obl. 18
varii. Bor. cen	Catechu curatur. A. N. C. Dec. 1. ao. 10. obf. 74
Oculorim amille	prum restitutio per oculos vitreos. Frank. p. 500
ad Oculorum ac	ien specificum humor aqueus urogalii externe. A. N.
G. Dec. 1. ac	o. 1. obf. 12
	. Gabelchov. cent. 4. cur. 40.
cauteria. Bor.	cent. 2. obf. 97
compaffio cui	m actu venereo & feminis emissione. Garmann. p. 146.
1 3.5.0	CIC. MAY CONTRACTOR FOR A MARKED AND A MARKED AND A MARKED
affectibus pin	nguedo viperarum proficua. A. N.C. Dec. 1. ao. 2. obf. 125
morbos II2. 1	tatuit Galen. in Introduct. Med.
	cent. 4. obf. 51
ad Oculorum h	umores restituendos succus Ulmariæ, Chelidonii.
A. N. C.I	Dec. 1. ao. 1. p. 33
Oculorum perdi	torum humorum restitutio. Frank. p. 500. 501. A.N.C.
Dec. 1. 20.	6. obf. 126
, maxima emin	nentia cum multis aliis fymptomatibus ex fascino pro-
fecta. Gabe	Ich. cent. 4. cur. 41
vulnera an le	thalia. Alberti Iurispr. Med. P. 1. p. 319. §. 46
fpalmus & co	nvulfio. Plater. obf. L. I. p. 131
Oculi prolapit e	exftirpandi modi. Hildanus cent. 1. obs. 1 p. 12. a.
	bitam prolapsus feliciter excisus. Hildan. cent. 1. obs. 1.
p. 12. b.	arbiers paraotics topics for aformands 7 to InCht
P.H.L.I.	orbis an narcotica topica fint usurpanda. Zac. Lus. M. hift. 56. p. 96. b.
Oculorum pupi	llæ cordiformes. A. N. C. Dec. 3. 20. 7. obf. 21
40. operatio	nes chirurgicæ. A.N.C. cent. 5. p. 132. app.
radii vitrum	perforantes. Bor. cent. 3. obf. 1. 67
fplendores.	M. Donat. L. 2. C. 9
ftructuramm	nirabilem qui descripferint. Zac. Lus. M. P. H. Lib. I.

hift. 56. p. 96. a. Oculorum frequens abluitio cum aqua frigida, caufa obfuscationis & hebetationis, visus. Hildan, cent. 1. obf. 27 140

Oculi

OC.OD.	11 - 11
Je	5
Oculi alterius & visus abolitio cum ophthalmia ex defluxione ad den	-
tes diuturna. Hild. c. 2. obf. 12	
Oculos habens in pectore gens. Kornm. Mir. viv. p. 78	
ante Oculos flocculorum collectio in malignos non lethalis. A. N. C	-
Dec. 1. ao. 3. obf. 269	
per Oculos menses. Blegny. Zod. gall. ao. 1680. Febr. obf.6.vid. Menses.	
in Oculi onyche confilium. Solen. Sect. 2. Conf. 9	
Oculis an vinum conferat. Bor. cent. 2. obf. 77	
centum præditus Argus, Kornm. Mir. viv. p. 70	
de Oculis. ibid. p. 68	
& vifu variæ observationes. ibid. p. 71. seq.	
in Oculo vesica casunata. Plater. obs. L. 2. p. 362. L. 3. p. 642	-
Oculo perforato adolescens recipit visum. Hildan. cent. 1. obs. 26	
OD.	
Odium vivorum in morte continuatum. Kornm. Mir. mort. P. 4. C.62	
Odontalgia. Diemerbr. obf. 2. Fol. 3. & obf. 22. vid. Dentium dolor.	
alapa curata. A.N.C. Dec. 2. ao. 9. obf. 92	
epidemica. A. N. C. cent. 1. p. 3. app.	
ex verme dentis. Salmuth. cent. 3. obf. 32. Barth. A. H. V. 5. obf. 108	+
A.N.C. Dec. 1. 20. 10. obf. 24	
nive in ore detenta reftituta. Zac. Luf. M. P. H. L. I. hift. 66. p. 117	
remediis calidis & mandibulæ inflammatione fanata, ibid, hift. 67	7.
p. 119	
viso medicamento fedata. A. N. C. Dec. 2, ao. 5. obf. 31. vid. Dentium	2
dolor.	1
Odontalgia & gravitas auditus fubfultu corporis curata. Barth. A. H	
V. 5. obf. 126	
Odontalgia sedata per Zingib. tritum Spiritui vini inditum per nare	S
attractum. Blegny Zod. gall. ao. 1689. Febr. p. 54	
Odontalgiæ miraculofæ. A. N. C. cent. 5. p.28	-
remedium. Barth. cent. 5. hift. 154	1
remedium spiritus vini cum Satureja destillatus, ore detentus. A.N.C	
Dec. 1.ao. 4. p. 58.app.	
Odor hircinus an fignum violatæ caftitatis. Alberti Iur. Med. P.I.p.69.§.I	2
Odor adverfus e corpore hominis, qui multum opii ingeffit, Garman	1.
L. 2. tit. 8. §. 43	
a comestis suaveolentibus gratus.ibid. §. 5169	4
Rr 3 Odo	r
	1

Odor diverfus fanguinis. ibid. §. 34. 40. 41 e corpore hominum ex diversis alimentis. ibid. §. 43. 44 gratus nonnullarum aquarum, fontium, stagnorum, ibid. §. 60 mortis index. A. N. C. Dec. 3. ao. 7. obf. 63 non omnibus fubjectis indifcretim gratus aut ingratus eft. Garman. Lib. 2. tit. 8. 9. 86 Rolarum rubrarum noxius. A. N. C. Dec. 2. 20, 10, obf. 8 fuaveolens adverfus Rejes qu. 93. p. 1190--1193 fuaveolens cordis humani diffecti ex remediis fuaveolentibus præmiffis, A. N. C. Dec. 1. ap. 7. obl. 225 fuaveolens urinæ. Garman. L. 2. tit. 8. 6.58. 59. 62. 64. 66 fuavisa cadaveribus fanctorum an miraculofe exfpiret. ibid. §. 83.84 ab Angelis. ibid. §. 16 an a putredine? ibid. §. 71--74 arte Chymica provocatus. ibid. §.9 certorum membrorum in mortuis. ibid. §. 7 mortuorum. Kornm. Mir. mort. Part. 4. c. 16, 23. 95. Garmann. Lib. 2. tit. 8. 6. 4--6 fuavis nonnullis gravis, foetidus vero acceptus. Bohn.off. Med. dupl. cap. 4. p. 57. Salmuth. cent. 3. obf. 71. Hoffman. Inftitut. Med. s.c. 40. (Levin. Lemnius de occult. nat. mir.Lib. 2. cap. 9. historia de rustico cum fimo equino refuscitato, qui a suaveolentibus in animi deliquium delapfus) Rejes Camp. Elyf. qu. 93. n. 7. p. 1190--1193. & qu. 84. n. 15. Andr. Libavius apud Horftium Lib. 2. Epift. Med. Sect. 10. cap. 93. Strabo Lib. 16. Sanctorius Lib. 4. vitand. error. cap. 4 Oder fuavis sepulchrorum fanctorum. Garman. L. 2. tit. 8. 6. 8 Oder ægrotorum & morientium paffivus. Garmann. Mir. mort. Lib. 2. tit. 8. 9.39 Odore e corpore suo spirante variant homines. ibid. \$. 35 Odorum efficacia ad hæmorrhagias provocandas. Garmann. Lib. 2. tit. 7.9.3 Odoratus mirus & fubtilis. Barth. A. H. V. 4. obf. 49 Odorati homines vivi. Garman. Lib. 2. tit. 8. 5. 22. 23 lapides. ibid. §. 65 vestims. ibid. §. 67 Oderifera bruta fuaveolentia. ibid. §. 20. 21

Orde-

OE. Oedemata pedum. Alberti Iur. Med. P. 2. p. 429 Oedema pedum cum lassitudine corporis. Gabelchov. cent 1. cur. 28 pedum falis fomento curatum. Zac. Luf. M. P. H. L. 3. hift. 43.p. 43 Oedemata & scabiem in febribus præcipue quartanis exorta, curanda non effe. Gabelchov. cent. 6. cur. 75 Oelophagus cartilaginofus. A. NC. Dec. 1. 40. 3. obf. 170 Oefophago infixum officulum mortem adfert. Hild. c. s. obf. 35 Oefophagi obturationes miræ. M. Donat. L. 3. cap. 8 Oefophagi yulnera an lethalia. Alberti Iur. Med. P. 1. p. 323 Oleum cum fale alcali tractatum aquæ mifceri poteft. Becch. Phyf. fubr. Lib. 1. Sect. 4. c. 8. p. 671 Oleum ex offibus humanis ad Arthritidem Zac. Luf. P. A. L. 2. obf. 178 Siree quid fit. A. N. C. cent. 5. p. 157. app. Talci. Blegny Zod.gall. ao. 1680. April. obf. 6 Olei pini usus & capitis mortui ex oleo pini in odontalgia commendatio. A. N. C. Dec. 2. an. 3. obf. 32. 33 ex Olfacti prælagium de morte Hagendorn. cent. 1. hift. 67. p. 101 Olfactus foetida magis, quam fuaveolentia perferens. Salmuth. cent.'3. obf. 71 peftilentialis contagii. Garman. L. 2. tit. 8. §. 39 privatio. Gabelchov. cent. 4. cur. 44 diuturna gravedine læfus. Zac. Luf. M. P. H. Lib. 1. hift. 65. p. 116. vid. Odor. de Ollis fictilibus effoffis. A. N. C. Dec. 2. ao. 4. obf. 71 Olivarum efficacia Zac. Luf. M. P. H. L. I. hift. 28.p. 51, a. Olusatri radix. Lang. L. 2. ep. 22. p. 648 OM. Omelyfis. Lang. Lib. 2. Ep. 57. p. 303 Omentum putrefactum. Frank. p. 120 Omentum an & curfacile putrescat. Alberti Iur. Med. app. p. 152 Omenti defectus in animalibus. ibid. p. 120 induratio. A. N. C. cent. 9. p. 480 tumor admirandus. M. Donat. Lib. 7. cap. 4. Hildan. c. 3. obf. 61 ufus. A. N. C. Dec. 3. ao. 7. obf. 204 vulnera an lethalia. Alberti Iur. Med. P. I. p. 335. 5. 58 Omenti

ON. OP,

Omenti vulnus per accidens lethale, ibid. app. p. 148. Caf. 25 Omina nascentium varia. Kornmann, Mir. viv. p. 170. seq. Omphalocele ab ortu. Plater. obs. L. 3. p. 713. vid. & Hernia. Omphacinum oleum cujus usus st. Zac. Lusit. M. P. H. Lib. 1. hist. 8. p. 14. b.

ON.

Onaniticum peccatum damnatur. D. Simon. imp. conj. cap. 2. th. 5. n. 13. 14 15. Rejes qu. 51. p. 649 Onanitici peccati pœna & gravitas. Alberti Iur. Med. P. 1. p. 36. §. 33. fuppl. p. 405. 406 de Ophiogenibus hominibus & Pfyllis. Kornm. Mir. viv. p. 220 Ophthalmia. Gabelch. cent. 3, cur. 41, 81. cent. 4. cur. 37. Diemerbr. obl. ss a mensibus turbatis. Lentil. Misc. Med. p. 144 curata. Zac. Luf. P. A. L. I. obf. 57 alio modo curata. ibid. obí. 58. 59 desperata Collyrio tandem curata. A. N. C. Dec. 3. ao. 7. obf. 185 ex fuffitu. Hild. c. 2. obf. 24. ex neglecta scarificatione. Gabelchov. cent. 4. cur. 33 ex retentis menfibus. Gabelch. cent. 3. cur. 61 nive curata. A. N. C. Dec. 2. ao. 10. obf. 96 venæ fectione curata. Zac. Luf. M. P. H. L. I. hift. 53. p. 90 Oghthalmiæ compendiosa per venæ jugul. sectionem cura. Hildan. c. 4. obf. 14 in Ophthalmia venæ fectionem qui commendarint. Z. Luf. L.I.h. 53. p.91 Ophthalmia ex defluxione. Hild. cent, 1. obf. 1. p. II ex furunculis nimis mature claufis, ib. ex inepta depositione cataracta. ibid. Cash arrs vaca ex contusione capitis. ibid. ex vulnere frontis. ibid. p. 12 post fe relinquit visum magis acutum. Hildan. cent. 5. obf. 15 gravifima cum vifus atque loquelæ perditione post venam frontis fectam. Hild. cent. 5. obf. 18 & visus unius oculi amissio ex levissimo vulnere ad palpetram inflieto. Hildan. cent. 5. obf. 17 Ophthalmia & vifus alteriusque oculi abolitio ex defluxione ad dentes, Hild. c. 2. obf. 2 Ophthal

OP. 32	1
Ophthalmica aqua nova. Barth. A. H. Vol. 2. obf. 121	
Ophthalmicum bufonis lotium. A. N. C. Dec. 3. ao. 7. obf. 59	
unguentum efficax. Barth. A. H. Vol. 2. obl. 120	
Opisthotonus ex vermibus. Zac. Lus. P. A. Lib. 2. obf. 41	
Opium auri dolenti inditum caufa amiffionis vocis & fenfus. Zac. Luf. M	
P. H. Lib. I. hift. 60. p. 100. feq.	
extra appolitum interficit. ibid. Lib. 5. hift. 27. p. 898	-
in partu difficili feliciter exhibitum. A.N.C. Dec. 2. 10. 0. obf 152	
in Phthili & Hydrope noxium. Lentil. latr. p. 583. 584. 586. A. N. C.	
Dec. I. ao. 10. 001. 103	
largius ingeftum caufa fudoris adverso odore. Garman. Lib. 2. tit. 8	
9.43	
lethalem Colicum dolorem adfert. Zac. Luf. P. A. Lib. 2. obf. 32	
magna quantitate fine noxa comestum. Rejes. qu. 63. p. 816. 817	
Opium præparandi nova ratio Langeloti per fermentationem. A. N. C	
Dec. 1. 20. 3. obf. 56. p. 86	-
pro Apio exhibitum. Salmuth. cent. 2. obf. 90	
Opii effectus diversi A.N C. cent. I. p. 65. vid. Narcotica & Anodyna.	
hiftorica descriptio. Blegny. Zod. gall. 20. 1682. Menf. Jan. p. 21	
nocivi varia damna. Zac. Luf. H.P.H. Lib. 1. hift. 60. p. 101	
præparatio Langeloti. Barth. cent. 3. Epift. 45	
Îethalis vsus in febre continua. Thonerus. L. 1. obf. 32	
us externus noxius. Rejes. qu. 63. p. 821	
usus funestus in febre maligna. A. N. C. Dec. 3. ao. 5. obf. 54	
usus singularis. A.N.C.Dec. 2. ao. 10. obf.3	
ufus fub Clyftere caufa Comatis. Salmuth. cent2. obf. 90	
usum fugiebat Galenus. Zac. Lus. M. P. H. Lib. 1. hist. 60. p. 101 ex Opii usu temerario abscessus hepatis. A. N. C. Dec. 3. ao. 5. obs. 22	
Opii virtus aphrodifiaca. A. N. C. Dec. 1. ao. 2. obf. 69. Garm. Lib. 1. tic	
II. §. 29	•
vis deleteria. A. N. C. Dec2 ao. 5. obf. 12	
Opio expoto curatur dolor umbilici. Zac. Luf. P. A. Lib.2. obf. 36	
Opiati Laudani inulitatæ vires. Barth. cent. 3. Epift. 46.49	
Opiatorum effectus in calculo. Alberti Iur. Med. P.2. p. 541	
Opiatorum in Hydropicis noxa. Lentil. Mifc. Med. p. 309	1
usinnoxius. A.N. C. cent. 1, p. 189. app. Dec. 1. 20. 4. obs. 207	
Ss Opin.	

Ss

Opia-

OP. OR. OS.

Opiatorum usus multus fine damno ex confuetudine.Barth.A.H.V.2.
obf. 20. A.N. C. Dec. 1. 20. 2. p. 127. 395. Rejes. qu. 43. p. 517
noxius in affectu ex fascino orto. Merckl. p. 22
Opiata in odontalgia adhibita causantur mefastasin ad oculum confu-
fam. A. N. C. Dec. 1. ao. 8. obf. 62 non conveniunt in affectibus capitis. Barth. A. H. Vol. 4. p. 80
in Epilepfia & Convultionibus. ibid. p. 80
Opiata noxia. Barth. A. H. Vol. 2. obf. 20
noxia in auris dolore. Zac. Luf. P. A. Lib. 1. obf. 66. & 67
Opiniones dubias Medicus amplecti non debet. Alberti Iurispr. Med.
P. I. C. I. S. 4
Opoballaminotz. A.N.C.Dec.1.20.2. obf. 164. Bregl. Sefc. 4. Berf. p.2226.
Optica admiranda Garm. Lib. 2. tit. 10. §. 153-156
OR.
de'Orichalco. Reinzer. Meteorol. Difl. 12. qu. 12. p. 291
Oris & faucium affectus ficcus. Solen. Sect. 3. conf. 17
Oris & faucium excoriatio ex catarrho falfo. Gabelch. cent. 3. cur. 23 & faucium exulceratio cum febre continua. ibid. cent. 2. cur. 87
& genitalium ulcerum remedia. Zac. Luf. P. A. Lib. 1. obl. 89
& podicis confenfus. Barth. cent. 5. hift. 81
fætori præsidium. Zac. Lus. P. A. Lib.1. obs. 87
gallica ulcera unguenta Mercurialia curant. ibid. Obi. 88
tortura a refolutione. Plater. obl. L. I. p. 127
Ore carens gens, Kornm. Mir. Viv. p. 84
Orthopnaa ex vermibus. A. N. C. Dec. 3. ao. 7. ODI. 188
freva, Tac. Iul. P. A. Lib. 3. GD1. 130
cum hæmorrhoidibus complicata. Acta Berol. Decad, 1, Vol. 10. Sect.
3.p.50
Oscitatio periodica. 'Höchst. Dec. 4. c. 9
Ofculum contagiofum. Garm. Lib. 2. tit. 2. §. 33-35
Oscula morientibus & mortuis data superstitiosa & perniciosa. ibid.§.
30-33
Oscitatia eximaginatione. Plater. obf. L. I. p. 202
Os animalis cujusdam egregie & conftanter fangvinis effluxionem re-
primens. Zac. Luf. M. P. H. Lib. 1. hift. 22. p. 39. b.
fine palato, A. N. C. Dec. 3. ao. 2. obf. 25

the second s
Os ethmoides tuffi rejectum. Rhod. cent. 1. obf. 88
in arteriis. Frank. 650
in corde hominis repertum. Barth. cent. 1. hift. 50. cent. 2. hift. 45
palati fponte ruptum & cum fonitu effractum. A.N.C. cent. 1. obf. 135.
p. 271
Offis femoris fracturæ nova repositio. Hild. c. 5. obs. 86. vid. Fractura.
Offis abfceffus. Barth. A. H. Vol. 5. obf. 8
humeri rara fractura. A. N. C. Dec. 3. ao. 9. obl. 175. Hild. cent. 2.
obf. 66
facri dolor gravissimus ex lapsuper scalas & inde secutus abortus.
Gabelch. cent. 3. cur. 8
tibiz portio vi naturæ abscedens. A. N. C. cent. 9. p. 458
pubis relaxatio an fiat in parientibus. Alberti lur. Med. P. 1. p. 146. §. 8
frontis finus. ibid. P. 2. p. 253
Offa an medulla fua nutriantur. Frank. p. 264. 266
& lapides variz figurz in corde. vid. Cor.
dealbandi modus. Barth. A. H. Vol. 2. obf. 18
in pleura & tunica pulmonum genita. A. N.C. Dec. 3. ao. 9. obf. 43
in alimenta convertendi ratio. Blegny. Zod. gall. ao. 1681. Jun. obf. 4
humana calcinata remedium in Dyfenteria. A. N. C. Dec. 2. ao. 2.
obf. 38
lapidea. Bor. cent. 3. obf. 76 mollia. Barth. cent. 6. hift. 40. A. H. Vol. 3. obf. 24. A. N. C. Dec. 1. 40.
A REAL PROPERTY AND A REAL
I. obf. 37
fesamoidea. A. N. C. cent. 7. p. 49
in femore & minimo digito. A. N.C. cent. 5. p. 245
fubterranon crescunt. Garm. Lib. 1. tit. 10. §. 22
tuffirejecta. A. N. C. Dec. 1. ao. 4. obf. 175
Circa Offa collectus Mercurius. M. Donat. Lib. 2. Cap. 12
O Jum fracturis prodeft & obeft ofteocolla. Hild. c. 1. obf. 93. 91. 92. vid.
Fractura.
Offiam crepitatio in gravida. A. N. C. cent. 7. p. 421
fragilitas mira. Hildan. C. 2. obf. 68. C. 5. obf. 89
fractorum fitus fub cura. Hild. c. 1. obf. 93
humanorum oleum ad Arthritidem remedium eximium. Zac. Luf.P.
A. Lib. 2. obf. 178
Ss 2 Offium

OS. OT OV.

Ollium miræ affectiones. M. Donat. Lib. s. c. 1 mollities & flexilitas. A. N. C. Dec. 2. ao. 7. obl. 212. 235 mira. A. N.C. Dec. 3. ao. 2. obf. 3 mollities imaginaria. Tulp. Lib. 1. C. 18 petrificatorum ortus diluvianus. A. N. C. cent. 9. p. 231 pubis articulatio mollis & laxa. A. N. C. cent.7. p. 91 pubis dislocatio & relaxatio in partu. A. N. C. Dec. 1. ao. 3. obf. 255. Frank. p. 164. 165 Offa pubis non relaxari fub partu. Frank, p. 169. 166 Offium ftrepitus. A. N. C. cent. 1. p. 196. app, Dec. 1. ao. 10. obf. 129. ao. 3. obf. 275. Dec. z. ao. 5. obf. 97 vires. Bor. cent. 2. obl. 85 Offibus scaruriens fons. Der Rnochen-Brunn im Manffeldischen. A. N. C. Dec. 2. 20. 1. obl. 8 Officulum cefophago infixum mortem adfert. Hild. c. 5. obf. 35 Officulum in gula diu detentum. A. N. C. cent. 7. p. 17 in cerebro natum. A. N. C. Dec. 3. ao. 9. obf. 165 Officula parva comefta excreta. l'later. obf. L. 3. p. 845 Officula in arteriis reperta & arteria petrefacta. A.N.C. Dec. 2, ao. 1. obf. 90 in vena pulmonali Rhod. cent. 3. obf. 63 Offifragum gramen. Barth. A. H. Vol. 2. obf. 43. 90. Vol. 4. obf. 32. A. N. C. Dec. 1. 20. 1. obl. 38 Offfragus lapis. Hildan. cent. 3. obf. 90 Oftentatio, fastus & gloria cum prudentia medica pugnat. Alberti Iur. Med. P. I. C. I. §. 24. C. Ofter= £y. Frank. p. 396-408 an fanitati utile. ibid. p.416-418 holen prohibitum eft. ibid. p. 397. 398 Ofteocolle præstantia & noxa in fracturis. Hild. c. 1. obf. 90. 91 Offrearum notabilia A. N. C. cent. 7. p. 451 OT. Otalgia remedium Podagræ. A. N. C. cent. 5. p. 24 OV. Ovum a muliere exclusium. Rhod. cent. 3. obf. 57 Ovum

Ovum Cometæ figuram referens. Blegny. Zod. gall. ao. 1681. Eebr. obf.
8. A.N.C. Dec.2. ao. 1. obf. 16
in tuba fallopiana inventum. A. N. C. cent. 7. p. 25. Tubaria conceptio.
Ovum duplici cortice. Barth. cent. 5. hift. 65
gallinaceum cum figura Eclipseos A. N.C.Dec. 1. ao. 4. p. 282
gallinaceum cum figura serpentis. A. N. C. Dec. 2. ao. 1. obf. 16
ferpentiferum. A.N.C. Dec. 1. ao.3. obf. 190
in ovo Barth. A. H. Vol. 5. obf. 17. A. N. C. cent. 1. p. 198. Dec. 1. ao. 2.
obf. 250. 20. 3. obf. 32. Dec. 2. 20. 1. obf. 17. Dec. 1. 20. 6. obf. 80.
Frank. Sat. p. 78.79
in tumore inguinali. A.N. C. Dec. 1. 20. 8. obl. 80
quadratum. A. N. C. Dec. 3. 20. 9. obf. 53
Ovi cortex unde? Garman. Mir. mort. c. 3. tit. 3. §. 143
Ovi albuminis qualitates. Barth. A. H. Vol. 3. obf. 78
pellicula ad febres intermittentes. Lentil. Mifc. Med. p. 241
Ex Ovo omnia parantur. Harvaas Gener. anim. Horne Ep. ad. Rolfinck.
Bohn. Circ. Anat. c. 1. Frank. p. 86
Ex Ovo generatio. Blegny. Zod. gall. ao. 1679. Sept. obf. 7
generationes hominum. Barth. cent. 3. Epift. 27. Garm. Diff. Ho- mo ex ovo. Pauli Brand. Oratio Homo ex ovo.
In Ove gallinaceo figura humana. Blegny. Zod. gall. ao. 1681. Sept. obf. 1 Ove an in febribus conveniant. Frank. p. 414-415
continet Lupia, Bleguy, Zod. gall. ao. 1683. Nov. Dec. p. 251
cum duplici vitello. A. N. C. Dec. 1, ao. 3. obf. 188
deponens gallus gallinaceus. A. N. C. Dcc. 1. ao. 3. obf. 177
deponentes mulieres. Rejes. qu. 46. p. 581
dura laudantur. Frank. p. 409
improbantur. ibid. p. 409-418
an calculum generent. ibid. p.411-413
galli & ferpentum. Barth, A. H. Vol. 2. obf. 10
infectorum fine prævia maris cum fæmella conjunctione nihilomi-
nus nonnunquam fœcunda. A. N. C. Dec. 3. ao. 9. obf. 11
in tenebris lucentia. A. N. C. Dec. 2. ao. 6. obf. 26
Patchalia. vid. Offer-Lyer.
rara. Bor. cent. 3. obf. 42. cent. 4. obf. 1. cent. 1. obf.10
ex utero fapifime infenfibiliter excerni, afferit Kerkring. Anthropog.
c. 1. quod tamen negat. Elsholz. in A.N.C. Dec.1. ao 7. obi.197
Ss 3 ex Ovo

OV. PA:

3
ex Ove omnia. Garmann. Mir. Mort. L. 3. tit. 1. §. 167
Per Ova conceptio erronea. Blegny. Zod. gall. ao. 1680. Mart. ODI. I.
Irem Jul obl. 22
Onuli deferiptio. Horne Ep. ad. Rolfink. & Frank. p. 86. 87
On and coctorium efus nexius. Frank. p. 402
durorum vitellis undecim deglutitis suffocatio. A. N. C. cent. 5.
1.208
frivorum efus noxius. Frank. D. 404. 405
calling ceorum dejectio per alvum ex magia. A. N. C. cent. I. ODI. 20
gallinaceorum partus magicus, ibid. p. 85
Examic varia parata alimenta. Frank. p. 403. 404
Quale foramen per XXII. annos patens. A.N. C. cent. 3. p. 370
Ovarium muliebre. Frank. Sat. p. 86-88. & 612. §. II
muliebre an per vesicularum partum excretum. A. N. C. cent. 3.p.64
anguillæ. A. N. C. cent. 1. p. 153. app.
intra uterum. Kerkring. Antropog. c. 1. quod negatur ab Elsholtz.
A. N. C. Dec. 1. 20. 7. obf. 197
Ovarii steatoma botryoides. A. N. C. cent. 7. p. 141
Ovariorum abscessus. A. N. C. cent. 5. p. 33 Oxycrocei emplastri vsus in tracturis offium non semper tutus. Hildan.
Oxycrocel emplatili vius in macture on and ton por
cent. 4. obf. 99. 100 Oxymel squilliticum infantibus & pueris noxium putatur. Zac. Lus. M.
P. H. Lib. 1. hift, 28. p. 56. b.
OZ.
Ozana in quatuor fratribus. A. N. C. Dec. 3. 80. 7. obf. 195
Orana gravillima cum ofis palati erolione. rana. cent 2. obi, 22
Ozana gravillima ex suffitu. Hild. c. 2. obs. 23
DA Aum cum diabolo imaginarium. Alberti Iur. Med. P.2. p. 206
PAdum cum diabolo imaginarium. Alberti Iur. Med. P.2. p. 206 Padum verum cum diabolo an detur.ibid.P.2.p.222.239.vid.Diabolus.
Valofraveteris olei & ftrigmentorum pretium & unis, & mea Dameo-
Aruchara Lang, L. L. D. SI. D. 257
Dalati defectus alio adminiculo compeniatus. Frank. p. 107.508
Delatibianus in infantious. Barth. A. H. V.3. ODL 13
Defaileoung angturg repletilt. /ac Lul. F. A. L. I. UDI. 03
The as foote chin fonitil effractilm. A. N. C. Coll. I. P. 2/1
Palingenesia plantarum & herbarum. Garm. L. 2. 11. 10. 9. 110-121. A. IV.
C. cent. 7. p. 31

Palingenesia Lavendulæ ex suo Sale. A. N.C. Dec. 1. ao. 8. obf. 9 animalium, Garm. L. 2. tit. 10. §. 116-121 Palmus brachii & cordis a puerperio. Lang. L. 3. Ep. 2. p. 970. Palpebræ occlusio a vulnere. Diemerbr.'obf. 6 Palpebre coalitio cum oculo quomodo separanda. Hildan. cent. 6. obi. 7 Palpebrarum conglutinatio & invifcatio. Gabelch. cent. 4. cur. 39 tumor ab Eryfipelate. Gabelch. cent. 2. cur. 70 morum cauterio curatur. Zac. Luf. P. A. L. 1. obf. 63 refolutarum remedium, ibid. obf. 64 paralyfis oleo tartari nigri curata. A. N. C. Dec. 1. ao. 4. obf. 210 Palpitatio convulfiva in buccis. Plater. obf. L. I. p. 127 Palpitatio & fyncope post immoderatam catharfin & Venæ fectionem. A. N. C. Dec. 3. 40. 5. 6. obf. 186 colis pilulis curata. Zac. Luf. P. A. L. 2. obf. 113 cordis. Tulp. L. 4. c. 20. Gabelch. cent. 3. cur. 94 & arteriarum finistri hypochondrii. Gabelch. cent. 3. cur. 77. Plater. obi. L. 1. p. 221 cum magno fonitu & offium vicinorum dislocatione. A. N. C. Dec. 2. ao. 6. obl. 17 in juvene, corde vulnerato, ut extra domum a transeuntibus exaudiretur. Foreft. L. 17. obf. 1 in Epilepfia & Melancholia. Plater. obf. L. I. p. 219. 221 Palpitatio cordis a Liene. Tulp. L. 2. C. 19 ex abufu Cinnamomi. A. N. C. Dec. 1. ao. 3. obf. 134 ex nimia ira orta. Gabelch. cent. 4. cur. 84 calidis medicamentis, it. hirudinibus fupra cor affixis curata. Zac. Luf. M. P. H. Lib. 2. hift. 39. p. 251 fcarificatione curata. Zac. Luf. P. A. L. I. obl. 143 in hydrope cum confilio. Solen. Sect 3. Conf. 9. 10 fanguinis miffione curata. A. N. C. Dec. 1. ao. 4. obf. 49 V. Sne mitigata. A. N. C. Dec. 2. ao. 9. obf. 44 quotannis recurrens V. Sne præservata. Zac. Lusit. M. P. H. L. 2. hift 39. p. 251 Palus quid. Sturm. Phyf. hypoth. Tom. 2. p. 1150. feqq. Panacæa folaris. A. N. C. Dec. 2. ao. 7. obf. 42

Pana-

3-8
Panaricii curandi modus tutillimus. Hild. c. 1. obl. 97. vid. Paronychia.
Pan mortuus. Kornm. Mir. mort. P. 4. c. 155
Pancreas Suppuratum. Tulp. L. 4. C. 33
fcirrhofum. Rhod. c. 3. obl. 97
Aupende magnum. Cattier. obl. 10
Pancreatici ductus inventio eft nova. A. N. C. cent. 9. p. 443. Franken.
bon. Nov. §. 21
Pancreatis defectus. Frank. p. 128
excrescentia caula Maraimi, A. N. C. Dec. 1. ao. 8. obl. 31
fphacelatio causa repentinæmortis. A. N. C. Dec. 1. ao. 3. obs. 45
ductus bile refertus. A. N. C. Dec. 2. 20. 3. obf. 165
Pancreaticus fuccus ejusque usus. Regn. de Graf, Henrici & Schwalbe Tr
de hac materia. it. Schurigius in Sialogia.
Pancreaticus fuccus quod fit falfus humor, dicit Pechlinus.
Panis antipathia. A.N.C. Dec.I. ao.2. obf.144.vid. Abstinentia, Antipathia.
perpetua abstinentia. A. N. C.cent. 1. p. 191. app. Dec. 1. ao. 6. obf. 158
abstinentia ob malam confuetudinem. A.N.C. Dec. 1. ao. 6. obl. 158
antipathia non folum ad ejus vifum, sed etiam nominis auditu per-
ceptionem. Hild. cent. 2. obf. 41
aversio a fanis. Rejes qu. 85. p. 1099. 1100. n. 10. 11. Bruirinus de re ciba-
ria L. 6. c. 1. Hild. cent. 2. obf. 41
esus carnium usui præferendus. Rejes ibid. p. 1100. 1101. n. 12-15
præstantia. ibid. p. 1098. n. 8. p. 1099. n. 9. 10. Pfalm. 104. v. 14. 15
Etymologia. Rejes ibid. p. 1099. n. 9
victus communissimus. Rejes ibid. p. 1095. n. 3. Arndt. wahr. Christ.
L. 4. C.3 ex nimia ingurgitatione mors fubitanea. A. N.C.Dec. 3. a0.9. obf.237
ex nimia ingurghatione mois iubitanca. 21. 11. C. Dec. 3. u
faturatio peffima. vid. Saturatio. species & azymi confectio. Lang. L. 1. Ep. 56. p. 294
ab Indis ex rad. Ari cocta, arbore Sagu, cepis coctis paratur. A. N. C.
Dec. 1. 20. 10. obf. 194. n. 30. p. 464
azymus an fit melior fermentato. Zac. Luf. M. P. H. L. 2. hift. 32.
Panum inguinis ex mensibus suppress. Zac. Lus. P. A. L. 2. obs. 105
Davacelleri Sribu laudes retutantur. Smet. Milc. Lib. 2. C. 06. L. 5. ED. 4
Paracelfinova & vetus Medicina. ibid. L. 5. Ep. 1. it. L. 12. p. 689
de Paracelfo judicium. ibid. L. 5. Ep. 2.3
Pa-
2 sector and the sect

Paracelfi vitæ examinatio. Smet. L. 12. p. 683 Paracelsus ipse multos morbos lethales & incurabiles fatetur. ibid. p. 685 Paracelsi doctrina de Epilepfia dignoscenda & curanda. ibid. Ep. 16.17. 18. p. 706 -- 720 Paracelfici celeberrimi quidam. Smet. Mifc. L. 8. Ep. 19--21. p. 721--726 Paracentefis abdominis anceps. Tulp. L. 2. c. 38. 39 ejusque ufus in hydrope uteri. A. N. C. cent. 5. p. 114 noxia ob fimultaneam & omnigenam aquæ evacuationem ex hydropica. Bor. c. 2. obf. 76 frustra in afcitico adhibita. A. N. C. Dec. 1. ao. 6, obf. 65. it. cent. 7. p. 113 Paracentesis abdominis in ascite sponte fuscitata. A. N. C. Dec. 3. ao. 5. 6. obl. 153 fæpius iterata. A. N. C. cent. 3. p. 371 an in affectu Tympanitico salva conscientia sit tentanda. Alberti Iur. Med. P. 2. p. 525 in abfceffu pulmonum ibid. app. p. 176. Caf. 30 Paradifus. Garm. L. 2. tit. 10. §. 33 Paradifi aves pedibus inftructe. Barth. cent. I. Ep. 7 Paralysis & Parefis fimulata. Alberti Iur. Med. P. 1. p. 201. §. 9 Paralyfis. Diemerbr. obf. 10. A. N. C. cent. I. p. 431. M. Donat. Lib. 2. C. 5. Solen. Sect. 2. Conf. 22 inteftini recti post usum purgantis draftici. A. N. C. cent. 5. p. 57 linguæ feliciter curata. A. N. C. Dec. 3. ao. 7. obf. 91 linguæ, faucium & œlophagi. A. N. C. cent. I.p. 306. obf. 147 pedum ex lapfu. Barth. c. s. h. 8. pedum ex fcorbuto, non ex stupro violento. Alberti Iur. Med. app. 5.0 pedum ex longa in frigore mora. A. N. C. Dec. 1. ao. 1. obf. 84 lateris dextri evanescentem surditatem excipiens. A. N. C. Dec. 3.ao. 7. obf. 203 finistri lateris. Solen. Sect. 2. Conf. 20. 21 cum tortura oris. Gabelch. cent. 3. cur. 16 cum fingultu moleftifimo. Gabelch. cent 4. cur. 61 crurum ex gibbo orta. Hildan. c. 5. obf. 7

Tt

Para-

Paralysis cur crurum & pedum motus revocationem habeat, minus vero brachii. Rejes qu. 81 cum dolore extremarum partium. Gabelch. cent. 1. cur. 39 cum tabe complicata. Alberti Iur. Med. P. 2. p. 474 penis. ibid. P. 1. p. 37. §. 23 Paralyfis labii inferioris. Hagendorn. cent. 1. hift. 33. p. 59 Paraly/is exfcarificatione profunda. Zac. Luf. P. A. L.3. obf. 65 ex colica. Baglivius Pr. Med. L. I ira curata. A. N. C. Dec. 2. ao. 5. obl. 34 ex vermibus. Salmuth. c. 1. obf. 44 a finistro Leucophlegmatiæ remedio. Rhod. c. 3. obf. 10 & mictus cruentus ex hæmorrhoidibus suppress. Hild. c.2. obf. u exlochiorum imminutione, V. Sne curata. Zac. Lufit. P. A. Lib. r. obf. 38 manus fractura brachii atbitraria curatur. Hild. cent. 5. obf. 84 feptuagenarii plethorici V. Sne quater repetita curatur. Zac. Luf. P. A.L. I. obl. 39 linguæ & labiorum. Solen. Sect. 2. Conf. 14 palpebrarum cum oleo tartari nigro curata. A. N. C. Dec. 1. ao. 4. obf. 210 in Paralyfeos metu confilium. Solen. Sect. 2. Conf. 12 Paralyfeos unguentum. Zac. Luf. P. A. L. I. obf. 37 Paralysi admodum proficuæ formicæ. A. N. C. Dec. 1. ao. 4. obf. 128 in Paralysi corporis inferioris & sphacelo crurum confilium. Solen. Sect. 2. Conf. 19 Paralyticus ad voluntatem. Rejes qu. 81. p. 1066. n. 1. & p. 1067 Paralyticus ex usu balnei in lethargum incidit. Hild. cent. 5. obf. 6 Paralyticus tremor periodicus. Salmuth. c. 1. obf. 13 Paralysis voluntaria. Rejes Camp. Elys. qu. 50. p. 632. qu. 81. n. 1. Nierenberg. L. 2. curiof. philof. c. 13 Pareliorum. historia. A. N. C. Dec. 1. ao. 1. obf. 9. Reinzer. Meteorol. diff. 5. qu. 4. p. 85. Bor. cent. 2. obf. 93 de Parafelene. Reinzer. ibid. Paraphimofis & Phimofis ex violento & impuro coitu. Hildan. c. s. ob1. 56. 57 Paraphimofis infantum curata. Hild. c. 5. obf. 58 Paren-

the state of the second s	231
Parentes permultos liberos habentes. Kornman. Mir viv. p. 152. fe	eqq.
Parentum doctorum filii sape fatui. Rejes qu.76. p. 1028	
Parentibus a claris filii degeneres. Reses ibid. p. 1029	
a pravis nati optimi filii. Rejes ibid. n. 2. 3	
penitus contrarii filii fuis moribus. ibid. p. 1031	1
Parefis & Paralyfis fimulata. Alberti Iur. Med. P. I. p. 201. S. 9	
Parefis ex Colica. A.N.C. Dec. 1. ao. 3. obf. 308. cent. 3. p. 91	1 Prot
poft Colicam ex vino. A. N. C. Dec. 1. ao. 2. obf. 39	N. A. W.
Paronychiæ incidendæ modus tutifimus& curandi compendiofifi	mus
Hildanus c. 1. obf. 97	
Parotides. Bor. c. 4. obf. 85. A. N. C. Dec. 3. ao. 7. obf. 200	
ex pleuritide, A. N. C. cent. 3. obf. 314	
uftione curantur. Zac. Luf. P. A. L. I. obf. 71	
in fiftulam abeuntes curatæ. Hild.c. 5. obf. 80	in the
Eccriticæ infalubres. A. N. C. Dec. 1. 20, 4. obf. 4	
per Metastafin febrilem genitæ an fint fidæ. Zac. Lus. M. P. H.	T.T
hift. 62. p. 194	
infantuli in absceffum versæ curantur. Smet. Misc. Lib. 4. Ep. 9	a man
aroxy fini Melancholicorum. Alberti Iur. Med. P. 2. p. 217. & 226	and the second
aroxysmorum intermittentium ratio difficilis. vid. Febris intermi	tt
arreiræ bravæ radicis examen. A. N. C. cent. 1. p. 252. feqq. app.	
	1
arreiræbravæhistoria. A. N. C. cent. 3. p. 161. app.	
Parricidarum poena. Kornm. Mir. mort. P. 10. C. 29	Fol
Parricidium per Arsenicum album a filia oblatum. Alberti Iur. M	viçu.
p. 33. Cal. 7	
le Partibus corporis humani. Bravo P. I. Difp. 6. Sect. I. Refol.I. p.	ibid
artes substantialiter diverse utrum dentur in corpore humano.	ibid.
Refol. 1. p. 176	11.51
mit quid fit. ibid. Refol. 2. p. 179	ihid
artis divisio utrum in similarem & dissimilarem sit adæquata.	iDid.
Refol. 3. p. 180	1.19
ars fimilaris quid fit, quid disfimilaris. ibid. Refol. 4. p. 182	
tam similaris, quam dissimilaris utrum possit dici organica, seu	i m-
frumentaria. ibid. Refol. s. p. 182	-6-1
fimilaris, utrum sua temperie concurrat ad operandum. ibid. R	eioi.
7.p. 186	
princeps quid, & quotuplex sit. ibid. Sect. 2. Resol. 1. 2. p. 187 Tt 2	Dan
	Par-

32	I The
Partes inte	r principes utrum aliqua fit reliquis præftantior. ibid.Refol.
a Partibus I	principibus utrum aliquid & quid influat, ibid.Sect. 3.Refol. 194.196
Partium hu	midarum & frigidarum ordo utrum recte præscribatur.Bra- t. disp. 3. Sect. 3. resol. 4. 5. p. 111. 112
Partium co	orporis internarum naturalis transpositio. Cattier. obf. 17
p.346	ternarum vulnerationes an lethales Alberti Iur. Med. P. 1.
Partum ad meftr	undecimum mensem extendit Hipp. Lib. de Partu septi-
Parturiens	mortua credita & revivifcens. A. N. C. cent.1. p. 381
Parturient	parit fine aquis. A. N. C. Dec. 1. ao. 3. obf. 132 ium dolores intempestivi. Hagendorn. cent. 2. hist. 99. p. 278
	ium dolores abfentes. ibid. hift. 100 is dolores convulfivi. ibid. cent. 3. hift. 2. p. 283
in Parturie	ente aquarum mora. ibid. hift. 11. p. 295
Parturiens	mulier poft mortem. ibid. hift. 13. p. 297
Parturient 3. ob	es dolores puerperamintra horas 24. jugulant. Hildan. cent.
Partus fine	lochiis. A. N.C. cent. 5. p. 336
Partus in	homine an habeat certum tempus. Alberti Iur. Med. P.1. p. 140.
9.1.2 tit.2.	&p. 141. 142. a. qu. 2. Rejes qu. 90. p. 1166. n. 9. Zach. L. 1.
legitim	us & illegitimus. Alberti Iur. Med. P. I. c. 7. p. 139.375. it. p.
142.	uri caufæ. Rejes qu. 90. p. 1165. n. 8. Alberti Iur. Med. P. 1. p.
160. S	22
maturit	as & immaturitas. Alberti Iur. Med. P. 1. p. 146
	dierum vitalis. Peranatus de Procreat. hom. c. 8
Partus 173	. dierum vitalis & legitimus. Guldenklee Refponf. 23 ninquemestrem vitalem asserverunt Vallesius in facra Philos.
c. 18.	Fontecha in Luminari fol. 540. Lum. 2. Augenius Lib.1. de par-
tuho	ominis c. 20. Ferdinand. Mena Lib. de septim. partu c. 4. Hier.
delic	tuus Anasceve Morborum Tom. 4.c. 41. Torreblanca Epitom. tor. L. 2. c. 43. Lemosius L. 3. de nat. facultat. Mercat. de aff.
	Stag and Jolo S. a for bidi al volgimento 3 bito and mul
Par-	

mul. L. 4. C. I. Schenkius L. 4. Valeriola L. 3. Enarrat. c. 7. Ferd. Bonaventura de octimestr. partu L. 1. c. 6 Partus duodecimestris & quatuor decimestris. Schenkius, Pineda L.I.de Salom. c. 1. Rej. qu. 90. Partus nullum certum tempus effe dixit Aristot. L. t. de Animal.'c. 6 Partus differentia & fitus fœtus inordinatus, an aliquid certi de iis statuendum. Amanni Iren. qu.15. p. 118 post Partum cur infans statim ploret. vid. Enlatus. Partus monstrofus. Hild. cent. 3. obl. 55. 56 quadrimestris vitalis. Rejes qu. 90. p. 1164. n. 6. 7. Petr. de Peranatus Lib. de Procreat. hom. c. 8 quadrimestris & quinquemestris an vitalis. Rejes qu. 90 quinquemestris an legitimus. Alberti Iur. Med. P. 1. p. 146 quinquemestris vitalis quod sit, qui asseruerunt. Rejes qu. 90. p.1163. n. 5. p. 1164. Alberti Iur. Med. P. 2. p. 27 femeftris an vitalis & legitimus. ibid. P. 2. p. 27. it. P. 1. p. 148. §. 10 feptimeftris. A. N. C. cent. 1. obf. 51. Kornm. Mir. viv. p. 158. 159 feptimestris an legitimus. Alberti Iur. Med. P. 1. p. 163. §. 27. it. p. 149-0. IL feptimestris illegitimus. ibid. P. 1. p. 166. Caf. 1 Partus septimestris an vitalis. Alberti Iur. Med. P. 2. p. 25. seq. Partus septimestris notæ. Bor. c. 1. obs. 71. Alberti Iurispr. Med. P. 1. C.7. p. 150 151. 5. 12. C. feptimestris felix repetita phlebotomia. Zac. Lus. P. A.L. 2. obf 144 octimestris. Alberti Iur. Med. P. 2. p. 133. 136 octimestris cur non vitalis. Rejes qu. 90. p. 1169. 1170. feqq octimestris an vitalis & legitimus. Alberti Iur. Med. P. I. p. 154. 155. §. 15. it. app. p. 68.70 octimestris quod propter Saturni dominium vitalis non sit, Astrologi credunt. Rejes qu. 90. p. 1168. A. N. C. Dec. 1. ao. 4. & 5. p. 21 Partus nonimeftris. Alberti Iur. Med. P. I. p. 155. §. 16. decimeftris. ibid. P. 1. p. 156. §. 17 Partu decimestri exclusus fuit Hachft. etterus. Dec. 4. c. I. p. 267 Partus vndecimeftris an legitimus. Alberti Iur, Med.P. 1, p. 157+ §. 18. 19it. p. 167. Caf. 2 Parius undemestris Zittm.C. I.c. 1.c. 58.S. Thomaf. opufc. 28. art. 4. Becch-Pho Tt 3 Section 1

Ph. S. L. I. Sect. 4. c. 4. p. 218. 219. Alberti Iur. Med. P. I. p. 157. §. 18. 19

duodecimestris. Alberti Iur. Med. P. I. p. 160. §. 21

ferotinus & tempeftivus. Alberti Iur. Med. P. 1. Suppl. p. 410. it. P.I.p. 159. §. 20. M. Don. L. 4. C. 13

ferotini figna & caufæ: Alberti Iur. Med. P. I. C.7. p. 158

posthumus. A. N. C.Dec. 3. ao. 4. obl. 83

post obitum matris. Salmuth. c. 2. obs. 36. Barth. c. 2. h. 99. it. A. H. V. 2. obs. 35. Hachfl. Dec. 6. c. 3. A. N. C. Dec. 1. ao. 3. obs. 318. it. Dec. 2. ao. 4. obs. 42. Garm. L. 1. tit. 9. §. 5-7. 17. 18. Rejes qu. 79. p. 1055. 1056. Dan. Vincelius, Gregor. Nimanus diff. de vita fœtus in utero.

in utero putrefactus & vermine factus. A.N.C. Dec. 3. ao. 7. obf 31.32 mortuus per quinque menses retentus. Plater. L. I. p. 211

fingularis. A. N. C. cent. 9. p. 234

instantis figna. Alberti Iur. Med. P. I. p. 143. §. 5.6

fæminarum 5. 6. 7. 8. 9. 10. annorum ætatis. Rejes qu. 51. p. 660

prægreffi figna. Alberti Iur. Med. P. 1. c. 7. p. 145. 5.7

vetularum. vid. Vetula.

Partus fuppofitus, ejusque figna. Alberti Iur. Med. p. 162. §. 24. & p.163. 5. 25

Partus falfus. Rhod. c. 3. obf. 55

Partus diffimulatus. Alberti Iur. Med. P. 1. p. 210. §. 22

Partus fine partu. A. N. C. cent. I. p. 312

duarum molarum factus post prægressum leginimi infantis partum. A. N. C. Dec. 1. ao. 10. obs. 147

ventiternus. Zac. Luf. P. A. L. 2. obf. 150

diversorum animalium aliorumque concrementorum, A. N. C. Dec.

1. 20. 1. obf. 1. it. Dec. 1. 20. 2. obf. 160 immanis beftiæ a muliere. Zuc. Luf. P. A. L. 2. obf. 149

murium a foemella gravida. Salmuth. c. 1. obf. 62. Bor. c. 3. obf. 63. AL

berti Iur. Med. P. 1. p. 113. f. avis vivæ. Salmuth. c. 1. obf. 66. Alberti Iur. Med. P. 1. p. 113 ovi a muliere. Barth. c. 1. h. 4 gliris a fæmina. Barth. c. 1. hift. 19. Alberti Iur. Med P. 1. p. 113

hominis ex capra. Barth. c. 1. h. 86

Partus

Partus puellæ ex cane Barth.c. 5. h. 87
felis ex ore. Barth. c. 5. h. 98
catulorum exore. Merkl. p. 145
infantis ex ore. Salmuth. c 3. obf. 94
Partum foetus ex ore juxta cent.3.obf. 94. Salmuthi fabulofam credit Re-
jes qu. 90. p. 1172
Partus multus an foeminæ fit naturalis. Ammannus Irenico qu. 3. p.
49. feq.
Partus ex infolita via per umbilicum A. N.C. Dec. 2. ao. 7. obf. 237
ex diminuta purgatione variis flipata fymptomatibus Gabelch.cent.
I. cur. 38
cum Epilepfia. A. N. C. Dec. 1. ao. 2. obf. 67
post præcedentem per 15 dies aquæ fluxum innoxius. A. N. C. Dec.
1. ao, 2. obf. 13
vivus quomodo differat a vitali. Alberti Iur. Med. P. 1. p. 141. §.3.
& p.142
Partus gemellorum circa fecundinas habet varietates. A. N. C. Dec. 3.
ao. 7. obf. 45
gemellorum in gravida interfecta. Salmuth. c. 2. obf. 1
numerofi. M. Donat. L. 4. C. 24. Hagendoorn. cent. 3. hift. 8. p. 292.Bor.
c. 2. obf. 44. Rhod. c. 3. obf. 56. A. N. C. Dec. 2. ao. 4. obl. 69. Korn-
man. Mir. viv. p. 146. feqq. Plater. obf. L. 3. p. 706
quatuor filiorum. A. N. C. cent. 9. p. 459
unus 5. filiorum. A.N.C. Dec. 2. ao. 9. obl. 50. Dec. 3. ao. 4. obl. 76.
Dec. 2. ao. 4. obf. 151. Kornm. Mir. viv. p. 147. leq.
unus 7. 9. 22. filios edidit. Kornm. ibid. p. 148
unus 36. it. 150. it. 365. infantes prodidit. Mir. viv. p. 150. 151
caufa rupturæ perinæi. Tim. a Guldenkl. L. 4. Conf. 31
intestinum lacerans. Tulp. L. 4. c. 41
Cæfareus. A. N. C. cent. 3. p. 136. Plater. obf. L. 3. p. 706. Cyprianus,
Rouffetus, Baubinus, Barth. c. z.h. 8. A. N. C. Dec. 3. ao. 2. obf.17.
Alberti Iur. Med. P. I. p. 141. S. 3. & p. 164. S. 26. 27. Raynaudus.
Cæfareus a gravida fæmina fibi ipfi administratus. A. N. C. Dec.3. ao.
1. obf. 59
mpeditus, Elegny Zod. gall. ao. 1679. Apr. obl. 11
impeditus ob foetum mortuum, & deinde superstite matre exse-
ctum. Plater. obf. L. 1. p. 213

Par-

336 PA-
Partus difficilis mortis caula. Barth. c. 5. h. 47
difficilis. A. N. C. cent. 9. p. 39
difficilis fœtus mortui. Alberti Iur. Med. P. 1. p. 182. §. 6
cum spasmis & doloribus ibid. P. 2. p. 80
Partus cum offis pubis disjunctione. Hild. c. 6. obf. 39
Partus difficilis cura cum cute Tigridis femori adalligata. A. N. C. Dec.
1. ao. 6. obf. 59
difficilis unde? Garman. L.1, tit. 9. §. 23
difficilis ex plethora. A.N. C. Dec. 2. ao. 1. obf. 103 difficilis ex uteri abfceffu. A. N. C. Dec. 1. ao. 2. obf. 180
difficilis ex fcirrho uteri. Hildan. cent, 1. obf. 67
difficilis cum fragore in primipara. A. N.C. cent. 5. p. 259
facilitatio. Bor. c. 2. obf. 25. c. 3. obf. 52. c. 4. obf. 24
facilior redditus, dum puerpera fœtui mortem minabatur. Salmuth.
c. 3. obf. 85
facilitandi remedium optimum. Zac. Luf.P.A.L. 2. obf. 157. 158
post Partum tumor sub hypochondrio sinistro. Hagendorn cent. 3. hift.
18. p. 303
tumor durus mobilisque fub umbilico. ibid. hift. 19. p. 304
mira abdominis figura. ibid. hift. 20. p. 306
Partum promovet anguillæ hepar. A. N.C. Dec. 1. ao. 10. obf. 35
promovet Eff. Succini Caftorifața. A.N.C. ibid.
ante Partum uteri hæmorrhagia periculosa. Hagendorn. cent. 3. hist. 17.
p. 302 Partus non melius, nisi per cancrorum comestionem promotus. A.N.
C. Dec. 1. ao.3. obl. 346
Partus terrore promotus. Alberti Iur. Med. P. 2. p. 25
acceleratus ex toruo intuitu Epileptici. ibid. P.2. p. 25. Caf. 3
cognoscendus, a medicamentis abortivis an provocatus fit? Alberti
Iur. Med. P. 1. fappl. p. 409. §. 6. vid. Abortus.
terminus legitimus an sit septimus, nonus aut decimus mensis. ibid.
P. 1. fuppl p. 409
Partus vitulinus mortuus in sceleton redactus cum subsequente partu
prodit. Plater. obf. L. 1. p. 214
a Partu uteri fingularis læfio. Hagendorn. cent. 3. hift. 14. p. 297
Passeris cerebrum sub actu veneris transfossi venerem armare dixit
Garm. M. M. L. 2. tit. 7. §. 79 Pafferum
2 ayer um

Passerum cerebrum comestum Epilepsiam inducens. A.N. C. Dec. 2.
ao. 3. obl. 190
Pafionis hystericæ fimulatio. Alberti Iurispr. Med. P. I. p. 206. §. 15
Pallularum præftantia in affectu hepatis. A. N. C. Dec. 2, 30, 2, obf 100
Paffularum & prunorum laxantium virtus commendatur. Thonerus
obf. Med. L. 3. p. 163
Parelle punctura cum morte subitanea conjuncta. A. N. C. Dec. 1. 20.3.
obl. 73
Patellæ fractura. Hild. c. 5 obf. 88
Pathemata animi an fanitatem labefactare queant? Blegny. Zod. gall.
ao. 1683. Nov. Dec. p. 240. feq.
Paulus Apostolus decollatus, cujus caput abscissim ter nomen Jesu in-
clamaffe dicitur. Kornm. Mir. mort. P. 4. c. 5
Pauli Apostoli confilium: Aquam ne amplius bibas, explicatur. Smet.
Mifc. L. 11. Ep. 3. p. 604.619
Pavonis stercoris usus. Bor. c. 3. obf. 15. 98
Pavor & Melancholia ex conversatione cujusdam, qui ex loco peste af-
fecto hunc visitavit. Gabelch. cent. 5. cur. 68
PE.
Peccat mortaliter Medicus infcius. Alberti Iur. Med. P. 1. C. I. S. 4. a.
Peccatummortale Medicus conscientiosus non commitit. ibid. §. 20. a.
Pectus non ex coftis fed offe folido conftans. Cober. in obf. hungar.
de Pectore. Kornm. Mir. viv. p. 131. feqq.
de l'ectorofis. ibid. 132
Pectoris hydrops prædictus. A. N. C. cent. 3. p. 98
Pectoris morbi. Blegny. Zod. gall. ao. 1682. Jun.
de Pedibus. Kornm. Mir. viv. p. 161. feqq.
de Hippodibus. ibid. p. 161
Pede uno homines. ibid. p. 161
Pedis distorsio ab imaginatione matris, restituta. Hild. cent. 6. obl.90
Pedes inversi. Barth. cent. 4. Ep. 39
qui longos habent, facilius purgantur. A. N. C. Dec. 2. ao. 6. obf. 227
manuum vice functi. Rhod. c.3. obf. 60
brachiorum sub defectu incredibilia faciunt. Rejes qu. 58.p.722.723
fummi cerei. Zac. Luf. P. A. L. 3. obl. 131
Pedis fummi ulcus mortis caufa. Zac. Luf. P. A. L. 3. obf. 132
fractura rara. Hildan, c. 2. obl. 67
Uu Pedes

Pedes monstrosi a nativitate. Hagendorn. c. 3. hist. 33. p. 324 Pedum ulcera per gonorrhœam spontaneam curata. A. N. C.Dec. 3. ao. 9. obl. 227 & faciei inflatio cum afthmate. Gabelchov. cent. I.cur. 19 plantæ inflammatio Hild. cent. 3. obf. 100 plantæ dolor cauterio curatus. Hildan. c. 3. obf. 98. Zac. Luf. P. A. L. 2. ob1. 189 plantæ affectus gravis in variolis. Hild. c. 3. obf. 99 lotio fomnifera. Lang. L. 2. Ep. 44. p. 762 amifforum reftitutio. Frank. p. 508 Pes sponte decidens. A. N. C. Dec. 3. 10. 9. obf. 116. cent. 7. p.226. Tulp. L. 4. c. 51. Barth. c. 1. h. 69 infantis anferinus. A. N. C. Dec. 2. ao. 6. obf. 54-Pediculi ex fanguine. Bor. c. 3, obf. 50 pubis. Tulp. L. 3. C. 40 alati. A. N. C. Dec. 2. ao. 6. obf. 18 post tertianam. A. N. C. Dec. 3. ao. 9. obf. 196 ab ægrotis & morientibus difcedunt. Garm. L. 2. tit. 4. §. 32 -34 Pediculis Icterus male curatur. Barth. A. H. V. 3. obf. 91 Pediculorum morbo qui mortui fuerint. Rejes qu. 36. p. 425. 426 Pedicularis totius corporis affectio, ac aliorum animalium ab eodem erumpentium. M. Donat. L. I. C. 5 Pediculorum procreatio & prolificatio. Garman, Mir. mort. L., 3. tit. 1. §. 111 encomium ex Heinfio. ibid. §.113 Pediluvium cura Cephalalgiæ periodicæ. A. N. C. Dec. 1. ao. 2, obf.247 Pemphicodes Febris. Rejes qu. 68. p. 928 Penis. vid. Virga & Virile membrum. Penis pater omnium membrorum. Garm. L. I. tit. II. §. I Penis laxus roboratus. Zac. Luf. P. A. L. 2. obf. 124 mortui erectus. Salmuth. c. 3. obf. 29. 40. Alex. Benedictus L. 24. C.19. Garm. L. 1. tit. 11. §. 9. 10. 38 offeus. A.N.C. Dec. 2. 20. 5. obf. 116 tympaniticus. A. N. C. Dec. 1. ao. 3. obf. 99 indusio conglaciatus. Salmuth. c. 3. obf. 69 incurvatus. Tulp. L.3. c.39 Penis

	237
Penis hirfutus in puero infante. Bor. c. 1. obf. 58	Sta 1
erectio examinanda in causa imputatæ impotentiæ. Alberti Iur. M	Med.
P. 1. p. 32. §. 17. it. P. 2. p. 14. 18. 19	104.
conftricti periculum. Barth. c. 3. h. 52	
fubito retractus. A. N. C. Dec. 1. ao. 2. obf. 50	1. 2
cummeatu ad radicem hiante. A. N. C. cent. 9. p. 161	1750 45
imperforatus. A. N. C. Dec. 2. ao. 10. obf. 75. Hagendorn. cent. 3	hift
68. p. 369	
in ordinario loco imperforatus. A. N. C. Dec. 1. ao. 10. obf. 105	14
monstrofus. Bor. c. 4. obf. 13. A. N. C. Dec. 3. ao. 7. obf. 26. Bar	thal.
cent. 3. Ep. 10	
monstrofæmagnitudinis. A. N. C. cent. 1. obf. 166. p. 337	
duplex. Barth. c. 4. h. 22	Carlot -
& vesicæ defectus in infante monstroso. Cattier. obs. 19. Frank	enat
p. II2. II3	
& podicis defectus. Frank. ibid. Barth. c. 1. h. 65	and the
fine urethra. Tulp. L. 4. c. 36	((-)) :
erectio post mortem, flatu liquoris in arteriam hypogastricam	im-
misso, provocata. Garm. L. I. tit. 11. §. 38	200
absconditus cum unico testiculo. A. N. C. Dec 1. ao. 6. obf. 179	and the
in aquam frigidam ad reprimendam libidinem immiffus. Garn	ann.
L. I. tit. 11. §. 32	1.24
ex fuperiori parte calculus excifus. A. N. C. Dec. 1. ao. 6. obf. 3.	1
flatus emittit. Zac. Luf. P. A. L. 2. obf. 121	1. 1. A.
excrementa ani projicit. Zac. Luf. P. A. L.3. obf. 72	
anguem excernit. Blegny Zod. gall. ao. 1679. Apr. obf. 2	E
Penis ulcerainterna & externa. Plater. obf. L. 2. p. 444	in stars
per Penem ad vesicam arista transmissa. M. Donat. L. 2. C. 12	
Penis paralysis. Alberti Iur. Med. P. 1. p. 37. §. 23	17
Penis convultio rara. Zac. Luf. P. A. L. 3. obf. 118	
cancer venereus fiftulofus. Blegny Zod. gall. ao. 1680. Sept. ob	.4
palpitatio. Zac. Lus. P. A. L. 2. obf. 113	1. 2 3
gangræna. Barth. c. 3. h. 27. c. 6. h. 96. Tulp. L. 4. c. 34	4 1-
Hæmorrhagia. A. N. C. cent. 3. p. 113. vid. Mictus cruentus.	11.
ab ancilla ftupratori cultro ablatus. Simon. imp. conj. c. 3. th. 2	.n. 18
totus cum testiculis a cane morfu ablatus. A. N. C. Dec. 2.	20.5.
obf. 72 ct deb a collected a state of co	1
Uu 2	Penis

340 Penis ablatio per fascinationem. Simon. Imp Conj. c. 6. th. 4. n. 21.22 decurtatio per fascinationem. Garm. L. I. tit. II. §. 40 ablciffio periculofa. Hild. c. 3. obf. 89 ablatio per cafus violentos morbidos fine vitæ damno. Frank. p. 113. 114.117 amilfio. Plater. obf. L. 3. p. 559 amiffi reftitutio artificialis. Frank. p. 115. 117. 509 vulnus fere lethale eft. Barbette Chir. L. 4. c. 2. Frank. p. 117 ecapite. A. N. C. Dec. 1. 20. 3. obf. 42 usu medicus ad coitum promovendum. Frank. p. 116. 117 veneratio intergentiles. Frank. p. 103. Garm. L. I. tit. II. S. 2--5 inter æthiopicos victis hoftibus abfeiffus. Frank. p. 116 per Penem fluxum menstruum fanguinis duo viri Styriaci patientes. A.N.C. Dec. 3. ao. 9. obf. 136 in Penis glandis fummo verruca. Hild. c. 3. obf. 88 Penoti (Bernhardi) teftimonium de Paracelfo. Becch. Ph. S. L. I. S. 3. c. 1. p. 108 Penna marina. Lang. L. 2. Ep. 61. p. 856 anserina per urinam rejecta. A. N.C. Dec. 2. ao. 5. obf. 33 anferina deglutita. Blegny. Zod. gall. Febr. obf. 4 Peponum efficacia. Zac. Luf. M. P. H. Lib. 1. h. 28. p.53. b. Pericardium pure repletum. Salmuth. c. 1. obf. 15 fanguinis libram continet. A. N. C. cent. 9. p. 17 deficiens, Frank. p. 120 Tabes exitialis. Zac Luf. P. A. L. I. obf. 137 inflammatio funesta. ibid. obf. 138 Periculosis & perplexis in rebus via media est ineunda. Alberti Iur. Med. P. I. C. I. §. 21. g. Perinæi ruptura fanata. A. N.C. cent. 7. p. 90 Periodus lethalis. Bor. c. 4. obf. 67 Periodi Febrium caufa. Lang. L. 2. Ep. 25. p. 660 Periodica Cholera. Rhod. c. 2. obf. 69 pleuritis. A. N. C. Dec. 1. 20. 2. obf. 203 Cephalalgia. A. N. C. Dec. 1. ao. 2. obf. 247. ao. 6. obf. 173 Hæmoptyfis menftrua cum infufficienti menfium fucceffu procedens. A. N. C. Dec. 1. ao. 10. obf. 27 fyncope. A. N. C. Dec. 2, Dec. 1. obf. 10 47 1. G.Q.

Perio-

UT-	
Periodica convulsio. A. N. C. Dec. 2. ao. 1. ocf. 24	-
Periodicus fudor. Rhod. c. 3. obf. 74	
livor corporis. A. N. C. Dec. 1. ao. 10. obf. 111	
Peripneumonia. Diemerbr. obf. 1. fol. 1. Plater. obf. L. 2. p. 393. & 395	
exitinere tacta lethalis. A. N. C. Dec. 3. ao. 7. obf. 95	
ex pleuritide. Gabelch. cent. 4. cur. 79	
Peripnevmonie Rheumatismus junctus succedente pleuritide. Blegny	
Zod. gall. ao. 1682. Febr. obf. 21	
Peristaltici motus intestinorum demonstratio. Blegny Zod.gall.ao.1680	
Jun. obf. 5	
Perjurorum digiti. Kornm. M. M. P.3. c. 46	
Peritia ornat Medicum. Alberti Iurispr. Med. P. I. C. I. S. II. p. 12	
Peritia in ordinariis Phyficis non præsumenda. ibid. c.	
Peritia non conftat in copiofa praxi, experientia multorum morborum	
in proprio corpore, neque in superstituosis curis. 1bid. §. 12. 14	1
vera medica in quo confiitat. ibid. §. 13	
Perito in fua arte fides danda. Alberti lur. Med. P. I. C. I. 9. 10.02 9. 28	
Perlarum maturationis hiftoria. A N.C. Dec. 1. ao. 2. obf. 183	
Perla quomodo ex flavedine in albedinem perducenda. A. N. C. Dec.	
I. ao. 2. p. 281. 282	
ex Perlis fpiritus restaurans. Becch. Ph. S. I. I. S. 6. c. 8. p. 621	
Pernionum cura. A.N.C.cent. 7. p. 195	1
Persuadere Medicus debet, sed sine garrulitate. Rejes qu. 7. p. 105. 106	
Pes. vid. Pedis.	
Pessulus mirabilis ad menses provocandos. Zac. Lus. P. A. Lib. 2.	
obf.107	
Pestilentialis vestitus, quo utuntur Medici. Barth. c. 5. hist. 71	-
Pestilentialis infectio ex inurbana salutatione & porrectione manus ex-	
citata. Gabelch. cent. 5. cur. 73	-
Pestilentiali buboni impositam cepam Justus Jonas sine noxa comedit	
Garm. L. 2. tit. 2. §. 44	
Pestis symptomata. Bor. c. 1. obs. 83. c. 4. obs. 5 cum multis symptomatibus, frustra sanguine per nares fluente, qua	P
fymptomata lamentabilis mors excipit. Gabelch. cent. 5. cur. 76	-
ivmptomata lamentabilis mors excipite duction of the	
de Pefte. Smet. Mifc. L. 5. Ep. 3. vid. Febris.	
Peftis cum nube cadens. Bor. c. 1. obf. 21 fumo propagata. A. N. C. Dec. 3. ao. 5. 6. obf. 196	
fumo propagata. M. N. C. Dec., aut, ice of Pefl	is

342:

342	PE.
Pefti	contagium per fumum dispersum. Salmuth. c.3. obs. 57. Garman.
1 - 1 - 14	L. 2. tit. 9. 9.93
C	x mundatione hypocausti, in quo æger peste vitam finiverat, con-
	tracta. Gabelchov. cent. 5. cur. 77
e	exterrore & metu. Hachft. Dec. 7. c. 2
a	viso spectro & terrore. Hachst. Dec. 7. c. 1. p. 47. 48
1	ethalis ex metu nata in quodam, qui mortuum ad fepulturam hume-
10	ris fuis extulit, Gabelch. cent. 5. cur. 71
-4.6	eximaginatione: Hachft. Dec. 7. Caf. 1. p. 47
(orta exMaslach frequenter comefto A. N. C. cent. 7. p. 131
1	ethalis ex aquæ puræ potu. Gabelch. cent. 5. cur. 100
2	an a folo aere, an a ceteris elementis generetur. Zac. Luf.M. P.H.L.4.
1-1-4	hift. 47. p. 771
i	n animalibus incipit. Garm. L. 2. tit. 2. §. 57
-1	ovina. A. N. C. cent. 7. p. 5. app.
1.	propagatio per canes, feles, muscas, quando cadavera peste infecta
	devorarunt, & inter puros homines pervenerunt, Garman. L. 2.
110	tit. 2. §. 58
Pel	tis ex foetore fanguinis peftiferi orta. Zac. Luf. P. A. L. 3. obf. 44
	ex contagio cadaveris. ibid. obf. 43
5 1	inguentis & pulveribus venenosis producta. Rejes qu. 96. p. 1208.
	n. 13
1	a dæmone per veneficos provocata. Kejes qu. 96. p. 1209. n. 12
	an a sagis provocari possit? Garm. p. 140
Pe	le appropinquante, cur aves illum locum descrant, & cur canes in
	rabiem incidant? Garm. L. 2. tit. 2. §. 19
the set	interempta cadavera non invaduntur a brutis. Garman. L. 2. tit. 2.
X	§. 62
	valde contagiosa. Zac. Lus. M. P. H. L. 2. hift 89. p. 340
.22.27	utrum aliquis morbus sit crudelior? Zac. Lus. M. P. H. L. 4. hift. 46.
	p. 754
Pe	Ais horribilis. Zac. Lufit. P. A. L. 3. obf. 38. & M. P. H. L. 4. hift. 46.
3,11	p.753
U.	mira. Zac. Luf. P. A. L. 3. obl. 40
	bubonica lethalis. ibid. obf. 39
123	cum bubone inguinis. Gabelch. cent. 5. cur. 89
1200	cum carbunculo & conftipatione alui. ibid. cur. 94
THE AS	
	Peftis

C+C
Pestis cum amissione loquelæ. ibid. cur. 100
per incifionem bubonum ante eorum intumescentiam curanda, A.
N. C. cent. 7. p. 170
Peftis cum infigni dolore capitis. Gabelch. cent. 5. cur. 62
Peftis non præfervatur amuleto Arfenici. vid. Arfenicum.
Pesti reliftentes odores. Rejes qu. 66. p. 888
an urina & stercus refistat? Garm. L. 2. tit. 2. n. 21
an fœtida interne & externe usurpata relistant? Garm. L. 2. tit. 2. n.21
Peltis non fugatur a campanis. vid. Campana.
Pestis foetidis & putridis odoribus emendata. Rejes qu. 66. p. 884. 885
fætidis & putridis odoribus non emendatur & corrigitur. Rej. ibid.
p. 887. n. 6
tempore hircus & vulpes averti debent. ibid. p. 887
diffimulata. Alberti Iur. Med. P. I. p. 208. §. 18
ex diffimulatione aucta, mortis caufa fuit. Gabelch. cent. 5. cur. 74
potest esse contagiosa. Garm. L. 2. tit. 2. §. 40. 41
num dari posit citra perniciem. Zac. Lus. M.P. H.L. 2. hift. 89. p. 338
miasma a mundo creato este, & ad finem mundi duraturum, credi-
dit Platerus. Hachst.
contagium per annum in homine latitans. Salmuth. c.1. obf. 64
non propagata in infantes lactantes. Garm. L. 2. tit. 2. §. 38
non propagata ab amafia in amatorem cohabitantem. ibid. §. 37
non propagata in fuos anatomicos. Garm. Lib. 2. tit. 2. §. 39. 45
Peste mortui obrigefacti. Garm. L. 2. tit. 2. §.25.26
Peste extincti non illico inhumandi. Hild. c. 2. obs. 95. 96
quomodo sepeliendi, illorumque sepultura tractanda? Garm.
L. 2. tit. 2. §. 41. 42 quando fepeliendi?Garm. L. 2. tit. 2. §. 54
Peftis olfactu percepta. Bor. c.1. obf. 74
cum dolore lumborum & utriusque hypochondrii. Gabelchov.cent.
5. cur. 72
venere curata. A. N. C. Dec. 1, ao. 2. obf. 188
confilium Beccheri. Becch. Ph. S. L. I. S. 5. C. I. n. 27
præcipue parcit animis intrepidis, ut vespillonibus. Rejes qu. 66. p.
889-890
fenibus non familiaris. Plin. L. 7. c. 50. Rej. qu. 100. n. 21
Peflis

Pestis homines plebejos communius inficit. Rej. qu. 66. p. 887. n.6 facile corripit homines frequentibus hæmorrhagiis narium affectos.
Gabelch. cent. 5. cur. 38
Pesti fontanellas proficuas aut noxias qui crediderunt. Hachst. Dec. 7.
c. 1. p. 24 Pestis sudor languineus cum totius corporis livore. Zac. Lus. P. A. L.
2. obf. 41
in Peste sanguis ex cucurbitulis compesci non potest. ibid. obs. 42
de Peste an icribere possit Medicus, qui illi non intersuit. Bohn. off.
Med. dupl. P. I. C. 4. p. 100. 101
Pestis utilissimum remedium est Saphænæ sectio. Zac. Lus. P. A. L.3.
obl. 45 fcarificatione crurum in multis fanata. Zac. Luf. M. P. H. L. 4. hift,
47. p. 756
fub infectione an purgatio celebranda? Zac. Lusit. M. P. H. Lib. 4.
hift. 47. p. 760
præcautio quomodo fiat Alberti Iur. Med. P. 1. p. 208. §. 19
præservatio & curatio perficitur Theriaca laudabili. Zac. Lus.M.P. H.L. 4. hist. 49. p. 763
ad curationem Armeniæ terræ vis mirabilis. Zac. Luf.L. 4. hift. sr.
D. 775
auxilium Arsenicum. Zac. Lus. P. A. L. 3. obs. 46
ad præcautionem & curationem venena fuper cor gestata num con- veniant? Zac. Lus. M. P. H. L. 2. hist. 89. p. 339
remedia funt 1) sudorificum divitibus dicatum, 2) Sudorificum in
gratiam pauperum. 3) potiones cordiales divitibus dicatæ. 4) po-
tiones cordiales pro pauperibus. 5) præservativum contra pestem
novum. Blegny Zod. gall. ao. 1680. Maj. obf. 2
Viennenfis. Blegny Zod. gall. ao. 1680. Iun. obf. 25 tempore an fuga fubeunda. Alberti Iur. Mcd. P. 1. p. 365
in Peste Laufanensi annotata. Hild. c. 4. obs. 23
Petechiale contagium vitriolicum effe fertur. Barth. A. H. V. 2. obf.115.
p. 201
Petechialis. febris. Zac. Luf. P. A. L. 3. obf. 13. 14. vid. Febris.
febris curata. A. N. C. Dec. 3. ao. 9. obf. 29. Zac. Lufit. P. A. Lib. 9. obf. 14
Petechi-

PE. PF. PH. 345
Pethechialis febris Ictero superveniente curata. A. N. C. Dec. 3. ao. 9. obf. 107
maligna febris ab olfactis floribus, quibus cadaver puerile, febre a- cuta defunctum, ornatum erat, proveniens. A. N. C. Dec. 3. ao. 7. obf. 193
febris an veteribus innotuerit. Zac. Luf. M. P. H. p. 165
Petechiæ albæ in æthiope. A. N.C. Dec. 2. ao. 8. obf. 123
ante febrem malignam erumpentes per hæmorrhagiam folutæ.
Blegny. Zod. gall ao. 1682. Febr. obf. 30
Petechiarum & pulicum morfuum differentia. Garm. Lib. 2. tit. 1. §. 10
in Petechiis innoxie celebrata Venæfectio. Hagendorn. cent. 3. hift. 75.
p. 384
Petrefacta. Kundmann promptuar. rer. nat. p. 238-256. it. Garman. Mir.
Mort. L.3. 1 It.3. p. 10/2-1200
Petrefacti homines. Barth. c. 2. h. 100
Petrefatte lacrymæ. Blegny. Zod. gall. ao. 1679. Mart. obf. 8. Apr. obf. 13.
Petrefactio cadaverum. Garm. Mir. Mort. L. 3. tit. 3
variorum membrorum & partium humanarum ibid
Petrefactum fruftum ligni & alii generis. Blegny. Zod. gall.a0.1682. Mart.
obl. 16
Petrificatio feminis. Blegny. Zod. gall. ao. 1680. Mart. obf. 4
omnium corporum ficcorum & poroforum. Blegny. Zod. gall. ao.
1680. Sept. ODI. 2
Petreoleum. Becch. Ph. S. L. 1. S. 6. c. 5. p. 519
Petroleum Napelli antidotum. A. N. C. cent. 1. obf. 4. p. 28
Petrus in mari ambulans. Kornm. Mir. Viv. p. 274. feqq.
PE.
Pferdes Bift, Fliegens Stein, Fliegens Bifft, Cadmia foffilis. Alberti Iur.
Med. P. 1. 255. §. 14. & app. p. 168 PH.
Phantasia corrupta in incubo. Garm. L. 2. tit. 10. §. 149
corrupta in infania. Garm. L. 2. tit. 10. §. 148
Melancholica. Zac. Luf. M, P. H. L. 1. hift. 37. p. 74. Alberti Iur. Med.
P. 2. p. 214. 223
plantarum. Bor. c. 2. obf. 21. c. 3. obf. 71
Phantasia maternæ in fætum despoticum quasi imperium. A.N.C.Dec.
3. 20. 7. obf. 56

Phan-

Phantafiæ perturbatio in puerperis caufa Autochiriæ & infanticidii, Alberti lur. Med. P. 2. p. 574. 575 Phantasmata quid. Bor. c. 4. obf. 90 malifing provide as addapting nor Pharmaceutica arsa Medicina separata, Alberti Iur. Med. P. 2. p. 625 ars cur a Medicina seiuncta, & in quantum Medico adhuc licita, Alberti lur, Med. P. 2. p. 625. 626 Pharmaca an morborum materiam & humores concoquant, aut rectius natura eos dirigat Lang. L. I. Ep. 12. p. 55. vid. Medicamenta. Pharmacopæi infcitia æger moritur. Zac Luf. P. A. L. 3. obf. 140 veteres & hodierni. Alberti Iur. Med. P. 2. p. 625 a praxi Medica cur abstinere debeant, ibid. p. 627 Pharmacopole officium circa medicamenta. ibid. p. 581 Philones Medici quot. A. N. C. cent. 7. p. 203. feqq. app. Philonium perficum fomnum conciliat post longas vigilias. Zac. Luf. M. P. H. L. I. hift. 13. p. 246 Philosophos ex Ægypto veteres divina herbarum medicamenta magica & anili superstitione turpiter descedasse. Lang. L.I. Ep. 72. p. 434 Philtrum. Salmuth. c. 1. obf. 70. Bor. c. 1. obf. 65. Rod.a Caftro Polit. Med. L. 4. c. 2. Alberti Prax. Extempor. caf. 3 noxium. A.NC. cent. 1. p. 239 vocatur pulchritudo. Rejes. qu. 29. p. 359. 360 caufa delirii. A. N. C. cent. 1. obf. 116 caufa Maniæ. Bor. c. 1. obf. 65 Philtra a dæmone petita an amorem aut odium inducant. Rejes. qu. 29 amorem non conciliant. Rejes qu. 29. p. 355. 356 quædam antiquitus credita recenfentur. Rejes. qu.29. p. 351-356 cum vitæ difpendio oblata. ibid. p. 358.359 Philtrorum pernicialis vis mature devictaA. N. C. Dec. 3. ao. 2. obf. 91 Philtri exemplum rarum mirabile. Rejes. qu. 97. p. 1210 Phimofis & Paraphimofis. Alberti Iur. Med. P. 1. p. 37. S. 23. Hild. c. 5. obf. 57 Phlebotomie noxa. Bor.c.z.obf. 45.c. 3.obf. 11.c. 4.obf. 15.24. vid. Venæfectio Phlebotomia incuria mortem adfert. Zac. Luf. P. A. L.3. obf. 143 in acceffione facta lethalis. ibid. obf. 56 actualis in septuagenario lethalis. ibid. obf. 55 in fumma virium dejectione lethalis. Zac. Luf. P. A. L. 3. obf. 57 neglecta, Pleuritis maligna oritur. ibid. L. I. obf. 113 Phleboin arthritide. A. N. C. Dec. 3. ao, 7. obl. 8

the second s
Phlebotomia an & quando in cura exanthematum, quæ Arabes Vario-
las & morbillos indigitant, aut scabie, aut morbi Gallici puftulis,
bubonibus, aut Eryfipelate competat? Lang. Lib. 1. Ep. 16. p. 76
an & quando pharmacis purgatoriis sit præferenda? Lang. L. 1. Ep.17.
p. 81 variation and the set of th
in die purgationis proficua. Zac. Luf. P. A. L. 3. obf. 58
copiosa levat debilitatem. Zac. Luf. P.A.L. 3. obf. 4
copiosa febrem annosi senis curat. Zac. Lusit. P. A. ibid. obf. 5
facilitat partum septimestrem. Zac. Lus. P. A. L. 2. obs. 144
refuscitat gravidam angina laborantem. Zac. Lus. P. A. L. 2. obf. 145
Phlegmatici. Kornm. Mir. viv. p. 270
Phlegmatorrhagia. Salmuth. c. 1. obf. 37. A. N. C. cent. 1. obf. 156. Dec. 1. 20.
Philegmatorrhagia. Satmath. C. 1. ODI. 37.A. IV. C. Cent. 1. ODI. 190. Dec. 1. 20.
3. obf. 184. Bonet. Anat. Pract. 1. S. 17. obf. 10. p. 323. 324. Stahlii Pa-
tholog.
Phlegmone & ejus progenies. A. N. C. Dec. 3. ao. 9. obf. 50. Reffii Conf. 1
Phænix non ex fuis cineribus oritur. Frank. p. 230
Phosphorus. A. N. C. Dec. 1. 20. 8. obf. 19
ex urina. Garm. L. 2. tit. 9. §. 46. 47
liquidus. A. N. C. Dec. 1. ao. 8. obf. 20
Balduini. A.N.C.Dec. 1. ao. 8. obf. 19
Bononienfis. A. N. C. ibid.
Phrenitis & Phrenitici. Gabelch. cent. 3. cur. 93. Bor. c. 3. obf. 69. c. 4.
obf. 5.71.94
Phrenitis illefo cerebro. Rhod. c. 1. obt. 49
aur raro plewritis vero frequentius suppuretur? Res. qu. 80. p. 1662
vriliter in Lethargum mutata. Zac. Luf. P. A. L. I. Obl. 15
a vini potu. Rhod. c. 1. obf. 41
ab vtero. A. N. C. cent. 7. p. 23
evira Barth, A. H. V. 2. Obl. 95
av omiffa phlebotomia, icarificatione in iuperioribus administrata
aurata nempe in funcipite. Zac. Lul. P. A. L. I. Obl. 14.
Greget præftat confeitim languinem ex affecta parte detra-
here, etiamfi corpus univerfaliter evacuatum non fit. Zac. Luf. M.
D H I I hift IO. D. 21. D.
artificiofa evacuatione curata. Zac. Luf. P. A. L. I. obf. 13
cum frigido fudore curata Hild. c. 3. obf. 16
Phrenitis philonio curata, Zac. Luf. P. A. L. I. obf. 16
Phrenitis philomo curata, Zute Lig. X x 2 Phreni-

All and a second and
Phrenits per majorem oculi angulum, aures & nares foluta. Rhod. c. 1. obf. 42
Phrenitidem fine inflammatione effe, qui afferuerint. Rejes. qu. 80. p. 1062 n. 2
Phrenitidem raro suppurare. Rejes. l. c. suppuratam tamen vidit Saxo- nia in prognosi Practicorum cap. de Phrenit.
Phricodes febris. Rejes. qu. 68. p. 930
Phthiriafis. A. N.C. Dec. 3. 20.5. 6. obf. 173. Garm. Mir Mort.L.3. tit.I. §.110
palpebrarum remedium. Zac. Luf. P. A. L. 1. obl. 65
oleo olivarum curata. A. N. C. Dec. 3. ao. 9. obf. 18
cordis Plinii Valeriani. A. N. C. cent. 7. p. 233
Phylicin Hedicom Atraphic Conter 7. p. 233
Phthisin, Hecticam, Atrophiam similesque morbos veteres pro Tabe declararunt. Mercurial. L. 9. variar. c. 22
Phthifis miranda. Diemerbr. obf. 30. Gabelch. cent. 4. cur. 18. 19. M. Do-
nat. L. 3. C. 10
lethalis. Gabelch. cent. 3. cur. 90
num aliquando curabilis fit? Zac. Luf. M. P. H. L. 2. hift. 33. p. 239
cur difficulter curabilis. Barth. A. H. V. 3. p. 65
contagiofa. Salmuth. c. 3. obf. 64. A. N. C. Dec. 1. 20.10. obf. 44. cent.9.
p. 294. Rejes. qu. 80. p. 1065
contagiosa negatur ab Hier. Thriver. Comment. Sect. 5. Aph. 11
fine extenuatione corporis. Barth. c. 7. hift. 14
a corruptis pulmonibus, pure thoracem & abdomen implente. Pla- ter. obf. L. 3. p. 688.689
avulnerato pulmone, & portione illius corrupta per vulnus exeun-
te. ibid. p. 690
Phthifis cum Hydrope & Arthritide vaga. Hagendorn. cent. 1. hift. 87.
p. 126
Phthis fine fanguinis aut puris sputo. Rhod.c. 1. obs. 8
cum rejectione venæ ex pulmonibus, A. N. C. Dec. 1. ao, 2. obf. 91
puerorum. Bor. c. 2. obf. 59
a multis annis. Plater. obs. L. 3. p. 692
fuperficialis cum aliquo Electuario curata. A.N. C. Dec. 1. ao, 6.
obf. 95
ex intermissione Venzsectionis A.N.C. Dec. 2. ao. 2
incipiens ex intermissa venæ sectione. A. N.C. Dec.2.ao. 2. obf. 165
ex suppresso fluore albo. A. N.C. Dec. 1. 30. 6. obf. 103
ex frigido potu. A.N.C. Dec. 1. 20. 7. obi, 210
Phthifis

Phthis exvermibus. A. N.C. Dec. 3. ao. 9. obf. 141 ex ophthalmia. A. N. C. Dec. 2. ao. 7. obf. 65 curata. Barth. A. H. V. 3. p. 66. A. N. C. Dec. 2. ao. 4. obf. 17 apulmonum vulnere curata. A. N. C. Dec. 1. ao.8. obf. 61. Blegny Zod. gall. ao. 1679. Dec. obf. 2 ubi dimidia pulmonum pars confumta, curatur. Eraftus Difp. Paracelfic. P. 4. p. 210 ex Hæmoptyfi curata. A.N.C.Dec. 2, ao. 9. obf. 215 fetaceo curata. Hildan. cent. 3. obf. 38 a natura curata. A. N. C. Dec. 3. a. 5. 6. obf. 49 fucco plantaginis curata. A. N. C. cent. 7. p. 25 lacte muliebri curata. Zac. Luf. P. A. L. 1. obf. 129. Blegny Zod. gall. ao. 1681. Sept. obl. 3 ex lochiis imminutis. Cattier. obf. 11 ex male curata destillatione. Solen. Sect. 2. Conf. 28 Phthis miris flipata fymptomatibus. Hagendorn. cent. 1. hift. 84. p.122 faliyatoria. ibid. hift. 85. p. 123 Phthis panisulu cum oleo & faccharo rosaceo persanata. Zac. Lus. M. P. H. L. 2. hift. 32. p. 237 a vario Rhodo facchari ufu fanata. Zac. Luf. P. A. L. 1, obf. 130 ulcus mammarum adfert. A. N. C. cent. 1. p. 118 ex fluore albo fuppreffo. vid. Fluor albus. Phtihfeos fuípicio Gabelch. cent. 4. cur. 14. 67 Phthifeos metui confilium. Solen. Sect. 2. Conf. 26.28 Phthileos metus ob sputum fanguinis. Plater. L.3. p. 588 Phthisis Cichorii radicis usus proficuus. A. N. C. cent. 5. p. 338 motus noxius & peregrinatio funesta. A. N. C. cent. 1. p. 208. app. Phthisicus voraciflimus. Hagendorn cent. 1. hift. 86. p. 124 Phyficatus. Lent. latr. p. 314. feq. Phylicæ fubterraneæ dignitas, Becch. Ph. Subt. Intr. n. 8 Pica. Salmuth. c. 2. obf. 62. 63. c. 3. obf. 3. Tulp. L. 4. c. 24. A. N. C. Dec. 1. ao. 2. obl. 209 infrequens curatur. Zac. Iuf. P. A. L. 3. obf. 120. M. Donat. L. 4. C.I Pice mulieris admirande hiftoriæ & caute. Lang. L. 2. Ep. 12. p. 606 gravi da luftoria mira. Salmuth. c. 1. obl. 41. Alberti Iur. Med. F. 1. p. 87. §. 13. n. 2

Pice

Picæ gravidarum caufa funt animi paffiones. Rejes qu. 9. p. 624. 627 Pica virginum. Blegny Zod. gall. ao. 1679. Jun. obf. 12. Ber. c. 3. obf. 19. c. 4. obf. 2. A.N.C. Dec. 1. ao. 10. obf. 147 virilis. A. N. C. Dec. 1. ao. 2. obf. 216. it. cent, 1. p. 425. Alberti Iur. Med. P. I. p. 88. lit. c. puerorum. A. N. C. Dec. 1. ao. 6. obf. 139 和11:21 后(1) 10(1 3. B.H.20 infantis. A.N. C. Dec. 3. ao. 7. obl. 40 BOSTER AXS fœtui noxia. A. N. C. Dec. 3. ao. 5. 6. obf. 128 pilorum. A. N. C. cent. 9. p. 267 alabaftri. A. N. C. cent. 3. p. 126 avis menstruata. A. N. C. Dec. 2. ao. 4. Frank. Sat. Med. p. 91 in hepate bovino depicta. Barth. A. H. V. z. obf. 29 Pila plumbea deglutita aufert dolorem Iliacum. Zac. Luf. P. A. Lib. 2. obl.34 Pile marinæ. A. N. C. Dec. 2. 20. 1. obf. 14 Pilare mammarum malum. Garm. p. 44. §. 67 Pili funt vegetabile. Garm. p. 21. §. 32. 34.35. vid. Capillus. in refte fuspensoria. Blegny .Zod. gall. ao. 1682. Mart. obf. 18 in internis partibus inventi. Garm. p. 40. 9. 60 -64 in ventriculis brutorum. ibid. p. 45. §. 68 luxuriantes in genitalibus. Garm. p. 48. §. 73 albi in pene adolescentis, sterilitatis index. Bor. c. 1. obf. 11 virides, cærulei, rubri, purpurei &c. Garm. p. 50. 51 a vaporibus metallicis tinguntur. Garm. p. 60. §. 89 Pilorum rubor memorabilis. A.N.C. Dec. 2. ao. 6. obf. 10 color unde? Garm. p. 53. §. 79--85 color in hominibus post mortem mutatur. Garm. p. 83. §. 130 diversitas in capite & pube, A. N.C. Dec. 3. ao. 5. 6. obf. 87 Pilos an diversitas aquæ & potus mutet? Garm p. 58. §. 88 quæ remedia tingant? Garm. p. 60. §. 89. 90 denigrandi & regenerandi remedium. Zac, Luf. P. A. L. I. obf. I. M.P. H.L. I. qu. I. p. 3. a. dealbandi modus. ibid. Pilorum qualitas in pube an fignum virginitatis conftituat. Alberti Iur. Med. P. I. p. 65. §. 7 excretcentia in pube an amissie castitatis in maribus fignum sit. ibid. Pile. P. I. p. 69. 9. 11

Pilorum reftitutio. Frank. p. 508 omnium in quodam absentia. A. N. C. cent. 1. p. 431 defluvium totius corporis. A. N. C. cent. 3. p. 311 gallico defluvio præfidium. Zac. Luf. P. A. L. 2. obf. 129 mictus. vid. Mictus. Vrina. Pili non cum temperamentis conveniunt. Garm. p. 58. 5. 87 Pilus epotus. M. Donat. L. 2. C. 12 Pilofi & hirfuti homines. Plater. obf. L. 3. p. 553 Pilofus puer. Bor. c. I. obl. 58 Pilofus facculus in musculo bubulo. Barth. A. H. V. 2. obf. 45 Pilis refertus tefticulus ad magnitudinem ovi anferini in Hydropica repertus. Hild. c. r. obf. 48 Pilis referta mola monstrosa. Hild. c. 5. obf. 49 Pilula purgans per vesicam excreta, Barth. A. H. V. 2. obf. 125 Pilula Coccia, Catapotia, Glomeramina olim nominabantur. Zac. Luf. M. P. H. L. I. qu. I. p. 3 Pilulæ Stahlianæ ad Hæmorrhoides promovendas vtiles & fecuræ. Alberti Iur. Med. P. z. p. 405. Caf. 36. it. p. 413. 414. Caf. 36 Pilulæ Stahlianæ fpuriæ. Alberti Iur. Med. P. 2. p. 425. & 576 Pingue num fit cerebrum. Blegny. Zod. gall. ao. 1682. Apr. obl. 8 Pinguedo quid ? Blegny. Zod. gall. ao. 1682. Apr. obf. 6 per fecessium excreta. Hild. c. 4. obl. 47 nimia. Bor. c. 2. obf. 11. A. N. C. cent. 9. p. 292. Barth. cent 2. Ep. 82. cent. 3. Ep. 93 aliquando per vrinam & vomitum excreta fuit citra fanitatis damnum. A. N. C. Dec. 2. ao. 7. obl. 183 Pinguefactio boum per inflationem. A. N. C. cent. 3. p. 441 Piperis albi granis 4.5 6.7.8. fœmellæ mensium fluxum fibi retardant. A.N.C. Dec. 2. 20. 4. obf. 11 Piperis efus nimius vlcerofum faciei statum inducit. Zac. Luf. M. P. H. L. I. hift. 20. p. 33. b. Pifa in ventriculo puella germinata. A. N. C. Dec. 2. ao. 9. obf. 16 Pifa in ulcere. Bor. c. 2. obf. 86 Pifcis menstruatus, Frank. p. 91. vid. Menfes. Pifcis auditus. A. N. C. Dec. 1, ao. 4. obf. 145 Tobiæ. Bor.C. 3. obf. 91 in ranam transmutatio. A. N. C. cent.3. p. 386 Pifcis

Pifcis Remora Blegny. Zod. gall. ao. 1682. Mart. obf. 15 in digito genitus. Bor. c. 1. obf. 28

vomitu rejectus. Bor. c. 1. obf. 9 Pifciculus vivus cum vrina excretus A. N.C. Dec. 2. ao. 5. obf. 56 Pifces cur frigidi appellentur. Zuc. Lof. M. P. H. L. 1. hift. 28. p. 55. a. Pifces faxatiles. Lang. L. 1. Ep. 40. p. 319

Pisum auri intrusum feliciter eductum. vid. Auris.

Pituita utrum fit humor frigidus, humidus, albus craffus, vi jecoris genitus majori ex parte. Bravo. P. 1. Difp. 5. Sect. 2. Refol. 3. p. 165 Pituita vitrea num in corpore gigni poffit? Zac. Luf. M. P. H. L. 2. hift.

94.P.355

352

Pituitofus homo quotidie bilem vomens. Zac. Luf. ibid. hift. 70. p. 309 Pituita utrum fit humor utilis alendo. Bravo S. 3. Difp. 6. Sect. 1. refol.2. p. 630

Pityocampæ, picearum eruca. Lang. L. 1. Ep. 81. p. 482

Pix arthriticis falutaris. Barth. c. 6. h. 99

Plage Epilepfiæ caufa. Alberti Iur. Med. app. p. 166

Plage vehementes caufæ alterationis mentis. ibid. P. 2. p. 395

Plage quando fiunt lethales. Alberti Iur. Med. P. I. p. 305. S. 32. fegq.

Plagæ quas periculofas confequentias efficiant in corpore. ibid. P. 2. p.390

Plagæ quædam externo corpori illatæ abfolute lethales. ibid, app. p. 161. caf. 26

Plagarum lethalitatis indicia. ibid.P. 1. p. 308. S. 36. feqq.

Plagarum lethalitas dubia. ibid. P. 2. p. 385. caf. 33

Plagium ab obstetrice an committi possit cum abortu. Alberti Iur. Med. P. 1. p. 134. §. 11

Placenta uterina. vid. Secundine.

Planchette oder Blanctscheid taxatur. Frank .. p. 214. feq. Alberti Iur. Med. P. 2. p. 616

caufa abortus & monftrorum. Frank. p.216-219. Alberti Iur. Med.P. I. p. 129. §. 7

(ferrea) ad Phthifin difponit. Alberti Iur. Med. P. 1. p. 130. d. Planetæ omnes uno tempore confpicui. A. N. C. Dec. 1. ao. 3. obf.87 Planetarum plures, quam feptem effe. Smet. Mifc. L. 4. Ep. 5 Planta famem & fitim fedans. Blegny Zod. gall. ao. 1681. Iul. obf. 2 Planta fenfitiva. Bor. c, 1. obf. 100

Planta-

,
Plantarum anima, natales, nutrimentum, progressius. Blegny Zod. gall.
ao. 1082. Mai.
generationis æqualitas admiranda & hominum. Becch. Ph. L.I.S. 4.
c. 5. p. 227. n. 7. 8.9
phantalmata. Bor. c. 2. obf. 21. c. 3. obf. 71
character internus. A.N.C. cent. 9. p. 259
fignatura. Crollius, Porta, Rofenkreuzer, Francus, Nonnius. Zimara,
Columna.
Planta noctu odoratæ. Barth. A. H. V. 2. obf. 26
venenatæ ante lapfum num exfliterint? A. N. C. cent. 7. p. 211, 200
pedis dolor cauterio curatus. vid. Pedis. Zac. Luf. P. A. L. 2. obf. 189.
Hildan. c. 3. obl. 98
Plantarum Salia. Hift. Acad. Reg. Scient. ao. 1699. p. 86. 128
Plantaginis fucco Phthifis curatur. A. N. C. cent. 7. p. 25
Plethora an abortum promovere poffit. Alberti Iur. Med. P. 2. p. 510
Plethora conceptionem an promoveat, autimpediat, ibid. P. 2. D. 564
leuritidis historia. Hachft. Dec. 7. c. 4. p. 96. fegg. Gabelchov. cent. 2.
cur. 14. 93. 98. & 99. it. cent. 3. cur. 7. 49
Pleuritis ex ulcere empirice tractato. Hild. c. 3. obf. 39
Pleuritis ex rifu provocata. Barth. A. H. V. 2. obf. 96
ex repentina mensium suppressione & refrigeratione. Tim. a Gulden-
klee L. 2. Caf. 7
exlochiis suppressis.ibid. L. 4. Caf. 35
recidiva. Gabelch. cent. 1. cur. 11. Etimull. in Praxi.
periodica. A. N.C. Dec. 1. a0. 2. obf. 203
annua. Zac. Luf.P.A. L. 3. obf. 116
duplicata. Hildan. cent. 4. obf. 25. Zac. Luf. P. A.L. obf. 117
cum Angina lethalis. Plater. L. 2. p 391
vera in dorfo. Rhod. c. 2. obf. 10
fpuria. Gabelch. cent. I. cur. I
fuppurata. Tulp. L. 2. c. 4
fuppurata lactis potu curatur. Zac. Luf. P. A.L. 1. obf. 119
contagiosa. Rejes qu. 80. p. 1065. Valleriola L. 6. obs. 2. Feliciantis. Betera.
maligna cum magna imbecillitate virium. Gabelch. cent.3.cur. 51.cent. 4. cur. 68. 69
maligna hirudinibus curata. Zac. Luf. P. A. L. I. obf. 113
Yv Plen-

350 PL.
Plice polonice caufa demonibus adscribitur. Garm. p. 121, 122
Plica absciffæ damnum. A. N. C. cent. I. p. 102
absciffa Maniam adfert. A. N. C. cent. 1. p. 102
Judæorum. A. N. C. Dec. 3, ao. 7. obf. 36
pudendorum muliebrium. A. N. C. Dec. 1. 20. 3. obf. 220
Plinius vaporibus Vesuvii suffocatus. Kornm. M. M. P. G. c. 27
Plinii laus. Rejes qu. 100. p. 1236. n. 2. p. 1238. 1239. n. 8
vindiciæ.ibid. p. 1237. n. 2. 3
Ploratus fanguinis. Hachft. Dec. 1. Cal. 7. vid. Lacrymait. Sanguis.
foetus in utero. A.N.C.cent. 1. p. 121
primus nascentium. Kornm. Mir. viv. p. 6
de Plumbo. Reinzer. Meteorol. diff. 12. qu. 12. p. 291
Plumbum ustum pondere augescit. Mercurial. Ep. Med. 80. 90. col.135.
ad Laur. Scholzium. Th. Mauffet. ad eundem Ep. 280. col. 533.Bor.
cent. 4. obf. 97. Garm. L. 2. tit. 3. §. 65. Kirch. M. S. L. 10.S. 4. C.9
& ferrum cur tam diu fine noxa in corpore gestentur? Rejes qu.92.
p. 1180
fcrophulas, ganglium, tumores duros diffipare dicitur. Zac. Luf. M: P. H. L. 1. hift. 7. p. 13. b
Plumbi fympathia cum homine. Bor. c. 2. obf. 9
vapor noxius. A. N. C. Dec. 1. 20. 3. obf. 131
Pluvia. Rohault. Tr. phyf. P. 3. C. 13. Reinzer. Meteorol. diff. 6. qu. 2.
p. 133
Pluvia lapidum. Barth. c. 2. h. 49. A. N. C. cent. 5. p. 159
ranarum an detur? A. N. C. cent. 3. p. 387
bufonum. A. N. C. cent. 3. p. 393
fanguinea. Garm. L. 2. tit. 6. §. 29. A. N. C. cent. 5. p. 197. 281
cruenta fallo credita. A. N. C. Dec. 3. ao. 9. obf. 110
fulphurea. A. N. C. Dec. 2. ao. 7. obf. 194. cent. 3. p. 183
cinerum. Act. Angl. Oldenburg. ao. 1666. menf. Iun. n. 6. p. 311
Series and believe the series of and the PO. XS Intra Constant and the Con
Poculorum falubrior materia. Lang. L. I. Ep. 29. p. 131
Podagra, mutata fede, communiter lethalis. Hagendorn. cent. 3. hift. 27.
p. 315
Podagra per calceos communicata. Alberti Iur. Med. P. 2. p. 176
Podagra non podagra. A. N. C. ceut. 7. p. 261
mira. M. Donat. L. I. c. 8
Poda-

337
Podagricus fudor lixiviofus Barth. A. H. V. 4. obf. 59
Podagricus dolor. Blegny. Lod. gall, ao. 1679. Jun. obf. 11. Solenand Sect.
5. Coni. I
Podagra indolens. A. N. C. Dec. 3. ao. 7. obf. 215
Podagræindoles & probata auxilia. Rejes on, 88, p. ust n. 12
clegans descriptio. Rejes qu. 88. p. 1146, 1151, n. 12
encomia. Cardanus. Birkheimerus.
caufa materialis corrofiva. A. N.C. Dec. 3. ao. 5. 6, obf. 50
caula dilponens vinum. Rej. qu. 88. p. 1150
cura ab agyrta per incisionem venarum exiliorum in artubus patra-
ta. Barth, A. H. V. 5. obl. 80
cura cum rad. Sigilli Mariz. Bor. c. 2. obf. 10
cura cum demersione pedum in vindemiam calidam. Bor. c. 2.
OD1.42
balneum ex arena utilifimum. Zac. Lus. P. A. L. 2. obs. 182
folatium pediluvium. A. N. C. cent. 5. p. 221
ira utilis. Barth. c. 6. h. 28
cura per iram. Hild. cent. 1. obf. 79
recurrentis pathemata. A. N. C. Dec. 3. ao. 5. 6. obf. 26
cura per abstinentiam a potu. Bor. c. 4. obf. 11
in Podagra ex usu repellentium hemiplexia. Hagendorn. cent. 1. hift. 28.
p. 50 Pudagua exmensione functione A Paul Val - Dec + p 67
Podagra ex mensium suppressione. A. Berol. Vol. 5. Dec. 2. p. 67 Podagra per temperantiam curata. Rejes qu. 88. p. 1148. 1149. n. 9. 10
diuturna. Plater.obf. L. 2. p. 472. 474
repetitis evacuationibus & attenuante siti persanata. Zac. Luf. M. P
H. L. 3. hift. 47. p. 592
hæreditaria. Plater. obf. L. 2. p. 473
præservata per scarificationem selectam. Salmuth. c. 3. obs, 46
an curetur per mutationem lautæ diætæ in viliorem. Rejes qu. 88. p.
1146. fegg.
cur divitum palatia occupet, fabula jucunda explicatur? Rejes qu.88.
p. 1146. 1147. n. 68. p. 1151. n. 12. Mich. Meyerus civit. corp. hum.
с. 3. & н
eft ultrix vitiorum ante actorum. Rejes qu. 88. p. 1148. n. 9
capitis. A. N. C. Dec. 3. ao. 5. 6. obf. 155. ao. 7. obf. 214
Yv 2 Poda-

Y y 3

Poda-

Podagra adinteriora recurrens. A. N. C.Dec. 2, ao, 6. obf. 42 curata. A.N. C. Dec. 3. ao. 9. obl. 25 præter spem curatur. Zac. Lus. P. A. L. 2. obs. 181 biliofa lactis equini potu præservatur. Zac. Lus. P. A. Lib. z. obl. 184 lacte curata. A.N. C. Dec. 1. ao. 6. obf. 58. vid. Arthritis. per torturam curata. Alberti Iurispr. Med. P. 1. p. 239 post vehementes calculi dolores cedens. ibid. P. 2. p. 532 Podagra translata Apoplexia caufa. A. Berol. Dec. 2. Vol. 1. p. 31 Podagra cum nephritico dolore. Plater. obf. L. 2. p. 475 Podagra repellentibus temere curatur. Lent. Mifc. Med. p. 310 lethalis ex ignorantia Medici. Zac. Luf. P. A. Lib. 3. obf. 146 contagiofa. A. N. C. cent. 1. p. 192. app. Dec. 1. ao. 10. obf, 44. ao.6. obl. 143 in Melancholia. Plater. obf. L. 2. p. 474 in puella octenni. Salmuth. c.3. obf. 53 in muliere, it. in fene. Plater. L. 2. p. 474. 475 Podagrici tophi grandinum receptacula. Zac. Luf. P. A. L.2, obf. 185 pedes calculofi. A. N. C. Dec. 1. ao. 2. obf. 64. Plater. L. 2. p. 476 calcis obfervationes. A. N. C. Dec. 1. ao. 2. p. 395. app. Podagricorum membra exefa. Plater. obf. L. 2. p. 476 Podagrica ciconia. Barth. A. H. V. 4. obf. 51 Antipodagricum decoctum. A. N. C. cent. 1. p. 253 Podex imperforatus cum præputio occluso in infante, Plater. obf. L.3 P. 504 Podicis defectus in infante. ibid. p. 565. vid. Anus. Podex ichorem aquofum fundens post luem veneream. ibid. p. 687 Podicis dolor fummus ob Hæmorrhoidalium venarnm internarum exulcerationem. Plater. obl. L. 2. p. 454 ardor ex contactu renum adurentium. ibid. p. 455 læfio ex talpa cafu in anum irrepente. ibid. p. 456 Podicis defectus in viro. Barth. cent.1. hift. 95. Frankenau. p. 118. 119. vid. Auas. prurigo. vid Prurigo. & oris confenfus. Barth. c. 5. h. 81 Panam fociam culpa Medici imperiti habet. Alberti Iurispr. Med. P. 1 c. I. S. L. a. b. Pan

Pana fustigationis & relegationis Medicus imperitus puniendus est. ib.
§. 14. a. Pæonia. Lang. L. 1. Ep. 74. p. 447
Designation and the property of the property o
Pæoniæ radicis excellentiam qui descripserint? Zac. Lus. M. P. H. L. I. hift. 22. p. 38. a.
radicem Mercurialis non laudat, ibid.
Polenta, Lang. L. 1. Ep. 57. p. 303
Pollex pedis dexter gangrænofus feliciter feparatus in viro feptuagena- rio. A. N. C. Dec. 3. ao. 9. obf. 255
Pollicis duplicis in manu curatio. A. N. C. cent. 2. p. 77
Pollicis dolor Narcoticorum ufu mitefcit. Zac. Luf. P. A. L. 2. obf. 183
Pollutio nocturna morbillos confeguens. A. N. C. Dec. 1. ao. 10. obf. 15
Pollutio voluntaria est peccatum mortale. Zach. Qu. Med. leg. L. 6, tit.I.
qu. 5. n. 13
Pollutio causa fanitatis an procurari possit. Zach. ibid. n. 12
de Pollutione nacturna. Alberti Prax. Extemp. caf. 28
Polypus cordis in arterias pulmonicas illapíus. Th. Willis tract. de affe- ctibus Hyftericis Hypochondriacis.
Polypus cordis. Blegny Zod. gall. ao. 1680. Menf. Jun. obf. 16, Bar-
tholinus Hiftor. Anat. cent. 3. hift. 11. A. N. C. Dec. 2. 30. 10. D. 336.
& 20. 5. p. 26. Tulp. obf. Med. L. 1. cap. 3. Peierus Exercit. Med. 23.
Albini, Camerarii & Slevogtii disputationes de polypo cordis.
Bonetus sepulchret. Anat. Lib. 2, Sect. 1. obf. 92. p. 527. 543. 557.
& 563
Polypus sponte emunctus. Barth. c. 6. h. 30
Nicotianæ fumo curatus. A. N. C. Dec. 3. ao. 7. obf. 131
ex casu supra nasum. Plat. obs. L. 3. p. 624
narium. Tulp. L. 1. c. 26. Plater. obf. L. 3. p. 623
narium serosus in virgine phlegmatica, fonticulo brachii curatus. A.
N.C. Dec 1. ao. 10. obf. 26
narium cum massiula ex Mercurio sublimato, vir. ær. & fermento
curatus. A. N. C. Dec. 1. ao. 8. obf. 91
Polypus narium. vid. Glandorp. tract. de Polypis. Barth. cent. 6. hift. 30.
Job.a Meckern obf. Med. chirurg. obf. 6. p. 75. feqq. Purmann. cu-
riof. P. 1. c. 8. p. 59. Schenk. Lib. 1. obf. de naribus obf. 7. p. 182, Act.
Haffn, Med. & Philof, 1671. & 72. obf. 6
Po-

Polypus auris. A. N. C. cent. 5. p. 221 cordis. Barth. c. 3 obf. 17. A. H. V. 4. obf. 17. Tulp. L. I. c. 27. A. N. C. cent. 1, obf. 167. p. 347. Dec. 1. 20. 1. obf. 31. cent. 9. p. 18. cent. 3. p. 269.325. vid. difp. Alberti. cordis portentofus. A. N. C. Dec. 3. ao. 2. obl. 18 Polypi cordis tres in una foemina. Lent. latr. p. 22 cordis frequentes. A. N. C. Dec. 3 ao. 9. obf. 161 natura. Blegny Zod. gall. ao. 1680. Sept. obf. 6 in proceffu falciformi. BlegnyZod. gall. ao. 1680. Iun. obf. 2 bronchiorum & tracheæ. Barth. A. H. V. s. obf. 30 in arteriis pulmonum. Zac. Luf. M. P. H. L. 2. hift. 12. p. 187 per omnes venas & arterias in cane. Barth. A. H. V. s. obf. 29 in vena cava. Blegny. Zod. gall. ao. 1680. Jun. obf. 16 Polytoca famina 5 fortuum. A. N. C. Dec. 3. ao, 2. obf. 175. vid. Partur numerolus. Polter= Beifter an compellandi. Gerbers unert. Sunden Part. 2. Fortfe Bung C. 22 Pomum & pyrum in pomo & pyro. Frank. p. 78-80 Pemorum Porsdorffianorum fuccus vtilis ad curam Ilei. A. N. C. Dec. 1. ao. 6. obl. 114 Pomorum feminum per tumorem ulcerofum exitus. Plater. obf. L. 3. p. 843 Pontifices debent effe viri integri. Simon. Imp. Conj. c. I. th. 3. n. 3 Porcinum ftercus. vid. Stercus. Perofitatem corporum demonstravit Francisc. de Lanis Tom. 2. Magist. nat. & art. L. I. C. I Porrigo anguium decocto curata. Zac. Luf. P. A. L. I. obf. 2 importuna, balneo ex urina curatur. ibid. obf. 3 universalis ex defectu velicæ urinariæ. A. N. C. cent. 1. p. 155 Potator mirus & infignis. Barth. c. 1. h. 39 Potatores infignes fibimet ipfi Medici. A. N. C. cent. 7. p. 202 Potentia coëundi nondum pubertatem conftituit. Alberti Iur. Med. P. I. C. z. S. 4. f. vid. & Pubertas. fenum. vid. Senes. Potentia & impotentia generandi. Alberti Iurispr. Med. P. 1. p. 21 Potentie & impotentia inspectio. ibid, P. 1. p. 372. §. s

Potio-

Potiones vulnerariæ num víum habeant. Blegny Zod. gall. ao. 1680. Maj. obf. 1
Potus nimis parcus autochiriæ medicæ species. Alberti Iur. Med. P. 1. p
308. §.9
Potus abstinentia. Rejes. qu. 58. p. 723. 728. vid. Abstinentia.
nimium parcus hepati nocivus. A. N.C. Dec. 2. ao. 2. obf. 191
nimius caufa diarrhϾ & mortis. Zac. Luf. P. A. L. 3. obf. 1
hirudinis. M. Donat. L. z. c. 12
nocturninoxa. Barth. A. H. V. 2. obf. 105
aërei, lufftig. Becch. Ph. S. L. I. Sect. S. C. 2. n. 27
refrigerans vtilis Lineæ incolis. Blegny. Zod. gall, ao. 1682. Apt.
OOL, 2
frigidus. Lang. L. 1, Ep. 31. p. 141
frigidi noxa. A. N. C. Dec. 2. 20. 9. obf .39
frigidi noxa in puerpera. A. N. C. Dec. 2. ao. 9. obf. 200
frigidus mortem adfert. Zac. Luf. P. A. L. 3. obf. 104. A. N. C. Dec. 3.
ao. 7. obl. 73
frigidus causa Phthiseos. A. N. C. Dec. 1. ao. 7. obf. 210
& cibi per complures dies, annos, abstinentia, sine vitæ detrimento.
Smet. Mifc. L. 10. p. 554
Potus aque frigide in febribus noxius. Hagendorn. cent. 2. hift, 52
p. 226 Patrice agure frigide mortem californie ANC Decension 16
Potus aquæ frigidæ mortem caufatur. A. N. C. Dec. 3. ao. 1. obf. 98 aquæ frigidæ ftatim febricitantem jugulat. Hild. cent. 3. obf. 48
aquæ frigidæ cerepro post corporis exercitium varia fymptomata in-
ducit. Gabelch. cent. 4. cur. 26. vid. Aqua.
Potus frigidus tepido afluetum interimit. Galen. L. 1. de Alim. facult. &
L. I. de conject. Sim. Majolus in canic. dieb. Tom. I. colloqu. de
Montibus. A. Angl. Oldenb. Hildanus cent. 3. obf. 84. A.N. C. Dec.
3. ao. 7. obf. 73
Potus in ardentibus non denegandus. Hagendorn. cent. 2. hift. 49. p. 222
AUELIO BRACE OLIMANAA DE SOUTE LK. USOBERA CARACTERIA DUI AUELA AUEL
Præcipitantia non habent vim purgantem. Becch. Ph. S. L. I. S. S. C. 2. n.
1. (92. p. 345
Præcipitantia Medico fugienda eft. Alberti Iur. Med. P. I. p. 17. §. 22
Pracordiorum dolor. Gabelch. cent. 2. cur. 91, & cent. 3. cur, 14
ZZ Precor-
Priefa-

Præcordiorum & capitis dolor ex multis obstructionibus internis. Gabelch. cent. 3. cur. 65 & capitis dolor ex occurfu duorum funerum, & exinde orto terrore. Gabelch. cent. 5. cur. 66 Prædictio ex barba. A. N. C. Dec. 3. ao. 5. 6. obl. 280, vid. Berba. in Prægnante diarrhæa innoxia. Hagendorn. cent. 3. hift. 97. p. 276 Prægnans Citrium pomum. A. N. C. cent. 7. p. 90. app. apud Prægnantes quasdam fingularia. Hagendorn. cent. 2. hift. 91. p. 269 Præmatura prudentia non eft durabilis. Rejes. qu. 78. p. 1047. n. 10. p. 1048.1049 probatur exemplis. p. 1049. 1050. n. 16 Premature mortis fignum eft fenilis juventus. ibid. Præputium & podex in infante modo nato occlufa. Plater. obf. L. 3. p. 564 Præputii reftitutio inter Judæos ufualis. Frank. Sat. p. 509 Præputii fignificatio & derivatio. ibid. Praputii cancer a concubitu. Rhod. c. 3. obf. 39 Præputium an in cafu impotentiæ virilis fignum præbeat. Alberti Iur. Med P. 1. p. 38. 0. 24 Praputii cum glande cohærentia. Hild. c. 3. obf. 54 monftrofi absciffio. Hild. cent. 4. obf. 81 Prafagiens indicium non naturale. A. N. C. cent. I. p. 129 Prafagiens campana. Kornm. M. Mort. P. 4. C. 154 Præsagium Medici inscii semper errat. Zac. Lus. P. A. L. 3. obs. 152 an fir peccatum. Barth. Sibylla fpeculo pereginarum Quaftion.p.314. legg. Frank. p. 179 de morte ex olfactu. Hagendorn. cent. I. hift. 67. p. 101 Prasagium ex secundinis de numero liberorum. Hagendorn. cent.3. hift. 15. p. 300 Præsagium ægrotorum de futuris. Frank. p. 174-181 ægrotorum de suamorte. Rejes. qu. 110. p. 1254. n. 22 proxime morientium, & nonnullos alios ad vallem Iofaphat citantium. Frank. p. 172. 173 mortis ex odore terræ putridæ ex patientibus. A. N. C. Dec. 1, ao. 1. obl. 146 mortis ex fomnio vel in fomno. A.N.C. Dec.3. 20.1. obf.24. Frankenau. p. 175 Prafa-

	and the second se
Præfagium mortis abubone. Kornm. M. Mort. P. 4. c.	The fielder in the
mortis per pifcem. Kornm. Mir. mort. P. 4. c. 165	.ppst.4.sa
morborum a pavone. Kornm. Mir. mort. P. 4. c. 152	Production and print
Præsagia mortis varia. Kornm. Mir.mort. P. 4. c. 165-173	Probatic virgiti
Præsagium tempestatum in animalibus. Frank. p. 169	stads.
ex canum latratu. Kornm. Mir. mort. P. 4. c. 156	Proceedings coup
facrum & profanum. Frank. p. 168. 169	Frackerning use
dæmoniacum. Frank. p. 169.170	Trackentine 10011
Prefagiorum. caufæ Frank. p. 177-181	ait. Controller
Prefervatio ab Epilepfia. Gabelch. cent. 4. cur. 60	non opping
a paralyfi. Gabelch. cent. 3. cur. 74	S aluquistary
a phthifi. ibid.cent. 4. cur. 15	A R Juso
a tabe infantium nuper in lucem natorum. ibid. cur. 1	Q. mpinfina ;
a pleuritide. ibid. cur 78	zilisson may
a morbo Hungarico. Gabelch. cent. 5. cur. 27	Prof. anterin
claudorum, quartanariorum, stolidorum a morbis	quomodo fiar?
Rejes. 011 78. D. 1048. fegg.	al Brank Strand d. E. T.
Prandium an cœna frugalius sit, & quando expediat. L.	ang. L. I. Ep. se.
D. 284	a works references a r
Praxis Medica an competat facerdotibus. Alberti Iur. I	Med. P. I. D. 218.
S.6 70 .8.20 . And . and . The or borrow you and	on north Parts
Praxis medica cum paucis remediis felicior & fecurior.i	bid. P. 2. p. 622
Praxeos aulicæjudicium. Becch. Ph. S: L. I. S. 6. c. 8. p. 97	gall giard at
Precibus ad Deum fusis Leo IV. Pontifex alium interfe	cit, qui civita-
tem pestilentiali halitu infecit. Cantarenus Lib. An	itiq. Rom.
Priapifmus ab Extracto Panchymagogo Crollii. A. N. C	Dec. 3. 20. 1.
obf. 146 . dub bols and hand any and of gen	ment . Hild
V. Sne & frigidis curatur. Zac. Luf. M.P. H. L. 3. h. 22,	p. 526
Prinnimo præsidium. Zac. Lus. P. A. L. 2. obs. 114	BON RIPLICAT
Primogenitura & affimilatio parentum. Alberti Iur. Med.I	.I. C. 8. D. 169-
175	This on our time
primum movens &c. vid. Spiritus & Sanguis it. Cor.	1.3.27.0.
Principia metallorum. Becch. Ph. Subt. L. I. S. 3. C. 2. p. 121	Protestiumo
fimplicia quoad materiam & formam. Becch. Ph. S. L. I.	S. 3. C. I. D. 112.
III4	1. T. Dolla
Deincipium generans in femine deficiens. Alberti Iur. Med	.P. 2. p. 24
	do r Chinadd Cours
Privilegia Medicorum. Rejes. qu. 4. p. 78 81	

PR.

Privilegia Doctoralia quousque se extendant. Alberti Iur. Med. p. 623. 624. seqq.
Probatio vel purgatio per aquam frigidam. Kornm. Mir. viv.p. 263
Probatio virginitatis apud Hebræos. Kornm. Mir. viv. p. 267. vid. Virgi-
nitas. 101 a sale distriction of marchismes and and
Proceritas corporis. Plater. obf. L. 3. p. 546. 547
Procidentia uteri, instante partu. Hagendorn. cent. 3. hift. 3. p. 284
Procidentia intestinorum ex diarrhœa. Salmuth. c. 1. obf. 30.
ani. Gabelch. cent. 1. cur. 71
ani quomodo reducenda. vid. Anus.
ventriculi. Blegny. Zod. gall. ao. 1679. Febr. obf. 2
oculi. A. N. C. cent. 1. p. 425
vnguitum mirum. Zac. Luf.P. A.L.3. obf. 102
vteri totalis. A. N. C. cent. 1. p. 421. vid. Uterus.
Procidentiæ vteri caufa fingularis. A. N. C. cent. 3. p. 261
Prodigium, & dæmonum in morbis præftigia. Lang. L. I. Ep. 38. p. 185
Profluvii fanguinis ex quacunque parte remedium rarum. Zac. Luf.P.A.
L. L. obf. 128
Prognofis diei & horz mortis. Barth. A. H. V. 3. p. 70. vid. Prafagium.
Prognostica. Bor. c. 1. obf. 59. c. 4. obf. 80. vid. Prefagium.
Prognosticon de hyeme ex fterno anferino. Barth. c. 5. h. 67
Medici femper fallax. Zac. Luf. P. A. L. 3. obf. 152
lethale. Barth. c. 4 hift. 31
convultionis periodica. Tulp. L. I. C. 15
morbi ex fomno. Barth. A. H. V.S. obf. 46. vid. Præfagium.
Prognostic æ artis difficultatem exposuit Casp. Chiredra deHeredia in Tri-
bun. med mag. & polit, vid. Bohn. off. Med. dupl. P. 1. c. 8. p. 171.
vid. Semiotica.
Prolifera Vegetabilia. A. N. C. cent, 7. p. 83. app.
Promissa infignia Chymiftæ. Blegny. Zod. gall. ao. 1682. Apr. obf. 4
Promotio multum fuffulcit auctoritatem Medici. Alberti Iurpr. Med. P.
1. §. 27. b.
Propagatio morum patris fit in filios Rejes. qu. 54. p. 675. 676
Prudentia Medici in quo confistat, & qui de ea scripferint. Alberti Iur.
Med. P. I. c. I. §. 22. p. 17
Prudentiæ medicæ refiftit loquacitas & avaritia. ibid. §. 24. a.
de PruinaReinzer. Meteorol. duff. 7.qu. 8. p. 351
Pruna
1-YEAR

PR. PS. PT. PV.

Pruna laxativa commendantur. Thonerus obf. Med. L. 3. p. 163
Prunelle vires. Bor. c. 1. obf. 22
Prurigo in ima juxa podicem fede. Plater. obf. L. 2. p. for
Pruritus fcorbuticus. A. N. C. cent. 1. p. 144
dorfiineffabilis. A.N.C. Dec. 2. ao. 1. obf. 68
corporis periodicus. A. N. C. Dec. 3. ao. 1. obf. 21
manuum inlignis. A. N. C. cent. o. p. 452
moleftifimus cum variis puftulis. Gabelch, cent.1. cur. 94. Hagendorn,
cent.3. hift. 99. p. 414
uteri curatus. Zac. Luf. P. A. L. 2. obf. 92
Prytaneum Athenienfium judicium. Kornm. Mir. mort. P. 9. c. 32
22. 2. 9. C. 32 Sector State S
Pseudo-Hydrops uteri in gravida Scarificatione curatur. Zac. Luf. P. A.
L. 2. obf. 89
Pfora perverfa, Elephantiafis. Plater. obf. L.3.p. 670. vid. Lepra. Scabies.
Elephantiasis.
PT.
Pterygium. Lang. L. 2. Ep. 42. p. 752
Ptifana. Lang. L. 1. Ep. 57. p. 303
Proliference foontaneus & diuturnucinnovius I ent Lett n and 11 0 4
Pryalismus fpontaneus & diuturnus innoxius. Lent. Jatr. p. 328. vid. Sali-
fere lethalis a cingulo Mercuriali. A. N.C. Dec. 2. ao. 6. obf, 107
Epilepfiæ cura. A. N. C. cent. 1. p. 272
fluoris albi cura. ibid. Dec. 3. 20. 10. obf. 140
Duali Gue Colute febrie maliena a Marcurio intempofina office
Ptyalifmo foluta febris maligna, a Mercurio intempestive assume post biennium exorta. A. N. C. Dec. 3. ao. 9. obs. 91
Durlianden intercentum revocare Bleam Zod call as 160
Pryalismum interceptum revocare. Blegny. Zod. gall. ao. 1680. Mart.
obl.7
PV. Pubertatem ufusrationis & potentia non conftituit. vid. Potentia & Ju-
Pubertatem unustationis & potentia non continuut. via. Potentia & Ju-
alcium. 100 1.00 1.00
dicium. Pubertas in pueris. vid. Puer.
Pubertas in puellis. vid. Puella. Pubertatis & Impubertatis ætatem in foro Medico diferimen intercedit.
Pubertatis & Impubertatis ætatem in forowiedico diferimen intercedit,
Alberti Iur. Med. P. 1. c. 1. 9. 2. a. p. 21. vid. Impubertas.
Pubertatis tempus differri videtur. Alberti Iur. Med. P. I. C. 2. S. 6. c.
Pubescentia maturior temperamento calido adscribitur, ibid. §. 6. d.
.boM. zuliere Wh. in nom auson m Zz 3 Pubefcen.
Pit pursuit

Pubefcentiæ citioris in fæminis differentiæ & caulæ variæ. ibid. §.6
 Pubertas fecundum jus civile ex annis, fecundum jus Canon. ex capacitate generandi derivatur. ibid. §. 7. a. b. p. 7

Pubertatis Etymologia & figna ambigua. ibid. c. d. e. Pubertatis genuini characteres funt mutatio foni, fimulus ad. Veneren

&c. Alberti Iur. Med. P. 1. c. 2. §. 7. p. 24 Pubertatis fæmininæ figna. ibid. §. 10. 11 Pubis offis disjunctio fub partu. Hild. c. 6. obf. 36 Pudendum corrofum nun lethale. Zac. Luf. P.A. L. 2, obf. 112 laxum roborare. ibid. obf. 124

laxum roborare. ibid. obf. 124 Pudendorum dolor & tumor. Gabelch. cent. 2. cur. 63

dolor & ardor circa os facrum inftantibus menfibus Gabelch. cent. 2 cur. 65

hydrops in gravidis. A. N. C. Dec. 1. ao. 3. obf. 256

Pudendum taurinum in Colico dolore mirabile. Zac. Luf. P. A. L.2 obf. 26

Pudor ægris noxius. A. N. C. Dec. 3. ao. 10. obf. 3

intempeftivus noxius. ibid. ao. 9. obf. 4. Alberti Diff. de confessione ægri. &c.

ex Pudore obinutescentia periodica. Hagendorn. cent. 1. hift. 43 Puella Ecstatica. A. N. C. Dec. 2. ao.1. obf 76

recens nata paffione Iliaca laborans. A.NC. Dec. 3. ao. 2. obf. 183 fine ano. A. N. C. Dec. 2. ao. 3. obf. 112

barbata in virum verfa. Zac. Luf. P. A. L. 3. obf. 95.96 idia zirouft

naturaliter ad generandum inhabilis. Simon. Imp. conj. c. 9. th. 5. n. 2 Puellæ concipientes & parientes. Alberti Iur. Med. P. 1. c. 2. \$, 9. e. p. 26. Frank. p. 73-76. 95. Simon. Imp. conj. c.6. th. 5. n. 3-6. Rejes. qu. 45. p. 559

ex Puella imperforata. Vir. Zac. Luf. P. A. L. 3. obf. 96. vid. Virgo. Puer barbatus virilisque habitus. Blegny. Zod. gall. ao. 1680. Oct. obf. 9 barbatus tertio ætatis anno. A. N. C. Dec. 2. ao. 4. obf. 163

The states of the

caudatus. A. N. C. Dec. 2. ao. 7. obf. 124

gigas. Bor. c. 1, obf. 42

rofatus. Zac. Luf. P.A.L.2. obf. 142

monstrofus fine cerebro. A. N. C. Dec. 2. ao. 3. obf. 158

Puer generans. Alberti Iur. Med. P. 1. p. 26. §. 9

Puerperæ frigus ante partum an fignum fætus mortui. Alberti Iur. Med. P.2. p. 112. 115 Puer-

State of the second sec
uerpera Hermaphroditus. A. N. C. Dec. 2. ao. 10. obf. 55
uerperæ an purgandæ. Rejes. qu. 74. p. 1001
uerperarum nonnullarum superstitiosus somnum conciliandi modus.
A.N.C. Dec. 3. ao. 7. obf. 42
uerperii defectus. Gabelch. cent. 1. cur. 75. vid. Sterilitas.
John Grand Calalder a surrent of the second states
defectus a partu. Gabelch. cent. I. cur. 91
defectus cum multis fymptomatibus. Cabelch. cent. 2. cur. 95. cent.4.
cur. 99. 100
uerperium convulsivi motus excipiunt. A. N. C. cent. 7. p. 215
uerperii justa suspicio. Alberti Iur. Med. P. 2. p. 141. cal. 14. it. p. 149
uerperii falfa suspicio, ibid. P. 2. p. 150. cal. 15. it. p. 153
ugnus umbilico illatus causa mortis. Zuc. Lus. P. A. L. 2. obs. 37
ulcriores homines citius moriuntur. A. N. C. Dec. 1. ao. 3. p. 416
ulcritudinis exempla. Kornm. Mir. viv. p. 242. 243. feqq.
fœmellarum dijudicationes. Lent. Jatr. p. 428
ulices & cimices quidam homo ex lecto fugabat. Rejes. qu.24. §. 8. p.202
ulicularis febris.vid. Petechialis it. Febris Petechialis.
ullys gallinaceus quadrupes. A. N. C. Dec. 3. ao. 1. obf. 142
gallinaceus alios pullos ut gallina ducens. A. N. C. Dec. 1. ao. 3. obf. 6
in ventriculo & vulva hominis natus. A. N. C. Dec. 2. 20. 5. obl. 54
ulli gallinacei nudo calore & igne artificiali exclusi. Frank. p. 2. 33. 34
ullorum in ovo generationem concernentes observationes. Barth. A.
H. V.2. obl. 34
ulmones non funt parenchyma. Frank. Bon. Nov. Anat. 5.7
ulmones funt vesiculæ membranaceæ. Malpighius in Epist. it. hist. 1. de
pulm. Barth. Diatribe de pulm. fubft. & motu Sect. 1. & 2. Frank.
bon. nov. Anat. §. 7. Musitan. Trutin. Chirurg. Phys. T. 3. C. 55
ulmonum varios víus explicat Garm. M. M. L. 2. tit. 3. §. 53
ulmonum usus principalissimus infervit progressui fanguinis. Mauro-
cordatas. c. 17. Amannus Parænef. ad L. 1. Instit. Med. c. 12. §. 8
ulmonum vfus eft fanguificationi dicatus. Lowerus de Corde. c. 3. Ma-
lach. Thrusto de Respir. p. 128
almonum vsus pro incalescentia sanguinis infervit. Mayow. de Respir.
p. 19 ulmones aerem non active attrahere, fed eum impelli. vid. Barth. Dia-
trib. de pulm. S. 5. p. 84. Cartefius, Henr. Regius, Abr. Pratæus. Cor-
nel. ab Hogelandt, Schwammerdam de Refpir. c.3. 6. Garm. M.M L.
2. tit. 3. §. 53

Pulmonum vulnera quia fæpius feliciter curentur, etiam ad eorundem vlceris fanationem falso concludit Fr. Arcæus. c. 8. de Febb.

Pulmones chartarum more attenuati & in in fumo quali fuspenfi. Schenkius ep. 72. it.in Epiftol. Barth. cent. 4. Sennertus Prax. Lib. 2. Part. 2. C. 2.

Pulmones fanguine stagnante infarcti. A. N. C. cent. I. & II. p. 220 Pulmones adeo exficcati, ut pomum referrent aridum. Heurnius tract.

de Morbis pectoris, cap. 4

368

Pulmones natantes. Alberti Iur. Med. App. p. 69.71

Pulmones aque injecti partim immergentes, partim natantes. ibid. P.2. p. 35. 61

Sub Pulmonum defectu varia animalia vivunt. Pechlinus de aeris & alimenti defectu c.3. Frank. Sat. Med. p. 30. feq.

Pulmo maximus. Salmuth. c. 1. obf. 22

præcifus. Tulp. L. 2. C. 17

Pulmonis lobus vnus corruptus, integro altero. Rhod. c. 2. obf. 67 lobus vnus a nativitate. A. N. C. Dec. 1. ao. 4. obf. 30

Pulmonum in aquam immersionis experimentum. Alberti Iur. Med. P. I. cap. 9. p. 179-182

Pulmones infantis per 18. horas extra vterum viventis in aqua fubmeri. A. N. C. cent. 1. p. 247. obf. 121

Pulmonum in aquam conjectorum fubfidentia, an infallibile fœtus in vtero mortui fignum præbeat? A. N. C. Dec. 3. ao. 1. obf. 104. Alberta

Iur. Med. p. 1. p. 179. §. 5. it. App. 172

defectus. Zac. Luf. P. A. L. 1. obf. 109. Frank. p. 128-130 a nativitate defectus. Antoninus de Pozzis obf. Med. 30 frustula an excernantur. a Phthisicis? Barth. A. H. V. 5. obf. 30 frustulum occludens fauces. Tulp. L. 2 c. 14

dimidio per sputum excreto, pluribus mensibus vitam protrahens. Zac.Luf. P. A. L. 1. obs. 110

fubstantia cum pure rejecta. Salmuth. c. 1. obf. 14. Bor. c. 4. obf. 81 tubercula plerumque lethalia. Zac. Luf. P. A. L. 1. obf.. 112. inflammatio lethalis. Rhod. c. 2. obf. 1

hydrops. M. Donat. L. 3. c. 2

Hydrops fectione thoracis curatus. Zac. Luf. P. A. L. 1. obf. 11 yulnus in abfceffum transiens, multam faniofam materiam deponens paracentefi ventilatum. Alberti Iur. Med. App. p. 176. caf. 30

a Pulmonum coalitu cum costis asthma. Hagendorn. cent. 1. hist. 91. p. 132 Pulmonum calculi. vid. Calculus. Hild. cent. 2. obf. 29 exanthemata in febricitantibus. Barth. cent. 3. Ep. 90 vulnus sclopeto inflictum. Diemerbr. obf. 38. vid. Vulnas. concretio cum coftis. Barth. A. H. V. 2. obf. 21. p. 52. V. 4. obf. 17. & p. 116. 151. V. 5. p. 28. 39. 92. 117. 308. Lent. latr. p 386. Blafius obf. med. 19. Salzman. obf. med. p. 46. Bontius Medic. indor. obf. 7. Rhodius obf. 23. Pauvinus obf. anat. 6. Cavilliardus obf. Iatro-chirurg. obf. 37. Zechius confult.med. 1. Dan. Major Hift. Anat. cap. 13. 0. 14.15 Pulmonum lobus dexter pleuræ & diaphragmati adnatus. A.Berol.Dec. 1. vol. 3. p. 28 Pulmones undique annexi tuberculis scirrhosis referti. Bonetus Sepulchr. Anat. L. 2. Sect. 1. obf. 39. p. 501 in Pulmone absceffus ex inflammatione ortus feliciter curatus. Hildan. cent. 1. obf. 44 Pulmonum cohæfio non femper difficultatem spirandi inducit. Diemerb. Anat. L. 2. cap. 12. & 13. Bonetus Sepulchr. Anat.L. 2. Sect. 1. obf. 24. p. 565. Tulp. L. 2. obf. 13. Plempius Fundam. Med. p. 133 Pulmonum accretionem an respiratio difficilis pro causa agnoscat. A. N. C. Dec. 2. ao. 5. p. 137 Pulmonum scirrhofus infarctus. Franc. Sylvius de le Boë prax. L. I. C. 22. 6. 17.18 Pulmonum tres lobi indurari. Willifus pharm. rat. P. 2. Sect. I. C. 2 Pulmonum vomicæ. vid. Vomica. Pulmonum cancer. Jacotius in commentar. in Lib. 5. Sect. 2. aphor. 67. coac. Hippocr. gangræna caufa dyfpnææ. A. N. C. ao. 1672. obf. 337 Pulmonum velicæ humore flavo plenæ. Lælius a Forte Conf. 3 in Pulmone corpora glandulofa. Bonetus fepulchr. anat. L. 2. Sect. obf. 32. X 34. p. 498. 499 a Pulmonum substantia fragmenta bronchiorum avulsa. Bonetus sepulchret. anat. L. 1. Sect. 20. obf. 5. p. 496 Pulmonum substantiam obsidentes variolæ magnis sæpe frustis ejiciuntur. Theod. Kerkring. obf. Anat. 62, Thom. Barth. cent. 4. hift. 42. Pareus Lib. 19. cap. 1. Fernelius de abdit. rer. cauf. Lib. 2. cap. 12. A aa Hor-

Horftius obf. Anat. 9. Bonetus Anat. Pract. Tom. 3. obf. 60. p. 250 Hildan. cent. 4. obf. 28 Pulmonum frustula per urinam excreta. Hild. cent. 2. obf. 30 Pulmonum portio abfciffa in vulnere pectoris. Hildan. cent. 2. obf. 32 concretio cum diaphragmate. Barth. A. H. V. s. p. 39. Lent. latr. p. 24.30.386 per potum humectatio. Lang. L. 2. Ep. 44. p. 762 - textura, (uti primum Malpighius observavit) eft vesiculosa. Barth. cent. 3. Ep. 82 vulnera an lethalia. Alberti Iur. Med. P. 1. p. 326. § 50. vid. Vulnus. vulnera vel lethalia, vel non lethalia. ibid. P. 2. p. 358. 361. feqq. Pullus deficiens, A.N. C. Dec. 2. ao. 2. obl. 48. Dec. 1. ao. 10. obl. 91 privatio. Rhod. c. 2. obf. 42. A. N. C. Dec. 1. ao. 10. obf. 91 per 36. horas ceffans ante obitum. A. N. C. Dec.2. ao. 7. obf. 180 intermittens Lent. Mifc. Med. p. 193 naturaliter intermittens. A. N. C. cent. 1. obf. 158. p. 324. it. Dec. 1. ao. 2. obf. 237. Rolfink. L. 3. ord. & meth. Sect. 2. C. II. Willif. Pharm.P.I. Sect. 6. c. 3. Smet. Mifc. L. 10. 110110 intermittens in Hypochondriaco. Salmuth. c. 1. obf. 94. A. N. C. Dec. 1. ao. 2. obf. 237. Dec. 1. ao. 10. obf. 91. Barth. c, 4. obf. 42 in paralyfi occultus. Rhod. c. 2. obf. 43 intermittentis præfagia. M. Donat. L. 7. c. 8 Dec. 1. 16 cordisutrum post mortem maneat? Garmann, Mir. mort. L. 2. tit 5. 6. 22 de Pulsibus scripferunt Bohnius de off. Med. dupl. P. 1. cap. 8. p. 176.fq. Schellhammerus de Pulfibus, Galenus de pulfuum usu, Alexius in confiliis med. & Epitome Pulfuum, Binderus in clave aperiendi portas pulsuum, Capivacius de pulsibus, Herc. Saxonicus de pulsibus, Struthius in arte Sphygmica, Lavellius de pulfibus, Haffenreffer Monochordon Symbolico-Bizanticum, Frank. Sat. Med. p. 498. S. 42. Nunefius, Muffarius, Eustachius Rudius, Sanches, Savanarola, Valefius, Bellinus & Mercatus de pulfibus. Hipp. Prænot. Coac. §. 1. text. 176.& Sect. 7. A ph.21 Pulsus in præcordio delirium ac turbationem fignificat. Hipp. Prænot.

9. 5. text. 13 Pulfus cordis in dextro latere, Barthol. A. H. V. 2. obf. 44. A. N.C. Dec. 1. ao.2. obf. 194

Pulfus

- Pulfus interdum in quadam regione mutatur ob vicinam quandam afflictionem. Bohn. off. Med. dupl. P. I. C. 8. p. 178. Panarol. Pentec. I. obl. 32
- Pulfus in carpo deficiens, in aliis vero manus locis obvius. Bohn. off. Med. dupl. P. 1. c. 8. p. 177. Tulp. L. 3. c. 45. Pechlinus L. 2. obf. 5. Bonetus, Mercurial. Compital. L. 20. §. 53
- Pullus in utroque manu discrepans in Hypochondriacis, febribus malignis, moribundis. A. N. C. Dec. 1. ao. 10. obf. 61
- Pulfus in dextra manu integer, in finistra minus. Barth. A. H. V. SCITCO OTICE P2277C133 I. obl. 78
- Pullus deficiens. Barth. cent. 4. obf. 42. Khodius c. 2. obf. 42. 43. A.N. C. Dec. 1. ao. 3. obf. 221. 1334. Ichol. Ballonius L. 2. Epid. & Ephem. p. 195. feqq. Ronfleus Epift. 11. p. 34. Schenk. L. 2. A. N. C. Dec. 1. 20. 10. obf. 91. Riolanus Enchir. anat. L.s. c. 46. Henr. ab Heer obf.26
- Pulfus intermittens non femper metuendus. Bohn. off. Med. dupl. P. I. c. 8. p. 178. 179. Barth. cent. 5. hift. 37
- Pulsus mutatur pro differentia respirationis. Casp. Hoffmannus de thorace L. 2. c. 18. p. 45. Zac. Luf. M. P.H. p. 884
- Pulsus indicia nonnunquam fallacistima. A.N.C. Dec. 3. ao. 9. obf. 8 & urinæ fallacia. Hild. cent. 6. obf. 20
- temporis vehemens arteriotomia curatur. Zac. Luf. P. A. Lib. 3. obf. III
- arteriæ dorfalis in hypochondriaco. Salmuth. c. 1. obf. 46. c. 2. obf. 71 arteriæ extra carpum. Tulp. L. 3. c. 45
 - utriusque carpi diversus. A.N.C. Dec. 1. ao. 10. obs. 60
- carotidum auditus. Barth. c. 1. hift. ; 18
 - omnium partium utrum a Medico percipi poffint. Zac. Luf. M. P. H. L. 5. hift. 27. p. 887
 - cordis quoties una hora fuccedat? Garm. p. 41--43. & diff. prælim. Sect. 1. §. 56
- Pulsus mira inconstantia A. N. C. Dec. 2 ao. 10, obf. 63
 - utrum sit motus naturalis, an animalis. vel immediate ab anima aut potentia aliqua emanet. Zac. Luf. M. P. H. L. s. hift. 27. p. 878. & 882

Pullum differentiæ. Luf.Zac. Luf.M. P.H.L. s. hift. 27. p 888-891 Pulfuum inventio & cognitio adferibitur Herophilo, Praxagora, Æmigio Vilenfi. uties in concis dologious. A. M. Lier & ao. n obly Ter.

Pulla

Pullu proprio gaudere arterias, statuit Praxagoras, Photinus & Willifus, quos refellit Galenus de plac. Hipp. L. 17. & Platonus. L. 17. c. 7 Pulsum arteriarum a sanguine discurrente invenit Harvæus Tr. de motu cordis & fanguinis. Palvis datus ad extorquendam incendiarii confessionem. A. N. C. Dec. 3. 20. 7. obl. 23 Pulvis datus ad fiftendos torturæ cruciatus & fupprimendam confeffionem. A. N. C. Dec. 2, 20. 8. obf. 38 Puncticularis febris. vid. Petechialis. it. Febris petechialis. Punclura digiti circa articulum. Roffii obf. 2 Punctationes circa umbilicum ex grumis fanguinis. Gabelchov. cent.'2 cur. 29 Pupilla obscura cum lacrymis visum obfuscans. Plater. obs. L. I.p. 104 Pupilla esitu naturali dimota, salvo visu. A. N. C. Dec. 3. ao. 5. 6. 061.108 ad Pupillam cicatricis extirpatio graviffimorum fymptomatum. Hild. cent. 1. obf. 25 Pupillæ oculorum cordiformes. A. N.C. Dec. 3. ao. 7. obf. 21 Pupille dilatatio vifum obfuscans. Plater. obf. L. 1. p. 103 Pupillæ cicatrix visionem impediens, casu deleta. ibid. p. 105 Purgantia post mortem nihil operantur. Garm. L. I. tit. 8. §. 10 diversæ funt operationis in diversis subjectis. A. N. C. cent. 1. p. 209. obf. 102. Smet. Mifc.L. 1. Ep. 2 Purgantium modus operandi. Frank. p. 52--58. Smet. Mifc. Lib. 2. c. 56--62. it. Lib.3 Purgantium plurimorum operatio fit erofione & mordicatione. Smet. Milc. L. 2. C. 59 ex Purgante forti epilepfia & mors. Hagendorn. cent. 1. hift. 21. p. 36 l'urgantium pharmacorum occulta proprietas, & potentia attractiva. Lang. L. 2. Epift. 18. p. 627. Zac. Luf.M. P. H. L. 2. hift. 115. p. 388. Smet. Milc. Lib. 2. C. 56--62 pharmacorum temerarius usus & fructus artis opera laxativus. Lang. Lib. 2. Epift.16. p. 634 facilior operatio in iis, qui longos habent pedes. A. N. C. Dec. 2. 20. 6. obf. 227 mira aversio. A. N. C. cent. 5. p. 167 ufus in colicis doloribus. A.N.C.Dec. 3. 20. 1. obf. 77 Pur-

Purgantia venerem & coitum ftimulant. A. N. C. Dec. 1. ao. 2. obf. 71.
a0. 10. obl. 156. Frank. Sat. p. 66. Garm. L. I. tit. 11. 6. 20
cur fint funul aphrodifiaca. Garm. ibid. §. 20. 23
placidiora melius operantur, quam fortiora. Gabelch.cent. 1. cur. 42.
annot. p. 66
etiam draftica innoxia adhibita in fœmellis gravidis. A. N. C. Dec. 2.
obi. 103
in eximiis lunæ mutationibus non funt ordinanda. Rejes qu. 75.
do .p. 1017. 1018
integros humores quantitate peccantes evacuare. Zac. Lusit. M. P.H.
L. 2. hift. 115. p. 390 Land
& vomitoria incaute usurpata. Alberti Iur. Med. P. I. p. 355. S. 7. &
p. 360. §. 14
Purgationis noxa. Bor. c. 2, obf. 45. c. 4. obf. 15. 33. Frank. p. 52. 53. vid.
Hypercatharsis.
fuppressa accidentia notatu digna. M. Donat. L. 4. c. 19
Purgatio mortis caufa. Zac. Luf. P. A. L. 3. obf. 68. 70
difficilis. A. N. C. cent. 1. p. 229
nimia, Hypercatharfis. Smet. L.2. c. 58.vid. Hypercatharfis.
intempestiva pleuritico mortem adfert. Zac. Lus. P. A. L. 1. obs. 116
in febribus tempestiva. Lang. L. 2. Ep. 60. p. 844
quomodo ab Hippocrate in febribus laudetur. Zac. Luf. M. P. H. I.
1. hift. 10. p. 21. b. 22. a.
an & quando in cura exanthematum, quæ Arabes variolas & mor-
billos indigitant, aut scabie, morbi gallici pustulis, bubonibus
aut Eryfipelate competat? Lang. 1. Ep. 16. p. 76
cohibita sphaceli cruris caufa. Salmuth. c. 1. obs. 33
in mortuo a purgante. Garm. L. 2. tit. 5. §. 11
post mortem nihil operatur. Garm. L. 1. tit. 8. §. 10 diminuta a partu varia attrahit symptomata. Gabelchov. cent. 1.
cur.38 per coitum in fœminam propagata, eique communicata, Frank. p.
66. Garm. L. 1. tit. 11. §. 21
lactatione communicata. Frank. p. 67
ex conitru audito. Frank. p. 59
ex animi pathemate. Frank. p. 67
ab ovis induratis. A. N.C. Dec. 2. ao. 5. obf. 27
Aaa 3 Pur-

347
Purgatio ex aqua frigida. Kornm. Mir. viv. p. 263
exinfomnio, & catharctico. A. N. C. Dec. 1. ao. 3. obf. 234. Dec. 2. ao
4. Frank. p. 62 to or a ment want bordige tunit ital up
eximaginatione. A. N. C. Dec. 1. ao. 7. obf. 236. ao. 4. obf. 160. ao. 10.
obf. 343. Frank. p. 67
exodore purgantis pharmaci. Salmuth. c. 3. obf. 8. Frank. p. 60-62.
Smet. Mifc. L. 2. c. 60
ex guftu purgantis remedii. Frank. p. 60
ex confpectu purgantis. Salmuth. c. 3. obf. 14. Barth. A. H. V. 5. obf.
49. A. N. C. cent. 1. obf. 129. Dec. 1. ao. 10. p. 343. Frank. p. 59
ex conspectu Antimonii. Barth. c. s. h. 64
e purgantis mentione, adeoque ex auditu orta. A. N. C. Dec. 1. ao. 3.
obf. 152. Frankenau p. 58.59
a purgante in manu detento. Frank. p. 62. 63
per topica provocata. Frank. p. 6365
per infusionem in venam. Frank. p. 65
per remedia plantis pedum applicata. Frank. ibid.
& probatio per aquam frigidam. Kornm. Mir. viv. p. 263
mulieris cum infequente ejectione concrementi uterini. Alberti Iur.
Med. P. 2. p. 3033
Purgatorium veteres Philosophi statuerunt. Garm. L. 2. tit. 5. §.3
post Purper am varia ulcera. Hagendorn. cent. 2. hift. 78. p. 253
Purpura in puerpera cacochymica. Alberti Iur. Med. P. 2. p. 574
ex Purpura retrocedente aphonia. Hagendorn. cent. 2. hift. 79. p. 256
post Purpuram apostema pectoris. ibid. hist. 80. p. 247
poft Purpuram tumor abdominis. ibid. hift. 81. p. 258
Purpura scorbutica quotannis affligens. Hagendorn. cent. 3. hift. 53.
p. 352 Renterie anno vulnere hanetie annoliane la la la dilemei Tun Mad Da
Purpura cum vulnere hepatis complicatalethalis. Alberti Iur. Med.P. 2.
Purpura Venæ fectione curata. Zac. Luf. P. A. L.3. obf. 9
alba petechiis superveniens. Lent. Misc. Med. p. 115
Purpure nova species, Reffel-Sucht. A. N. C. cent. 5. p. 415
Purpuræ suppressio periculosa. Alberti Iur. Med. P. 2. p. 575
Pus ex pene cum & fine urina. Plater. obf. L. 3. p. 728-732
Pus ex cervice uteri, it. ex oculo. ibid. p. 732
ex vulnere pectors cum phtifi. ibid. p. 733
Pus fœtidiffimum. Hildanus cent. 1. obf. 16 Pus

Pus in pericardio. Salmuth. c. 1. obf. 15 e bubone peftilentiali deftillatum. Blegny Zod. gall. ao, 1680. Maj. obf. 2 hepatis per os & alvum. Tulp. L. 2, c. 27.A. N. C. Dec. 1. ao. 8. obf.74 ex ore, naribus, auribus & oculis fimul rejectum. Bor. c. 1. obf. 73 an ex cavitate pectoris pulmones ingrediatur? Barth. cent. 1. Ep.68 thoracis ex umbilico. Tülp. L. 2. c. 6 in cavitate thoracis contentum quod per urinam & alvum commode evacuari poffit. Zac. Luf. M. P. H. L. 2. hift. 26. p. 229 Puris excretio alvina. Barth. cent. 3. Ep. 87. Plater. obf. L. 3. p. 732 mictus in peripnevmonia. Bor. c. I. obl. 17 fputum menttruum in phthisi. A. N. C. Dec. 1. ao. 1. obl. 94 evomitio curat hepatitidem fuppuratam. A.N.C. Dec. 1. ao.8. obl.74 loco ventus in genu. Zac. Luf. P. A.L. 2. obf. 172 Puftulæin lue venerea. Plater. obf. L. 3. p. 591 Pustule faciei cum eius rubore. ibid. p. 579-589 peftilentialis fine febre & noxa. ibid. p. 590 Puftula peftilens & lethalis cum fopore perpetuo. Gabelchov. cent. s. cur. 91 Pustule malignæ cum infigni dolore ventris. ibid. cur. 98 magnæ citrinæ brachiorum & tibiarum, cum bubone femoris in muliere gravida. ibid. cur. 87 Puteus ejusque halitus lethifer. Blegny. Zod. gall. ao. 1679. Nov. obf.8. A. N. C. Dec. 3. 20. 2. obf. 13 circa Putredinis naturam variæ philosophorum decertationes. Garman. Mir. mort. L. 3. tit. 1. §. 2 Putredo an fermentatio. ibid. §. 22 in Putredine calor. ibid. §. 24 Putredo infantis impedit infpectionem legalem. Alberti Iur. Med. P. 2. p. 134.139 Putredo quid, & ejus effectus. Becch. Ph. S. L. I. S. S. C. I. n. 37-39. p. 284. 285 cadaverum quomodo fuccedat. Becch. Ph. S. L. 1. S. 5. C. I. n. 55. p.293. 294. Kornm. Mir. mort. P. 3. C. 2 cadaverum celerior & fegnior. Salmuth. c. 3 obf. 5.80 & fermentatio confunditur. vid. Fermentatio. PuPutredo utrum præter causas varias perpetuo a prohibita transpiratione oriatur? Zac. Lus. M. P. H. L. 4. hift. 9. p. 645

an caufa fit accentionis & lucis nonnullorum fubjectorum? Garm. L. 2. tit. 9. §. 76--87. it. L. 3. tit. 1. §. 24

in febribus intermittentibus. Smet. Mifc. L. 8. Ep. 8. 9

Putredinem quæ arceant fubjecta. Garmann. Mir. mort. Lib. 3. tit. 2. §. 95-118

Putredinis in homine caufæ occasionales. Becch. Ph. S. L. I. S. 5. C. I. 1. 21-23

caufæ materiales & ejus fubjecta. ibid. n. 25--27

Putrefactionis impedimenta. ibid. n. 26

diffinctio a combuftione. Becch. ibid. cap. 1. p. 267

differentia a fermentatione. ibid. n. 39. p. 285. it. n. 3. p. 308. Garm. L.3. tit. 1. §. 22. 23

Putrefactio extemporanea. Garm. Mir. mort. L. 3. tit. 1. §. 125

Putrefactus fœtus per umbilicum &vulvam frustulatim exclusus. Blegny Zod. gall. ao. 1682. obf. 10. 12. 13. vid. Fætus.

Putrescens fanguis utrum generet febrem fanguineam, distinctam a pituitofa, biliofa, melancholica? Zac. Lus. M. P. H. L. 4. hist, 9.

p. 652

Putrida continens. vid. Continens.

perfecte Imputrescibilia quæ censeantur. Garmann. Mir. mort. L. 3. tit. 2. §. 2

PY.

Pygmæi, eorumque tabula. Kornm. Mir. viv. p. 36. Barth. cent.'I. Ep 5.6. cent. 4. Ep. 42. 43

arte procurati, quando fpina dorfi & juncturæ artuum cum adipe glirium, vespertilionum, & talpæ inunguntur. A. N. C. Dec. I. ao. I. obs. 79

Pygmæis matrimonium an concedendum? Simon. Imp. Conj. c. 7. th. 2. n. 22. 23

Pylorus intus & extra gypfea materia' obductus vomitum caufatur. Blegny Zod. gall. ao. 1679. Febr. obf. 3

Pylori fcirrhus. Salmuth. cent. 1. obf. 20. A. N. C. cent. 7. p. 281 Pythagoræ aureum femur quid? Garm. L. 2. tit. 9. §. 37. 38

Pyrethri rad. fingularis catarrhorum extractio. A. N. C. Dec. 1. ao. 1. obl. 34

Pyre-

Pyrophagus homo. Hagendorn. cent. 3. hift. 94. p. 408.vid. Ignivorus. QVA. Vastiones aliquot egregiæ medicæ. Smet. Misc. L. 1. Ep. 16 Qualitates cardinales, nempe frigidum, calidum, humidum, ficcum, non effe caufas temperamentorum, oftenditur. Blegny Zod.gall. ao. 1682. Sept. & Oct. cap 5 Quartana in sene lethalis. Blegny. Zod. gall. 20. 1682. Febr. obf. 23 lingularis, ubi fruftulum carneum vomitu projectum. Blegny Zod. gall. ao. 1680. Febr. obf. 7 Epilepfiam folvens. Salmuth. c. 2. obf. 84 longinqua, e.g. per 6.8.12.18. 20. 33. annos durans. Rej. qu. 71. p.948 an bis eundem hominem non invadat. Rejes qu. 71. p. 947. eqq 954. fegg. animi affectu curata. Rejes qu. 71. p. 951 cum pravis cibis curata. Rejes qu. 71. p. 951. 952 Quartane curandæ cautio. Zac. Luf. P. A. L. 3. obf. 32. vid. Febris Quartana. Quartanælaudes. vid. Febris Quartana. post Quartanam delirium maniacum. Hagendorn. hist. 37. p. 65 Quars. Becch. Ph. Subt. L. 1. Sect. 2. c. 2. p. 96 Quarts (sartes) Becch. Ph. S. L. I. Sect. 3. cap. 2. p. 123 Quary von der Bergs Beffe geschieden. ibid. OVE. Querquera Febris. Rejes qu. 68. p. 930 QVI. DENEY OF Quinquinæ ufu Febres curantur. Blegny Zod. gall. ao. 1680. Aug. Quotidiana cura. Zac. Luf. P. A. L. 3. obf. 30. vid. Febris quotidiana. RA. R Abiem ex vulnusculo ense inflicto quo ante multos annos canis rabidus transfossus, provenisse, refert Schenkius ex Esaia Meusnero. Rejes qu. 61. p. 803 Rabidi canis faliva est perniciofa. Brabus de Hydroph. Sennert. Pr. L. 3. & Inftit. L. 2, Zac. Luf. M. P. H. L. S. qu. 23. Hildan. cent. 1. obf.86 Rabidi canis fanguinem hauriendum commendat Diofc. Avicenna Rhafes. &c. vid, Rejes qu. 63. n. 39 Rabies Rabies 120-

Rabies contagiofus affectus. Zac. Luf. P. A. L. 3. obf. 85.86. Rejes qu. 61. p.799.800 fine contagio orta. Rejes qu. 59. p. 772. 773 utrum sit morbus per contactum, inspirationem, vel ad distans contagiofus? Reyes qu. 61. p. 785. & 786. feqq. Zac. Luf. M. P. H. L. 5. hift. 12. p. 841 animalium. Barth. c. s. hift. 52. cent. 3. Ep. 48 a lupi aliorumque animalium morfu. Bor. c. 1. obf. 75. vid. Lycanthropia. canina. Barth. c. 2. h. 89. vid. Hydrophobia. Rejes qu. 61 an præter canes etiam alia affligat animalia. Zac. Luf. M. P. H. L. 5. hift. 17. p. 846 canina variis imo omnibus animalibus communicatur. Rejes qu. 61. p. 787. 788. 789 canina ante Aristotelem fuit cognita. Rejes qu. 61. p. 794 Rabiei caninæ figna. Rejes qu. 6. p. 787 exemplum ftupendum. Zac. Luf.P.A. L. 3. obf. 87. auxilium præftantifimum, cujus ufu nemo mortuus eft. Zac. Luf. M. P. H. L. S. hift. 18. p. 847 Rabida facta, quia chlamidem rabidis morfibus fciffam Jamberat. Zac. Luf. M. P. H. L. 5. hift. 12. p. 840 Rabiens Philosophus, generofe citra timorem bibens, fervatus eft. Zac. Luf. M. P. H. L. 5. hift. 15. p. 844 Oderguera Febrie, Rejer qu. fenex. Tulp. L. I. C. 21 Rabiofos Theriaca interne & externe fumta valentifime juvat. Zac. Luf. A JUSTER LE COLOS I DET 38 M. P. H. L. s. hift. 19. p. 848 Rabioforum fymptoma infeparabile eft aquæ timor, & unde fit? Zac. Luf. M. P. H. L. 5. hift. 13. p. 842 urinam catulos continere, qui crediderint. Rej. qu. 62. p. 806 Rabida animalia five comesta, five alia animalia violaverint, contagiosa. Garm. L. 2. tit. 2. §. 59. Rej. qu. 63. p. 834. n. 38 Rabidus canis non femper horret aquam. Salmuth. c. 3. obf. 90 Rabidi canis venenum diu latitans. Salmuth. c. 1. obf, 96. Bor. c. 1. obf, 1. 1 ent. latr. p. 31. 32 canis morfum curans euporifton. Barth. A. H. V. 2. obf. 110. Bor. c. 3. obl. 38 Rabularum indoles, Zungen= Drefcher. Alberti Iur. Med. P. 1. p. 403. §. 19 Ra-

Rachitis Anglorum. Frank. p. 326. Mayovius, Charleton. Primerofus, Dolaus, Sulizberger. Difp. de Rach. Monetus fepulchr. Rachitis in Germania. A.N. C. cent. 1. p. 23. app. Radicale humidum quid fit. Bravo P. I. Difp. 7. Sect. 2. Refol.2. p.220 humidum propter quid fit. ibid. Refol. 4. p. 222 humidum utrum aliud a calido innato. ibid. Refol. 1. p. 219 Rana, bufones & lacertæ ex ventriculo & inteftinis excreta. Barth. A. H.V.2. obl. 39 cum menstruis excretæ. A. N. C. Dec. 2. ao. 4 ventriculus. A. N. C. cent. 9. p. 464 in ulcere. Bor. c. 2. obf. 86 Ranarum generationem concernentes circumftantiæ. Barth. A. H. V. 2. obf. 39 Ranula fub lingua fuppurata. Salmuth. c. 1. obf. 36 Ranula recidiua. Roffi obi. 10 Ranulæ liberatio. vid. Lingua& Frenulum. Ranunculus hortenfis. A.N.C. Dec. 3. 20.9. obf. 92 Ranunculi paluftris radicis comeftio Rifum Sardonium caufatur. A. N. C. Dec. 3. ao. 2. obf. 87 Ranunculi ardentis infelix applicatio. Hagendorn. cent. 3. hift. 83. P.394 Raphani vires in calculo & fcorbuto. Barth. A.H. V. 4. obf. 39 Rapfodia quid? Frank. p. 67 Rationes dubitandi & decidendi a Medico proferendæ. Alberti Iur. Med. P.I.p. 395. \$. 7 Rationem dicti fui Medicus reddere debet. Alberti Iur. Med. P. I. C. I. §. 4. b. Remainarb Ratio anima legum. Alberti Iur. Med. P. I. C. I. S. 9. a. Releating &: Rationis usus non puberes reddit. vid. Judicium. Ratio absque experimento an majorem, quam experimentum citra rationem fidem mereatur? Zac. Luf. M.P. H.L. 3. hift. 37. p. 579 Rationi Iolidæ studeat Medicus. Alberti Iur. Med. P. I. C. I. S. 9. b. Matten= Rraut, Matten= Julver, Arfenicum. Alberti Iur. Med. app. p. 211 Raucedo vocis. Gabelch. cent. 1, cur. 74 vocis morbi gallici fignum certum. Zac. Luf.P. A. L. I. obf. 107 in cardialgia. Plater. obf. L. I. p. 202 ncurabilis. Diemerbr, obf. 9 ANTHIDSH. Bb6 2 Rau-Rentra

300 Mi. KL.
Raucedo inaud ta. Bor. c. 4. obf. 27. 29 fetacei ope curata. Hild. c. 6. obf. 24
Venæ fectione curata. A. N. C. cent. 1. obf. 162. p. 330
Venæ fectione depravata. A. N. C. Dec. I. ao Io. obf. 57
Raucedinis remedium efficax Syr. de Eryf. Lobel. A.N. C. Dec. 1. 20.3. obf. 153
remedium ferum lactis mane & vespere potatum. A. N. C. cent. 1. obs. 8. p. 46
Raucedo cur a coitu fiat? Rejes qu. 38 p. 468470 RE.
Realgar (roth gulden Ers) Becch. Ph. S. L. 1 S. 3. C. 3. p. 141
Recentiores non culpandi. Barth. cent. 4. Ep. 47. p. 293
Recutiti qui? Alberti Iur. Med. P. I. p. 39. §. 24
Recutitorum inspectio. ibid. p. 387. §. 20
Recidiva an pejor fit radice? Zac. Luf. M. P. H. L. I. hilt. 63. p. 107
Recidivans pleuritis. Gabelch. cent. 1. cur. 11
Recidivans tertiana febris intermittens, tertia vice lethalis. A. N. C.
Dec. 1. ao. 6. obf. 161
Recidive figna. Zac. Luf. M. P. H. L. 4. hift. 63. p. 107
Refrigeratio corporis ex itinere, per nives suscepto, symptomata causa-
tur. Gabelch. cent. 2. cur. 83
Regeneratio partium. Bor. c. 2. obf. 18
plantarum. Bor. c. 2. obf. 22
cancrorum. Bor. c. 4. obf. 34
Regimen malum vulnerati caufa mortis. Alberti Iur. Med. P. 2. p. 253.
a & 263
Regius morbus. Zac. Luf. P. A. L. 2. obf. 57. vid. leterus.
Relegationis & Fuftigationis pœnam Medieus imperitus meretur. Al-
berti Iur. Med. P. 1. c. 1. §. 14.a.
ReligioMedica. vid. Conscientia. Remedia secreta non funt reservanda. Rejes qu.14. p. 161. 162
tentanda in cafu desperato. Rejes qu. 15. p. 165168
incantamentis refiftentia ex antiquitate recenfentur. Rejes qu. 27. p.32-334
Remediorum exempla, quibus fenes in juventutem conversi. Rejes qu. qu. 26. p.301.302.vid. Senectus.
ftomachi recta applicatio, Lang. L.2. Ep. 43. p. 757
Reme-
the section of the se

Remedia an absolute & ex se causas morbi tollant? Alberti Iur. Med. P. 2. p. 558 Remedia quomodo falutarem effectum probent. ibid. p. 559 Remedium duplex uno tempore adhibitum finistre operatur. ibid. P. 2. p. 574 Remora pifcis. Blegny. Zod. gall. ao. 1682. Mart. obf. 15 Remoræ inftrumenti declaratio. Hild. c. 5. obf. 86. p. 478 Renum textura non eft parenchymatica, fed glandulofa. Frank. bon. nov. anat. §. 9 Ren bovis, in quo fruftulum candelæ repetrum. Barth. A. H. V. 3. obf. 68 Ren dexter deficiens. A. N. C. Dec. 2. ao. 1. obf. 35 Renes bini deficientes. Frank. p. III Ren unicus. Frank. ibid. Ren magnus partim petrefactus. A. N. C. cent. 9. p. 9 Renes magni. A. N. C. cent. 1. p. 345 tres. A. N. C. cent. 1. p. 86.144 Ren finister utpl. in calculo adficitur. Dodonaus & Carol. Pifo de Morb. ex ferofa colluvie oriundis p. 249 Renis, dextri dolor ex calculo cum mictu fanguinis, quoties corpus vehementius moveretur. Solen. Sect. 3. Conf. 27 Renes an in animalibus volatilibus adfint? Frank. p. 111 nullius usus effe dicunt Erafistr. Asclepiades. vid. Galen, de Facult. Nat. L. 1. C. 13. L. 2. C. 4. Frank. p. 111 per frusta excreti. A. N. C. Dec. 3. 20. 5. 6. obf. 143 Renum fubstantia incorrupta mictu cruento excreta. A. N. C. Dec. 2 10.3. obl. 76 fermentum. A. N. C. cent. 1. p. 352 confumptio & veficæ corruptio. Plater. L. 2. p. 437 vermes. Blegny Zod. gall. ao. 1679. Jul. obf. 8 affectus calidus cum ventriculi imbecillitate, Solenand. Sect. 3. Conf. 12 dolor & exulceratio. Gabelchov. cent. 2. cur. 64. vid. Nephritis. dolor cum urina nigra a frigiditate subortus, calidis curatus.Zac.Luf. M.P.H.L. 2. hift. 127. p. 410 vulnera an lethalia? Alberti Iur. Med.P. I. p. 340. §. 62 Renum Bbb 3

Renum concursus ad generationem, falacitatem & spermatis genefin. A.N.C. cent. 1. obf. 168. Hier. Montanus Anasceve Morb. c.ult. Senn.

L. 3. Prax. P. 7. S. I. C. I. Bapt. Montanus Conf. 85. Rejes qu. 87. n. I. fuccenturiatorum inventor Barth. Euffachius. vid. Frank. p. 623.624 Trichiafis hiftoria. Zac. Iuf. P. A. L. 2. obf. 72

ad Renes novæ viæ ferum vehentes. 'A. N. C. Dec. 1. ao. 2. obf. 157 ad Renes ex pectore viæ an dentur? Barth. cent. 4. Ep. 57 Reprehensio quorundam Chymicorum de Sale, Sulphure & Mercurio:

Becch. Ph. S. L. I. S. 3. C. I. p. 110. 111

Repudium caufa Paralyfeos, Epilepfiæ & oblivionis. Barth. A. H. V. 3. obf. 39

Repudii causæ medicæ. vid. Sterilitas. Resolutio. vid. Paralysis.

Refolutio fphincteris. Zac. Luf. P. A. L.2. obf. 167

inteftinorum ex intempestivo opii in dysenteria usu. A.N.C. Dec. 2. ao. 3. obs. 88

Respiratione progreffus fanguinis adjuvatur. Stablius de æstu mar. microcosm.de Mechanism. mot.progrefs. P. Ammannus in Paranesi

L. I. C. 10. §. 8. Garmannus de Mir. mort. Lib. 2. tit. 3. §. 53. Maurocordatus differt. de ufu & motu pulmon. c. 17

Respiratione aliquandiu carere possint inundatores. Diemerb.L.2.p.464 Respiratio fœtus in utero. vid. Fætus it. Mayobius.

Respiratio per aures. Tulp. L. I. C. 35

frequens & cita. A. N. C. Dec. 3. ao. 7. obf. 129 five orthopnœa fæva & diuturna. Zac. Lúf. P. A. L. 3. obf. 130 obscure explorata. Garm. p. 56. 57

difficilis a polypo cordis. A. N. C. Dec. 2. ao. 10. obf. 174

difficilis animia pinguedine. A. N. C. Dec. 2. ao. 10. obf. 178 Respirationis difficilis rara causa. A. N. C. Dec. 3. ao. 7. obs. 129

Respirandi difficultatis caussa, origo & cura. Solen. Sect. 5. Conf. 6 Respiratione ad tempus carere potest testudo. Act. Erud. Lips. ao. 1702.

fupplem. 3. p. 76

Respiratio prohibita nonnullos pisces enecat. Ioh. Brachi cognita physico-medica circa animalia, quæ moriuntur in recipientibus. Act. Erud. Lips. ao. 1686. Meus. Octobr. p. 503

de Respiratione animalium. A. N. C. Dec. 1. 20. 2. p. 245, feq.

de Re-

	And in the owner of the local division of the local division of the local division of the local division of the
de Respiratione plantarum, lapidum &c. Zac. Lus. M. P. H. p.	.649.C.
de Respiratione per aërem artificialem, qualis Noachæ in arca	adferibi-
tur. vid. Dickinfonii Physica vetus & nova. Act. Erad. Lip	(an 1702
Menf. Ianuarii p. 43	y. a0.1/03.
Respiratio quomodo in Apoplexia servetur. Casp. Rezes j	uc. qu. 14
& 79 001 301 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	m.
Respiratio in recens natis levis est, propterea non facile fu	nocantur.
Bohnius circul. anatom. p. 40	Sarry S
Respirationis læsæ differentia. Willisius pharmac. ration. P. 2. S	
4. Bellinus de urina, pulfibus &c. p. 675. Ettmullerus of	pp. Med.
Tom. 2. p. 223. feq.	M. Strategy
Respiratio difficilis ob pulmonum defectum, ubi analoga	fubstantia
pulmonum adfuit. Fabricius Bartoletus de differ. refpira	t. P. 3. C. 3.
Antoninus de Pozzis de pulmonum defectu in nativi	tate obf.
med. 30 med. 1 month title terrent residered	R.Harshill
Respiratio difficilis ab infolita viscerum magnitudine Dom. de	Marchetis
anat. c. 4. & Io	CICALFH
Respiratio literatorum sape difficilis. Frankenau orat. de fi	tudiorum
noxa & Satyr.med. p. 589	The larrest
Respiratio difficilis ex materia crassa finistro cordis ventriculo	impacta
Laz. Riverius obf. med. cent. 1. obf. 83	52015
Respiratio difficilis ob venam pneumonicam lapidescentem p	ropecor-
dis infertionem. Bonetus fepulchr. anat. L. 2. Sect. 1. p. 48	6
Respiratio difficilis ob indurationem pericardii & cordis p	artis fini-
ftræ. Bonetus fepulchr. anat. L. 2. Sect. 1. obf. 97	Alternal
Respiratio difficilis ob pulmones undique annexos, tubercul	is fcirrho-
fis refertos. Bonetus fepulchr. anat. Lib. 2. Sect. 1. obl. 39	
Respiratio difficilis ob accretionem pulmonum ad coftas &	
nem multam. Dan. Major. hiftor. anat. cap. 13. §. 14. 15	pingasai
Respiratio difficilis ob pulmonum lobum dextrum pleure &	dianhrag-
	mapin ag.
mati adnatum. A. Berol. Dec. 1. Vol. 3. p. 28	no Culmiero
Respiratio difficilis ob tres pulmonum lobos induratos. Fran	nc. syrons
de le Buë prax. L. 1. C. 22. §. 17. 18	
Respiratio difficilis ob pulmones sanguine stagnante infarcto	S. Williguis
pharm. rat. P. 2. Sect. I. c. 2	
Respiratio difficilis a cancro pulmonis. lacotius comment.1. in	L.5.Sect.2.
aphor. 67. coac, Hippocratis.	State State
	Respi-

Respiratione ceffante, vita in lucem editorum raro diu persistit. Zac. Luf. M. P. H. p. 648. A. N. C. Dec. 2. ao. 2. p. 212. Act. Erud. Lipf. ao. 1686. Menf. Majo p. 226. ao. 1714. Menf. Octobr. p. 477 Restitutio narium, aurium, labiorum, linguæ, palatus. vid. N aftis Aures, Labia &c. Frank. p. 501. feq. brachiorum, manuum, cruris, pedum. Frank. p. 508. 509 magnæ portionis carnis in hypochondrio. Barth. cent. 6. hift. 59. Frank. p. 508. 509 præputii inter judæos ufitata. Frank. p. 509 penis. Frank. p. 509 Resurgentes mortui an differant? Kornm. Mir. mort. P. 8. c. 62. Resurgentes mortui an sefe mutuo agnituri fint? Kornmann. Mir. mort. P. 8. C. 64 Resurgent an abortivi & monstra? Kornm. Mir. mort. P. 8. c. 69.70 Refurgentium quantitas. Kornm. Mir. mort. P. 8. c. 57 corporum pondus. Kornm. Mir. mort. P. S. c. 58 cicatrices. Kornm. Mir. mort. P. 8. c. 72 Refurrecturi an fint Manci. Kornm. Mir. mort. P. 8. c. 71 Refurrectio. Kornm. Mir. mort. P. 2. c. 38 -- 40. Garmann. Mir. mort. L. 3. tit. 4 quo tempore futura? Kornm. Mir. mort. P. 8. c. 55 ex quo offe inceptura? Kornm. Mir. mort. P. 8. c. 19 illorum, qui a bestiis devorati, quomodo fiet? Kornmann. Mir.mort. P.8. c. 60 hominum ab aliis hominibus devoratorum. Kornmann. Mir. mort. P. 8. C. 61 Refurrestionis probatio ex naturalibus. Kornm. ibid. c. 55 Refurrectionem negantes. Kornm. Mir. mort P. 8. c. 31. 33. 34. 37. 39. 42 Refurrectiones duæ an credendæ? Kornm. Mir. mort. P. 8. c. 56 de Resurrectione & mortuis opinio Judzorum. Kornmann.ibid.P. 8.c.45 Resuscitatus per Eliseum puer. Kornm. Mir. mort. P. 1. c. 9 Resufcitarunt Medici nullos mortuos. Rejes p. 59. 60 Resuscitati mortui habiti. Rejes qu. 79. p. 1073. vid. Mortuus. Resuscitatio gentibus ridicula. Garm. Mir. mort. L. 3. tit. 4. §. 1 Resuscitati five Reviviscentes. Kornmann. Mir. mort. P. I. C. 12 -- 20, P. 2. C. 8--37

RE. RH. RI.

Reviviscensmortuus. Blegny Zod. gall. ao. 1680. Decembr. obf. 1. vid. post biduum Apoplecticus. Zac. Luf. P. A. L. I. obf. 19 parturiens mortua credita. A. N. C. cent. 1 p. 381 mulier mortua credita. Hagendorn. cent. 2. hift. 89. p. 267 Revixit fulpenla. Blegny Zod. gall. ao. 1680. Mart. obf. 11 20100012 Reviviscens infanticida ante in aquas submersa, dein confueto tempore & more extracta, posteaquam convaluit, perpetua relegatione expulsa. Suruv. comment. at L. V. decretalium c. 4. obf. 7 Reverentia Chirurgi erga Medicos. Alberti Iur. Med. 1. 2. p. 196 100.791011.2.1610361197519 RH. Rhabarbari contrariæ vires. Lang. L. 2. Ep. 33. p. 705 Rhaphani acrioris cortex expertum masticatorium ad extrahendos catarrhos. A. N. C. Dec. 1. ao. 1. p. 10. app.vid. Raphanus, Rheumatica febris. Zac. Luf. P. A. L. 3. obf. 12 Rheumatismus epidemicus. A. N.C. cent. 1. p. 3. app. cnin cacochymia. Alberti Iur. Med. P. 2. p. 475. Caf. 45 cum convultionibus & carie offium. A. N. C. cent. 1. p. 173 peripnevmoniæiunctus, fuccedente pleuritide. Blegny Zod. gall.ao. coxendicus mulieris. A.N.C. cent. 9. p. 173 curatur. Blegny Zod. gall. ao. 1680. Jun. 17 fola Venæ fectione repetita curatus. A. N. C. Dec.. 1. ao. 10. obf. 120 Rhinocerotis existentia, & a Monocerote differentia. Rejes. qu. 67. P. 894 106 DE .INC. MANY 1002631 fanguis in affectibus venenofis utilis. Zac. Luf. P. A. L. 3. obf. 92 Rhyas ex Encanthide. Zac. Luf. P. A.L. 1. obf. 55 1001 2001 1000 RI. Riccini semen ad provocandum. vomitum adhibitum mortem accivit. Zac. Luf. P. A.L. 3. obf. 81 Rigor an fit pars febris. Barth. cent. 3. Ep. 73 fine febre a craffis eduliis fubortus. Zac. Luf. M. P. H. L. 4. hift. 22. p. 693 ex morte. Garm. L. 2. tit. 4. §. 10. II Ringeln der Weiber. vid. Castratio mulierum. it. Alberti Iurispr. Med. P. 1. p. 39. §. 24 Ccc Rifus -soldar

J RI.RO. J.A

300
Rifus lethalis in puerpera. A. N. C. Dec. 3. ao. 1. obf. 22
nimius caufa mortis improvifæ. A. N. C. Dec. 1. 20. 10.0bf.125.Kornm.
Mir. viv. p. 88 . I A P Jul P. A. I F. Mubble hor
in puero primo nativitatis die. A.N.C. Dec. 3. ao. 1. obf. 45
Pleuritidis caufa. vid. Pleuritis.
Sardonius ex comesta ranunculi palustris radice. A. N. C. Dec. 3. ao.
Revisife sere interest ante in aquas fubricaia, Com con 78.1do. 200-
Rifus. Kornm. Mir. viv.p. 83. feq. o maupaothog allastro erom 20 or
Risinvoluntarius. A.N. C. Dec. 3. ao. 7. obs. 219. cent. 9. p. 189
involuntarius sub convulsione. A. N.C. Dec. 1. ao. 3. obs. 304
præternaturalis. Plater. obf. L. 1. p. 156
nunquam in Chifto conspectus, Kornm. Mir. viv. p. 88
in fuipento. Kornm. Mir. mort. P. 5. Cals 1x5 x5 rot 21101135 madendel
in moriente ibid. P. 4. c. 105 of g 1 02 .1. 20(.) A. A. 2017123
in mortua. ibid. P. 4. c. 104 do efferus cur alto sufficiente and
de refpirationis usu primario Sect. 16. p. 181 comprission milio
in vulneribus nervorum periculofus. Hildan. cent. 1. obf. 23 10113
peripnevmarite inneus fucces OR picuritide. Elega, Zod. Callao.
Robur senis ex alto decidui admirandum. Hagendorn. cent. 3. hift. 34.
p. 326 coxendicus mulieris. A.N.C. cent. 9. p. 173 225. q
Roborantia & adftringentia. Smet. Mifc. L. 1. Ep. 304
Roris corrofivitas & inde ortæ puftulæ. A. N. C. cent. 1. obf. 100. p. 206
de Rove. Reinzer. Meteorol. diff 7. qu. 8. p. 351
Ros caufa morborum Epidemicorum. Hoyeri Epift. ad Schrökium.
Ros aurum folvit. A. N. C. cent. 1. obl. 6 dono nov zuch toolle in eloparit
melleus erucas producens. A. N. C. cent. 1. obf. 117. p. 240. Dec. 3.
a0. 9. 10. p. 172
melleus vitiofus. A. N. C.Dec. 3. ao. 9. obf. 93
de Rore. Robault. Tr. phys. P. 3. c. 13. Arnd. ver. Chrift. L. 4. c.3
Rofa Hierichontina. Kornm. Mir. mort. P. 4. c. 149
in mamma. A. N. C. Dec. 2. ao. 6. obf. 35. vid. Eryfipelas.
duplex triplexque. A. N. C. cent. 3. p. 351
prolifera. A. N. C. cent. 7. p. 83. app. A Jin A. N. C. Dec. Lao S.
Rofarum oleum majori copia parandi tentamina. A.N.C. Dec. 1.ao. 8. obf. 66
obl. 66 contrariæ vires. Lang. L. 2. Ep. 33. p. 795
Rofa-

Rofatus puer. Zac. Luf. P. A. L. 2. obf. 142 Diothel. Becch. Ph. S. L. I. S. 3. c. 5. p. 171 Rothels Stein in colorem album mutatur. Becch. Ph. S. L. I. S. 3. C. S. P. Sacebarr Sacuration Becch. Ph.S.L. 1.S. 5 c. 2. n. - 274.451 Rotale fractura. vid. Patella. 00.11.5.0.2.2.1.2.1.2.1.5. Asses sinofin quairtates. Beech. Ph. S L. r. S. s. UA n. 73. p. 336, 33 Rubedo infueta & admiranda faciei. M. Donat. L. 1. C. 7 mig. on house ... Rubigoleft humor corrofivus. er Succharorartarus, ibid, n. 71 Rubiginis origo. Bor. c. 2. obf. 87. Rohault. Tr. phyf. P. 3. c. 15. Brefl. Beschicht der Maturund Bunft. 4. Berfuch. p. 956. fegg. Dubezahl. Garm. L. 2. tit. 10 S. 65 Diem zieren anderen no na anderen de Rubor & tumor capitis post mortem. Hagendorn. cent. 3. hift. 46. vom Saden (de Culco.) und benen baben gebrauchjuchen ritibus 148.9 mere-Ruc avis describitur, & an in rerum natura sit, inquiritur. Rejes qu. 67. p. 898 Sugar, Bor. C. S. Gill. to Ructas diuturni. Bor. c. 1. obf. 62 mmil Suesiev sittas ano moliog ne acidi cum dolore lienis. Gabelch. cent. 1. cur. 14 mondul siupe ne continui cum suppressione alvi. Gabelch. cent. 1. cur. 23 on singe ango? foetidi & molefti, Gabelch. cent. 2. cur. 15 1 mappe roquelorq murphi moleftus Ambari ufu curatur. Zac. Luf. P. A. L. 2. obf. 8 acidus & nidorofus. Smet. Mifc. L. I. Ep. 5. 6. 7 non . M. A. sirofind Rufihominis fanguis alteri per potum fatuitatem adfert. Zac. Luf.P.A. Southe Fuftum latitans. M. Donne, L.a. C 12 L.3. obf. 82 contra Ruffos fcommata. Garman. p. 8. §. 9. 10000 disseller pibatien? Rumingrio humana. A. N. C.Dec. 1. ao. 10. obl. 160 100 minimum 1. 102 Ruptura cranii, oculi, tympani, cordis, vertebrarum, uteri, veficæ, venarum, pulmonum, lienis, &c. Garm. L. L. tit. 8. 5. 47. 48 uxino Rute & absynthiiufu maculæ in toto corpore. Hagendorn. cent. 3 chilt. Sal ex quo conflet. Berch. Ph. S. L. 1. S. 2. C. 2. 11. TO. p. 46 804 .9.40 Sal deferibitur. Becol. Ph.S.L.L.S.A.Z & p. 117 Cabine noxa. A. N. G cent 3 p: 230 inquir en moro M & unique las Sabulum aurei fplendoris in urina calculofi. A.N.C. Dec2 3. ao. 9. sicali crystallifatum fine acidi allociatione. Auluslad bivage. Ido ro Sabulofus fanguis. Zac. Luf. P. A.L. 3. obf. 54 \$81 .ldo de Saccharo. Reinzer. Meteorol. did. 7. qu. 19 p.157 . duma .iuso [arisa Sacebarum cohibet putredinem. Becch. Ph. S. L. I. S. J. C. I. n. 35.p. 283 Ccc 2 SacchaSaccharum lactis. A.N. C. Dec. 3. 40. 9. obf. 155. cent. 3. p. 69 Saturni destillatum corrofivum oleum præbet. Becch. Ph. S. L. I. S.

. c. z. p. 2056 . d l' hand , meterus oudis a violos ni missi platient Sacchari Saturni præparatio, Becch. Ph. S. L. 1. S. 5. C. 2. n. 73. p. 365 hiftoria. Becch. Ph. S. L. I. S. 5. c. 2. n. 66-70310 . Div . STUTOTI Alato M

qualitates. Becch. Ph.S L. I.S. 5. c. 2. n. 73. p. 336.337

ex Saccharo fpiritus ardens ibid. n. 70.71 spentimbe 38 From obadu ? Rubicoleft humor corrotions,

ex Saccharo tartarus. ibid. n. 71

ex Saccharo acetum. ibid. n. 72

ex Sacchari nimio ufu Arthritis vaga. Hagendorn. cent. 3. hift. 23. p. 310 Sacer dotibus an competat praxis medica. Alberti Iurispr. Med. P. I, p. Rabor & curaor cupicis port mortem. Hagendurn, cend. 3.8if. 46.

bom Gacten (de Culeo,)und benen baben gebrauchlichen ritibus vid. Hertling Difp. de Ventre S. n. Carpz. Prax. Crim. P. 1. qu. 8 Sage. Bor. c. 2. obf. 59

an peftem concitare valeant? Garm.p. 140 1.2

an aquis fubmergantur, neo ne? Zwing. Difp: p. 40-44 10 bins Sagas aquis non fubmergi, creditur. Garin. L. 2. tit. 13. S. n. 14. 15. 41 00 Sagarum proba per aquam fallit. Garm. L. 2. tit. 3. S. 13. 14 11 20 1011 Sagarum note Bor c. 1Aobl. 32 . 1 . S. ruterus intu redm - suffelom

hiftoria. A. N. C. cent. 9. p. 5601 . 1 alife man? . autorobin deubios contra Sagas elenchus. Rejes qu. 97. p. 1215. 1. 9 offer and a minimoria si Sagittæ fruftum latitans. M. Donat. L. 2. C. 12 1. 1. O. 1. 82 Sagitte diu gestate in ventriculo. Rejes qu. 92. p. 1179 100 100 101 1 13000 Sal Ammoniacum corrumpit, spiritus conservat. Garm, L. 3. tit. 1. 9. 73.it. nura cranit, oculi, tympani, cordis, verrebrarum, ut \$8.0 dinit, ve-

enixum Paracelfi. ibid, tit. 2 \$. 81 8 sinol automing

de Sale. Reinzer. Meteorol. diff. 12. qu. 2. p. 249 min inting allo station

Salisprastantia. Garm. Mir. mort. L. 3. tit. 2. §. 73 a utu intravide 28 9449

Sal ex quo conftet. Becch. Ph. S. L. I. S. 2. C. 2. n. 10. p. 46 004 . 9.40

Sal deferibitur. Becch. Ph. S. L. I. S. G. c. 5. p. 117

Sal Sulphur & Mercurius improprie principia dicuntur. Becch. Ph. S. Subulus aurei miendoris in urina calculofi. 201. 9. 1. 5. 22. 9.

alcali crystallifatum fine acidi affociatione. A. N. C. Dec. 2. 20. 10. Sabulofas Istiguis, Zac. Laf. P. A.L. 3. Obl. 54 obf. 183

aëris Joëlii, Barth. cent, 2. Ep. 42. p. 531 010019M. Tsains A. otudous ab Magharum cohibet putredinem. Brech. Ph.S. L. L. S. S. C. L. II. 35. p. 283 Ccc 2 Saccha-

Sal fulphuris præparandi modus, fingularesque ejus ad omnes pulmonum affectus vires. Blegny Zod. gall. 20. 1681. Ian. obf. 1 volatile Nafturtii per fermentationem parandi modus. A. N.C. Dec. 1. 20. 6. 001. 2 volatile cur præbeant omnia combusta? Becch. Ph. S. L. I. S. 5. c. I. n. 42. p. 287 Salia fixa herbarum non ejusdem facultaris cum herba. Barth. A. H.V. 5. obl. 123 Salis ferpilli peculiaris figura. Barth. A. H. V. 2. obf. 70 Saturni noxa. Bor. c. 4. obf. 32 vires unde? Garman. Mir. mort.L. 3. tit. 2. §. 78. 79 Salium differentia. Becch. Ph. S. L. I. S. 2. C. 2. p. 83 diverforum usus & facultates. BlegnyZod. gall. ao. 1683. Febr. p. 39 Salis communis & Vitrioli differentia. Becch. Ph. S. L. I. S. 2. C. 2. p. 84 vapores, exinde parata chemica. Garman. Mir. mort. L. 3. tit. 2. §.80 fpecies veterum ufus & condimentum. Lang. L. 2. Ep. 32. p. 698 Hallensis Tyrolini coctio & præparatio. A. N. C. Dec. 2. ao. 4. obf. 226. 1925 .1do Salia plantarum. Hift. Acad. Reg. Sc. a0. 1699. p. 86. 128 Sal montanum Polonicum in fodinis levius, quam extra illas supra terram, A. N. C. Dec. 1. ao. 2. p. 396. 397. app. Garm. L. 2. tit. 3. 5. 4 Sal purgans Anglicanum Epsomenfe cent. 3. p. 397 Sal Epfomense ex certis fontibus parandi nova inventio. Brefil, Befch. 1. Derf. p. 114 Salia media five neutra. A. N. C. cent. 1. obf. 188 media via humida parandi ratio. A. N.C. cent. 3. p. 430.cent.5.p.284 Salus spiritus in summain putredinem duci potest. Becch. Ph. S. L. I. S.z. C. 2. n. II. p. 65 Sala (Anglus) ex metallis nullas aquas sperandas asseruit. Becch. Ph. S. L. I.S. 3. C. S. p. 172 Salacifimæ mulieris anatome. A. N. C. cent. I. p. 344 Salacitas magna puellæ cujusdam. A. N. C. cent. 3. p. 354 Salamandra. Lang. L. 1. Ep. 66. p. 362 quomodo ignem perferat. Barth. c. 2. h. 50. Garmann. L. 1. tit. 7. 5.27. 2 28.35.360 1.3050 4001.114 .9 cocta innoxie comesta. A. N. C. Dec. 1. obl. 206 vomiturejecta, Bor. c. 1. obf, 23. c. 3. obf. \$7 Sali-Ccc 3

Salices arbores cur crepent. vid. Juda mors. Saliva historiam & usum describunt Warthonius Adenogr. c. 21. Stens de Musculis & gland. Barthol. Anat. L. z. c. II. Boneius Anat. L. I. S. 21. obf. 16. Zwingerus in Diff. felect. p. 378--381. it. vid. Difpp. Franci, Seidelii, Hoffmanni de Saliva. Salive virtutes medicas describunt Galen. L. 10. de fimpl. facult. it. Johrenius in Diff. de Chrifto Medico c. 2. 6. 10 Saliva eft utilis humor. Zwinger. Difp. p. 366. 378--381 utilis humoriuxta Galenum L. 10. de fimpl, facult. & Avicennam, humana antidotum adversus pestiferos animalium ictus præsentaneum Zac. Luf.M. P. H. L. 5. hift. 32. p. 902 infantis corrofiva. A. N. C. Dec. 3. ao. 4. obf. 106 and months with fedulo fub conversatione cum maligne decumbentibus excreta, præservat a contagio. A. N. C. Dec. I. ao 10. obs. 170 ad naufeam dulcis. A. N. C. Dec. 2, ao. 8. obf. 58 minstor terosoft canis rabidi perniciofa. vid. Rabidus. Salivales ductus & glandulæ. Zwing. Difp. p. 274-276. Frank. p. 627. feqq. Salivalis ductus exterioris prima inuentio. Barth. cent. 2. p. 24.43 ex Salivalibus ductibus menstruorum fluxus periodicus. A. N. C. Dec. 3. ao. 7. obl. 87 Salivatio lenis in affectibus venereis proficua. Alberti Iur. Med. P. 2. p. 589. vid. Ptyalifmis. Ali . 1987 . 3. 14 nimia quomodo minuatur. ibid. p. 589 non intentata per Mercurium dulcem ex quibus causis accidentaliter provocetur. ibid. P. 2. p. 587 bertug ike menter in eurisigt fpontanea epidemica. A.N. C. cent. 1. obf. 137. p. 273) mira. A. N. C. cent. 7.p. 313199 action zellers allaton zo (eugnA) and critica. Zwing. D. p. 465 L. L. J. S. C. T. D. 172 in variolis. A. N. C. cent. 1. p. 277 . A. A months any hum smillisela? male fuccedens. Drefl. Befch. 7. Derf. p. 344 in Arthritide & fcorbuto. A. N.C. Dec. 3. ao. 7. obf. 7 in convultionibus commendata. A. N. C. cent. 1. obf. 109. p. 226 curat Epilepfiam. A. N. C. cent. 3. p. 231. 299. cent. 1. p. 272. Dec.'3. coda innoxie cometta. A. N. C. Dec. 1 oht. 200 ao. 7.0bl. 171 curat fluorem album spontanea. A.N.C. Dec. 3. ao. 10. obl. 140 Sali-200

S

5

Sd

C

SA.	391
Salivatio conciliatur cum Mercurio sub variis formulis. Zwi	ng. D.
p. 466	Contra The
per Mercurii dulcis ulum in fcabie quomodo fructuofe infti	tuen-
da. Alberti Iur. Med. P. 2. p. 589	" and
Salivatorius affectus. Hagend. cent. 1. hift. 72. p. 106	Lunie .
Salomon Rex fecundum traditionem Alcorani frans mortuus cre	dicur,
Garm. L. 2. tit. 4. §. 16	in nin
num circulum fanguinis intellexerit. vid. Sanguis	and a second
Saltus Lunaticus. A. N. C. Dec. 2. ao. 5. obf. 8. vid. Chorea.	in a
de Salutatoribus in Hifpania. Kornm. Mir. viv. p. 219. feq.	
contra Salutem animæ Medicus confcientiofus nihil fuadeat.	Alberti
Iur. Med. P. 1. C. 1. §. 10. C.	Particular D
Sambuci cortex medianus remedium contra inflammationem. A	. N. C.
Dec. 1. ao. 3. obf. 319	
Salfugo maris unde? Hamel, Phyf. P. z. Tr. z. c. 4. p. 425. Valentin.	arma-
mentar. nat. fystemat. Part. spec. c. 6. p. 135	and the second
Sanciorum invocatio in variis morbis. Garm. p. 136. §. 22	at the second
Sanclificatorum in utero exempla. Kornm. Mir. viv. p. 211. leq.	TT
Sanguificatio non fit in peculiari & unico organo. Barth. A. H.	. V.o 20
-onooble ton mission and and an in the state of the	nie Ge
Sanguis ex utero affluens quoad qualitatem an signum virginita	atis me.
Alberti Iur. Med. P. 1. p. 65. Cal. 7	is .
Sanguis conversus in varia animalia viva. Bor. c. 3. obf. 50	
Sanguis vitæ thefaurus vocatur a Mefue L. 1. de Re Med. Theorem	hilone
Sanguis cum anima contunditur a Critia, Diogene, Empedocle, P	Ditone.
vid. Garm. Mir. mort. L 2. tit. 7. §. 74.121.122	Han
Sanguis quod fentiat, dixit Critias Philosophus Lib. de Anima. t. 3	
væus de Gener. anim. Exercit. 52. Garm. L. 2. tit. 7. §. 74	ort. L.
Sanguis continuo moveri debet in statu naturali. Garm. Mir. m	OIC. ER
3. tit. 1. J. 19. 20	2. 2. tit.
Sanguis putredini admodum subjacet. Garmann, Mir. mort. Lit	44
1. 9. 34 Sanguis eft instrumentum animæ, & sequitur animæ motum.	Steph.
Roder. a Caftro Lib. 2. de Meteor. Microcofm.c. 15. p. 84	nansung .
Sanguinis odor divertus. Garm. M.M.L. 2. tit. 8. §. 34	uban
Sanguinis odor divertus. din m. Millifus Diatribe de	Febri-
bus Not It	- Jule
bus. Not. II 42.100 and munimersity	San-
renčunge	The state

Sanguinis circulus Aristoteli notus. Walæus Ep. ad Barthol. Sanguinis circulus Hippocrati cognitus. Linden. Select. Med. Exerc. 13.

392

- §. 232. Exerc. 16. §. 53. it. Walaus Ep. ad Bartholinum ex Hipp. Lib. de Venis t. 17
- periodi & circuli meminit Hipp. Lib. de infomniis c. 13. text. 144. it. de Alim t. 20. it. Lib. de venis t. 17
- circulum Hippocrati & Aristoteli incognitum fuisse, probavit Pitcarnius de invent. circ. fangu. p. 88
- circulum an Salomon Ecclef. 12. v. 6. cognitum habuerit. vid. Joh. Schmidius defeript. fenectut. Salomon. Schneider. de catarrh. L. 3. c. 2. A. Angl. Old. ao. 1666. p. 194. n. 7
- Sanguinis circulum Sinenfes intellexiffe, vid. Cleyerus Ep. ad Sim. Pauli, it. Barthol. A. H. V. 4. obf. 1. p. 4
- Sanguinis circulus Cefalpino primum cognitus fuiffe dicitur.vid. Queft. Peripat. L. 5. qu. 5. p. 126. it. Bagliv. Pr. Med. L. 1. cap. 12
- Sanguinis circuli inventionem vid.in Frank. bon.nov.Anat.§.64.& Præfat. ejud. ad Langii opera Med.
- Sanguinis circuli verus inventor eft Guil. Harvæus Caroli I. Reg. Brit. Archiater. vid. D. de Stair in Dedicat. Philologiæ experimentalis. Adfcribitur hæc inventio etiam Herm. Conringio in Tr. de generat. & motu fanguinis; fed tantum Harvæum fecutus eft, quod & fecit Job. Walæus. vid. Dieteri Jatreum Hipp. orat. n. 15
- Sanguinis circuli primain inventionem Paulo Servitæ, religiofo Veneto, adferibit Highmorus in disquif, anat. de Arter. Cerebri, it. Bartholinus in Ep. cent. 1. Ep. 26
- Sanguinis via e dextro in finistrum cordis ventriculum describit Leonb. Botallus, it. Cæcil. Folius in Tr. de fanguinis a dextro in finistrum cordis ventriculum disfluentis reperta via, it. Meybomius, Metzgerus, Megalius de fanguinis motu.
- Sanguinis circulus in fortu. Histor. Acad. Reg. Scient. ao. 1699. p. 35. Botallus de via fangu. e dextro in finistr. cord. ventric.vid. Fatus. transitus per pulmones. vid. Manr. Hoffm.
- Senguinis circulus per septum cordis impossibilis. vid. Maur. Hoffman. difp. pecul. Lowerus de corde c. 2, p. 87
- Sanguis ex vena extractus in lac mutatus. Rejes qu, 47. p. 583
 - lacteus. Garm. L. 2. tit. 7. 9. 145 pro lacte, Salmuth. c. 2. obf. 24

Sanguis

Sanguis chylofus. A. N. C. Dec. 2, ao. 4. obf. 165 albus. Bor. c. 1. obf. 25. A. N. C. Dec. 1. ao. 1. obf. 28. fchol. it, ao. 7. obf. 214. ao. 2. obf. 210. Dec. 2. ao. 9. obf. 231. Acta Angl. Oldenb. ao. 1665. Nov. n. 6. 10 1 1 C. L. LAWY. nigerrimus. Rhod. c. 3. obf. 70 日月日1日1日1日 verminofus. A. N. C. Dec. 1. ao. 1. obf. 50 piceus. A. N. C. Dec. 2. ao. 5. obf. 65 caufticus A.N. Dec. 2. 20. 2. obf, 107 Saltenness frigidus. Bør. c. 3. obl. 52 Helmont, Tr. Aurav congelatus crystallinus. Bor. c. 2. obf. 28 Samo Manaz extractus non concretus non femper lethalis. Zac. Luf. P. A. L. 3 obi. 59 extravafatus occiforum non mensurandus. Alberti Iur. Med. P. I. iuppl.p. 412 Sanguinis ægrotantium diversus fætor. Garmann. Mir. mort. L. 2. tit. 8. 5. 41 Sanguis grumofus per alvum excretus. Barth. c. 2. hift. 70 arenofus. Zac. Luf. P. A. L. 3. obf. 54 S CISSUE 21 Ounguints exclusion diverso colore præditus. Garm. L. 2. tit. 8. §. 34. 40. 41 ex globulis constat. Barth. A. H. V.3. obf.3 quotuplex fit. Bravo P. 1. difp. 5. Sect. 2. refol. 2. p. 164 Chrifti & Abelis clamare dicitur, ille de reconciliatione, hic de vindicta. Garm. L. 2. tit. 7. §. 100 Chrifti, qui e latere transfosso promanavit. Garm. Lib. 2. tit. 7.p. 103 in & post coitum emisius. Hagendorn. cent. 2. hist. 42. p. 212 Zachariæ & Polycarpi miraculofus. Kornm. M. M. P. 4. C. 174. 175 Martyrum adhuc miracula prodit. Garm. L.2. tit. 5. 8. 8 Sanguinis vires. Bor. c. 4. obl. 16 Sanguis canis rabidi in Hydrophobia. vid. Rabidus. Sanguinis humani & animalium usus medicus. Garm.L. 2. tit. 2.5. 68.69. Zac. Luf. M.P. H. L. I. hift. 23. p. 41. Tulp. L. 4.C. 14 humani potus fatuitatem adfert. Zac. Luf. P. A. L. 3. obf. 73. 82. Sennertus Paralip. Sanguis humanus in medicina'remedium deteftandum. Rejes qu. 23. p. 249. qu. 71. p. 950 ex Sanguine humano parata remedia an utilia, Garmann. Lib, 2. tit. 2, 5.69

San-

Sanguis & calor nativus duo inteftini hoftes nobiscum nati. Smet. Mife-L. XI. Ep. 2. p. 593 Sanguis humanus a quibus commenderur ad Epilepham. Rejes qu. 71. p. 949. 950. Tulp. L. 4. c. 4. Garm. M. M. L. 2, tit. 2. 8. 68 humanus non eft remedium Antepilepticum. Rejes qu. 23. p. 248 A. N. C. Dec. 1. ao. 10. obl. 149. vid. Epilepfia. human'us curat hæmorrhagiam. A. N. C. Dec. 2. 20. 3. obf. 99 Sanguinis humani oleum antepilepticum. Garman. M. M. L. 2. tit, 2.5. 69. Helmont. Tr. Aura vital. Sanguine excreto propinato, excandefcentia, hæmorrhagiæ uteri ferme incurabilis caufa, tandem curata. A. N. C. Dec. 3. ao. 9.0bf.215 Sanguis animalis mortui per microfcopium vitam præsentat. Garman. L. 2. tit. 5. 9. 6 rhinocerotis in affectibus venenofis eximius. Zac. Luf. P.A.L. 3. obf. 92 Sanguis leporis fub fuga interempti Dysenteriam, Erifyp. ambufta curare dicitur. Helmont. poteft. med. n. 29 Sanguinis taurini esus uteri corrosionem & mortem causatur. Zac. Lu/. P. A. L. 3. obl. 82 hircini vis lithontriptica. Smet. Mife. L. 2. c. 44 transfusio in cane. A.N.C. Dec. 2. ao. 8. obf. 131 Sanguis eft primum movens & ultimum moriens. Harvaus generat.animal. Exerc. §1. p. 193 Sanguis cum aqua forti per intufionem in venam fpiffus redditus. Garm. L. 2. tit. 7. 9. 27 in vivis spissie evadit, & ob quas causas? Garm. L 2. tit. 7. §. 25.27 spissus quas habeat caufas. Alberti Iur. Med. P. 2. p. 569 impurus & morbo chronico contractus maculas lividas producens. ibid. P. 2. p. 595 Sanguis utrum fit humor vi jecoris genitus. Bravo P.I. Difp. 5. Sect. 2. Relol. I. p. 163 Sanguinis infpectio. vid. Hæmatofcopia. Sanguis in aqua refrigeratus lanuginofus. Garm. L. 2. tit. 7. §. 19 frigidus & concretus in apoplecticis. Holler. comm. in coac. Prznot. 1. L. I. Bonet. fepulchr. anat. p. 79. Mæbius Phyl. c. 13 an fibras habeat. Garm. L. 2. tit. 7. §. 18--21 San

Sanguis post mortem non statim congrumescit. Garm. L. 2. tit. 7. S. 15. 16. 73. 74 Sanguinis concreti virulentia. Lang. L. 2. Ep. 31. p. 695 Sanguinis mira a leprofo per venæ fectionem extracti congelatio. M. Donat. L. I. C. 4 CHP. Ch. progreffus Embryonum an post partum posit continuari. Alberti Iur.Med. P. 2. p. 88 motus in mortuis. Garm. L. 2. tit. 5. §. 7 profluvium post mortem in subjectis hæmorrhagia narium, vteri, & hæmorrhoidibus oppreffis. Garm. L. 2. tit. 7. §. 29 post mortem manatio ab ingestis antea spirituosis. Garmann. L. 2. tit. 7. 5. 33 post mortem fluxus a putredine. Garm.L.2. tit. 7.§.34 poft mortem profluvium in fubjectis aqua fubmerfis. Garm. Lib. 2. tit. 7. 0.32. 34 poft mortem profluvium an innocentiæ documentum. ibid. §.36.38 Sanguinis profluvium post mortem non absolute indicat mortui fanitatem. Garm. L. 2. tit. 7. 9. 35 ftafis. ibid. L. 3. tit. I. §. 20 profluvium a mortuis fanctis. Garm. L. 2. tit. 7. §. 38 profluvium ex fepulcris mortuorum. Garm. L. 2. tit. 7. §. 37 profluvium ex cadavere enecati hominis certum experimentum num constituat? Zwing. Difp. p. 34--37 profusio hominis violenta morte sublati coram interfectore. Rejes qu. 23. p. 383. vid. Cruentatio. Sanguis post quintum diem a morte præternaturaliter ad mulieris fomolæ tactum fluens, cum judicio Medici. A. N. C. Dec. 3. 20. 7. obf. m. vid. Cruentatio Cadaverum. Sanguinis profluvium ex naribus. Gabelch. cent. 4. cur. 3 profluvium per nares cohibitum in Cephalalgia epidemica, mortis caufa fuit. Gabelch. cent. 5. cur. 37 profluxione per nares frequenter affecti facile peste corripiuntur. Gabelch. cent. 5. cur. 38 emanatio ex naribus in vulneratione pulmonum. Alberti Iur. Med. app. p. 176 Sanguinis profluvium, &c. vid. Hamorrhagia. Ddd 2 San-

396	SA! 2
Sangain	nis nimio profluvio gravida demortua. A. N. C. Dec. 3. ao. 7.
prof	luvium spontaneum ex vena ob verecundiam! in invene Cor
. R. 1 . M.	Wills L. I. Enchirid. cap. 3. Reles qu. 86. D. 1117
emu	Ixus ex oculis. Gabelch. cent. 4. cur. 42
Sangui	sloco teminis emilius. Salm. c. I. obf. 81 107 (Contraction of the second
0	nis fluxus per uterum in gravida cum mictione diminuta. Ga- elch. cent. 4. cur. 94
ið fluc O	bf. 55 bf. 55
Sangun	s menitruus an virulentus & noxius, Hachft, Dec. I. p. 100 41.
mei	offruus eft superfluus, Hacht. Dec. 2. p. 166, 167
, Dangu	mis iputum non omne timorolum. Avicenn, Fen. 10. L. 2 Traca
aeoun	guine menitruo mulierum. Kornm. Mir. viv p 102
Dangu	inis vomitus Saphænæ lectione curatur. Zac InfP A La obf
-10201 11-	. VIG. VOMITUS. HOI HOI HOI HOI TAK
mic Canada	tio ex abulu Myrrhæ. A. N. C. Dec. 2. ao. 8. obf. 121
oungu	inis mictus criticus. Zac. Luf. P. A. L. 2. obf. 78
P	rofluvii ex quacunque parte remedium rarum. Zac. I.uf. P. A. L. obf. 128
enter fury	sum sistendi remedium arcanum alumen. Bor. c. 4. obs. 50
flux	sus oppressio magica. Garm. L. 2. tit. 7. §. 5. vid. Hæmorrhagia.
flux	cus per verba cohibitus, fed malo exitu. A. N. C. Dec. 2. ao. 4.
(Lane Kal	obf. 11
Sangu	is ex cucurbitulis in pefte compesci non potest. Zac. Lus. P. A.
A Strate and a Car	at the second of
Saugu	inis manatio ex umbilico inuocua. Hachf Dec 2 c 9
ftil	licidium ex manuum pedumque digitis. A. N. C. Dec. 3. ao. 3.
and the t	001. 194 an argument of an international souther and multimeters
ple	nitudo. vid. Plethora.
mi	i fluxus in lienofis. M. Donat. L. 4. c. 9 000000000000000000000000000000000
Dangu	is exporulis extudens.' A. N. C. cent 7. D. 410 & 7 and
Sangu	ints indor & Lacryma Rejes qu, 36, p. 1110. fegg. vid. Sudor &
and the second second	
Sangu	inis ludor criticus. Zac. Luf.P.A. L, 3. obf. 2.75 San-

2/1	
Sanguinis fudor oviticus in febre fanguinea. ibid. it. Salomon Albertus	
orat. de fudore fanguineo.	
fudor in Christo supernaturalis fuit. Rejes qu. 86. p. 1120. 1121. n. 26.	
D. 1122. D. 27	
fudor in Christo quod non supernaturalis fuerit, qui assent. ibid.	
Are.n. 125101.1 dollar. Autor P. a. Dilly, a Soch 1. religination	
Sanguineus fudor in peste. Zac. Lus. P. A.L. 3. obs. 41	
fudor a ferpente provocatus. Garm. L., 2. tit. 6. §. 42. 43	
fudor in morbis malignis occurrit. Rejes qu.86. p. 1116. 1117. n. 16. 17	
fudor in offibus & cornibus. Garm. L. 2. tit. 6. §. 32. 33	
Sanguinea Lacryma.vid. Lacryma.	
Sanguine & guttulæ, herbis adhærentes. Garm.L. 2. tit. 6. §. 28	
Sanguinea pluvie. Garm. L. 2. tit. 6. §. 29. 67. Rejes qu. 86. p. 1110. n. 2	
aqua fossa Berolinensis. A.N.C. Dec. 1. ao. 8. obs. 75	
Febris. vid. Synocha, it. Febris Synocha, fanguinea & continens.	
Sanguis plenius mittendus in Melancholia, quam pituitofa plenitudi-	
ne.Zac. Luf.M. P. H. L. 2. hift, 78. p. 322. feq.	
Sanguinis intempettiva millio caula Febris. Zac. Luf. P. A. L. 3. obf. 53	
a vena fecta non, nifi corporis motu prævio, eruptio. A. N.C. Dec.	
2. ao. 2. obf. 154	
libra in pericardio reperta. A. N. C. cent. 9. p. 17	
pestiferi fætor pestem adfert. Zac. Luf. P. A. L. 2. obs. 44	
Sanguinem qui descripferunt autores. Zac. Lusit. M. P.H. L. 2. hift. 10.	
p. 185	
Sanguinis transfusio. vid. Transfusio.	
de Sanguineis. Kornm. Mir. viv. p. 271	
Sanguinei longæviffimi. Zac. Luf. M. P. H. I. 2. qu. 9	
Sanguinolenta crux in facie defuncti. Hagend. cent. 3. hift. 44. p. 340 de Sanitate & Morbo Differt. vid. Blegny Zod. gall. ao. 1683. Nov. Dec.	
	1
p. 240. feq. Sanitas an ab animi pathemate labefactari queat? ibid.	
Sanitatis studium est corpus satiari cibo, & impigrum este ad labores.	-
Santara Indianten corpus ratiancios, el impigram ene un moores.	1
Hipp.6. Epid S. 4 Sanitatis tutela a labore aufpicienda. Galen. 2. de vita tuenda, Celf. L. 1	
c. I. vid. Labor.	
Sanus homo effe nequit, qui edit & bibit, nisi etiam laboret. Hupp. L.	
de diæta.	1
Ddd 3 Sani-	

Sanitas corporis fani num fit communicabilis corpori ægro? Zac. Laf. M. P. H. L. 2. hift. 66. p. 301. Rejes qu. 26. p. 303--305 cur non fit communicabilis? ibid. p. 307. 308 ex iracundia, timore, incendii metu, in claudis & contractis. Rejes qu. 79. p. 1059 perfecta utrum fit poffibilis. Brave P. 2. Difp. 1. Sect. 1. refol. 1. p. 351 Sanitas quid fit?ibid. refol. 2. p. 353 & morbus utrum fint fub eodem genere. ibid. refol. s.p. 359 Sanitatis caufæ confervatrices utrum fint res non-naturales. ibid. Sect. 2. refol. 1. p. 360 Sapientia Medica. Linden. Sel. Med. Exerc. 2. p. 22 Sapientia juvenis. Tulp. L. 3. C. 14 NISTRATION Sapientie differentia in senioribus & junioribus. Rejes qu. 100. p. 1248. feq. 11. 14. 15. feq. Alberti Iur. Med. P. I. C. I. S. 15 Sapientiæ morbus Plinii. A. N. C. cent. 3. p. 173 Saponariæ vis. Bor. c. 1. obf. 18 Sarcoceles historia. A. N. C. cent. 1. p. 252 Sarcocele cur ut plurimum in dextro latere nascatur. Hild. c. 4. obs. 64. vid. Hernia carnofa. Sarcomatum felix deligatio. A. N. C. Dec. 1. 20. 6. obf. 37 ex Sarcomate suffocati. A. N. C. Dec. 3. ao. 7. obf. 144 Sarcoma fiftulofum in dorfo. Hagend. cent. 3. ep. 29 p. 318 Sarcophagi plumbei in quibus corpora imputria diu fervantur. Kornm. Mir. mort. P. 3. c. 6 Sarcofis in naribus perfonæ Ecclesiasticæ aliis scandalosa, sed in se inoffenfa. Alberti Iur. Med. P. 1. p. 227. Caf. 1 Sarsaparille vires in expugnandis ardentissimis febribus. Gabelch. cent. 6. cur. 37 Sar faparille rad. ufus in articulari dolore. Solen. Sect. 5. Conf. 4 Saturatio omnis mala, panis vero pessima, vnde hoc dicterium ortum fit? Rejes qu. 85. p. 1095. n. 4. Lud. Nonnius L. 2. de re cibaria, adfcribitur Avicenne & Calio Rhodigino. Saturitas post transactam famem nocentissima. Zac. Luf. M.P.H.L. 2. hift. 71. p, 310 Saturnina medicamenta an venena. Alberti Iur. Med. P. I. p. 31. §. 15 Sarurnina medicamenta funt noxia. ibid. p. 260 Satur-Alt BE

Saturnus cornutus. Becch. Ph. S. L. 1. S. 5. C. 3. p. 409 in Mercurium vertitur. Becch. Ph. S. L. 1 S. 6. c. 8. p. 623 fpiritum aceti in oleum reducit. ibid. S. s. c. 2. p. 356 ocrystallos volatiles facit. ibid. joint and a comment Saturni analyfis ibid. S. 6. c. 8. p. 669 fumus & halitus causa repentinæ mortis. A. N. C. Dcc. 1. ao. 1. p. 24. app. Satyrium venerem ftimulat. Garm. L. I. tit. II. §. 26 Satyrorum existentia. A. N. C. cent. 1. p. 83 Satyria quibus describantur. Rejes qu. 67. p. 897 Scabies. Diemerbr. obf. 99 Scabies Neonuptorum, Braut-Rrage, Garman. L. 2. tit. 8. S. 41. Alberti Iur. Med. P. 1. p. 79. §. 3 Scabiei curatio per lotionem in flumine. Hagendorn. cent. 3. hift. 58. P. 357 Scabiei laudes. Matthias Czanakius Tr. pecul. Scabies ficca feu Impetigo & Pfora. Diemerbr. obf. 12. Plater. obf. L. 2. p. 100 humida vermicularis. A. N. C. cent. 7. p. 49 capitis manans. Plater.obf. L. 2. p. 508 moleftiffima. Gabelch.;cent. 1. cur. 2 molefta ex refrigeratione corporis in aqua frigida. Gabelchov. cent. (d) 100 3. Cur. 21 & atrophia ex Hepatis intemperie. Solen. Sect. 3. Conf. 20 crefcente luna aucta. A. N. C. Dec. 3. ao. 9. obf. 205 menstrua a mensibus retentis. A. N. C. Dec. 1, ao. 3. obl. 62 contumax maligna. Zac. Luf. P.A.L.3. obf. 52 maligna ex occlusis hæmorrhoidibus. Gabelch. cent. 3. cur. 22 fœdatotius corporis, post multos bubones pestilentiales. Gabelch. cent. s. cur. 99 felium epidemica. A. N. C. Dec. I. ao. 3. obf. 140 & exulceratio tibiarum. Gabelch. cent. 3. cur. 69 & cedemata in febribus præcipue quartanis exorta, quod curanda non fint. Gabelch. cent. 6. cur. 75 fera in capillola fede & facie infantis, Saarbroten, Plater, obf. L. 2. p. 503 Scabies

Scabies retropulla caufa epilepfiæ. Hagendorn. cent. 1. hift. 9. p. 17 Scabiei retropulfæ damna. Hæchft. Dec. 8. c. 8. A. N. C. cent. 3. p. 166 Scabies retropulfa caufa Apoplexia. A. N. C. Dec. 1. 20. 1. obf. 58 retropulfa causa tumoris brachii cum febre acuta. A.N. C. Dec. 1.20. 8. obf. 77 retropulfa caufa Anafarcæ. Lent. Mifc. Med. p. 180 a Scabie retropulfa catarrhus fuffocativus. Hagendorn. cent. 1. hift. 92. p. 133 Scabies capitis retropulsa causa guttæ ferenæ. A. N. C. cent. 7. p. 303 male curata lethalis. Zac. Luf. P. A. L. 3. obf. 51 male curata fymptomata profert. Gabelch, cent. 2. cur. 42 perversa, Lepra Græcorum seu Psora. Plater. obs. L. 2. p. 670. Scabiei puerorum unguentum, Zac. Luf. P. A. L. 3. obf, 50 adfinitas num detur cum inquinatione venerea. Alberti Iur, Med. P. 2. p. 588 a to use of a multi in menoirol regio Scapulæ dolor in lue venerea. Plater. obf. L. 2. p. 479 Scarabæi Majales remedium contra morfus rabidi canis. A. N. C. Dec. de Scarabæorum ufu. vid. Brefl. Gefch. der Matur und Runft 4. Berf. mild vermicularis A. N. C CORL . P. 49 p. 965 Scarificatio, quam nullus fanguis sequitur ob consternationem de dolore. Salmuth. c. 3. obf. 58 profunda paralyfeos & mortis caufa. Zac. Luf. P.A. L. 3. obf. 65 66 gangrænæ & mortis caufa. Zac. Luf. P. A. L. 3. obl. 67 10 100 intempestiva est causa doloris dorsi. Gabolch. cent. 2. cur. 53]

SC

dorfi, fluentibus menfibus, varia caufatur fymptomata.Gabelch.cent. 4. cur. 92

malleorum periculofa. Rhod. c. 3. obf. 17

ex Scarificatione & Venæ sectione neglecta sputum sanguinis. A. N. C. Dec. 3. ao. 5. 6. obs. 25

ex Scarificatis scapulis mensibus purgata virgo. A.N. C. Dec. 3, ao. 1. obs. 88

ex Scarificatis vulnusculis hæmorrhagia incompescibilis, Rejes qu. 33. p. 400. 401. Zac. Lus. P. A. L. 3. obs. 42. A. N. C. cent. 9. obs. 8 Scarrificatio in hydropicis funesta. Hagend. cent. 2. hist. 20. p. 181

Scaturiginum origo non eft ex mari. Becch. Ph. S. L. I. S. 2. C. I. n. 6. P. 48

Scatu-

Scaturiginum hypothesis, effe collectionem. Bech. l. c. n. 9. p.53 Scaturiginibus attribuunt spiritum. ibid. n. 7. p. 50 Schatgraben. Berb. unert. Sunden Part. 2. Fortfebung c. 21 Schacht. Beech. Ph. S. L. I. S. 3. C. 2. p. 122. 123 Schieffer. Becch. Ph. S. L. I. S. 3. C. 2. p. 121 Schlaff-Rrancheit. A. N. C. cent. 3. p. 183. vid. Gravede. Schlig-oder Spalt-Bruch. Alberti Iur. Med. P. 2. p. 610 Schnuren der 2Beibes. Perfonen taxatur. Spigelius C. H. F. L. I. c. 9? Frank. p. 213 Schænanthum eft specificum ad fungos cerebri. A. Berol. Dec. 2. Vol. r. p.103 Schwielben quid? Becch. Ph. S. L. I. S. 3. C. 3. p. 139 Scientia Medici qualis effe debeat. Alberti Iur. Med. P. 1. p. 9. 5.3. 4.6 Seincus. Lang. L. I. Ep. 66. p. 362 Scintillæ igneænoctu oculis obverfantes in fobrio. Salmath, c, 1, obf. 5@ in indulie. Bor. c. z. obl. 69 ex capite. Bor. c. 4. obf. 43 ex capillis. Barth. c. 3, h. 37 Scirrhi curatio. Hildan. cent. 6. obf. 75 Scirrbus in regione umbilicali gravidæ. Blegny Zod. gall. 20. 1679. Iul. obi.4 Scirrhus gingivæ. Salmuth. c. 3. obf. 20 mammæ. Salmuth, c. 2. obf. 8. 34 pulmonum caufatur afthma. A.N. C. cent. 1. p.220. Scirrhofus pulmonum infarctus caufa Afthmatis. Sylvius de le Boë prax. L. I. C. 12. 5. 17. 18. A. N. C. cent. I. & 2. p. 220 Scirrbus lienis. Fieber. Ruchen. A. N. C. cent. 1. p. 205. app. Gabelch. cent. 6. cur. 80 lienis cauterio curatus. Zac. Luf.P.A. L. 2. obf. 50 Hepatis. Zac. Luf. P. A. L. 2. obf, 48 Pylori. Salmuth. c. 1. obf. 20. A. N. C. cent. 7. p. 281 Scirrbus ventriculi verminofus canibus familiaris. A. N. C. Dec. 3. ao. 7. ob1. 250 uteri chalybis ufu curatus. Zac. Luf. P. A. L. 2. obf. 88 uterigallicus fyrupo curatus. Zac. Luf. P. A. L. 2. obf. 87 Sciurus albus mortis nuncius. A. N. C. Dec. 3. ao. 7. obf. 30 a Sclopeto vulnus inflictum. Blegny Zod.gall, ao. 1682, Febr. obf. II Sco-Eee

Scolopendria. Lang. L. 1. Ep.74. p.447 Scolymus an caprum fub alis curet? Lang. L. 2. Ep. 6. p. 575 Scorbutus. Sal. Alberti, Albini, Borrichius, Brunner. Charletonius, Conring. Drawitz. Drejer. Evgalenus, Horftius, Mastrich, Lang. Rhod. Senners. Willif. Reufnerus, Diemerbr. contagiofus, Alberti Iur. Med. P. 2. p. 167.171 an sit novus morbus. Möllenbr. Procem. p. 3. seq. Scorbuti etymologia & diversa fignificatio. Möllenbr. Procem. p. 3.feq. peculiares adnotationes. Möllenbr. ibid. p. 9. feq. & arthritidis in morbo falivatio. A.N. C. Dec. 3. ao. 7. obf. 7 cum venereo morbo harmonia. Alberti Iur. Med. P. 2. p. 168. 173 Scorbuticus convultivus morbus. Hagendorn. cent. 1. hift. 22, p. 39 Scorbutica affectio epidemica. A. N.C. cent. 1. p. 324 Scorbutum fub nomine magni lienis & Ilei Hæmatidis cognitum fuiffe, quidam autumant. Scorbutica macula. A. N. C. cent. I. obf. 101. p. 181. 208 Scorbutice maculæ nigerrimæ. Salmuth. c. 3. obf. 60 Scorbuticus pruritus. A. N. C. cent. I. p. 144 Scorbuticus affectus. Alberti Iur. Med. P. 2. p. 471. Caf. 44 Scordii ufus. Hild. cent. 2. obf. 92.93 Scorpio coctus innoxie devoratus. A. N. C. Dec. 1. ao. 2. obf. 205 Scorpiones non venenati. A. N. C. Dec. 1. 20. 10. p. 454 Scorpionum ictus. A. N. C. Dec. 3. ao. 1. obf. 20. Alberti Prax, Extemp. Cal. 18 Scortum ex æthiope parit filium bicolorem. A. N. C. Dec. 2. 20, 5. ob1.190 Scotomia & animi defectio. Plater. obf. L. I. p. 218 Scotemia in Melancholia hypochondriaca. ibid. p. 96 Scriptor plus debet feire, quam fuum feriptum. Becch. Ph.S.L.I.S. 6.c. 8. p. 702 Scrophulæ colli in morbis chronicis funeftæ. Hagendorn. cent. 3. hift. 38. p. 413 Scrophule. Bor. c. 2. obf. 67. c. 4. obf. 38. Plater. L. 3. p. 644. fegg. remedium vincetoxicum decoctum. A. N. C. Dec. I. ao. 1. obf. 57 Scrophula in foetu ex imaginatione. A. N. C. Dec. 2. ao. 5. obf. 223 colli monstrofa. Hild. cent. 3. obf. 85 Scro-1532

Scrophulofas glandulas abiumens corrofivum. BlegnyZod.gall. a0,1680. Jul. obf. 18 Scrophuloft in pede tumores. Blegny Zod. gall. ao. 1679. Maj. obf. 9 Scrophule totum collum undique occupantes. Plater. obf. L. 3. p. 650 Scrophule & Hydropi Vincetoxicum proficuum, A.N.C. Dec. 1. ao. 1. obf. 57 Scrophularie aquatice virtus traumatica. A. N. C. cent. 7. p. 145 Scrotum ablatum ana natura reftituatur. Alberti Iur. Med. P. I. p. 43. 0. 28 Scroti tumor immenfus. Barth. A. H. V. 5. obf. 59. Solenand. Sect. 4. Conf. 15. vid. Hernia. amputatio ob dolorem inflammatorium ab ipfo patiente commifía. Tim. a Guldenkl. L. 3. Caf. 46 in hydrope periculofa apertio. Barth. c. 2. h. 64 in hydrope scarificatio utilis. Luf. P. A. L. 2. obf. 54 in Scroto lapis genitus. Hild. cent. 6. obf. 57 ex Scroto pueri lapis erumpens. Barth. A. H. V. 3. obf. 6 Scroti poft gangrænam delapfi mira curatio. Hildan. c. 5. obf. 76.77 Sculptores miri. Kornm. Mir. viv. p. 259. feq. Secalis tremulus. A. N. C. Dec. 3. 20. 7. obf. 29 Secreta remedia non funt refervanda. Rejes qu. 14. p. 161.162 Secretionem a fubtilitate & craffitie diversa particularum deducit Pitcarnius in Elem. Med. Phys. mathem. L. I. C. S. S. 66 Sectio Cafarea. Blegny Zod. gall. 20. 1680. Oct. opf. 4. vid. Cafareus. Sectio cadaverum an femper & ubique fit necessaria. Alberti Iur. Med. app. p. 35. 36 Secundina duplex humana. A. N. C. Dec. 1. ao. 1. obf. 39 Secundinæ. vid. Tilingii Difquif. de uteri placenta, Hobokenius Tr. anatom. Secundinæ & lochiorum suppressio. Diemerbr. obs. 41 post partum retenta. Tulp. L. 4. c. 42 retentælethales. Tim. a Guldenkl. L. 4. Caf. 27 fesquimenfis remanfio. A.N.C. Dec. 2. ao. 1. obf. 134 STREAM 2005 A per diuturnum tempus retente & dein sponte excrete. A.N.C. Dec. 2. ao. 1. obf. 31

Secun-

Secundine frustulum ultra mensem retentum atque excretum. A. N. C. Dec. 1. 20. 3. obf. 117 retentæ excretionem promovet motus localis. A. N. C. cent. r. p. 122 per septennium fine noxa retentæ. Hagend. cent. 3. hift. 12. p. 296 ex Secundinis præsegium de numero liberorum. Hagendorn. cent. 3. hift. 15. p. 300 Secundinas pellentia remedia. Barth. c. 5. hift. 39. p. 70-74 circa Secundinas in partu gemellorum varietas. A. N. C. Dec. 3. ao. 7. obf. 45 Secundinarum in nævis maternis delendis noxa. A. N. C. Dec. 3. ao. 9. - obi. 131 Sedenti puellæ stuprum illatum. Alberti Iur. Med. P. 2. p. 194. Caf. 20. Epicr. p. 205 Sedentaria vita eft nociva. Frank. p. 573. 597. 598 Sedi vermicularis virtus antifcorbutica. A. N.C. Dec. 1. 20. 6. obf. 22 Semen maris an semper debeat in uterum penetrare ad concipiendum. Alberti Iur. Med. P. 1. p. 35. §. 21 Semen fine principio generante emiffum. ibid. P. 2. p. 24 Semen quid fit fecundum veterum opinionem ? Rejes qu. 46. p. 565.566. Frank. Sat. Med. p. 541. 542 viri verminofum. A. N. C. Dec. 2. ao. 5. obf. 1 vermiculos innumeros continet. Anton. a Leuwenhoeck. Experim. & Contempl. p. 33. Garm. Mir. mort. p. 877 -- 881 figuram num recipiat a spiritibus? Blegny Zod. gall. ao. 1682. Apr. obf.1 hominum an lineamenta contineat. Alberti Iur. Med. P. I. p. 137. n. I Seminis voluntaria emiffio an licita. vid. Mastupratio, Onaniticum peccatum. Alberti Iur. Med. P. I. p. 36. §. 22 Semen focundum utrum fæmina pro generatione emittat. Bravo P.I difp. 10. Sect. 1. refol. 6. p. 295 Semen cum emittat fæmina, utrum valeat fola generare. ibid, refol. 7. p. 298 Semen non in teftibus paratur. Frank. p. 228 Semen eft vehiculum virtutis genitalis. Valent. Novell. Med. leg. Caf. X. p. 264 Semen 5 30 3

a service part of the service and the service
Semen virtile quoties a fæmina receptum, toties caufa Lipothymix. A.
N.C. Dec. 1. ao. 3. obf. 233
virile a fœminis in fua genitalia receptum, & ab his in aliarum fœ-
minarum genitalia translatum. Simon. imp. conj. c.2. th. 2. n. H. 12
Seminis virilis infœcundi variæ caufæ. Lang. L. 1. Ep. 9. p. 592
Semen utrum fit necessarium pro fœtus formatione. Bravo P.I. difp.Io.
Sect 3. refol. 1. p. 315
quid fit. ibid. refol. p. 316
utrum fit corpus calidum, humidum, spumosum, & album. ibid. refol.
3. p. 318 Semen utrum fiat ex fanguine. ibid. refol. 4. p. 320
utrum generetur fola vi testium.ibid. refol. 6. p. 327
utrum ab omnibus partibus decidat. ibid. refol. 8. p. 329
utrum præstet materiam pro fætus formatione.ibid. resol. 9. p. 330
utrum prætter materialit pro roetus formatione. Iord. refor. 9. p. 330
utrum animatum fit. ibid. refol. n. p. 335
Semen an habeant foeminæ, & an illud proliferum seu foecundum, &
an ad conceptionem atque generationem necefiarium fit? Zac.
Luf. M. P. H. L. 3. hift. 9. p. 475. Rejes qu. 42. p. 508. 509. 510
Semen prolificum mulieres habere statuerunt Hipp. de Diæta L. 1. & de
genitura. Galenus L. de femine, Avicenna Lib. 3. Fen. 20. c. 44. qui
dicit, quodsi mulier non emittit sperma, non sit filius. Idem sta-
tuerunt Pythagoras, Democr. Epicurus, Laurentius L. 4. de rerum
natura. Florentinus Comment. 5. aph. 49. Cardanus contradict.
Med. L. 2. vid. Rejes l. c.
Seminis materiam explicavit. Franc. Zypeus Fund. Med. con. Part. 2. c.
3. art. 6. p. 14. feq.
Seminis effluxus non per glandem, sed aliud foramen. Plater. qbf. L.3.
p.722
Seminis loco flatus e pene. Zac. Luf.P. A. L. 2. obf. 121
loco fanguis emissus e pene. Salmuth. c. 1. obf. 81
petrificatio. Blegny Zod. gall. ao. 1680. Mart. obf. 4
decidui autor Aristoteles L. 1. generat. animal.
decidui falfitas. Barth. A. H. V. 3. obf. 80
Semen per colli vafa deorfum ferri, & inde raucedinem oriri, flatue-
runt veteres, & quidem Hipp. de genitura, deinde Mercurial. &
Roder. a Castro Med. Polit. L. 4. c. 12. vid. Rejes qu. 38. p. 468. 469.
feq. qui ultimus fympathiam testium cum vasis thoracis accusat.
Fee 2 Inde

Э

Inde factam colli intumetcentiam pro figno deflorationis habucrunt veteres. vid. Mercurialis 1. c. & Catullus in nuptiis Pelei & Thetidis. vid. Virginitatis fignum. Seminis defectus. Alberti Iur. Med. P. 1. p. 54. 55 Seminis regreffus ad maffam fanguineam, A.N.C.cent. 3. p. 180.obf. 79 retentio caufa Epilepfiæ. Rejes qu. 46. p. 570 retentio caufa fatuitatis, emiffio vero fanæ mentis, A. N. C. Dec. r. ao. 6. obl. 55 receptio caufa deliquii & sterilitatis. Alberti Iur. Med. P. r. p. 183 evacuationem non utilem effe, qui contendant. Rejes qu. 46. p. 567 Seminas immodica ejaculatio finceri fanguinis effluxum & multa alia damna parit. vid. Frank. Sat. Med. p. 542--547. A. N.C. Dec. I. ao 2. p. 78. Salmuth. cent. 1. obf. 81. Rejes qu. 4. 11. 22. p. 533. it. Jo. Fragafo in Antidotis. Gerbers unerfannte Gunden P. 2. c. 13. p.377. 378 enifio oculis proditur. Garm. p. 146. n. 5.6 emifio poft mortem. Garm. L. 2. tit. 5. §. 8. 9 retentio vel emiflio quid efficiat. Alberti Iur. Med. P. I. p. 80. lit. f. infructuofa communicatio cum gravida. ibid. P. 2. p. 21 profusio inutilis an licita. ibid. P. I. fuppl. p. 405 Semiotice difficultates, vid. Prognostica ars. Semioticis scriptores funt Amilius Compolongus in nova cognoscendi morbos methodo, Thom. Fienus, Fernelius, Aretaus, Jac. Alberti, Nellanus, Glacanus, Huggetius, Jeffenius, Prævotius de fignis Medicis, Joh. Thom. & Joh. Georg Schenkii, Wolffius Exercit. Semiot. Liddelius de fignis Medicis, Wedelius Thefes Semiot. & Aphorifmi Med. Sylvius de fignis Med. Prosper Alpinus, Argenterius, Rod. a Caftro. Sempervivi minimi fuccus ad unc. 1. cum vini unc.3. contra quartanam. A. N. C. Dec. I. ao, 4. p. 46. app. Senecæ effatum de morbis infanabilibus. Alberti Iurispr. Med. P. 2. p. 560 Senes an torturæ fubjiciendi.ibid. P. 1. p. 234. §. 4 Senes longævi. Bor. c. 2. obf. 39. c. 3. obf. 10. vid. Longævitas. Senex 127 annorum. Barth. A. H. V. 4. obf. 10 annofus febrem amisit ope Phlebotomiæ. Zac. Lus. P. A. L. 3. obf.5 annolus tertiana correptus curatus. Zac. Luf. P. A. L. 3, obf. 28 Sene.

407
Senectutem rejuvenescendi artem, quam Paracelfus promisit, refutat
Freitagius in Aurors Med. L. 4. c. 4
Senes generantes. Rejes Camp. Elyf. qu. 90. n. 12
Senes quibus dentes renati. Kormm. Mir. viv. p. 92
Senex, 118. annorum dentitiens. A.N. C. Dec. 2. ao. 3. obf. 15
Senis ex alto decidui admirandum robur. Hagendorn. cent. 3. hift. 34.
p. 326
Senes juvenescentes. Bor. c. 2. obf. Sr
or inventuti reftini poffint) Pure Malla
an juventuti reftitui poffint? Bravo Med. dogm. præft. p. 39. feq.
Rejes qu. 26. p. 298. 299. Alberti Iur. Med. P. 1. c. 2. §. 10. g.
pestem non facile experiuntur. Rejes qu. 100. p. 1252. n. 21
an fint potentes? Simon. Imp. conj. c. 6. th. 5. n. 7. 8. c. 7. th. 2.
n. 7-9
qui impotentes? Simon. Imp. conj. c. 7. th.2. n. 10
in Sene foecunditas mira. Hagendorn. cent. 2. hift. 82. p. 260
Senum impotentium matrimonia an probanda? Simon. Imp. conj. c.7.
th. 2. n. 11. 12. Alberti Iur. Med. P. 1. c. 2. §. 10. h.i
Senilis fœcunditas. A. N. C. Dec. 7. ao. 4. obf. 170. Alberti Iur. Med. P.
I. C. 2. §. 10. C.
Senes funt sapientiores. Rejas qu. 100. p. 1247. n. 14. 15
Senes non abfolute & lemper in peritia præ junioribus prærogati-
vam habent. Alberti lur. Med. P. I. C. I. 6. 15
Seniorum & juniorum fapientiæ diftinctio. Rejes qu. 100. p. 1248. feq.
Senectus prolonganda, vid. Vita.
Senettutis descriptio. Rejes qu. 99. p. 1232. n. n. 6
nævi. Rejes ibid. p. 1249
Seneclus præmatura, Alberti Iur. Med. P. I. C. I. S. 10. Rejes qu. 78. p.
1049.1050
Senfas requisita Garm. L. 2. tit. 10. 141-149
Senfus an aboliri possit, motu tamen servato. Zac. Lus. M. P. H. L. 5.
hift 4. p. 803
Senfus quod sit vis animæ sensitivæ sensibilia objecta percipiens, dixit
Mart. Schook. de Scepticifino. P. 1. L. 3. C. I. p. 189
Sensibilis frutex. A. N. C. Dec. 1. ao. 10. obf. 86
Sentiens herbaf. Mimofis. difp. Camerarii Tubing.
Senfitiva planta. Bor. c. 1. obl. 100
SEN-

Sententiam suam mutare renuens Medicus, si errorem commisit, graviter peccat. Albert Iur. Med. P. I. C. I. S. 16. b. Sententia benignior in dubio præferenda. ibid. §. 21. e. Septimestris partus note. Bor. c. 1. obf. 71. vid. Partus. Septenarius numerus annorum in ætatis morborum ratione observatur. Hipp. de Septim. partu. Fort. Fidel. in Relat. Med. L. 2. Sect. 3. C. 2. p. 230. Septuagenarius affectus fola fanguinis missione curatus. Zac. Luf. P. A. L. 1. obf. 39 Septum cordis pervium. BlegnyZod. gall. ao. 1679. August. obf. 15. vid. Cor. Septi cordis pori observati, A.N. C. Dec. 1. ao. 10. p. 125 Sepulcrum Molis detectum fuaveolens. Garm. L. 2. tit. 8. §. 8 Sepulcra fuaveolentia. Garm. L. 2. tit. 8. §. 8. n. 15 cur apud Judæos & Romanos in hortis? Garm. L.2. tit. 10. §. 22 mortuorum intra mœnia non toleranda. Lent. Mifc. Med. p. 642 a Donatiftis violata. Kornm. Mir. mort, P. 15. C. 18 violantium pœna. Kornm. Mir. mort. P. 10. c. 15. 16 Sepulcrum unum maritum & uxorem recondit sepultos. Kornm. Mir. mort. P. 7. c. 16 in Sepulcro the faurus inventus. Kornm. Mir. mort. P. 10. c. 20 vaticinium repertum. Kornm. Mir. mort. P. 10. C. 22--26 Sepulcrum corvi avis. Kornm. Mir. mort. P. 7. c. 15 de Sepultura. Kornm. Mir. mort. P. 7. c. 1 Sepaltura in terra. Kornm. Mir. mort. P. 7. c. 10 & funera principum. Kornm. ibid. c. 19 variarum gentium. ibid. c. 21--25 mortuorum cur fiatin locis facris? Kornm. Mir. mort. P. S. c. 14 vivi Zenonis. Kornm. Mir. mort. P. 7. c. 19 caballi, canis, cervi &c. Kornm. Mir. mort. P. 7. C. 14 Tyrannis denegata. ibid. c. 12 Sepulture Ecclefiafticæ privatio. Kornm. ibid. c. II an mandari possint cadavera suspensorum & rotæ impositorum? Kornm. Mir.mort. P.9. C.34 ad patibulum num injuriofa? Kornm. ibid. P. 9. c. 40 utrum prætextu debiti possit impediri. ibid. P. 9. c. 39 Sepalturam ob debitum impedientium poena. ibid. P. g. c. 37 Seri-

Sericum. Lang. P. 1. Ep. 66. p. 362 Serpens in os dormientis repens per vomitum rejectus. A. N. C. Dec. 3. ao. 5.6. obf. 150 ex hominis ore ductus. Bor. c. 3. obf. 31 ex puella depulsa. A. N. C. cent. 5. p. 330 1/29/11/23. ano rejectus. Bor. c. 1. obf. 23. A. N. C. Dec. 1. ao. 6. obf. 190 ex homine post mortem prorepens. A. N. C. Dec. 1. 20. 7. obf. 215 in corde repertus. Zac. Luf. P. A. L. 1. obf. 140 in luporum renibus reperiuntur. A. N. C. Dec. 1. ao. 7. obf. 215 vaccam & mulierem emulgens. A.N.C. Dec. 1. ao. 2. obf. 155 innoxie comeftus. Bor. c. 2. obf. 37. c. 4. obf. 95. Rejes p. 835: 836 hæmorrhagiam & fudorem fanguineum provocans. Garmann L. 2 tit. 6. 9. 42. 43 Serpentes qui maxime venenofi fint? Rejes qu. 96. p. 1210. n. 14. vid. Vipera. foetibus juncti. Garm. L. 3. tit. 1. §. 135 Serpentum cum fæminis coitus. ibid. 6. 136 Serpentum halitus interficiens & lethifer. Rejes qu. 1204. n. 7 Serpentum virtus medica. Zac. Luf. P. A. L. 1. obf. 2 manfuetudo. A. N. C. Dec. T. ao. I. obf. 3 un Kanzichau antipathia cum bufonibus. A. N. C. Dec. 1. 20. 1. obf. 137 corona. A. N. C. Dec. 2 ao. 7. obf. 68. cent. 7. p. 1. cent. 9. p. 462 coronæ non penitus fabulofæ. A. N. C. Dec. 3. ao. 4. obf. 22 Serpentes in vivo generari posse. Garmann. Mir. mort. L. 3. tit. I. 5. 133 Serpens magnus Indiæ orientalis. A. N. C. Dec. 2. ao. 2. obf. 7 Serpentes vomitu & per alvum excreti. Garmann. Mir. mort. L. 3. tit. 1. 5. 138 Serpentes cur cutim deponant? Rejes qu. 26. p. 300 petrefacti. A. N.C. cent. 7. p. 2 partu exclusi. Garm. Mir. mort. L. 3. tit. 1. §. 134 qui boves, homines, cervos, mures & bufones deglutiunt. A. N. C. Dec. 1. 20. 1. obf. 137 ex hominibus putrefactis generari qui afferant. Rejes qu. 36. p. 489 ex medulla cadaveris humani nafei. Kornm. Mir. mort P. 6. c. 30 Serpens an ex spinali medulla mortuorum crescat? Frank: p. 2. 33 Fff de

and the second
de Serpentum & viperarum morfu. Alberti Prax. Extempor. Caf. XX.
a Serpente amata virgo. Kornm. Mir. viv. p. 207. feq. de Serpentibus ignitis, qui Ifraelitas necarunt, animadversio. Rejes qu.
de Serpentihus ignitis, qui Ifraelitas necarunt, animadversio, Reies qu
36.p. 427
Serpigo. vid. Herpes.
Seri mentionem facit Hipp. de Dizta L. 2. §. 11. text. 21
Seri lactis mentionem facit H pp. de Morb. Mul.
Seri sanguinis & lactis differentiæ reminiscuntur Schenkius & Willi-
. in where the second matter A. M.C. Dech so motor and
fius. Serum lactis in febribus quo tempore exhiberi debeat. Gabelch. cent.
6. cur. 44 Setacei infelix applicatio. Hildan. cent. 1. obf. 1
Setacei usus in defluxione oculi necessarius. Hild. cent.1. obf. 1. p.12. a.
absque igne adhibendi ratio. Hild. cent. 1. obf. 40
præstantia exemplis probatur. Hild. cent. 1. obs. 41
ope Cephalalgia contumax fanata. Hild. cent. 4. obf. 7
ope Cephalaigia contuinax labata. rina. cent. 4. obi. /
præstantia in fistula lacrymali. Hild. cent. 4. obs. 19
præstantia præ fonticulis in cervice. Hild. cent. 6. obf. 4
ufusin Raucedine. Hild.c. 6. obf. 24
Sefamoides. Lang. L. I. Ep. 74. p. 447
Sexus differentia in pubertate respicitur. Alberti Iur. Med. P. 1. p. 21
\$.3.5.6 Section of MA should be antiport with antiport
Sexus in animalibus mutatus. Rejes qu. 57. p. 713. 714
Sexus metamorphofeos opinio. Rejes qu. 57. p. 718. 719. Kornman. Min
viv. p. 41 - 46. vid. Hermaphroditus & Androgynos.
immutatio in hominibus an detur. Simon. Imp. conj. c. 4. th. 3. n. 1-7
Rejes qu. 57. p. 700. Alberti lur. Med. P. 1 p. 52. 9. 33
immutatio creditur fabulofa. Rejes qu. 57. p. 700. n. 9-11. it. p. 710-71
an in beatis aderit. Kornm. M. M.P. 8. c. 63
de Sexu difcernendo in utero, Barth. cent. 4. Ep. 1
Sexus differentia nulla in fortu. Blegny Zod. gall.ao. 1679. Apr.obf, 9
w as a set shift entropy and that was a set of a
Sil II - Sil Kanne Kanne Min sin a sel log
Sibyllæ vaticinantes Kornm. Mir. viv. p. 228. feq
Sicarii quinam. Alberti Iurispr. Med. P. I. p. 275. S. I
Siccitas linguæ & totius corporis post pleuritidem. Gabelchov, cent.
shig rpens an ex fpinali medullamortuorum crefeat? Er 52. 142. 33
b HI
and the second of the second

410

A

510 <u>411</u>
Siderum conjunctiones efficaciam suam habent in corpora humana.
A.N. C. Dec. 3. ao. 7. obf. 76. Zac. Luf. M.P. H.L. 1. hift. 25. p.44.a.
edit. fol. Thomas L. 2. fentent. diftinct. 15. qu. I. art. 1. Ferrarius L.
3. contra'gentes c.83. Kirch. Mund. fubterr. Agricola de re metalli-
ca. Becch. phys. subterr. Rejes camp. Elys. qu. 75. p. 1011. Aetius Te-
trabib. 1. Serm. 3. c. 164 do . 0. 00
Sigilli Mariæ virtus. Bor. c. 2. obf. 10
Sigillata Terra Brachmanum. A. N. C. cent. I. p. 384
Signatura. vid. Macula.
Signorum differentia, quibus Medici morbos discernunt, & futura præ-
fagiunt. Lang. L. 1. Ep. 83. p. 508
Silentium præposterum. Tulp. L.3. c. 15
Siligo veterum, panis species & az ymi confectio. Lang. L. 1. Epift. 56.
and the second of the second o
p. 294 Siliginis spica ex abscessu prodiens. A. N. C. cent. 1. p. 218. app.
Simia menstruata. A. N. C. Dec. 3. ao. 9. obl. 217. Dec. 2. ao. 4. app.vid.
Frank. p. 91 80.9. 1002
Simiæ morfus. Blegny Zod. gall. ao. 1679. Aug. obf. 12
Simiæ speciem referens monstrum a muliere editum. Blegny Zod.
gall. ao. 1682. Mart. obl. 20
Lacertæ, Feles volantes. A. N. C. Dec. I. 20. 10. p. 455
Similes infantes parentibus. Rejes qu. 54. p. 678
cur fint infantes parentibus, causa. Rejes. ibid.
cur une mantes parenerous, cauta. Rejes. ibid.
infantes avis. Rejes qu. 54. p. 676. 677
cur avis fiant nepotes. Rejes qu. 54. p. 679 Similitudo natorum ad parentes quid fit. Bravo P. 1. difp. 10. Sect. 5. re-
fol. 1. p. 338 fpecifica utrum ab activo, an a paffivo proveniat principio. ibid, re-
and the second
fol. 2. p. 339 utrum a conformatione ad avos & confanguineos proveniat. ibid.
similitudo eximia inter homines. Rejes. qu. 54. p. 672. 673. Kornmann.
Similitudo eximita milet nomines. Rejes. que 54. p. 0/2. 0/5. Ret miluti.
Mir. viv. p. 141. feq. hominum quoad corpus & morbos. Rejes qu. 54. p. 673. 674
hominum non nititur aftrorum influxu. Rejes qu. 54. p. 675
nominum non mitter all of the mitter to get get get get of)
finter plantas. Rejes ibid. p. 673 Fff 2
Fff 2 Simi-
southas the state of the second s
An all and the second and the

	r	7		
а.	L	4	-	2
-				

1 4 5 12
Similitudo individualis utrum poffit immutari ab intenio imaginatio-2.
nis actu. Bravo P. I. dilp. 10. Sect. 4. refol. 6. p. 346
Simplicium adfinitas cum certis corporis partibus. Smet. Mifc. L. I.
Ep. 8 - second and the stand build have I + > astronger theory
Simplicium divisio & delectus. ibid, L. 9. p. 451
Simplicium utilitas. A. N. C. Dec. 3. ao. 9. obf. 66
Simulatio & diffimulatio morborum. Alberti Iur. Med. P. I. C. 10. p. 196.6
2111. & fuppl. p. 410 1 1102.) 14 10 10 10 10 10 10 10 10 10 10 10 10 10
Singultus. Diemerbr. obf. 53. it. Eraftus & Sebitzius & Bohnius Difpp.de
Singultu. Jourantib zodrota isibaly sudray ciness aib my tory
& fternutatio mutuo fibi fuccedentes. Blegny Zod. gall. ao. 1682. Jan.
Siturian prepoterum Thin L. S.C. IS
diuturnus. A. N. C. cent. 1. p. 192. app. Rhod. c. 2. obf. 61
quattior annorum. Barth. c. 2. hift. 4
per biennium in muliere. Barth. cent. 3. Ep. 61
12. dierum. Tülp. L. 4. C. 25
potu acidularum excitatus. A. N. C. cent. 5. p. 68
a Venere. A.N. C. cent. 5. p. 540 11.00. Hay boy to Stand and and
ex diarrhoea inppreita. A. N. C. Dec. 3. ao. 1. obf. 33
Singultus lethalis. Barth. A. H. V. 2. obf. 28. A. N. C. Dec. 3 ao. 1. obf. 48
lethalis ob cohibitum alvi fluxm. A. N.C. Dec. 3. 20. 5. 6. obf. 267
in dysenteria non lethalis. Barth. A. H. V. 2. obs. 138. Plater. L. I.
p. 203
in febribus malignis. A. N. C.Dec. 3. ao. 7. obf. 127. Plater. obf. L. I.
p. 203 QED is it and it parter another thest size and
hepatis inflammationi superveniens periculosus. Barth. A. H. V. 2.
obf. 29. p. 63
infrequentes. M. Donat. L. 4. c. 5
præternaturalis. Plater. obf. L. 1. p. 203
alapa cohibitus. A. N. C. Dec. 3. ao. 1. obf. 44
promissione curatus. A. N. C. Dec. 2. ao. 9. obf. 103
ex calore fuborti eximium remedium. Zac. Lus. M. P. H. I. 2. htt.
75. p. 319 Singulaus Ca Espris Zac InCPA I a obf ao wid Eshric
Singultuofa Febris. Zac. Luf. P.A. L. 3. obf. 20. vid. Febris. Sinus offis frontis. Alberti Iur. Med. P. 2. p. 253
per Sinum maliebre excretio fæcum alvinarum. A. N. C. Dec. 3. ao.
7.001.213 Sipho
orpho

SI.'SM. SO.

Chi Otti OC.	413
Sipho immittitur ad Hydrocelen. Zac. Luf.P. A. L. 2. obf. 84	Star Cat
Siree oleum quid lit? A. N. C. cent. S. D. 157, app.	- Barris
Sir ene Danica. A. N. C. Dec. 1. ao. 1. obf. 23. & app. p. 5	and in
Surents anatome. Barth. c. 2. h. II	
manus eft cofta. A. N. C. cent. 7. p. 412	AL A A A A A A A A A A A A A A A A A A
offa hæmorrhagias fiftunt, Garm. L. 2. tit. 7. §.9	Sudimie
Siriafis puerorum, & cordis a cerebro æstus ac refrigerium. La	ang. L. I.
Ep. 54. p. 278	
Sitis coacta & nullius momentiin febre. Lang. L. I. Ep. 20. p. 9	6
Sitts abeit in hydrope. A. N. C. cent. 3, D. so	The search
immensa cum destructione appetitus. Gabelch. cent. 6. cur.	100
immediata caula num lit liccitas in ore ventriculi percepta.	Zac.Luf.
M. P. H. L. 2. Milt. 72. D. 311. leg.	ALL ATT
orta ex phlegmate falfo, falsis cibis curata. Zac. Lusu. M.P.	H. L. 2.
niit. 73. p. 315	
Sitim. & famem fedans planta. Blegny Zod. gall. ao. 1681. Iul. ob	1.2
SM.	
Smaragdus e funda fua exfiliens prognosticon morbi. Tim. a G	uldenkl.
L.2. p. 71. 72 Concerned in analized 7 as InCMD III + 1:0	1202103
Smaragdi qualitas. Zac. Luf. M.P. H. L. 1. hift. 22. p. 39. a.	
Smaragdi usus ad nimium fluxum menstruum gr. 8. pro dosi.	A. N. C.
Dec. 2. ao. 5. obf. 24	NOTE LA
Smyrnii radix. Lang.L.2. Ep. 22. p. 648	和目的社会学
Socios fibi adjungit Medicus confcientiofus. Alberti Iur. Med. 1	DICI
§. 20. a	F . 1. C. 1.
Sodæ cura per imaginationem. Lent. Iatr. p. 445	and the
Sodæ curatio cum orbiculo pomi citrii cum oleo cancrorum c	onfner-
fo Lent. latr. p. 443	omper-
Sodomia. vid. Coitus cum brutis. Alberti Iur. Med. P. I. C. S. p. III-	IIA. it.
p. 73. \$ 17 (2.2 militannoi sh doerald it alter matin.	
de Sodomia diversi autores. Simon.Imp. conj. 2. th. 1. n. 9. 10	manning a
Sodomia est, quando vir præpostere cum fæmina invita, aut	quando
cum mortua fœmina, aut bestia mortua congreditur. Sim	ion.lmp.
conj. c. 2. th. 4. n. 1. feq. 14. feq.	ncixe
maris cum mare. Simon. Imp. conj. c. 2. th. I.n. 4-8	2
fœminarum deteftanda. ibid. c. 2. th. 2. n. 4	
Fff 3	Sodo-
and the second se	

Sodornie exempla. Simon. ibid. th. 1. n. 27 foeminarum exempla. Simon. Imp. conj. c. 2. th. 2. n. 10 propagatio in varias nationes. ibid. th. 1. n. 17 exercitium conceffit Sixtus IV. fuis Cardinalibus. Simon. ibid. th. 1. 11. 32 Sodomiæ pæna inter antiquos. Simon, Imp. conj. c. 2. th. 3. n. 3. 5. 9 Sodomia ignis fupplicio aut exfectione genitalium punita. ibid. n. 10. 14 Sodomite fuerunt Solon, Plato, Zeno. Simon. ibid. n. 27 Sodomiticarum foeminarum diversa nomina. Simon. Imp. conj. c. 2. th. 2.11.6 Solani fomniferi recentiorum baccæ, vel Strychni maniaci veterum, earumque esus noxius. A. N. C. Dec. 3. ao. 7. obf. 161 Solani baccæ delirium cum ferocia adferunt. A. N. C. Dec. 3. ao. 7. obf. 176 Sol. Jonfton. Thavmatogr. Cl. I. C. S. Arnd. ver. Chrift. L. 4. c. 4. Dan. Schwenters im VII. Theil Der Erpuictftunden vierte Aufgabe. Soles duo. Bor.c. 2. obf. 93 Solis ortus & occasus confensus cum Cephalalgia. A. N. C. Dec. 1. 20. 6. obl. 8 influxus in fublunaria. A.N. C. cent. 9. p. 540 effentia. Erafmus Francifc. Lufthauf der Dber. 2Belt p. 971. fegq. Solutio continui. Smet. Mifc. L. 4. Ep. 1 Somnambulatio periodica. Zwing. D. p. 67 quibus temperamentis familiaris. Zwing. D. p. 75.76 Somnambulationis exempla. Zwing. D. p. 60--65. 68--70.73. Rejes qu. 37. p. 462--467. Hild. cent. 2. obf. 85 Semnambulationis diagnofis & prognofis. Zwing. D. p. 77-- 80. plura vid. Noctambulatio. Somnambuli ex alto fine noxa cadentes. Hild. cent, 2, obf. 85 Somnia. vid. infomnia. it. Macrob. de fomn. Scip. c. 3 Somnia divina. Rejes qu. 37. p. 458. 459 naturalia, ibid. p. 455-457 diabolica. ibid. p. 458 exprobrantur. ibid. p. 461. 462. Gerbers unertandte Sunden. P.1. C. 35 Somnium

Somnium mortem prædicens. A.N.C. Dec. 3. ao. 2. obf. 36
Somniis credendum, quinam antiqui philosophi putarunt. Rejes qu. 37.
9. Mop. 454
Somniantium exempla. Kornm. Mir. viv. p. 293. feq.
Somniantium mira animæ activitas. Rejes qu. 27. p. 325
fub Somno ad interrogata respondens ancilla. A. N. C. Dec. 3, ao. 4.
1 H obf. 27
in Somno conceptio. AN. C. cent. 3. p. 108.vid. Alberti Iur. Med.
animam intensius cogitare. Frank. p. 350
Somnus an evacuationes omnes cohibeat? Zac. Luf. P. A. L. 2. hift, 77-
p. 320
præter sudorem reliquas excretiones sedat. Frank. p. 349. §. 21
Somnus & vigiliæ modum excedentes, malum. Hipp. Sect. 2. Aph. 3.
Sect. 7. Aph. 71
Sommus immodicus corpori & animo obest, dixit Plato. vid. Cal. Rho-
digin. L. 30. c. 9 Somnus nímios flupidos reddit homines, ignavos, focordes, obliviofos
& animo abjectos. Lemnius in Exhortat. ad vitam optime inftit.
c. 26 Somnus quam longus sanitati conferat ? Frank. p. 378-390
quam longus fanitati conferat, in fœminis, infantibus, pueris, juve-
nibus, viris, fenibus? Frank. p. 380-384
quam longus fanitati conferat in Sanguineis, Cholericis, Melancholi-
cis Phlegmaticis. Frank. D. 384387
longue fanitati conducat in Studiolis! Frank, D. 389, 399
multus cum torminibus ventris. Gabelch. cent. 1. cur. 20
anenfaciens Frank. D. 175.
protundus Adamo a Deo Infilmus. 1741k. p. 3/0-3/0
dimmune miraculous & indernaturalis, Frank. D. 267-370
dimurnus post febrem. A. N. C. Dec. 3. a0. 5.0. 001.187. Jalm. C. 3. 001.66
Sommus diuturnus morti fimilis. Garm. p. 13. 14
Commission mortis Frank, D. 360364
Commucante lantum necellarius Jule Frank. P. 351. 352
Samme proficuus. Frank. p. 348. S. 10-20
2 quibus Medicus dicatur. Frank. p. 350
Somni encomia & utilitas. Frank. 342-351
nimii damna. Frank, 359, 300
Somni

Somni formalis ratio unde oriatur, quomodo fiat, & quæ fint alienæ fomnirationes? Zac.Luf. M. P. H. L. I. hift. 14. p. 28.2. Somnus non in motu, sed in quiete confistere dicitur. Zac. Luf. M. P., H.L. I. hift. 14. p. 25. b. utrum ab alimenti vapore, an ab anima agente oriatur. Zac. Luf. M. P. H. L. 6. hift. 2. p. 914. feq. utrum inter res non naturales fit collocandus ? Zac. Luf. M.P.H.L. 6. hift. 2. p. 917 vulnerati nimius. Alberti Iur. Med. P. 2. p. 269 in Somno utrum amplius, quam in vigilia vitæ humanæ confervatio fit collocanda? Zac. Luf. M. P. H. L. 6. hift, 2. p. 912 Somni mater nox eft. Frank. p. 364-366 Somno curatus hydrops. A. N. C. cent. 1. obf. 76 Sotten th Somni defectus. vid. Vigilia. Somni confuetudo. Frank. Sat. Med. p. 393. S. 97 Services Infommes ad tempus homines. Zac. Luf. M.P. H.L. 1. hift. 14. p. 25. a. Somnum conciliantia euporista non vulgaria. A. N. C. Dec. I. ao. 6. obf. 171 Sonitus in abdomine. A. N. C. Dec. 2. ao. 7. obf. 13 Sonus in pariete dubius. A. N. C. cent. n. p. 261 Sommany Gall Sophifmata Advocatorum. Alberti Iur. Med. P. 1. p. 390. §. 11 Sopor vigilans eorum, qui inter dormiendum negotia tractant. Plater. L. I. p. II SP. Spadanarum aquarum vis in hydrope mirabilis. Zac. Luf. P. A. L. 2. obf. 55 Spadones. Simon. Imp. Conj. c. 6. th. 2. n. 1. feq. Alberti Iur. Med. P. 1.p. 30. § 14. & p. 40. §. 25 Spadones natura, facto, fato. Kornm. Mir. viv. p. 133 Spasmus & dolor sub partu. Alberti Iur. Med. P. 2. p. 80 Spasuus ex quibus causis oriatur. ibid. app. p. 191. 192 Spasmus consectarium Febrisin typo turbatæ. ibid. P. 2. p. 486 Spasmus diaphragmatis. Salmuth. c. 3. obf. 79 Spasmus faciei linguæque mirandus. Hagendorn. cent. 1, hift. 18. p. 32 Spafmus oris. Bor. c. 2. obf. 84. Plater. obf. L. I. p. 139 cynicus ex vulnere capitis. Hild. c. 5. obf. 9 Spa mus

41
Spasmus periodicus musculorum cervicis. A.N.C. cent.7. p. 67. Plater
obi. L. I. p. 131 and a same a subia de antina secondo constante a
periodicus internus curatus. A. N. C. cent. 9. p. 373
& convultio oculorum. Plater. obf. L. 1. p. 131
• prænuncius Arthritidis. A. N. C. cent. 7. p. 297
Venæ sectione curatus. ibid. cent 7. p. 94
non lemper est præcipua caufa nimiæ profusionis bilis. Alberti Iur
Med. P. 2. p. 190
Spasmis miris defuncta anatome. A. N. C. cent. 5. p. 106
Spafmodicus fingularis morbus. A. N. C. cent. 7. p. 37
Spatium quid? Weigelius Philof. Mathem. Part. gener. Sect. t. def.
Sturm. phyf. hypoth. p. 64
Specifice proprietates miræ. M. Donat. L. 6. c. 3
Specifica remedia varia, quotuplicia, num dentur, quomodo & quando
.) operentur? Smet. Mifc. Lib. 2) operand ob a vestal.
Spectrum mortis faltans. Kornm. Mir. mort. P. 4. c. 20
a Spectro 4 viri robuftifimi interemti. A. N. C. Dec. 3. ao. 5. 6. obf. 10.
Spectra funesta. Barth. c. 3. h. 58
morbi caufa. A. N. C. Dec. 1. ao. 6. obf. 28
Epilepfiæ caufa. ibid. obf. 32
Naturalia infuprema aëris regione. Garm. L. 2. tit. 10. §. 125. 126
quia a caufis naturalibus derivantur. ibid. § 127. 128
variæ horum apparitiones explicantur. 1bid. §. 129138
negantes. Korm. L. 2. tit. 10. §. 2
quiadfirmant. ibid. §. 3 871 . Ido 4. co. 1. 59(1.2)
dantur. Garm. L. 2. tit. 10. §. 93
non funt anime mortuorum. Garm. L. 2. tit. 10. §. 93103
quod non fint. Garm. L. 2. tit. 10. §. 95102
falla & imaginaria, ubi homines propriam fuam umbram metuunt
. o Cibid. §. 146 an anono do se an un a rous our anno s opor a san a
fucata Papicolarum. Garm. L. 2. tit. 10. S. 190
Spectra non vident homines audaces & intrepidi, fed facilius timidi
Garm. L. 2. tit. 10. §. 150
videre dicuntur, qui die dominica pariuntur. Garmann. L. 2. tit
10. §. 191 - a la fill attent and a fill attent and a fill attent
in loco cladis. Kornm. Mir mort. P. 7. c. 70
Spectrum familiam de morituris monens. Kornm. Mir. mort. P. 4.c. 7
Ggg Spe

Mind and a state of the state o
Sphacelus cruris ex cohibita purgatione. Salmuth. c. 2. obl. 33
pedis fracti a nimis arcta ligatura. Hachft. Dec. 5. c. 7. p. 618
& gangræna poft peftem curatam. Hild. cent. 3. obf. 95
Sphacelos pulmones & hepar. Salmuth. c. 1. obf. 4
Sphacelofum cerebrum. Salmuth. c. 3. obf. 22
Sphaceli remedium. Barth. c. 5. h. 41
Sphacelus brachii a forti ligatura. Hagend. cent. 3. hift. 36. p. 329
Sphincteris refolutio Ebeno curatur. Zac. Luf. P.A. L. 2. obf. 167
Sphincter vesicæ in partu ruptus. Salmuth. c. obs. 39
Spinne Erd, und Graß. Brefl. Beschichte der Matur, und Runft 2 Der.
fuch. p. 214
Spina diu in digito latens. Bor. c. 2. obf. 16
ventofalethalis. A. N. C. cent. 9. p. 85
ventosa oppido rara cum insigni ossis femoris fractura, ejusdemque
notabile fragmen per abscessium separatum. A. N. C. Dec. 3. 20.
9. obf. 176
Spine contorfio. Hildan. obf. Med. cent. 6. obf. 74
Spina dorsi bifida. Tulp. L. 3. c. 30. A. N. C. Dec. 3. ao. 9. obf. 180. cent.
9. p. 92 State and State of State State of State
Spinæ dorfi diftorfio & emotio. A. N. C. cent. 5. p. 261. vid. Gibbus &
Luxatio.
dorfifractura. A. N.C. cent. I. p. 1
dorsi pott obitum ruptura. Blegny Zod. gall. ao. 1680. Pebr. obs. 13
dorfi ruptura in fuspensis. Salmuth. c. 1. obf. 74
Spiritas utrum detur in corpore humano. Bravo P. I. difp. 8. Sect. I.re-
fol. I. p. 223 A Market and the state of the state of the sub-drug
Spiritus quid sit. ibid. resol. 2 p. 225
utrum vivant. ibid. refol. 3. p. 226
quotuplex sit. ibid. resol. 4. p. 228
naturalis infitus utrum detur. ibid. refol. s. p. 229
vitales & animales utrum differant specie. ibid. refol. 6. p. 230
utrum generentur per coctionem. ibid. refol. 7. p. 232
animalis quid fit. ibid. Sect. 2. refol. 2. p. 233
animalis utrum sit vitali calidior. ibid. refol. 2. p. 234
animales utrum fint lucidi. ibid. refol. 2. p. 235
animalis utrum ex aëre & fpiritu vitali fiat. ibid. refol. 2. p. 236
Ggg 2 Spiri-

Spiritm vitalis quid fit. ibid. Sect. 3. retol. 1. p. 236
vitales utrum fint corde calidiores. ibid. refol. 2. p. 236 Spiritus vitales utrum generentur a folo corde. ibid. refol. 3. p. 238
vitalis utrum fiat ex aëre & fanguine. ibid. refol. 4. p. 239
per Spiritus vitales utrum communicetur partibus aliqua vitalitas.ibid.
refol. s. p. 240
Spiritus C. C. usus quam circumspectionem requirat. Alberti Iur. Med.
P. 2. p. 595 Spiritus C. C. vsus in chronico morbo non proficuus, attamen non
noxius. ibid. P. 2. p. 589. Caf. 60
Spiritus C. C. veteribus in pefte vsurpatus. ibid. P. 2. p. 593
Spiritus mundi. Erafm. Francifc. Luft= Dauf Der Dber= 2B It p 46. feqq.
Spiritus ardens cæruleus cum radice Pimpineliæ albæ umbelliferæ
Francofurti crefcente. Elsholzius in A. N C.
ardens sub destillatione flammam concipiens læstradstantem. Barth.
A.H.V.4. obf. 67 calidiffimus ex limo & carbonibus. Becch. Ph. S. L. I. S. 5. c. 2. n. 25.
vini accenfi vis displofiva. A.N.C. cent. 1. p. 48 40.9.9
vinirin ventriculo accenfus. A. N. G. Dec. 1. ao. 1. obf. 77. & 4. 5. 47.
Dec. 1. ao. 4. obf. 17. Garm. L. 2. tit. 9. §. 74
vini exhalans flammam concipit. Gurm. L. 2. tit. 9. §. 75
vini liberalius ingurgitatus mortis caufa. A. N. C. Dec.1. ao. 4. obf.17
largioris hauftus incommoda. Hild. c. 4. obf. 39
vini & frumenti medicina domeftica. A. N. C. Dec. 2. ao. 8 obf. 60 turbidus dolorem vagum caufatur. Zac. Luf. P. A. L. 3. obf. 109
volatiles quid de illis Medici? Alberti Iur. Med. P. 2. p. 194. 595
acidi minerales venenum æmulantes. ibid. P. 1. p. 258. §. 17
ex Spirituum ardentium excefliva ingestione pericula. Alberti Prax.
Extemporanea Cal. 9. 10 Extended and and and and and and and and and an
Spiritus vitrioli collyrium optimum. A. N. C. Dec. 3. ao. 9. obf. 182
vitrioli damna. Barth. c. 5. h. 43
an promiscue noceat. Alberti Iur. Med. P. 1. p. 258. §. 17
Domini fuper aquas quid? Becch. L. I. S. I. C. 2. n. 3. p. 17
lapidifici. Bor. c. 1. obf. 5 Spiritum scaturiginibus attribuunt. Becch. Ph. S.L. 1. S. 2. c. 1. n. 7.
p. 50 Spiri-
· · · · · · · · · · · · · · · · · · ·

Spirituum animalium existentia falla. vid. Salzmanni ditp. Alberti Phyfiol. p. 20. feq. cap. i. Bidloo exerc. anat. chirurg. decad. 1. exerc.10. p. 119. Gælicke tract. Spirituum existentiam quinegent. Garm. p. 58. & L. 2. tit. 3. §. 27 Spirituum motus confluetus an figuram indat femini? & an illi tribuenda fit generatio animalis? Blegny Zod. gall. ao. 1682. Apr. obf. 1 Spiritus divifibilis. vid. Anima. Spiritus eft primum movens & ultimum moriens, dixit Helmont. Tumulo Peftis, Clotzius de Sudore Chrift. Exercit. 14. §. 7. p. 142. Garm. L. 2. tit. 7. §. 72 78 .9. 7. 1000 .2. A. Broffing officives al Splendores epilepticorum. Hagendorn. cent. 1. hift. 15. p. 26 Splendens mulier. Barth. c. 3. h. 70 Splenetica, Hepatica, Nephritica pharmaca an occultæ aut manifestæ virtutis. Smet. Milc. L. 2. C. 30 Spleneticus urina fua epota fanatus. Zac. Luf.M. P. H. L. 2. hift. 111. p.378 Splenis feirrhus purgatione & aliis auxiliis curatus. ibid. hift. 112 Spongiarum marinarum motus. A. N. C. cent. 9. p. 345 Sponsaliorum diffolutionis causa medica. Alberti Iur. Med. P. 1. p. 48. \$.30. it. p. 210. §. 21. vid. Matrimonium & Sterilitas. Spontanea cura tumoris uterini. Zac. Luf. P. A. L. 2. obf. 90. vid. Cura. Spontanea confessio ab Advocatis male applicari & torqueri folita. Alberti Iur. Med. P. 2. p. 67 Spreng, DBurgel (radix apertoria feu effractoria). A. N. C. Dec. 3. ao. 7. ob1.80 Spuma moribundorum. Garm. Mir. mort. L. I. tit. 5. S. 29-36 Sputum dulce. Barth. A. H. V. 4. obf. 72 ad naufeam dulce. A. N. C. Dec. 2. ao. 8. obf. 58 malum & periculofum in morbis, Zac. Luf. M. P. H. L. 2. hift. 19. p. 207 fanguinis 30. annorum. Tulp. L. 2. C. II fanguinis cum aliis symptomatibus, ortis ex violenta præcipitatione in plateam lapideam. Gabelch. cent. 4. c. 22 nigrum intympanitide. Plater. obf. L. 3. p. 748 Spurum fanguinis non omne timorofum. Avicenn. Fen. 10. L. 3. Tr. 3. cap.4 SQ. Squillæ efficacia. Zac. Luf. M. P. H. L. I. hift, 28. p. 56. b.

Ggg 3

Stagnum

ST. Stagnum quid? Sturm. Phys. Hypoth. Tom. II. p.1150. fegg. de Stanno. Reinzer. Meteorol. diff. 12. qu. 12. p. 291 Statuarum lacrymz. Garm. L. 2. tit. 6. S. 1. vid. Lacryma. lacrymæ fanguineæ & lacteæ, Garm. L. 2, tit. 6. §. 21. 22 fudor. Garm. ibid. §. 2--5 fudor fanguineus & lacteus. Garm. L. 2. tit. 6. §. 23--25. 27 Steatomata diaphragmati adnata. Veslingins Syntagm. Anat. c. 9 Steatoma colli mortiferum. Rhod. c. 1. obf. 99 in cavitate pectoris. A. N. C. cent. 7. p. 85 in dorfo. A. N. C. cent. 9. p.. 423 uteri fundo adnatum. Rhod c. 3. obf. 46 ingens feliciter extirpatum. Hild. c. 6. obf. 16 Steatomatis cura, Lent. latr. p. 327 de Stella discurrente, volante & cadente. Reinzer. diff. 2. qu. 3. p. 23 Stella nova Cassiopææ pro anima alicujus Admiralis habita. Garm, L. 2. tit. 10. 9. 80 cadens. A. N. C. cent. 9. p. 72 marina. A. N. C. cent. 9. p. 345 Stelle marinæ petrefectæ. A. N. C. cent. 7. p. 334 Stellas animarum illustrium hominum receptacula este. Garm. L. 2. tit. 10. §. 72. feq. 82. 91 Stella membranofa per uterum reddita. Plater. obf. L. 3. p. 836 Stercorum virtus medica. A. N. C. Dec. 2. 20. 1. obf. 81. cent.1.p.198.app-Rejes qu. 7. p. 99 Stercoris humani virtutes medica. Zac. Luf. M. P. H. L. I. hift. 81. p.144. Rejes qu. 7. p. 100-102 Stercus humanum adversus venena alexipharmacum. Zac.Lus. P.A. L. 3. obl. 93. Rejes qu. 7. p. 100-102 Stercora neque guftant, neque guftanda ordinant Medici. Rejes qu. 7, p. 96. 97 Stercoris & comi efus. Hagendorn. cent. 3. hift. 95. p. 410 Stercora animalium fuaveolentia. Garm. L. 2. tit. 8. 8. 53. 57 Stercus porcinum. vid. Hildan. c. s. obf. 73 Stercus suillum calefactum abdomini applicatum sistit hæmorrhagiam uteri. A. N. C. Dec. 1, 20. 10. obf, 56 Ster-

Stercoris fuilli vis antifebrilis. A. N. C. Dec. I. ao. 3. obf. 120 lupini ufus in colica. Smet. Mifc. L. 2. c. 45 canini virtutes medicæ. Zac. Luf. M. P. H. L. I. hift. 81. p. 144. 145 Stercus equinum specificum in Pleuritide. A.N.C. cent. 3. p. 426 e Stercore an Moschus & Zibethum parari possit? Garman. L. 2. tit. 8. \$.76--78 Stercoris excretio per penem five virgam. Zac, Iuf. P. A. L. 3. obf. 72. Sterilitas fæminæ ex mensium anomalia & nimia obesitate corporis. Alberti Iur. Med. P. 1. p. 55. 56 Sterilitas an proveveniat ex Venæ fectione retro aures ? Alberti Iur. Med. P. I. c. 2. S. 15. a. vid. Venæ fectio. ex receptione feminis virilis. ibid. P. 1. p. 83. vid. Semen. Sterilitas in foeminis cur citior fit, quam in viris? Rejes qu. 82. p. 1077. n. 5. Alberti Iur. Med. P. 1. c. 2. §. 6. f. g. a fluore albo, cum Melancholia uterina, curata. A. N. C. Dec. 2, 20. I. obf. 11 mutato aëre emendata. A. N.C. Dec. 2. 20. 6 Sterilitatem conciliantia medicamenta. Alberti Iur. Med. P. I. p. 94 Sterilitas. vid. Impotentia faminarum. Sterilitatis caufa an matrimonium diffolvi queat? Simon, Imp. conj. c. 7. th. 2. n. 21. 22. Alberti Iur. Med. P. 1. C. 2. p. 48--50 fcrutinium, & veterum obstetricum officium. Lang.L. I. Ep. 49.p.241 caufa fcirrhus uteri. Hild. cent. 1. obf. 65. 66 remedium bonum. Zac. Luf. P. A. L. 2. obf. 140 præfrigore pilulæ. Zac. I.uf. P. A. L. 2. obf. 141 de Sterilitate foeminarum. Alberti Prax. Extemp. Caf. 6 Sterni dolor. Boot. A. O. C. II acuminata figura caufa difficilis respirationis, Riolanus in Enchirid. Lib. 2. C. 2 Sternutatio violenta concitat profluvium menstruum gravistimum. Hildan. cent. 3. obl. 58 Sternutatio & fingultus mutuo fibi fuccedentes, Blegny Zod. gall. 20, 1682. Jan, obf. 2 periodica. A. N. C. cent. 5. p. 32 300 repetita una ferie. A.N.C. Dec. 1. ao. 3. obf. 138 apoplecticorum non femper falutifera. A.N.C. Dec. 3. ao. 7. obf.92 morris ignum. Kornin, Mir. mort, P. 4. C. 163 Ster-

Sternutando mortua matrona. Hildan. c. 4. obi. 12 Sternutationum extraordinariarum diueríæ caufæ. A. N. C. Dec. 1. ao. 3. obf. 138 Sternutationum more Empericorum provocatarum incommoda. Hild. c. 4. obl. 13 Sternutatione non fuccedente Epilepfia oritur. Salmuth. c. 1. obf. 93 Sternutatione catarrhus fuffocativus curatur. M.N.C. cent. 1. p. 322 Sternutatio caufa cæcitatis. Hildanus cent. 1. obf. 24 Stibium Paracelficum. vid. Antimonium. S.C. I.M. Stibil ope curata Epilepfia. Zac. Luf. P. A. L. 1. obf. 31 Stilus curiæ a Medico forenfi oblervetur. Alberti Iur. Med. P. I. p. 19. 1. 27 Stigmata varias ob caufas diversis hominibus impacta. Garmann. L. 2. tit. 1. 0. 1 -3 Stigmata variæ figuræ diabolus fubditis fuis inurit. Garmann. Lib. 2. tit. 1. 9 4 Stoliditas ex ignorantia coqui. Zac. Luf. P. A. L. 3. obf. 44 abictu. Bor. c. 2. obf. 73 Stollen, Becch. Ph. S. L. I. S. 3. C. 2. p. 122. 123 Stomacace curatur. A. Berol. Dec. 2. Vol. 3. p. 12 Stomacacia. Lang. L. 1. Ep. 14. p. 615 Stomachi, matricis & capitis dolor. Gabelch. cent. 2. cur. 86 Stomachi percuffio lethalis. ibid. cent. 7. p. 266 STREET SHIER Strahifmus post cafum. BlegnyZod.gall. 20.1680. Iul. obf. 2 ex Epilepfia. A. N. C. Dec. 1. ao. 3. obf. 162 laqueo ad nucham curatur. Zac Luf. P. A.L.I. obf. 61 Stramines vomitus & purgatio. A. N. C. Dec. 1. 20. 6. obf. 31 Stramonium. Alberti lur. Med P. 2. p. 205 Strangulatio faucium ex vermibus. Salmuth. c. 2. obf. 40 Stranguria ex cantharidibus. Barth. cent. 5. h. 21 periodica. A. N. C. Dec. 3. ao. 9. obf 184 & inflammatio fphincteris veficæ ex hæmorrhoidibus cæcis. A. N. C. cent. 7. p. 161 Stratagemata Advocatorum in cafibus Medico-legalibus. Alberti Iur. Med. P. 1. c. 18. p. 396. feqq. Strepitas offium. A. N. C. cent. 1. p. 196, app. S. EDUID. A. T. BET. DALL STAR Stre-

424

1-19-19-6

Strepitus & refractio in corpore ex lapfu per scalas. Gabelch.cent.3.cur.27 Strume fcriptores. Zac. Luf. M. P. H. L. r. hift. 83. p. 148 Strume afperam arteriam comprimentes. Hochstetterus obf. Dec. 3. Cal. 7. Marcellus Donatus Hiftor. Med. Mirab. Lib. 3.cap. 7. Camerarius fylloge Memorabil. Med. cent. 15. p. 19. feq. Kerkringius fpicil. Anat. obf. 27. Nuckius Adenograph. p. 39 Strümarum curam regiam per contactum Regis Galliæ descripserunt Jo. Tilius, Papyrius Maffonius Lib. 3. Annal. Cominaus. Ex Medicis Tagautius L.1. Inftir. Chirurg. Guido in Chir. magna Tr. 2. doct. 25. Sennertus L.2. Prax. de Strum. Laurentius Rejes qu. 24. 9.31. Zac. Luf. M. P. H. L. I. hift. 84. p. 158 Strumarum cura transplantatoria. A. N. C. Dec. 2. ao. 10. obf. 53 Struma manu mortui curata. A.N. C. cent. 1. p. 199. app. Strumæ ferpentis efu fanatæ. Zac. Luf. M. P. H. L. I. hift. 83. p. 148 verbis non curantur via naturali. Zac. Luf. ibid. remedium admirandum. Zac. Luf. P. A. L. I. obf. 101 remedium decochum Vincetoxici. A. N. C. Dec. 1. ao. 1. obf. 57 funt contagiofæ. Zac. Luf. M. P. H. L. 1. hift. 83. p. 148 periculofa excifio. Hildan. c. 3. obf. 35 Struma stomachi. A. N. C. Dec. 3. ao. 6. obf. 175 Struma in dorfo. A.N.C. Dec. 2. ao. 6. obf. 35 vulvæ. A. N. C. Dec. 2, ao. 6. obf. 5 feliciter fuppurata. A. N. C. cent. 1. p. 67 Strumæ intumefactionem & fuppurationem mors fecuta. Hildan. cent. 3. 001.34 Strume in collo miraculofe fanatæ. Diemerbr. obf. 85 Strychni maniaci veterum, vel Solani fomniferi recentiorum baccæ, earumque efus noxius. A. N. C. Dec. 3. ao. 7. obf. 161 vid. Solanum. Studiorum nimia cultura, morborum eximia caufa. Frank.p.551.566-598 Stuffen. Becch. Ph. S. L. I. S. 3. C. 5. p. 170. 171 Stultitia. vid. Stoliditas. Stultitia originalis & acquifita. Plater. obf. L. r. p. 35. 36 Stupefacientium noxa.vid. Anodyna, Opium it. Narcotica. Stupiditas quid ex definitione Sennerti? Alberti Iur. Med. P. 2. p. 54 Stupiditas rara ad mortem ducens. A.N. C. Dec. 1. ao. 10. obf, 186 Stupiditas ex cranii depreffione. Hild. cent. 3. obf. 21 Stupiditas ex venere. Salmuth. c. 1. obf. 61 Hhh St#-

Stupiditas ex nimiis studiis & compotationibus. Salmuth. c. 3. obf. 92
ex frigore. Barth. c. 6. h. 88
exignorantia coqui. Zac. Luf. P. A.L.3. obf. 144
mentis in accufatis. Alberti Iur. Med. P. 2. p. 53
Stupor corporis. Solenand. Sect. 2. Conf. 15. Gabelch. cent. 2. cur. 10
Stupor a tumore globofo in cerebro genito. Plater. obf. L. I. D. II.
Stupor attonitus ex decubitu fub dio lethalis. Zac. Lul. P. A. L. 1. obf. 49
Stupor mortalis ab allumto opio. Plater. obf. L. 1. p. 15
Stupor a spiritus vini immodico usu. ibid. p. 16
Stupor ex ebrietate noxius, quandoque lethalis. ibid.p. 16
Stupor mortalis ab exhalatione musti recentis efferuescentis, ibid. p. 16
Stuper mortalis ab accenfis prunis in conclavi occluso. ibid. p. 17
Stupor dæmoniacus, ibid. p. 18
Stuper & temulentia, qua quis ebrius diu se mingere putabat.ibid. p.37
Stupor brachii, capitis gravedo atque e cute capitis velut pinguedinis
extudatio.ibid. p. 88
Stupor brachii ex compressione. ibid. p. 89. Solen. Sect. 2. Conf. 17
manuum fingularis. Hagendorn. cent. 1. hift. 34. p. 60
colli fingularis. ibid. hift. 77. p. 111
Stuprum. Alberti Iur. Med. P. I. c. 3. p. 70-74
Stupri cum puero commissi figna. ibid. p. 71
Stuprum cum impubere puella commissum. ibid.
aliquandiu celatum. ibid. p. 71. it. 77
in fomno virgini, & quidem sedenti, an possitinferri, ibid. p. 72. §.
16. P. 2. p. 194. 205
fponfi cum sponso an verum. ibid. app. p. 208
manuale. ibid. P. 1. fuppl. p. 405
SV.
Suaveolentia cur nationes septentrionales magis, quam aliæ aversen-
tur? Rejes qu. 84. p. 1086. feq.
Suaveolentia cur uterus non perferat? Laurent. L.7. Anatom. qu. 10.
Sennertus Prax. L. 4. P. 2. S. 1. C. 4. Rejes qu. 84. p. 1086. n. 1
Submersorum in aqua recognitio. Alberti Iur. Med. P. 1. p. 224. §. 13
Submersa infanticida reviviscit. vid. Infanticida & Reviviscens.
Sub- & superterraneum, laboratoria duo magna in mundo. Becch. Ph. S.
Intr. p. 2. 11. 2
Substantia tota quid? Smet. Misc. Lib. 2. c, 24

stal 18

Sub-

Substantiæ morbi. ibid. L. s. Ep. 15. L. 6. Ep. 1-6 Subterranea antra quomodo dicantut? Becch. Ph. S. L. I. S. 3. C. 2. p. 122 Subtilitates fine utilitate non funt sequendæ. Alberti Iurispr. Med P. 1. C. I. S. 9. C. Succinum. Becch. Ph. S. L. I. S. 6. c. 5. p. 516. Bor. c. 2. obf. 88. Frank. p 43. Andr. Aurifaber, Joh. Wigandus, Severinus, Gabelius, Adr. Libavius, Joh. Heffi Ep. ad Matthiolum L. 3. Reinzer. Meteorol. diff. 12. qu. 4. p. 257. Philipp. Jac. Hartmann. Garmann. Mir. mort. Lib. 3. tit. 2. 9. 90 Succino cadavera Magnatum obduci pofie. Garmann. Mir. mort. Lib. 3. tit. 2. §. OI Succinum minerale effe fubjectum. Frank. p. 45--49 vegetabile effe, qui credant. Frank. p. 43. 44 animale effe fubjectum, qui statuant. Frank. p. 44.45 fosfile. A. N. C. cent. 1. p. 195. app. it. Dec. 1. ao. 10. obf. 87 marinum effe, qui judicant. Frank. p. 45 fluidum in Valachia obvium. A. N. C. cent. 1. obf. 133. p. 267 Succini genefin concernentes circumftantiæ. Barth. A. H. V. 2. obf. 122 refolutionem concernentes circumftantiæ. Barth. A. H. V.2.obf.123 oleum caufa Cardialgiæ & Lipothymiæin Hysterica. A.N. C. cent. I. p. 124 oleum ad medium cochlear hauftum, in præsentiarum innoxium multos calculos expulit, fucceffive tamen noxam attulit. A. N. C. Dec. 1. ao. 8. obf. 88 Succolata. vid. Frank. Sat. Med. p. 452 de Succis Terræ. Reinzer. Meteorol. diff. 12. qu. 23. p. 249-255 Succubi & Incubi. Kornm. Mir. viv. p. 185. vid. Incubus. Succubus Constantienfis. Kornm. Mir. viv. p. 189. feq. Colonienfis. ibid. p. 189 e mari extractus. Kornm. Mir. viv. p. 192 Succuba Hermelina, ibid. p. 188 Succus arborum, Betulæ, tiliæ, fraxini quid valeat. Alberti Iur. Med. app. p. 142. n. 3 Sudor & urina ejusdem materiæ. Galen.L. 10. de fimpl. facult. & comm. in 3. Epidem. Sudor periodicus. Rhod. c. 3. obf. 74 fex menfium. Bor. c. 4. obf. 36 Hhh 2 Sudor

Suder feptem annorum. Tulp. L.3. c.42

428

Sudores nocturni fpontanei falutares. Lent. latr. p. 327. 328

Sudor spontaneus singularum septimanarum salutaris. A. N. C. Dec. 1. ao. 6 obs. 167

voluntarius. Barth. A. H. V. 4. obf. 82. Augustinus de civit. Dei Lib. 14. c. 23. Fienus de viribus imaginat. conclus. 19. p. 44. Garmann. Mir. mort. Lib. 2. tit. 6. §. 68. Calius Rhodiginus Lect. antiqu. Lib. 20. c. 16.

fuppreffus caufa mortis. A. N.C.cent. 1. p.135. Zac. I uf.P. A.L.3. obf.73 de Sudoribus moleftis pedum manuumque. Alberti Pr. Extemp. Caf.29 Sudor a pharmaco purgante. A. N. C. Dec. 3. ao. 2. obf. 112. Dec. 3 ao. 7. obf. 89

unius lateris. A. N C. Dec. 1. ao. 4. obl. 100. cent. 1. p. 188. app. Dec.

2. ao. 2. obf. 126. Dec. 2. ao. 10. obf. 194. it. Dec 3. ao. 2. obf. 52 unius lateris a Venere intempeftiva. A. N. C. Dec. 3. ao. 5. 6. obf. 202 in volis manuum ex imminutis menfibus. Barth. A. H. V. 5. obf. 76 particularis fub axilla dextra copiofus, fed non noxius. A. N. C.

Dec. 1. ao. 4. obf. 25 fub axillis immutatus. A. N. C. Dec. 2. ao. obf.27 pedum, inguinum & alarum quomodo cohibendus? Zwing. D.p. 598 in finiftro tantum latere in fœmina, in gravidationis vero tempore

femper utroque latere fuccedens. A. N. C. Dec. 2. ao. 2. obf. 126 Sudor pedum nunquam coercendus. Panerol. Pentec. 3. obf. 16 Sudor ftatuarum. Barth. c. 5. h. 93. Garm. L. 2. tit. 6. §. 2-5

statuarum fanguineus & lacteus. Garm, L. 2. tit. 6. §. 23-25. 27 fepulchrorum. ibid. §. 5. 6

morientium. Garm. L. 2. tit. 6. §. 8. 9. 10

morientium hæmorrhoidibus utilis dicitur. Garm. L. 2. tit. 6. §. 73 poft mortem feu mortuorum. Garm. L. 2. tit. 6. §. 11. A. N. C. Dec. 1.

ao. 3. obf. 83. Dec. 2. ao. 9. obf. 36. Dec. 3. ao. 3. obf. 37 poft mortem in infante. A. N. C. Dec. 1. ao. 6. obf. 185 pedicularis poft mortem. A. N. C. Dec. 2. ao. 6. obf. 1 pediculorum, murium, bufonum. Garm. L. 2. tit. 6. §. 72 verminofus. A. N. C. Dec. 1. ao. 6. obf. 3 criticus nimius febrem intermittentem lethalem efficit. Blegny Zod. gall. ao. 1682. Febr. obf. 17

5 6 1 12

Sudans

A REAL PROPERTY AND A REAL
Sudans critice, vestibus nimium contectus, in Syncopen incidit. Zac.
Luf.P. A. L. I. obf. 144
Sudor fanguineus negatur a Sylvatico controv. 5
Sudor fanguineus criticus. Zac. Luf. P.A. L. 3. obf. 2. 75. Salom. Albertus
de Sud. fangu.
Sudor fanguinis. Tulp. L. 2. C. 31. Garm. L. 2. tit. 6. §. 36-51. Rejes qu. 85.
p. 1110. feqq. n. 6. M. Donat. L. 1. c. 2. A. N. C. Dec. 2. ao. 2. obf.34.
cent. 1. p. 71. Hild. cent. 6. obf. 76
fanguinis fingularis. A. N. C. cent. 1. obf. 20. vid. Sanguis.
fanguinis, qui eum descripserunt. A. N. C. Dec. 1. ao. 6. obf. 3. p. 7
Sudoris fanguinei caufæ variæ. Garm. L 2. tit. 6. §. 37-48. Rej. qu.86.n.11
Sudor fanguinis omninofus eft. Garm. L. 2. tit. 6. §. 67
fanguinis Salvatoris Chrifti. Garm. L. 2. tit. 6. §. 5964
fanguinis in Chrifto fupernaturalis fuit. Rej.qu.86. p.1120.n.26.p. 1122.
fanguinis in Chrifto quod naturalis & non miraculofus fuerit, qui
afferant. Rejes qu. 86. p. 1120. 1121. n. 25. vid. Salom. Albertus Difp.
fanguinis in mortuis an poffibilis? Garm. L. 2. tit. 6, §. 65. 66
Sudor fanguinis in fuspensis. Garm. L. 2. tit. 6. §. 66
fanguinis in febre fanguinea. Zac. Luf. P. A. L. 3. obf. 2. Sal. Albertus.
fanguinis in pefte, Zac. Luf. P. A. L. 3. obf. 41
cruentus in morbis malignis. Rej. qu. 86. n. 16. 17
cruentus fub coitu. A. N. C. Dec. 2. obf. 47
cruentus frequens. A. N. C. Dec. 3. ao. 1. obf. 109
fanguinisin juvene. A. N. C. Dec. 2. 20. 10. obf. 179
fanguinis a cute tenera. Garm. L. 2. tit. 6 §. 46. 47. Rej. qu. 86. 1.11-13
fanguinis a cute tenera in infantibus. Garm. L. 2. tit. 6. §. 49
fanguinis infantis recens nati. A. N. C. Dec. 2. ao. 10. obf. 65
fanguinis a ferpentibus provocatus. Garm. L. 2. tit. 6. §. 42. 43
fanguinis ab herba provocatus. Garm. L. 2. tit. 6. §. 5558
fanguinis ob colliquationem fanguinis. Rej. qu. 86. n. 14-16
fauguinis a fanguine nimis tenui. Garm. L. 2. tit. 6. §. 44. 45
fanguinis ab animi pathematibus. Rejes qu. 86. n. 18. Garman. L. 2.
tir. 6. §. 39. 40
Sudor urinæ ex urinæ fuppreffione. Salmuth. cent. 2. obf. 82
Sadar lacteus, Garm. L. 2. tit. 6. 5. 60
croceus. ibid.
viridis. Garm. ibid. Bor. c. 2. obf. 56

Hhh 3

Sudor

Sudor cæruleus dextri hypochondrii. Garm. L. 2. tit. 6. §. 67 violaceus, cæruleus, miniatus, niger, ruber. Garm. L. 2. tit. 2. §. 69 violaceus, borraceus, lacteus, melleus, A. N. C. Dec. 2. 20. 5. obf. 7.17.18.25 ater. A. N. C.Dec. I. ao. 6. obf. 10 nigerrimus. Zac. Luf. P. A. L. 3. obf, 76 melleus, Garm. L. 2. tit. 6. §. 69 coloratus. A. N. C. cent. 5. p. 125 foetidus & corrofivus. Garm. L. 2. tit. 6. §. 70 adversi odoris ex multa ingestione opii. Garm. L. 2. tit. 8. 9. 43 moschum redolens. A.N. C. Dec. 3. ao. 9. obf. 96 aridus & arenofus. Garm. L. 2. tit. 6. §. 71 arenofus & fabulofus. A. N. C. Dec. 2. ao. 5. obf. 85. ao. 9. obf. 84. Barth. c. 1. h. 34. Garm. L. 2. tit. 6. §. 71 Sudor fonorus. Garm. L. 2. tit. 6. §. 68 Sudoris calidi & frigidi diferimen. Lang. L. 2. Ep. 26. p. 663. Sudor frigidus ebrietate curatus, Zac. Lusit. P. A. L. 3. obl. 125 pinguis & oleofus. A. N. C. Dec. 1. ao. 2. obf, 19. ao. 6. obf. 170. Dec. 2. ao. 5. obf. 112. Garm. L. 2. tit. 6. §. 70 urinofus. Salmuth c. 2. obf. 82. Garman. L. 2. tit. 6. §. 70. A. N. C. Dec. 2. 20. 6. obf. 15 cerevisiæ. Salmuth. c. 2. obf. 28. Garm. L. 2. tit. 6. § 35 vinirubri. Garm. L. 2. tit. 6. §. 35. Barth. c. 4. h. 62 Sudoris requisita tria, 1) calor mediocris, 2) materia fluida, 3) apertura cutis, Scholzius Confil. collect. 382. in Cratonem. vid. Garmann. M. M. L. 2. tit. 6. §. 11 Sudoris abstersio num provocet sudorem? Zac. Lus.M.P.H.L. 2. hift. 44. p. 263. feq. Sadoris fimulatio. Alberti Iur. Med. P. 1. p. 206. §. 15 frustranea provocatio. Hugend. cent. 3. hist. 78. p. 388 Sudoriferi nimius ulus noxius. A. N. C. cent. 9. p. 27 Sudoriferum intempestivum causa hemiplexiz & amauroseos. Rhod. c. 1. obf. 47 Sudaminofa Febris. Zac. Luf.P. A. L. 3. obf. 16 Sudatio infelix. A. N. C. Dec. 3. ao. 5. 6. obl. 51 Snevicus lapis. vid. Lapis.

ex Suffita ozœna it. opththalmia. Hild. cent. 2. obf. 23. 24 Suffocationes miræ. M. Donat. L.3. c. 7 Suffocatio a ftruma, it. ex congretfu. Plat. L. I. p. 172. obf. Suffocatio ex deglutitis variis. A. N. C. Dec. 1. 20. 2. obf. 153 a pyro crudo improvide deglutito. Rhod. c. 3. obf. 50 ex pane calido. A. N. C. Dec. 2. ao. 4. obf. 159 ex rupto pulmonum ulcere. A. N. C. Dec. 1. ao. 1. obf. 41 in aquis, nimirum quomodo hoc modo fubmerfi refocillandi?Barth. c. 6. h. 68. Bor. c. 2. obf. 2. Plater. obf. L. I. p. 169. vid. Aqua fubmerfi. a mufti vaporibus & fumo. Bor. c. 2. obf. 4. vid. Vapor, Fumus. uteri lethalis. Plater. obf. L. 1. p. 174 uterina cum multis fymptomatibus. Zac. Luf.P.A. L. 2. obf. 94. Gabelch. cent. 2. cur. 9. Diemerbr. obf. 81. Plater. L. 1. p. 175. 176. 177 hysterica. Diemerbr. obf. 57.65. 97 Suffocationis periculum ab aura & catarrho. Plater. L. I. p. 172. 173. obf. Suffocati adhuc viventes. M. Donat. L. 7. c. 9. Alberti Iur. Med. P. I. fuppl. p. 410. Plater. obf. L. 1. p. 169. vid. laqueus. Suffocatorium cadavera. Kornm. Mir. mort. P. 6. c. 1. vid. Sufpenfus. Suffocatio infantis cum funiculo umbilicali. Alberti Iur. Med. P. 2. p. 81 infantis post partum cum fignis, ibid. P. I. p. 186. S. 13. it.app. p. 173 Suffocationis fignum an fit fpuma ante os infantis. ibid. P. I. p. 184. J. IO. Suffocatus vivus in aqua citra violentiam. ibid. P. I. p. 230. Caf.3 Suffocatorum recognitio. ibid. P. I. p. 226. §. 15 in Suffocatis & strangulatis in dextro cordis ventriculo multus, in finiftro vel nullus vel paucus reperitur fanguis. vid. Harveus ad Riolanum. Sugillatio. Roffi Confult. 6. Sugillationes & maculæ an prægreffam violentiam indicent. Alberti Iur.Med. P. 1. p. 308. 5.36

Suilla caro cujus efficaciæ effe debet. Zac. Luf. M. P. H.L. I. hift. 28. p. 54. b. caro porofa cuius indolis fit. ibid. p. 54. a. b.

caro ftrumas caufari afferitur. ibid. p. 54. b.

Pudenda ad urinæ incontinentiam proficua. A. N. C. Dec. 1. ao. 2. obf. 21. ao. 10. obf. 150

Suilli ventriculi tunica interna nigricans cur vermes in ulceribus delitescentes alliciat? A. N. C. Dec. 1. ao. 3. obs. 312

Suilli ftercoris vis medica. vid, Stercus.

Sus

Sus duplex. Bor. c. 3. obf. 3

Sulphur minerale per artem producendi modus, cujus caput mortuum in aëre fe accendit. Breßl. Gefch. 1. Berf. p. 116. 10. Berf. p. 510

Sulphur. Becch. Ph. S. L. 1. S. 6. c. 5. p. 515. 516. Garmann. Mir. mort. L. 3. tit. 2. §. 86

ex fale communi parari poteft. Becch. Ph. S. L. I. S. 2. C. 2. n. 10. p. 64 putatitium cum pluvia descendens. A. N. C. Dec. I. ao. 6. obf. 87

Sulphur excrementis moschi odorem conciliare dicitur. Hoffm. Clav. in Schroed. L. 3. c. 28. §. 137. Garm. L. 2. tit. 8. §. 57

dicitur Balfamum pulmonum. Hæchft. Dec. 3. p. 354. it. Untzerus de Sulphure.

Sulphuris balfami noxæ. Hæchft. Dec. 3. p. 253 Sulphuris noxæ. Crato L. I. Ep. 11

natura & usus. Hach/t. Dec. 3. p. 257-263 Sulphuris oleum arthriticis utile. Tulp. L. 4. c. 57' Superfatatio quid? Alberti Iur. Med. P. I. p. 101. §. I. & p. 169. §. 2 Superfatatio an detur, & ejus causa. ibid. p. 102. §. 2 quo tempore fieri possit. ibid. p. 103. §. 3

Superfætatio. Diemerbr. obf. 59. Salmuth. c. 3. obf. 33. Barth. c. 4. h. 14. A. H. V. 5. obf. 56. Rhod. c. 3. obf. 52. Frank p. 220. feq. vid. Coitus.

fuspicienda. M. Donat. L. 4. c. 16 Superfatationem qui negant, & qui adfirmant. Frank. p. 222-224 Superfatationis figna. Alberti Iur. Med. P. 1. p. 104. S. 4

Superfætatio in brutis. Frank. p. 224.225

Superfætatio, Mola & Monftra. Alberti Iur. Med. P. I. C. 5. p. 101-118 Superfætatio in aliquo cafu non applicabilis, & cur? ibid. P. 2. p. 23. 24 Superfitiofa verba varia, quibus morbos curare quidam credebant. Rejes qu. 19. 22. p. 234. 235

Saper- & fubterraneum, laboratoria duo magna in mundo. Becch. Ph. S. Intr. n. 2. p. 2

Superterranea inferviunt fubterraneis. Becch. ibid. Suppositi infantis difcernendi ratio. Alberti Iur. Med. P. 1. c. 7. p. 163.164 Supplicium rotæ Medico homicidæ adjudicatum. ibid. P. 1. p. 354. §. 6 Suppuratio ex pleuritide lacte curata. Zac. Lus. P. A. L. 1. obs. 119 thoracis curatur. ibid. obs. 121

ftrumæ falutaris. A. N. C. cent. I. p. 67

Citr's

703
citra Suppurationem vulnera curandi ratio. Blegny Zod. gall. 20.1679.
Aug. obf. 10
Surdastri & aurium tinnitu laborantis remedia. Solenand. Sect. 1. Conf. 4
Surditas. Diemerbr. obf. 98
ex antimonio. Hild. c. 5. obf. 12
ex pane calido. Barth. c. 6. hift. 77
ab alapa. A. N. C. Dec. 2. ao. 5. obf. 95
ex cafu ab alto. Hild. cent. 3. obf. 7
exterrore. A. N. C. cent. 9. p. 12
ex sonitu campanarum. Hild. c. 3. obf. obf. 5
a membrana tympani crassiori. A. N. C. cent. 3. p. 144
ex bombardæ ictu. Hildan. cent. 3. obs. 6
fimulata. Alberti Iur. Med. P. 1. p. 144. §. 13
post resolutionem. Plater. obs. L. 1. p. 107
in una aure, in altera gravis auditus. ibid. p. 106
Surditas gravislima post instillatum in aurem humorem. Hildan. c. 5.
obf. 25.
Surditas febribus superveniens salutaris. Zac. Lus. M. P. H. L. I. hift.
63. p. 107
post Surditatem cœcitas. Barth. c. 4. Ep. 40
Surdus primo fit infans, deinde mutus. Hildan. c. 5. obf. 26
Surdo-mutorum cura. A. N. C. cent. 1. p. 233. app.
Surditas curata. Blegny Zod. gall. ao. 1681. Aug. obf. 4
inferata extemplo curata. Hild. c. 6. obf. 10
Surditatis remedium. Zac. Luf. P. A. L. 1. obf. 70. A. N. C. cent. 5. p. 156
Surdus mirus. Bor. c. 4. obs. 23
Surdus ab ortu cum aliis fermonem miscens, aliosque ex labiorum mo-
tu intelligens. A. N. C. Dec. 1. ao. 1. obf. 35. p. 102. Plater. obf. L.
I. obf. 110
Surdus, mutus & cæcus fimul, qui ex digitorum ductu literas expri-
mente verba percipiebat. Plater. obf. L. 1. obf. 110. 111
Sus duplex. Bor. c. 3. obl. 3. porro vid. Suillus.
Suspendere debet judicium Medicus in anfractibus. vid. Judicium.
Sufpenfus ridens. Kornm. Mir. mort. P. s. c. 16
Suspensorum recognitio. Alberti Iur. Med. P. 1. p. 224. §. 13
Suspensa reviviscens. Blegny Zod. gall. 20. 1680. Mart. obs. II. Barth.
cent,2. Ep. 96.vid.Reviviscens.
Iii Suspen-

Sufpenforum fudor fanguineus. vid. Sudor fanguineus. Sufpenfis crines cur crefcant? Kornm. Mir. mort. P. s. c. s. 6 Su/penforum cadavera ad varia miraculofa ufurpata, Kornm. Mir.mort. P. 5. C. 2 de Suspensis nonnnulla, ibid. P. s. c. 7-11. vid. Laqueus. Suspiriorum ex causa naturali & spirituali differentia. D. Speneri Theol. Bed. II. Theil c. 3. art. 4. Sect. 10. p. 422. feq. & c. 5. art. 2. Sect. 3. p. 716. leq. Sufpirii Etymologia. Garm. p. 74.75 Sutur & capitis in cephalalgia hifcentes, Hagend cent. 1. hift. 40, p. 67 Suture cranii raræ. Bor.c. 2. obl. 63 rectæ defectus in cranio. A. N. C. cent. 3. p. 144 Sutura lambdoidea in infante hifcens. A. N.C. Dec. I, ao. 10. obf. 189 fagittalis dehifcens. A. N. C. cent. 9. p. 304 per os frontis in adultis decurrens. A. N. C. Dec. 1. ao. 8. obf. 4 Suturarum disceffio. Boot. A. O. C. 4. Hildan. cent. 1. obf, 1 Suturarum in cranio laxitas. Barth. c. s. h. 92 Suturarum cranii ulus. A. N. C. Dec. 2. ao. 10. obf. 203 SW. Swalbacenfium acidularum ufus, Guldenklee Epift. L. 6. p. 77 SY. Sylvarum incendium unde? Garm. L.2. tit. 9. §. 67 Sympathia morborum. Barth. A. H. V. 2. obf. 38 plantarum. Garm. p. 95. §. 25.34 duorum amicorum per colloquium. vid. Colloguium. duorum amicorum per infomnia conspirantium. Rejes qu. 33. p. 394.395 in diftans agens. A. N. C. Dec. 3. 20. 9. obf. 219 rerum naturalium & Magia. Lang. L. I. Ep. 33 Sympathiæ miræ. Bor. c. 2. obf. 47 Sympathia & Antipathia ex zere. Becch. Ph. Subt. L. I. S. 3. C. 4. p. 162.162 Sympathetica cura. Bor. c. 3. obf. 46. viu. Transplantatie. Sympathetica verrucarum cura. vid. Verruca. Sympathetica curæ triplicis generis. A. N. C. cent. 3. p. 10 Sympathetica cura febris tertianæ cum cane, cui urina patientis cum carne exhibenda. A. N.C. cent. I. obf. 118. p. 242. Joël. Op. Med. Tom. V. Sect, 2. p. 32 Sym-

and the second s	32
Sympathie cura cum cane initituta. A. N. C. Dec. 1. ao. 4. obf. 51	
per Sympathiam ulcus cancrofum factum. A. N. C. cent. 3. p. II	5
Sympathetici unguenti fucceffus finister. Hildan. cent. 3. obf. 25	
Sympatheticam atramentum. Lent. latr. p. 67	
Symposium de republica Medicum. Lang. L. 3. Ep. 6. p. 997	
Symptoma omne utrum folius morbi fit effectus. Bravo P. I. Difp.	5.
Sect. 1. refol. 3. p. 513	
Symptomata an lethalitatem vulneris probent. Alberti Iur. Med. P.	2.
p. 333.	
Symptoma quid fit. Bravo P. I. dilp. 5. Sect. I. refol. 2. p. 512	1
Surcope mortis fimulacrum. Garm. p. 17	
Syncope fimulata. Alberti Iur. Med. P. 1. p. 201	
Syncope periodica. A.N. C. Dec. 2. ao. 1. obf. 10	
Syncope cardiaca multa fanguinis missione curata. Zac. Luf. P. A. L.	5
obf. 145	J.
Syncope hysterica quomodo differat ab Epilepsia. Alberti Iurispr. Me	d.
app. p. 106	
Syncope ex imaginatione. A. N.C. Dec. 3. ao. 3. obl. 35	
exuteri affectu. Zac. Luf. M.P.H.L.2. hilt. 45. p. 262. leq.	1.1.7
ex atonia & cordis palpitatione lethalis. Zac. Luf. M.P.H.L. 2, hi	ſt.
10. D. 269	
expimio fudore critico. Zac. Lul. P. A. L. I. obl. 144	
ex longa mora in balneo. Zac. Lul. M.P. H.L. 2. hilt. 45. p. 262	
ex nimia evacuatione fuborta, alimentis vires recreantibus cura	ta.
Zac. Luf. M.P. H. L. 2. hift. 45. p. 264	
A Surgapen remedium eximium. Zac. Lul. P. A. L. I. Obl. 149	
Queschalis febris minuta, Lec. Lul. P. A. L.3. 001.22	7
Constalic febris humorola, I.ac. 121, P. A. L. 3. ODI. 23	
Synocha & Synochus. vid. Febris Synoch. Febr. fanguinea, & Febr. co	<i>m-</i>
	10
Synocha cum fudore fanguineo critico. Zac. Luf. P. A. L. 3. obf. 2. Salo	m.
All antre de ludore languineo.	
Synovia ex imperita administratione Venæ lectionis. A. N. C. Dec	. 2.
0	3
vini adhuc multum spiritum continet. Becch. Ph.S.L. I.S. 5. C. 2	.n.
AA. D. 326	
Iii 2 Sy	1.14-

436 S, rupus pro afthmate laudatiffimus. Zac. Luf. P. A L. 1. obf. 123 de chalybe ad Hydropem eximius. Zac. Luf. P. A. L. 2. obf. 16 ad Tympanitidem præclarus. Zac. Luf. P. A. L. 2. obf. 62 Abaco an & quomodo fedetur fames? Rejes qu. 18. p. 750, 751 Tabacini fumi utilitas. A. N.C. Dec. 2. ao. 7. obf. 45. vid. Nicotiana. Tabaci virtus in Hydrope. Barth. c. 6 k. 17 fumo alui adstrictio curata. A. N. C. Dec. 3. ao. 1. obf. 52 fumi abufus. Alberti Prax. Extemp. Cal. 27 fumus in ulceribus. A. N. C. Dec. 2. ao. 3. obf. 167 Tabact-schmauchen durchs Waffer. Brefil. Gesch. 6. Derf. p. 1843. Claff. 4. art. 2 Tabaci noxæ. Bor. c. 4. obf. 31. Alberti Iur. Med. P. 2. p. 460. 461 nimius ufus caufa agrypniæ. A. N. C. Dec. 1. ao. 3. obf. 185 abufus in mafficatione. A. N. C. Dec. 1. ao. 8. obf. 86 ufus hæmorrhoides caufatur. Frank. p. 432. 453 ufusicteri caufa. Bor. c.4. obl. 31 fumatio fecundum Neotericorum inventum dentium infignem inducit læfionem. A. N. C. Dec. 3. 20. 9. obf. 10. Dec. 2. 20, 2. obf. 163 ex fumo mors. A. N C. Dec. 2. ao. 6. obl. 56 Tabacinus Clyiter. Valentini de Polychr. exot. p. 73. A. Berol. Dec. 2. Vol. I. p. 54. vid. Clyfter. Tabaci fumum cerebrum denigrare & perfumare, negant Schneider, Guil. de Mera ap. Neandrum p. 219. Horftius Manud. ad Med. P. I. c. 1. S. 1. Magnenus de Tabaco Exerc. 6. 9. 14. p. 131 Affirmat vero Adrianus Falkenberg in Ep. ad Job. Neandri Tabacol. p. 229. Garm. M. M. L. 2. tit. 3. §. 57. 58. vid. Prax. Extemp. Alberti Cal. 27. p. 117 Tabellarii in Mexico. Kornm. Mir. viv. p. 167. feq. Tabes quid ex veterum fententia. vid. Phthis.

Tabes & mors ex purgatione intempeftiva. Zac. Luf. P. A. L. 3. obf. 70 cum appetitu minime privato. Hildan. cent. I. obf. 70 ex fluxu muliebri orta. Zac. Luf. P. A. L. 2. obf. 98 ex adamante devorato. Zac. Luf. P. A. L. 2. obf. 18 a febrifugo. Blegny Zod. gall.ao. 1682. Febr. obf. 19 ex fpiritu vini. Barth. c. s. h. 38 ex gurgulione præcifo. Zac. Luf. P. A. L. I. obl. 98 Tabes

Tabes pectorea. Buosins A. O. c. 12 dorfalis. Tulp. L. 3. c. 24. A. N. C. Dec. 3. ao. 7. obf. 190 dorfalis ex Venere orta, lacta ex capranigra extracto curatur. Zac. Luf.P. A.L. 1. obf. 131 Tabi afthmaticæ fonticuli profunt. Zuc. Luf. P. A. L. 1. obf. 122 Tabes ex pulmonis vomica orta, ope purgantis curata. Blegny Zod.gall. 20. 1679. Iul. obf. 6 pericardii exitialis. Zac. Luf. P. A. L. I. obf. 136 Tabis gallicæ curatio celebris. Zac. Luf. P. A. L. 1. obf. 134 coxariæ hiftoria & cura. Zac. Luf. P. A. L. I. obf. 135 Tabes infantilis facile curatur. Zac. Luf. P.A.L. 1. obf. 133 annua vernali calore curata. Zac. Iuf. P. A. L. 3. obf. 115 elevata Xiphoide cardilagine curata. ibid. L. 1. obf. 132 verbis curata. Bor. c. 3. obl. 62 Tabifica extenuatio oleo curatur. Zac. Luf. P. A. L. 3. obf. 124 Taciturnitas Medici interdum de eius confcientia teltatur. Alberti Iur. Med. P. I. C. I. S. 19. a. Salch. Becch. S. L. I. S. 3. C. 2. p. 124 Talcum Norwegicum Torno obtemperans. Barth. A.H. V. 5. obf. 85 Talci oleum. Blegny Zod. gall. 20. 1689. Apr. obf. 6 Tali finistri dolor tensissimus. Gabelch. cent. 2 cur. 66 Talpa incinerata curat urinæ in continentiam. A.N.C. cent.1. p. 200. app. Talpa vomitu rejecta. A. N. C. cent. 1. p. 219. app. Tamarindorum hiftoria. Hift. Reg. Scient. ao. 1699. p. 135 Tanaceti in Hydrope fortuitus falutaris ufus. A.N.C.Dec.2. ao. 2, obf.113 Tarachoideis febris. Rejes qu. 68. p. 831 Tarantula. Barth. c. 6. hift. 35 Tarantularum telæ in urina. vid. Vrina. Tarantulæ morfibus opposita Terra Melitensis. Barth. cent. 1. Epist. 53. p. 223 Tarantismus. A. N. C. Dec. 1. 20. 10. obf. 116. Frank. p. 495. feq. Tarantismi cura per musicam. Frank. p. 495 Tartari genefis & productio ex vino. Becch. Ph.S.L. I. S.s. C.2. n.34.44.45 genefis in doliis. ibid. c. 2. n. 55 Tan taro adhuc multum vini ineft. ibid. c. 2. n. 46. p. 327 Tartaro substantia sulphurea formam præbet. ibid. c. 46. p. 327 Tar_ 111 3

 Tartari Sal ex quo conftet. ibid. n. 48. p. 327 fal volatile. A. N. C. Dec. 1. ao. 2. obf. 38. 123 fpiritus majori copia parandi inquifitio. A. N.C.Dec. 1. ao. 7. obf. 243 fermentatio. Barth. cent. 2. Ep. 42. p. 531. 532 Emetici drachm. 2. innoxie exhibitæ. A. N. C. cent. 9. p. 187 Tartarus vitriolatus caufa vehementis catharfeos. A. N. C. Dec. 1. ao. 3. obf. 47 bom Eartar Chan obet Cane Magno. Kornm, Mir. mort. P. 5. c. 30 Taurini cornu. vid. Bos. Taurini fanguinis efus mortem adfert. Zac. Luf. P. A. L. 3. obf. 80. vid. Bos. Tasse medicamentorum aliquando moderandæ. Alberti Iurispr. Med. P. 2. p. 632 TE. Telluris fitum ante diluvium ad folem rectum fuiffe. Barnetius hift. tell.facr. L. 2. c. 4. p. 101. & Archæologiæ L. 2. c. 4. & 10 Temeritas Medici. Alberti Iur. Med. P. 1. p. 353. §. 5
Temperamenta a Deo distribuuntur. Speneri Theol. Bed. P. 2. c. 5. art. 2. Sect. 25. p. 807. it. P. 4. c. 7. art. 1. Sect. 27. p. '34 Temperamentum potentiale utrum in aliquo mixto reperiri possit.ibid.
Sect. 2. Refol. 2. p. 85 de Temperamentorum natura & numero. Bravo P. 1. difp. 3. Sect. 1. Re-
Temperamentum utrum qualitativum fit in mixtis necessarium. ibid. Refol. 1. p. 60 de Tempestatum fulgurantium flexione & divisione. A. N. C. cent. 7.
obf. 6 Tempus quale requiratur in experimentis inftituendis. Becch. Ph.S.L. 1.
Temporis natura. Sturm. phyf. Hypoth. Tom. 1. p. 483. 229. 230. Ariflot. Phyf. L. 4. c. 14. Cicero L. 1. de juventute. L. 1 Temporis dextri, maxillarum & dentium dolor infignis. Gabelchov.cent.
3. cur. 35 Temperum dolor hirudinibus curatur. Zac. Luf. P. A. L. 1. obf. 9 pulfus & dolor vehemens arteriotomia curatur. Zac. Luf. P. A. L.
3. obf. III Tempa-

Temporum vulnera cur periculofa, &illorum Venæ fectio fterilitatem
adferat?Lang. L. I. Ep. 10. p. 41
læfiones an lethales. Alberti Iur. Med. P. I. p. 318. §. 45
vulnera ab Hippocrate lethalia habita. ibid. P. 2. p. 337
Temporalis musculi contusio, causa gravistimorum symptomatum.
Cattier. obf.9
Tendinosarum partium lasiones quanam excipiant pathemata. Alberti
Iur. Med. P. 2. p. 610
Tendo regeneratus. Bor. c. 2. obf. 18
Tenesmus & urinæ difficultas a nimio Veneris exercitio. A. N. C.cent.
I. D. 266
Tenesmus urgens fignum fœtus mortui excludendi. Alberti Iur. Mcd.
P.2.p. 46
Tentigo Electuario provocatur. Zac. Lnf. P. A. L. 2. obf. 120
Tentigo ob catharctici usum. Plater. L. 1. p. 245
Tentigo, ventriculi ardor, fitis. ibid. p. 246
Terminologiæ Philosophorum judicium. Becch. Ph. S.L. I. S. S. C. I. n.
50. p. 292
Terminus vitæ num possit abbreviari. Alberti Iur. Med. P.1. p. 368. lit. a.
Terra Japonica pro subjecto vegetabili habetur. A. N. C. Dec. 1. 20.
. tom 8. obf. 54mb /8. anibutington anamat and amenistral ab
Terra figillata Brachmanum. A. N. C. cent. 1. p. 384
Melitenfis Tarantulæ morfibus opposita. Barth. cent.1.Ep.53. p. 223
Lemnia. Frankenau p. 235
Terræ differentia. Becch. Ph. S. L. I. Sect. 6. c. 8. p. 660. feq.
· · · · · · · · · · · · · · · · · · ·
variæ mixtiones ibid: S. 3. c. 5. p. 169. 170
genera quinque. Becch. Ph.S.L. I.S. I. c. 2. n. 10. p. 21
Terrætres metallorum. Becch. Ph. S. L. I. S. 3. C. I. p. 117
Terrætres metallis & lapidibus infunt. ibid. n. 118
Terra fulphures in limo dicitur Schwielben. Becch. Ph. S. L. I. S. 3. c
Terra implurea in milo dicital Culture contration of a di or di
3. p. 139 fecunda fulphurea eft. ibid. p. 134
fecunda luiphulea ett. Iola. p. 134
fecunda quomodo differat a fulphure. ibid. p. 137
de Terre succis. Reinzer. Meteorol. diff. 12. qu. 2
de Terris petrofis. Reinzer. ibid. qu. 3. p. 252 Terra
Active

Terror

Terra vegetabilibus liquiditatem & fenfibilitatem concilians 21rfcherig
vocatur. Becch. Ph. S. L. 1. S. 3. c. 3. p. 131
bona cum alia mixta, Spath= Blend- Ragen=Silber, Salch vocatur.
Becch. Ph. S. L. S. 3. C.2. p. 124
bona, zart Quarts. ibid. p. 123
calciformis ubi fit? Becch. Ph. S. L. I. S. 3. C. 2. p. 123
Terrarum species. Beccherus Phys. subterr. L. 1. Sect. 6. c. 2. 3
Terræinterra crescunt & augmentantur. Becch. Ph. S. L. I. S. 3. c. 2.
p. 126. leq.
Terræ atfectiones ante & post creationem. Becch. Ph. S. L. I. S.I. c.2.p. 20
elevatio per ignem. ibid. c. 3. p. 28. feq.
motus unde? Becch. Ph. S. L. I. S. z. c. z. p. 6. 71. Sturm. phyl. Hypoth.
Tom. 2. p. 575- 579. Hiftor. Acad. Reg. Scient. ao. 1700. p. 294. 374.
Majol. L. de admir. nat. colloqu. 1. 10. 11. Rejes camp. Elyf. qu. 65.
p. 881. n. 26. Rohault. Tr. phys. P. 3. c. 9. Athanaf. Kircher. mund.
fubterr. Jon/ton. Thavmatogr. nat. Pofner. difp. deterræ motibus.
Heinr. Eckstormii historia terræ motuum.
de Terræ motu. Reinzer. Meteorol. diff. 10. qu. 1. p. 216
de Terræ motus specie ejusque qræsagiis. Reinzer. ibid. qu. 2. p. 221
de Terre motus effectibus. Reinzer. ibid. qu. 3. p. 223
de Terre motus sono, tempore, magnitudine, & duratione. Reinzer.
ib. qu. 4. p. 226
Terre cometeriorum contagium. Garm. Mir. mort. L. 3. tit. 1. §. 68
Terræ cadavera confumentes. ibid. §. 69
motus cur pestis sequatur? Beech. Ph. S. L. I. S 2 C. 2. p. 71
Terram, non Solem moveri ex gec metrica demonstratione Meyerlini.
Sturm. Phyf. Hypoth. Tom. 2. p. 605. 506
Terram fupra folem elevari. ibid. p. 583
iphæricam effe. Rohault. Tr. phys. P.3. c. 1. Sturm. Phys. Hypoth.
Tom. 2. p. 8285
Terror medicina Arthritidis. Salmuth. cent. 1. obf. 48
medicina febris intermittentis. A. N. C. Dec. 1. ao. 2. obs. 150. cent.
9. p. II
mediicna Epilepfiæ. A. N. C. Dec. 3. ao. 10. obf. 151
medicina colicæ convulfivæ. A N.C. Dec. 3. 20. 10. obf. 213
quartanam fugans. A. N.C, cent. 9. p. 11
Terror

441 Terror variolas repellens. A. N. C. Dec. 2. ao. 9. obf. 18 contracturæ cruris caufa, Salmuth. c. 2, obl. 68 furditatis caufa. A. N. C. cent. 9. p. 12 ftrabifini caufa. A. N. C. cent. 3.p. 349 Med. P. L. D. 41. 9. 27 diarrhϾ & dyfenteriæ caufa. A. N. C. Dec. 1. 10. 10. obf. 94 & confpectus agonizantis menfium fuppreffionem, & deinde Dysenteriam lethalem producit. A. N. C. Dec. 3. ao. 7. obf. 34 lochiorum fuppreffionis, Phrenitidis, convultionis, immo mortis cauffa. A. N. C. Dec. 2. ao. 5. obf. 222 · partum promovens Alberti lur. Med. P. 2. p. 25. caf. 3 Terror gravidis & foetui noxius. A.N.C. cent. 9. p. 30 noxius in cura falivatoria. A. N. C. cent. 7. p 95 ex Terrore lac noxium. A. N. C. Dec. 2. 20. 9. obf. 35 epilepfia Hagendorn. cent. I. hift. 13. p. 23 Terrores infignes, & infultus quali epileptici. Gabelch. cent. 5. cur. 67 Tertiana.vid. Febris Tertiana. Tulp.L. 3. C. 52. A.N.G. cent. 1.p. 196, app. Tertiana duplex. Blegny. Zod. gall. 20. 1682. Febr. obf. 34 quadruplex Tulp. L. 4. c. 46 notha annos 30. fatigans. Zac. Luf. P. A. L. 3. obf. 29 Semitertiana ibid. obl. 31 Tertiana in fene annofo non lethalis. Zac. Luf. P. A. L.3. obf. 28 chronica, vomitu oborto definens. Blegny. Zod. gall. Febr. obf. 18 febrifugo quarto paroxyfmo foluta. Blegny. ibid. obf. 27. 28 Tertiane paroxyfmus rufticum in aprico jacentem jugulat. Blegny. ibid obf. 20 Tertiane auxilium peregrinum Zac. Luf. P. A.L.3. obf. 27 remedia fingularia. Rejes. qu. 70. p. 935. feq-942 admodum diuturnæ teftimonia Rejes. qu. 70. p. 935 Tefficulus dexter ad ovi anferini magnitudinem adauctus & pilis infarctus in Hydropico repertus. Hild. c.5. obf. 48 Testiculus humanus ofieus. A. N. C. cent. 1. p. 93 humanus cartilagineus. A. N. C. Dec. 2. ao. 10. obf. 156 in abomine latens. Barth. c. 1. h. 36. A. N. C. Dec. 3. ao. 3. obf. 107 in inguine absconditus. A. N.C. Dec. 2. ao. 2. obf. 14 Testes coaliti. A. N. C. Dec. 1. ao. 3. obf. 110 duplices. Blegny. Zod.gall.ao. 1680. Febr. obf. 2 tres & vnicus. Bor, c. 2. obf. 60

Kkk

Teffi-

TE.TH.

A REAL PROPERTY AND A REAL
Tefticulus unicus, & alter dificiens. A. N. C. Dec. 1. ao. 2, obf. 236, it. Dec
3. ao. 7. obf. 20. Simon. Imp. conj. c. 1. th. 3. n. 8
Tefticulorum privatio. Simon. Imp. conj. c. 1. th.3. n. 4-7. Alberti Iur.
Med. P. I. p. 41. §. 27 QVE q. E. Jondo J. M. I. alues inflident?
pluralitas. ibid. P. r. p. 43. 8. 28 . A. A. aloso sinomotyb 28 monthib
alter exfectus an impotentem faciat. ibid. P. I. p. 40. §. 25
Testiculi utrum fint pars princeps respectu speciei & respectu fui indvi-
dui Bravo. P.I. difp.6. Sect. 2. Refol. 3.4. p. 191. 192
Tefficuli non præparant femen. Frank. p. 2. 28. 29
Testiculorum fubftantia an glandulofa, aut vasculosa fit. Frank. p. 83-86.
it. bon. pov. Anat. S. 12 30 A.A. suixon intel & abivorgeneres f
calculus. Blegny. Zod. gall. ao. 1680. Jun. obf. 1
retractio & expulsio. Salmuth. c.1. obf. 19.91. c.3. obf. 63
refrigeratio efforminationis caufa. Salmuth. c.3. obf. 91
& ventriculi tumor cum alvo fupprefla. Gabelch. cent. 2. cur, 62
Teftes latentes. Alberti Iur. Med. P. 1. p. 41. 9. 27
Teftes mulierum, Frank. p. 86-88
Testium masculorum vitia. Alberti Iur. Med. P.I. p. 40. §. 25
intra Testiculum muliebrem conceptio. Blegny. Zod. gall. ao. 1682. Ian.
Semiterriana ibidi obliga obliga and and a sed bidi prairer the
Testimonium Chirurgorum & Medicorum super qualitate vulnerum
juratum effe debet. Alberti Iur. Med. P. I. C. I. §. 28. d.
Tetanus & spasmus Cynicus ex vulnere capitis. Hild. cent. 5. obf. 9
Tetrahit Herba. Bor. c. 4. obf. 99
The second second second of TH. Is and the second of the
Thée Herba. Tilp. L. 4. c. 60
Thée vires. Bor. c. 3. obf. 39
Theoria ex Praxi profluere debet. Becch. Ph. S. L. I. S. 6. c. 8. p. 949
Therebinthinæ usus urinæ retentionem causatur. Hild c. 5. obf. 59
Therebinthine odor violaceus. Bor. c. 2. obf. 33
Therebinthine Spiritus & oleum lini foluit flores metallorum. Becch. Ph.
S. L. I.S. 6. C. 8. p. 793
Theriaca in recentioribus temporibus cur inertior sit, quam antiquio-
rum? Zac. Luf. M. P. H. L. I. hift. 27. p. 46. b.
Theriaca efficacia Zac. Luf.ibid.
Theriace finister usus. Zac. Lus.M. P. H.L. I. hist. 27. p. 48. b.
Thariacæ largior dosis causa convulsionis & mortis. A. N. C. cent.1. obf.
54. p. 125 Theri-

Theriace largior utus cauta febris acute. Salmuth. c. 1. obl. 51
usus in affectibus hydropicis. Hachst. Dec. 3. p. 188
Theriaca admirabile auxilium adverfus venenum lacertæ, Zac. Luf.M.P.
H. L. 5. hift. 27. p. 875
de Thermis. Reinzer. Meterol. diff. 9. qv. 7. p. 206
Therme & acidulæ quid fint? Becch. Ph. S. L. I. S. z. c. I. n. 3. p. E. 44. Jon-
fton. Thavmatogr. claff. 2.c. 5. p. 76. Hamel. phys. P. 2. Tr. 203
principaliores. Becch. c. 7. p. 531
Sal alcali poffident. A. N. C. Dec. 2. ao. 1. obf. 9
Thermarnm caloris & fervoris caufa. Lang. L. z. Ep. 52. p. 807. Becch. Ph.
S. L. I. S. 2. C. Z. p. 90
us, non purgato prius corpore, varia arcessit symptomata. Gabelch.
cent. 4. cur. 85
usuin ulceribus inveteratis non semper tutus. Hild. c. 5. obf. 90
aluminofarum usus noxius in Arthritide. Hild. c. 5. obf. 83
Thermarum usus intempestivus infausta humorum metastafes profert.
A.N.C. Dec. 3. 40. 7. obf. 84
usum mox lethalis hydrops excepit. A. N. C. Dec. 3. ao. 7. obf. 96
Libencellensium usus nimius febriculam adfert. Gabelch. cent. 4.
cur. 86
Thermometri operofa fabrica. A. N. C. cent. 1. p. 370
Thermoscopium vegetabile. A. N. C. cent. 7. p. 423
Thlibii, Thlafii, Thlibiæ, Thlafiæ quid? Alberti Iur. Med. P. I. p. 41. §. 26
Thoracis rigor & immobilitas. Gabelch. cent. 3. cur 31
vulnus grave cum infigni pectoris contusione feliciter fanatum.A.N.
C. Dec3. ao. 9. obf. 225
luspiciendæ conectiones. M. Donat. L. 3. C. 9
vulnera an lethalia. Alberti Iur. Med. P. 1. p. 324. §. 49. feq.
comprellio in infante mortifera ibid. P. 2. p. 65. cal.6
Thoracis paracentesis an & ubi instituenda in ulcere pulmonum Alberti
Iur. Med. App. p. 178 Thoracici ductus nova demonstratio. A. N. C. cent. 3. pag. 120
Thoracici ductus inventor. Frank. bon. nov. anat. §. 23
Thoracici ductus communicatio cum vena emulgente. Act. Angl. Oldenb.
ao. 1666. Maj. n. 10. p. 369
Thymiglandulæufus. Brefl, Gefch. der Matur und Runft Derf. 1. p. 37.
it. Der [.6. p. 1897
Kkk2 Tibi-

TI TO.

the sector of th
The second second of the second secon
Tibiarum morbi. Bor. c. 1. obf. 44
Tibiæ vulnus. Diemerbr. obf. 15
finistræ dolor. Gahelch. cent. 1. cur. 83. cent. 6. cur 112.
Tibia fractura in gravida. Hild. c. 5. obf. 87. cent 6. obf. 68
Tibiarum dolor mordens& lancinans cumEryfipelate capitis & vigiliis
Gabelch. cent. 1. cur. 57
pustulæ cum tumore & inæqualitate febrili. Gabelch. cent. 3. cur. 32
refrigeratio ex diuturna incarceratione, cum difficili ambulatione
& scabie earundem. Gabelch. cent. 3. cur. 37
Tibiarum & abdominis inflatio cum afthmate & dolore finistri lateris.
Gabelch. cent 1. cur. 47
Tibiarum vtrarumque amputationem absolute curatam Dysenteria le-
thalis fequitur. Hild. cent. 2. obf. 100
Tigris cutis femori alligata in partu difficili proficua. A. N. C. Dec. 1.20.
6. obf. 59
Timiditas Medicorum. Alberti Iur. Med. P. 1. p. 353. 5. 5.
Timor caufa morbi. Barth. c. 3. hift. 41
caufa mortis. Barth. c. 4. hift. 76. Kornm. Mir. mort. c. 106
Tinctura alcalina. A. N. C. cent. 1. p. 409
vitrioli Martis aperitiva. A. N. C. Dec. 1. ao. 3. obf. 250
Coralli. Blegny. Zod. gall. ao. 1681. Iun. obf. 4
Tinea capitis Diemerbr. obs. 60
Tinea male curata mortem inducit. A. N. C. Dec. 3. ao. 9. obf. 113
Tinnitus aurium cum dolore capitis. Gabelch. cent.1.cur. 24.26 TO.
Todten-Dogel an per longinquum cadaverum odorem olfaciant & fe-
ctentur? Garm. Lib. 2. tit. 2. §. 15-17
Tonitru. Rohault. Tr. phys. P. 3. c. 16. Hiftor. Acad. reg. Scient. ao. 1700.
p. 294.374. Helmont. in Phyf. Aristol. & Galen. iguota.n. 20. p. 57.
Reinzer. Meteorol. diff. 3. qu. 1. p. 32
Toniotu obstetricans. A. N. C. Dec. 3. ao. 7. obs. 136
Tonitrua hyberna. Barth. A. H. V. 4. obf. 8
Tonfillarum descriptio. A.N. C. cent. 3. p. 456
Tonfillarum defectus naturalis. Salmuth. c. 3. obf. 6
inflammatio. Bor. c. 3. obf. 84
ulcus lethale ex fanstis ulceribus tibiarum Blegny .Zod.gall.ao.1682.
Febr. obf. 22 Topica

TO. TR.

Fopica innoxia & paratu facilia ad articulares dolores. Solenand. Sect. 5. conf. 4
Tophorum pulmonum reminifcitur Hipp. & exillo. Zac. Luf. P. A. L. I. obf. 103. & M. P. H.
Tophorum pulmonum difficilem diagnofin teftatur Wepffer. A.N.C. Dec. 2. ao. 9. obf. 229
Tophi in animalium ventriculis. Barth. c. 2. h. 21
podagricorum, receptacula grandinum. Zac. Luf. P. A. L. 2. obf. 185
articulorum curati. Zac. Luf. P. A. L. 2. obf. 186. 187
ad Tophos tam præservandos, quam curandos Antidotum præstants.
Zac.Luf.M. P. H. L. 3 hift 38. p. 562
Tophis gallicis caufticum remedium. Zac. Luf. P. A.L. 2. obf. 130
Tortura in fuspicione infanticidii. Alberti Iur. Med. P. 1. p. 190. §. 19. &
n. 191. tit. 5
Tortura an probanda & observanda apud Christianos. ibid. P. 1. p. 231
\$.1. & p. 410
quot habeat gradus. ibid. P. 1. p. 232. S. 2.
Tortura oris spasmodico-apoplectica sublata. A. N. C. cent. 3. p. 288
ubi ceffet? Alberti Iur. Med. App. p. 208
Tortura contemplatio medica. Alberti Iur. Med. P. 1. C. 12. p. 231-243
a Tortura num liberet lipothymia. ibid. P. 1. p. 244. n. 1 Torturam num Epileptici fubire poffint. ibid. P. 1. p. 237. §. 6. & p. 238. f.g.
Torturam num Hæmorrhoides declinent. ibid.P. 1. p. 245. n. 9
Torturæ num infani tradendi. ibid. p. 236. §. s. it. p. 346
Torturæ num subjiciat lactis in mammis præsentia. ibid.P. 1. supl. p. 409
Tortura quænam subjecta sint subjicienda, quæminus. ibid. P. 1. p. 233.
§. 3. feqq. & 224
Tortura Arthritis fanata. Hildan. cent I. obi. 19
Tortura metus extorquet aliquando confessionem falsam. Alberti Iur.
Med. P. I. p. 231
Tracheæ exulcerationes miræ. M. Donat. L. 3. C.I. vid. Arteria afpera.
T. dica animam propagari probatur. Male. Mille. L.S. ED.7. VIG. Commu.
To an of the mis fanguinis Origo. A. Anol. Oldeno. a0, 1908. Ill. 11. 1. p. 007
Transfulio forgruinis Sturmat Dilp. 1 om. Dilp. 15. Vid. In 1010.
Transfulio fangunis laudatur a Luca 1 0221 in operious med.
Kkk 3 Trans-
adiments & Describerunt and solitos collectionin models malier
The store of the L. T. C. Deck a constant state The

Transfusione amentia fanata. A. Angl. Obdenb. ao. 1667. Febr. n. 4. p. 504 vid. Infusio. Transfusio fanguinis agnini in hominem vivum. A.A. Angl. Old. ao. 1667 Decemb. n. 1. p. 453. it. n. 2. p. 454. 20. 1668. n. 9. p. 587. it. p. 705 Transfusio fanguinis a0. 1670. Lutet. Parif. prohibebatur. Translationis hominum exempla. Kornm. Mir. viv. p. 288 Transmutatio metallica. A. N. C. Dec. 3. ao. 5. 6. obf. 77 Transplantatio morborum an Christiano sit licita? Spener. Th. Bed. P.2. cap. 3. art. 4.S. 3. p. 408.409 Transplantatoria cura a quibus autoribus allegentur. A.N.C. Dec 1. ao. 3. p. 125 curæ in Arthritide noxia. Hagendorn.cent. 3. hift. 25. p. 312 Transplantationes miræ. Bor. c. 1. obf. 10. c. 4. obf. 100. vid. Sympathia. Amuleta. Transplantatio morborum. Barth. c. 3. h. 66. A. H.V. 2. obf. 107. it. V. 3. obf. 10. Bor. c. 1. obf. 10. c. 3. obf. 36. Lent. Iatr. p. 433. feq. Tenzelii curæfympatheticæ. morborum in animalia. Barth. c. 6. h. 53 Cephalalgiæ pertinacis, nullis cedentis remediis, in canem. A.N.C. Dec. 3. ao. 9. obl. 139 Odontalgiæ. Barth. A. H. V. 2. obf. 107. Lent. latr. p. 275. 276. 433. &c. Diabetis. Barth. A. H. V. 2. obf. 107 Atrophiæ. Lent. latr. p. 275. 276. 433. &c. Icteri. Barth. A.H. V. 4. obf. 23 Febris Quartanæ. Barth. A. H. V. 2. obf. 108 Febris Tertianæ cum peffima cataftrophe. A. N. C. Dec. 1, ao.3. obf.89 Herniæ. A. N.C. Dec. 1. 20. 4. obf. 102. vid. Hernia. Hydropis. vid. Hydrops. Transpositio partium in puero cachectico. Blegny. Zod. gall. ao. 1680. Jun. obf. 9 partium internarum in infante. Blegny. Zod. gall. ao. 1680. Sept. obf.5 Trauer: Jahr wiebiel Monathe es halte. vid Annus. Tremor periodicus. Tulp. L. 1. C 12 diuturnus balnei ope curatur. Zac. Luf. P. A. L. I. obf. 43 artuum quotidianus a terrore. A N.C. Dec 2. ao. 8. obl. 27 totius corporis infignis. A.N C. Dec. 3. ao. 9. obf. 115. Plater. obf L. 1. p. 156 manuum, & flocculorum ante oculos collectio in morbis malignis non lethalis. A.N.C. Dec. 1. 20. 3. obf. 269 Tre-

Tremulus fecalis. A. N. C. Dec. 3. 20.'7. obf. 27

Trepanatio. Alberti Iur. Med. P. 2. p. 295. & p. 313. 311

Trepanatio quando proficua. ibid. P. 2. p. 334

Trichiafis Renum hiftoria mira. Zac.Luf. P. A. L. 2. obf. 72. vid. Mictus Pilorum.

Tribades quid? Alberti Iur. Med. P. 1. p. 36. §. 22

Tribuli aquatici virtutes. Guldenkl. Ep. L. 6. p. 755

Trifolium fibrinum. A.N.C. Dec. 2. ao. 2. obf. 74

fibrinum contra febres intermittentes. A. N. C. Dec. 2. ao. 4. obf.102 **Trifolii** fibrini virtus in fcorbuto, ulceribus fcorbuticis, febribus intermitt. & malignis, Paralyfi, Catarrhis, affectibus oculorum, tinnitu aurium, ventriculi mucida oppletione, appetitus vitiis, partu

difficili. Barth. A. H. V. 3. obf. 75

Triorchitis juvenis quidem, sed tamen frigidus, A. N. C. Dec. 3. ao. 7. obs. 211. vid. Testiculus.

Tritæophiæ febres. Rejes. qu. 68. p. 930

Tritici granum in matrice fæminæ accretum. Becch. Ph. S. L. I. S. 4. c.6. p. 248. n. 6

Tritici incalescentiæ ratio. Becch. Ph. S. L. I. S. s. c. 2. n. 9

in lolium permutatio. A. N. C. cent. 1. p. 171. app.

Tritici cocti nimius esus fæva fymptomata arceffit. Zac. Luf. M.P.H.L.6. hift. 6. p. 947

TV.

Tubaria conceptio. A.N.C. Dec. I. ao. 4. p. 64. app. cent. 9. p. 217. Blegny. Zod. gall. ao. 1679. Decembr. obf. I. A. N. C. cent. 7. p. 25. Elfholtii Ep. pecul. Bohn. circ. An. Abr. Cyprian. Ep. pecul. Montagniere de format. fœtus in loco infolito. Manchette Theatr. Anat. L. 2. p. 2. C. 3

Tubercula fubcutanea. A. N. C. cent. 5. p. 65

Tumor ventris fine graviditate. Alberti Iur Med. app.p. 93. & P. 2.p. 524. Plater. obf. L. 3. p. 618. 619

corporis cum maculis nigricantibus unde. ibid. P. 2. p. 564

- Linguæ & gingivarum ex Mercurio dulci. ibid. P. 2. p. 577. 580

Tumor totius corporis cum convultionibus. Hagend.c.2. hift.18. p.179 Tumor totius corporis, redeuntibus capitis achoribus ceffans. ibid. hift.

15. 1.176

Tumor vento plenus. Bor. c. 1. ohf. 8 mirabilis ex incantatione. A. N. C. Dec. 3. ao. 9. obf. 183

Tumor

Tumor frontis a cafu. Diemerbr. obf. 48
volaticus Hagendorn. cent. 2. hift. 19. p. 180
linguæ hirudinum applicatione ad illum, aut scarificatione fanatus.
Zac. Luf. M. P. H. L. I. hift. 59. p. 121
Tumeres Nasi prægrandes & monstrosi subligato pilo camelino feliciter
curati. A. N. C. Dec. 3. ao. 7. obf. 184
Tumor cum vesicis partium muliebrium. Hagendorn cent. 2. Hift. 90.
p. 268
Tumor palpebrarum ab Eryfipelate. Gabelch. cent. 2. cur. 70
maxillarum & colli. Gabelch. cent. 4. cur. 29
durus circa umbilicum. Gabelch. cent. 2.cur. 97
scirrhosus femoris dum exscinditur, sub operatione æger moritur.
Hild. c. 3. obf. 82
ventriculi & testiculorum cum aluo suppressa. Gabelch.cent. 2. cur.62
durus ventris ex præcipitatione violenta in terram cum multis fym-
ptomatibus. Gabelch. cent. 3. cur. 43
faccatus & fanguine extravafato oppletus an aperiendus. Alberti Iur.
Med. P. 2. p. 611
obscurus judicium Medici sæpe fallit. ibid. P. 2. p. 525
Tumor & rubor capitis post mortem. Hagendorn cent. 3. hist. 46. p. 343
Tumor abdominis verminofus. A. N. C. cent. 1. p. 108
abdominis enormis ex Afcite & calculo. Garm L. I. tit. 8. 5.5
abdominis post mortem a medicamentis & syrupis imprudenter ex-
hibitis. Garm. L. 1.tit. 8. §. 10
in latere cerebrum exprimens. Plater.obf. L.3. p. 622
in regione Lienis ab Hepatis intumescentia. Blegny. Zod. gall. ao.
1682. Mart. obf. 7
hypochondriacus infantum. Hagendorn. c. 2. hift. 27. p. 19
uteri sponte curatus. Zac. Lus. P. A. L. 2. obs. 90
Vulgærefectus. A. N. C. cent.1. obf. 93. p. 145
brachii. Blegny. Zod. gall, ao. 1680. oct. obf. 8
femoris ex Eryfipelate male curato, emollientibus & resolventibus
fanatus. Zac. Luf. M. P. H. L. 3. hift. 42. p. 585
genu. Blegny. Zod. gall. 20. 1679. Apr. obf. 5
eryfidelatodes tibiarum cum aliis symptomatibus. Gabelch. cent. 3.
cur. 67. 86
offium curatus. A. N. C. cent. 7. p. 350
Tumor

Manufacture provide and
Tumor pedis ex moriu terpentis cum oleo petræ tupra ignitum fer-
rum fuio curatus. A. N. C. Dec. 3. ao. 7. obl. 184
pedumunde. Alberti lur. Med. P. 2. p. 271
Tumorum 61 differentias statuit Pergamenus Lib. de Tumoribusit
Itatult. fo. Phil. Ingrainas Ir. I. de Lumor. C. L. com 2
Tumoris incifio an, quando & ubi inftituenda. Alberti Iur. Med. P. 2. p.
602.604
Turbith officinarum. A. N. C. Dec. 2. ao. 3. obf. 205
Turpitudinem propriam & impotentiæignominiam confitentibus non
est fides danda. Alberti Iurispr. Med. P. I. C. 2. §. 9. b
Turunda ore rejecta. Tulp. L. 2. c. 15
Turundæ & lapides tuffi rejecti. Hild. c. 9. obf. 22
Turundæ crailæ per nares excretæ mortem ferunt. Zac. Luf. P. A. L. I.
ODI. 73 CORECTORIES A CHARTER HERE PARAMETER
ex vulnere thoracis in cavitatem delapfæ tuffi ejiciuntur. Hild. cent,
I. ODI. 4.0
Tuffirejectæturundæ ex vulnere thoracis in cavitatem delapfæ. Hildan.
cent. 1. obf. 46
Tuffis. Diemebr. obf. 96
Tuffis infebre ardente & fynocha. Plater. L. I. p. 204
Tulles cum althmate. Gabelch. cent. 2, cur. 34
cum exfpuitione difficili & fiti. Gabelch. cent. 2. cur. 6
cum raucedine ex catarrho Gabelch, cent. 2, cur. 82, cent A cur 12
cum respiratione difficult & fulpicione Phthileos, Gabelch c A cur 6
ex refrigeratione thoracis & pulmonum a potu aquæ frigidæ. Gabelch.
cent. 4. cur. 25
cum sputo sanguinis. Plater. obs. L. 1. p. 204
Tuffis difficilis. Gahelch. cent. 4. cur. 9. 10
moleftiffima. Gabelch. cent. 4. cur. 12
gravis & sæpe irritata cum calculi affectu. Solen. Sect. 4 conf. 10
vehemens cum proitrata appetentia. Gabelch. cent 4. cur. II
Tuffis convulsiva & mors post dysenteriam. Hagendorn. cent. 2. hist. 31.
D. 197
asperrima cum exspuitione difficili. Gabelch.cent. 2. cur 2. cent 4 cur 7
ferina cum difficillima iputorum rejectione. Gabelch. cent. 4. cur. 8
chronica. Hagendorn, cent. I. hilt. 82. p. 119
ferina cum respiratione difficili. Gabelch. cent. 2. cur. 3
L11 Tuffis
A vijjer

Tuffis epidemica. A. N. C. cent. 1. p. 14. app. lapidofa. Zac. Luf. P.A. L. 1. obf. 104. Bor. c. 1. obf. 67. Rbod. c. 2. obf.3 lapides & turundas ejiciens. Hild. c.6, obf. 22 calculum magnum projicit. Zac. Luf. P.A. L. I. obf. 103 phthifica lapillos rejiciens. A. N. C. Dec. 3. ao. 4. obf. 109 decocto raparum fanata. Tulp. L. 4. c. 21 diuturna, mictio purulenta & involuntaria, calculus, cirsocele. Plater. L. I. p. 204. 206 epidemicæ descriptio. Hagendorn. cent. 1. hift. 83 TY. Tympanites. A. N. C. cent. 1. p. 387. Alberti Iur. Med. P. 2. p. 519. 520. fegg. caf. 51. vid. Hydrops. Tympanites cum Afcite. Tulp. L. 2. C 35. p. 120 Tympanites ex fuppressa flatulentia. A. N. C. Dec. 3. ao. 3. obf. 142 Typanites uterina in gravida lethalis. A. N. C. cent. 7. p. 47 Tympanitidi Syrupus proficuus. Zac. Luf. P. A. L. 2. obl. 2 Tympanorum fonitus funeftus. A. N. C. Dec. 2. 20. 7. obf. 46 Typhodes febris. Rejes. qu. 68. p. 927 VA. VAcuum quid. vid. Wucherer phyf. divin. p. 47. Strum. phyf. hypoth. p. 48. Lucret. L. I. Gaffend. Phys. Sect. 1. L. 2. C. 1. 2. 4. Ariftot. Phys. L. 4. Rohault. Tr. Phys. P. I. c. 8. Valentini in armament. nat. fyftem. c. f. p. 61. fegg. Vacca catulis imprægnata. Barth. A. H. V. 2. obf. 2 Vacca multicornis, Bor. c. s. obl. 10 Vaccarum morbus contagiofus. A. N. C. cent. 9. p. 100. Vagi dolores. Blegny Zod. gall. ao. 1680. oct. obf. 7 Vagina vteri duplex. Barth. cent. 3. Ep. 2. Vid. Uteri Vagina. Vagitus uterinus. Livius L. 21. & 24. Augustin. de civit. Dei L. 3. C. 31. Breßl. Befd. Derfuch. 6. p. 1877. Warliz Scrutin. Lacrymar. c. 7. A. N. C. cent. 1. obf. 50. p.121. Dec. 1. 20. 3. obf. 164. Dec. 3. ao. 5. 6. obf. 233. Lent. latr. p. 360. Bor. c. 3. obl. 72 Tim. a Güld. L. 4. caf. 24. Barth. C. I.h. 1.13 infantum in utero quod detur & non detur, qui crediderint. Rejes. qu 46. p. 683. 684 uterinus dubius prædicatur a Lent. latr. p. 367 Vagitus

4)1
Vagitus & flamma ex utero vehemens cum magno fragore fub partu. A.
N.C. Dec. 2. ao. 6. obl. 41
uteri infaustus. A. N. C. Dec. 2. 20.7. obs. 43
Valeriana Epilepfix Euporifton. A. N. C. Dec. 3. 10. 4. obl. 44
de Valetudine celebrati dialogi. Blegny. Zod. gall. ao. 1683. Aug. Sept. p.
150 fegg.
Valgi & Vari, Kornm, Mir. viv. p. 162
Valvule Ven rum. Frank. p. 633-645
non funt in Arteriis. Frank. p. 645
Nervorum. Frank. p. 646
vasorum lymphaticorum. Frank. p. 647
Coli Frank D. 648
Valvulis Venam Portæ non destitui. Harveus de circ. fangv. p. 121. Rio-
lan. Enchirid. Anat. de Valv. venarum. p. 106. Barth. Anat. re-
form. L. 1. c. 2. devenis.
Vapores subterranei lethiferi. vid. Halitus. Rejes. qu. 65. p. 881-883
Carbonum. vid. Carbo & Fumus.
venenofos ex antris dispellere, das boje Metter austreiben. Becch. Ph.
S. L. I. Sect. 3. C. 2. p. 122
maligni convultionum caufa. Hild. c.6. obf.25.26
Vaporibus inimicis suffocati revixerunt. Garm. p. 13 carbonum suffocatus vitæ restitutus. Panaralus Pentec. 1. obs. 19. vid.
Carbo.
e Vaporibus inimicis noxa. Alberti Prax. Extempor. caf. 12 Vapores fubterranei Metallifofforibus nocivi. Mathefius Sarepta conc.
Amine / a do Do Metallica, LID, S
12. p. 547. Agricola de Re Metallica. Lib. 5 Vapores e carbonibus & Lithantracibus acceníis nocivi. Hildanús obf.
- I - Fol - C Chamb Onl. L. D. 244. 17100. 110//11/4/1. 1410-
cinifches gutachten vom Damff der Holtstohlen. Horft. L. 2. obf. 25
Vari & Valgi. Kornm. Mir. viv. p. 102 Varos retropullos arthritis & paralyfis brachiorum fecuta. Salmuth. c.2.
obf. 35 Varicof & venx oculorum. Hild. cent. 1. obf. 1. p. 5. 3.
Varicof e venæ oculorum. Hua. cent. 1. con oprisado mala & bona. Zac. Variatio medicamentorum in morbis quodammodo mala & bona. Zac.
1. (M D H. L. I. hill, 2. D. 4. U. P.). a.
The man frofus abicilius. Hild. cent. 4. 001. 03
Varix monitroius abientus. L11 2 Varices

Varices ex quibus caufis oriantur. Alberti Iur. Med. P. 2. p. 568 quinam ad illos inclinent. ibid. P. 2. p. 570 Varicum ruptio fingularis. Hagendorn. cent. 3. hift. 65. p. 365 Varices sponte aperti. A. N. C. Dec. 2. ao. 6. obf. 115. Dec. 2. ao. 3. obf. 12 Varices numerofi in gravida innoxie manantes. A. N. C. Dec. 1. ao. 10. obf. 188 Varicum cura quid maxime requirat. Alberti Iur. Med. P. 2. q. 571 Varicum confensus cum motibus Hæmorrhoidalibus, affectionibus Hypoch. Ifchiad. & Podagricis. ibid. p. 570 Varicofo datum confilium. ibid. P.2.p. 568.caf. 56. Solenand. Sect. 1. conf. 23 Variola & morbillilymphæ fuam debent originem. A. N. C. Dec. 1. ao. 4. obl. 283. vid. etiam Morbilli. Variolas Hippocrati & Galeno innotuiffe. Zac. Luf. M. P.H. p. 164 Variolas anno 520. in Gallia obfervatas, & propterea non ab Afris in Europam inductas fuiffe, recenfet. Huetius ex Gregor. Turon.L.6.c.14 cum Variolis in lucem editus foetus. Hagendorn. cent. 2. hift. 58. p. 233 Variola die tertio exarefcentes. ibid. hift, 59. p. 234 bis affligentes. ibid hift. 60. p. 235 Ventenoross varii generis, ibid. hift. 62, p. 237 Variolæ ex terrore. A. N. C. Dec. 2. 20. 4. obf. 29 cum loquelæ amiflione. Hild. c.6.obf. 14 per infitionem excitatæ. A. N. C. cent. 5. p. 3 Variolis laborans gravida peperit infantem variolofum. Hildan. cent. 4. obf. 55 Variolenon a fanguine menstruo pendent. Höchft. Dec. 1. p. 100. Zac. Luf. M. P. H. L. 2. hift. 3. p. 167. 168 etiam gravidas mire corripiunt. Zac. Luf. P. A.L. 3. obf. 47. M. P. H. L. 2. hift. 3. p. 168 foetus in vtero. Barth. cent. 2. Ep. 86. p. 682. A.N.C. Dec. I. ao. 1. obf. 53. Dec. 2. ao. 6. obf. 61. Dec. 2. ao. 9. obf. 23. cent. 1. obf. 4.0 in recens nata puella. A. N. C. cent. I. obf. 40. p. 109 Variolis extincta matre, infans fine variolis exclusus Barth. A. H. V. 5. obf. 75 Variola in fene. A. N. C. Dec. 2. ao. 5. obf. 74 Var sould iu vetula A. N. C. Dec. 2. ao 10. obf. 93 in vetula 104. annorum lethales. A. N. C. Dec. 1. ao. 3. obf. 163. p. 252 in athiope. Barth. A. H. V. 2. obf. 92 .complet. apioning man Variola

Variole in animalibus brutis, arietibus, equis. Zac. Luf.M. P. H.L. 2. hift. 3. p. 168 Variolarum in facie præseruatio per fotum vaporosum ex herbis emollient.pedibus admiflum. A. N. C. Dec. 1. 20. 6. obf. 186 post Variolas ulcera mox fanata lethalia. Hagendorn. cent. 2. p. 239 Variolas in facie præoccupans artificium : in initio erumpentium variolarum statim debet facies illiniri cum vino Myrrhifato ad 2 dies repetitis vicibus; præterlapfis hifce diebus, Sacch. Saturni cum aqua rof. mixtum linteaminibus intinctis fapius faciei applicetur, & cum leui penna illinatur. A. N. C. Dec. 1. ao. 4. obf. 48 prænunciat ruberculum fub ala. Hagendorn cent 2. hift. 63. p. 238 Variola in pene primum apparentes. Salmuth. L. 2. obf. 67 post Variolas vesica in pupilla. Gagendorn cent. 2. hist. 64. p. 240 Variolæ circa podicem lethales. A.N. C. Dec. 2. obf. 53 caufa fubfecuti cancri faciei rari lethalis. A.N.C.cent. 1. obi.123.p.249 post Variolas fluxus alvi cruentus. Hagendorn. cent. 2. hist. 66.p. 241 Variolarum repulsio, ex formositatis conferuatione tentata cum inunctione lardi, noxia. A. N. C. Dec. 3. ao. 3. obf. 42 Variolæ ex calidiori aëris regimine in anthraces quafi & fphacelum corporisabeuntes. A. N. C. Dec. 3. ao. 3. obf. 126 ex externi aeris frigiditate retropulse, viscera interna occupantes & lethales. A.N. G. Dec. 3. ao. 7. obf. 97 Variolas veras spuriæ mox secutæ. Hagend. cent. 2. hist. 61. p. 236 Variolas contractura confequens. Salmuth. c. 1. obf. 34 post Variolas gravissima fymptomata. Hild. cent. 6. obf. 82 post Variolas tormina ventris cum lumbricis. Hagendorn. cent. 2. hift. 67. p. 242 poft Variolas urina verminofa. ibid. hift. 68. p. 243 post Variolas apostema coxæ cum claudicatione. ibid. hift. 69. p. 244 post Variolis fanguis per digitos pedum transfudans. ibid. h. 70.p.246 poft Variolas cæcitas & furditas. ibid. hift. 71. p. 247 poft variolas Paralyfis. ibid. hift. 73. p. 249 ante Variolas loquelæ amifio. ibid. hift. 72. p. 248 Variole e pulmonibus fæpe magnis fruftis eiiciuntur. vid. pulmones. in Variolis plantarum pedum affectus graviffimus. Hild. c. 3. obf. 99 Variole vomitu rejectæ. Hildan. cent. 4. obf. 28

LH3

F 187 . Q+

Vario-

Variola ichorem cruentum fundunt. Hild. cent. 6. obf. 77 Variolas confequens absceffus articulorum. Salmuth c. 1. obf. 35 Variolæ caufa aphoniæ. A. N. C. Dec. 1. ao. 2. obf. 201 Variole post suppurationem in vesiculas aquosas subito transmutate. A. N. C. Dec. 3. ao. 3. obf. 125 feptim o die demum suppurate, licet pustulæ mature effloruerint, quæ tamen cum nulla materia refertæ erant, quæ denique 171no die pustulas intrabat. A. N. C. Dec. 1. ao. 8. obf. 84 fanguinolente lethales. A. N. C. cent. 5. p. p. 340 recurrentes. Bor. c. 3. obf. 10 intra 12. annos quinquies recurrentes. A. N. C. Dec. 2, 20. 6, obf. 9 Variolarum reliquiæ. A. N. C. Dec. 3. ao. 4. obf. 1 reliquiæ periculofæ.A. N. C. Dec. 3. ao. 9. obf. 33 Variola benigna. Rhod. c. 1. obf. 26 fine febre. Rhod. c. 1. obf. 24 Variale cum pustulis miliariis. A. N. C. cent. 7. p. 311 cum falivatione. A.N.C. cent. 1. p. 277 cum petechiis & diarrhœa. A. N. C. cent. 7. p. 336 cum diarrhœa innoxiæ. A. N. C. cent. 5. p. 339 cum alvi obstructione diuturna innoxiæ. A. N. C. cent. 1. p. 299 Variolis clyfmata blanda non nocent. A.N. C. cent. 3. p. 36 Variolæin adolescente cum deliriis fine sanguinis missione curatæ. Blegny Zod.gall. ao. 1682. Febr. obf. 26 Variolis Venæfectionem, & poft hanc cardiacorum ufum commendauit Avicenna. Zac. Luf. M. P H. L. 2. hift. 3. p. 168 Mercurius dulc. alexipharmacum. A. N. C. Dec. 1. ao. 3. obf. 56.9 Variolarum curatio. A. N. C. cent. 7. p. 430 curandarum modus inter æthiopes usitatus. A. N. C. Dec. 1. ao. 8. p. 115--117 Variolarum præseruatiuum vomitus ad undecimum diem continuatus. A. N. C. Dec. 3. ao.1. obf. 55 Variolis aqua proficua. Barth. c. 3. h. 89 Variolas ab infectis emendi modus. A. N. C. Dec. 1. ao. 8. obf. 15 Variolis correpti licet in initio videantur melius habere, fæpiffime pereunt. Zac. Luf. M. P. H. L. 2. hift. 3. p. 780 in Variolarum declinatione an possit æger mori. Zac. Luf. M. P. H. L. 2. hift. 54. p. 784. 785 Vario-

VA. VE.

V A. V L.	4)1
Variolæ instantes. Gabelch. cent. 1. cur. 100.	
criticæ. Rhod. c. 1. obf. 25	2
Variolarum materia critice per urinam excreta A. N. C. Dec. 1. ao	. 7.
obf. 181	hall
a Variolis gulæ coalitus Lucanica fublatus. A. N.C. Dec. 3. ao. 7. obf.	47
de Variolis quædam fingularia. A. N. C. cent 1. p. 218. app.	
Variolarum inoculatio commendatur. Leipziger gelehrte Beitung.	ao.
1724.g. 65. p. 671	
de Variolarum infitione quid fentiendum? Acl. Berol. Dec. 2. Vol	. 2.
P. s. feq. Variolas curandi methodus Gundelsheimensis per Emetica repet	ita
vice oblata. Acta Berol. Dec. 2. Vol. 2. p. 42. feq.	Litte
Vas chyliferum lymphaticum in colo repertum. A. N.C. Dec. 3. ac	2.
	. 3.
obf.92	
Vas brevelienis. vid. Tilingius in Tr. pecul.	
per Vasa brevia sanguis in ventriculum ejectus. vid. Vomitus cruent.	A.
N. C. Dec. 1. ao. 6. obf. 48. Dec. 3. ao. 5.6. obf. 257. Dec. 1. ao	• 3•
obf. 314	
Vaforum umbicalium vulnera an lethalia. Alberti Iur. Med. P. I. p.344.	.05
Vaforum fanguiferorum vulnera an lethalia Alb. Iur. Med. P.I.p.345.5.	66
Vaticinium. vid. Præfagium.	
Vaticinium Medici infcii femper fallax. Zac. Luf. P.A. L. 3. obf. 152	54.
Vaticinia temporis obitus. Kornman. Mir. mort. P. 4. C. 100-102	
Vaticinationis & Medicinæ confenfus. Frank. p. 166.167	100
Vaticinantes moribundi. Kornm. Mir. mort. P. 4. C. 97-99	
VE.	
de Vegetabilium pernicioforum incauta comeftione. Alberti Prax. E	.x-
tomp (21, 26	
rL'E ev cornore humano, Barth, C. 2, h. 20	
Comment on mall, Recch Ph. S. L. L. S. A. C. S. U. 224	1
The automation of the comparatio, office, the office,	
Vagatabilia & animalia quomodo in terra iupinirea uniciane a minis	ra-
11 - D and Ph S I I S 2 C 2 19 124	
quoad corruptibilitatem fere cum animalibus conveniunt. Detto.	Tt.
CI. CACS D. 226. D. 0	a 7
Commentant & corrumpuntur. Becch. Ph. S. L. I. S. S. C. I. II.S. P. 200	
venenofa comelta innoxia. Rejes qu. 63. n. 810	
prolifera. A. N.C. cent. 7. p. 83. app.	ge-

Vegetabilia cur in uno loco melius crefcant, quam in altero. Becch. Ph. S. L. I. S. 4. c. 6. p. 246. 247. n. 3

toleras materia cribit

cum auro mixta, Rejes qu. 36. p. 441. 442

456

Vegetabilium anatome. Nehem. Græv. A. N. C. Dec. 1. 20.8. p. 287 Delten; daß dich der Belten, unde hoc proverbium. Garm. p. 136. §.19 Venæ & arteriæ fubsclaviæ discissio lethalis. Alberti Iurispr. Med. P. 2.

p. 352. Caf. 29

Venarum cervicis & colli veficæ ex cafu ruptura & dilaceratio. A. N. C. Dec. 3. ao. 5. 6. obf. 132

Vena emulgens duplex. Hild. cent. 3. obf. 56

Venarum intumescentia. Barth. c. 4. h. 56

valvulæ. A. N. C. cent. 9. p. 444. Frank. p. 633--645. it. bon. nov. Anat. §. 35--47

mammariarum & epigastricarum consensus. Barth.c. 6.h.47 mesaraicarum observationes curiosæ. A. N. C.cent. 5. p. 181

lactearum inventor. Frank. bon. nov. anat. §. 20

Venæ ex pulmonibus rejectæ. Barth. c. 3. h. 98. Tulp. L. 2. c. 12. 13. A. N. C. Dec. 1. ao. 2. obf. 91

Venarum regeneratio. A. N. C. Dec. 1. ao. 2. obf. 15

& arteriarum læsiones quænam lethales. Alberti Iur. Med.P. 2. p. 353 Venæ Azygos singularis distributio. A. N. C. cent. 7. p. 369 Venarum ruptio post mortem. Hagendorn. cent. 3. hist. 45. §. 341 Venas in carne occultas notandi modus, ut felicius per sectionem in-

veniri queant. Garm. L. 2. tit. I. §. 6

Venæ Portæ dilaceratio repentinæ mortis caufa. A. N. C. Dec. 3. ao. 2. obf. 70

Portæ ofcula hiant in intestina.ibid.cent. 1. p.366 Venarum iugularium mirabilis distributio. Hild. cent. 1. obs.9 Venæ Portæ valvulis quod non destituantur. vid. Valvula. Vena sponte aperta, sive Venæ sectio naturalis & spontanea. Barth. c. 5.

h 19. A. N. C. Dec. 1. ao. 3. obl. 54. Hachft. Dec. 2. Cafus 7. A. N. C. Dec. 2. ao. 6. obl. 166

Vena secta post octiduum sponte aperta. A. N. C. Dec. 1. ao. 3. obs. 276 Garm. L. 2. tit. 6. §. 50. Sennertus Prax. L. 3. P. 6. Sect. 1. c. 2. Hachst. Dec. 2. Cas. 7. Panarolus Pentec. 2. obs 4

Venæ fectio spontanea iterata. A. N. C. Dec. 2. ao, 6. obs. 236

Vene

457
Vena se ctio an aftrorum motui & lunæ phasibus accommodanda. Re-
<i>Jes</i> qu. 75
Venarum delectus in earum sectione. A. N. C. Dec. 3. ao. 5.6. obf. 61.
Blegny Lod. gall. ao. 1681. Oct. obl. I
felectum in fanguine mittendo qui rejiciunt. Rejes qu. 74. p. 989.990
Vena lectio an intatur delectu. Frank. D. 49. co
. fecundum plebem & Calendariographos eft vana. Fraakenan
p. 50. 5L
Vene fectionis utilitas & necessitas. A. N. C. Dec. 2. ao. 9. obf. 159. Dec.
3. ao. 4. obf 73. Dec. 3. ao. 2. obf. 114
Vene fectionis iteratæ utilitas. A. N. C. cent. 3. p. 214. cent. 5. p. 186. Tulp.
L. 2. C. 2. vid. Phlebotomia.
Vence sectio iterata in febribus acutis continuis nocet. Alberti Iur.
Med. P. 2. p. 487
In Venæ sectione iterata, num sanguis copiosius, quam prima vice sit ex-
trahendus. Zac. Luf. M. P. H. L. 3. hift. 1. p. 444
Venæ fectionis repetitæ curatoria commendatio, Zac. Luf. M. P.H. L.
2. hift. 8. p. 179
quater repetitæ utilitas in Paralyfi. vid. Paralyfis
utilitas revulforia in Hæmoptyfi. Zac. Luf.P.A.L.2. hift.7.p.177
ufus in raucedine. A. N.C. cent. 3. p. 268
usin aphonia, a mensium vitio orta. Hachst. Dec. 4. c. 1
noxa in raucedine. A. N. C. Dec. 1. 20. 10. obf. 57
ufus in dyfenteria. A. N. C. cent. 9. p. 477
utilitas in Plica. A. N. C. cent. 9. p. 478
utilitas in podagra. ibid. p. 472
utilitas in fenibus. A. N. C. cent. 5. p. 169. obf, 188. Dec. 1. 20, 2,
obl. 222. Dec. 3. 20. 9. obl. 198
fectio vel noxia vel utilis. Alberti Iur. Med. P. I. p. 360. §. 14
fectio senectuti quomodo admittere debeat. Zac. Luf. M.P.H.L.1
hift. 5. p. 9. a.
fectio in vulneratis quando necefíaria. Alberti Iur. Med.P. 2. p. 334
Venæ sectionem seni robusto admittit Celsus. Zac. Lus. M. P. H. L.I.
hift. 5. p. 9. a.
Vene fectio an in extenuatis facienda? Zac. Luf.M.P.H.L. 3. hift. 1. p.442
an pueris concedenda. Zac, Luf. M.P. H. L. I, hift. 64. 80. p.141-143.
qu. 47
7. 71

Mmm

Vena

Vene fectio in puerulis bimulis, trimulis, quinquennibus, feptennibus &c. utiliter adhibita. A. N. C. Dec. 3. ao. 9. obf. 245

atilis in febribus intermittentibus. A. N. C. cent. 5. p. 169

utilis in febribus continuis. Thonerus obf. Med. L. 1. obf. 53. Ep. p.61 in curanda febre non pertinet ad non entia. Becch. Ph. S. L. 1. S. 5. c. 2. n. 95. 96

larga commendatur in febribus Zac. Luf. M. P. H. L. I. hift. 9.p. 15.b. & 16. a. b.

in febribus tempestiva. Lang. L. 2. Ep. 60. p. 844

458

in febre tertiana putrida omissa est farrago variorum symptomatum. Gabelchov. cent. 6. cur. 7

in febribus acutis continuis reiterata nocet. Alberti Iurispr. Med. P. 2. p. 487

In purpurata puerpera perniciofa. ibid. P. 2. p. 571. Caf. 57 Venæ fectio in Petechiis innoxie celebrata. Hagend.cent. 3. hift 75. p. 384 Venæ fectio quod in initio febris noxia fit. Zac. Luf. M. P. H. L. 1, hift.

64. p. 115 tollit palpitationem cordis. A. N. C. Dec. 1. ao. 4. obf. 46

in putridis febribus eft noxia. Zac. Luf. M. P. H. L. 4. h. 9. p. 636

in pleuritide nee semper tuta, nec noxia. Hachst. Dec. 7. Cal. 5. vid. Pleuritis.

an in pleuritide inftituenda, & in quo latere. A. N. C. Dec. 1. 20,10.

non femper neceffaria in pleuritide. A. N. C. Dec. 1. 20. 4. obf. 7

in pleuritide lethalis. Lent. Iatr. p. 622. 623. 631--635. Zac. Luf. P. A. L. 1. obf. 117

fub lingua in pleuritide spuria cum sebre maligna, causa infaniei & epilepsiæ. A. N. C. Dec. 1. 20. 6. obf. 96

an in cubito inftituenda fit in inflammationibus peftilentialibus internis. Zac. Luf. M. P. H. L. 1. hift. 89. p. 343

an in malignis & petechialibus conducat? Zittm. C. 1. c. 45. A. Berol. Dec. 1. Vol. 1. p. 13. 14. Dec. 2. Vol. 1. p. 33

fublingua in inflammatione bracchii funesta. A. N. C. Dec. 1. ao. 6. obf. 91

in cancro occulto corporis plethorici approbata. Alberti Iur. Med. P. 2. p. 564

THE THE DAY

Vena-

V L.	459
Venarum lubinguaium funcita sectio. Hagendorn. cent. 3. hilt	72.12.280
jugularium in Cephaliza lectio uulifiima.ibid. cept. 2. hift	71 1 200
Venarum raninarum lectio runeita. A. N. C. cent. J. D. 100, and	0
Vene sectio in vulnere thoracis primo die administranda. Zau	. InCM
P.H.L. 2. nilt. S. D. 181. leg.	Trank in the
Vene sectiones in affectibus ex lochiorum vitioso fluxu ort	is varia
Rejes qu. 74. p. 999. 1000	Town Gall
Venæ lectionis ob suppressos menses sine præuia dispositione in	brachia
celebratæ malus effectus. A. N.C. Dec. 3. ao.2. obf. 54	101acino
fectionis in mensium defectu utilitas, in pede administrata	P. Frank
p. 50. A. N. C. cent. 5. p. 180	co LT anko
fectionis noxa mensibus fluentibus. Gabelchev. cent. 4. cm	
fectionis in bracchio mensibus fluentibus celebrata periculo	12 Raush
A. H. V. 2. obf. 77	na.Durth.
fectionem in cubito inftituens in suppressis mensions, is in I	Medicine
fatetur inscitiam, & Galeno summique dictatoris edictis	maxima
repugnat. Lac. Lul. M.P. H. L. I. hilt. 64. p. 135. 136	
Vona sectio in talo semper convenit mensium suppressioni.Za	C Turns
P.H.L. I. hilt. 04. D. 135, 137	The second second
Venæ sectionem gravidis ubi illam admittat Hippocrates. Zac.	Tur M
P. H. L. 1. hift. 32. p. 61.b.	Zarje IV.a
fectionem qui autores gravidis concesserunt. ibid.	5.05
Venæ fectio grauidis inhibetur. Rejes qu. 74. p. 987	Collins .
utilisin gravidis plethoricis. A. N. C. Dec. 1. 20. 2. obf. 47. I)ec. 2. 40
3. 001. 104. 105. Schenk. L. 4. de Gravid. 001.22	the lines
gravidis an in brachio, an in pede præstet. Alberti Iurispr.	Med P
2. D. 518	In which there?
Vene fectionis in gravidis diversus effectus. Hachst. Dec. 8. c.	7. Romer
Med. feptentr. P. 2. L. 4. S. 5. p. 67	· Donce,
Vena Bafilica interdum in gravidis aperienda. Rejes qu. 74	
in talo gravidis fecanda. Rejes qu. 74. p. 992	
Venæ sectio in gravidis an sit periculosior in ultimis mensibus,	quamin
primis & mediis. Zac. Luf. M. P. H. L.3. hift. 13. p. 494	1
an & in quibus gravidis utilis. Alberti Iur. Med. P. 2. p. 517. 51	8
quo tempore in gravidis utilis. ibid. p. 516. 518	Californit
Venæ sectio in gravidis an sit periculosior in mediis mensibus,	quam in
primis.Zac. Luf. M. P. H. L. 3. hift. 13. p. 495	1
Mmm 2	Venæ
	and the second se

- Venæsectio in gravida absque ulla noxa unoquoque gestationis mense celebrata. A. N. C. Dec. 3. ao. 9. obs. 19. Hagendorn. cent. 2. hist. 93. p. 272
 Venæsectionis in puerpera utilitas. A. N. C. cent. 5. p. 187
 - fectionis in puerpera imminente partu falubritas. A. N. C. Dec. 3, ao. 9. obl. 22
- Venæ sectio in puerpera octies celebrata. Tulp. L. 2. C. 2

- fectio præservativum fœtus mortui & abortus. A. N C. cent. 1. p. 192. app. Dec. 3. ao. 1. obs. 83
 - fectio utrum folum ad præcautionem abortus fit celebranda. Zac. Luf. M. P. H. L. 3. hift. 13. p. 496. feq. Alberti Iur. Med. P. 2. p. 514 fectio an corpulentiam conciliet. Alberti Iur. Med. P. 2. p. 516 fectio in puerpera purpurata inopportuna & perniciofa. ibid. p. 571 fub purgationis operatione noxia. ibid. P. 2. p. 576
- Venæ sectio retro aures an sterilitatem inducat. Rejes qu. 56. p. 695. Alberti Iur. Med. P. 1. c. 2. §. 15. d. p. 31
 - fectio post aures non reddit impotentes. Simon. Imp. conj. c. 7. th.5. n. 3. Paræus in Chirurg. L. 23. §. 37
 - fectio in cubitu cum infelicifimo fuccessu. Hild. cent. 4. obs. 70. 77 fectio remedium Rheumatismi. A. N.C.Dec. 1, ao. 4. p. 42. app. fectio sub purgationis operatione præstita innoxia. A. N. C. Dec. 3.
 - ao. 2. obf. 47
 - fectio remedium in ebrietate. Barth. A. H. V. 5. obf. 72 fectio caufa oblivionis. Barth. A. H. V. 5. obf. 71 fectio caufa Epilepfiæ & Cardialgiæ. Hild. c. 4. obf. 22
- fectio Venerem exftinguit. Rejes qu. 56. p. 696 in Venæ fectione arteria læfa. A.N. C. Dec. 3. ao. 9. obf. 55 per Venam fectam vermis egreditur. Blegny Zod. gall. ao. 1679. Maj. obf.
 - 7, Aug. obf. 7. Dec. obf. 7. ao. 1680. Mart. obf. 8. A. N. C. Dec. I.
 - ao. 8. obf. 100. Rhod. c. 3. obf. 61. 62. vld. Vermis & Vanguis.
- per Venam fectam lacerta egrefia. Blegny ibid. Jun. obf. 14
- Venæ sectio Neronica, Hild. cent. 6.0bs.92
- Venæ sectio infelix cum tumore horrendo brachii. A. N. C. Dec. 3. ao. 1, obs. 80
- Vene sectionis & scarificationis neglectio causa sputi cruenti. A. N.C. Dec. 3. ao. ao. 5. 6. obf. 25

Vene

Vene fectionis in pede intermissio causa Cephalææ, Lent. Misc. Med. p. 193 fectionis in pede utilitas. A. N. C. Dec. 3. ao. 2. obf. 114. Frank. p. 50 fectionis in pede larga hysterico malo proficua. A. N. C. Dec. 1, ao. 10. obi. 58 fectionis in poplite curat hystericum malum. A. N. C. Dec. 1. 20. 4. p. 27. app. Venæ sectio in dorso. Barth. c. 4. hift. 39 fectio absceffus circa podicem causa. Hild. c. 5. obs. 63 fectio curat ophthalmiam. Zac. Luf. M. P. H. L. I. hift. 54. p. 90 fectionem in affectibus oculorum qui commendarint, Zac. Inf. M. P. H. L. I. hift. 54. p. 91 Cephalicæ fectio vifui non nocet. Rejes qu. 74. p. 992 Venæ sectionis utilitas in Epilepsia. vid. Epilepsia. Venæ Salvatellæ fectio in affectibus oculorum. Zac. Lus. P. A. L. I. hift. 54. p. 92 Venæ Salvatellæ fectio particularis a quibus Medicis laudetur, præmisfa alia largiori universali. Zac. Luf. M. P. H. L.I. hift. 54. p.93 Venæad majorem oculi canthum absciffionem mors secuta. Hildanus c. 2. obi. 14 Venarum Marifcarum fectio cum scalpello noxia. Zac. Luf. P. A. L. I. hift. 39. p. 78 Venæ sectio cum phlebotomo, quo antea Venereo venæ sectio administrata fuit. A. N.C. Dec. 2.ao. 5. obf. 51 Veneficium, vid. Fascinum, Veneficium quot modis fiat. Alberti Iurispr. Med.P. 1. p. 250. §. 8 Veneficium cum Cadmia fossili commissum absolute lethale, ibid. app. p. 167. Cal. 29 cur gravius puniendum, ibid. p.204 fallo creditum. ibid. P.1. p. 274. Caf. 3 Apoplexia habita. ibid. app. p. 97. Cal. 17 Veneficia. Kornm. Mir. mort. P. 10. c. 26. Alberti Iur. Med. P. 1. p. 246. vid. Fafcinum. Magia. de Veneficiis iudicium fit cautum. Rejes qu. 64. p. 865 Veneficium dubium. Zittem, C. I. c. 40. Alberti Iur. Med. app.p. 103. Caf. 18. & p. 202, Cal. 24 Mmm 3 Vene-

Veneficium ex Auripigmento & Mercurio in iufculo an lethale? Zittm. C. 1. C. 62

Veneficii figna in vivis. Alberti Iur. Med. P. 1. p. 264. 9, 25 Veneficii figna in defunctis. ibid. p. 266. §. 29 Veneficiorum aut fascini recognitio. Alberti Iur.Mcd. P. I. p. 219. §.8 ex Veneficio ulcus cum cineribus Sagæ combustæ curatur. A. N. C. Dec. 1. 20. 6. obf. 61 circa Veneficium circumftantiæ observandæ. Alberti Iur. Med. P. I. p. 263. 0. 24 Veneficarum & earum lafionum existentia. A. N. C. Dec. 3. 20.1. obf.3 Venenum ex Maufch. Gield paratum. A. N. C. Dec. 3. ao. 1. obf. 57 an detur, & quid fit. Alberti Iur. Med. P. 1. p. 248. S. 4. 5 Venenum æmulans eft bilis corrofiva. Alberti Iur. Med. P. 2. p. 189 Venenum productum in corpore ex humorum impuritatibus, ibid. P. 2. P. 189 Venenum acceptum an vomitus indicet. ibid. app. p. 207 Venenum propinans cur gravius puniendus. ibid. app. p. 204 Veneni diversus operandi modus. AlbertiIur. Med. P. 1. p. 253. §. 11. 12 Veneni doctrina antiquis intricata, & cur? ibid. P. 1. p. 254. S. 13 Veneni venditio limitata. ibid. P. 1. p. 269. §. 32 Veneni diverfæ fpecies. ibid. P. 1. p. 252. §. 10. & p. 255. §. 14. fegg.

Venenum, quod foris applicatum occidit, facilius interficit per os ingeftum. Cardanus L.I.de Venen. c.18. Contradict. L.2. Tr.5. contr.10. Zacchias qu. med. leg L.2. Tit. 2. qu. 10

Venenum in homine generari posse, quod subitam mortem inferat, credit Garcias disp. 66. de locis c. 6.

Veneno libri, chartæ, subsellia, ocreæ infici possunt. vid. Rej.qu. 96. p. st Veneni assumpti signa descripferunt Cardanus, Mercurialis, Andoinus, Guainerius, Grævius, Ponzettus.

Veneni ab extra oblati figna vera nulla dari. Rejes qu. 64. p. 864-866 Veneni innati & dati figna difficilia & in diferetione grauia effe, qui asferuerint. Rejes qu. 64. n. 10

Venenum vafa Porcellana respuere & prodere. vid. Barth. cent. 2. hist. 18. Salmuth. Garm. M. M. L. 2. tit. 1. §. 22

Venenum ex vaporibus. Garm. L. 2. tit. 1. §. 27. 28. Kornm. Mir. Mort.P. 6. c. 29. A. N. C. Dec. 1. ao. 1. obl. 33

Venena

i.

.....

403
Venena parandi modi diversi antiquorum. Rejes qu. 64. p. 839
dantur, quæ in minima quantitate oblata perniciofa funt. Rejes qu. 63.
p. 822. & luccellive interficiunt. Rejes ibid. p. 871
in homine generari qui dicant. Alberti Iur. Med. P. 1. p. 249. S. 6.
Rejes qu. 64. p. 887. n. 7. p. 888. 849. 853. n. 27. 28. Zac. Luf. M. P. H.
L.I.h. 52. L. 2.h. 20.P.A. L.3. obf. 132, Rodericus Castrens. Tr. quæ ex
quibus L. 2. C. 7
Venenum innatum & datum potest discerni & indicari. Rejes qu. 64. p.
849.850.11.10.23.26
Veneni affumti figna fub affumtione, & post hanc. Rejes qu. 64. p. 852.
854. Garman. L. 2. tit. 1. §. 26. it. P. I. p. 411. Alberti Iur. Med. app.
p. 168.169
Veneno exftinctis hominibus interdum penis erigitur. Garmann. L. I.
tit. II. 9. 10
Venenorum figna qui ex Medicis & ICtis recensuerint. Rejes qu. 64. p.
852854
figna in vivis. Alberti Iur. Med. P. 1. c. 13. p. 264
figna post mortem. Alberti Iur. Med. P. I. c. 13. p. 266296. Rejes qu.
64. n. 21. 22. p. 854
figna post mortem maculæ. Garm. L. 2. tit. 1. §. 17
figna æquivoca. Rejes qu. 64. p. 855 856. n. 32. p. 861
figna nulla dari. ibid. p. 864. n. 36. p. 865867
Venenis vestes infici posse. Rejes qu. 61. p. 801. 802
Venenorum examen. A. N. C. cent. 7. p. 212. app.
noxa externa. Rejes qu, 61. p. 802. qu. 96.n. 11. quod negat Bakins
de Venen, c. 14
utilitas. Rejes qu. 64. p. 840
Venena dulcia. Rejes p. 851
Venena eximia. Rejes qu. 99. p. 1207. n. 11. p. 1209. n. 11
Venenum Arfenicum ad unc. 1. fine noxa comeftum, Rejes qu. 61. p. 818
Venenum pro faccharo comeftum. Salmuth. c. 2. obf. 96
Veneno nutriti homines. Zac. Luf. M. P. H. L. I. hift. 27. p. 47. b. Rejes
qu. 63. p. 812
Veneno alta vel capta animalia an edenda fint? Lang. L. I. Ep. 69. p. 407
Venenim affumtum arrofionem ventriculi caufabatur. Salmuth. C. L.
obf. 9.10
Veneno-

A second se
Venenorum & morborum infidiis utrum homo inser cætera animalia magis fit obnoxius? Zac.Luf.M.P.H.L. 5. hift. 3. p. 797
de Veneno assumpto. Prax. Extemp. Cal. 15
Venenum diu latitans, Salmuth. c. 1. obf. 69. Zac, Luf. M. P. H. L 2. hift.
3.'p. 168
Venena haufta curata. A. N. C. cent. 3. 'p. 33
Venenum eliciendi remedium fingulare. Zac. Luf. P. A. L. 3. obf. 84
Veneni utile alexipharmacum stercus humanum. ibid. obf. 93
Venenum viperæ potus urinæ humanæ mitigat. ibid. p. 94
ferpentum quorundam perniciosisfimum. Zac. Luf. M. P. H. Lib. s.
hift. 3. p. 796
Venenarunt veteres arma fua Helleboro. Rejes qu. 63. p. 837. n. 44.49
Venenata tela subterranea. Rejes qu. 65
Venenata arma qualia vulnera causentur. Garm. L. 2. tit. 1. §. 56
Venenatis armis enecata animalia an tuto comedi poffint? Rejes qu. 63.
p. 836. n. 44. feq.
armis interemta animalia comesta noxia. Garm. L. 2. tit. 2. §. 64
Venenosis enutrita aut interfecta animalia comesta, an noxia? Zac. Lus.
M.P. A. L. z. hift. 89. p. 341. Garman. L. z. tit. 2. §. 65. Rejes qu. 63.
p. 826 \$38. fegg. 12.1. Lange D. selusion (astrony flot) small
enutrita animalia, quænam illorum innoxie comedantur. Garman.
L. 2. tit. 2. §. 66
Venenosa vegetabilia comesta innoxia. Rejes qu. 63. p. 816
Venenatorum animalium innoxiæ comestiones. Garm. L., 2. tit. 2.5.63
A. N. C. Dec. 1. 30. 2. 001, 205
Venenavegetabilia. Alberti Iur. Med. P. I. p. 261. J. 21
Venena metallica. ibid. p. 255. §. 14
Vanenganimalia, Alberti lur. Med P. I. p. 203. S. 23
nonnullis animalibus funt medicamina. Garmann. L., 2. tit. 2. V. 66
Nenefici homines educatione heri pollunt. Mizaldus Memorab. cent. I.
Rejec DH. 62. D. 8. 1t. qn. 96
Venenofi homines per ulum venenolorum tales redditi, Rejes qu. 62. p.
817. 818. 823. Garm. L. 2. tit. 2. 9. 65. Pun. L. 7. C. 2
Venenate herbæ ante lapfum an exititerint. A. N. C. cent. 7. p. 211. app.
Venenola vegetabilia innoxie comeita. Rejes qu. 63. p. 816. vid. Cicuta.
Venenatorum cadavera. Kornm. Mir. mort. P. 6. c. 21
Vene-

Venenoforum animalium ictus. Rejes qu. 96. Garmann. L. 2. cit. 1. 9. 55. vid. Vipera. 1. L.D. 2. Obl. 6. Venenosi halitus & vapores. Kornm. Mir. mort. P. 6. c. 29 halitus & flamma ex puteo. A. N. C. Dec. 1. ao. 1. obf. 33 per Venena homicidia. Alberti Iur. Med. P. I. C. 13. p. 246-270 Venereo ceftro corrumpuntur carnes. Garm. Mir. mort. L. 3. tit. 1.§.78 Venter. Kornm. Mir. viv. p. 133 for 100 orodigmi Samilioedmi ilanimas Ventris lævitas & intestinorum. Gabelch. cent. 2. cur. 47 ardor & viscerum cum frigiditate tibiarum. Gabelch. cent. 2. cur.59 dolor cum flatibus.ibid. cur. 60 met .oky /oruning non allering V tormina cum vomitu. Gabelch. cent.. 4. cur. 2 inflatio cum magna duritie & fiti. Gabelch. cent. 3. cur. 46 tumor durus ex præcipitatione violenta in terram. Gabelchov. cent. 3. Cur. 43 crepatura in hydrope feliciter fanata. A. N. C. Dec. 3. ao. 9. obf.122 Ventriculus æftate calidior eft, quam hyeme. Frank. p. 2. 25-27 & inteftina extra peritoneum. Salmuth. c. 1. obf. 84 in thorace fitus. Barth. C. '6. h. 55. Laurentius Strausus de foetu Muffipontano p. 196. Riverius obf. med. cent. 4. obf. 67. A.N. C. Dec. 2. ao. 5. obf. 193.cent.3. p. 147. Act. Erud. Lipf. ao. 1706. Menf. April. p.171 Ventriculi prolapfus. BlegnyZod. gall. ao. 1679. Febr. obf. 2 & taciei confenfus. Barth. c. s. h. 68 & pylori nova defcriptio. A. N. C. cent. s. p. 161 duplex. Blasius obf. Med. Part. 4. obf. 9 foramen callofum, A. N. C. cent. 1. obf. 151. Dec. 1. ao. 2. obf. 229. & app. p. 405 Ventriculus perforatus. Salmath. cent. 1. obf. 1. 2. Plater. L. 2. p. 407 Ventriculus perforatus cum cita morte. A.N.C. cent. 5. p. 62 Ventriculus deficit. Frank. p. 121 dolor exabdira c enormis magnitudinis. A. N. C. cent. 7. p. 384 fedes febrium malignarum. Barth. cent. 3. p. 42 Ventriculi refrigeratio. Plater. L. 2. p. 406 Ventriculi calida intemperies ex mala curatione febris relicta. Gabelch. cent. 6. cur. 104. cent. 1. cur. 99 Ventriculum purgandi quæ fuerit Ægyptiacorum ratio. Lang. L.'2. Ep. . 19 V 48. P. 784

Nnn

Ven-

Ventriculo roborando profunt Cachunde & Chocolate. Zac. Luf. P. A. Lib. 2. obf. 6. 7 Ventriculi imbecillitas. Solenand. Sect. 2. Conf. 30. 31. Sect. 3. Conf. 12. Diemerbr. obf. 72. Gabelch. cent. 2. cur. 46 debilitas & dolor importunus vini Abfynthitis potu curantur. Zac. Ventriculi imbecillitas Zingibere correcta. Plat. L. 2. p. 405 Ventricalum eluens instrumentum. Barth. c. 5. h. 26. Wedelus & Teichmeyer de Excrescentia Ventriculi. AT & VICCELINI CUM INTE Ventriculus non nutritur chylo. Frank. p. 263. 264 in Ventriculo hominis globuli multi. A. N. C. Dec. 2. ao. 1. obf. 18 Ventriculi affectus. Diemerbr. obs. 100 raffectui, cum totius corporis extenuatione, lac afininum prodeft, Solen. Sect. I. Caf. 8 gangræna. Barth. cent. 4. Ep. 29 mortificatio allii efu suratur. Zac. Luf. P. A. L. 2. obf. 12 inflammatio lethalis. Zac. Luf. P. A.L. 2. obf. 177 vulnera an & quælethalia. Alberti Iur. Med. P. 1. p. 331. §. 55 Ventriculi compreffio caufa cardialgiæ. Plat. L. 2. p. 408 Ventriculi percuffio lethalis. A. N. C. cent. 1. p. 386 verruca lethalis. Zac. Luf. P. A. L. 2. obf. 2 April Burghand callus innatus. Plater. obf. L. 2. p. 408 ulcera lethalia. A. N. C. cent. 1. p. 186. app. cent. 3. p. 175 vulnus fistulosum curatum. A. N. C. Dec. 1. ao, 10. obf. 131, vid. Vulnus durdex. Blanks obl. Med. Part. 4. obt. Ventriculi. erofio ab uvis affumtis. Rhod. c. 2. obl. 53 erofio ab arfenico. Salmuth. c. 1. obf. 10 & Hepatis arrofio a Mercurio fublimato. Salmuth. c. r. obf. 9 orificiorum periculofa obstructio. Hild. cent. 6. obs. 34 dolor ex abdita caufa. Zec. Luf. P. A. L. 2. obf. I durities ad tactum renitens. Solen. Sect. 3. Conf. 13 interioris macula in diverfis morbis. Garm. L. 2. tit. I. §. 25 attritio curatur. Zac. Luf. P. A. L. 2. obf. 3 ardori remedium egregium. Zac. Luf. P. A. L. 2. obf.4 hectica cura. Zac. Luf. P. A.L. 2. obf. 5 mp ibnegrug mulusi and V +87.9.84 Ven-

Ven-

**************************************	2X
Ventriculi dolor ex bile, curatus. Zac. Luf.P.A.L. 2. hift. 58. p. 288	F.
vermes. Barth. c. 4. h. 77	
vermes. Barth. c. 4. h. 77 perfecta perforatio a veneno. Alberti Iur. Med. P. 1. p. 267. 268	
dolor ex frigore. Zac. Luf. P. A. L. 2. hift. 61. p. 289	8
dolor & angustia cum multis symptomatibus. Gabelchov. cent.	2.
eners abling mis plenaria mmorear and included boile (8.86.70 mor-	T
dolor nullo remedio cedens cum aliis gravibus affectibus. Solenan	d.
Sect. 3. Conf. 22	
affectio raro eveniens. M. Donat. L. 4. c. 4 biogo and and	1
cruditas cum dolore post cibum sumtum. Gabelch. cent. 3. cur. 45	T
inflatio post fanatas variolas cum dyfpnœa. Gabeleh. cent.1.cur. 101	TI
& testium tumor cum alvo suppressa. Gahelch. cent. 2. cur. 62	
ardor ob maculain luteam deprehenfam. Plater. obf.L. 2. p. 406	
frigus & hepatis calor. Solen. Sect. 1. Conf. 11. Sect. 3. Conf. 23	
macula nigra. ibid. p. 407 nimia diftenfio a panis devorati copia. ibid. p. 409	-
nimia diffentio a panis devorati copia. 1010. p. 409	
fininia repletio a carne, caufa mortis. ibid. someb sursbommi	
offensa ob lapides devoratos. ibid. p. 413	
Ventus quare tam subito oriatur, quando quisquam laqueo se suspe	11-
dit. Kornm. Mir. mort. P. 7. C. 76	1
e pene loco feminis. Zac. Luf. P. A. L. 2. obf. 121	
ex genu loco puris. ibid. obf. 172 ex utero exclusus. Zac. Luf. P. A. L. 2. obf. 150. Hachft. Dec. 6. c.	
ex utero exclutios. 240. Lag. L. 11. L. a. Oble 190. Hechit. Det. 6. C.	4.
vid. Flatus. Ventor um origo. Athanaf. Kircher. Mund. fubt. L. 4. Job. Cleric. Ph	J.
L. 3. c. 5. p. 224. Rohault. Tr. phyl. P. 3. c. II. Act. Angl. Oldenbur	ra.
20. 1667.menf. Iunii n. 5.p. 387. Sturm. phyf. hypoth. Tom. 2.	5° D.
1174 fead Cartel, meteor. c. 4. n. 2	P.
de Ventis. Reinzer. Meteorol. diff. 6. qu. 1. p. 103-110	
de Ventorum numero & varietate. Reinzer. ibid. qu. 3. p. In	
de Ventorium affectibus & proprietatibus. Reinzer. ib. qu. 4.5	
de Venterum fignis prognosticis. Reinzer. 1b. qu. 6. p. 121	ā
Venti utrum valeant nostram immutare temperiem suis diversis ter	n-
periebus. Bravo P. I. difp 3. Sect. 2. Refol. 4. p. 93	
Vento plenus tumor. Bor. c. 1. obf. 8	
Vento plenus tumor. Bor. c. 1. obf. 8 Venti lapidifici. Bor. c. 1. obf. 5	
Nordar Saryrium, Garne nn Nr. 11. 5. 26	1115
Venee	

Venas litteratis & studiosis fugienda, quia animam hebetat. Marf. Ficin. de vita fana, it. Tiraquellus L. 15. Leg. connub. gloff. 1. Arift. Gen. de Anima. L. 1. c. 18 Venus cura peftis. A. N. C. Dec. 1, ao. 2. obf. 188 Veneris virtus antivenerea. A. N. C. cent.5. p. 303 doior & apont Veneris abstinentia plenaria tumorem umbilici, Epilepfiam, immo mortem adfert. Zac. Luf. P. A.L. 2. obl. 118. 119. Rejes qu. 46. p. 571. 572. vid. Vteri Strangulatio. Venus quoties exercenda. Rejes qu. 44. p. 534 Venere concella languentibus confilium datum. Solen. Sect. 4. Conf.17 Veneris usum congruum falutarem qui prædicarunt. Rejes qu. 46. ALE THE COMPANY STREET p. 570. 571 adillicitum ufum non confilium dare debet Medicus. Rej. ibid.p. 573 usus post morbum superatum non cito exercendus. Rejes qu. 82. p. 1076.n.4.p.1077 noxa in acutis morbis. Hildan. c. 4. obf. 26 and to our offic timin immoderatæ damna. Barth. c. 6. h. 94. Zac. Luf.M. P. H. Lib. I. hift. 73. p. 126 intemperantia caufa morborum. Tim. a Guldenkl. L. 2. Caf. 17 Venusimulta fatuitatem conciliavit. Salmuth, c. 1, obf. 61. Zac. Luf. P. A. Innsi oco L 1. hift. 73. p. 126 immoderata perdit lac lactantium. Garm. L. 2. tit. 8. 6. 47 Venereus actus in vulnere capitis & nervorum periculofus. Hildanus cent. 1. obl. 19. 22. Veneris intemperantia caufa mortis. Garman. L. I. tit. 11. §. 14. Zac. Luf. P.A.L.3. obf.1 intemperantia memoriam hebetat. Gilgii. Diff. Altorff. 1691. Clem. .q Alex. L. 2. Pædagog. Ariftot. L.G. Eth. c. 5. Zac. 1 uf. M. P. H. p.125 æstus mortem fubitaneum caufatur. A.N.C. Dec. 3. ao. 9. obf. 163 intemperantia urinæ difficultatis & tenefini caufa. A.N.C.cent. 1 p.66 exftinctio per Venæsectionem. Rejes qu 56. p. 696 Venerem exftinguentia remedia. Rejes qu. 44. p. 529 dubie exftinguir Agni cafti femen. Amannus in Iren. qu. 2. p. 37 ftimulantia remedia. Rejes qu. 44. p. 530--533 provocans alimentum. Zac. Luf. P. A. L. 2. obf. 125 Rimulat Satyrium, Garm. L. I. tit. 11. §. 26 Vene-

Venerem stimulat Bangoe Perfarum & Maslach Turcarum opium. Garm. ibid. p. 27. 28 ftimulans periculofum remedium funt Cartharides. Salmuth. c. 3. obf. 23 Venerem cur ftimulent Cantharides. Garm. L. I. tit. 11. §. 25 cur ftimulent fontes medicati. Garm. L.1. tit. 11. §. 24 fimulare & armare cornu tauri fub coitu eius rafum, & cerebrum pafferis fub actu Veneris transfoffi, dixit Garmann. Mir. mort. L.2. tit. 7. §.70 Venerea infectio variis refugiis excufata. Alberti Iur. Med. P. 2. p. 163 infectio juste suspecta. ibid. P. 2. p. 179. Cal. 28 infectio coitui cum conjuge menstruata pura falso imputata.ibid. P. 2. p. 157. Caf. 16. it. p. 163 imputata, fed dubia. ibid. P. 2. p. 164. Caf. 17. & p. 179. it. app. p. 179. Caf. 31 Venerei morbi diffimulatio. Alberti Iur. Med. P. 1. p. 209. §. 20. & p. 212. 213. Caf.2. Venerei morbi ex nimio coitu. ibid. P. z. p. 162. 164 Veneream Luem in India effe endemium morbum, referunt Rondeletius, Hernandus de Oviedo, Ferdinandus Cartefius in Relationibus, Monardus in Hift. Scot. Zac. Luf. M. P. H. L. 1. hift. 73. p. 124. Rejes qu. 59. p. 768 Veneream Luem oriri ex ufu carnis humanæ, unde Indi' eam fibi contraxerint credit, Fior avandus; fed negat id Rejes qu. 59. p. 769. Garm. M. M. L. 2. tit. 2. §. 67 Veneream Luem Indos fibi contraxaffe ex comeffione certæ speciei lacertæ, autumat Mart. Lysterus de Morbo venereo. 5 11125. LAL Venereus appetitus ex purgante. Tim. a Guldenkl. L.3. Caf. 50. A. N. C. Dec. 1 ao. 2. obf. 71. Dec. 2. ao. 10. obf. 141 Venereorum affectuum variæ species. Blegny. Zod. gall. ao. 1683. Jun. p. 102. feq. Rejes qu. 44. p. 534. vid. Gallicus morbus. Venereæ luis observationes novæ & curatio, Blegny. Zod. gall. ao. 1679. Apr. obf. 1. & p. 255. feqq. Venereæ luis figna. Alberti Iur. Med. app. p. 185. & P. 2. p. 180 Venerea lues a matre in foetum purifimum non propagata. A. N. C. cent. 3. p. 39

Vene-

Venerea lue mulier fexagenaria laborans, & absque Mercurio adhibito falivans A. N. C. Dec. 3. ao. 9. obf. 34

lue æger laborans, duodecies unguento Mercuriali largiter inunclus, absque tamen insequenti falivatione. A. N. C. Dec. 3. ao. 9. obf.35 infectio an per folum concubitum communicetur. Alberti Iur.Med.

confirmateutiontes medicin

P. 2. p. 168. it. p. 172. 173

plura vide. Lues & Gallicus morbus.

TUMPO STO Venerea Gummata cum Empl. de ran. vigon. cum Mercurio curata. A. N. C. Dec. 1. ao. 4. p. 32. app.

in Venereo bubone fanguis mittendus. Zac. Luf. P. A. L. 2. obf. 139 Veneris compassio cum oculis. Garm. p. 146. §. 5-6 Veneris solutio cum aquaforti mixta cum spiritus salis virescit, cum

fpiritu urinæ violascit. Becch. Ph. S. L. I. S.4. C. 3. p. 205 Verba contra Epilepfiam adhibita vana. Rejes qu. 22. p. 242. 243 Verbis fanandi vis tributa. Rejes qu. 22. p. 234. 235

fanandi vis denegatur. ibid. p. 238--241 ftrumænon curantur via naturali. Zac. Luf. M. P. H. L. 1.h. 83. p. 148 Verbis tabes curatur. Bor. c.3. obf. 62 i mios oimin xo idrom is range

vermes in capite curati. Bor. c. 1. obf. 19 subril mimou instants

Verbafci vires. Bor. c. 1. obf. 27

Verbena contra Cephalalgiam dubium remedium. Barth. A. H. Vol. 5. obf. 62

Verberibus hecticus moritur. Blegny Zod. gall. ao. 1679. Aug. obf. 4. Die Beren, morbus endemius Westphalorum. Smet. Milc. L. 4. Ep. 10.11 Vermes funt longi, rotundi, teretes, helminthes f. lumbrici teretes,

lumbrici lati f. cucurbitini & Afcarides. Hild. c. 2. obf. 70-73

Vermes. Diemerbr. obf. 21. 91. M. Donat. L. 4. c. 26

Vermium mira fœcunditas. A. N. C. cent. 7. p. 317

historia & metamorphosis. A.N. C. cent. 7. p. 467. fegg.

Vermes in Venis. Rhod. c. 3. obf. 61. 62. A. N. C. Dec. 1. ao. 8. obf. 100 per Venæ fectionem egreffi. Blegny Zod. gall. ao. 1679. Maj. obf. 7.

Aug. obf. 7. Dec. obf. 7. ao. 1680. Mart. obf. 8

in fanguine. Bor. c. 3. obf. 4. it. Garman. M. M. L. 3. tit. 1. §. 85 in femine. Garm. M. M. p. 877-881

de Vermibus inopinato aures ingreffis. Alberti Prax. Extemp. Caf. n Vermes in variis corporis partibus. A. N. C. cent. 5. p. 126. Rejes qu. 36. p. 428--433 Nnn 3

Ver-

Vener cus

T	1.
Vermes, muscæ, pili, unguium segmenta, osla in tumoribus repert	-
Rejes qu. 36. p. 428. 429. 430434	41
in capite. A. N. C. Dec. 1. 20. 3. obf. 266. 20. 2. obf. 147. 20. 10. obf. 50	
in capite verbis curati. Bor. c. 1. obf. 19	
oculorum Garm. Mir. mort. L.3. tit. 1. §. 94	
in cerebro. Barth. c. 1. h. 64. Zac. Luf. P. A. L. 1. obf. 7. A. N. C. De	c
1. 30. 2. obl. 147. Garm. Mir. mort. L. 3. tit. 1. §. 93	·.
aures inopinato ingreffi. Rejes qu. 36	
exauribus. Salmuth. c. 2. obf. 39. A. N. C. Dec. 1. ao. 10. obf. 50. ao.	
obf. s. Zac. I.uf. P. A. L. 1. obf. 68	+.
ex ore & utero aliisque partibus. Rejes qu. 36. p 428433	
in vena sublinguali reperti. A.N. C. Dec. J. ao. 8. obf. 100	1
dentium. Barth. c. 3. h. 96. A. N. C. Dec. 1. ao. 10. obf. 187. Garman	
Mir. mort. L. 3. tit. 1 §. 96	<i>n</i> .
ex naribus. Tulp. L. 4. c. 12. Bor. c. 3. obf. 45. A. N. C. Dec. 1. 20. 10. 01	s
50. p. 129. Dec. 2. ao. 1. obf. 99. Barth. cent. 2. Ep. 74. 85. p. 681	10
Vermis medullaris. Hagendorn. cent. 3. hift. 70. p. 372	
Vermis per nares ejectus, diuturnum capitis dolorem folvit. Hildani	
1' in cent. I. obf. 8 and 10 offore more than a first	is
Vermis per nares excretus post diuturnum capitis dolorem. Blegn	9
	y
Zod. gall. ao. 1679. Apr. obf. 3	1 .
Cephalalgiæ caufa. Barth. c. 6. h.3 Verme expulso e naribus, Cephalæa curatur. Zac. Luf. P. A. L. 1. obf.7	1
Vermes ex naribus & dorfo erumpentes. A. N. C. Dec. 3. ao .7. obf.18	9
in dorfo. Borve. 1. obf. 80	
ex fpina dorfi. A. N. C. Dec. 1. ao. 2. obf. 109	
in faliva. A. N. C. Dec. I. ao. 10. obf. 130	
in ventriculo. Barth. c. 4. hift. 77 Garm. Mir. mort. L. 3. tit 1. \$. 101	
Vermis vomitu rejectus. A. N. C. Dec. 1, 20, 4. p. 284. 285. Dec. 3. ao.	7.
obf. 61. cent. 5. p. 177	
Vermes per tuflim rejecti. A.N. C. Dec. 3. ao. 7. obf. 72	
Vermis ex vulnere pectoris, & in renibus. Blegny Zod. gall. ao. 1679	9.
Iul. obf. 1.8	
renis parenchyma occupans. Blegny Zod. gall. ao. 1679. Jun. obf.2	1
ex l'ermihus colica quomodo curata. Hildan. cent. 1. obf. 57	1
Vermis ex rene canis. Blegny. Zod.gall, ao. 1679. Aug. obf. 14	
19 Ispide reperti. A. N. C. Dec. 31 a0. 7. obl. 28, 188	
Vermes	

Vermes in vesica urinaria. A. N. C. cent. 1. obs. 170. p. 363. Tim. a Gul-
denkl. L. 3. Caf. 33. Garm. M. M. L. 3. tit. 1. §. 105
ex ventriculo, alvo & vesica copiosi. Barth, A. H. V. 3. obf. 11. A.N.C.
Dec. I. ao. 8. obf. 14 et ado a strate de la contra contra suidas na
cum urina copiofi excreti. vid. Vrina. A. N. C. cent. 1. p. 201. app.
cent. 3. p. 142. Dec. 3. ao. 5. 6. obf. 123. cent. 9. p. 410. Dec. 1. ao. 1.
obf. 50. ao. 8. obf. 14. Salm. c. 1. obf. 49. Barth. A. H. Vol. 3. obf. 11.
V. 5. obf. 21 V. 5. obf. 21
Vermuli cum urina cruenta putrida excreti. A.N. C.Dec. 3. a0.9.0bf 127
in aceto & femine. Barth. A. H. V. 5. obf. 7
Vermium magna copia excreta. A. N. C. cent. 9. p. 457
Vermes uteri. A. N. C. Dec. 1. ao. 10. obf. 7. Garmann. Mir. Mort. Lib. 2.
dentition. Barris et al. A. N. C. Dec. 1. 40. 10. 701. J. r. in m.
in corde. A. N. C. Dec. 1. ao. 10. obf. 13. Gabelch, cent. 3. cur. 1. Zac.
Luf. P. A. L. I. obf. 139. Garman. Mir, Mort. L. 3. tit. 1. §. 9799
inteftinorum. ibid. §. 106
portentofi. ibid. §. 102 6 Aline and a manning at the born and the
Vermes ad duram matrem reperti. Hildan. cent. I. obf. 16
ex Vermium abundantia gingivarum erofio lethalis. Hildanus cent. I.
obf. 59
Vermes vivi per umbilicum prodeuntes. Zac. Luf. P. A. L. 2. obf. 40
iu vesica fellis. Hildan. cent. 1. 0 bf. 60
umbilicales. Salmuth. c. 2. obf. 61. Bor. c. 1. obf. 40. 89. A. N. C. cent.
5. p. 70. Dec. 3. 20. 7. obf. 150
ex umbilico & inguibus progreffi. Blegny Zod. gall. ao. 1679. Iun.
obf. 3. 4. Plater. obf. L. 3. p. 831
inguen perforantes. Zac. Luf. P. A. L. 2. obf. 39
ex ulcere inguinis fiftuloso prodeuntes. A. N. C. Dec. 3. ao. 7. obf. 192
Plater. obf. L. 3. p. 831
Plater. Obl. L. 3. p. 031
in tumore abdominis. A. N. C. cent. I. p. 108
intestina perforantes. A. N. C. Dec. 1. 20. 1. obf. 145. app. p. 35
in hepate. A. N. C. Dec. 3. ao. 9. obf. 47. Garmann. Mir. Mort. Lib. 3.
tit. 1. §. 103
Vermis in ductu choledocho & hepate. Kornm. M. M. P. 4. c. 71
Verminofum hepar in ovibus. A.N.C. Dec. 1. ao. 6. obf. 188
in ovo. Barth. c. 6. h. 87 ot. os 1118 bo 2. man al sines snor x sumar
in lapide reperti. A. N.C. Dec. 3. ao. 7. obf. 28
Vermes

Vermes lienis, pancreatis, somenti, renum. Garm. L. 3. tit. 1. S. 104 Vermes, abscello in vesica putriclo rupto, cum urina excreti. Hildanuer contra Vermer, & quiden Vermices mouse A micula 37.1do.1. thesans Vermes in variolis genici. A.N.C. Dec. 1. ao. 8. obf. 85 millionor five in, five fine febre cum confilio Solenand. Sect. 3. Conf. 30 in corpore humano geniti. Blegny. Zod. gall. ao. 1680. Jun. obf. 20 ab extra hominibus illati perniciofi. Rejes qu. 36. p. 427 11.100 ab ægrotis & morientibus discedentes. Garm. L. 2. tit. 4. 5. 32. 33 Vermis mirus. Zac. Luf. P. A.L. 2. obf. 38 model Juno toleo Manus V aureus. Barth. A. H. V. 3. obf. 4 () M. A. Soinamuan advant and an W Vermes piper arrodentes. Barth. A. H. V. 2. obf. III Velin olupies ai in velica fellea. Garmann. Mir. mort. L. 3. tit. 1. Mr 103 10 Supa saurors V mira symptomata excitantes. A.N. C. cent. 5. p. 70 obt. 166 Vermis colicum dolorem adfert, Zac. Luf. P. A. L. 2. obl. 33 Febres, febrem malignam & convultiones mover. Blegny Zod. gall. ao. 1682. Febr. obf. 31. 33 . an X server of provident of soller sources Vermis dicitur morbus Brafilienfis. Zac. Luf.P. A. L. 3. obf. 98 a Vermibus quidam exefi convulsinterierunto Zac. Lus. M.P. H.L. 2. a Vermibus Epilepfia orta, per Theriacam curatur ibid. zinog zibraio Vermes in & fub lingua. Garmann. Mir. mort. L. 3. tit. 1. 9. 95 Vermes caufa convultionis, quæ ab aqua Raphani ruftici cum aliis aquis temperata curata. A. N. C. Dec. 1. ao. 6. obf. 187 automatica and Opifthotoni caufa. Zac. Luf. P. A. L. 2. obf 41 lout V sauce W Apoplexia caufa. Zac. Luf. P. A. I. 2. obf. 42 dans muteringe Aphoniæ caufa. ibid. obf. 439 mile eine Bryonie Current abid. Abid. obf. 439 mile eine Bryonie Current caufa Apthoniæ per 14. dies durantis in puero. A. N. C. Dec. 3. ao. 4. obl. 47 Vertebrartin collo 3 Paralyfeos caufa. Salmuth c. 1. obf. 44 caufa contracturæ universalis. A. N. C. Dec. 1. ao. 3. obf. 36. Dec. 1. ao. 7. obf. 236 base and woodly arother 3 obrexed illos men rardares V caufa contracturæ fubitaneæ. A. N. C. Dec. 3. 20. 9. obf. 54 caufa afthmatis. A. N. C. Dec. 3. ao. 4. obf. 19. ao. 7. obf. 188 Vermes in exterioribus partibus. Garm. Mir. mort. L. 3. tit. 1. §. 114 in Mammillis, ibid. §. 115 801 Ido Lever (200 C) . Max oredreded Ste Vermes caufa vigiliarum cum ejulatu. A. N. G. Dec. 1. ao. 8. obf. 36 Vermes necantia, Bor. c. 1. obf. 90. c. 2. obf. 70

Vermes

Vermes necandi bolus mirabilis. Zac. Luf. P. A. L. 2. obf. 44 Vermibus necandis Mercurius utilis, A.N.C. Dec. 1. ao. 4. obf, 120 contra Vermes, & quidem Afcarides fuccus Auriculæ muris præftans remedium. Zac. Luf. M. P. H. L. 2. hift. 99. p. 360 ex Vermibus Cardialgia mire fopita. Hagend, cent. 2. hift. 4. p. 160 Verminatio continua ab infantia in senecturem. A. N. C. Dec. 1, 20. 8. an extra hommbus little permitted frances obf. 13 Vermicondi absceffus & tumores. Garm. Mir. mort. L. 3. tit. 1. 9. 116 Vernalis calor curat Tabem annuam. Zac. Luf. P. A. L. 3. obf. 115 Veronica herba traumatica. A.N.C. Dec. 2. ao. 3. obf. 166 in calculo utilis, A. N.C. Dec. 1. 40. 1. obf. 107 Veronice aqua externo ufu ulceribus applicata. A. N. C. Dec. 2, ao. 3. Winpromace excitances. A.N. C. cent. 5. p. 70 obf. 166 Verrücarum cura fympathetica. Guldenkl Caf. 25. p. 256 Verruca ingens in pollice quomodo exftirpata. Hild. cent. 6, obf. 70 Verruca gallica in mucrone linguæ. Zac. Luf. P. A. L. 1. obf. 79 ventriculi lethalis. Zac. Luf. P. A.L. 2. obf. 2 cauterio ablata, Plater, obf. L. 3. pt 665 vinos dese mebino adiarie V s 1 hift roo. p. 361. feqq. Verruce in gutture. M. Donat. L. 3. c. 5 glandis penis. Frank. p. 150 meracam cer [Theriacam condumy is intestinorum, mesenterii & hepatis. Salmuth. c. 1. obf. 5 ex menfibus retentis. Salmuth. cent. 2. obf. 27 Verruca minus rite tractata cancrum infert. A.N.C. Dec. 2, ao 8.obf.224. Verrucas curat Vitriolum Cyprium cum faliua madefactum topice applicatum. Barth. A. H. V. 4. p. 90 Verrucas curant cineres Bryoniæ cum ejus succo mixti. A. N C. Dec. 1. ao. 4. p. 49. app. orong ni eliminit esilo . a Vertebrarum colli inepta extensio. Hild. cent. 3. obs. 29. 30 Vertebræ lumborum fex in sceleto virili. A. N. C. Dec. 3. ao. 7. obf.164 -Vertebrarum dorsi dislocatio lethalis. A. N. C. cent. 7. p. 196 Vertebrarum colli luxatio & fractura. Alberti Iur. Med. app. p. 172 00 Vertigo cum palpebrarumftupore. Hagend. cent. 1. hift. 52. p. 84 Vertigo orta ex confenfu ventriculi. Gabelchov. cent. 4. cur. 56 a frigida & cerebri intemperie. Solen. Sect. 1. Conf. 2. Sect. 2. Conf.4 a Rhabarbaro. A. N. C. Dec. 3. ao. 2. obf. 108 cum vitio plantarum pedis curatur, Solen. Sect. 2. Conf. 12

000

474

Vermes.

Vertiga nocturna. A. N. L. Dec. 2. ao. 5. obl. 15 tenebricola. Gabelch. cent. 3. cur. 54 cum infomniis terribilibus. Gabelch. cent. 4. cur. 1 ex corporis mobilitate ejusque in gyrum circumactione. Solenand. Sect. 5. Conf. 7 cum dolore capitis, ventris & aftu corporis. Gabelch. cent. 1. cur. 82. cent, 2, cur. 58 ptyalismo critico curata. Blegny Zod. gall. ao. 1679. Oct. obf. 7. cauterio ad bregma indito curatur. Zac. Luf. P. A. L. I. obf. 41 epilepfix proxima. Plater. obf. L. I. p. 93 V eficam urin x per multos annos durans, ibid. p. 94 ad Vehicam per pen ob jejunium & vigilias. ibid. p. 95 Vervecinus morbus, five Arietis. Gabelch. cent. 5. cur. 49 Vesica Calculus. vid. Calculus & Lapis. Vesica globulum sclopetarium per 30. annos innoxie recondens. Hild, c.3. obf. 67 Vesica per alvum mulieris excreta. Blegny Zod. gall, ao. 1682. Mart. obí. 9. Vesiea callosa. Plater. obs. L.3. p. 665 Vesicularum mirus partus. A. N. C. cent. 3. p. 60 Vesice calculus disfolutus medicamentis. Blegny Zod.gall. ao. 1679. Aug. obf. 16. vid. Calculus. Vesica ulcus. vid. Vlcus. ulcus mirabile lacte curatum. Zac. Luf.M.P.H. L. 2. hift. 141. p. 428 vulnus curatum. Salmuth. c. 2. obf. 44 lumbrici & vermes. A. N. C. cent. 1. p. 363. vid. Vermis vefice. excrescentia. A.N.C. cent 7. p. 309 punctio. Blegny Zod. gall. 20. 1680. Ian. obf. 3 inflatio admodum dolorofa ex contusione. Gabelch. cent. I. cur. 32 urinariæ vulnera an & quæ lethalia. Alberti Iur. Med.P. 1.p. 342.5.63 Vesica fingularis affectus. Hagendorn. cent. 2. hift. 26. p. 203 Vesica urinaria ruptura. A. N. C. cent. 9. p. 129 urinariæruptura lethalis. A. N. C. cent. 7. p. 79 Vesica urinaria deficiens. A. N. C. cent. 1. p. 155. Frank. p. 112 Vesica urinaria foetum recondens. A. N. C. cent. 1. p. 29 urinaria duplex. A. N. C. Dec. 2. ao. 8. obf. 122 urinaria duplex in infante monstroso. Cattier. obi.zo Vefice 000 2

476	-WE.	
Vefice ardentes	in cute. Hagendorn. cent. 3. hift. 59. p. 358	10
Vesaculæ telleæ	ruptura. Salmuth. cent. 1. obf. 3	2
felleæruptu	a caufamortis. Frank. p. 127	2
felleæ vulnu	san & quod lethale. Frank. ibid. it. Alberti Iur. Me	d.F
fetter defect	50 us. Frank. p. 121. A. N. C. cent. 5. p. 1	2
feller aurd	ingularia. A. N. C. cent. 5. p. 243. 244	No B
fellex calculi	vid. Calculus.	4
in Vefica fellis ve	ermes. Hildanus cent. I. obf. 60. vid. Vermic	3
in Velicam urin	æ transitus. Blegny Zod. gall. ao. 1682. Jan. obf o	35
ad vejicam per	penem aritta transmilla. M. Donat. L. 2. C. 12	I
cereaca	indela incaute transmilla, ibid.	O
Vesculæ & mac	ulæ miræ in cute fanguineæ. A. N. C.Dec. 3. a0.7.0	bf.12
Vejicatoriorum	usus & abusus. Faschii Disp. de Vesicatoriis. Alex. M	1affa
Samonia in	le abufu Vesicantium. Bernh. Cajus, Lalius a Font.& I	Here
adminiftr	. Tirell. de Vesic. usu. Valer. Martinus de Vesican	tiun
Vehcator um de	olucitum Barth c 2 h 16 .2.100	
ex Vesscatoriis	hydropici tibiis adhibitis, gangræna & mors. Hill	Jane
cent. 1. ob	.49 S. maska support and a support of the support	
Vehcatoriorum	efficacia. A. N. C. Dec. 3. ao. 9. obf. 101. Bor. cent. 1	r.ob
B (1) (B (1) 7		
ufus in aithi	nate. A. N. C. cent. I. p. 333. Bor. c. J. obf. 60. c. 2. obf	. 58
unus m rebri	bus malignis. Barth. A. H. V.3. obf. 44. A. N. C. D	ec.
noxa in mal	gnis. Thonerus obf. Med. L. 1. obf. 20	E
ulus falutari	Sin repribus Defectualibus A. N C Dec 2 20 - 6	2
. 167. Gerba	rd. Columba Tr. de febb. peftilential.	.OD
ufus in Varie	rd, Columba Tr. de febb. peftilential. blis. Barth. A. H. V. 3. obf. 36. A. N. C. cent. 7. p. 4	1
unusegregiu	b al apricipita puerpera. A. N.C. Dec. I. 20. 10. obt 1	4 7
Vencatorium ga	ngrænæ lethalis caula, <i>Khod</i> , c. 3, obl. 88	2.2
cauta inflami	nationis vesica urinaria & mictus cruenti. A.N.C.	De
1. 20. 2. 00	LOADOCH A TAMA ALA	
unuoaninin	Dats conducat. Alberti hir, Med. P. 2 n 400	1. 1. 10
Velicatorium	ope anceps. vid. Hydrops.	i.
1. 20. 10. 0	bf. 148 2000	pe
starts 4	and the second of the second sec	Vel
		2 2.01

· L. V 1.	4.77
Vesicatorium in cadaveribus non operatur. Garm. L. 1. tit. 7. mont. Tr. de Lithiasi. c. 9. §. 102. 103. A. N. C. Dec.	§. 42. Hel- 1. ao. 2. obf.
7. ichol.	Chevron and A
Vespe punctura. Hild. cent. 4. obs. 79. cent. 6. obs. 87. 88	Alle salage V (
Ve/pæpunctura caufa ulceris. A. N. C. cent. 1. p. 135. Hild. c.	4. obi. 78-
punctura ad carpum caufa lipothymiæ. Hildan. cent. 4.	obf. 77
puncturæ faliva remedium præsentaneum. A. N. C. D	ec. 1. ao. 8.
obl. 35. p. 204	man afantes a
puncturam gangræna fecuta. Hild. cent. 4. obf. 80	Rest Acarolica V.
Vespertilio mortis nuncius. A. N. C. Dec. 3. ao. 7. obf. 64	A. A.
Vespertilionum sanguinis usus in Ileo. vid. Ileus.	Vincolorm
Beft machen. Barth. A. H. V. 4. obf. 31. Gerbers unerfan	idte Eunden
P. 3. c. 48	apression T
Vestitus Medici in pestilentia. Barth. c. 5. h. 71	a charge
ex lana ovium scabiofarum noxius. Garm. L. 2. tit. 2. §.	6
de Vestibus Abrahami confessionis. Kornm. Mir. viv. p. 276	-ETIER
Ifraelitarum per 40. annos in deferto perduranti	bus. Kornm.
Mir. viv. p. 275	Elos Charles
S. Bartholomæi. ibid.	(En state) + .
Vesuvii montis descriptionem protulit Petrus Castellus idie	om. Ital.
vaporibns fuffocatus Plinius. Kornm. Mir. mort. P. 6. c.	36
Veteres funt laudandi. Barth. c. 4. Ep. 47. p. 293	Venterstappy
Veterinariam Medicinam an Medicum deceat exercere.	A. N C. cent.
0. D. 113	173101102 ×
Verulæingravidata. A N. C. cent. 9. p. 291. Alberti Iurispr	. Med. P. I. C.
2 §. 10. d.	ing north
fexagennaria major lactans, A. N. C. cent. 9. p. 466	April This
Veteranorum Medicorum peritia num prærogativam hab	eat præ juni-
orum. Alberti Iur.Med. P. I. C. I. S. 15	distriction and
VI. VI. VI.	varjase i sis
Via lactes. Reinzer. Metereol. diff. s. qu. 1. p. 76	Pho Zini 4
Viæ perpendiculares, Schachten, horizontales, Stollen. I	Becch.Ph.S.L.
1. S. 3. C. 2. p 122.123	aba wai't ale
Via medie in rebus perplexis & periculofis eligenda.	Alberti Iur.
Med. P.1 C.1. §. 21. g.	. toller.
Wigilia fenum. Lang.L. 1. Ep. 26. p. 122	elec mile
Ooo 3	Vigi-
	-

478 VI4
Vigiliæ nimiæ a potu Thée. Frank. p. 356. Rolfink. Meth. Med. Spec. Confult. L. 2. Conf. 3
Vigiliarum nimiarum noxæ. Frank. p. 352. vid. Sommus.
Vigiliæ diuturnæ cum ejulatu a vermibus. A. N. C. Dec.I. ao. 8. obf. 36
Vigiliarum diuturnarum hiftoriæ. Frank. p. 356359
Vigiliæ locotorturam in judiciis forensibus interdum adhibitæ fue-
runt. Frank. p. 352356
Villofa gens. Kormm. Mir. viv. p. 169
Vincetoxici decoctum contra Scrophulas & Hydropem remedium. A. N. C. Dec. 1. ao. 1. obf. 57
Vinculorum infpectio medica. Alberti Iur. Med. P. 1. p. 376. §.9
de Vinis fucatis. Alberti Prax. Extemp. Caf. 33
Vinum viperinum an fit nocivum? Zac. Luf. M.P.H.L. 2. h. 72. p.312
Lythargyriatum. A. N. C. Dec. 3. ao. 4. obf. 100
Vini recentis & nondum defæcati potus, urinæ retentionis & dolorum
caufa. Hildan. c. 4. obf. 52
in Vinum Lythargyrio fucatum inquisitio, & inde orta noxa, A. N. C.
Dec. 3. ao. 7. obl. 134 Vinum ad podagram disponit. Rejes qu. 88. p. 1150
Vinum infœcundos reddit homines. Lent. latr. p. 651
e mamma excretum. A. N. C. Dec. 3. ao. 4. obf. 75
Vinitria principia. Becch. Ph. S. L. I. S. 5. C. 2. n. 34. 35. p. 321
odor commendatur. Zac. Luf. M. P. H. L. I. hift. 6. p. 10
odor exacerbat dolorem capitis. Zac. Luf. ibid. p. 9.10
exhalationes caufa mortis. A. N. C. Dec. 3. ao. 2. obf. 45
ingurgitationem liberaliorem in rigore febrili incommoda secuta.
Gabelch. cent. 2 cur. 80 abufus nocivus. Rejes qu. 85. p. 1106. n. 25
abstinentia. A. N. C. Dec. 2. ao. 9. obf. 180
de Vini perverso usu querela. Rejes qu. 85. p. 1109. n. 29
Vini & cerevisiæ ingestio vulneris sanationem impediens. Alberti Iur.
Med. P. 2. p. 349. 352
de Vini admirandis qualitatibus egit Camerarius.
Kini utilitatem & damna qui exposuerunt. Rejes qu. 85. p. 1109. n. 28.
Smet. Mile. L. H. p. 619. Pfalm. 164. v. 15. Syr. 31. v. 32-36
usus ad oculos. Bor. c. 2. obs. 77

VL

Vini ufus externus Nervis noxius, Hildan. cent. 6. obf. 86
Vinum cum aqua dilutum commendatur. Rejes qu. 85. p. 1106. n. 25
dulce lac fenum dixit Avicenna. Rejes ibid. n. 24
dulce cur non fit lac fenum? R jes qu. 85. p. 1108. n. 26. 27
quando senibus nocivum? Rejes qu. 85. p. 1106. n. 25
dulce lac Veneris dixerunt Athaneus & Apulejus.
a Vine qui fese abstinere debeant? Rejes qu. 85. p. 1109. A. 28
ad Vinum abhorrendum auxilium Zac. Laf. P. A. L. 3. obf. 128
Vini cum fale & aqua maris conditura. Lang. L. I. Ep. 27. p. 125
Vinum cum fale Tartari in aquam mutari posse. Becch. Ph. S. L. I. S. 5.
c. 2. n. 46. p. 327
Vina cocta, gefeuerte Deine. Becch. Ph. S. L. I. S. s. c. 2. n. 54
generofiora cur melius acetum præbeant? Becch. Ph. S. L. I. S. 5. C.
2. p. 363
Vina viscida medentur fumo acido sulphuris. Becch. Ph. S. L.I.S. 5. C.Z
Vinorum differentia. Smet. Mifc. L. 11. p. 619
Vini noxa ex incendio urbis alterati. Hagendorn. cent. 3. hift.' 82. p. 339
Vini fpiritus Mercurium in argentum immutat. Becch. Ph. S. L. I. S. 6. c.
8. p. 739. vid. Spiritus
spiritus nimia ingurgitatio causa mortis. A. N. C. Dec. 3. ao. 5. 6.
obf. 83
a Vipera vulnus inflictum, ore'exfuctum, mortem caufatur. Matthiol. in
Diofc. Lib. 6. Amat. Luf. cent. 3. cur. 14
Vipera ictus, fi partem commorfam absciderit aut ligaverit, funus eva-
det. Zac. Luf. M. P. H. L. 5. hift. 1. p. 788. Rejes qu. 96
Viperævires. Bor. c. 4. obf. 19
morfus & carum virulentia. Rejes qu. 96. p. 1203. Rhod. c. 3. obf. 89.
A. N. C. Dec. 1. 20. 4. obf. 62
venenum solo urinæ humanæ potu curatum. Zac. Luf. P. A. L. 3.
obf. 94
innoxiæ. Garm. L. 2. tit. 2. §. 63
& serpentes rite præparati interdum secure comedi possunt. Rejes
qu. 63. p. 835. 836 morfum egregie fanat stercus caprinum. Zac. Luf. M. P. H. L. 5. hist.
2. p. 793 Vipere pinguedo in oculorum affectibus proficua. A. N. C. Dec. 1. 30.
2. obf. 125
-18,0 4

Viper & fel ophthalmicnm. A. N. C. Dec. 1. ao. 2. obf. 126 de Viperarum & ferpentum morfu. Alberti Prax. Extemp. Cal. 20 Viperinum vinum an fit venenofum? Zac. Luf. M. P H. L. 2. hift. 72. elactemmer & serge 85. p 1108 m. 56. 27 D. 312 Viperas ab ufu Medicinæ excludentes an errent? Bravo de Med. dogm. præft. p. 175. feq. V CHICKES Vir ex puella imperforata. Z.Luf. P.A. L. 3. obf. 96. vid. Hermaphr. Sexus. Vir menses muliebres expertus. Zac. Luf. P.A. L. 2. obf, 111, vid. Menles & Mas. lacin mammis habet. A.N.C. cent. 1. p. 194. app. Vir portentofus. Lang. L. 2. Ep. 8. p. 586 Praa cocta, gefenati Virile membrum. vid. Penis it. Virga. Virile membrum adversus passionem hystericam remedium. A. N. C. Dec. 2. ao. 6. obf. 2 Vires mirain Eremita. Bor. c. 1. obf. 74 clandeftinæ. Bor. c. 1. obf. 30 1.341P. SHIMT. 14145. 51351 de Virgis meteoricis. Reinzer. Meteorol. diff. 5. qu. 4. p. 85 Virga virilis. vid. Penis, it. Virile membr. Virgæ virilis lapis mortis caufa. Zac Luf. P. A. L. 2. obf. 76. vid. Lapis. Virge virilis lapis desperatus curatur. Zac. Lus. P. A. L. 2. hift. 75.77 Virga aurea in Dysenteria repertum remedium Boylei. Lent. Misc. Med. p. 79 Virgis Epilepfia duorum annorum curata. A. N. C. Dec. 3.ao. 7. obf. 187 Virgo lactans. Salmuth. c. 1. obf. 92 Virgo imperforata. A. N. C. Dec. 2. ao. 3. obf. 151. vid. Vir it. Puella. arcta. Bor. c. 2. obf. 77 a) diuturna abstinentia mortua. Blegny Zod. gall. ao. 1682. Febr. obf. 10 Virge dæmoniaca. Hagendorn. cent. 3. hift. 100. p. 415 Virgo amata a ferpente. Kornin. Mir. viv. p. 207 adamata ab aquila, ibid. p. 208 Virginum flos & deflorare unde dicatur. Rejes. qu. 39. p. 480 Virginitas fimulata. Alberti Iur. Med. P. 1. p. 76. & 206. S. 15. 16 an ex infpectione obstetricum dijudicari posit. ibid. P. 1. p. 67. S. 10 Virginitas, Blegny, Zod. gall. ao. 1680. Jul. obf. 21 integra & læfa. Alberti Iur. Med. P. I. c. 3. p. 59-74 ante nuptias aliis olim concessa. Simon. Imp. conj. c. 8. n. 4 an aliquot fignis in foeminis explorari poffit? Rejes.qu.39.p.473-486 Virgi-

480.

A DESCRIPTION OF A DESC	and an or the local days
Virginitatis figna propria & positiva in homine haud facile in	veniun-
tur. Rejes. qu. 38. p. 467	Clincit
notæ. Rejes. qu. 39. p. 473-475	
amisse fignum, cum collum antea arctius, nunc amplius. Garn	1. D. 145-
146. §. 4. Rejes. qu. 38. p. 470. vid. Semen.	
figna in fæminis Alberti Iur. Med. P. 1. c. 3. p. 60-68	11
figna in maribus. Alberti Iur. Med.P. I. c. 3. p. 69.70	Vistalia
Virginitatis præsentis vel amissæ signa. Alberti Iur. Med. P. 2.	D. 140.
Frank. p. 19	1.17
Virginitatis amifiæ fignum narium pinnularum divifio. Garm. p.	149.6.8
Virginitatis fignum an fit angustia genitalium. vide Angustia. Fi	rank. p.
20. fegq.	7 1232
Virginitatis probatio apud Hebræos. Kornm. Mir. viv. p. 267. feq	q.
fignum verum an hymen fit. Alberti Iur. Med. P.I. fuppl. p.407.	Frank.
Sat. p. 16-19	12 103
Virginitatis definitio. Alberti Iur. Med. P. 1. p. 60. §. 2	State
Virgineus morbus. Lang. L. I. Ep. 21. p. 100	Her Style
Virtus informativa, & quid Aristoteles de ea senserit, ejusque cu	ım Pla-
tone concordia. Lang. 1. Ep. 14. p. 68	ACL MAS Y
Viscera inversa. Barth. c. 2. h. 29	
dislocata. A. N. C. Dec. 2. ao. 9. obf. 216. Garm. L. 2. tit. 5. 5. 7	5
extra abdomen pendula. A N. C. cent. 7. p. 117. app.	
Viscerum internorum obstructiones. Gabelch. cent. 2. cur. 10	1
& ventris ardor cum frigiditate tibiarum. A.N.C. cent. 2.cur.	59
Visitare agrotum citra necessitatem non debet Medicus. Rejes	qu. 14.
p. 160.	2740
Visio, que fit per imagines & vifa, an fit illusoria, an certa & vera	a: Z#6.
Luf. M. P. H. L. 5. hift. 8. p. 831 varia quædam mira. M. Donat.L. 2. C. 10	
Visiones geminatæ. M. Donat. L. 2. c. 8	No and
Visiones geninata. M. Donne. L. R. C. S Visiones geninata. M. Donne. L. R. C. S Visiones geninata. M. Donne. L. R. C. S	M.
P. H. L. 5 hift. 8. p. 833	J. LILO
caufæ. Zac. I uf. M. P. H. L 5. h. 8. p. 824	Virefo
requifita neilludantur. Garm. L. 2. tit. 10. §. 141	GUDREY
in longinquum. Kornm. Mir. viv. p. 74	
noctu in hominibus etiam fuccedens. Rejes.qu. 63. p.833. Korm	m.Mir.
	ED.Y
viv. p. 75 Ppp	Vifus

48r

402
Visus post ophthalmiam acutior redditus. Hild. c. 5. obf. 16
acies in septuagenario usu fumi Nicotianæ conservata. A. N. C. cent
3. p. 12
absque humore Crystallino. A. N. C. cent. 9. p. 391
depravatus ob maculam nigram nubeculæ inftar ante oculum voli-
tantis. Plater. obf. L. 1. p. 96
Visus depravationis causa. Blegny. Zod. gall. ao. 1682. Apr. obf. 11. Pla-
ter. obf. L. 1. p. 96. 99. vid. Cacitas.
vario modo depravatus. Garm. L. 2. tit. 10. §. 145
obscuritatis confilium. Solen. Sect. 2. conf. 8.9
imbecillitas. Gabelch. cent. 3. cur. 100. Plater. obf. L. I. p. 99
impotentia ob vitium nervi optici. A. N.C. Dec. 3. ao. 7. obf. 157. vid. Cacitas.
corruptus ex phantafia corrupta. Garm. L. 2. tit. 10. §. 147
corruptio ex infania. Garm. L. 2. tit. 10. §. 148
imbecillitas fimulata. Alberti Iur. Med. P. 1. p. 204. §. 13
Vitæ diversi significatus. Kerger de Ferment. Sect. 1. c. 3. & 5
Vita corporis nudi. vid. Corpus
Vita naturalis mifera & morti fimilis. Rejes qu. 99. p. 1227. n. 1
Vite humanæ fluxilitas. Rejes qu. 99. p. 1234. n. 9
Vitæ humanæ confervatio utrum in vigilia amplius collocanda fit
quam in fomno. Zac. Luf. M. P. H. L. 6. hift. 2. p. 912
Vitæ naturalis periodus, & an illa prolongari poffit? Lang. Lib.1. Ep.79.
D. 474
Vita in æternum propagari nequit. Zac. Luf. M. P. H. L. 6. hift. 9. p. 952
Vita & fenectus prolonganda. Hild. c. 6. obf. 28
Vitam aliquandiu læso corde durasse, testimonia. Rejes qu. 32. p.387.388.
vid. Corit. Vulnus.
Vita fine corde. Barth. c. 3. hift. 15. vid. Cor it. Vivere.
Vita per aliquot annos fine cibo & potu durans. Smet. Mifc. L. 10. p. 554
Vita ex aëre it. fine cibo, it. fine cerebro, capite. vid. Vivere.
Vitæ sedentariæ damna. Alberti Iur. Med. P. 2. p. 498. cas. 35 Vitæ sons est anima. Spen. Gont. Andacht. P. 3. p. 449. vid. Anima.
Vita corporis quod confiftat in motu fanguinis. Garm. Mir. mort. L.3.
tit. 1 §. 21
Vita quod fit mumia balfamica corpus mortale confervatrix, dicit Pa-
racelf. L. I. de vita longa c. I. it, Lib. 4. c. 7. de Natura rerum dicit:
Das
the second se

Das Leben des Menfchen ift nichts anders, als ein Aftralifcher Balfam, eine balfamische Imprefion, ein himmlisches unfichtbabres Seuer, eine eingeschloßene Lufit, und ein eindringender Galh-Geifi. Vita quod sit lumen. Helmont in Tr. de ortu formarum. Vitalis flammula, Sebens-Licht, ex fanguine humano. Garm. p. 93. S. 23. 31 de Vitali balfamo, Garm. M. m. L. 3. tit. 1. §. 7 Viti faltus. Plater. obf. L. I. p. 85. 86. vid. Chorea. Vitium cum Brathca antipathia. vid. Antipathia. Vitriolumnon eft mater metallorum. Barth. A. H. V. 2. obf. 133 de Vitriolo. Reinzer Meteorol. diff. 2. qu. 3. p. 254 Vitriolum cancri euporiston. A. N. C. cent. 5. p. 302 Vitrioli vis falivatoria. A. N. C. cent. 7. p. 424 Vitriolum. Garman. Mir. mort. L. 3. tit. 2. 9. 85 Vitriolum ex Mercurio, Becch. Ph. S. L. I. S. 6. c. 8. p. 538 ex Venere. ibid. p. 726 Vitrioli Martisa Venere depuratio. A.N.C.cent. I. p. 408 Vitrioli Martis in aëre fine acido paratio. A. N. C. Dec. 2. ao. 8. obf. 76 Vitrioli spiritus regeneratus, qui non ex aëre provenit, sed in Capite mortuo hæret. A. N. C. Dec. 1. ao. 6. obf. 123 Vitrioli fpiritus analeptici præparatio. A. N. C. cent. 7. p. 186 Vitrioli oleum excoriationis caufa. Tulp. L. 3. c. 43 Vitrum homo eft, & in vitrum redigi poteft, Becch. Ph. S. L.I.S. 3. C.3. p. 133. Garman. Mir. mort. L. 3. tit. 2. 9. 60 non eft venenum, Frank. p. 324. 325 ex vulnere extrahendum cum Emplastro gratiæ. Frank. p. 303 Vitri fruftum per biennium carni infixum fine dolore gestatum,& feliciter extractum. Hild. cent. 9 obf. 78 Vitro vulnus inflictum periculofum. Frank. p. 296. 297 Vitri frustum diu inter offa carpi delitefcens. A. N. C. cent. 7. p. 204 Vitriinventio. Polyd. Virgil. de Inventione rerum. c. 22. it. Th. Garzone im Chaus Spiel aller Profestionen. Difcurf, 63 Vitri elogia. Frank. p. 307-310 Fel. Frank. p. 321. feqq. qualitates Frank. p. 310. 311 & Nitri confusio in Medicina practica, Frank. p. 314-317 ufus externus. Frank. Sat. p. 311-314 virtutes medica. Frank, p. 311-321 Ppp 2 Vitre

372, 15

tord with Kalld. Could

Vitri noxæ caufa. Frank. p. 322-325 devorati damna. Barth. hift. 66. Frank. p. 302 Vitrivorax. Bor. c. 1. obf. 52. Frank. p. 296-302. Rejes qu. 92. p. 1184. n. 8. Hild. c. 5. obf. 2. Sennertus Paralip. L. 3. c. 2. Amatus. L. 2. c. 2. Niremberg. Nat, Hift. L.3. c. 9. Realdus Columbus de his, que raro in Anat. fiunt. L. 15. Hild. c. 6 obi. 305 Vitraria ars. Frank. p. 309.310 Vitulus monftrofus vivens. Blegny Zod. gall. ao. 1680. Jul. obf. 6 Vitulus duplex. Bor. c. 3. obi. 3 Vitulus aureus. Garm. L. 2. tit. 9. 6. SI Viva pro mortuis habita. Rejes qu. 46. 66. p. 891. vid Reviviscere. Viva aliquandiu animalia jam diffecta. Rejes qu. 31. p. 367.368. Frank. p. 148.149 Vivus fine corde. Barth. c. 3. hift. 15. vid. Cor. cordelæfo. vid. Vita. it. Vulnus Cordis. Vivi hominis capite privati teftimonia. Rejes qu. 31. p. 368 Vivere naturaliter fine capite homo non poteft. Rejes qu. 31. p. 369 Vivere fine cerebro nullus poteft. Rejes qu. 31. p. 370.371. vid. Cerebrum. Vivere an naturaliter fine ullo cibo & potu homo poffit? Rejes qu. 58 fine cibo hominem posse, qui negant. Rejes. qu. 58. p. 728 Vivunt diu fine cibo animalia majora & aves. Rejes qu. 58. p. 726-729 Vivere fub aquæ cur poffint Vrinatores. Alberti Iur. Med. P. 2. p. 89 Vivacitatem & nutritionem ex folo aëre producit Becch. Ph. S. L. I. S s. c. 1. n. 45. & 46. p. 289. Rejes qu. 58. p. 743. Kornm. Mir. viv. p. 122. fegg. vid. Nutrio. Vivere & nutriri in aquis. Bor. cent. 3. obf. 37 RIDELOTT TTULE Vivere fine cibo & potu nec homo ante lapfum potuit. Spener Glaus bens: Tr. Dom. 7. Trin. p. 217 LV. Vlcus empirice curatum Pleuritis fecuta, Hild. cent. 3. obf. 39 Vlcus pifis refertum. Bor. c. 2. obf. 86 ranis refertum. ibid. pediculis refertum, Bor. c. 1. obf. 20 ex veneficio, cum cineribus fage combuste curatur. A. N. C. Dec. I. STOPPEND FLORE TOP 23 ao. 6. obf. 61 fponte natum fluens falutare, repressum vero noxium. A. N.C. Dec. 1. ao 10. obl. 188. refrictum in infante lethale. Zac. Luf.P. A. L. 1. obf. 4 fordidum. Roffii. Conf. 7 VIcus

Vlcus corrofivum. Roffii Conf. 8 finuofum. Roffi Conf. 9. Plater. obf. L. 2. p.529 Vlceris antiqui confolidatio funesta. A.N.C. cent. 5. p. 89 Vicera manantia diuturna in universa corporis mole exorta. Zac. Luf. P.A.L. 3. obf. 136 inveterata non femper ferre poffunt thermas & balnea. Hildanus c. 5. obl. 90.91 cacoethea uteri. Zac. Luf. P.A. L. 2. obf. 96 fiftulofa in variis locis. Plater. obf. L. 2. p. 529--537 uteri aqua theriacali curata. Zac. Lus. P. A. L. 2. obf. 97 uteri an infanabilia fint? Zac. Luf. M. P. H. L. 3. hift. 10. p. 478 Vlcera capitis in infantibus repressa causa morborum & mortis.Zac.Laf. P.A.L.1. obf. 4 capitis venerea. Blegny Zod. gall. ao. 1679. Jun. obf. 13 post variolas mox fanata lethalia. Hagendorn. cent. 2. hist. 64. p.239 oris & genitalium curata. Zac. Luf. P. A. L. I. obf. 89 faciei ex nimio ulu piperis. Zac. Luf. M. P. H. L. I. hift. 20. p. 33. b. Vlcus tonfillarum lethale exfanatis ulceribus tibiarum. Blegny Zod. gall. ao. 1682. Febr. obf. 22 mammarum ex phthifi, A. N. C. cent. 1. p. 118 in fuperiori parte palati, Gabelch, cent. 4. cur. 46 profundum tibix. Diemerbr. obf. 45. Gabelch. cent. 4. cur. 4 Vlcera & fcabies tibiarum. Gabelch. cent. 3. cur. 69 crurum contagiofa. Barth. A.H. V. 5. obf. 44 Vlcus pedis fummi lethale. Zac. Luf. P. A. L. 3. obf. 132 Vlcera pedum per spontaneam gonorrhœam curata. A. N. C. Dec. 3.40. 9. obl. 227 Vlcus veficæ. Salmuth. c. 1. obf. 8. Lent. latr. p. 219 velicæ fanatum. Tülp. L. 2. C. 53. Rhud. c. 3. obf. 25 in pene externum cum interno. Plater. obf. L. 2. p. 539 inter teftes & anum, urinam ftillans. ibid. p. 538. 539 inguinis fanatum. Blegny Zod.gall. 1681. Oct. obf. 4 inguinis finistri fistulosum, ex quo vermes prodierunt. A. N. C. Dec. 3. ao. 7. obl. 192 inguinis Enterocelen fecutum. Blegny Zod. gall. ao. 1681. Oct. obf.5 in lue venerea. Plater. obf. L. 2. p. \$40. Blegny Zod. gall. 20. 1679. lun. obf. 13

VIcus

.*

Vlcus rheumaticum præmature occlufum caufa cœcitatis. Tim, a Gal- denkl. L. 1. Caf. 28
Vlcerum cura per spiritum vini. A. N. C. cent. 3. p. 43
Vicera an recte Hippocrates omnes morbos fic dixerit? Lang. Lib. 2.
Ep. 50. p. 799
Vlcera simulata. Alberti Iurispr. Med. P. 1. p. 104 S. 13
ex Vlcere tibiarum intempestive curato totius corporis intumescentia.
Hagend. cent. 3. hift. 67. p. 368
fitulote in veries locis. Parts
per Vmbilicum excrementa excernens adolefcens. Hild. cent. r. obf. 51
ex Vmbilico infantuli fanguis profluens, caufa fummæ imbecillitatis &
mortis. Hildanus cent. 1. obf. 52
Vmbilicus infanti præcifus. Hagendorn. cent. 2. hift. 10. p. 168
Vmbilici gangræna. Tulp. L.'3. c. 3
Vmbilici Hernia. vid. Hernia & Omphacele.
Vmbilici absceffus post variolas. A.N.C. Dec. 3. ao. 4. obf. 83
ruptio in hydrope lethalis. Hagend. cent. 7. hift. 11. p. 169
er ofiones & tormina, cum difficili excretione fæcum & urinæ, con-
coctione imbecilli, oriuntur ex liberaliori comestione mellis cru-
di, Gabelch. cent. 3. cur. 34
procidentia monstrofa. Hild. c. 3. obf. 62. 63. vid. Omphacele.
& capitis dolor cum inappetentia & ructibus. Gabelch. cent. 2. cur. 61
dolor opio curatus. Zac. Luf. P. A. L. 2. obf. 36
tumor durus. Gabelch. cent. 2. cur. 97
apertio in infantulo aliisque maxima provocat commoda. Hildanus
C 1 Obl. 18
ruptura spontanea in ascite. Hachst. Dec. 2. C. 10
Hemorrhagia. A. N. C. Dec. 3. 20. 9. obl. 143
rarus affectus eiusque curacio. Hild. C. 5. obi. 62
Umbilico pugnus illatus cauta mortis. Lac. Lul. P. A. L. 2. obl. 37
Vanhilici abfeillione tubita mors. Hild. cent. I. obl. sz
. Umbilicum vermes prodeuntes. vid. Vermis.
Tanhilicum teces lethaliter excuntes. A. N. C. Dec. 2. 20. 7. Obl. Ic
w Vmhilico mentes crumpentes. Zac. Lul. P. A. L. 2. obl. 101
per Umbilicum & vulvam foetus putretactus progrediens. Blegny Zod.
gall, a0, 1682. Jan. obf, 10. 12. 13
a dac en Vmbi-
and Torran to Marker to the Res and BR. P. A. Linable .
the Maline Magine Calman of

VM. VN.

 Ymbilicalia & Mefenterica vafa. Hiff. Acad. Reg. Scient. ao. 1700. p.261.419 Ymbilicalia vafa in adulto aperta. A. N. C. cent. 9. p. 443 Ymbilicalis Venz infoctu vera inferito. A. N. C. cent. 5. p. 236 Vmbilicalium vaforum vulnera an lethalia. Alberti Iurispr. Med. P. 1. p. 344. \$.65 VN. Vnguentum foliatum nepoton. Lang. L. 1. Ep. 67. p. 377 ad paralyfin preftantifimum. Zac. Luf. P. A. L. 1. obf. 37 ax auro, Mercuria antidotum. Zac. Luf. P. A. L. 1. obf. 37 ax auro, Mercuria antidotum. Zac. Luf. P. A. L. 2. obf. 136 Vnguenta Mercurialia. Zac. Luf. P. A. L. 2. obf. 136 Vngues quid fint? Garm. L. 1. tit. 10. \$. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. \$. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. \$. 5 monftrofi. Barth. cent. 2. Ep. 99 craffi ungularum inffar. Plater. obf. L. 3. p. 552 recurui monftrofin manibus pueti. A. N. C. Dec. 2. ao. 1. obf. 32. p. 97 Vnguiam Procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus polifebren malignam. Hagendorn. cent. 2. hift. 63 de Vnguiam refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao.3. obf. 320 Vnguiam refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 2. ao. 3. obf. 320 Vnguiam refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 2. ao. 4. 5. 54 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu animalia quouplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 835. 896 exiftentiam Rejes tuetur, qu. 67. p. 899. feqq. 	Construction of the local division of the lo	107
 V mbilicalia Vala in acuito aperta. A. N. C. cent. 9, p. 443 V mbilicalis V enze in factu vera inferrio. A. N. C. cent. 1, p. 236 V mbilicaliam arteriarum anatome. A. N. C. cent. 1, p. 433 V mbilicalium valorum vulnera an lethalia. Alberti lurispr. Med. P. 1, p. 344. \$.65 VN. Vnguentum foliatum nepoton. Lang. L. I. Ep. 67, p. 377 ad paralylin præftantillimum. Zac. Lu/, P. A. L. 1, obf. 37 ax auro, Mercurii antidotum. Zac. Lu/, P. A. L. 1, obf. 37 ax auro, Mercurii antidotum. Zac. Lu/, P. A. L. 2, obf. 136 Vnguenta Mercurialia. Zac. Lu/, P. A. L. 2, obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Lu/, P. A. L. 1, obf. 82 Vngues quid fint? Garm. L. 1, tit. 10, \$, 12, Prank. p. 650. 651 funt excrementum corportis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1, tit. 10, \$, 14 Vngues mortuis non crefcere dicuntur. Garm. L. 1, tit. 10, \$, 5 monftrofi. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3, p. 552 recurui monftrofi in manibus pueti. A. N. C. Dec. 2, ao. 1, obf. 166 Vnguium refectio. Barth. c. 2, Ep. 99 crafus poft febrem malignam. Hagendorn. cent. 2, hift. 63 de Vnguium refectio. Barth. c. 2, Ep. 100 Vngiuum refectio. Barth. c. 2, Ep. 100 Vnicornu. Rejes qu. 66, p. 894. Smet. Mife. L. 8, Ep. 1 Vnicornu. Mufp. L. 4, c. 59 marinum. Julp. L. 4, c. 59 marinum duplex. A. N. C. Dec. 3, ao. 7, obf. 208 Vnicornu animalia quotuplicia fint. Rejes qu. 67, p. 897 Vnicornu animalia quotuplicia fint. Rejes qu. 67, p. 897 Vnicornu animalia exiftentiam quinam defendant. Rejes qu. 97. p. 895, 896 exiftentiam Rejes tuetur, qu. 67, p. 899. feqq. 	Vmbilicalia & Mefenterica vafa. Hift. Acad. Reg. Scient. 30, 1700, D. 61	10
 Vmbilicalism arteriarum anatome. A. N. C. cent. 5, p. 236 Vmbilicalism arteriarum anatome. A. N. C. cent. 1, p. 433 Vmbilicalism valorum vulnera an lethalia. Alberti Iurispr. Med. P. 1, p. 344. \$. 65 VN. Vnguentum foliatum nepoton. Lang. L. 1. Ep. 67, p. 377 ad paralyfin præftantiflimum. Zac. Lu/. P. A. L. 1. obf. 37 ax auro, Mercurii antidotum. Zac. Lu/. P. A. L. 1. obf. 37 ax auro, Mercurii antidotum. Zac. Lu/. P. A. L. 2. obf. 136 Vnguenta Mercurialia. Zac. Lu/. P. A. L. 2. obf. 136 Vnguenta Mercurialia. Zac. Lu/. P. A. L. 2. obf. 136 Vnguenta Mercurialia. Zac. Lu/. P. A. L. 2. obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Laf. P. A. L. 1. obf. 82 Vngues quid fint? Garm. L. 1. tit. 10. \$. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. \$. 4 Vngues mortuis non crefeere dicuntur. Garm. L. 1. tit. 10. \$. 5 montrois crefeere.qui dicant. Garm. L. 1. tit. 10. \$. 6-9 monftrof. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. A. N. C. cent. 1. obf. 32. p. 97 Vnguismonftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguism procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus valetudinis diagnofis. Lent. Mife. Med. p. 482 Vnguism valetudinis diagnofis. Lent. Mife. Med. p. 482 Vnguian refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 3. ao. 7. obf. 320 Vnicornia. Rejes qu. 66. p. 894. Smet. Mife. L. 8. Ep. 1 Vnicornia. Rejes qu. 66. p. 894. Smet. Mife. L. 8. Ep. 1 Vnicornia. Rejes qu. 66. p. 894. Smet. Mife. L. 8. Ep. 1 Vnicornia animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornia animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornia animalia quotuplicia fint. Rejes qu. 67. p. 897	V motificatia vala in adulto aperta. A. N. C. cent. O. D. A.2	19
 Vmbilicalium arteriarum anatome. A. N. C. cent. 1. p. 433 Vmbilicalium vaforum vulnera an lethalia. Alberti Iurispr. Med. P. 1. p. 344.5.65 VN. Vnguentum foliarum nepoton. Lang. L. 1. Ep. 67. p. 377 ad paralyfin præftantifimum. Zac. Luf. P. A. L. 1. obf. 37 ax auro, Mercurii antidotum. Zac. Luf. P. A. L. 2. obf. 136 Vnguenti fympathetici infelix fucceffus. Hild' cent. 3. obf. 25 Vnguenta Mercurialia. Zac. Luf. P. A. L. 2. obf. 136 Mercurialia in gallicis oris ulceribus. Zac. Luf. P. A. L. 1. obf. 38 Mercurialia funzi Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefeere dicuntur. Garm. L. 1. tit. 10. §. 5 monftrofi. Barth. cent. 2. Ep. 99 craffiungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngaismonftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poff febrem malignam. Hagendorm. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mife. Med. p. 482 Vnguie humanz. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vnicornu. Rejes qu. 66. p. 894. Smet. Mife. L. 8. Ep. 1 Vnicornu folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornua animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	V mbilicalis Venæ in fætu vera infertio. A. N. C. cent. 5. p. 226	
 Vmbilicalium valorum vulnera an lethalia. Alberti Iurispr. Med. P. 1. p. 344.5.65 VN. Vnguentum foliatum nepoton. Lang. L. I. Ep. 67. p. 377 ad paralyfin præftantifimum. Zac. Lu/, P. A. L. 1. obf. 37 ax auro, Mercurii antidotun. Zac. Lu/, P. A. L. 2. obf. 136 Vnguenti fympathetici infelix fucceffus. Mild' cent. 3. obf. 25 Vnguenta Mercurialia. Zac. Lu/, P. A. L. 2. obf. 136 Mercurialia in gallicis oris ulceribus. Zac. Lu/, P. A. L. 1. obf. 88 Mercurialia in gallicis oris ulceribus. Zac. Lu/, P. A. L. 1. obf. 88 Vngues quid fint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefeere dicuntur. Garm. L. 1. tit. 10. §. 5 mortuis crefeere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftrofi. Barth. cent. 2. Ep. 99 craffiungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngais monftrofius in pollicibus pedum. A. N. C. cent. 1. obf. 32. p. 97 Vngais monftrofius in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguiam procidentia Mira. Zac. Lu/, P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus valetudinis diagnofis. Lent. Milc. Med. p. 482 Vnguiam refectio. Barth. c. 2. H. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanz. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mife. L. 8. Ep. 1 Vnicornu a nimalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu a animalia equotuplicia fint. Rejes qu. 67. p. 897 Vnicornu a animalia exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	Vmbilicalium arteriarum anatome. A. N. C. cent. I. D. 422	
 p.344.8.05 VN. Vnguentum foliatum nepoton. Lang. L. I. Ep. 67. p. 377 ad paralyfin præftantiflimum. Zac. Lu/.P. A. L. I. obf. 37 ax auro, Mercurii antidotum. Zac. Lu/.P. A. L. 2. obf. 136 Vnguenti fympathetici infelixfucceffus. Hild' cent. 3. obf. 25 Vnguenta Mercurialia. Zac. Lu/.P. A. L. 2. obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Lu/. P. A. L. 1. obf. 88 Vngues quid fint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 montruis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 montruis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftrofi. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngaismonftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf.160 Vnguiam procidentia mira. Zac. Lu/. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 2. hift. 63 de Vnguibus valetudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguentur efectio. Barth. c. 2. Ep. 100 Vnicornu. Refes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu folile. Kundmann Promptuar. rer. natural. p. 254 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalia quotuplicia fint. Refes qu. 67. p. 897 Vnicornu animalia quotuplicia fint. Refes qu. 67. p. 897 Vnicornu animalia exiftentiam quinam defendant. Refes qu. 97. p. 895. 896 exiftentiam Refestuetur, qu. 67. p. 899. feqq. 	Vmbilicalium vaforum vulnera an lethalia. Alberti Iurispr. Med. P.	T
 VN. Vnguentum foliatum nepoton. Lang. L. I. Ep. 67. p. 377 ad paralyfin præftantiflimum. Zac. Lu/. P. A. L. 1. obf. 37 ax auro, Mercurii antidotum. Zac. Lu/. P. A. L. 2. obf. 136 Vnguenti fympathetici infelixfucceffus. Hild' cent. 3. obf. 25 Vnguenta Mercurialia. Zac. Lu/. P. A. L. 2. obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Lu/. P. A. L. 1. obf. 88 Vngues quidfint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi, Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 montrois crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftrof. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vnguism procidentia mira. Zac. Lu/. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 2. hift. 63 de Vnguium procidentia mira. Zac. Lu/. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 2. hift. 63 de Vnguium va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. vinet. Mifc. L. 8. Ep. 1 Vnicornu folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Julp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	p. 344. §. 65	
 Vnguentum foliatum nepoton. Lang. L. I. Ep. 67. p. 377 ad paralyfin præftantiflimum. Zac. Lu/. P. A. L. I. obf. 37 ax auro, Mercurii antidotum. Zac. Lu/. P. A. L. I. obf. 37 ax auro, Mercurii antidotum. Zac. Lu/. P. A. L. 2. obf. 136 Vnguenti fympathetici infelix fucceffus. Hild' cent. 3. obf. 25 Vnguenta Mercurialia. Zac. Lu/. P. A. L. 2. obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Lu/. P. A. L. 1. obf. 88 Vngues quid fint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftrof. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngaismonftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguiam procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorm. cent. 3. hift. 63 de Vnguiam refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornu foffic. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 		
ad paralylin præftantiflimum. Zac. Luf. P. A. L. I. obf. 37 ax auro, Mercurii antidotum. Zac. Luf. P. A. L. 2. obf. 136 Vnguenti fympathetici infelix fucceffus. Hild: cent. 3. obf. 25 Vnguenta Mercurialia. Zac. Luf. P. A. L. 2. obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Laf. P. A. L. 1. obf. 82 Vngues quid fint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftroß. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftroß in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngäismonft ofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf.160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguium va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq.	Vnguentum foliatum nepoton. Lang. L. I. Ep. 67. p. 377	57
 ax auro, Mercurii antidotum. Zac. Lu/. P. A. L. 2. obf. 136 Vnguenti fympathetici infelix fucceffus. Hild' cent. 3. obf. 25 Vnguenta Mercurialia. Zac. Lu/. P. A. L. 2. obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Lu/. P. A. L. 1. obf. 88 Vngues quid fint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi, Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 montrof. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vnguian procidentia mira. Zac. Lu/. P. A. L. 3. obf. 102 cafus polt febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguitur vefectio. Barth. c. 2. Ep. 100 Vnguium refectio. Barth. c. 2. Ep. 100 Vnguium nefectio. Barth. c. 2. Ep. 100 Vnguium coffile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornua animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	ad paralyfin præftantiflimum. Zac. Lul. P. A. L. I. obf. 27	
 Vnguenti fympatheticiinfelix fucceffus. Hild cent. 3. obf. 25 Vnguenta Mercurialia. Zac. Luf. P. A. L. 2. obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Luf. P. A. L. 1. obf. 88 Vngues quid fint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. §. 13 an nutriantur? Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftroß. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngais monftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf.160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus valetudinis diagnofis. Lent. Mifc. Med. p. 482 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Vmet. Mifc. L. 8. Ep. 1 Vnicornu foffile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur, qu. 67. p. 899. feqq. 	ax auro, Mercurii antidotum. Zac. Lus. P. A. L. 2. obf 126	
 Vnguenta Mercurialia. Zac. Luf. P. A. L. 2, obf. 138 Mercurialia in gallicis oris ulceribus. Zac. Luf. P. A. L. 1. obf. 88 Vngues quid fint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftroß. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftroß in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vnguis monftroß in pollicibus pedum. A. N. C. Dec. 2. a0. 1. obf.160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febren malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus valetudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. a0. 3. obf. 320 Vngule humanz. Barth. c. 2. Ep. 100 Vnicornu foffile. Kundmann Promptuar. rer. natural. p. 254 marinum. Julp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. a0. 7. obf. 208 Vnicornu animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. feqq. 	Vnguenti fympathetici infelix fucceffus. Hild cent. 3. obf. 25	
 Mercurialia in gallicis oris ulceribus. Zac. Laf. P. A. L. 1. obf. 88 Vngues quid fint? Garm. L. 1. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10. §. 10 an nutriantur? Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftrofi. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngüis monft ofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf.160 Vnguium procidentia mira. Zac. Laf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanz. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu foffile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	Vnguenta Mercurialia. Zac. Luf. P. A. L. 2. obf. 138	
 Vngues quid fint? Garm. L. t. tit. 10. §. 23. Frank. p. 650. 651 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi, Garm. L. t. tit. 10§. 10 an nutriantur? Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur, Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftrofi. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngüis monft ofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poff febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu foffile. Kundmann Promptuar. rer. natural. p. 254 marinum. Julp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur, qu. 67. p. 899. feqq. 	Mercurialia in gallicis oris ulceribus. Zac. Luf. P. A. L. 1. obf. 88	
 funt excrementum corporis. Barth. cent. 4. Ep. 45 funt vivi. Garm. L. 1. tit. 10§. 10 an nutriantur? Garm. L. 1. tit. 10. §. 4 Vngues mortuis non crefcere dicuntur, Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftroß. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngüis monftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguie nefectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanz. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	Vngues quid fint? Garm. L. I. tit. 10. §. 23. Frank. p. 650. 651	1
 funt vivi. Garm. L. 1.tit. 10§. 10 an nutriantur? Garm. L. 1.tit. 10. §. 4 Vngues mortuis non crefcere dicuntur, Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1.tit. 10. §. 6-9 monftroli. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngais monftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguiam procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus valetudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguiem refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu offile. Kundmann Promptuar. rer. natural. p. 254 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	funt excrementum corporis. Barth. cent. 4. Ep. 45	14
 an nutriantur? Garm. L. 1. tit, 10. §. 4 Vngues mortuis non crefcere dicuntur. Garm. L. 1. tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftroß. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftroß in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngüis monftroß in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus valetudinis diagnofis. Lent. Mifc. Med. p. 482 Vngule humanx. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanx. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornua animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 		
 Vngues mortuis non crefcere dicuntur, Garm. L. 1, tit. 10. §. 5 mortuis crefcere, qui dicant. Garm. L. 1, tit. 10. §. 6-9 monftrofi. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vngüis monft ofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vngüium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu foffile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornua animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 		17.
 mortuis crefcere, qui dicant. Garm. L. 1. tit. 10. §. 6-9 monftroß. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftroß in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vnguis monftroß in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngula humanx. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 		
 monftroß. Barth. cent. 2. Ep. 99 craffi ungularum inftar. Plater. obf. L.3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. 1. obf. 32. p. 97 Vnguis monftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguiam procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanx. Barth. c. 2. Ep. 100 Vnicornú. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornú folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornú a numalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornú animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	mortuis crescere, qui dicant. Garm. L. 1. tit. 10. §. 6-9	1
craffi ungularum inftar. Plater. obf. L. 3. p. 552 recurui monftrofi in manibus pueri. A. N. C. cent. t. obf. 32. p. 97 Vngüis monftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornů. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornů folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Julp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornůa animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornů animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq.		
 recurui monftrofi in manibus pueri. A. N. C. cent. t. obf. 32. p. 97 Vnguis monftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf. 160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanx. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu folfile. Kundmann Promptuar. rer. natural. p. 254 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	craffi ungularum inftar. Plater. obf. L. 3. p. 552	
 Vnguis monftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf.160 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornů. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornů foffile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornů animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornů animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	recurui monstrofi in manibus pueri. A. N. C. cent. r. obf. 32. p. 97	TT
 Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102 cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c. 3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngule humanæ. Barth. c. 2. Ep. 100 Vnicornů. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornů folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Julp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornů animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornů animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq. 	Vnguismonftrofus in pollicibus pedum. A. N. C. Dec. 2. ao. 1. obf.160	0
cafus poft febrem malignam. Hagendorn. cent. 3. hift. 63 de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngulæ humanæ. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Julp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq.	Vnguium procidentia mira. Zac. Luf. P. A. L. 3. obf. 102	
de Vnguibus va'etudinis diagnofis. Lent. Mifc. Med. p. 482 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngulæ humanæ. Barth. c. 2. Ep. 100 Vnicornů. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornů folfile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornůa animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornů animalis exiftentiam quinam defendant. Rejes qu. 97. p. 895. 896 exiftentiam Rejes tuetur. qu. 67. p. 899. feqq.		
 Vnguium refectio. Barth. c.3. h. 78 refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320 Vngulæ humanæ. Barth. c. 2. Ep. 100 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornu fossile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. feqq. 	de Vnguibus va'etudinis diagnofis. Lent. Milc. Med. p. 482	
 Vngulæ humanæ. Barth. c. 2. Ep. 100 Vnicornů. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. 1 Vnicornů fossile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obs. 208 Vnicornů animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornů animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. feqq. 		
 Vnicornu. Rejes qu. 66. p. 894. Smet. Mifc. L. 8. Ep. r Vnicornu fossile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obs. 208 Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. seq. 	refectio lethalis. A. N. C. Dec. 1. ao. 3. obf. 320	T
 Vnicornu fossile. Kundmann Promptuar. rer. natural. p. 254 marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obs. 208 Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. seq. 	Vngulæhumanæ. Barth. c. 2. Ep. 100	
marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. seqq.		
marinum. Tulp. L. 4. c. 59 marinum duplex. A. N. C. Dec. 3. ao. 7. obf. 208 Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. seqq.	Vnicernu fossile. Kundmann Promptuar. rer. natural. p. 254	
Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. seqq.		
Vnicornua animalia quotuplicia fint. Rejes qu. 67. p. 897 Vnicornu animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. seqq.		
Vnicorna animalis existentiam quinam defendant. Rejes qu. 97. p. 895. 896 existentiam Rejes tuetur. qu. 67. p. 899. seqq.		
p. 895. 896 existentiam Rejestuetur. qu. 67. p. 899. seqq.		7.
existentiam Rejestuetur. qu. 67. p. 899. seqq.		
	existentiam Rejestuetur. qu. 67. p. 899. seqq.	
Vni.		nż.

Vnicornu existentiam quinam autores in dubium vocent? Rejes qu. 67. p. 894. 895

cum Vnicornu quædam fuccedunt imposturæ. Rejes qu. 67. p. 901 Vnicornu usus & utendi methodus. Barth. cent. 2. Ep. 53

vis alexiteria. Rejes qu. 67. p. 904

de Voce & loquela. Kornm. Mir. viv. p. 95. feq. Vocis defectus in puella 6. annorum. Barth. c. 2. h. 99 Vocis admirandæinterceptiones. M. Donat. L. 3. c. 2

interceptio a febre. Tulp. L. I. c. 39

interceptio cum auditu gravi. Plater. L. I. p. 201 Vocis raucedo. Gabelch. cent. I. cur. 74

raucedo cur a coitu fiat? Rejes qu. 38. p. 468--470. vid. Raucedo. Vociferatio vomitus cruenti caufa. A.N.C. Dec. 3. ao. 1. obf. 139 Volantes Simiæ, Lacertæ & Feles. A.N.C. Dec. 1. ao. 10. p. 455 Volatica. A.N.C. Dec. 1. ao. 3. obf. 286.vid.Lichen, Serpigo. Volatilium ufus noxius. A.N. C. cent. 1. obf. 52 Volvulus. vid. Ileus.

Volvulus a lumbricis. A. N. C. cent. 1, it. Dec. 2. ao. 5. obf. 19 Volvulum desperatum leuat Hydrargyri potus & follis fabrilis. Zac. Lul. P. A. L. 2. obs. 35

Volvuli desperati optimum enema. Zac. Lus. M.P. H. L. 2. hift.97.p.385 Vomica hypocrania. Boot. A. O. cap. 2.

cerebri. Boot. A. O. cap. 3

hepatis. Barth. cen 2. Ep. 73

in thorace. Barth. cent. 2. h. 59. c. 3. h. 95. A. H. V. 2. obf. 117. V. 5. obf. 26. Tulp. L. 2. c. 10

Vomicæ pulmonum. Schenk, L. 2. obf. 6. Foreftus L. 15. obf. 51. Fernelius Lib. 5. Pathol. cap. 10. Ballonius confil. Med. Lib. 2. Conf. 6. Willif. pharm. ration. P. 2. Sect. 1. cap. 2. Stalpart van der Wiel cent. 1. obf. 32. Bartholinas cent. 2. hiftor. 59. Hagendorn. cent. 1. obf. 95. Tulp. Lib. 2. obf. 10. Bonetus Med. feptentr. Part. 1. Sect. 2. & in fepulchr. Anat. Lib. 2. Sect. 1. Ballonius Epith. & Ephem. L. 2. p. 201

Vomica pulmonum fponte & fortuito rupta & curata.. A. N. C. Dec. I. ao 8. obf. 97. Dec. 1. ao. 2. obf. 134. in fchol. p. 217. Bohn. off. Med. dupl. P. I. c. 2. p. 25

Vomi-

Vomice pulmonum, hepatis, renum, aliorumque viscerum, puris per lotium expurgatio per meatus nobis ignotos, naturæ cognitos. Lang. L. 2. Ep. 40. p. 742 Vomica pulmonum Tabis caufa. Blegny Zod. gall. ao. 1679. Iul. obf. 6 Vomica pulmonum Erafmi Roterod. fanata & rupta a lectione Epiftolarum obfcur. viror. Vomica pectoris lethalis. Hagendorn. cent. 1. hift. 95. p. 138 Vomitus caufæ. Alberti Iur. Med. app. p. 207 Vomitus an venenum acceptum indicet. ibid app. p. 207 Vomitiones diuturnæ lethalis. Hagendorn. cent. 2. hift. 3. p. 159 Vomitiones in hydrope nigricantes. Hagend. cent. 2. hift. 16. p. 177 Vomitiones gravidarum innoxiæ. ibid. hift. 86. p. 275 Vomitus an falubris fit, & an fit motus naturalis, animalis, an præternaturalis? Zac. Luf. M.P.H. L. 3. hift. 26. p. 539 a Mufica. A. N. C. Dec. 3. ao. 3. obf. 182 ex Tabaci infperfione in vulnus. A. N. C. Dec. 2. ao. 2. obf. 112 ex Helleboro fonticulo indito. Frank. p. 67 ob pylorum gypfea materia intus & extra obductum. Blegny Zod.gall, a0.1679. Febr. obf. 3 olfactu irritatus. Bohnius disp. de Vomit. §. 9 admirandi. M. Donat. L. 4. C. 3 molefti. Gabelch. cent. 3. cur. 17 miffione fanguinis curatus. Rhod. c. 2. obf. 66. 67 cura post partum. A.N.C. Dec. 2. ao. 7. obf. 203 nimius & periodicus. Alberti Iur. Med. P. 2. p. 433. Caf. 39 ad XI. diem continuatus præfervativum variolarum. A. N. C. Dec. 3. ao. 1. obl. 55 femestris. Hild. cent. 5. obf. 36 octodecim menfium. Tulp. L. 2. c. 22 menstrus perniciosus curatur. Zac. Lus. P. A. L. 3. obs. 119 diuturnus lethalis. A. N. C. Dec. 2. ao. 7. obf. 41 admirandus fere quotidianus per 30. annos durans. Hildanus cent. 4. obf. 32 lethalis vehementia. A.N. C. Dec. 3. ao. 9. obf. 222 vehemens ex elu fungorum. Hildan. c. 4. obl. 35 lethalisab hepate-fcirrhofo. A. N. C. cent. 3. p. 147 iam amputatio capite. Plater, obf. L. 3. p. 754 Vo-Qqq

Vomitus urinæ cum ejusdem per alvum rejectione. Hild. cent. 5. obf.7 Vomitus ciborum per totam vitam. Bor. c. 1. obf. 53 pulmentorum cum diarrhœa in infante. Gabelchov. cent. 3. cur. 71 Vomitus bilis cum ructibus & lipothymiis. Gabelch. ccnt 2. cur. 43 bilis cum inappetentia & dolore infigni lumborum. Gabelch. cent. -01 3. cur. 44 bilis cum constipatione alvi. Gahelch. cent. 3. cur. 4 bilis quotidianus. Gabelch. cent. 3. cur. 11 bilis cum aliis fymptomatibus ex abundantia flavæ bilis. Gabelchou cent. 3. cur.10 atrabilarius curatus. Zac. Luf. P. A. L. 2. obf. 15 atrabilarius periodicus lethalis. Blegny Zod. gall. ao. 1681. Septembr. obf. 2. atrabilarius & fanguineus. Rhod. c. 2. obf. 65 atræ materiæinnoxius. Hæch/t. Dec. 2. c. 4. nigerrimus. Plater. obf. L. 3. p. 751 miraculofi variarum rerum. Barth. c. 1. h. 52 Clyfteris. vid. Clyfter. variarum materiarum in puerpera cum motibus convulfivis. Gahelch. cent. 3. cur. 95 10. uvarum ante tres menses ingestarum in febre tertiana. Kerkringius obf. rar. 6. Brefl. Befch. 8. Berf. p. 593 Vomitus variorum infectorum a fascinatione. A. N. C. cent. 7. p. 64 Vomitus vermis. A. N. C. Dec. 1. ao. 4. p. 284. 285. Dec. 3. ao. 7. obf. 61 araneæ. Bor. c. 3. obf. 19 erucarum. A. N. C. cent. I. p. 239 facertæ. Barth. c. 5. hift. 95 talpæ per 15. annos in ventriculo gestatæ. A. N. C. Dec. I. ao. 8. obf. 9. cent. 1. p. 219. app. cochlearum. A. N. C. Dec. 1. 20. 3. obf. 85 bufonum. A. N. C. Dec. 1. ao. 2. obf. 56 pifcis. Bor. c. I. obl. 9 cati in muliere. A. N. C. Dec. 1. ao. 1. obf. 109 ftraminis. A. N. C. Dec. 1. ao. 6. obf 31 & mictus lapidofus. A. N. C. cent. 3. p. 13. vid. Calculus. frustorum hepatis non datur. Hachft, Dec. 2. p. 163--166 Lido, what's poles of the Vomi-

Vomitus fruftorum carnoforum. A. N. C. Dec. 1, ao, 6, obf. 30
carnis crudæ antea non comeftæ. A. N. C. Dec. 1, ao. 2. obf. 18
Vomitus fuppofitorii. Bor. c. 1. obf. 17
Clyfteris exemplum expertus fum in mea conjuge.
Clyfteris in peripneumonia. Bor. c. 1. obf. 17
ftercoreus in 7 timum usque diem, non lethalis. Lent. Mifc Med.p.350
Acrearea abulafue alua fimul eleufa pariadiana d N C acres
stercoreo-chylofus, alvo fimul claufa, periodicus. A. N. C. cent. 1.
p. 279
Vomitus fanguinis grumofi, & picis inftar nigri. Plater. obf. L. 3. p. 748.750
Vomitus cruentus. Gabelchov. cent. 3. cur. 91. A. N. C. Dec. 2. ao. 8.
obs. 125. vid. Sanguis.
cruentus ex mensium vitio. Hachst. Dec. 2. c. 6. A. N. C. Dec. 1. 20.2.
p. 83. obf. 218. Dec. 1. ao. 6. obf. 49. it. ao. 10. obf. 20. p. 71. it. ao. 3.
obf. 218. it. Dec. 2. ao 2. obf. 101
Vomitum cruentum fingulis annis expertus Volutius, qui 94. annos vixit.
Plinius L. t. c. 28
cruentus in suppressione mensium est actus naturæ, ad imminuen-
dum superfluum fanguinem directus. Hæchst. Dec. 2. p. 163
cruentus ex lumbricis. A.N. C. Dec. 2. ao. 1. obf. 7
cruentus ex vociseratione. A. N. C. Dec. 3. ao. 1. obs. 139
cruentus Melancholicorum. Alberti Iur. Med. P.2. p.248.5.8. & p.249
Vomitus fanguinis ex scirrho ventriculi. A.N.C. cent. 9. p. 265
cruentus a liene. A. N. C. cent. 9. p. 445. Dec. 1. ao. 10. obf. 20
cruentus quartanam & infarctum lienis fequens, in quo fubjecto va-
fa brevia valde turgida reperta. A. N. C. Dec. 1, 20. 10. obf. 20
cruentus a vafe brevi. A. N. C.Dec. 1. 20. 6. obf. 48. Dec. 3. 20. 5.6.
obf. 257. Tilingius Tr. de vafe brevi lienis.
fanguinis in fpleneticis. Barth. c. I. hift. 87. A. N. C.Dec. I.ao. 10.0bf.20
fanguinis fanat malum fplenetieum. Zac. Luf. M. P. H. L. 2. hift. 10,
A REAL PROPERTY AND
p. 183 Vomitus fanguinis in prægnante. Salmuth. c. 2. obf 54. Barth.c. 1.h.19
fanguinis cum dejectione bilis atræ. Rhod. c. 2. obf. 65. Plater. L. 3.
P. 748.750 C. C. i i and line is and han an is participation from a long of the
fanguinis cum sufpicione lienis aut hepatis portionis simul projectæ.
Plater. L. 3. p. 752
Vomitus cruenti cura. Zac. Luf. P. A. L. 2. obf. 13
fanguinis menstruus. A. N. C. Dec. 1. ao. 1. obf. 95
Qqq 2 Vo-

Vomitus fanguinis frequens & periodicus Salmuth. c. 2. obl.3 fanguinis periodicus falutaris, præcedente magno tumore finiftri hypochondrii. A.N.C. Dec. 2. ao. 7. obf. 197 cruentus falutaris. Barth. c. 3 h. 36. Rhod. c. 2. obf. 64. A. N. C. Dec. 3. 20. I. obf. 55 cruentus enormis falutaris. A. N. C. Dec. 3. ao. 7. obf. 212 fanguinis innoxius. A. N. C. cent. 1. p. 194. app. cruentus quotidianus innoxius. A. N.C. Dec. . ao. 10. obf. 6 fanguinis hæmorrhoidalisinnoxius. Hæchft. Dec. 2. c. 2. 5 cruentus lethalis. Bmrth. c. 3. hift. 61. A. N. C Dec. 2. 20. 4. obf. 86 fanguinis horrendus. A. N. C. Dec. 2. ao. 6. obf. 21 fanguinis quibusdam lethalis. Hagendorn. cent. 2. hift. 1. p. 156 fanguinis repente suppressus cauta repentinæ mortis. A. N. C. Dec. 1. ao. 3. obf. 24. p. 37 fanguinis repressus, in dejectionem aluinam cruoris nigricantis & fere picei converfus. A.N. C. Dec. 1. ao. 10. obf. 20. p. 71 periodici convulfivi. Hogend. cent. 2. hift. 2. p. 157 Vomitorium quale requirat fubiectum. Alberti lur. Med.P. 2. p. 545. vid. Emeticum. CERCENEUS EX HUTDE Vomitorium alvum movens. Barth. A. H. V. 2. obf. 27 Vomitorio vifus ablatus, qui tamen recuperatus fuit. Hild. c. s. obf. 19 Vomitoriorum necessitas. A. N. C. cent. 5. p. 170 Vomilius Lang Vomitoriorum utilitas. A. N. C. cent. 9. p. 328 Vomitoriorum usus in alui fluxibus, dysenteria. A. N. C. cent. 1. obf, 38. p. 107 Vomitoriorum ufus in pefte. A. N. C. cent. 7. p. 139 Vomitorium in febre malignanoxium. Alberti Iur. Med. P. 2. p. 594 Vomitoria ab apoplexia non femper liberant. Hagendorn. cent. 1. hift. 31. p. 55 Vomitorioram ex vitro Antimonii paratorum ulusanceps. Barth. A.H. V. 2. obf. 27. vid- Emeticum. Vomitoria ex femine Riccini confecta caufa mortis. Zac. Luf. P. A. Lib. 3. obf. 81

Vomitoria & purgantia incaute ufurpata. Alberti Iur. Med. P. 1. p. 355. S. 7. & p. 360. S. 14

Vomitoria lethifera. Alberti Iurispr. Med. P. 2. p. 545. feqq. Caf. 54. A. N. C. Dec. 3. ao. 7. obf. 143 Vomi-

492

10.

VO. VR.

VO. VK. 493
Vomitorii usus affectum foporofum adfert. Alberti lur. Med. P.2 p. 544
Vomitorii infalubris propinatio in dentitione. Alberti Iur. Med. P. 2,
p. 541. 544. 545
Voraces. Kornm. Mir viv. p. 104. feq.
Voraces cultrorum. vid. Calter,
Acuum. vid. Acus
Vitri, vid. Vitrum.
Voracillings phrhificus Hagendury cent , hift 86 p 124
Vitri vid. Vitrum. Voracissimus phthisicus. Hagendorn. cent. 1. hist. 86. p. 124 Voratio omnium absurdorum, immo crudorum & vivorum animali-
um ab hominibus. Rejes qu. 58. p. 724. 725. vid. Deglutitio.
Varacit acovcoffina Rejecci ro p. 724. 725. Vid. Degrunno.
Voracitas exceffiva. Rejes qu. 58. p. 724. 725
Vox. vid. Vocis. Vox unius est vox nullius. Alberti Iur.Med. P. 1. c. 1. §. 26. a.
Vox unus en vox numus. Alberti Tur. vied. P. I. C. I. S. 20. a.
Vox an castitatis fignum præbeat in maribus, ibid, P. 1. p. 69. §. 12
VR.
Vrachi fiftula. Hildan. cent. 6, obf. 58
Vrachi conftitutio. A. N C. cent. 1. p. 433
Vrachus ligamentum suspensorium vesicæ, neque cavus, neque ad ve-
ficam pervius. A.N.C. Dec. 1. ao. 7. obl. 102
Vrachus in fœtu humano pervius. A.N. C. cent. 5. p. 202
Vrachus usque ad umbilicum pervius. A N. C. cent. 3. p. 465. cent. 4.
obf. 194. cent. 6. obf. 14
Vreter cornu instar factus curatur. Zac. Luf. P.A.L. 2. obf. 115
Vreterum ardor & dolor. Gabelch. cent. 1. cur. 21
vulnera an lethalia. Alberti Iurispr. Med. P. 1. p. 34
Vrethra cum sabulo obstructa, causa mortis. A.N.C. Dec. 1. ao. 8. obs. 89
Vrethra duplex. Hildan. cent. 1. obf. 76
Vrethræ virilis descriptio. Hist. Acad. Reg. Scient. ao. 1700. p. 478
per Vrethram excrementa. vid. Excrementa.
Vrethræ carunculæ curatio extraordinaria. Blegny Zod. gall. 30. 1679.
Mart. obf. 7
Vrethræ carunculæ cum massula ex Mercurio sublimato & vir. ær.
ablatæ. A. N. C. cent. 1. p. 143. 200
Vrethræulcus antiquum feliciter curatum. A. N. C. Dec. 3. ao. 7.0bf.13
Vrina an virginitatis fignum. Alberti Iur.Med. P. 1. p. 65. §. 7
Vring an graviditatis fignum effe poffit, ibid. P. I. p. 91. n. 12
Qqq 3 or tor Q A.A. A and Vrina
/ · · · · · · · · · · · · · · · · · · ·
a second s

Vrina & sudor sunt ejusdem materiæ. Galen. de simpl. facult. L. 10
Vrina utrum fit mixtum de novo genitum. Zac. Luf. M. P. H. Lib. 5.
hift. 20. p. 849
Vrine via ad vesicam. A. N. C. cent. 3. p. 14
de Vrinæ transitu in renes & vesicam conjecturæ novæ. Blegny Zod.
gall. ao. 1682. Ian. obf. 9. A. N. C. Dec. 1. ao. 2. obf. 157
Vrinarius meatus immediate ex ventriculo ad renes & vesicam tendens
num detur. Blegny Zod.gall. ao. 1682. Mart. obf. 3
Vrinariarum viarum distributio per totum corpus. Blegny ib. ao. 1680.
Febr. obf. 5
Vrine infolitavia. A.N. C. Dec. 2. 20. 10. obf. 73. Barth. A. H.V. 5. obf. 57
Vrine infoliti exitus. A. N. C. Dec. 1. 20. 2. obf. 204. Plater. obf. L. 3.
p. 792 798
Vrina ex alieno loco constanter excreta. Zac. Luf. P. A. L. 3. obf. 71. Pla-
ter. obl. L. 3. p. 792. 793
per fistulam perinæi excreta. ibid. p. 794796
Vrina per alvum excreta. A. N. C. cent. 5. p. 21. Rhod. c. 2. obl. 90. Rejes
qu. 87. p. 1134. n. 9. 10. Pechlinus L. 1. obf. 11. Hild. cent. 5. obf. 47
Vrina exinguine. Barth. c. 1. h. 49. Plat. obf. L.3.p. 797
Vrina ex fcroto. Barth. c. 4. h. 66. & A. H. V. 3. obf. 35
Vrina per vomitum & alvum emiffa. Hild. c. 5. obf. 47
Vrina circa os facrum exiens. Barth. A. H. V. 2. obf. 57
Vrina ex lumborum regione prodiens. Plater. obf. L. 3. p. 797
Vrinæ emiffio ex foramine accidentario in puero. Salmuth. c. 1. obf.60
Vrina per umbilicalem funiculum stillans. A. N. C. cent. 7. p. 307
Vrina per umbilicum effluens. A. N.C. Dec. 1. 30. 3. obf. 208
Vrina ludore exclusa. Salmuth. c. 2. obf. 82. Rejes qu. 87. p. 1134. n. 9.10.
vid. Sudor.
Vrina per oculos excreta. A. N. C. Dec. 2. ao. 5. obf. III
Vrina per os excreta. A. N. C. cent. 9. p. 343. Rejes qu. 87. p. 1134.n. 9.10 Vrina excretiones mira. M. Donat. L. 4. 6. 27
per Vrinam mira exeuntia. M. Donat. L. 4. c. 29
per Vrinam grana hordei integra ante 14. dies comesta excreta. A. N.C.
Dec. 3. ao. 7. obf. 1
cum Vrina acicula ejaculata. A. N. C. cent. I. p. III
cum Vrina globulus plumbeus, per felopetum in vesicam trajectus, ex-
cretus. A. N. C. Dec. 1. 20, 10, obl. 85
Der
LAY

per Vrinam fabulus & calculus. Blegny Zod. gall. ao. 1680. Iun. obi. 26. vid. Calculus. Vrina per 40 annos fabulofa innocua. Zac. Luf. P.A. L.2. obf. 69 Vrina post emissionem lapidescens. A. N. C. Dec. I. ao. 4. obs. 126 Vrina calculofa fanguinem mentita, calculis mareriam exhibens. A. N. C. Dec. 3. 20. 9. obf. 81 Vrina capillorum. Barth. A. H. V. 2. obf. 55. vid. Mietus. in Vrina pilorum generationis caufa & curatio. Zac. Luf. M. P. H. L. 2. hift. 134. p. 418. Hild. cent. 5. obf. 50. 51 Vrina cum officulis referta. A. N. C. Dec. I. ao. 2. obf. 3 cum Vrina frustula raphani excreta. A. N. C. Dec. 3. ao. 3. obf. 38 cum Vrina pulmonis frustula ejecta. Hild. cent. 2. obs. 30 Vrina hominum Tarantatorum an telas aranearum telis fimiles contineat? Garm. L. 2. tit. 10. §. 187. Rejes qu. 62. p. 807. 809. 810 Vrina rabidorum & hydrophobicorum an catulos contineat? Garman. L. 2. tit. 10. §. 182. 183. it. Rejes qu. 61. p. 797. qu. 62. p. 806 Vrina leporina. Tulp. L. 4. c. 16 per Vrinam mufca ad ventriculum involans excreta. M. Donat. L. 2. C.12. Zac. Luf. P. A.L. 2. obf. 110 per Vrinam afelli rejecti. Blegny Zod. gall. ao. 1682. Mart.obf. 11 per Vrinam femen Anih & acini Alkekengi excreti. Hildan. c. 3. obf. 72. C. S. obl. 81 Vrina verminofa. Salmuth. c. 1. obf. 49. Barth. c. 1. h. 89. A. H. V. 5. obf. 21.70. Rhod. c. 3. obf. 35.36. it. A.N.C. cent. 1. obf. 170. p. 201. app. Dec. 1. 20. 1. obf. 50. 20. 4. 5. obf. 156. 20. 8. obf. 14. 20. 9. 10. obf. 13. Dec. 2. 20. 1. obf. 77. 20. 6. obf. 31. 20. 7. obf. 255. Dec. 3. 20. 1. obf. 82. ao. 30. obf. 117. ao. 4. obf. 2. cent. 7. p. 467.cent. 3.p. 142. vid. Vermis. Vrina furfuracea an fit deterior squamosa. Zac. Lus. M.P. H.L. 2. hift. 142. p. 427 Vrina oleofa critice excreta. Zac. Luf. M. P. H. L. 2. hift. 136. p. 420 Vrina mucofa, craffa, viscida, & glutinosa. A. N. C. Dec. 3. 20.7. obf. 2. Rhod. c. 3. obf. 33 Vrina purulenta, Rhod. c. 3. obf. 34 purulenta in peripneumonia. Bor. c.1. obf 65 Vrina cruenta copiosa in puero. A. N. C. Dec. 3. ao. 7. obs. 121. vid. Mictus it. Sanguis. Vrina cruenta ex nimio ufu Aloës. Barth. A. H. V. 2. obf. 64 Vrine

Vrine color mutatus ab ingeftis esculentis & medicamentis. A. N. C. Dec. 1. ao. 10. obf. 68. Bohn. off. Med. dupl. P. I. c. 7. p. 154. Salmuth. cent. 2. obf. 28. Barthol. cent. 4. hift.62. cent. 5. hift. 90 Vrina nigra ab elu prunorum Damascenorum. A. N. C. Dec. 3. ao, 4. obl. 14 Vrina nigra ex efu uvarum immodico. Barth. c. s. h. 90 Vrinam nigram perniciofam judicat Hipp. Coac. Prænot. Sect. 2. text. 580 Wrinam nigram minus nocivam allegat Hipp. L. I. Epid. Sect. 3. Ægrot. 3. & 7. L. 3. Sect. 3. Ægr. 9.11 Vrina nigra non femper periculofa. A. N. C. Dec. 3. ao. 4. obl. 13. Rhod. c. 3. obf. 31. A. N. C. Dec. 1. ao. 8. obf. 87 nigra aliquando falubriter & critice excreta. Zac. Luf. M.P. H.L.2, hift. 132. p. 416 nigra pertotam vitam innoxia. Zac. Luf. P. A. L. 3. obf. 134 nigrain lienofo. Schenk. L. 3. obf. 7 atramentaria. Barth. A. H. V. 5. obf. 70 nigra lethalis. A. N. C. cent. 9. p. 115 nigra an a frigiditate oriri poffit. Zac. Luf. M.P. H. L. 2. hift. 127. p. 410 nigra & ferum fanguinis nigrum in afcitico lethale fignum. A. N. C. Dec. 1. 20. 10. obf. 67 rubra, viridis, livida, nigra an femper a calore ortum ducat? Zac. Luf. M. P.H.L. S. hift. 20. p. 857 violacea ex therebinthinæ ufu. Borell. cent. 2. obf. 33. fubrufa fubflava & citrina an omnium fit optima? Zac. I.uf.M.P.H. L. s. hift. 20. p. 851 rubra nonnunquam in ictero nigro. A. N. C.Dec. 1. ao. 8. obf. 87. p. 146 lactea. Rhod. c. 3. obl. 32 lactea per totam vitam innoxia. Zac. Luf. P. A. L. 3. obf. 135 Vrina alba in delirantibus lethalis. Zac. Luf. M.P.H.L. 2. hift.133.p.417 rubra cur fit in febribus malignis. Rejes qu. 70. p. 942 Vrina viridis. Barth. A.H.V. 5. obf. 38 viridis in febre tertiana. A. N. C. Dec. 2. ao. 9. obf. 193 fanæ cur fimilis fit in febribus malignis. Rejes qu. 70.p. 944 cum Vrina vermiculi, absceffu in vesica putrido rupto, excreti. Hild. cent. 1. obf. 56 Vrina diverso odore, Garm. L. 2. tit. 8. §. 58. 59 ulu olimici za Elle Vrine

497
Vrinæ odoris vis diuretica & abortiva. A. N. C. cent. 5. p. 59
Vrinæ fragrantia. Garm. M.M.L. 2. tit. 8. §. 5866
Vrina suaveolens in moribundo. Barth. c. 4. h. 78
Vrine excretio in mortuis. A. N. C. Dec. z. ao.8. obf. 160
Vrina frigida emifía. Barth. A. H. V. 5. obf. 70
Vrina frigida in febre maligna. A. N. C. Dec. 3. ao. 9. obf. 206
Vrina cauftica. Salmuth. c. 2. obf. 4
Vrinæ ardoris & ftillicidii caufæ. Lang. L. 1. Ep. 46. p. 227. vid. Strangu-
ria. Hild. cent. 6. obl. 52. 53
Vrine viarum ardor & dolor. Gabelch. cent. 1. cur. 21
Vrine dolor balneo lactis curatur. Zac. Luf. P. A. L. 2. obf. 79
Vrine cum sedimento in febribus fallaces. A. N. C. Dec. 3. ao. 9. obf. 82
Vrina noctulucens, A. N. C. Dec. 1. 20, 6, obf. 193
Vrinæ excretio & incontinentia per fympathiam ad auditum Lyræ. A.
N.C. Dec. 1. ao. 1. obf. 134
Vrine incontinentiam curant talpæ cineres, A.N.C.cent.1.p. 220. app,
Vrine incontinentia ex cafu ab alto. A. N. C. Dec. 1. ao. 10. obf. 101
Vrine incontinentiæ remedia præcipue pudenda suilla coctavel asta-
ta. A. N. C. Dec. 1. ao. 2. obf. 21. Dec. 1. ao. 10, obf, 150. Plater.obf.
L.3. p.755.756
Vrinæ incontinentia fanata cum muribus in clibano combustis, aut ex-
ficcatis & pulverifatis, pro dofi n. 3. A. N. C. Dec. 1. ao. 6. obf. 87
Vrine incontinentia ex luxatione externa vertebrarum suborta. Zac.
Luf. M. P. H. L. 2. hift. 143. p. 427
incontinentiæ five ftillicidio accommodatum inftrumentum ad eam
excipiendam. Hild. cent. 6. obf. 54. 55
Vrinæ suppressio. Diemerbr. obs. 16. vid. Ifchuria.
Vrine & alvi constipatio. Gabelch. cent. 2. cur. 50
fuppressiones periculos curatæ. Hild. cent. 6. obs. 4850
Vrine suppressionis diuturnærara exempla. Rejes qu. 87. p. 1132. I133.
n. 8. Rhod. c. 3. obf. 18. 19 Vrine fuppreflio ad 14. protracta dies. Barth. cent. 3. Ep. 21
Vrine suppretio ad 14. protracta dies. Barto. Cent. 3. Ep. 21
Vrinæ suppressio lethalis. Barth. A. H. V. 4 obs. 33. Blegny Zod. gall. ao.
1680. Maj. obl. 3
Vrine suppressio an post 7. dies lethalis? Rejes qu. 87.p. 1123. seqq.
qui hanc lethalitatem afferuerunt p. 1129. 1130. n. 5
contrarium affirmatur. p. 1131. n. 7.8 Rrr Vrinan-
NII VIIIan-

Vrinandi difficultasin nephritico & colico dolore. Plater. obf.L.1. p.211. Solenand. Sect. 1. Conf. 18 3

- Vrinæ suppressionalvi excretione liberata. Meleagar. de naturæ operibus. Ben. Sylvat. Confil. cent. 2. Caf. 95. p. 192. vid. Vrina per alvum.
- Vrine fuppreffio a calculo vefice & renum. Rhod. c. 3. obf. 16. Plater. VITHOGANITICA, GAINNED, C. 2. obf. L. I. p. 211

retentio ab abufu veneris. A. N. C. cent. I. p. 66

retentio post Therebinthinam. Hild. c. s. obf. 59

retentio post Herniotomiam. ibid. obf. 60

retentio ex perinai inflammatione. Zac. Luf. M.P. H. L. 2. hift. 149. 13 Idp. 434 . S. O. O. M. A. sepsilisteni THE CURLECTED STILLE

retentio curatur. Hild. cent. 5. obf. 64. A. N. C. cent. 1. p. 316. vid Fine excrucio & inconcinentia per lympathiam adaud infinitation N.G. Dec. 1. 30. 1. 001, 194

retentionis mira. Hild. c. 2. obf. 65

retentionem fublevat feri copiofa vicaria excretio per alvum, fudorem, vomitum. Rejes qu. 87. p. 1134. n. 9. 10

retentio in variolis curata cum facculo ex Fl. Chamom. in lacte de-10. coctis. A. N. C. Dec. 2. ao. 5. obf. 49

retentio ex cafu ab alto. Hild. c. 3. obf. 66.

Vrinæ retentionis extraordinaria cura per fortuito factam candelæ cerezintromiffionem in veficam. A. N. C. cent. 1. obf. 152

in Vrine fuppreffione Catheteris ufus. - Blegny Zod. gall. ao, 1681. Febr. obf. 2

Vrinæ suppressio in pleuritide cum sudoribus summis conjunctanon falutaris. A. N. C. Dec. 3. ao. 4. obf. 6 m. Huld.ce

fuppreffio in febre & convultione. Plater. L. I. p. 210 per Vrinam judicatus pectoris absceffus expleuritide. Blegny Zod.gall.

ao. 1679. Sept. obf. 4. Hild. cent. 2. obf. 31 per Vrinam Empyema curatum. Zac. Luf. P. A. L. I. obf. 118 Vrina prægnantium. Rejes qu. 46. p. 609. vid. Vrofcopia. Vrina, quæ morbi concoctionem vel cruditatem indicat. Lang. Lib. 2. Ep. 41. p. 747

Vrina sedimento in febribus prædita fallax. A. N. C. Dec.3.ao.9.obf.82 Vrinæ efficacia medica. Zac. Luf. P. A. L. 1. obf. 3

Vrinofi odoris vis diuretica & abortiva. A. N. C. cent. s. p. 59

Vring potus diversa eft ab urina fanguinis. A. N. C. cent. 3. p. 53

Vrine

Vrine potus num morborum curationi prodesse possit? Zac. Luf.M.P. H. L. 2. hist. 3. p. 378

potus Hydropem curat. Hild. cent. 3. obf. 51 of orov 2011

Vrinæ potus an præservationi pestis inferviat. Gabelch. cent. 5. p. 225 Vrinæ potus mitigat viperæ venenum. Zac. Lus. P. A.L. 3. obs. 95

Vrinæ potustollit colicum dolorem. Zac. Luf. P. A. I. 2. obf. 27 Vrinatores. Barth. A. H. V. 4. obf. 22

Vrinatores qua probabili ratione diu sub aqua subsistere queant? Lent. Iatr. p. 524. 534. Barth. A. H. V. 4. obs. 13. Alberti Iurispr. Med. P.2. p.89.vid. Vivere.

Vromantia & Vroscopia. Scribonius, Martinius, Reusnerus, Münnik, Willichius, Goclenius, Binderus, Ægidius, Daca, Lemnius, Paracelsus, Montagnana, Seidelius, Gesnerus, Bellinus, Ketan, Rhenanus, Vuss, Roganus, Oldus, Brunsfelsus, Salvianus, Actuanius, Argenterius. Barthel. A. H. Vol. 4. obs. 34

Vromantia incertum & fallax judicium. Hild. c. 3. obf. 73

Vromantia & pulfus fallacia. Hild. c. 6. obf. 20

- Vromantiæ vituperia. Rejes qu. 49. p. 618. 619. Fuchfius Inflit. Med. L. 4. Sect. 3. c. 1
- Vromantiæ commendatio & cautelæ. Bohn. off. med. dupl. P. I. C. 8. p. 180. 181
- Vromantia fallax, ejusque deceptiones. Rejes qu. 49. p. 617. Guldenkl. Lib. 6. Refp. 22. Thonerus Ep. 21. A. N. C. Dec. 2. ao. 4. obf. 96. Foreft. L. 2. c. 5. Rod. a Caftro Med. Pol. L. 3. c. 10. 11. Bohn. off. Med. dupl. P. 1. c 8 p. 174
- Vromantia quod sit præstantior, quam præsagium ex pulsuum theoria desumtum. Zac. Lus.M.P.H. L. 2. hist. 106. p. 373

Vrofcopia elufa. Barth. c. 4. h. 79

Vroscopia ingravidationis an certum fignum præbere possit? Gabelch. cent. 1. cur. 55. Rejes qu. 49. p. 608

Vroscopiam certo imprægnationem arguere posse, credit Fallopius & Fontecha.

Huicprognostico ante Avicennam ansam dedit Rhases Continentis

31. Tract. 1. Negativam vero fententiam tuetur, & Avicennam refellit Rejesius qu. 46. p. 610

Vroscopiam signum conceptionis eruere posso ex scintillis in urina Rrr 2 ascen-

VR. VS. VT.

afcendentibus inftar flocculorum in sole, contendit Martinus
Panja P. 4. c. 28. de proroganda vita.
Hos vero flocculos in multis urinis non imprægnatarum confne-
ctos fuille, allerunt Argenterius de urina cap.27. & Mercurialis de urina cap. ult.
Vroscopia vana pro investiganda imprægnatione. Rejes qu. 49. p. 609-
013. Bravo Med. dogm. prælt. p. 212
Vrofcopiæ monita. Lentil. Mifc. Med. p. 331. Bohn. off. Med. dupl. P. 1.
. Date C. S. p. 180. 181 and the set of the
Vroscopi an errent, qui ex lotio omnes morbos, imprægnationem ac
interiora profitentur cognoscere. Bravo de Med. dogm, præft.
Sect. 5. Refol. 10. p. 210
Vrnæmortuorum. Kornm. Mir. mort. P. 7. c. 29
Vrtice vis. Bor. c. 1. obf. 95
usus in hæmorrhagiis sistendis. Garm. L. 2. tit. 7. §. 7. A. N. C. Dec.
2. a0. 2. 001. 45
vires contrariæ. Lang. L. 2. Ep. 33. p. 705
Vrtica metacarpis apposita æstum febrilem exstinguere dicitur. Rejes
qu. 83. p. 1082. 1083. n. 2
Vremantie commendatio & caule V. Sulm. of mod. au 1. P. t. c. S.
Vfnea cranii humani. Kornm. Mir, mort. P. s. c. 4 18 .081.9
Vfnee virtutes. A. N. C. Dec. 1. ao. 2. obf. 52
Vflie contra parotides. Zac. Luf. P. A. L. 1. obf. 71. vid. Canterinm.
rall. L. 2. C. S. Rokas Court of TON OI. L. S. C. D. H. Donk. Ol. Med.
Vterus officina morborum. Rejes qu. 46. p. 562
Vterus an monstra efficiat. Alberti Iur. Med. P. I. p. 114. §. 17
Vteri consensus cum mammis per venas mammarias & epigastricas.Rej.
qu. 46. p. 242. 266268. 270. 271
Vteri confenfus cum capite. Barth. cent. 3. Ep. 14
Vteri funesta excretio loco fœtus. A.N.C. Dec. 2. 20. 1. obf.141
Vteri fcirrhus fterilitatis, it. difficilis partus caufa. Hild.c.1. obf. 65.66.67
Vteri defectus. Frank. p. 42 43. 117
Vteri defectus citra noxam per triginta annos. Zac. Luf. P. A.L.2. obf.85
Vtero deficiente num mulier diu vivere possit, Zac. Luf. M. P. H. L. 3. hift. 7. p. 465
Vieri fectio in prægnantibus, ubi fimularium de Ulanda designed
Vteri sectio in prægnantibus, ubi simul agitur de Hernia uterina. M. Donat. L. 7. c. 10
Vterus

Vterus num mulieri exfcindi possit. Frank. p. 41 Vteri exfectio.Barth.c.3.Ep.64.A.N.C.D.2, 3.9.obf.94.Plat.obf.L.3.p.559 Vteriablatio lethalis. Barth. c. 2. hift. 91 a partu fingularis læfio. Hagend. cent. 3. hift. 14. p. 298 Vterus prolapsus, putrefactus, & citra periculum totus fere absciffus. Zac. Luf. M.P. H.L. 3. h. 6. p. 464. A. N. C. Dec. 2. ao. 5. obf. 150 Vieri procidentia inftante partu. Magendorn. cent. 3. hift. 3. p. 284 Vteri procidentiæ compendiofa cura. Hild. c. 4. obf. 61. 62 Vteri procidentia curata. Z. Lus.P. A.L. 2. obf. 95. Gabelch. cent. 2. cur. 44 prolapfus ab inepta fecundinarum tractione. Hild. c. 4. obf. 60 Vteri vera procidentia an detur. A. N. C. cent. 7. p. 459 Vteri procidentia totalis, pluraque exempla allegata de vera prociden-18 tiauteri, A. N. C. cent. 1. obl. 193. p. 421 Vteri prolapfustotalis ab Hippocrate aliisque descriptus.A.N.C.Dec. 1. 20. 2. obl. 121. cent. 1. obl. 193 Vterivaginæ prolapfus. A. N. C. cent. 7. p. 372 Vieritunicærugofæprolapfus, uteri prolapfum mentiens. A.N. C.cent. 7. p. 450 vitia ad fterilitatem conferentia. Alberti Iur. Med.P.1. p. 45. §. 29. Hildan. cent. I. obf. 61. 62 claufura graviditatis fignum.'ibid. P. I. p. 92 Vteri hernia. M. Donat. L.7. c. 10 Epilepfia. Alberti Iur. Med. P. 2. p. 573 vulnera an lethalia. ibid. P. I. p. 343. §. 64 Vieri ruptura.A.N.C. Dec. 2. ao. 9. obf. 115. cent. 9. p.' 301 Vteri ruptura funesta. A. N.C. Dec 3. ao. 5. 6. obf. 133 Vteri ruptura, ubi infans capite in cavum abdominis delapfus ftrangulatus eft. Hildan. cent. 1. obf. 64 Vterus sub partu ruptus. Salmuth, c. 1. obs. 16 Vteri hæmorrhagia ante partum periculofa. Hagend.cent.3. hift.17. p.302 Vtero rupto fœtus intra abdomen exclusus. A. N. C. Dec. 2. 40. 7. obf.10 Vteri ruptura fub mirabili fœtus fitu. Hild. c. 4. obl. 57 Vteri humani pondus & capacitas. Garm. L. 2. tit. 3. §. 52 craffities in gravida. A.N.C.cent. 9. p. 444 Vterus flatu extensus, tanquam imprægnationis similitudo. Garm. L.2. tit. 3. §. 37. Gabelch. cent. 1. cur. 25 admodum expansus in puella. Blegny Zod. gall. a0.1680.Iul.obf.; Vierus Rrr 3

Vterus peritonzo adnatus molam recondens. Hild. cent, 2. obf. 55
Vterus multipliciter coarctatur. Frank. Sat. p. 21. 22
Vtero nimis arcto prædito conjux, an teneatur incisionem pati, propter
maritum. Simon. Imp. conj. c. 7. th. 6. n. 7-10
Vteri cervicis nimia ampliatio in puellis in infantia vim paffis. Plater.
obl. L. 3. p. 562. 563
Vteri vagina nonnunquam penem arcte conftringit & retinet. Rejes
qu. 41. p. 497
Vteri vaginæ coalitus in gravida. A. N. C. cent. 9. p. 430
vagina duplex. vid. Vagina.
Vteri collum concretum. Barth. c. 2. h 31. Plater. obf. L. 3. obf. 563
Vteri vaginævulnus curatum. A. N. C. cent. 5. p. 87
Vterinus rarus affectus. A. N. C. cent. 1. p. 308. BlegnyZod. gall, ao, 1681.
Oct. obf. 8. Hild. cent. 6. obf. 66
Vterini motus. Blegny Zod. gall. ao. 1680. Mart. obf. 9
Vterino dolori fyrupus. Zac. Luf. P.A. L. 2. obf. 99
Vterini dolores & colici cum fuppreffione alvi. Gabelch. cent. 1. cur. st
Vteri dolores cum ardore urinæ. Gatelch. cent. 3. cur. 2
tumoris cura spontanea. Zac. Lus. P. A. L. 2. obs. 90
Vterus feirrhofus. A. N. C. Dec. I. ao. 10.0bf. 126
Vteri fcirrhus gallicus. Zac. Luf. P. A. L. 2. obf. 87
cancer. Rhod. c. 3. obf. 45
ulcera cacoethea curata. Zac. Luf. P. A. L. 2. obf. 96
ulcera aqua Theriacali curantur. Zac. Luf. P. A. L. 2. obf. 97
Vterus putrefactus, fœtu illæfo. A. N. C. Dec. 1. ao. 8. obf. 60
Vterus fleatomaticus. A. N. C. Dec. 3. ao. 7. obf. 152. Rhod. c. 3 obf. 46
Vierus imperforatus gravissimorum fymptomatum causa. Hildanus cent.3. obs. 60
Vteri pleudo-hydrops curatur. Zac. Luf. P.A. L. 2. obf. 89
Vteri hydrops foetum concomitans. Hildan. cent. 2, obf. 56
Vteri pruritus curatio. Zac. Luf. P. A. L. 2. obf.92
Vieri deliramenta viri confortio quiefcunt. Zac. Luf. P. A. L. 2. obf. 62
Vteristrangulatio ex veneris abstinentia, five ex retento femine. Zac.
1 uf. M. P. H. L 3 hift. 9. p. 464. it. P. A. L. 2. obl. 94
Vteri fuffocatio cum dolore ejusdem continuo. Gabelch.cent.4.cur. 95
oris coalitio poft partum. Hildan. cent. 6. obf. 67
Vterivirginei excrescentia rara. A.N.C. Dec. 3. ao. 7. obf. 100
Vteri

Vteri orificio caro interdum adnafcitur, quæ membrum virile mentitur. Zac. Luf. M.P. H. L. 3. hift. 8. p. 466 Vteri hæmorrhagia vehemens fuppreffa. Blegny Z.gall.a. 1880. Maj. obf.3 Vteri hæmorrhagia curata. Smet. Mifc. L.4. Ep. 2.3. Solen. Sect. 4. Conf.6 Vteri hæmorrhagia, excandescentiæ ferme incurabilis causa, tandem fanguine excreto propinato curata. A. N.C. Dec. 3. ao. 9. obficio Vterinum fluxum fiftens remedium. Blegny Zod.gall.ao. 1680. Oct. obf.5 Vteri fluxus purulentus cadaverofus, Barth. cent. 3. Ep. 17 Vterinus dolor cum menftruis immodicis &albis. Plat. obf.L. 2. p. 428.430 Vterinus dolor in cephalæa & cum fterilitate. ibid. Vterus cartilaginofus. A. N. C. Dec. 1. ao. 4. obf. 57 Valnas Medicreuipal Vteri durities lapidea. A. N. C. cent. 9. p. 310 Vteri calculus fungiformis. A.N.C. cent. I. p. 187. vid. Calculus. Vteri & vefica cervicis dilaceratio, ulcera. Plat. obf.L. 2. p. 444-451 Vterus lapidibus refertus. A.N.C. cent.1. p.148. Barth. c. 4.h.64 ex Vtero in fascinata lapides excreti. A. NC. Dec. 3. p. 157 Vterus offa excernens. A. N. C. Dec. I. ao. 8. obf. 49 Vteri Afcarides. A. N. C. Dec. 1. ao. 8. obf. 75 Vterus ferpentem rejiciens, M. Donat. L. 2. C. 12 Vteri vagitus. vid. Vagitus. in Vtero fanctificatorum exempla. Kornm. Mir. viv. p. 211 Vteri Tubæ observatio. Blegny Zod. gall. 1679. Ian. obs. 9 Vteri formatrix vis sefe indifferenter habet. Rej. qu. 45. p. 539 VU. Vvarum efus gravisfimi affectus caufain puella. Hild. c. 5. obf.39 de Vulneratis. Alberti Prax. Extemp. Caf. 31 Vulnus rotundum. Tulp. L. 3. c. 50 Vulnus a felopetoinflictum. Blegny Zod. gall. ao. 1680. Febr. obf. o.it.ao 1682. Febr. obf. 11. Diemerb. obf. 42.88. A.N. C.Dec. 2. 20.9. obf 93 Vulnus acu inflictum lethale. Alberti Iur. Med. P. I. p. 187. §. 14. n. 8. & P.347.348. Lit. i. Vulnus a cane rabido inflictum, aqua elutum, immedicabile fit. Lent. latr. p. 41. Refes qu. 61 Vulnus cafuale sub barbæ tonsione instictum lethale. Alberti Iur. Med. P. 1. p. 297. 9. 26. e. Vulnus ex spasino lethale. Hachft. Dec. 5. p. 613. 614 Vulnuscula cum vitro inflicta periculosa. Frank. p. 296. 297 VulneVulnera instrumento obtuso inflicta periculosiora. Alberti I.M. ap. p. 160 Vulnera 23. cultro ancillæ simul inflicta feliciter sanata. Barth. A. H. V.

2. obf. 91 Vulnerum lethalitas fubitanea per accidens fine lethali vulnere. A.N.C. cent. 3. p. 7. cent. 9. p. 119

in Vulnerum lethalitate utrum Medico, an Chirurgo magis fit credendum. vid. Fides.

Vulnera quotupliciter fint lethalia. Alberti Iur. Med.P.I. p. 279. §. 5 Vulnera quænam lethalia. ibid. P. 1. p. 309. §. 38

Vulnera vel lethalia, vel periculofa, fed curabilia.ib.P.2.p.371.372.375.fq. Vulnus patientis culpa lethale. Alberti Iur.Med. P. 1. p. 242. §. 19. 20 Vulnus Medici culpa lethale. ibid. P. 1. p. 239. §. 21. 22

Vulnera cum extremo totius corporis tumore fubito conjuncta, lethalia. Rejes qu. 95. p. 1197. 1201

Vulnera cum convultionibus combinata non femper funt lethalia. A.N. C.Dec. 2. ao. 1. obf. 29

in Vulnerum exploratione bene in demortuis indagandum, in quo fitu fuerit læfus, dum vulnus ipfis inflictum erat. Alberti Iur. Med. P. 1. p. 226. §. 15. Garm. L. 1. tit. 5. §. 75

Vulnerum fymptomata. Alberti Iur. Med. P. 1. p.2 96.§. 25. & p. 320. feq. de Vulneribus ad diversos judices factæ quædam relationes. A. N. C. Dec. 3. ao. 9. obf. 120

Vulnus hactenus inauditum & horrendum. A. N. C. Dec. 3. 20.9. obf.44 Vulnera an crifin habeant ficut morbi. Alberti Iur. M. P. 1 p. 286.§. 12.13 Vulnera ad cruentationem ab aere difposita. Garm.L. 2. tit. 7. §. 3

Vulnera ad cruentationem a motu & positu diverso disposita. Garman. L.2. tit. 7. §. 4

Vulnerum hæmorrhagia magice oppressa. Garm. L. 2. tit. 7. §. 5

hæmorrhagia pet appensa naturalia cohibita. Garm. L.2. tit. 7. §. 6

Vulnus capitis cum cranio fracto in juvene lethale. Hildanus cent. 1. obf. 17

Vulnerum mirtbiles fanationes. M. Donat. L. 5. c. 4 Valnera vino, in quo faccharum folutum, eluta, & croco repleta, fanata. A. N.C. Dec. 1. 20. 3. obf. 310

Vulnus aqua vitæ curatum. A. N. C. Dec. 2. ao. 10. obf. 134 Vulnera contusionis & adustionis qua methodo machinis πυgoβόλοις inusta curentur. Lang. L. 2. Ep. 4. p. 562

Vul-

505
Vulnera citta suppurationem curandiratio. Blegny. Zod. gall. ao. 1679.
Aug. obf. 10
Vulnera citius claufa. Bor. c. 3. obf. 25
Valnus an deterioretur præsente muliere menstruata, aut candela accen-
fa. Alberti Iur. Med. P. 1. p. 296. §. 24
Vulnera ob amafiæ præfentiam non curate. Bor. c. 3. obf. 93
Vulneris fanatio impeditur vini & cerevisiæ ingestione. Alberti Iur.
Med. P. 2. p. 349. (13) & p. 352
Vulnera nervofarum partium. Roffii Conf. 4.5
Valnus nervorum. Alberti Iurispr. Med. P. I. p. 321. §. 47
Vulnera externarum partium. ibid. P. I. p. 346. 5. 67
Vulnus capitis. Diemerbr. obf. 50. vid. Cranium.
Vulnus capitis an lethale? Hild. c. 4. obf. 1, 2
Vulnus capitis lethale. Zittm. C. 3. c. 20. 29. 96. Blegny Zod. gall. ao. 1679.
Iun. obf. 10. it. ao. 1682. Febr. obf. 12. A. N. C. cent. 9. p. 262, Alberti
Iur. Med. P. 1. p. 309. §. 38
Vulnus Capitis fubito lethale. A. N. C. cent. 7. p. 119
Vulnus Capitis exiguum neglectum lethale. Blegny Zod. gall. ao. 1681.
Oct. obf. 7. A. N. C. Dec. 1, ao. 2. p. 195. Dec. 1. ao. 3. obf. 199. Hildan.
C. I. obf. 21
Vulnus Capitis lethale ex charta masticata explosa. A."N. C. cent.3. p.452
in Vulnerum lethalitate Medico credendum, & an fufficiat unius Medi-
ci jurati testimonium. Alberti Iur. Mcd. P. I. C. I. §. 24
Vulnus Capitis non lethale. Blegny Zod. gall. ao. 1680, Febr. obf. 3
Vulnus Capitis grave non lethale. A. N.C. Dec. 1. ao. 2. obf. 119. Blegny
Zod. gall. ao. 1679. obf. 8. ao. 1681. Ian. obf. 5. Iun. obf. 2. Alberti
Iur. Med. P. 1. p. 311. C.
Vulnus Capitis desperatum feliciter fanatum. Blegny Zod.gall.ao. 1679.
Dec. obl. 4. Alberti Iur. Med. P. 1. p. 311. C.
Valnus Capitis, ex quo cerebri portio fape egreffa, cum convulfionibus
& aphonia conjunctum, tamen curatum. A. N. C. Dec. 2. ao.1.obf.
20. Blegny Zod. gall. a0.1679. Dec. 1. obf. 3. Hild. c. 5. obf. 24
capitis cranium dividens. Plater. obl. L. 2. p. 539
Vilnus Capitis & Cerebri non lethale. Blegny Z.gall, ao. 1680. Iul. obf. 17
Valnus Capitis contulum. Blegny Lod. gall. ao. 1681. Oct. obf. 6
Vulnus capitis cum fractura cranu. Haldan. cent. 5. obl. 23. Blegny Zod.
gall. ao. 1682. Febr. obf. 10. vid. Cranium.
Sss Vul-

506	VU.
	apitis periculofum, & cum fillura cranii conjunctum, ex acci-
den	ti lethale. Alberti Iur. Med app. p. 50. Caf. 11. & p. 52. Caf. 12
	apitis cum fractura cranii in juvene pæne fanatum, ex ufu vene-
	& febre superveniente lethale. Hild. cent. 1. obs. 19
	Capitis causa impotentiæ ad venerem. A.N.C.Dec.1.ao.2.obf.104
	tis Tetani & spasmi cynici causa. Hild. cent. 5. obs. 9
Capit	is in hepatis apostemata conversum. A. N.C. Dec.1. a.2.p.197.198
Vulneri.	fuctio proficua. Hagend. cent. 3. hift. 69. p. 371
vuineris	Capitis & Cranii per trepanum apertio. Diemerbr. obf. 54
Capit	is cum cranii fractura in puero, ex tumultu & strepitu nimio
and the second second second second second	hale. Hild. cent. 1. obf. 20
v utnera	Capitis ab Ægyptils cum febo ovillo curantur. A. N. C. Dec.
Vale and	0.10. obf. 194. n. 24. p. 462 Temporum quara periculofa Alberti Jur Mod Dro da fuerl
Vulnera	Temporum quare periculofa. Alberti Iur. Med. P.I.p. 412. fuppl.
A CONTRACTOR OF A CONTRACTOR OFTA CONTRACTOR O	Temporum ab Hippocrate pro lethalibus declarata. ibid. P.
	•337 nufculi temporalis. ibid. P.1. p. 318. §. 45
Vulnice	cutis circa futuram lambdoideam, cum febre. Rossi obf. 7
Vilmic	carotidis ex imperita Chirurgia lethale. Alberti Iur. Med. P. 2.
	42. Caf. 28. & p. 351
	cranii per fe lethale. Zittm. C.1. c. 48
	cranii neglectum ex accidenti lethale. A. N. C. Dec. 1. ao. 3. obf.
	. Alberti Iur. Med. app. p. 59. Caf. 13. & p. 4. Caf. 2
Vulnus	cerebri. Alberti P. 1. p. 314. §. 41
Vulnus	cerebri sclopeto inflictum. Diemerbr. obf. 42. Blegny Zod.gall.
20.	1680. Febr. obf. 9
	cerebri circumacto integro menfe lethale. Alberti Iur. Med. P.2.
	34. Caf. 27
	cerebri ad ejus corticem penetrans ex accidente lethale. Zittm.
	Filmus Cimunsex quo cerebri portio fape egreffa, cum colo. 5.
	cerebri, ubi citra mortem ejusdem substantiæ portio prodiit.
vio	I. Vulnus Capitis.
	cerebri non femper lethalia. A. N. C. Dec. 2. ao. 4. obf. 129.
Ble	gny Zod. gall. ao. 1680. Iul. obf. 17. Rhod. c. 1. obf. 32
	cerebri profundum curatum. A. N. C. cent. 5. p. 421. Salmuth.
C.3	Valuate capitis com febeture cranit fullant cont. 5. obt. 86 .1do.
the second se	cerebelli. Alberti Iur, Med. P. 1. p. 317. §. 43
Tak.	Vulne-

Vulnera frontis & oculorum. Alberti Iur. Med. P. 1. p. 319. §. 46 Vulnera Oculi. Barth. c. z. h. 71. Bor. c. z. obf. 19. Roffii obf. 9 Vulnus oculi faliva curatur. A. N. C. Dec. 2. ao. 3. obf. 92 Vulnus oculi exiguum grave. A. N. C. cent. 5. p. 309 Vulnus ad oculum lethale. Rhod. c. 1. obf. 78. A. N. C. Dec 1. ao. 8. obf. 83 Vulnus abdominis fingulare. Hagendorn. cent. 3. hift. 64. p. 363 Vulnus Tarfi palpebræ inferioris. A. N. C. cent. 9. p. 460 Vulnus canthi oculi exile cum miris fymptomatibus. A. N. C. cent. 3. p. 130 Vulnus cerebri lethale. Hogendorn. cent. 1. hift. 24. p. 43 Vulnus Nali profundum fanatum. A. N. C. cent. 7. p. 448 Vulnera Narium & linguæ. Alberti Iur. Med. P. 1. p. 320 Vulnera colli profunda non effe lethalia. A. N. C. Dec. 1 ao. 4. obf. 39. Alberti Iur. Med. P. 1. p. 322. §. 48 Vulnus capitis cum convultionibus curatum. Hagend.cent. 1. h.25.p.45 Vulnus Thoracis. Alberti Iur. Med. P. 1. p. 334. §. 49 Valnus Thoracis, grave cum infigni pectoris contufione, feliciter fanatum. A. N.C. Dec. 3. 20. 9. obf. 225 Vulnus ductus thoracici. Alberti Iur. Med. P. 1. p. 328. §. 52 Vulnus pectoris cum pulmonum portione abscissa curatum. Hildan.c. 2. obf. 32. c. 3. obf. 36 Vulnus pectoris, cui accessit fistula & phthis, feliciter curatum, Blegny Zod. gall. ao. 1679. Dec. 1. obf. 2 pectoris, cum diaphragmatis laceratione, & ventriculi e loco emotione, curatum. Hild.c. 2. obf. 33 Vulnus pectoris, ex quo vermes exclusi. Blegny Z. gall.ao.1679.Iul.obf.1 Vulnera arteriæ afperæ & cefophagi. Alberti Iur. Med.P. 1. p.322. §. 48 Vulnus arteriæ afperæ. Barth. c. 4. h. 89. Tulp. L. I. c. 50 Vulnus arteriæ pulmonalis lethale. Zittm. c. 2. c. 49 Vulnera arteriarum periculofa fape lethalia. Alberti I. M. P. 2. p. 348.351 Vulnera arreriarum quænam illethalia. ibid. P. 2. p. 349. 351 in Vulneribus nervorum venereus actus periculofus. Hild.cent.1.obf.22 in Vulneribus nervorum rifus periculofus. Hild. cent. 1. obf. 23 Vulnera vaforum fanguiferorum. Alberti Iur. Med. P. I. p. 345. §. 66 Vulnera vasorum umbilicalium. ibid. p. 344. §. 65 Vulnus pulmonum. ibid. P. I. p. 326. §. 50 Vulnus pulmonum lethale. Zittm. c. 1. Caf. 20. 31 Vul-Sss 2

Dec. 1. a Vulnus pulm Vulnus pulm Vulnus pulm Vulnus pulm Vulnera pula P. 358. 39 Vulnus exfo tura feli 2 Vulnus exfo pericardii Vulnus cord 23. it. Ba Vulnus cord	nonum non femper lethale. Zittm. c. 1. Caf. 12. 13. A. N. C. no. 3. obf. 189. Dec. 2. ao. 2. obf. 37. Hild. c. 2. obf. 32 onum in phthifin mutatum. A. N. C. Dec. 1. ao. 8. obf. 61 nonum in abfeeffum transfiens, paracentefi ventilatum. Al- r. Med. app. p. 176. Caf. 30 nonum brevi fanatum. A. N.C. cent. 9. p. 16. Rhod.c. 2. obf. 5 monum vel lethalia, vel non lethalia. Alberti Iur. Med. P. 2. 61. feqq. lopeto pulmonis lobum & cefophagum perforans, a na- iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 limonum ad eorundem ulcera in curatione non argumen- t. vid. Pulmones. ardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12, rth. c. 1. h. 77. Tulp. L. 2, c. 18. Alberti Iur.M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. 1, p. 68
Dec. 1. a Vulnus pulm Vulnus pulm Vulnus pulm Vulnus pulm Vulnera pula P. 358. 30 Vulnus exfo tura feli 2 Vulnus exfo pericardii Vulnus cord 23. it. Ba Vulnus cord	10.3. obf. 189. Dec. 2. ao. 2. obf. 37. Hild. c. 2. obf. 32 onum in phthifin mutatum. A. N. C. Dec. 1. ao. 8. obf. 61 ionum in abfeeffum transfiens, paracentefi ventilatum. Al- r. Med. app. p. 176. Caf. 30 ionum brevi fanatum. A. N.C. cent. 9. p. 16. Rhod.c. 2. obf. 5 monum vel lethalia, vel non lethalia. Alberti Iur. Med. P. 2. 61. feqq. lopeto pulmonis lobum & cefophagum perforans, a na- iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 limonum ad eorundem ulcera in curatione non argumen- n. vid. Pulmones. eardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2. c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. 1. p. 68
Vulnus pulm Vulnus pulm berti Iu Vulnus pulm Vulnera pulm Vulnera pulm P-358. 39 Vulnus exfo tura feli a Vulnus exfo pericardii Vulnus perio pericardii Vulnus cord 23. it. Ba	onum in phthifin mutatum. A. N. C. Dec. 1. ao. 8. obf. 61 fonum in abfeeffum transiens, paracentesi ventilatum. Al- r. Med. app. p. 176. Cal. 30 fonum brevi fanatum. A. N.C. cent. 9. p. 16. Rhod.c. 2. obf. 5 monum vel lethalia, vel non lethalia. Alberti Iur. Med. P. 2. 61. feqq. lopeto pulmonis lobum & cefophagum perforans, a na- iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 lmonum ad eorundem ulcera in curatione non argumen- n. vid. Pulmones. eardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2, c. 18. Alberti Iur. M. P. 1. p. 324. §.49 is fingulare. A. N. C. cent. 1. p. 68
Vulnus pulm berti Iu Vulnus pulm Vulnera pulm P-358. 39 Vulnus exfc tura feli 2 Vulnus exfc pericardii Vulnus peric pericardii Vulnus cord 23. it. Ba	nonum in abfeelfum transiens, paracentes ventilatum. Al- r. Med. app. p. 176. Cal. 30 nonum brevi fanatum. A. N.C. cent. 9. p. 16. Rhod.c. 2. obf. 5 monum vel lethalia, vel non lethalia. Alberti Iur. Med. P. 2. 61. feqq. lopeto pulmonis lobum & cefophagum perforans, a na- iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 limonum ad eorundem ulcera in curatione non argumen- a. vid. Pulmones. eardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2. c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. 1. p. 68
berti lu Vulnus pulm Vulnera pulu P.358. 39 Vulnus exfc tura feli 2 Vulnere pu tandum Vulnus peric pericardii Vulnus cord 23. it. Ba	r. Med. app. p. 176. Cal. 30 onum brevi fanatum. A. N.C. cent. 9. p. 16. Rhod.c. 2. obf. 5 monum vel lethalia, vel non lethalia. Alberti Iur. Med. P. 2. 61. feqq. lopeto pulmonis lobum & œfophagum perforans, a na- iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 limonum ad eorundem ulcera in curatione non argumen- t. vid. Pulmones. cardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2, c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. 1. p. 68
Vulnera pula p.358.39 Vulnus exfo tura feli 2 Vulnere pu tandum Vulnus perio pericardii Vulnus cord 23.it. Ba Vulnus cord	monum vel lethalia, vel non lethalia. Alberti Iur. Med. P. 2. 61. feqq. lopeto pulmonis lobum & cefophagum perforans, a na- iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 lmonnm ad eorundem ulcera in curatione non argumen- vid. Pulmones. cardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2, c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. 1, p. 68
Vulnera pula p.358.39 Vulnus exfo tura feli 2 Vulnere pu tandum Vulnus perio pericardii Vulnus cord 23.it. Ba Vulnus cord	monum vel lethalia, vel non lethalia. Alberti Iur. Med. P. 2. 61. feqq. lopeto pulmonis lobum & cefophagum perforans, a na- iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 lmonnm ad eorundem ulcera in curatione non argumen- vid. Pulmones. cardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2, c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. 1, p. 68
Vulnus exfc tura feli 2 Vulnere pu tandum Vulnus peric pericardii Vulnus cord 23. it. Ba Vulnus cord	lopeto pulmonis lobum & œfophagum perforans, a na- iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 Imonum ad eorundem ulcera in curatione non argumen- vid. <i>Pulmones</i> . eardii fanatum. <i>Rhod.</i> c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. <i>Blegny</i> Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. <i>Tulp.</i> L. 2. c. 18. Alberti Iur.M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. I. p. 68
tura feli 2 Vulnere pu tandum Vulnus peric pericardii Vulnus cord 23. it. Ba Vulnus cord	iciter curatum. A. N. C. Dec. 2. ao. 9. obf. 93 Imonum ad eorundem ulcera in curatione non argumen- a. vid. <i>Pulmones</i> . cardii fanatum. <i>Rhod.</i> c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. <i>Blegny</i> Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. <i>rth.</i> c. 1. h. 77. <i>Tulp.</i> L. 2. c. 18. Alberti Iur.M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. I. p. 68
2 Vulnere pu tandum Vulnús perio pericardii Vulnus cord 23.it. Ba Vúlnus cord	lmonnm ad eorundem ulcera in curatione non argumen- vid. Pulmones. eardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2. c. 18. Alberti Iur.M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. I. p. 68
tandum Vulnús perio pericardii Vulnus cord 23. it. Ba Vúlnus cord	a. vid. Pulmones. cardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2. c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. I. p. 68
Vulnus peric pericardii Vulnus cord 23.it. Ba Vulnus cord	ardii fanatum. Rhod. c. 2. obf. 38 & cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2. c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. I. p. 68
pericardii Vulnus cord 23.it. Ba Vulnus cord	& cordis an lethale. Alberti Iur. Med. P. 1. p. 324. §. 49 is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2. c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. I. p. 68
Vulnus cord 23.it. Ba Vulnus cord	is. Blegny Zod. gall. ao. 1680. Apr. obf. 10. it. Iun. obf. 6. 12. rth. c. 1. h. 77. Tulp. L. 2. c. 18. Alberti Iur. M. P. 1. p. 324. §. 49 is fingulare. A. N. C. cent. 1. p. 68
23.it. Ba Vülnus cord	rth. c. 1. h. 77. Tulp. L. 2. c. 18. Alberti Iur. M. P. 1. p.324. §.49 is fingulare. A. N. C. cent. 1. p. 68
Vulnus cord	is lingulare. A. N. C. cent. I. p. 68
Vulnus cord.	is ingulare. A. N. C. cent. I. p. 68
cordis cuit	
17 June 1	fit lethale. Alberti Iur. Med. app. p. 176
V unus cordi	is lethale. Zittm. c. 1. Caf. 67. Blegny Zod. gall. ao. 1680.
Iul. obf.	
v unus cord	is non flatim lethale. A. N. C. Dec. 2. ao. 2. obf. 188
Cordispon	ft moramunius horæ lethale. Alberti Iur. Med. app. p. 173.
Value cord	Breßl. Gesch. 4. Vers. p. 996
	is durante aliquandiu vitain homine. Rhod. c. 2. obf. 39.
	is, durante aliquandiu vita in brutis. Garm.L.2. tit. 5. §. 29
Valausincon	rdis basi ex globulo sclopetario trajecto, vita per 7. dies du-
rante.	Henr. ab Heer obf. 11. Rejes qu. 32
Vulnusincon	rde fine morte. Bor. c. 1. obl. 88
	rde, cerebro & hepate Bor.c. 1. obf. 88
Vulnus diaph	ragmatis lethale cum gravi contusione. Alberti Iur. 'Med.
app.p.1	156 (25
Vulnus diapl	aragmatis etiam parvum lethale. ibid. app. p. 158
Vulnus diaph	ragmatis plenum lethale. ibid. app. p. 159
Vulnus diapl	nragmatis an lethale. Zittm. cent. 1. Caf. 16
Vulnus diaph	ragmatis & pulmonum lethale. Zittm. c. 2. Caf. 31
And Market	Vul.

Vulnera diaphragmatis lethalia & illethalia. Alberti Iur. Med. P. 330. S.
54. vid. Diaphragma.
diaphragmatis fumme periculofa & cur. ibid. app. p.159.160
Vulnus abdominis cum portione hepatis abscissa curatum. Hildanus
c. 2. obí 34 Vulnus abdominis utrinque penetrans fanatum. A. N. C. cent. 9. p. 160
Vulnus abdominis penetrans a neglecta omenti repositione exacci-
denti lethale. Alberti Iur, Med. app. p. 148. Caf. 25
Vulnus abdominis, cyfternæ chyli, pancreatis, omenti. ib.P.1.p.335.§.58
Vulnus ventriculi. Blegny Zod. gall. ao. 1680. Oct. obf. 2. Barth.c.1. hist.
24. Alberti Iur. Med. P. 1. p. 331. §. 55
Vulnus ventriculi lethale A. N. C. cent. 9. p. 204. Hagendorn. cent. 1. hift.
99. p. 142
Vulnus ventriculi fundo inflictum an lethale ? Zittm. c. 1. Caf. 84
Vulnus ventriculi fanatum. A.N.C.Dec. 2. ao. I. obf. 26.fchol.cent. 9.p.20.4
Vulnus ventriculi fiftulofum curatum. A. N. C.Dec 1. ao. 10. obf. 131
Vulnus hepatis. Alberti Iurispr. Med. P. 1. p. 336. §. 59
Vulnus hepatis lethale. A. N. C. cent. I. p. 69. Zittm. c. 2. Caf 43. 78. 81
Vulnus hepatis non per fe, fed propter purpuræ concurfum lethale. Al-
berti lur. Med. P. 2. p. 367. Caf. 31
Vulnus vesiculæ felleæ an lethale? Frank. p. 127. Alberti Iur. Med. P. 1.
p.338. §. 60
Vulnus Lienis, Alberti Iur. Med. P. 1. p. 339. S. 61. P. 2. p. 380. Cal. 32.
& p. 384 child the man shall be a
Vulnus renum. Alberti Iur. Med. P. 1. p. 340. 5. 62
Vulnera intestinorum. Blegny Zod. gall. ao. 1680. Iun. obf. 4. Alberti
Iur. Med. P. 1. p. 333- §- 56
Vulners intestinorum omnino dissectorum. Blegny Zod. gall. ao. 1680.
Oct. obf. 1
Linguæ curatum. Hildan. cent. 1. obf. 28
Vulnera inteffinorum diversa lethalia. Zittm. c. 2. Caf. 98 Vulnera inteffinorum tam tenuium, quam crassorum fanata. A. N. C.
Dec. 1. ao. 3. obf. 176. Dec. 2. ao. 1. obf. 20. in fchol. Tulp. L. 3. c. 20.
Riolanus in app. Sim. Pauli in Tr. de Febb. Seidelius obl. Med. 5.
Heurnius Comment. Sect. 6. Aph. 18. Hollerius obf. 17. Comment.
Sect. 6. Aph. 18. Hipp. Paraus L. 24. c. 19. Valleriola L. 4. obf. 9.
Cattier. obl. 5 Sss 3 Vulnus

Valnus intestinorum tenuium lethale. Zittm. c. 2. Caf. 95
Vulnus ilei curatum. A. N. C. Dec. 1. ao. 3. obf. 176
Vulnera jejuni parca diæta curanda. B legny Z. gall.ao. 1682. Mart. obf. 14
Vulnus melenterii, Alberti lur. Med. P. I. p. 334. S. 57
Vulnus omentum, mesenterium, duodenum & lienem transversaliter
penetrans, abiolute lethale. ibid. app. p. 103. Caf. 33
Vulnus inteltini craffi non lethale. Zittm. c. i. Caf. 8
Vulnus intestini recti an lethale? Zittm. C.I. Caf. 4
Vulnus intestini recti lethale. Zittm. c. 3. c. 10. A. N. C. Dec. 3. ao. 9.
OD1. 234
Valnera velice urinariæ. Alberti Iur. Med. P. 1. p. 342. 6. 63
Vulnus vesica reftitutum. Tulp. L. 4. c. 30. Salmuth. c. 2. obs. 44. Cattier.
obl. 4. Zittm. c. 3. Caf. 11
Vulnera ureterum. Alberti Iur. Med. P. I. p. 341
Vulnus vaginæ uteri curatum. A. N. C. cent. 5. p. 87
Vulnera partium genitalium. Alberti Iur. Med. P. I. p. 343. §. 64
Vulnus pudendi muliebris. Salmuth. c. 3. obf. 67
Tale etiam fibi inflixit filia aurigæ, Samuel dicti, circiter 22. anno-
rum, Halæ auf der Braunens Warte, quæ cum scalpello, cui illapsa
erat, vulnus tale fibi attraxit.
in clunibus, e quo pus evenica emanabat. Plater. obf. L. 2. p. 539
Vulnus spinalis medullæ. Tulp. L. 3. C. 27. Alberti Iurispr. Med. P. 1.p.
317. §. 44
Vulnus vertebrarum & spinalis medullæ non absolute lethale. Zittm.
c.3. Cal.34
Vulnus cubiti per accidens lethale. Alberti Iur. Med. app. p. 41. Caf. 10
Vulnus manus infigne curatum. Blegny Zod. gall. ao. 1681. Maj. obf. 2
Vulnera digitorum lethalia. Barth. c. 4. h. 89 Vulnus cruris. Diemerbr. obf.32
Vulnus tibiæ, cui supervenit genu dolor offisque caries, feliciter cu- ratum. Blegny Zod. gall. ao. 1679. Dec. 2. obs. 5
lumborum urinam ftillans. Plater. obf. L. 2 p. 539
Vulneratio morbidi quomodo puniatur. Alberti Iurispr. Med. P. t. p.
283. §. 9
Vulneratus an torquendus. ibid. p. 240. §. 9
Vulnerati mortui recognitio. ibid. p. 293. §. 21. 22
Vul-
555-3 X 10 5 11

Vulnerati fomnus nimius. ibid. P. 2. p. 269 Vulpis cauda violaceum odorem spargens. Barth. A. H. V. 3. obf. 21 Vultures cadaverum amatores. Kornm. Mir. mort. P. 4. c. 150 Vulva duplex. Bor. c. 2. obf. 83. A. N. C. Dec. 1. ao. 7. obf. 228. Dec. 3.40. 7. obf. 35. cent. 9. p. 168 Vulva puellæ intus hirfuta. A. N. C. Dec. 2, ao. 5. obf. 82 Vulva geminata an generationem impediat. Alberti Iurispr. Med. P. I. p. 46. 5. 29 Vulvæ absceffus & tumor. Gabelch. cent. 1. cur. 93 Vulvætumor refectus. A. N. C. cent. I. p. 145 Vulvæ labii excrefcentia carnea feliciter curata. Blegny Zod. gall. ao. 1679. Nov. obf. 1 Vulva caftaneam fub fternutatione rejiciens. M. Donat. L. 2. c. 12 Vulva fuilla ad incontinentiam urinx. A. N. C. Dec. 2. ao. 7. obf. 85 Voula. vid. Gurgalion. Vvulæ defectus naturalis. A.N.C. Dec. 2. ao. 5. obf. 5. Dec. 3. ao. 2. obf. 173. Salmuth. c. 3. obf. 6 Vvulæ defectum naturalem vicinæ refarciunt partes, fine ullo incommodo. A. N. C. Dec. 3. ao. 9.0bf. 212 absentia a nativitate. Hagendorn. cent. 1. hift. 68. p. 102 pars gangrænofa feliciter refecta. ibid. hift. 69. p. 102 Vvulæ præcifio tabis & mortis caufa. Zac. Luf. P. A. L. 1. obf. 98 relaxatæ periculofa cura. Hild. c. 6, obf. 15 Vvulæ excrescentia ablata. A.N.C. Dec. 2.a. ao. 1. obf. 15 Vulæ inflammationes miræ. M. Donat. L. 3. c. 3 Vvulæ & tonfillarum inflammatio ex incauto tomaculi esu. A.N.C.Dec. 1. ao. 10. obf. 96 ad Vvulæ radicem hiatus ingens. Hagendorn. cent. 1. hift. 70. p. 104 ad Vvulæ radicem tumor fcirrhofus. Hild. cent. 2. obf. 20 Vvula in fungum scirrhofum degenerata. Hild. c. 2. obf. 19 Vvulæ relaxatæ curatio. Hild. c. 2. obf. 21 WA. Sigabrfageren Gunde. Gerbers unert. Gunden P. 3. c. 48

20 2Bafd=Giold. Becch. Ph. S. L. I. S. 3. C. 2. p. 129 2Baffer= Miren. vid. Difp. Merbizzii.

2Bechfel=

WE.WI.WU. ZA. ZE. ZI. ZO.

WE.

DechfelsBalge. Simon. Imp. con;. c. 5. th. 2. n. 21--24. vid. Diabolus & Campfones.

Wedelii pulvis ftypticus. A. N. C. Dec. 1. ao. 10. obf. 20 Metter (boses) austreiben. Becch. L. 1. S. 3. c. 2. p. 122

Westphalorum endemius morbus, die Beren appellatus. Smet. Misc. L. 4. Ep. 10. 11

WI.

Wü.

Witterung quid Gr? Becch. Ph. S. L. I. S. 2. C. 2. p. 96 Auf-und Ein- Witterung quid? Becch. ibid.

Wütende Seer, Garman. L. 2. tit. 10. 9. 30 ZA.

512

ZAcharias mutus natus. Kornm. Mir. viv. p. 99 de Zacuto Lufitano judicium. Res. qu. 70. p. 935 Zarfa tophi articulorum curati. Zac. Luf. P. A. L. 2. obf. 186 Bàcher quid? Becch. Ph. S. L. 1. S. 3. c. 2. p. 122

ZE.

Zelotypia ad dementiam adigens. Plater. obf, L. 1. p. 52 Zelotypia ex amore conjugis. ibid. p. 53 Zelotypia, qua uxor maritum poft mortem alteri invidebat. ibid. p. 53 Zedoariæ radicis virtus egregia. Barth. A. H. V. 2. obf. 87. p. 209 Beug quid ? Becch. Ph. S. L. 1. S. 2. c. 2. p. 96

Zibethum an e ftercoribus parari poffit? Garman. L. 2. tit. 8. §. 76. vid. Moschus.

de Zingaris. Jac. Thomaf. difp. Arnolds Ritchensund Rehers Diftorie L. 15. c. 1. §. 7. fol. 403. Ziegl. Ochau. Mah der Seit. Titii Grempel-Buch. Zincum. Becch. Ph. S. L. 1. S. 6. c. 4. p. 507 Zinci flores æmula filamenta divæ virginis. A. N. C. cent. 3. p. 360 Zingiberis copiolus ufus perniciofus in hæmorrhoidum promotione.

Alberti Iur. Med. P. 2. p. 420.421 Sisten germanicum, unde? A. N. C. cent. 5. p. 177

-%6)o(38%

Zeroastrinomen unde? Garman. L. 2. tit. 10. §. 92.



