

Index materiae medicae: or, a catalogue of simple medicines that are fit to be used in the practice of physick and surgery ... To which are added, two tables, in the first, the simple medicines are reduced under general heads, and, in the second, they are classed according to their principal vertues / [James Douglas].

Contributors

Douglas, James, 1675-1742

Publication/Creation

London : Printed for George Strahan, 1724.

Persistent URL

<https://wellcomecollection.org/works/bmdgwrby>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



L. Gerald Dixon
Seaham Harbour
March 1888

I N D E X
MATERIÆ MEDICÆ:
O R,
A C A T A L O G U E
O F
Simple Medicines

That are fit to be used in the Practice of
PHYSICK and SURGERY.

C O N T A I N I N G

- I. The Official Name of each in LATIN, with the Accent and Genitive Case.
- II. A short Botanical Description of the SPECIES that is commonly used.
- III. The Name in GREEK and ENGLISH.
- IV. The PART that is most in USE.
- V. The NAMES of the DISPENSATORY, or SHOP-
PREPARATIONS and COMPOSITIONS.

To which are Added,

Two T A B L E S,

In the FIRST,

The Simple Medicines are reduced under general Heads.

And, in the SECOND,

They are classed according to their Principal Vertues.

London: Printed for GEORGE STRAHAN, at the Golden-
Ball, over-against the Royal Exchange in Cornhill. 1724.



Simple Medicines

That are fit to be used in the Practice of
PHYSICK and SURGERY.

CONTAINING

- I. The Original Name of each in LATIN, with the Accent and Genuine Case.
- II. A short Botanical Description of the Species that is commonly used.
- III. The Name in Greek and English.
- IV. The Part that is used in Use.
- V. The Names of the Dispensatory, or Shops.
- VI. Preparations and Compositions.

To which are Added,

TWO TABLES

In the FIRST,

The Simple Medicines are reduced under general Heads.
And, in the SECOND,
They are classed according to their Principal Virtues.

Printed for GEORGE STANLEY, in the Strand.
Will be sold against the Royal Exchange in London.

ERRATA.

- P.** 100. Parailysi, *l.* Paralyfi.
 101. Piffaleum, *l.* Piffelæum.
 102. Ceti Ranarum, *l.* Ceti.
 Ranarum.
 Murus, *l.* Morus.
 105. Accidorum, *l.* acidorum.
 107. Goffipii fructus, *nova linea.*
 108. Betonica, *l.* Betonica.
 Matricarium, *l.* Matricaria.
 109. Vitricillatæ, *l.* Verticillatæ.
 110. Lilium convalli, *l.* convallium.
 115. Anipyret, *l.* Antipyret.
 120. Rhaphontiticii, *l.* Rhapontici.

BOOKS Printed for GEORGE STRAHAN, at the
Golden Ball, over-against the Royal Exchange, in Cornhill.

TEntamina Medico-Physica, ad quasdam Quaestiones, quæ Oeconomiam Animalem spectant, accommodata. Quibus accessit Medicina Statica Britannica. Authore *Jacobo Keil*, M. D.

Fluxionum Methodus inversa; five Quantitatum Fluentium Leges Generaliores. Ad celeberrimum Virum Archibaldum Pitcairnum Medicum Edinburgensem. A *Georgio Cheynæo*, M. D. & F. R. S.

Rudimentorum Methodi Fluxionum inversæ Specimina: Quæ Responsionem continent ad animadversiones *Ab. de Moivre* in Librum *G. Cheynæi*, M. D. S. R. S.

Introductio ad veram Astronomiam, seu Lectiones Astronomicæ habitæ in Schola Astronomica Academiæ Oxoniensis. Authore *Johanne Keil*, M. D. Astronomiæ Professore Saviliano, R. S. S. Editio secunda, auctior & emendatior.

Introductio ad veram Physicam, seu Lectiones Physicæ, eodem Authore.

Myographiæ Comparativæ Specimen: Or a Comparative Description of all the Muscles. Shewing their Discoverer, Origin, Progress, Insertion, Use and Difference. To which is added, An Account of the Muscles peculiar to a Woman, with an Etymological Table, and useful Indexes. By *James Douglas*, M. D. and F. R. S.

Essays on several Parts of the Animal Oeconomy, viz. I. Of the Quantity of Blood in the human Body. II. Of the Velocity of the Blood. III. Of the Force of the Heart in driving the Blood through the whole Body. IV. Of Animal Secretion. V. Of Muscular Motion. The second Edition, corrected and enlarged. By *James Keill*, M. D.

The Art of Curing Venereal Diseases explain'd by Natural and Mechanical Principles. By *Nicholas de Blagny*, Chirurgion to the French King.

The Symptoms, Nature, Cause and Cure of a Gonorrhœa. The third Edition. By *W. Cockburn*, M. D. F. R. S. and of the College of Physicians.

Sea Diseases, Or a Treatise of their Nature, Causes and Cure. Also an Essay on Bleeding in Fevers; shewing the Quantities of Blood to be lett in any of their Periods. The second Edition, much improv'd; by the same Author.

Præsegiū Medicū: Or the Prognostick Signs of Acute Diseases; establish'd by ancient Observation, and explain'd by the best modern Discoveries. The second Edition, with a Preface by Dr. *W. Cockburn*.

An Essay of the true Nature and due Method of treating the Gout. Together with an Account of the Nature and Quality of Bath Waters, the manner of using them, and the Diseases in which they are proper: As also of the Nature and Cure of most Chronical Distempers not publish'd before. By *Geo. Cheyne*, M. D. and F. R. S. The fifth Edition enlarg'd to more than double the former.

A new Theory of Acute and Slow continued Fevers: Wherein, besides the Appearances of such, and the manner of their Cure, occasionally, the Structure of the Glands, and the Manner and Laws of Secretion, the Operation of Purgative, Vomitive and Mercurial Medicines are Mechanically explain'd. To which is prefix'd an Essay concerning the Improvements of Medicine. By the same Author. The third Edition, with many Additions.

I N D E X

Materiae Medicæ.

A

ABIES , <i>ētis</i> , fœmīna, seu alba, folio sub- tus argenteo & fructu sursum spectante. Mas, seu Rubra, Vid. <i>Picea</i> . Scotica, Vid. <i>Pinus sylvest.</i>	Ἐλάτη Θηλεία.
ABROTANUM , <i>tăni</i> , Mas angustifolium majus.	Ἐλάτη ἄρρη.
ABSYNTHIUM , <i>thii</i> , latifolium, seu vulgare majus.	Ἀψίνθιον.
Santonicum, seu Alexandrinum.	- - Σαντίριον.
Maritimum Anglicum, folio incāno, seu Romānum <i>Officin. Londinens.</i>	- - Θαλάσσιον.
Ponticum, tenuifolium, folio inferius albescente, seu Romānum verum.	
ACACIA , <i>cīa</i> , Vera, seu Spina Ægyptiāca foliis scorpioidis leguminōsæ, flori- bus luteis, filiquis compressis lupini. Anglica, seu Germanica vulgaris, Vid. <i>Prunus Sylvestr.</i>	Ἀκακία.
ACETOSA , <i>tōsæ</i> , Pratenfis folio longo seu Vulgāris. Rotundifolia hortensis, Franca seu Ro- mana dicta.	Ὁξαλίς.
ADIANTUM , <i>anti</i> , album seu Mura- rium. Nigrum officinar. seu foliis longi- oribus pulverulentis & pedi- culo nigro.	Ἀδινάριον.

A

The Female, or Silver Fir-Tree.	<i>Turiones, seu cacu- mina primo vere e- rumpentia, lignum.</i>	<i>Resina liquid. Te- reb. Argent. dicta & ficea seu Thus com- mune.</i>
Southernwood.	<i>Summitates cum fo- liis, seu cymæ teneræ.</i>	
Common Worm- wood.	<i>Summitates cum fo- liis, vel folia cum Flo- ribus vel Seminibus.</i>	<i>Aq. comp. Sal fix. Vin. Absinthitis. Ol. Chym. & p. in- fus.</i>
French Wormwood.	<i>Germinalia Florum, vel seminalia.</i>	
English Sea Worm- wood, or Roman Wormwood of the Shops.	<i>Cymæ novellæ seu summitates & folia.</i>	<i>Conserva.</i>
Pontic, or true Roman Wormwood.	<i>Tota Herba, sed ra- rò.</i>	
True Acacia, or Egyptian Thorn.	<i>Fructus, seu Sili- quæ, sed rarissimè. Substantia Gummosa spontè exsudans, Gum- mi Arabicum dicta.</i>	<i>Vera veterum A- cacia, seu succus è fructu immaturo expressus & inspif- fatus.</i>
Common Sorrel.	<i>Folia, Radices. Semina.</i>	
French, or round leaved Sorrel.	<i>Folia.</i>	<i>Conserva.</i>
White Maiden- Hair : or Wall-Rue.	<i>Herba integra.</i>	
Black Maiden- Hair.	<i>Folia, seu Herba integra.</i>	

AGRIMONĪA, *nīa*, Odorata.

Vetērum Græcorum, seu Vulgaris.

Ἐυπατόριον.

ALBŪMEN, *inis*, Ovi. Vid. Gallina.

Λεύκωμα.

ALCE, *Alces*.

ALCĒA, *cĕa*, Indica, seu Ægyptiaca Villosa, Semine Moschato.

Ἀλκή.

Ἀλκεία, &
Ἀλκία.

ALCHIMILLA, *millæ*, Vulgāris major, foliis ex luteo virentibus.

ALKEKENGI, Vulgare, Baccis rubris.

ALLĪUM, *līi*, Hortense, seu Sativum Vulgare.

Σκόρδον.

ALŌE, *lōes*, Vera, seu Americāna Vulgāris, mucronāto folio crasso & succulento.

Ἀλόη.

Guineensis, seu Vulgari similis; sed albis maculis picta, & succo foetidiōre referta.

Soccotrīna, Angustifolia, Spinōsa, seu Indica flore purpureo.

ALSINE, *sīnes*, media, seu vulgarissima Officin.

Ἀλσίνη.

ALTHĒA, *thæa*, Vulgāris, seu Dioscoridis & Plinīi.

Ἀλθαία.

ALŪMEN, *inis*, factitium, estque vel Anglicum communē, Glaciale seu pellucidum; vel Romanum, seu Rochæ pallidē rubescens. Vid. *Lapis Alum.*

Στυπτηρίον.

Sweet-smelling Aggrimonny.	<i>Folia cum Floribus.</i>	
Common Aggrimonny.	<i>Folia cum cymis floridis.</i>	
The White of an Egg.		
The Elk.	<i>Ungula.</i>	
Indian Mallows, or Mush-Mallows.	<i>Semen Bamia Mofchata, or Musk-seed, dictum.</i>	
Ladies Mantle.	<i>Folia.</i>	
Winter Cherry.	<i>Bacca, seu fructus.</i>	Trochisci Alkekengi.
Garlick.	<i>Radices.</i>	Rad. conditæ. Syrupus ex Allio.
Herb Aloe, or Sea Houseleek.	<i>Succus foliorum inspissatus, Aloe Barbadiensis, or Common Aloes dictus.</i>	
	<i>Succus inspissatus, Horse-Aloes dictus, Hujus vero pars purior, Aloe hepatica, dicitur.</i>	Aloe Rosata Extract. Tinctura. Pilul. de Aloë lo-tâ, Aloe phang.
	<i>Succus inspissatus, True Succotrine Aloes dictus.</i>	
Common Chickweed.	<i>Folia, seu herba integra.</i>	
Marsh-Mallow.	<i>Folia. Radix.</i>	Syrup. Dialth. Unguent. Dialth.
English, or common Allam.		
Roman, or Roch Allam.		

AMBR A, <i>bræ</i> , grisă, feu ex albo grisă. Nigra.	Nomen Arabic.
AMMONI Ā CUM, Vid. <i>Ferula Ammonificera</i> .	Ἀμμωνιακον.
AMYGD Ā LUS, <i>dālī</i> , Satīva, fructu majore, & Cortice molliore.	Ἀμυγδαλέα, Ἐ ἀμύγδαλη.
Amāra major, cortice duriōri.	
ANAGALLIS, <i>gallis</i> , & <i>īdis</i> , aquatica major flore Cœruleo.	Ἀνάγαλλις.
ANCH ū SA, <i>chūsæ</i> , Monspeliāca puniceis floribus.	Ἀνχυσά.
ANĒ THUM, <i>nētki</i> , Hortense, feu Vulgāre.	Ἄνηθον.
ANGEL ĪC A, <i>licæ</i> , Satīva major, feu nostras odorata.	Σμυρνίον.
ANGUILLA, <i>guillæ</i> .	Ἐσχελυς.
ANGUIS, <i>anguis</i> .	Ὀφίς.
ANĪ M A L, Bezoardicum occidentāle.	
Moschiferum.	
Zibethicum.	
ANISUM, <i>nīsi</i> , herbariis. pen. com.	Ἀνίσον.
ANŌNIS, <i>īdis</i> , Spinosa, flore purpureo.	Ἀνωγίς.
ANSER, <i>sēris</i> , Domesticus.	Χήν.

Ambergrease. Black Amber- grease.	<i>Tota Substantia.</i> <i>Tota substantia.</i>	Tinct. Spec. Diamb.
The Almond-Tree	<i>Fructuum Nuclei.</i>	Oleum per express.
The Bitter Al- mond-Tree.	<i>Fructus, seu Nu- clei fructuum. Amyg- dala & Amygdalum</i> <i>dictus.</i>	Oleum per express. Aqua ex Amygdalis amar. Distillatitia.
Booklime.	<i>Herba.</i>	
Alkanet.	<i>Radix.</i>	
Dill.	<i>Semen.</i>	Ol. per Infus. & Chymic.
Angelica, or An- gelico.	<i>Folia. Radix.</i> <i>Semen. Stipites.</i>	Aqua Simplex. Composita. Stipites conditæ.
An Cel.	<i>Hepar cum Felle,</i> <i>Pinguedo.</i>	
The Snake.	<i>Hepar. Caro.</i>	
The Bezoar Deer.	<i>Lapis in Ventricu- lo repertus.</i>	
The Musk Ani- mal.	<i>Moschus, vel excre- mentum quoddam fol- liculis inclusum, pro- pè umbilicum hujus</i> <i>Animalis.</i>	
The Civet Cat.	<i>Zibethum vel ex- crementum in folli- culis glandulosis pro- pè inguina collectum.</i>	
Anise. Rest-harrow. The Goose.	<i>Semina.</i> <i>Radices.</i> <i>Stercus. Adeps.</i>	Aq. Ol. Chymic.

ANTIMONIUM, *ni*.

Στίμι.

APARINE, *rines*, Vulgaris.

Ἀπαρίνη.

APIS, *apis*.

APIUM, *pri*, Palustre Officin. seu Vulgare.

Ῥδεροσέλιον,
vel

Dulce, sceleri, seu celəri Italarum.

Ελεοσελίον.

AQUA Atoniensis.

Bathoniensis.

Bristoliensis.

Dulichiensis.

Ephamensis.

Fontāna, seu Dulcis.

Hamstadiensis.

Marīna.

Mineralis Aluminosa, Sulphurea,
Vitriolica, &c.

Nivea.

Pluvialis

Putealis Salsa.

Pyrmontana.

Strethamensis.

Spadāna.

Scarburienfis.

Tunbrigensis.

ARANA, *nēa*, & Aranēus, *nēi*.

Ἀράχνη.

ARBOR Ægyptiāca, vel Arabica (Euonymo similis) ex cujus Semine Arabes potum conficiunt, *Bon*, vel *Ban* appellatum.

Antimony.	<i>Minera fusa in formâ Pyramidali.</i>	Antimon. Diaphor.
Goosegrass, or Cleavers.	<i>Herba integra.</i>	Hepar, panac.
The Bee.	<i>Apes integra.</i>	Vitrum Antim.
	<i>Mel. Favus.</i>	Cinnabaris, Regulus,
		Butyrum. Antim.
		Tinctura, Cerussa.
		Cera citrina.
		alba.
Smallage, or Marsh Apium.	<i>Herba.</i>	
Celeri, or Sellerp.	<i>Radix.</i>	
	<i>Stipites Radicis superna pars.</i>	
Alton Water.	<i>In Middlesex.</i>	
Bath Water.	<i>In Somersetshire.</i>	
Bristol Water.	<i>In Gloucestershire.</i>	
Dulledge Water.	<i>In Surrey.</i>	
Epsom Water.	<i>In Surrey.</i>	
Spring Water.		
Hamstead Water.	<i>In Middlesex.</i>	
Islington Water.	<i>In Middlesex.</i>	
Sea Water.		
Mineral Water,	<i>from whence Allom, Vitriol, &c. are ex- tracted.</i>	
Snow Water.		
Rain Water.		
Well Water.		
Pyrmont Water.	<i>In Surrey.</i>	
Stretham Water.		
Spaw Water	<i>In Yorkshire.</i>	
Scarborough.	<i>In Kent.</i>	
Cambridge Water.	<i>Animalia integra, cum Ovulis, Tela.</i>	
The Spider.	<i>Fructus, seu Bacca.</i>	
The Coffee-Tree.		

ARBOR Baccifera Brasiliensis, fructu piper
resipiente.

Laurifolia, aromatica, fructu calyculato,
racemoso.

Balsamifera Brasiliensis fructu monos-
permo.

Prima Hernand. foliis A-
mygdali, floribus luteis.

Benzoinifera folio Citri.

Brasiliensis Gummi Elëmi fundens.

Cacavifera Mexicanorum fructu oblon-
go, striato & rufo, peponi
magno simili, & nucibus pleno.

Camphorifera Sumatrana Borneensis,
&c.

Cacaba
Quabuitl.
Nom. Mex.

Canellifera Malabarica & Javanensis, cor-
tice acri, viscido, ac mucilagi-
noso.

Zeylonica cortice acerrimo & præ-
stantissimo.

Cassiam fistulam Alexandrinam ferens.

Fistulam Americanam, flore lu-
teo, foliis laurinis.

Draco, foliis verbasci amplis, & angu-
losis.

Farinifera palmam referens.

Kivvâµwov.

Quaubayob
Uatli 2. Nom.
Mex.

Ezquabuitl.
Nom. Mex.

The Cubeb-Tree.	<i>Fructus, seu Bacæ pediculo longo armata, Cubebæ dicti.</i>	
The wild Cinnamon-Tree.	<i>Cortex. Canella alba, & Cass. lign. Jamaicens.</i>	
The white Balsam-Tree.	<i>Balsamum Copivi, seu Copaiba.</i>	
The Natural Balsam Tree.	<i>Balsamum Peruvianum.</i>	
The Benjamin-Tree.	<i>Gummi-resina Benzoe dicta.</i>	
The Gum Elemi-Tree.	<i>Gummi, potius resina, Elemi dictum.</i>	Linimentum <i>Arcaei</i> , seu è Gum. <i>Elemi</i> .
The Cacao-Tree.	<i>Nuclei fructuum, seu fructus siliquis inclusus.</i>	Confectio <i>Chocolata</i> dicta.
The Camphor-Tree.	<i>Lignum. Radix.</i>	Ex quibus, igne, Succus, seu Sal volatile, elicitus crudus, & <i>f. A.</i> refinatus.
		Sp. vin. camphor.
The Cassia lignea Tree.	<i>Cortex Cassia lignea dictus.</i>	
The true Cinnamon-Tree.	<i>Cortex Cinnamomum dictus.</i>	Aq. tenuis, Fortis, Oleum. Ch.
The Pudding-pipe Tree.	<i>Fructus seu siliqua oblonga.</i>	Medulla, seu pulpa nigra.
The American Cassia Tree.		Diacassia c. manna. Cassia extr.
The Dragon-Tree.	<i>Succus Sanguis Draconis dictus.</i>	
The Sago-Tree.	<i>Radices & Trunci Medulla.</i>	Cujus faeces granulatae & exsiccatae Sago, dicuntur.

ARBOR Febrifuga Peruviana.

Laurifolia Magellanica, cortice acri.

Nucifera aromatica, Pala, dicta, cujus
Fructus Noces Moschatae dicuntur.

Κάρυον.

Piperifera, seu frutex sarmentosa, ex
qua piper longum.

Populo similis resinosa altera, foliis cre-
natis.

Sassafras ex Florida, ficulneo folio cre-
nato.

Styrax, acis, vulgaris, Cottoni mali
folio.

Στύραξ.

Thurifera, seu Olibanifera.

Δενδελίβαν@.

Tubiformis, seu Tubaria Jamaicensis.

ARGENTUM nativum, seu minera ar-
genti.

Ἀργύρ@.

Vivum nativum.

Ὑδαργύρ@.

ARGILLA, gilla.

Ἀρχιλ@.

ARISTOLOCHIA, chia, longa, vera, seu
mascula, flore purpureo.

Ἀειτολοχία
μακρά.

The Jesuits Bark Tree.	<i>Cortex Ramulorum & Trunci Arboris.</i>	Tinctura, Decoctum, Extractum.
Winters Cinna- mon.	<i>Cortex Winteranus dictus.</i>	
The Nutmeg-Tree.	<i>Fructus integer. Cortex exterior crassus ac viridis. Involucrum secundum Macis dictum. Putamen internum abjicitur. Nucleus, Nux Moschata vulgò dictus.</i>	Totus Fructus conditus. Putamen exterius condit. Ol. & Spirit. chymic. Ol. Macis per express.
The long Pepper- Tree.	<i>Grana seu fructus Piper dictus.</i>	
The Tacamahac- Tree.	<i>Resina, Tecomahaca dicta.</i>	
The Sassafras- Tree.	<i>Lignum, Cortex trunci & radicis.</i>	Ol. chym. Electuar.
The Storax-Tree.	<i>Resina Storax, & Styra dicta.</i>	Pilulæ è Styra.
The Olibanum- Tree.	<i>Resina, Olibanum, dicta.</i>	
The Trumpet- Tree.	<i>Rami & lignum.</i>	Cinères, Sal fixum. Argentum foliaceum, Causticum lunare.
Silver.		
Quick-silver.	<i>Mercur. dulc. sublimat. corros. præcipit. ruber albus & luteus. Pulv. princ. Empl. mercuriale, ung. enulat. c. &c.</i>	
Clay. True long rooted Birthwort.	<i>Latères. Radix.</i>	Oleum Lateritium.

ARISTOLOCHĪA rotunda, flore ex pur- purâ nigro. Scândens Jamaicensis, seu volubilis Mexicana, odoratissima, floris labello purpureo, femine Cordato, radice re- pente.	'Αειτολόχια τεργύλη. Tomabuaēlla. copatli. Nom. Mexic.
ARMENIĀCA, Vid. <i>Malus armeniāca</i> .	
ARTEMISIĀ, <i>sīa</i> , Chinenſis facie vulga- ris. Vulgaris, seu Latifolia major, caule & flore purpurascentibus.	'Αρτεμισία.
ARUM, <i>ari</i> , Vulgare majus, non maculā- tum.	"Αρον.
ARUNDO, <i>dinis</i> , Saccharina, Saccharifera, & Saccharata.	Σακκάρων & Σάκχαρ.
ASSA-FŒTIDA, Vid. <i>Planta Assæ fœti- da</i> .	
ASĀRUM, <i>sāri</i> , Vulgare rotundifolium.	'Ασαρόν.
ASĪNUS, <i>sīni</i> .	"Ον<.
ASPARĀGUS, <i>rāgi</i> , Sativa, seu Domes- tica vulgaris.	'Ασπάραγον<.
ASTĀCUS, <i>tāci</i> , fluviatilis.	
ATRĪPLEX, <i>plīcis</i> , fœtida, seu Olida sylvestris.	'Ατράφαξις.
AVĒNA, <i>vēnæ</i> , Vulgaris, seu alba.	Βρώμη<.
AURANTĪA, Vid. <i>Malus Aurantia</i> .	
AURUM Nativum, seu Virginæum.	Χρυσός.
AXUNGĪA Porci, Vid. <i>Porcus</i> .	

Round-rooted Birthwort.	<i>Radix.</i>	
Jamaica Birth- wort, falsely called Contraperba.	<i>Radix.</i>	
China Mugwort.	<i>Lanugo Moxa dic- ta.</i>	
Mugwort.	<i>Summitates cum fo- liis.</i>	<i>Syrupus de Arte- misiâ.</i>
Wake Robin, or Cucko-pint.	<i>Radices recentes.</i>	<i>Pulvis Ari compo- situs.</i>
Sugar Cane.	<i>Ex arundinibus seu Cannis maturis Suc- cus molâ expres- sus & artificiosè de- coctus & depurga- tus, ex quo fit</i>	<i>Saccharum Griseum, seu Moscovade, album seu Cas- sonadum, candum, album & rubrum, St. Thomæum, Py- ramidale, seu in conis, peni- diatum, hordeatum, &c. Spt. ardens seu Rum, Mel Saccharinum, seu Me- lassos.</i>
Azarabacca, or Folefoot.	<i>Folia, Radices.</i>	<i>Pulvis Cephalicus.</i>
The Als.	<i>Lac Asininum.</i>	
Sparagus, or Sperage.	<i>Radices, Stolones.</i>	
The Crap-fish, or Crevice.	<i>Lapilli in capiti, oculi cancerorum dic- ti. Astaci integri.</i>	
Stinking Orache, Orach, or Orage.	<i>Folia.</i>	<i>Syrupus.</i>
Oats.	<i>Granum, seu Se- men.</i>	<i>Grana Deglubita, Liquor Avenaceus, Amylum Avenaceū.</i>
Gold.	<i>Minera Auri.</i>	<i>Aurum foliaceum, vel foliatum. Fulminans.</i>

B.

BALAUSTIUM, Vid. *Malus Granata sylvestris*.

BALSAMUM Capivi, Copaiba, Copalli & Copaiva, Vid. *Arbor Balsamifera Brasiliensis*.

Giliadense, Judaicum, è Mechâ, verum genuinum Antiquorum & Syriacum, rutæ folio.

Peruviānum, seu Peruānum nigrum seu ex Peru. Vid. *Arbor Balsami Indic*.

Tolutānum, seu de Tolu, foliis ceratiæ similibus.

Balsamus *arborem & fructum propriè denotat*.

Balsamum *succum seu lachrymam earundem significat*.

BANILLI, lorum, Vid. *Volubilis Siliquosa*, &c.

BARDANA, *dāna*, seu Vulgaris, folio amplissimo, flore albo.

BELLIS, *idis*, major sylvestris caule folioso, flore albo, ampliore, radiato, disco luteo.

BENZOE, *oes*, Benzoinum, Vid. *Arbor Benzoinifera*.

BERBERIS, *bēris*, Dumetorum.

BETONICA, *ica*, sylvestris, seu vulgarior flore purpureo.

BETULA, *tūla*, omnium Auctorum.

BEZOAR Occidentālis, Vid. *Animal Bezoarticum*.

Orientālis, Vid. *Hircus Bezoarticus*.

Βάλσαμον.

Ἀρχέιον.

Κέρεον.

Σημύδα.

B.

Balm of Gilead, or
the true Balsam.

Balsamum.

Balsam of Peru.

Balsamum.

Balsam of Tolu.

Balsamum.

Syrupus Balsamic.

The Great Bur-
dock.

Folia, Radices.

The Great Wild
Ox-eye Daisie:

Flores, Folia.

Berberis Bush.

Cortex, Fructus.

Common Betony.

Folia, Flores.

Fructus Muriâ
conditi.

Empl. de Beto-
nicâ.

The Birch, or
Birk Tree.

*Succus seu La-
chryma, tempore ver-
no, prolectus.*

D

BISTORTA, <i>tortæ</i> , major, vulgaris, radice minus intortâ.	
BOLUS Armēna, seu Armeniāca.	Βῶλ ^{ος} .
BOMBIX, <i>bycis</i> .	Βομβύξ.
Bonus Henricus Officinarum.	
BORAGO, <i>gīnis</i> , hortensis, floribus cæruleis & albis.	Ἐυφροάσιον.
BORAX, <i>ācis</i> , Vid. <i>Tincar</i> , seu <i>Borax Nativa</i> .	
BOS, <i>Bovis</i> .	Β ^{ὸς} .
BRASSICA, <i>sicæ</i> , Sativa, non Capitata, viridis.	Κεράμβη.
Rubra, capitata.	
BRYONIA, <i>nīa</i> , alba, vulgaris, seu aspera, baccis rubris.	Βρυωρία.
BUFO, <i>fōnis</i> .	Φύσαλ ^{ος} .
BUGLOSSA, <i>glossæ</i> , & Buglossum, <i>glossi</i> , angustifolium majus, flore cœrulæo.	Βέγλω.
BURSA, <i>bursæ</i> , pastōris, folio sinuato, major, capsulâ cordatâ.	

Common

Common Bistort, or Snake-weed. Wole. The Silk-worm. English Mercury	<i>Radix.</i> <i>Terra quædam.</i> <i>Sericum Crudum,</i> <i>Folliculi Sericei.</i> <i>Herba.</i>	<i>Eupl. & bolo.</i> <i>Spiritus, Oleum.</i> <i>Sal Volatile.</i> <i>Mel Mercurialis.</i>
Bozage.	<i>Flores.</i>	
The Ox.	<i>Lapis à felle bovillo,</i> <i>stercus bubulum,</i> <i>Serum Bovinum,</i> <i>ossa artuum, Fel.</i> <i>Folia recentia.</i>	<i>Oleum à pedibus bovi- nis.</i>
Colewort, Cole, or Keele Red Cabbage. Bziony.	<i>Folia.</i> <i>Radix.</i>	<i>Aqua Composita, seu Hysterica.</i>
The Toad.	<i>Animal integrum.</i>	<i>Combustum, unde Pul- vis Æthiopicus.</i>
Buglosse.	<i>Flores.</i>	
Shepherd's Purse.	<i>Herba, cum Semi- nibus.</i>	

C.

CACĀO, Vid. <i>Arbor Cacavifera</i> .	
CAFFE, Vid. <i>Arbor Arabica</i> , &c.	
CALAMINĀRIS, Vid. <i>Lapis Calamināris</i> .	
CALAMINTHA, <i>mintba</i> , montāna, seu Vulgāris flore magno.	Καλαμίνθη.
CALĀMUS, <i>lāmi</i> , aromaticus offic. foliis Iridis, seu Xyphii.	Κάλαμος ἀρωματικός.
CALENDŪLA, <i>dūla</i> , vulgaris, flore simplici & duplici.	Χρυσάνθεμον.
CAMPHORA, Vid. <i>Arbor Camphorifera</i> .	
CANCER, <i>Cancri</i> , Marīnus.	Καρκίνος.
CANELLA alba. Vid. <i>Arbor baccifera laurifolia</i> .	
CANIS, <i>Canis</i> .	Κύνων.
CANNĀBIS, <i>nābis</i> , Satīva, seu Mas & Fœmina.	Κάνναβις.
CANTHĀRIS, <i>rīdis</i> .	Κάνθαρις.
CAPPĀRIS, <i>pāris</i> , & <i>parēos</i> , Spinōsa, fructu minore, folio rotundo.	Κάππαρις.
CAPER Mas, Capra Fœmina.	
CAPILLUS Venēris verus.	Τρίγωνος Ἄϊξ.
CAPRIFOLIUM, <i>līi</i> , non perfoliatum Germanicum, seu vulgare.	
CAPSICUM, Vid. <i>Piper Indicum</i> .	Κάψικον.
CARANNA, vel Caragna.	
CARDAMŌMUM, <i>mōmi</i> , majus Vulga- re.	Κάρδαμον.

C.

Common, or Mountain Calamint.	<i>Herba.</i>	
Aromatick Reed, or sweet smelling Flag.	<i>Radix.</i>	Radices Condite.
Common Mary-Gold.	<i>Flores.</i>	Aqua, Conserva.
The Crab.	<i>Ungula, seu Chela, apices chelarum nigra.</i>	Pulv. & Chel. Cancr. comp.
A Dog.	<i>Stercus, Album Græcum, dictum.</i>	
Manured Hemp.	<i>Semen, Caulium filamenta post Macerationem detracta unde.</i>	Linum, flax. Linteum attritum.
The Spanish Fly.	<i>Insectum.</i>	Empl. & pasta Epispast.
The Caper-Tree, or Bush.	<i>Cortex Radicis, Fructus seu.</i>	Tinctura.
The Goat.	<i>Lac, serum.</i>	Gemmæ florum muriâ conditæ.
True Maiden-hair.	<i>Herba integra.</i>	Syr, Capillorum Veneris.
Hony-Suckle, or Woodbind.	<i>Folia.</i>	
The Caranna Tree.	<i>Resina.</i>	
The greater Cardamoms.	<i>Semina, in siliquis seu thecis triangularibus inclusa.</i>	

CARDAMOMUM maximum officinarum.

Vid. *Grana Paradisi*.

Minus, simpliciter in officinis dictum.

CARDUS, *dii*, benedictus, foliis & capite Spinulis munito.

Stellatus, folio papaveris erratici, capite longis aculeis, stellatim nascentibus, armato.

CAREUM, *rei*, Officin. seu Vulgare.

Κάρε.

Κάρεον.

Κνίν.

CARTHAMUS, *thami*, Sativus flore croceo.

CARYOPHYLLATA, *lata*, flore parvo luteo, seu vulgaris.

Λαγοφθάλμ.

CARYOPHILLUS, *philli*, aromaticus, Americānus, lauri acuminatis foliis, fructu orbiculari. Aromaticus Indiae orientalis fructu oblongo, seu Clavato, monopyrēno.

Hortensis, ruber, flore pleno majore.

Καρυόφυλλον.

Indiae occidentalis, foliis & fructu rotundis.

CASSIA, *sia*, & Casia fistula Alexandrina,

Κασία &

Κασσία.

Vid. *Arbor Cassiam Fistulam ferens*.

Lignea, Vid. *Arbor Canellifera Malabarica*, &c.

Sylvestris, Brasiliāna, seu Americāna purgatrix.

Chatalhuic.

Nom. Mex.

CASSUMUNIA R, & Casmunar, Zedoaria Species habetur.

CASTOR, *toris*.

Καστωρ.

Small Cardamoms, simply so called in the Shops.	<i>Semina.</i>	
Holy Thistle.	<i>Folia cum Capitibus, Semina.</i>	Aqua, Sal fixum.
Star Thistle.	<i>Flos, Semen.</i>	Aq. Florum calcitrapæ.
Caraways, or Car- raways.	<i>Semina.</i>	Spiritus. Ol. Chym.
Bastard Saffron, or Safflower.	<i>Semina.</i>	
Albus, or Herb Bennet.	<i>Radix.</i>	
Jamaica Pepper, or All-spice Tree.	<i>Fructus, seu bacca Piper Jamaicense, vulgò.</i>	
The Clove-Tree.	<i>Rudimentum fruc- tus, seu fructus im- maturus, Cloves, dict.</i>	Oleum Stillatitium.
Clove Tulipflower.	<i>Flores.</i>	Syrupus.
The Cloveberry Tree.	<i>Cortex, Caryophilla- tus, dictus.</i>	
West India Cal- fia.	<i>Fructus seu siliqua.</i>	Medulla, seu pulpa.
Cassumunar.	<i>Radix.</i>	
The Beaver.	<i>Glandula odorifera in inguinibus innata, in membrana conclu- sa, & liquore oleoso repleta, Castoreum, dict. adeps.</i>	Spiritus, Tinctura, Oleum.

CENTAURĒUM, <i>rēi</i> , & Centaurium, <i>rīi</i> , minus vulgāre, seu parvum flore purpureo & albo.	Κενταύρειον.
CEPA, <i>pæ</i> , Ascalonica fissilis & sterilis. Hispanica, oblongâ radice, dulci. Vulgāris, Capitata, alba & rubra, radice rotundâ, vel longâ, purpurascen- te flore.	Κεράμμιον.
CERĀSUS, <i>răsi</i> , Sylvestris major, fructu nigro subdulci. Rubra, seu fructu rotundo, ru- bro, Sativa.	Κέρασος. Κεράσια.
CERVUS, <i>Cervi</i> .	* Ελαφς.
CETUS, Vid. <i>Orca</i> .	
CHAMÆDRYS, <i>dryos</i> , Vulgāris, seu minor repens.	Χαμαίδρυς.
CHAMÆMĒLUM, <i>mēli</i> , nobīle, flore magno, seu Romānum & odoratius, flore Multiplici. Vulgāre, flore simplici & minore.	Χαμαίμηλον.
CHAMÆPĪTIS, <i>tyos</i> , lutēa, vulgāris, seu folio trifido.	Χαμαπίτυς.
CHELIDONĪA, <i>nīæ</i> , seu Chelidonēum majus vulgāre. Minor.	Χελιδόνιον.
CHELÆ, <i>lārum</i> , vid. <i>Cancer</i> .	
CHERMES, vid. <i>Ilex aculeata cocciglan- difera</i> , &c.	
CHINA Occidentalis, vid. <i>Smilax aspera Pe- ruviana</i> . Orientalis, vid. <i>Smilax aspera Chinen- sis</i> , &c.	
CICER, <i>cēris</i> , Sativum, Rubrum.	* Ερέσινθος.
CICHORĒUM, <i>rēi</i> , Sativum, Semine rubro, vel nigro.	Κιχώρειον.

Centoꝝp.	<i>Summitates florida.</i>	
Elehallottes.	<i>Radix.</i>	
Spanish Onions.	<i>Radix.</i>	
Red and White Onions.	<i>Radix.</i>	
The Black Cherry Tree.	<i>Fructus, Nuclei.</i>	Aqua, & Spiritus, & Nucleis.
The Red Cherry Tree.	<i>Fructus, Gummi, Nuclei.</i>	
The Hart.	<i>Cornua, Sevum.</i>	Spirit. Ol. Sal. Vol. C. C. C.
Germander, or English Triacle.	<i>Herba integra.</i>	
Chamomile.	<i>Flores, Herba florescens.</i>	Aq. Cham. comp. Ol. Chym. & per Infus.
Single Chamomile.	<i>Flores, Herba viridis.</i>	
Ground Pine.	<i>Herba.</i>	
Great Celandine.	<i>Folia.</i>	Aqua simplex.
Small Celandine, or Pilewort.	<i>Radices.</i>	
West-India, or Jamaica China-root.		
East-India China root.		
Chiches Pease, or Chick.	<i>Semina, seu Fructus.</i>	
Garden Succoꝝp.	<i>Herba.</i>	Syr. Cichor. cum Rhaz.

CICHORĚUM Silvestre, vel Agreste.

CICŪTA, *cūtæ*, & *Cicutaria* major, vulgaris.

CIMOLĬA, *līæ*, alba.

Purpurascens.

CINNAMŌMUM, *mōmī*, Vid. *Arbor Canellifera* Zeylon: &c.

CINNABĀRIS, *bāris*, vel *barēos*, nativa, seu Metallica & fossilis.

CISTUS & *Cisthos*, *Ladanifera*, *Cypria*, seu *Cistus* *Ledon*, *Cretense*, verum, *latifolium*.

CITRĚA, vid. *Malus*.

CLEMĀTIS, *tītis*, & *Clematītis*, *tīdis*, passionālis, *Peruviāna*, folio bifido vel tricuspīdi, flore Roseo clavato.

Indica, foliis *Persicæ*, fructu *periclymēni*.

COCHLĚA, *lēæ*, terrestris, testacēa, seu edūlis.

COCHINELLA & *Coccinella*, vid. *Ficus Indica*.

COCHLEARĬA, *rīæ*, *Britannica*, seu *maritima*, folio *Sinuato*.

Hortensis major, seu *Batāva*, *Rotundifolia*.

COLOCYNTHIS, *īdis*, & *īdos*, fructu rotūdo, minor, pulpā fungosā levi & amarissimā.

COLUBRĬNUM Lignum, vid. *Clemātis Indica*.

COLUMBA, *lumbæ*.

CONCHA *Margaritifera*.

CONYZA, *nyzæ*, major vulgaris.

Κώνειον.

Κιμῶλια γῆ.

Κιννάβαρι.

Κίσθος, Κίς.

Κληματίτις.

Κόκλ, & Κοχλίας.

Κολοκυνθίς.

Περίστρα.

Κόνυζα.

Wild Succory.	<i>Radix.</i>	
Great Hemlocke.	<i>Herba, seu folia.</i>	Empl. è cicutâ cum Am- moniac.
Fullers Earth.	<i>Terra quadam.</i>	
Tobacco-pipe-clay.	<i>Terra quadam.</i>	
Cinnabar.		Argentum vivum ex eâ excoquitur.
The Labdanum Shrub.	<i>Liquor è foliis ex- sudans, Labdanum, dictus.</i>	
Counter-popson.	<i>Radix Contray- erva, dicta.</i>	Pulvis Contrayerv. com- pos.
Snake-wood.	<i>Lignum Colubrinum, in Offic. dictum.</i>	
The Snail.	<i>Animal integrum, cum, vel sine Testâ.</i>	Aq. Limacum Magistra- lis.
Cochinel.		
Sea Scurvy Grass.	<i>Herba florida.</i>	
Garden Scurvy Grass.	<i>Herba florescens.</i>	Spt. Simplex & purgans, Conserva.
Coloquintida, or the bitter Apple.	<i>Fructus, seu Po- mum, pulpa levis, seu Caro. Semina.</i>	Trochisci Alhand.
The Dove.	<i>Fimus, seu Stercus, Avis viva per medi- am dissecta.</i>	
Mother of Pearl.	<i>Concha, seu Testa, Margaritæ.</i>	
Plowmans Spick- nard.	<i>Folia.</i>	

CONTRAYERVA, Vid. <i>Clemātis passi-</i> <i>nālis Peruviāna</i> , &c.	
CORRALINA, <i>linæ</i> , officinarum alba, seu fruticosa.	Κοραλλίνη.
CORALLIUM, <i>lii</i> , & Corallum, <i>ralli</i> , rubrum.	Κοραλλιον πυρρὸν.
CORIANDRUM, <i>andri</i> , Sativum, seu majus, Vulgare.	Κέρελον.
CORINTHIACÆ <i>uvæ</i> , vid. <i>Vitis</i> . <i>Palsulæ</i> , Vid. <i>Vitis Corinthiaca</i> .	
CORNUS, <i>corni</i> , Hortensis Mas, seu Sati- va.	
CORTEX Canella, seu <i>Cinnamomum</i> dic- tus, vid. <i>Arbor Canellifera</i> <i>Zeylonica</i> .	
Caryophyllatus, vid. <i>Caryophil-</i> <i>lus Aromaticus</i> , <i>foliis</i> & <i>fruc-</i> <i>tu rotundis</i> .	
Cassia lignea dictus, vid. <i>Arbor</i> <i>Canellifera Malabarica</i> .	
Elaterii, vid. <i>Eleuthera cor-</i> <i>tex</i> .	
Peruviānus, vid. <i>Arbor Febri-</i> <i>fuga</i> .	
Winterānus, vid. <i>Arbor Lauri-</i> <i>folia Magellanica</i> .	
COSTUS, <i>ti</i> , Hortensis, seu Hortorum Mas.	Κοστός.
CRETA, <i>ta</i> , Alba, seu candida.	Κιμῶλια γῆ.
CRANIUM Hominis demortui, Vid. <i>homo</i> .	
CROCUS, <i>ci</i> , sativus Autumnālis, foliis angustis, gramineis, floribus cæruleis, radice bulbosâ.	Κρόκος.

Cozaline.	<i>Integra Planta.</i>	
Red Cozal.	<i>Integra Planta.</i>	Elect. Diacorallion.
Coziander.	<i>Semen.</i>	
The Cornelian and Cherry Dog-tree.	<i>Fructus, seu Co- ma.</i>	Syrupus, seu Rob.
Cost Marp.	<i>Folia.</i>	
Chalk.	<i>Terra species.</i>	Calx lota, viva & ex- tincta.
The true Safron.	<i>Pistilla florum ter- na quaternavè, co- lore flammeo subru- bentia, Crocus vul- gò dicta.</i>	Tinctur. Syrup. extr. Empl. Oxicroc.

CUBĕBÆ, <i>bārum</i> , Vulgāres, vid. <i>Arbor bacifera Brasiliensis</i> .	
CUCŭMER, <i>mēris</i> , & <i>cucūmis</i> , <i>cūmis</i> , <i>agrestis</i> , <i>Afininus</i> , & <i>Sylvestris</i> .	Σίκυς ἄγριος.
CUMĭNUM, <i>mini</i> , <i>Semine longiōre</i> , seu <i>Sativum Dioscoridis</i> .	Κύμινον.
CUPRESSUS, <i>pressus</i> , & <i>pressi</i> , vulgāris, <i>fativa</i> & <i>sylvestris</i> .	Κυπάρις.
CUPRUM.	Καλκός.
CURCŭMA, <i>cūma</i> , <i>officinārum</i> , <i>radice crocēā</i> , <i>longā</i> , & <i>rotundā</i> .	
CYāNUS, <i>āni</i> , <i>Segētum</i> , seu <i>minor</i> , <i>flore cæruleo</i> .	Κύανος.
CYDONĕA, vid. <i>Malus</i> .	
CYNOGLOSSA, <i>glossa</i> , & <i>Cynoglossum</i> , <i>glossi</i> , <i>majus vulgare</i> .	Κυνόγλωσσον.
CYNOSBĀTOS, <i>bāti</i> , vel <i>rubus caninus</i> , vid. <i>Rosa canina</i> .	Κυνόσβατον.
CYPĕRUS, <i>pēri</i> , <i>longus</i> , <i>odorātus</i> , seu <i>radice longā officinarum</i> . <i>Rotundus Orientalis major</i> , seu <i>Syriacus</i> .	Κύπερος, Κύπρις.
CYTĭSUS, <i>tīsi</i> , <i>Canariensis</i> , <i>incāna</i> , <i>filiquis falcātis</i> .	Κύτις.

Wild Cucumer.	<i>Fructus.</i>	
Cumin.	<i>Semen.</i>	
The Cypress Tree.	<i>Coni, seu Nuces.</i>	
Copper.	<i>Æs, Bras, Æs viride, seu Ærugo, Verdigrise Pomphol</i>	<i>Ungt. Diapompholigos.</i>
Turmericke.	<i>Radix.</i>	
Blue Bottle.	<i>Herba cum floribus.</i>	
Hounds Tongue.	<i>Radix.</i>	<i>Pill. & Cynoglossa.</i>
Long Cypperus, or English Galangal.	<i>Radix.</i>	
Round-rooted Cypperus.	<i>Radix.</i>	
Rhodium, or Rose-wood.	<i>Lignum, Rhodium, dictum.</i>	<i>Ol. Chymicum.</i>

D.

DACTYLUS, <i>tīli</i> , vid. <i>Palma</i> <i>cujus est Fructus</i> .	
DAUCUS, <i>ci</i> , <i>Nostras</i> , <i>vulgāris</i> & <i>Officinārum</i> .	Δαύκω,
DENS, <i>dentis</i> , <i>Leonis</i> , <i>latiōri folio</i> , seu <i>vulgāris</i> .	Ταράξον.
DICTAMNUS, <i>tamni</i> , <i>Creticus</i> , seu <i>Cretensis verus</i> . Albus, seu <i>vulgāris</i> . Falsus, <i>odōrus</i> , <i>Creticus</i> , <i>Verticillātus</i> .	Δίκταμνω.
DIGITALIS, <i>tālis</i> , <i>Purpurēa</i> , seu <i>vulgāris folio aspero</i> .	Δακτύλις.
DRACO <i>Arbor</i> , vid. <i>Arbor Draco</i> .	
DRACONTIUM, <i>tīi</i> , <i>Majus</i> , seu <i>Dracontium vulgāre</i> , <i>caule maculato</i> .	Δρακόντιον.
DRACUNCULUS, <i>cūli</i> , seu <i>Draco Herba</i> .	

D.

Wild Carrot, or
Bird's Nest.

Common Dandelion.

Dittany of Crete.

White Dittany, or
Fraxinella.

Wastard Dittany.
Fox-Glove.

Dragons.

Carragon.

Semen.

Folia, Radices.

Folia cum floribus.

Radices.

Folia cum floribus.

Flores.

Folia, Flores, & Stipites.

Folia.

Aqua, Unguentum.

F

E.

E.

EBŭLUS, <i>bŭli</i> .	Χαμγιάκη.
ELATĪNE, <i>tīnes</i> , Folio acumināto, vel vulgaris, folio pilōso, subrotundo.	Ἐλατίνη.
ELĕMI & Flemni, vid. <i>Arbor G. Elemi fun-</i> <i>dens</i> .	
ELĕPHAS, <i>phantis</i> .	Ἐλέφας.
ELEUTHĒRÆ Cortex.	
ELLEBÖRUS, & Ellebörum, <i>böri</i> , al- bus, vulgāris, flore subviridi. Niger, seu verus, flore rosĕo.	Ἐλέβορος λευκός. Ἐλέβορος μέλας.
ENDIVĪA, <i>vīa</i> , Vulgāris, latifolia, seu fa- tīva.	Σέλις.
EPITHYMU M, <i>imi</i> , Græcōrum & A- rābum.	Ἐπίθυμον.
EQUISĒTUM, <i>sĕti</i> , Palustre, majus, lon- gioribus fetis.	Ἴππευξις.
EQUUS, <i>Equi</i> .	Ἴππος.
ERŭCA, <i>Erūcæ</i> , latifolia, alba Dioscorid. seu major, flore albo.	Ἐρῳάκον.
ERYNGĪUM, <i>gii</i> , Maritimum, folio du- ro, in lacinias diviso, & spi- nulis albis armato.	Ἐρύγγιον.
ERYSĪMUM, <i>sĭmi</i> , Vulgāre, flosculis lu- teis.	Ἐρυσίμον.
ESŭLÆ Indicæ, <i>Bontii</i> , Arbor similis.	Ἐσέλας.
EUPHORBĪUM, <i>bīi</i> , vid. <i>Tithymālus</i> <i>Mauritanicus</i> , &c.	Ἐυφόρβιον.
EUPHRAGĪA, <i>gia</i> , Alba Officinarum.	Ἐυφροσίνη.
EXUVĪÆ, <i>arum</i> , Serpentis & Vipĕræ, vid. <i>Vipĕra</i> , &c.	

E.

Danewort, or Dwarfe Elder.	<i>Folia, Cortex interior.</i>	
Fluellin, or Female Speedwell.	<i>Folia.</i>	Mel Elatines.
		Empl. & Gum. Elemi.
The Elephant.	<i>Dentes bini, Ivory, dicti, & Ebur.</i>	
The Indian Bark	<i>Cortex arboris cu- jusdam non descriptæ.</i>	Ex Insulâ Eleutherâ dicta, Bahamensium unâ.
White Elleboze.	<i>Radix.</i>	
Black Elleboze.	<i>Radix.</i>	Tinct. Hellebori Emme- nagog & Tinct. melanpo- diis.
Garden Endive.	<i>Folia.</i>	
Dodder of Thyme.	<i>Tota Herba.</i>	
Horse-tail:	<i>Caules, cum foliis setaceis.</i>	
The Horse.	<i>Lichēnes, Stercus, seu finus Equinus.</i>	
Rocket.	<i>Herba, Semen.</i>	
Sea-Holly, or E- ringo.	<i>Radix.</i>	Radices conditæ.
Hedge Mustard.	<i>Herba, Semen.</i>	
Indian Spurge.	<i>Succus concretus, Cambogium dictus.</i>	Pil. de Guttâ Gaman- drâ.
Epebright.	<i>Herba florescens.</i>	Aqua simplex.

F.

FABA, <i>bæ</i> , Hortensis, major, flore candido, & litūris nigris conspicua.	Κύαμ.Θ.
FEL Bovinum, vid. Bos.	
FERRUM nativum, seu Minera Ferri.	Σιδήρ.Θ.
FERŭLA, <i>rŭlæ</i> , Ammonicifera.	Ἀμμωνίακον.
Femina Galbanifera, fruticosa, semper-virens, foliis Anisi.	Νάρθηξ γαλ- βανη.
Major, folio feniculi, Semine la- tiore.	Σαγαπίνον.
FICŭS, <i>Ficūs</i> , Hispanica, seu communis, major, sativa, fructu albo.	Συκή, σύκων.
Indica major, levis, folio rotundiore, Spinulis obtusis, fructu rubro, Spi- noso, Vermiculos, quos <i>Cocchinei</i> vocant, profrens.	
FILIPENDŭLA, <i>dŭlæ</i> , Vulgaris.	Ῥοινάνθη.
FILIX, <i>licis</i> , Florida, seu Ramosa, non den- tata, floribus insignis.	Πτέρεις, Θ.
Peregrina, seu exotica.	πτέρον.
FLOS, Solis major, seu Chrysanthemum In- dicum, flore omnium maximo.	
FOENICŭLUM, <i>cŭli</i> , Dulce, majore & albo Semine.	
Vulgare, Germanicum, & Anglicum, Semine nigro.	Μάραθρον.

F.

The Great Garden Bean.	<i>Fructus, Flores, Siliqua.</i>	Farina, Aq. florum.
Iron.		Tinctur. Sal. Croc. Martis Aperit. & astring. chalybs cum \varnothing , & Tar. Syrup. chalyb.
The Gum Ammoniack Tree.	<i>Gummi resina, Ammoniacum, dict.</i>	Empl. Pill. lac.
The Galbanum Tree.	<i>Gum. resina, Galbanum, dict.</i>	Tinctur. Lac. Empl. Galbanetum.
The Sagapen Tree.	<i>Gum. resina, Sagapenum, dict.</i>	
The Fig Tree.	<i>Fructus.</i>	Ficus aridi.
The Cochineal Tree.	<i>Insectum quoddam in Surculis hujus Arboris, Nopal Nochetzli, ab Indicis appellatum.</i>	
Dropwort.	<i>Radix.</i>	
Osmond Nopal, or Flowering fern.		
The fern that bears the Golden, or Indian Wols.	<i>Muscus aureus, Pocosempie, dictus Radici adnascens.</i>	
Sun-flower.	<i>Semen.</i>	Ol. è Seminibus express.
Sweet fennel.	<i>Semen, Herba.</i>	Aq. Oleum è Seminibus.
Common fennel.	<i>Radix, Herba, Semen.</i>	Aq. Oleum è Seminibus.

FOENUMGRÆCUM, <i>Fænigræci</i> , Herbariōrum & fativum, flore albo.	Τήλεις, βέκερας, & κεραίης.
FOLLICŪLI, <i>lōrum</i> , Bombycum, vid. <i>Bombyx</i> .	
FORMICA, <i>mīcæ</i> .	Μόρμηξ.
FRAGARIA, <i>riæ</i> , Vulgāris, fructu rubro & albo.	Κόμμεον.
FRAXINUS, <i>ini</i> , Excelsior, seu Vulgatiōr. Humiliōr, rotundiore, & tenuiōre folio.	Μελία.
FRUMENTUM <i>Amylēum</i> .	Ἀμυλον.
FRUTEX convolvulacæus Javanensis, vid. <i>Arbor baccifera Brasil.</i> &c. Sarmentōsus piperifērus, vid. <i>Arbor Piperifera</i> .	
FUNGUS Rotundus, orbiculāris, seu pulverulentus.	

Fenugreek.	Semen.	
The Ant.	<i>Insectum integrum,</i> <i>Ova.</i>	
The Strawberry.	<i>Radix, Folia, Fructus,</i> <i>Fragum dictus.</i>	
The Ash Tree.	<i>Semen, Lignum.</i>	Sal fixum.
The Dwarf Ash, or Callabrian Manna Tree.	<i>Succus, Sole condensatus,</i> <i>Manna dictus.</i>	Elect. Diacassia cum Manna.
Starch Corn.	<i>Fructus, seu Grana.</i>	Fæculæ, unde paratur Amylum, White Starch.
Cubebs.		
Puff Balls, or dusty Mushroom.	<i>Planta integra.</i>	

G.

GALANGA, *langæ*, major.

Minor

GALBĀNUM, *băni*, vid. *Ferula Galbanifera*.

Χαλβάνη.

GALĒGA, *lēgæ*, Vulgāris, flore albo & cæruleo.

GALLA, *Gallæ*, vid. *Quercus Gallifera*.

GALLĪNA, *linæ*.

GALLUS, *Gallinacæus*.

GAMBOGĪUM, *gīi*, vid. *Esula Indica*.

GENISTA, *nistæ*, vulgāris, fruticōsa, non spinosa, scoparia.

Σπάρπιον.

GENTIĀNA, *ānæ*, Major, lutēa, seu vulgāris, Ellebōri albi folio.

Γενκανή.

GENTIANELLA, *nellæ*, Autumnālis, foliis Centaurii minōris, flore dilutē purpurascēte & cæruleo.

GERANIUM, *nīi*, Robertiānum, murāle, flore dilutē rubello.

Γεράνιον.

GLANS, *Glandis*, Quercina, vid. *Quercus*.

GLYCYRRHĪZA, *rhizæ*, Siliquōsa, seu vulgāris Anglica, radice longā repentē.

Γλυκύρριζα.

GNAPHALĪUM, *līi*, Vulgāre majus.

Γναφάλιον.

GOSSIPĪUM, *pīi*, Frutescens, seu herbacæum, Semine nigro.

Γοσίπιον.

G.

Great Galangal.	<i>Radix.</i>	
Small Galangal.	<i>Radix.</i>	
Goats Rue.	<i>Herba florida.</i>	
The Hen.	<i>Pinguedo, intestin. ovi album, vitel. tes- ta, ovum integrum, ventriculi membrana interior.</i>	<i>Testæ Calcin. Ol. Vi- tell. ovor.</i>
The Cock.		
Common Broom.	<i>Gemmæ flor. Ra- musculi.</i>	<i>Flores conditi. Sal. fix- um.</i>
Gentian.	<i>Radix.</i>	<i>Aq. Gentian. Comp. extractum.</i>
Small Bastard Gentian.	<i>Herba florida.</i>	
Herb Robert.	<i>Herba.</i>	
Common Tiquozice.	<i>Radix.</i>	<i>Succus expressus, Angli- cus & Hispan. Syrupus.</i>
The Common great Cudweed.	<i>Folia.</i>	
The Cotton Tree.	<i>Lanugo in fila duc- tilis, Gossipium, dic- ta, Semina.</i>	

GRAMEN, *mīnis*, Caninum, arvense, repens, seu Gramen Dioscoridis.

GRANA, *norum*, Paradisi Officinar.

Κυνόγρῳξις.

GRANATA, vid. *Malus Granata*.

GROSSULARIA, *ria*, Vulgaris, spinosa, seu fativa, fructu rubro & albo.

GUAJACUM, vid. *Lignum*.

GUMMI Ammoniacum, vid. *Ferula Ammonicifera*.

Arabicum, vid. *Spina Aegyptiaca*.
Senega, vel Senica, Guineensis,
Gummi Arabico non diffimile.

H.

HÆMATITES, *tita*, *tītis*; vel Hæmatitis, *idis*.

Ἀιματίτης.

HALEC, *ecis*, & Halex, *ecis*.

HEDERA, *dëra*, Arborëa, seu Corymbifera, scandens.

Κίσπος.

Terrestris vulgaris & humilis.

Χαμαίπιος.

HELENIUM, *nii*, Vulgare, flore luteo, radiato.

Ἑλένιον.

HERNIARIA, *ria*, vulgaris, Glabra.

HIBERNICUS, *nici*, vid. *Lapis Hibernicus*.

Dog-Grass.	Radix.
Grains of Paradise, Guinea Grains, and Grains.	Semina, seu Grana angulosa.
The Gooseberry-Bush.	Folia.
Gum Seneca.	Succus, seu lachryma condensata.

H.

Blood-stone.		
The Herring.	Animal integram	Muriâ infectum.
The Ivy Tree.	Semina, seu Baccæ.	Syrupus. Cerevisia, Gilli: Ale, dicta.
Ground Ivy.	Herba florida.	Radices conditæ, Ungt. Emulatum, cum, vel sine Q. io.
Elecampane.	Radix.	
Rupturewort.	Folia, seu Herba integra.	

HIRCUS, *ci*, & Caper, *pri*, Bezoarticus.

HOMO, *minis*.

Ἄνθρωπος.

HORDĒUM, *dēi*, Diffichon.

Κερά.

Polystichon, hibernum.

HORMĪNUM, *mīni*, fativum, seu vulgare, floribus cæruleis.

Ὁρμινον.

HUSO, *sōnis*, Piscis, *Ichthyocolla*, dictus.

Ἰχθυόκολλα.

HYOSCYĀMUS, *āmi*, major, seu albus.

Ῥοσκύαμος.

Vulgāris, seu niger.

HYPERĪCUM, *rīci*, Vulgare, foliis, glabris & quasi perforatis.

Ῥπερικόν.

HYSSŌPUS, *sōpi*, Angustifolius, spicatus, flore cæruleo.

Ῥωσπος.

The Bezoar Goat.	<i>Lapis in Ventriculo repertus, Bezoar, dictus.</i>	
A Man or Woman.	<i>Sanguis, Pinguedo, urina, ossa, saliva, lac.</i>	Sal. Vol. Sanguinis, Os: Cranii calcinat.
Common Barley.	<i>Semina, seu Grana.</i>	Farina, Cerevisia, Flos ejusd. acetum, Spiritus ardens, Semen Cortice nudatum, unde hordeum Gallicum & perlatum Maltum, Aqua hordei, Sacchar. hordeatum.
Common Winter Barley, or bear Barley.	<i>Semina.</i>	
Garden Clary.	<i>Herba florida.</i>	Spiritus.
The Iking-glass Fish.	<i>Corium, intestina, ventriculus pinnae, &c.</i>	Gluten ex visceribus paratum, Ichthyocolla, dict.
The greater White Henbane.	<i>Semen.</i>	
Black Henbane.	<i>Folia, Radix.</i>	
St. John's Wort.	<i>Flores.</i>	Balsamum, Oleum.
Hyssop.	<i>Herba florida, vel folia cum spicis.</i>	Aq. simplex, Ol. Chymic.

I.

JALAPPA & Jalapium, Officin. fructu rugoso, vid. *Mirabilis Peruviana, flore vario.*

JAPONICA terra, vid. *Palma Arecifera.*

JASMINUM, *mini*, Arabicum, Castanæ folio, flore albo, odoratissimo, cujus fructus, seu baccæ, *Coffee*, in Officinis, dicuntur.

ICTHYOCOLLA, vid. *Huso.*

ILEX, *licis*, Aculeata, Cocci-Glandifera, seu Coccygæra, folio Querno minore.

IMPERATORIA, *riæ*, Major vulgâris.

IPECACUANHA, *anhæ.*

Ὀρειτον.

IRIS, *ræos, idis, & idos*, Alba, florentina, seu Illyrica, flore albo.

Ἰεῖς.

Nostras, seu purpuræa, vulgâris, & domestica.

JUGLANS, *glandis.*

Καρύα βασιλικά.

JUJUBA, *jūbæ*, Indica, rotundifolia; seu spinosa, foliis majoribus subtus incanis.

JUNIPERUS, *përi*, Vulgâris, fruticosa, & Arborescens, Baccis parvis, purpuræis.

Ἀρκευθῶ.

I.

The Coffee Tree.		
Scarlet Oak.	<i>Grana excrementitia</i> (seu potius <i>nidi insectorum</i>) Chermes, dicta.	Confectio Alkermes, Succus, vel Syrupus.
Master-wort.	<i>Radix.</i>	
The Vomiting-root from Brazil.	<i>Radix alba & fusca, nigra, vulgò.</i>	
Florentine Oryis.	<i>Radix.</i>	
Common purple flower De-luce.	<i>Radix.</i>	Succus è radice expressus.
The Walnut-tree.	<i>Putamina viridum nucum externa, nux, seu fructus, Κάπουρ, dicta.</i>	
The Gum Lacca Tree.	<i>Gummi, Lacca, dicta.</i>	Lacca in Glebis est quoddam Compositum.
The Juniper Tree	<i>Grana, seu Bacca.</i>	Ol. Spiritus & Aqua.

K.

K A L I majus cochleāto Semine, folio sedi
medii.

Kali, Nom. Ar.

K E R M E S, vid. *Ilex coccigera*.

K ĩ N A, *Kina*, vid. *Cortex Peruvianus*.

L.

L A B D Ą N U M, *dāni*, & *Ladānum*, vid.
Cistus Ladaniſera.

L A C C A, *laccā*, *Arābum*, vid. *Jujūba In-*
dica.

L A C T ũ C A, *tūcā*, *Sylvestris*, major, odō-
re opii, & succo virōſo.

Θειδαξ

ἀγρία.

L A M ĩ U M, *mii*, *Album*, vulgare, ſeu can-
didum, non ſœtens, folio oblon-
go, flore purpureſcente, vel albo.

Γαλίονις.

L A P Ą T H U M, *pāthi*, *Aquaticum*, maxī-
mum, folio *Cubitāli*, ſeu
Longifolium, paluſtre, ni-
grum.

Λάπαθον.

Hortenſe, *latifolium*, am-
pliſſimum, *pedicūlo* craſſo,
rūbente, ſtriato, *floſculis*
albis, *Saporis* ſubacidi, ſeu
Rhaphonticum Alpini, ve-
rum.

Longifolium, *criſpātum*, *caule*
præalto ac *rubefcente*.

K.

Glass-wort, or
Salt-wort.

Herba.

Cineres ex quibus Sal
fixum, Soda, seu Cineres
Clavellati: *S. p. h. e.* lixi-
vium, Sapo niger, com-
munis, Venetus, Castilien-
sis, lapis infernalis.

L.

Wild Lettuce.

Folia.

Dead Nettle, or
White Arch-angel.

Herba florida,
Flores.

Great Water Dock.

Radix.

True Raphontick,
or English Rhubarb.

Radix.

Garden Patience,
or True Monks
Rhubarb.

Radix.

LAPĀTHUM, *pāthi*, Rotundifolium, magnum, vulgare, fimbriatum.

Sativum, sanguineum, seu folio acuto rubente.

Sylvestre, folio acuto plano, seu lapāthum acutum majus.

Folio obtuso, seu vulgare folio subrotundo.

LAPIS, *pīdis*, Aluminosus, prædurus, & subruber, ex quo extrahitur Alumen Rochæ, seu Romanum.

Οξύλαπιδον.

Στυπτερία.

Bezōar, vid. *Animal Bezoart.* & *Hircus Bezoart.*

Calamināris.

Calcarius.

Hybernicus.

Sulphureus, ex quo Sulphur excoquitur.

Vitriolicus, ex quo, &c.

LARDUM, vid. *Porcus.*

LARIX, *ricis*, Folio deciduo, conifera.

Λάριξ.

LAVENDŪLA, *dūla*, Angustifolia minor.

Latifolia, seu vulgaris, flore cæruleo & albo.

LAURUS, *Laurus*, & *Lauri*, Vulgaris major, latiori folio.

Δάφνη.

Zeylanicus, Baccis aculeatis, nucleō Quercino, cujus cortex *Cinnamomum*, Offic. dicitur, vid. *Arbor*, &c.

Bastard Rhubarb.	<i>Radix.</i>	
Red Dock, or Blood-wort.	<i>Radix & Folia.</i>	
Wild sharp-pointed Dock.	<i>Radix.</i>	Ungt. ex Oxylapatho.
The most broad-leav'd common wild Dock.		
Allom Stone.	<i>Ex Lapidibus ustis, additâ urinâ & Ka- li, extrahitur Alu- men Anglicum seu commune.</i>	Aqua Aluminosa. Alumen ustum.
Calaminar Stone.		Emplast. è Lapide Cala- minari.
Lime Stone.		Calx viva, & extincta, lo- ta, Aqua, Lixivium, Ungt.
Irish Slate.		
The Larch Tree.	<i>Resina liquida, Terebinth. Veneta, vulgò.</i>	
Lavender Spike, or narrow Leav'd Lavender.	<i>Folia.</i>	Oleum Spicæ, in Italia & Gallia destillatum.
Broad-leaved La- vender.	<i>Folia, Flores.</i>	Spr. Lavend. Comp. Ol. Chym.
The Laurel, or Bay Tree.	<i>Folia, Bacca, seu Nuclei.</i>	Empl. Electuar. Ol. Laurin.

LEMNIA, Terra.

LENTISCUS, *tisci*, Vulgāris, seu vera
ex Insula Chio.

LEPIDIUM, *dii*, Latifolium, vulgare.

LEPUS, *Leporis*.

LEUCOIUM, *ii*, Luteum, seu vulgare,
Flore simplici lutæo.

LEVISTICUM, *tici*, Vulgare apii fo-
liis.

LICHEN, *chēnis*, Terrestris, cinereus

LIGNUM Colubrīnum, vid. *Clemātis In-
dica*.

Guajacum, magna matrīce, & sine
matrīce.

Rhodium, vid. *Cytisus Canari-
ensis*.

Sanctum Guajāco est albidius, à
quo Specie differt, non genere.

LILIUM, *lii*, Album, flore erecto, seu vul-
gare, caule simplici.

Convallium, flore albo.

LIMAS, vid. *Limon sylvestris*.

LIMON, vid. *Malus Limonia*.

LINARIA, *riæ*, Vulgāris, lutæa, flore ma-
jore.

LINGUA Cervīna, Vulgāris, sine caule,
& foliis integris, longis.

LINUM, *Lini*, Sativum, floribus cæruleis,
speciōsis, caule tenui.

Catharticum, Sylvestre, seu pratense,
flosculis exiguis albis.

Σχίνου.

Λεπίδων.

Λαγῶπου.

Λευκοῖον.

Λειχην.

Λείριον, Κρίνον.

Ὀσείρις.

Φυλλίρις.

Λέριον.

<p>Lemnian Earth. The Mastick, or Lentisk Tree. Dittander, or Pepper Wort. The Hare. Wall Flower.</p>	<p><i>Gummi, seu Resina, Mastiche, dictum. Folia. Pili mollissimi. Flores.</i></p>	<p>Trochisc. de Ter. Lemn. Pilule Masticinæ. Empl. & Ungt. Mast. Oleum per Infusionem.</p>
<p>Common Tobage.</p>	<p><i>Rad. Fol. Semen.</i></p>	
<p>Ash-coloured ground Liber-wort.</p>	<p><i>Planta integra.</i></p>	<p>Pulvis antilyssus.</p>
<p>Pock-wood.</p>	<p><i>Lignum, Cortex, Re- sina nativa.</i></p>	
<p>Holy wood.</p>		
<p>The white Lilly. Lilly of the Valley.</p>	<p><i>Flores, Radices. Flores, Folia.</i></p>	<p>Oleum per Infus. Un- guent.</p>
<p>Toad Flax. Harts Tongue;</p>	<p><i>Herba cum cauli- culis. Folia.</i></p>	<p>Unguentum.</p>
<p>Flax.</p>	<p><i>Semina, cortices, seu filamenta cau- lium.</i></p>	<p>Farina, Oleum, Lin- teum, Stupa.</p>
<p>Mill Mountain.</p>	<p><i>Herba integra, cum caulibus & cymis floridis.</i></p>	

LITHOSPERMUM, <i>spermi</i> , Majus e- rectum.	Λιθόσπερμον.
LUJŮLA, <i>jŭla</i> , Vulgāris, flore albo, & pur- purascēte.	
LUMBRICUS, <i>brici</i> , Terrestris.	Ἑλμινς.
LUPŮLUS, <i>pŭli</i> , Mas & Fœmina, Satī- vus & Sylvestris.	Βρύον.

M.

MACIS, <i>macis</i> & <i>cīdis</i> , Indorum, seu Offi- cinarum, vid. <i>Arbor Nucifera</i> .	Μάκισ.
MAJORĀNA, <i>rāna</i> , Vulgāris, latifolia & Æstīva.	
MALVA, <i>væ</i> , Vulgāris, flore majōre, seu Sylvestris, flore sinuāto.	Μαλάχην.
MALUM Armeniācum, <i>āci</i> .	Μήλον ἄρμε- νιάκον.
Aurantium, <i>tīi</i> , Hīspalense, seu Succo acido.	Χρυσόμηλον.
Sylvestre & Immaturum.	
Citrœum, <i>trīi</i> , vel <i>trēi</i> .	Μηδικόν.
Cydonœum, <i>nēi</i> .	Κυδώνιον.
Granātum, <i>nāti</i> , Succo acido.	Ῥοιὰ Ὠ Ῥοὰ.
Limonium, <i>nīi</i> .	Λιμῶνιον.

Gromwell.	Semen, Milium Solis, dictum.	
Wood Sorrel.	Folia.	Conserva foliorum.
The Worm. Hops.	Integri Siccati. Flores, Germina, seu Turiones.	Ol. Lumbricorum.

M.

Mace.	Involucrum reticulare, Macis, dictum, quod putamen lignosum, Nucleum Moschatum continens, immediatè investit.	Ol. Mac. Chym.
Sweet Marjoram.	Herba florida.	Ol. Chymicum. Aqua simplex.
Common Mal- lotus.	Folia, Radix, flor.	Conserva flor.
An Apricock.	Nuclei fructuum.	Potus, Ratafia, vulgò dictus.
An Orange.	Sem. Succus, Cortex interior, & exterior, seu Flavedo	Conserva flaved. Aurantiorum. Syrup.
A wild Orange.	Cortex.	
A Citron.	Succus, Cortex exterior.	Cort. condit. Syr. & Cort.
A Quince.	Cortex, Succus, Semen.	Syrupus, miva, seu Gelatina cydon.
A Pomgranate.	Cortex, Succus.	Syrupus.
A Limon.	Cortex, Succus.	Syrupus Limonum.

M A L U M Limonium Agreste, seu Americanum, Succo maximè acido.

Persicum, *sici*.

Sativum, seu pomum redölens.

Sylvestre, album & rubrum, Succo valde acerbo.

Περσικόν.

Μήλον.

Μήλον άγιον.

M A L U S Armeniäca major.

Aurantia, Vulgäris, seu Sativa.
Sylvestris.

Μηλέα Ἀρμενι-
ακή.

Χρυσόμηλέα.

Citräa.

Cydonäa vulgäris.

Granäta sativa, Flore simplici.

Μηδική.

Κυδόνια.

Ῥοία, & Ροά.

Sylvestris major, seu Balau-
stion, Flore pleno.

Limonäa acida.

Sylvestris Americana.

Persica.

Sativa, seu hortensis, vulgatiör.

Sylvestris, fructu acido.

Λιμώνη.

Περσική.

Μήλεα.

Μήλεα άγια.

M A N N A, *na*, Calabrina, Calabrica, & Calabriensis, vid. *Fraxinus humilior*.

M A R G A R I T A, *rita*, Occidentälis, Scottica, Wallica, & Orientalis.

M A R C H A S I T A, *sita*, e quä vitriolum conficitur.

M A R U M, *mari*, Syriacum, vel Creticum, foliis serpilli lanceolatis, odore acri, volatili.

Μαρό.

A Lime.	<i>Succus, Lime- Juice, dictus.</i>	
A Peach.	<i>Nuclei.</i>	
An Apple.	<i>Cortex exterior.</i>	
	<i>Succus.</i>	Pomaceum, Ung. po- matum, Syrup. è pomis.
A Crab Apple.	<i>Succus, Agresta, dictus, i. e. English Verjuice.</i>	
	<i>Fructus.</i>	
The Apricock Tree.		
The Orange Tree.	<i>Flores, Fructus.</i>	
The wild Orange Tree.	<i>Fructus.</i>	Aq. Naphæ, seu Flor. aurantiorum.
The Citron Tree.	<i>Fructus.</i>	
The Quince Tree.	<i>Fructus.</i>	
The Pomgranate Tree.	<i>Fructus, flores Cy- tini, dicti.</i>	
The Balauſtian Tree.	<i>Flores, ſen Balau- ſtia.</i>	
The Limon Tree.	<i>Fructus.</i>	
The Lime Tree.	<i>Fructus.</i>	
The Peach Tree.	<i>Flores, Fructus.</i>	Syrup. è Flor. Perſicæ.
The Apple Tree.	<i>Fructus.</i>	
The Wilding, or Crab Tree.	<i>Fructus.</i>	
A Pearle.		
Maſtiche Thyme.	<i>Folia cum floribus, & cauliculis.</i>	

MARRUBIUM, <i>bii</i> , Album vulgare, foliis rugosis.	Περασίον.
MASTICHE, <i>tiches</i> , vid. <i>Lentiscus</i> .	Μασίχη.
MATER Perlarum & Unionum, vid. <i>Concha Margaritifera</i> .	
MATRICARIA, <i>riæ</i> , Vulgaris, seu sativa, flore simplici.	Ἀμπεράκη, παροδενίον.
MECHOACANNA Alba Peruviana.	<i>Michuacantica</i> , Nom. Mex- ioc.
MEL, <i>mellis</i> , Commune, vid. <i>Apis</i> .	
MELILOTUS, <i>loti</i> , Vulgaris, flore luteo.	Μελιλωτόν.
MELISSA, <i>liffæ</i> , Vulgaris, seu Hortensis, odore Citri.	Μελιφυλλον, Μελισσόφυλλον.
MENTHA, <i>thæ</i> , Aquatica, caule subrubente, seu palustris, folio oblongo. Hortensis, Verticillata, seu fusca Vulgaris, folio rotundiore, flosculis purpureis.	
Saxifraga, folio angustiore, Spicis brevibus, foliis habitioribus Menthae fuscae, pipëris sapore, acri & fervido.	
Sativa, seu Angustifolia, spicata, folio longiore acuto.	Μίνθη, Ἡδύσ- μον.
MENTHASTRUM, <i>thastri</i> , Folio rugoso, rotundiore, odore gravi.	
MERCURIALIS, <i>älis</i> , Anglica, vid. <i>Bonus Henricus</i> .	
Femina, Testiculata, seu Mas <i>Dioscori & Plinii</i> .	Λινόζωγισ ἔρμυν βοτάνιον.
Mas, spicata, seu femina, <i>Dioscorid. & Plinii</i> .	

White Horehound.	<i>Planta florida.</i>	Syrup. de prassio.
Gum Mastick.		Ung. & Empl. Mastichinum.
Feber, or Feather-few.	<i>Herba florida.</i>	
Mechoacan.	<i>Radix.</i>	Pilulæ Mechoacannæ.
Melilot.	<i>Planta florescens.</i>	Empl. simplex & compositum.
Baume.	<i>Folia, cum floribus.</i>	Aqua, Spiritus.
Water Mint.	<i>Folia.</i>	
Red Mint.	<i>Folia, cum floribus.</i>	Aqua simplex. Ol. stillat. Spt. Syrup.
Pepper Mint.	<i>Folia.</i>	Aqua distillata.
Garden. or Spear-Mint.	<i>Folia.</i>	Aqua, Ol. Chym. Spir.
Horse, or wild Mint.	<i>Folia.</i>	
French Mercuryp.	<i>Folia cum Seminibus & cauliculis.</i>	

MILIUM, <i>lizi</i> , Solis, vid. <i>Lithospermum</i> .	
MILLE-FOLIUM, <i>lizi</i> , Vulgare, flore albo	Μυερόφυλλον.
Purpureum majus, seu flore rubro	
MILLE-PES, <i>pēdis</i> , & Mille-pēda, <i>pēda</i> .	Χιλιόπους.
MIRABILIS Peruana, Flore vario, Cujus Radix duarum drachmarum pondere egregiè Aquas educit. Hern. pag. 280.	De Tlaquilin. Nom. Mexioc.
MORUS, <i>ri</i> , Nigra, seu Vulgaris, Fructu nigro.	Μορέα.
MOSCHUS, <i>chi</i> , vid. <i>Animal Moschiferum</i> .	Μοσχος.
MOSCHATA, vid. <i>Arbor Nucifera</i> .	
MOXA, vid. <i>Artemisia Chinenfis</i> .	
MUSCUS, <i>Musci</i> , Pixidatus, seu Pixiodes, terrestris & saxatilis.	Μοσχον. Μυρρα.
MYRRHA, <i>Myrrha</i> , Trogloditica Dioscoridis.	Μυρρα.
MYRTUS, <i>Myrti</i> , Communis, Italica, foliis acutissimis.	Μυρτινη.
Arboræa, foliis laurinis, Aromatica, ex quâ Piper Jamaicense, vid. <i>Caryophyllus Aromaticus Americanus</i> , &c.	

White Parrot.	<i>Herba florida.</i>	
Purple Parrot.	<i>Herba floescens.</i>	
Wood-Lice.	<i>Insecta viva & sic- cata.</i>	Sal Volatile.
The Marvel of Peru.	<i>Radix, Jalapium, vulgò dicta.</i>	Resina, Tinctura.
The Mulberry Tree.	<i>Fructus, Morum, dictus.</i>	Syrupus è Moris, mel mororum.
Cupmoss, Chin- cups.	<i>Planta integra.</i>	Syrupus.
Myrrh.	<i>Resina.</i>	Tinct. Trochisci, Ol per deliquium.
The Myrtle Tree.	<i>Bacca, Myrtilli, dicti.</i>	Syr. Myrtinus.

N.

NARDUM & Nardus, *Nardi*, Indica Vulgaris.
Celticum Dioscoridis.

Νάρδος.

Νάρδος Κελτική.

NASTURTium, *tii*, Aquaticum, fupinum, seu vulgare flore albo
Hortense, vulgatum, tenuiter divisum
Verrucosum, seu Verrucarium,

Κάρδαμνη.

Κάρδαμον.

NEPETA, *peta*, Vulgaris, major.

NICOTIANA, *ana*, Major, Latifolia, seu Virgineana, folio nunc latiōri, nunc angustiori, sine pedunculo cauli adnato, flore longiori, tubulato, ex albido rubente, & acutè quinquifido.

Minor, rotundifolia, seu Anglicana, folio, nunc plano, nunc rugosiori, cauli, mediante pedunculo, adhærente, flore multum breviōri, ex albido lutescente & obtusè quinquifido.

NIGRICA, *grica*, Fabrilis, Westmorlandi- & Abredonienfis.

NITRUM, *nitri*, Fossile, seu nativum.

Νίτρον.

N.

Indian Spikenard.	<i>Radix.</i>	
Celtick Nard, or Mountain Spike- nard.	<i>Radix cum foliis.</i>	
Water Cresses.	<i>Herba.</i>	
Garden Cresses.	<i>Herba.</i>	
Swines Cresses, Buckhorn, or Wart Cresses.	<i>Tota Herba cum Seminibus.</i>	
Pepe, or Catmint.	<i>Herba.</i>	
Virginean Tobac- co.	<i>Folia sicca.</i>	Oleum Chymic. Sal fixum.
English Tobacco.	<i>Virida folia.</i>	Ungt. è peto.
Black-Lead, or Hilebpne.	<i>Fossile quoddam.</i>	
Nitre.	<i>Sal quoddam.</i>	Spiritus Nitri. Dulc. Sal enixum.

NIVIS, vid. *Aqua*.

NUX, *nūcis*, *Moschāta*, vid. *Arbor Nucifēra*, &c.

Juglans, fructu vulgari, & maximo.
vid. *Juglans*.

Pistacia & Pistachia, fructu racemoso. Πιζανίον.

NYMPHÆA, *phæa*, Alba, seu major vulgaris. Νυμφαία.

O.

ŌCHRA, *Ōbra*, Fossilis, seu nativa, crocēi coloris. Ὀχρη.

OCŪLI Cancrōrum, vid. *Astacus fluviatilis*.

OCYMUUM, *cymi*, Odore citri, seu medium, vulgatius, & nigrum. Ωκίμον, Βασιλικον.

OLĒA, *lēa*, Sativa, fructu maximo, & fructu oblongo minore. Ἑλαιά.

OLIBĀNUM, *bāni*, & Olibānus, vid. *Arbor Thurifera*. Ολιβάνον.

OPĪUM, *pīi*, vid. *Papāver*, cujus est *Succus*, seu *Lachryma*.

OPOBALSAMUM, *sāmi*, vid. *Balsamum verum*.

OPOPŌNAX, *nācis*, vid. *Panax Herculeum*.

The Pistachia Nut
Tree, or the Fussick
Nut Tree.

Water Lilly.

Fructuum Nuclei.

Radix, Flores.

O.

Ochze.

Terra quædam.

Common Basil.

Herba florida.

The Olive Tree.

*Folia, fructus, Oli-
liva, dictus.*

Oleum exprefs. ex oli-
vis maturis & immaturis,
fructus muria conditi.

Olibanum, white,
or Male Frankin-
cense.

ORCA Wormii, est Ceti Species.

ORIGANUM, *găni*, Vulgare, seu Sylvestre. 'Ορίγανον.

ORÖBUS, *röbi*, Sylvaticus nostras, radice dulci, tuberosâ, & longissimis Fibris donatâ.

ORYZA, *ryzæ*, Indiæ Orientali peculiâris. 'Ορυζα.

OS Sepiæ, vid. *Sepia*.

OSMUNDA Regalis, vid. *Filix florida*.

OSTEOCOLLA, *c ollæ*.

OSTRËA, *trëa*, & Ostrëum, *trëi*, Vulgâris, maxima : inter quas præcellunt Colcestrienses, & Wainfleetenses. 'Οστρέον.

OVIS, *ovis*.

'Οἶς.

OVUM, vid. *Gallina*.

OXYLAPATHUM, vid. *Lap. acut*.

P.

PÆONIA, *nïa*, Fœmîna, seu communis folio strictiøre, flore simplici, rubro. Παιονία, γλυκυσίνη.

The Parma Sitty
Whale.

Liquor, seu Mate-
ria oleosa, in cellulis
cranii hujus piscis
reperitur, Sperma-ceti,
dicta, in lixivio pos-
tea forti, cocta, &
purificata.

Empl. & Spermate Ce-
ti.

Common Origa-
num, or wild Mar-
joram.

Flores.

Wood Pease, or
Cappartilly.

Radices.

Rice.

Granum, seu Se-
men.

Semen Cortice nuda-
tum, farina, Spiritus ar-
dens, Arack, dictus.

Bone-binder.

Lapis, seu Terra
quædam durior.

An Opſter.

Testæ, Margaritæ
Scoticæ, Testarum
pars alba.

A Sheep.

Stercus, Sebum,
Lac, Lana.

Pannus Wallicus, Scar-
latus, Aluta, seu corium
preparatum.

P.

Common Peionp.

Radix, Flores.

Syrup. è Flor. Pæon,

PÆONIÆ Vulgatior, flore pleno multiplici,
vel rubro majore.

Mas, Folio ampliōri & splendido,
flore rubro simplici.

PALMA, *palma*, Arecifera cujus fructus ses-
tilis, *Fausel* dicitur.

Τοίνιξ.

Prunifera, Japonica, ex quā Sa-
go Officinarum.

Dactilifera, seu major vulgāris.

Oleosa Guinēensis coccifera, fructu
pruniformi, lutēo, oleoso, foliō-
rum pediculis spinosis.

PANAX, *nācis*, Herculeum, & heracleum
majus, pastinacæ folio.

Coloni *Gerardi*.

Πάναξ ἡερικλίου.
ον.

PAPĀVER, *vēris*, Album hortense, seu
fativum, Semine albo, flore ple-
no, vel multiplici.

Μήκων ἡμερος.

Nigrum, seu sylvestre Dioscori-
dis, semine nigro.

Μήκων ἀγρία.

Rhæas, *ādos*, seu rubrum & erra-
ticum, majus campestre.

Μήκων ῥοιὰς.

Spinosum Americānum, seu Caribbeā-
num, flore lutēo simplici, capitulo lon-
giore hirsuto, seu spinis frequentibus
& firmis horrido ac armato, foliis car-
dui benedicti, & Vēris albis notatis.

Chicallotl, seu
Spina.

Papaver spi-
nosum. Hern.
pag. 215.

PARADISI Grana, vid. Grana Paradisi.

PARAGUAY, seu Perygua, *Alaterni*, vel
Myrti species videtur, ex quā
Thea Maris Australis, dicta.

Female Peionp.	<i>Flores.</i>	Syrupus è Flor.
Male Peionp.	<i>Radix, Semen.</i>	Aqua & Syr. Pæon. Comp.
The Indian Nut.	<i>Succus inspissatus, Terra Japonica, dictus.</i>	Trochisc. de Terra Ja- ponic. pastilli, Catechu, dicti.
The Sago Tree.	<i>Arboris medulla.</i>	Fæculæ med illæ arboris, granulatæ & exsiccatæ.
The Date Tree.	<i>Fructus, Dactyli, dicti, eorumque nu- clei, seu ossa.</i>	
The Palme Opl Tree.	<i>Fructus.</i>	Oleum, seu potius Ungt. crassum è carne, seu pul- pâ fructuum expressum.
Hercules's All Heal.	<i>Succus, seu Gummi, Opoponax, dictus.</i>	
Clown's all Heal.	<i>Folia, cum summi- tate floridâ.</i>	
The white Poppy	<i>Semina, Capita, Lachryma.</i>	Succus condensatus, Opium, dictus. Syr. è Meconio.
The black Poppy.	<i>Flores, Semina.</i>	
The red Poppy.	<i>Flores.</i>	Syr. Aqua simpl. Tinctura Florum, seu Surfeit Water.
The purging Thistle.	<i>Semen.</i>	
Paraguay Tea.	<i>Folia cum stipitibus, seu fragmenta folio- rum exsiccatiorum, vel festucarum pulvis.</i>	

PARALYSIS, <i>lysis, sēos, & sōs</i> , Vulgāris, flore simplici, flavo, odorato.	
PARIETARIA, <i>riæ</i> , Vulgāris Officinārum, seu Dioscoridis.	Ἑλξίνη.
PARONYCHIA, <i>chiæ</i> , Officinālis, ruta-cēo foli.	Παρωνυχία.
PASSÆ, <i>passārum</i> , vid. <i>Vitis</i> .	
PASSŪLÆ, <i>passulārum</i> , vid. <i>Vitis Corinthiaca</i> .	
PASTINACA, <i>nacæ</i> , Sylvestris latifolia, flore luteo.	Σταφυλίνη, ἄγρι.
PAVO, <i>-vōnis</i> .	Ταῶς.
PENTAPHYLLUM, <i>philli</i> , Vulgāre repens, seu majus flore luteo.	Πεντάφυλλον.
PERCEPIER, & Percepierre Anglōrum.	
PERSICA, vid. <i>Malus Persica</i> , <i>Ferficum</i> , est fructus Arboris Persicæ.	
PERSICARIA, <i>riæ</i> , Non maculata, seu acris, mordax, & urens	Ἰδρωπέπερα.
PERUVIANUS Cortex, vid. <i>Cortex</i> .	
PETASITES, <i>sitæ</i> , Vulgāris major.	Πετασίτης.
PETROSELINUM, <i>lini</i> , Vulgāre, seu fativum.	Πέτροσέλινον.
PICĒA, <i>cææ</i> , Latinōrum, seu Abies mas, vel rubra.	Ἑλάτη ἄρρη, πείκη, πίτος, quibusdam.
PILOSELLA, <i>sellæ</i> , Major, repens, hirsuta, seu Vulgāris, flore magno.	
PIMPINELLA Saxifrāga major, umbellâ candidâ.	Πιμπινελε.
PINUS, <i>pini</i> , & <i>pinūs</i> , Domestica, seu fativa, foliis longis, setæformibus dilutè virentibus, cono magno, & penè rotundo.	πίτος, πεύκη, nonnullis.

Colwships.	Flores.	Syrupus à Florib.
Pellitory of the Wall.	Folia.	
Blue leaved Whit- low Grass.	Folia.	
Wild Parsnep.	Semina.	
The Peacock.	Stercus.	
Cinquefoil.	Radix.	
Perseleppiert, or Break-stone.	Folia cum cauli- bus teneris.	
Arsenart.	Herba.	
Butter Bur.	Radix.	
Perselep.	Herba, Semen, Radix.	Aqua simplex.
The Pitch Tree, Male, Red, or Spruce Firr Tree.	Resina, ex qua pa- ratur.	Resina communis, white Rosin.
Common House- Ear.	Herba.	Pix liquida. Tarr. Pix com. seu sicca, Pitch. Pix Burgundica.
Burnet Saxi- frage.	Radix, Herba.	
The manured Pine Tree.	Nuclei Pinci, pilu- ides, dicti.	

PINUS Sylvestris, seu Montāna, foliis longissimis, saturatè virentibus, cono longiōri, & minori.

Scotica, foliis etiam binis, simul junctis, ramulorum ex omni parte prorumpentibus, sed multò brevioribus, glaucis, seu colore viridi, ad cæruleum vergente, conis parvis, Turbinatis.

Maritima major.

PIPER, *pēris*, Album, rotundum.

Πέπερι λευκόν.

Jamaicense odoratum, vid. *Caryophyllus aromat. Americānus*, &c.

Indicum vulgatissimum, propendentibus filiquis oblongis, seu recurvis.

Chilli, Nom. Mexiōc.

Brevioribus filiquis colore rubro, viridiusculo, & lutescente.

Longum, vulgatissimum Orientale.

Nigrum rotundum, vid. *frutex sarmatofus pipiriferus*.

Πέπερι μακρόν
Πέπερι μέλανον.

PIPINUM Aurēum, & *Pyrum* magnum, vid. *Malum*.

PISSELÆUM, *lææ*, Indicum, pix liquida, Barbadiensis vulgò.

PISTACIA, vid. *Nux pistac*.

PISUM, *pīu*, Hortense majus, flore candido.

πίον.

PIX Burgundiāca, vid. *Ficēa*.

PLANTA Assafætida, est umbellifera, levistico affinis, foliis instar Pæoniæ ramōsis, ex cujus radice, in Persia solum, *Assafetida* exprimitur. Planta hæc a Persis *Hingisch*, & Succus ejusdem *Hung* dicitur.

The wild, or
mountain Pine
Tree.

The Mountain
Pine, called the
Scotch Firr.

Ramuli recentes.

*Cacumina ramulo-
rum viridium.*

Resina liquida Terebin-
thina communis, seu vulga-
ris, Common Turpentine, vel
Sicca, seu Thus vulgare,
common Frankincense, or
Parrrosine.

The Sea-pine.
White round Pep-
per.

*Grana, seu Fruc-
tus.*

Indian, or Gui-
nea-pepper.
Bird-pepper.

*Fructus, seu siliqua,
cum seminibus.*

Long-pepper.
Black-pepper.

*Fructus, seu grana.
Fructus.*

Pipins and Pear-
mains.
Barbadoes Tar.

The Pea.

Semina.

The Assafetida
Plant.

*Radix, Pastinace
similis, cujus*

Succus pinguis, albissi-
mus, fetidissimus, porraceo
odore nares feriens, sponte
manans, vel Arte expressus,
Assafetida, dicitur.

L

PLAN-

PLANTAGO, <i>gīnis</i> , Aquatica, latifolia, seu major.	
Vulgaris, seu latifolia, sinuata.	Ἀρνόγλοσσον.
PLUMBUM nativum, seu minera plumbi,	Μόλυβδος.
Nigrum Westmorlandicum & Scoticum.	
POCOSEMPIE, Muscus Agni Scythici aureus, vid. <i>Filix peregrina</i> .	
POLIGONATUM, <i>nāti</i> , Latifolium vulgare.	Πολυγόνατον.
POLIGÖNUM, <i>göni</i> , Mas, vulgare, seu latifolium.	Πολύγονον.
POLYPODIUM, <i>dīi</i> , Quercinum, vulgare, radice purgante.	Πολυπόδιον.
POLYTRICHUM, <i>trichi</i> , Officinarum, seu <i>Trichomanes</i> .	Πολύτριχον.
POMUM Hortense, vid. <i>Malum</i> .	
POPULUS, <i>pūli</i> , Nigra.	Ἄιγειρος.
PORCUS Domesticus.	Χοῖρος.
PORRUM, <i>porri</i> , Commune capitatum.	Πέσσον κεφαλωτόν.
PRUNELLA, <i>nella</i> , Major, vulgare, seu folio non dissecto, flore albo & carneo.	
PRUNUS, <i>pruni</i> , Sativa, Gallica, vel Domestica.	Κοκκυμηλέα.
Sylvestris.	Ἀγρία κοκκυμηλέα.
PSYLLIUM, <i>lli</i> , Vulgare, seu majus erectum.	Ψύλλιον.
PTARMICA, <i>mīca</i> , Vulgare, seu folio longo, ferrato, flore albo.	Πταρμική.

Water Plantain.	<i>Folia.</i>	
Great, or Broad- Leav'd Plantain. Lead.	<i>Herba tota.</i>	<i>Lythargyros, cerussa; plumb.ustum, rubrum, seu minum, Saccharum Sa- turni, Empl. de Minio u- troque, unguent.</i>
Black Lead.	<i>Minera.</i>	
Golden, or Indi- an Mossg.		
Solomon's Seal.	<i>Herba, Radix.</i>	
Knot-Grass.	<i>Herba.</i>	
Polypody.	<i>Radix.</i>	
English Maiden- Hair.	<i>Herba integra.</i>	<i>Ungt. Populneum.</i>
The black Poplar Tree.	<i>Folia, Gemma, seu oculi.</i>	
The Hog.	<i>Axungia.</i>	<i>Pomatum.</i>
The Garden Leek.	<i>Folia, Radices.</i>	
Self Heal.	<i>Folia, cum Capiti- bus floridis.</i>	
The Prune Tree.	<i>Fructus, κοκκυ- μηλον, dictus.</i>	<i>Elect. Diaprunum.</i>
The Sloe Tree or Black Thorn.	<i>Fructus immaturi, Prunelli, dicti.</i>	<i>Succus inspissatus, Aca- cia, dictus.</i>
Flea-bane, or Flea- wort.	<i>Semina.</i>	
Sneeze-wort.	<i>Herba.</i>	

PULEGIUM, <i>gři</i> , Regale, seu Hortense, latifolium.	Γληχών.
PULMONARIA, <i>riæ</i> , Maculosa, latifolia, seu vulgaris.	
PYRETHRUM, <i>rëthri</i> , Umbelliferum, flore bellidis, seu vulgare officinarum.	Πύρεθρον.
PYRITES, <i>ritæ</i> , Aluminosus, Argentarius, Atramentosus, seu Vitriolicus.	Λίθος πύρεθρος.
PYROLA, <i>röla</i> , Nostras, vulgaris, seu rotundifolia, major.	

Q.

QUERCUS, *querci*, & *quercus*, Gallifera.

Vulgaris, cum longis pediculis, seu latifolia Mas.

Δρῦς.

R.

RANA, *ranæ*, Aquatica, vulgaris.

Βάτραχος.

RANUNCULUS, *cūli*, Flammeus, minor, seu longifolius, palustris, minor.

Βατραχίον.

Penny-royal.	<i>Herba floescens.</i>	Aqua, Oleum.
Lung-wort.	<i>Herba.</i>	
Pellitory of Spain.	<i>Radix.</i>	
The Marcassite, Copperas, and Fire Stone.	<i>Lapis.</i>	
Common Winter, green.	<i>Herba.</i>	

Q.

The Gall-berry Oak.	<i>Tubercula excre- mentitia, Gallæ, dic- ta, vel quorundam Insectorum nidi.</i>	
The Common Oak.	<i>Germina, Cortex, Glandes, Folia.</i>	Aq. Germ. Querc.

R.

The Frog.	<i>Ovula, Sperma, vulgò dicta.</i>	Aqua Stillatitia. Empl. è Ranis, cum, & sine Q ¹⁰ !
The Lesser Spear- wort.	<i>Herba floescens.</i>	

R A P A, <i>rapæ</i> , Satīva, feu Rapum, <i>rapi</i> , radice longâ, & rotundâ.	Γογγύλη.
R E S I N A, <i>sina</i> , Abiegna & Abietīna, vid. <i>Abies</i> .	Ρητίνη.
Cyparissīna, vid. <i>Terebinthus</i> .	
Guajāci natīva, vid. <i>Guajac</i> .	
Larycēa, feu Larygna, vid. <i>Laryx</i> .	
Lentiscīna, vid. <i>Lentiscus</i> .	
Pinēa, vid. <i>Pinus sylvestris</i> .	
Terebinthīna Officin. vid. <i>Laryx</i> .	
Vera, vid. <i>Tereb. arbor</i> .	
Vulgāris, nigra & lutēa, vid. <i>Terebinthina vulgāris</i> , <i>cujus est residuum post Olei & Spiritus distillationem</i> .	
R H A B A R B ā R U M, <i>bāri</i> , Verum, feu Genuinum.	Ῥαβάρβαρον.
R A P H ā N U S, <i>phāni</i> , Hortensis minor, oblongus.	Ῥαφανίς.
<i>Sylvestris</i> , feu Rusticānus.	Ῥαφεία Ῥαφανίς.
R H A P O N T I C U M, <i>tici</i> , vid. <i>Lapathum Hortense</i> , &c.	
R H O D I U M, <i>dii</i> , vid. <i>Cytisus Canariensis</i> .	
R I B E S Vulgāris, domestica, fructu rubro, nigro, & albo.	
R H U S, <i>hois</i> , & <i>būi</i> , Folio ulmi, feu Virgineānum.	Ῥῆς.
R O S, <i>rōris</i> , Majalis	Ῥοσὸς.
R O S A, <i>rosæ</i> , Alba, feu candida, vulgaris, major, flore simplici & multiplici.	Ῥοδόνα.
<i>Damascēna</i> , feu pallida, vel moschāta.	
<i>Rubra</i> , flore valdè pleno, semipleno & simplici.	

A Turnep.	Radix.	Syrupus.
Rhubarb.	Radix.	Syrup. & de Cichorio cum Rhubarb. Tinctura, Trochisc.
Garden Radish.	Radix, Folia.	
Horfe Radish.	Radix.	Aq. Raph. Comp.
Rhapontick.	Radix.	
The Red, Black, and White Currant Bush.	Fructus, seu Bac- ca.	Rob. de Ribes. Gelatina Ribium.
The Sumach Tree.	Folia, Grana, seu Bacca.	Ungt. Sumachi.
May Dew.		Aqua.
The White Rose.	Flores.	Aqua.
The Damask Rose.	Flores, Succus.	Aqua, Syrup. Rosar. So- lutiv. & Succo Rosarum. Elect. & Succo Rosar.
The Red Rose.	Germin. Flores.	Aqua & florib. Conserv. Mel. Tinctura, Syr. & Rosis ficcis, Oleum, Aromat. Ro- sat. Ung. Rosat.

ROSA Sylvestris, vulgāris, seu canīna, flore odorato, incarnato.	Κυνόρροδον.
ROS-MARINUS, <i>roris-marini</i> , Hortensis, folio angustiore, seu Rosmarinum vulgare, coronarium.	Λιβανωτίς.
RUBIA, <i>īa</i> , Tinctōrum fativa, seu hortensis.	Έρυθροδανον.
RUBRICA, <i>brica</i> , Fabrīlis.	Μίλτον πικτονική.
RUBUS, <i>bi</i> , Idæus, spinosus, fructu rubro & albo. Vulgāris, major, fructu nigro.	Βάτον ιδαία.
RUTA, <i>rutæ</i> , Hortensis, latifolia, seu fativa major. Sylvestris, seu Syriaca, flore albo magno.	Ρήγανον, Ρύτι.

S.

SABINA, <i>bina</i> , Vulgāris, seu folio Tamari- sci Dioscorid.	Βεγάδον.
SACCHARUM, vid. <i>Arundo Saccharina</i> .	
SAGAPĒNUM, <i>pēni</i> , vid. <i>Ferula major</i> , <i>folio fœniculi</i> , &c.	
SAGO, <i>Sagou</i> , & <i>Sagu</i> , vid. <i>Palma Japonica</i> , <i>prunifera</i> .	
SAL, <i>salis</i> , Ammoniacum nativum, nunc non datur, artificiale fit ex fuligine, urinâ, sale marino, &c.	

The wild Rose, Dog-hypar, or Hips. Garden Rosemary.	<i>Fructus.</i> <i>Folia, Flores, & summit. florida.</i>	Conserva fruct. Cynos- bati. Aq. Regin. Hungar. seu è florib. roris Marini. Conserva Anthos.
Red Madder.	<i>Radix.</i>	
Marking-stone, or Keele.	<i>Terra species.</i>	Bolus Armena commu- nis fit ex hac terrâ in later- culos coacta.
The Rasp, or Hind Berry-bush.	<i>Folia, fructus.</i>	Syr. è fructibus.
The Black-berry or Bramble bush.	<i>Cymæ, fructus, fo- lia.</i>	
Garden Rue.	<i>Herba, semina.</i>	Aqua, Conserva.
Wild Rue.	<i>Herba.</i>	

S.

Sabine, or Sa- vine.	<i>Summitates & Fo- lia cum ramusculis.</i>	Oleum per infusionem & Chymicum.
Ammoniack Salt.		Spiritus, Flores, Sal Volat.

SAL communis, feu culinaris, vid. *Aq. salsa putealis*, vel *Marina*, ex quibus excoquitur.

Fossilis, feu *Gemmæ*, & *Gemmeus*.

Niger Gallicus.

Rupeum, feu fossile, in pluribus Angliæ locis & alibi.

SALEP, vid. *Serapias*.

SALSAPARILLA, *villæ*.

SALIVA hominis jejuni, vid. *Homo*.

SALVIA, *vīa*, Agrestis, feu sylvestris.

Hispanica, feu Sarniensis, odoratissima, folio tenuiori.

Hortensis major, latifolia, vulgaris, pediculis foliorum, & caule rubentibus.

Minor, tenuifolia, pinnata, feu nobilis, aurita, & non aurita.

Ἑλερίσσαν.

SAMBŪCUS, *būci*, fructu in umbellâ nigra, vulgaris, feu arboræa.

Ἀχμή.

SANGUIS Draconis Officin. vid. *Draco Arbor*.

SANGUIS ūGA, *sūga*.

SANICŪLA, *cūla*, Vulgaris Officinarum,

Βδέλλα.

SANTONICUM, vid. *Absynthium Santonicum*.

SARCOCOLLA, *colla*.

Σαρκοκόλλα.

SASSĀPHRAS, vid. *Arbor*, &c.

SATYRIUM, *rīi*, Mas, foliis maculatis.

Σατυρίον, Ὀρχίς.

Common Salt.

Fit. evaporatione aquæ
marinæ, in calidis regio-
nibus, ex quo Spiritus, Sal
decrepitatus, &c.

Salt Gemm.

Bay Salt.

Rock Salt.

Sarsaparilla.

Wood Sage.

Radix.

Guernsey Sage:

Folia.

Common red Sage.

Herba, Flores.

Small, or Tea-
Sage, or Sage of
Virtue.

Folia.

The Elder Tree.

*Folia, Germina, flo-
res, bacca, Ramuscu-
li ad rad. arbor. cres-
centes, cort. interior,
seu Medianus.*

Aqua, Syrupus, Ungt.
Oleum.
Rob. seu Extract.

The Teech.
Sanicle.

*Animal vivens.
Herba.*

Sanguinis Suctioni in-
servit.

Sarcocoll, or Flesh
Glue.

*Gummi, seu la-
chryma.*

Male Satyrion.

Radix.

Elect. Dya Satyr.

SAXIFRAGA, *fraga*, Alba, rotundifolia,
feu vulgāris radice granulōsā.

SAXUM Calcarium, unde Calx conficitur,
vid. *Lapis*.

SCABIOSA, *ōsa*, Pratenfis hirsūta, folio
laciniāto, feu major vulgaris.

SCAMMONIA, *nīa*, Syriāca, legitīma,
flore majore Convolvūli.

SCAMMONIUM, *nīi*, est succus Scam-
moniae plantae concre-
tus.

SCHOENANTHUS, *nanthi*.

SCILLA, *Scilla*, Alba, feu mascula Plinii,
radice albescente.

Vulgaris, radice rubescente.

SCORDIUM, p. c. *dii*, p. c. Verum, feu le-
gitimum, folio allium re-
dolente, & flore subrubef-
cente.

SCORZONERA, *nēra*, Latifolia, sinuata,
vel Hispanica major.

SCROPHULARIA, *rīa*, Aquatica, major,
radice fibrōsā.

Major, vulgāris, radice nodōsā, fæ-
tida.

SECÁLE, *cālis*, Vulgātius, feu hybernum
majus.

SEDUM, *sedī*, Majus, vulgāre.

Parvum, acre, feu minimum, flore
luteo, folio longiusculo tereti.

SENA, *Senā*, & *Senna*, Alexandrina, Indica,
feu Orientalis, foliis acutis.

Σκαμμωνία.

Σχοινάνθη.

Σκίλλα.

Σκόρδιον.

Ἀείζων μέγα.

Ἀφυλάνθη.

White Saxifrage.	Radix, Folia.	Aqua simplex.
The Lime-stone.		
Field Scabious.	Herba florescens.	Valentia Scabiosæ.
The Scammony Plant.	Succus ex totâ plantâ cum radice expressus.	
Camless Hay, Squinanth, or Sweet Rush.	Culmus, seu Stramen, cum foliis & floribus.	
The Squill, or Sea Onion.	Radix.	Acetum, Oxymel. Simpl. & Comp. Trochisc.
Red Squill.	Radix.	
Water Germander.	Herba.	Aqua, Confectio Dioscordium, dicta.
Wipers Grass.	Radix.	
Water Figwort, or Water Betony.	Folia.	
Figwort.	Folia, Radix.	
Ape.	Granum.	Panis Secalinus, Farina Secalina.
Great Houseleek.	Folia.	
Stone Crop, or small Sedum.	Herba.	
Sena of Alexandria, with sharp pointed Leaves.	Folia.	Infusum Senæ, Pulv. Senæ Comp. Major & Minor.

SENA Italica, Florentina, seu Ligustica, foliis obtusis.

SENECIO, *onis*, Asiaticus, Jacobææ folio, radice lignosâ, cujus radix *China Orientalis* Officinarum.

Minor vulgaris.

SENICA, seu Senega; Gummi Species, vid. *Gummi Senega*.

SEPIA, *ia*.

SERAPIAS, *adis*.

SERICUM, *rici*, crudum, vid. *Bombyx*.

SERPENTARIA, *ria*, Virginiana, caule nodoso, fructu pentangulâri, radice flava, fibrôsâ.

Carolineana, radice fibrosâ, nigriori.

SERPILLUM, *pilli*, Citrâtum, seu foliis odore Citri.

Vulgare, minus.

SIGILLATA Terra.

SEVUM Bovinum, vid. *Bos*.

SINAPI album hortense, seu apii folio, filiquâ hirsutâ, semine albo.

Rubëum hortense, seu Rapi folio, filiquâ latiusculâ, glabrâ, semine rufescente & nigro.

SMILAX, *acis*, Peruviana, fructu nigro, radice nodosâ, magnâ, levi, farinacëâ.

Chinensis, *Lampatam*, dicta.

SOLANUM, *lani*, Hortense, bacciferum, acinis luteis, vel nigricantibus.

Ἡερύρων.

Σεπία.

Ὁρχις σεραπίας.

Ἐρπομαθ.

Σίνηπι.

Σμίλαξ τεραχία.

Στρυχνης, Κηταιθ.

Italian Senna,
with rounder, on blunt
Leaves.

China-root.

Groundsel.

Herba.

The Cuttle Fish.

*Os, seu Testa, dor-
so piscis innatum.*

Salep.

Radix.

Virginian Snake-
weed.

Radices fibrosæ.

Tinctura.

Carolina, or black
Snake-weed.

Radices.

Common Thyme.

Herba florescens.

Mother of Thyme.
Sealed Earth.

Herba.

Terra quadam.

White Mustard.

Semina.

*Sinapium è Seminib.
cum liquido preparatum.*

Common Garden
Mustard.

Semen.

Ol. per express.

West India China-
root.

*Radix China Oc-
cidental.*

East India China-
root.

*Radix China O-
rientalis.*

Common Night-
shade.

Herba.

SPER-

SPERMA, <i>mātis</i> , Ceti, vid. Orca.	
SPICA Celtica, vid. <i>Nardus Celtica</i> .	
SPICA Nardi, vid. <i>Nardus</i> .	
SPINA alba, seu acūta, apii folio, fructu rubro.	"Ακίνηθα λευκή.
<i>Ægyptiaca vera</i> , ex quā <i>Acacia</i> , & Gum. Arabicū officin. vid. <i>Acacia vera</i> .	
<i>Cervina</i> , seu <i>Rhamnus spinis oblongis</i> , flore candicante, & baccis nigris, succo purgante repletis.	
SPONGIA, <i>gĩa</i> , Globōsa, marina, seu flava, foraminibus exiguis pervia.	Σπίγγα.
SQUILLA, <i>la</i> , Parva <i>Rondeletii</i> , seu fluviatilis.	
STANNUM nativum, seu Minera Stanni.	Κασσίπερα.
STAPHIS AGRIA, <i>Staphidis agrĩa</i> .	Σταφίς αγρία.
STOECHAS, <i>chadis</i> , & <i>chados</i> , Arabica, seu purpurea, vulgaris.	Στοιχας & Στιχας.
STORAX, <i>rācis</i> , vid. <i>Arbor Storax Vulgaris</i> , &c.	
STROBILUS Pinēus, vid. <i>Pinus cujus est fructus</i> .	Στερόβιλ.
SUBER, <i>bāris</i> , Hispanicum latifolium, perpetuò virens.	Φελλός.
SUCCINUM, <i>cīni</i> , Album, Prussiacum.	"Ηλεκτρο.
Flavum, seu Citrinum.	
SUCCISA, <i>cīsa</i> , Glabra, seu vulgaris, flore purpureo.	
SUMACH, vid. <i>Rbus</i> .	
SULPHUR, <i>phūris</i> , Vivum, nativum, seu ignem non expertum.	Θείον, άπυρον.

The white Thorn,
or Hawthorn.

Folia, Flores, Fructus.

Aqua è floribus, *Nephritica*, dicta.

Purging Buck-
thorn.

Bacca.

Syrupus è Succo *Baccarum.*

The Sponge.

Integra Planta.

Sal Volatile Chym.

The Shrimp.

Pisces integri, Testa.

Tin.

Metallum.

Regulus Jovis.

Staves Acre, or
Rousewort.

Semen.

French Lavender, or
Arabian Stoechas.

Flores, seu capitula oblonga squamata.

The Cork Tree.

Cortex exterior.

White Amber.

Succus Bituminosus.

Levigatio, Spirit. Oleum, Sal. Volat. Tinctura, Trochisc.

Yellow Amber.

Compositiones eadem.

Brimstone.

Empl. Diafulph.
Spir. Ol. per comp.
Gas, Balsam, flor.
Tinct. Syrup. Lac.

SYMPHITUM, *phiti*, Majus, vulgare, flore albo, vel pallidè lutèο. | Σύμφυτον.

T.

TALPA, *talpa*.

TAMARICE, *rices*, & Tamariscus, *risci*, Folio tenuiōri, seu Gallica.

Σκάλοψ.

Μυρίκη.

TAMARINDUS, *rindi*, Orientalis.

ΒάλανΘ.

Occidentalis, seu Mexiocanus.

TANACETUM, *cēti*, Vulgare, flore lutèο.

Ἀθανασία.

TARTARUM, *tāri*, & Tartarus, Albus & ruber, vid. *Vitis*.

TAURUS, *tauri*.

ΤαῦρΘ.

TECOMAHACA, vid. *Arbor populo similis*, &c.

TELA Araneorum, vid. *Araneus*.

TELEPHIUM, *phii*, Vulgare, album & purpureum.

Τηλέφιον.

TEREBINTHUS, *binthi*, Vulgatior, angustiori folio.

Τερμινθίνη ῥη-
λένη, Τερμίνθος.

TEREBINTHINA Vulgaris, seu communis, vid. *Pinus Sylvestris*.

TERRA JAPONICA, vid. *Palma*, cujus fructus, Faufel, dicitur

Comfrey.

Radix, Folia, Flo-
res.Conserv. Rad. & Flo-
rum, Syrup.

T.

The Mole.
Tamarisk.Animal integrum.
Cortex, lignum,
Summitates, seu fo-
lia.

Talpa Incinerata.

The Tamarind
Tree.Fructus contusus,
raro Siliquæ inte-
gra.Pulpa è siliquis exemp-
ta, abjectis nucleis.The West India
Tamarind.
Tansie.Pulpa.
Folia cum Flori-
bus & Seminibus.

The Bull.

Sevum, Fel, Lapis
è Felle.

Oxypine.

Folia.

Turpentine Tree.

Resina, Terebinthi-
na vera, dicta.Balsamus Terebinthin,
colophonia.

THEA , Frutex, ex quâ, Theæ Bohee, Imperialis, seu Cæsarea, & Viridis, seu Singlo. <i>Quæ omnes Species sunt unius & ejusdem arboris, seu fruticis folia, & differre tantum perhibentur tempore colligendi & præparandi, seu, ut vocant, Curandi modo.</i>	
THUS , thūris, Vulgäre, seu feminëum, vid. <i>Pinus Sylvestris.</i> Mascūlum, vid. <i>Olibānum.</i>	Λιβανός.
THYMU M, thymi, durius, & Thymus vulgaris, folio latiore.	Θύμον.
TILIA , tilia, femina, folio majore.	Φίλυρα.
TITHIMĀLUS , māli, Mauritanicus Aizoides, opuntiaë facie, spinosus, nodosus, angulosus, aphyllus, lacte turgens acri.	
TORMENTILLA , tilla, Sylvestris, seu Vulgāris.	Ἑπτάφυλλον.
TRAGACANTHA , canthæ, Massiliensis vera.	Τραγακάνθη.
TRIFOLIUM , līi, Paludosum, palustre, aquaticum & fibrinum.	Τρίφυλλον.
TRITICUM , trīci, Amylëum, vid. <i>Fru-mentum Amylëum.</i> Spicâ muticâ, seu vulgäre, aristis carens.	Πυρός.
TUSSILĀGO , gīnis, Vulgāris, foliis lanugine tenui obductis.	Βήχιον.
TUTIA , fr ex terrâ quâdam, argillæ instar, glutinosâ, in India orientali in fornacibus xficcata.	Πομφόλυξ.

The Thee Plant.	<i>Folia convoluta, & sicca.</i>	
Bohee, Green, Imperial, and Singlo Tea.	<i>Folia.</i> <i>Folia.</i>	
		Trochi de Thure.
Thyme.	<i>Herba florescens.</i>	Ol. Chym. Spiritus.
The Lime Tree.	<i>Flores, Folia.</i>	Empl. Cephal. cum Euphorb.
The Euphorbium Plant.	<i>Gummi, Euphorbium, dictum.</i>	Ol. simpl. & comp.
Cozmentill.	<i>Radix.</i>	
Goats Thorn.	<i>Gum. Tragacantha dictum.</i>	Species Diatragacanthæ frigid.
Buck-bean, or Marsh Treefoil.	<i>Folia.</i>	
Wheat.	<i>Granum decortica- tum.</i>	Furfur, Farina Triti- cea, panis Siligineus, puls, mica, & crusta panis albi.
Colts-foot.	<i>Folia, Flores.</i>	Syrupus.
Tutty.		Unguentum è tutiâ.

V.

VACCA, *Vaccæ*.

Βῆς, Δαμάλις.

VALERIANA, *ānæ*, Hortensis olusātri folio, radice rugosâ, multis fibrillis donatâ, grave-olente, & foetidâ.

Νάρδος ἁγία.

Sylvestris major, seu aquatica magna, Radice ferè inodorâ, & insipidâ, ex plurimis compositâ fibris.

Minor, seu montana, caule vel hirsuto, seu villoso, vel plano, seu lævi, Radice, ex paucioribus composita fibris, & tenuioribus, suave-olente, aromaticâ, gustu acri & penetrante, flore ex purpurâ albo; seu vera *Fabii Columnæ*, Valeriana minor, seu sylvestris.VERBASCUM, *basçi*, Mas latifolium, seu vulgare, flore maximo luteo.

Φιλόμυθος.

VERBENA, *bēnæ*, Commūnis, flore cæruleo, seu mas vulgaris & recta.

Ἱεραβοτάνη, & περιτέρων.

VERRUCÆ, *cārum*, Pedum Equinorum, vid. *Equus*.VICIA, *cīæ*, Satīva, seu Vulgāris, semine nigro.

Βίκιον, vel Βίκια.

VIOLETA, *ōlæ*, Martia, purpuræa, flore simplici, odorato.

Ἴον πόρφυρεον.

VIPERA, *pēræ*.

Ἐχίδνη.

VIRGA, *Virgæ*, Auræa vulgāris, latifolia.

V.

A Cow.	<i>Stercus, Lac, Lapides Fellis, Fel, Urina, Cremor Lactis.</i>	<i>Ol. ex pedibus bovin. Butyrum salitum & insulsum. Lac ebutyratum.</i>
Garden Valerian.	<i>Radix, Flores.</i>	
Great Water Valerian, or Capons-Tail.	<i>Radix, Flores.</i>	
True wild Valerian.	<i>Radix, Flores.</i>	
White Mullein.	<i>Folia, flores.</i>	<i>Conserva Florum.</i>
Verbain.	<i>Herba.</i>	
Common black Tare.	<i>Grana, seu Semina.</i>	
The March Violet.	<i>Flores, folia.</i>	<i>Syrupus è Succo, & per infusion.</i>
The Viper.	<i>Axungia, Animal integrum, exuvia seu Cutis exterior.</i>	<i>Vinum Viperinum, Sal Volatile, Trochisci.</i>
Golden Rod.	<i>Herba florescens.</i>	

VISCUM, *Visci*, & VISCUS, *Visci*, Bac-
cis albis Quercûs, & aliarum ar-
börum, viz. Tiliarum, Pomorum
Sylvestrium, Corylorum, Oxya-
canthæ, &c.

VITIS, *Vitis*, Vinifera, seu sativa.

Corinthiaca, seu Apyrina.

VITRIÖLUM, *öli*, Album nativum.
Cœrulëum, seu Romanum.
Viride nativum.

VOLUBILIS Siliquösa Mexicäna, foliis
plantaginis, sed pinguioribus &
longioribus, fructu numerosis
granis nigrescentibus repleto.

VITŮLUS, *tŭli*.

Ἰξός.

Ἀμπέλος.

Χάλκανθον.

Banilla, Nom.
Hispan.

U.

ULMARIA, *riæ*, Vulgäris.

ULMUS, *ulmi*, Vulgatissima, folio lato,
scabro.

URTICA, *ticæ*, Romäna, seu urens, pilŭ-
las ferens, five Mas cum globŭ-
lis, Semine lini, sed minore.

Πτελέα.

Wistlete, or Wist- leto.	<i>Lignum, Folia, Bacca.</i>	
The Currant Vine.	<i>Fructus, uvæ pas- sæ minores, seu pas- sulæ Corinthiacæ, dicti.</i>	
The manured Vine.	<i>Bacca uvæ majo- res, maturæ exsicca- tæ.</i>	Succus fermentatus, Vi- num, dictus, Spt. Vini, A- cetum, Tart. albus & ru- ber, fæces, ex quibus sicca- tis & calcinatis, fit <i>Cinis</i> <i>Clavellatus</i> , <i>Pot-Ashes</i> , vulgo dictus.
White Vitriol.		Pulv. Sympathet.
Roman Vitriol.		Ol. Sp. purificatio, Sal,
Green Vitriol.	<i>Vitriolum nati- vum rarissimè facti- tium frequenter.</i>	Elixir. Dantiscan. addito Cupro. Vitriolum viride factum ex solutione quo- rundam lapidum ferrugine- orum <i>Copperas Stones</i> cum aliqua parte ferri veteris.
The Vanillas Tree.	<i>Siliquæ, cum se- minib. numerosissimis, minutissimis, nigris.</i>	
The Calf.	<i>Sevum Vitulinum.</i>	

U.

Meadow-Sweet, or Queen of the Meadows.	<i>Herba floescens.</i>	Aqua simplex.
The Elme.	<i>Cortex exterior.</i>	
The Roman Pet- tle.	<i>Semina.</i>	Syrup.

URTICA	Vulgāris urens, seu racemifera major perennis.	Κνίδη, ἀκα- λύφη.
UVA	passa major, vid. <i>Vitis</i> . Minor, vid. <i>Vitis Corinth</i> .	

Z.

ZEDOARIA	rīa, Longa & rotunda, seu Zeylonica camphoram redolens.	Ζάδνεα.
ZIBETHA	bētha, & Zibēthum, vid. <i>Cactus Zibethicus</i> .	
ZINZIBER	bēris, Orientale, vel Jamaicense, radice tuberosâ, nodosâ, ramosâ, colore rufescente, sed pelliculâ externâ arte separatâ, albescente.	Ζιγγιβερ.

The common sting-
ing Nettle.

*Herba, Semina,
Cyma tenera, seu
novella.*

Z.

Long and round
Zedoarp.

Radices.

Radices conditæ.

Ginger.

Radix.

*Radices virides Saccha-
ro conditæ in India.*

O 2

E R.

ERRATA GRAVIORA.

Delenda.

- P.** 16. l. 20. *d. sen.*
p. 21. col. 2. l. 11.
d. post unde.
P. 24 l. 12. d. Sativa.
P. 26. l. 2. d. & Cicuta-
ria major.
P. 33. col. 3. l. 1. d. Ungt.
P. 48. l. 13. d. flore pur-
purascence vel albo.
P. 75. col. 3. l. 6. d. Ungt.
populn.

Corrigenda.

- P.** 4. l. 19. *Angustifo-*
lia, l. folia.
P. 8. l. 1. nī, l. nī.
P. 15. col. 2. l. 17. capiti,
l. capite.
P. 16. l. 10. vid. Arbor
Balsam. Indic. l. vid. Ar-
bor Balsamifera prima
Hernand.
P. 22. l. 7. Stellatus, l. ā-
tus. l. 8. aculeis, l. lēis.
P. 27. col. 2. l. 20. medi-
am, l. medium.
P. 28. l. 3. Corralina, l
Coralina.
P. 29. col. 1. l. 5. Cherry-
Dog-tree, l. Dog-Cher-
ry-tree. col. 2 l. 4. Co-
ma, l. Corna.
P. 34. l. 29. Exuviae, l.
Exuviae.
P. 35. col. 3. l. 7. podiis,
l. podii.
P. 36. l. 8. feniculi, l. fœ-
niculi.
P. 37. col. 3. l. 4. ♀ &
Tar. l. Sulphur & Tart.

- P. 42. l. 3. norum, l.*
nōrum. l. 9. Ammoni-
acum, l. ācum. l. 22. ra-
diato, l. āto.
P. 46. l. 3. Peruviana, l.
āna. l. 11. Icthyocolla,
l. Icthyocolln.
P. 47. col. 2. l. 10. viri-
dum, l. dūm.
P. 48. l. 20. rūbente, l.
rubente.
P. 52. l. 6. luteūm, l. ěum.
P. 58. l. 16. Hortensis, l.
Sylvestris.
P. 62. l. 27. Westmorlan-
di, l. dīca.
P. 64. l. 11. fluvatilīs, l.
fluviatilis.
P. 90. Symphitum, l. Sym-
phytum.

Addenda.

- P.** 8. inter l. 12, & 13.
ad. Iseltoniensis. in-
ter l. 16, & 17. ad.
Moffetensis.
P. 3. col. 3. l. 7. ad. Aqua
Mellis. col. 1. l. 21. ad.
Salt. col. 3. ad. Ungt.
Mundif. ex Apio.
P. 10. l. 3. ante Laurifo-
lia, ad. Baccitera. l. 22.
post Americanam, ad.
ferens.
P. 11. col. 3. ad. flores, &
Tinct. Benzoin.
P. 16. l. 21. post albo, ad.
vel purpureo. l. 25. post
Benzoin, ad. &c.
P. 18. l. 3. post Armeniaca,
ad. vel Armenia.

- P. 24. l. 11. post sen, ad.*
Sativa.
P. 28. l. ult. post radice,
ad. Solidā.
P. 29. col. 3. ad. Syr. Co-
rallii.
P. 31. col. 3. l. 1. ad. Ela-
terium.
P. 33. col. 3. ad. Ungt. Di-
gitalis.
P. 35. col. 2. l. 2, ad. Ra-
dix.
P. 41. col. 3. l. 4. ad. Ci-
neres.
P. 45. col. 2. l. 6. ad. Cra-
nium. l. 10. ad. Semen.
l. 12. post Ventriculus,
ad. ,
P. 59. col. 3. l. 6. ad. Se-
vum.
P. 70. l. 29. ad. nella fra-
ge.
P. 71. col. 3. ad. Aqua
flor. Parailys.
P. 74. l. 8. ad. vid. Nigri-
ca fabrilis.
P. 80. col. 3. ad. Gelatin.
Rub. Idai.
P. 84. l. 16. post Scordi-
um, ad. vel.
P. 85. col. 3. ad. Dyagry-
dium.
P. 89. col. 1. ad. Devels-
bit. col. 2. ad. folia Suc-
cisæ. col. 3. ad. Sal Jo-
vīs.
P. 93. col. 3. ad. Tinct.
Euphorbii.
P. 97. col. 2. l. 11. post
rarissime, ad. ,

MINERALOGIA:

S E U

Regnum Minerale.

Fossilia Metallis affinia.

Antimonium,	Plumbum nigrum,
Argentum vivum,	Pyritis.
Cinnabaris,	

Lapis.

Aluminosus,	Osteocolla,
Calcarius,	Plumbarius,
Hæmatitis,	Pyritis,
Hybernicus,	Vitriolicus.

Metalla perfecta.

Argentum,	Ferrum,
Aurum,	Plumbum,
Cuprum,	Stannum.

Salia Medicamentosa.

Alumen Rupeum,	—Marinus niger,
Nitrum,	Tincar, unde Borax,
Sal fossilis,	Vitriolum nativum.
Gemmeus,	

Sulphura Medicamentosa.

Ambra grysea,	Succinum flavum,
-----Nigra,	Sulphur Nativum.
Pissæleum Indicum	

Terræ Medicamentosa.

Argilla,	Ochra,
Bolus Armenia,	Rubrica fabrilis,
-----Communis,	Terra Japonica vul-
Cimolia alba,	gò,
-----Purpurascens,	Lemnia,
Creta alba,	-----Sigillata.
Nigrica fabrilis,	

ZOOLOGIA:

S E U

Regnum Animale.

Ab Animalibus desumpta,

vel

Ab iisdem producta.

Butyrum Majale,	Ovum ejusdemque
Cera flava,	albumen, vitellum,
Favus,	& testa,
Folliculi Sericei,	Sanguis humanus,
Ichthyocolla,	Sericum crudum,
Lac,	Sperma Ceti,
Lapis Bezoar,	Ranar.
è felle Bovino,	Telæ Araneorum,
Margaritæ,	Ventriculigallarum
Mel Virgineum,	Membrana interior,
	Ventriculus Husōnis.

Adeps.

Anseris,	Porci, seu axungia
Caponis,	porcina.
Gallinæ.	Viperæ.
Hominis seu axungia	Vituli.
humana.	

Animalia Integra.

Apis,	Halec,
Bufo.	Lumbrieus terrestris.
Cantharis.	Millepes.
Cochinella.	Serpens.
Cochlea Terrestris.	Squilla.
Columba.	Vipera.
Formica.	

Animalium Excrementa.

Album Græcum, seu	Fel Bovinum, vel
Stercus Caninum.	Taurinum.
Castoreum.	

Fimus Columbinus, vel Stercus Co- lumbæ.	Stercus Gallinaceum, Ovillum, Pavonis, Taurinum, Vaccinum,	Cochinella, Cochlea terrestris, Formica, Hirudo, Lumbricus terrestris,	Mater Perlarum, Millepes, Ostreum, Sæpia, Squilla.
Moschus, Ovula Ranarum, Sperma, dicta, Saliva hominis Je- juni,	Urina hominis adul- ti, Pueri impube- ris, Vaccinæ, Zibethum.		
Stercus Anserinum, Bovinum, Caballinum,			

Animalium Partes.

Apices nigrae chelar. cancrorum,	Intestina Gallin. Husonis,
Cheke cancrorum,	Lana Ovilli,
Corium Husonis,	Lapides, seu oculi cancrorum.
Cornu Cervi, vel Cervinum,	Ossa humana,
Cranium hominis sa- ni violentâ morte extincti,	Pedis Bovini,
Ebur, seu Dens Ele- phantis,	Os Sepiæ,
Exuvie Anguillæ & Serpentis,	Pili Leporini, seu Le- poris,
Hepar, cum Felle Anguillarum,	Pinnæ Husonis,
Hepar, cum Felle Serpentum,	Spolia Serpentina, vel Exuvie.
	Testiculi equini, seu equorum,
	Verrucæ, seu Tophi Caballinæ,
	Ungula Alcis.

*Axungia, vid. Adeps.**INSECTA,**Seu**Exanguia majora & minora,
Item Mollia & Crustacea.*

Apis,	Bombyx,
Aranea,	Cancer marinus,
Astacus fluviatilis,	Cantharis,

Afininum, seu Afini, Caprinum, seu Ca- præ, Equinum, seu E- quæ,	Muliebre, seu Muli- eris, Ovillum, seu Ovis, Vaccinum, seu Vac- cæ.
--	---

Lapis, vel Lapillus.

Bezoar occidentalis, Orientalis,	Cancrorum, E felle Bovino.
-------------------------------------	-------------------------------

Pisces.

Anguilla, Cetus, seu Orca,	Halec, Hufo.
-------------------------------	-----------------

Quadrupedes.

Alce, Afinus, Bos, Caballus, Capra, Capricerva occiden- talis, Orientalis,	Catus Zibethicus, Cervus, Elephas, Equa, Equus, Lepus, Ovis, Vacca, Vitulus.
Castor, Catus Moschiferus,	

Serpentinum genus.

Bufo, Rana,	Serpens, Vipera.
----------------	---------------------

Serum.

Bovinum, Cervinum, Ovillum,	Taurinum, Vitulum, vel a reni- bus Vituli.
-----------------------------------	--

Sperma

Sperma.

Ceti Ranarum.

Stercus, vid. *Excrementa*.*Testa.*Concharum,
Margaritifer, &c.
Ostreorum,Ovorum,
Sepiæ,
Squillarum.*Volucres.*Anser,
Capo,
Columba,Gallina,
Gallus,
Pavo.**PHYTOLOGIA:**

S E U

Regnum Vegetabile.**ARBOR, bõris.**
ARBORES, bõrum.Abies femina,
Mas,
Amygdalus amar.
Dulcis,Betula,
Cerasus nigra,
Rubra,Cornus,
Cupressus,
Ficus,Fraxinus excelsior,
Humilior,
Hedera Arborea,
Ilex cocci glandifera,
Juglans,
Juniperus,
Laryx,
Laurus,
Lentiscus,
Murus,Myrtus,
Oliva,
Oxyacanthus,
Palma Arécifera,
Dactylifera,
Oleosa,
Prunifera Jap-
nica,
Picea,
Pinus sativa,
Sylvestris Mon-
tana Scotica,Quercus Gallifera,
Vulgaris,
Sambucus,
Suber,
Tamariscus,
Terebinthus,
Tilia,
Ulmus,
Vitis,
Volubilis Siliquosa,
&c.*Arbores Bacciferae.*Arbor Euonymo si-
milis,
Balsamum,
Berberis,
Cubebæ,
Draco,
Hedera Arborea,
Juniperus,
Laurus,
Lentiscus,
Myrtus,
Oliva,
Oxyacantha,
Rhamnus,
Rhus,
Sambucus,
Terebinthus,
Thea,
Vitis,*Arbores Coniferae.*Abies alba,
Cupressus,
Larix,
Picea,
Pinus Sativa.*Arbores Glandiferae.*Ilex Coccigera,
Quercus Vulg.
Suber.*Arbores Pomiferae.*Malus Aurantia,
Citria,
Cydonea,
Granata,
Hortensis,
Limonia,
Malus Sylv.
Sylvestr.
Piper rotundum,
Pistacea,
Tilia.*Arbores*

Arbores Prunifera.

Amygdalus amara,	Jujuba Indica,
Dulcis,	Malus Armeniac.
Arbor Benzoinifera,	Perfica,
Cacovifera,	Nux moschata,
Tecomahac.	Olea,
Cerasus hort. rubra,	Prunus Sativ.
Sylv. nigra,	Sylvestr.
Cornus,	

Arbores Resinifera, Foliis deciduis.

Larix,	Terebinthus.
Lentiscus,	

Arbores Resinifera, Foliis perpetuis.

Abies alba,	Pinus sylv. Montana,
Cupressus,	Maritima,
Picea,	Scotica.
Pinus fativa,	

Arbores siliquosa.

Acacia,	Tamarindi,
Cassia fistula,	Vaynillus.
Copaiba,	

Arbores & Frutices, Flore Amentaceo.

Abies,	Larix,
Betula,	Morus,
Cupressus,	Pinus,
Ilex Coccigera,	Populus,
Juglans,	Quercus,
Juniperus,	Suber.

Arbores & Frutices, Flore Monopetalo.

Acacia,	Sambucus,
Caprifolium,	Ulmus,
Laurus,	Viscum.
Rhamnus,	

Arbores & Frutices, Flore Papilionaceo.

Cytisus,	Genista.
----------	----------

Arbores & Frutices, Flore Rosaceo.

Amygdalus,	Malus,
Aurantia,	Myrtus,
Berberis,	Perfica,
Cacao,	Prunus,
Cassia,	Punica,
Cerasus,	Rhus,
Citreum,	Rosa,
Cornus,	Rubus,
Cydonea,	Senna,
Grossularia,	Tilia,
Hedera Arb.	Vitis.
Limon,	

*BACCA, bacca,
BACCÆ, cārum.*

Alkekengi,	Ribesiorum nigro-
Coffee,	rum,
Hederæ Arboreæ,	Rubrorum,
Juniperi,	Rubi Idæi,
Lauri, seu Laurinæ,	Vulgaris,
Morum nigrorum,	Sambuci, seu Sambu-
Myrti, seu Myrtinæ,	cinæ,
Rhamni solutivi,	Spinæ albæ.
Rhois,	

BALSAMUM, sāmi.

Capivi,	Peruvianum,
Giliadense, seu ve-	Tolutanum.
rum,	

*CAPUT, pitis,
CAPITA, pitum.*

Cardui Benedicti,	Nigri,
Papaveris albi,	Stoechados.

CAULIS, *caulis*,
CAULES, *lūm*,

&

CAULICŪLI, *lōrum*.

vid. Stipites.

CEREALIA, *vid. Plantæ*
Leguminosæ.

COMA, *coma*,

COMÆ, *mārum*,

Floridæ, seu florentes & tene-
ræ, *vid. Summitates.*

CONUS, *coni*,

CONI, *nōrum*.

Abietis,
Cupressi,

Pini.

CORTEX, *tīcis*.

CORTICES, *tīcum*.

Aurantiorum acci-
dorum immaturo-
rum,

Maturorum,

Berberis,

Canellæ albæ,

Caryophyllatus,

Cassia lignæ,

Chinæ Occidentalis,

Orientalis,

Cinnamom dictus,

Citreorum,

Cydoneorum,

Ebuli interior,

Eleutheræ,

Glandis Quercinæ,

Granatorum,

Ligni Guajaci,

Sassafras,

Limonum,

Lini,

Mali sylvestris,

Nucis Moschatæ se-

cundus, seu Macis,

Peruvianus,

Quercus vulgaris, seu

Quercinus,

Radicum Capparis,

Sambuci Medianus,

Tamarisci,

Ulmi,

Winteranus.

CYMÆ, *mārum*.

vid. Summitates.

FIBRÆ, *brārum*.

Radic. Ellebori ni-
gri,

Nardi Indic.

Celticæ,

Serpentar. Ca-
rolinean.

Virginianæ,

Valerianæ.

FLOS, *floris*,

FLORES, *flōrum*.

Aurantiorum,

Balaustia arboris, seu

Flores Mali Gra-

nati sylvestris,

Bellidis majoris,

Betonicæ,

Boraginis,

Buglossi,

Calendulæ,

Cardui stellati,

Caryophilli horten-

sis,

Chamæmeli Roma-

ni,

Vulgaris,

Cheyri,

Cyani,

Digitalis,

Fabarum,

Genistæ,

Granatæ sativæ Cyti-

ni dicti,

Hyperici,

Lamii albi,

Lavendulæ cum cali-

cibus,

Leucoii,

Liliorum alborum,

Convallium,

Lupuli,

Malvæ Vulgaris,

Meliloti,

Nymphææ,

Origani,

Pzoniz,

Papaveris erratici,

Nigri,

Paralyfios,

Persicæ arboris,

Roris-Marini,

Rosarum albarum,

Damascenarum,

Rubrarum,

Sambuci,

Spinæ albæ,

Stoechados,

Symphyti,

Theæ Bohee dict.

Tiliz,

Violarum,

Valerianæ horten-

sis,

Sylvestris

veræ

P

Folia

Folia à Stipitibus liberata.

Agrimoniæ odoratæ,	Hormini,
Vulgaris,	Lactucæ sylv.
Alchymillæ,	Lamii albi,
Althææ,	Lepidii,
Artimisiæ,	Lilii convallii,
Asari,	Linguae Cervinæ,
Bardanæ,	Malvæ.
Betonicæ,	Marrubii,
Boni Henrici,	Meliloti,
Brassicæ non capi-	Melissæ,
tatæ,	Menthæ,
Caprifolii,	Menthastri,
Cichorei fativæ,	Nicotiani Angl.
Conyzæ majoris,	Virgin.
Costi hortensis,	Plantag. Aquat.
Dentis Leonis,	Vulgaris,
Dracontii,	Populi nigri,
Ebuli,	Porri,
Endiviæ,	Pulmonariæ,
Grossulariæ,	Quercus Vulgaris.

Folia cum Cauliculis & Floribus ; vel Herbar floridæ, seu florescentes.

Abrotani Maris,	Chamæmeli,
Absynthii Maritimi,	Centaurii minoris,
Romani,	Chamædrys,
Vulgaris,	Chamæpytis,
Adianti albi,	Chelidonii majoris,
Nigri,	Cochleariæ Britan.
Alfines,	Hortensis,
Anagallid. Aquat.	Corallinæ,
Aparines,	Corallii,
Apii,	Dictamni Cretici,
Atriplicis foetidæ,	Falsi,
Bellidis majoris,	Elatines,
Brassicæ capitatæ,	Equiseti,
Bursæ pastoris,	Epithymi,
Calaminthæ Vulga-	Eruçæ,
ris,	Erysimi,
Capilli Veneris ve-	Euphragiæ,
ri,	Fœniculi,

Fragariæ,	Millefolii albi,
Galegæ,	Purpurei,
Gentianellæ Autum-	Nasturtii Aquat.
nalis,	Hortensis,
Geranii Robert.	Nepetæ,
Gnaphalii,	Ocymi,
Hederæ terrestres,	Origani,
Hyssopi,	Panacis Coloni,
Kali,	Paraguay,
Lavendulæ Angustifol.	Parietariæ,
Latifol.	Paronychiæ,
Lichen. terrestris,	Percepier Anglo-
Linariæ,	rum,
Lini Cathartici,	Petroselinii,
Majoranæ,	Pilosellæ,
Mari Syriaci,	Pimpinell. Saxifrag.
Masticariæ,	Polygoni,
Meliloti,	Polytrichi,
Mercurialis feminæ,	Parmicæ,
Maris,	Pyrolæ,
	Pulegii,
	Rutæ.

FRUCTUS, fructus,
FRUCTUS, fructuum,

Amygdalæ amaræ,	Ficus aridæ, seu pas-
Dulcis,	sæ virides,
Armeniaca mala,	Glan. Quercin.
Aurantia mala,	Granata Mala,
Berberis,	Jugland.
Cacao,	Limonia Mala, seu
Caryophylli Aromati-	Limones.
tici,	Sylvestris,
Cassia Fistulæ,	Mala Hortensis,
Cerasa nigra,	Sylvestris,
Rubra,	Morum dictus,
Citrea mala,	Nux Moschata,
Colocynthidos,	Oleæ, v. Olivæ dic-
Cornæ,	ti.
Cubebæ,	Palmæ oleosæ,
Cucumeris Asinini,	Passulæ majores, seu
Cydonia mala,	Uvæ passæ,
Cynosbati,	Minores, seu
Dactyli, seu fructus	Uvæ Corinthia-
Palmæ,	cæ,

Perfica Mala,
Piper album,
Jamaicense,
Longum,
Nigrum,
Poma hortensia fra-
grantia, feu re-

dolentia, Pipina
Aurea,
Pruni sativæ,
Sylvestris, feu
Prunella:
Tamarindi,
Vainilia.

Frumentacea, seu Farinosa, vid.
Plantæ leguminosæ.

FRUTEX, t̃icis,
FRUTICES, t̃icum.

Acacia, seu Spina
Ægyptiaca,
Balsamum,
Berberis,
Capparis,
Cynosbatus,
Ebulus,
Genista Vulgaris,
Grossularia,
Juniperus,

Rhamnus,
Ribes,
Rosa,
Ros-marinus,
Rubus Idæus,
Vulgaris,
Sabina,
Thea frutex,
Tragacanthum,
Viscum.

Frutices Bacciferae.

Berberis,
Ebulus,
Morus,
Myrtus,
Oxyacanthus,

Rhamus,
Ribes,
Rubus,
Viscum.

FUNGUS, fungi.
Rotundus.

GEMMA, gemmæ,
GEMMÆ, m̃arum,
SEU

GERMEN, m̃inis,
GERMINA, m̃inum.

Absynthii Santoni-
ci,
Cappareos,

Genistæ,
Lupuli Salictarii,
Populi nigri,

Quercus vulgaris,
Rosarum rubrarum,

Sambuci,
Urticæ.

GRANUM, grani,
GRANA, ñorum.

Astes, i. e. Sambu-
ci bacca,
Avenæ,
Hordei distichi,
Polystichi,

Kermes,
Paradisi.
Secalis,
Tritici.

GUMMI.

Arabicum,
Ceraforum,
Lacca dictum,

Senega,
Tragacantha.

Gunna Resinae.

Ammoniacum,
Assafoetida,
Galbanum,

Myrrha,
Opoponax,
Sagapenum.

Lachryma.

Betulæ,
Papaveris albi,

Vitis.

LANUGO,
Artemisiæ Chinensis, Moxa
dict. Gossipii fructus.

Legumina Folio Gramineo, vid.
Plantæ Leguminosæ.

LIGNUM, ligni,
LIGNA, ñorum.

Abietis femin.
Arboris Camphori-
feræ,
Tubaræ,
Chinæ,
Colubrinum,

Cupressi,
Guajaci,
Piceæ,
Rhodium,
Sassafras,
Visci.

MALUM, mali,
MALA, lorum.

Agreste, seu Sylvestre,	Granatum, seu Punicum,
Aurantium,	Limonium, seu Limon.
Armeniacum,	Persicum,
Citreum,	Pipinum aureum,
Cydoneum, seu Cydoneum,	Redolens.

MALUS, mali,
MALI, lorum.

Armeniaca,	Granata, seu punicata,
Aurantia fativa,	fativa,
Sylvestris,	Granata Sylvestris,
Citrea, seu Citria,	Hortensis, seu fativa,
Cydonea, seu Cydonea,	Perfica,
	Sylvestris.

MUSCUS, musci.

Aureus Indicus,	Pixidatus.
Pocosempie dict.	

NUX, nucis,
NUCES, nucum.

Cacao,	Moschata,
Cupressi,	Pistacia.
Juglans dicta,	

NUCLEUS, clæi,
NUCLEI, orum.

Amygdalorum,	Malorum Armeniacorum,
Conorum Pinus,	Persicorum,
Frustrum Ceraforum nigrorum,	Nucis Moschatae,
Palmæ Dactyliferæ,	Pinei.

Oculi, vid. Gemmæ.

PISTILLUM, tilli,
PISTILLA, orum.

Florum Croci fativi.

Plantæ Aquaticæ.

Anagallis Aq.	Nymphaea,
Betonica Aq.	Plantago Aq.
Lapathum Aq.	Trifolium Aq.
Mentha Aq.	Valeriana Aq.
Nasturtium Aq.	

Plantæ Asperifolia.

Anchusa,	Lithospermum,
Borago,	Pulmonaria,
Buglossum,	Symphitum.
Cynoglossum,	

Plantæ Baccifera.

Alkekengi,	Lilium convallium,
Arum,	Polygonatum,
Asparagus,	Solanum.
Brionia,	
Mirabilis peruviana,	

Plantæ Bulbosa.

Allium,	Lilium,
Cæpa,	Porrum,
Crocus,	Scylla.

Plantæ Capitata.

Bardana,	Centaur. majus,
Carduus Benedict.	Cyanus.
Carthamus,	

Plantæ Corymbifera.

Abrotanum,	Helenium,
Abfynthium,	Matricarium,
Artemisia,	Millefolium,
Bellis,	Ptarmica,
Calendula,	Pyrethrum,
Chamæmel,	Tanacetum.
Costus Hortorum,	

Plan-

Plantæ Corymbiferis affines.

Scabiosa, Eryngium.

Plantæ Culmifera.

Arundo saccharif. Hordeum;
Avena, Oryza,
Erument. Amyle- Secale,
um, Triticum.

Plantæ Leguminosæ.

Anonis, Glycyrrhiza,
Cicer, Melilotus,
Faba, Orobus,
Fœnum Græcum, Pisum,
Galega, Vicia.
Genista,

Plantæ Marina.

Corallina, Spongia.
Corallum,

Plantæ Maritimæ.

Absynthium, Kali.
Eryngium,

Plantæ perpetuâ frondē virentes.

Aloe, Heder. terrestris,
Anagall. Aq. Hypericum,
Asarum, Majorana,
Bellis, Marum,
Bugula, Nasturt. Aquat.
Capillares, Polypodium,
Chamæmel. Rapum,
Cheiri, Salvia,
Cochlear. Sedum,
Eryngium, Serpillum,
Ficus Indica, Telephium.
Fragaria,

Plantæ Pomifera.

Colocynthis, Granadilla.
Cucum. sylv.

Plantæ Siliquosæ.

Brassica, Fumaria,
Burfa pastor. Nasturt. hort.
Chelidon : Rapum,
Eruca, Raphan. Rustic.
Erysimum,

Plantæ Stellatæ.

Alfina, Pyrola,
Aparine, Rubia Tinctor:
Equisetum,

Plantæ substantiæ lapideæ.

Corallina, Corallium.

Plantæ Succulentæ.

Acetosa, Crassula,
Atriplex, Kali,
Cæpa, Paronychia,
Cochlearia, Sedum.

Plantæ Vitricillatæ.

Betonica, Melissa,
Calamintha, Mentha,
Chamædrys, Nepeta,
Chamæpytis, Ocimum,
Dictamn. Creticus, Origanum,
Spurius, Pulegium,
Hedera Terrest. Ros-marinus,
Horminum, Salviæ hort :
Hyssopus, Sylv.
Lamium, Scordium,
Lavendula, Serpillum,
Majorana, Steechnas,
Marrubium, Thymus,
Marum, Verbenæ.

Plantæ Umbelliferae.

Anethum,	Foeniculum,
Angelica,	Færule,
Anisum,	Imperatoria,
Apium hort.	Levisticum,
Carum,	Panax Hercul.
Cicuta,	Pastinaca,
Coriandrum,	Petroselinum,
Cuminum,	Sanicula,
Daucus Vulg.	Saxifraga.

Herbæ flore Anomalo.

Aristolochia,	Fumaria,
Arum,	Linaria,
Digitalis,	Orchis,
Dracunculus,	Scrophularia.
Euphrasia,	Viola.
Fraxinella,	

Herbæ flore Apetalo, seu Stamineo.

Acetosa,	Lapathum,
Alchimilla,	Lupulus.
Afarum,	Mercurialis,
Atriplex,	Oryza,
Avena,	Parietaria,
Bistorta,	Paronychia,
Cannabis,	Perficaria,
Cyperus,	Polygonum,
Equisetum,	Secale,
Gramen,	Triticum,
Herniaria,	Urtica.
Hordeum,	

Herbæ quæ floribus carent.

Adiant. album,	Lichen,
Nigrum,	Lingua Cervin.
Capillus Vener.	Muscus,
Corallina,	Polypodium,
Corallum,	Spongia,
Filix,	Trichomenes.
Fungus,	

Herbæ flore Campaniformi.

Althæa,	Ketmia,
Aparine,	Lilium convalli,
Brionia,	Malva,
Colocynthus,	Polygonatum,
Cucumis sylv.	Rhabarbar.
Gentiana,	Rubia.
Gossipium,	

Herbæ flore Polypetalo, Caryophyllato.

Caryophyllus,	Linum.
---------------	--------

Herbæ flore Cruciformi.

Brassica,	Leucoium,
Bursa Pastor :	Nasturtium,
Chelidon :	Aquat.
Cochlearia,	Rapum,
Eruca,	Raphanus,
Erysimum	Sinapi.
Lepidium,	

Herbæ Flore flosculofo.

Abrotanum,	Cyanus,
Absynthium,	Gnaphalium,
Artimesia,	Lappa, seu Bardan.
Carduus Bened.	Petalites,
Stella c.	Scabiosa,
Carthamus,	Senecio,
Centaur. maj.	Tanacetum.
Conyza,	

Herbæ Flore Hypocrateriformi.

Plantago,	Psyllium,
Primula Veris,	

Herbæ Flore Monopetalo Infundibuliformi.

Hyoscyamus,	Nicotiana,
Jallappa,	Valeriana.

Herbæ Flore Labiato.

Betonica,	Mentha,
Brunella,	Cataria,
Calamintha,	Ocimum,
Chamædrys,	Origanum,
Chamæpytis,	Pseudo dictamnium,
Horminum,	Ros-marinus,
Hyssopus,	Salvia,
Lamium,	Serpillum,
Lavendula,	Stoechas,
Majorana,	Thymus,
Marrubium,	Verbascum,
Melissa,	Verbena.

Herbæ flore Liliaceo.

Allium,	Dens Canis,
Aloe,	Lilium,
Cæpa,	Iris,
Crocus,	Porrum.

Herbæ flore Papilionaceo.

Anonis,	Melilotus,
Cicer,	Orobis,
Faba,	Pisum,
Fœnum Græc.	Tragacantha,
Galega,	Vicia.
Glycyrrhiza,	

Herbæ flore Radiato.

Bellis,	Millefolium,
Caltha,	Parmica,
Chamæmel :	Tussilago,
Matricaria,	Virga aurea.

Herbæ flore Rosaceo.

Agrimonia,	Cistus Ledon.
Alfene,	Clematis,
Argemone Mex :	Elleborus,
Asparagus,	Filipendula,
Capparis,	Fragaria,
Caryophyllata,	Geranium,

Granadilla,	Ranunculus,
Hypericon,	Ruta,
Kali,	Sylvestris,
Nymphæa,	Saxifraga,
Opuntia,	Sedum,
Papaver,	Telephium,
Pœonia,	Tormentilla,
Pyrola,	Ulmaria.

Herbæ Flore Rotato.

Alkekengi,	Pulmonaria,
Borago,	Solanum,
Buglossum,	Symphitum,
Capficum,	Verbascum,
Cynoglossum,	Veronica.
Lithospermum,	

Herbæ Flore Semiflosculosæ.

Dens Leonis,	Scorzonera.
Lactuca,	

*Pomum, vid. Malum.**Pomus, vid. Malus.*

PUTĀMEN, mīnis,

PUTAMĪNA, mīnum.

Nucis Juglandis extimum.	Nucis Moschatæ externum.
-----------------------------	-----------------------------

RADIX, dīcis,

RADICES, dīcum.

Acetosæ vulgaris,	Aristoloch. longæ,
Acori,	Rotundæ,
Allii,	Scandentis,
Althææ,	Afari,
Anchusæ,	Asparagi,
Angelicæ,	Bardanæ,
Anonidis,	Bistortæ,
Apii,	Bryoniz albæ,
Ari,	Calami aromatici,

Caryophyllatæ,
 Cassumuniar.
 Ceparum,
 Aiscalonic.
 Chelidoniz majoris,
 minoris,
 Chinæ occidentalis,
 orientalis,
 Cichorei sylvestris,
 Contrayervæ Hispani-
 cæ.
 Jamaicensis:
 Curcumæ,
 Cynoglossæ,
 Cyperi longi,
 rotundi,
 Dentis Leonis,
 Dictamni albi,
 Eryngii,
 Filipendulæ,
 Fœniculi,
 Galangæ majoris,
 minoris,
 Gentianæ,
 Glycirrhizæ,
 Graminis Canini,
 Helenii,
 Hellebori albi,
 nigri,
 Hyoscyami,
 Hyperici,
 Jalappæ,
 Imperatoriz,
 Ipecacuanhæ,
 Iridis Florentinæ,
 Nostratis,
 Lappathi Aquatici,
 Hortensis latifolii amplissimi.
 Longifolii,
 Rotundifolii,
 Sanguinei,
 Sylvestris folio acuto,
 Lappathi folio obtuso,
 Lili albi,
 Malvæ,
 Mechoacanæ albæ,
 Nardi Celticæ,
 Indicæ,
 Nymphææ,
 Orobi Sylvatici,
 Osmundæ Regalis,
 Pœoniæ maris,
 Feminæ,
 Pentaphylli,
 Petalitidis,
 Petroselini,
 Pimpinellæ,
 Saxifragæ,
 Plantæ Affæfætidæ,
 Polygonati,
 Polypodii Quercini,
 Porri,
 Pyrethri,
 Rapæ vel Rapi,
 Raphani hortensis,
 Rusticani,
 Rhabarbari veri,
 Rhapontici,
 Rubicæ Tinct.
 Sarsaparillæ,
 Satyrii maris,
 Scorzonæræ Hispani-
 cæ,
 Nostratis,
 Scrophulariæ,
 Scyllarum,
 Serapias,
 Serpentariæ Virgini-
 anæ,
 Tormentillæ,
 Valerianæ Aquati-
 cæ maj.
 Hortensis,
 Sylvestris veræ,
 Zedoariæ,
 Zinziberis.

Ramusculi, vid. Stipes

RESINA, *sina*, RESINÆ, *nārum*.

Abiegna, seu Abie-
 tis,
 Benzoini,
 Carannæ,
 Elemi,
 Guajaci Nativæ,
 Labdani,
 Laricea, seu Larycis,
 Lentiscinæ, seu ex
 Lentisco, *i. e.*
 Masticha,
 Myrrhæ,
 Olibani,
 Picea,
 Pineæ, seu Pini,
 Styracis,
 Tecomahaca,
 Terebinthina Ar-
 gentoratenfis,
 Chinensis,
 Communis,
 Cypria,
 Veneta,
 Vera.

SEMEN, *minis*, SEMINA, *minum*.

Absynthii Santoni-
 ci,
 Acetosæ vulgaris,
 Anethi,
 Angelicæ,
 Anisi,
 Aurantiorum,
 Bamiæ Moschatæ,
 Bombacis,
 Cannabis,
 Cardamomi majo-
 ris,
 minoris,
 Cardui Benedicti,
 Stellati,
 Carthami,
 Carvi,
 Cicerum rubrorum,
 Citrei,
 Colocynthidos,
 Coriandri,
 Cumini,
 Cydoniorum,
 Dauci sylvestris,
 Erucæ,
 Fœniculi dulcis,
 Fœnugraci,
 Fraxini,
 Gossipii,
 Hyoscyami,
 Levistici,
 Lini,
 Milii Solis,
 Oryzæ,
 Papaveris albi,
 Nigri,
 Spinosi,
 Pastinacæ sylvestris,
 Petroselini,
 Pisi,
 Plantaginis,
 Pœoniæ Maris,
 Psyllii,
 Rhois obsoniorum,
 seu Sumach,
 Rutæ,
 Sinapi,
 Staphidis agriæ,
 Tanacetii,
 Urticæ.

SILIQUA,

SILĭQUA, *liquæ*,
SILĭQUÆ, *quarum*.

Acaciæ veræ,
Capfici.
Cardamomi majoris,
 minoris,
Cassiæ Fistulæ Alexandrinæ,
Americane,
Fabarum,
Tamarindorum,
Vanillorum cum Seminibus.

S I M P L I C I A

é

PLANTIS NATA.

Auricula Judæ, seu Epithymum,
fungus ad sambu- Galla communis,
cum, Turcica,
Chermes Grana, Muscus aureus, seu
Cochinella quibusd. Pocosempie,
Viscus arborum.

STIPES, *pītis*,
STIPĪTES, *pītum*.

Angelicæ,	Fabarum,
Dracontii,	Genistæ,
Equisetum foliis se-	Paraguay.
taceis,	

Stolones, vid. *Turiones*.

Succi condensati.

Acaciæ veræ, vel	Euphorbium,
Anglicæ,	Gutta Gamba,
Aloes Barbadiensis,	Manna,
Caballinæ,	Opium,
Hepaticæ,	Sanguis Draconis
Soccotrinæ,	dictus,
Arundinis Saccha-	Scammonium,
riferæ,	Terra Japonica
Camphora,	dictus.

Succi Liquidi.

Agresta pomacea,	Kermes,
Vinosa,	Limonum,
Aurantiorum,	Agrest.
Berberum,	Mali Sativi,
Betulae,	Sylvestris,
Citreorum,	Rosarum Damascenarum.
Cydoneorum,	
Granatorum,	

SUMMITāTES, *tātum,*
cum

Foliis & Flosculis, Floridæ,
Florescentes, & Floriferæ
dictæ.

Abrotani Maris,	Herniariæ,
Absynthii Romani,	Lamii albi,
seu Maritimi ve-	Lavendulæ,
ri,	Lini Cathartici,
Vulgaris,	Marrubii,
Agrimoniæ odora-	Matricariæ,
tæ,	Menthæ Saxiphra-
Vulgaris,	gæ,
Althææ,	Mercurialis Gallicæ,
Artimesiæ vulgaris,	Millefolii,
Calaminthæ,	Ocymi Citrati,
Centaurii minoris,	Roris-marini,
Cochleariæ,	Serpilli,
Crassulæ,	Tanacetæ,
Euphragiæ,	Thymi,
Fumariæ,	Ulmaræ.
Galegæ,	Virgæ aureæ.
Gentianellæ Autum-	
nalis,	

TURĬO, ōnis,
TURĬŌNES, ōnum,
SEU

Tenella Plantarum cacumina
primo erumpentia.

Abietis feminæ,
Scoticæ,

Lupuli Saliſtarii, Piceæ.

Vinum.

Album Gallicum,	Graveanum, Vin. i.
Montanum,	rubr. Gallin.
Portuenſe,	Mofchatellium,
Alonenſe,	Malacenſe,
Burdegalenſe, i.	Malvaticum,
Vin. rubr. Gallic.	Rhenanum,
Canarienſe, ſeu Ca-	Rubrum Gallicum,
narinum,	Portuenſe.
Florentinum,	





Medicamenta Simplicia, SECUNDUM Virtutes digesta.

ABSORBENTIA,

*Animalium partes, & ex iisdem
producta.*

Apices nigræ, che- larum cancro- rum, Concha Margariti- fera, Mytilorum, Ostreorum, Cornu cervi, Ebur,	Margaritæ, Oculi cancrorum, Os Sæpiæ, Ossa humana, Succinum album, Testæ ovorum Gal- linarum, Squillarum.
--	--

ABSUMENTIA vid. *Caustica.*

AD AMBUSTA, vid. *Anipyret.*

ALEXIPHARMACA, vid. *Di-
aphoret.*

ALEXITERIA, vid. *Diaphoret.*

ANODYNA, vid. *Hypnotica.*

ANTIARTHRITICA.

Animalium Excrementa.

Stercus Vaccinum, vel Bovinum.

Cortices.

Cappareos, Fraxini,	Tamarisçi.
------------------------	------------

Folia.

Bardanæ, Chamædryos, Chamæpityos,	Plantag. Aquat. Salviæ agrestis.
---	-------------------------------------

Fossilia.

Sulphur.

Q 2

Lanug.

Lanugo.

Artimesiæ.

ANTICOLICA, vid. *Carmi-*
*nativa.*ANTIDOTA, vid. *Diaphoret.*ANTIDYSENTERICA, vid.
Astringent.

ANTIELMINTHICA.

*Animalium partes.*Cornu cervi, Fel bovis.
Ebur, seu dens Ele-
phantis,*Folia.*Abrotani, Hyperici cum flor.
Absynthii, rib.
Centaur. min. eum Sabinæ,
flor. Scordii,
Tanaceti.*Flores.*Abrotani, Meliloti,
Absynthii, Sambuci,
Hyperici, Tanaceti.*Fossilia.*

Argent. vivum, Stannum.

Musculus.

Corallina,

*Radices.*Allii, Graminis,
Gentianæ, Rhabarbari.*Semina.*Absynth. Santonic. Citri,
Brassicæ, Tanaceti.ANTIEPILEPTICA, vid. *Ce-*
*phalica.*ANTIHECTICA, vid. *Bechica.*

ANTIHEMORRHOIDALIA.

*Folia.*Linariæ, Sedi,
Nicotianæ, Telephii.*Radices.*Chelidonii mino- Scrophulariæ majo-
ris, ris.

ANTIHYDROPICA, vid.

Cathartica.

ANTI-ICTERICA.

Animalium Excrementa.

Stercus Anseris, Stercus Ovis.

*Cortices.*Berberis interioris, Radicis Cappareos.
Ebuli,*Flores.*

Hyperici.

*Folia.*Alfines, Cichorei fativ.
Centaurii minor. Fragariæ,
Chelidonii, Marrubii albi.*Fructus.*

Aurant. Limon.

Insecta.

Millepedes, Lumbrici.

Metalla.

Ferrum.

Pistilla.

Croci fativi,

*Radices.*Chelidonii, Fragariæ,
Cichorii, Lapathi Monach.
Curcumæ, Rubiæ Tinctorum.*Semina.*

Semina

Cannabis.

ANTIPESTILENTIALIA,
vid. *Diaphoret.***ANTIPYRETICA.***Ab Animalibus producta.*

Butyrum recens.

Animalium Excrementa.

Stercus Gallinæ albiss.

Cortices.

Sambuci viridis.

Flores.

Sambuci.

Folia.

Alfines,	Salviæ,
Digitalis cum flor.	Sedi,
Hederæ terrestris,	Sambuci,
Ophioglossi,	Telephii.
Plantaginis,	

Fossilia.

Sal.

Radices.

Ceparum, Liliorum alborum.

Semina.

Cydoneor : Lini.

ANTISCORBUTICA.*Cortices.*

Canellæ albæ,	Sambuci interioris,
Radices Cappareos,	Winteranus.

Flores, seu Gemmæ

Cappareos,	Lapuli salictarii.
Cenistæ,	

Folia.

Acetosæ hortensis,	Fumariæ,
Vulgaris,	Geranii Robert.
Acetosellæ,	Lepidii,
Anagallid. Aquat.	Nasturt. Aquat.
Brassicæ rubræ,	Hortensis,
Cochliariæ hort.	Perficariæ acris,
Maritimæ,	Sedi parvi.

Radices.

Apii dulcis, seu ce-	Lapathi Aquat.
leri,	Raphani hort.
Ari,	Rnsficani,
Helenii,	Polypodii Quercini.
Lapathi acuti,	

Semina.

Erucae.

Succus.

Aurantiorum acid.	Malorum Sylvestri-
Betulæ,	um.

Summitates, seu Turiones.

Abietis feminæ,	Pinus Scoticæ.
Piceæ,	

APERIENTIA, vid. *Discussien-*
*tia.***APOPHLEGMATISANTIA,**
vid. *Masticatoria.***APOPLECTICA,** v. *Cephalica.***ASTRINGENTIA.***Ab Animalibus desumpta.*

Ichthiocolla,	Sanguis humanus,
Pili Leporis,	Stercus Asinin.

Baccæ.

Myrti.

Contiæ

Cortices.

Aurant. sylvestr.	Granatorum,
acidorum imma-	Quercus,
tur.	Suberis,
Cassia Lignæ,	Ulni.
Cinamomi,	

Excreſcentia.

Gallæ Turcicæ.

Flores.

Balaustionum,	Rosarum rubrar.
Lamii albi,	

Folia.

Alchymillæ,	Pilosellæ,
Bursæ pastoris,	Plantaginis,
Equiseti,	Poligoni,
Gnaphalii,	Rubi vulgaris,
Herniariæ,	Tesepii,
Lapathi Sanguin.	Urticæ.
Millefolii,	

Fossilia.

Alumen,	Vitriolum.
---------	------------

Fructus.

Berberis,	Prunorum sylvestr.
Corni,	Quercus, seu Glan-
Cydoneorum,	des cum calicibus,
Cynosbati,	Rubi Idæi,
Mororum,	Vulgaris,
Nucum Cupressi,	Sumach.

Fungus.

Orbicularis.

Gummi.

Lacca,	Mastic.
--------	---------

Lapides.

Calaminaris,	Osteocola.
Hæmatitis,	

Ligna.

Sassaphras.

Marina.

Corallium,	Spongia.
------------	----------

Musculus.

Pocosempie.

Radices.

Bistortæ,	Osmundæ regalis,
Caryophyllatæ,	Pentaphilli,
Cynoglossi,	Sigilli Solomonis,
Filipendulæ,	Symphyti,
Lapathi Aquat.	Tormentillæ.
Sanguinei,	

Succus.

Acaciæ vulgaris,	Sanguis Dracon.
Fruetuum acidor.	Terra Japonica dic-
Hypocissidis,	ta.

Terra.

Bolus Armena,	Creta alba,
Vulgaris,	Lemnia,
Cimolia alba,	Rubrica fabrilis,
Purpurascens,	Sigillata.

*BECHICA.**Ab Animalibus producta.*

Lac Asininum,	Mel,
Muliebre,	Sperma Ceti.

Balsamum.

Giliadense,	Pix Barbadiensis.
Tolutanum,	

Flores.

Bellidis majoris, seu Buphthalmi.

Folia.

Adianthi albi,	Linguae Cervinae,
Nigri,	Marrubii albi,
Veri, seu	Pulmonar. Maculos :
Capillor. Vener.	Scabiosae,
Erucæ,	Succisæ,
Erysimi,	Thymi,
Gnaphalii,	Thee Bohea,
Hederæ terrestris,	Trichomanes,
Hyssopi,	Tussilaginis.

Fossilia.

Sulphur.

Fructus.

Amygd. amaræ,	Pomorum redolen-
Dulces,	tium cortices,
Cynosbati,	Passulæ majores,
Dactyli,	minores,
Ficus,	Pistacei,
Nuclei Pinei,	Pruna Damascena.
Olivæ,	

Gummi.

Arabicum,	Tragacanthæ.
-----------	--------------

Gumma Resinæ.

Ammoniacum,	Olibanum,
Benzoinum,	Styrax.
Massiche,	

Musci.

Pixidatus.

Pistilla.

Croc.

Radices.

Allii,	Iridis Florentinae,
Cæparum,	Raporum,
Ascaloniar :	Scyllarum,
Glycyrrhizæ,	Zedoariæ.
Helenii,	

Semina.

Bombacis, seu Gos-	Floris Solis,
sipii,	Fœniculi dulcis,

Lini,
Sinapi,

Urticæ.

Succus.

Saccharum.

CARDIACA.**Ab Animalibus desumpta.**

Bezoar Occident.	Margaritæ,
Orientale,	Moschus,
Cornu Cervi,	Sericum crudum,
Ebur,	Zibethum.

Animal.

Cocchinellæ.

Flores.

Boraginis,	Caryophyll: hortens:
Buglossi,	Ulmariæ.
Calendulæ,	

Fructus.

Cacao,	Vainilli.
--------	-----------

Pistilla.

Croc.

Semina.

Bamiæ Moschatae.

Succus.

Granorum Kermes.

Sulphura Medicam.

Ambea grylea & nigra.

N. B. His adde Aromata ac
omnia ferè Stomachica.

CARMINATIVA.**Animalium Excrementa.**

Stercus Caballi-	Stercus Columbi-
num,	num.

Baccæ.

Juniperi,

Lauri.

Cortices

Cortices.

Caryophyllatus, Winteranus.

Flores.

Chamæmeli utriusque, Fabarum.

*Folia.*Angelicæ, Lauri.
Dracunculi,*Fructus.*Glandes Quercini, Piper Jamaicense,
Grana Paradisi, Longum,
Piper album, Nigrum.
De Guinea,*Radices.*Angelicæ, Imperatorix,
Cyperi longi, Levistici.
Rotundi,*Semina.*Anethi, Fœniculi dulcis,
Angelicæ, Vulgaris,
Anisi, Fœnigræci,
Carni, Levistici,
Coriandri, Pastinacæ sylvestr.
Cymini,*Stipites.*

Angelicæ.

CATHARTICA.

Baccæ.

Rhamni Cathartici,

*Cortices.*Ebuli, }
Sambuci } interior : a ligno derasus.*Flores.*Perficæ Arboris,
Rosarum Damascenarum.*Folia.*Ebuli, Mercurialis,
Lini Cathartici, cam Senæ Alexandr :
flosculis & sem :*Fructus.*Cassia fistulæ Alex- Cucumeris agrestis,
andrin : Tamarindi Arboris
Americanae, Occidentalis,
Colocynthidos : Orientalis.*Radic s.*Brionia albæ, Polypodii Quercini,
Ellebori nigri, R habarbari veri,
Jalapii, Monachorum,
Iridis Nostratis, Rhaphontiticii Al-
Mechoacannæ, pini.*Resina.*

Guajaci Nativa.

*Semina.*Carthami, Ebuli,
Colocynthidos, Papaveris spinosæ.*Succi concreti.*Aloes Barbad. Gambogii,
Caballin. Fraxini, Manna,
Hepat. dicta,
Soccotrin. Scammonia.

CEPHALICA.

*Ab Animalibus desumpta.*Castoreum, Ungula Alces.
Cranium humanum,*Baccæ.*

Coffee, Visci Arborum.

*Flores.*Betonicae, Roris marini,
Fabarum, Salviae,
Lavendulae, Stoechados,
Liliorum convall : Tilix.
Pœoniae Maris,*Folia.*

Folia.

Betonicae,
Epithymi,
Euphrasiae,
Lavendulae,
Majoranae,
Mari Syriaci,
Origani,
Roris-marini,
Rutae,
Salviae,
Serpilli,
Theae viridis,
Thymi,
Visci Quercus, &
aliorum Arborum.

Fossilia.

Cannabaris nativa, Succinum.

Lignum.

Visci cujusvis arboris.

Nuclei.

Ceraforum nigro- Malorum Armeni-
rum, acorum,
Perficorum.

Radices.

Cassumuniar : Valerianae Sylv. ve-
Paeoniae Maris, ra.

Semina.

Paeoniae Maris, Rutae.

CORRODENTIA, v. Caustica.
DEOBSTRUENTIA, vid.
Discutientia.

DETERGENTIA.*Ab animalibus producta.*

Album Graecum, Vitellum Ovorum.

Cortices.

Ulmi.

Folia.

Caprifolii, Mercurialis Anglicae,
Elatines, Sabinæ.

Gummi-Resina.

Aloe, Myrrha,
Balsama omnia, Terebinthina.
Elemi,

Metalla.

Cuprum.

DIAPHORETICA.*Ab Animalibus desumpta.*

Cornu Cervi, dentalis,
Lapis Bezoar occi- Orientalis.

Bacca.

Hederæ Arboreæ, Lauri,
Juniperi,

Cortices.

Citri, Lignorum Sassa-
Lignorum Guajaci, fras.

Flores.

Calendulae, Papaveris rubri.

Folia.

Cardui Bened : Scordii,
Dracontii, Succisa,
Galega, Ulmaria.
Scabiosa,

Fructus.

Nuces Jugland. immaturæ.

Gummi.

Aloe, Myrrhae.

Lignum.

Guajacum, Sassafras.

Pistilla.

Croci.

Radices.

Angelicae, Fraxinellæ,
Aristolochiae Jamai- Imperatoriae,
censis, Petasitidis,
Bardanae, Pentaphylli,
Caryophyllatae, Sarsaparillæ,
Chinae, Scorzoneræ,
Contrayervæ virgin. Serpent. Virg.
Carolin :

Tormentilla,
Valer. hort.

Zedoaria.

Terra.

Lemnia,
Sigillata,

Bolus Armena.

DISCUTIENTIA.

Animalium Excrementa.

Album Græcum,
Axungia humana,
Fimus equinus,

Fimus, f. Stercus,
Columbinus,
Saliva humana.

Bacca.

Juniperi,

Lauri.

Excrementa.

Fex Vini,

Flores.

Centaurii minor :
Chamæmeli,
Lavendulæ,
Meliloti,

Roris Marini,
Sambuci,
Stoechados.

Folia.

Abrotani,
Absynthii,
Calaminthæ,
Caprifolii,
Hysopi,
Lauri,
Majoranæ,

Origani,
Pulegii,
Roris marini,
Rutæ,
Sabinæ,
Scordii.

Fructus.

Piper.

Gummi.

Ammoniacum,
Galbanum.

Sagapenum,

Semina.

Anethi,
Anisi,
Carvi,
Cymini,

Fœnugræci,
Secalis,
Sinapi.

Radices.

Aristoloch :
Galangæ,

Helenii,
Iridis Florentinæ.

DIURETICA.

Animalia.

Apis,
Bufo,
Cantharis,

Formicæ,
Millipes,
Talpa.

Ab animalibus producta.

Lapis e felle Bovino,
Testæ Ovorum.

Arbor.

Betulæ Succus,
Rami Arboris—

Tubarie Jamaicen-
sis in cineres re-
ducti.

Bacca.

Alkekengi,
Ciceris rubri,
Fragariæ,

Juniperi,
Lauri,
Oxyacanthæ.

Balsamum.

Capivi,

Peruvianum.

Cortices.

Fraxini,
Genistæ,
Tamarisci,

} Medianus.

Flores.

Althææ,
Cardui Stellati,
Chamæmeli,

Genistæ,
Oxyacanthæ.

Folia.

Althææ,
Aparines,
Baccharis Monspel :
Cichorii,
Endivie,
Genistæ cum ramu-
lis,

Malvæ,
Menthæ Saxiphra-
gæ,
Nasturt. Verrucosi,
Paraguay,
Percepier,
Persicariæ urentis,
Pe

Petroselini,
Theræ viridis,

Verbenæ,
Virgæ aureæ.

Fossilia.

Nitrum,
Succinum,

Tincar, ex quo Bo-
rax.

Grana, seu fructus.

Fraga,

Hordei utriusque.

Gummi.

Arabicum,
Ceraforum,

Senega.

Radices.

Acetosæ,
Althææ,
Apli palustris,

Filipendulæ,

Ari,

Peniculi,

Afari,

Graminis canini,

Asparagi,

Ononidis,

Brionæ,

Petroselini,

Cardui Stellati,

Pimpinellæ Saxiphra-

Ceparum,

Rhaphani hort :

Dentis Leonis,

Rusticani,

Eryngii Maritimi,

Saxiphragæ albæ,

Scyllarum.

Semina.

Cardui Stellati,

Fraxini,

Dauci sylvestris,

Lithospermi,

Ebuli,

Petroselini,

Eruce,

Urticæ.

Succus.

Betulæ,

Terebinthi.

Fructuum omnium
acidorum,

EDULCORANTIA, vid. *Ab- sorbentia.*

EMETICA.

Folia.

Afari,

Senecionis.

Cardui Bened :

Fossilia.

Antimonium,

Vitriolum album.

Lignum.

Colubrinum.

Radices.

Ellebori albi,

Ireos Nostratis,

Ipecacuannæ,

Scyllarum.

EMMENAGOGA, vid. *Hyste- rica.*

EMOLLIENTIA.

Ab Animalibus producta, vel desumpta.

Adeps, seu Axungia Intestina Gallina-
omnium anima- rum
lium officinalium,

Flores.

Chamæmeli,

Meliloti,

Liliorum alborum,

Sambuci.

Folia.

Althææ,

Mercurialis Angli-

Cicuta,

cæ,

Hyoscyami nigri,

Parietariæ,

Malvæ,

Violarum.

Fructus.

Ficus,

Olivæ, unde Oleum.

Gummi Resina.

Ammoniacum,

Terebinthina,

Galbanum,

Thus.

Opoponax,

Radices.

Althææ,

Liliorum alborum

Brionæ,

Malvæ.

Ceparum,

Semina.

Cydnoneorum, Lini,
Foenugræci, Ptyllii.

EPISPASTICA.*Animalia.*

Cantharides.

Ab Animalibus producta.

Fimus Columbinus.

Folia.

Ranunculi Flammei.

Gummi.

Ammoniac : Pix:
Euphorb :

Lapis.

Calcarius.

Radices.

Ellebori albi, Raphani Rusticani,
Pyrethri, Zinziberis.

Semina.

Sinapi, Staphidis agriæ.

EPULOTICA.*Fossilia.*

Alumen, Bolus Armeniaca.

Gummi.

Sarcocolla.

Lapides.

Calcarius, Hæmatitis,
Calaminaris,

ERRHINA.*Flores.*

Liliorum alborum.

Folia.

Afari, Mari,
Betonica, Nicotianæ utriusq;
Lauri, Primulæ veris,
Majoranæ, Ptarmicæ.

Gummi.

Euphorbium.

Radices.

Cassumuniar, Iridis nostratis,
Ellebori albi,

**ESCHAROTICA, vid. Causti-
ca.****EXEDENTIA, vid. Caustica.****EXPECTORANTIA, vid. Be-
chica.****FEBRIFUGA.***Animal.*

Halec.

Ab Animalibus producta.

Telæ Araneæ.

Cortex.

Eleuthera, Peruvianus.

Flores:

Chamæmeli.

Folia.

Cardui Benedicti, Chamædryos,
Centaur : minoris, Lauri.

Fructus.

Quercus arboris.

Lignum.

Colubrinum.

Mineralia.

Alumen, Nitrum,
Antimonium,

Radices

Radices.

Acetosaë, Contrayervæ Ja-
 Afari, maicensis,
 Caryophyllatæ, Gentianæ,
 Contrayervæ His- Serpentariæ Virgi-
 panicæ, nianæ.

Summitates.

Centaurii minoris.

FLATUS DISCUTIENTIA,

vid. *Carminativa.*

HYDROTICA, vid. *Diaphoretica.*

H Y S T E R I C A.

Ab Animalibus desumpta.

Castoreum, Moschus,
 Hepar Anguillæ, Verrucæ Equorum
 cum felle, seu Lichenes.
 Anguis,

Flores.

Chamæmeli, Mali Aurantii.
 Croci fativæ,

Folia.

Abrotani Maris, Hormini,
 Artemesiæ, Lamii albi,
 Atriplicis fætidaë, Marrubii albi,
 Calaminthæ, Matricariæ,
 Chamædryos, Nepetæ,
 Chamæpytios, Ocymi odore Citri,
 Dictamni Cretici, Pulegii,
 seu veri, Sabinæ,
 Falsi, Serpilli,
 Grossulariæ, Tanacetii.

Fructus.

Offa Dactylorum.

Gummi Resinæ.

Asa-fætida, Opoponax,
 Galbanum, Sagapenum.
 Myrrha,

Mineralia.

Borax nativa, Stannum.
 Ferrum,

Radices.

Aristolochiæ longæ, Curcumæ,
 rotundæ, Hellebori nigri,
 Brioniæ albæ, Valerianæ hortens-
 fis.

H Y P N O T I C A.*Capita.*

Papaveris albi, Papaveris nigri,

Flores.

Papaveris Erratici, Paralyticos.

Folia.

Hyoscyami nigri, Lupuli,
 Lactucæ sylvestris, Solani.

Radices.

Cynoglossi, Hyoscyami nigri.

Semina.

Hyoscyami albi, Papaveris albi,
 Papaveris nigri.

LITHONTRIPTICA, vid. *Diuretica.*

M A S T I C A T O R I A.*Folia.*

Majoranæ, Salviæ.

Fructus.

Cubebæ.

Gummi.

Mastiche.

Radices.

Angelicæ, Zinziberis.
 Pyrethri,

Semina.

Piperis albi, Sinapi,
 nigri, Staphidis agriæ.

M A T U R A N T I A.

Ab Animalibus desumpta.

Axungia Anseris, Axungia humana,
Gallinæ, Porcina.

Animalium Excrementa.

Stercus Bovinum, Stercus Ovinum.
Columbinum,

Flores.

Chamæmeli Roman : Meliloti.
Vulgaris,

Folia.

Acetosæ vulgaris, Malvæ,
Altheæ, Violar.

Fructus.

Ficus.

Gummi.

Ammoniac. Thus.

Resina.

Pix Burgund : Pix liquida.

Semina.

Fœnugræci, Tritici.
Lini,

MENSES MOVENTIA, vid.

Hysterica.

MENSES SISTENTIA, vid

Astringent.

NARCOTICA, vid. *Hypnotica.*

NASALIA, vid. *Errhina.*

NEPHRITICA, vid. *Diuretica.*

O P H T H A L M I C A.

Ab Animalibus desumpta.

Albumen ovi agitatæ,
Sperma Ceti.

Flores.

Cyani Segetum, Rosar : pallidarum,
Rosar : albarum, Rubrarum.

Folia.

Chelidonii majoris, Fœniculi
Euphrasiæ, Plantaginis.

Fossilia.

Lapis Calaminaris, Vitriolum album.
Tutia,

Pistilla.

Florum Croci.

Semina.

Cydnoneorum, Hormini,
Fœniculi, Psyllii.

OXYDORCICA, vid. *Ophthalmica.*

P A R T U M M O V E N T I A.

Borax Officin : Ossa Dactylorum,
Hepar Anguillarum Crocus,
cum felle, Castoreum,
Cinamomum, Testiculi equorum.

PAREGORICA, v. *Hypnotica.*

PECTORALIA, vid. *Bechica.*

PNEUMONICA, vid. *Bechica.*

PRÆCIPITANTIA, vid. *Ab-
sorbentia.*

PTARMICA, vid. *Errhina.*

RAREFACIENTIA, vid. *Dis-
cutientia.*

R E F R I G E R A N T I A.

Ab Animalibus.

Albumen Ovi.

Folia.

Alfines, Endiviæ,
Brassicæ Sativæ, Lujulæ,

Polygoni,
Populi nigri,
Ribes,

Sedi majoris,
Solani.

REPELLENTIA.

Ab Animalibus desumpta.

Albumen Ovi.

Cortices.

Quercus,

Flores.

Balaustii,
Nymphææ,

Rosarum rubrarum:

Folia.

Alfines,
Cupressi,
Hyoscyami nigri,
Myrti,

Plantaginis,
Quercus,
Sedi,
Solani.

Fructus.

Gallæ,

Myrti baccæ.

Fungus.

Ad Sambucum.

Radices.

Bistortæ,
Sigilli Solomon:

Tormentillæ.

Sal.

Alumen.

RESOLVENTIA, vid. *Discu-*
tiencia.

SARCOTICA, vid. *Vulneraria.*

SCELOTURBICA, vid. *Anti-*
scorbutica.

SEMEN GENERANTIA.

Animalia.

Offrea,

Viperæ,

Ab Animalibus producta.

Moschus,

Zibethum.

Fructus.

Cacao,
Nuclei Pinei,

Nuclei Pistacei,
Piper.

Radices.

Eryngii,
Satyrii.

Serapiados.

Semina.

Eruce,

Sinapios.

N. B. *In hoc sensu nume-*
rantur calida omnia & acria.

SEPTICA, vid. *Causfica.*

SPIRITUS REFICIENTIA,
vid. *Cardiaca.*

STERNUTATORIA, vid. *En-*
rhina.

STOMACHICA.

Cortices.

Aurantiorum His-
palensium,
Caryophyllatus A-
mericanus,
Cassia lignea com-
munis,

Cinamomi,
Citri,
Cydoneorum,
Limonum acido-
rum,
Macis.

Jamaic:

Flores.

Capparum,
Genistæ,

Lupuli,
Rosarum albarum;

Folia.

Agrimoniæ commu-
nis,
Cardui Benedicti,
Cichorei fativæ,
Costi hortorum,

Melissæ,
Menthæ,
Ocymi,
Trifolii paludos.

Fructus

Fructus.

Cardamomum ma- Cydonea,
jus, Cynosbati,
minus, Fragariae,
Caryophylli Aromati- Grana Paradisi,
tici, Nucis Moschatae
Cerafa rubra, nucleus,
Cubebae, Ribes:

Radices.

Acori Pharmacop. Gentianae,
Calami Aromatici, Nardi Celticae,
Indicae,
Cichorii sylvestris, Pimpinellae Saxi-
Cyperi longi, phragae,
Rotundi, Zedoariae,
Galangae minoris, Zinziberis.
Majoris,

Resinae.

Caranna, Mastiche,
Labdanum, Tecomahaca.

Semina.

Bamiae Moschatae, Grana Paradisi.
Cardamomum utriusq;

Stramen, seu Culmus.
Schoenanthus.

Succi.

Fructuum acidorum.

Summitates.

Absynthii Maritimi, Centaurii minoris,
Romani veri, Gentianellae autum-
Vulgaris, nalis,
Agrimoniae odoratae, Verbenae.

*SUDORIFERA, vid. Diapho-
retica.*

*SUPPURANTIA, vid. Matu-
rantia.*

TESTACEA, vid. Absorbentia.

THORACICA, vid. Bechica.
*TRAUMATICA, vid. Vulne-
raria.*

VERMES NECANTIA, vid. Antielmintica.

VESICANTIA, vid. Epispastica.

VOMITORIA, vid. Emetica.

*VULNERARIA.**Animalia.*

Cancris fluviatilis.

Ab Animalibus desumpta.

Intestina Ovina, Telae Araneorum.

Balsamum.

Capivi, Terebinthina,
Giliadenfe, Tolutanum.
Peruvianum,

Folia.

Alchymillae, Hyperici cum flori-
Aparines, bus.
Centinodii, Paronychiae,
Digitalis, Plantaginis,
Elatines, Prunellae,
Equiseti, Pyrolae,
Geranii Robertian: Saniculae,
Hederæ terrestris, Symphiti,
Herniariae, Telephii,
Ulmariae.

Gummi.

Elemi, Thus.
Sarcocolla,

Lapis.

Cancrorum, Hybernicus.
Corall: rubr: Osteocolla.

Radices.

Anchusae, Rhabbarbari Anglici,
Lapathorum omni- Scrophulariae Aqua-
um, ticae.

Ernest August Jager

