A treatise on a consumption of the lungs. With a previous account of nutrition, and of the structure and use of the lungs ... / [Sir Edward Barry].

Contributors

Barry, Edward, Sir, 1696-1776.

Publication/Creation

London: William and John Innys, 1727.

Persistent URL

https://wellcomecollection.org/works/uuvmgree


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
https://wellcomecollection.org



/2343/B 12/6 Sp6 Pont 72-588 F. XV 6 graffer 20 an m

Digitized by the Internet Archive in 2018 with funding from Wellcome Library





A

TREATISE

ONA

CONSUMPTION

OFTHE

LUNGS.

WITH

A previous Account of NUTRI-TION, and of the Structure and Use of the LUNGS.

By EDWARD BARRY, M.D.

The SECOND EDITION with ADDITIONS.



LONDON:

Printed for WILLIAM and JOHN INNYS, at the West End of St. Paul's. M.DCC.XXVII.

To the pant



To his EXCELLENCY

JOHN

LORD CARTERET,
BARON OF HAWNES,
and LORD LIEUTENANT
of IRELAND.

HEN Persons in the highest Stations, like your Lordship, are eminently distinguished for making the Good of Man-kind

kind their peculiar Care, they have an undoubted Right to the Homage of all those, who, in a more humble Sphere, pursue that amiable End: While these, on the other Hand, lay Claim to, and think themselves in some Degree entitled to their Protection.

AND tho' this must often expose them to the impertinent Addresses of such who but impotently strive to promote the publick Welfare; yet to one of your Lordship's Candor, the sincere Intention will in some Measure supply the Place of more suc-

fuccessful Merit, and plead an Excuse for this Presumption.

THE Inquiries which have been made into the Structure and Use of the various Parts of Animal Bodies, have been always attended with great and diffusive Benefits. Several mechanic Engines owe their Origine to Hints first taken from fmall Machines of the same Form in a human Body; and some of the most curious Pieces of Art, and Productions of Nature, have been there discovered in a beautiful Miniature. Sculp-TURE, and PAINTING, could

not have arrived to fuch a Perfection, unassisted with the previous Improvements in Anatomy: And the furprifing Contrivances that have been observed in the Fabric of the Ear, have not a little contributed to make Music charm more powerfully. The great Resemblance that has always appeared between the Body Politic, and Natural, makes the latter particularly worthy of the Encouragement, and Study of the greatest Statesman. Thus Menenius Agrippa, by his famous Apologue deduced from the Structure of the Body, prevailed on the mutinous Plebeians

beians to acquiesce in the Authority of the Laws. Had he been unacquainted with this Sort of Knowledge, the Republick, then in its Infancy, might have been destroy'd by civil Feuds, and Rome perhaps had never been the Mistress of the World. However, these Advantages, My Lord, tho' very considerable, are by no Means equal to fuch as flow from a judicious Exercise of the Art of Physic; on which often depends the Safety of the best Patriots, and of fuch who are most capable of improving all other Arts, and Sciences.

A 4 SINCE

Macquielce in the Au-SINCE then the due Cultivation of Medicine is of such Use to Mankind; since the most refin'd and elegant Enjoyments of Life grow insipid where Health is wanting; fince, without it, we could not relish even these happy Days, nor have a true Flavour of the unufual Bleslings we enjoy under your wife and auspicious Administration; permit me, My Lord, to lay before You, this faint Essay in the Art of Healing. You make us every Day more in Love with Life, by making us every Day more happy

happy in it, and consequently make the Art of Physic of still the greater Importance.

THE univerfal Reputation Your Lordship enjoys in being skill'd in every Part of useful Knowledge, Your thorough Acquaintance with the Ancients, Your forming Your Mind (where You thought the Moderns imperfect) on their Model, the greatest of whom made it so much their Care to be versed in the Art of Physic, that it was even thought a necessary Part of a polite Education, make me believe I have chose the best and

and truest Critic, as I'm sure I have the worthiest Patron of the following Sheets.

I am,

Your Lorship's

most Obedient,

bumble Servant,

EDWARD BARRY.

THE



THE

PREFACE.



HILE other Arts and Sciences have been greatly advanced, and brought almost to a the Progress of Phy-

Perfection, the Progress of Physic has been so very slow, that for the Space of above two thousand Years it received but few real Improvements; but by the Labour and misapply'd Industry of its Professors

xii The PREFACE.

sors was loaded with Errors and involv'd in useless Intricacies.

THIS unhappy Fate of Physic, is in a great Measure owing
to the Number of Sects, and deluding Hypotheses that have been
admitted to explain the Causes of
Diseases, while their Patrons have
partially advanced whatever may
gain Credit to their fatal Schemes,
and have neglected the true Methods by which this Art may be
improved.

WHOEVER takes a just View of the Writings of former Physicians, and of the various Revolutions this Science has passed through, will find that little truly valuable has been added to it from the

The PREFACE, xiii

the Time of Hippocrates to that of Harvey, but what has been received from the divine old Man; and that the large Volumes of succeeding Authors have increased and swelled to such a Bulk, not by new real Improvements, but by Repetitions of what he wrote before, and applying a false Philosophy to his Observations: And even his Works, if purged from Errors, may be reduced to a smaller Size; for if his Notions of the Elements, and their Influence of Attraction, and Antipathy, Celestial Causes and Anatomical Errors, are excepted, which greatly enlarge the Bulk of his Writings; what remains consists of a small Collection of Observations, which are plain, and obvious to the Senses, and as they

xiv The PREFACE.

they are the constant Footsteps of Nature, will always retain that Esteem they have so long maintain'd, and continue to bear the severest Test of succeeding Ages.

THIS great Author is most valuable for his exact Description of the natural Progress, and Event of Diseases. Aretæus Cappadox, and Rufus Ephesius, pursued the same Method. The former deserves particular Notice, for having been the first that reduced into Order, what Hippocrates published in a confused Manner: Galen likewise was very serviceable in collecting the Diagnostics, and Prognostics of Diseases, which lay scattered in the Writings of former Physicians; but did great

The PREFACE. xv

great Prejudice to Physic, in introducing the Peripatetic Philosophy, and thence explaining the Causes of Diseases: By this Means the Art continued unimproved, but was more involved in Fictions, and deceitful Chimaras; and whoever looks over the large venerable Sect of Arabians, Rhases, Averroes, Avicenna, &c. tho' their natural Sagacity, and the Size of their Volumes, seem to promise no small Discoveries, will find they have only changed the Language of Galen and Aristotle, and have added little material besides a few Improvements to the Materia Medica.

ALL the succeeding Authors, to the Time of Parac elsus, were Com-

xvi The PREFACE.

Commentators on Galen, and paid Juch an implicit Regard to his Notions, that his Text was quoted by them as decisive, and sacred; while the Name of Hippocrates (particularly among the chief of the Arabians) was seldom mentioned: But his Doctrine was at length revived in France by Hollerius and Duretus, and the Galenic Theory was violently overthrown by Paracellus, who, when he was made Professor at Basil, ordered the Works of Galen to be publickly burnt.

CHYMISTRY being now introduced into Medicine, eased it indeed of a great Load of Errors, but soon substituted others more whimsical, and dangerous in their

The PREFACE. xvii

their Place; for the succeeding Chymical Physicians, instead of observing the natural Progress, and Event of Diseases, regarded chiefly (uch Phænomena, as appeared in their Elaboratory from Experiments tried on particular Bodies, and thence endeavoured to account for the Alterations which are produced in the finest Machine in the Universe, whose Motions are most regular, by Immechanical Ferments, Precipitations and Battles fought between Salts of an opposite Nature: And at length their Flights were so mad, and Enthusiastic, as to seek for a Medicine that would universally cure all Diseases, and make a human Body immortal, which unavoidably decays by the same Causes that lup-

xviii The PREFACE.

Support it. Chymistry is without doubt of the greatest Service to the Art of Healing, when kept within its proper Bounds, as from thence the Knowledge of the Properties of particular Bodies is attain'd; tho' in being misapply'd it has retarded its Progress: But this Art is now cultivated after a more chast and useful Manner, which is in a great Measure owing to the Industry of the ingenious Mr. Boyle from whom it received large Improvements.

WHEN the Circulation of the Blood was discovered, the Theory of Medicine received new Alterations, and such surprizing Discoveries have been since made in Anatomy, that the most minute Canals

The PREFACE. xix

by artificial Injections and the use of Microscopes have been exposed to the Eye, and have shewn a more beautiful Harmony thro' the whole Fabric than was before imagined.

IT has been since evidently demonstrated that a human Body is a Machine Composed of Solids and Fluids; that Health consists in having their Circulation free and undisturbed through such Canals, and Sickness in their Motion being prevented in some Part or other. The solid Parts are so formed as to be fit and appropriated either to retain, direct, alter, or separate such Fluids; others are contrived as Mechanic Engines, by whose Form, Firmness, and Connexion, the Motion of such B 2 Fluids

XX The PREFACE.

Fluids is likewise promoted, and the whole Frame is propt up and supported. On this Account it plainly appears, that the Effects which are produced in such a Machine, when in Health or Sickness, can only be explained from its known Structure, and from Mechanic, Hydrostatic and Hydraulic Principles.

'TIS most certain that the Mathematicians have given the best general Desinition of a Body; but from the General Principles of Matter, no one can deduce a Priori what are the peculiar Properties of any particular Body, and which distinguish one from another. The only way of attaining such a Knowledge is by making Expe-

The PREFACE. xxi

Experiments, and by carefully observing the Phænomena; and when such are taken for Data, and a Geometrical Reasoning is apply'd to them, we may thence arrive to the Knowledge of the adequate Cause of such Effects, and deduce useful and certain Axioms, which could not be attained without the Assistance of such a Calculation.

EVERT Part of a Fluid simply considered is a Solid, and therefore the Effects, which are thence produced by its Momentum and Motion, are to be explained after the same manner. Gravity, and Fluidity are the common Properties of Fluids; their various Difference in Elasticity, Weight, Density, Fluidity, and Contact, are the B3 chief

xxii The PREFACE.

chief Properties which distinguish one Fluid from another; and can never be deduced from the General Principles of Fluids, but from particular Experiments on such Fluids.

A human Body is of the same general Nature of other Bodies, but particularly differs from them in being composed of various and different Machines, perpetually agitated with circulating Fluids of a particular Nature; whence the Effects thence produc'd are various, but subject to the same Mechanic, Hydrostatic and Hydraulic Principles, as the general Effects produced from all Bodies whether Solid or Fluid; if such Data are only made use of, which are not the probable

The PREFACE. XXIII

bable Fictions of a luxuriant Imagination, but such as are to be observed by the Senses: So that in applying Mathematics to Medicine, it is required, that the known Structure of the Parts of a human Body, the particular Nature of the Fluids, and the Effects produced in Health or Sickness should be taken for Data.

FOR that any Cause should be investigated after a mathematical Manner, it is requisite, that the several Properties or Powers of such a Cause should be known, and then by comparing them together, the Knowledge of such a Cause may be attain'd, which is adequate to these Properties or Effects when join'd together. But as the Properties

xxiv The PREFACE.

perties of such Causes, which produce Health or Sickness, are not known, but by the sensible Effects which they produce, it is most necessary, that with the Structure of a human Body, the several Functions and Effects, which are observable in a human Body when in Health or Sickness, must be likewise carefully searched into, and exactly described, before a just and regular Notion can be formed of their Causes; and such Effects, when known, will have the same Ratio to the unknown Cause, as in Geometry the Data have to whatever is sought for. On this Acccount, whoever is unacquainted with the Causes of Health, and its Effects, is most incapable of explaining and curing Diseases, which proceed from a De-

The PREFACE. XXV

a Defect of such Causes as constitute Health: When the Hand of a Clock goes wrong, that Artist is only able to correct and alter it with Judgment, that understands the mechanic Fabric and Action of the several little Machines that make it point right.

IN the Pursuit of natural Philosophy, and in arriving to the Knowledge of the Causes and Cure of Diseases, the same Method must be carefully observed: Nothing in either Case is to be assumed, that is not evident to the Senses, nor any Thing that has appeared, tho ever so minute, is to be neglected. To such Phænomena only a mathematical Reasoning is to be apply'd, not to false or dubious

xxvi The PREFACE.

Postulata, such as the unknown Velocity and Figure of Bodies, which, the supported by the justest mathematical Reasoning, will always prove more prejudicial than serviceable to Medicine.

IT has been greatly disputed, Whether the Empiric or the rational Method of Practice, founded on some Theory deserves the Preference? The Advocates for the former have justly observed, that so many contrary Hypotheses have been maintained by different Authors, to explain the Causes of Diseases, and their Method of Cure, that Physic has thereby received more Prejudice, and less real Improvement, than if it had been only assisted by Observations of the natural

The PREFACE. xxvii

natural Progress and Event of Diseases, and the Effects of Empiric Medicines. But whoever justly considers how far the latter can only advance Medicine, will find that the Art must always continue obscure and imperfect without the Assistance of a true rational Theory, and that the most vigorous Part of a Physician's Life must be passed in a long, inactive Course of tedious Observation, before he can arrive at a sufficient Degree of Knowledge to make him capable of Practice. It is most certain, that both are equally necessary tomake a compleat Physician; for whoever is unacquainted with the Observations of the Antients, and the regular Appearance of the Symptoms of Di-Seases, will find Mathematics of Small

xxviii The PREFACE.

small Service in the Cure of them; and whoever is ignorant of the modern Discoveries in Anatomy, Chymistry and Mathematics, will be very uncertain in his Proceedings, and incapable of understanding the true Force of such Observations, on the Knowledge of which he so much depends: But a Theory founded on such certain Principles as have been laid down, is not subject to the precarious Fate of former Hypotheses, but will continue as lasting and useful as the Observations of Hippocrates.

FIXED on such a sure Basis, our Profession has at length raised her drooping Head among other Sciences, and within these few Years has received large Improvements

The PREFACE. XXIX

ments from Borelli, Bellini, Pitcairn, Hygenius, Mead, Friend, Cheyne, and some few besides: But no one has fo far advanced its Progress as the learned Boerhaave: By the Assistance of a full Knowlenge of the antient and modern Discoveries, an unwearied Industry, and an uncommon Genius, he has already done the greatest Service to the Art of Physic, and seems to be most capable of bringing it nearest to Perfection. A great Part of the following Account of Nutrition was published in a Thesis some Years past when I studied Physic under him at Leyden. A languid consumptive Habit of Body probably fixed my Attention more particularly to this Subject at that time, and has in some Mea-Sure

XXX The PREFACE.

sure since engaged me to attempt to bring it to a greater Maturity; and I shall not think my Labour ill bestowed, if the Rules laid down prove as serviceable to others, as they have been to me. I have endeavoured to imitate (tho' very imperfectly) the Method of Reasoning which that great Man recommends, and with most willing Gratitude own my Self indebted to him for several material Observations, which I received in his private Course of Lectures.

THE following Treatife is divided into three Parts. The first contains an Account of Nutrition, the second a Description of the Structure and Use of the Lungs, and from this preceding

The PREFACE, XXXI

ing Theory I have next endeavoured to explain the various Causes and Progress of a Consumption of the Lungs, with a Method of Cure deduced from these Principles. No rational Account can be given of this Disease without this regular Method, for a Consumption in general must always proceed from a Defect of such Causes as constitute Nutrition; and whoever is unacquainted with the Fabrick, and the several Functions of this great Organ in its natural State and Vigor, will be incapable of understanding the Causes of its Decay, and the various Effects which are thence produced.

WHEN a just Method is laid down, every thing slows easily and

xxxii The PREFACE.

and distinctly from it. An affected Oscurity has been too often mistaken for deep Learning in Physic, and that Hypothesis has gained the greatest Applause which was most curiously wrought; but as its Beauty consisted in the elaborate Imitation of the nice Texture of a Cobweb, so its Duration was equally uncertain, and precarious. A clear Simplicity is the surest Test of Truth, and whoever considers the great Uniformity that is to be observed in the Several Parts of a human Body, and the strict Analogy that is kept up between the greater and lesser Parts, will find that the immediate Causes of Diseases are more simple and plain than they are generally supposed to be; and that their

The PREFACE. xxxiii

their great Difference and Variety of Symptoms are chiefly owing to their different Situation. How easie it is to account for a light Boil or Imflammation in the Hand? How few Symptoms are thence produced? But how greatly is the Scene altered, if the same immediate Cause produces Such an Inflammation in the Pleura or Lungs? And its Termination into an Abscess, which gives Relief in the former Case, is in the latter attended with a various Train of Symptoms, and most frequently ends in Death. An Hæmorrhagia Narium often proceeds from the same immediate Cause as a fatal Apoplexy. The different Consequence is owing to their different Situation, for in one the Blood

XXXIV The PREFACE.

Blood from the ruptured Vestel has a free Discharge, in the other it lodges on, and presses the nervous Tubes, whose free and open Action is necessary to continue Life in a human Body. The great Art of a Physician consists in forming a just Notion of the Cause, and Seat of a Distemper; and when the Indications of Cure are deduced from such certain and evident Principles, 'tis an easy Matter by the Use of few and frequently plain Medicines to carry it off. This Assertion is not only agreeable to the strictest Rea-Joning, but is confirmed by experience; since the most happy Practitioners have been always remarkable for the Simplicity of their Medicines, while such who endea-

The PREFACE. XXXV

vour to explain Distempers from complex and immechanical Causes, such as Effervescencies, Precipitations, Alkali's engaging Acids, and use as wild a Farrago of Medicines, are as remarkable for their ill Success.

NATURE generally points out a Method of Cure in most Distempers; for such is the wife Contrivance of a human Body, that whenever any Part is oppressed and disordered, the whole Occonomy is engaged in endeavouring to correct or evacuate whatever is the Cause of the Disease: And the Effects or Symptoms which are thence produced are often to be regarded as natural Remedies, not as an Enemy or Disease: The great

xxxvi The PREFACE.

great Knowledge of a Physician consists in justly distinguishing when such Symptoms are to be suppressed, and when encouraged; for it is much more easy to check any Symptoms, (in which generally the chief Skill of Empirics is employ'd) than rationally to conceive from what natural Motions in the human System they are produced, and how far they contribute to its Relief or Prejudice. Sometimes the Force of Juch Salutary Efforts is too violent or misguided, in which Case it is the Business of a prudent Physician to restrain or direct them to another Cour [e: Sometimes they are so faint and languid, as to prove ineffectual, unless quickened and invigorated. The great Difficulty consists in a pru-

The PREFACE. xxxvii

a prudent Direction of the Symptoms of a Distemper, which, if rightly managed, is often best conquered by its own Weapons.

THE Practice of Physic is become too much a Trade. A sullen Grimace, or an artful Address, with an unintelligible Way of talking suited to the common Vogue, often supply the Place of true Merit, and gain the Preference. As few are Judges of this Science, 'tis an easy Matter by such a Behaviour to gain the Character of a Physician, but nothing requires more Skill and Labour than justly to deserve it. Such a one cannot carelesty apply a Receipt to the Name of a Disease, but from a sufficient Knowledge

xxxviii The PREFACE.

ledge of the Structure of a human Body, the Use of the several Parts, and from an exact History of the natural Progress of Diseases, endeavours to deduce a right Method of Cure suited to the various Exigencies and Constitution of the Patient.





A

TREATISE

ONA

CONSUMPTION

OFTHE

LUNGS.

PART I.

Of NUTRITION.



Human Body being compofed of almost an infinite Number of Vessels, and Fluids circulating through them, is, from this very its Frame subject to

Condition of its Frame, subject to a conflant Decay; for, since Attrition is the C 4 una-

40 Of NUTRITION.

unavoidable Effect of Motion, by which the strongest Bodies are at length destroyed, it is impossible, but that the Vessels of such a tender Fabric, if not constantly repair'd, must be quickly abraded by a perpetual Circulation.

No fingle Part has a constant Duration; even the most Solid is not exempt from this common Fate, but, like the rest, successively perishes, and is restored: It has been found, by repeated Observations, that all the Hair in the Body is renewed twice in a Year, the Nails every two Months; and even the Thigh-Bone, if broken, will unite by emitting Fibres, which acquire an equal Solidity with the rest in the space of sixty Days: The Surface of the Body, tho' ever fo cautiously preserved, gives a quick Tincture to whatever is apply'd to it, which examin'd with the best Microscopes, (a) appears to be composed of the several

⁽A) Leuwenboek, Tom. 4. Epist. 43. p. 407.

constituent Parts of the Solids and Fluids, which constantly exhale and perish.

THE continual Abrasions of the solid Parts, and the Losses which the Fluids sustain in respect of their Quantity, require a constant Repair, which is likewife made more necessary on this Account, that the Quality of the Fluids is so far altered, by being chiefly deprived of their foftest and most diluted Particles, and by being agitated by repeated Circulations, that instead of continuing as fit for Nourishment as before, they at length become destructive, and acquire the Nature of a mineral Poison, whose Malignity consists in the Gravity and Acrimony of its Particles; for whatever is taken for Nourishment should be specifically lighter than the Blood, and the Chyle and Milk made from thence are still lighter; for, as (a) Lower observed, they float on the Surface of

⁽a) De Chyle, ejusq; in sanguinem transitu & transmus

the Blood; therefore the Density of the Fluids depends not on the Nature of them, but on the compressing Force of the Vessels; and the longer they receive this Action without the Addition of fresh diluting Particles, the more compact and heavy they become; and as the Attrition and Heat of the Fluids increase in Proportion to their Density and Velocity, the saline and oily Particles become thereby greatly exalted, and acquire such a degree of Acrimony, as must unavoidably in a short Time destroy the Body.

The Truth of this Reasoning is confirmed by the following Experiment. If the Humours of a healthy Man are received in a Vessel, and agitated with a Degree of Heat equal to that which is natural to a human Body, they in the Space of six Days become entirely putrid, and in three Days acquire a very pungent Acrimony; from whence it is evident, that the circulating Fluids, from the same Causes, receiving such a Disposition, (though a longer space of Time

Time is in this Case required) must quickly irritate, and destroy the tender Vessels of the Brain; and on this Account, such as perish with Hunger, are generally siezed with a raving Madness before they die.

THAT Health therefore should be preferved in a human Body, it is necessary that the Quantity and Quality of what is restored to the Solids and Fluids should be exactly proportioned to the Strength of the Constitution, and the Losses suftained by the Actions of Life; if the Quantity of Nourishment be increased, tho' turn'd into good digested Humours, the Body becomes Plethorick; and into bad, indigested, and not rightly assimilated Juices, the Body becomes Cachectick; if the Quantity of Nourishment be diminished, an Atrophy succeeds; if its Quality be altered, and a vitiated Humour is received into the Vessels, a Cacochymy is thereby produced: This proportionate Restoration of the Solids, and Fluids, is what constitutes Nutrition, which as widely differs from Repletion, as Water poured on the Root of a Tree dif-

44 Of NUTRITION.

differs from the last elaborate Juice from whence the Fruit is produced.

Having thus made evident the absolute Necessity of a constant Repair of the Solids and Fluids, I shall now endeavour to trace our Food from the first Passages to the last; and to explain the different Changes it undergoes, till it is sit to become Nourishment, and farther to describe the Manner how it is performed.

ALL our Humours are produced from what we eat and drink, and all our Solids are composed of these Humours.

(a) There are no Vegetables whatever (except they be of a poisonous Nature) but what with plain Water will afford sufficient Nourishment to Persons accustomed to them; and daily Experience convinces us, that the Reverse of such a Diet, the greatest Luxury of Food, cannot prevent others from being sufficiently nourished; a human Body be-

⁽a) Tulp. Obf. IV. 10.

ing a Machine so admirably contrived, that it can assimilate the greatest Variety of Humours, and reduce them to a Temper like its own.

THE Food taken for Nourishment. before it is received into the Stomach. is greatly prepared by Mastication, which breaks and reduces it into fmaller Parts, and mixes it with the Mucus of the Mouth, and the Salival Juice, whose great Usefulness may be easily understood from its Origine, (being separated from the purest Arterial Blood,) and from the good Effects it produces by being frequently swallowed; for by that Means it greatly contributes to promote Digestion, and as by repeated Cohobations rifes purer, and more fit for attenuating and diluting the Aliment; whereas fuch who carelessly difcharge, by spitting, this useful Humour, are most commonly subject to Indigeftion and an ill Habit of Body.

THE Action of the Muscles compressing the Food, in Mastication, is so strong,

46 Of NUTRITION.

ftrong, that (a) Borellus has computed their united Force to exceed 1350 Pounds; and to make it more effectual, the Mouth is furnished with several Teeth, to cut and grind the Food, with a Form variously suited to these Purposes, some sharp, others whose Surface is more large, with proper Eminences, where, when the Food is determined, by the successive Motion of these Muscels, it receives a more powerful Attrition and Comminution.

FROM hence may be explained the Observation of (b) Hippocrates, Longavi plures dentes habent. The Food in such Persons being generally well prepared; whereas such, who have bad or sew Teeth, are from an impersect Mastication more subject to indigested Crudities, Obstructions of the Viscera, with their satal Consequences.

⁽a) De motu Animalium. Propos. 88. Tab IX. Fig. 2.

⁽b) Oi μακρόδιοι πλείες οδόντας έχετιν. Lib. 2. Sect. VI.

THE Food thus prepared by Mastication, and received into the Stomach, is there farther alter'd, and digested by the Heat of the Stomach, the Mixture of the Juices separated, or contained in it, the mechanic Action of its Fibres, and the compressive Force of the circumambient Parts.

The external Coat of the Stomach, on its convex Side, consists of a great Number of Vessels; on its concave Side of longitudinal Fibres (which, when contracted, diminish its Length); next to this Coat lies that described by (a) Ruysch, which supplies the carnous Coat immediately under it, with a lubricating Moisture, that makes it more easily capable of Motion. The convex Surface of this muscular Coat consists of a Series of orbicular Fibres, which encompass the Stomach, after a spiral Manner, from the upper Orifice to the

⁽a) Thef. 2. Tab. V. Fig. IV.

Pylorus; (and by their Action diminish the Breadth of the Stomach;) the concave Part consists likewise of two Orders of Fibres, the first oblique, which contract the Bottom of the Stomach obliquely towards its back Part, and by that Means diminish its Length; the fecond Order are much longer than the rest, and lie parallel to the Length of the Stomach, embrace the whole Pylorus, and uniting at the back Part thereof, encircle its upper Orifice: The internal Coat of the Stomach is much longer than any other, but contained in the same Space; on which Account its concave Side rifes into Furrows, and its Surface is likewise made more unequal, by feveral Glands which lye on its convex Side, and terminate in its Cavity, from whence a mucilaginous Humour is separated, which lubricates the Stomach, defends it from the Acrimomy of the Food, and prevents it from adhering to its Sides. Several arterial Branches likewise terminate there, which perpetually exhale a thin diluting Fluid not unlike the Saliva. In the inter, nal Cavity there are two remarkable Sinus's, one at the upper Orifice, the other under the Pylorus, which is largest, and by that Means the Food, when propelled there, is prevented from paffing off unprepared by its own Gravity.

THE Heat of the Stomach in a healthy Man is greater than the common Heat of the Sun in a Summer's Day; and, as it appears by Experiments, is more easily suited for the Digestion, and Dissolution of Bodies, than a much greater Heat; which, by carrying off the finer Particles, frequently fixes and coagulates what by a milder Heat would be attenuated and resolved: From hence it is evident, that if the Stomach be confidered only as an inactive chymical Vefsel, agitated with such a Degree of Heat, the Aliment received into it, diluted, and mixed with the Humours feparated, and contained there, will be from thence greatly attenuated, and reduced into a more soft and fluid Substance.

THE Comminution of the Food is like. wise greatly assisted by the Air, which is intimately mixed with it, whose expansive Force, when retained in a close warm Place, increases in Proportion to its Heat, and the Pressure on it; both which are in the Stomach very confiderable, and by the reciprocal Motion of the Diaphragm, and of the Muscles of the Abdomen perpetually varied; by which Means the intestine Force of the Air mixed with the Food, is, from thence, fuccessively expanded, and contracted, and more powerfully contributes to a greater Comminution of it, than one continued Pressure, though of much stronger Force.

Hence appears the Reason why in some Time after a full Meal, (from this increased Expansion of the Air) the Stomach seems more filled, and oppressed, than immediately after it is finished.

THE internal Coat of the Stomach, by being rugose, gives a necessary Delay to the Aliment, that it may not easily pass off indigested, but receive for a longer Time the Action of the Stomach, which is likewise by this Structure prevented from being at any Time entirely empty, some Remains of the former Meal being always retained between its rising Furrows; and being thence rendered very active and acrimonious, constitutes with the salival Juice, which is perpetually swallowed, a true Ferment, that most commonly promotes a Fermentation of the next Food, and in some Measure contributes to Digestion, by giving a greater Attenuation to the Aliment thus agitated: But such a Fermentation, though often begun in the Stomach, is never perfected there, from the Want of sufficient Rest and Time; for that a Fermentation should be finished, it is necessary that the fermenting Bodies should remain undisturb'd in the same Vessel, till their intestine Motion gradually ceases, which is prevented by the

which produces a farther Alteration in the Aliment, and perpetually expels the finer Parts through the Pylorus.

WHEN the muscular Fibres of the Stomach are contracted, its Capacity in Breadth and Length is diminished, the Orifices become more closed and contracted, the Wrinkles in the internal Coat approach nearer to a mutual Contact; by which Means the contained Food receives from every Part a great Preffure and Attrition, which powerfully contribute to attenuate, and reduce it into finer Parts. The Force of this muscular Action on the Food contained in the Stomach is very considerable, and with the concurring Force of the Diaphragm, and of the Muscles of the Abdomen, has been computed by (a) Pitcairn, and some others, to be equal to a Weight of 117088 Pounds, which

appears

⁽a) Dissertatio de motu quo cibi in ventriculo rediguntur ad formam sanguini resiciendo idoneam, & Epistola ad Pitcarnium qua respondetur libello Astrucii.

appears to be incredible, and not justly calculated.

THE Force of this muscular Motion (cæteris paribus) increases in Proportion to the Quantity, and Acrimony, of whatever is received into the Stomach: On this Account, when it is too much distended by Debauches, it becomes most incapable of discharging its Contents, the Fibres being thereby irritated to a greater Contraction, which is always more particularly strong at the Orifices, than in any other Parts, the Fibres being there more closely collected, and compacted: Hence the greatest Anxiety often fucceeds from too great a Debauch, (the Stomach from the strong Contraction of the Orifices being incapable of discharging the oppressing Load,) and continues, till at length the distending Pressure is so great, as to overcome the Resistance of either Orifice; by which Means it generally terminates in a Diarrhæa, or a Vomitting, but most commonly in the latter, the Fibres at the

54 Of NUTRITION.

upper Orifice being more yielding, and less compacted.

WHEN the Stomach is most contracted, either by the natural Force of its Fibres, or by being irritated by the strongest Emetics (as Monsieur Chirac and Pyerus have by Experiments demonstrated) its Capacity is never so far diminished, as to bring its opposite Sides to a Contact; (which was the Opinion of Pitcairn and some others) therefore the mechanic Action of the Stomach presses only on that Excess of Food, which is fufficient to diftend it beyond its greatest Contraction: Thus if the Stomach, when most contracted, can retain fix Ounces of liquid Food, then if twelve are received, it can only exert its pressing Force on the six Ounces, which will nevertheless be thereby in a great Measure communicated to the other Six.

THE orbicular Fibres chiefly contribute to give to the Stomach its peristaltic Motion, which is not equal in every Part,

Part, but successive, beginning at the upper Orifice and alternately continued to the Pylorus: From this varied Contraction, and Relaxation, the Food receives a more exquisite Comminution, than from a continued Pressure; and is thence likewise determined to the Pylorus, through whose contracted Orifice the finer Parts ouze out into the Duodenum, and the groffer remain in the Stomach, till by a longer Repetition of the same Actions, they are so far attenuated as to be capable of passing off the same Way: When the Stomach is so far emptied, as not to be distended beyond its natural Tone, the Pylorus becomes so open and flaccid, as to give an easy Passage to the Food, which is thence expelled by the peristaltic Motion of the Stomach, and the compressive Force of the circumambient Parts.

We are to observe farther, besides the Alteration which the Food receives from the immediate Heat, and mechanic Action of the Stomach, it is most

conveniently situated between the largest and most warm Bowels in the Body, to receive the greatest Advantages of Heat, and Pressure; on its right Side the Liver is placed, whose Heat, from the great Quantity of Blood circulating, through its Vessels, is very considerable; on the left Side lies the Spleen, the Pancreas under it, the Diaphragm above it, by whose Heat and Motion it is warmed, and agitated; before it is placed the Peritoneum, which by the successive Action of the Muscles of the Abdomen, gives a Motion to the Stomach, opposite to that which it receives from the Diaphragm, so that it lies as in a Press between them; behind it is placed the Aorta, the largest Vessel in the Body, whose Heat and constant Vibrations are very confiderable. Whoever justly considers these powerful concurring Causes, will find them sufficient to account for all the Changes which the Food receives in the Stomach; for its Action is very different from what it is generally described to be, and is not capable of dissolving the folid Parts of

animal or vegetable Bodies, but only confifts in attenuating and expressing their fluid Parts. This is confirmed by repeated and obvious Experiments; for Currants, Grapes, or any other Fruit, or Seed, swallowed whole and intire, without chewing, remain so in the Excrement. From whence the Reason plainly appears why the Stomach it felf is not dissolved by its own Action, of which it must certainly be in great Danger, were it formed fo tender and foluble, and contained an active Ferment; or could it excite fuch a powerful Attrition, as might be capable of dissolving or grinding the folid Parts of fuch Food as is often received into it, and which have as strong a Cohesion as the Substance of the Stomach it felf.

It is certain that there are some A-nimals, whose Stomachs are so hard and callous, and the mutual Attrition of its Sides so strong, as to be alone capable of reducing and grinding solid Food:
But Digestion in a human Body is performed after a very different Manner;

neither are Dogs capable of dissolving any solid Food, or reducing Bones (as the common Notion prevails) into a white Excrement by the Action of their Stomach; for if they are given to them involved in any Morsel, and swallowed whole, they will be discharged unaltered with their Excrement: The white Colour which is often observed in the Excrement of Dogs, and which is in some Measure the Cause of this Error, is only to be seen when they have first gnawed the Bones, and reduced them into small parts before they have been swallowed.

Most Authors that have endeavoured to account for the Digestion of the Food in the Stomach, have been so fond of some particular Hypothesis, as to reject the Opinion of others, which, tho not entirely, has been perhaps partly true: Thus the Galenists have ascribed the Cause of Digestion to the Heat of the Stomach; the Chymists to a dissolving Ferment, and others to the mechanic Action of its Fibres, and of the circum-

circumambient Parts: Whereas neither of these Causes is alone sufficient, but all in some Measure concur to produce that Alteration, which the Food receives.

BASILIUS Valentinus was the first among the Chymists, that supposed Digestion was owing to an Acid diffolving Menstruum: Paracelsus received this Opinion from him: Van Helmont carried it farther, and afferted that the Spleen prepared this Menstruum, which was from thence conveyed into the Stomach by the Vasa brevia. Sylvius rav'd of his Duumvirate, and carried the Colluctations excited in the Duodenum from a Mixture of an acid pancreatic Juice and an alkaline Bile into the Blood, and endeavoured to account not only for Digestion, but for most Difeases and their Method of Cure, either from these Effervescencies being too intense, or too languid. These Notions prevailed for a long Time, and produced fatal Errors, till they were at length exploded by greater Improvements

ments in Anatomy, and Chymistry. Lower has most accurately described the Course of the Vessels distributed through the chylopoietic Bowels, and has shewn that the Vasa brevia receive a Humour from the Stomach, but convey none to it: And from the most exact Experiments it appears, that no acid or alkaline Humour is either separated in the Stomach, or in any other Parts of the Body; neither are fuch Effervescencies thence excited, either in the first Passages, or in the Blood. Whatever Acid is contained in the Stomach, proceeds from the Remains of the former Food, and tho' it frequently contributes to promote Digeftion, yet it is by no Means absolutely necessary to it; and we find by Experience that Elix. Propriet. Tart. and aromatic Bitters, which contain a volatile Salt, and are of a Nature oppofite to that of Acids, are often with Success given to create an Appetite, and mend a bad Digestion: And it is farther observable, that the Humours which are contained in the Stomach of the most raparapacious Birds, and Beasts of Prey, have never an acid but a saline Taste.

THE Aliment thus prepared in the Stomach, and expelled into the Inteftines, is farther attenuated, and propelled into the Lacteals, by the contracting Force of the Intestines, and the compressive Motion of the circumambient Parts; and (from every Place it paffes through, from the Time it is received into the Mouth, till it enters the subclavian Vein,) is perpetually diluted by the Mixture of the natural prepared Humours of the Body; fo that the least Part of that Chyle which enters the Blood, is composed of the Food taken for Nourishment: The Food is mixed with a mucilaginous Humour, and the Saliva, in the Mouth, in the Oefophagus, and Stomach, with Humours much of the fame Nature: In the Duodenum with the pancreatic Juice, and the Bile; which last is the most elaborate Humour in the Body, having twice circulated through the last Extremities of the Arteries, and thence acquired

acquired fuch a saponaceous Activity, as chiefly contributes to attenuate the Vifcidity of the Chyle, and to give it an uniform Confistence: In the other Intestines it is mixed with a thin Juice exhaling from the Arteries, and a mucilaginous Humour separated from the Glands, described by (a) Peyerus: In the Mesentery passing through the Lacteals, and in the thoracic Duct, 'tis perpetually diluted with a great Quantity of Lympha; for as the Vena cava receives all the returning Blood, fo the thoracic Duct receives all the returning lymphatic Juices of the Body, and may as well deferve the Name of Vena cava lymphatica, as of Ductus Chyliferus.

Besides the Causes already mentioned, it is propable that the Chyle is impregnated in the Stomach, and Intestines, with a great Quantity of animal Spirits; for there is an uncommon Distribution of Nerves to these Parts,

⁽a) Parerga Anatomica, Exercit. 1 a.

Of NUTRITION. 63

and much greater than feems fufficient for their muscular Motion; and it is more than probable, that the last Extremities of the Nerves terminate in several Parts of the Body, where they are dispersed, and perpetually exhale that elaborated Fluid. Hence appears the Reason why such as have a bad Habit of Body receive but an imperfect Nourishment from the most concocted and best prepared Aliment; the Chyle made from thence being foon tinctured and depraved by the natural Juices, which are mixed with it: And why fuch, who have fasted for a long Time, or have recovered from acute Distempers, if they take suddenly too great a quantity of Nourishment, are apt to fall into Obstructions, and particularly of the Mesentery; their Fluids being exhausted to such a Degree, as not to supply a sufficient Quantity to dilute and prepare the Chyle.

FROM this Account of Digestion, may be evidently explained the Causes which naturally excite or deprave the Appetite,

64 Of NUTRITION.

tite, what artificial Stomachics are proper to restore it, and their Manner of Operation.

HUNGER is produced by an uneasy Irritation of the nervous Coats of the Stomach: This Sensation is particularly excited when the Stomach is most empty, either by the Attrition of the Rugæ, which then approach more closely to a mutual Contact, or by the Acrimony of the Humours, which are separated, or contained in the Stomach.

This Acrimony has a various Origine; it is either separated from the Glands, and exhaling Arteries in the Stomach, and is then of a faline Nature, (on which Account scorbutic Persons are most commonly remarkable for having a great Appetite) or proceeds from the acid Remains of the former Meal, or from a Regurgitation of the bilious Juice, which, when the Stomach is empty, has an easy Admittance into the flaccid Pylorus; on this Account likewise Persons

Persons of an atrabiliarious Constitution, in whom the bilious Humour is very active and pungent, have frequently the most voracious Appetite, which sometimes is apt to produce dangerous Effects, and to terminate in a Fames Canina.

THE Want of an Appetite is owing to the reverse of such Causes as naturally excite Hunger; and therefore proceeds either from a Relaxation of the Stomach, or from a Fault in the Humours separated or received into it.

The Humours contained, or separated in the Stomach, deprave the Appetite, when either from an oppressing Viscidity, or a pungent Acrimony, they afford a painful or a disagreeable Sensation to the nervous Coat of the Stomach; thus tho' acid and bilious Humours, when contained in the Stomach not vitiated, and in a proper Quantity, contribute to excite an Appetite by giving an agreeable, tho' an uneasse Sensation; yet when their Acrimony is depraved, or too great, or the Coats of the Stomach too

tender, the Irritation thence produced, by being increased, becomes painful; for the Causes of Pleasure and Pain differ only in a small Degree, and all Pleasure is attended with a Stimulus, which is fo far uneasie, as strongly to prompt Persons so affected to destroy it, and when increased, and afterwards gratify'd, it terminates either in Indolence, or Pain. On this Account, the greatest Appetite, which is excited from long Fasting, turns at length to a naufeous Abhorrence of all Food, the Humours having thence acquired an exalted putrid Acrimony, which affords a painful and disagreeable Sensation.

WHEN the Want of an Appetite is owing to a Relaxation of the Fibres, such Stomachies are required, which by their Astringency can brace them up, and bring the Ruga more closely to a mutual Contact and Attrition, and by being moderately warm, increase the Contraction of the muscular Coats, by encouraging a greater Influx of animal Spirits.

THE Causes, which by vitiatité the Humours give a disagreeable Sensation to the Stomach, are various; fuch as nervous Spasms, Indigestion, from a Relaxation of the Stomach, an irregular Diet, or a particular bad Habit of Body: When the Stomach is thus affected, Emetics, or stomachic Purgatives must be first used, to discharge the viscid Humours, or the uneasse Stimulus, and then fuch Medicines as are particularly appropriated to the first Cause of the Diforder: Thus, for Instance, Assa fætida may prove a Stomachic to some, which in others would excite a Nausea; cooling Acids are proper to quicken the Appetite of fuch, whose Humours are too hot, and inclined to Putrefaction; Elix. Propriet. Tart. Sal Absynth. which are of a reverse Nature, are most fuitable to fuch, whose Stomachs abound with cold, ungrateful, acid Humours.

PUNGENT, stimulating Stomachies, ought never to be given when the Appetite and Digestion are deprav-E 2 ed,

ed, without being joyned with fuch Medicines as strengthen the Stomach, and help Digestion; for they only afford a false destructive Appetite, and are soon blunted and absorbed by the Food which is taken; while the Stomach, by its languid Heat and Motion, and that of the circumambient Parts, is incapable of Digesting it: By this Means Crudities are collected, Obstructions of the Viscera are from thence formed, and what was defigned for Nourishment, proves at length a most certain Destruction to the Body: On this Account the Custom of Whetting in a Morning has been so frequently observed to be attended with a fatal Consequence.

In some Constitutions, where there is an universal Relaxation of the Fibres, and particularly of the Stomach, the Nerves are so sensible and tender, as to be easily irritated, and quickned by the Use of pungent Stomachies: But when the Stomach, by frequent Debauches, has been greatly distended, the Fibres are thence apt to lose their Tone, and

to become Paralytic, and infensible of the strongest Irritations, which stimulating Medicines can excite: In such a complicated Case, astringent, warm, pungent Stomachics are required, which may brace the Fibres, and by their Heat encourage such an Afflux of animal Spirits to them as may make them fensible of the Stimulus, the Force of which would be otherwise eluded: Such a Method will prevail, (if the Disorder be not so far advanced as to admit of no Relief) especially if joyned with Temperance, which gives the diftended Parts Liberty to recover their Tone, and with Exercife, which is the most excellent Stomachic and Digestive, as it powerfully contributes to promote the Contraction of the Stomach, and thence the Attrition of its Ruga, by encouraging a greater Influx of animal Spirits into its muscular Fibres, and by increasing the compressive Force of the circumambient Parts.

THE Time, which is necessary for the Digestion of the Aliment in the first Pas-E 3 sages,

fages, is varied according to the Nature of the Food, and the particular Strength of the Constitution: Liquids soon pass into the Blood, and the more folid the Food is, the longer Time is required. (a) Waleus from several Experiments concludes, that common folid Food in a healthy Man is in the Space of fix Hours entirely discharged out of the Stomach, changed into laudable Chyle, and begins to flow into the Blood; and (b) Lower, affisted by his Experiments, shews, that in two Hours more, this Chyle is changed into Milk, and circulates through the Vessels in that Form; and in two Hours more, by the repeated Force of the Veffels acting on it, but particularly of the Lungs, is changed into Serum, which is that animal Fluid that contains all the Materials required for Nourishment.

THUS the Lungs are chiefly instrumental in preparing the Chyle sit for

⁽a) Epistola 1 a. ad Barthol. de motu Chyli & Sanguinis.
(b) De Sanguinis Motu & Colore.

Nourishment, and finishing the second Digestion of the Aliment; for the compressing Force of their Vessels, being particularly increased by the Weight of the Air, contributes to give a greater Attenuation and Compaction to the Humours contained in them, than in any other Veffels of the Body; and by the same Preffure of Air, the Form of these Vessels is likewise so altered, that the unprepared chylous Humours (which would otherwise be too gross to enter the minute Vessels, which are at length to be nourished by them) are obliged to circulate in the pulmonary Vessels, through Passages as narrow as the most minute Capillaries of the Body; for the (a) Diameter of a sanguiferous Artery in the Lungs, before it terminates in a Vein, is fo small, as scarce to admit one Globule of Blood to pass through it without being compressed into an oval Form; but by the Force of the Air inspired, this

⁽a) Leuwenhoek Tome. 2. p. 204. Tom. 3. Epift. 28. p. 219.

Canal is from a circular, changed into an elliptical Figure; by which Means the circulating Fluid is obliged to move through Passages, which are by such an Alteration rendered much more narrow than before, fince the Diameter of a Vessel decreases in Proportion, as it recedes from a circular Form: These fanguiferous Arteries likewise in the Lungs (as in all other Parts of the Body) end in Arteries which convey Serum, and these into more minute, which convey a Lympha; and fince by the fame Pressure of Air inspired, these minute circular Canals must be made almost infinitely less, by being forced nearer to a plane Figure; it from thence evidently follows, that whatever Fluid can circulate through them, must certainly be sufficiently prepared, and capable of entering the smallest Vessels in the Body.

By the Affistance of these several concurring Causes, the Food is changed into Serum, which, however variously examined, shews not the least Tincture of Acid or Alkali, but is of a mild, soft, glutiglutinous Disposition, easily mixes with Water, and is almost free from either Taste or Scent; if warmed with a gentle Heat, it gradually dissolves away, and loses all its Viscidity, but if exposed to a Degree of Heat greater than that which is natural to a human Body, it becomes coagulated, and so solid that it strongly resists the Knife: Spirit of Wine mixed with it produces the same Alteration, with this Difference, that it continues then free from Putrefaction.

Hence appears the Cause of the Blood's Viscidity in all inflammatory Cases, proceeding from an increased Degree of Heat; the Blood in the Beginning of such Distempers being often perfectly florid, and mixed with a due Proportion of Serum: Hence likewise appears the great Error of endeavouring to attenuate such Blood, by stimulating, volatile, alkaline Medicines and Blisters, which by increasing the Motion and Heat of the Blood must consequently increase its Viscidity. This Error is in some Measure owing to ascribing the common Pro-

Properties of a homogeneous Fluid in general to the Blood, and the Alterations it receives from mechanic Causes acting on it, whereas it is beterogeneous, and endued with Properties only peculiar to this Fluid. It acquires a Viscidity, tho' of a very different Nature, either from too intense Motion and Heat, or from a Circulation too languid; in this last Case the Globules of the Humours receive larger Superficies, and become specifically lighter; in the former Case their specific Gravity is increased, and they are so compacted and pressed together, that they almost become folid, and unfit for longer Motion: The Want of this Distinction has been the Cause of great Errors in Practice; for the Method of altering each Viscidity is very different, and the Reason which is commonly given for the Use of stimulating, volatile Medicines, in an inflammatory Coagulation of the Humours, (that when Blood is taken out of the Body, and mixed with them, it does not receive fuch a strong, and quick Coagulation as otherwise) is the strongest Argument that can be offered against the Use

Use of them; for then it is most evident, that the Viscidity of the Blood is intirely owing to the Want of sufficient Motion, as it is likewise in a Leucophlegmatia, a particular Sort of Fever, and feveral chronic Diforders, where fuch a Method is greatly serviceable; but the Disparity is very great, when the Viscidity of the Blood proceeds from too intense Heat and Motion, and which must be unavoidably increased by such active Preparations.

HENCE likewise appears the Error of fuch who affert, that Spirituous Liquors attenuate the Blood; and likewise the Reason why such who are too much addicted to them are subject to Obstructions, Polypus's, Palpitations of the Heart, and nervous Contractions.

This coagulated Serum, distilled from a Retort, placed in a Sand-beat, by a Fire of the first Degree, affords a Spirit of a pale yellow Colour, impregnated with a great Quantity of volatile Salt; the Fire increased to the second Degree railes

raises a volatile, alkaline Spirit, with a transparent, light Oil, of a golden Colour, and a fetid Smell: The last Force of the Fire raises a black, thick, fetid Oil; in the Bottom of the Retort remains the Caput Mortuum, a black Earth, light and spongy, which calcined in an open Fire becomes white and insipid; but cannot receive any farther Alteration, tho' exposed to the most violent Degree of Heat.

This Serum which is thus found by Experiment, endued with this Variety of Qualities, is that from whence all the Solids and secreted Fluids of a human Body are continually supplyed and repaired.

THERE is no Solid but what is composed of smaller Parts exactly like the greater. (a) Leuwenhoek has discovered, that the pectoral Muscle of a Flea is the same in Form as the pectoral Musc-

⁽a) Tom. 2. P. 31.

rle of an Ox, and (a) that the largest Muscles in the Body are composed of smaller Muscles, which differ only in Magnitude not in Form. (b) Malpighius and (c) Havers discovered that the Bones consist of several concentric Cylinders, the same in Form, tho' gradually decreasing. The larger Vessels consist of fmaller, and the minute Vessels which have been discovered, and appear to be incredibly smaller than the finest Hair, (d) are in Form like the largest. A sanguiferous Artery, before it ends in a Vein, is so small that it only admits one Globule of Blood, and throws off a lateral Branch whose Diameter is 1 less than the last Orifice of the sanguiferous Artery: This is the Origine of the ferous Artery, which after being greatly extended and ramified, before it terminates in a serous Vein, emits a lateral Branch, whose Diameter is ! less than

(b) Tom. 2. 214.

the

⁽a) Tom. 1. part 2. p. 46, 47.

⁽r) Offeologia nova. Tab. 1. Fig. 1. a. a. & p. 42. (d) Leuwenhoek Tom. 2. p. 57, 58.

the last Orifice of the serous Artery: This is the Origine of the lymphatic Artery, which, after various Ramifications, ends likewise in a lymphatic Vein. The Humours, that peculiarly belong to these Vessels, decrease in the same Proportion; for a Globule of Blood is composed of fix Globules of Serum, (a) and a Globule of Serum is composed of fix Globules of Lympha. Thus far Discoveries have been made by the Use of Microscopes and Injections; and it is more than probable that there are several decreasing Series of Vessels yet undiscovered, that can no more be the Object of our Sight than Air, their Humours. being so pellucid that the Rays of Light are transmitted, not reflected, from them; and their Orifices so small, that no artificial Liquor yet known can be injected: But it may be fafely concluded, that the Vessels undiscovered are in Form like the largest, since so great an Uniformity is to be observed through the whole

⁽a) Leuwenhoek Tom. 1. p. 32. Tom. 2. p. 3.

animal Oeconomy, and fuch an exact A-nalogy is particularly kept up between the greatest, and the most minute Vessels, which can only be perceived by the finest Microscopes.

THE Quantity of the Fluids greatly exceeds that of the Solids: The Difference between a fat and a lean Man chiefly consists in a Collection of useless, inactive Oil, which oppresses the Body of the former; for fuch a one emaciated by a Consumption has still the same Number of Vessels as before, tho' more wasted and abraded; for he then retains the perfect Use of his Reason and Senses; and if any of the Solids by this Consumption were entirely destroyed, the Vessels of the Brain, as being most tender, could not escape: This great Disparity may be likewise hence confirmed, that of twenty five Grains of the Brain exposed to the Air, twenty four exhale, and only one Grain of Solid remains. Even the Bones, washed often with Water, and exposed to the Sun, lose nine Parts in ten.

80 Of NUTRITION.

ALL the Solids are nervous, and take their Origine from the Brain, for (a) Malpigbius has observed, that the Embryo in the Womb, whose Form is like a Worm, and which first constitutes the spinal Marrow, is the Basis from whence all the Solids in the Body proceed. Five limpid Drops grow from it, which afterwards form the Lobes of the Brain, from which the two Globes of the Eye next appear; from the Middle of this Carina arises an incurve Tube, that has four unequal Protuberances, which by Degrees inclining to each other, form the Heart; from whose Tendons the Vessels take their Origine: All the Glands, Bowels and Membranes, are formed of these Vessels variously disposed; the Bones are formed from Membranes hardning by Degrees to Cartilages, and then to Bones; from whence it appears that every folid Stamen of the Body is nervous.

⁽a) De ovo incubato p. 70. ad 83.

The gradual Alterations, which (a) Ruysch has observed in human Embryos, agree so exactly with the Observations which Malpighius has made on the Egg, that it seems very necessary first to shew how the small Embryo in the Egg is nourished, and what Alterations happen till the Chicken is produced, before a just Account can be given how Nutrition is performed in a human Body.

The Shell, or outward Integument, proceeds from a mucilaginous Humour, feparated from feveral Glands, placed near the Anus, which hardens by Degrees, the Egg being intirely foft three Days before its Expulsion; next to this lies a tenacious Membrane, which may be considered as the internal Periosteum, or the Dura Mater; under this lies another Membrane, more tender than the Former, like the Pia Mater. The

⁽a) Thefaur. vi. Tab. 2. Fig. 1, 2, 3, 4, 5. Tab. 3. Fig. 1, 2, 3, 4.

Egg has two Angles, the one obtuse, and the other more acute, the Telk lying in the Center. Between this, and the Shell, the White, or Albumen, is placed, which is not a loose Fluid contained in one Cavity, but consists of several Series of concentric, thin Membranes gradually decreasing, like small Circles within a large one. Between each of these the Albumen is contained, in whose Center, between the obtuse Angle and the Telk, the Embryo is placed in a small Bag, containing a single liquid Drop.

The Hen broods on this Egg, and by her genial Heat the White next to her Body, contained between the first and second Membrane, begins to be attenuated, and to move by Degrees into the next, and the Motion and Warmth being continued, is by progressive Undulations propelled through the various Series of the Albumen, till it arrives at the small Bag, where it is received by the Embryo for Nourishment.

How great the Attenuation of this Humour must be, appears to any one who considers the minute Size of the Animalcule receiving it for Nourishment, a (a) thousand of which are scarce equal to a Grain of Sand: But this Humour, tho' already wonderfully attenuated, must be yet much more subtilized, before it is fufficiently prepared for Nourishment, and can circulate through all the decreafing Series of Vessels, which, tho' not visible, are ichnographically described in the Embryo (b) even of the most minute Animal; for as yet there is as great a Difference between it, and the last elaborate Juice, which nourishes the Embryo, as between the crude Chyle in a human Body, and that Fluid, which constantly evaporates by infensible Perspiration.

THERE appears to be no Difference between the White of the Egg, and the Serum of the Blood: For however

⁽a) Leuwenh. Tom. 3. p. 368. (b) T. 1. p. 8.

variously examined, they afford in every Respect the same Phanomena, (a) and the Alterations, which each receives in being prepared for Nourishment, depend on the same Causes. The Secretion of the former proceeds from the Heat of the Hen sitting on it, and if the Heat apply'd to the Egg is greater than that which is natural to the Hen, it no longer remains fit for Nourishment, but becomes coagulated, neither will it nourish if the Heat be less; but if a just Degree of Heat, tho' artificial, be preferved, the Embryo will be thereby nourished, and brought forth. (Which Method has been fuccessfully practised with Stoves in Ægypt. (b) After the same Manner, the Action of the Vessels produces the fame Alteration on the Serum in a human Body, as the Heat of the Hen on the Albumen in the Egg; for when that is regular and equal, it disfolves to the greatest Degree of Fluidity, till it is capable of entering and nourishing the de-

(a) Vid. p. 39.

⁽b) Plinii historia natural. Lib. x. Cap. 54.

decreasing Series of Vessels: But whenever the Action of the Vessels on the Serum is increased, it acquires an inflammatory Viscidity; and as the Humours circulating in the last Vessels of a human Body, where Nutrition is chiefly performed, retain no longer a coagulating Quality, but are so fine as entirely to exhale, so likewise the Albumen, when prepared sit to nourish the Embryo by passing through the decreasing Series of Membranes, will by no Means coagulate, if exposed to any Degree of Heat. (a) Besides, the Heat of a healthy Man, measured by a Thermometer, is the same as the genial Heat of the Hen; and where there is the same Degree of Heat, we may safely conclude, there is the fame Quantity of Motion: Therefore, Nutrition must be performed after the fame Manner in each, for where the Materials, and the physical Causes are the same, so will their Effects be.

⁽¹⁾ Bellin, de Motu Cordis. Propos. VI.

THE White of the Egg alone gives Nourishment to every Part of the Embryo, unless some Exhalations, which proceed from the Hen or the Air, may in some Measure, perhaps, contribute to it: And that fuch fubtle Particles fit for Nourishment, bythat Means, come to the Embryo, is fufficiently manifest, because the Chicken, weighed immediately after it is produced, is heavier than the White was, whereas that alone is confumed, the Yelk still remaining entire. So neither from the Serum alone, in a human Body, is Nourishment obtained; for the Air is a common Chaos of all Sorts of fubtile Bodies, perpetually floating in it; and it is more than probable, that among them there are feveral Exhalations from Animals and Plants, fit to afford Nourishment; and that such are received into the absorbent Vessels of the Body, is most evident from several Experiments, and particularly from Observations made on hydropical Persons, who

are apt to receive a confiderable Addi-

tion to their Weight in a moist Air, from

the Water imbibed through their Pores; but there is no Water, as will hereafter appear, but what contains Particles fit for Nourishment.

Thus I have endeavoured to give a short Account of the Origine and Nature of our Solids and Fluids; which last, if rightly elaborated, always contain Parts fit to repair the perpetual Decays of the Body; it only remains now, more particularly to describe the Manner how this Nourishment is performed.

THE feveral Canals in a human Body have new empty Interstices perpetually made in them, which require a constant Repair, by being abraded by Attrition, the unavoidable Effect of Motion, and by being distracted by the pressing Force of the circulating Humours; for fince all the Lines of a Fluid, moving in a conic Vessel from its Basis, to the Extremity of it, are parallel to the Axis of the Canal, all the Points of that Fluid (except that Cylinder, the Diameter of whose F 4 Balis

Basis is equal to the last Orifice of the Artery) must necessarily move with a Resistance to their Motion, and endeayour to extend the Sides of that Canal according to its longer Axis; but all the Vessels, being etastic, resist and repel that Fluid with the same Force, and the Pressure of the succeeding Humours being too great to fuffer its Retreat, it must unavoidably press against, and distend the Sides of the Canal; by which Means it will be likewise widened in every Point: But as its Resistance increases in Proportion to its Distention, such a superior Force is thence received from its fucceeding Contraction, as is sufficient to propel, and continue the Circulation. From this Action of the Humours, and Reaction of the Vessels, depends that Motion of the Blood, which is observable from a diffected Artery; and which does not flow in a free equal Stream, but has a subsultory interrupted Motion.

This Distention of the Canal, by which Means the Parts of it are separated, produces the Want of a new Supply

ply more than the Force of Attrition in tender young Animals, and (cateris paribus,) the less distant they are from their Origine, the greater the Distraction of the Fibre is; but it is probable, that in the same Proportion this decreases, the Force of Attrition increases; for the more sirm any Body becomes, the greater is the Dissipulty to separate its Parts by Motion, and the more capable it is by the same Means to excite a violent Attrition.

Hence it appears, that a human Bo-dy continues to grow, while the impelling Force of the Heart is greater than the resisting Force of the Vessels; and remains at a stand, while there is an Aguilibrium between the impelling Force of the one, and the Resistance of the other. But as the Vessels gradually become more compact and solid, they begin in their Turn to get the better of the Force of the Heart, Old Age advances in the same Proportion, and (if the Expression may be allowed) the Man grows back again.

Hence the Defects of Old Age are first observable in the Loss of the sinest Animal Faculties, for the Vessels destined for these Uses, as being most minute, are first compressed, a Lethargic Indolence seizes every Part, the Vessels gradually become more inslexible, till at length their Resistance is so great, and the contracting Force of the Heart from its Rigidity so weak, that it is at length incapable of expelling what it contains, and regularly desists from Motion. Such a one cannot so properly be said to die, as that he ceases to live.

Hence it is evident, that a human Body is gradually destroyed by the same Circulation which supports it; that the more quick the Motion of the Blood is, the sooner Old Age will advance, and that (cateris paribus) the Number of Years, to which all Men may attain, will be in a reciprocal Ratio to the Velocity of their Pulses. Thus allowing 70 or f Years for the common Age of Man, and 60 or b Pulses in a Minute for the common Measure of Pulses in a temperate Person, and

and putting c for the Number of Minutes in a Year; then c b f = 2209032000 the Number of Pulses in his whole Life. But if another, by Intemperance, forces his Blood into such a Motion as may give 75 or z Pulses in a Minute, then $\frac{c}{c}\frac{b}{c}\frac{f}{z} = \frac{b}{z} = 56$ the Number of Years in which such a Person will run out the same Number of Pulses, which by the former Computation would hold to threescore Years and ten, by which Means he will finish his limited Number of Pulses or Years fourteen Tears sooner than otherwise, and universally $z:b:f:\frac{b}{z}$.

Hence it appears, how absolutely necessary Temperance is to prolong Life, without considering the several Accidents which an irregular Course is subject to, and which by bringing on acute, and chronic Disorders, frequently cuts short, and finishes the Age of Man long before its natural common Period; for the Intemperance should happen to be exempted from any sudden Danger, yet by quickning the Wheels of the Machine,

it must unavoidably hasten the Unravelling of the Thread of Life, which would otherwise be more slowly spun out to a greater Number of Years. This is not only agreeable to the strictest Reafoning, but is confirmed by repeated Observation; since such Persons who are most remarkable for their Temperance, who live chiefly on Vegetables, and use Wine, and an animal Diet sparingly, commonly live to the greatest Age. The great Lord Verulam (a) has observed of all Animals in general, that, cateris paribus, such who have a cold Constitution live in Proportion longer than fuch who have a warm, active Temper. It may be observed likewise, that the Age of Man, which before the Flood was very great, when fuch Things were taken for Food which the Earth produced, quickly decreased when the Use of animal Diet was allowed.

THE same circulating Force of Humours, that destroys the Solids, repairs them; the one is successive to the other,

⁽a) Historia Vita & Mortis.

(if the Humours be well prepared:) For the circulating Fluid, by its Motion abrading a Particle of the solid Canal, may with the same Force immediately fupply another; and that abraded cir. culating Particle may be apply'd to a different Pore, and be again solid. This Expulsion, and Re-application of Particles, is perpetually continued through the whole Longitude of the Canal; but at the End of it, this abraded Particle unavoidably exhales, and is lost: This Exhalation is constant in four Parts of the Body, where the Extremities of the Vessels terminate: viz. In every Part of the Surface of the Body. 2. In the large internal Cavities. 3. In the Glands; and 4. Between the Surfaces of the contiguous Vessels.

Every Vessel is nourished, and abraded by the same Humour that circulates through it: The Serum alone circulates through all the decreasing Series of Vessels, but in the most minute, and distant, is more attenuated, and subtilized: The Sides of the larger Canals

are composed of various Complications of small nervous Vessels, as a Cable is made of smaller Ropes, gradually decreasing, all which consist of small Threads of Hemp, variously twisted, and interwoven.

Nutrition is, therefore, most perfectly performed in these minute distant Ramifications, which compose the greatest Part of the Body, and contain the most elaborated Juices; and not only requires a just Preparation in the circulating Materials of Nourishment, but a due Afflux of animal Spirits to the Vefsels which are to be nourished; for it is observable, that any Part of the Body quickly languishes and decays, if either the Nerve, or Artery which is destined to it, be destroyed: But however, this Inaptitude for Nourishment, which fucceeds the Destruction of a Nerve, does not prove that the animal Spirits can repair, or increase, the folid muscular Parts of the Body; (for we find that consumptive Persons have frequently a large Stock of Spirits, and that fat Men

are rather remarkable for an Inactivity of Mind) tho' a free Influx of them into such Parts as are to be nourished is absolutely necessary: For the Circulation, and confequently Nutrition, not only depends on the Force of the Heart, but on the vibrating Motion of the Vefsels, which is entirely owing to these animal Nerves, which take their Origine from the Brain, and closely encircling all the various Ramifications of the Aorta, afford that sensible Energy, which enables them to give a Motion, and Apposition to the Materials of Nourishment, which the Vessels, otherwise inactive, only contain, and fupply.

Thus the Ancients with great Reafon distinguished three Sorts of Nerves, Animal, Vital, and fuch as are principally designed for Nourishment; the two former proceeding from the Cerebrum, and Cerebellum, and are only the extreme Productions of the Carotids and Jugulars, as the others are the last Ramifications of the Aorta: They are all equally

equally (a) nervous; the Humours they contain are separated from the same Blood, and receive in a great Measure their different Properties, from the different Complication of these almost infinitely extended Vessels.

THE last constituent solid Stamina of a human Body are mere Earth; for they are not dissolvable in Water, Fire, Oil, Spirit, or Air; neither is the strongest Force of Fire, tho' ever so long continued, fufficient to destroy the mechanick Form of a Hair; but thefe pure elementary Parts, by repeated Attritions, and Comminutions, are so attenuated, that they constitute part of the most fluid Humour, which enters into the most minute Nerves of the Body; otherwise they could not nourish, if their Parts were not less than the Orifice of the most minute Nerve in the Body, which is to be nourished; but all the large Vessels are formed from

⁽a) Vide pag. 40.

Solis

these small Vessels, and consist of such Materials as at sirst nourished, and increased their Bulk; but by a chymical Analysis resolved and separated, they yield nothing solid but Earth; therefore that which composed them, was only Earth. Thus Moses formerly pronounced that great Oracle of Truth, That God at sirst formed Man out of Earth: And hence in several Passages of the Poets Men are called Αὐτόχθονες, Terrigenæ, Terræ-silii.

These terrestial Parts, which are the Basis of a human Body, have not of themselves a sufficient Attraction and Cohesion, to give it a proper Solidity; but receive this Advantage from an intermediate glutinous Humour, which is either aqueous or oleaginous; but by the repeated Action of the Vessels, as by frequent Distillations, is attenuated to the greatest Degree of Fluidity. Thus Bones, that have been exposed to the Air for the Space of twenty Years, contain half their Weight of Water, and when ready to moulder into Dust, recover soon their

G

Solidity, by pouring Water or Oil on them; for Water, mixed with several Bodies of a soft Nature, gives them the greatest Firmness; as it appears in that Sort of Clay, of which chymical Vessels are formed, by being mixed with Water, by the Assistance of which it hardens to such a Degree, that these Vessels cannot again be dissolved in Water, and ressist the greatest Degree of Fire, better than any other Sort.

Hence appears the Reason, why the Vessels are not dissolved by the circulating Humours: And why some of the Solids, as the Bones, are harder than the rest: The Circulation, being much weaker in their Vessels, than in any other, the Abrasions and Recruits are neither so great nor so frequent, by which Means they have more Time to harden: Thus Vessels formed from Clay are at first yielding and soft, and grow firm by Degrees.

ALL the Difference between the Solids, and the nourishing Parts of the Fluids,

is, that the former are more at rest, and have a stronger Cohesion; and that the latter are more separated, and in perpetual Motion; for if a thousand small Globules be supposed to move in a proper Vehicle, through a Canal composed of the same Materials, tho' they are then to be considered as Fluid, yet if one of them should be pressed into a small Pore of the Canal, it stops there, and becomes folid; and by being at first prominent, fustains in that Point the whole Force of the circulating Fluid, which was before fustained by several Points of that Canal; (as is evident from the Doctrine of Hydraulies) by which Means it is soon fixed, and constitutes a Particle exactly like that which is loft.

Hence appears the Reason, why Scars proceeding from the small Pox, or other Causes, perpetually retain the same Form, notwithstanding the Vessels are so often abraded and recruited. And how erroneous (a) Keil's Opinion is, who from

⁽¹⁾ Tentamen primum, de Sanguinis Quantitate.

G 2 hence

hence imagined, that the Solids of the Body never received any Decay or Addition; and that Nutrition confifted only in adding to the Fluids, and diftending the Solids: But if this were true, it must consequently follow, that the Fibres of a robust Man shall be weaker, as being more distended, than the Fibres of an Infant; and if he had ever observed, that the hardest Stone is at length made hollow by repeated Drops of Water, he could never have imagined that the Vessels in a human Body were so invincibly strong, nor that the Force of Circulation was so very languid. But this ingenious Gentleman seems in some Meafure to fall into this Error, that he might from thence explain the Poffibility of the Resurrection of the same Body. But cannot the Truth of this Paradox be more plainly deduced from the former Theory? Since it has been proved that the folid Parts of all Animals confift of the same unchangeable Materials, (a) and

⁽a) Vide pag. 37.

therefore not to be altered, even by the last Conflagration.

NUTRITION is scarce the same in any two different Persons; for it is varied according to the Difference of Age, Constitution and Manner of Living. Hence (a) Hippocrates observed that Infants cannot bear Abstinence; for the nearer the Vessels are to their first Origine, the more easily they yield, and are distended by the circulating Humours, and the greater Supplies are thence wanted to fill up the empty Spaces. Lean Men (cateris paribus) wear faster, and require larger Recruits than fat Men, their Fluids being generally more acrid, and agitated with a greater Velocity; and for the same Reason, such as use Exercife, more than fuch as live an indolent Life; who are generally remarkable for having a weak Appetite.

NUTRITION is not equally performed in any two Parts of the Body,

⁽a) Lib, 1. Aph. 13. 14. G 3

the Force of Circulation being different in every Point between the Heart and the last Extremities of the Vessels: Through every Part of the Body there is a peculiar Circulation, and but a very small Quantity of what passes through the Heart circulates through the whole Body. The quickest Circulation is in the coronary Arteries, distributed thro' the Substance of the Heart, which, allowing fixty Pulfes in a Minute, is performed in in of an Hour. These Arteries terminate in three different Places, in the Cavity of the right Ventricle, in the Cavity of the two Auricles, and in the coronary Veins. The Circulation, which is next performed in the shortest Space of Time, is through the bronchial Arteries, which take their Origine sometimes from the Aorta, and from the first, second and third Intercostal: The next Circulation is thro' the intercostal Arteries, and then thro' the Diaphragma. The returning Blood from these several Places is for the most Part received into the Vena Azygos, near the right Ventricle; and it may be

be laid down for a general Rule, that (cateris paribus) the nearer the Oririgine of the Artery is to the left Ventricle of the Heart, and its returning Vein to the right Ventricle, the quicker and stronger the Circulation is thro' fuch Parts, and consequently the Abrasions and Recruits are more frequent in fuch Vessels than in any other.

HENCE it appears, how erroneous (a) Lower's Conclusion is, who, from the given Quantity of Blood in the Body, and the Quantity passing through the Heart in fuch a Space of Time, would from thence determine, in what Space the whole Mass of Humours circulates through the Body; not considering that Part of the two Ounces, which are supposed to be expelled from the Heart every Pulsation, is propelled into the coronary Arteries, and returns in the 3000 of an Hour, allowing fixty Pulses in a Minute; and what Part of the two

⁽a) De Sanguinis Motu & Colore.

Ounces passes to the Extremities, requires a long Time to return. Before he could make a just Computation of this Nature, he must have known the Distance of every Ramification of the Aorta, and of its returning Vein, the Quantity of Blood, and the Velocity with which it circulates through each Vessel; but this seems impossible to be calculated.

Is not the Manner of Nutrition, and the Materials of Nourishment, the same in all Animals and Plants? And is not the Reason why all cannot be nourished by the same Food, owing to the different Strength of the Vessels, and of the circulating, Humours, (by which Means what would afford Nourishment to one, is either too gross, or too soon carried off and dissipated by the other) rather than to a Difference of the Materials required? Since from the strongest Animal, to the most tender Vegetable, the Strength of the Food is always proportioned to the Strength of the Vessels, and circulating Hnmours; and that whatever is used for Diet, from the strongest Food,

to Water depurated by repeated Distillations, chymically examined, affords the Same terrestrial solid Parts for Nourishment, tho' in a different Quantity.

Nothing more contributes to promote Nutrition than Sleep; for then the Humours are generally supply'd with a greater Quantity of nourishing Parts, fit to recruit; and the Attritions, and Abrasions of the Solids, are neither great, nor frequent; for according to the Laws of Motion, the Momentum of the circulating Fluids decreases in Proportion to their Distance from the Heart, or first Cause of Motion: Neither is the Force of the Heart alone sufficient to continue the Motion of the Humours through all the Vessets; for in the small distant Canals, the Circulation is chiefly promoted by the compressing Force of the Muscles; but as this Motion in the time of Rest entirely ceases, and since no other Motion is continued but what is received from the Heart, it must in the decreasing Series of Vessels gradually grow more languid, till at length it almost

most ceases in the last, and most minute Vessels: Hence the Circulation must unavoidably be stronger in the larger Vessels, by which Means the Chyle by more frequently passing through the Lungs, and receiving more repeated Alterations, and Comminutions from the Action of this Bowel, is fooner changed into Serum, than if it could circulate through the more minute lateral Veffels, which could not act fo strongly on it: Besides, the Heat of the Body, which at the Time of waking is greatly varied, is now conftant and equal; neither is there a Variety of Pressure in the Vessels, nor a disproportioned Velocity in the Humours, but these are fit to enter, as the others are to receive them. Hence the Serum, through the various progressive Series of Vessels, is gradually resolved into more fluid Parts, and the Vessels, that were before abraded by too violent Motion, are now gently replenished and recruited.

FROM this Theory of Nutrition it evidently appears, that all Atrophies, however

ever variously distinguished by Morton and others, proceed either from the Humours not being justly prepared for Nourishment, or from the Vessels not being disposed to receive them, or from the Force of Circulation being either too great, or too languid.

THE former will happen from an improper Diet being used, which will not afford Parts fit for Nourishment, but gives a wasting Acrimony to the Fluids; or from a peculiar Weakness in the Organs of the first or second Digestion, which prevents the Serum from being rightly elaborated: This may often proceed from any Secretion of the Body being increased, and continued beyond its just Proportion; for in such a Case the Body must languish and decay, not only from the Vessels being emptied and deprived of their Juices, but from being more incapable than when fuch large Supplies were not wanting of reducing the Food into Nourishment; for that cannot be performed without a just Mixture of the natural Juices: This

is the Reason why any Secretion being prevented will sometimes produce a Decay. The natural Juices, being thereby often depraved, give the same Tincture and Disposition to the Chyle, when mixed with it, and by that Means render it unsit for Nourishment.

AN Acrimony of the Fluids (tho' frequently the Cause) is likewise the unavoidable Effett of a Circulation too active; in which Case a Decay must be soon produced from the Abrasions of the Solids being increased, and from an Inaptitude in the Fluids to repair them. When the Circulation is too languid, Obstructions being from thence formed in the small Vessels, such as proceed from them must soon waste, and languish from the Want of an Influx of Nourishing Materials to lubricate and diftend them; and the finer Secretions from the fame Caufe being prevented, other Parts will be overcharged, and various Disorders thence excited. A Decay in each Case is produced from a different Cause; the former

mer is generally attended with hettic irregular Heats; the latter with a cold Languor in the extreme Parts; tho' from thence hettic Heats are at length produced, the stagnating Fluids being rendred acrid, and the Circulation more active in such Vessels as are not obstructed.

As the Causes which produce such Diforders are various, so are the Indications and Methods of Cure, and may be easily deduced from what has been delivered. But, in general, no Diet is fo proper to replenish a decay'd Constitution with kindly Juices, where the Organs of the first and second Digestion are impaired, as the Whites of new laid Eggs dissolved, and taken Blood-warm, in any convenient Vehicle: Nothing is more free from Acrimony, or more capable of correcting that Disposition in consumptive Fluids; by its near Affinity to the Serum, 'tis most easily assimilated, and, by proper Exercise, immediately changed into Blood.

A remarkable Instance of this Nature I lately observed in one Mr. Henry Allen, a Master of a Ship, who had languished for several Months in a scorbutick Dysentery, and was emaciated to the last Degree. He received no Relief from the most powerful Astringents, but rather an Increase of his Symptoms. I advised him to take no Nourishment for three Weeks, but the Whites of new laid Eggs, dissolved in the Decoct. alb. prepared with ag. Calcis: By which Means, and the Use of Ol. Amygd. dulc. Sperm. Ceti, and fuch foft Bal-Samicks and Anodynes, tho' before despaired of, he was quickly restored to perfect Health.

THAT Consumption, which is called a Phthisis, can only proceed from a Collection of purulent Matter; from whence it is perpetually, by the absorbent Vessels, received into the Mass of Blood, wasting the Solids, and corrupting the Fluids. In whatever Part of the Body, either from an Olcer, or Abscess, there

is a sufficient Quantity of such Pus collected, a true Phthisis will thence enfue; which is always proportioned to the Magnitude of the Ulcer, its Situation, and the Vsefulness of the Part affected, to continue the Functions of Life.

External VIcers seldom produce a Phthisis, because the Hand of the Surgeon can cleanse them from the greatest Part of the purulent Matter, which otherwise would be absorbed; yet when fuch are very large, or fituated in spongy Places, and particularly in the Breast, after an Amputation, a mortal Phthisis frequently follows; and Books of Obfervations abound with Instances of this Nature.

Hence appears the great Variety of Confumptions proceeding from a Suppuration, which might equally happen to the Liver, Kidney, or Spleen; or to any other Bowel: The Indications of Cure are always the same, peculiar Regard being had to the Part affected.

THE

THE designed Brevity of this Treatise prevents me, at present, from entering into a particular Description of these several Distempers; but as a Phthifis of the Lungs is most frequent and dangerous, and, in a great Measure, includes the Knowledge of all others, I shall treat of it in Particular; and after giving an anatomical Description of the Parts principally affected, and their Use, shall endeavour to give an exact Account of the various Origine, and Progress of this Distemper, through its different Stages, with the most rational Method of Cure, carefully deduced from anatomical Observations and mechanic Principles.





OFTHE

Structure and Use

by its different Degrees of Contractions modulares and H.T. A.Ovoice; the fe-

LUNGS.

e Cellules . H TARA q Covered and



whereof

HE Lungs are formed for a twofold Use, Respiration and transmitting all the Humours of the Body thro' them; and have peculiar

Organs destined for these Uses; so that their Substance is chiefly composed of aerial Tubes and sanguiferous Vessels.

THE

THE aerial Tubes are divided into four Parts, the first is the Larynx or Opening, which gives a Passage to the Air, and is not only closed by the Aperture of the Glottis, as 'tis commonly supposed, but has likewise two Muscles belonging to it, by the Action whereof it can be so firmly closed, that thence it becomes capable of retaining the Air, and by its different Degrees of Contraction modulates and varies the Voice; the fecond Part is the Trachaa; the third where it begins to divide, and loses that Name, the Ramifications are then called Bronchia; the fourth Part constitutes the Cellules and Vesicles, discovered and described by Malpighius. (a)

THERE are also four sanguiferous Vessels, the pulmonary Artery, the pulmonary Vein, the bronchial Artery, first discovered by Ruysch; (b) and the bronchial Vein, the minute Ramifications

(b) Resp. ad Epist. Anat. Problem. 6.

⁽a) Malpig. de Pulm. Epist. v. 2. T. v. F. 1, 2, 3.

whereof, at length by gradual Conjunctions, form one Canal, which ends in the Vena Azygos. The Nerves which are dispersed through the Lungs proceed from the Intercostal.

THE Trachea confifts of five Membranes, the first is glandular, and is always lubricated with an unctuous Humour, separated from Glands, the Orifices of which terminate there, by which Means the Air is more eafily capable of passing and repassing; the second is muscular, the third is vascular, the fourth is cartilaginous, which becomes finer the more it is extended, and is at last entirely membranous; the fifth is received from the Pleura. give a Pallage to the Traches, and then

THESE Cartilages are orbicular, and are connected by the muscular Membranes, intermediate between each Cartitage, and are by some called the mesochondrion Muscles: By their Distension the Trachaa is lengthned, whenever the Neck is extended; and the Spring and Force of the Lungs is, in a great Meafure, H 2

fure, owing to their Endeavours of contracting themselves and bringing the Cartilages nearer to each other; when this happens in too great a Degree, a nervous Asthma is from thence produced.


This cartilaginous Fabric, as being most elastic, is very necessary to prevent a Suffocation from any external Pressure, to which this Part is so much subject. The Trachae is not fixed to any Part, as most Anatomists affert, but is loosely connected; by which Means it is so easily capable of such a Variety of Motion.

The Pleura, which furrounds every Part of the Thorax, opens to admit, and give a Passage to the Trachaa, and then invests it likewise: When it descends as far as the fourth Vertebra, it is first divided into two Branches, and afterwards gradually into almost an infinite Number; the several Ramifications of the Bronchia go off at acute Angles, and the more they are extended, the more acute these Angles are: The orbicular

bicular Cartilages, which in the superior Branches are connected by a thin Membrane, (differing much in us from those in Brutes) become now compleat, tho' divided into distinct Processes, that when there is an Occasion, they may admit of a greater Distension. As they are more extended, they become gradually fmaller; till at length they terminate in a fine Membrane, which is at the end of every Branch of the Trachea, and by the Pressure of the Air is formed into a sphærical Vesicle. From a Collection of several of these Vesicles small Lobules are formed, and from a Collection of these Lobules, the Lobes of the Lungs.

IT is evident from the Structure of these Parts, and the known Properties of the Air, that being received into the Trachea, and its several Ramifications, it will distend the Vesicles into a spharical Form, by which Means their mutual Contact will be diminished; the orbicular Capacity and Longitude of the Cartilages will be increased, and the acute or lellaring award H 3 / 9 301 Rami

Ramifications will rife into Angles, approaching nearer to right Angles: This Alteration is most necessary; for by that Means a greater Quantity of Air is contained in a less Space than when their Angles were more acute; which may be thus demonstrated. Let A. B. be the asterna Arteria, first divided into Branches C. B. and G. F. which constitute the superior Lobes, and into others I. D. and H. E. which constitute the inferior Lobes. I say, that these Angles,



when the Lungs are inflated with Air, will be increased; for if L. M. is the Trunk from whence arises the Branch O. Q. let P. N. be drawn parallel to L. M.

L. M. it is plain, from the 35th Prop. of the first Book of Euclid, that the Parallelogram O. R. is equal to any Parallelogram, which is extended from L. M. to P. N. standing upon the same or an equal Basis: But the Parallelogram O. Q. is not extended to N. therefore the nearer it approaches to O. R. the more Air may be contained in a less Space. e. Cannot from the cer

WHEN these Tabules are therefore inflated with Air in Inspiration, the feveral Ramifications recede more from each other, through the whole Substance of the Lungs, and their Angles become larger; by which Means the Lobes, with all their various Branches, are then more erected.

If the Lungs be placed in a Vacuum, and a Passage contrived to admit the external Air into the Trachæa, they immediately become greatly distended; but that still they resist, and endeavour to contract, is most evident from hence, because when the external Air is admitted, H 4

mitted, they instantly subside; or if they be suspended in the Air, they soon reduce themselves into a smaller Space than they possess in a human Body. This Contraction must be therefore owing to the natural Spring of the Lungs, not to the Air; for any Body suspended in an homogeneous Fluid, fuch as the Air, and receiving on all Sides an equal Preffure, cannot from thence receive any Alteration of its Figure; and notwithstanding this Resistance of the Lungs (which is owing to the Spring of the Cartilages, and the Action of the mesochondrion Muscles, intermediate between them) is much less than the Pressure of the Air; yet when, by the Affistance of other Organs, it is increased, and made fuperior to the distending Force of the Air, the Lungs must again unavoidably fublide.

From these Experiments, the manner how Respiration is performed in a human Body, may be evidently demonstrated.

THAT

of the Thorax, and gives a Balance to

THAT the Space between the Lungs and the Pleura is a Vacuum, and entirely void of Air, is fufficiently manifest from hence; that the Thorax is perfectly formed in the Womb, and every Passage so exactly closed, that no external Air can afterwards gain Admittance; and that the Lungs of an Embryo never receive any Air in the Womb, is plain, because they are then always filled with Water, proceeding from the Amnios, which is not expell'd till the Fatus passes through the narrow Streights of the Uterus, and Vagina; its Thorax being thereby greatly compressed: And on this Account, the Lungs of an Embryo always subside in Water, which Disposition can never be procured to the Lungs of an Animal, which has once breathed, notwithstanding the Air is drawn off by an Air-Pump.

From hence, likewise, it is evident, that whenever the external Air is admitted by a Wound into each Cavity

of the Thorax, and gives a Balance to the Pressure of the internal Air, the Lungs by the Affistance of their own contracting Force must immediately subfide; but if fuch a Force be given to the Air entering the Trachea, as might exceed the Pressure of the external Air, the Animal may be still kept alive, as (a) Hook by the following remarkable Experiment has demonstrated. He opened the Thorax of a Dog, and with a Pair of Bellows, and a Pipe, conveyed Air into his Wind-pipe: The Heart continued beating for a very long Time, after all the Thorax and Belly had been opened; nay, after the Diaphragm had been in great Part cut away, and the Pericardium removed from the Heart; and from feveral Trials made, it feem'd very probable, that this Motion might have been continued as long almost as there was any Blood left within the Veffels of the Dog; for the Motion of the Heart seem'd very little changed, after above an Hour's Time, from the first

⁽a) Sprat's Hiftory of the Royal Society. p. 232.

Opening

opening the Thorax, though he found that upon removing the Bellows, the Lungs would prefently grow flaccid, and the Heart have convulsive Motions; but upon renewing the Motion of the Bellows, the Heart recovered its former Motion, and the Convulsions ceased. He likewise adds, that tho' he made a Ligature upon all the great Vessels, which went into the lower Parts of its Body, he could not find any Alteration in the Pulse of the Heart, the Circulation it feems being performed fome other Way. He could not perceive distinctly whether the Air did unite, and mix with the Blood; nor did he in the least perceive the Heart to swell upon the Extension of the Lungs; nor did the Lungs feem to swell upon the Contraction of the Heart.

WHENEVER the Action of the intercostal Muscles is strong enough to overcome the Resistance of the cartilaginous Segments, (a) which join the Ribs

⁽a) Vefal. 1. Cap. XIX. Fig. 3. B E. C A E. b. Fig. 7. P. u. x. y. z. a.

to the Sternum, and perpetually resist their Action, (by forming with them an acute Angle, which, when the Ribs are elevated by the Action of these Muscles, is forced nearer to a right Angle) the Capacity of the Thorax is thence greatly enlarged, a Vacuum is produced between the Pleura, and the Lungs, and the Pressure of the Air, being greater than the Resistance of the Lungs, distends them, till their convex Superficies is at Contact with the concave Superficies of the Pleura; and the Refistance of one is exactly equal to the Pressure of the other. But the Causes, which produced this Dilatation of the Thorax, are thereby fo weakned, that its longer Duration is prevented; and Exspiration, or a Contraction of the Thorax, must unavoidably follow this full Expansion; for in the full Point of Inspiration, the Blood is so strongly compressed in the Lungs, which are then in a State of Rest, that it cannot pass with the same Freedom as before into the left Ventricle of the Heart; whence the Influx of the nervous and

arterial Fluid into the intercostal Muscles, and Diaphragm, being diminished, the muscular Action dilating the Thorax in some Measure abates of its Force; the Æquilibrium is destroy'd, the Spring of the Cartilages overcomes and depreffes the Ribs, by which Means the Thorax is contracted, and Exspiration is performed. heriafile zi moitold Innied

THE Action of the cartilaginous Segments, joining the Ribs to the Sternum; is the only Antagonist the intercostal Muscles have; for they always resist the Force of these Muscles, endeavouring to raise them, and make their Angles larger. This Fabric was absolutely necessary, because Respiration is fuccessive, and could not possibly be performed by antagonist Muscles; for as fuch, they must act alternately: But all the Nerves, design'd for voluntary, muscular Motion, have for the most Part the same Origine; and in the time of Sleep when Respiration is involuntary, there is an equal Influx of Spirits into all the Nerves; and confequently, all musperfed

not fuccessive; but these Cartilages perpetually retain their Spring and Action, even in a dead Body; (and whenever the Causes that dilate the Thorax cease to act, by their elastic Action, it is immediately depressed, and contracted;) and by this surprising Mechanism this perpetual Motion is sustained.

THE Heart, likewise, is a Muscle, whose Motion is perpetual and successive, while other Muscles are sometimes at Rest, and sometimes in Motion; and is so wonderfully contrived, that the same Cause, which destroys its Contraction, restores its Dilatation; and each, by this Means, is mutually continued; for the conic Form of the Arteries, and their muscular Membranes, supply the Place of an Antagonist: On which Account, whenever the Heart by its Contraction expels the Blood into the Aorta, by the Resistance which the conic Form of this Vessel gives to its Motion, it is repelled; and by that Means the coronary Arteries, which are di**fperfed** spersed through the Substance of the Heart, are replenished with Blood, and its Nerves with Spirits, from the Cerebellum (for no Obstacle opposes): But at thersame Moment the Heart is thus fully contracted, the Auricles are relaxed, and distended with Blood; by which Means the Caufe of its Contraction immediately ceases; for the Motion of the nervous Fluid, that would otherwise continue to flow into the Heart, is now prevented by this Preffure of the Blood in the distended Auricles; for as (a) Lower, and (b) Willis have demonstrated, no Nerve arrives to the Heart, but what passes through the Auricles; so that when they are filled and distended, these Nerves must be compressed, and for that Moment (as when a Ligature is apply'd round them) the Heart must become paralytic from the Want of a sufficient Influx of animal Spirits. Hence the Auricles no longer receiving any Opposition con-

⁽a) De Cord's situ & structurâ. C. 1. (b) Nervorum descriptio & usus. C, XXIV.

tract, and evacuate the Blood into the Heart, which easily yields to it, and becomes distended; and at the same time it receives this Blood, (by receiving likewise the nervous Fluid, whose Motion is now free, and Blood into the Coronaries) it recovers a Capacity for a succeeding Contraction.

Some have admired why the Motion of the Heart, and that of Respiration, is not performed in the same Space of Time; but it has been demonstrated, that the Action of the former depends on the successive Influx of the nervous and arterial Fluid into the Substance of the Heart, and on the Influx of Blood into its Cavity, which last only is derived from the Lungs, and which are capable of containing ten times the Quantity of Blood, which the left Ventricle of the Heart can contain. Hence in the full Point of Inspiration, when the Lungs are almost in a State of Rest, and its Arteries are so compressed that the Blood cannot freely pass into the Veins, the Heart is still supply'd with Blood

Blood from the pulmonary Veins, which according to the former Computation, contain a fufficient Quantity to replenish the Heart five times. This is the Reason why, if the Air be strongly retained in the Lungs, the Motion of the Heart is perceived very fensibly languid after the fifth Pulsation.

THE Circulation of the Humours is quicker through the Lungs, than through any other Part of the Body; for as great a Quantity passes through them in the same Space of Time, as through all the other Parts of the Body; for all the Arteries receive their Blood from the Aorta, this from the left Ventricle of the Heart, and this from the Lungs; therefore, if two Ounces of Blood are expelled from the Heart at each Pulfation, the same Quantity must necessarily pass through the Lungs in the same Space of Time; otherwise a fatal Peripneumony would foon fucceed: Therefore, if the Heart be supposed to contract fixty times in a Minute, three thousand six hundred Ounces of Blood

(according to this Computation) must pass through the Lungs in the Space of an Hour. And on this Account, when the pulmonary Artery is wounded, three or four Pounds of Blood are often evacuated in the Space of one Minute.

THE pulmonary Arteries receiving the circulating Humours divide them into as many different Parcels, as there are Ramifications, whose Number is almost infinite; these minute arterial Ramisications terminate in Veins, which, by Degrees uniting, become larger, till at length they end in four large Branches returning from the four different Lobes, which joining together form the Saccus Lowerianus. By this Structure the Humours, that were before separated in the Arteries, are afterwards intimately mixed in the Veins: Hence (a) Malpighius affirmed, that the chief Action of the Lungs confifted in mixing equally the betorogeneous Parts of the Blood,

⁽a) Opera Anatom, p. 325.

and that in a Drachm, or any given Quantity of the Fluids which circulate through them, there will be a proportioned Mixture of the feveral Humours contained in the Blood. (a) Borellus, opposing this Opinion of Malpighius, afferted, that the Action of the Lungs consisted in separating the Humours; the most exquisite Separation being performed, when the Blood, or any beterogeneous Fluid, passes from a large Tube through small Ramifications: But their Opinions, though very different, may be easily reconciled, being each of them partly right; for the circulating Humours, by the Structure of the Arteries, are separated, and by that of the Veins are again most intimately mixed together; and by this useful Mechanism, the new viscid Chyle received into the Blood, which otherwise would be apt to run into Cohesions, is attenuated, and all the circulating Humours are preserved in a just Degree of Fluidity.

⁽a) Motu Animal. pars 2da. Prop. 108, & 109.

THESE Advantages are likewise greatly promoted by the Pressure of the Air on the Vessels of the Lungs, being so perpetually varied, that they never continue of the same Form, for two successive Moments of Time: For in Inspiration their Expansion, and the Presfure of the Air on them, gradually increase, and in the same Proportion decrease in Exspiration; and when the Air is retain'd in the full Point of Inspiration, its increasing Rarefaction still continues the Change; and fince the Capacity of these Vessels is perpetually changed, the Figure of the Fluids must unavoidably admit of the same Alteration: And it is probable that by this Means the Humours pass through, and are prepared in the Lungs for all the different Secretions which are afterwards performed in the whole Body; for all Secretions are made from the same Blood, and in a great Measure receive their different Properties from the different Capacity of the separating Vessels; and fince these Vessels from their greatest Capa-

IMESE

Capacity, which is circular, are gradually compressed and changed into a Plane Figure, they must therefore likewise pass through all the various intermediate Degrees.

IT is evident from what has been laid down, that the most necessary Functions of the animal Oeconomy immediately depend on the Influence of this Organ; and that likewise the Heat, Colour, and the most material Properties of the Blood, are chiefly owing to the Lungs.

For it is observable, that such Animals who want Lungs, as Fishes, are always cold, and the greater the Respiration (or the Action of the Lungs) is, the greater likewise is the Degree of Heat; for in an human Body the Force of Heat increases in Proportion to that of Attrition, and this to the Force of Circulation, which is as great through the Lungs as through all other Parts of the Body: Hence, in regard to the Force of Attrition, there is the greatest Heat, but in respect of the Air the greatest Cold ;

Cold; the one is justly corrected by the other; for the Force of Attrition in these Parts is so very violent from the Pressure of the Air, and the Velocity of the Blood's Motion, that Health could not long subsist if it was not thus moderated by a proper Disposition of these Vessels in being so much expanded, and by an opposite Quality in the Air.

For the Refrigeration of any Body is proportioned to the Expansion of its Surface, and the Density of the Medium, (as Sir Isaac Newton has observed) and if any Body of a small Surface, warmed to a great Degree, is extended into a large Surface, and placed in a dense Medium, it will, from that Alteration, more quickly abate its Heat than otherwise: And for the same Reason, the Heat of the Blood in the Lungs must be much diminished, and moderated, by being expanded on a large Superficies, and exposed to the Influence of the Air, whose Heat, in the most warm Weather, is less than that which is natural to a human Body, and by being

ing renewed every Inspiration, its Denfity is kept up in full Force; for that which is expired, by being rarified, and warmed by the Heat of the Body, is not capable of cooling the Blood if received again into the Lungs, as fresh Air.

HENCE appears the Reason why Wind, which is only Air renewed, or a change of Atmosphere, is so cooling (not that in Wind there is any thing actually more cold than in any other Part of the same Air; for the most sensible Thermometer, exposed to the Wind of a large Bellows, receives from thence no Alteration) the circumambient Air being foon rendered by the Heat of human Bodies, more light, rarified, and confequently less capable of attracting Heat from them, than fuch Air as is placed beyond their Sphere of Activity.

HENCE likewise appears the Reason, why the vital Heat is more strong, and lasting, in robust Constitutions, than in others, their Humours being more dense, I 4 Sili

and from thence not only capable of exciting a greater Heat, but of attracting and retaining it longer than weaker Bodies: For though Attrition excites Heat, by collecting that elementary Fire which is dispersed through every Part of Space; and though this Collection is proportioned to the Elasticity and Velocity of the Bodies in Motion, yet its Retention is always proportioned to the Density of Bodies.

(a) Sir Isaac Newton in his Opticks supposes, that not only the Collection, but the Retention of Fire, or Heat in any Body, depends on the oscillatory Motion of all the Parts of that Body which is warmed; he supposes likewise, that there is an attracting Force between the corporeal Substance and Fire, or the Rays of Light; and that when this Particle of Fire is in a perfect Vacuum, its Motion is very slow, but that

⁽a) Qu. 5. p. 314. pag. 255.

the nearer it approaches to any Body, the more it is attracted by it, and its Velocity is increased in the same Proportion, which is always greatest at the Point of Contact, from whence it is instantly repelled; that from hence an Action and Reaction arise, which produce oscillatory Motions; and that the Force of Heat continues in Proportion to the Violence and Duration of these Vibrations; He supposes likewise, that these Rays of Light arrive to Bodies with an acute Superficies: But as these Notions were by no Means capable of a Demonstration, and as this great Man was prevented from profecuting them farther, he proposes them to be inquired into, and examined by others; and after the most cautious Reasoning on repeated Experiments, it appears, that (notwithstanding elastic Bodies are most capable of collecting Heat by Attrition, and that this is the chief Cause which excites Heat in a human Body,) this Collection of Fire in other corporeal Substances may be owing to other Caufees: But whatever the different Causes

Heat to Bodies, it is always retained in fuch Bodies, not in Proportion to their Elasticity, but in Proportion to the Quantity of Matter and specific Gravity of such Bodies; for if Gold, Mercury, Lead and Water, are placed in the same Degree of Fire, their different Heat will be exactly proportioned to their different Densities; and no Bodies are certainly less capable than these two last, of exciting elastic Vibrations.

The greater the Density of any Body is, the greater likewise is the Dissiduty to communicate Heat to it, but when communicated it is the longer retained; whereas to Bodies of a reverse Nature, it is easily communicated, and as quickly goes off. This is the Reason why Persons of a weak Constitution, from a small Force of Heat are, for a short Space of Time, immediately sushed and warmed; for Weakness is nothing else but a Relaxation of the Solids, and a Levity in the Fluids.

Nothing is more wonderful, and perhaps more difficult to explain, than the Heat of the Blood in animal Bodies; for the most violent Agitation of any other Fluid is not capable of producing fo great a Force of Heat; but whoever considers the following Reasons will find them, I believe, fufficient to account for it. 1st, The particular Elasticity and Spring of the Solids of animal Bodies, their Motion perpetually changed, the conic Form of the Arteries, their Ramifications, the various Motions and Repercussions arising from hence, must all produce a more exquisite Attrition, than any artificial Motion can possibly excite. 2dly, The animal Spirits in several Parts of the Body mixing with the Blood, which from the elaborate Secretion, their furprizing Activity, and the Minuteness, of their Parts, seem to be some-what analogous to the Rays of Light or Particles of Fire. 3dly, The Density of the Globules increased by being compacted by the Action of the Vessels, and their Spharical Form containing the greatest Quan-

Quantity of Matter in the smallest Space, make them capable of retaining their Heat the longer. 4thly, By being oleaginous they are apt to receive and retain a greater Degree of Heat than other Fluids; for (a) Sir Isaac Newton has observed, that there is a peculiar Affinity and Attraction between Heat, or the Rays of Light, and oleaginous and fulphureous Bodies. 5thly, This Attrition is performed in Vessels where no colder Medium, fuch as the Air, (or at least only its more subtle Parts) can intervene; for any warm Body placed in a Vacuum retains its Heat much longer, than if exposed to open Air, (its Medium being much more fine than common Air;) and if a perfect Vacuum could be obtained, it is probable that a dense Body, fufficiently heated, would perpetually retain its Heat. This, perhaps, may be the Cause of the perpetual Heat of the Sun, which, according to the best Computations, is the largest, and most

⁽a) Opticks p. 250.

dense Body, of a Form almost spharical, violently warmed, and agitated, and placed in a Medium which must from thence be most subtle and fine.

THE bright purple Colour of the Blood is chiefly owing to the Lungs, but not by admitting nitrous Particles with the Air, as Lower and others have imagined; for it does not appear that Air is received into the Blood, or that Nitre can be any way sufficiently volatilized to be univerfally mixed with the Air, and fit for this Purpose; for all Nitre is naturally a fixed Salt, neither by the Mixture of a volatile alkaline Salt (if it should happen to meet with fuch in the Earth) can it be rendered volatile; for from thence it only becomes semivolatile, and incapable of ascending so high above the Surface of the Earth, as is generally supposed; the volatile Spirit of Nitre is likewise an artificial Preparation, and one of the strongest Acids, and would be most pernicious to the Lungs, if received into them: Neither does this Opinion receive any Force

Force from the florid Colour, which the Blood acquires by being mixed with Nitre; for Salt Armoniac, Salt Gem, or common Sea Salt, will give the same Tincture to it. But it is evident from the Discoveries which have been made with Microscopes, that this Colour of the Blood is owing to the Action of the Vessels on the contained Humours; for (a) Leuwenhoek has given ocular Demonstration, that fix pellucid Globules of Serum, compacted and joined together, form a red Globule, whose Colour is lost whenever they are separated, and cannot be again restored by being mixed with Nitre or any of these Salts: Aand as the Pressure of the Vesfels in the Lungs is greater on the circulating Fluids than in any other Part of the Body, the Globules that were before separated, or imperfectly joyned together, are thereby compressed, and most exactly united; and from thence the Colour of the Blood, returning into the

⁽³⁾ Tom. 2. p. 3.

lest Ventricle, is much more bright and florid, than in the right Ventricle, before it received the Action of the Lungs.

WHATEVER is the different Nature of the Food received into the Stomach, the Chyle or Milk made from thence is always of a white Colour; and when more perfectly elaborated by the Action of the Vessels, and the Mixture of the other animal Fluids, is changed into a red Colour. This particular Alteration may in some Measure be illustrated from chymical Experiments made on Milk; for if this is mixed with any Thing of an alkaline Nature, and gradually agitated with a sufficient Degree of Heat, it assumes a yellow Colour, and from thence passes through various Degrees, till at length it becomes intenfely red: And if the Heat be farther increased, it is changed into a dark Colour. Thus in a human Body, the Chyle and Milk, by being mixed with the other animal Fluids, which are of an alkalescent Nature, tho' not alkaline, and by being prepared by more just Degrees of Heat and

and Pressure, are changed into a yellow Serum, and at length into florid Blood: On this Account a sanguine Complexion is almost peculiar to such who use much Exercise; while they who lead an inactive Life generally look pale; and in hot Countries, the Complexion of the Inhabitants is dark, and adust, their Solids being parched up, and their Fluids agitated with a stronger Force of Heat, than in a more moderate Climate.

THE Opinion of the Air being received into the Blood, has very much prevailed, notwithstanding there are several Arguments, which seem sufficient to prove the contrary. If, The external Membrane, that receives the immediate Contact of the Air, is lubricated with a mucilaginous, uncluous Humour, and such as Mr. Boyle has demonstrated, with the greatest difficulty, admits the Air to pass through it; (a) and Wa-

⁽a) L.b. 2. chap: 13.

ter, which feems to be a more subtle Body, will enter through Pores, which are impervious to Air. 2dly, Every Part of the Lungs seems to be carefully guarded against its Admittance, for it cannot enter through the Arteries, because the repressing Force of the circulating Fluid in these Vessels is greater than the pressing Force of the Air; for no Fluid (as the Doctrine of Hydraulics demonstrates) can enter a Vessel replenished with another Fluid, where the Resistance of one is greater than the Pressure of the other; and the Veins are so compressed every Inspiration, that no Admittance can be then expected of another Fluid, and in Exspiration the pressing Force of the Air is directed a contrary Way: Besides, if the Air could obtain a Passage into the Veins, it must enter through every Vesicle, since one has not a more particular Privilege of admitting it than another; but as the Number of these is almost infinite, it must unavoidably follow, that in the Sinus Lowerianus, where they all termi-

K

nate, there must be a very considerable Collection of Air, and being there agitated with the Blood, Bubbles must be thence excited; but nothing of this Nature can be observed with the best Microscopes. (a) 3dly, If Air be injected into the Vessels of any Animal, it soon proves fatal: It seems therefore improbable, that the common gross Air can be admitted into the Blood through the Lungs; and the Advantage which (b) Borellus affigns to the Blood, from the intermediate Position of the Particles of Air between the Globules of Blood, producing an oscillatory, elastic Motion, may be more justly explained from the Particles of Fire, which penetrate and enter all Bodies, both folid and fluid, which are thereby rarefied in Proportion to the Quantity of Heat, and the different Denfities of fuch Bodies; and as it can be demonstrated, that the Force of Heat is scarce the same in any Part of Matter

(a) Leuwenh. Op. Tom. 2. p. 37. 214.

⁽b) De Motu Animalium. pars 2da. prop. 115.

for two successive Moments of Time, it evidently follows, that not only in the Blood, but in all other Solids and Fluids, there must be a perpetual oscillatory, peristaltic Motion.

Thus I have endeavoured to give a short and accurate Account of the Lungs, deduced from the anatomical Structure of the Parts, the Pressure of the Air, and the Properties of the circulating Humours; and from thence likewise may be explained the good and bad Effects of Air, which are observable in pulmonary Disorders, from the different Alterations of its Gravity and Elasticity; and what Air is most suitable to consumptive Constitutions.

THE Gravity of the Air, when too much increased, becomes pernicious; not that Respiration is thereby prevented, for in that Respect it may be performed where there is the greatest Excess of Gravity, because the Pressure is every where equal, the Force of the external K 2 Air

Air pressing the Thorax being equal to that of the internal Air distending the Lungs; but the Inconvenience proceeds from the Excess of its Weight on the Vessels, which are by that Means so compressed, and their Resistance made so great, that the right Ventricle of the Heart cannot propel the Blood through the Lungs, whence a satal Peripheumony must soon ensue; but it seldom happens that the Gravity of the Air is so far increased, except from some poysonous Vapours, as to produce these bad Essels.

A heavy Air is most proper for such whose Fibres are too much relaxed, and whose Fluids are too much dissolved, (which is generally the Case of most consumptive Constitutions) and particularly for such asthmatic Persons, whose Disorders proceed from spasmodic Contractions of the mesochondrion Muscles, which by this increased Pressure are kept more forcibly distended; and who on this Account are always observed to breath

breath more freely in fuch an Air: Therefore fuch Persons ought always to chuse a serene Air in a low, dry, sandy Soil, with an open Situation; for the most serene Air, as it appears by the Barometer, is most heavy, its Spring being then not weakned by the Interposition of aqueous Particles: In the next Place the Pressure of the Air is, cateris paribus, as the Altitude of the superincumbent Column of Air; and Marriote (a) has observed, that if a Barometer be carried up to the Top of a very high Tower, the Mercury gradually subsides, till it is reduced only to the Weight of twenty four or twenty five Inches, as being then pressed by a shorter Column, and confequently a less Quantity of Air; and if it is carried down into a very deep Cave, or Mine, it gradually rifes, as being fuccessively pressed by a greater Quantity of Air. And (b) Graves-

(a) Du Mouvement des Eaux. p. 2. discours 1.

⁽b) Introduction to Sir Isaac Newton's Philosophy. Part 2. P. 211.

end has shewn this Alteration to be so considerable, that the Mercury subsides a quarter of an Inch in the Barometer by being carried a hundred Yards higher in the same Air; a dry Soil is most proper, because such exhales the least Quantity of Vapours, which are greatly prejudicial, not only as they diminish the Spring of the Air, but as they increase the Relaxation of the Vestiles.

Such a Situation, tho' most eligible, is very difficult to obtain, for low Situations are generally moist and confined, by which Means the Advantages thence proposed are prevented, and are commonly attended with greater Inconveniences than higher Situations, which are so remarkably healthy, and so much essentially because the Circulation of Air is more open and unconfined, and the full Vigour of its Spring is preserved in being so free from Vapours.

THE Levity of the Air increased to a great Excess, is immediately pernicious, because its Force is not then sufficient to overcome the natural Contraction of the Lungs: The nearer it approaches to this Disposition, the more improper it is for fuch to whom a heavy Air is necessary; hence on the Top of high Mountains fuch Persons are often apt to spit Blood, their Vessels being weak, and their Humours most eafily rarefied from the Want of a fufficient Pressure. A light Air is most proper to fuch whose Humours are condensed, and Fibres contracted, who in a heavy Air are particularly subject to inflammatory Disorders.

HENCE likewise it is evident, how Heat or Cold by altering the Disposition of the Air affect the Lungs of confumptive Persons, as by the former it is always rarefied, and by the latter condensed.

THE Air by being rendered moist becomes less elastick, and incapable of penetrating into the finest Recesses of the Lungs, whence the Vessels are unequally distended and relaxed, and the Humours thereby less compacted: Hence Persons of a lax and leucophlegmatic Habit of Body are in such a Constitution of Air particularly subject to moist Coughs and Desluxions; the pulmonatry Vessels at that Time being apt to receive a greater Quantity of Humours from their Resistance being diminished, and from their Relaxation being increased, are less capable of propelling them.

A dry Air is subject to the same Advantages and Inconveniences which proceed from an Increase of its Gravity; the same Essects are produced from different Causes; by the former the Vessels are made narrow from the Pressure on them, by the latter, from their own Contraction which is always diminished by a relaxing, lubricating Moisture.

WHO-

WHOEVER adds, to what is here mentioned, the Inconveniences which attend Perspiration being increased, or diminished, by these Alterations, may eafily account for the feveral Distempers which proceed from the various Seasons of the Year, and Changes of the Weather; all which the Divine Old Man (a) has most accurately described.



⁽a) Lib. 1. Aphorism.

TOTAL PROPERTY OF THE PROPERTY

The second secon

Who.



OF A

CONSUMPTION

OFTHE

LUNGS.

PART III.



Consumption of the Lungs is a Wasting of the Solids, and a Corruption of the Fluids, proceeding from a Collection of purulent Mat-

ter in these Parts.

156 Of a Consumption

SEVERAL Diseases, which proceed from the same Causes, differ only in their Situation; and the most certain Method of attaining to a Knowledge of internal Disorders, is by comparing them with fuch as are external, and of the same Sort; therefore, the obscure Nature and Origine of internal Vicers may be most rationally explained, from the fensible Causes of such as are external; all which may be reduced to whatever Cause produces such a Stagnation of the Humours, as must obstruct, instame, and then suppurate the Vessels; or to whatever dissolves their Continuity, of which a Suppuration is the unavoidable Consequence: In this last Case, an Ulcer is formed without any preceding Obstruction; in the former 'tis the Consequence of it; and tho' the same Effect is produced from different Causes, the Indications of Cure in the first Stage of this Distemper are very different, and even in the last Stage, tho' the Symptoms are then the same, some Regard is to be had to the first Cause, which has laid the Foundation of this Disorder.

FROM hence it appears, that the only Way to have an exact Notion of a Phthisis of the Lungs, the various Caufes of it, and the Method of Cure, is to consider it as proceeding from previous Obstructions of the Vessels, or from a Solution of their Continuity: These Esfects are produced from the fame Causes in the Vessels of the Lungs, and on the Surface of the Body; for the Sharpness of an Instrument, and the Force given to it, which produce an external Wound, are exactly supplied in an internal Hamoptoe, by too great a Momentum given to acrimonious Fluids.

As this feems to be the most natural Division of this Distemper, I shall, therefore, endeavour to account for its various Origine and Progress, as owing to any Cause, which in general difposes the Humours to form Obstructions, and peculiarly determines them to the Lungs; or to whatever gives the Humours fuch an Acrimony, and the pulmonary Vessels such a Tenderness, as must,

158 Of a Consumption

musty. From the Neglect of observing this regular Method, such confused Notions have been delivered of this Distemper, and Medicines of a contrary Nature so much commended by various Authors: But this Difference from hence may be evidently explained, and reconciled; for what is useful in one Sort, or Stage of this Disease, may easily prove destructive in another.

ALL Obstructions proceed from this general Cause, that the Globules of the Humours are larger than the Capacity of the transmitting Vessels; which is owing either to a Fault in the Fluids, (in being too viscid;) or Solids, (in being too narrow;) or to both Causes.

(a) It is most evident from repeated Experiments and Observation, that the Humours in a human Body acquire a Viscidity (tho' of a different Nature)

⁽a) Vide pag. 34.

which gives them a less Aptitude for Motion, either from too great Coldness, or a Circulation too languid; or from Heat and Motion too great and intense; or from a Mixture of any viscid Humour; or of fuch as disposes them to a Coagulation.

WHILE the Humours are preserved in a just Degree of Heat and Motion, they continue most perfectly attenuated and fluid; but when they are entirely deprived of the Benefit of Circulation, the finer Parts soon become viscid, and the gross Parts coagulated; therefore, when an inactive Life, or any internal Cause, (by giving too great a Relaxation to the Vessels and Bowels,) prevents a sufficient Heat and Circulation, they will in Proportion acquire a glutinous Disposition, and thence become more apt to form Obstructions.

Persons thus predisposed, are in the greatest Danger, when this Viscidity of the Fluids is encouraged, and determined to the Lungs, by a moift, cold Constitution

160 Of a Consumption

Stitution of Air; hence Coughs have been generally observed to be Epidemic at fuch a Season, (a) and immediately after frosty Weather, when the Thaw begins; for then (as it appears by the Mercury subsiding in the Barometer) the Gravity of the Air being greatly diminished, the Humours, from the want of a sufficient Pressure in the Lungs, become less attenuated, and acquire a greater Viscidity; which is likewise encouraged by the Coldness of the Season, and the universal Relaxation of the Vefsels, which the same Disposition of Air brings on: In this Condition of the Humours, Perspiration will soon be diminished; not from a Contraction of the perspirable Pores, as is commonly supposed, but from this Viscidity of the Humours; for (cateris paribus) this Evacuation is always proportioned to their Velocity and Fluidity, both which are in this Case deficient. From the same Cause the other Secretions, which are

⁽a Hippoc. lib. 3. Aphorism. 13.

performed in the minute Vessels, and therein most easily obstructed, will be likewise diminished: Hence the Machine becomes perpetually more loaded, and the whole vascular Frame, by being diftended beyond its usual Tone, is irritated and follicited to a Discharge; which, according to the Laws of Fluids, will always happen where there is the least Resistance; by which Means, the Lungs of Persons, thus predisposed, must be unavoidably oppressed, and obstructed, as they receive a greater Quantity of fuch viscid Humours, than usual, from their Residence being diminished; and from the same Cause, are less capable of attenuating and propelling them.

HENCE old Men are particularly subject to Catarrhs, and pituitous Obstructions in the Lungs; for in such the Force of Circulation being very languid, their Humours thence acquire this cold Viscidity; and from the same Cause, not being determined with sufficient Force to the Surface of the Body, are

more apt to be discharged by these Passages: Tho' to such Persons a Cough is seldom dangerous, their Vessels being sirm, and compacted; but more frequently becomes necessary, and serviceable to them, and by supplying the Place of Perspiration, and other obstructed Outlets, discharges such Humours, as would otherwise be quickly satal to them.

THE Humours may likewise acquire a Viscidity from any Cause, which gives them a greater Heat than is natural to them, or which dissipates the finer Parts, and leaves the gross behind; fuch as bard Exercise, Drinking of spirituous Liquors, profuse Sweats, &c. The Nature of this Viscidity is very different from the former, which proceeds from opposite Causes, and is generally attended with a foft, flaccid Habit of Body, a weak, flow Pulse, Vrine pale, an Absence of Thirst, and all the Symptoms of a languid Circulation; whereas fuch who have a Predifposition to this Viscidity, have their Fibres

bres more braced, and contracted; their Pulse stronger and quicker; their Vrine more high coloured; and are most particularly subject to Obstructions in the Lungs; when this disposition of the Humours is encouraged, and determined to the Lungs, by being exposed to any external Cold, or by a fuitable Constitution of Air; fuch as frosty Weather, and when East or North Winds blow; which, as Hippocrates (a) observes, likewife make these Disorders epidemic to some Constitutions; for the same Disposition of Air, which by checking Per-Spiration frequently determines the Humours to the Lungs, makes their Vecfels more apt to be obstructed, by giving them greater Narrowness than is natural to them: In fuch Constitutions, the cutaneous Discharge is not only apt to be diminished by the Viscidity of the Fluids, but by the Contraction of the perspirable Vessels; by

⁽v) Lib. 3. Aph. 5.

164 Of a Consumption

which Means the Quantity of Humours being increased, (a) their Motion and Heat, and confequently their Viscidity will increase in the same Proportion; for the Globules of the Humours from this increased Heat, and Pressure of the Vessels on them, become compacted, and pressed together, and adhere with a larger Superficies; and their Spharical Form being thereby changed, they are less capable of passing through the minute Tubes of the Lungs; fince, by that Alteration, they take up a larger Space than before. And that fuch is the Disposition of the Humours from this Viscidity, is most evident from Observations by Microscopes.

In this Condition of the Humours, the Vessels of the Lungs are thence apt to be obstructed; either that the universal Viscidity of the Fluids renders them more unsit for Motion, or that by their increased Velocity some Globules

⁽a) Bellini de febribus. Prop. 2da.

are forced into the decreasing Series of Vessels, to which they do not properly belong: For as the Capacity of the larger Vessels increases in Proportion to the Pressure and Motion of the circulating Fluids, the lateral Orifices of the Serous Arteries, which take their Origine from them, must unavoidably admit of the same Alteration; and be then capable of admitting red Globules to enter, which cannot so easily pass through, but are thence apt to form Obstructions, as the Diameter of these Vessels from their conic Form continually decreafes. From the same Cause the minute Lymphaticks that take their lateral Origine from the serous Arteries, and the other decreasing Series of Vessels, are liable to Obstructions from Globules of Serum; or of a superiour Series being forced into them.

Obstructions of this Nature are more eafily produced, if Perfons thus predifposed be suddenly exposed to Cold; which not only contributes to bring on these Disorders, as it determines the

L 3

Humours

166 Of a Consumption

Humours with greater Force to the Lungs, by suppressing the Perspiration, but the Vessels likewise from the same Cause, receiving a sudden Contraction, more sirmly retain the obstructing Globules, which might otherwise repass, or get through, if the Blood were kept warm, and the Vessels sufficiently dilated for some time, or by Degrees recovered their former Contraction and Capacity.

THE Humours, tho' otherwise rightly constituted, and in a proper Degree of Fluidity, may be altered and disposed to form Obstructions, by the Mixture of viscid indigested Chyle: This will happen when the Organs of the first Digestion are impaired, and not capable of converting the Aliment into laudable Chyle; or when, from a peculiar Weakness of the Organs of the second Digestion, it is not sufficiently attenuated, and elaborared into Serum, but still retains a chylous Viscidity.

THE inconvenient Effects of this unprepared Viscidity of the Chyle, will be first perceived in the pulmonary Vessels, where by the known Laws of Circulation, it is quickly conveyed almost unchanged, and is generally more apt to form Obstructions than any other Humours in the Body; for these are greatly attenuated, and made more fit for Motion, having already circulated through the smallest Capacity of the Arteries; whereas the new Chyle, when first received into the pulmonary Vessels, is as yet unfit for fuch narrow Passages, and most disposed to form Obstructions, especially when unprepared, and attended with a greater Viscidity than usual. This Indigestion is the most common Cause of Obstructions in the pulmonary Arteries, attended in the Beginning with a dry Cough; and to which fuch as lead a fedentary, studious Life, are particularly subject; for whoever confiders what has been delivered in the former Theory, will easily conceive, that notwithstanding our Food is exactly L 4 preprepared in the first Passages, how necessary Exercise is, especially in weak Constitutions, to give a sufficient contractile Force to the Vessels, and particularly to those of the Lungs, that the Chyle might acquire a just Degree of Fluidity, and be at length assimilated into Serum.

THE Vessels of the Lungs may be disposed to form Obstructions, by whatever renders their Capacity too narrow: This may likewise be produced by various Causes; such as an irregular Motion, or too great an Intenseness of the animal Spirits, any internal Acrimony of the Fluids, which stimulates, and draws the Solids into greater Contractions; or by any external Cause compressing and irritating the Vessels; such as ar senical and mercurial Steams; a bad original Formation of the Thorax; for which confumptive Persons are often remarkable: For this Reason Coughs almost constantly attend Children subject to the Rickets, the Cavity of the Thorax in that Distemper being much contracted from

from the irregular Form, and Depreffure of the Ribs, and from the Diaphragm being forcibly pressed up by the Largeness of the Liver.

HENCE it appears that several previous, acute, and chronic Diforders, by either giving an inflammatory, or a languid Viscidity to the Humours; or by affecting the Solids; might contribute to bring on these Obstructions; especially when determined to the Lungs by a fuitable Disposition of Air: And from hence may be easily understood the Nature, and various Origine of that Confumption which is termed symptomatical.

HENCE, likewise, it appears, that different Extremes in the Alteration of the Air, (a) in being either too moist, or too dry; too bot, or too cold; its Gravity or Levity too much increased, will, by rendring the Vessels too much con-

⁽a) Vide Pag. 106, ad 111.

170 Of a Consumption

tracted, or by disposing the Humours to become viscid, greatly contribute in Constitutions variously predisposed, to bring on, and particularly determine these Obstructions to the Lungs.

Some Authors are of Opinion, that this Distemper is contagious, but have not rightly considered in what particular Cases only, and after what Manner it may prove fo: For it cannot be communicated but from one in the last Stage of a Phthisis; neither then is the Contagion so sudden as in acute Diseases, but requires a longer Time to exert its Malignity; and generally a peculiar Predisposition in the Person that receives it: But when these Circumstances concur with sufficient Force, 'tis most certain, from undeniable Instances, that the Infection may be easily communicated; neither is the Reason of it very obscure; for by frequently lying with one in the last Stage of this Distemper, the soundest Lungs may be at length as effectually tainted, and the best disposed Humours rendered acriacrimonious, as by lying in, and breathing a putrid Atmosphere: And tis most evident from repeated Experiments, that the absorbent Vessels are capable of conveying a considerable Quantity of Humours into the Blood; especially when Sleep, and the Warmth of the Bed, by increasing their Relaxation, gives them a greater Aptitude to receive them; at the fame Time the phthifical Person commonly discharges by Sweat the greatest Quantity of the most noxious, and acrimonious Parts of the Humours; and in some Cases the Steams arising from malignant Vlcers, or a Cancer, and immediately inspired with the Air into the Lungs of another, might after the same Manner, as arsenical Effluvia, be apt to irritate, obstruct and erode their tender Vessels.

THE Symptoms, and various Confe. quences of these Obstructions thus formed in the Lungs, are varied according to the different Causes, Seat and Duration of the obstructing Humours.

THE

172 Of a Consumption

THE more complicate the Causes are which produce these Obstructions, the greater is the Danger and Violence of the Symptoms; thus Obstructions are frequently owing to a general Viscidity of the Humours, and an indigested Chyle; for a Defect in the latter is apt to bring on universal Disorders of the Fluids; and an Indigestion may be likewife owing to previous Diforders in them: But tho' one Disorder is often the Consequence of the other; yet the original Cause is chiefly to be regarded, and may be easily distinguished, as the bad Effects of Indigestion are in the beginning perceivable in the first Passages, but of a general Viscidity in the Fluids, in the more remote Scenes of Action. When an eroding Acrimony is joyned with the Viscidity of the Humours, and the Vessels from any internal Cause, or from an original bad Formation, are narrow and tender, the Danger is in Proportion increased: Thus Persons of a weak Constitution, that lead a sedentary, studious Life, have not only a Dif

Disposition to form Obstructions from an indigested Viscidity of the Chyle, but all the other Humours from the fame Inactivity are apt to acquire a Lentor, and from the Intenseness of their Spirits have frequently thence a peculiar Narrowness in their Vessels.

THE Seat of these Obstructions is either in the pulmonary or bronchial Vessels, and their Lymphaticks.

Obstructions formed in the bronchial Arteries are less dangerous than in the pulmonary Arteries, and attended with different Symptoms; for as the Extremities of the bronchial Arteries terminate in Glands, which are dispersed thro' the Trachea, and its various Ramifications, Obstructions formed in them are thence generally attended with a moist, pituitous Expectoration, difficult Breathing, and apt to make a wheezing Noise: Persons thus affected complain in the Beginning, before Expectoration is free, of a tickling Distillation on the Breast; (different from that which proceeds

anT

placed about the Larynx.) This Sensation is caused by a thin, acrimonious Humour, ouzing through the obstructed Vessels, which being tense, and by frequent coughing deprived of their defending Mucus, are thereby easily irritated.

Obstructions formed in the pulmonary Arteries can never be relieved by Expectoration; (unless after a Suppuration or an Hamoptoe;) for as they have no other Termination but into the pulmonary Veins, they can only be carried off by a Resolution: Hence they are always attended with a dry Cough, a difficult Respiration, but without any Wheezing, a constant Oppression, and an obtuse Pain, which is perceivable in a full Inspiration: These are Symptoms of what we call Tubercles: And when the larger Ramifications of the pulmonary Artery, near the Heart, are compressed by these Obstructions, they are frequently attended with an unequal, and an intermitting Pulse.

THE

THE Seat of these Obstructions may be likewise more particularly known, by the Force of the Cough, and the manner of Expectoration: Thus when the Glands, placed about the Origine of the Trachea, are obstructed, and irritated, a fimple Catarrh, and what is commonly called a Distillation, is only thence produced: The uneafy Irritation is first perceived in the Parts affected, and the Expettoration of the concocted Phlegm is performed with a Hawk, or a small Cough; but when the Seat of these Ob-Aructions is in the Lungs, the Irritation is then perceived deeper, and the Expectoration is in Proportion more profound: Notwithstanding in this last Case, the Glands of the aspera Arteria will at length be abraded by frequent Coughing, and an uneafy Senfation likewife produced in them; whence the Cough becomes more frequent and violent; and on the contrary, the Lungs by frequent Coughing, excited from previous Obstructions in these Glands, being agitated and

and weakned, are at length apt to be affected after the same Manner.

Obstructions formed in the pulmonary, or bronchial Arteries, receive a quick Increase from the same Causes that first produced them: (a) Lewenbock plainly observed this Progress in the bruised Wings of a Bat, and in the Tail of a young Frog, and that the coagulated Globules obstructing the Extremities of the Vessels, if not removed by the propelling Force of the circulating Humours, received from thence a constant Addition; while the more fluid Parts either ouzed through the obstructed Vessels, or entered the lateral Vessels, and the more gross remaining, not only added to the obstructing Matter, but by presfing on the neighbouring Vessels disposed them likewise to form new Obstructions.

Hence Obstructions of the bronchial Arteries are apt at length to produce.

Obstruc-

⁽a) Tom. 2. Epist. 67. pag. 205, 206, 207, 208. Tom. 3. Epist. 119.

Obstructions of the pulmonary Arteries, and vice versa; for being equally ramified through the Substance of the Lungs, when the Vessels of either are much obstructed and distended, by presfing on the other they eafily dispose them to form Obstructions: Hence in the Progress of this Distemper, the Symptoms are variously altered and increased; a dry Cough, proceeding originally from Obstructions of the pulmonary Arteries, being often at length attended with a moist, pituitous Expectoration from the bronchial Vessels; and from Obstructions first formed in the bronchial Arteries, latent Obstructions, and Abscesses in the Lungs have been at length produced.

THESE Obstructions, if not resolved, according to their various Nature and Disposition, have a different Termination.

Obstructions formed in the pulmonary Arteries, from an inflammatory Viscidity, joyned with an Acrimony, a quick M Circu-

Circulation, and a Tenderness of the Vessels, soon terminate in a peripheumonic Fever, and thence a Suppuration: Whereas Obstructions formed from a languid Viscidity, when attended with a saline Acrimony, and a flow Circulation, have that Termination from a more gradual Erosion of the Vessels.

Arteries, where the Humours are naturally acrimonious, or acquire that Disposition by a Stagnation, owing to the Want of a free Discharge; where the Vessels are tender, and the Circulation active, terminate in an Erosion, and an Exulceration of the Vessels, but not so soon as from Obstructions in the pulmonary Arteries.

When these Vessels are strong, and will admit of a large Distention without being destroy'd by it; when the obstructing Phlegm is easily discharged, and not attended with an eroding Acrimony, a humoral Asthma is produced, whose Violence will be increased by any Cause

Cause that adds to the Quantity, accelerates the Motion of the Humours, or irritates the nervous System.

For whenever the Quantity of Humours (by the Prevention of any usual Secretion or Evacuation) is increased, the whole vascular Frame, by being distended beyond its usual Tone, is irritated and follicited to a Discharge; which, according to the Laws of Fluids, will always be determined to these Veffels, their Tone being destroyed, and their Resistance particularly diminished; and this Discharge will be most remarkably great, when the Quantity of Humours retained is most increased, and the external Pressure of the Air on the Lungs is most diminished.

HENCE these periodical Fluxions and Suffusions, so much taken Notice of by the Ancients, in Disorders of the Breast, and which generally happen at the different Periods of the Moon, but more particularly once a Month, may be eafily explained; at which Time (as Sanctorius

Humours is greatly increased from the Want of a sufficient Perspiration, (and is commonly carried off by a more profuse Discharge by Urine than usual) which is generally deficient to such Men as are subject to these Obstructions, the as necessary to them as the Lunar Discharges are to Women: And how far the Pressure of the Air being diminished occasions a greater Afflux of Humours, than usual, to such Parts, the learned Dr. Mead (b) has evidently demonstrated.

Whatever increases the Velocity of the circulating Fluids, will likewise encourage a greater Afflux of Humours, than usual, on these Vessels; or whatever irritates the nervous System will in such Persons increase the asthmatic Discorder; as the Resistance of the Lungs is (c) thereby increased, and requires a

⁽a) Medicina Statica. Seet. E. Aph. 65.

⁽b) Imperium Solis & Luna.

⁽c) Vide Pag. 75.

stronger Force of Air to distend them; and as the obstructed Vessels, by the spasmodic Contraction of the Nerves, (which like Net-work surround all the Vessels) are from their pliable Weakness most easily compressed, whence the impacted Humours cannot so freely as before be discharged.

Obstructions, from a cold, indolent Viscidity, have a various Termination, according to the particular Nature and Consistence of the stagnating Humour; sometimes the Glands and Vessels of the Lungs have been fo greatly obstructed by fuch inactive Humours, that the greatest Part of their Substance has been at length observed to be indurated and schirrhous; for when the stagnating Humours have fuch a particular Nature, they quickly acquire this Induration by being deprived of their fine exhaling Parts; and the Vessels likewise, which are propagated from fuch as are obstructed, must foon wither and contract from the Want of an Influx of fuch Fluids, as would lubricate and distend them.

M 3

(4) SOME-

(a) SOMETIMES the obstructing Humour is of a calculous Nature; and tho' fuch Concretions are more apt to be collected in the Joints and Kidneys, yet where there is that general Disposition in the Fluids, they may be determined to the Lungs, or any other glandular Part in a human Body: Books of Observations abound with Instances of this Nature, and a remarkable Cafe is mentioned of one thus affected, who received no Relief from the repeated Use of the best resolving, and expectorating Medicines; but by taking one Scruple of Sal Munda three Mornings successively, expectorated ten Fragments of a stony Nature, and tho' greatly oppressed, and

(a) Bonet. Anatom. practic. Tom. 1. 1. 2. Sect. 2. Obs. 6. p. 684. obs. 14. p. 690. o. 30. p. 697. o. 34. p. 703. o. 53. p. 712. o. 76. p. 722. o. 89. p. 728. Sect. 7. o. 20, 21. p. 785. c. 32. p. 794. Salmuth. Cent. 1. obs. 14. Fo. Rhod. c. 2. o. 21.

Bonet. Tom. I. Sect. 2. l. 2. obj. 126. p. 726. Sect. 3. o. II, 12. p. 596, 597. Galen. l. 4. de loc. affect. Hildan. Cent. 1. obj. 25. c. 2. o. 29. Trallian. l. 5. c. 4. Salmuth. Cent. 1. obj. 7. Plater. lib. 1. obj. p. 180. Zacut. lib. 1. prax. admirab. obj. 95, 96. Schneider, lib. 3. de Catarrh. cap. 7.

emaciated before, quickly recovered after this Discharge (a).

ALL fixed Salts feem to be of the fame Nature, and are active, and refolving, but cannot be depended on, with any great Prospect of Success, in such a Disorder. The sudden Relief received in this Cafe, was probably owing to the Strength of the Constitution, and the particular Condition of the Glands, which were then relaxed and eafily disposed, by the Affistance of any stimulating Preparation, to give a Passage to these calculous Concretions.

HENCE the Distinction of a Phthisis into acute and chronical, and all the various and irregular Symptoms of this Distemper, and the different Appearances, that have been observed in the Lungs of dissected Persons, may be eafily explained: And whoever confiders what has been delivered in the former

⁽a) Bonet. Tom. 1. lil. 2. Sect. 3. Obs. 11. p. 598.

Theory, may evidently account for the beginning Decay, Difficulty of Breathing and Cough, which are the most constant Symptoms that attend the first Stage of these Obstructions; for it is evident from thence, that the chief Preparation of the Aliment, and the most material Functions of the animal Oeconomy, depend on the Welfare of this Bowel, and must unavoidably languish when thus obstructed; and by the same Means the Equilibrium is destroyed, between the Resistance of the Lungs, and the Pressure of the Air, which being no longer capable of giving fuch a full and easy Expansion to the Vesicles, as when they were free, and pliable, Respiration becomes more frequent and violent: Hence, likewise, a Cough is produced, the Capacity of the Vestcles being rendered fo narrow, and compressed by these Obstructions, that the Air in its Passage through them excites an uneasy Attrition and Titillation; and the obstructed Fibres being more tense than usual, must on a greater Distention (fuch as unavoidably attends a full

full Inspiration) be easily irritated, and drawn into these sudden Contractions; which are always more remarkably violent, when a stimulating Acrimony is joyned with the Viscidity: This mechanic Motion of Coughing may be justly confidered as the kind Effort of the fenfible Machine, which by fuch various, repeated Concussions, eagerly endeavours to shake off the uneasy Stimulus, and to attenuate and dislodge the obstructing Humours.

WHOEVER perfectly understands the Seat, Nature, various Causes, and Consequences of these Obstructions, thus described, will easily know how to apply a particular Method of Cure to each.

For as the Caufes that produce this Lentor, and Disposition in the Humours to form Obstructions, and determine them to the Lungs, are various, fo are the Indications and Method of Cure; but as a Suppuration is the general Consequence chiefly to be dreaded and prevented,

vented, the first and general Indication is to prevent their ending in a Suppuration (when there appears an immediate Danger from too great Distention) before a particular Method can be safely apply'd to the first Cause of the Distemper.

AN Obstruction terminates in a Suppuration, when the Force of Circulation, or the Quantity of the obstructing
Matter gradually distends the Vessels to
such a Degree as to break them; by
which Means the Vessels, with the obstructing Humours, are by the Warmth
of the Part gently dissolved, and mixed
together, the finer Parts exhale, and the
more viscid remaining form the purulent Matter.

THE Increase of the Distention is prevented by diminishing the Quantity, and Velocity of the circulating Fluids, and by proper Revulsions giving them a different Determination; hence Bleeding and gentle Purgatives are to be insisted on, till this Design is obtained, and the Vessels are no longer

longer in immediate Danger of being diffolved: By this Means not only the Danger of an immediate Suppuration is prevented, but the original Obstructions are in some Degree lessened; for by diminishing the distending Force of the Humours, the contracting Force of the obstructed Vessels is in Proportion increased; for in all Obstructions; as (a) Leuwenboek has demonstrated, the reciprocal, contracting Motion of the obstructed Parts of the Arteries is destroyed, by being distended beyond their Tone, and are never carried off till that is restored: Another Advantage from these previous Evacuations is, that more Room is obtained for the plentiful Use of diluting, attenuating, and in fome Cases active, stimulating Medicines, which cannot otherwise be given with the fame Safety and Advantage.

WHEN Obstructions are owing to a Viscidity from too slow a Motion of the Humours, the Indications are 1st, To

⁽a) Tom, 3. Epift. 119. pag. 113.

resolve the impacted Humours. 2dly, To invigorate the Motion, and attenuate the Viscidity of the Fluids.

Evacuations are therefore to be cautioufly used, unless there is an immediate Danger of the Vessels being inflamed, and suppurated, by being too much diftended; for as this Disorder is in a great Measure owing to a Weakness in the Vessels, and Bowels, and thereby to a Circulation too languid, the original Cause of the Distemper is by Evacuations increased; neither are hot, volatile, attenuating, and active Balsamics to be used, without the greatest Caution, lest by giving too great Force to the circulating Fluids, the impacted Humours may be augmented, and more condensed, the Vessels more distended, and a Suppuration instead of a Resolution produced.

FLOWERS of Sulphur, Preparations of the Millepedes, Pills made of the resolving Gums, Ammoniacum, Sagapenum, Opoponax, Myrrh, with Sapo-venetus, Terebinth, and Balsam Peru. washed

washed down with a Decoction made of Lign. Guaiac. Saffafras. Fol. Chamæpyt. Hystop, Scordium, Veronic, &c. anfwer all the Intentions required in this Case; as they are aperient, saponaceous, gently stimulating and resolving, and by enlarging the Compass of the Blood's Motion, restore Perspiration, and the other Secretions to their just Proportions.

THE Operation of these Medicines, in this Distemper, is agreeable to the natural mechanic Efforts of the animal Oeconomy; for the Action of Coughing not only particularly attenuates the Humours obstructing the Vessels of the Lungs, but contributes to restore the obstructed Secretions, by universally determining the Humours with a greater Velocity to the Surface of the Body: for this Reason the Force of such Medicines must be carefully proportioned to the Distemper, and the various Exigencies of the Patient; for what are only endu'd with a sufficient Activity to be serviceable in some Cases, may

by their too excessive Heat be prejudicial to others.

On this Account I have carefully avoided running into a long Detail of Prescriptions, with which Books on this Subject are plentifully stored, being fully fensible that nothing is more dangerous than to depend on fuch general Forms; and that the best fort, which to one Person might be serviceable, may often prove destructive to another. The Materia Medica abounds with a great Variety of Medicines of this Nature, out of which feveral Forms may be eafily composed, suited to the various Circumstances of the Patient; and whatever active Preparations are so promiscuoufly commended by various Authors in this Distemper, are only proper in fuch Obstructions as proceed from a languid Viscidity.

MILD Sudorificks are by some greatly commended in this Case, and are frequently sound effectual; but tho' their Activity be greater, their Manner of OpeOperation is the same with the Medicines already mentioned, which may be easily made Sudorificks, if determined with greater Force to the Surface of the Body; for what promotes Perspiration in one, with a different, and sometimes with the same Management, will prove a Sudorifick to another.

THE Effects produced from Sudorificks, are sometimes more speedily effectual, than from Medicines which by the Mildness of their Operation only promote infensible Perspiration; but the Danger that attends their Use in exciting too great a Motion of the Humours is greater; on which Account they are scarce ever to be insisted on, but when these Obstructions are attended with fuch a languid Circulation, as requires the Use of the most active, stimulating Medicines, or when the Patient has a natural Disposition to such Breathings, and finds his Lungs relieved by that Evacuation.

EVACUATIONS ought always to precede the Use of Sudorificks, otherwise an Hamoptoe, or an Inflammation, may be probably produced by attempting such a sudden Discharge, while the Vessels are full and distended; on this Account likewise Opiates are most conveniently mixed with them, as they affist their Operation, and allay any Tumult they might otherwise excite.

Whoever justly considers the Operation of Issues, which are by some Authors so much insisted on in Obstructions of the Lungs, and even in a Phthisis, will find they can afford but very small Relief: For they cannot be supposed to evacuate particularly that Humour which would otherwise fall on the Lungs, or to separate corrupted Juices from the Blood; and can be no farther serviceable, than in discharging from the common Mass of Humours a small Quantity of serous, and lymphatic Juices; which, tho otherwise most pure and well disposed, acquire the Na-

by Stagnation. However the they are but of small Service in Obstructions formed in the Lungs from any Cause whatever, yet it may be dangerous to close them up in such Persons who have been long habituated to them, and have weak Lungs, without substituting some other Evacuation in their Place; for the Vesticular Distention, may, even by this small Addition, be irritated to a Discharge of the superstudy.

The Diet in this Case ought to consist of such Things as afford a light, easy Nourishment, sit to warm, but not inflame the Blood, such as white animal Food, and Broth made from thence; Butter Sauce, and most Roots are improper, as they increase the Viscidity of the Humours; Asparagus, Water-cresses, Selery, Turneps, Horse-radish, Onions, and (a) Garlick, are of a different Na-

⁽a) Sanctor. medicin. statica. Sect. 3, Aph. 82.

ture, as they attenuate, and greatly promote Digestion and Perspiration: Hence (b) Swines-slesh, (c) Mushrooms, (d) Melons, (e) Cucumbers and Lettuce, from their Coldness, and Viscidity, are particularly pernicious to such Constitutions: Wine diluted with Water is presented for common Drink to any Maltiquor, as this is more apt to relax the Vessels, and increase the Viscidity of the Humours.

When the Obstructions are by these Means carried off, and all Danger of an Instammation is prevented, Preparations of the Peruvian Bark, and chalybeat Waters, are of the greatest Essicacy, not only as they correct the original Cause by universally strengthning the vascular Frame, and attenuating any remaining Viscidity; but likewise contribute to prevent a Recollection, by

⁽b) Aph. 24.

⁽c) ibid.

⁽d) Aph. 25.

⁽e) Aph. 92.

particularly removing the bad Effects of these Obstructions: For the Obstructions are at first, in some Measure, owing to the Capacity of the Vessels, not being large enough, to afford a free Passage to the Humours; yet in the Progress of this Disorder the obstructed Vessels become greatly distended; and when the obstructing Humours are resolved, and carried off from this remaining Weakness, and their Spring being almost destroyed, they are apt again to be obstructed, from a Cause different from that which first produced this Distense.

From a Neglect, or Ignorance of this Observation, Persons that have been affected with Coughs for some time, and have been relieved, are so easily apt to relapse into the same Disorder; for as no Obstruction is carried off, till the distended Vessel recovers its reciprocal tonic Motion, so to prevent a Recollection, the same must be preserved, and too great a Distention of it prevented. Nothing more contributes to this than N 2 Exercise,

Exercise, and particularly Riding: For then the Pressure of the Air, on these weakned Vessels, is much greater, than in a State of Rest; and increases in Proportion to the Velocity of the Body in Motion; for Air being an elastic Body re-acts with the same Force tis acted on; by which Means the weakned and distended Vessels are thereby sufficiently pressed, and strengthned, the contained Humours attenuated, and preserved in a just Degree of Fluidity.

Hence it appears, that this Exercise, not only as it is attended with the least Expence of Spirits, but likewise from this increased Pressure, is preserable to any other muscular Motion, not attended with such a Velocity of the Body: And why such considerable Essects are particularly produced from it in this Distemper, is evident to such as consider, that the Humours of the Body receive their most material Alterations from the Action of the Lungs; and how that in a great Measure depends on the Pressure.

Pressure of the Air, whose Gravity may, by this Means, be increased to any Degree defired, and the bad Effects of fuch a Disposition of the Air, as frequently brings on these Obstructions, most effectually prevented.

THE Use of the Flesh Brush is likewife very ferviceable, as it powerfully strengthens and cleanses the perspirable Vessels, and attenuates the Humours contained in the Vessels, on the Surface of the Body; which by their great Diftance from the first Cause of Motion, and by being most exposed to external Cold, are particularly apt to become viscid: This Exercise was in the greatest Esteem among the Ancients, tho' since too much neglected, perhaps, on Account of its great Simplicity.

Coughs which attend old Persons from cold pituitous Obstructions, where the Tone of the Lungs is destroyed, and the other Secretions are diminished by the Weakness of the Circulation, and the universal Rigidity of the Vessels, are N 3 fcarce

fcarce ever to be cured; but are best corrected by the Use of a soft, light, aromatic Diet, and Medicines of the same Nature. Wine mixed, or prepared with Honey, is preserable in this Case to hot Cordials, which exhaust the sew remaining sluid Parts of their Humours, and increase the Dryness of their Fibres, which are already incapable of exerting their Vibrations, by being too parched and rigid.

When the obstructing Humour is of a terrestrial, cold, viscid Nature, disposed to terminate in a Schirrhus, or a stony Concretion, Mercurius dulcis added in such a Quantity, as it may prove an Alterative to Pills made of the resolving Gums, and washed down with a strong Decoction of Guaiacum is of the greatest Efficacy.

WHEN Obstructions are formed in the Lungs, from a viscid Disposition of Humours, proceeding from too great Heat and Motion, Bleeding, and cooling lenitive Purgatives, with Anodynes after their

their Operation is finished, are to be freely used and repeated, till all Danger of an Inflammation is prevented, and the Force of these Obstructions is diminished, by giving a different Determination to the Humours; which will at length totally yield to a careful Use of diluting, refolving and gently deterging Medicines; such as Sperma Ceti, Stibium diaphoreticum nitratum, Sal Prunel. pectoral Ptisans, and medicated Whey, prepared with Ingredients suited to these Intentions; such as Fol. Agrimon. Pulmonar. Tussilag. Betonic. Parietar. Taraxac. Heder. terrest. Rad. Glycyrrhiza, &c. with Preparations of Honey. Hot, volatile Medicines, and active Balfamicks, are in this Case particularly destructive: The lightest animal Food is only to be allowed, and that but sparingly; a cooling vegetable Diet is chiefly to be insisted on, and for common Drink Toast and Water, or with a small Quantity of Wine mixed with it, and made gratefully acid with the Juice of Sevil Orange. This Method is to be continued while any Dif-N 4 polition

position to an Inflammation remains in the Humours, and at length a greater Latitude in Diet is to be gradually allowed.

PERHAPS it may be objected against the Use of purging Medicines in Obstructions of the Lungs, as being a Practice contrary to what Hippocrates has laid down, who in Disorders of the Breast (a) and in dry Coughs particularly, (b) forbids the Use of Purgatives: But tho' this Method feems directly to oppose the Words, 'tis agreeable to the Intention of this Precept; for whatever carries off the finer Parts of the Humours, and leaves the Gross behind, and confequently more disposed to form Obstructions, must be pernicious; and fuch was the Effect produced by hot, rough Cathartics, fuch as Hellebor. Elaterium, &c. which were only used in the Time of Hippocrates; which he therefore wisely forbid, as they increas-

(a) Lib. de veratri ufu. p. m. 611.

⁽h) De ratione victus in morb. acut. Sect. 4.

ed the Obstructions by exhausting the finer Parts of the Humours, and, by their excessive Heat and Acrimony, frequently changed them into a Suppuration; but gentle, lenitive Purgatives, which are directed in this Cafe, as they produce contrary Effects, in attenuating, and cooling the Humours, must be most proper, and, in that Respect, agreeable to the Sense of the divine Hippocrates.

WHEN Obstructions of the pulmonary Vessels proceed from indigested Humours, the Indications are to restore the impaired Digestions, and to resolve the impacted Humours: The first Intention is answered by such Medicines as evacuate any remaining Viscidity, and by strengthning the Stomach and Bowels prevent a Recollection; hence gentle stomachic Purgatives, such as Tinctura Sacra, Pil. Rufi Elix. pps. Rhubarb, &c. are not only ferviceable in this Respect, but by producing a Revulsion, diminish the Force of the Obstructions: All Bitters are deservedly esteem-

ed for strengthning, and restoring Digestion, and attenuating cold, viscid Humours; which Effects they produce by imitating the bilious Juice, which is Nature's great Digester, and chiefly contributes to conquer and attenuate the Viscidity of the Chyle, and give it an uniform Confistence; for this Reafon the Bile of voracious Animals, particularly the Sea Pike, made up into Pills with proper Stomachies, has often restored such, who have been in most languid Circumstances, from Indigestion, and Loss of Appetite, where the most elaborate chymical Preparations have been ineffectually prescribed: When the fecond Digestion is likewise defective, the Peruvian Bark and Steel demand a principal Place, as they particularly strengthen the first Passages, and invigorate the whole vascular Syftem.

Emetics are frequently prescribed in this Distemper, as they answer several Intentions; and if at any Time, are then particularly proper, when these Ob-

Obstructions are owing to Indigestion; but whoever justly considers how far their Efficacy extends, and to what Inconveniencies they are subject, will be apt to prefer the Use of other Medicines to them. The only Advantage that can be proposed from the Use of Emetics, is that the first Passages, and particularly the Stomach, may be thereby relieved from any Load of viscid, indigested Humours; and that by the universal Concustion which attends their Operation, the Fluids in general might be attenuated, and the Obstructions in the Lungs dislodged: The former Intention can be as effectually answered by the Use of gentle, stomachic Purgatives; and the other by attenuating, resolving Medicines, which act with more Certainty, and less Danger: For notwithstanding the Operation of Emetics may fafely, in fome Cases, promote these Effects, where their Force is well proportioned, and the Vessels of the Lungs are strong, and not much distended, yet when their Operation is violent, or the Vessels weak, and diftended, fuch an unnatural Straining of

of the Fibres, at the same Time the Humours receive a powerful Momentum, might very probably either promote an Inflammation, or an Hamoptoe: On this Account (a) Hippocrates very justly difapproves the Use of them for consumptive Persons, τες δε φθινώδεας ύποτελλομήνες τας α νω (φαρμακείας.) And (b) Tulpius takes Notice of one affected with a Distillation, and a Cough, from pituitous Obstructions of the pulmonary Vesfels, that by the Use of an antimonial Vomit was seized with a most violent Hamoptoe, attended with an Expecto. ration of a large Piece of the Lungs, of which he immediately expired.

UNTIL the Digestions are effectually restored, and strengthened, the Diet ought to be of the lightest Digestion, and least inclined to Viscidity; such as before is recommended in Obstructions proceeding from a languid Lentor in the Humours: By this Means, the weak-

⁽a) Sett. 4. Aph. 8. (b) Lib. 2. Obser. 14

ned Parts, when disengaged from any Load, or Labour, will more eafily recover a sufficient Vigour; especially when affisted by suitable Medicines: Exercise is particularly proper in this Case, not only as it is serviceable in the Respects mentioned before, but as it peculiarly helps Digestion, and the Secretion of the bilious Juice (whose Quantity separated in inactive Constitutions is very small, unless promoted by nervous Spasms, and then its Quality is depraved) for the chylopoietic Bowels are scarce influenced by the grand Circulation, but are like a small, separate Republick in the Body, which is governed by peculiar Laws, and chiefly affisted by muscular Motion.

THE Indication of Cure, in resolving the obstructed Vessels of the Lungs, is answered in this Case by Medicines of the fame Nature as are recommended in that languid Viscidity of the Humours; particular Regard being had to the original Cause, which laid the first Foundation of the Distemper.

WHEN these Obstructions are attended with nervous, and hypochondriac Symptoms, Assa Fatida added to the refolving Gums mentioned before, is of the greatest Service, and demands a principal Place. The Efficacy of this Medicine, in a great Meafure, depends on the fetid and disagreeable Smell it affords; this is the Reason that makes the Use of it less frequent; the Practice of Physic being often rather calculated for the immediate Satisfaction than the real Benefit of the Patient: The Activity of its Parts corrected and retained, in a foft, gummy Substance, renders it in these Cases more effectual, and on feveral Accounts preferable to volatile Spirits, which by their exceffive Heat are often of ill Effect, and apt to inflame: Whatever Relief is likewife received from them, is but momentary and transient; for the same volatile Activity, on which their Virtue depends, prevents it from being lasting, being quickly dissipated by the Heat of the Body: Whereas Assa fatida, by the pecupeculiar Disposition of its Parts, gives a more lasting, and a more agrecable Determination to the Spirits; for no Bodies are so capable to affect our Nerves after an agreeable Manner, as those which confift of volatile Parts, the Activity whereof is tempered, and allayed, by the Smoothness of such as are lubricating, and oily: This Medicine is therefore not only ferviceable in Obstructions of the pulmonary Vessels, as it gently stimulates, and attenuates the Viscidity of the Fluids, and most powerfully promotes (a) Perspiration; but by giving that agreeable Disposition to the Solids, enlarges their Capacity, by taking off the nervous Contractions, and Spasms, which in a great Measure render Hypocondriac Persons so particularly subject to this Distemper. In this Part of its Character and Operation, lit is somewhat allied to (b) Opiates, but not subject to the same stupifying Inconve-

KARL N

⁽a) Sanct. Medicin. Statica. Sect. 3. Apt. 82.

⁽b) Vid. Mead's Essay on Poysons. p. 146, 14.

niences; and on that Account frequently gives Relief, where that Sort of Medicine is not only ineffectual, but of ill Effect to the Patient.

When these Obstructions proceed from the saline Parts of the Blood, irritating and drawing the tender Vessels of the Lungs into narrow Contractions, that Acrimony, as it receives a various Origine, must be corrected by Medicines, particularly opposite to the Nature of it.

(a) It is evident from the most exact chymical Experiments, that the estential Salts, in the Humours of a human Body, are in a natural State neither fixed, nor volatile; but of a semi-fixed Nature, and become pernicious when this neutral Quality is altered, when they are inclined more to one Side than another, or when their Quantity is increased, and disproportioned to the other Principles of the Humours.

⁽a) Boerhaave. Chemia Practic. Proceff. 87.

WHEN the Circulation from any Cause whatever is rendered flow and languid, the saline Parts are not sufficiently actuated, and equally mixed with the oily Parts of the Blood, and from the Slowness of their Motion are apt to be separated by the glandular Parts, and to irritate and obstruct them: This Constitution of Humours chiefly prevails in fuch as lead an inactive Life, and feed much on an acid, vegetable Diet, which for the most Part contains a fixed Salt; but is more particularly encouraged by a muriatic saline Diet; for Sea Salt is of fuch a fixed Nature, and so intimately adheres to the terrestrial and oily Parts of the Blood, (especially where there is an universal Viscidity in the Fluids) that it cannot be disengaged and conquered, but with the greatest Difficulty.

In this Case artificial Lime-waters are of the greatest Efficacy, and most powerfully contribute to correct the Accrimony of these Salts, and by the great

Activity of their Parts to extricate and render them more volatile: For 'tis plain from chymical Experiments, that no Preparation gives such a volatile Activity to the Humours of a human Body as Quick-Lime; which Property it feems to take from the Particles of Fire which are intimately united with it: On this Account that muriatic Acrimony, to which Mariners are particularly subject, is most speedily eradicated by a Preparation of this Nature, taken in a Quantity fuited to the Strength of their Constitution, and the Force of the Distemper: But must be directed with the greatest Caution; for if the Use of it be too much infifted on, after this Acrimony is corrected, it may prove as dangerous, as before it was useful, by giving a contrary Disposition, and a caustic Activity to the Humours.

Where the faline Parts of the Blood are too naked and volatile, the Humours dissolved, and inclined to Putre-faction, all Preparations of Quick-lime give a fatal Increase to these Symptoms, (and

(and tho' Sea Salt be in this Case improper, as by its Weight and Stimulus it quickens the Circulation, yet there is no Danger of its being entangled in Fluids fo dissolved.) This Constitution of Humours is natural to some, and most frequently attends such as are subject to a Phthisis from an Hamoptoe, (as the former often attends such as are subject to a Phthisis from Obstructions) and is greatly encouraged by the exorbitant Use of an animal Diet, especially of fuch which is remarkable for the Delicacy of its Flavour, and most plentifully abounds with volatile Salts.

This Acrimony is best corrected by fuch Medicines as sheath the Asperities of these Salts, and restrain the Motion of the Humours: Such as Water, which passes through natural Lime-stone, or chalky Ground; fuch as the Bristol Waters afford, which widely differ from artificial Lime-waters: A Milk Diet, Preparations of Snails, and fost Diuretics, are particularly proper in this Case, as they correct the Acrimony of these

Salts, and convey them off by the urinary Passages, which seem to be the most proper Channel for conveying these Salts out of the Body.

HENCE may be explained that Observation, (which is mentioned in the Philosophical Transactions of the Royal Academy of Paris, as obscure and surprizing) why a Lixivium of Quick-lime is given with fo much Success in scorbutic, and other chronic Diforders in the northern Countries, but is found infufficient, and frequently destructive in the fame Diseases, when given to such as live in France, Italy, and other Places that lie towards the South: This Difference in their Constitution is owing to the Difference of the Climates they live in; the Humours of the latter by the Warmth of their Climate are greatly actuated, and attenuated, whence the saline Parts already sufficiently active, by the Accession of any Cause that so much increases the Heat of the Humours, are easily volatilized and exalted: Where-

Whereas the Fluids of fuch who live in cold, northern Climates, are languid in their Motion, and the Saline Parts are thence so involved in the terrestrial and oily Parts of the Blood, as to require the Use of such an active Preparation to disengage them.

WHEN the Causes that produce Obstructions in the Lungs are blended together, (as it frequently happens,) a more complicated Method of Cure is required; and may be easily deduced from that which has been delivered, which is particularly fuited to all the various Causes of this Distemper; and chiefly confifts in removing the Obstructions formed in the Vessels, and the evil Effects of them; and in restoring the usual obstructed Secretions, by correcting the original Viscidity of the Fluids. If either Intention be left unfinished, the Disorder will continue, or quickly return: And whatever Medicines are fo promiscuously recommended in this Distemper, can only give Relief, as they contribute to answer these Intentions.

THE Vessels of the Lungs, when obstructed, can only be relieved by promoting a Resolution, or an Expectoration of the obstructing Humours. This last Relief can only be obtained in Ob-Aructions of the bronchial Arteries, which terminate in the feveral Ramifications of the Bronchia: And Obstructions of the pulmonary Arteries can only be carried off by a Resolution, (unless after a Suppuration of them) as they terminate only in the pulmonary Veins. But tho' there be this Difference in the Vessels, and the Discharge, yet the Medicines, which are required to answer each Intention, have in every Respect the same Qualities, and Manner of Operation.

For that a Resolution of the impacted Humour in the pulmonary Arteries should be obtained, 'tis necessary that the obstructing Humours should be prepared for Motion, the Vessels sufficiently opened to give a Passage to them, and that they should be then stimulated to

an Expulsion. The same Disposition must be exactly given to the Humours and Vessels of the bronchial Arteries, that they may be relieved by Expectoration. The only Difference is, that in the former Case, the obstructing Humours are expelled into the pulmonary Veins, in the latter, into the aspera Arteria. and dubricate the Mellett

Hence it appears, that as various Causes may prevent either a Resolution, or an Expectoration, no Specific, or certain Form of Medicine, can be depended on; but must be always carefully suited to the particular Disposition of the Vessels and Humours: For the best pectoral Medicines, so greatly extolled by fome Authors, can only be ferviceable in some particular Cases; and operate after the same Manner as other Medicines, either by universally attenuating, stimulating, incrassating, &c. Thus Hysopus, Scordium, Majorana, Pulegium, Veronica, Preparations of Sulphur, &c. which are fo much relied on as Pectorals, are only ferviceable 04

when the Humours have a languid Vifcidity, and the Fibres are inactive; but prove ineffectual and dangerous, when the Humours are acrimonious, and the Vessels contracted: In which Case, Pulmonaria, Tussilago, and the softer Pectorals are required, which correct the Acrimony of the Humours, and relax and lubricate the Vessels.

If any Thing can be reckoned a topic Pectoral, 'tis Air impregnated with fuch Vapours, as are fit to correct the bad Disposition of the Lungs. Thus, when, from a Weakness of their Vessels, they are subject to a frequent Suffusion of thin, acrimonious Humours; a Fumigation of Olibanum, Mastich, and Benzoin, is the best, and most effectual Pectoral. But in the Use of this Preparation, particular Care must be taken that the Lungs are then free, and difengaged from any Load of Humours; and that by Diaphoretics, or mild Sudorifics, the Course of the Humours be determined to the Surface of the Body. When the Vessels are too much contracted, tracted, and the *Humours* to be expectorated, or resolved, glutinous, and viscid; an Evaporation of hot Water, with stimulating Herbs insused, is of the greatest Benefit.

Steams, or the Effluvia of Aq. fortis, or Sp. of Vitriol, are received into the Lungs, (as it frequently happens to Miners, and such as are much engaged in chymical Preparations of these Bodies) most violent asthmatic Disorders, and Peripheumonies are thence produced. In this Case, the Vapour of putrid Vrine, with Sal Tart. dissolved in it, and immediately received into the Lungs, is the most effectual Pectoral; the acid, corroding Particles irritating the Lungs, being thereby corrected, and changed into an innocent, inactive Sal neutrum.

Oily Linetus's, and anodyne Medicines, are most frequently prescribed in Obstructions of the Lungs, to remove and allay the Violence of the Cough: Which Intention they answer, not by dimi-

diminishing the Cause of such Obstructions, but by taking off the inconvenient Effects produced from them; for by frequent Coughing, the Inside of the aspera Arteria being abraded, and deprived of its lubricating, defensive Mucus, becomes thence fo fensible as to be easily irritated by the Coldness of the Air, or by the Humours naturally separated there from the Glands; which at first are so thin, as to be apt to irritate these tender, naked Parts; but acquire that mucilaginous Softness, by remaining there for fome Time, (the finer and more fubtle Parts exhaling) fo that whatever supplies an artificial Defence, or gives these too tender Parts fuch an Infensibility, that the Humours feparated may remain there for some Time, without being deterged by Coughing, will obtain the Name of Pectorals: The Syrups and Oils, so much relied on in this Case, are only useful as they answer the first Intention: And the Relief they afford is fo fudden, that their Efficacy cannot be imputed to their

their entering, or altering the Mass of Humours, and arriving at the Lungs by the common Road of Circulation. But by being gently swallowed, they give a fresh Defence to the Glands placed about the Top of the aspera Arteria: For as the Passage in this Place is most narrow, the Air, when expelled by violent Coughing, produces a greater Abrasion there than in any other Parts: Opiates, and Anodynes, as they answer the other Intention, are remarkable in relieving Coughs; for by rendring the Fibres less sensible, they elude the Force of these uneasy Irritations, which, by exciting a Cough perpetually, abrade the separated Humours; by this Means they have Time to acquire a foft and proper Consistence.

HENCE it appears, that these oily Medicines, in regard to the original Obstructions, are most peraicious; as they relax the Stomach, and increase the Viscidity of the Humours. And notwithstanding in Catarrhs and Defluxions, they abate the present Violence of the Cough

Cough by lubricating the Glands; yet by relaxing, and giving them a less Refistance, they encourage a new Influx of Humours, and thence render such Disorders more obstinate. Hypoglottids formed of Japan Earth, Sugar, and soft Mucilages, dissolved in the Mouth, and gently swallowed, are preferable in such Cases to oily Preparations; for they abate the Influx of Humours by reftoring the relaxed Tone of the Glands, at the same Time that by giving them a soft Defence, they allay the uneasy Irritations.

Anodynes, joyned with proper Pectorals, and prudently administred, especially after Evacuations, are of the greatest Service: As they quiet any Tumult in the Humours, and contribute to prevent an Inflammation, by keeping the Lungs more free from frequent Concustions; and promote an easier Discharge of the obstructing Humours, by giving them a proper Consistence, and by enlarging the Capacity of the Vest-sels.

Thus I have described the various Causes and Essects of Obstructions formed in the Vessels of the Lungs; and how by a most rational Method, carefully suited to them, they may be carried off, and their gradual Progress to a Suppuration happily prevented. It remains now to explain, how a Suppuration is likewise produced from an Hamoptoe; with the most probable Method of Cure in the last and most dangerous Stage of this Distemper.

THE Causes predisposing to an Hamoptoe are various; but may be reduced to whatever gives the Vessels of the Lungs such a Tenderness, and the Humours such a Force and Acrimony, as must, if increased, dissolve their Continuity.

This Predisposition generally consists in an universal Weakness of the Solids, and that volatile Acrimony and Dissolution of the Humours, which has been already

already described, (a) and is peculiar to such consumptive Fluids.

This Constitution to some is natural, and hereditary; but may in others be acquired, by the intemperate Use of a hot, aromatic, saline, or animal Diet: Or by previous Disorders, which relax the Vessels, and deprive the Blood of its oily and balsamic Parts, and render its Salts too active and volatile.

A natural Predisposition to an Hamoptoe may be easily distinguished by several Symptoms, which are peculiar to such consumptive Constitutions, viz. a long Neck, Scapulae prominent like Wings, Thorax compressed, and narrow, a clear florid Complexion, the Cheeks and Lips painted with the purest red, the Caruncle in the Corner of their Eye, from its intense Colour, appears like Coral; and all the Vessels are so fine, as to be almost diaphanous: Such

⁽a) Vide Pag. 165.

Persons are likewise most frequently remarkable for a Vivacity of Mind; and often complain either of (what is called) a Distillation, or of a saline Taste in the Mouth.

In Constitutions either naturally, or otherwise, thus predisposed, whatever determines the Humours to the Lungs, with a Force greater than their Resistance, will immediately produce an Hamoptoe. These Causes are various, such as a bot, saline, aromatic Diet, violent Exercise of the Body, particularly of the Lungs, Coughing, free Use of spirituous Liquors, strong Passions of the Mind, any usual Secretions or Evacuations prevented, &c. but in general may be reduced to whatever increases the Acrimony, Quantity, or Velocity of such Fluids.

WHATEVER increases the Quantity will likewife increase the Velocity, and Pressure of the Fluids on the Vessels of the Lungs; but if the Liquids ingested be of a hot Nature, such as spirituous Liquors, varida.

Liquors, or if the Humours retained have that Disposition, their Velocity will be in Proportion increased: Hence all fanguineous Discharges prevented, such as the Hamorrhoids in Men, and the Catamenia in Women, are most particularly apt to produce an Hamoptoe.

Hence appears the Reason, why an Hamoptoe so frequently happens at that Time when the Body desists from growing. The Quantity and Pressure of the Humours being then more particularly increased, by not being expended, as before, in giving a constant Addition to the Vessels; which are then likewise in more Danger of a Rupture by their greater Resistance, than when sormerly they yielded to the Impulse of the circulating Fluids.

Hence likewise appears the Reason, why an (a) Hamoptoe seldom happens before the Age of eighteen, or after

⁽a) Hippocrates, Lib. 5. Aph. 5.

thirty five. For in the former Case the Impulse of the Humours is but weak, and the Vessels are pliable and yielding: In the latter Case, the Fibres, by repeated Motions, are compacted and made firm, and are thence capable of safely resisting the strongest Impulse of the circulating Fluids.

When the Vessels of the Lungs, from any of the Causes before mentioned are obstructed and distended, whatever increases the Velocity, Quantity, or Acrimony of the Humours, may easily produce an Hamoptoe. For the Weakness of a Vessel is always in Proportion to its Distention: And on that Account, such Persons have a constant Predisposition to an Hamoptoe, not only from such a Distention of the Solids, but from that eroding Acrimony, which the obstructing Humours are by stagnating apt to acquire.

THE Seat of an Hamoptoe is either in the pulmonary or bronchial Arteries; and may be easily distinguished, being P attend-

in an Hamoptoe of the former Vessels, the Quantity of Blood expectorated is large, of a thin Consistence, and a florid Colour, without any Sense of Pain, and then the Discharge entirely stops for some Time. In an Hamoptoe of the bronchial Arteries, the Quantity of Blood expectorated is but small, but continued for a considerable Time; its Colour is more obscure; its Consistence not so thin; and is attended with a Sense of Pain in the Breast.

be more particularly known, the Manner how Blood is discharged must be carefully regarded; for what is hawked up, comes only from the Palate, and the Vessels about the Larynx; what is spit up, from the Mouth; what is vomited, from the Stomach; from the assume the Arteria, by a small Cough, and more elaborate Hawking; and the deeper the Rupture is in the Lungs, the more prosound and violent Cough attends the Expectoration.

Sometimes an Hamoptoe of the bronchial Arteries is preceded by a Repletion, and Sense of a greater Weight than ufual, occasioned by a Retention of some habitual, fanguineous Evacuation; such as the Hamorrhoids in Men, and the Catamenia in Women; and then proves ferviceable, and is not fucceeded by a Collection, or Discharge of purulent Matter; for in this Case there is no Rupture, or Disunion of the Vessels; but their extreme Orifices, which in their natural State always exhaled a lubricating Moisture, are now so dilated and widened, as to admit a Discharge of this plethoric Blood, after the fame Manner as it is periodically evacuated by the uterine Arteries.

AFTER, an Hæmoptoe, particularly of the pulmonary Arteries, lying on the affected Side is apt to renew the Discharge, the Vessels being then more pressed and irritated: Sometimes the Oppression has been so remarkably increased by this Posture, as to hinder the Person from speak-

P 2

ing;

ing; but has been immediately relieved by lying on the contrary Side.

WHEN an Hamoptoe has happened, the Indications are, ist. to reunite the ruptur'd Vessels. 2dly. to correct the Acrimony, and Heat of the Humours.

To answer the first Indication, Bleeding is to be plentifully used, and repeated, till the disunited Vessels are almost collapsed and thence contracted; and the Motion of the remaining circulating Humours becomes so languid, as to be incapable of widening and opening them again; but that the Wound should be thereby kept in such a State of Rest, as can alone dispose it to a Reunion.

To some perhaps it may seem unreafonable and dangerous, to take away such a Quantity of Blood from Persons already so weak and languid; but let such consider that a few Ounces of Blood, evacuated by the Lungs, will in the Consequence bring on a more dangerous Weakness, than a much greater Quantity

tity thus discharged; for the former, by increasing the Wound and Cough, will in Proportion afterwards increase the Quantity of purulent Matter. And this fucceeding Collection is so certain, and so constantly increases, and grows so large when the Lungs are agitated, and the Circulation is not fufficiently abated, that out of a great Number, few recover from an Hamoptoe of the pulmonary Arteries; tho' some surprizing Instances have been known of Wounds received in the Lungs, attended with fuch a great Effusion of Blood, that the Person thus affected has remained half dead, and without Motion for a long Time: And by being thus fortunately neglected, the Wound has reunited, and a perfect State of Health succeeded, which had been unavoidably loft, if he had been revived by cordial Medicines, which are most frequently given, tho' destructive in this Cafe.

COOLING anodyne Medicines, fuch as Species Diatragacanth. frigid. Pulv. Hali. Fol. Acetosel. Plantag. Flor. Papav. far. rub. Semin. Acetos. Papav. alb. Hyof-cyam. Rad. Urtic. Pentaphylloid. Argentin. Pimpinel. and foft smooth Balsamics, such as Fol. Tussilag. Pulmonar. Flores puri recentes Betonic. Hyperic. Paralys. Alth. &c. prepared by Decoction, answer the second Intention; as they restrain the Heat and Motion of the Humours, and sheath up the stimulating Particles, that irritate the Solids into stronger and quicker Vibrations.

THE Tincture of the Peruvian Bark, made by Decoction in Water, and impregnated with some of the softer Pectorals, is of the greatest Essicacy, as it powerfully contributes to allay the Motion of the acid Fluids by giving them a more uniform Consistence, and by strengthning the Fibres, renders them less sensible of such Irritations.

THE Operation of these Medicines, is not topical but universal: Tho' several Authors are of Opinion, that an Hamoptoe may be cured by proper specific

cific Medicines, which particularly exert their Efficacy on the Vessels that are disunited. But it is most evident to any one, who is rightly acquainted with the animal Oeconomy, that the stopping of an Hamoptoe, is either the natural Consequence of the large Effusion of Blood which attends it, (the Vessels being thereby fufficiently emptied, and collapsed; and the Momentum of the circulating Fluids, from the same Cause being rendered flow and languid:) Or that these Effects are obtained by artificial Evacuations, and cooling, foft Medicines. For if Medicines that particularly exerted their Virtues on the wounded Part, could produce this Alteration, their Operation must consist, in either incrasfating the Blood to that Degree, that it is no longer capable of passing thro' the difunited Vessels; or in giving them fuch a Contraction, as may prevent its Paffage; or in answering both Intentions: But if it were in the Power of Medicines to give fuch a Disposition to the Humours, as might answer the first Intention; it must thence follow, that the

the Blood, which cannot pass through the wounded Vessels, is likewise incapable of passing through the Extremities of the other Arteries, whose least Diameter is only capable of admitting one Globule of Blood to pass, and is always less than the Diameter of the wounded Vessel, and must therefore soon produce a fatal Peripneumony. If fuch Medicines answer the other Intention by their aftringent Quality, equally circulating through the Lungs, before they could obtain that Effect in the wounded Vessels, they must produce the same Alteration in the Extremities of the Arteries; and thence likewise a Peripneumony must unavoidably follow: So that Medicines in this Case can only prove useful, as they produce the Effects before mentioned, unless such Persons have an Art of conveying the Efficacy of their Medicines particularly to the wounded Part, which is ridiculous to suppose. Physicians have probably fallen into this Error, because they observed that the Discharge of Blood generally ceases soon after the Use of their Medicines; but this,

this, as I before took Notice, is the natural Effect of an Hamoptoe; the Veffels being thence emptied and collapsed; and the Force of Circulation made very languid; for this Reason scarce one of a great Number dies of an Hamoptoe, except in acute Distempers.

NEITHER doth the other Class of Medicines, which, from a mistaken Notion of their Manner of acting, are called Balfamics, prove serviceable in that Respect; for the Operation of Balfamics in the Cure of external Wounds, confifts in affording a kind, foft Medium between the Air, and the Exhalations arifing from the Wound; which by that Means being retained, a topic Fever is excited; whence the extravasated Humours are converted into a laudable Pus; which is the Basis, that connects the new, fucceeding Fibres; this is the natural Balsam, and preferable to all others, which are most valuable the nearer they approach to this. And as a Wound ought to be but lightly covered with artificial Balsams, to answer this

most gently deterged, or else the new tender Fibres are thereby destroyed. Internal Balsamics cannot be supposed to exert their Influence after this particular Manner; but their Operation consists in sheathing the Asperities of the Humours, whence they are rendered less apt to irritate; and in relaxing, and making pliable the Vessels about the wounded Part, that they may with the greatest Ease shoot out the new Fibres, which reunite the Wound.

Hence it appears, that such Medicines, as are only proper in this Case, ought to be easily penetrating and mild; for if they be too viscid, they promote new Obstructions in the Extremities of the Arteries opening into the Vicer. If they be not mild and soft, they excite, instead of allaying, a greater Heat, On this Account, hot active Medicines, such as Balf. Sulph. Anisat. Gilead. &c. are pernicious in this Case: And the Reputations they have acquired, is owing to the good Effects they produce, when given

given to Persons of a full Constitution, whose Lungs are oppressed with cold viscid Humours: Where they not only act as Alteratives, in attenuating, but as Diuretics, in discharging them by the urinary Passages.

Such a Management of the Non-naturals is to be directed, as is most agreeable to these Intentions. The Body must be kept as much as possibly in a State of Reft, even Speaking is improper, (while the Wound is fresh) as the Lungs are particularly agitated by that muscular Motion.

A Milk Diet, carefully directed, is preferable in this Case to any other; as it is of a cooling, foft, nourishing Nature, requires scarce any Digestion, having already been prepared in the Stomach and Bowels, and passed through the Lungs of the Animal it is taken from; and confifts partly of the natural Juices of that Animal, and the concocted Juices of Grass, and other opening Herbs; by which Means, it not only

ly answers in every Respect the Intentions required, as it is balfamic, and restrains too quick a Circulation; but seems specifically to correct that Acrimony, so peculiar to consumptive Fluids; which appears to be of an urinous, saline Nature; such as proceeds from a Mixture of Salt Ammoniac: This is confirmed by the Taste, the florid Colour', and acrid Dissolution of fuch Fluids; which this Salt, and Sal marinus, by being mixed with the Blood, can alone produce: And fuch an Acrimony, as it appears by chymical Experiments, is best corrected by Juices, which are of an acescent Nature, tempered with somewhat oleaginous: If Cows Milk be apt to render them costive, it may conveniently be mixed with a fmall Proportion of Honey, or exchanged for Asses Milk, which is more light, and opening, and less apt to curdle. Breast Milk is more natural, and in every Respect preserable to any other; especially if the Nurse be of a healthy .Constitution, and feeds on a proper cooling Diet.

If this Method be timely used, carefully continued, and fuited to the Strength and Constitution of the Patient, many may be thereby recovered, that will otherwise unavoidably perish. But if Bleeding in a fufficient Quantity be deferred for a few Days till the Vicer is formed; it afterwards proves of no Service, but does rather haften their Death. And nothing more certainly contributes to this, and is more fatal in the Confequence, than any Error admitted in Medicine, or Diet, in the Beginning. For whatever is mixed with the Blood, or taken for Nourishment, as it receives its chief Alteration from the Lungs, and arrives there almost unchanged, ought more particularly to be fuch as wants scarce any Preparation from them. And ! if it contains the least Acrimony, or Crudity, by either obstructing, or irritating, will unavoidably renew the Hamoptoe, and increase the Collection of purulent Matter.

WHEN this Regimen has been continued for the Space of two Months, or till all Remains of the Cough, and other Symptoms are carried off; gentle Exercife, and particularly Riding, in a free, dry Air, must be used when the Stomach is most empty, in the Morning and Afternoon; that the Vessels of the Lungs may be thereby ftrengthened: A greater Latitude in Diet is to be admitted by careful Degrees, always avoiding whatever might give too great an Acrimony, and Velocity to the Fluids. And by way of Prevention, every fix Months, at the Vernal and Autumnal Æquinox, gentle Evacuations, fuch as Bleeding, and the most cooling Purgatives, as Manna diffolved in thin Gruel, with the Juice of Sevil Orange, must be used: This Caution is of the greatest Moment, as the Neglect of it has been fatal to many; for at fuch Times the Pressure of the Air being greatly diminished, (a) the Humours become turgid, and by pressing and distend-

⁾a) Vide Mead de imperio Solis & Luna.

ing the Vessels more than usual, are thence particularly apt in predisposed Persons to bring on an Hamoptoe.

An Hamoptoe of the bronchial Arteries is not so dangerous as of the pulmonary Arteries; and is easily cured by moderate Evacuations, and the Use of a cooling, soft Regimen.

WHEN an Hamoptoe proceeds from preceding Obstructions, the same Method is to be used to prevent the Return, and the bad Effects of it; particular Regard being had to the original Cause of the Obstructions.

It remains now to describe this Distemper in its last Stage of an Abscess, or Ulcer, proceeding either from a preceding Hamoptoe, or Obstructions; with the most probable Method of Cure.

WHEN either from a Neglect of a proper Method, the Use of improper Medicines, or the Violence of the Disorder, a difficult Respiration succeeds Obstructions,

or an Hamoptoe of the pulmonary Arteries, attended with a dry, laborious Cough, increased after Eating, or Motion, a hectic Fever, periodically increafing with a great Anxiety generally towards the Evening, Night-Sweats, especially about the Neck and Breaft, great Thirst; and if Pain prevents lying on any but the affected Side, then these Symptoms plainly discover, that a latent Abscess is formed in the Lungs, either from a Suppuration of the Vessels that were before obstructed, or from an Eschar being grown over the ruptured Vessels. and the purulent Matter being thence retained. In the Progress of this Distemper, the Symptoms grow more violent, the Body gradually confumes away, most of the Humours degenerating into Pus, the Eyes become hollow, the Nose sharp. the Temples collapsed, the Scapula prominent like Wings, red Pustules frequently appear in feveral Parts of the Body, with the greatest Degree of Weakness, a hoarse Voice, Swelling of the Hands and Legs, and the Tragedy is generally finished by a Diarrhæa.

An Abscess of the Lungs variously terminates, fometimes (a) it continues latent, and perpetually increases, producing a gradual Decay with the Symptoms now described: Sometimes (b) it breaks into the Cavity of the Thorax or Mediastinum producing a fatal Empyema. Sometimes (c) its Discharge is so sudden and violent into the Trachaa, as to produce an immediate Suffocation. But most frequently the Eruption is more gentle into this Place, when the Aperture is but small, and then becomes an open Vicer, daily discharging by a Cough purulent Matter, whose Colour, and other Qualities are altered according to the Nature and Duration of the Abfcefs. Sometimes sweet and fetid; its Consistence thin and ichorose, or concocted; its Colour sometimes white, red,

(b) Bonet. Anatom. Practic. Tom. 1. Lib. 2. Sect. 6. Obs. 12. Sect. 7. Obs. 12. Obs. 20. Obs. 29.

⁽a) Bonet. Anatom. Practic. Tom. 1. Lib. 2. Sect. 7. Obs. 38. Obs. 74. Tulp. Lib. 2. Obs. 10.

⁽c) Tulp. Lib. 2. Obs. 10. Bonet. Anat. Pract. Tom. 1. Lib. 2. Sect. 2. Obf. 11.

The fatal Symptoms in the Progress of this Distemper are, in every Respect, the same as before described, except that the Oppression and Dissiculty of Breathing are not so violent, neither is the hectic Fever so intense and constant; the Lungs being often relieved from a Load of purulent Matter by Expectoration, which in a latent Abscess had no other Way of being discharged but by being first mixed with the Blood.

my, or a Pleurisy not resolved, but ending in a Suppuration, may likewise produce such an Abscess; for, in this Case, the Lungs most frequently adhering to the inflamed Part of the Pleura, are at length affected after the same Manner.

A Suppuration proceeds from an Hamoptoe or Obstructions of the bronchial
Arteries not rightly carried off, in a Manner somewhat different; for in the former Case an Expectoration of purulent
Matter

Matter quickly succeeds the Hamoptoe; in the latter the obstructing Phlegm by more flow Degrees acquires a Putrefaction, distends and erodes the Vestels. The more the Distemper advances, the greater Quantity of purulent Matter is mixed with the Phlegm, the Hectic Fever, Thirst, Night-Sweats, and other Symptoms increase in the same Proportion, and the Catastrophe is finished after the same Manner which before has been described; for when the bronchial Arteries are obstructed or suppurated, the pulmonary Vessels, by being compressed or eroded, are at length affected after the fame Manner.

THAT Side which is impostbumated, or ulcerated, is more warm, and has a greater Sense of Weight than the other. Lying on the contrary Side often produces almost a Suffocation, the Cough and Oppression being thereby greatly increased. But by lying on the affected Side, the Sleep is more undisturbed, the Pus better concocted and more freely expectorated, and all the Symptoms are Q 2 easier.

easier. This Alteration is owing to the Circulation being chiefly continued in this Case through the found Lobe, which in that Posture is compressed, and the Motion of the circulating Blood thence obstructed, by the Weight of purulent Matter in the affected Lobe, pressing down the Mediastinum.

WHOEVER rightly considers the Nature of the purulent Matter contained, whose Acrimony perpetually increases, the great Quantity of Blood, and the Force with which it passes through the Lungs, the furprizing Tenderness of their Fabrick, all conducing to their eafy Destruction, and that the most material Functions of Life depend on their Welfare, may evidently account for all the Symptoms and Effects of this Distemper. Among which, none is of greater Moment, and more taken Notice of, than the bectic Fever, (so termed because it is habitual to the Constitution.) It has a various Origine, but in phthisical Persons is most frequently owing to the great Quantity of purulent Matter mixed with the

the Blood: For when any Body, foreign or acrimonious, is mixed with the Humours, a Fever is thence excited; by which Means it is either assimilated or expelled: Sweats are generally the critical Discharge, which Nature attempts in putrid Fevers; and will in phthisical Persons be most profuse at Night, being then particularly determined there by the Warmth of the Bed, the Laxity of their Pores, and the great Dissolution, and imperfect Mixture of their Humours: (The Lungs being incapable of giving them a proper Consistence.) The periodical Increase of the bettic Fever is most remarkable in the Evening; the first Digestion of the Food taken for Dinner being finished about that Time, and the crude viscid Chyle, which then enters the Blood, foon obstructs and inflames the Extremities of the Vessels that open into the Abscess or Vicer; whence a Fever being excited, the obstructed Parts are either resolved, or with the Humours contained, and stagnating in the Cavity, are reduced into Pus; which is the natural Balfam, that

can only connect the new fucceeding Fibres; and as (a) Hippocrates has obferved, cannot be formed without a Fever. By this periodical Fever, an immediate Suffocation from these constant new Obstructions is prevented, the Pus in the Cavity is concocted, and the Humours depurated, by critically discharging the purulent Matter, mixed with the Blood, and then the Fever ceases; but whenever there is a fufficient fresh Collection, or new Obstructions are formed, it returns again, and gives the same Assistance as before. Thus the unhappy Patient, by this unavailing Attempt of kind Nature, is fuccessively relieved and oppressed, and gradually languishes away: Hence at length the Legs and Hands begin to fwell; the Force of Circulation being very languid, and not fufficient to propel the Humours; which are particularly apt to stagnate in this Place from the Resistance of these Vesfels, and being at the greatest Distance

⁽a) Lib. 2. Aph. 47.

from the first Cause of Motion. The Thirst, Loss of Appetite, Falling of the Hair, the red Pustules, and all the other Symptoms, may be easily deduced from the universal Acrimony and Putrefaction of the Humours; which at length being almost totally reduced into Pus, and not having any longer a fufficient Momentum to determine them to the Surface of the Body, are conveyed through the mesenteric and caliac Vessels; obstruct and exulcerate them, become more fetid and acrimonious, and thence irritate and determine the Course of the remaining circulating Humours to these Parts; by which Means Expectoration is foon suppressed, and the Tragedy sinished.

THAT Phthisis, which is hereditary, and proceeds from a Constitution inclined to that Distemper, is most commonly fatal. And fuch are scarce to be relieved but by fuch a Management as might prevent an Hamoptoe: Whereas a Phthisis that proceeds from too violent Motion suddenly given to the Blood, Q 4

Blood, or from an external Wound, where the Fluids and Solids are in general well disposed, is more easily cured.

THAT Phthisis is particularly dangerous, which succeeds a Suppression of the Menstrua in Women, and cannot be carried off by any Means unless that natural Discharge be restored; (a) neither can the Progress of a Phthisis, from a Suppression of the Hamorrhoids, be safely prevented but by an Aperture of them.

THAT Phthisis which proceeds from an Hamoptoe, or preceding Obstructions of the bronchial Arteries, is not so dangerous, nor so quickly fatal, as from an Hamoptoe of the pulmonary Arteries: In this Case, a Solution and Recovery may be expected, if the purulent Matter be soon, and totally, discharged, before, by long Continuance, it

⁽a) Hippoco Q. Prorrhe

grows putrid, and affects the pulmonary Veffels.

THAT Phthisis which proceeds from preceding Obstructions, or an Hamoptoe of the pulmonary Arteries, is curable, if the Abscess breaks foon, and difcharges easily by Expectoration purulent Matter, of a white Colour, well digested; of an equal Consistence, and free from Putrefaction; if the Fever, Thirst and Difficulty in Breathing immediately abate, if the Excrements be foft and well figured: But if the Fever still continues or returns periodically in a violent Manner, if the Appetite languishes, and Thirst increases, if the purulent Matter expectorated be of a pale, green, or livid Colour, not concocted, but pituitous and frothy, and a Diarrhæa succeeds, the Case is then most desperate,

THAT Phthisis which is attended with a Diffention, or Hardness of the Hypochondria, is particularly dangerous; for fuch a Disposition argues a Defect in the

the chylopoietic Bowels, and thence an Inapitude to repair the great Decays which are the constant Essects of this Distemper.

WHEN an Abscess is formed, the Indication is to ripen and break it as soon as possible; and thereby reduce it to an open Olcer.

When an Abscess is fully maturated, the Rupture of it is to be determined externally into the aspera Arteria, (to prevent an Empyema) by macerating these Parts with the Vapour of emollient Herbs, and then by Exercise in a Chair, or Riding, and the Use of somewhat stimulating to promote Expectoration: For the Lungs thus disposed, being moved and irritated, the Abscess will most probably break into the aspera Arteria, where there is the least Resistance.

This Effect may be likewise obtained, by giving a gentle Vomit of Oxym.

Scillit.

Scillit. and Ol. Amygd. dulc. after a previous Maceration.

THE following Forms of an emollient Vapour, and an expectorating Mixture, are composed of Materials most suitable to these Intentions.

Fol. Malva. - Bismalv. - Mercurial. - Parietar. aa mij. Farin. Sem. Lini. 3ij.

Cum aq. decoct. vaporem excipe cum aere adducendo.

> R Aceti Scillitici 3iv Oxymel. Scillit. 3111 Sal. Polychrest. 3i Aq. decoct. bord. 3 viii 3iv - Hyssop. Bibat. Zi omni horâ dimidiatâ.

WHEN an open *Olcer* is formed, the *Indications* are, *Ist.* To prevent the *Olcer* from increasing, and to defend the Blood from the *purulent Matter* mixed with it. 2 diy. To cleanse and heal the Ulcer.

THE former Intention is answered by fuch Medicines, which are fo light, and aperient, as easily to pass through the Lungs, without forming new Obstructions about the ulcerated Part; (which, being afterwards inflamed and suppurated, increase the bectic Fever, and univerfal Decay, and particularly enlarge the Vlcer) and by being vulnerary and balfamic, correct and soften the Acrimony of the Humours, and defend them from Putrefaction; for unless this bad Disposition of the Fluids be corrected, the Pus, which from thence is formed, must unavoidably partake of the same Nature; and rather contribute to erode. and irritate, than afford a kind natural Balsam, fit to sustain and connect the new fucceeding Fibres; without which no Vlcer can ever be healed.

THE following Medicines are fuitable to this Intention, viz. Fol. Agrimon. Betonic. hader. terrest. Scabios, Tussilag. Pulmonar. Chamædryos, Chamæpyt. Chærophyl. Capil. vener. Flor. Bellid. maj. Betonic. Verbasc. Hyperic. Althea. Rad. Glycyrrbiz, Bardan, &c. and are best given in the Form of a Decoction, because in no other they can so easily pass through the Vessels, and communicate their Virtues to the Blood; and may in this Case be strictly called vulnerary; for a Decoction only deferves that Name, as it corrects any bad Disposition of the Humours, which prevents a Wound from being healed; and is, therefore, in other Cases, to be varied according to the different Constitution and Symptoms of the Patient.

Gum. Galban. Opoponac. Ammoniac. Myrrh. Mastich. Oliban. Sperm. Ceti, Sapo. Venet. Terebinth. &c. made up into Pills, and taken with fuch a Decoction, are frequently necessary: As they are opening, and prevent new Obstructions from

being formed about the ulcerated Part; and in some Measure, likewise, contribute to answer the second Indication, as they gently stimulate and promote Expectoration.

THE fecond Intention is answered by the Use of such Medicines, as promote a Discharge of the purulent Matter in the Vicer, by Expectoration; and of that mixed with the Blood by Urine; and by the Use of consolidating Paregoricks, which contribute to re-unite the Wound.

All the former Medicines, as they are fost, and gently detersive, contribute to answer this Intention. But the following are more active and powerful, viz. Fol. Veronic. maris. Ruta, Valerian. bortens. Hyssop. Virga aurea, Marrub. alb. Scord. Scabios. Puleg. Flor. Centaur. minor. Rad. Fanicul. Petroselin. &c. with Preparations of Honey, and the Sea Onion.

THE Materia medica abounds with a great Variety of Medicines of this Na-

Nature, out of which feveral Forms and Decoctions may be eafily composed in different Menstruums; either in common Water, Milk and Water, or Whey; according to the different Symptoms, and Constitution of the Patient. when the Humours have a faline Acrimony, and the Quantity of purulent Matter is not great, and Expectoration is eafy; the more mild, balfamic, and gently deterging Decoctions are necesfary: But where Expectoration is difficult, the Vicer foul, and the Quantity of purulent Matter is great, more active stimulating Medicines are required.

Nothing is of greater Service in this Distemper, than the constant Use of anodyne Medicines, such as Syrup. de Mecon. Pil. de Styrac. Cynogloss. &c. in a proper Dofe, taken every Night going to Rest at an early Hour. How far Sleep contributes to the general Nourishment of the Body, and, by that Means, gives Strength to the Solids, and preferves a due Texture in the Fluids, has been already

ready shewn (a). But besides these Advantages, it is in this Distemper farther necessary: For by allaying the uneasy Irritations, which excite the Cough, they give Rest to the weak and wearied Lungs, and can alone give the purulent Matter that balfamic Consistence, so necessary to the Reunion of the ulcerated Part. For by this Means, what is expectorated next Morning, will be mild and well digested, which would otherwise be ichorose and acrid.

The Shirt and Bed-Linnen of a Person thus affected, ought always to be carefully warmed, and dried before he goes to Rest; for being generally damped by the Remains of sormer Sweats, which by stagnating acquire a greater Acrimony, and being easily dissolved by the Heat of the Body, they compose a moist, putrid Atmosphere; which greatly contributes to their Uneasiness, and the Increase of the nocturnal Sweats.

⁽a) Vide p. 64.

No Nourishment is proper in this Stage of a Consumption, that is not light, cooling, and opposite to Putrefaction: For whatever is of a different Nature, will in this Case increase the Decay, notwithstanding in another it might be most nourishing: Hence all animal Diet is pernicious, because so apt to putrify, especially when exposed to a great Degree of Heat: And will thence more eafily acquire this Disposition, when received into consumptive Bodies; where the Heat is not only very intense, but most of the Humours are inclined to Putrefaction, and some of them are actually putrid. For the purulent Matter expectorated from the Lungs, is generally fetid, or quickly becomes fo by being thrown on warm Coals: In this Respect therefore whatever increases the Heat, increases the Putrefaction; (and vice versa) and that all Animals are more apt to excite a greater Heat than Vegetables, is most evident from common Observation; and the Reason of this, feems chiefly to be owing to the Salts R

Salts of Animals being volatile; whereas the Salts of most Vegetables are of a fixed Nature; and thence when received into the Blood remain inactive and quiet: Whereas the former by the Heat of the Body being volatilized, and made active, not only excite a greater Agitation in the Fluids, but stimulate the Solids to stronger and quicker Vibrations. This is the chief Reafon, why alkaline Medicines in general increase, and Acids retard the Motion of the Humours: All the former containing a volatile Salt, and all, except a few of the latter, having a fixed Salt. Hence Providence has wifely ordained, that fuch Animals as are most used in common Food, are tempered by feeding on acid, cooling Vegetables; which in a great Measure contribute to preferve us from Fevers, and fuch Diforders as are the Effects of increased Meat and Putrefaction; which wild Fowl, and fuch Animals as feed on animal Diet, are apt to produce, the Salts of these being much more naked and active, than of the former.

THE Inhabitants of these Islands, and particularly the better Sort, are in a great Measure so remarkably subject to an Hamoptoe, and thence a Phthisis, from their exorbitant Use of an animal Diet, high Sawces, and Spirituous Liquors; their Solids being naturally tender, and easily destroyed by the Acrimony and Velocity of the Fluids: And so few are recovered, because the same Food is often imprudently directed as a Remedy, which frequently laid the first Foundation of the Disorder. For Jellie Broth, Jellie of Harts-horn, and Calves Feet, so much esteemed by some for being nourishing and balsamic, are not only subject to all the Inconveniences of an animal Diet already mentioned, but (the finer Parts by long boiling being exhaled) are less nourishing than a light Broth; and by their great Viscidity are particularly destructive, as they thence increase the Obstructions, Hectic Fever, and universal Decay. The. Mixture of Wine and Acids gives a grateful Taste to such Preparations, which would R 2

would otherwise be most nauseous: And notwithstanding the best Management, they are not only certainly pernicious, but frequently disagreeable to such Perfons.

ner before directed, answers all the Intentions required in this Case; being of an acescent Nature, already digested, and prepared in the Body of the Animal it is taken from; and is most sit to repair the great Decays of consumptive Persons, and recruit their exhausted Spirits; for no Parts are more plentifully supplied with a greater Number of Nerves than the Breasts; and as they are not expended on any muscular Motion, their Use most probably consists in supplying this Juice with a large Proportion of animal Spirits.

Sometimes this Diet is apt to difagree by curdling in the Stomach of weak Persons, that have a slow, languid Digestion, notwithstanding the greatest Caution is used to prevent it, by taking

king Sapo Venet. testaceous Powders, and diluting it with Water: For as some Part of the former Meal of Milk most commonly remains in their Stomach, it will there as certainly curdle and become acid, as if exposed to the Heat of the Sun for the same Space of Time, (the Heat of the Stomach, especially in bectic Constitutions, being at least equal to that Heat.) For which Reason it will unavoidably alter and give the same Disposition to what fresh new Milk is taken. But if the Stomach between each Meal is washed from any former Remains by fomething that is light, and not apt to turn acid, (fuch as the White of a new-laid Egg, dissolved Blood-warm in Barley-water; lightest Broth made from tender young Animals, which in this Case may be sometimes allowed, Water Chocolate, or a weak Tincture of the Bark) the next Meal of Milk will certainly then sit light, and easy on the weakest Stomach, to which before it was disagreeable.

R 3 EXER-

Exercise in a free Air, and particularly Riding, is most serviceable in this last Stage of a Consumption: For by enlarging the Capacity of the Thorax, and giving a stronger Force to the Organs of Respiration, it greatly promotes Expectoration: And by giving a more compact and homogeneous Texture to the Humours, prevents in a great Meafure the Night-Sweats, which not only proceed from the Mixture of purulent Matter, but from the Action of the Lungs not being sufficient to give the Humours a proper Consistence; Part of whose Vessels being now destroyed, and the remaining being weak and languid, stand in the greatest Need of this artistcial Affistance.

THE Medicines and Diet, that I have here recommended, seem to promise the greatest Relief in this difficult Distemper; as they defend the Blood from the purulent Matter mixed with it, and are so mild and penetrating, as not to obstruct or irritate the Lungs

in passing through them; and are thence alone capable of allaying the bectic Heats, and the Increase of the other fatal Symptoms: 'Tis furprizing that the Nature of this Distemper has not hitherto been better regarded by practical Authors, fince 'tis obvious to the most common Observation, that whenever the crude Chyle enters the Blood, the bestic Heats increase in Proportion to its Quantity and Viscidity; and that few phthisical Persons die, before what they expectorate is perfectly putrid: Probably most of them have run into a Neglect of fuch a Method, and the Use of alkaline Medicines, (improperly called Sweetners of the Blood) from a Misunderstanding of an Observation of Hippocrates, Acida sunt pectori inimica. But this Precept has a Regard only to fuch acid Particles as are inspired into the Lungs with the Air; fuch as the Effluvia of Arsenick, Mercury, Sulphur, &c. which are certainly most destructive: For no Medicines were fo much used by Hippocrates in internal Disorders of the R 4 Lungs,

Lungs, as Preparations of Milk, and his beloved Oxymel.

Some Authors have effeemed an ULcer in the Lungs incurable; while others, running into a contrary Error, and depending too much on the Force of their Medicines, seem to be not sufficiently sensible of the Danger that attends it. But whoever confiders the Structure of the Lungs, and that no Ulcer can be healed but with the greatest Difficulty, unless it be carefully cleanfed, kept in a State of Rest, and that the Humours arriving at it be mild, and well disposed, may easily conceive why this Distemper is so difficult to cure, and is fo generally fatal; for the great Usefulness of the Part affected, (on whose Welfare the good Disposition of all the Fluids, and the most material Functions of Life depend) its Situation and constant Motion, powerfully contribute to prevent these Advantages: And the Cough, which Nature most constantly ufes in this Case as the Instrument to discharge the purulent Matter, and cleanse the

the Vicer, by its too violent Motion is apt to enlarge it, and increase the universal Decay: By this Means, that which by the natural Efforts of the animal Oeconomy is defigned for the greatest Friend, frequently proves the most destructive Enemy.

THE Method which has been here described, obviates as much as possible these Inconveniences; and will be attended with unexpected Success, if carefully observed before the Distemper be too far advanced, and the Solids and Fluids decayed and corrupted: But when from the Violence of the Distemper, or the Neglect of a proper Method, the Symptoms are fo far increased, as to carry a fatal Aspect, and elude the Force of the most effectual Medicines, instead of amusing the unhappy Patient with false Hopes, and the repeated Use of palliative Remedies, or denouncing certain Death, it would be of the greatest Use, if a Method could be proposed, which, tho' dubious and painful in the Operation, may give the afflicted fome Chance for

for their Life: Præstat anceps quam nullum experiri Remedium.

Such a probable Relief can only be expected by opening the Breaft, where the most frequent Pain and Oppresfion direct the Situation of the Vicer. And that no small Prospect of a Recovery might be expected in feveral Cases from this Operation, may be most evidently proved from what has appeared in the Diffection of fuch as have died of this Distemper; especially when proceeding from a previous Hamoptoe of the pulmonary Arteries; in which Case, the Sides of the imposthumated or ulcerated Part of the Lungs, have been most constantly observed to adhere to the Pleura: (a) By which Means, as if carefully defigned by Nature, the af-

⁽a) Vid. Bennet. Theat, tabid. exercit. 16. pag. 95. Fernel. Confil. 20. Willis Pharamaceut. Rational. Sect. 1. Cap. 10. Carol. Pifo de morb. a colluvie ferofâ. Sect. 3. Cap. ult. Tulp. Obf. 4. lib. 2. Bonet. Anatom. Pract. Tom. 1. lib. 2. Sect. 4. Obf. 9. Sect. 5. Obf. 2. Sect. 7. Obf. 38. & 39.

fected Part is placed in a proper Condition of being thus relieved; and is kept more in a State of Rest than any other Part of the Lungs: So that nothing of Moment seems to prevent a Recovery, if the Operation be rightly performed; for the new Orifice essectually supplying the Place of the opening into the aspera Arteria, the purulent Matter may be safely evacuated, without the Inconveniencies that attend Expectoration, and the Wound most essectually cleansed and cured by deterging and healing Injections.

THAT Abscesses and Vicers in the Lungs may be thus artificially discharged, is not only agreeable to the strictest Reasoning on this Subject, but has been confirmed by Experience. I shall only mention one Observation, which most remarkably confirms the Truth of what has been delivered. (a) A Soldier received a Wound with a Sword, pene-

⁽a) Miscellan. Curios. Ani. 6ti. Obs. 41.

trating through the Ribs into the Cavity of the Breast, from whence a small Quantity of Blood was externally difcharged: The Surgeon who attended him, not confidering the Confequence, quickly healed the Wound; which was fucceeded with a Cough, bettic Fever, and a great Difficulty of Breathing: These Symptoms were particularly violent in the Night; and at length he expectorated by coughing a confiderable Quantity of purulent Matter. In this decaying Condition he remained for fome Time, till by the Order of a Physician the wounded Part was again opened by Incision, which immediately discharged a great Quantity of purulent Matter with as much Force as Blood flows from a Vein: The Cough, hettic Fever, and Difficulty of Breathing, by this Means foon abated, and by the Use of proper Applications the Person was restored to persect Health.

'Trs not improbable, but that from this Wound, some extravasated Blood falling

falling into the Cavity of the Thorax, might have formed an Empyema, and increased the Quantity of the purulent Matter discharged, and the Violence of the Symptoms: But it is likewise most certain that the Lungs of this Person were ulcerated, and adhered in that Part to the Pleura; and that he must in all Probability have languished away, if not relieved by the Aperture. And tho' in this Case the Physician was plainly directed to that Operation, because immediately after healing the Wound fuch bad Symptoms appeared: And it was therefore obvious to conclude, that by the same Passage the Wound was received, its Effects may be most easily carried off: Yet when there is such an Adhesion from an Abscess or Vicer, proceeding from an internal Cause, there is almost equal Reafon to expect Success from such an Aperture; for the only Difference that appears in these Cases is that the former proceeded from an external Wound, but attended with a good Habit of Body; the latter from an internal Caufe, and

and originally occasioned by a bad Difposition of *Humours*; which may be easily corrected by the Method here described.

WHEN the Lungs are ulcerated in various Places from preceding Obstruc. tions or an Hamoptoe, no Relief can be expected by this Means; but when an Abscess or Vlcer is formed from a preceding Hamoptoe of the pulmonary Vessels, and the Lobe affected is not much destroyed, I see no Reason why it may not be performed, with at least as much Probability of Success, as in an Empyema; in which Case a Recovery may be expected, if the purulent Matter be not depraved by a long Stagnation, and has not given a fatal Erosion to the other Parts; especially if the purulent Matter thus discharged be of a white Colour, and of an equal Confistence; but if it be tinctured with a red Colour, and is impure and fetid, or if what is discharged on the first Day has a deep Hue like the Yelk of an Egg, or if on the fecond Day it be of

of a thick Consistence, a pale, green Colour, and of a setid Scent, the Case is then satal. These Prognostics which always hold good in an Empyema (a) may with equal Reason be applied to this Case after Incision; and may be as justly formed before the Operation, as the Nature of the purulent Matter contained in the Vicer is evident from what is expectorated, which in an Empyema cannot often be discovered till after Incision.

'Tis surprizing that this Method has not been frequently attempted, since it is founded on such plain and easie Reasoning from anatomical Observations; tho' I'm sensible there are several Obstacles that will always oppose it: For the quick Return of Ease, that successively follows the oppressing Anxiety which attends the bectic Heats, affords such a deceitful Prospect of a Resource of the prospect of the prospect of the prospect of a Resource of the prospect of the prospect

⁽¹⁾ Hippoc. I. & 2. de m. & 7. Aphorism.

covery, that these unhappy Persons are scarce ever to be convinced their Distemper will be soon fatal to them. Neither are Physicians willing to hazard the Reputation they have gained, by advising an Operation that is esteemed so desperate; especially when others are never wanting, who out of Ignorance or a base Design would be apt to cenfure fuch a Proceeding. But 'tis most certain, that many phthisical Persons may by this Means be preferved, that will otherwise unavoidably perish: If the Operation be rightly performed, there is great Reason to expect Success, neither if it fails, can it be attended with any greater Danger, or much contribute to hasten their Fate.

Thus I have endeavoured, after the most plain and rational Manner, to account for the various Origine and Progress of this Distemper, through its different Stages: And without forming any deceiving Hypothesis, have shewn

shewn how a Collection of purulent Matter in the Lungs, can only proceed from previous Obstructions of the Vessels, or a Solution of their Continuity: There is no Disease perhaps, which, rightly to explain, requires a more universal Knowledge of the animal Oeconomy; and which hitherto has been described after a more imperfect, confused Manner. In this Treatise, I have proposed rather to lay down a right Account of this Distemper, than to examine the Errors of others: But however, I cannot well avoid mentioning the Author of a late Hypothesis, (a) which some may be more inclined to believe, since no less than ocular Demonstration is offered to confirm the Truth of it. This Person takes Notice, that Vicers in the Lungs, when narrowly viewed with Microscopes, are covered with feveral Insects; and from thence concludes that they take their

⁽a) Martin on Consumptions, p. 50, 51.


first Origine from fuch Animalcules, which being inspired with the Air, fix their Situation on the Lungs, and erode and ulcerate the Vessels: And from the same irregular Way of Reafoning, these Animalcules have been by others supposed the Cause of several Distempers, and particularly such as are contagious: But these Appearances may be easily accounted for, as the unavoidable Effects, not the Causes of these Diseases: For it is certain, that there is almost an infinite Number and Variety of fuch Animalcules perpetually floating in the Air, whose chief Business consists in searching out a Place where they may find Nourishment, and a proper Situation for themselves and their young: But every living Part of a human Body has a perpetual Pulsation, which, tho' imperceptible to our Eyes, is fufficiently strong to give the most uneasy Motion to these Animalcules so minutely fmall, and entirely prevent them from fixing there for any Time: But as there

there is no Circulation in any Part that is ulcerated, the Inconvenience of this Pulsation immediately ceases, and the purulent Matter fends forth perpetual Steams, fit to nourish them; and by being viscid and adhesive, makes their Nidus so secure, that the Motion of the Vessels under the ulcerated Part is not strong enough to dislodge them: After the fame Manner, the Blasts of Trees and Plants, may be more rationally accounted for, than by bringing small Animalcules and their Eggs fo many hundred Leagues to produce these Alterations. For there is a Circulation of Humours through every Part of Plants and Trees, and in their aerial Tubes a more remarkable Pulfation, which is fufficiently strong to prevent these Animalcules (perhaps more minute than fuch as are observed on animal Bodies) from having a fixed and fafe Situation there: But whenever any particular Wind, or Alteration of the Air, by either giving a sudden Contraction to their tender Vessels, or

a Viscidity to their Juices, produces a Stagnation, and thence a Gangrene, either in any particular Part, or in the whole, such Animalcules will quickly secure this quiet State and Nourishment:



FINIS.



BOOKS printed for WILLIAM and JOHN INNYS. 1727.

I. B Ennet's Treatise of Consumptions, whether a Phthisic, an Atrophy, or an Hectic. With preliminary Exercitations. Translated into English by J. Quincy, M. D. 8vo.

II. Morton's Phthisiologia: Or a Treatise of Confumptions. Wherein the Disterence, Nature, Caufes, Signs and Cure of all Sorts of Consumptions are explained. Containing three Books. I. Of original Consumptions from the whole Habit of the Body. II. Of an original Consumption of the Lungs. III. Of symptomatical Consumptions, or such as are the Essects of some other Distempers. Illustrated with particular Cases, and Observations added to every Book, with a compleat Table of the most remarkable Things. The second Edition. 8vo. 1720

III. Boerhaave's Aphorisms concerning the Knowledge and Cure of Diseases. Translated from the last Edition, printed in Latin in Leyden 1722. With useful Observations and Explanations. 8vo. 1724

IV. —— Praxis medica Boerhaaveana, being a compleat Body of Prescriptions adapted to each Section of the Aphorisms. To which is annex'd, Methodus prascribendi formulas secundum Archibaldum Pitcairnum, 12mo.

V. Boyle's philosophical Works abridged, methodized, and disposed under the general Heads of Physics, Statics, Pneumatics, natural History, Chymistry, and Medicine. The whole illustrated with Notes, containing the Improvements made in the several Parts of natural and experimental Knowledge fince his Time. By Peter Shaw, M. D. 3 Vol. 4to.

VI. — Medicinal Experiments: Or a Collection of choice and fafe Remedies, for the most part simple and easily prepared, very useful in all Fami-

BOOKS printed for

Families, and fitted for the Service of Country People. The fixth Edition, 12mo. 1718

VII. Bellinger's Tractatus de Fœtu nutrito: Or a Discourse concerning the Nutrition of the Fœtus in the Womb, demonstrated to be by Ways hitherto unknown. In which is likewise discovered the Use of the Gland Thymus, with an Appendix; being some practical Observations on the Food of Children newly born, and the Management of the Milk in Women. 8vo.

VIII. Quincy's Lectures in Pharmacy, chymical and galenical; explaining the whole Doctrine of that Art 4to.

IX. Sydenhami Processus integri in morbis fere omnibus curandis, necnon de phthisi tractat. Editio quarta, 12mo.

X. Tabor Exercitationes medica, qua tam morborum quam symptomatum in plerisque morbis rationem illustrant. Cum fig. 8vo.

XI. Wynter's Cyclus metasyncriticus: Or an Essay on chronical Diseases, the Methods of Cure, and herein more fully of the medicinal Waters of Bath and Bristol, their several Virtues and Differences, 8vo.

XII. Drake's Authropologia nova: Or a new System of Anatomy, describing the animal Oeconomy; and a short Rationale of many Distempers incident to human Bodies, illustrated with above fourscore

Figures drawn after the Life. 3 Vol. 8vo.

XIII. Praxis medica. The Practice of Physick: Or, Dr. Sydenham's Processus integri, translated out of Latin into English, with large Annotations, Animadversions and practical Observations on the same. Containing the Names, Places, Signs, Causes, Prognosticks and Cures of all the most usual and popular Diseases afflicting the Bodies of human Kind, according to the most approv'd Modes of Practice. Animong which you have the Pathology and various Methods of curing a Clap, or virulent running of the Reins,

WILLIAM and JOHN INNYS.

Reins, and the French Pox, with all their attendant Symptoms, beyond whatever was yet published on that Subject by any other Author, ancient or modern, since the Disease first appeared in the World to this Day. The third Edition enlarged throughout, with some thousands of Additions not in the first Impres-

fion. By William Salmon, M. D. 8vo.

XIV. Pharmacopæia Bateana: Or, Bates's Difpensatory. Translated from the last Edition of the Latin Copy published by Mr. James Shipton. Containing his choice and select Recipe's, their Names, Composition, Preparations, Virtues, Uses, Doses, as they are applicable to the whole Practice of Phyfick and Chirurgery: The Arcana Goddardiana and their Recipe's interpos'd in their proper Places, which are almost all wanting in the Latin Copy. Compleated with above fix hundred chymical Processes, and their Explications at large, various Observations thereon, and a Rationale upon each Process. To which are added the fam'd Dr. Goddard's Drops, Ruffell's Powder, Rabell's styptick Powder, Tinetura de Sulphure metallorum, and the Emplastrum febrifugum. The fifth Edition. By William Salmon, M. D. 8vo. 1720

XV. Pharmacopœia Bateana, in libros duos digesta: Primo, Compositiones galenicæ, altero processus chymici, ordine alphabetico exarantur: Viribus dosibusque illustrantur: Atque catalogis & indicibus accommodantur. Curâ & operà Thomæ Fuller, M. D. 12mo.

XVI. — Extemporanea, sive præscriptorum chilias, in qua remediorum elegantium, & efficacium paradigmata, ad omnes fere medendi intentiones accommodata, candide proponuntur. Una cum viribus, operandi ratione dosibus & indicibus annexis. Edit. quinta longe auctior & emendatior. Per Tho. Fuller, M. D. Cantab. 12mo.

Lond. 1723

XVII — Extemporanea: Or, a Body of Medicines, containing a thousand select Prescripts, auswering most Intentions of Cure. To which are added useful Scholia, a Catalogue of Remedies, and copious

BOOKS printed for W. and J. INNYS.

copious Index: For the Affistance of young Physicians. The third Edition with Additions by the Au-

thor Tho. Fuller, M. D. Cantab. 8vo.

XVIII. — Domestica, in usum eorum, qui ruri medicinam facientes necesse habent, ut pharmacothecas privatas sibimet construant; scholiis, viriumque enarrationibus illustrata, & in libros duos distributa. Per Thomam Fuller, M. D. Cantab. 12mo. 1723

XIX. — Collegii Regalis Medicorum Londinen-

sis. 12mo.

XX. — Collegii Regalis Londini remedia omnia succincte descripta: una cum catalogo simplicium ordine alphabetico digestorum: Quibus annexum est manuale ad forum: Nec-non pinax posographicus. Editio quarta prioribus emendation & auctior. Cura Jo. Shipton. 12mo.

XXI. Pye's Observations on the several Methods of Lithotomy, in a Letter to Dr. John Lane. 4to. With Cuts.

XXII. Paxton's Specimen physico-medicum de corpore humano & ejus morbis: Or, an Essay concerning
the Knowledge and Cure of most Diseases afflicting
human Bodies. To which is annexed a short Account of Salivations and the Use of Mercury. 8vo.

XXIII. Allen's natural History of the calybeat and purging Waters of England, with their particular Es-

fays and Uses. 8vo.

XXIV. Blair's Botanick Essays, in two Parts: The first concerning the Structure of the Flowers, and the Fructification of Plants, with their various Distributions into method: And the second the Generation of Plants, with their Sexes and Manner of impregnating the Seed, also concerning the Animal-cula in semine masculino. With Cuts. 8vo. 1720

New Memoirs of Literature, containing an Account of new Books printed both at Home and Abroad, with Differtations upon several Subjects, mis-

cellaneous Observations, &c. Price Is.



A. J. S. S. A. Printed By Box 4940 1 First CALL TO LEGISLE ME TO CHARLE FOR engal and a state of the same The second section of the second section of the second THE PARTY AND PROPERTY OF THE PARTY AND PARTY AND PARTY. A NATIONAL PROPERTY OF STREET STREET, burner Bortes. To with a suite a s feet in The state of the s THE RESIDENCE OF THE PERSON OF heart, with the literature and the later and







