The symptoms, nature, cause and cure of a gonorrhoea / [W. Cockburn].

Contributors

Cockburn, W. (William), 1669-1739

Publication/Creation

London: G. Strahan, 1728.

Persistent URL


https://wellcomecollection.org/works/qmjguxgg

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





16457 482 18204 B F. 1X. C





THE

Symptoms, Nature, Cause,

AND

CURE

OFA

GONORRHOEA.

By W. COCKBURN, M. D. Fellow of the R. S. Of the College of Physicians in London, and F. of the R. College of Physicians in Edinburgh.

The Fourth Edition with Additions.



LONDON:

Printed for G. STRAHAN, at the Golden Ball over against the Royal-Exchange, Cornhil. MDCC XXVIII.

S S

MAX

1518

31 ST .

MAX,

MAY

91 ST

MAY

(N)




To the Learned

JOHN KEILL M.D.

Savilian Profesor of Atronomy in the University of Oxon, and Fellow of the R.S.

SIR,



at such a Perfection in Physick, as to be able to di inguish with

some Certainty the Difference of Distempers in their Beginning, and that an happy Guess was not even at this Day so great a Part in the Character of a good Physician. Had Reason but once fixed some sure Mark upon every Difease, by which its Nature might be difcerned upon the first Appearances, there would be no Danger of improper Prescriptions in the Beginning, no Fear of surprizing and unaccountable Symptoms in the Progress of the Distemper.

I believe it will easily be granted, that the nearer the Rules of Physick approach to the Evidence of Mathematical Demonstration, the more beneficial will they be to Mankind.

kind. The Mathematicks let in Light upon every Science, and it is by them only the difficult as well as the more eafy Phænomena can be explained. The Diseases attended with the most obvious Symptoms, as a Gonorrhoea, the Small-Pox, and many others, lie in great Confution amidst the Plainness of their Symptoms and daily Experience; but become plain and familiar under a rational and demonstrative Method. Wherefore, Sir, I could not so properly Dedicate my Labours in this kind to any as to you, whose Skill is so eminent both in the Mathematicks and Phyfick; and I only am defrous, for the Benefit of Mankind, that the latter may receive as great Improvements from my Endea-A 3

Endeavours, as the former have already done from your Successes. Whatever Excellency appears in my Management of this Work, in great measure owes its Rife to the Advantages I have received from a long and happy Continuance of your Friendship and Conversation; we having been both led, as it were by a common Genius, into the same Method of thinking and Rules of Reasoning. This our long Acquaintance will excuse my addressing my self farther to you in this publick manner, and will make this acceptable to you as coming from a Friend. And therefore, instead of offering you any Complements in the usual Style of a Dedication, I shall proceed to discourse of something which

which I know will be more acceptable to you.

The first Consequence I will draw from the Account I have given of a Gonorrhoea is, that the Symptoms of any other Difeafe being given, its Nature may be discovered in the very Method we found the Nature of a Gonorrhoea. Now the great Advantage in finding the Nature of any one Difease is not confined to our Practifing most exactly in that Disease: But Difeafes have that suprizing Analogy to one another, that we cannot find the Nature of any one Disease, without the Nature of some other being made manifest thereby. So that a general Knowledge arises from a particuar Inquiry, and we are A 4 instructed

instructed from the Discovery of any one, in the Nature and most perfect Practice of many other Diseases.

The Fluor Albus is a notable Example of this Observation, for its Nature and the Method of its Practice were still more unknown than the Practice and Nature of a Gonorrhoca. Yet how plainly do they follow from the Account I give of a Gonorrhoea, without any Defign of mine to reduce them under the same Observations, or to force any Alliance between them. After the same manner all the Diseases of the Guts flow from the Lemma, whereby I discover the Nature of a Looseness. And you know, that all the Diseases of the Skin are but

but one Corollary from my Doctrine of the Small-Pox. Thus harmonious and consistent with itself is Nature found in all our Discoveries.

These Advantages indeed are most obvious and unquestionable, in Diseases that most commonly occur; yet Diseases that appear more seldom and are unknown to many Phylicians on that Account, notwithstanding their seeming Intricacy, are no less reducible to this Method. So that if new Diseases were to afflict Mankind, their Nature, and the best Method of curing them, would foon be made appear by recollecting and examining only their Symptoms. Whereas we find that for want of this Method, whole Ages

Ages of Mortality have already past under other Practices without there having been any certain Rules established, or our being apprized of what is beneficial or hurtful to such as labour under the most common Distempers.

By these very Steps we are led to the Skill of Preventing Diseases, an Art so considerable that it has been the Endeavour of the greatest Physicians in all Ages. Hippocrates values himself particularly on this piece of Knowledge. * The foreseering a Disease, says he, is my Invention, for Diseases do not come upon Men of a sudden, but being collected by degrees shew

themselves

^{*} Lib.i. De Victus rat. pag. 34. Lib.iii. de Diætâ pag. 369. Foef.

themselves afterwards in the Bulk. But the want of a right Method of Reasoning frustrated the Endeavours of those who attempted it, and left their Enquiries without a Foundation; so that they were not able to carry this desirable Art to any Perfection. On the other hand, Anatomy and the Animal Oeconomy furnish us with Symptoms antecedent to the Lesa Officia, or that the Functions of any Part are disordered; and therefore by the Rules of the foregoing Method, we are appriz'd of the Seeds of Diseases before they are perceived to hurt any Part of us, or we become senstible of a Disease growing on us, which is truly the Hygiene of Hippocrates, and of his Master Herodicus, or Prodicus Selymbrianus,

lymbrianus, and comprehends the Prophylactical and Synteretical Branches.

Now as the Nature of Rare and Nascent Diseases are equally to be discovered by their Spmptoms, with the Nature of the most common Diseases; so it is a manifest Truth, that the Methods of curing them (which are always best taken from their Nature) become more plain and obvious, the more direct Views we have through the Progress of the Cure.

What is still more wonderful, this Method leads us into the Nature and Power of Medicines, after it has opened to us the Nature of Diseases. For what is the Virtue or Faculty of any

any Medicine besides its power of eradicating the immediate Cause of a Disease, which Esfect is discovered from knowing first the Nature of the Disease. What are the different Powers and Forces of Medicines, but the different Degrees of the same Virtue thus discovered? From whence we confequently have the Direct and Indirect Actions of Medicines with their Positive and Comparative Powers, which is the last Improvement humane Reason can attempt.

A few dexterous Observations made this way, and faithfully related, would quickly bring Physick to its utmost Perfection. Whereas the indefatigable Industry of Men about obvious

obvious Qualities, such as Colour, Taste, Touch, and Smell; nay even their Searches by Chymical Experiments likewife have only been able to discover some few Properties that quickly destroyed the various Hypotheses which first set them on foot. And if an Universal Medicine were to be found by a Method of Qualities, it is plainly subject to the foregoing Methods, as to the Time especially, and the Quantity to be given. So that Medicines, after all the laborious Application of single and united Endeavours, remain altogether in the same uncertain State and Condition Celfus complained of in his Days. " * His autem omnibus, says he,

^{*} Cap. xxxiii. lib. ii. paragr. ult.

" simplicibus & permixtis variè

" utuntur Medici, ut magis quid

" quisque persuaserit sibi, ap-

" pareat; quam quid eviden-

ce ter compererit.

The Errors in the Practice of Physick that flow from this Defect of Knowledge, are too many to be particularly infifted upon at present, and have too often occurred to your Observation in the World to be offered to you now; and therefore I will only observe, that human Reason is not of greater Use in any part of humane Life, than it is in the Practice of Physick, since by it we discover our Diseases, the Designs of Curing them, the Forces of our Medicines, and the most proper

proper Times and Ways of administring them, and is our only Guide in the Practice of Medicine. I am with Respect,

SIR,

Your most Faithful

ifer then in is in the Practice

Humble Servant,

W. Cockburn.



THE

CONTENTS.

CHAP. I.

How far a Virulent Gonor-

WHY this Disease is called a Gonorrhæa.

Page 1

Its Description.

The Flore When and C The Fluor Albus and Go- Authors for explain-norrhæa. 6 ing the Symptoms of 2 Gonorrhaa.

CHAP. II.

THE Parts supposed penings into it. ibid.

to be the Seat of The Practice of Dilating
a Gonorrhæa. p. 11
The Vagina and the O- Women is very Dangerous,

gerous, and an Impofition.

p. 13
This confirmed by the
Experience of Dr. Deventre.

14
The Prepuce and Franum.

15
The Glans better and more

The Urethra with its two foldings.

The Openings into it, or its Lacunæ.

The Figure explaining my Lacunæ.

35

CHAP. III.

THE Prostatæ, Vesicu-læ Seminales, or Parts beyond them, are not the Original Seat of a Gonorrhaa. p. 41 The Prostatæ are too reibid. mote. The Infecting Matter is not impelled with a fufficient Velocity to reach these Parts. 42 Nor could it produce a Gonorrhaa if it reached them. No Fermentation of any Liquor can occasion a Gonorrhaa. 45 Experiments confirming these Arguments. ibid.

An Objection to the third Experiment answered. The Practices for a Gonorrhea agree with the foregoing Doctrine. 51 The Prostatæ and Seed-Bladders are sometimes affected with the Matter of a Gonorrhaa. Arguments alledged by Authors for placing a Gonorrhaa in the Prostatæ and Vesiculæ Seminales. ibid. Prove nothing to the Purpose. 56

CHAP. IV.

HE Seat of a Gonorrbæa in both Sexes: The Nature of the Matter, and Cause of its Quantity. p. 60 The Seat of a Gonorrbaa. The Matter of a Gonorrbea is not Pus. 65 No Vestige of a Gonorrbæa to be found on a dead Man. 68 . The true Matter of a Gonorrbæa. 71 As great a quantity may be discharged from the

Lacunæas ever was obferved in any Gonorrbæa.

How Men communicate
their Infection to Women without emitting
Seed.

Seed.

The furprizing Quantity of Matter obvious
from the Fluor Albus.

ibid.

Fernelius gives the Doctrine of ancient Phyficians of forming a
Gonorrbæa.

82

CHAP. V.

THE Acrimonious
Matter produces
a Gonorrhaa in both
Sexes, p. 83
The Nature of the Acrimony.
ibid.
And compared with other Acrimonious Li-

How a Gonorrhaa is produced. 86
The Liquor of the Lacuna discharged in an extraordinary quantity, because of a sharpness of the Blood. 89
b 2 History

History II. p. 91 The different quantity of Matter for producing a Gonorrhæa, and making a Shanker. An Observation confirming the preceding Opinion. A fecond Observation altogether unaccountable on any other Opimion. Why the Running is Continual and White. 99

Why it is Yellow and Green.

A Running begins the fooner for the greatness of the Acrimony. 103
Other Corollaries shewing different Appearances according to the Degrees of the Sharpness.

Why the Running is without Pleasure or an Erection.

CHAP. VI.

Pain in making
Water.

Why the Pain in making
Water.

Water.

Water.

Water.

How the Confusion of the
Heat of Urine with
this Pain was occasioned.

ibid.
The first and last Drops

of Urine make the greatest Pain. p. 111
The Smart in making Water passes for a Difease among French Authors distinct from a Gonorrhæa. 112
Blegny and Verduc considered. 113

CHAP. VII.

F the Binding Pain in Erection. p. 117 A Corollary shewing the Place of the Hurt. 119 Another Corollary proving that the Running is not from the ProStata. The Inflammation of the Glans. Why the Gaping of the Urethra. The Inflammation of the Frænum. 123

CHAP. VIII.

F Shankers and Crystallins. p. 124 The Nature of Shankers. Who most easily take a Shanker. . 127 How we may diftinguish between Shankers, and

find which are Pocky and which not. Blegny was sensible of different Shankers, but could not distinguish between them. The Nature of Crystallins. 129

CHAP. IX.

Periphimosis. p. 132 What a Phimosis and Periphimosis are. ibid.

F the Phimosis and How they are produ-P. 132 ced. A Phimosis bythe Small-Pox. 134 The b 3

The CONCLUSION.

WHY Men catch a
Gonorrhæa more
easily than Women.

p. 136
The Difference between
a Fluor Albus and a Gonorrhæa.

140
The Reason of the first.

Why it is so difficult to

determine whether Women have the Whites, or a Gonorrhaa. p. 141 Baglivi's Reasoning salse. ibid.

There is not any Symptom whereby a Gonorrhaa can be known from a Fluor Albus.

dbbdbdbdbdbdbdbdbdbdbdbdbdbdbdb

PART II.

CHAP. I.

THE general Defign in curing a Gonorrhwa, with a particular Account of the Direct Method.

A Gonorrhwa is cured by destroying the Sharpness, or Running off the Corruption.

145
The Method of destroying the Sharpness pos-

fible.

Mischies done by Injections prove the Possibility of curing by Injections.

The Power of my Injection upon the Matter of a Gonorrhæa.

It is very safe.

The Injection cures most Cases of the Whites. 154

CHAP.

CHAP. II.

THE Indirect Method by increasing the Running. p. 155
What were the Reasons which first induced Physicians to administer Purging, Diuretick, Astringent and Balsamick Medicines. 156

More particularly, why
they used Cassia, p. 159
The Reasons that seem
to move Modern Physicians to the same
Practice. 162
Freind's Account salse
163

CHAP. III.

norrhwa. §. I. p. 166
Purging Medicines do not affect a Gonorrhwa directly. 167
The general Action of Purging Medicines. 169
Why fome Purging Medicines, given inwardly, occasion Hamor-

OW Purging Me-

rhages, and stop bleeding when outwardly apply'd.

All Purging Medicines are not equally to be used in curing a Gonor-rheea.

The Hurt ensuing the Practice by Purging.

Forms of Purging Medicines.

SECT. II.

HE good and hurt done by Astringent Medicines in the Cure of a Gonorrhaa. p. 175 Astringent Medicines used in all great Evacuations. 176 Tho' they fometimes encrease them. ibid. How they cure a Gonorrbæa. 177 They have no power over Liquors in Refervatories. p. 178
Their Effect in stopping a Gonorrhæa altogether or in part. ibid.
The Running may be continued by Astringent Medicines. 179
As also the Pain in making Water. ibid.
The Astringents recommended by Bernardinus Tomitanus. 180
Many other Forms. ibid.

SECT. III.

HEaling or Balfamick
Medicines. p. 185
A fupposed Ulcer in the
Parastatæ, or elsewhere
induced ancient and
modern Physicians to
use Balfamick or Healing

Medicines. p. 186
They have no Effect different from Astringents.
ibid.
Forms of Healing Medicines.
188
Wall's Electuary.
189

SECT. IV.

Iuretick Medicines for curing a Gonorrbæa. p. 191 Making a greater quantity of Water does not affect the Sharpness of the Running. 192 Injecting fair Water has the same Effect as Diuretick Medicines. 193 The Operation of Diureticks is contrary to the Hypothesis of those that practice them. Which is the Reason that they are of no manner of use for curing a Gonorrhæa in Women. ibid. Great Misfortunes attend a long. Use of Diureticks. As the Vesica Psora of Hippocrates. ibid. Pain in making Water. ib. A Suppression of Urine. ibid. So great as to require Bathing, and often the Punctura Perinæi, ibid.

Forms of Diuretick Medicines. p. 198 More powerful Diureticks administred to render their Practice more successful. But their Success is due to their Stimulating, not their provoking Water more powerful-Iy. 201 They fell into disuse because of Pain that attends them. ibid. And were render'd useless by Correcting their Stimulus. ibid. The Form of the Tintture of Cantharides. It was communicated to Thomas Bartholinus for the Stone. ibid. Some modern Corrections of Cantharides. ibid. Without any Judgment, and therefore useless. ibid. Galen's Account of first using Cantharides as Diureticks:

Diureticks. p. 205
Ancient Physicians first
prescribed Diureticks.
206
And mixed them with
Specificks for Suppres-

fing an extraordinary
Efflux of Seed. ibid.
The Diuretick Ptisans of
the Moderns shew their
Original, by being mix-

ed with the mentioned Specificks. p. 206
The Syrup of Agnus Caffus is only a Collection of those Specificks, and first prepared by Trajanus. 206
My Vindication for having charged the common Practices with great uncertainty. 207

CHAP. III.

How we may ease the Pain in making Water.

The rendring the Water less Salt, or defending the Urethra against its Saltness are the only means to ease the Pain.

From hence we have the Reason why no Pain is felt in the first three or four Days of a Gonor-rbaa.

Why the Practice of Authors, for the Heat of Urine, has been fuccessful, though their Hypothesis about it is false. p. 212 The Missortunes of Bleed-

The Misfortunes of Bleeding practifed on the fame Mistake. 214

Forms of Medicines that ease the Heat of Urine.

Bathing of great use in remedying this Heat.

To what degree of Warmth these Baths are to be made. 219

CHAP.

CHAP. IV.

HOW to relieve the Cording Pain. p. 220 Which is done by preferving the Urethra from being corroded, or preventing an Erection. ibid.

The Forms.

222

CHAP. V.

HE Cure of Shankers: P. 223 All Shankers first to be cured by Applications. ibid. Escharoticks the only known Remedies for Shankers. 224 The Cure by Escharoticks long and painful. Forms of Escharoticks, and sharp Medicines. 227 Shankers are very long in corrupting the Blood. 230 The Cure of Shankers by dissolving them. 232 This Ointment dissolves the Crab-Yaws likewife. My Cousin Dr. Cockburn's

Letter with this Account. p. 233 Objections against any Discovery made by this Ointment answered. Proved that I did not take it from Faloppius, and that it is not fo much as an Improvement upon his, but a true Invention. Doctor Freind the Inventor of this false Report. 236 Healledges Doctor Mead for a Voucher: though there is no fuch Oyntment in Falloppius. 239 The Quackery of fome Physicians. 241

CHAP,

CHAP. VI.

THE Cure of Crystallins.

p. 242
The Crystallins are that
kind of Caries called
Taroli by Italian Phyficians, who writ the
first and best on the
Pox.

Their Method of Cure.

243
The goodness of the Pra-

ctice confirmed by Experience.

p. 244
The Crystallins nothing so dangerous as represented.

ibid.

Musitanus recommends the Spirit of Tobacco.

246
Forms of Medicines for curing Crystallins. 248

CHAP. VII.

THE Cure of a Phimosis and Periphimosis.
p. 249
The Designs of Curing
them.
250
Empirical Medicines. 251

Forms of Suppurating and Discussing Medicines.

The Phimosis in Women.

254

APPENDIX.

THE Symptoms not fufficiently observ-

ed, and some never yet explained. p. 256

Great Judgment required in those that Practice for the Gonorrhwa.p.257

The Reason of all the Difficulty in the Cure.

p. 258

CHAP. VIII.

Running stopping in the Beginning. p.260
Musitanus had a View of this Symptom, but he did not know where to place it. ibid.
How it is formed. 261
An Explanation of the Symptoms that are along with an Algedo. 262

The Account of a very good Practitioner of the Danger that attends a flow Running. p. 267
The Method of curing an Algedo. 269
History I. Of the Cure of an Algedo. 270
History II. 272
History III. 277

CHAP. IX.

Of the Swelling of the Testicles.

THE Swelling of the Testicles was never explained upon any Hypothesis, and my Theory seemed incapable to give the wanted Explanation.

P. 280.

A farther Account of the

Parts. p. 281
A better Account of the Structure of a Testicle.

ibid.
And of the Penis. 283
The Cause of the Swelling of the Testicle. 284
Why Balsamick and A-stringent

ftringent Medicines produce the Swelling. p. 286 Why Purging and Diuretick Medicines likewife produce it. 287. All the Symptoms are explained without having any regard to the Prostata. No affection of the Prostata can produce the Swelling. 291 An Argument from Experience proving it. ibid. Another from the Stru-Eture and Seat of the

Prostata. p. 293 Both which Arguments, and the foregoing Explanation, confirm'dby an Experiment. ibid. The Account Authors give of the Swelling of a Testicle. This Account very faulty. 295 Musitanus is sensible of the Defect of all former 296 Accounts. The true Design of curing a Swelling of the Testicles. 298 The Practice. 300

CHAP. X. Of a Gleet.

W and what denominates it. p. 304
The Nature of a Gleet.

The different Sorts. 306
How they are formed by not understanding the due Circumstances of a

Gonorrhæa, and the Dofes of Medicines that cure it.

The Marks of a speedy Cure of a Gonorrhæa among Surgeons very false.

The Indication for curing Gleets.

312

CHAP.

CHAP. XI.

Of a Caruncle or Carnofity.

7HAT is commonly supposed to be a Carnofity, and what it is truly. p. 314 How the Membranous Coat of the Urethra thickens. The Practice by Diureticks is the general Cause of Carnosities. The common Place of Carnosities. ibid. The Callofity of Membranes upon Account

of an Inflammation was observed by Aretæus and Mr. Ruysch. p. 318 A farther Confirmation by opening Bodies of the Dead with a Carnofity. The Defign we ought to have in curing a Carnosity very obvious, but the Cure is very difficult. 322 A Case of what was called a Carnosity. 324

CHAP. XII.

THE Substance of all that has been disco-

vered made plain to the lowest Capacity. 328



f a Countries of THE STREET STREET



THE

NATURE, CAUSE, &c.

OFA

Virulent Gonorrhoea.

CHAP. I.

The DESCRIPTION of a GONORRHOEA.



Gonorrhæa, the Branch of the Why this Di-Venereal Disease under our Gonorrhæa, present Consideration, so much resembles the Running Issue out of the Flesh

plainly described in the * Scriptures, which are far more early than any Record of Physick, that it bears the name

^{*} Levit. XV. 2, 3, 4, 5.

given that Issue by ancient Greek Physicians, as is imply'd in the word Gonor-rhæa. But their difference is very great, our present Gonorrhæa being Infectious, and communicable by either of the Sexes to the other; besides its being attended with many dire Symptoms, which soon made it to be distinguished by the Appellation of a Filthy or Virulent Gonor-rhæa.

Its Description.

The Virulent Gonorrhæa shows itself in the Discharge of a whitish, yellow, or green Liquor, that is made constantly out of the Penis with, or without, an Erection of that Member: As also from the Vagina of a Woman; without any Sense of Pleasure, in either of the Sexes. The Quantity of this Efflux is much the same, whether the infected Person is a-sleep or awake.

In a little time this Virulent Liquor corrodes the Passages of the Penis and Vagina it runs over, and excites so great a Sharpness in making Water, that many Physicians, at first, suspected rather the Stone in the Bladder than any Excoriation in these Passages; till farther Experience taught them how to distinguish these

these Diseases by Symptoms, they afterwards found peculiar to each of the Distempers.

In the Progress of the Disease Men are afflicted with a violent, and unusual, Pain; when the Penis is erected; as if that Member was strongly squeez'd together, by something without it; or, as if it were tied hard round with a Cord: not as if the Parts of the Penis were divided and torn as afunder, by the Inflation and Distention of the Part. This feeling in the Penis, as if it was Corded, gave occasion to the French of expressing this Symptom, and of their calling it a Cordè; which Expression and Name we retain.

Such Affections are not confined to the Urethra and Vagina; but every other part smarts for the Sharpness of the Liquor that runs over it. On this account we find the Franum and Glans inflam'd; by which Inflammation, and that of the Urethra, the Glans is so thickned that the Urethra is not shut, but it makes an ugly opening with thick Lips: The Glans likewise is drawn down towards the Perinaum, by the Franum being shortned with its Inflammation.

B 2

The

The corrupted Matter, communicated in Coition, falling on the Glans and Foreskin, or on the Entring into the Vagina, frequently produces a hard and crusty Scab; though that on the Foreskin is flat, and the most callous: The like Scab is often occasion'd on any of these Parts, after the Discharge of corrupted Matter has appear'd for some considerable time.

This crusty Sore, from the resemblance it has, fometimes, to a Cancer, is by the French call'd a Chancre; and we, from them, call it a Shanker, as is plain from the manner this word is pronounced in both Countries. The Shanker, whether it afflicts the Glans, or Prepuce, is seldom ever without a very great Thickness of the last of these parts; which is often fo great, as to hinder its passing backwards and forwards on the Glans: for which reason, the Prepuce is either contracted over the Glans, like a Purle; and thus hinders its returning backwards, and uncovering the Glans; or else the Fore-skin choaks over the tendinous end of the Penis, and sticks so fast between it and the Glans, that it cannot again

gain be brought over it. The first of these grievous Affections was call'd a Phimosis, by the Greek Physicians; and the last a * Periphimosis, or a Periepiphimosis; which Terms aptly expressing these Affections of the Prepuce, have always been retain'd by Latin, and other Physicians.

Besides the mention'd Affliction of the Fore-skin, PhlyEtana or Tumors, sill'd with a clear, pellucid Water, have been found upon it; which, on account of their shining and transplendency, are call'd Crystrallins; because, like Crystal, they are transparent. Hereaster it will appear, how far they are to be reckon'd among the Symptoms of the Gonorrhaa, or Lues Venerea, how constantly soever they have stood among that number.

The Description I have given of a Virulent Gonorrhæa will be found to be very genuine, by its conformity to whatever happens to Men and Women infected with that Disease, and as far as the different parts affected can admit of. We have seen, that the corrupted Liquor, running out of the Urethra, and about

^{*} Finition. med. pag. 49. Junt.

the Prepuce, Glans, and Franum affects these parts after various manners: and the like corrupted Liquor, running out of the Vagina, excoriates its Sphin-ter, and produces a Heat and Sharpmess of Urine; with hard and crusty Scabs, or Shankers. In effect, there is no difference in the suffering of the Sexes; but that Men catch the Distemper the most easily, and that Women are most hard to be cured.

The Whites and Gonorrhosa.

Women, indeed, are often affected with another Disease; which, by its Symptoms, is hardly diftinguish'd from a Gonorrhæa; and yet as the one is never owing to Coition, and requires a very different Method of Cure; the Virtue, as well as the Health, of the fair Sex require these Diseases to be very well distinguished, both on account of their Honour, and their Safety. In the Fluor Albus, the Running is of a Liquor sometimes White, at times Tellow, and sometimes Green; which is sharp, and excoriates the Parts, and is accompany'd with a Sharpness of Urine; upon the account of these Symptoms it is not to be distinguished from the Virulent Gonorrhæa: For this reason Physicians have zealously wished

Existence of these two Diseases; but the Disserence has been so minute, that they never could be distinguished by any manner of Observation; and this Disserence, like all other in things that very much resemble one another, must always be settled by our Reason, or by that directing our Experience. Hereaster it will appear, wherein their true Disserence consists, and that no single, distinguishing, and Pathognomonick-Symptom of them is for ever to be expected.

The foregoing Description of the Virulent Gonorrhæa is very simple; by no means encumbred with any Symptoms of the Pox, or of any other Disease, that can obscure it; though we find in Physick Books very confused Accounts given of it; which perplex the Method of Cure both of the Lues and Gonorrhæa. This Obscurity was pardonable in the first Practisers, the Disease being very new, and that it had no Analogy with any other. Some of them * did not distin-

guille

^{*} Sebast. Aquilanus, Nic. Leonicenus, Nic. Massa, Natal. Montesaurus, Anton. Scanarolus, Jac. Cataneus, Joan. Benedictus, Hieronym. Fracastorius, &c. ad Anton. Musam Brasavolam.

guish the Gonorrhæa for the first forty Years, and others + spoke so doubtfully of it, that we can hardly affirm, that they knew more of it than that it was supposed to be a Symptom of the Pox; the # rest plainly afferting the Gonorrhea a Follower, not a Forerumer of it, arising from Corruption of the Seed, which occafion'd this Efflux of it in great abundance. Thus we might conclude from this Account, that the Pox had been convey'd in former Ages, after a very different manner to what it is at present; if the Observations of these Authors are to be depended upon, or that we might imagine them to be made in their proper Circumstances.

But this Obscurity being only for forty Years, and we find the manner of conveying these Diseases very constant and distinct ever since that time: The Gonorrhæa from an impure Coition, as has been said, and the Pox from it, or a concomitant Shanker ill treated; we must believe that some Dissiculty in apprehending so new and dreadful a Distem-

[†] Gabr. Falloppius, cap. 86. & cap. 100. ‡ Anton. Musa, Bernhard. Tomitanus, Prosp. Bargaruccius, Alex. Trajanus Petronius, J. Fernelius, Leonard. Botallus, Guil. Rondeletius, &c.

per, or at least of explaining its Appearances, is the true Reason why those Physicians were possessed with so many Doubts, and found it so difficult to transmit their Observations to Posterity. This Obscurity is not altogether vanished, but the Opinions of those Authors continue to have some Influence on the Physicians at this time, as will appear in the Course of our Inquiry.

It plainly follows, from the foremen-Several Hypo-Virulent Communic oither of a these alledg'd Virulent Gonorrhæa is, either a Corrup-Gonorrhæa. tion of Seed, as all ancient Physicians who have made any mention of a Gonorrhæa did suppose, and the greatest part of the modern believe: Or else it must be Pus, Matter, or Quittor bred in some place where the communicated Caufe can operate. Or it must be a Corruption of some Liquors naturally prepared, and feparated in fuch Places, or the Matter of an Ulcer joined with this. Now in order to discover which of all these this Matter of a Gonorrhæa may be; as also if any Places are exulcerated, or do otherwise contribute to this Supply; or how the Contagion may afterwards spread from the Place first affected; it is necessary

necessary to give some general account of the Parts, where this Distemper may possibly be situated; it being reasonable to think, that we may remove fuch Difficulties by knowing the Frame, the Use of, and Passage to them. Because if some fuspposed Parts are not capable to give this Supply; or others, that might give it, cannot be reached by the Contagion, especially at the beginning; it is manifest that they do not furnish the Matter of the Running, howfoever promising they may be. And fuch Parts must be found, that can both furnish the Matter, and are near enough to be infected. Wherefore our next step shall be to give an Account of the Parts; and that with all possible Modesty.



RESPONSED HER PHARMAGE HAR STANKERS

CHAP. II.

The Parts supposed to be concerned as the Seat of a Gonorrhœa.

The several Suppositions of Physicians, mentioned in the foregoing Chapter, direct us to those Parts that seem any way concerned in the time of a Gonorrhæa; which are either they that make the Seed, they that keep it, or they that carry it off. But as none that has the least Interest in this Inquiry, wants any Information, about the outward Figure of the Parts of Generation in both Sexes; I will insist more particularly on their inward Structure, which are not so obvious, and yet give great Light in the present Discovery.

And first the Vagina of Women is The Vagina. particularly to be considered; because it may have a greater Concern in the Course of this Disease, than it is generally believed to have. It is made capacious

pacious enough for admitting the Penis of a Man, and excluding the Fætus in every Woman fit for Generation; tho' the Cavity of their Womb is ever so narrow. Its inward Substance is Nervous, its outward a loose Membrane, with some fleshy Fibres running along it.

Openings into

There are many small Canals found in the Vagina, but the most and the largest of them are about its lower Parts, where the Urinary Passage opens into it. Out of these Canals slows a quantity of slimy Serum sufficient to moisten these Parts, and to defend them from the Acrimony of the Urine; which Liquor, sometimes, darts abundantly out of the Pudenda in time of Coition; and was commonly reputed the Seed of a Woman, but without any good Reason.

The Ducts that lie between the Sphineter of the Urethra and the inner Membrane of the Vagina have been longest known, and were called Lacuna, by de Graaf, and the rest equally the same Name, shall hereafter be called Lacuna.

The Vagina has a fort of Sphintler Muscle; which, being situated a little lower than the Clitoris, serves to contract its opening.

This Description of the Composition, Form and Use of the Vagina seems to be sufficient for the present purpose, and I need only to mention the Lips, Nymphae and Clitoris, in order to explain the Symptoms that affect them, in the course of this Disease; it being improper to say more on this Subject than what Necessity requires.

I shall only observe, that all the Use Dilating Teof dilating Instruments, in the Practice firaments a of Midwifry, is with respect to this Sphineter Muscle only; because they are not of any use for dilating the Womb, and the Vagina wants no such dilatation. But as the Practice of these Instruments is not only useless, but dangerous; and as they that use them either deceive themselves, or would deceive others, I shall forbear faying more of them at prefent; especially since the Shops of Artifans might fupply us with many; if any fuch Instruments were found of any real Use. This

This Observation is absolutely true from the Structure of these Parts; but as every Truth has a new Confirmation given it, when it is drawn from a different kind of Reasoning, or Observation; so this is confirmed by the Experience of an excellent Practitioner in Midwifry. It will be sufficient to repeat his Opinion on this Subject, desiring the Book may be considered by those, who would know more of this Matter. * Former Physicians, says he, killed many more Children than they ever saved, by their Openers of the Womb, Hooks, and other extraordinary Instruments.

But to proceed; we will next describe the Parts of Generation in Men, that are supposed to be first, and chiefly affected in a Gonorrhæn: And because some suppose the Virulent Liquor to flow from the Prostatæ and Seed-Bladders through the Urethra; we will more particularly observe what appears in disfecting those Parts.

^{*} Pag. 273. Append. oper. Chyrug. c. de Ventre.

The Parts of the Penis, commonly affected, in the Course of the Distemper, are the Prepuce, Franum, Glans, and Urethra. The Prepuce is compos'd of a The Prepuce. doubling of the Skin of the Penis, and is easily pushed backwards, and as easily returns forwards by its natural Structure, and the help of the Franum. Its Use is to cover the Glans, and thereby to preserve the exquisite Sense of Feeling in that Part.

The Franum is nothing else but the The Franum. outward Membrane of the Glans, which is double in this Part; in which there is a Cavity, wherein this Ligament moves.

The Glans is the most extream Part The Glans. of the Penis, and is of a very particular Substance; being neither a continuation of the Urethra, nor of the Cavernous Bodies, (as every Anatomist has hitherto believ'd it to be) but is affixed to the Cavernous Bodies by a slender, long, Ligament; which Ligament is composed of the termination of the Fibres that make the Coats of these Bodies: So that when the Urethra is removed from the Glans, and this sticks only to the Ligament; it very much resembles

resembles a Mushrome sticking to its Stalk. The beginning of the Glans is thicker than the Part of it that joins the Penis; but it is thinner, and sharper, at its end: Its Membranes are thin and tender, because of the extraordinary Sense of Feeling designed in that Part. There are many Glands that separate a Liquor, which moistens the Glans, and makes the Prepuce slip over it more easily.

The curious internal Structure of the Penis, and of the Cavernous Bodies, of which it is composed, would deserve our particular Consideration; did not this Thort account forbid us from infifting upon a part unable to furnish out the Matter of a Gonorrhæa; however useful the Arteries of the Cavernous Bodies will be found, in having another Liquor separated from the Blood; which is of a more immediate Concern to our present Enquiry. Let us therefore examine the Chanel through which the Seed and Urine pass, the undoubted Pipe, thro' which the Contagion of a Gonorrhæa is conveyed.

Urethra.

The Urethra lies under the Nerveospongious Bodies, or rather a little bebetween

tween them. It has two Membranes, which are thin, and streightly wove. The outward Membrane covers the outward Part of the Urethra, and the inward terminates at its Orifice. The inward provides only the infide of that Chanel. Between the two mentioned Coats is a third, which is spongy, and is of the Nature of the nervous Bodies of the Penis. This spongious Coat has no Communication with the Nervous Bodies, but by their Veins; so that you may blow into either of them without blowing up the other; if this accidental Communication is avoided: And this Confideration not being duly regarded, occafions all the Disputes we find among Anatomists, some afferting, upon their Experience, that the Cavernous Bodies may be inflated from the spongious, and vice versa; while Ruysch and Morgagni oppose them: The first, because he seldom found that either the Nervous Bodies could be inflated from the spongious Coat; or this from the former. Morgagni says, that he never could inflate them from one another; and he makes an Experiment, which fully shows, that their Substances do not communicate; while he is not apprized of the mentioned

mentioned Communication by their Veins. The Urethra becomes thinner and more compact, the farther it goes towards the Glans; and at last ends in a thin Membrane.

It is remarkable that this Membrane has two considerable foldings that run parallel to each other from the middle of the Urethra on to the Origine of the Glans, and seem not only design'd to screen the Lacune, but also to direct the Course of the Urine and Seed, as they are thrown out of the Penis; their Ridges straitning the Canal cut through the Stream of the Urine, and occasions its twisting while it runs out, as we commonly find it does.

Its Openings. But what is very much to the present purpose, many Openings are found in the Urethra; which contain a white; mucilaginous Liquor; this Liquor being wisely provided by Nature, for defending the inner Coat, against the Sharpness of the Seed and Urine; and in the Failure of this Liquor the Penis and Urethra have often been known to fuffer.

The general Use of this Liquor, and the Liquor itself, have been very anciently known; though, in Length of time, it has been more particularly described, and at last I have been able to discover from whence it is brought into its Reservoires, and by what Means it is kept there, without any hurtful, or disagreeable Discharge of it into the Uresthra; notwithstanding of the plentiful Provision Nature has made of it; which Provision has made de Graaf doubt of its real Use, because of the seeming Profuseness.

Galen was well appriz'd of this Liquor, and of a purpose it might serve in preserving the Penis from an offensive Dryness, whereby it might become crooked; but afterwards, he informs us that Nature may have prepared this Liquor for keeping the Passage of the Penis, or the Urethra, smooth and slippery, that it may be thus defended against the Sharpness of the Urine.

Authors, in after-Ages, have been sensible of this Liquor, and of its Use; tho' they knew nothing of its Rise, and Ori-C 2 ginal; ginal; as is plain from Laurentius, Riolanus, Bartholin, Wharton, Everard, Highmore, Dionis, Diemerbroeck, Morgagni and Terraneus.

De Graaf, indeed, is not only acquainted with this mucilaginous Liquor, but believes it to be separated by a Glandous Body; yet he thinks the Quantity so profuse, that he declares all Authors mistaken, who think it provided for moistening and befmearing the Uria nary Passages. At the same time he is very particular in fetting forth the Paffages of this Liquor themselves, while he argues against its Use; Quum innumerabiles utpote viæ, quæ per totum Urethræ ductum, præsertim in vitulis alisque animalibus grandioribus, conspiciuntur. This Account is so very distinct, that we may wonder why he did not make a fuller, and more perfect Discovery of the Holes and Reservoires, and even of the manner of conveying this Liquor from its Fountain.

It will hereafter be made appear that Nature has not been profuse in her Provision of a Liquor; so necessary for defending an useful part from Dangers daily ly threatning it; and in such a manner as shews Nature's Oeconomy in distributing a Liquor preserved in great stores, without interrupting the Action of the Part, either in preparing, or preserving it.

But as Morgagni and Terraneus have been contemporary with me in these Inquiries, so I have been more happy, and have made a fuller Discovery both of the Holes, and of the Diseases of this Liquor than both these excellent Authors together; I shall therefore give a faithful Relation of what the mentioned Authors have discovered; and I shall, next, show the Success I have met with in the same Inquiry.

Great and useless Disputes have been in Italy, which of these forementioned Anatomists first render'd de Graaf's Account more full and perfect. Fautoni was first acquainted with what Terraneus had found; and, on that account, informs us with the Discoveries of that Author: Yet Morgagni sufficiently vindicates his Discoveries, both as to Time, and Plainness; that they were more early, and more obvious than those of Terraneus.

neus. For my part; I am fully persuaded, that each of them pursued the Hints of de Graaf, and made the Discoveries they communicated to the World, without any Hint or Information from one another; and it is very manifest, that Morgagni sirst heard of Terraneus's Tables by Fantoni.

The learned Doctor Lancisi does not determine between these Authors Pretences to Priority of Invention, when he writes to me about his having read my Book of the Gonorrhæa: He only acquainted me, that the contending Authors were not unacquainted with the Holes in the Pens, nor with the Liquor; though neither of them was so particular as myself, nor had they so happily explain'd the Gonorrhæa, that altogether proceeds from a fickly State of the Liquor, contain'd in the Reservoires of the Penis; and I am apt to think that Terraneus and Morgagni knew as little of each other's Discoveries, as I did of either of theirs, or they of mine; for Lancesi first acquainted me with their Discoveries, and the learned Doctor John Mitchell was the Person who brought Terraneus's Book into England, and which I read with

with pleasure in 1720. It was from this very Book, the *Dutch* Edition was made, about the End of that Year.

I will begin with Morgagni; who affirms, that, some Years ago, he had observ'd, in the upper side of a Man's Urethra, many small Holes; which were disposed on the same streight Line lengthways in the Urethra.

In most People the Holes begin to show themselves at the Passage of the Urine, an Inch before it ends; and they finish it in about seven or eight Inches from where they began: And as there are seldom more than ten or eleven of fuch Holes, so there are seldom fewer than three or four. They keep no great Order in their Distance from one another; yet very often one will be an Inch diftant from another; and the last especially are less distant one from another than the first: And as the Distance, so their Largeness, is uncertain; but in that manner, that the first Holes are larger than the last.

The largest of the Holes requires a Grain of Wheat to cover it, and the

least admits of a Hog's-bristle. Besides these larger Holes there are many more, but very small, that pierce the *Urethra* near the larger; sometimes higher, and sometimes lower than them, and appear like round, white Bodies, when they do not discharge their Liquor.

The Holes, being press'd, void a whitish, thick, and slimy Liquor, as de Graaf and others have formerly affirmed; and if they are further pressed from above, after the first Discharge of Liquor, more may be expressed; tho' not so readily, if the Pressure is made from the lower part of the Hole.

Morgagni further assures us, that we may pass a Hog's-bristle, upwards, in the Openings, but seldom or never downwards; there being rarely a continued Passage from one Hole into another. The Figures of the Holes, in some, are Eleptick, and in others Triangular, according to the famous Morgagni.

It must be confess'd, that the foregoing Account of the Holes, from whence the viscous Liquor flows into the *Urethra*, is very plain, and the Holes themselves are easily found; but then this Account does not inform us about the Origine of the Liquor itself, nor how it is convey'd into the Holes; neither do we know whether it can find any other way of being carry'd off, when its Quantity is superfluous, as de Graaf justly sears it may sometimes be. Hereafter these Difficulties will be removed; but it is now time to inquire what Terraneus has difcover'd; especially, that his Labours were principally intended, for getting light into the Nature of a Gonorrhæa.

If we consider either the second Figure of Terraneus, or what he relates in his Book, we must confess that the Holes in that Figure do not answer the Originals we find in Nature; and that he has only seen some of the small number of little Holes, Morgagni mentions as interspersed about the larger Excretory Orifices, as he calls them, in the Urethra.

Terraneus, at great length, describes the disgregate Glands in the Urethra; and that so minutely, as to assign their Figure, and sometimes the numbers of them, together with their Excretory Duets piercing into the Urethra. At present

present it is unnecessary to insist on his account, since the Truth of this Anatomy will more fully be made appear as we pursue this Inquiry. However, I persuade myself, that I shall please some Readers, by relating the Method the learned Fantoni would reconcile the Dispute between Morgagni and Terraneus, about the Goodness of their Discoveries, and on the Earliness of them; or which of them were the first Discoverers.

Fantoni, as it appears by Morgagni's Adversaria, seems first to have been made acquainted with the Tables of Terraneus; and to have inclined favourably to him on that account; though, by what I have here related, there is no competition between their Discoveries, however one of them may be truer than the other. But that there might be no breach of Friendship, Fantoni gives the whole Invention to Morgagni, and exprefly fays, that he could not have any hint from de Graaf: as, on the other hand, Terraneus is supposed to have discover'd all these disgregate Glands, without being obliged to Monsieur Mery, or Mr. Cowper: Thus an Accommodation is struck between two contending Friends,

to the Detriment of two Strangers, a French, and a Dutchman. The Argument for the first, is a perhaps: * for perhaps de Graaf may have feigned thefe Holes; and the second's Title is little better establish'd than that of the former; for the Adstites Glandulæ of Terraneus, which they would call fecond Proftata, do not differ from the Glands and Excretory Ducts of Monsieur Mery. Fantoni, 'tis true, is pleased to question this Invention, but upon a very flender account; because (as far as he knows) no Anatomist in France, makes mention of them after him; and that they of the Royal Academy, who have described these Glands, have published them as the Discovery of Mr. Cowper.

But this Present of Fantoni's does not pass with Terraneus; who acknowledges † that Mery had fully described these Glands in 1684. Tome XII. of the Journal des Sçavans. ‡ Morgagni, too, is more full; when he affirms that Terraneus must have taken his account of the Con-

^{*} Anat. Corp. hum. cap. 8. p. 165.

[†] Cap. 3. ‡ Advers. Anat. IV. pag. 15.

glomeratæ Adstites, and of their Ducts from Mery, (as he as good as confesses) or afterwards from Mr. Cowper; and so far is the Ingenuous Morgagni from thinking de Graaf's Ducts a Fiction, that he charges Terraneus with taking his Invention of his Ducts and small Holes in the Urethra, from them.

If I were to judge in this Controversy, I rather think that Terraneus endeavoured after all proper Means, for affisting him in the Doctrine of the Gonorrhæa, than that he valued himself as an Inventor; for why, otherwise would he produce Mery's Description of the Glands, and of their excretory Ducts he had discovered; they being really the same with his Adstites Conglomeratæ; which he, on that Supposition, would now pretend to discover.

To proceed; as there is no doubt can be made of de Graaf's having known Lacunæ in the Urethra of Men, nor of their Liquor being very anciently discovered; so at this time, when that excellent Anatomist, Morgagni, was searching into the Parts of Generation, it was my fate to turn my Thoughts on the same Subject;

Subject; with a design to draw from thence a better account of a Gonorrhæa, when I not only observed the Lacunæ well described by Morgagni, but many more dispers'd up and down the Urethra; all of them apparent to the naked Eye. Besides these, there are two large Lacunæ that open on the Glans; one of each side the Urethra, as it is laid open for our present Inquiry.

Some of the Openings Morgagni had describ'd, have manifest Canals leading towards the Glans, and his first great Opening is vastly greater than it had ever appear'd to him; it being three Lines Diameter, and nine in length. I have likewise found another Order of Holes under some of the largest; insomuch, that the lower Order did admit of a Harpsicord Wire, while there was a pretty large Probe in the upper.

By blowing into the Lacunae beyond the Glans, I found that the Air passed into the nervous Bodies of the Penis, and the spongious Coat of the Urethra: but as a proper Injection could only conduct us through the Mazes of the Lacunae, I took Mr. St. Andrè and his singular

gular Injection to my affiftance; with that Satisfaction, that, by injecting from the first Lacuna of Morgagni, we found all the most apparent Lacunæ fill'd with the Wax; besides an incredible Number of Lacunulæ in the Penis, and Glans, that had never before been feen. The spongious Coat of the Urethra was fill'd at this Injection; but as that had been opened for the more commodious conveying of the Injection, a great Quantity of the injected Wax was driven out at the opened parts of it. The Wax, that was thrown into the Lacuna, partly passed off at the returning Veins on the Back of the Penis; where it hardned, gratefully recompensing our Attempt, and yielding us great Pleasure and Satisfaction.

By this Experiment we could reckon nine Openings in the Urethra, lying all of them on the same strait Line; two Openings on the Glans, and above thirty distinct and plain Openings in the Urethra; besides an infinite number of Lacunulæ, whose Orifices are not so manifest and apparent as those we formerly mention'd: Which Lacunulæ could never have been detected in any other way, but by this Injection. From

From this Experiment it plainly follows that there is a free Communication between all the Lacuna: As also, that the whole Urethra is full of Lacuna, smaller or greater; arising not only from the upper side of the Urethra, but proceeding likewise out of the spongious Coat: This Difference may be plainly discover'd on the different Figures of Morgagni, and of this Book; the Quantity of Lacuna not filling his Figure, as they do in the last.

We may likewise conclude; that any Impediment happening to a free Discharge of the Liquor of the Lacunæ, the retain'd Quantity may be carry'd off by the Veins of the Penis: though a very great Quantity is always wanted, it being entirely wash'd away every time a Man makes water.

But to confirm the Conclusions drawn from this Experiment, another was made without opening the *Urethra*; and whereby all the Vessels of the *Penis* were injected. The *Iliack* Artery in the upper part of the Thigh being tied, Wax was injected into the *Aorta* under the Emulagent

gent Branch; which took the Course of the Blood, and came out at the great Lacuna, sticking out of them like pieces of red Coral; and as all the intermediate Parts were injected, it was eafy to trace the Course of the Vessels, even into the Penis. What is more particular to our purpole, not only the Blood-Vessels of the nervous Bodies of the Penis, and of the spongious Coat of the Urethra were injected, and from them Morgagni's Lacuna, all the Orders of Lacuna, before unknown; infinite Numbers of Lacunulæ communicating with the greater; and even the Veins of the Urethra were fill'd with the Wax, and appear'd on the Cavernous Bodies.

The Fore-skin likewise, the Glans, Franum, the Skin, the Testicles, and even the Accelatory Muscle, were all fill'd at one Injection.

There were Lacunæ found, running down as far as the Bladder, upon the Verrumontanum, or Caput Galli, and on each fide of it.

Upon diffecting the Part, the Structure of the Penis was found widely to differ from the Account Authors have given given of it: But as a better Anatomy of the Penis is at present unnecessary, I shall only add; that there was not one Gland in any part of it; and that numbers of Lacunulæ, had their Origins in the spongious Coat of the Urethra, as well as in the nervous Bodies of the Penis. In effect, the whole Urethra is as full of these Vessels as it possibly can be; and there are not only multò plura than eleven Lacunæ; but their Numbers cannot be reckon'd.

I have infifted the longer in this account of the Lacuna, large, and small; because the Nature of the Gonorrhæa has been found to confift, altogether, in the corrupted State of their Liquor. Besides, it is very agreeable to find by what Steps the Discovery of Lacunæ and of their Liquor has been made; till I have compleated the Inquiry, and with it the Account of one great and dangerous Disease of that Liquor. Physicians were anciently perfuaded of there being a Liquor in the Urethra, and commonly believed it was to serve the Purposes it really does. Dr. Graaf only, who first observ'd its Passages, distrusted its Use asfigned by others; without affigning any Ule

Use designed it for it by Nature. Morgagni renders the Passages of de Graaf more conspicuous, and re-establishes the natural Use of their Liquor; while Terraneus is not better apprized of the Passages than de Graaf, and makes no manner of use of their Liquor in explaining the Gonorrhæa: But too much indulges his Fancy about Glands altogether imaginary.

One great Difficulty, in discovering the large Lacuna, seems to proceed from the double foldings, I observ'd in the inner Coat of the Urethra; which foldings not only skreen the Lacuna, but prevent likewise a disagreeable Discharge of their Liquor; though, at the same time they skreen the Lacuna, they have concealed them from common Sight. For the Foldings run parallel to each other, the Lacuna being between them.

The Explanation of the Figure.

A. The Penis laid on its back, in order to the Preparation.

B. The Urethra laid open, that we may

discover the Lacuna.

C. The Lacunæ seen by Morgagnius.

D. An

D. An Under-order of Lacunæ never before observed, and seen in the second Lacuna of the Urethra.

E. Great numbers of Lacunx, two on each side of the Glans, as that is now laid open, and the rest in the Urethra, neither of them ever seen before.

F. Hundreds of Lacunula communicating with great Lacunæ, never hitherto

observed.

G. The Veins of the Urethra fill'd on the back part of the Penis.

Note, That all the Lacuna, Lacunula, the Veins, and the Corpus Cavernosum were fill'd at one Injection, made from the first Lacuna of the Urethra.

After this large Account, it is unneceffary to mention the Liquor from Mery's, or Mr. Cowper's, Glands; or that which may flow from Litre's Flocculi, as Morgagni calls these Glands: their Liquor being bestow'd within the Bulb of the Urethra, though it be of the same Nature with that of the Lacuna. We shall therefore briefly pursue the remaining Inquiries from Anatomy; what we have already discovered, having been found of the chiefest and most principal

Ule D 2

Use and Service, for instructing us about the Nature and surprising Appearances in the Course of a Gonorrhæa.

Veficulæ Seminal s.

Our next View shall be of the Prostate, Caruncles, Caput Galli, and Vesi-The last are a Memculæ Seminales. branous Substance, and are situated at one fide, on the back part of the Bladder of the Urine towards its lower end; they are firmly ty'd to the Neck of it, and to several of the neighbouring Parts. Their inner Cavity is wider in some Places than in others, and so Cells are form'd in them, which communicate among themselves; for, by blowing up one of them, you may blow up the rest. The Vesiculæ terminate every where in a small Duct; which is inferted into the back Part of the Urethra, about an Inch below the Neck of the Bladder. At each Orifice of these Ducts, there appears a Partition; which hinders the Seed, preffed out at any of these Orifices, to recoil and strike against any of the other. This Part is call'd the Caput Galli, and thro' his Eyes (the mention'd Orifices) the Seed is driven into the Urethra. At each Mouth of the Seed-Bladders is placed a ima'l Caruncle; which ferving the De-

fign

Caput Galli.

Caruncles.

fign of Valves, prevents a constant Efflux of Seed into the *Urethra*. But these Caruncles are thrown off with the Seed, and by the same Power that expels it: Yet, they quickly replace themselves after the Discharge.

At the Root of the Urethra, on each fide of the Neck of the Bladder, are two globular Bodies, call'd the Proftata; Proftaffæ. whole uppermost Part is broad; their under oval. The bigness of both (for they are not far asunder) is of a large Walnut in Salacious People, but of a small Walnut only, in Aged People, and fuch as have not been given to Venery. Their Substance is Glandular. Out of their Ducts, the Number whereof is reputed to be uncertain, flows a white Liquor, very like Seed; which may be had by pressing the Prostata. These Excretory Ducts of the Prostate discharge themselves into the Urethra; some of them higher up, and some of them lower than the Caput Galli, but, commonly, more fideways than do the Orifices of the Vesicula Seminales. De Graaf does not remember, that ever he found fewer than Ten of these Excretory Ducts in a Man: But he has discover'd Ninety or more in a Dog, at

at each of whose Orifices there was placed its proper Caruncle.

Mr. Littre will not allow the Prostatæ to be Two Glands, but One only; its Substance being continuous and undivided, as he has shewn the Royal Academy in July 1700. He says, it resembles a fmall Heart, whose Base is towards the Bladder. His Prostata is covered with muscular Fibres, and is composed of Twelve little Bags whose Cavities have no Communication, and which terminate in the Canal of the Urethra, about the Verumontanum, by as many small Pipes of the bigness of a Hog's Bristle. There is a number of little Glands in each of those Bags, whose excretory Ducts (each of which have a Sphincter at their ending) open into the Cavity of the Bags, and deposite a Liquor therein, as in so many Basins or Reservatories.

But whether this be Two Glands or but One, Mr. Littre agrees with all other Anatomists in their use; and as the Liquor of the Prostata, its Excretory Ducts, and Valves are on all Hands agreed to, and serve the purpose of our present Inquiry; this Recital will sufficiently

ficiently affift our subsequent Reason-ing.

As this Description of every Part that separates, or contains any Liquor, has been made with a View to the Matter of a Gonorrhæa, and some People think Pus the Substance of that Matter; it will be necessary to describe the sleshy, or muscular Parts, and the Fat, in order to be satisfied whether a Gonorrhæa can corrupt these Parts, and produce this Matter out of them; because the sleshy and sat Parts surnish us best with Pus.

Authors disagreeing in the Number of Muscles that go to the Penis, they being eafily divided, I will rather consider their Origin and Insertion than their Number; that being more necessary to shew their Capacity of being affected by the Matter of a Gonorrhæa. There are three pair of Muscles reckoned, by some Authors, to belong to the Penis; others leaving out the Transversales, will only allow of Two Pair: And Mr. Littre will have but Five fingle Muscles. However, as all of them either arise from the Ischium, or Anus, and terminate in the Cavernous Bodies, or in the Urethra at the lowest Part D 4

Part of the Penis, and end about its fide; they do not feem to be commonly affeeted in the time of a Gonorrhæa. Mr. Littre observes more particularly, that, in many Subjects, some muscular Fibres proceed from the forepart of each Accelatory Muscle, and end in the Fore-skin; after they have run along the fide of the Penis: By which means it is drawn towards the Root of the Penis, in time of Coition, and making Water, as often as these Fibres are contracted. This Account of the Parts being premifed, let us proceed in our Inquiry; Where the first beginning of a Gonorrhoea may be? What the Affection of the Parts which are its Seat? As also about what may be the productive Cause of it?



debatedededededededededede

CHAP. III.

The Prostatæ, Seed-Bladders, or Parts beyond them, are not the Original Seat of a Gonorrhæa,

By the anatomical Description, we have given, it would appear at first; that either the Prostatæ, or Seed-Bladders are the fittest Parts for supplying the Liquor which is voided through the Course of a Gonorrhæa: And that, therefore, they might be reckoned the Original Seat of that Disease; did not several unanswerable Objections lie against their being so, which Objections render it impossible that these can be the Parts first Insected.

For fince it is acknowledged, on all Hands, that this Distemper arises from a contagious Liquor slowing from the infecting Person; it can never be understood, how such a Liquor should arrive The Prostate at Places so Remote from the opening of are too remote.

the *Urethra*: Because the Quantity of Liquor that the *Urethra* can admit is very small, and its *Velocity* inconsiderable; and there is neither *Muscle* nor *Valve*, nor any other *Machine* alledged, that can throw it to the supposed Distance.

The Infecting Matter is not endued with a sufficient Quantity of Motion.

Moreover; the Velocity of the Parts of this Matter being inconsiderable, as also their Bulk; the Quantity of their their Motion must be next to nothing, as I lately observ'd. But if the Quantity of Motion was vaftly greater than is fupposed, the Difficulty and Impossibility should still continue to be the same; especially if we confider that the Canal, it is to pass through, is become straiter than ordinary. This is evident from the State of the Penis when it is erected, and the Polition of the Urethra to the Nervous Bodies: For as it runs under, and even somewhat between them; the Compresfion of the Urethra must be proportionable to their Inflation, or to the Degree the Penis is erected: By this Compression the Bore of the Urethra becomes so narrow as to forbid any Passage of the Venereal Contagion to the Proftatæ. The Straitness of the Urethra is very manifest, and senfible,

fible, when the Seed, or Urine, are expelled in time of Erection. Besides; the Narrowness of the Urethra is still greater, by the like Inflation of its spongious Substance; whereby the Urethra is really fqueezed together on all fides, and the inward Surfaces of the Membranous Canal are strongly press'd together; so that no Liquor can be driven through it, that is impelled with a less Force than that which expells the Seed or Urine. And therefore a Liquor, which has little or no impulsive Force, cannot enter the Urethra at that time; and far less reach the Vesiculæ Seminales, or Prostatæ.

But let us suppose, in the next Place, The Infectious that this Contagious Liquor, is convey'd Matter cannot to the Proftata, and that it operates norrhea if is there as the Abettors of this Opinion did reach the fancy it does; notwithstanding of this ma-Prostatæ, &c. nifest Impossibility to the contrary; yet it will appear, if it really had the Effects they fay it has, it must have a great deal more than they themselves will allow of. For, according to de Blegney, as it will hereafter appear, the Caruncles which are at each of the Mouths of the Seed-Bladders, must be corroded by this Contagious Liquor, before the Seed can be corrupted

corrupted by it, or that an Efflux of it can be occasion'd. And as for the Prostate; we found their Ducts so small, that their Number is uncertain; and the Liquor, contain'd in them, must be express'd by some external Force. Now as there is no Operation of this kind supposed from the Venereal Infection, it is very manifest, that no Gonorrhæa could happen, however their Liquor might be corrupted.

But if it were supposed; that the Caruncles of the Seed-Bladders, and the Ducts of the Proftatæ were now corroded, in order to produce this Efflux of corrupted Matter; the Gonorrhæa should, in that case, be uncurable; since the mentioned Loss is never to be repaired. And therefore as this Supposition is inconfistent with daily Experience; we may fafely conclude, that there is no Corrosion of this kind, nor any Gonorrhæa generated on any such account; and therefore, if this Infectious Liquor could reach the Seed-Bladders and Prostate, it could not have this alledged Effeet, or it should not produce a Gonorrbæa.

Some, indeed, without any tolerable The common ground, have imagined, that these Parts Infection is are not corroded, but such an Efflux may absurd. be made by some fanciful Fermentation, arising from a Mixture of this Infectious Liquor, with the Seed and Liquor of the Prostatæ: But as that plainly contradicts the Anatomical Account, given in the foregoing Chapter; the whole Hypothesis must pass as some specious Fancy, that has no Foundation in Nature; and that such a Fermentation is itself impossible, and far less can it occasion a Gonorrhæa.

By what has been faid it may reasonably be believed, that the Seed-Bladders and the Prostatæ cannot be reached by the Contagious Liquor that causes a Gomorrhæa; because the Liquor is neither impell'd with sufficient Velocity for that Purpose, nor are the Essets suitable to the Operation it is supposed to have in these Parts. But to confirm every thing, prov'd by the foregoing Arguments, I shall show by convincing Experiments, Experiments that no Liquor proceeds from the Prosons that no Liquor proceeds from the Prosons as the Matter of the Gonorrhæa: guments.

And

And as most of these Experiments have been * alledged by me, for this purpose, some Years ago; I will only repeat them here as they were urg'd on that occa-sion.

The first Argument is drawn from Observations of Excrescencies, sometime found in the Course of a Gonorrhæa: For they being the Consequence of a Sore in any Part; it is evident, that there has been a Sore, where these Leaves, proud Flesh, or any other Excrescence appear; and they being commonly found in the Urethra, towards the Glans, leave no doubt of a Soreness in that Part.

This Fact is constant, and conformable to Experience, and cannot be deny'd; though the Abettors of the contrary Opinion would render the Consequence more doubtful. For, say they, the Sharp Liquor passing from the Prostate will as estectually produce this Sore, and these Excrescencies, as if it were really separated in the Vicinity of them. So that this Experiment does not affect

^{*} See Diseases, page 237.

the Hypothesis of the Prostate shedding the corrupted Liquor; at least, it does not establish the contrary Opinion.

But the Sufficiency of this Experiment will farther appear, by confidering that these Excresencies are always near the Seat of a Gonorrhæa, and never, or very rarely between the Prostatæ and this Seat: These Excrescencies therefore fully prove that the Leaves and Excrescencies, proceeding from a Sore made by the corrupted Liquor of a Gonorrhæa, are not occasioned from one flowing from the Prostatæ. But this Doctrine will become more evident by the following Experiments.

The next Experiment is taken from the common Practice of Injections; for as they stop a Gonorrhæa, their Liquor must be apply'd to the Part affected; which is impossible, if we suppose the Prostata, or Parts beyond it, the Seat of the Disease. Every Physician is convinc'd, that a Gonorrhæa may be stop'd with an Injection into the Urethra; but an Injection never or very rarely, passing farther in that Part than while it runs parallel with the Penis, the Running thus stop'd,

stop'd must be from some Place in the Urethra, on this side the Bulb and not from any Part beyond it: neither from Mery's Glands, Prostata, nor the Seed-Bladders, &c. as was to be proved.

The Difficulty of passing an injected Liquor further in the Urethra is occafion'd from the Curvature of the Bulb as it proceeds under the Ossa Pubis; the Angle made by the Curvature interrupting the Progress of an Injection; unless it acquires a new Direction from a skilful Hand.

This Argument is still stronger, and more conclusive; if we consider, that each Pipe of the Prostate has its Caruncle or Valve, which intercepts all Communication between an injected Liquor, and that in the Ducts of the Prostate: Thus it is impossible for the Liquor of the Prostate to be affected, with the corrupted Liquor of a Gonorrheea.

But to be still more particular, another very easy Experiment may be made; whereby we may not only determine the Difficulty under our Consideration, (that in the time of a Gonorrhæa, there is

not any of that Matter fent from the Proftate, or Parts beyond them, but likewise, the Place of the Urethra; which fends forth all the Liquor, during the Course of a Gonorrhæa. For, if the Urethra is compress'd about the middle of the Penis, and we squeeze the Corruption, contain'd in that length, forward out of the Glans; and we afterwards press the Penis from towards the Pubis along to the Nut, we cannot Squeeze out any more Corruption by the second Expression. It is therefore evident; that the Corruption, first express'd, was not driven forward by any Matter, flowing from the Prostata to the place where we began to squeeze; a Fact altogether inconsistent with the Snpposition of a Liquor being propagated from the Prostatæ: For, on that Supposition, the whole Duct of the Urethra, from thence to the Nut, must be filled with corrupted Matter; which is contrary to this Experiment. Wherefore there comes not any Matter from the Prostate, or their Vicinity in time of a Gonorrhea; and by Consequence its Seat is not in any of these Parts.

But,

Objection.

But, to this Experiment, some have objected; that as the Running is equally out of the Penis when pendulous or ere-Eted, in that pendulous State it runs down a Declivity; and therefore it may be possible that we may squeeze out Corruption, as is shewn by the Experiment; but we must not conclude, that the Running does not come from the Prostate.

Answered.

Now these different States of the Penis making no alteration; either State may be supposed, which most favours the Objection. Let it be suppos'd that a Liquor runs in a Canal, not only inclin'd, but perpendicularly erected; the Efflux of the Liquor may be quicker on that account, but the whole Passage must contain Liquor from the Fountain-Head to the Place of its Efflux; the Parts of it that run out being propelled by those that are next after them, on to their Origin: And therefore, as the Fact of the Experiment is not, nor cannot be call'd in question; the Conclusion made from thence, that there is not any Liquor flowing from the Prostate to the first compress'd Part, is likewise manifest; so that the Prostatæ are not the Source of the Running, or of a Gonorrhæa.

This

This is so plain and well known, that there is no need of any farther Answer. Indeed there are droppings from the Penis, after the great and general Efflux: But as they are owing to the Fosfula; and the two Foldings of the Urethra, detaining inconsiderable Parts of the Water when its impelling Force is lost, there lies no Analogy between them and the present Objection. There is, too, some such Efflux at the End of a Gonorrhæa, as shall be remarked hereafter; which Obfervation is of great use, in knowing about what time the Cure of a Running may be compleated.

This Truth, of the Seat of a Gonor-This Theory is rhee a not being in the Proftate, might confirmed by the Practice of be farther evinced, by Arguments drawn a Gonorthæa. from the Practice of this Disease. For if we either consider the Success by Diuretick Medicines, or when a Gonorrhæa is stopp'd by Restringents, and forms the Lues; neither the Success of the first Case could be accounted for, nor should the Appearance of Symptoms in the Second be, as we find they shew themselves every Day. But as the Proposition, that a Gonorrhæa does not subsist in the Pro-

statæ, Seed-Bladders, &c. is sufficiently proved, I forbear further illustrating it by offering more Arguments, that might be drawn from Experience.

I own that, in the Course of this Distemper, both the Prostate and Seed-Bladders may be infected; because the Contagion may be communicated from one Lacuna into another; as also that it may be thrown backwards, by injecting in undue Circumstances, before the *Urethra* is cleared by making Water: Both which Cases are vastly fortuitous: But it, by no means, follows from thence, that either of them are the Original Seat of the Disease, or the Fountain from whence the Virulent Liquor Hows. Indeed, the Chance of infecting the Seed, or the Liquor of the Prostata is so very finall, that we have but very few Examples of these Parts being affected. We may, for that reason, politively affirm; that they never are the Seat of a Gonorrbæa.

The best Arguments for Authors placing the Gonorrhœa in the Proliatæ. Having thus fully proved, that neither the Prostata, Seed-Bladders, or any Parts beyond them, can be the Original Seat of a Gonorrhæa; it will be proper

proper to confider the Arguments alledg'd by Authors, for any of the foremention'd Parts being the Seat of a Gonorrhæa. And because de Blegny is an Author of the greatest Esteem among Physicians, and his Opinions and Practices are more particularly follow'd; I shall examine the Reasons he brings for the Prostatæ being the original Seat of a Gonorrhæa: And if these Arguments are found very defective, our Assent will the more readily be given to what has been already shewn. * 'Tis very plain the Disease is not seated in the Bladder; for in this Case, it should be affected with almost incurable Ulcers, or with an Inflammation, which would continue all the time of the Distemper, and would become the necessary Cause of a Suppression of Urine. It is yet less probable that it can be in the Testicles, it being well known, that they would be in that Case extreamly full of Pain, inflamed, and swelled. Neither is it more likely, that it should be in the whole Substance of the Penis. For its Porous and Spongeous Substance, its exquisite Sense, the Use and Situation of this Member, render it so much disposed

^{*} Ch. vi. part 2. p. 127.

to Pain, Inflammation, Flux of Humors, to Couvulsions and to a Gangrene, that it could not be affected in all its Parts, without suffering all or most of these Accidents and Symptoms. Then after a few Lines which intercept his Sorites, he concludes.

From this it seems very plain, that those small Vessels which are believed to be the Reservatories of the Seed, must be the Seat of a Gonorrhoea, it being very evident, that these undergo a considerable Alteration by the Venereal Matter, as appears in the Disorder it makes; for then they don't supply the Humidity, which is design'd to keep the Urethra in its natural State; and if you squeeze the Place in which they are situated, you may observe the Running sensibly augmented.

* It seems then to be very plain that the Venereal Matter in a particular manner attacks the Parastatæ and the Prostatæ in causing a Gonorrhæa; probably, because these are Parts more porous, and consequently more easily penetrated than others that are adjacent. Thus fancifully

^{*} Page 127.

represented by the Author. For the Venereal Matter kindly passes the porous and spongious Penis, because of the great Missortunes that must happen by its settling in that part; while it lays hold of the Prostate and Parastate, chiefly because they are porous Bodies, and more easily penetrated on that account. Kind Corruption! so much to consult the Ease and Safety of Men; while the Penis is more porous, and might sooner have been seized.

The Argument for the Seat of a Gonorrhæa, being in the Reservatories of the Seed is not less admirable; they being very proper to give the great Quantity of Running; because they are now so alter'd in a Gonorrhæa, that they do not discharge their natural Humidity; i. e. they void more of it, because they void less. But what shall we say to Women that have neither the one nor the other? He does not allow the Venereal Matter for the like Reason, already mentioned, in the Case of Men; nor does he allow this Efflux from the Testicles of Women, because of their Remoteness; it must have passed through the Womb, which E 4

which is too moist and thick to retain it. He will not suffer the Vagina to be the Seat of the Disease we treat of; For should the Matter be mix'd with that gross Matter contain'd in the Vagina, its Activity would thereby be either choked and obstructed, or in a little time thrown out with the natural Impurity of that Part. The proper Seat then of a Virulent Gonorrhæa in Women, can be no where esse than in the Womb.

They do not conclude.

Now let us consider, whither the Strength of this Reasoning will lead us. If there are no Parts besides the Prostata, that can afford the Matter of a Running, or to which a Running should not prove dangerous, if not fatal; then perhaps the Prostatæ may be the Seat of the Disease: So that it is barely probable, upon this Supposition, that they are the Seat. But if there is any part omitted, in the foregoing Enumeration, that may be the Seat of a Gonorrhæa, the Prostatæ are not necessarily so; and such a Part shall be quickly named, and infifted upon. Besides; if the Prostate are equally subject to these frightful Inflammations, as the mentioned Parts; they are as much to be excluded from this Seat, as the rest; and

and that they are equally obnoxious, with some of the rest, is very evident. Moreover, if any one, or all of these Parts, render'd uncapable of this Privilege, may still be inflamed, without the dangerous Consequences formerly alledged; then they have still a right to be the Seat of Gonorrhæa. Now that they may be so, take the same Author's Words.

'Tis true, indeed, that a Gonorrhœa is sometimes accompany'd with an Instammation of the Bladder, with a Painful Flux of Humours upon the Testicles, and many Ulcers in the Urethra, and yet these Parts are exempted from all these Accidents, viz. the Dangers and Mortisication just before recited. And therefore if any one will complement Monsieur de Blegny, with his Prostatæ, as the Seat of a Gonorrhæa, it will be very civil; for his Arguments put no manner of Force upon our Belief, and Persuasion, of their being this Seat.

'Tis very remarkable, how fully the Testicles are rejected from any possible Share of being this Seat, and how freely the Parastatæ or Epididymedes are admitted; though they adhere to and by some

fome Authors are reckoned a Part of them. But to proceed, let us observe farther; that it is only for greater Convenience, the Porofity of the Parastatæ and Prostata, that he leads the Venereal Matter to them; and acknowledges, that its getting thither is after a very particular manner: And as it is for this particular and immechanical Progress, the Prostate have already been excluded from entertaining this Corruption, we shall leave him to disengage himself from another Absurdity that crowds upon him, after this Supposition. For, says he, what shall we say to the Women, their Testicles are likewise very porous, and there-fore fit Receptacles of this Poyson: But he acknowledges they are too remote. Why may not his particular Manner ferve him in this Difficulty, as well as formerly? The one is just as easily supposed as the other. So He and I are now agreed: Both of us think the Proftata, Seed-Bladders and Parastata, might properly enough be the Seat of a Gonorrhæa, by the help of a small Quantity of Poyfon, if they were not too remote to be come at; or that the corrupted Matter could mix with the Liquor of these Parts: and therefore, they are not the Seat of the

the Disease even upon Monsieur De Blegny's Hypothesis.

I grant the Prostatæ are not so remote as the Testicles of Women; but an Inch too remote is the same as an Ell, towards not entertaining the Poyson, and producing the Disease. But not to purfue this Author at present, into another Streight, he drives his Readers, about a Gonorrhæa being feated in the Womb of Women; I shall conclude with observing, that his Arguments being precarious, if not contradictory; and his Hypothesis so limited, that it does not answer in both Sexes; we may freely asfert, that the Seat of a Gonorrhoea is not in the Prostatæ, Seed-Bladders, or in any Parts beyond them.



南南南南南南南南南南南

CHAP. IV.

The Seat of a GONORRHOEA in both Sexes: The Nature of the Matter, and Cause of its Quantity.

THE Prostata, Seed-Bladders, &c. being acquitted from entertaining the corrupted Matter, that excites a Gonorrhæa; because it can neither reach their Place, nor affect their Liquor. The fame Arguments conspire, at the same time, to settle the true Seat of the Difeafe. Was a Gonorrhæa produced by corrupting the Liquor of the Prostata? The whole Urethra must contain corrupted Liquor from the part it is supposed to flow, to the place of its Efflux; which has been found to contradict Experience. Does an Injection stop the Running, and yet cannot reach the supposed Seats? It is very manifest, that an Injection acts only in the Urethra, where it may be lodg'd. That Seat of a Gonorrhæa

rhæa therefore is in the *Urethra*, on this fide the *Bulb*.

But if we consider another Experiment, we mentioned in the foregoing Chapter; we may not only conclude, that the *Seat* of a *Gonorrhæa* is in the *Urethra*; but also, that this *Seat* is not half the Length of the *Urethra* from the *Glans*.

Proceed we then to inquire by what The Seat of a Means the Urethra is affected? How the Gonorthea. Contagion is convey'd thither? and what Affection it is of the Urethra, whereby it can supply the greatest Quantity of Running observ'd during a Gonorrhæa; with all other Circumstances of Colour, &c. And first; as a Gonorrhæa can only be produced by Coition; so the Urethra cannot otherwise be hurt than by fomething communicated at that time. It has indeed remain'd unexplain'd, by Authors, what the contagious Cause itself is; and as little could they account for the Manner of its Conveyance. I don't know what volatile Parts have been supposed, that, like Des Cartes's Ether, could make its way through every thing, and could no where be restrained. As Physi-

Physicians found the Urethra strongly fqueez'd together in the time of an Erection, and were fully convinced that the gross Liquor could not pass to the Prostata; so they fell into a very gross Supposition, of the volatile Parts penetrating even the Penis itself. But this Supposition is not only very abfurd, and immechanical; but a Gonorrhæa never could be produced that way; for was it poffible for the supposed volatile Parts to pass through the Substance of the Penis, they must mix with the Blood, and form the Lues; but they never could be convey'd to the Seed-Bladders, and Prostata; nor produce a Gonorrhæa.

This Difficulty will quickly vanish, by recollecting some of the anatomical Discoveries, mentioned in the preceding Chapter; for thereby it plainly appears, that a part of the grossest Corruption of a Gonorrhæa may be convey'd the full Length of its Seat, discover'd by Experiments. In that Case, we must be persuaded that the Seat of a Gonorrhæa is in the Urethra; and we may hope to draw every thing wanted from this pregnant Truth.

We must remember; that the Cavernous Bodies ended in a Tendon, and that the Glans sticks at its end when it is separated from the end of the Penis, and is disengag'd from the Urethra. As also; that the Spongious Coat of the Urethra grows thinner towards the Glans; but truly becomes membranous at the terminating of the Nervous Bodies of the Penis. And therefore the Compression of the Urethra under the Glans is very inconsiderable, and, on that account, may easily admit any Liquid into it.

But this Opening in the Urethra is greater by the Structure of the Glans; for if we return its first Appearance, after it has been separated from the Penis, we may find the Urethra and the doubling back of the Glans on the tendinous Body, when the Glans is apply'd to the Penis, form that thickness perceptible in the Fossula. Now as the Glans, by this its Structure, and its investing the Tendon, can never compress the Urethra; it is very manifest, that the Urethra, running under the Glans, is never shut, while its inner Surfaces are closely press'd together, in the rest of its Progress. IE

If we then conceive a Penis passing in the Vagina, where there is corrupted Matter of a Gonorrhæa, we must confels that some part of it will be admitted into this patent place in the Urethra. But in this place are my two first Lacunæ, and immediately beyond them the great Lacuna, which is the first of Morgagni. It is therefore evident, that the corrupted Matter may be conveyed to the mentioned Lacuna, a place well agreeing with all the foregoing Experiments; whether this Corruption, afterwards, occasions a Gonorrhæa by a Difcharge of true Pus, or of the corrupted Liquor of the Lacunæ. But this Truth of the Seat of a Gonorrhæa, and of the corrupted Matter of its Efflux, will become more conspicuous, hereafter, in explaining the Symptoms of the Distemper.

The Seat of a Gonorrhæa being found; we shall next endeavour to discover how this new Seat, whose Streams are commonly unheeded, becomes sufficient to furnish us with as great a Quantity of a Discharge as we ever observe in the Course of a Gonorrhæa. We have seen already

already that the Seed, and the Liquor of the Prostata, the supposed Matter of all the Ancient, and of many Modern Physicians, have no Share in this Supply. Let us therefore consider, if there be any Pus bred, where the communicated cause can operate; and how Liquors, naturally prepared and separated in these Parts, are corrupted, and become the Matter of this Efflux. Our Discoveries about Pus, the supposed Matter of a Gonorrhæa by many, and a farther account of the true Matter, now shewn, will fully determine our Judgment about the Nature of a Gonorrhæa.

Tis well known, that true Pus is on-The Gonorly generated in Muscles, and Muscular where not an Parts; and the farther any Part recedes from being Muscular, the less apt is Pus to be generated in it; more especially if nothing of Fat is found in the Part. For the Corruption in Membranes is more a Slough than Pus; and that in Glands, whether contained in a Bag, or Cystis, or diffused on the adjacent Parts, is an imperfect Pus. Now as there is not any Part in the inside of the Urethra, that is Muscular; it is very manifest, that there cannot any Quantity of Pus, or Quittor,

be generated in the Urethra: And therefore the Matter of this Efflux is not owing to a Quittor, bred in that Part. This will eafily appear, if we remember what was formerly faid of the Muscles of the Penis; and the same Reasoning will hold good in the other Sex: For the Muscle of the Vagina runs parallel with the Vagina itself, and only serves to constrict it, when it has been stretched by an expanding Power, and after that is removed; which Muscle can never furnish any Supply of Pus in time of a Gonorrhæa, it being on its outside, as we observ'd. Besides, the early Running of this Matter is altogether inconfiftent with its being Pus; the Gonorrhæa often appearing in a Day or two; too short a time for Pus to be generated; but more especially for the Quantity that appears in that time.

Moreover; the Running not only appears more early than is consistent with the time for breeding an Ulcer; but there is no Symptom of a previous Inflammation, which should precede the Running, if that were Pus. For if we suppose there is an Inflammation in the Neck of the Bladder, Prostate, or any where

where in the Urethra, it must necessarily be attended with a frequent and painful making Water; as is very common in Cases of that kind, or even when these Parts are hurt with Cantharides. Whereas the Running, the supposed Effect of an Inflammation, commonly appears for two or three Days together, without any Smart or Heat of Urine; which is opposing Experience; if we should suppose the Running to the Product of an Inflammation. And therefore, any Inflammation or Exulceration, that happens in the Course of a Gonorrhæa, are really the Effects of its Acrimony, but not the Cause of it.

This is still more obvious, if we compare this Running with another Circumstance of a sharp Ulcer. The last is always in its most corrosive and sharp state, when it is first opened; which is altogether the Reverse in a Gonorrhæa; the Matter whereof is perfectly mild, and very little corrupted in the beginning, as I have but just observ'd. And therefore the Matter of a Gonorhæa not agreeing in any particular with the Matter of an Ulcer, it were absurd to suspect a Gonor-rhæa of having any thing of an Ulcer in F2 its

its Nature. This Difference should become still more manifest, by comparing more Properties of an *Ulcer*, and of a *Gonorrhæa*.

One thing I must observe; that the Vestige of a Sore is never obliterated by Death; yet if we look for the Seat of a Gonorrhæa on a dead Person, it can no where be found. Ancient and modern Observations agree in this Article; but the Reason of this extraordinary Phænomenon will become obvious in the Progress of this Discourse.

Without doubt; there is no manner of Analogy between the Matter of an Ulcer and the corrupted Efflux in a Gonorrhæa; yet it is very certain, that there may be some sort of Ulcer in the Penis. A Sore of this fort has been anciently observ'd by Hippocrates, and by Physicians in all ages after him; but the Matter of it never appears in any confiderable Quantity; and far less, to have any Resemblance to a Gonorrhæa. Befides; the Method of curing fuch Ulcers is altogether impracticable in the Cure of a Gonorrhæa. Galen is very accurate in distinguishing Diseases of this kind, appearing pearing about the Penis, that frequently create Difficulties and Confusion among Physicians. * An Ulcer of the Penis is manifestly to be discovered by the Pain it occasions in that Part; especially if any Matter of an Ulcer is voided in the Water. This Matter may thus be distinguished from that which comes from the Bladder; for the Pus of the Ulcer at the first making Water, comes before the Water; whereas whatever comes from the Bladder we find mix'd in with it: But likewise there is a very sharp Pain in an Ulcer of the Penis, all the time of making Water.

In all this Account, the Quantity of Matter that flows from an Ulcer in the Penis, is so small, that it seldom appears, but when its push'd out by the Urine, when Men make Water. On the other hand, the mention'd Author gives us this plain Description of a Gonorrhæa, (not the Virulent, which was then unknown) that it is an involuntary Discharge of Seed; or, more expressly, that it is a continual Evacuation of Seed, without the Penis being extended.

^{*} De loc. Affect. Lib. vi. Cap. 6.

Had Doctor Freind known any thing of this Account of an Ulcer in the Penis being given by ancient Physicians; or of Galen's fettling proper Symptoms to distinguish it from the Gonorrhaa, we might neither have been troubled with his long and injudicious Cavils about the first Appearance of the Lues: Nor with his confounding a Simple Gonorrhæa with the Virulent of later Ages; against the Sense and Experience of every Man, whether a Physician, or any other. Any one should, at this time, be reputed very unknowing, who could entertain an Opinion of a Person's Innocency found with a Virulent Gonorrhæa; notwithstanding of Dr. Freind's affirming, + that a Virulent Gonorrhœa is not always a Consequence of an impure Coition.

Thus being deprived of the two common Fountains of a Gonorrhæa, which have, hitherto, been thought so sufficient to explain the Nature and Symptoms of it, that every Author has resorted to them, and has acquiesc'd in them; however false and desective they are found,

[†] Pag. 351. Vol. II. Hift.

upon this Inquiry: But our Endeavour is, either to discover the real Source of those corrupted Streams; or never to acquiesce in such flattering and false Explanations, that neither inform our Understandings, hor help us to a better Method of curing the Distemper: Let us try if there is a Liquor naturally separated in the Urethra, capable to be corrupted by this Insection; and that may now become the Matter of a Gonor-rhæa.

We are already disposed to acknow-The true Matledge that there is such a Liquor, liable northea. to be corrupted; if we remember what was formerly observed; that several Openings, and some of them very large, were found in the Urethra; which, naturally, discharge a Liquor white and viscid, sit to defend it against the Acrimony of the Seed, and Urine. Besides; it has been proved, that the contagious Streams of the Woman have an easy Access to the very largest of the Holes: And therefore, if the productive Cause of a Gonorrhæa can, any ways, encrease the Quantity of this Liquor, render it more thin, or change its Colour, we at once have all the Symptoms of a Gonorrhæa: A thorough Enquiry

quiry then into this Question will lead us directly into the Nature of a Gonorrhæa; without being put upon the Necessity of taking up with any one Part, for fear we should not find another more proper: Which Method may puzzle, but never can inform our Understanding.

This Confideration will be mightily strengthen'd, by discovering that, in the Practice of this Discourse, the Thickness, Colour, and Quantity, return as formerly; and in that Order the Cure, or Abatement of the Malignant Cause, proceeds: A Demonstration, that the true Matter of a Gonorrhæa confifts in the Corruption of the Liquor of the Lacuna, and the Cure of it in removing that Corruption; whereby the Liquor is gradually restor'd to its first natural State. Moreover; the Gonorrhæa in Women will be accounted for on the same Principles; which cannot be done in any known Hypothefis; and shews that Harmony of Nature, whereby various Works of a like Sort are produced in different Places, and on different Occasions, by the same Methods; as far as the Places will admit. Yet all this is evident by recollecting what was formerly observed; that the Vagina, as well

well as the *Urethra*, are provided with many of these Openings. These of the *Vagina* have been longer known, and are always distinguished by the Name of *Lacunae*. It will be proper hereaster, to make use of a Name already received among Physicians; when an Inquiry is made in common to both Sexes; and by proper Changes may be apply'd to either: And that because the *Lacunae* equally serve to *produce*, and *carry on*, the Symptoms of a *Gonorrhaea* in both.

The only Difficulty in this System is, The necessary to conceive how so small Reservatories Quantity of Running afcan furnish such a Quantity of Matter, forded from as that which flows in a Gonorrhaa? Or the Lacuna how an infensible Liquor, which is naturally separated in time of Health, should be increased so immensly in this Disease? But in removing the mentioned Difficulties; we might observe that the Quantity of the Liquor of Lacunæ is naturally great, and we have formerly seen why it is voided in the Urethra so sparingly: consequently, that any proper Means for provoking a Discharge being employ'd, the Quantity of the Running must be very great, and may be equal to the greatest Quantity of Efflux ever observ'd in a Gonorrhæa. Yet

Yet as the Liquor of the Lacunæ is feparated from the Blood without the help of any Gland, and the Laws of such Secretions being obvious from my Doctrine of Secretions; I will show the different Quantities of a fecreted Liquor that may be at two Places of the Secretion; on the account of the different Places of Discharge of the secreted Liquor; which Account will render it very easy to discover a Quantity, answering the Discharge in a Gonorrhæa: We must then consider, that some Glands in the Body do not constantly emit the Liquor, as it is separated from the Blood; but retain it for some time either within the Glands themselves, or in some Cystis, or Bag, made for that Purpole, from which it flows only on proper Occasions. There are others again that have Excretory Ducts; which open externally, and let the Liquor that is fecerned continually flow from them, without retaining any of it. Of the first fort are the Prostata, the Testicles, and the Glands that open into the Seed-Bladders. Of the second fort are the Miliary Glands of the Skin; and the Duets of the Lacunæ in the Vagina of Women, and in the Urethra of Men.

Hence it plainly follows: that if there be two Glands, one of each fort, that separate, in equal determinate Times, equal Quantities of Fluids, that the Bulk of the one fort must be much greater than that of the other. And the least Excess that can be (supposing the Matter of the Glands nearly the same in both) must be equal to the Quantity of Liquor that is secerned in that time, and is retained within the Glands. But though that be the least Excess, yet the Difference between their Bulks may be much greater, according to the Capacity of the retaining Gland to hold a Double, Treble, Quadruple, &c. of that Liquor which is commonly discharged at once from that Gland. Upon which account there may be any affignable Proportion between the Bulk of the Glands, tho' the Quantity of Liquor fecerned in a given Time, may be the fame in Both.

Hence the Lacunæ in the Urethra and Vagina may secern as great a Quantity of Fluid, in a determinate Time, as that which is separated both by the Prostatæ and Testicles together.

To illustrate this Matter a little more, I suppose it will easily be allowed, that the Lacunæ may separate as much Liquor in one Minute as will weigh but one half Grain: This in an Hour will be thirty Grains, or half a Drachm; in twenty four Hours, or a natural Day, it will amount to twelve Drachms, or an Ounce and an half; which is more than the Seed-Bladders, Testicles and Prostate, can continue to furnish in any confiderable Space of Time. Hence it is evident that the Lacuna of the Urethra and Vagina, are as capable of being the Springs that supply the Liquor, that flows in a Gonorrhæa, as the Prostata, Testicles, &c.

But still it will be ask'd, how these Lacuna can discharge so great a Quantity of Fluid in the Time of a Gonor-rhaa, above what they do in their natural State: Which Difficulty presses those as hard, who place the Seat of the Disease in the Prostata, as it does them, who set it in the Urethra or Vagina, for, by what we have shewn, it will appear, that the great Quantity of Matter which slows in a Gonorrhaa may bear

as great, if not a greater, Proportion to that which is naturally secerned in the *Prostata*, as it does to that which is secerned in these other *Glands*; and indeed place the Seat of the Disease where you will, the Dissiculty will remain the same, and is only to be removed by considering, how the Quantity of Liquor that slows from any *Gland*, may, by a *Disease*, or by a *Medicine*, be prodigiously encreased.

We learn from the Animal Oeconomy, that if any Gland or Excretory Duct be stimulated, the Quantity of Liquor that it discharges, by that Stimulating, is confiderably augmented; in proportion to the Greatness of the stimulating Force, whereby its Glands or Ducts are affected. We find by Experience, that a little of the Powder of Cantharides, apply'd any where, foon excites a Blister; and, by its stimulating, makes the Glands there, discharge a Quantity of Matter immensly greater than what would naturally flow from that Part, by insensible Perspiration. We find also that so small a Quantity of this stimulating Matter as can be conveyed by the Blood to the Bladder, and Parts of Generation, is sufficient to produce an Inflammation and Heat in those Parts# Parts, to provoke an Erection of the Penis, and even to cause a Smart, Pain, and Heat of Urine: And, no doubt, but if some of this Powder were laid on the Urethra or Vagina, it would immediately inflame those Parts, and produce a great Flux of Liquor, not unlike a Gonorrhæa; though the Fluid would not be Malignant and Virulent, or of so long a Duration, as the Efflux in a Venereal Gonorrhæa.

All this Reasoning is drawn from what was commonly known about the Openings into the Urethra; but what we concluded in that manner is now manifest to Sight by the Account I have given of these Openings, if we consult the Figure inserted in the foregoing Chapter: For the great Number of the wide Proftatæ not only convinces us how eafily a considerable Discharge may be made, but likewise that the Sum of the Orifices of these Lacunæ being fifty times greater than the sum of the Orifices of the Ducts of the Proftata, so are they infinitely better fitted to yield a quantity of Liquor, equal to that of the greatest Running, more especially when any of them is stimulated; even though the Prostata could

could be come at by the corrupting Liquor of a Woman.

Since then, the Venereal Poyson is of an Acrimonious, Corroding Nature, it may raise Ulcers in the Urethra and Vagina, stimulate the Lacuna, and produce as great an Efflux of Liquors as Cantharides can do. But this Venereal Contagion being more malignant than Cantharides, and being able to augment it felf, by being stopp'd in any new or old Place, produces a greater Change and Corruption of the Liquors that are contain'd in the Lacuna, than the Powder of the Flies can possibly do. If to these Considerations we add that of the great Number of Lacuna, the immense Number of Lacunula, and the Wideness of some of them, the greatness of this Efflux, and its Continuance, will be more manifest; and therefore it is obvious to any unprejudiced Thinker, that the Force of a stimulating Matter is able to produce as great a Flux of Humours from the Lacunæ in the Urethra and Vagina, as is observed in any Gonorrhæa.

Cor. 1. Hence we have an easy Solution of an Experiment, mentioned by de Blegny,

Blegny, of some Women who were in infected, though the Coition was not follow'd by an Ejection of Seed. This Fact altogether destroys the Hypothesis laid down to be supported by him, and his Followers, but includes no manner of Difficulty, after admitting the present Account of the Seat and Matter of the Gonorrhwa.

Cor. 2. By this Doctrine, we are also deliver'd from any Necessity of placing the Gonorrhæa of Women in the Womb. Thereby making two Hypotheses for explaining the same Phænomenon in two Cases of the same sort; neither would his Supposition agree with the Facts of a Gonorrhæa, in the Case of Women; as may appear from what has been said in this, and the foregoing Chapter.

This Doctrine
abvious from
the Fluor Albus.

After all: Some People, not acquainted with the mention'd Practical Observations, and far less with these Speculative Theorems, will find it hard to form an Idea of a Liquor being a hundred or a thousand times augmented, merely by stimulating Glands, their Excretory Ducts, and Lacuna, howsoever obvious I say they are. And therefore, if they are not alto-

altogether unexperienc'd in these Matters, they must be persuaded of the foregoing Truth; if they be pleafed to remember what happens to Women in cases of the Whites. Let them compute what Proportion the Quantity, voided in that Disease, bears to the Quantity commonly found in the Vagina. Yet it is certain, that the Whites are a Secretion made there in ill Health; and their Colour, and other Effects, resemble a Gonorrhæa so much, that Physicians are under great Difficulties, in knowing the one from the other. This immense Quantity, in the present Case, cannot but give us fensible Notions, of what passes not only in the Gonorrhoea of Women, but even in that of Men also.

Thus all the Difficulties about a Gonorrhæa are overcome in a very few
Words; its Symptoms become obvious
upon a small Supposition that carries Evidence along with it; so that a farther
Inquiry is only wanting to make this Account more manifest, not more true; to
sind how Experience confirms this Truth;
how it agrees with every Symptom in
the Disease and Recovery; which shall
be my next Endeavour to discover. But

G

before we proceed to this Explanation of Symptoms, it will be very agreeable to the greatest part of my Readers, if I briefly inform them what Notions Authors have about conveying a Gonorrhæa, and the Relation it may bear to the Lues Venerea. We have already feen how difficult it was to give any tolerable Accout, how a Gonorrhæa was communicated from a Woman to a Man: But as the Conjecture of Fernelius has been follow'd by, almost, every Author, it will be proper to give it in his Words. Vapor deinde aut Spiritus ductu cavo pudendi introrepens (neque enim credibile est, humoris quiddam eò subire) Venæ Cavæ sanguinem Arteriæque majoris spiritum labefactat. Tunc enim Bubo prorumpit in Inquine: binc vasis spermaticis, Renibusque affectis, Gonorrhoea se prodit; qua virus velut eructando turpissime ejicitur. But as this Opinion is not only conjectural, but false; and that the gross Liquor of the Gonorrhæa is actually convey'd into the Urethra, we must be persuaded that the Account given, by me, is manifestly true.

What is more surprising, we find this truly learned Physician very defective in describing

describing the Gonorrhæa with the Lues Venerea: For the Gonorrhæa cannot, nor never was found to appear in this time of the Lues.

ŔŔŔŖŔŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŖŔŖŔŖŔ

CHAP. V.

The Acrimonious Matter, being communicated among the Sexes, produces a GONORRHOEA.

HIS Acrimony, and its Opera- The Nature of tion formerly supposed, will best the Acrimony. appear by its Effects, if we compare it with other Acrimonious Liquors; whether they be the Humours of a human Body, or Liquors artificially prepared. And first, we find that, when the Matter of the Running is mixed with a Tineture of the Flowers of Violets, or the Juice of the Sun-flower, it makes the last of a Copper-couler, and the other of a brighter Red. Now it being the Property of all Acids to change the Colours of these two Liquors into a Red Colour, when they are mixed with them; we may conclude, that the Matter which flows in G 2

a Gonorrhæa has a Quantity of an Acid, Corrosive Salt in it.

Its Strength.

But because we find, that a large Quantity of the corrupted Matter apply'd to the Hand, and to the Penis itself, often more than is necessary to produce a Shanker, and a far greater Quantity than produces a Gonorrhæa, does not excite a Blister, an Ulcer, or any other Effect of Liquors of great Acrimony; nay, very frequently, it has no Effect on the sensible Glans itself, in such People as have it always uncover'd, when a Shanker is formed on the Glans of others, whose Fore-skin always covers it, but in time of Coition; we may therefore conclude, that this Acrimony is not sufficient to produce a Shanker in two Nuts equally, though their Substance is the same, but only differs in the Hardness of their Skin; and yet operates so powerfully, as to reduce the Sore Part to the Dryness of a Coal, a common Effect of Burning, or of applying most Corrosive Liquors.

But as any fleshy Part may be thus burn'd by applying Spirit of Vitriol, Butter of Antimony, Lapis infernalis, or

any other Escharotical Medicine; so it is very manifest, that this Acrimony of the Matter of a Gonorrhæa is nothing fo great, as that of the mention'd Medicines: Yet this Acrimony of a Gonorrheea is very particular in one Respect; that it can generate more, when it is mix'd with any Liquor of a human Body. On the other Hand; if we compare the Corrofiveness of this Contagion with the most Corrosive Humour, to be found in the Body, we must own that this is far the most Corrosive; the most Acrimonious Corruption of Scorbutical Ulcers, of a Herpes miliaris, an Ulcerated Cancer, or of any Phagedænicular, or Chironian, Ulcers being applied to the most tender Parts, in the greatest Quantity, never produces any kind of Ulcer, or fo much as a Blifter.

From what has been faid, the Nature and Degree of this Acrimony are very evident; but they will become more so, by the following Account of the Symptoms of this Disease. And therefore, let us consider the Operation of this Acrimonious Liquor; which has this Peculiarity, in some Cases, always to encrease, and sooner puts an End to Life, by corrupting

rupting all the Juices of a human Body, than to come to any Stand, or Period, in its growing Corruption; but more especially let us consider how this small, but Acrimonious, Contagion at first affects, and forms a Gonorrhæa, with its numerous Symptoms.

The Way how is produced.

The common Effect of an acrimonous a Gonorrhæa Liquor, working on a Part, is the more frequent and forcible Contraction of its Vessels; which being more or less restor'd by the Goodness of their Springs, and the Velocity of the Liquids flowing through those Vessels, cause a greater Efflux of any Liquors fecreted in, or flowing through them. And therefore, the Ducts of the Lacunæ bing stimulated by the acrimonious Liquor, communicated in a Gonorrhæa, cause a Discharge of the Liquor flowing out of these Ducts in a certain Proportion to this stimulating Power, cæteris paribus. For, not to mention the Case of a Shanker in Urethra, the Running is in a little Quantity when the Force of the Stimulus is little; as also the Quantity of the Efflux is little when the Thickness of the natural Liquor is augmented, let the Degree of the Stimulus be what it will; even to run little or nothing at all: And, universally, the Running will always be proportionable to the Quantity of the *Stimulus*, while the Liquor of the *Lacunæ* is of a natural thickness.

This Doctrine of exciting an Effiux of a natural Liquor, merely by a Sharpness greater than natural, is not only evident from what we know about the Effects of a Stimulus; but explains a vast Scene of Difficulties never before accounted for; nay, fuch as forc'd all Authors into an incredible Jealoufy of human Impiety; far above what human Experience can attest. For the Liquor of the Lacuna acquiring either a Sharpness from without, or that a sharp Liquor is separated from the Blood, in both which Cases, the Lacunæ are stimulated, and there is a greater Efflux of the Liquor; in proportion to the stimulating Power. This Sharpness convey'd into the Liquor of the Lacunæ, from without, forms the Matter of a Gonorrhæa; but if it is secreted at the Lacunæ of Women, it plainly occasions the Fluor Albus; and at the Lacuna of Men, a Disease that equally deserves that Name with the former.

From

From this Account it plainly follows; that a Female of any Age may have a Secretion of this Nature in the Vagina, and a discharge by the Lacunulæ; and therefore a Woman, at any age, may have the Fluor Albus; without any Imputation on her Chastity, as she is commonly liable to from the false Opinions held among Physicians, of that Disease never falling to the Share of a pure Virgin. But as this Notion has been supported against all Sense and Experience, Physicians have gone farther; even to suspect that Girls, found with such a Running, have been corrupted by Men; contrary to all Nature, and Possibility: Whereas, all fuch Accidents are easily accounted for by this Theory; which I will support by unquestionable Experience; and I doubt not but that it may be confirmed from the Experiences of many Physicians; that can set themselves at Liberty from the Slavery of Opinions taken up by Education, and that feem to have received the stamp of a general consent; but what really are maintain'd by Cowardice and a fearfulness in Thinking.

It is still more strange to be told; that fuch Runnings happen to Men; but if plain Experience vouches for this Truth, there can lie no Objection against it; nay it must easily obtain Belief, after the Probability fet forth, in the foregoing Account, of exciting a Running of the Liquor of a Lacuna greater than natural. And if a Man has a fort of Fluor Albus as well as a Woman, we may readily believe that a Girl may have fuch a Running; without any fupicion of her being corrupted by a Man. And as I have met with some Instances of such Runnings in both Sexes, it will be very agreeable to be informed of extraordinary Cases of this kind.

HISTORY I.

One, who suspected he had taken a Gonorrhæa, addressed himself to me for Advice. The Gonorrhæa appear'd three Days before he spoke to me; but as it continued to be in a very small Quantity, he was willing to see plainly whether he was ill, before he should put himself under the Rules of a Cure. The smallness of the Running, which was not of a very ill

ill Colour, gave me a Suspicion of an inward Shanker: especially that the Glans was more inflam'd than to be owing to the Sharpness of the Running. This Apprehension made me take the most cautious Measures I could contrive; so that I order'd a Method that best suited the Notion I had of the Matter. But, to my Wonder, the Running disappear'd the fourth Day of the Practice, notwithstanding that all my Endeavours were to excite it. There was not any Inflammation left on the Glans, nor any other Symptom I had observ'd. On the other hand, the infide of his right Thigh, and the Scrotum on that side, were full of a Psoriasis Humour, that shed a slimy stinking Matter.

Being perfectly well appriz'd of the Sharpness in a Psoriasis, I was persuaded that any Translation of that sharp Humour into the Urethra and Lacuna, must not only make an Inslammation there, as we find it does on other Parts; but likewise, that, it must excite a greater Discharge of the Liquor of the Lacuna, or a Running, because of its Sharpness: Accordingly, I had a great deal of Pleasure to see several of those Translations, while

while I had an unexpressible Trouble and Disficulty in curing the Discharge made by the Sharpness. While the Psoriasis stuck to the Scrotum, or the Thigh, there was no Running; but there never failed of a Running when it left either of these Parts, and possessed itself of the Urethra. Thus the Running appear'd, as often as the sharp Humour return'd into the Urethra; and the Liquor, discharg'd at the other Parts, was always so like the Discharge in a Gonorrhæa, that it could not be distinguish'd, upon Linen, from it.

I might relate fix more fuch Cases of Gentlemen that have fallen under my Consideration, in the last three Years, though none of them have been attended with so strange Symptoms, as the Case I mention in the Chapter of a Carnosity.

HISTORY. IL

I was confulted for a Lady some Miles from London. She was ill of a Pfora; for which she was flux'd by a Physician of Character; and was very much worse for that Method, as it is always pernicious

in Cases of this Nature. While the Lady was under my Care; she told me that her Daughter, of three Years old, was ill of a strange Humour that run from her; which Running was in a very great Quantity, and very sharp, so as to give her much Pain when she made Water. It was of a deep yellow, and pretty thick.

As I have no Notion of the strange Attempts Authors suspect on this Ocasion, and as this young Lady could not become the Prey of any such Monsters; I had no difficulty in resolving the Cause of the Running to the Psora-Humour, convey'd to this Infant from her Parent, which stimulating the Lacuna, excited this very great Quantity of a Fluor Albus; though the Child her self had never been troubled with any breaking out of that kind on any part of her Body; as her Mother often had been, while she was big with this Infant.

I have seen a second Case of this Nature, in a Girl of sour Years old; both which Patients I cured, without having any Regard to the Practice of a Gonorrhæa.

This Spring also I had the Care of a Lady often troubled with a Fluor Albus, who had seldom been free from it for many Years: This Lady was formerly ill of a Cutaneous Distemper which was repell'd by Dr. Hobs, when she was an Infant; upon which followed a Fluor Albus.

To these I shall add two Histories from Terraneus; because they further illustrate and confirm this extraordinary Fact*. The first is of a young Italian Count of seven Years old; who was afflicted in that manner with a Simple Gonorrhæa; that he continually voided a whitish Matter, which was attended with a Heat of Urine, and he became very lean. Now as it cannot be alledged, that a Youth of this Age had either Desire or a Capacity for Coition; fo we must grant, that the Running altogether proceeded from the Sharpness of the Liquor in his Lacunæ: Which is a Simple Gonorrhea.

The same Author, without being able to explain such Cases, gives us this other

^{*} De glandulis Universim, pag. 107. Lugd. Batavremark-

remarkable History of the Daughter of Augustin Aymer, a Child seven Years old; which had a copious Discharge of the Fluor Albus, like Whey; not without some Heat of Urine; and Itching in the Parts.

By all these Examples it is very manifest; that any sharp Humour, being discharged at the Lacuna, stimulates them, and excites a great Quantity of their Liquor. Nor is it hereafter necessary to have Recourse to that incredible Depravity of Mankind, Authors have too easily alledged; in Cases, more especially, that are very common.

The comparazive Degree of Acrimony for making a Gonorrhœa and a Shanker.

From hence we may draw a good Account of all that happens in Time of a Gonorrhæa, whether it be duly stopp'd, or ever so improperly. For as this stimulating Power is the communicated Contagion, and is apply'd to a Part very much softer than the tenderest Glans, we may conclude that the Quantity of Liquor, causing a Gonorrhæa, is vastly less than that which causes a Shanker. So that the Quantity of Contagion to cause a Gonorrhæa may not be a Grain Weight. For if that Quantity were any thing near the

the Quantity that makes a Shanker, no Gonorrhæa could ensue, as is very manifest from what is already shewn.

The Doctrine of an Inward Shanker obstructing a Gonorrhæa follow'd plainly from my Theory; but no such Shanker had been observ'd at that time; though it has, no doubt, frequently occur'd, much to the Prejudice of the Patient's Health, and Reputation of the Physician. On both which Accounts I will add the History of that Case as I first observed it; because if due Care is had to this Relation, we may infallibly be appriz'd of its Symptoms, and by them directed in the Cure.

The first Appearance was very small, An Observabut on the lower Part of the Glans near where it joins the Penis, and was esteem'd so very inconsiderable, that no Advice was ask'd in several Days, there not being any Mark of a Gonorrhæa, nor of any Venereal Symptom besides. Though this little Speck of a Shanker promised an easy Cure, it did not yield to my Ointment as greater Shankers do, but spread and was very corroding; which Marks of Malignity sirst made me suspect the

Root of all to be in the Urethra, and that very probably a Gonorrhæa would ensue its Dissolution. To which purpose I gave my Patient Medicines internally; which had the good Effect to check the Corrosion of the Part in sight, and to bring on a Gonorrhæa after three Weeks from the Coition. And it must be obferved, that the Running did not increase gradually as is common at other times; but was in a very great Quantity, as we daily find in Relapses, when the Matter has been stopp'd up by Restringent Medicines, no less than about two Spoonfuls in twelve Hours; a certain Argument, that the Liquor in the Lacuna was corrupted, and secreted in a great abundance, but could not run off, because of a crusty Shanker, and till it could be dissolved.

When I first communicated this Observation to a Friend, very eminent for
his Practice in the Venereal Disease, he
confirmed it by some Cases of the like
Nature, which ocurred to himself, but
what he never could account for. And
therefore I will add One which is very
considerable; because the Patient and
Physician are now both alive.

My Friend's Advice being desired for One who had the Pox, he found the Gonorrhæa was cured chiefly by purging Medicines, and that he had taken very few Restringents during the Course of the Running. That the Gonorrhea ceased in good Order, and in a reasonable time; but that it return'd after three Weeks. The Relapse Running was again stopp'd by the same Method, and kept off for a Month; but it appear'd again after that time, and was again cured by the former Medicines; after this Stoppage there was a Swelling on the Forehead; which vanish'd on a fresh Eruption of the Gonorrhæa, and this was again restrain'd by repeating the mention'd Method, and kept off for some Months, but was then succeeded with the Pox.

Neither the Physician who treated this Gentleman, nor my Friend, could say there was any Mismanagement in treating the Gonorrhæa; or that it did not go off in a kindly way enough; so that it was very surprizing to both of them, nor could they apprehend from whence the Pox could proceed. Besides, a Gonorrhæa continuing for so long a time

time is commonly deprived of all its Malignity; and therefore the Case is the more Extraordinary, that a Pox should succeed after so long a Running; if the Skill of the Physicians might be questioned.

But all this Surprize and Admiration vanishes by this Knowledge of a Shanker in the Urethra; for the Acrimony of the Shanker may be abated, and the Running cured by that or any of the Practices hereafter mentioned; yet, the least Quantity of the Venereal Taint, left undestroy'd, multiplies into the greatest Quantity, and affects the whole Mass of Blood. And therefore all farther Use of Medicines appearing unnecessary, when the Running ceases, the Matter of the Shanker corrupts again, and excites a Gonorrhæa; which may often be repressed and renewed after the foregoing manner, till an absolute Cure is performed. Otherwise we have continual Successions of a Gonorrhaa, or else the Pox must ensue.

The Vanishing of the Swelling on the Forehead, upon the Returning of the Gonorrhæa, is indeed extrordinary; but will easily be accounted for if we duly consider what is said in the * second part of this Discourse. † Alexander Trajanus Petronius is somewhat apprized of this Truth; for when he is to teach how a Gonorrhæa, that has withstood Purging and other Methods, is to be managed, adds, sape enim hac existenti reliquum corpus ab interna gallici morbi labe vindicari consuevit:

But to return to the Thread of our Why the Run-Discourse, to explain; why the Matter ning is conof a Gonorrhæa is White, and its Efflux White. Continual: Both these become evident, by confidering that the Stimulating Power is continual, and its Effects must be proportionable to their Cause; and consequently the Efflux of Matter, the Effect of the Stimulus, must likewise be continual, Night and Day, and in any State and Condition of the Member, as we daily find it to be. But what is more confiderable; the flowing Liquor not only appears sooner than it possibly could do by forming an Ulcer, but is likewise whiter and thicker than the Matter of an Uler can

be,

^{*} Chap. 2. S. 2. Cor. 2. † Cap. XII.

be, as we have already proved. And therefore it is evident that this White and Viscid Liquor, thus early appearing, and constituting a Gonorrhæa, is the Liquor of the Lacunæ, little or nothing corrupted by the Contagion, but only produced by its Acrimony.

This first Symptom, however constant, is not accountable from the mentioned Hypotheses. For if every thing conspired to make the Vesicula Seminales the Seat of this Disease, yet the Gonorrhæa is not supposed to follow, till after corrupting the Seed, or the Liquor of the Prostate. Now if it was corrupted, it must run out in the Colour it always does when corrupted, or it must run out Tellow or Green, which is contrary to the present Experience. Likewise; if this Corruption was Pus, it should be always worse conditioned at first Appearance, most Tellow or Green; which we find is not fo. And therefore, this Appearance being thus easily explain'd, we have a new Confirmation of the Doctrine lately establish'd.

way the Mat- In time, this whitish and viscid Liquor ter is Yellow becomes Thinner, Tellow and Green: The first

first is entirely to be had by augmenting the Quantity of the secreted Liquor; tho' the Nature of the Liquors, or Salts, that make the Tellowness, may dilute it, and help somewhat to this Thinness. The Tellowness is partly owing to the Tellow Liquors of our Blood, and to the acrimonious Salts that produce a Gonorrhæa. As to the first; it is known, that when the Secretion at any Part is more ha-It ly perform'd, and that some of the Glands are hurt, the Liquors will be feparated more impure and mix'd, than they were formerly at the same Glands. And therefore it is manifest, how Gall, mixing with the Liquor, makes it run out in a Tellowish Colour. This is not only, in Reason, possible, but what we find true by daily Experience: For in Scrophulous, and many other Ulcers, the Liquor that runs out of them is very Tellow; even more Tellow than that of a Gonorrhæa, though the Liquor of those Ulcers does not dry fo Tellow on Linen, because it is much thinner, is more diffuled in the Linen; and evaporates more with the thinner Liquor in drying. Yet, as we see the Tellowness has something in common with contagious Ulcers, and those that are not; we may conclude, H 3 that

that the Tellowness in both may proceed from the same Cause, the Bilous parts of the Blood. And what makes this Affertion more probable, and more easy to be believed is; that a Running or a Gonorrhæa is often cured, when the Tellowness has continued to the last drop; which could not be if the Tellowness were always a Part, or a Mark, of the Contagion. In fact, I have feen a Liquor voided from the Scrotum, affected with a Psoriasis, that could not be distinguish'd from that of a Gonorrhæa; either by its Colour, or Confistence; the former whereof could not otherwise be produced than by the natural Liquors of the Body. Moreover, it is well worth our observing, that the Quantity discharged, when all the Scrotum is affected with a Psoriasis, is not the fortieth Part of a moderate Gonorrhæa; a certain Argument that this is not the Effect of an Inflammation or Ulcer of the Urethra, but is really the corrupted Liquor of the Lacunæ, as I have formerly proved; the Surface of the Urethra not being the hundredth Part of the Surface of the Scrotum.

But what happens more frequently, a Pox ensues the stopping this yellow Liquor that is discharg'd in a Gonorrhæa: And therefore we may likewise be persuaded, that the corrosive Cause may be of such a Nature as to produce the Tellowness. As also, that this corrosive, yellow Substance is an Acid: Because it becomes Green (the other Colour of the Running) by the Mixture of the Salt of the Urine, or the Alkali, and animal Particles of the Lympha.

Cor. 1. From hence it follows, that the fooner a Clap appears, the greater the Acrimony, cateris paribus; and the longer it is in appearing (the Liquor of the Lacuna keeping its natural Confiftence) the Acrimony is less, except in the Case of an inward Shanker.

Cor. 2. The gradual Increase of the Running, for the first sour or five Days, is in Proportion to the Degrees of the Sharpness.

Cor. 3. The Augmentation of the Deepnels of the Colour, in each of these Days, arises from the continual Increase H 4 of

of the Quantity of the infecting Salts, whose Proportion to the Quantity of Fluids becomes every Day greater.

Cor. 4 A Pox cannot be produced, while the Running continues; the Contagion being then voided by the Genitals. But the Discharge that way being stopp'd and interrupted, it flow into the Blood, corrupts it, and is the Cause of the Lues.

Schol. And in Consequence of all these Considerations, taken together, the Matter of the Pox, is a Poyson, which has a Power to change all our other Liquors into its own corrosive Nature; and is, on that account, seldom or never cured, but by the Help of Medicines properly administred.

Before we put an End to the Subject of this Chapter, it may be proper to relate an Observation of Monsieur De Blegny; which indeed is very singular, and absolutely destroys his own Assertions about the Nature and Seat of the Discase. When, * says he, in a virulent Gonor-

^{*} Page 67.

thæa, we observe a continual Desire to make Water, and the Flux of Matter which corrodes the Parts, through which it passes, of a greenish, yellow Colour; we may be assured that the Bladder, and adjacent Parts, are inflamed. Now, by what has been formerly faid, it is very manifest, how little the present Assertion agrees with the Bladder being concern'd, as the Seat of the Disease. Let it likewife be observ'd; that he here supposes this greenish, yellow Liquor to be a certain Mark of the Bladder being inflamed. What shall we then say of Women? who likewise have this greenish, yellow Running, whose Bladder he does not allow to have any Share in this Disease.

But to pass from any farther Observa-why this Eftions on the Insufficiency of his Hypo-star is with thesis, it may be noted, that all Physi-an Erection cians relate, as something very considerable, this Efflux of Matter in a Gonor-thwa to be without an Erection of the Penis, or any Sense of Pleasure in either Sex. Now as this always happens in the True as well as in the Virulent Gonor-thwa; there is nothing peculiar to the last, why it should be related as a Symptom. But the Reason for both, is, that the

the Runnings are the Effect either of a Relaxation of the Valves of the Seed-Bladders, or of a Liquor produced by stimulating the Lacune; which Efflux being, in neither Case, the Cause, or Effect of Desire, is perform'd without any Sense of Pleasure. It might have been more properly observed, that this stimulating Acrimony produces so great a Titulation in the Penis at the beginning and ending of a Gonorrhwa, that very seldom it either begins or ends, without nocturnal Pollutions.

Having discover'd by the most general and simple Appearances of a Gonor-rhæa, its Nature, Seat, and the way it is produced; I proceed, in the next place, to shew; how the Symptoms, we find attend this Distemper, flow from its Nature thus found out; as also, how these Symptoms give way, or are cured, by changing the distempered Condition of the natural Liquor; because, by this Account, the Theory becomes perfect and complete.

经验证证证证证证证证证证证证证证证证证

CHAP. VI.

Of the Sharpness and Pain in making Water.

THE Pain in making Water is fo constant and essential a Symptom of this Disease, that it passes reciprocally for the Gonorrhæa itself, especially among French Authors. But as the Pain does not proceed, nor appear at first with the Running, but after the Liquors are fully corrupted, and always ceases as the Acrimony abates, and the natural Liquor is restored, it cannot be any thing more than a Symptom of a Gonorrhæa.

We shall easily conceive how the Water produces the Sharpness and Pain, if we consider the Saltness of the Urine and the State of the Urethra; for as its Membranous Coat is fretted and corroded by the corrupted Liquor of the Lacuna, so the salt Water passing over those hurt Parts affects them with Pain. This Explanation becomes very obvious; by

by considering, how the Nervous Fibres of any other Part produce Pain, if they are divested of the Scarf-skin, and wash'd with salt Water. Thus the Cause of the Smart in Urining becomes very manifest.

This Pain must be greater and more constant, beause the Liquor, which is naturally design'd to preserve the Urethra from the Sharpness of the Urine and Seed, is corrupted and becomes the chief Cause of the Pain: So that the Liquor of the Lacuna is not only wanting in its natural Use, and by its Want exposes the Urethra to Pain; but is likewise become sharp, and a greater Cause of Pain than the sharp Urine and Seed could otherwise possibly be. And therefore it is again evident; how the sore Urethra is affected with the Saltness of the Water.

But as the Urine flows hot from our Bodies, the feeling of its Heat being confounded with that of its Smarting, the Heat of the Urine has often been supposed the Cause of the Smarting. Nay, Physicians observing how the heat, and smarting of Urine was encrea'sd by drinking hot and spirituous Liquors, took this for a great Confirmation of their Opinion, and for

for the Propriety of the Expression, as well as for the Manner of producing the Symptom. This they thought still more manifest; by the Pain and Heat abating, after drinking a Quantity of small Liquors.

Now the real Cause of the Smarting being formerly establish'd, it will not be difficult to account for these Expriences, from which fo false Conclusions have been drawn. For if this Salt and Briny Liquor can affect a Part with fmarting Pain, when it is divested of its defending Membrane; then the more falt that Liquor is, the greater, or at least the more certain, will the Smarting be: And, on the other hand, the less Salt the Liquor is, the less apt it must be to excite Pain. Now, it is very certain that all strong Liquors lessen the Quantity of the Serum in the Urine (if they are not drank in an exceeding great Quantity) as all watry Liquors encrease this Quantity, and the more they are drank in a great Quantity. And therefore, the Quantity of the Serum being lessen'd by strong Drinks, and encreas'd by small and watry Liquors, the Salt Parts, in the Composition of Urine, must abound more than naturally

in a Quantity made in the first Case, or the Urine is more Salt, and therefore excites more than ordinary Pain; but it is quite otherwise in the Case of a quantity of watry Liquors. So that this Pain in Urining, is excited by lessening the Quantity of Serum in the Urine, and taken off by augmenting its Quantity, without any other regard had to the Heat or Coldness of the Liquors we drink.

This is still more manifest, by producing the same Effect by solid Medicines. For let any Medicine be given, whose Powers are to provoke Urine, and another Medicine taken, whose Faculty is to waste a Quantity of Serum by other Secretions, the different Effects of easing the Smart by the first sort, and raising it by the second, are always constant. And therefore, on all these Considerations, it is still more manifest, that the Pain of Urining is from the Saltness of the Urine, and that the Pain is taken off by diminishing the Saltness: So this Ardor Urina, and Chaude-piffe, are ill accounted for by Latin and French Authors. What Heat may do in dissolving Salt in the Urine, or impelling it into the naked Fibres, is a Consideration of another fort:

fort; but still aiding to this foregoing Explanation.

As the Pain in Urining is always the Why the first greatest at the first and last Drops, this make the occasion'd that Suspicion Physicians had greatest Pain. of a Stone in the Bladder, which was then known to produce such like Pain, as they now found in the Case of a Gonorrhæa. But an Account of this Symptom will eafily be given from what has already been explain'd: For as the Pain in Urining is excited by the Salt Urine passing over a fore Part of the Urethra, to this Pain will be the greatest when the Urine remains longest on that Part; even till the Salt of the Urine is dissolv'd and diluted in the discharging Liquor. Now the Quantity of Matter at the Seat of the Gonorrhæa, causes a Stop of the first Parts of the Water, and hinders the last to run off the Urethra, so that the Salt Urine is more apply'd to the tender Part at those times, and the Pain in Urining is the greatest, when they first begin to make Water, and when Men have done making of Water, as we find by Experience.

By the bye, we may observe, that this Smarting and Pain in making Water is where the Cavernous Bodies join the Nut, or Glans, so we may be persuaded, that the Seat of the Disease is there: A new and collateral Proof of this Seat, evincing the Falseness of the Supposition that the Matter of a Gonorrhæa flows from the Prostatæ, or other more remote Parts.

The Reasoning is the same concerning the Smart of Urine in Women as it was in Men; but the Pain does not so certainly denote the Seat of the Disease, as it does in the Cases of Men, their Urine slowing over all their sore Part: Whereas it is reasonable to believe that a great Part of the Vagina in Women is affected; but the Smart can only be felt among the lower Lacuna, which are under their Urethra, and therefore can only be washed with their Urine.

This Smart of Urine, though consider'd here only as a Symptom, is so regarded among French Authors, as to bear away the Name of the Disease, and is thought the chief thing we should endeavour

deavour to cure. * De Blegny makes some Disserence between a Gonorrhæa and a Heat of Urine, and is very perplex'd in shewing how possibly the one may be without the other; but he can, by no means, extricate himself from the Disserence of Share in a Virulent Gonorrhæa; yet he is pleased afterwards to say, † That he has made that Disserence very manifest.

This Difference between a Gonorrhæa and a Chaud-pisse is not the particular Opinion of Monsieur Blegny, but is a favourite Notion among all the French: and another celebrated Author of that Nation explains this Matter more fully, and therefore more absurdly. ‡ There are, says he, two Sorts of a Gonorrhæa, one that is VIRULENT, and acquir'd by impure Embraces; the Matter flowing from the Penis in this Illness is Tellow, or Green, and Virulent. The other is a Chaude-pisse or Heat of Urine, because they find a throbing heat in making

^{*} Page 125, 126. † Page 127. ‡ Verdue Tome II. Suite de la Pathologie, Page 10, 13.

Water, which sometimes proceeds from any Person's being heated in his Embraces, or by drinking too much Beer. In this the Running, which is improperly call'd SEED, is watery and pretty clear, almost like the White of an Egg, and is not attended with any Tickling or Pleasure. When the Heat of Urine lasts any time, it commonly changes into a Virulent Gonorrhœa, which is followed with troublesome Symptoms, such a great Extension of the Penis which is very painful, a burning Heat, Leanness and Faintness.

The very Writing these Descriptions shews more the Confusion of this Author, and of them that follow him, than any Difference we can possibly make of his two Sorts of a Gonorrhæa, the Symptoms in both being the same I first described, as far as they can any ways relate to a Gonorrhæa; nor was it ever found that a Gonorrhæa without Virulence (which among Phyfical Authors is called a Simple Gonorrhæa) did at any time degenerate into the Virulent; fo that this Difference is rather a confused Sketch from this Author's Fancy, than any Copy from Nature. The Heat of Urine, he mentions, being sufficiently explain'd,

plain'd, as a Symptom of a Gonorrhæa; forbids our Discoursing farther upon it; and I'll be bold to say that, without Vanity, any other Symptom might offer a better Handle for establishing a greater Variety in the Sorts of a Gonorrhæa: Leanness indeed, and Faintness are likewise his own, and Symptoms never numbered among those of a Gonorrhæa by any Physician.

The great Occasion of this their Confusion is, that they observe the Gonorrbæa is soon cured after the Heat of Urine is over; when that Disease luckily ends in a Cure. But as all Symptoms, in every Disease, are strictly speaking, the Effects of the Original Distemper that produces them; so the Abatement of the Force of the Symptoms as much shews the abating of the Force of the Caufe, as before they were Signs of its Strength and Violence. Of this Sort is the Smart of Urine, which depends altogether on the Rawnels of the stimulated Parts; or that they are depriv'd of their Covering: whereby they are exposed to the common and natural Saltness of the Urine; on the other hand, the Abatement of the Pain, while the natural falt State of

116 The Pain in making Water.

of the Blood remains, evidently shews the Healing of the Part, and the Abatement of the Rawness, by the lessening of the stimulating Force, which at first occa-sion'd the Gonorrhæa. And therefore, the Heat of Urine must always first abate, how long soever the Efflux of Matter may hold afterwards, for many other Reasons.

When due Consideration is had to this; we must still acknowledge the Running of the corrupted Liquor of the Lacunæ to be the Principal and Pathognomonical Symptom of a Gonorrhæa; and the Heat of Urine, and other Symptoms, we are about to explain, to proceed from the Virulence of it.



CHAP. VII.

Of the Binding Pain in Erection, the Inflammation of the Glans, and Frænum, and the widening the Orifice of the Urethra.

THE Binding Pain in time of E-rection, is a Symptom of such Difficulty, that Physicians have never attempted to explain it, and most of them have thought it the same with an Inflammation of the Franum; contrary to all Experience, and ancient Descriptions. * Jodocus Lommius, and some other good Authors, speaking of an Ulcer in the Urethra says, The Pain in Erection shews this Ulcer to be already form'd, which Pain affects the Penis in such a manner, as if it were hard bound with a Cord, (ut veluti fune substringi videatur.) Now this Description agreeing perture.

^{*} Lib. II. fol. 90. Antwerp 1560.

feetly well with a Chordè in French; and Corded in English, the Impropriety in either of these Languages is very great when we say, that any one has a Chordée. But the Injury done to Practice is far greater, by suppressing so sensible and obvious a Symptom, and transferring it to another part; for hereby this proper Symptom is concealed, merely to avoid a Dissiculty it were sar better to confess; and Experience is forced to give way to Speculation; which ought not to be done upon any Account whatsoever.

Perhaps there is not a more surprizing Phanemenon; than that a Part, having a Sore or an Ulcer in its very Substance, should give such a Feeling and Sensation as if it were ty'd round with something, while its Parts are drawn from one another, as they surely are, when its Bulk is encreased. In reason, the contiguous Parts receding from one another should rather affect us with a tearing Pain, than with that of being bound round with a Cord; a Cause of Pain altogether extrinsecal.

But, to encrease the Paradox, the Corrosion is really inward in the very Urethra; but the binding, the compressing Cause

Cause which hurts this fore Urethra, is really without it; and thus the Mystery is out. This Affertion is evident from what was formerly described, about the Course and Situation of the Urethra; for as it runs between the Cavernous Substances of the Penis, and one of its Coats are spongious, the corroded inner Coat must always be compress'd by them, when they are inflated; more or less, according to the Degree of their Inflation. Wherefore the excoriated Urethra is every where compress'd, and cannot give any other Sense of Pain, than that of being hard bound round with a Cord. This Compression of the Urethra has already been observed to be so great, that it is with some Difficulty the Seed, and Urine, are expressed in times of a rigid Erection.

Cor. 1. Hence we may know the Place of the Hurt, and how far it reaches, by this Pain in Erection.

Cor. 2. We may likewise conclude; that if a Soreness was occasion'd by sharp Matter flowing from the Seed-Bladders; the Parts of the Uretha, next to them, should be equally disposed, and obnoxing ous, to be hurt; but as they are not, it is

is evident that the Matter does not flow from thence. Indeed, the present Symptom of the Cording Pain never admitted of an Explanation before; nor can it be accounted for at all upon any Hypothesis, but it now becomes manifest by this Theory, drawn from the anatomical Account formerly given, of the Part.

It might be very proper, on this Occasion, to consider the continual Erection or Priapism some People, labouring under a Gonorrhæa, are affected with. But as the Perpetual Irritation the Penis suffers by the Matter of the Disease is very obvious, and sufficiently accounts for this Appearance; I shall forbear any surther Explanation of it, and rather proceed in the next Place, to sollow this corrupted Liquor, as it flows from its poisoned Fountain, and farther propagates its Corruption, by producing Scabs, Ulcers, and Rottenness in the Places it runs over.

When we trace thus its Course out of the Penis, the Acrimony shews itself in the Inflammation of the Nut, the filthy gaping of the Urethra, in the Shankers, Phimosis and Periphimosis formerly related

related, in the Beginning of this Difcourse.

While we follow the Course of the cor- The Inflamrupted Liquor of the Lacuna, and ob-mation of the serve the different Effects of its Acri-Glans. mony, we find no Part more affected than the Glans, when the Matter of a Gonorrhæa is apply'd to it: For as no Part is endued with a more exquisite Sense of Feeling, so no Part suffers more with the present Acrimony. In every Stimulus, the Parts are violently drawn afunder and contracted; and that, proportionably to the Degree of the Stimulus, and the Senfibleness of the Part that is stimulated. And therefore the small Nerves and Fibres of the Glans being stimulated, by the sharp and corrupted Liquor, compress the Blood-Veffels by their Distraction and Contraction; and thereby retard the Motion of the Blood in the Veins and Arteries of the Glans, h. e. occasion an Inflammation in that Part. Moreover, the two Arteries of the Glans creep directly on the Back of the Penis, without any Ramification, or ever dipping into its Cavernous Bodies till they enter the Glans itfelf, and then it divides into a great Number of very small Branches; which Ramifications

mifications occasion the Blood to flow very slowly thorough them; or makes the mentioned Inflammation.

Why the Gaping of the Urethra.

Besides, as this Inflammation of the Glans is produced, by the stimulating Force of the Acrimonious Liquor that acts on its Nerves and Fibres, so the Contraction of these Parts, occasion'd by the fame, will always be towards the Cavernous Bodies of the Penis to which the Glans is annex'd; and the Contraction in each Fibre will be stronger, or weaker, in proportion to the Caufes that raise it. And therefore, whatsoever the Force be with which these Fibres are contracted, they will always draw from the Orifice of the Urethra towards their fix'd Infertion in the Cavernous Bodies; which drawing occasions the Dilatation at the Orifice of the Urethra, commonly observed. By the drawing or widening of the Orifice we may properly enough judge of the Degrees of Malignity in the Matter of a Gonorrhæa, and likewise of the Progress that is made in changing, or curing the Malignity, and Acrimony, of the Running; because the Matter of the greatest Acrimony will cause the greatest Inflammation, and the greatest

greatest Opening of the *Urethra*, all other Circumstances of the *Glans* being in their natural State.

What is already faid concerning the The Inflam-Inflammation of the Glans, by the Acri-mation of the Franum. mony of the Running, makes the Thickness and Inflammation of the Franum become very obvious, and easy to be conceived. For as the Franum is only a doubling of the outward Membrane of the Glans, it is equally liable to be inflam'd, and thickned by the mentioned Acrimony stimulating its Fibres. And therefore the Franum, being thicker, becomes likewise shorter, and draws along with it the top of the Nut, to which it is fastned; which Appearance, has, for fome time, been abfurdly call'd the Corde; contrary to the Current Sense of all ancient Physicians, and in Opposition to common Experience; no fuch Feeling, as this outward Binding, being ever perceiv'd, when the Franum is inflam'd.

1 28 541

CHAP. VIII.

Of SHANKERS and CRY-STALLINS.

CHANKERS are reputed among the first Symptoms which appear in the Venereal Disease, and an early * Author observes, that the Pushes on the Prepuce, Glans, or on both, are occasion'd from the Sharpness of Humours that are stirr'd in time of Coition, and the Malignant Quality of the Venereal Taint contained in the Neck of the Womb, or that flows from the adverse Party. This being premifed; it is certain, that the Shankers on the Franum, and Prepuce differ very much from those on the Glans, and other Parts. For these are a fort of Tumour with hard Edges, and the former rise not above the Skin, but are likewise hard, and shed a watry Substance. They resemble the Sores on the infide of the Lips, we commonly

^{*} Ant. Muf. Brafav. pag. 585. Scriptorum, &c. call

little from those of the Greek and Latin, first given them. Now as both kinds of Shankers are Hard, their Liquors Corressive, and agree in many other Qualities observed about Cancers, they are properly enough said to nagnived. And the common Use of Cancers, and Carcinoma among Greek and Latin Authors, sufficiently warrants the analogical Name given to these new Sores.

The Cure of Shankers, especially of those on the Franum and Fore-skin, having greatly perplexed and puzzled Authors, they did not sufficiently attend to their Nature or Symptoms; by which means the Description, given of them, has been obscure, and their Names ill ascertained, as I have observed. The Cure of Shankers is not our present Confideration, but how the corrupted Matter of a Gonorrhæa, flowing out of the Penis, produces a Shanker; and if we reflect on their Hardness, and other Qualities, we must be persuaded, that this Acrimonious Matter either coagulates the Liquors of the Part it is apply'd to, or dissipates them; as we find Fire does, and renders the Parts harder; so that it bears

bears some Analogy to Oil of Vitriol, Oil of Origanum, Lapis Infernalis, and other Causticks, or to Fire itself.

This fingle Coagulation, or even Diffipation of the Humours, sufficiently explain the Shankers on the Franum, or Fore-skin, and other Membranous Parts: But the Coagulation of the Liquors in the Glands of the Nut, or their Obstruction, contributes more especially to produce the Shankers there, and to raise the Tumours that are observed in them, which are not to be seen in those of the Fore-skin.

From what has been faid of the comparative Degrees of Corrosiveness in the Matter of a Gonorrhæa, it is evident, that the Hardness of Shankers is not so much acquir'd by dissipating the Humours, as it is by their being coagulated. This is manifest from the Use of a Medicine which has been invented some Years ago, but never before communicated to the Publick; for the Liquors may be resolved again by this Medicine, without any Pain, and the Shanker cured without any Loss of Substance; whereas when Escharotical Medicines are apply'd, they

they destroy the Part with much Pain, and give occasion to Physicians to suspect, that the productive Matter of a Shanker had some Resemblance to Fire, in its Operation.

Now as Shankers are occasion'd by the sharp Matter of a Gonorrhæa, that sticks to the Glans, or Fore-skin, the softest Nuts take the Infection most easily, and the Corrosion will be the strongest when the Quantity is the greatest. This is the common Case of Men, who have their Glans always covered with the Fore-skin; for they have the foftest Glans, and their Foreskin detains the Matter longest upon it; upon which Account both these Parts are most corroded with Shankers. By this Method of Reasoning we become easily appriz'd how Shankers are communicated between the Sexes, in time of Coition, and the way of their being form'd is a little more obvious by what we often find when Merc. dulcis is improperly given, and when it is not duly cleared from its Corrofive Salts; for then fuch Sores as Shankers on the Fore-skin, are produced on the Tongue and Cheeks.

Cor. Hence it follows, that we may easily determine when Shankers are as much Originals as the Gonorrhæa itself: when they are Symptoms, and when they are independent of it, or are the Effects of the Pox; and all this by observing the times wherein the Shankers appear, and other Circumstances in respect of a Gonorrhæa and the times of Coition: A Difficulty fo great at present, that it has eluded the Observation of the best Physicians, though they have been conversant in the Practice of every part of the Venereal Disease. Mr. Blegny acknowledges all these different kinds of Shankers I have mentioned, however furprizing they will appear to some; and though he is not able to give us any Method whereby we may know them from one another, yet it is very proper to recite his Words. * We know by Experience, says he, that some are affected with PAINS, TETTERS, WARTS, UL-CERS, and SHANKERS,, and yet after all are far from being Poxed. Blegny, indeed, talks in that Manner, as if he was to give us some proper Marks, whereby

^{*} P. 57. l. ult.

the one fort of Shankers may be known from the other; but he has not hitherto made that useful Discovery; but this Difference is become very plain from the foregoing Account.

Let us next confider the Crystallins, The Crystal: which we find always in the Number lins. of the worst Symptoms of a Gonorrhæa; they being little Pushes filled with Water, or Phlyctana, are Transparent, resemble Crystal, and on that Account are called Crystallins. But as these Bladders are not always full of Water, they are flat when they are pressed with the Finger, and are always without Pain. The Crystallins are only on the Foreskin, the Parts whereof, on which these Bladders do not appear, being very Red, and of a Blackish Colour, as all Parts are which have been bruised. This blackish Redness is very different from the Inflammations of the Glans and Foreskin, already mentioned; and therefore does not feem to be the Off-spring of the Virulent Matter of a Gonorrhæa; and far less can we imagine, that the Bladders and Crystallins are produced by the Sharpness of the Corruption.

On the other hand; by confidering the dark Redness, so very common in all Contusions, we may naturally conclude that this Symptom is of the same fort. On this Supposition of a Bruise, the Bladders will eafily become manifest, especially if we consider how plentifully Lymphatick Vessels appear to be bestowed on that part. Now a Contufion of fuch Veffels would certainly hinder the Lympha to flow along them; and the Lympha thus interrupted, will distend its Vessels in their natural Form; which is the very Figure of the Crystallins; for the Lymphaticks are not equal in their Surface, nor Conical, nor Cylindrical like the rest of the Vessels; and though they be really Cylinders they are unequal and knotty, because of the frequent Interruption their Liquor finds from the great Number of their Valves; which occasion them to swell thus unequally, when the Lympha proceeds more flowly in its Course, or endeavours any Return or Reflux, and is the true Caufe of the Crystal Knots, the Figure of the Crystallins. So the Crystallins may be the Effect of Coition, but are never the Product of Infection received at the same time ; time; but are more properly the Effect of the Unfitness of the Parts of Generation, and that that part of a Woman is strait Naturally or by Art, as common Women frequently practise.

The way too how Crystallins are cured confirms very much the foregoing Opinion; for as they are often got without an ensuing Gonorrhæa, so they are always cured, without having any regard to it; which never could be done, if they were any Symptom of that Disease. All this will appear more fully, when the Cure of Crystallins is particularly considered.



K2 CHAP.

*፟*ቑ፟ቘቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቑቜ

CHAP. IX.

Of the PHIMOSIS and PERI-

HE Nature of Shankers and Crystallins being explained, we may foon be convinc'd that a Phimosis and Periphimosis are more the immediate Effeet of Shankers and Crystallins on the Fore-skin, than of the Sharpness and Acrimony of the Running which produced the Shankers, though some Degree of those Symptoms is really produced by the Sharpness. For as the Phimus or Phimosis is that Affection of the Fore-skin, whereby it is so pursud on the Glans, that it cannot be drawn back to uncover it; so when the Fore-skin choaks on the Neck of the Penis, and cannot return to cover the Glans, it is called a Periphimosis by * Paulus Ægineta.

The Reason of these different Affections will become perspicuous, if we consider what promotes and facilitates the Fore-skin passing easily backwards or forwards, when it is to cover and uncover the Glans, and what the present Impediment may be.

The Glands of the Nut were, formerly, found to separate a Mucilaginous Substance that keeps it slippery, and conduces to the Fore-skin passing backward and forward more easily over it. Now when the Liquors of these Glands are coagulated in any measure, and not discharged on the Nut, it becomes difficult for the Fore-skin to run over it; which Difficulty encreases by the Tumours or Shankers, that grow there; so that on their Account the Fore-skin is not easily brought over the Nut, but choaks, and occasions a Phimosis, or Periphimosis.

It is plain how the Shankers on the Glans hinder the Fore-skin from flipping over it, and the Shankers on the Fore-skin, as also the Crystallins, thicken the Fore-skin and render it unfit to pass over the Glans; and therefore the Fore-skin stopping before, or on the Neck of the Glans,

Glans, will be the Cause of a Phimosis or Periphimosis. Besides, the Fore-skin not being a single but a double Membrane, the inward doubling, which touches the Penis, may be thickned, when the External remains unaffected; only it will be in Pleats and Wrinkles upon the Glans while the inward choaks it. Thus its Thickness encreases by a new Afflux of Humours, which comes by its choaking on the Part, and conduces to produce a Phimosis or Periphimosis more powerfully.

It will equally contribute to give us a lively Notion of a Phimosis being occasioned by the Dryness or Tumours of the Glans, and to reconcile us to the Digression, that informs us of a Phimosis, where there cannot be the least Suspicion of the Pox, or any Degree of Venereal Sharpness. This Phimosis was in a Case of the Small-Pox, and it was so great as to hinder the Child from making Water for two Days. This Phimosis happened in the time of the drying of the Small-Pox, and continued till the Scabs began to fall off.

A Phimosis by the Small-Pox.

Women

Women have a Phimosis in a Gonorrhæa, and on sundry other Occasions. It was in these last Cases of Women that we find it first mentioned; for their Phimosis is, on any account, when the Entry into the Vagina is shut up, so that it does not suffer any thing to pass into it. Afterwards, by Analogy, all Parts that are to open or to shut, being under a Difficulty of opening by a swelling of the Parts, take that Name. Hence it is that we hear of a Phimosis of the Lips, Eye-lids, Anus, and Fore-skin, as well as one of the Vagina.



The



The CONCLUSION.

Why Men catch a Gonorrhea more easily than Women. The Difference between a Fluor Albus and a Gonorrhea.

HE Symptoms of a Gonorrhæa being explain'd, and its Nature discovered in this Method of Reasoning; we find the Cause of the Disease, and of its Symptoms, to be the same in Men and Women, as far as their Parts of Generation can admit; which Account differs very widely from all others; for in these, different Hypotheses are employ'd, for explaining the Gonorrhæa in each of the Sexes; though they do not perfectly well agree among themselves. The principal Regard in this Inquiry has been had to Men; though the Particulars in the Gonorrhæa of Women have been so fully consider'd; that, by easy Changes, whatever has been shewn concerning

cerning the Gonorrhæa in Men may easily be accommodated to that in Women. So that we might, next after this Theory, proceed to the Cure of the Disease in both Sexes; were it not first necessary to consider two Cases, we have not hitherto found the proper Opportunity of examining. One is, The notable Difference we find of Men being more readily infected with a Gonor Refor A than Women. The other, Why it is so difficult to determine, whether Women have the Whites or a Gonorrhæa.

As to the first; we find by Experience, that sew Men escape the Contagion that have any Commerce with an Insected Woman; notwithstanding of the very inconsiderable Quantity they receive of the Insection On the other hand, Women receive vastly more Contagion, yet often escape clear from being insected with a Gonorrhæa.

This Paradox will soon vanish; if we consider, that the Contagious Liquor is convey'd from a Man, blended with another Liquor in a Qantity far exceeding the Poison convey'd along with it: As also; that the Liquor, with which the Contag

Contagion is mix'd, is very foft and vifcid; fit to sheath and entangle the sharp Parts of the Running. And therefore the sharp contagious Parts may be so blunted in the other Liquor, as altogether to defeat its ordinary Effects; especially in the time they both remain in the Vagina: So that the sharp Liquor cannot stimulate the Lacuna, or infect the Liquour which naturally flows out of them; both because its Quality is changed, and its Stay is very short in the Vagina. It is then very manifest, how an Infected Man may have Commerce with a found Woman, without her ever sharing in his Infection; whereas a Man, receiving the smallest Quantity of this acrimonious Stuff, is easily infected; it being communicated in all its Force, without any Mixture, and meets with fo much Moisture only, in his Lacuna, as is more fit to dissolve and propagate the contagious Salts, than to prevent their Infecting.

This Reason perfectly well explains to us, why some Women do not entertain the Infection, if they receive it when they have their Menstrua; for the Blood flowing from about the Bottom of

of the Womb, not only sheaths, but washes and dissolves, this acrimonious Corruption, and carries it along with it self, as it slows out of the Body. This Prevention is still more powerful, that a fresh Supply of Blood is always renewing in the Vagina, and is constantly slowing out of it for four, five, or more Days; and, is on that account, a very proper Means to hinder the Contagion of a Gonorrhæa from taking Place.

The Operation of fuch foft and entangling Liquors cannot beget in us any Difficulty in apprehending their Effect, for preventing the sharp Parts of a Running, from infecting the Liquor of any Part, or from stimulating the Part itself; when we reflect, that fuch Effects are not uncommon in our daily Experience, and that unsafe Quantities of Corrosive Spirits, or Oils, are made not only fafe but useful, by blending them with Mucilages, Soft Oils, or the like entangling Substances. And therefore we may eafily understand, how the Effect of an acrimonious Liquor in the Gonorrhæa is defeated by Seed, or measured Blood.

between the Fluor Albus rhæa.

The Difference The next Difficulty that remains to be explained, is to find out the Difference and a Gonor. between the Fluor Albus in Women, and their Gonorrhæa: As also, by what Marks they may be known; fince hitherto fuch Signs, as can shew this Difference, are still wanting. For the Humour that flows in the Whites is thick, white, yellow, and sometimes green, often exciting a Heat of Urine: All which being Marks of the Matter of a Gonorrhæa, make the Characteristick of the Whites more hardly to be found.

> Baglivi * pretends that the Fluor Albus is easy to be known in time of Menstruating, because it disappears, and is intimately mixed with the Blood; which he fays is otherwise when Women have a Gonorrhæa, the Running then appearing separately in the time of their Courses. But as this Observation is really feigned, and altogether inconsistent with daily Experience, and the Nature of the thing, it does not require our farther Consideration; for how should two Liquors, that easily mix, pass slowly in the

^{*} Lib. ii. Chap. viii. S. iii.

fame compress'd Canal, and yet keep afunder and flow separately; which Observation alone shews the Groundlessness of this Supposition.

After all; upon due Consideration, it will be found; that there are not any Marks in the flowing Liquors, or any that can be drawn from the Seat and Source of the Efflux, to be discover'd, which can point out the Difference in these two Diseases. As to the Matter it is the same with the Liquor of the Lacunæ discharged in a greater Abundance. The Colours of this Matter were already observed to be the same; so neither the Place from whence this Liquor flows, nor its Colour, afford the Distinction which has been fo long, but vainly expected from them. Yet as the Fluor Albus, and all its Symptoms, are the Effects of Causes that are within a Woman herself, and the Gonorrhæa is produced by Causes extrinsecal to her, that stimulate the Lacuna, and can poison their Streams; these distinguishing Marks are only to be collected from the Manner of their being produced.

This Account agrees perfectly well with our constant Experience. For after the Colour and Acrimony of a Gonorrhæa are cured in Women, there remains very commonly an Efflux of a white, thick Liquor, not to be distinguished from the Whites when they are an essential Disease; and, upon this Appearance, mercenary Clap-curers leave Women to be help'd by the proper Methods of that Disease, exacting their Reward of having cured their Gonorrhæa; though this Essential say other we can assign.

Both these Observations are still more obvious, from what we formerly mentioned in treating of the Gonorrhæa in Men; for in their Case, the Colours of the Running, and Heat of Urine being abated, the white Running, or a Running without Virulence (as we always term it) constantly appears; yet these Authors never attribute the Whites to Men, which they might as justly do, as to Women, on this Occasion. And therefore as all the Symptoms in a Gonorrhæa and Fluor Albus of Women are so much alike, (whatever their Effects may be when

when improperly cured) they do not afford any Pathognomonical Sign, which can be taken from the Place of the Running, or from the Difference of its Colour; but all Signs are prudential Collections only; unless the Running be attended with Shankers, or other Symptoms, peculiar to a Gonorrhæa.



PART



PART II.

CHAP. I.

The general Design in Curing a GONORRHOEA, with a particular Account of the direct Method.



S we have endeavoured, in the former Part of this Discourse, to deduce the Seat and Nature of a Gonorrhæa from its Sympanorrhæa

toms; without engaging in any of the Theories or Hypotheses received at this time; so my present Endeavour shall be, to draw the Method of Cure from the Nature

Nature of the Disease thus discover'd. This Method must necessarily prove the most genuine and satisfactory; because it proceeds from the Essence of the Disease; whereas all former Methods of curing, have not any Foundation either in Reason, or in Experience.

By the foregoing Inquiry we are in-How a Goformed, That the real and true Cause le cured. of a Gonorrhœa is a Corruption of the natural Liquor, separated from the Blood and contained in the Lacunæ, the Sharpness of which Corruption stimulates the Lacunæ, and excites the Running: As also, that a Gonorrhoea will run off in time, or may cure of itself, if the Quantity of the Efflux is greater than the Power of Corrupting: Moreover, as the stimulating Power occasions the Difcharge into the Urethra; the Pox cannot ensue in time of a Running; and not till it is check'd by improper Medicines. And therefore the Cure of a Gonorrhæa must be obtain'd by destroying the Corruption in this natural Liquor; or by belping it to run off in the way it sometimes does, when the Disease cures of it felf. The first of these cannot be done by any known Method; and the Medicines

cines in present use can only answer the fecond Purpole, of running off the Stock of Corruption. The Medicines executing this Intention of Curing have been attended with great Uncertainty and Danger; because Physicians are not sufficiently apprized of the properest Ways of using them. It is to this Unskilfulness all our Disappointments in Curing are owing; and that the Symptoms are very often exasperated, the Gonorrhwa being attended with great Pain, Inflammations, and other very grievous Symptoms. And therefore in pursuit of the foregoing reasonable Indications, I shall discover the most direct and most proper Methods of Curing; by stating the Conditions, and Circumstances, of the Disease, when every kind of Medicine becomes most proper, and may be given to the greatest Advantage.

The Method by destroying the Sharpness possible.

Medicines to destroy the Sharpness of the Corruption, or the Methods of curing on the first Indication, are altogether new; nor could it otherwise be, Physicians being altogether Strangers to the Matter of a Gonorrhæa; and still more to the Place from whence it flow'd; their Hypotheses were but a Guess, and rather led

led them into a Belief of the Impossibility of such a Method, than to inform them in any true Practice. But as we are now convinced that the running Liquor comes from the Lacunæ, which are at hand; who can deny, that a Liquor injected into the Urethra, may affect the flowing Matter in the Lacunæ, and may there destroy the Corruption, and the Running with it?

The Mischief done by the most im-confirmed by proper Injections is a very convincing the Mischief Proof, that the Place of the Running proper Injecmay be affected by Injections; and there-tions. fore when cunning Practitioners reason against using Injections, they seem more inclined to frighten their Patients than to confult their Wealth, their own Experience demonstrating the Power of Injections; and the great Caution should be, against improper Injections only; which have been known to occasion the Lues, and pernicious Effects of many Kinds: But not to add knavish Pretences to their own ill Practice; as if no proper and useful Injection could possibly be devised. Now Reason, and Experience, assuring us that a Gonorrhæa may be well cured by Injections, Physicians will be careful, how they L 2

they expose their Veracity and Honour by denying what is thus reasonable and possible; but especially when either the Materials of an Injection are proposed to our Reason; or the Success has shewn the Truth of a safe and proper Injection. And therefore, as I have given many more Experiences than are ncessary to establish the Fact and Certainty of an Injection that will cure a Gonorrhæa, it is not necessary to insist upon a Matter so manifest and well known, till some real Objections can be offer'd in Opposition to it.

Moreover, as the Matter of a Gonor-rhæa is the corrupted Liquor of the Lacuna; which Matter never mixing with the Blood, but discharging from the Lacuna, while there is neither any Administration of Medicines, nor of such as are manifestly hurtful; it necessarily follows, that the corrupted Liquor may be discharg'd of its Corruption in the Lacuna: Which Method is very direct for curing a Gonorrhæa.

We must confess, that a Method by internal Medicines can never be so certain as that by Injections; nor is the Safety so manifest during the Cure; for it must

must afterwards appear, how good, and how unhappy the Success of it proves: Whereas the Practice by Injections may always be manag'd with the greatest Certainty, and Success.

But, in judging of the Sufficiency of this new, but direct, Method of Curing, the principal Confideration is about its Efficacy, Safety, and the Time wherein we are cured, which is better answer'd in this Method than any other; for a Gonorrhæa terminates much the soonest this Way, and Women are as soon cured as Men, which never is in the other Ways of curing; nay, Women are very seldom cured in any other Method; as the lasting Running, without Virulence, sufficiently proves, their Gonorrhæa rarely submitting to the common Methods of Cure.

This Efficacy of a proper Injection is conspicuous in any time of a Gonorrhæa; and the Quantity of Running never increases after the first using it; so much is the Sharpness blunted in a little time: And therefore the Practice of the Injection being in the Days of the Encrease, or in the Beginning, the Cure will be the

the quicker; if the Liquor of the Lacuna is not thicker than natural, there being commonly a smaller Quantity of Corruption to be subdued than after the Quantity is greater; whereas, the Quantity of Running must always encrease by the Practice of Diuretical or Purging Medicines in order to the Cure. For Diwreticks do not act by correcting the Corruption, nor do they excite the Running, and the Gonorrhæa only encreases by the Sharpness of its Matter, as we may be now convinced; and purging Medicines add their Stimulus to that of the Running whereby the Quantity of the Running is vastly encreased. The different Operation by the Medicines of both Methods are very confiderable; the one correcting and subduing the Corruption, the other promoting the Running off of the Corruption; both which make Astringent Medicines necessary; which otherwise never should be wanted in a right Method of Cure.

But the Method by Injections is not only the most speedy and effectual, but is likewise the most safe, as is evident by moderating the Symptoms in time of the Cure, and the Consequences after a Gonor-

Gonorrhæa is cured; for in this direct Method, by Injections, the Sharpness is destroy'd, and consequently all the Symptoms which flow from the Sharpness; but in the indirect Methods the Sharpness is augmented, and the Symptoms with it; purging Medicines adding to the Sharpness, and Diuretical Medicines taking off the Defence against the Sharpness; in both which Cases the Cording Pain, Heat of Urine, and other mentioned Symptoms are unavoidable, but are never seen in the direct Method; and the greatest Heat of Urine is taken off in twelve or twenty four Hours, which often refift the best Medicines that can allay these Symptoms, which are very common in all other Methods.

If we further consider the Safety of any Person cured of a Gonorrhæa, this is better provided for by the Method of proper Injections, than by any other; the Design of this being to destroy the Sharpness, and never to endeavour a Stoppage any way, otherwise than by subduing the Cause of it; so that an Irregularity in Life, and the Greatness of Corruption, may possibly make a longer La

Cure; but never an unsafe one. On the other hand, Errors in living, and untimely Assistance from astringent, and balsamical, Medicines are too commonly the Causes of the ill Success we find attends the Practice of a Gonorrhæa. And therefore as there is no Competition lies between the Directness and Success of both Methods, our Endeavours ought all to be employed, about the most effectual Injection, invented on the foregoing Principles of a Gonorrhæa.

But when we would determine about the safest Method of curing a Gonorrhæa, great Care must be taken, that we judge fairly between both Pretences; one cured by an Injection is not to be frighten'd for Life, and another affured of his Safety, foon after being cured in the other Methods. Let the times be the same; and because modern Authors mentioned no time, wherein we may reckon fecurely of our Cure; we may imagine that the Blood is corrupted by an unfuccessful Practice in the like time it was formerly found to be corrupted, under the Practices of these times. In that Case let us follow the Rule of the learned FracaFracastorius, which well agrees with Experience.

In primis mirum illud erat, quod labe receptà, Sape tamen quater ipsa suum compleverat orbem Luna prius, quam signa satis manifesta darentur.

Thus we may safely conclude, as far as Experience can support us, that a Gonorrhæa will never be attended with ill Consequences after it has disappeared four Months, and that no Sign of the Pox has appeared in that time.

The direct way of curing a Gonor-rhæa, by destroying its Acrimony, being consider'd, we are led a Step farther; which is to believe, that a Medicine, which destroys the greatest Quantity of Corruption, will more easily destroy the least; or, which is the same, that a proper Injection is able to destroy the Cause of a Gonorrhæa when it is first communicated, and does really cure it before its Appearance, and is, in a proper Sense, a preventing Medicine.

This Effect, or the curing of a Gonorrhæa when it first appears, without encreasing its Quantity, cannot be expected from any other Methods; they necesmecessarily encreasing the Quantity towards a Cure; as was formerly shewn, and a speedy Stoppage by them is an unavoidable Cause of the Pox.

Through the Course of this Argument, it well deserves our Observation; that as the Whites, and Gonorrhæa, were found to be much alike in the foregoing Theory, so we find that they may be cured with the fame Injection; which Observation renders the Theory perfect, and shews the Genuiness of the Method of curing a Gonorrhæa, and as both of them are produced by a like Corruption of the same Liquor; so they both admit of the same Cure: a double Proof of the mentioned Proposition of the Nature of the Whites, and of the Gonorrhæa; and of the Directness of the Cure by Injections; especially, that the Indirect Method of a Gonorrhea is of no Use in the Cure of the Fluor Albus.



CHAP. II.

The indirect Method by increafing the Running.

THE second Indication of Curing, arising from the foregoing Theory arising from the foregoing Theory of a Gonorrhæa, is to excite the Running, which being greater than the Corrupting Power, the Liquor of the Lacunæ is left clear in length of time, and stops without any other Help; if the Diameters of the Lacunæ are not enlarged by raifing too great a Discharge of their Liquor. And therefore, as the destroying the Corruption, or the running off the corrupted Matter, or the doing both of these together, being the only possible Means whereby we can cure a Gonorrhæa; we must next endeavour to discover, how far the Medicines, recommended to us from Experience, can anfwer these purposes; because these Medicines are the best, and most to be depended on, that produce their healing Effects with the fewest ill Accidents in their

their Operation. By this Method of Inquiry the Propriety of every Medicine may be found; and we may become apprifed of the best Medicines, with the best way of using them.

But before we proceed, it will be very agreeable to know the Reasons that first induced Physicians to employ the Medicines, we find to have been administred; especially, that we commonly believe these Medicines to have been invented in this, or the last Age; and that they were unknown in more early times: And therefore I will first relate the Grounds on which ancient Phyficians founded their Practice of Purging, Diuretick, Astringent, and Balsamick Medicines; and I shall next relate the Pretences of later Phylicians who pursue the same Method, with the same, or the like, Medicines of former Physicians; without making an Improvement upon them, or administring them in a more rational way. Thereafter, I shall show the Propriety of each Method, and Administration; for thereby they may be practifed to the greatest Advantage, and to the best Purposes.

The Cure of a Gonorrhæa is a little obscurely mentioned by Bernardinus Tomitanus, more clearly by * Prosper Borgarutius; who shews us the Misfortunes attending drying and styptick Medicines. It is plain, that this Author had the Corruption of Seed in his view, the supposed Cause of a Gonorrhæa down from Antonius Musa, as I formerly obferved; and therefore he recommended cooling the Seed and Seminal Vessels, warning us against Astringent Medicines, in the beginning especially. He thinks the best way of preparing these cooling Medicines is with Guaiacum and Sarfaparilla; both which Medicines he uses, imagining the Gonorrhæa to be a Symptom of the Pox.

Borgarutius thinks the Medicines, recommended by Galen, Aetius, and other ancient Physicians for the Cure of a simple Gonorrhæa, are of great use in the Cure of this Virulent Gonorrhæa; which were properly suggested from the salse Notion he had of the Disease, tho' they are continued to this Day; that we

^{*} Cap. ix. pag. 163, 164. Scriptorum, &c.

we do not entertain any fuch Opinion; as we shall hereafter observe: a manifest Proof, that the Physicians of later Times practised empyrically with Medicines invented on false Notions of the Difease.

Purging Medicines are recommended by the foremention'd Physician for the Cure of a Gonorrhæa; more especially Cassia, that being esteemed a great Specifick for all Diseases of the Kidneys and Seminal Veffels, among which he reckons a Gonorrhæa; and indeed he so much recommends this its Specifical Quality, that it happens to be the only purging Medicine he makes use of, and is sacredly stuck to by our modern Inventors; Borgarutius gives the Cassia in a small Quantity, on purpose that it should not work off, but that it should have time to exercise its specifick Quality, in cleansing the Reines or Kidneys: And I doubt whether the Philosophy of later Practitioners is much better, though they do not believe that the corrupted Matter flows from the mention'd Parts. Author proceeds further; and recommends Astringent Medicines to be given after Cassia, when the Running has continued Cures have not added to his Rules.

* Alexander Trajanus Petronius as exprefly relates his own Method as any Physician can do. We ought to use, says he, cleansing and laxative Medicines, and fuch as are moderately cooling; but especially Cassia, which cleanses the Bladder and Kidneys, and is likewise Purgative. Yet discoursing afterwards + of the Cure of an obstinate Gonorrhæa, he founds his Practice on this his Opinion, Aut enim, fays he, semine vitiato, & partibus calidà intemperie male affectis gignitur, aut omni vitio seminis amoto, & partibus omnibus præter glandulas, quæ Sasátas dicuntur ad integritatem reductis nibilominus perseverat, tanguam semen per ulcera quæ in his glandulis adbuc aperta manent non exire non possit; and having given the Signs common to both Cases, (which are truly the Symptoms of a Gonorrhæa) he adds, that the chief Indication is to be taken from the Ulcers of the Prostata; but lest any Confusion should arise in pursuing the Practice, with regard to these Symptoms;

^{*} Chap. iv. Lib. viii.

he first endeavours to give the common Indications, and next those that are more particular. In consequence of these Indications, he says; we are first to abate the Instammation, then to assume the Pain; and that we may make the Heat of Urine more easy, we are often to give a Purge, or provoke Urine; that all the Corruption may be carry'd off by them.

These being the Intentions of ancient Physicians, and these Foundations they were raised upon; we must confess, that there is more good Sense and Design in their Practice, than when this very Method is follow'd, and these very Medicines administred by modern Physicians; who, instead of a sober Analogy, obtrude upon us romantick Accounts, far less instructed than the former. I shall add an Instance of this false Philosophy, from one of the best of these Authors; because all others have borrowed from him

* Mons. de Blegny, considering a Gonorrhæa may be followed by the Pox, thinks the only Indication, to take away

^{*} Chap. vii. Part ii. pag. 173, 138.

the Cause by throwing out the Venereal Impurity, and to put a Stop to its penetrating farther; and because the dangerous Corruption could not arrive to so great a Degree but by an unufual Fermentation, Fervency, and Inflammation in the Spermatick Vessels, as he speaks, he therefore thinks it no less neceffary to endeavour to remove this Symptom than to remove the Caufe. These Indications are again repeated and more expresly, when he says, + it is therefore necessary to promote the Effect of Diuretick, by purging, Medicines. But when we judge the Impurity is fufficiently thrown off; then, I suppose it is time to put a Stop to the Flux by ASTRIN-GENTS and DESICCATIVES, that the relaxed Parts may be contracted, and the Relicks of the Venereal Matter absorbed, and that no time may be given to the Venereal Acids to cut and gnaw them. I am not at present bound to examine Mons. de Blegny's Philosophy, nor shall I long infift upon a needless Comparison between the Indications and Methods of Cure laid down by him, and ancient Physicians, they being manifestly the same; for

[†] Page 14%.

where is there any Difference between throwing off the Corruption by Purging Medicines, so much recommended by both ancient and modern Physicians, and the Carrying it off by Urine by the Help of Diuretical Medicines approved by both? Does Cassia differ from it self by being chiefly depended on by Trajanus, and the Moderns? Or do cooling, aftringent, and balsamical Medicines differ by being prescribed by ancient and modern Physicians? If they do not, but were given with the same Design by both Physicians; then the Intentions of Curing, and the Medicines, are the fame in both Ages of Physick. We must acknowledge, there is more of Contrivance, and Reason appears in the Practice of the Ancients, than in that of the Moderns; it being more conformable to the Notions and Opinions both of them had formed of a Gonorrhæa; whereas modern Physicians pursue the same Pra-Etice with these other, without any just Foundation; great Evidence of their following this Traditional Method; and, in Length of Time, forgetting the Defigns it first began upon. But, if we discover the false Principles whereon the present Practice is founded, the Medicines

cines recommended by Petronius and Tomitanus have a great Appearance of being useful, in the Cure of a Gonorrbæa; for there is not any fairer Pretence than the throwing off a malignant Humour by purging, or diuretical, Medicines; and if these Physicians could have administred them in their proper Circumstances, there had nothing been left to their Successors, besides a judicious administring them; according to the Rules, and Observations left them by preceding Physicians. But as we find the modern Physicians have not remedy'd the Defects of their Predecessors; and that their Methods fail, and are sometimes hurtful; because of Physicians administring them without Reason and Experience; our next Endeavour is to find how, and on what account, purging, diuretick, and other Medicines are proper in the Cure of a Gonorrhæa; then we shall know, how they come to be defective or hurtful.

Now as Ant. Musa Brasavolus is the first Author that expresly mentions the Gonorrhæa; and Borgarutius, Tomitanus, and Petronius first gave us the Methods of Curing it; it is very surprizing to find Dr. Freind affirming

firming, that they writ very little New or Material, and that they gave a more unsatisfactory Account of every Thing, than their Predecessors. Yet, we find nothing of a Gonorrhæa among the Predecessors of the mentioned Physicians, and far less could we expect from them, any thing concerning its Cure: While their Methods have not received any Improvement, even from the Physicians, that succeeded them. The great Esteem modern Physicians had of the Authors the Doctor mentions with fo great Contempt, is fufficiently manifest, by their adopting many Prescriptions, of Petronius especially, into every Difpenfatory in Europe; and which have their Place still in the greatest Number of them to this very Time: So great a Regard had they to the Compositions of the Men Freind presumes to disparage. The Arguments offer'd against the good Opinion of all Physicians are very fingular, and of no Weight with any Person of common Sense.

Brasavolus is represented to know nothing of a Gonorrhæa; because he finds it with every Symptom of the Lues. Petronius has writ nothing New

flion whether the Venereal Disease is a Distemper, or no; h. e. whether it be a new Disease? and whether it is a Disease, or its Symptom? Whatever may be the Importance of the Questions (as they are very proper) they do not bar his Inventions that every Body has followed since that Time. This is a very new Manner of Argument, adapted to our own Times, and the Meridian of London; but that are most impertinent, in every other Account.

Dr. Freind intends to show great Judgment in observing, that the only thing untouch'd by others, is the Treatment of a Gleet, and that a virulent one; which sometimes remains after all Methods of Cure, EVEN OF A SALI-VATION, have been try'd. But had the Doctor any Notion of a Gleet, or any Experience of its Practice, he would have known that a Salivation is not a proper Method for curing it; and as a Gleet is the true Creature of the Curer, not a Symptom of the Disease, but the Confequence of an ill Method of curing it, he could not expect any such Ac-M 3 count

count from Borgarutius, or Petronius, especially while the Cure of a Gonor-rhæa was left to Nature, or that it was managed by Cassia; and that because no such Sympton could happen in either of these Cases.

CHAP. III.

SECT. I.

Of Purging Medicines for Curing a GONORRHOEA, and some of the best approved Forms.

Analogies, and other Views, Physicians first gave Purging, and Diuretick, Medicines, after their endeavouring to asswage the Cording Pain, and to remove the Heat and Uneasiness in making Water. But as these Methods are often inessectual, and sometimes

times unsafe; because their true Use is altogether unknown, we must endeavour to discover how purging Medicines cure a Gonorrhæa: How far it may be removed by exciting an extraordinary Quantity of Urine; that we may not rest contented in a general Phrase of carrying off the Disease, by them. For if we can discover the Property of purging and diuretick Medicines, whereby they cure a Gonorrhæa, we shall then be able to administer them to the greatest Advantage, and to avoid the increasing of Symptoms by them, or their having worse Effects. Borgarutius was foon able to inform us of the Dangers of Astringent, and of Drying Medicines; but we have been left to grope our Way, for avoiding the ill Effects of purging, and of diuretick Medicines: which are at present to be examined.

It is well known, that purging Medicines make an extraordinary Discharge from the Blood into the Guts; and that they are, likewise, endued with a stimulating Power, very obvious in Instammations of the Intestines, and of other Parts of the Body. Now it being the M 4 peculiar,

peculiar, and principal, Use of reasoning in Physick, to remove such Difficulties as occur in the Practice of Diseases:
So we must find, by which of these
notable Qualities, of purging Medicines,
the corrupted Matter of the Gonorrhæa is affected, and cleared of its Corruption.

The Liquor of the Lacuna, which is corrupted, is thut up from any Communication with the Blood; otherwise than that the mentioned Liquor is, in Purity, separated from it; and as no Power of a purging Medicine can change this Liquor; consequently, the corrupted State of it cannot be altered by a purging Medicine. On the other Hand, the Stimulus of the corrupted Liquor being the Cause of its greater Discharge; so the Stimulus of a purging Medicine, being superadded to that of the corrupted Liquor, must still occasion a greater Discharge of it, without adding any thing to corrupt it. And therefore purging Medicines affecting the Blood, their Stimulus is convey'd to the Liquor of the Lacuna, together with the constant Supply made to it from the Blood. Now the

the Stimulus of a purging Medicine being in the Lacuna, distracts often and contracts that Part, or occasions a great Discharge of its Liquor.

But a greater Discharge being made, than that by the Sharpness of the corrupted Liquor itself, the Discharge will be vastly disproportionable to the Power of corrupting, h. e. the corrupted Liquor will be faster discharged, than it can corrupt the pure Liquor separated, into the Lacuna, from the Blood: And consequently, the Liquor of the Lacuna must in a little Time be left void of Corruption; or the Gonorrhaa, which subsists in that corrupted Liquor, must be cur'd; and that by purging Medicines.

This is the true Design of giving a purging Medicine for the Cure of a Gonorrhæa; which is always cured after the mentioned Manner, whatever salse Views Physicians had when they administred them; and for the Want of knowing the Operation of purging Medicines, in the Cure of a Gonorrhæa, proceed all the bad Essects that have been known to attend them. For if purging Medicines are either administred in improper Doses,

Doses, on the general Notion of carrying off the Disease; or if improper Kinds of them are ordered, a Multitude of grievous Symptoms must ensue; as we daily experience. Do not the Heat of Urine, the Cording Pain, and the great Inflammation of the Parts, proceed from the Sharpness of the Running; if then sharper Parts of some purging Medicines, commonly made use of among later Pra-Etitioners, are added to the mentioned Sharpness of the corrupted Liquor, a greater Heat, a more painful Cording, &c. must necessarily follow, as will afterwards be found. And therefore a promiscuous Use of purging Medicines must not be admitted.

Such Misfortunes, sometimes from Cassia itself, might occasion Petronius to advise the Cure of a Gonorrhea to begin with Medicines that assuage Pain, and ease the Heat of Urine; but then they were so far from curing it (as many Practitioners among the French imagine) that the Gonorrhea must afterwards be cur'd with purging, or diuretick Medicines. Indeed the Mistakes committed by the Practice of the Medicines, we now consider, occasion a great Number

Number of grievous Symptoms, and exasperate others: But by the foregoing Account, given of their Operation, it is very plain what Sorts of purging Medicines ought to be administred, and what ought to be their Doses, in order to obtain the desir'd End of giving them. And as purging Medicines are the most useful of any, recommended for the Cure of a Gonorrhæa; it will be very necesfary to give some Forms of them, and of these more especially that come recommended from practical Authors: because they may both assist the Practice of some, and preserve the History of the Practice of the Disease to others.

R Folior. Scrophular aquatic. Sen. vi- Apozem. rent. ā zij. Immitantur in aq. bullient. Thj. & Infundant. Ab igne remota Colaturam hauriat duabus vel tribus vicibus.

R Tamarindor. Zij. aq. commun. Hiv. Coquant. ad Hij. In Colatura infunde frigid. per noctem Senn. mund. semin. Coriandr. Liquirit. & rosar. rubrar. ā Zij. Capiat Cyathum mane, hora ante pastum.

Bolus.

Vestingius proposing rather to cleanse than bind, has this Bolus. By Conserv. Malv. rhab. elect. pulverat. ā zj. tenebinth. venet. Dij. M. F. Bol. primo mane deglutiendus.

Apozem.

For the same Purpose this Apozem. was devised.

Radic. Alth. 3ss. folior. Malv. Bismalv. ā Mj. Fic. ping. zij. aq. purgant. thij. Coq. ad + consumptionem. Colaturam hauriat Eger debitis intervallis.

But as Mercury, and the Preparations of it have been believed to be an Antidote against the Venereal Poison; most Authors have thought, every Attempt, without some of these, to be vain and of no effect. And therefore * Riverius prescribes thus in the first Century of his Observations.

Pills.

Be Calomelan. pil. Coch. minor. ā Əj. syr. de spin. Cerv. q. s. M. F. pil. v.

^{*} Observ. 25.

To this Purpose are the Pills called Trium Diabolorum.

gr. iv. Mercur. sublimat. dulc. gr. viii. Syr. de. stæchad. q. s. M. F. pil. iv.

Re Extr. Catholic. 3s. panac. mercurial. gr. v. Elix. proprietat. q. s. M. F. pil. v.

With such like Pills the Turbith. Mineral. Green Precipitate (or the green Lizard) and the White Precipitate are prescribed in their due and common Doses. But all the Mercurial Medicines are very frequently mix'd in Cassia, both on the Account of its being a soft and easy Purgative; as also, that it is thought particularly useful to the Bladder and Urethra.

R Cass. recenter extract. Zij. pulver. rad. rhabarb. el. Zs. Mercur. d. As. (vel Lacert. virid. gr. iv.) M. F. Bol. mane vorandus.

* Alexander Trajanus orders the Caf-

^{*} Lib. vii. pag. 160. Col. 2.

sia to be taken alone after this Manner.

R Floris Cassiæ Zij. F. Boli cum penidiis. Capiat æger mane statim ante cibum singulis diebus ad quadragesimum usque, nisi ventriculus interim perturbetur, aut Lues per totum sparsa sentiatur.

Re Ocul. Cancror. pptor. 35. Gum. Guaiac diagrid. ā ziij. Sal. prunell. G. Tragacanth. ā zj. Calomelan. Dij. Solution. gum. Tragac. q. s. M. F. pilular. Massa, de cujus singulis drachmis formentur pil. x. æquales pondere. Harum v. bis quotidie capiat.

Re Lacert. Virid. Zij. G. guaiac. nativ. Stib. diaphoretic. ā zj. Scammon. fulphurat. Alo. succotrin. ā zs. solut. gum. Tragacanth. q. s. M. F. è singulis drach. pil. xij. quarum iv. primo Mane & hora Somni deglutiat.

Many more, and various, Forms might be related from Authors, or contrived in Imitation of them: But I think the preceding Number sufficient, and the greatest Part of them are taken from some of the best and most approved Physicians, that have practised in the Venereal Disease.

SECT. II.

How Astringent Medicines cure a GONORRHOEA, or do burt in that Distemper.

S a general Notion, of carrying off Malignity, induced Physicians to make use of Purging Medicines for the Cure of a Gonorrhæa; so the exceeding Running, which commonly attends this Kind of Practice, made them have recourse to Restringent Medicines, for redreffing the Inconveniences that arose from the former. For however promifing and useful purging Medicines have been found; yet another Sort are likewife necessary: Which must likewise be given in due Circumstances, or they will be far from having such Effects as are expected from them; but, on the other hand, they will be attended with worse Consequences than can arise from the greatest

greatest Abuse of purging Medicines; tho' Physicians make Astringent Medicines their last resort, in the most difficult Cases of every Evacuation, and are given in so great Quantities, especially in the present Case, as if they could not exceed in Quantity.

Astringent Medicines are no doubt of great Use for restraining the excessive Running in some Circumstances; but not that they are always the most proper in every Case of an Evacuation; for tho' great Discharges and Evacuations require, in reality, to be stopt and bound up; yet these are not always the most proper Means for that Purpole. It happens very commonly in most of the great Evacuations, that the Cause of them is augmented by Restringent Medicines; and the strong Dose of them is the true Reason of their being ineffectual. This Misapplication, of Astringent Medicines, is not only obvious in treating a Gonorrhæa, but in other Diseases likewise, wherein they are reputed of principal Use; as in Hamorrhages, a Looseness, &c. In which Cases their inefficaciousness is not their only Fault; for their success in a wrong Time, often produces

produces worse Diseases than those they should cure. So that great Care and Skill are necessary in order to obtain their real Benefit, and to prevent the Mischiess that often attend them.

But that we may discover the proper Use of Astringent Medicines in the Cure of a Gonorrhea, we may only observe their visible Essects; which is the stoping an exorbitant Essusion of any Liquor. And therefore their Operation is either by thickening the Mass of Liquors in general, whereby their Discharge comes to be in a less Quantity: Or else, by affecting the Place at which the Liquor is discharged, so as to create some Bar and Hindrance to its slowing out of them; which is the most common Essect of Astringent Medicines when apply'd to any Part.

And therefore as Astringent Medicines are of great Use, when we would either thicken the whole Mass of Humours, or the Liquor only that slows out of a particular Part; it is very manifest that they may be properly administred, and apply'd; so as to be very useful in many Circumstances of a Gonorrhæa.

norrhæa. Moreover; some of them very powerfully prevent a Relaxation of all the Vessels, and restore them after they have been relaxed, by the very great and extraordinary Discharge of Liquor that has run out of them, in the Time of a Gonorrhæa; which Sort are especially useful, in suppressing the excessive Running that proceeds from such Relaxations.

Cor. I. It plainly appears from the foregoing Account of Astringent Medicines, that their Power on Liquors flowing out of Reservatories, must be very inconsiderable: And therefore, they could not have been useful if the Matter of the Gonorrhæa had proceeded out of the Prostatæ or Seed-Bladders, according to the common Hypothesis.

Cor. 2. It is likewise manifest how the corrupted Running receiving any check from Astringent Medicines, will flow into the Blood, poison it, and produce the Lues; with Symptoms of different Degrees of Malignity, as the Stopage is early, total, or in part: And the Difference of a partial and total Stopage is so considerable; that Missortunes of the first

first kind are twenty times more easily retrieved, than of the last, when there is a total Stopage, and Suppression of the corrupted Matter.

Many great Misfortunes have followed an improper Use of Astringent Medidicines, accordingly as they have been apply'd, and administred, under different Circumstances of a Gonorrhæa; but as the remedying of several of them falls, hereafter, under our Consideration; I shall, at present, insist only on these Cases that are most frequent in the common Practice of them.

Now as Restringent Medicines both The Running thicken the Mass of Liquor in general, stringent Meand in particular Places where any Li-dicines. quor is discharged. If therefore Medicines of this kind are given, when the Lacunæ are fuller than ordinary of their Liquor, (be it ever so pure) they can only restrain it so long, as its Quantity is so much augmented as to run out on that account; which Discharge, after some Days, is a true Return of the Disease: And these Relapse Runnings are, for this Reason, always in a far greater Quantity than was the Running before N 2 it

monly runs off in one Day, it being a Quantity collected; and the Running is truly kept up, by Binding and Astringent Medicines. From which Consideration it follows, that the Lacuna may farther be relaxed, by the Matter thus pent up with undue Quantities of Restringent Medicines; and with Difficulty always be restored, and occasion repeated Relapses: Essects very contrary to those we considently expect from those Medicines.

On the other hand; if Astringent Medicines are very powerful, and are obstinately persisted in, they will not only suppress this extraordinary, and unnatural Discharge of a Gonorrhæa, but the common Quantity of the natural Liquor also, whereby the Urethra is deprived of its Covering, and is exposed to the Sharpness of the Seed and Urine; which is the true Reason, why a Heat of Urine has been known to continue, long after the Gonorrhæa was cured.

Thus having shewn what Astringent Medicines can do in curing a Gonor-rhæa; (as also the proper times of giving them)

them) I proceed to add some of those Forms which are chiefly depended on in the Practice of a Gonorrhæa.

* Bernardinus Tomitanus, having given a fatal Instance of an untimely Use of Astringent Medicines, recommends the following as most proper when Medicines of this sort are wanted, viz. Frankincense, Mostick. Coral, Gum Tragacanth, &c.

R. Croc. Mart. astringent. Div. Oss.
Sep. Succin. Coral. utriusque Ebor. ā Dij.
M. F. Pulv. cujus 318. Exhib. bis in
Die.

R Fol. Menth. Muniæ, Coral. Rub. Agn. cast. Carab. ā zj. M. F. Pulvis. Hujus zj. ex Ovo tremulo primo Mane deglutiat.

Claud. Deodatus greatly commends the Sacchar. Saturni.

R Magister. Oss. Sepiæ 38. Pulver. Ros. Rubar. D. M. pro unica Dose.

R Semin. Lactuc. Agn. Cast. Sang. Electury. Dracon. Myrrh. Ocul. Cancr. pptor. N 3 Ter. Ter. sigillat. Irid. ā zij. Conserv. Rosar. rubr. zis. Syr. Menth. q. s. M. F. Opiata, de qua Magnitudin. Nuc. Moschat. major. bis vel ter in die accipiat.

Bolus.

Re Mastich. Coral. rubr. ppti. Succ. Alb. Sach. Saturn. ä gr. xv. Cons. Cynosbat. q. s. M. F. Bol. ij. quorum unum hora somni capiat, alterum proximo Mane.

Draught.

The Famous Mouffet has this Draught. R. Lam. cum. Flor. Salv. rubr. ā M. j. Mulge desuper Lac Vaccinum. Infund. per Noctem. Colaturæ addant. pulver. Terebinth. coct. Succin. & Nucis moschat. ā Əj. guam hauriat Mane. Præparetur similis Dosis, ut Vesperi propinet.

Apozem.

Re Rad. Consolid. major. 3 s. Plantagin. Equifet. Bellid. minor. Polygon. ā M. j. Acetos. M. j. Semin. Plantagin. 3j. Acetos. Malv. ā 3 s. Fl. Ros. rubr. pug. j. Uvar. passar. 3s. Glycyrrhiz. 3ij. Coq. in aq. pynt. ix. Colatur. add. Syrr. Portulac. Myrtin. ana zjs. M. F. Apozema pro tribus dosibus.

Pills.

R Semin. Alkekeng. Quatuor Frigid. major. Papaver. alb. Lactuc. Plantagin. ana ana 318. Rhab. elect. 3ij. Mastich 3js. Gum Arabic. Bol. Armen. Succin. Tragacanth. Amyl. ana 3j. Semin. Agni, cast. Ros. rubrar. ana 3ss. Solut. Gum. Tragacanth. q. s. M. F. pilular. Massa.

R. Ocul. cancr. pptor. 38. Gum Guaiac. 3ij. spermat. Cet. 3js. Sal. Prunell. gum. Tragacanth. ana 3j. Bezoart. mineral. Camphor. Bals. Capyv. Merc. dulc. ana 3ij. Bas. sulph. anisat. 3j. Ol. Sabin. gutt. x. M. & optime subigantur solution. gum. Tragacanth. in pilular. Massam; de cujus singulis drach. forment. pil. xiv. Harum iv. primo mane & hora somni sumat.

R Croc. Mart. astring. Əij. Trochise. de Carabe Zj. Oss. Sepiæ præp. Əj. Sach. Saturn. gr.xv. Syr. de Nymph. q. s. ut formentur pilulæ Ciceris magnitudine.

R. Gum Arabic. Tragacanth. Carabe, Mumiæ, Bol. armen. ana zj. Pulverifentur & cum Syr. de Rof. sicc. F. Massa pilular. de qua Cap. Dj. singulis diebus Mane, duabus horis ante pastum.

R. Siliguar. Fabar. Cineres, Aq. plan-Injections. tagin. q. s. M. & injiciantur. N 4 R. Vin. R Vin. rubr. aq. Symphit. ana zv. Fol. Scord. M. j. in his infund. per Notem granor. Juniper. contusor. ziij. Bol. Armen. alcoholizat. zs. Mane leniter bulliant; filtretur Liquor, & per Syringam injiciatur, postquam æger Urinam emiserit.

R Virid. æris 35. Aq. fontan. Tbij. Stent simul quousque coloretur aqua; decanta, & in decantata dissolve Mercur. meteorizat. gr. iij. Filtra pro Injectione.

R Aq. Plantagin. 15 s. Dracon. mitigat. in pollinem redact. 3 ij. M. in phiala & agita. Vice Dracon. addi potest sal Saturni.

R. Aq. Plantagin. zv. Vitriol. Roman. 38. Croc. mart. astring. Dij. M. bene & filtra. Liquor est rubicundus.

R. Lapid. Medicamentof. Croll. 35. Aq. Rojar. rubrar. 15 s. M. & eluat Urethram ope Syringæ.

36636363636363636363636363636

SECT. III.

Of Healing or Balfamick Medicines.

Physicians having made use of Astringent Medicines, hoping thereby to retrieve some Errors of purging Medicines; but finding their Success very uncertain, and often unfafe, in the Cure of a Gonorrhæa; were driven upon new Tryals of Medicines, and in their Judgment, of a different Nature; for some, perhaps, might imagine, that the Matter of a Gonorrhæa was Pus, that flows from an Ulcer, they made no Difficulty to try the fafest Medicines that are commonly apply'd to an outward Sore, in order to digest it and to fill it up with Flesh, which are therefore call'd Healing Medicines; not doubting to find the same good Effect in healing the Sores, which they supposed to be the Essence of a Gonorrhæa, that they had already found, when they were apply'd in

in other Cases. And as Balsams, Natural, or Artificial, are the Medicines apply'd on these Occasions, Healing and Balsamick became Synonomous Expressions.

But if we mark the Operation of Healing Medicines, administred on this Occasion, we shall not observe their Effects to be the same as when they are outwardly apply'd; there is not any Digestion precedes, the Matter of the Gonorrhæa does not become softer and smoother, however it becomes whiter. On the contrary; it is thicker and more tenacious, very much differing from what we see, when Balsamick Medicines are outwardly apply'd. To be short; the Effect of Balsamicks does not differ from that of Binding Medicines, lately mention'd.

If these things are duly consider'd, together with what is already prov'd, it cannot be doubted but that the Healing Medicines must be otherwise accounted for than they are at present. For as it is now very certain, that Quittor does not make the Matter of a Gonorrhæa, and that the Healing Medicines produce Estects.

fects, altogether different, from what they do when apply'd to a Wound or Sore; we may safely conclude, that the Good they do is not on account of their Healing Quality. On the other hand; as their Effects in stoping a Gonorrhæa, the Manner of doing it, and the Relapfes are perfectly the same as with Astringent Medicines, it is far more proper to rank them in that Number.

The easy Transformation of Balfamick Medicines into the best of Restringents, for some Uses, is a great Confirmation of the foregoing Proof. Because if the Sulphur and Oyliness of the Balsams are destroy'd by boiling them in common Water, they become manifest Astringents, and still remain as effectual in curing a Gonorrhæa. This is evident in boiling Turpentine, one of the most powerful Digestives of the Tribe; the Powder whereof loses its first Quality, and becomes a binding Medicine, whether it be given inwardly, or it is outwardly apply'd. And many Practitioners prefer the Powder to Turpentine itself in the Cure of a Gonorrhæa, by giving it after the Balfam has prov'd ineffectual,

And therefore our next Business shall be, to add proper Forms of this kind of Medicines, as we have done of the former: As also some Forms of Purging, Astringent and Healing Medicines together; since we find them given in that manner, in order to supply the Defects of each other; or rather in the Opinion of Authors, that que non prosunt singula, multa juvent.

R Terebinth. optim. zj. vitellum Ovi. M. in Mortario, dein adde Aq. Agrimon. tbj. Ponatur Mistura per noctem in Baln. Mar. Adjice, manè, succi Limon. ziij. Sacch. albiss. q. s. ad gratiam conciliandam.

After the same manner Mixtures may be made of Balm of Gilead, of natural Balsam. [or Peru] with proper Waters.

R. Aq. Calc. Thj. Opobalf. Capyv. vel Peruvian. 3ß. Ovi vitelli auxilio F. Mistura alba. Hujus vel præcedentis, Cochlear. iij. ter indies accipiat.

Re Opobalsam. gutt. xxx. Cap. è cochleari cum Sacchari albiss. s. q. Re Rhab. R Rhab. tost. Nuc. moschat. tost. Bolus. Balsam. Tolutan. ana gr. xv. Sacchar. Saturn. gr. vj. Terebinth. Venet. q. s. M. F. Bol. mane & hora somni sumendus.

R. Cass. recenter extract. Terebinth. Venet. ana 3ij. Mercur. dulc. 3s. M. F. Bol. Mane vorandus.

R Terebinth. Venet. Zijs. Dracon. mitigat. gr. x. M. F. Bol. Obel. involvend. ut exhibeatur alternis diebus.

R Pulp. Cass. recent. extract. Tere-Electuary. binth. Venet. ana Ziij. Merc. dulc. Ocul. Cancr. præparator. sal. Prunel. ana Zj. Sal. Volatil. Succin. Div. Syrup. de Alth. Fernel. q. s. M. F. Conditum; de quo capiat magnitudinem Nuc. moschat. major. bis terve de die.

This Electuary has been long in use among Dutch Practitioners, and is to be found in the Praxis Chymiatrica rationalis in the Chapter of a Gonorrhæa, p. 115. It is the same which Mr. Wall practised here, and commonly had his Name.

R Elect.

Re Electuar. lenitiv. Zij. Balf. Capyv. Zvj. Ocul. Cancr. præpar. Ziij. Nuc. Moschat. ras. Sal prunell ana zij. Mercur. virid. Div. M. F. Electuar.

R Sang. Dracon. Amyli ana ziij. Opobals. Zs. Terebinth. Cypriæ zjs. M. Saccharo. Apud pistores Saccharios in furno incrustetur: de quo Cap. ter vel quater in die.

Pills.

R Mum. Sang. Dracon. Terebinth. coct. Coral. rubr. Ppti. ana Əij. Balsam. peruvian. q. s. M. F. Pilular. Massa; de cujus singulis drach. forment. pil. x. Cap. iv. harum omni vesperi & multo mane.

R Ocul. Cancror. præparat. 3j. Gum. Guaiac. Balsam. Tolutan. ana Əij. Terebinth. Cypriæ q. s. Redigatur in formam pilularum Mediocris magnitudin.



HERRICH HERRIC

SECT. IV.

Of Diuretical Medicines.

Physicians finding their Evacuation by purging Medicines, did not satisfy their Wants, even after they were helped with Astringent and Balsamick Medicines, but being still posses'd with the Notion that the Corruption of a Gonorrhæa might be carry'd off, or diverted to some other Place, took themselves to an Evacuation of another kind, and try'd the Efficacy of Diureticks for washing, or carrying, off the Malignity of a Gonorrhæa.

The provoking a Quantity of Urine greater than ordinary, is the chief Effect both ancient and modern Authors have expected from Diuretical Medicines: Infomuch, that when the Cure of a Gonorrhæa does not proceed according to their Desire, they have always persisted to promote that Effect, without any other Design; and have even ventured upon

upon the most dangerous of that kind, because they were suppos'd to produce most certainly the greatest Quantity. Now a greater Quantity of Water, whether it be made at one time, or that this Action is oftner repeated, cannot affect the Matter of a Gonorrhæa directly by changing its Acrimony, or by preserving the Tension of the Ducts from whence the Matter flows; nor is it very subservient to the Method Nature takes to throw off the Disease by encreasing the Running; and far less can it answer the great Design Physicians have of carrying off the Malignity or Corruption, which they endeavour by every Evacuation, and therefore we must still enquire how Diuretick Medicines conduce to the Cure of a Gonorrhea.

A Quantity of Water, passing out from the Bladder, washes the Parts it runs over; and therefore it is evident that a natural Quantity of Water, often repeated, better answers this Design of washing the Parts than a greater Quantity made in the ordinary time. And as the great End of exciting this Quantity is to wash the Parts; it is very manifest that the Use of Diuretical Medicines

Urethra, without altering the Corruption of the Gonorrhæa. And therefore the Matter of the Diesease being often washed off the Parts, it neither flows backwards in its growing Quantity, nor contracts any new Acrimony by being too long lodged on the Parts. This Operation is nothing so good as washing the Part with fair Water; for, in this Case, the Water is thrown into the Lacuna, while the washing of the Urine never affects them, and can only wash off the Matter discharged from them into the Urethra.

From whence it is evident that the Design of curing a Gonorrhwa by Diureticks, contradicts the Hypothesis of those that use them for that end; because no Parts, except the Urethra, can be wash'd to any Purpose, by this extraordinary Quantity of Urine; and consequently the Seat of the Gonorrhwa must be in the Urethra, which they could never imagine. This is likewise the Reason that Diuretical Medicines are not found to be of any use for curing a Gonorrhwa in Women; the Seat of it, in them, being commonly much higher

112

in the Vagina than can be washed with their Urine.

This Affertion will appear more plainly, if we look more narrowly into this Affair: For let the Prostatæ be a single Gland or two, yet the Matter in its Ducts cannot be washed with the Water, unless the Body of the Proftatæ, or the Valves of their Ducts were corroded. On that Supposition, no one will believe that any washing will restore the ruined Substance of the Prostata. And therefore this washing, if it could be done, could not be to any purpose. On the other hand, if the Seat of a Gonorrhæa was in the Prostatæ, and it voided its poyson'd Liquor into the Urethra; yet the Liquor in the Proftatæ having no Communication with the Urine, it cannot be supposed to receive any Benefit from the Water. By consequence, Diuretical Medicines could not be of any use in curing a Gonorrhæa, which contradicts their Experience.

This Argument is of greater Force, in respect to the Vesiculæ Seminales; because the Seed is as little capable to be touched by the Urine, as the Liquor of the

the Prostatæ. Besides, the Urine does not touch the Bladders themselves; and consequently the Help given to the Cure of a Gonorrhæa, by Diuretick Medicines, cannot be by correcting the Sharpness any where; especially in the Vesiculæ Seminales. In short, Diuretick Medicines by washing the Urethra may prove a Stimulus; for as they keep it void of its Mucus, it becomes affected with the Sharpness of the Urine, and the Quantity of Running is excited thereby; but then they prove dangerous on other Accounts, especially if the Matter of these Diureticks is sharp.

I therefore proceed to shew the Missortunes attending the long Use of Diuretick Medicines; which are so many, and grievous, that Physicians ought to be very cautious how they persist in the Use of them. * Hippocrates was sensible of the Hurt Men received by drinking a like Quantity in Winter and in the Summer; and therefore asserts that Men should drink little in the Winter; which Hurt could be none other than an excelsive Quantity of Water, as we may be

^{*} De Salubri Diæta p. 337. fol. Foef.

convinced from statical Physick; and this is always attended with many Diseases. But as my great Purpole is, to shew some Misfortunes arising from a great and long continued Quantity of Water in the Cure of a Gonorrhæa, I will only name one of another fort mentioned by Hippocrates, and omitted by almost every Physician since his time, though it is frequently to be met withal, and is very painful, but is most commonly mistaken for the Stone in the Bladder. It is plainly described in his * Book of the Nature of Man, 78τέων ή πυςίς Ψωρία, &c. but especially if we compare that Place with what he fays in his + Book of inward Difeases; which is fufficient to convince any one how this unheeded, but most painful, Disease is produced.

But to return to the bad Effects of a long use of Diuretick Medicines in curing a Gonorrhwa, whereby the natural Mucus is washed off the whole length of the Urethra, as well as the corrupted Running; for the Urethra being deprived of its Defence, and Covering, is exposed to all the Sharpness of the Seed and

^{*} Page 231. † Page 539, 540, 541. Urine,

Urine, and is inflamed by their stimulating, from whence arises the great Pain often felt along that part up to the Neck of the Bladder itself. Besides, this Irritation and Stimulating continuing for some time causes a great Afflux of Humours to the stimulated Part, as was already explained when I accounted for the Inflammation of the Glans and Franum; which Afflux thickens the Coat of the Urethra, and makes its Passage narrower, and from both these follow a great Uneasiness of making Water, and often a total Suppression of Urine; so great, that Recourse must be had to Bathing to allay this Inflammation, and very often to the Puncture of the Perinaum when that proves infufficient. And it is very much to be observed, that this Uneasiness in the Urethra and Prostata seldom or never happens in any other Method besides this by Diuretick Medicines; and among the French, who more especially perfift in this Practice. But all these Observations will be more manifest when I consider the Effects of the Matter of a Gonorrhæa flowing backwards towards the Prostatæ and Bladder, and when the free Efflux of it is interrupted.

Powders.

R Terebinth. coet. Crystall. mineral. Nuc. Moschat. pulverat. ana 3j. M. F. pulver. dos. iij. quas unico die capiat.

R. Cremor. Tartar. Sal. Absynth. Coral. ad albedin. calcinat. Virg. aure. ana Əj. M. F. dos. iij. Unico similiter Die sumendæ.

Bolus.

R Margaritar. pptar. pulv. radic. Alth. ana 38. Nitr. ppti, 9j. Conserv. fl. Malv. q. s. M. F. Bol. duo, quorum unum hora Somni, alterum proximo Mane deglutiat.

Apozems.

R Rad. Alth. Petroselin. ana zvj. Gramin. Zs. Hord. mund. zj. Uvar. passar. exacinatar. zvj. Coq. optime riteque in aq. commun. s. q. ad tbij. In Colatura solve Nitri purificat. ziij. M. F. Apozema.

Re Decoet. Capillor. Vener. Agrimon. Hepatic. Plantagin. Ceterach. ana zv. Syr. de Succo Violar. zij. M. F. Ptifana.

R Decoct. de v. radicib. aperient. Tbij. Crystal. mineral. Zij. Sacchar. albiss. Zv. M.

Riverius

Riverius and many Authors com-Quercetan's mend highly Quercetan's Water for a Water. Gonorrhæa.

R Menth. sicc. ziij. semin. Lactuc. Rut. Agn. Cast. ana zijs. Ireos slorent. zij. solior. Dictamn. Cretic. zx. Sacch. optim. thij. pulverisatis adde Terebinthin. Venet. zv. Vini albi generosi zxxx. Destillent. vase Vitreo. balneo Vaporoso.

The Chymists commend a Tincture Tincture. made out of Worms gathered in May, made with Salt of Tartar; of which they give twenty or thirty Drops at a time, as also their Tincture of Juniper Berries.

Re Baccar. Juniper. maturar. & ele-Etar. q. v. Contundantur, & affusa aq. Saxifragiæ s. q. digerantur. Hinc exprime, abstrahendoque inspissa ad mellis consistentiam. Hujus mell. Juniperini cochl. x. misce optime cum aq. vitæ Juniperinâ & digere, quo F. vel Tinet. vel Elixir Juniperinum.

R. Conserv. fl. Malvæ zj. Symphit. Elect. zs. Radic. Ononid. pulverat. zsij. Semin.

min. Rusc. Brusc. Zij. Syr. Alth. Fernel. q. s. M. F. Opiata, de qua capiat subinde magnitudin. Nuc. moschatæ major.

After all; some other Diuretick Medicines have been brought into Practice, which not only excite a greater Quantity of Water, but that, stimulate, likewife, the Parts they pass over. These have been thought more effectual in stopping a Gonorrhæa, and for changing its Colour, than any simple Diuretick that has not this Quality. The Effects of fuch Medicines were discover'd merely by trying more powerful Diureticks; without having any thought of their stimulating Power; infomuch, that Phyficians rather destroy'd them by correcting their Stimulus; so far were they from thinking them of any use in curing a Gonorrhæa; whereas the Success had by such Diureticks is altogether owing to the stimulating Faculty of these Medicines, and not to their exciting Urine in a greater abundance.

For the Stimulus of these Medicines, superadded to that of the Acrimony of the Gonorrhæa, makes a greater and quicker Discharge of Matter; which Matter

Matter having proportionably less of the corrupting Principle in it, is more of the natural Colour of the Liquor separated at other times, or it is whiter. Now by a greater Discharge made by a Stimulus, that does not poison the Liquors at the same time, the stimulating Parts of those that do corrupt it, are sooner carry'd off, and more speedily spent and exhausted; so that a Gonorrhæa will sooner cease than it naturally could do; and as soon, as the acquired Relaxation of the Lacunæ will allow.

But this good Effect being produced by adding a Stimulus to that of the Gonorrhæa; the Promising Success is commonly eluded by Pain, and other grievous Symptoms, that attend the Operation of two stimulating Powers; so that these Authors, not knowing how to dose or correct their Medicines, have been forced to discontinue them; before they can produce their Effects of curing. As Cantharides, and fuch sharp Diureticks were recommended for this purpole, so some Physicians have attempted to render these Medicines more mild, by mixing them with Oils, and fundry other smooth things; but, in this way of correcting, the Stimulus

Stimulus is destroy'd, and the Medicine becomes ineffectual, and of no Service. However, as eminent Physicians have made mention of this method of Curing, it is necessary to relate some of their Forms.

Tinctures.

Recantharid. integrar. J. Vin. Rhenan Ziij. vel Spir. Vin. tantundem. Infundantur per aliquot dies, hinc filtra. Hujus Tinct. cochleare misceatur cum Cerevis. vel Vini cyatho, quem hauriat ager; proximis diebus augeatur cochleatim Dosis.

This Use of Cantharides was at first communicated to Tho. Bartholinus, but on another Design. The way of preparing the Cantharides, and the Effects of the Tincture are fully related in the * Centuries of his Epistles. Now this Tincture was soon found to be attended with grievous Pain, bloody Urine, and other ill Essects, and therefore they endeavoured to prevent the Mischief by mixing it with Oil, Juice of white Mullein, and the Syrup of Marsh-mallows, as it is prepared by Fernelius.

^{*} Epist. 54, 55. Cent. 4.

But as this Practice feems rather to be highly commended from the great Expectations had of it, than from any Experience they hitherto had found of its better Effects; so the Method by Dinreticks producing no Cure more speedy, nor more easy than had been found by the forementioned Medicines, they quickly came to be discontinued; both because of the Pain excited by them, and that their promising Effects were likewise destroy'd, by what was to correct their giving Pain; till lately other Phylicians have attempted their Correction as unfuccessfully, but in more nauseous Preparations; some whereof follow.

R Spir. Vin. Zix. Rhab. elect. 3js. Cantharid. Dij. Gum. Guaiac. Coccinell. Balsam. Peruvian. ana 3j. M. Eliciatur Tinctura.

R Spir. Vin. tbj. Cantharid. zj. Rhab. elect. zjß. gum. Lacc. zj. Guaiac. zij. Digerantur tribus Diebus in M.B.

R. Rhab. Elect. 3js. Cantharid. 3j. Gum. Guiac. Balfam. Peruvian. Coccinell. ana 3s. sp. Sal. armoniac. 3js. Sp. Vin. zix. M. F. s. a. Tinctura.

These

These indeed are the Methods taken to correct the Inconveniences occurring in the Practice of Cantharides, but how far are such Correctives from answering any reasonable Design? How injudicious and nauseous the Composition? This is mixing something of every kind of thing that is either given for the Cure of the Lues, or of a Gonorrhæa.

* Galen tells us that one of his Maflers used to put a small Quantity of
Cantharides among Diuretick Medicines,
but we find that he did not approve of
that Practice; and writing of this Method to Piso, he informs him † that
Cantharides make an Ulcer in the Bladder if they are given alone, and that they
are particularly hurtful to that Part; as
also that they often prove a very powerful Poison: on the other hand, that they
sometimes are very useful to the Bladder
when they are mixed with other things,
and vehemently provoke Urine.

But leaving the tiresome Subject of

^{*} Lib. xi. de Simpl. Med. facult. pag. 301. Junt. † Lib. de Theriaca.

fuch injudicious Attempts at compounding, give me leave to observe; that ancient Physicians not only thought the Corruption of a Gonorrhæa might be carry'd off by Diuretick and Purging Medicines, as well as the modern; but that their Forms too were fully as properly contriv'd. I must likewise observe that many Prescriptions may be found in daily Practice, as well as among late Authors, that do not agree with any Notions they have of a Gonorrhæa; nor are these Practices drawn from the Indications of Cure laid down by them; but that are very conformable to the Notions and Indications of ancient Physicians: a manifest Proof of these Practices being the Inventions of the last. And therefore we must conclude that in many things the modern Practice is empirical; a fort of Tradition handed down from early times; but the Purpoles of it, and its Authors, loft in the Conveyance.

We know that a fet of Medicines, reputed Specificks for checking an extraordinary Efflux of Seed, were recommended in the Practice of a Gonorrhea; because they thought it was to be stopp'd, and that these Medicines were the most proper

proper Means for that Purpose. And therefore we find them often administred by themselves; often mixed with Diuretick, and often with Purging Medicines. We may likewise find among modern Authors a great store of Diuretical Ptisans, well provided with these Specificks; yet they never could be suggested by any Notions entertained of a Gonorrhæa by modern Physicians.

Alexander Trajamus Petronius contrived the Syrup of Agnus Castus (the Chast Tree) for that very purpose; which appears so contemptible at present, that it is not heard of in the Shops; yet it is a great Collection of that fort of Medicines, and the great Foundation of all our modern Ptisans. Upon which account, and that some Dispensatories vary in their Quantities from his Prescription, and others invert the Order of the Medicines, it is very proper to draw it forth again for himself.

Accipe Seminum Endiviæ, Lactucæ, Portulacæ, Cucurbitæ, Melonis ana zij. Psyllii zj. Flor. Nenupharis, Foliorum Mentæ ana Ms. Seminum Rutæ, Cannabis ana zs. Seminum Agni Casti ziv.

Aquæ Coriandri, Decocti Lentium ana partes æquales. Bulliant s. a. Postea colentur. Ex hoc Colato accipe thj. Succi Limonum ziij. Sacchari q. s. M. F. Syrupus.

Trajanus affifts his Syrup with Camphire, Amber, the great Water-Lilly, and other Specificks for repressing a great Quantity of Seed; and when modern Authors recommend these very Medicines, we are under no Diffiulty to find out their Traditional Practice; though it agrees ever so little with their Opinions.

Thus I have faitfullly delivered the Practices of ancient and modern Physicians, with the Indications on which they were founded; I have also given the true Account of the Operations of all the Medicines, which is deduced from the Nature of a Gonorrhæa; and hereby the Cause of their Success is manifest, and we become equally apprized: why the Symptoms are augmented by them, and why they carry the Gonorrhæa into the Lues. I hope I shall not longer be blamed for this Liberty; fince by these Observations the Practice of all these Medicines becomes fafe, and that every Phyfician

Physician is conducted by this Account to the most proper Method, and the most proper Medicines to answer it; and thus all the Misfortunes, so common at this time, may be avoided. The candid and learned Inventers of the mentioned Methods can best, and most properly vouch for the Insufficiency of their Practices; nor do they disguise the Defects, their Successors either do not see, or would conceal. These are the Words of Petronius, * in his Chapter of curing an obstinate Gonorrhæa; Itaque postquam neque Medicamentis Alvum ducentibus obedivit, neque per cutim, neque per alias Corporis partes evacuantibus, &c. aliis ingeniis, aliisque modis insistendum. I hope that modern Practitioners, who proceed in the Methods of this learned Physician, and not with better Success, will become more modest, in recommending Methods very defective, as infallible, and eafy.

Thus having shewn what Methods have hitherto been made use of for curing a Gonorrhæa, and the Means; whereby their fatal Impersections may be re-

^{*} Cap. xii. pag. 195. Scriptorum, &c. redressed:

dreffed: I proceed, in the next place, to confider the best Means of easing the grievous Symptoms formerly related; while the great Business of the Cure is carrying on; all which effectually become eafy in courfe, with the Amendment of the Running; as they were at first produced by the Sharpness of it. Before I begin this new Part I must obferve, that mention is commonly made of a Practice in the Cure of a Gonorrhæa with particular Regard to Women. But as I know of no fuch different Practices, except we should instance an indiscreet Use of Purging Medicines in Women with Child, (and even that is unneflary) all fuch artful Cautions cannot find any Place in this Book.

Women indeed, are cured with greater Difficulty than Men; yet they do not require different Methods; as is manifest, from what is already said, both in the Theoretical, and Practical, part of this Discourse.



CHAP. III.

Of Easing the Pain in making Water.

T has been already prov'd, that the I sharp Pain in making Water proceeds from the salt Urine passing over the Urethra, corroded with the Matter of a Gonorrhæa. So that the Pain in making Water cannot be cured while the Matter continues to stimulate and corrode that Part. On the contrary, as the Acrimony of the Liquor abates, and the Gonorrhæa is cured, the Sharpness of Urine likewise abates. Yet the Sharpnels of Urine being always very troublesome, and often attended with ill Confequences by its continuing; means are to be used, whereby the Sharpness may be alleviated, during the Progress of the Cure.

This Method of Alleviating the Pain must either be by defending the Urethra from being affected with the Salt of the Urine,

Urine, or else by rendring the Water less Salt. In the former Case the Salt cannot Corrode the *Urethra*; in the latter the Salt, which is the Corroding Cause, is destroyed.

In the first, we imitate the daily Provision Nature makes to preserve the Urethra from the like Corrosión it is obnoxious to from the Saltness of Seed and Urine. The Design is the more necessary that the foft Liquor itself is poisoned by the Taint of the Gonorrhæa, and chiefly contributes to excite the Pain in making Water, instead of defending the Parts from the Acrimony of the Urine. And therefore if we either make the Urine more mucilaginous, or inject Liquors indued with the like Quality; the Urethra will be covered with a flimy and mucilaginous Substance like that of Nature, and thereby be preserved from any Hurt it may receive from the Saltness of the Water, and the sharp Matter of the Gonorrhea.

The last Design may be obtained by preventing the Saltness from abounding so much in the Blood, so that the Liquor secreted at the Kidneys may not be Salt.

P 2 Or

Or else the Quantity of falt Parts, commonly conveyed with the Urine, among a greater Quantity of its watry Parts, must be so divided that the Saltness may become imperceptible, and thereby the Urethra preserved from being excoriated. Whatever the Means of bringing about the first part of this Design may be; it is certain that Salt may be so diluted in a Quantity of Water as to lofe its Saltness; and thus we may obtain this Purpose by encreasing the watry Part of the Urine; which is the Serum of the Blood; for by this Encrease, the Salt will be so diluted, as to cease from stimulating; and the Heat, or Pain, of the Urine will be lessened, and relieved.

From hence and Cor. 3. it is very plain, why the Running is not attended with a Pain in making Water, the first three or four Days after it appears.

Authors have been unhappily misled in managing the Heat of Urine, which is plainly a Symptom of a Gonorrhæa, and an Essect of the Sharpness of its Matter only; for they have made it their great Business to destroy this Heat, as if thereby they could cure the Disease on which

it depends, and which will certainly wanish as we proceed in the Cure. This their Mistake did arise from their being perfuaded that the Pain in making Water, came from an extraordinary Heat in the Urine; which Heat, they think, is occasioned by an Inflammation of the Neck of the Bladder, and of the Seminal Veffels; as also, that the Inflammation was produced by the Caufe which produces the Gonorrhæa. By Confequence their great Defign has been to cure the Heat of Urine by curing an Inflammation they took for its Cause. Indeed this mistaken Observation is the Foundation of all the Theory and Practice of Blegny and other Authors. But as this Supposition has formerly been shewn a Mistake in Patronius, handed down in a constant Practice to these later Authors; who have continued it upon a very falle Hypothesis, it was proper to make this Observation, in order to preferve the History of Practice.

At present their Success has been more fortunate than their Intentions were reasonable, and through a Multitude of Misstakes they have hit upon a tolerable P 3 good

good Practice. For from this false Principle, That Inflammations are only to be cured by Remedies actually Cold, they fell into the Use of Medicines, that generally by their Coldness are proper to produce a greater Quantity of Water; and some of those cold Medicines being likewise mucilaginous, the effect of diluting the Salts of the Urine, and befinearing the Urethra with a Mucilage was obtain'd without the Meaning of the Practitioners. Happy they if all their Errors had been thus lucky, the Difference between a right Practice and a wrong one had not been difcern'd, though no Body would defire to be fo much at the Mercy of Chance. But the Error in Bleeding, to abate this Inflammation, has been very unhappy; for that Practice has not only failed the Phylicians, but it has fometimes brought in the Pox, as some of themselves have confess'd. More of these Mistakes are often hid from them. and more luckily from their Patients.

Thus having established the right Methods for easing the Pain of making Water, from a true Theory; I proceed to draw forth a Store of proper Medicines which

which may cure this sharp Pain, whether it is occasion'd from improper Methods, or that it is a Symptom of the Gonorrhæa.

Re Sal. Volatil. Succin. zj. Sacch. Candiæ zij. M. F. dos. vj. Harum unam accipiat ter in die è Cyatho Tincturæ Theæ, Cerevisiæ tepidæ, vel Seri Lactis.

Re Crystall. mineral. Zj. F. dos. ij. unico die sumendæ cum Haustu quorumlibet Liquorum prædictorum.

R Spec. Diatragacanth. frigid. 33. Sal. Prunell. Əij. M. F. dof. iij. similiter eodem die sumendæ.

R Amygdalar. dulc. par. viij. Decoct. Hord. It ij. F. s. a. Emulsio, cui add. Sacchar. albiss. q. s. ad gratiam. Hauriat tribus vel quatuor vicibus.

R Semin. iv. frigid.major. zj. Papaver. alb. zij. Amygd. dulc. No viij. Contundantur, sensim affundendo Aq. Petroselin. His. F. Emulsio Saccaro Candiæ ad gratiam edulcoranda.

R. Semin. Cannabin. 3B. Amygdal. dulc. par. vj. Aq. commun. Hij. F. Emulsio, qua

qua immisceatur Aq. flor. Aurantior. Zj. & hauriat duabus vicibus.

Re Amygdalar. dulc. par. ix. aq. Saxifrag. Ibij. F. s. a. Emulsio, in qua dissolve gum. Arabic. Ziij. M. & hauriat tribus vel quatuor vicibus.

Re Seri lact. H.B. Gum. Tragacanth. Zij. Solvatur gummi & Giciatur Mistura.

B. Aq. Plantagin. 3x. Trochiscor. albor. Rhas. 3s. M. & eluat Urethram Syring æ auxilio.

R Flor. Sambuc. M. j. rad. Alth. 36. femin. Cydonior. zj. Præparent s. a. & decoquant in aq. 1538. Utatur Colatura.

Re Rad. Hyoscyam 38. Furfur. Siligin. M. S. semin. Lin. contus. 3ij. Decoq. in aq. Rosar. This. Frigescant cooperta, Liquor postea colatus injiciatur in Urethram bis vel ter in die.

R. Hord. commun. zj. rad. Lilior. albor. zs. fol. Malv. M. S. semin. iv. frigidor. major. zj. fl. Lamii alb. pug. ij. Praparent. Praparent. s. a. & decog. igne lento in aq. flor. Sambuc. Hij. ad ; consumptionem. Frigida colentur, & Liquoris colati portio subinde per Siphonem injiciatur.

The foregoing Medicines not only appear very proper, upon the mentioned Theory, but their Efficacy is as conspicuous in the Practice, they feldom or never failing to quiet the troublesome Pain in making Water. But as I faid likewise before; Authors imagining this Pain to proceed from an Inflammation, and that it was augmented by the Heat of the Blood, or any Means which augment it, had Recourse to Bleeding for the better allaying the Heat and Inflammation. Now, however an Inflammation may be the Consequence of the Pain, or rather of the stimulating that occasions it, the Pain and its Consequences can never be allay'd any otherwise than by destroying the Salt of the Urine, or by taking off the Acrimony of the flowing Corruption; which is vainly expected from Bleeding, as the Success fully confirms, no Circumstance in Bleeding being healing, and very rarely exciting a greater Quantity of Urine. Besides,

Besides, some Physicians have sound that the Pox has often ensued Bleeding. The Reason of this Observation may be made appear from the Doctrine of Revulsion by Bleeding, anciently acknowledged, and excellently well accounted for by the great Doctrine of the Circulation of the Blood.

The Use of Bathing for allaying the grievous Smart in making Water, but more especially for relieving the great and dangerous Suppression of Urine, which often happens in the Practice of some mentioned Medicines, is so considerable that it well deserves to be explain'd, in order to a more successful Practice. For, by the Theory of Bathing, it is known that any Person plung'd in cold Water is provok'd to make Water oftner, and in a Quantity greater than natural, the contrary whereof is the Effect of Bathing in very warm Water. But the Suppresfion of Urine is especially caused by a stronger Constriction of the Neck of the Bladder, whereby its Sphineter acquires a new Relistance to the Force that expels it, and this Constriction is the Effect of an Inflammation, which was occasion'd by

by the Parts being stimulated in an extraordinary manner; and therefore the moderate Warmth of any Liquor being most proper to allay such Inflammations, the Warmth of Water furrounding all the lower Parts of the Abdomen, proves the readiest and most expeditious Relief to the Sphineter of the Bladder thus inflam'd: and consequently the Resistance to the expelling Powers or Machines becomes less, and the Urine is more easily expell'd, to the great Relief of the Patient. The like Inflammation happening to the Urethra at the same time, and on the same Account is an additional Strength to this Hindrance of the Urine being expell'd; but both Inflammations being abated with the gentle and kindly Warmth of the Water, these ill Symptoms are relieved.

From hence we may learn to what degree of Warmth these Baths are to be made; as also to how little Purpose it is to medicate them with warm, and even with diuretical Plants.

CHAP. IV.

How we may relieve the binding Pain in Erection, the Instammation of the Nut, &c.

the Cording of the Penis, being really a squeezing of the corroded Urethra between the Cavernous Bodies; and the Erection itself being often excited by the stimulating of the Matter of a Gonorrhæa, the Cure of this Cording must be had, by preserving the Urethra from being Corroded, or by suppressing the Erection, whereby the Pressure of the Urethra will be prevented.

The first may be effected by such Medicines and Applications as have been recited in the foregoing Chapter; but the last can only be performed by those Means that give the most sudden Check to the Swelling of the Penis. If Mentherefore recollect what happens to them

in immerging themselves in cold Water, a River, the Sea, and far more in a cold Bath, they cannot be in any Want of a ready Remedy on such Occasions. Cold Water thus infallibly answering our Expectations, we must not think of losing time when so speedy and effectual Means are at hand, in our Parts of the World especially. A Lady of Snow, St. Francis's Mistress, is a certain Relief. However, to keep up to the Rule of our Method, I shall relate some of the Forms which Authors recommend, though all of them tend to the same Purpose.

But before I proceed to those Forms, this is a proper Place to consider the Inflammation of the Nut and Bridle; both which, together with the ugly opening of the Urethra, are likewise produced by the sharp Matter of the Gonorrhæa, as it passes over the Parts, and very commonly is a Continuation of the Inflammation of the Urethra; insomuch, that we may always make a right Judgment of the Condition of the Urethra by the Thickness at the End of it, and the Inflammation of the Glans.

Though Women have no Glans or Franum to be affected with the sharp Running, yet the Sphinter of the Vagina, Clitoris, and Lips themselves, are inflamed with the sharp Matter, and after the same manner, as are the mentioned Parts. And therefore, the Method of their Cure must be the same; which is by such Medicines as allay the pressing Inflammation, and secure the Parts against their being excoriated with the Sharpness of the Corruption; both which are to be attained by the following Medicines.

R Latt. tepidi, Aq. Rosar. rubrar. ana zj. sacch. Saturn. zjs. M. & fove glandem & partes vicinas.

R Flor. Sambuc. Furfur. Siligin. ana M. j. Rad. Lilior. albor. zj. Decoq. in Aq. Spermat. Ranar. Lact. recent. ana tbj. Colaturæ tepidæ adde Balsam. Saturn. zj. M. & foveantur partes tumidæ.

Re Folior. Acetof. fl. Sambuc. ana M.j. Panis Siligin Zij. M. F. Lacte ebutyrato, fed recenti, Cataplasma Glandi inslammatæ applicandum.

KENKENKENKENKENKENKEN

CHAP. V.

Of the Cure of SHANKERS.

THO' Shankers appear in this place among the Symptoms of a Gonorrhæa, yet it has * already been shewn that all of them are not so; some of them being as much Originals in the Venereal Disease as the Gonorrhæa itself; others are the Consequence of an unhappy Cure, or are Symptoms of the Pox; and the third fort are, in great Strictness and Propriety of speaking, real Symptoms of a Gonorrhæa. Now though the symptomatical and original Shankers will be found, by what I am about to shew, to admit of a Cure without inward Administrations, and the Pocky Shankers require inward Medicines; yet, we may, properly enough, purfue their common Method on this Occasion. For whether inward Medicines are necessary, or not, Practitioners have always endeavoured to

^{*} Cap. viii. Part i.

dissolve them by proper Applications; notwithstanding that they have been attended with grievous Pain, and that their Success has been very doubtful and uncertain: But if two thirds, at least, of the Shankers do not require inward Administrations, the ridding Mankind of unnecessary Salivations, and of dangerous mercurial Vomits, must be reckoned an unvaluable Happiness.

Now, whether Shankers be produced by coagulating, or dissipating, the Liquors of the Parts, on which they appear; no Method has been found sufficient to deal with them, besides such as confumed them, and made them separate from the found Part. In this Delign of curing Shankers, there is not any Remedy apply'd for destroying the Cause of them; but they themselves are extirpated as a lost and irrecoverable Part: not without great Waste committed on that which is found. This is perform'd with fo great Pain and Inflammation, that an Amputation of the Penis has been often the last Remedy for the sharp Matter of the Gonorrhæa, and the sharper Application; yet this is the only Method Physicians have been able to contrive for treating

treating Shankers. Blegny says, that among all the topical Remedies for restraining the Virulency of, and putting a Stop to, Shankers, Escharoticks are to be apply'd first; always observing to make them more or less strong with respect to the natural Disposition of the affected Part, and Danger of the Diftemper. That is, that the gentlest Escharoticks are to be apply'd to those Places that are very delicate or fenfible, and to new Shankers, or fuch as are very fmall. And on the other hand, more strong and active Escharoticks are to be apply'd to the more gross and less sensible Parts, and to very old, broad, and deep Shankers.

The Method of curing Shankers by Escharotick Medicines, is not only attended with Pain, and other ill Consequences; but is likewise long and tedious. Often People have not their Relief after one or more Years: The Eschar, says De Blegny, being fallen off, it will be proper to continue the Suppuratives, if the Shankers be small, for eight Days; and if great for six Weeks, and for a time proportionable to such as are of a middling sort. This is the most favourable Term in which we can hope to our of the suppurative of the same of the same

on for Years, under the Management of them by Escharoticks, with all the Confequences already mentioned. But before Physicians and Surgeons are rid of this tedious and uncertain Method, by putting a very certain and easy one in the place of it, I will add some Forms of Escharotick Medicines in present use.

Physicians finding the Medicines, they commonly apply'd to Shankers, ineffectual in destroying them, were forced to try the sharpest that they knew, even aq. Fortis, and aq. Regia themselves. Fal-Toppius, finding the great Hurt of those sharp Applications, warns all Physicians against the Water that separates Silver from Gold, and gives two different Forms of ag. Fort. One of Marianus Barolitanus, and another of Joannes de Vego, and recommends a Tineture of Verdigreafe made with Rose-water; so that he, and every one fince that time, being perfuaded that no good was to be done with Shankers without Corrosive and Escharotical Medicines, prescribe the following.

The Cure of Shankers.

R. Aq. commun. q. v. Bulliat in lebete aneo. In ea dissolve Calc. viv. parum, & adde Vitriol. Hungaric. q. s. ut cærulestat solutio, quam filtra pro Fotu tepide applicando.

R Lact. Virgin. q. v. Mercurii sublim. pauxillum M. F. Liquor quo sæpius tangantur Ulcera maligna.

R Axung. Porcin. q. v. Ol. Tartar. per deliquium q. s. ut Axungia deveniat acris. M. F. Ung. vel vice Ol. Tartar. addatur Ol. Vitrioli.

Referent præcipitat. Zj. Vini sublimat. Zij. stent simul in vase, & vinum sublimatum accendatur, ut totum cremetur. Id cum novo vino sublimatum, ter repetatur.

Referencia præcip. Zij. sp. Vin. ardent. Ziv. pronantur ambo in Retorta & spiritus Vini à Mercurio præcipitato destilletur, in vas recipiens accipiatur. Hunc spiritum serva.

These two last Preparations of Precipitate are said to have their Effect with little or no Pain; yet they are very carefully fully to be made, or else we shall find it quite otherwise, by their corrosive Salts not having been sufficiently destroy'd. But this Practice is more commonly managed by sharper Medicines, whereby the Shanker is first rooted up, and then the sound but hollow part is to be healed, and therefore I will add some Forms to answer that Design.

Rememer viv. optime purgati zj. quem solve in aq. Fort. zij. Solutioni superfunde aq. communem, postea paulatim oleum Tartari correctum guttatim adde, & Mercurius luti instar præcipitabitur, quem probe à corrosivo per aquam simplicem vindica. Hic præcipitatus vocatur Luteus, ab aliquibus vero Magni Calcinati Paracelsi nomine insignitur.

R. Mercur. Lutei, vel præcipitat. rub. parum. Immisceatur Ung. Basilic. s.q. & extend. super petiolas, quas Cancris vel Cariebus applicabis.

After the Shankers or other Ulcers have been cleanfed and destroyed by such Methods, and the Venereal Poison is rooted out, the Parts are to be consolidated and healed up, which is slowly enough

enough performed by the common Methods. Musitanus has this Balsam.

R Aloes, Myrrhæ, & Croci ana zj. F. omnium pulvis & affunde Sp. Vin. ardent. Thj. stent simul per duos dies; deinde per inclinationem, tantum, spiritum vini separa, & in vase optime clauso serva. Aspergatur Ulcus ter, vel quater, in die & consolidatum erit.

This Balsam must create a great deal of Pain, as he himself confesses; and therefore recommends other Ointments, as the Ung. de Tutia. There is not any better than the Desiccativum rubrum, or the Ung. Diapompholygos, or this of Johan. de Vego.

R. Ol. Rosac. Zij. Succ. Plantagin. Zvj. Litharg. Auri & Argenti ana zv. Tutiæ Zij. Ceruss. Zij. Plumb. usti Zj. M. & ducantur in Mortario Plumbeo ad Consistentiam Unguenti.

But Authors, while they dress with either of the foregoing Medicines, do not altogether depend upon the most painful of them, for eradicating the Venereal Contagion; but likewise give divers mer-

2 3 curial

curial Medicines inwardly to help on the Cure, and to prevent ill Consequences from the Blood being affected. Now as all the different kinds of Shankers, whereby the Blood is affected or not, may be known by the Theoretical Account already given, so we are fully apprized of those Shankers which require inward Administrations, and of those which may be cured by Applications only.

We may conclude from the tedious Cure of Shankers by Escharotick Medicines, that Shankers do not corrupt the Blood and form the Pox so readily as Physicians commonly believe. For it not being the Nature of an Escharotick Medicine to destroy the Sharpness of the Gonorrhæa, which is the Cause of the Shanker, but merely to make it fall off; the Poylon of the Disease is altogether confined to the shanker'd Part, without going into the Blood; especially since we find that a thorough Cure very often is made of all the Venereal Symptoms by destroying the Shankers. And therefore as a Pox does not commonly ensue this long and tedious Method of treating Shankers by Medicines, that cannot give any Check to the Acrimony, we may

conclude that such Shankers as little difpose Men to be Poxed, as a Gonorrhæa. Mr. Blegny owns as much in these Words, If we suppose, in Virulent Gonorrhoeas, that the Acids, to which they are owing, have penetrated farther into the Body than when they only cause Venereal Ulcers, and Shankers; it may be inferr'd that Gonorrhoeas are more the Occasion of a Pox than Shankers are. So that I take the Fact to be past dispute, and consonant to Mr. Blegny's Observation; but the true Reason of these Facts, is, that I have lately assigned. Indeed this Hypothesis inclined him to follow an Opinion contrary to his own Experience, as we learn by reading what immediately follows the Words I have quoted.

But to bid an eternal Farewel to this long, tedious, and uneasy Practice; I shall next communicate a Method whereby Shankers are cured in a very little time, with great Ease, without any Pain, Inflammation, Loss of Substance, or any Danger of Extirpating the Member, or any Part of it. This Method does not require any Help from other Medicines for dissolving the Shanker, and healing the Part. It is done by an Ointment not recommended

Q 4

OIL

on an Opinion, or Persuasion, that it will succeed; but upon its Success for twenty Years past; the Efficacy whereof will sufficiently answer all the Expectation any Person can have from it, as it has already done to some Friends to whom it was communicated some Years ago. The Method is short and easy, like the Medicine itself; for you are only to dress Shankers with this Ointment.

R. Hydrargyr. q. v. Terebinthin. Venet. q. s. M. F. Unguent.

But before I proceed to any farther Account, or Defence, of this Ointment; it is very proper to relate its Success in some other and harder Ulcers; which Relation will be the more acceptable, that the Sore is as unknown in Europe as the Cure of it by my Ointment, and evinces the Efficacy of it at the same time. This Account was fent me from my Cousin Dr. Cockburn in Jamaica; and because he suspects his own Partiality in so near a Concern as mine, he chuses to give the Opinion of others about my Book, and then the Tryal of my Ointment, which Account I will therefore add in his Words. After he has given the civil and obliging

obliging Opinions of Dr. Tho. Hoy and others concerning my Performance, and that the Ointment is the best that ever was offerr'd; continues thus: I cannot fay I have try'd your Ointment on Shankers, but I have made tryal of it on an Ulcer of the like Nature, but in a worse place; which Tryal was made on a Negro of my own, who had, what we call here, the CRAB YAWS. They are a fort of Ulcers that come upon the Soles of the Feet with HARD CALLOUS LIPS; so hard, that it is difficult to cut them. The general Method has been to pare them deep, and then to burn them with a hot Iron, or with some corrosive Powder; fuch as ROMAN VITRIOL or VERDI-GREASE, and after all with little Success. This Boy had one of these Crab-Yaws on one side of his Foot, where the Skin was very had; to which, after it was pared, Iapply'd your Medicine, whereby all the Hardness was destroy'd in a few Days, and his Foot is now SOFT and WELL. The Consequence of this Experiment is very obvious, and forbids me to enlarge upon it.

But as fuch Discoveries are most commonly

monly attended with the Murmurings and Reproaches of envious People; who load Inventors with Calumny, instead of returning them Thanks: So we find them, on this Occasion, urging thus their Scandal. Were not Mercury and Turpentine, say they, in use for curing the Venereal Disease, before this Author's Discovery? I grant they were, but they were not put together before for curing Shankers: And if Pain and Ease; Four Days, and Four Months, and the Cutting off the Penis, and a Security against so great Damage, make no Difference in a Practice, I freely give up any Pretence I have to doing Good; by inventing a better, as well as a new Method.

The whole Value of any Medicine is its Usefulness; and if a known Medicine, by combining it with one or more Medicines, or by a new Preparation of it, is good for what it never was before; it is as much to be reputed a new Medicine, as if its Materials had been new. On this Account, a new Method being invented by the new Use of known Medicines, is a far greater Addition to the Stock of Physicians, than if a Number

of new Materials were added to serve the Purposes of the known Methods. In short, this is as much a new Medicine as if we had found out the Use of any known Plant, which was not formerly discovered.

When I formerly defended the Goodness of this Ointment against the Prejudices I judged would arise from its Simpleness, or the Materials being anciently known; I never imagined I should ever have been charged with taking it, or the Hint for making it, from any other Author. But fince a Report has been spread, with extraordinary Industry, that this Ointment was prescribed formerly by Falloppius; but others, with a little more Modesty, that I have improved upon his Composition; it is very proper to clear this Matter, and I declare my great Satisfaction on this Occasion, of this being the great and only Objection made to the Book itself; for as this Trifle has been propagated with great Industry, I do not find that Phylicians shew any Inclination to forgive more material Mistakes.

But to set this Affair in its clearest Light, take the * Form of an Ointment prescribed by Falloppius.

Re Axungiæ porcinæ zij. Thuris, Aloes ana zj. Argenti vivi zij. Terantur hæc in Mortario, extincto Argento vivo, & fit Unguentum, quo inungimus.

Now, after relating his Ointment, can any find wherein I have either improved upon, or taken from, Falloppius? Is it because his Ointment and mine have both Mercury or Quicksilver in their Composition? But then it were too gross to think these Objectors believe Falloppius the first Prescriber of it, even in an Ointment; yet if they do not, why did not I take my Ointment rather from Galen, or from later Arabian Physicians, than from Falloppius; fince all of them have prescribed Ointments with Mercury? Nay, the very Ointment which first produced a Salivation was, at least, taken from Avicenna, by the Testimony of the learned + Fracastorius.

† Cap. 12. Lib. 274. fol. 92. pag. altera.

There

^{*} Cap. 82. de tribus Cariei Gallicæ speciebus pag. 733. Sexta Curandi ratio.

There is nothing more abfurd than this malicious Calumny; for let us suppole that any one took a Fancy to make Hippocrates the Inventor of my Ointment, the same Reasoning will serve the turn: Hippocrates, it may be said, and Ancient Physicians apply'd Turpentine to Sores, which is the other part of the Composition of this Ointment; Where then is this late Invention? The Argument is the same, though Turpentine be no part of Falloppius's Composition. This manner of Reasoning will hold against Rudius or Ruffus (Rhases according to Pereira) being the first Inventor of their Pills; because they were not the first that knew Aloes, the chief Ingredient in their Composition; nor indeed is Falloppius of his Ointment, fince he does not pretend to have been the first that used Quicksilver; either for the purpose of drying the Caries or Shankers, (the prefent Defign) or for any other Symptom of the Pox.

But this Ointment of Falloppius does not answer, as himself acknowledges, but likewise gives Pain; because of the Hogs-lard and Aloes, which my Ointment does

does not; they being no part of my Ointment: Besides; the Mercury is the half of my Ointment, and is joined with the best Digestive, and is a tenth part only in his; so that, upon all those Accounts, it cannot have the same Effect with mine. Moreover, the Frankincense is a Specifick for destroying every kind of Tumour, according to Avicenna; which therefore Falloppius must have depended upon equally with the Mercury, because they were both of them used on the same Authority. And herein, fay they, confifts my Improvement; that I leave out all the unnecessary Parts of the Composition; that I have mixed the Mercury in a good and fufficient Quantity, with a Substance, the fittest to make it into the Form of an Ointment, and to render it a more effectual Medicine.

The urging thus their Objection does me sufficient Honour. For have I improved upon the really Great Falloppius? And has this Ointment wanted due Improvement these 120 Years? At least, then, I have brought an excellent Ointment to its Perfection, after it has been admired, they say, for 120 Years; and notwithstanding that it has been forgot for

for half the time, a great Argument a-gainst its Usefulness, so much applauded, on this Occasion. Yet if the throwing away every Drug of the Composition but one, and using that in five times a greater quantity, and that with a more proper Ingredient, than can be found in the other Composition, this is indeed a very particular way of Improving; and, on any other Occasion, may properly be call'd Inventing. But this I submit to the Reader.

A late History of Physick equally discovers the Inventors and Propagators of this Calumny *. Mercurial Ointments, and Plaisters, says its Author, which perhaps would sooner answer the End of discussing, if the Mercury were only mixed with a little Turpentine, in the Manner You know Falloppius used.

It is Doctor Mead's hard Fate to vouch for this alledged Practice; but it had been more proper to have appeal'd to Falloppius himself: And as no such Practice can be found in his Works, so the Mis-

^{*} Page 70. Vol. 1.

representation is very gross; whosever is the Voucher.

Indeed; the great Occasion of Scandal is the Goodness of the Invention; and that it may bring a Reputation to its Author: So dangerous it is for a Physician to contrive any thing useful to Mankind; that it unavoidably subjects him to the Hatred of many other of his Brethren; who restlessy pursue him with Calumny and Scandal; if not the Invention itself.

But as People who are best at Calumny, are likewise the greatest Boasters
and Pretenders, I lay it down for a general Rule, that no Medicine is to be received for its singular Use till it has had
many Trials in proper Circumstances, i. e.
till it has been used on a Number of People equally ill, or that it has its Effects
when no reasonable Hopes are left of a
Cure by the best of other Medicines,
skilfully administred.

This has been the particular Fate of Physick in all Ages, and many have pretended to cure Shankers by secret Methods,

was done before. And as De Blegny paints the Custom of Quacks and this Pretence at the same time, I shall add his own Words: Quacks will tell you they will Cure the worst and most frightful. Shankers in eight or ten Days; and if after this time they find that their Knavery and Ignorance are like to be discovered, they persuade their Patients that their Remedies are Effectual and Certain, when the Shankers are not owing to the Pox; but their Distemper having been so obstinate, the Recourse must be to the Cure of the Pox itself.

Instead of applying this History to some Physicians of our own Times, I will add another; which, together, compleat the Character of Quackism. This is taken from Musitanus, who says, Instrmo suadent sluorem illum UTILEM esse, cùm natura per EUM LOCUM virulentam Materiam expurgare conetur, neque cohiberi debere, quia corpus insicere potest, & pe-jora eveniunt mala: Hâc malitiosa industria, quod illi persicere nequeunt, (STERCORIS ET SANGUI-R NIS

The Cure of Crystallins.

242

NIS EDUCTIONE per alios curari sub pænå majoris damni infirmis prohibent.

CHAP. VI.

Of the Cure of CRYSTALLINS.

HE Nature of Crystallins, one fort of the Caries mentioned by Antonius Musa, and called Taroli by Italian Physicians, has been so fully discovered in the first Part of this Discourse, that we are under no Difficulty in laying down the Indications of their Cure; especially if we consider that they are the Effect of a Bruise, on a Part subject to a great Afflux of Humours, and to a Gangrene. On which Account, the Applications must be so tempered as to be Styptical and Astringent to contract the Bladders without any Danger of condenfing the Liquors of the bruifed Part, which might occasion a Gangrene. Or else, Astringent Applications must be so well animated with spiritous Medicines; that

The Cure of Crystallins.

that all Risque of spliting on the same Rock may be avoided.

A Practice of this kind always fucceeding in Experience, is a strong Confirmation of the Theory that was established: For by it, Cristallins are not a Spinptom of a Gonorrhæa, but a genuine Effect of Coition; more especially in the Circumstances there mentioned. On the other hand, Methods of any other kind either do not succeed, or after a very long time. Mr. Blegny's Experience agrees perfectly well with this Do-Arine. Those watry Tumours, says he, being usually accompany'd with other grievous Circumstances, some Authors have consider'd them as Symptoms of a Pox, and have sometimes taken them for the Pox itself. And therefore have endeavoured to cure them by Directing Purgatives, Sudorificks, and the most violent Diureticks, the Fumes of Cinnabar, the Applications of Plaisters and Ointments prepared with Mercury; and, in a word, by all the general Remedies employ'd for the Cure of the Lues. But, in this, they are grofly mistaken; for those watry Tumours have no Dependence upon a Pox; and it is very certain, that R 2

that the general Medicines employed in the Cure of it do not effectuate the Cure in so short a time as is necessary for the Cure of watry Tumours; which are always so urgent, that they come to their Height in three or four Days, if they be not check'd by topick Remedies.

This was proper to be shewn from one of the best Books we have on these Subjects; First, That I might not appear altogether fingular in an Opinion which may feem strange to most Physicians: Then Secondly, Because they may rather embrace it on the Authority of a dead and foreign Practitioner, than from any living Author; howfoever this Opinion be supported on Experience, and the best Reason. But Monsieur Blegny not taking his Indications from the Nature of Crystallins, but from the Appearance of their Water, falls into as great, though not fo pernicious Mistakes, as some other Authors, and fancies that the Water of the Bladders may be carry'd off, as is commonly faid, by Medicines that Purge upon Water; and he still bears so great a Tenderness for the Specificks of the Lues, that he would have them mixed with with some he recommends for Venereal Ulcers 3

Ulcers and Shankers; but withal, that none of these ought to hinder our using proper Topicks: Which he fays, Are so much the more necessary, that they only are successfully employ'd in curing some Patients; and that without them Internal Remedies would prove ineffectual. Now as these Topicks are so necessary, that all internal Medicines will prove ineffectual in curing Crystallins without them, and as he uses Purging Medicines only with a View to discharge the Water, which they cannot do; so we may fafely conclude, that Mr. Blegny has not made a right Use of his Experience, and that Crystallins are cured only by Topical Medicines, without having any Regard to a Gonorrhæa, a Shanker, or any other of their Symptoms.

The Crystallins have been commonly reckoned among the most terrible Symptoms of a Gonorrhæa, and though neither the Notion, nor Experience I have of their Cure, can induce me to that Persuasion; I hope the Practice of other Authors, which confirms this my Opinion rather than overturns it, sufficiently warrants the Liberty I have taken to differ from them, in Point of Speculation.

R 3 And

And therefore that Means, proper to cure this Symptom, may not be wanting, however different our Opinions are about its Nature, we find the following Methods chiefly recommended.

Musitanus thinks the Spirit of Tobacco the only Medicine sufficient against this great Evil, which he thus prepares.

Re Tabaci foliorum viridium q. v. Infundant. vino Malvatico. Tinctura utatur sine distillatione.

The Crystallins are to be touched with this Tincture five times at most, after they are first humbled with sublimate or precipitated Mercury. This is to be done when the Patient is lying, lest the Violence of the Pain, because of the violent Operation of the Tincture, should make him drop down in Convulsions.

If this Symptom was near as fatal as this Author pronounces it, or if it was attended with fuch dreadful Confequences in its only Cure, it ought defervedly to be reckoned the most terrible Symptom of the Gonorrhæa, or of the Lues.

But

But Monsieur de Blegny, and most Practitioners, do not find the Crystal-lins so dangerous a Symptom, or to require so violent a Remedy, though he be led away with greater Apprehensions of Danger than ever he observ'd, and had occasion to fear; for he finds that Drying and Discussing Medicines are a sufficient Cure of Crystallins, and gives Forms accordingly of Campborated Spirit of Wine, making a Paste with Bean-flower, Lime-water, and Sal-armoniack, and even comes to Astringent Medicines; as Whites of Eggs with Allum, mixed with Sympathetick Powder.

But as I have already observed, that the Bruise requires warm Medicines, in order to discuss the Liquors, or to make them flow, and suffers very much by indiferent Applications of Astringent and Drying Medicines, made for wasting the Liquor of the Crystallins; whereby a Gangrene often ensues, as would be the Confequence of all other considerable Bruises that are treated with these, or the like, Medicines. And therefore the Applications ought rather to have the greatest View to the Contusion, though they

The Cure of Crystallins.

may carry some Degree of Astringency with them; as

R. Aq. Calc. Ziij. Spir. Vini Gallici Zij. M. & foveatur Pars affecta tepide quater vel quinquies in Die.

R Folior. Absynth. M. j. Flor. Chamæmel. Sambnc. ana M. S. Coq. in aq. Calc. Tojs. ad ; Consumptionem. Colaturæ per expressionem factæ add. Spir. Vin. zvj.

When no further Apprehensions remain from the bruised Part, the former Medicines may be made more Astringent, with some Roman Vitriol dissolved in them, or some Aq. Opthalmica Sapphyrina; which will perfect the Cure without any Prepartion of Mercury, or the administring any sort of inward Medicines.

But as neither the Spirit of Tobacco, nor the most powerful and effectual of the other Medicines can be said to destroy the Venereal Contagion, while they cure Crystallins, there is not sufficient Experience for afferting their being occasioned by it; since neither their Nature,

any Proof of it. And therefore the former Doctrine, that Crystallins are rather the Effect of Coition than of Contagion, is plain from both Experience, and Reason. No doubt they may be together; but, in that Case, neither of them is the Cause of the other.

ġġġġġġġġġġġġ<mark>ġġġġġġġġġ</mark>ġġġġġġġġġġ

CHAP. VII.

Of the Cure of the Phimosis and Periphimosis.

Authors; who affirm, that the natural Uneafiness of the Praputium to pass backwards on the Glans, is any Degree of a Phimus or Phimosis; since it may be push'd back, and reduced, without the least Danger of its strangulating. But when the choaking of the Praputium is the Cause of Pain; Inflammation, Flux of Humours, and of a Gangrene, the Symptoms of a Phimosis and

250 The Cure of a Phimosis, &c.

and Periphimosis very well deserve our special Care and Consideration.

This preternatural Ineptitude of the Praputium, to cover or uncover the Glans, proceeds from the Thickness it acquires by Shankers on it, or the Glans: Even the Scabs of the Small-pox were observ'd to produce a Thickness, and a Phimosis; as really, as Shankers or Crystallins: and therefore equal Regard must be had to the Shankers and Crystallins, as to the Praputium, in curing those Symptoms.

It is true; our first Endeavour is to abate the Thickness of the Fore-skin, in order to get at the Shankers which occasion it. But, after that, the curing the Shankers and Crystallins are the only Security against a new Thickness. How the Shankers and Crystallins are to be cured, has been already confidered in the two foregoing Chapters. Now a Phimosis or Periphimosis are to be managed with Medicines that can discuss the Humours, and abate the Inflammation; or else with powerful Suppurating Medicines, whereby the Humours are speedily discharged. By either of these Methods

Methods the Praputium will become pliable, and may pass backwards or forwards on the Glans; and with that Certainty, that there will be no occasion to have Recourse to the troublesome and painful Operation of cutting the Fore-skin.

These Indications would seem to be drawn from some Theory, by the Practice of Authors, and truly arise from mine; yet it is certain that as the *Phimosis* and *Periphimosis* are occasioned by the *Shankers* on the *Glans*, and *Praputium*; so the curing of them, to any Degree, will suffer the *Praeputium* to pass easily on the *Glans*. In that Case, the *Phimosis* is not only more speedily cured, but also without any Application or Operation whatsoever. This Method is still unknown to Practitioners, though it may be easily practised.

But leaving these Considerations, I shall give an Account of some other Practices which Physicians pursue without any Design, nor are they sounded on any Theory, or Notion, that can be proposed from the Nature or Symptoms of Shankers. These are the Use of cold Water sprinkled on the Belly and private Parts,

Parts, while the reducing of the Praputium is endeavoured by our Hand, wet likewise in cold Water. Others would drain the Humour that comes from the Fore-skin, by infinuating green Gentian-Roots, the Pith of the Way-faring-Tree, or a bit of Spunge between the Glans and Fore-skin. But as the former Method may affwage the Erection of the Penis, but cannot contribute to the Cure of, or to the preventing a Phimosis; and as the last proceeds (on a false Supposition, that watry Humours congested in the Fore-skin can be drained by fuch Applications) the vain Expectations of fuch Attempts become manifest. On the contrary, the Moisture imbibed when these Medicines are apply'd, swells them, and thereby the Parts are distended; and Pain, with a greater Afflux of Humours, is occasion'd; so that they rather increase, than abate, the Symptoms.

R Folior. Dulcamaræ M. iv. Seminis Lini pulverati ziv. Decoque in Vino Moscato, Cretico, vel Larido Porcino ad Cataplasmatis Consistentiam, quod applica. R Rad. Bryoniæ albæ magnæ, bene nutritæ, & in Taleolas sectæ toss. Frig. in Sartagine quousque contabescat. Cola, & adde Terebinthinæ Abietis, toss. Ceræ Zij. M. F. Unguent. viscidum.

R Radic. Althææ, Liliorum alborum ana ziij. Coq. in Aqua communi. Pistentur, & trajiciantur per Setaceum; dein adde capitum Alliorum sub Cineribus coctorum ziij. Ol. Liliorum & Pinguedinis Anseris & Anatis ana zis. Farinæ Seminis Lini q. s. M. F. Cataplasma.

Re Mucaginis Althae, Fænugræci, Ficuum Pinguium ana ziij. Olei Liliorum & Chamæmel. ana zij. Pingued. Anser. & Axungiæ Porcinæzs. Terebinth. Venet. zis. Ammoniaci & Galbani Aceto solutorum ana zij. Cer. nov. q.s. M. F. Ceratum instar Diachyli magni.

Re Rad. Alth. Lilior. albor. ana zj. Folior. Malv. Mercurial. ana M. j. Coquant. ad Mollitiem; quibus contusis adde Farinæ Tritici, Hordei ana zjs. Butyr. recent. Pinguedin. Gallinæ ana zij. Ol. Chamæmel. q. s. F. Cataplasma tepide imponendum.

Many

Many other Forms of Fomentations, and of Cataplasms might be added; but as several, very useful in the present Case, have been alrady mentioned, on other Occasions; I chuse to leave them to the Discretion of the Physician. Those, now mentioned, will either discuss the Swelling or break it, and make it run out like a Meliceris Humour in a reasonable time, without ever coming to the painful Operation.

The Nature of a Phimosis in Women does not differ from that in Men, when a Venereal Cause produces them both. In the Phimosis of a Man the Praputium cannot be drawn back, nor the Glans uncovered. By that of a Woman all Admission into the Vagina is barr'd. The first from the Thickness of the Praputium, the last from the Swelling of the Caruncles, the Angryness of the Sphineter, and other Parts at the Entry of the Vagina; which Swellings proceed from the Shankers on the Caruncles, as the Phimosis did from the Shankers on the Glans and Praputium. And therefore the Cure of a Phimosis

in Women must be, by allaying the Swelling with softning and emollient Applications, and by proper Dressings on the Shankers; all which we have already shewn in treating the Phimosis of Men.





APPENDIX.

toms only have been confidered, as attend most commonly the Practice of a Gonorrhæa; whether they

have proceeded from the Sharpness, or other accidental Qualities, of the Running, or are the natural Effects of the Medicines administred for curing a Gomorrhæa, or from the Mistakes and Errors in applying them. And indeed as all the ill Consequences, that were ever observed, truly flow from the mentioned Causes, yet there are several others that seldom occur; which, have never hitherto been related, nor ever could have been explained, had they been observed.

These are the Subject of our following Confiderations; and if they can be drawn out of the Principles formerly laid down, and the Account of the Medicines already produced, so that the particular Cause of each of these strange Effects may be affigned; we may modeftly affirm, that the former Theory is compleat: it fetting, before us, the constant Uniformity we always discern in the Works of Nature. Whereas, for the want of a true Theory, the Administration of the most innocent Medicines, and of the best adapted Compositions for a general Practice, have proved most uncertain, and often dangerous; even in the Hands of the most experienced Pra-Etioners; infomuch, that there is not a greater Variety of Events to be found in administring any Medicine, in any Difease, than may be observ'd in administring the same Medicine, in the different, but unobserv'd, Circumstances of a Perfon ill of a Gonorrhæa; nor is a solid and judicious Theory more wanting for conducting us in the Practice of a Fever, than in the Practice of a Gonorrheea.

S

Had

Had not these Difficulties and Disappointments often returned, and brought along with them Reproaches not to be fuffered by Practitioners of a liberal Education, the Physicians, that first brought this Disease out of its original Darkness and Confusion, could not have failed of bringing it to a Certainty; long before this time: while, finking under fuch Difcouragements, they left the farther Profecution, or rather Practice of it, to a Set of Practitioners of another Order, that could better bear up under Calumny; but who were not able to make any Improvement in the Practice, by rendring that more certain or more fafe; all of them succeeding on many Occasions, and none of them in every Particular. The reason of all this Difficulty, is their never having been apprized that the Matter of the Running was a natural Liquor, that comes under a variety of Circumstances, which occasion very different and contrary Effects, when it is to be wrought upon by the same kind of Medicines, in the like Doses. This injudicious Administration, of the best Medicines, occasions all the Difficulty and Misfortunes already mentioned, as well as

as those we are about to relate; some whereof have not been observed during the long, and extensive, Practice of this Disease.

And therefore I will purfue those Evils in the most easy Method, and propose them in the Periods and Order wherein they commonly appear. First, we will inquire into the grievous Symptoms, arifing from any Check given to the Running, when it begins to shew itself, and we will find those Symptoms always most grievous, when the Corruption, that is check'd, is most sharp. Secondly, we will confider Symptoms that appear after the Running has been in a confiderable Quantity, but that stops of a fudden. Thirdly, the reason why the Running fometimes continues in fuch a Quantity, as is the Oozing of a Sore that cannot be heal'd up; and on that account (I suppose) is called a Gleet. And Lastly, I will consider what manner of Hurt happens in the Practice of a Gonorrhæa, when the Passage of Urine, along the Urethra, is hindred or interrupted; or how a Caruncle, and a Carnofity, are produced.

MANGER WARRENCE WARRE

CHAP. VIII.

The Algedo; or a Running check'd in the Beginning, and the Consequence of its stopping.

Mong the various Accidents that happen in the Course of a Gonorrhæa, none is attended with more violent Pain, and more dire Consequences, than a Running stopping soon after it appears; which we may properly call the Algedo; yet I do not find, that any Author has offered any Observation of this kind to the World; which Neglect very much confirms the great Difficulty there is in making Observations; and the Unaccurateness of former Authors, in relating the various Appearances, that occur in the Practice of a Gonorrhæa. Musitanus alone suggests the Symptom, but injudiciously places it among those that precede a Caruncle *. For he alledges that we may apprehend a grow-

^{*} Cap. iv. Lib. iii. de Lue Venereâ.

ing Caruncle, Ex prægrefså fædå Gonorrhæa, quâ modò Stranguriam, modò Dysuriam, jam Ischuriam infert. But I have observ'd; that if the Running does not proceed, after the common manner already related, but continues to be in a fmall Quantity, as it always shews itself at first; or if it stops without any sensible and obvious Cause of an improper Administration; in that Case, there is often an intense Inflammation on the Glans, and an infufferable Pain striking into the Anus, fometimes into the Testicles, without their being in the least swell'd, and most commonly into the Bladder; which last Pain is always attended with a frequent Defire of making Water; but then it is made in a very small Quantity, and with much Difficulty. These Symptoms, thus related, become very manifest from the Account formerly given of the Nature of a Gonorrhæa, and if we recollect what was + then faid of the Sharpness of the Liquor of the Lacuna, we shall eafily explain the Nature and productive Cause of this Symptom. For let the infected Liquor of the Lacunæ be ty'd up by Applications, or Administrations, of

[†] Chap. v. Part 1.

any kind; or let them become grosser on a sickly account, so that the Stimulus of the Corruption does not excite the Quantity of the Essux in a due Proportion; in that Case, the Liquor is still more corrupted, and becomes more sharp. Now this sharp Liquor being constantly apply'd to the Lacuna, to the membranous Coat of the Urethra, always excites Pain and an Inslammation, as has been often shook.

Pain being thus made in the Urethra, we may eafily conceive how it is propagated into the Bladder, and other Parts mentioned in the foregoing Description; for the Urethra is a continued Duct to the Neck of the Bladder; and the Inflammation, being communicated thro' the Urethra, is easily communicated to the Bladder; and with it the Pain. This is likewise the reason that the Vasa Deferentia and Vesiculæ Seminales, that open into the Urethra, partake of this Inflammation, and communicate the Pain into the Testicles: As also, that the Pain is convey'd into the Anus by the Means of the Accelerating Muscles of the Penis, which terminate in that part.

But

But to explain these Symptoms more particularly, that the Defign we have in curing may become more obvius, and direct; we will begin with accounting for the frequent Defire of making Water, and why it is voided with great Pain, and in a small Quantity. The reason of this Symptom is, that the Neck of the Bladder being vaftly inflamed, is vehemently stimulated by the Saltness of the the Water, and by this stimulating, a frequent Desire of discharging it is excited. The Bladder itself being also inflamed, it cannot be so easily apply'd for expelling the Urine; and therefore it is thrown out in a fmaller Quantity; and, upon both accounts is made with great Pain, Moreover; the Neck of the Bladder, being thickned by the Inflammation, is opened or dilated with great Difficulty; and therefore, the Urine is neither freely expell'd, nor without great Pain.

The frequent irritating the Bladder, with the sharp Urine, occasions the quick, and repeated, Pain; which Pain in making Water is a more constant Symptom of the Stoppage of the corrupted Matter, than are either the Pain in the Anus or

in the Testicles; notwithstanding that the Pain, in these, is produced as really by the Pain in the Urethra as that in the Bladder; but not so directly. For Pain made in contiguous Pares is occasion'd, by the Stimulus, or Compression of adjacent Parts, that are affected; fo that the derived Pain is equally owing to the Inflammation, as is the Pain in the Part originally affected. Daily Experience affords us various, and fensible, Examples of Pain derived to a contiguous Part, from another that is first hurt. A Pain any way produced in a Finger is not only propagated, by the common bending Muscles that may send a Branch, to some distance, and is thus carry'd, directly, to a great length up the arm; but it likewise affects other Muscles in the same Contiguity, and reaches farther than the Origin of any of the Muscles of the Fingers, and may be propagated to Parts, very distant from that first affected with Pain.

But, which is more surprizing, contiguous Parts affected mutually by the Inflammation of either, not only receive Impressions of Pain from each other, but will even adhere and stick to one another.

ther. The Adhesion of the Lungs to the Pleura is an Affection of this kind, as is the Adhesion of an Intestine to the Peritonaum, Bladder, and such Adhesions of many other Parts that have often been found in dissecting Bodies; especially those that were morbid or sickly.

All these grievous Symptoms being produced by the retarded Efflux of the Liquor of the Lacuna, notwithstanding that is sharp and corrupted, and commonly flows, at other times, in a greater quantity upon that account; yet as this Liquor is found, at present, in a small quantity; for Reasons afterwards to be assigned it requires the greatest Degree of Corruption possible, and that by its not running off in the ordinary quantity. Now as this very sharp Liquor is constantly apply'd to the Urethra, by its continuing in the Lacunæ, which are parallel to its inner Coat, the Pain is render'd more and more intense. Our Inquiry therefore must be why this Efflux is retarded, notwithstanding that the Liquor is more sharp, or is indued with a greater Stimulus, a Cause we formerly found fufficient for exciting a Running. It will easily be believed that Injections and

and Medicines, that are any thing Aftringent, inwardly administred, have sufficient Power to check the Discharge of
the corrupted Liquor; nay Medicines of
such Qualities are esteem'd so sufficient
a Cause that seldom any other has been
assigned for the Interruption; so that we
may affert that these Medicines are sometimes the Occasion of checking the free
Estlux of the Liquor of the Lacuna,
though it be corrupted and were otherwise sharp enough to produce a Running.

But another Cause never yet assigned for producing fuch a Stoppage, is when the Liquor of the Lacuna, even in this its corrupted State, acquires an extraordinary Groffness, and on that account becomes incapable to flow, or flows only in a very inconsiderable quantity. This Grossness of the Liquor of the Lacunæ is acquired from a Groffness of the Blood itself in a great many Diseases, as in a Cold, a Fever, &c. The way how this Groffness is form'd by a Cold, or a Fever, is obvious from the general defect of Secretions at that time; infomuch that Hippocrates observes that Ulcers, and I have observ'd that Issues, very commonly dry

dry up in the beginning of a Fever, and in great Colds, when a Fever is generating, and in several other Distempers, the Liquor of the Lacunæ is become so gross, that the Quantity of its Efflux is but moderately augmented; though it be corrupted and stimulates the Lacunæ, and thereby the Quantity of its Efflux should be considerably augmented: Hence it is that the Pain, and all the former mention'd Evils, or Missortunes are produced.

Some very good Practitioners who have been apprized of the great Danger and Difficulty that arises from the slow Running in this Circumstance of a Fever, have attributed the Slowness of a Running, or the Smallness of its Quantity, to the Heat of the Fever, which they supposed did lick up the Matter of the Running; but this slow Esslux is truly an Unaptness in the Liquors to run off, and that because of their Thickness.

What was formerly faid of an inward Shanker suppressing the Running, may give some Suspicion of its being an Occasion of this terrible Symptom; but Shankers

Shankers seldom give any great Pain, nor do they infect the Liquor of the Lacunæ till they begin to dissolve; and this Liquor not being infected during the Hardness of the Shanker, there is not naturally any Pain produced on that account; or, Shankers in the Urethra never produce this painful Symptom. All this is manifest from the Experience, of inward Shankers, mentioned in their proper Place.

From what has been faid it plainly appears, that the Inflammation and Pain in the Urethra, in the Glans, Bladder, Testicles, and in the Anus, are altogether the Consequence of this sharp Liquor being pent up in the Lacuna; and therefore, that in curing these Symptoms, little or no Regard is to be had to the Inflammation in the mentioned Parts, but rather to what may make the pent up Liquor flow. Indeed, the Folly of endeavouring to cure Diseases, by taking Aim at their Symptoms, is as conspicuous in the present Case as it can be in any other whatsoever. So that Bleeding, Emulsions, and other cool Administrations that are chiefly relied upon, almost, in every Case of an Inflammation are of very little Use against

against an Algedo. Bathing, that commonly goes along with the former, is of great use; though not for cooling an Inflammation, as they think; it really satisfying the principal End and Design of unlocking the Lacunae, and giving a Passage to the stagnating Liquor. So vastly different is a Practice managed upon Analogy, and a blind Experience, and when our Experience is directed by Reason.

And therefore as the Indication of Cure is always best drawn from the Nature of the Disease, so I will endeavour to deduce the Method of Cure from the Nature of this Symptom, thus explain'd; and as this is occasion'd by the Discharge out of the Lacunæ being very little or nothing at all; and that upon the account of an extraordinary Groffness their Liquor acquires, either on account of the present State of the Blood, or that the Blood and the Liquor of the Lacunæ is become thicker by Medicines that bring this Quality of Thickness into the Blood. The Method of Cure therefore consists in destroying the mentioned Groffness of these Liquors; which will be found more easily done, when this Thickness

Thickness is acquired by Medicines, than when it is occasion'd by the Means expressed, while I investigated the Symptoms of Inflammation and Pain.

In conducting the Practice of Phyficians for relieving this Symptom, I cannot proceed in the Method of giving the Defigns and Prescriptions of other Authors, none other having spoke of this Accident before me; and, on that account, we have not any Method for curing what either they never observed; or that were observed so imperfectly, that Practitioners were afraid to relate Symptoms fo furprizing, and at the same time so new, left the first should cast some Reflection on their Judgment in treating, or the last on their Skill in discerning them. But as I am fure that no fuch Symptom has been mentioned among Physicans; so the Mistakes I might be under in first apprehending it, give more Credit to the rest of the Relation to Men of worth, and to ingenuous Physicians.

HISTORY I.

In August 1716. I was desired to vifit a Patient, who had been long ill of a Gonorrhæa, Gonorrhæa, but which had been check'd by an Injection, made with Aq. Plantag. Mel. Rofar. and facch. Saturni. It was formerly check'd, before he return'd from a foreign Countrey. As I found the Running of a very green Colour, and the Glans very much inflam'd; I was perfuaded, that the Inflammation was continued from about the first Lacuna down to the Neck of the Bladder, and for that Reason the Running ought to be encouraged.

For this Purpole I prescribed him a Dose of Æthiops antimonialis to be taken every Night going to Bed, and in two or three Days the Running encreased, and his Pains vanished.

Re Ethiop. antimonial. Dj. G. Guaiac. gr. x. M. & cap. eundo cubitum. Repetatur omni vesperi.

This Æthiops is made with equal Parts of crude Mercury, and of Antimon. medicinale, as is the Æthiops mineralis. The Antimonium medicinale shall be described in the Chapter, about the Swelling of the Testicles.

HISTORY II.

August 1716, I met with a very surprizing Case of the Algedo, when a Gentleman put himself under my Care to be
cured of a Gonorrhæa; but sinding he
was ill of a continual Fever, I advised him
to return to his Lodging and to go to
Bed; the Cure of the Fever being chiefly
to be pursued.

Next Morning the Running was in a very small Quantity, though it had then appeared five Days; the Glans was prodigiously inflamed, and the Fever of a low sort, that was like to hold him a Fortnight, or three Weeks.

I told him that, in his Circumstances, no Method for curing a Gonorrhæa could agree with the Practice of the Fever, excepting that by a proper Injection; but something extraordinary appearing in the Running, I was not willing to make use of this new Method, in a Case liable to a great Variety of Accidents; whereby both I, and the Method, might be exposed to much Obloquy; and as the Infection could not creep into the Blood by neglecting

neglecting to cure it, the fafest Course we could take was for curing the Fever.

Our Matters went very successfully while we purfued this View, but I was furprized that the Running did not encrease as the Fever came to its State; but that it was rather less, and the Gentleman began then to complain of a Pain in making Water, and that he had often occasion to make it. In a Fortnight the Fever went off, but my Patient was not yet in a Condition to enter upon any Courle for the Gonorrhæa; which continued to be as at the beginning. After this Gentleman had been three or four Days about the House, and the Season of the Year warm, he was tempted to go a walking in an adjacent Garden, tho' the Wind was Easterly, and the Garden on the River-side. He took cold, and the Pain, and Defire of making Water, encreased so vehemently, that he could not fleep, but fent early next Morning for me.

When I had confidered these Symptoms, I found the Bladder was inflam'd, but did not dream of this Inflammation being derived from some other Part; and therefore

therefore I order'd him Emulsions, Bathing, to be bled, and Clysters, as is common in Cases of an Inflammation of the Bladder. Moreover; the Pain being excessive, he sometimes took Clysters in a very small Quantity, in which were five Grains of Opium, to procure a little Quiet and Respite from it. But as these Methods and Applications afforded small Relief, I was joyn'd with another Physician, who agreeing with me about the Opinion I had of the Bladder being inflam'd, we pursued the former View with Changes of Medicines, and with as little Success.

The Pain darting some time into the Anus gave the other Physician some Suspicion of the Piles; but I thought it passed into that Part from the Bladder, as I did believe the Pain he sound sometimes in some one of his Testicles likewise did. Nay; every Day suspecting a new Disease, this Physician at length suspected his having a Carnosity, which I convinced him to be impossible in so little a time; yet these Dissernces occasion'd mention to be made of having Assistance from a Surgeon, which I readily agreed to, and was mightily pleas'd with

with the Person named, he having a very good Character, both for his Honiesty and Skill.

But before our Meeting the Disease showed itself; for in the Water appear'd a great deal of Running, and of a Slough; fo that, afterwards, we found we could have no other End to purfue, than that of exciting the Running. The Surgeon confessed he never had any such Case, but that the Matter of the Gonorrhæd had been licked up by the Fever. I added that the Fever had certainly hindred the Running; but in the manner I have formerly explain'd, and that the flow Discharge did produce the mentioned Symptoms of Pain in the Bladder, Anus and Testicles; though I more openly declared my Opinion about the true Cause of all such Accidents, which gave great Satisfaction to Mr. Blondel about this new and difficult Case. He took Occasion likewise to declare to my Patient, that no Method could have been taken for the Gonorrhæa that would not put him in danger of his Life, or have ended in the Lues Fenerea.

The Method therefore we took to provoke the Running, was by giving mercurial Medicines, and purging them off.

Re Calomelan. gr. xv. Laud. opiati granum, Conf. Cynosbat. F. Bol. quem capiat eundo cubitum, & repetatur vefperi ad alias duas vices.

R. Dec. Sennæ Gereon. Ziv. Mann. Calabrin. Zis. M. F. potio purgans manè, consumptis priùs Bolulis, cum regimine propinanda.

We proceeded in this Method almost a Month, before he was free from Pain. In all that time the Running never was in a great quantity. The Gentleman was obliged to persist in taking Emulsions, Broth, and other soft Liquors that were formerly prescribed for the Instammation; which were proper enough to ease this Symptom, though not to cure it. When the Pain, and Dissiculty in making Water, were removed, the small Gonorrhæa was cured by one of the common Forms mention'd in this *Book.

^{*} Part ii. Chap. ii. §. i.

HISTORY III.

In the same Month of August 1716. I received a Letter from a Gentleman in the Countrey, desiring my Advice for an intolerable Pain he had when he made Water; he having at the same time frequent desire to make it; tho' he always made it in a very little Quantity. He told me that he often was afflicted with a Pain in his Testicles, or in the Anus, when he did not feel it about his Bladder. He found he had a Gonorrhwa that Morning, which stopp'd by Noon, and ever since that time he has been tortur'd with Pain.

The Symptoms encreasing so fast upon him before he could expect an Answer to his Letter, he forthwith came to
London, and acquainted me with his
Torment. But it being manifest that the
Pain was occasioned by the Gonorrhæa
thus stopping by a very violent Cold, I
endeavour'd to excite the Running, and
by the mentioned Method of Calomel
Bolus's he took four Evenings successively, which were afterwards purged off
next Morning after he had taken every
T 3
Bolus.

Bolus. His Drink was as foft as we could contrive it, but not diwetical, and his Diet was chiefly Broth; yet we found no manner of Respite from these terrible Symptoms in a Fortnight. And therefore I ordered mercurial Medicines of greater Efficacy, and that he should have taken a Bolus every other Evening made with gr. viij. of Turbith Mineral; which neither Purging nor Vomiting him, each Dose was augmented to gr. xiv. in the turn of a Fortnight; which very great Dose would purge him twice or thrice, but never vomited him. I would gladly have put him into a Salivation, rather than have continued in a Course of so vast Doses of so rough a Medicine; but some Business he had then depending did not admit of it, so that I was forced to proceed in this Method for a Month or five Weeks before he found any Benefit from it. After that time he had no darting into the Anus, he made his Water very freely and without Pain, but he suspected that he sometimes found a darting into one of his Testicles. He run a little for three or four Days, but it afterwards cealed of its felf.

When our Matters were brought to this pass I had him purged four or five several times, intermitting always a Day between the purging; and after he had taken this Physick, I order'd him gr. xv. Turp. miner. twice a Week for a Fortnight. After all, he drank a very strong Decoction of the Woods for six Weeks together.

Notwithstanding the great Quantity of Mercury this Gentleman had taken, which he took as well as the Diet-drink with the utmost Exactness of Diet and Manner of Living, he broke out all over his Body four Months after he had sinished this Course; yet he found nothing to complain of, but that he had at times a small darting Pain in some one of his Testicles. This Missortune put us under the Necessity of a Salivation for a more persect Cure, and his Assairs now savouring this Method, he went straight under that Course.

He spit about two Quarts every Day for about a Month, and about a Quart in a Day for three Weeks more; in the last part of this time he selt no manner T 4

of Pain; yet in less than six Weeks after the Salivation, he broke out again in his Legs and Arms, but was cured by the Merc. diaphoret. of Paracelsus.

KENKEN KENKEN KEN

CHAP. IX.

Of the Swelling of the Testicles.

THE Swelling of the Testicles has never yet been explain'd upon any Hypothesis, and is a Symptom that in all appearance is as hard to submit to my Theory. The choaking up the Liquor of the Prostata, or of the Vesicula Seminales, promissed better the clearing up this Difficulty, than any Accident that can happen to the Liquor of the Lacunæ so remote from the Testicles, which I have affign'd to be the Subject Matter of a Gonorrhæa. It has already been evinced that there is not any other possible Source for the Running besides the Liquor of the Lacuna; and I hope at present to shew that some Accidents which happen about its Efflux are very sufficient to produce the Swelling of the Testicles. Testicles. Upon which Account the Theory will become complete and uniform, every Symptom and Accident flowing from the same Original.

In order to make this Account clear and easy, it is proper to take a more particular View of some Parts of Generation than was formerly necessary to be done. These Parts are all that lie between the *Penis* and the *Testicles* themselves; in the first being placed the original Seat of the Disease, and in the last the most remote Symptom.

Anatomists have sound that a Testicle is nothing else than a Clew of Vessels, which are six in Number; three of which run in the outward part, and three on the under: These, after having persorated the Albuginea, creep to the top of it, and there inslect a multitude of small Vessels, that enter and form the Substance of the Testicle. The first Coat which rises from the Perotineum is call'd the Erythrois or Vaginalis; its inner Coat which nearly incloses it is whitish, and is therefore called Albuginea.

Upon the Body of the Testicle lies the Epididymis, which sticks to it more firmly at each end than it does in the middle, and its ends are moderately depressed. The Windings observed in the Epididymis are the Origines of the Vas Deferens, and seem design'd by Nature to collect and perfect the Seed.

The Vas Deferens is white and hard, its Capacity is small when it sirst rises out of the Epididymis, but it grows larger and wider as it proceeds towards the Seminal Vessels and Urethra. When it approaches the first of these, it becomes Varicous, and at length is inserted into the Urethra. At its end a Caruncle is affixed, which, like a Valve, hinders the Urine to rush into the Vas Deferens, and the Seed from falling continually into the Urethra. The Seed does not remain in this Vessel, but is convey'd by it into the Vesselse Seminales.

The Vesiculæ Seminales, as was formerly observ'd in the first Part of this Book, are situated backwards on the end of the Neck of the Urinary Bladder.

In examining the Penis, the nervous Body was formerly described as far as it then fuited that Occasion; but a more particular Inquiry being necessary for the present Purpose, it must be observ'd that this Nerveo-spongious Body has two Branches which are broad and flat, and are firmly ty'd on both sides to the Os Pubis and Ischium. They unite as they join the Pubes, but not so intimately but that they may be separated, each Part having it proper Membrane and Vessels. The Substance of the Crura is very different from that which constitutes the spongious Bodies; for it seems to be more glandular than even the glandular part of the Penis shewn by Mr. Ruysch. The Penis is fasten'd to that Bone with membranous Fibres, and with a strong Ligament which proceeds from thence upon the Back of the nervous Body.

The nervous Body and Urethra have Blood Vessels from the Hypogastricks.

The spongy Substance, which is contained in the nervous Body, and its Thighs is altogether an heap of Bloodvessels, that communicate with one another,

other, and are invested with their proper Membrane; propagating from the Substance of the nervous Body, and a sibrous Net-work, which supports these Vessels, and keeps them in a sit and proper Situation. A great number of small Arteries run through the Nervous Body, two large Arteries entring into the spongy Substance of the Penis, on each side one; but there are two more Arteries that go directly to the Glans, without ever dipping into the Substance of the Penis.

It is needless to mention the Urethra or its Lacuna, after the particular Account given of them in the beginning of this Book; and therefore we shall proceed, to explain the Swelling of the Testicles, and that from this Anatomical Account of them, together with fuch Affections of the Lacunæ by their Liquor, the Matter of a Gonorrhæa. For every Tumour, on any Part, is always occasion'd when the Liquors of that Part do not pass out of their Vessels, in the quantity they enter them; upon this account, the Vessels of the Part are always distended in proportion to the quancity of the Liquors that remains in them, and

and thus fwell it. From all which it follows, that if the Matter of a Gonorrhæa, or the Liquor of the Lacuna, is check'd, on any account whatfoever, in a time it was flowing in a quantity greater than natural, those Excretory Ducts will be fuller than natural, and by their Full ness will compress all the Lacunæ and Blood-vessels in the Urethra, down to the Vasa Deferentia, and Vesicula Seminales. Now the Liquor of the Vasa Deferentia being interrupted at their Orifices, by the Pressure of the Lacuna, flows flowly; or is choaked up in those Vessels, and is interrupted in the Albuginea, Epididymis, and the Body of the Testicle itself; and consequently the Lymphaticks, and Blood-veffels, of these Parts are compressed, and the Liquor interrupted in its Motion. And therefore the Liquors of the Testicles not flowing freely through them, when Blood is continually flowing into them by the Vasa Praparantia, and other Vessels, these Vessels must be distended in an extraordinary manner, or a Swelling of the Testicles must needs ensue. So that every Cause which gives a sudden Check to the Matter of a Gonorrhæa, while it flows in a quantity greater than natural, will

will produce a Swelling in the Testicles; as was to be shewn.

This being the Mechanism of a swell'd Testicle, we may become apprized of its great Bulk, whether that be on account of the Vessels of the Testicles being immediately affected in that Part; or that the Testicle is swell'd by a Cause working at a greater distance. I proceed therefore to shew, more particularly, how the Swelling is produced by all the particular Causes, that are alledged in the time of curing a Gonorrhæa; and we may find, that not only aftringent, and balfamick Medicines, but that even purging and diuretick Medicines are truly Causes of this Swelling; though taking Cold, and fundry other Accidents, often occafion it.

The Medicines most commonly obferved to occasion the Swelling are those that are Balfamick and Astringent, and are very commonly thought the only Causes. The way how they occasion the Swelling may be collected from what has formerly been said *; for there it was

^{*} Chap. II. Part II. §. 3.

shewn that astringent Medicines restrain the Quantity of the Liquor of a Gonorrhæa, either by thickning the Mass of Liquors in general, or by affecting the flowing Liquors at the Place where they are discharged; and therefore Astringent Medicines, giving a sudden Check to the Liquor of a Gonorrhæa in any of the Lacunæ, that interrupted Liquor will interrupt the Liquor in the next Lacuna, and so on to the Vasa Deferentia, and by them to the Testicles themselves; as has already been shewn. Now as Balfamick Medicines act in the Cure of a Gonorrhæa as common * Astringents, they produce a Swelling of the Testicles, after the same manner as those do.

It will appear more difficult to account, how purging Medicines, likewise, occasion a Swelling of the Testicles, when they seem more readily to thin the Blood, and other Liquors, as well as to excite the Quantity of the Running. But if we consider the general Quality of all purging Medicines, and which is so essential to them that none of them are ever found altogether without it, we may readily

^{*} Pars ii. Chap. ii. 5. 4.

find how they likewise are a Cause of a Swelling of the Testicles.

This essential Quality of purging Medicines by which they are diftinguish'd from all other, is their stimulating Power, with which some of them are indued to a very great and indetermin'd Degree. Now if any of these Medicines (the more stimulating especially) are administred in the Cure of a Gonorrhæa, they often produce an Inflammatiou in fome Part; and even moderate purgative Medicines, or such as have a Stimulus to a moderate Degree, being given when the Parts are already inflamed; in either of these Cases, the inflamed Parts become thicker, and their Liquor pass thro' them more flowly, and thus occasion a Swelling of the Testicles, the Urethra being inflamed by purging Medicines, or when the Urethra is already inflamed by the Corruption of the Gonorrhæa: Because if either the Urethra itself is thicker, or the Coats of the Lacunæ are streighter; in that Case, the Orifices of these Ducts become streighter, and the free Discharge of their Liquor is impeded. And therefore the Liquor itself, being pent up in its Ducts, swells them; they compresfing

fing the next Lacunæ interrupt the Liquor in them, and so on by the Vasa Deferentia, which are swell'd to the Te-Sticle itself, and likewise swell the Bloodvessels, and other Vessels, that are commonly found in the Testicles. Now as this is what is only necessary to produce a Swelling in the Testicles; it is now manifest, how purging Medicines produce the Swelling: As also; which of all that Tribe most readily produce that Effect.

It is on this very account that diuretick Medicines are often the Cause of a Swelling of the Testicles; for they * washing off the mucilaginous Covering of the Urethra, expose it to the Saltness of the Seed and Urine; whereby an Inflammation, and other terrible Symptoms, mentioned in the foregoing place, are produced, and by them a Swelling of the Testicles, in the way we have shewn.

Thus the Symptom of a Swelling of the Testicles is produced, without the least Supposition of a Swelling of the Prostata; though Physicians, and Surgeons, have, hitherto, thought its previous Swelling the only Cause that could occasion a Swelling of the Testicles; but it is very plain, that neither of them attend to Experience in resting so easily in this Explanation, which they seem to take up with; because they never examined their Sufficiency, in producing this Estect. Indeed; if we did not grant them their Supposition, it could never have been concluded, that a Swelling of the Prostata was the Cause of a Swelling of the Testicles; especially if they were to account for their Swelling by purging and diuretick Medicines.

But it is very manifest by what has been said, * that Astringent Medicines could not have any such Effect if the Matter of a Gonor rhæa slow'd out of the Prostata, their Power over Liquors slowing out of the Reservatories being very inconsiderable; and therefore if Astringent Medicines, which were unanimously believed to produce this Effect, have little or no Influence on Liquors stor'd up in the small Duets of the Prostata; what tolerable Account can we expect to have of purging and other Medicines, we like-

^{*} Chap. iii. S. ii. Cer. i.

wise find are the Causes of a Swelling of the Testicles? On the other hand; Physicians will be much surprized, when I prove, that a Swelling of the Testicles never was, nor ever can be produced by a Swelling of the Prostata; though I should admit, that its Liquor was affected, by Astringent Medicines; so as to be lock'd up in the Prostata:

This is manifest upon Experience on ly; for that shows us, that a Swelling of the Prostata causes a Suppression of the Urine, and it is at present supposed that It occasions a Swelling of the Testicles. And therefore; let the Swelling of the Prostata, that makes a Suppression of Urine, be greater or fmaller than that which occasions a Swelling of the Testicles; if the first, there may be a Suppression of Urine by a Swelling of the Prostata, without a Swelling of the Testicle; but there cannot be a Swelling of the Teftitles, because of a like Swelling of the Prostata; but there must be a Suppresfion of Urine, which is contrary to Experience. On the other hand, if the Swelling of the Profeata, that makes the Swelling of the Testicles, is somewhat greater than that which produces a Suppression of Urine, there might be a Swelling

Swelling of the Testicles when there is no Suppression of Urine; but when the Urine is suppressed, there must always be a Swelling of the Testicles, which is likewise contrary to Experience. So that the Swelling of the Testicles, and a Suppression of Urine, are not equally produced by a Swelling of the Prostata.

Indeed, the Swelling of the Prostata must be vastly great before it could produce a Swelling of the Testicles, and a very finall Swelling of the fame Part will compress the Neck of the Bladder, and stop the Urine. The last is obvious, and granted; the first will be made manifest if we remember the Bulk of the Prostata, its Distance from the Vasa Deferentia, which it must touch before it can posfibly produce a Swelling of the Testicles; and how much its additional Bulk must be in order to compress the Vasa Deferentia. The common Bigness of the Prostata is an Inch, its Figure Spherodal, and its Distance from the Vasa Deferentia an Inch. If then a Spherodal Body of an Inch has its Diameter encreased an Inch, and encreases uniformly in its Bulk (as all Bodies of this kind commonly do) the Capacity of this Body, or its new Bulk, is eight Inches, too large

therefore the Supposition of the Prostata being swell'd, so as to produce a Swelling of the Testicles, is absurd. Thus we find that a Prostata must be eight times its common Bigness when it comes to touch the Vasa Deferentia, and it must become still larger before it can compress them, so as to stop its Liquor that is discharging into the Vesiculae Seminales.

There is an Experiment that confirms the whole Mechanism in making a swell'd Testicle; as far as an healthy Animal can do, one especially whose Blood is naturally more fluid than that of a Man; for if we take a Dog in full Pursuit of his Lust, and tie the Vas Deferens, not only the Canalicular Vessels of the Testicle become manifest, but the Body of the Testicle is likewise swell'd considerably for the time wherein that Experiment is commonly made; so that the Sum of the Doctrine is not only true, but obvious also.

This Symptom is, I hope, plainly demonstrated upon the general Principle, about the Seat and Nature of a Gonor-rhæa; though it could not hitherto be accounted for upon any former Hypo-U 3 thesis,

thesis, and in appearance scem'd, of all other Symptoms, more especially to contradict my Theory. By no means can the Swelling be explain'd from an Affection of the Prostata, tho' every thing were granted that Authors beg for that purpole. All the Account Authors give of this Symptom is, that the Matter of the Gonorrhæa is precipitated, or thrown back upon the Testicles; or in some such general and analogical Expressions; which is nothing informing, and which they manage as they find their Occasion requires. Monf. Blegny tells us, that the irregular and licentious manner of Living of some Patients, or putting an universal Stop to the Flux of the purulent Matter by Astringent Injections, or violent Purgatives, have often thrown this very Matter on the proper Membrane of one or both Testicles; and thus have caused a great, bard, and painful Tumour, which fometimes is very difficult to discuss.

There is a double Fault in this Account of Blegny; for he does not inform us whether the Matter of a Gonorrhæa is truly and properly thrown into the Tefficles or not; nor does he tell us from what Place, or by what Means it is sent thither. But, which is more unpardonable

able in a practical Author; he neglects to relate those Causes that commonly produce the Swelling; fo that Phylicians are often furpriz'd to find this Symptom is occasion'd by Practices they might think more ready to prevent, than produce it. Hereafter let us not wonder, that the Cure of the Swelling of a Testicle has been obtain'd with fo great Difficulty. What Relation does the Bleeding, Bathing, and Clystering Method of French Surgeons bear to their Opinions of the Matter of a Gonorrhæa being thrown into the Testicles? Or how do they think it is to be recall'd from that place by fuch Administrations? In effect all the Writing about the Production of this Symptom is mere Cant, their Practices has nothing to do with the Account they bring us of the Symptom. They practile for an Inflammation in general, without having the least Regard to the Way they tell us how the Symptom is produced. This Practice gave occasion to this Joke of Musitamis, Peccant Testes, Anum ple-Etunt.

Musitanus is far more exact in observating the different Causes of a Swelling of the Testicles; but as he could not discover U 4

ver by what Means these Causes produced their Essect, neither could de draw the Method of Cure directly from the disserent Circumstances of the Swelling. Experience had taught him the Insussiciency of former Methods, as well as some other that, indeed, were more proper in their Nature; but he could never persect that Discovery, nor apply his own Medicines to the best Advantage.

And therefore, as we now understand the Particulars how any Person is affected, when a Swelling of the Testicles is occasioned; and that the Matter of the Gonorrhæa itself can never be thrown into the Testicles to produce a Swelling, or any thing else, in that Part; the Indications of curing are purely to remove an Obstruction in the Lacunæ, or the Insulantation of the same, or of the Uresthra; at the same time, Care must be taken to promote the Velocity of the Liquors slowing slowly in the Vessels of the Testicles, for thereby only can they be reduced to their natural Bigness.

Hence we see at one View that the chief and only Aim of Practitioners could only

only be useful in one of these Cases, and that the most inconsiderable, and even then they did not feem to have the least Regard to it; so that however useful Bleeding and Bathing might prove, they were administred without any Reason or Design. Their cooling Cataplasms that are apply'd at the same time, are nothing fo innocent, and far less are astringent Plaisters; which rather retard the Motion of Liquors (if they have any Effect) in the Vessels of the Testicles, than prevent a more free Discharge of Humors in them, as they that apply them pretend. must open a Vein in the Arm, says Blegny, and repeat the Bleeding, to divert and put a Stop to the Flux of Humours and purulent Matter. Here is an End to be brought about, but by Means as extraordinary and strange as the Means whereby we are to obtain it.

The obstructing Liquors of the Lacuna may not only be render'd fluxil, and be made to flow by purging and mercurial Medicines, already noted for this their Effect; but by such Medicines likewise as most powerfully produce a greater Fluidity in the Blood, and raise its Velocity; which are the best, on that Account, to remove

remove any Obstruction whatsoever. Either of these sorts of Medicines may almost always be given at first, when the Swelling has been produc'd by Astringent Medicines, which were taken inwardly, or were outwardly apply'd by an Injection.

The same Method will be useful, especially the last fort, when the Swelling is occasion'd by taking Cold, or by purging and diuretick Medicines, if it were not for other Symptoms that attend the Swelling. In that Case we can only take Care of the Swelling without having any Consideration to its Cause; for as a considerable Fever commonly attends those Cases, the Practice of a Day or two must be chiefly for that, while we give some Ease by topical Medicines, viz. Fomentations, Cataplasms or Ointments; and thereafter to return to the direct Practice, for curing the Obstruction of the Lasuna.

The Medicines to be apply'd to the Testicles, in order to promote the Velocity of the Liquors in that part, are commonly such as are emollient and discussing. The only Caution we must be under,

on this Occasion is, that these Medicines be not the most powerful of the kind; for in every Medicine there is a Maximum and a Minimum that is to be considered, to render them all proper in their Times. This has not been duly considered, though Experience has often shewn it.

But that I may not be wanting either to young Physicians, or to the Method of giving the History of the most proper Medicines, as I have hitherto done; I will here prescribe such Medicines as are drawn from the Nature of the Symptom, and relate some of the Forms recommended by Authors; which are most confiftent with Experience and Reason; for on this Occasion the Medicines are not always innocent, as we find them in the Cure of the Gonorrhaa, these only wanting a good Account of the Disease to render them always fafe and useful; whereas many of the Medicines, commended for reducing the swelled Part to its natural Size, are often unfit, if not hurtful, for that purpose. Mr. Blegny is honest enough to confess this Charge, and having recommended fome Medicines as most useful; he bids you afterwards

wards beware of them, and advises you rather to make use of those Medicines * that prevent a Coagulation of the Humours, whereby they are fixed upon the Scrotum, which is very difficultly diffolved and discussed. Here immediately follows a Cure, for the ill Practice, he so highly commended before. But to do Justice to Blegny, this Error of applying astringent and cooling Medicines in the beginning of every Tumour and Inflammation, in order to repress an Afflux of Humours, is very ancient, but very groß. This is not the proper time to fet forth this general Mistake; and therefore I proceed to add Forms of Medicines that may properly be apply'd, and administred, on this occasion.

It is plain, by the foregoing Theory, that emollient and discussing Medicines ought to be made use of from the very beginning of a Swelling of the Testicles; especially if we restrain their Power by a small Degree of an astringent Medicine, so that the Power of this last fort may be a Tenth of the former. This is easily done by having some kind of astringent

^{*} Chap. ix. Part ii. p. 160.

Powder in such emollient Cataplasms, or else that the Cataplasm is boyl'd in a Liquor endued with some degree of Asstringency. Though this Caution is altogether unnecessary, if we promote the Discussion by Medicines inwardly taken; for it is well known that we can often prevent a swell'd Part coming to Suppuration by Medicines internally administred only.

First then, almost every Cataplasm mentioned for curing the Phimus and Periphimosis will serve our present occasion. Riverius commends the following Cataplasm, which has been commonly made use of with good Success.

R. Farinæ Hord. Fabar. pulveris Sem. Cumini, Flor. Chamæm. Meliloti Rosar. rubrarum ana p. æ. Coquantur in Oxymelite. F. Cataplasma.

R Folior. Rutæ, Ebuli ana p. æ. Coq. in Aceto F. Cataplasma.

Fomentations are likewise of great use, and may be made of such Materials out of which we prepare the Cataplasms; regard being had to the different Forms.

R Radic.

R. Radic. Alth. Chinæ lignosæ and Zj. Fl. Sambuci M. ij. Rosar. Rub. M. j. Coq. in vini generos. s. q. F. Fotus.

After the Part has been duly fomented, we may either apply a Cataplasm, or anoint it with this, or the like, Ointment.

R. Ung. Alth. Sambuc. and 35. Ol. femin. Papaver. per expressionem 3vj. M. F. Liniment.

While the Swelling is managed by fuch Applications, we must give inward Medicines that can excite the Running. The Method by mercurial Medicines, mentioned in the foregoing Chapter, is what Physicians commonly have Recourse to; though the following Medicines better agree with the Fever, and other Symptoms that often attend the Swelling.

R Æthiop. mineral. vel Antimon. medicinal. Ij. Gum. Guaiaci gr. x. M. & cap. hor â somni cum Aq. lact. cochleario, superbibendo zij. R. G. Guaiaci zjß. Stibii diaphoret. ij. Balf. peruv. zijß. Syr. Card. bened. q. f. M. F. pil. xx. Cap. pil. ij. pro Dose.

The Antimonium Medicinale is prepared by fluxing equal Parts of Sea-falt and crude Antimony for an Hour; then take out the Crucible, and let the Matter cool. Break the Crucible, and knock off the Scoriae that are on the outside of the Lump, and keep the rest for the mentioned, and other, proper Uses.



CHAP. X. Of a GLEET.

Leeting or Weeping are analogical Expressions, and are put to signify, on this occasion, a very small Remainder of the Running; for this thin and small Remainder resembles a Tear, or the Oozing of an old Sore; so that it was distinguished from any other Symptom of a Gonorrhæa by this Name, very long before I asserted a * Gonorrhæa to be a Sore in the Urethra.

Authors do not determine the precise Quantity, Colour, or any other Condition that denominate a Gleet, nor assist us to any Method for curing it: In short they are altogether silent on this Subject, and seem to be ignorant of its Nature, and of the Manner it is produced. Observation is here defective; for Authors saying nothing of the different sorts, as

^{*} Sea Diseases, 1694.

easy to be cured; the contrary whereof is too well known to Practitioners, all of them being very hard to cure, and some of them never admit of any Cure.

The Nature of a Gleet may be collected, in general, from what has been formerly faid about the Nature and Cure of a Gonorrhæa; for the Matter of the Gleet is the Liquor of the Lacuna, as well as is the Matter of a Gonorrhæa; but it more nearly approaches its original Pureness, and the Matter is less, or not at all, corrupted, than the Matter of a Gonorrhæa; and the Permanency of the Efflux, as well as the various other Appearances, cannot proceed from any other Cause than did produce the Gonorrhæa; or else from an Error in giving the Medicines commonly administred for curing a Gonorrhæa. Thus we may form a more clear and distinct Idea of a Gleet, than has hitherto been proposed to us by any former Author.

Gleets may be distinguish'd by their Colour, and Substance; some Gleets are persectly

perfectly natural and White, others are Yellow; sometimes a Gleet is thin like Water, and at another time thick, and in so small a quantity, that it is never seen but when it is wash'd out with the Water, wherein it swims like so many bits of Thread.

We are now directed, by what has been faid, into the way how each of these Gleets are produced; which is only to find what improper Administration of the Medicines in common ule most readily occasions them. And first, if we recollect what has been shewn about the Operation of purging Medicines, we shall quickly be apprized what kind of Gleet they produce; as also, how they came to have that Effect. They have chiefly been charged as the productive Causes of every Gleet, insomuch that the healing and aftringent Medicines were brought into use for a Remedy of this their Consequence. For purging Medicines, * as I have already proved, run off the Corruption of a Gonorrhæa, by adding their Stimulus to

^{*} Chap. iii. §. I. in Part ii.

that of the corrupted Liquor of the Lacunæ. Now if the Stimulus of a purging Medicine is very powerful, or the Liquor is eafily discharged; in either of these Cases the Liquor will be separated in a very large Quantity, and will pass through them in a little time. And therefore a Quantity of Liquor, greater than natural, paffing the Lacunæ in less time, will dilate them to a Capacity greater than natural; which, on that account, will transmit a greater Quantity of Liquor, after both the Stimulus of the Corruption and of the Purgative are no more, though the Liquor is then pure, and in a natural Condition; and this Efflux will be proportionable to the Discharge that is made by the Stimulus of the venereal Corruption, and that of the purging Medicine together. However, this unnatural Quantity of a pure and natural Liquor is one fort of the mention'd Gleets, and is had by being over purged, as People often observe.

Hence it is that diuretick Medicines are, sometimes, the Cause of a Gleet of this kind; for as they excite a greater X 2 Quantity

Quantity of Water, and a more frequent Defire of making it than ordinary; fo the repeated great Quantities of Water wash off the Mucous Covering of the Urethra, and the Urine itself is a fufficient Stimulus provoking the Lacunæ to discharge a very great Quantity of their Liquor, after every other Stimulus has ceased, which is a Gleet. The Degree of this Stimulus may be known by the Quantity of the Gleet, for a greater Quantity denotes a greater Stimulus. This Stimulus I have seen so great as to encrease the Quantity of Liquor, that it had lost all its slimy Softness, and was become thin like common Water.

But what will chiefly surprize Physiacians, healing and astringent Medicines (the great Resort of Practitioners for curing Gleets) are sometimes the Causes of Gleets; and those of the worse sort; they being the most difficult to be cured. For by the Method of purging, the Corruption of the Gonorrhæa is examing; if the Discharge therefore of the Corruption is on any account impeded, the Quantity of the Running remains, in

in proportion to the Degree of Corruption; and when this is small, the Running is likewise little, or there is a Gleet. Moreover this Gleet being occasion'd by the Liquor of the Lacunæ not being void of Corruption, the Gleet must on this account retain some Marks of Corruption, or it must be Tellow or Green. This checking the Running, before it is void of Corruption, happens often in the Practice of this Disease; for Authors have no Rule for beginning their aftringent and balfamick Medicines after purging, but commonly administer them after a certain number of Purges; without having any great Regard to the Purenels of the Liquor of the Lacuna; which Medicines, being given thus early, hinder the clearing off the Corruption and occasion a Gleet.

What is now faid concerning the untimely Use of astringent and balsamick Medicines, is equally to be understood of these Medicines, whether they be weaker in their Nature, or that they are given in smaller Doses; or that they are combined with purging or other Medicines; as we often find them in X 3 the

the Practice of a Gonorrhæa; if the Liquors of the Body are upon any account whatsoever less fitted for Secretion; for in that Case, the balsamick Medicines become respectively far more restringent, and impede the clearing of the Liquor of the Lacunæ from its Corruption, or they become really the Caufe of a Gleet. On the contrary; in all Cases of every Gleet, aftringent and balfamick Medicines are always obstinately purfued and infifted upon, and the strongest of their Tribe are chosen in order to cure the Gleet; but Practitioners are so far from compassing their End by these Medicines, that the Gleet is often reduced to a Quantity fo small, that it does not run out of the Urethra; but its Matter dries there, and is washed out by the common Course of the Urine, and fwims in it like Threads. Which State of a Gleet is of all the hardest to be cured, and is always made by obstinately persisting in the Use of Astringents.

Hence we may learn that purging Medicines neither withdraw Nourishment from an Ulcer, or the Matter of a Gonorrhæa, nor do they derive its Matter

Matter to be discharged at some other place of Secretion; but purely cure a Gonorrhæa, and any degree of it, by way of a Stimulus; which is a new Confirmation of the general Doctrine formerly established.

Though nothing in Physick is more certain, than what I have faid about the improper Use of astringent Medicines; yet it plainly overturns all the Maxims and Rules whereby Physicians conduct their Practice of a Gonorrhæa. For, fay they, the Matter grows thicker, it ropes, and the Running will be quickly at an end; but after long and vain Expectations they find they stick at this thicker Quantity, or they push it on to a troublesome Gleet, they seldom or never can cure. This Misfortune proceeds from their not being able to judge of the State of the natural Thickness, to which their aftringent and balfamick Medicines must be adjusted. In this confifts all the Skill of the Practice of a Gonorrhæa, and every Phyfician, who is acquainted with this Doctrine, cannot fail of adjusting his Medicines to every particular Occasion, and with X 4

with Purgatives alone, or with any fort of Purgative, accomplish a successful Cure, in any Degree of a Gonorrhæa; at least, he will easily discern the Errors of his Composition, long before he is set upon the dangerous Rocks of an obflinate Gleet.

The Indication for curing Gleets plainly flows from the foregoing Account of
their being produced. And therefore,
in all white and watry Gleets, occasion'd
by an immoderate Use of diuretick and
purging Medicines, the Liquor ought,
and may, be safely stopped. On the
other hand; as all coloured Gleets, and
Threads, are produced by an untimely
Use of balsamick and astringent Medicines; it is very manifest, that their Colour, the Mark of Malignity, is to be
changed; either by proper Medicines
for that purpose, or by renewing the
Running; both which may be done.

Yet if we consider that the Threads, and coloured Gleet, will appear after exciting a fresh Running, and a new Gonorrhæa; even after they have been carry'd off without the Help of any balfamick,

balfamick, and aftringent Medicine; we may reasonably suspect some deeper Cause of this surprizing and obstinate Perseverance. Forms of Medicines to answer each of these Purposes will be found, by discerning Physicians, in the first second, and third Chapters of this second Part.



MANUMENTERMENTERMENTE

CHAP. XI.

Of a CARUNCLE or CAR-

By a Carnosity Physicians, commonly, understand the thin sleshy Excrescences, that sprout up, sometimes, in the Urethra; but, upon a more diligent Inquiry, the Urethra is observed straitned in some Part; which Staitness of its Cavity, causes the Stoppage of Urine that we, more or less, perceive; for the free Course of the Urine is interrupted, and it slows out with some difficulty, Drops falling from the Stream, in the time of its running out; and sometimes rolls out, as when in Brooks a Stone lies in a rapid Stream.

And therefore without having any Regard to the mentioned inconsiderable Excrescences, since they are easily cured; we may be led into the Nature of a Car-

a Carnosity by inquiring how the Pasfage of the Urethra becomes narrower; and, when this is discovered, we shall easily be apprized, how a total, or a partial, Narrowness produces a total Suppression of Urine, or a Stoppage in some degree, conformable to the Narrowness; as also, how the Urine not being driven out in a full Stream parts at the End of the Urethra, and ocasions the mentioned Drops; and from all this Account it will appear, that the Obstacle must be near the Glands, when the Urine runs out like Water rolling over a Stone, in a rapid Stream; otherwise it would unite again, and run out in one Column of Water, as much as the pleated End of the Urethra will permit.

Now the Narrowness of the Urethra proceeds from the Surfaces of its inner Coat approaching nearer to one another; and as this Approach is on the account of its Coat being thicker than natural. If we then discover that Circumstance of a Gonorrhæa, whereby the present Thickness is occasioned, or by which of the Practices, for a Gonorrhæa,

rhæa, it is produced; we shall not only become apprized of the Nature of a Carnosity, and of the Methods of its Cure; but we shall be likewise able to prevent any Person's having a Carnosity; by avoiding the Practice, which occasions it; or else we may know how far to proceed in that Practice, so as not to hazard the producing a Carnosity.

The membranous, and inner Coat of the Urethra becomes thicker, like every other Membrane, by being inflamed; for a greater Quantity of Blood filling the Vessels of a membranous Part, is with great Difficulty driven out of them; both on account of their Smallness; as also, that the restitutive Force of fuch Veffels is very small, and the Impetus the Blood receives from the Heart is very much weaken'd in small Vessels, at so great a Distance, especially, from the Heart. And therefore, as an Inflammation produces a Thickness of Membranes, we have no difficulty in conceiving the Thickness of the membranous Coat of the Urethra, and the Carnofity on that account; if it is allow'd that this Coat is first inflamed by the

the Matter of a Gonorrhæa; or in profecuting some particular Method of curing it.

It has already been proved, and it pannot be denied, that the Urethra is inflamed in the Progress of a Gonorrhæa; but more particularly when the Method, by * diuretick Medicines, is longer perfifted in; for thereby the Urethra is divested of its slimy Covering Nature has provided it, for a Defence. against the salt Urine, and salter Seed; and therefore, when the Membranous Coat is long exposed to the falt Urine, this Coat is stimulated by the salt Parts, and is inflamed; and in the Continuance of this Inflammation becomes thick, which is the Cause of a Carnosity. The Inflammation may be rendered more grievous, by the Sharpness of the corrupted Matter, and on other Accounts formerly related.

Hence it is, that the bending Part of the Urethra, under the Ossa Pubis, is most commonly the Place of the Car-

^{*} obs. 5. Cent. 1.

mosity; both because of its Nearness to the Neck of the Bladder when the Urine has the greatest Quantity of Motion, and also because of the Bending where the Urine sinds the greatest Resistance, and batters the Part. It is likewise manifest, that a long Use of Diureticks is the most common Cause of a Callosity; and as this Practice is more frequent in France, so Caruncles are also most frequent in that Countrey.

The Callosity of Membranes, because of their Inflammation, is not only manifest from the Nature of the thing, but what has been mentioned by some of the most discerning Physicians, and Surgeons. * Aretæus says, Hujus rei Causa est Inflammatio ex Sanguinis multitudine oriens, ob quam Membrana crassescit. Likewise the most industrious Mr. Ruysch says he found † Membranam Lienem ambientem (quæ in naturali Constitutione tenerrima) in sui medio duobus in locis ita incrassatam ut maximi scriptorii Ca-

^{*} Cap. ix. Lib. i. De Causis & Notis diuturnorum Affectuum.

[†] Cap. ii. Part ii. §. 4-

lami crassitiem adæquaret. Hanc Crassitiem à progressa Inflammatione ortan fuisse dubitandum non est; quia sæpissimè ab ea ita incrassari Membranas observamus. Thus we find my Opinion confirmed, by one of the most excellent Observers, of any ancient Physician; as also, by a most curious Inquirer into the State of morbid Bodies; so there is no Doubt left about the thickening of Membranes, I have advanced on this Occasion. The Thickness, then, of the Inner Coat of the Urethra streightens its Passage, and is the true Cause of the Difficulty, and Suppression of Urine, or, of a Caruncle.

This Truth becomes manifest, by examining Bodies of the Dead, who are afflicted with a Caruncle. Monsieur Saviard, an experienced Surgeon in the Hôtel-Dieu, is a very proper Voucher, on this Occasion *. Physicians, he tells us, and Surgeons, hitherto, believed; and many are still of Opinion, that the Difficulty and Suppression of Urine, that happens to such as have often had a Go-

^{*} Observations Chirurgicales. Obs. 73. pag. 317.

norrhoea in their Touth, are occasion'd by fleshy Excrescences, or Warts, that the Virulent Ulcers have left in the Passage of the Urethra: But the Opening a great Number of dead Bodies of those, that have perished by Misfortunes of this kind, have fully undeceived every Man of Sense; no manner of Excrescence having ever been found in the Urethra of these Unfortunate People, that have been the greatest Sufferers by this Distemper, when alive.

Many more Instances might be alledged; but the foregoing Experience of this candid Surgeon is sufficient to confirm this Matter of Fact. Saviard, indeed, believes; that Difficulty and Suppression of Urine, proceed from the Scars and Cicatrices of Ulcers, that occasion'd the Gonorrhæa. But this Opinion, neither agreeing with this Symptom, nor with the common Place of the Caruncle, leaves the Truth I have advanced, altogether manifest, and without Dispute. For a small Scar could not produce the Suppression; if we might Suppose, that an Ulcer produces a Gonorrhæa: Which has been prov'd to be impolimpossible. The Place, where a Caruncle is commonly found, favours those Ulcers as little; for they are in the Passage of the Urethra, where it is bulbous; and no Running coming from that Part, there is not, consequently, any Virulent Ulcer there, to give it: and far less to become a Foundation for Scars, that are supposed to be the Cause of a Caruncle. And therefore a Caruncle is only produced by the Passage of the Urethra becoming narrower, by its Thickness, after a great and continued Inflammation.

Corol. Hence it is that Injections, which never arrive at the Seat of the Caruncle, can never occasion it.

The foregoing Account of a Caruncle is so distinct, as to discover all the possible Means of treating it; or, it rather informs us, how this Danger may be prevented, by marking out the Method of curing a Gonorrhæa, that commonly produces it, together with the Manner of its being form'd. For if a Caruncle is form'd, the Cure of it is very difficult.

Y

Is an obstinate Inflammation, in the Course of a Gonorrhæa, the immediate Cause of a Caruncle? Do Caruncles most commonly follow a long Practice of Diureticks? In that Case, great Regard must be had to an Inflammation either in the Urethra, or on the Glans; because this is commonly propagated from the former: and diuretick Medicines ought either to be wholly omitted, or they must be administred, with the greatest Caution.

But when an Inflammation ends, with a callows Thickness of the inner Coat of the Urethra; or, that a Caruncle is formed, the Difficulty of enlarging the Passage of the Urethra, and of removing the Suppression of Urine is very great; especially if an Inflammation is again renewed, by Intemperance, or in any other way.

The Cure of a Caruncle therefore confifts, in destroying the Callosity with a Caustick, which does not occasion Pain: For, every Application that has that Effect, brings the greatest, and most imme-

immediate Danger. When the Caruncle is destroy'd, the Passage of the Urethra must be kept open, and dilated, with proper Caudles, and other cooling Medicines: though the most effectual Asfistance, that can be given those Unhappy Sufferers, for the first Pleasures of their Youth, chiefly depends upon the Unfortunate themselves; and more than upon either the Art itself, or the Curer: For they must live soberly, and avoid every thing that may hate their Blood, in general; and their Urine particularly.

* Monsieur Saviard relates several fatal Effects of Caruncles, and of applying strong Cathereticks to the Urethra; for the Inflammation, occasion'd by them, is easily communicated to other neighbouring Parts; and I dare affirm, continues he, that there not being any Carnolity in the Passage of the Urethra, (as all able and honest Surgeons must allow) we ought to banish, from the Practice of Surgery, the treating these imaginary

^{*} Observations Chirurgi :ales. Obs. 73. pag. 37.

Excrescences with Consuming, and Catheretiek Medicines.

Let this be sufficient to be said of the Caruncle: But as a Sppression of Urine, and its rolling out after an extraordinary manner, is not owing to it; a very singular Case of another kind must be very acceptable to the Reader.

A CASE.

I was sent for by a Person of the first Quality, who was apprehensive of his having a Carnosity; his Water, at no time, running out in a full Stream; and it came rolling out, as when Water, in a rapid Stream, runs over a large Stone; which last Symptom shew'd me, that the Stop was near the Glans. He had confulted fome Physicians, and many Surgeons, who were all of Opinion, that he had a Carnosity. But I told him that could not be determined otherwise than by being searched: He was very averse to it, having already made use of a small Wax Candle, which put him to a great deal of Pain. I told him, that might be done more easily with a better, and more covenient convenient Instrument; accordingly, after a good deal of Persuasion, and that he found I must otherwise proceed in the dark; he submitted to be searched by Dr. Cyprianus, who did it very much to his Satisfaction, by not putting him to Pain.

As there was no Stop any where to his Instrument; I was confirm'd in the Suspicion I entertain'd of a Swelling at the Orifice of the first Lacuna; which Swelling fill'd part of the Uretha, and oecasion'd this interrupted Efflux, and the rolling out of the Water; which Cyprianus assented to, as being very reasonable, though he had never before met with any Case of this kind. And therefore I ordered him fuch Medicines, inwardly, as might abate the Inflammation, and make the Liquors flow in the fmall Vessels that were obstructed. But there was no sensible Benefit by these Medicines for feveral Days; till, endeavouring to favour the other Medicines, by a proper Application near the Part; there appeared a Running, every way like that of a Gonorrhæa, and the Water came without any Interruption, or Stop.

Both

Both which Effects surpriz'd my Patient; and, in some Measure, myself. He having affured me that he believed he was Clapt, yet he did not know how that could be, fince he had not known any Woman, besides his Wife. He was very much pleased to see an end of his dreaded Carnofity; which I affured him would not return. As to the Matter of the Running, after this Declaration, I was perfuaded it was of that Nature which I spoke of in Chap. IV. and told him that it might leave off running of itself, in a few Days. I ask'd my Patient if this kind of Running had not often happened to him before; which upon Recollection he faid had been frequently so, and that he had consulted several Phyficians, and many French Surgeons, which last always told him he was echauffée; but all recommended Cassia, Emulsions, and fuch like Methods, without one of them knowing how it was with their Patient; cooling a Part, which they supposed heated, being their whole View; as if every Inflammation was to be taken off by Medicines actually cold. After five or fix Days the Running ceased, notwith-



THE

PREFACE.

HE Imperfections I have observed in all the Accounts of a Gonorrhoa, hitherto published, and the

Indecent and almost Obscene Manner of describing this Distemper, have induced me to communicate my Thoughts on that Subject, after this manner, to the Publick; which I have endeavoured to do in such a way, as may lead the Readers into a true Knowledge of its Nature and Method

of

The PREFACE.

Inclinations; whereas, most Treatises, of late, seem rather designed to instame the Youth with Impure Notions, than to assist them with sufficient Remedies against the Disease; and the Corruption conveyed to the Imagination, by such Books, is more pernicious than the Contagion received by the Distemper.

But since both these Faults may be easily avoided, and yet a fuller and more perfect Account of a Gonorrhœa given; which shall expose its Danger, and inform the Judgment without polluting the Mind; I cannot doubt of a favourable Reception of an Undertaking of this kind.

The PREFACE.

The Defects, indeed, of former Writers are best known to Physicians, who not only lament those Wants, but earnestly wish to have them supplied. I shall not presume to mention all the particular Errors in a Short Preface, since they will fully appear in the Tenor of this Discourse. It is sufficient to observe in general, that the Terms in common use are Obscure, the Descriptions misapplied; scarce one Symptom is explained, and the Disease itself is so little known, that it is miscalled by the Name of One of the Symptoms. We cannot wonder therefore that more proper Indications of its Cure are not laid down, since its Nature is so little understood, and the Ways by which it goes off so little known, upon which Account the Event of the

The PREFACE.

the Distemper is always Doubt-ful, and often Fatal.

Now all these Mistakes are not only made manifest, but redressed in the following Discourse; and New Medicines as well as New Methods are invented, whereby the worst Effects of a Gonorrhea are remedied in the shortest Time, without any Pain, and with the greatest Certainty.

I have purposely avoided saying any thing of the Beginning of
this Disease, or its late Appearance in the World; judging it sar
more useful to explain its Nature
and Method of Cure, than to
treat of Matters encompassed with
so great Uncertainty.

notwithstanding of all Endeavours to keep it a foot; but there never happen'd any farther Interruption in the free Discharge of his Water.

But that I may put an end to this Chapter, and with it finish the whole Subject of the Gonorrhæa; I would have it observed, that I, designedly, forbear discoursing of the Bubo, which most Physicians treat of when they write of the Gonorrhæa, and its Symptoms; and that because the Blood has not received any venereal Taint while the Corruption is altogether confined to the Lacuna, and from them is discharged into the Urethra: Whereas the Blood itself is corrupted, either from restraining the Running, but most commonly by a Shanker, when the Bubo is formed: Which, on that account, must be reckon'd among the first Symptoms of the Lues, but never among those of a Gonorrhæa.



CHAP. XII.

The Sum of what is already set forth with much Argument and Labour, reduced to the shortest and easiest manner of apprehending it.

HAT I may now put an end to this Work, and comprize in few Words all that has been shewn in this Book, and at the same time provide for those Readers that cannot bear a long, ferious, and laborious Application to Arguments, Diffection and Experiments; but soon tire of so great a multitude of things that are absolutely necessary to be understood in order to know this one thing, the Nature of a Gonorrhæa and of a Shanker, these being the whole of the Venereal Disease that falls under our present Confideration. Let those, therefore, that have their Ease so much at Heart lay aside the many Reasonings that are to be mer with in this Performance, as if they were

were either false, superfluous or useless; but let them remember by what Steps I got into the Nature and Seat of a Gonorrhæa; how I have deduced the Method of Cure from them; and how from both these I have discovered all other Symptoms, that seem'd to compose the whole Doctrine of the Gonorrhæa; even up to the forming the Pox, or Lues Venerea.

As the Symptoms of a Gonorrhæa are very obvious, little perplexed with the Symptoms of other Diseases, that often cross our Inquiries on other Occasions, so, by investigating them, we find; that the Matter of a Gonorrhæa is a natural Liquor corrupted; and this Corruption being sharp, and stimulating, gives the Quantity of the Running; which Quantity is always proportionable to the Degree of the Sharpness, while the Liquor is of its natural thickness.

This Cause is so very universal; that any Sharpness, coming into the Liquor of the Lacuna, never fails to increase the Quantity of its Efflux. Hence we became apprized of the Nature of the Fluor Albus, without a particular Inquiry

quiry into it, and of an analogous Running in Men; both very consonant to Experience; but both unseen, because we were not fully instructed in the Method of discovering unknown Symptoms, from the Nature of the Disease.

We know, likewise, that this Running not only comes from the Lacuna, but most commonly from the first Lacuna; and though what is said seems to be spoke of the Lacuna of Men, yet it is every whit as true of the Lacuna of Women; which they have in great abundance, not only at the Opening of their Urethra into the Vagina, but up the whole Length of their Urethra; but as the Lacuna of Men open towards the Glans, so the Lacuna, in the Urethra of Women, open towards the Bladder; which is of great Use to be observed.

Here we are taught; how a great Quantity of the Corruption is the Cause of a Shanker, and a less Quantity the Cause of a Gonorrhæa: How the natural Liquor of the Lacunæ being grosser does not run out, even though it grows sharper, and is the Cause of the Algedo. How the Liquor of the Lacunæ

and concurs as a Cause of its Inflammation, and thereby produces the Pain in Erection, and a Heat of Urine; tho' this Inflammation is often encreased, by the Sharpness of the Medicines, that are given for the Cure of the Gonorrhæa. We are likewise informed, that the Gleet, and Carnosity, are always produced by the Practice of the Medicines for curing a Gonorrhæa, and the Swelling of the Testicles most commonly on the same Account.

But as these Symptoms flow from the corrupted Streams of the Lacuna, so the Phimosis and Periphimosis proceed from the Shankers. When these things are duly represented, the Design of curing a Gonorrhæa lies open to our View; for either the Stock of Corruption must be run off, or we must destroy its Sharpness; which is indeed the destroying the Corruption itself. Hereby we become apprized, how far any Medicine can serve us in pursuing either of these Purposes; and how some Medicines only remedy the ill Effects of fome others; though those have passed for being as necessary, as any of the former.

It must not be forgot how plainly the furprizing Structure of the Penis has been laid open to us by Anatomy, and how bountifully Nature has recompensed our Labour, in exposing to the Sight whatever was formerly found by Reasoning; so that hereafter we may trust our Reafon, in guiding us, from a few Symptoms, into the Nature of a Disease; fince, in most Diseases, our Eye-sight can make our Conclusions more obvious, though not more true. How easily do we apprehend how a Gonorrhæa is got, when we see the Urethra under the Glans is far from being shut close, in the strongest Erection; and, just beyond that, is the great Lacuna; whereinto, on this account, there is an easy Passage for the Corruption under the Glans, and as easy an Admittance into the Lacuna. The Liquor of the Lacuna is easily corrupted, and flows out in an extrordinary Quantity, and, with it, the hideous Train of Symptoms already described; and which, at first, led us into their Cause; but every one whereof may be now read out of this Book of Nature.







