

**Formulae medicamentorum nosodochiis militaribus adaptatae, digestae et auctae a D. Richard de Hautesierck / [François Marie Claude Richard de Hautesierck].**

**Contributors**

Richard de Hautesierck, François Marie Claude, baron d'Uberhernn, 1712-1789.

**Publication/Creation**

Parisiis : Typog. Regia, 1766.

**Persistent URL**

<https://wellcomecollection.org/works/b5smr39v>

**License and attribution**

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>







40819/B

Pharmacopoeias - Lille

Different t.p. with price included  
Woodcut headpiece to dedication (re set)  
Last (blank) leaf wanting

1) PHARMACOPOEIAS, Lille

2) PHARMACOPOEIAS, France, Hospitals



# FORMULÆ MEDICAMENTORUM

*NOSODOCHIIS MILITARIBUS*  
ADAPTATÆ, DIGESTÆ ET AUCTÆ

*A D. RICHARD DE HAUTESIERCK, Equite Ordinis  
regii Sancti-Michaelis, Primario Exercituum Medico,  
Militarium Regni Nosocomiorum Inspectore generali ac  
Proto-medico, salubris Consilii regii Socio, Regis Medico  
ordinario, almæ Medicorum Univ. Monsp. necnon Regiæ  
Scientiarum Academiæ Gottingensis Socio.*



PARISIIS,  
EX TYPOGRAPHIA REGIA.

---

M. DCCLXVI.



*Sint tibi Pharmaca memoratu facilia, & Sim-  
plicium facultates notæ tibi sint; tum Compositorum  
descriptorum vires & horum Formulæ. Quotupliciter  
& quomodo in singulis se habeant. Hoc enim in  
Medicina initium, medium, finis.*

HIPPOCR.





# INDEX TITULORUM

## Quorum in Formulis fit mentio.

PTISANÆ.			
<i>Ptisana communis.</i>	Pag. 1	<i>Aposema febrifugum laxans.</i>	7
<i>Ptisana pectoralis.</i>	ibid.	<i>Oxymel compositum.</i>	8
<i>Ptisana adstringens.</i>	2	<i>Decoctum Simaroubæ.</i>	ibid.
<i>Ptisana acidulata, sive Limonada mineralis.</i>	ibid.	<i>Infusum amarum.</i>	ibid.
<i>Ptisana nitrata.</i>	ibid.	<i>Infusum vulnerarium.</i>	9
<i>Hydromel pro potu.</i>	ibid.	<i>Aqua Calcis.</i>	ibid.
<i>Oxycratium pro potu.</i>	3	<i>Aqua picea, vulgò Eau de Goudron.</i>	10
<i>Decoctum album.</i>	ibid.	VINA MEDICATA.	
<i>Decoctum Scorzonæræ pro potu.</i>	ibid.	<i>Vinum stomachicum.</i>	10
<i>Infusum Lini.</i>	ibid.	<i>Vinum chalybeatum.</i>	11
<i>Infusum Rosarum.</i>	4	<i>Vinum antiscorbuticum.</i>	ibid.
DECOCTA.		<i>Infusum Scillæ.</i>	12
<i>Decoctum sudoriferum.</i>	ibid.	<i>Acetum aromaticum.</i>	ibid.
<i>Decoctum sudoriferum laxans.</i>	5	<i>Spiritus Mindereri.</i>	13
<i>Decoctum Lapathi.</i>	ibid.	<i>Terra foliata Tartari.</i>	ibid.
<i>Decoctum aperiens minus.</i>	ibid.	<i>Liquor syphilliticus, sive contra Luem Veneream.</i>	14
<i>Decoctum aperiens majus.</i>	ibid.	<i>Balsamum adstringens.</i>	ibid.
<i>Decoctum diureticum.</i>	6	POTIONES.	
<i>Decoctum Genistæ.</i>	ibid.	<i>Potio sistens.</i>	15
<i>Decoctum antiscorbuticum.</i>	7	<i>Potio confortans acidulata.</i>	ibid.
<i>Decoctum febrifugum.</i>	ibid.	<i>Potio confortans minor.</i>	ibid.



<i>Potio confortans major.</i>	16	<i>Opiata febrifuga major.</i>	24
<i>Potio antiseptica.</i>	ibid.	<i>Opiata febrifuga pectoralis.</i>	25
<i>Acetum camphoratum majus.</i>	17	<i>Opiata dysenterica.</i>	ibid.
<i>Acetum camphoratum minus.</i>	ibid.	<i>Opiata dysenterica balsamica.</i>	ibid.
<i>Potio alterans.</i>	ibid.	<i>Opiata adstringens.</i>	26
<i>Potio salina.</i>	18	<i>Opiata incrassans balsamica.</i>	ibid.
<i>Potio antipleuritica.</i>	ibid.	<i>Opiata deterfiva.</i>	ibid.
<i>Potio diaphoretica.</i>	ibid.	<i>Electuarium lenitivum cum sul-</i>	
<i>Potio dysenterica.</i>	ibid.	<i>phure, ad morbos pſoricos.</i>	ibid.
<i>Potio adstringens.</i>	19		
<i>Potio anthelminthica.</i>	ibid.		
<i>Potio febrifuga.</i>	ibid.		
<i>Potio ammoniac.</i>	20		
<i>Potio oleosa.</i>	ibid.		

## EMULSIONES ET JULEPI.

<i>Emulſio ſimplex.</i>	ibid.
<i>Emulſio nitrata.</i>	21
<i>Emulſio camphorata.</i>	ibid.
<i>Julepus anodinus.</i>	ibid.
<i>Julepus acidulatus.</i>	ibid.

## L O O C H.

<i>Looch leniens.</i>	22
<i>Looch baſſamicum.</i>	ibid.
<i>Looch incidens.</i>	ibid.
<i>Looch Japonicum.</i>	23
<i>Looch ſaponatum.</i>	ibid.

## O P I A T Æ.

<i>Opiata aperiens.</i>	ibid.
<i>Opiata febrifuga ſimplex.</i>	24
<i>Opiata febrifuga purgans.</i>	ibid.

## B O L I.

<i>Bolus in Quartanis.</i>	27
<i>Bolus vermifugus.</i>	ibid.
<i>Bolus bechicus incidens.</i>	28
<i>Bolus in œdemate Pulmonum.</i>	ibid.
<i>Bolus è Camphorâ.</i>	ibid.
<i>Bolus antipſmodicus.</i>	29
<i>Bolus pſoricus.</i>	ibid.

## P I L U L Æ.

<i>Pilulæ ſaponacæ.</i>	ibid.
<i>Pilulæ ſcilliticæ.</i>	30
<i>Pilulæ baſſamicæ.</i>	ibid.
<i>Pilulæ de Terebinthinâ.</i>	ibid.
<i>Pilulæ aluminosæ.</i>	31
<i>Pilulæ antimoniales.</i>	ibid.
<i>Pilulæ depurantes.</i>	ibid.
<i>Pilulæ de Cynogloſſo.</i>	32
<i>Pilulæ Starckey.</i>	ibid.
<i>Pilulæ de Cicutâ.</i>	ibid.

## P U L V E R E S.

<i>Pulvis temperans.</i>	33
<i>Pulvis anodinus Doveri.</i>	ibid.



## REMEDIA EVACUANTIA.

## VOMITORIA.

<i>Aqua stybiata.</i>	34
<i>Ipecacuanha.</i>	ibid.
<i>Decoctum Ipecacuanhæ.</i>	ibid.
<i>Potio emetica in soporosis.</i>	35
<i>Vitrum ceratum Antimonii.</i>	ibid.

## PURGANTIA.

<i>Dilutum Cassiæ.</i>	ibid.
<i>Decoctum Tamarindorum.</i>	36
<i>Cassia cum Mannâ.</i>	ibid.
<i>Rheum cum Mannâ.</i>	ibid.
<i>Manna cum Catholico.</i>	37
<i>Potio communis minor.</i>	ibid.
<i>Potio communis major.</i>	ibid.
<i>Potio hydragoga.</i>	38
<i>Emulsio purgans.</i>	ibid.
<i>Bolus laxans adstringens.</i>	ibid.
<i>Bolus purgans.</i>	39
<i>Bolus hydragogus.</i>	ibid.
<i>Pilulæ anti-hydopicæ.</i>	ibid.
<i>Pilulæ mercuriales.</i>	40
<i>Electuarium purgans.</i>	ibid.

## ENEMATIA.

<i>Enema simplex.</i>	41
<i>Enema laxans.</i>	ibid.
<i>Enema carminativum.</i>	ibid.
<i>Enema leniens.</i>	ibid.
<i>Enema balsamicum.</i>	42
<i>Enema ad soporosos affectus.</i>	ibid.

## MEDICAMENTA

## SOLIO ENECANDO APTA.

<i>Bolus Gummi guttæ.</i>	42
<i>Pilulæ fætidæ.</i>	43
<i>Opiata Jovialis.</i>	ibid.

## REMEDIA EXTERNA.

## GARGARISMATA.

<i>Gargarisma emolliens.</i>	44
<i>Gargarisma detergens.</i>	ibid.
<i>Gargarisma adstringens.</i>	ibid.
<i>Gargarisma antiscorbuticum.</i>	45

## COLLYRIA.

<i>Collyrium sedans.</i>	ibid.
<i>Collyrium adstringens.</i>	ibid.
<i>Collyrium resolvens in Ophtalmiâ scorbuticâ.</i>	46
<i>Collyrium roborans.</i>	ibid.
<i>Collyrium saphirinum.</i>	ibid.
<i>Collyrium Lanfranci.</i>	ibid.

## CATAPLASMATA,

## LINIMENTA, &amp;c.

<i>Cataplasma anodinum.</i>	47
<i>Cataplasma de Micâ panis.</i>	ibid.
<i>Cataplasma maturans.</i>	ibid.
<i>Sinapismus.</i>	ibid.
<i>Fomentum anodinum.</i>	48
<i>Fomentatio emolliens.</i>	ibid.
<i>Fomentatio ad Erysipelas.</i>	ibid.
<i>Fotus ad Gangrænam.</i>	49



<i>Vinum aromaticum pro Fotu.</i>	49	<i>Aromata.</i>	64
<i>Fotus tonicus.</i>	ibid.	<i>Ligna.</i>	ibid.
<i>Aqua Vitæ saponacea.</i>	50	<i>Fungi.</i>	65
<i>Aquâ styptica.</i>	ibid.	<i>Marina.</i>	ibid.
<i>Linimentum antipleuriticum.</i>	ibid.	<i>Ex Animalibus.</i>	ibid.
<i>Linimentum volatile.</i>	ibid.	<i>Mineralia.</i>	66
<i>Litus ad Rhumatismum.</i>	51	<i>Gummi &amp; Resinæ.</i>	ibid.
<i>Litus ad Hæmorroides.</i>	ibid.	<i>Succi concreti.</i>	67
<i>Unguentum ad Hæmorroides.</i>	ibid.	<i>Balsama nativa.</i>	68
<i>Unguentum ad Ambusta.</i>	ibid.	<i>Olea expressa.</i>	ibid.
<i>Unguentum nervale.</i>	52	<i>Olea infusa.</i>	ibid.
<i>Unguentum ad Scabiem.</i>	ibid.	<i>Olea distillata.</i>	69
<i>Unguentum mercuriale citrinum.</i>	ibid.	<i>Salia naturalia.</i>	ibid.
<i>Emplastrum resolvens.</i>	ibid.	<i>Salia artificialia.</i>	ibid.
<i>Emplastrum mercuriale.</i>	53	<i>Salia fixa.</i>	70
<i>Extractum Saturni.</i>	ibid.	<i>Salia volatilia.</i>	ibid.
<i>Liquor vegeto-mineralis.</i>	ibid.		
<i>Prima Candelæ species.</i>	ibid.	REMEDIA COMPOSITA.	
<i>Secunda Candelæ species.</i>	54	<i>Pulveres.</i>	71
<i>Tertia Candelæ species.</i>	ibid.	<i>Conservæ.</i>	ibid.
		<i>Electuaria.</i>	ibid.
R E M E D I A		<i>Extracta.</i>	72
SIMPLICIA ET COMPOSITA.		<i>Pilulæ.</i>	ibid.
		<i>Syrupi.</i>	ibid.
REMEDIA SIMPLICIA.		<i>Tincturæ.</i>	73
<i>Radices.</i>	57	<i>Balsama.</i>	74
<i>Folia.</i>	59	<i>Unguenta.</i>	ibid.
<i>Flores.</i>	61	<i>Emplastræ.</i>	75
<i>Semina.</i>	62		
<i>Fructus.</i>	63	REMEDIA CHEMYCA.	
<i>Cortices.</i>	64		76 & 77





**F**ORMULARII hujus nova prostat editio, primâ Cassellorum castris editâ, correctior. Medicamenta quæ hodie in usum veniunt, Jussu regio, selecta offero. Copiosam remediorum & variatam seriem, necessariam duxi, ut casibus singulis & climatibus opitularetur.

Indicationes ferè omnes, præsentî in Formulario auctiori, adimplere animus est. Sola, quæ in arte fida & experta huc adduxi: omnia Nosodochiorum circumstantiis magis accommodata, quam expolita.

Præpositi, Militibus sanandis, Medici, suam quisque praxim, meamque invenient.

Ægrotantium incolumitati, & morborum curationi proficiat hoc Opusculum: mea hæc unica vota.

Dabam Parisiis, die 1.<sup>a</sup> Maii anni 1765.



P O N D E R A .

*Libr.* . . . Libra habet  
Uncias sexdecim.  
*Unc.* . . . Uncia continet  
Drachmas octo.  
*Drach.* . . . Drachma complectitur  
Scrupulos tres.  
*Scrup.* . . . Scrupulus pendit  
Grana viginti quatuor.  
*Gran.* . . . Granum æquat  
Pondus grani hordei.  
*Gut.* . . . Gutta est fere  
Ponderis Grani.  
*Cochleare* denotat mensuram  
Unciæ dimidiæ.  
*Pinta* . . . continet Aquæ communis  
circiter Libras duas.

D E S I G N A N T .

*Rad.* . . . Radices.  
*Cort.* . . . Cortices.  
*Fol.* . . . Folia.  
*Flor.* . . . Flores.  
*Fruct.* . . . Fructus.  
*Sem.* . . . Semina.  
*Syr.* . . . Syrupos.  
*Pulv.* . . . Pulveres, *vel* Pulverisatum.  
*M.* . . . Manipulum.  
*Pug.* . . . Pugillum.  
*Sem.* . . . Semis.  
*Ppt.* . . . Præparatum.  
*F.* . . . Fiat.  
*Mf.* . . . Misce.  
*S. a.* . . . Secundum artem.  
*S. q.* . . . Sufficientem quantitatem.  
*Q. v.* . . . Quantum volueris.  
*Ana.* . . . Singulorum prius recensitorum parem quantitatem.

Binæ dum occurrunt Doses, minorem sequantur Pharmacopæi, si major à Medico non sit præscripta.

Galenicæ Compositiones, Chymicæque Operationes, secundum Pharmacopæam Parisiensem, conficiantur.

FORMULÆ





# FORMULÆ MEDICAMENTORUM

*NOSODOCHIIS MILITARIBUS*

*ADAPTATÆ.*

---

## PTISANÆ.

---

### *PTISANA COMMUNIS.*

- ℞. Hordei integri, prius loti & leviter cocti . . . . . *Lib. j.*  
Rad. Graminis . . . . . *Semi-libram.*  
Glycyrrhizæ . . . . . *Unc. iv.*  
Hordeum & Rad. coquantur in aquæ communis . . *Lib. lxiv.*  
Sub finem addatur Glycyrrh.

### *PTISANA PECTORALIS.*

- ℞. Rad. Althææ . . . . . *Semi-lib.*  
Glycyrrhizæ . . . . . *Unc. vj.*  
Caricarum Pinguium . . . . . *Unc. iv.*

*A*



Coque leviter in aquæ simplicis.....*Libr. lxiv.*

Sub finem adde

Flor. papaveris Rhæados.....*M. j.*

*P T I S A N A A D S T R I N G E N S.*

℞. Rad. Consolidæ maj.

Tormentillæ, ana.....*Unc. iij.*

Glycyrrhizæ.....*Unc. ij.*

Rad. Tormentillæ coquatur, per dimidiam horam  
in aquæ simpl. *Libr. xxxiv*, dein jungantur Rad.  
Consolid. maj. & Glycyrrh.

*P T I S A N A A C I D U L A T A, S I V E L I M O N A D A  
M I N E R A L I S.*

℞. Ptisanæ communis.....*Libr. iv.*

Spiritum Vitrioli ad gratam aciditatem.

adde

Olei Essentialis Citri.....*Gut. iv.*

Cum

Sacchari albi triti.....*Unc. ij.*

*P T I S A N A N I T R A T A.*

℞. Ptisanæ communis.....*Lib. iv.*

Solve

Nitri purissimi.....*Semi-drach.*

*H Y D R O M E L P R O P O T U.*

℞. Mellis optimi.....*Unc. iij.*

Solve in ptisanæ bullientis.....*Lib. iv.*



*MEDICAMENTORUM.*

3

Si velis nitratum, adde

Nitri purissimi.....*Drach. j.*

*OXYCRATIUM PRO POTU.*

R. Aceti Vini optimi.....*Unc. vj.*

Ms. cum Aquæ simpl.....*Libr. iv.*

*DECOCTUM ALBUM.*

R. Micæ panis alb.....*Unc. iv.*

Cornu Cervi ad alb. calcinat.....*Unc. j.*

Cinnamomi pulv.....*Sem. scrup.*

Coq. in Aquæ simp. *Libr. v* ad quartæ partis consumptionem.

Colaturæ adde

Sacchari albi.....*Unc. ij.*

*DECOCTUM SCORZONERÆ PRO POTU.*

R. Rad. Scorzonær.....*Unc. ij.*

Petroselini.....*Unc. j.*

Coque leviter in Aquæ simpl.....*Lib. iv.*

Sub finem adde

Glycyrrhizæ }  
Flor. Sambuci } *ana.....Drach. ij.*

*INFUSUM LINI.*

R. Sem. Lini.....*Unc. ij.*

Rad. Glycyrrh.....*Semi-unc.*

Fiat infusio calida in Aquæ *libr. iv*, per horas tres.

*A ij*



## I N F U S U M   R O S A R U M.

℞. Flor. Rosarum rub. siccat.....*Unc. ij.*Spiritus Vitrioli.....*Drach. ij.*Infunde calide in Aquæ font. *libr. iv*, per tres horas.

## D E C O C T A.

*Horum Decoctorum Unciæ sex dentur bis, ter,  
quater, in die.*

## D E C O C T U M   S U D O R I F E R U M.

℞ Rasuræ ligni guajaci.....*Unc. ij.*Sassafras.....*Unc. j.*

Rad. Sarsaparillæ	} <i>ana</i> ..... <i>Sem.-unc.</i>
Chinæ	
Caryophyllatæ	

Baccarum juniperi.....*Drach. ij.*Antimonii crudi cras. trit.....*Unc. ij.*Simul macerentur per noctem in Aquæ simpl. calidæ  
*libr. vj*, mane bulliant, obturato vase, horæ unius  
spatio.

Coletur liquor.



DECOCTUM SUDORIFERUM LAXANS.

Sub coctionis finem superioris decocti sudoriferi, adde

Fol. Sennæ . . . . . *Unc. j.*

DECOCTUM LAPATHI.

℞. Rad. Lapathi acuti . . . . . *Unc. ij.*

Enulæ campanæ	} <i>ana</i> . . . . . <i>Sem. unc.</i>
Baccar. juniperi	

Coq. in Aquæ simpl. *libr. vj*, ad quartæ partis consumptionem. Sub finem adde

Fol. Fumariæ . . . . . *M. j.*

DECOCTUM APERIENS MINUS.

℞. Rad. Fragariæ	} <i>ana</i> . . . . . <i>Unc. j.</i>
Acetosæ	

Lapathi acuti . . . . . *Sem. unc.*

Coque leviter in Aquæ communis . . . . . *Libr. iv.*

Sub finem adde

Fol. Cichorii silvestris	} <i>ana</i> . . . . . <i>M. j.</i>
Scolopendrii	

In colat. solve

Nitri purissimi . . . . . *Drach. j.*

DECOCTUM APERIENS MAJUS.

℞. Rad. Chelidonii Maj.	} <i>ana</i> . . . . . <i>Unc. j.</i>
Scrophulariæ	

*A iij*



Enulæ campanæ.....*Sem. unc.*

Coq. in Aquæ comm. *libr. vj*, per dimidiam horam.

Sub finem addē

Fol. Erysimi	} <i>ana</i> ..... <i>M. j.</i>
Trifolii fibrini	

In colatura solve

Arcani duplicati.....*Drach. ij.*

### D E C O C T U M D I U R E T I C U M.

R. Rad. Petroselinii	} <i>ana</i> ..... <i>Unc. j.</i>
Foeniculi	

Sem. Dauci Sylvestris	} <i>ana</i> ..... <i>Sem. unc.</i>
Fructus Alkekengi	

Coq. in Aquæ simpl. *libr. v*, ad *libr. iv*

Adde sub finem

Fol. Parietariæ.....*M. j.*

Passul. maj.....*Sem. unc.*

In Colatura solve

Nitri puriss.....*Drach. ij.*

### D E C O C T U M G E N I S T Æ.

R. Cinerum Genistæ.....*Unc. vj.*

Coq. in Aquæ simpl. *libr. vj*, ad quartæ partis consumptionem.

Sub finem adde

Fol. Absinthii.....*Sem. M.*

Baccar. juniperi.....*Unc. ij.*



In Colatura adde

Salis Martis Riverii. . . . . Gr. xij.

DECOCTUM ANTISCORBUTICUM.

℞. Rad. Raphani rusticani. . . . . Unc. ij.

Coq. in Aquæ libr. v, per horæ quadrantem ; tunc adde

Fol. Beccabungæ

Nasturtii aquatici

Cochleariæ

Acetosæ

} ana . . . . . Sem. M.

Post lenem coctionem remove ab igne, & dum  
refruxerit, cola.

Colaturæ misce

Aceti Vini. . . . . Unc. iv.

DECOCTUM FEBRIFUGUM.

℞. Corticis chinæ-chinæ. . . . . Unc. ij.

Nitri depurati . . . . . Drach. j.

Coquantur in Aquæ simpl. libr. vj, per dimidiam horam.

APOSEMA FEBRIFUGUM LAXANS.

℞ Corticis chinæ-chinæ pulv. . . . . Unc. ij.

Salis Glauberi. . . . . Sem.-unc.

Coq. in Aquæ simp. libr. vj, ad quartæ partis dimi-  
nutionem. Sub finem adde

Fol. Cichorii Sylvestr.

Endiviæ recent.

} ana. . . . . Sem. M.

Sennæ. . . . . Sem.-unc.



In colatura dilue

Syr. Cichorii cum Rheo . . . . . *Unc. ij.*

*O X Y M E L C O M P O S I T U M.*

℞. Rad. Helenii . . . . . *Unc. j.*

Iridis Florentinæ . . . . . *Sem.-unc.*

Contusa coque in Aquæ fontanæ *libr. ij & sem.* ad  
quintæ partis consumptionem.

Colaturæ adde

Mellis despumati . . . . . *Libr. j.*

Gummi Ammoniæ *unc. j.*, soluti in aceti *Sem. libr.*

Propinetur Cochleare unum omni bihorio vel trihorio.

*D E C O C T U M S I M A R O U B Æ.*

℞. Corticis Simaroubæ . . . . . *Sem.-unc.*

Coq. in Aquæ simpl. *libr. j & sem.* ad tertiæ partis  
consumptionem

In tres doses dividatur, singulis trihoriis sumendas.

*I N F U S U M A M A R U M.*

℞. Fol. Cardui Benedicti	}	<i>ana . . . . . M. ij.</i>
Chamædryos		
Chamæpithyos		

Flor. Centaurii minoris	}	<i>ana . . . . . M. j.</i>
Hyperici		
Lupuli		

Incisa ferventur.

Horum



Horum *Semi-unc.* infunditur Aquæ bullientis *libr. j.*

Si postuletur acidulatum,

Colato liquori affunditur

Spiritus Vitrioli.....*Drach. j.*

Dosis.....*Unc. vj.*

I N F U S U M V U L N E R A R I U M.

R. Fol. Hæderæ Terrestris

Veronicæ

Saniculæ

} *ana.....M. ij.*

Summitat. hyperici

Virgæ aureæ

Flor. Bellidis minoris

Pedis Cati

} *ana.....M. j.*

Incisa misceantur & serventur.

Aquæ bullientis *libr. j.*, affunde supra harum plantarum *Semi-unc.*

Sumat æger bis, ter, quaterve per diem.....*Unc. vj.*

Dosis præscripta misceatur cum Lactis *unc. vj.*, si ferat indicatio.

A Q U A C A L C I S.

R. Calcis vivæ.....*Libr. j.*

Affunde paulatim

Aquæ simpl. calidæ.....*Libr. xvj.*

Ebullitione peracta, spatula lignea agitetur. Quiete

B



subsidat calx. Aquam filtratam serva in lagenis obturatis.

Sola, vel cum Lacte, propinabitur ad *unc. vj*, bis, ter in die.

*AQUA PICEA, vulgò EAU DE GOUDRON.*

R. Picis liquidæ.....*Libr. ij.*

Aquæ font.....*Libr. viij.*

Agitentur valide bacillo ligneo, & post biduum vel triduum, despuma, & aquam decanta.

Dos. *unc vj*, ter vel quater in die;

Cum Lactis part. æq. maritari potest.

VINA MEDICATA.

*VINUM STOMACHICUM.*

R. Rad. Gentianæ.....*Unc. ij.*

Calami Aromatici.....*Unc. j.*

Fol. Cardui Benedicti

Trifolii fibrini

Absinthii

} *ana.....Sem.unc.*

Sem. Coriandri.....*Drach. iij.*

Digere in vini albi *libr. iv*, supra cineres calidos, vase rite clauso, per horas viginti.



In colatura misce

Spiritus nitri dulcis.....Sem.-unc.

Spiritus vini.....Unc. iij.

Sumantur unc. iij, bis, ter in die.

VINUM CHALYBEATUM.

R. Limaturæ martis non Rubiginos.....Unc. iij.

Cort. Peruviani }  
Magellan. } ana.....Unc. ij.

Caryophyllorum.....Drach. j.

In pulv. redigantur; infundantur Vini albi libr. iv; stent  
simul in vase obturato, per triduum, addita

Aquæ Rabellianæ.....Sem.-unc.

Dein supra cineres calidos, per noctem digerantur.

Colato liquori misce

Spiritus Vini.....Unc. iv.

bis, ter, quater in die, dentur.....Unc. iij.

Nova potest institui digestio cum Vini.....libr. j.

VINUM ANTISCORBUTICUM.

R. Rad. Raphani rust.....Sem.-lib.

Petroselini.....Unc. iv.

Fol. Nasturtii aquatici }  
Erysimi } ana.....M. j.  
Fumariæ }  
Cochleariæ }

B ij



Sem. Sinapi . . . . . *Unc. iv.*

Salis Ammoniaci . . . . . *Unc. ij.*

Vini albi . . . . . *Libr. xvj.*

Terenda statim Sem. Sinapi, dein Rad. & herbæ  
recentes, in mortario lapideo; deponantur simul  
in vase idoneo clauso, addito Sale ammoniaco;  
Vinum affundatur; Maceratio horum instituatur per  
tres dies; Colatura cum expressione fervetur in lagenis  
obturatis.

Capiat Æger *unc. iij*, ter, quater, quotidie.

### I N F U S U M S C I L L Æ.

R. Scillæ recentis . . . . . *Unc. j.*

Corticis Aurantiorum	} <i>ana</i> . . . . . <i>Drach. ij.</i>
Calami Aromatici	

Infunde in Vini albi, *libr. ij*, per tres dies; in colatura  
dilue Oxymellis Scillitici . . . . . *Unc. ij.*

Dos. cochleare unum, bis, ter in die.

### A C E T U M A R O M A T I C U M.

R. Rad. Imperatoriæ	} <i>ana</i> . . . . . <i>Unc. j.</i>
Angelicæ	
Zedoariæ	
Fol. Scordii	
Rutæ	
Salviæ	

Baccar. juniperi	} <i>ana</i> . . . . . <i>Sem. unc.</i>
Flaved. cort. aurantior.	



Minutim incisa, digerantur in aceti Vini optimi *libr. iij*,  
per dies sex, vase rite clauso. Filtratum acetum in  
lagenis obturatis reponatur.

Dosis *Semi-unc.* ad *j*, in potione confortante vel  
diaphoretica.

S P I R I T U S M I N D E R E R I.

℞. Salis volatilis ammoniaci.....*Q. v.*

Paulatim instilla, movendo,

Aceti optimi.....*Q. f.*

Et donec cesset effervescentia.

Potioni diaphoreticæ aut confortanti possunt misceri.

*Drach. ij* ad *Sem. unc.*

T E R R A F O L I A T A T A R T A R I.

℞. Salis tartari purissimi.....*Unc. j.*

Misce agitando,

Aceti vini acerrimi.....*Libr. j.*

Plus minusve ad perfectam saturationem, id est, donec  
non amplius fermentescat.

Vaporetur mixtio aut distilletur igne lenissimo ad  
ficcitatem. Solve massam in

Spiritus vini.....*Q. f.*

Filtra & vapore ad ficcitatem; & quidem filtrationem  
& evaporationem repete pariter ad ficcitatem, donec  
residuum sit foliaceum,

Dosis *unc. j*, in decoct. aperient. *unc. xvj.*

*B iij*



*L I Q U O R S Y P H I L I T I C U S ,*  
*sive contra L U E M V E N E R E A M .*

R. Mercurii sublimat. corrosiv. .... *Gran. xij.*

Camphoræ. .... *Gran. iv.*

In mortario lapideo, trituratione solvantur, affundendo  
 sensim pauxillum Aquæ vitæ, ad *libr. ij.* Sub finem  
 misce

Syr. papaveris Rhæad. .... *Unc. j.*

Servetur in lagenis.

Dosis Cochlear. *j* ad *ij* mane & fero, in ptisan.  
 pectoral. & lact. vacc. ana *Semi-libr.*

*B A L S A M U M A D S T R I N G E N S .*

R. Olei Terebinthinæ }  
 Vitrioli } ana. .... *Semi-unc.*

Sensim misceantur, dein paulatim affundantur.

Spiritus vini rectif. .... *Unc. ij.*

Dosis *Semi-scrupul.* ad *Scrupul. ij*, semel vel bis in  
 die, in ptisana adstringente.



# POTIONES.

*Potiones sequentes propinabuntur, singulis bihoriis  
vel trihoriis à cochlear. ij ad iij.*

## POTIO SISTENS.

℞. Confect. de Hyacinto . . . . . Drach. iij.  
Syr. Cydoniorum . . . . . Unc. j.  
Simul misceantur in mortario lapideo addendo,  
Decocti cort. Aurantior . . . . . Unc. iv.

## POTIO CONFORTANS ACIDULATA.

℞. Confectionis de Hyacinto }  
Alkermes } ana . . . . . Drach. j.  
Liquoris mineralis Hoffmann . . . . . Scrup. ij.  
Syr. Limonum . . . . . Semi-unc.  
Mixta simul in mortario lapideo, diluantur  
in Vini Rubri }  
Aquæ communis } ana . . . . . Unc. ij.

## POTIO CONFORTANS MINOR.

℞. Vini rubri optimi }  
Aquæ communis } ana . . . . . Unc. ij.



Cinnamomi hordeat. }  
 Syr. Flor. Tunicæ. } ana.....Semi-unc.  
 Misce.

## P O T I O C O N F O R T A N S M A J O R.

R. Vini Rubri optimi }  
 Aquæ communis } ana.....Unc. ij.  
 Spiritus Melissæ Comp. }  
 Theriacalis } ana.....Drach ij.  
 Syr. Caryophyl.....Semi-unc.  
 Misce.

P O T I O N I B U S H I S C O N F O R T A N T I B U S , P O S S U N T ,  
 U R G E N T E N E C E S S I T A T E , A D D I

Lilium paracelsi à scrup. j. ad scrup. ij.

Spiritus vol. oleosus à gut. xv. ad xxx.

Tartarus emet. à gran. j. ad ij.

## P O T I O A N T I S E P T I C A.

R. Cort. chinæ-chinæ, }  
 Rad. Serpentar. Virginianæ } ana.....Drach. iij.

Coq. in Aquæ simpl. libr. j ad unc. viij.

Sub finem adde

Flor. Chamæmeli Rom.....Drach. j.

In colatura misce

Spiritus Nitri dulcis.....Semi-drach.

Aquæ Cinnamomi vinosi }  
 Syr. Limonum } ana.....Unc. j.

ACETUM



ACETUM CAMPHORATUM MAJUS.

℞. Camphoræ.....Drach. j.

Teratur in mortario lapideo, addendo gutt. xx Spiritus  
vini rect. dein adde

Sacchari albi.....Unc. ij.

Diu simul tritis, misce

Aceti Vini fragrantis.....Unc. x.

Detur Cochleare j, omni trihorio.

ACETUM CAMPHORATUM MINUS.

℞. Camphoræ.....Semi-drach.

Sacchari albi	} ana.....	Drach. j.
Mucilag. Gum. Arabic.		

His invicem in mortario vitreo tritis, adde

Aceti calidi.....Semi-unc.

Aquæ Flor. Sambuc.....Unc. vj.

Syr. Flor. Rhæad.....Unc. j.

Addi huic mixturæ potest Laudan. liq. ad gutt. xxx.

Dosis Cochlear. j, singulis, binis, vel trinis horis.

POTIO ALTERNANS.

℞. Salis Absinthii.....Semi-drach.

Syr. Limonum.....Unc. j.

Solve in

Ptisanæ acidulatæ.....Unc. iv.

C



## P O T I O S A L I N A.

℞. Salis Polychrefli . . . . . *Drach. j.*  
 Tartari vitriolati . . . . . *Semi-drach.*  
 Solvantur in Decocti aperient. . . . . *Unc. iv.*  
 Edulcoretur liquor cum  
 Syr. de 5 Rad. aperient. . . . . *Unc. j.*

## P O T I O A N T I P L E U R I T I C A.

℞. Nitri purissimi }  
 Antimonii diaphoretici } *ana. . . . . Semi-drach.*  
 Solve in Ptisanæ pectoralis *unc. iv.* & admisce  
 Syr. Papaveris Rhæad. . . . . *Unc. j.*

## P O T I O D I A P H O R E T I C A.

℞. Rad. Contrayervæ pulv. . . . . *Drach. j.*  
 Antimonii diaphoretici . . . . . *Semi-drach.*  
 Camphoræ . . . . . *Semi-gran.*  
 Misce triturando, cum  
 Syr. Cort. aurantiorum . . . . . *Semi-unc.*  
 Et Decoct. fudoriferi . . . . . *Unc. iv.*

## P O T I O D Y S E N T E R I C A.

℞. Boli Armenæ . . . . . *Drach. ij.*  
 Terræ Cathecu }  
 Mastiches } *ana . . . . . Scripul. j.*  
 Cornu Cervi phil. ppt. }



# MEDICAMENTORUM. 19

Gummi Arabici . . . . . *Semi-drach.*

In pulverem redactis, affunde paulatim, terendo

Syr. Cydoniorum . . . . . *Unc. j.*

Ptisanae adstringent. . . . . *Unc. iv.*

Adde, si praescribatur,

Laudan. liq. Sydenham. . . . . *Gut. vj.*

## POTIO ADSTRINGENS.

R. Succi Hipocistidis . . . . . *Drach. j.*

Sanguinis Draconis }  
Aluminis Puri } *ana. . . . . Semi-drach.*

Simul terantur, paululum affundendo

Ptisanae adstringent. . . . . *Unc. iv.*

Syr. Myrthini . . . . . *Unc. j.*

## POTIO ANTHELMINTHICA.

R. Seminum Contra . . . . . *Drach. j.*

Corallinae . . . . . *Semi-drach.*

Pulverisata, trituratione misceantur cum syr. Limon. *Semi-unc.*

Ptisanae acidulatae . . . . . *Unc. iv.*

## POTIO FEBRIFUGA.

R. Corticis Peruviani . . . . . *Drach. j.*

Agarici albi }  
Iridis Florent } *ana. . . . . Scrup. j.*

Salis absinth. . . . . *Gran. vj.*

Pulveris. dilue in decoct. aperient . . . . . *Unc. iv.*

*C ij*



Pro dosi, per plures dies, mane, jejuno ventriculo, iteranda.

### P O T I O A M M O N I A C A.

R. Gummi Ammoniaci. . . . . *Scrup. ij.*

Solve in Oxymellis Scillit. . . . . *Semi-unc.*  
adde.

Ptisane commun. . . . . *Unc. iv.*

Dos. Cochlearē *j* ad *ij*, omni bihorio, vel trihorio.

### P O T I O O L E O S A.

R. Olei Amygdal. dulc. }  
Syr. Altheæ } *ana. . . . . Unc. j.*

Ptisane pectoral. . . . . *Unc. iij.*

Misce.

Si Diuretica optetur, adde

Nitri Puriss. . . . . *Gran. viij.*

Spiritus Nitri dulc. . . . . *Gut. xij.*

Agitetur potio hæc, quotiescumque datur ægro.

## EMULSIONES ET JULEPI.

### E M U L S I O S I M P L E X.

R. Amygd. dulc. excortic. *n.º xvj.*

Sem. 4 Frigid. maj. . . . . *Semi-unc.*

Contendantur in mortario lapideo, sensim affundendo



*ptisan. comm. libr. j. & sem. colentur & exprimantur.*  
*In express. solve*

*Sacchar. Alb. . . . . Unc. j.*

*Pro iv dosibus.*

*E M U L S I O N I T R A T A.*

*Solve in emulsionis simpl. . . . . Unc. vj.*

*Nitri puriss. . . . . Gran. vj.*

*E M U L S I O C A M P H O R A T A.*

*R. Camphoræ . . . . . Gran. ij.*

*Solve in mortario cum spiritus vini . . . . . Gut. x.*

*Misce*

*Emulsionis simplicis. . . . . Unc. vj.*

*J U L E P U S A N O D I N U S.*

*R. Nitri puriss. . . . . Gran. iv.*

*Syr. Diacodii . . . . . Semi-unc.*

*Solve in ptisanæ commun. . . . . Unc. iv.*

*Pro dosi.*

*J U L E P U S A C I D U L A T U S.*

*R. Ptisanæ communis . . . . . Unc. vj.*

*Spiritus nitri dulcis . . . . . Gut. vj.*

*Syr. Limon. . . . . Semi-unc.*

*Misce.*

*His, si videtur, addi possunt*



Laudanum liquid. Sydenhami, a *Gut. vj.* ad *xv.*  
vel etiam

Sal sedativ. Homberg, a *Semi-scrup.* ad *scrup. j.*

## L O O C H.

### L O O C H L E N I E N S.

R. Gum. Tragacanth. subtil. pulv. . . . . *Gran. xvj.*  
 Olei Amygdal. dulc. }  
 Syr. Altheæ } *ana. . . . . Unc. j.*  
 Ptilanæ pectoral. . . . . *Unc. iv.*

Paulatim, alternatimque miscendo, & diu terendo  
gummi cum liquidis. F. Looch.

Si in dysenteria hujus sit usus, Laudanum liquidum  
addi potest a *gut. vj.* ad *xv.*

### L O O C H B A L S A M I C U M.

Adde looch lenienti, terebinthinæ Venetæ in vitello  
•vi solutæ, *scrup. j.*

### L O O C H I N C I D E N S.

R. Pulveris Diaireos. . . . . *Drach. ij.*  
 Ari ppt. . . . . *Drach. j.*  
 Cum Mellis despumati, *unc. vj.* & Oxymellis scillit. *Semi-unc.*  
 F. Looch.



His jungi potest Kermes mineralis a *gr. j.* ad *ijj.*

LOOCH JAPONICUM.

- ℞. Terræ Cathecū . . . . . *Drach. ij.*  
 Rad. Consolidæ maj. pulv. . . . . *Drach. j.*  
 Cum Mellis rosati . . . . . *Unc. vj.*  
 F. Looch.

LOOCH SAPONATUM.

- ℞. Saponis Venetiarum . . . . . *Drach. j.*  
 Olei Amygd. dulc. . . . . *Unc. j.*  
 Mellis despumati . . . . . *Unc. ij.*  
 Misce in mortario.

OPIATÆ.

*Harum propinabitur Drach. j, bis, ter, quater  
 in die.*

OPIATA APERIENS.

- ℞. Rad. Aristolochiæ tenuis }  
 Gentianæ } *ana. . . . . Unc. ij.*  
 Ari . . . . . *Unc. j.*  
 Jalappæ . . . . . *Drach. ij.*



Gummi Ammoniaci in aceto soluti }  
 Aloes soccotrinæ } ana. . . . . *Unc. j.*  
 Salis Polychrestii . . . . . *Semi-unc.*  
 Tartari vitriolati . . . . . *Drach. ij.*  
 Limaturæ Martis . . . . . *Unc. j.*

Aloes & Gummi ammon. in oxymellis scillitici *q. s.*  
 triturando dissolvantur; dissolutioni miscendo radices  
 & salia in pulverem redact.

## F. Opiata.

## O P I A T A F E B R I F U G A S I M P L E X.

R. Cort. chinæ-chinæ pulv. . . . . *Unc. iv.*  
 Nitri puriss. . . . . *Drach. iij.*  
 Simul misceantur in mortario, & cum Conservæ rosar. *Unc. ij.*  
 Syr. Cichor. cum Rh. . . . . *Q. S.*

## F. Opiata.

## O P I A T A F E B R I F U G A P U R G A N S.

Adde Opiatæ febrifug. simpl.

Rad. Jalappæ . . . . . *Drach. iij*

## O P I A T A F E B R I F U G A M A J O R.

R. Cort. chinæ-chinæ. . . . . *Unc. iv.*  
 Rad. Serpentariæ Virgin. }  
 Flor. Chamæmeli rom. } ana. . . . . *Semi-unc.*  
 Rad. Jalappæ }  
 Hellebori nigri } ana. . . . . *Drach. ij.*  
 Salis



*M E D I C A M E N T O R U M.* 25

Salis Ammoniaci.....*Drach. iij.*

Abſinthii }  
Martis } *ana.....Drach. ij.*

In pulv. redacta miſceantur, & cum Elixir. pptatis...*Q. ſ.*

*F. Opiata.*

*O P I A T A F E B R I F U G A P E C T O R A L I S.*

*R.* Cort. chinæ-chinæ.....*Unc. j.*

Sperm. Ceti.....*Drach. ij.*

Olæi Amygd. dulc.....*Semi-unc.*

Conſerv. Roſarum rub.....*Unc. j.*

Sperma Ceti in oleo trituratione ſolvatur. Conſervam  
adde & pulv. chinæ-chinæ; inſtillando Syr.  
Altheæ. *q. ſ.*

*F. Opiata.*

*O P I A T A D Y S E N T E R I C A.*

*R.* Boli Armenæ.....*Unc. iij.*

Gummi Arabici.....*Semi-unc.*

Theriace }  
Diaſcordii } *ana.....Unc. ij.*

In pulverem reducantur Bol. Armena & Gum. Arab.  
jungantur Theriace & Diaſcordio; & cum Syr.  
Diacodii *ſ. q.*

*F. Opiata.*

*O P I A T A D Y S E N T E R I C A B A L S A M I C A.*

Adde Opiatæ Dyſentericæ.

Balfami Locatelli.....*Unc. ij.*

*D*



## O P I A T A A D S T R I N G E N S.

R. Cort. Cascarillæ	}	<i>ana</i> .....	<i>Unc. j.</i>
Terræ Japonicæ			
Malicorii	}	<i>ana</i> .....	<i>Semi-unc.</i>
Nucum Cupressi			
Extracti Juniperi.....			<i>Unc. iv.</i>

Mixtis pulv. cum extracto Juniperi, opiatæ consistentiam largiatur Syr. Myrthinus.

## O P I A T A I N C R A S S A N S B A L S A M I C A.

R. Conserv. rosar. rubr.....	<i>Unc. iv.</i>
Pulv. Diatragacanth. frigid.....	<i>Unc. ij.</i>
Terebinth. Venet.....	<i>Drach. j.</i>
Syr. Balsamici.....	<i>Q. f.</i>

Terebinth. cum Syr. solutæ, addantur Conserv. rosar. & pulv. diatrag.

## O P I A T A D E T E R S I V A.

R. Myrrhæ elect.	}	<i>ana</i> .....	<i>Semi-unc.</i>
Olibani			
Spermatis Ceti.....			<i>Drach. ij.</i>

Cum Vitello ovi diu contritæ Myrrhæ, in mortario lapideo, simul admisce Oliban. dein Sperma ceti.

adde

Mellis optimi.....	<i>Unc. vj.</i>
Pulv. Glycyrrh.....	<i>Q. f.</i>



ELECTUARIUM LENITIVUM CUM SULPHURE,  
AD MORBOS PSORICOS.

R. Electuarii lenitivi . . . . . *Semi-libr.*

Florum sulphuris . . . . . *Unc. ij.*

Misce.

Dosis a *drach. j* ad *Semi-unc.* pluries iteranda.

Opiata Salomon. a *Semi-drach.* ad *Drach. j.*

Diascordium a *Semi-drach.* ad *Drach. j.*

Theriaca a *Semi-drach.* ad *Drach. j.*

Philonium romanum a *Semi-scrupul.* ad *Scrup. ij.*

Laudanum opiatum a *Semi-gran.* ad *Gran. j.*

Vide Codicem Parisiensem.

B O L I.

B O L U S I N Q U A R T A N I S.

R. Cort. Chinæ-chinæ . . . . . *Unc. j & sem.*

Scillæ præparatæ . . . . . *Scrup. iv.*

Kermes mineralis . . . . . *Gran. xij.*

Spiritus vol. Salis ammoniaci . . . . . *Drach. ij.*

F. Boli *xxiv*, quorum unum capiat æger, bis, ter  
aut quater in die.

B O L U S V E R M I F U G U S.

R. Radicis Filicis fæminæ }  
Sem. Cinæ } *ana . . . . . Unc. j.*

Rhei elect. . . . . *Semi-unc.*

*D ij*



Mercurii dulcis.....*Drach. ij.*

In pulverem redigantur, & cum

Syr. Absynth. F. boli *xxiv.*

Bolus *j* pro dosi, bis, ter, in die iterandus.

*BOLUS BECHICUS INCIDENS.*

R. Spermat. Ceti }  
Nitri purissimi } *ana*.....*Semi-unc.*

Pulv. ari comp.....*Drach. ij.*

Kermes mineralis.....*Scrup. j.*

Camphoræ.....*Semi-drach.*

Cum Oximel. scillit. *q. s.* F. Boli *xxiv.*

Bolus *j* pro dosi, omni trihor. deglutiendus.

*BOLUS IN ŒDEIMATE PULMONUM.*

R. Rad. Asclepiadis.....*Semi-unc.*

Scillæ ppt.....*Drach. ij.*

Salis Absynthii.....*Drach. j.*

Cum Syr. Erysimi, F. Boli *xxiv.*

Dos. Bolus *j*, ter, quater in die repetendus.

*BOLUS È CAMPHORA.*

R. Rad. Contrayervæ.....*Semi-unc.*

Nitri purissimi.....*Drach. ij.*

Camphoræ.....*Scrup. ij.*

Cum Melle, F. Boli *xxiv.*

Bis, ter, in die sumat æger Bolum *j.*



*BOLUS ANTISPASMODICUS.*

℞. Pulv. de Gutteta.....*Unc. j.*  
 Salis sedativi Homberg.....*Semi-unc.*  
 Castorei.....*Drach. ij.*  
 Camphoræ.....*Gran. xij.*  
 Opii.....*Gran. vj.*  
 Cum Syr. Caryophyl. F. Boli *xxiv.*  
 Ufus ut prioris.

*BOLUS PSORICUS.*

℞. Ætiopis antimonialis }  
 Conservæ fumaris } *ana.....Unc. j.*  
 Cum Mellis *q. s.* F. Boli *xxx.*  
 Consperg. Pulv. Glycyrrh.  
 Dos. Bol. *j* semel vel bis in die, cum decoct. Lapathi.

PILULÆ.

*PILULÆ SAPONACEÆ.*

℞. Saponis Venet.....*Unc. j.*  
 Rad. Enulæ camp.....*Drach. ij.*  
 Jalappæ.....*Drach. j.*  
 Rad. in pulv. redact. misceantur cum Sapone, addita  
 elixir. pptatis *q. s.*

℞ *ij*



F. Pil. *gran.* x pond.Dof. pilul. *j* vel *ij*, bis, ter in die, superbibendo decoct. aperit.

## P I L U L Æ S C I L L I T I C Æ.

℞. Scillæ recent.

Gum. Ammoniaci depurati	} <i>ana</i> . . . . .	<i>Semi-unc.</i>
Millepedum ppt.		

Saponis Venet. . . . . *Unc. j.*Cum Oxymellis scillit. *q. f.*F. Pilul. *gran.* x pond.Dof. Pilul. *j*, bis, ter in die.

## P I L U L Æ B A L S A M I C Æ.

℞. Millepedum ppt. . . . . *Semi-unc.*

Rad. Ireos Florent.	} <i>ana</i> . . . . .	<i>Drach. ij.</i>
Gummi Ammoniaci		

Flor. Benzoini . . . . . *Drach. j.*Terebinthinæ Venetæ . . . . . *Semi-unc.*Syr. Balsamici *q. f.*

Terebinthina primo teratur cum Syr. dein Gum.  
Ammoniac. & flor. Benzoini; postea addantur  
Milleped. & Iris pulverisat.

F. Pilul. *Gran.* x pond.Capiat Æger Pilul. *j*, bis, ter in die.

## P I L U L Æ D E T E R E B I N T H I N A.

℞. Boli Armenæ	} <i>ana</i> . . . . .	<i>Semi-unc.</i>
Ossis Sepiæ		



Succini ppt. }  
Mastiches } ana.....Drach. ij.

Rhei Elect.....Drach. j.

Terebinthinæ coctæ.....Unc. j & sem.

Singula in pulv. redact. diu terantur cum Syr. Balsamico,  
ex quibus Pilulæ formentur gran. x pond.

Dof. Pilul. j, vel ij, bis, ter in die.

P I L U L Æ A L U M I N O S Æ.

R. Aluminis puriss.....Unc. j.

Sang. Draconis.....Semi-unc.

Amyli.....Drach. ij.

Pulv. cum mucilag. Gum. Tragacanth. in massam  
redigantur, è qua F. Pilul. gran. x pond.

Dof. Pilul. j ad iij singulis tribus horis, ut etiam duabus,  
secundum indicantia.

P I L U L Æ A N T I M O N I A L E S.

R. Antimonii crud. in Alkohol. redact.....Unc. j.

Gum. Guajaci nativi }  
Extract. Fumariæ } ana.....Drach. ij.

Cum Elixir. pptatis

F. Pilul. gran. x pond.

Dof. Pilul. j aut ij, bis, ter in die,  
Superbibendo decoct. sudorif.

P I L U L Æ D E P U R A N T E S.

R. Sulphuris aurati antimonii }  
Mercurii dulcis } ana.....Drach. ij.



Mercurius levigetur super marmor per vices, addendo  
sulph. antimon. portionem, diuturno tritu F. Pulv.  
subtilis.

R. Pulv. præcedent. }  
Gummi Guajaci } *ana . . . . . Semi-unc.*

Cum Balsami copaibæ *q. s.* F. Pilul. *gran. x pond.*

Propinetur Pilul. *j*, bis, ter in die,

Jungendo decoct. sudoriferi usum.

### P I L U L Æ D E C Y N O G L O S S O.

*a gran. j. ad v.*

### P I L U L Æ S T A R C K E Y.

*a gran. ij ad xij.*

Vide Codicem Parisiensem.

### P I L U L Æ D E C I C U T A.

R. Fol. recent. Cicutæ Maj. . . . . *Q. v.*

Exprimatur succus, isque recens lentissimo igne in  
vasè terreo, agitando, coquatur, ad spissi extracti  
consistentiam.

Hoc extractum *s. q.* pulv. Fol. Cicutæ in massam  
pilularem subigatur.

Formentur Pilul. *gran. ij pond.*

Dos. Pilul. *j* ad xxx,

Incipiendo à minima dosi, & per tempus augendo,  
ad majorem diversis diei horis dividendam.

## PULVERES.



# PULVERES.

## PULVIS TEMPERANS.

℞. Nitri puriss.                    }  
       Tartari Vitriolati            }*ana*.....*Unc. ij.*  
       Cinnabaris Factitiæ.....*Drach. ij.*

Misce; F. pulvis subtilissimus.

Dosis *Semi-scrup.* ad *Scrup. j.*

## PULVIS ANODINUS DOVERI.

℞. Sal. Nitri                        }  
       Tartari Vitriolati            }*ana*.....*Unc. iv.*

Incrucibulum candens injice; agita, donec deflagratio  
 & scintillatio desinant. Adde

Opium concisum.....*Unc. j.*

In pulverem redige, addendo

Glycyrrhisæ  
 Ipecacuanhæ subtilissimè pulv. } *ana*.....*Unc. j.*

Deinde probè misceantur omnia.

Dosis a *gr. x* ad *scrup. ij.* & quidem ad *drach. j.*



---

# REMEDIA EVACUANTIA.

---

## V O M I T O R I A.

### A Q U A S T Y B I A T A.

R. Tartari Emetici . . . . . *Gran. iv.*

Solve in Aquæ commun. . . . . *Libr. j.*

In tres partes divisam sumat æger, spatio horæ unius,  
multum aquæ tepidæ bibendo.

### I P E C A C U A N H A.

R. Ipecacuanhæ pulv. . . . . *Senii drach.*

Dilue in aquæ tepidæ . . . . . *Unc. iv.*

Exhibeatur una vice, vomitum aquæ tepidæ potu  
ciendo.

### DECOCTUM IPECACUANHÆ, MODO PISONIS.

R. Rad. Ipecacuanh. pulv. . . . . *Drach. ij.*

Infunde per noctem in aquæ communis *unc. iv.*, ad  
tertiæ partis consumptionem: decanta.

Residuum rursus pariter infundatur, in aquæ com-  
munis *unc. iv.*, secundâ & tertiâ vice.

Colaturæ dentur singulæ pro dosi, tribus diebus  
continuis.



POTIO EMETICA IN SOPOROSIS.

℞. Vini emetici . . . . . *Unc. j.*  
 Oximellis scillit. }  
 Aquæ Cinnamomi hord. } *ana . . . . . Semi-unc.*  
 Misce.

Augeantur vel minuantur doses, pro necessitate.

Kermes minerale.

Dosis a *gran. ij* ad *vj*.

VITRUM CERATUM ANTIMONII.

℞. Ceræ Flavæ . . . . . *Drach. j.*  
 Liquefiat in cochleari ferreo.  
 Adde

Vitri Antimonii pulv. . . . . *Unc. j.*  
 Agita supra ignem lenem, donec tabaci colorem  
 æmuletur.

Hujus grana *viii* propinentur in ptisanæ *unc. ij*.

PURGANTIA.

DILUTUM CASSIÆ.

℞. Pulpæ Cassiæ . . . . . *Unc. iv.*  
 Salis vegetabilis . . . . . *Drach. ij.*  
 Dilue in aquæ bullient. *libr. iv.*  
 Dosis *unc. vj*, bis, ter, quater in die.

*E ij*



## D E C O C T U M T A M A R I N D O R U M.

R. Tamarindorum pinguium }  
 Medullæ Cassiæ } *ana* . . . . . *Unc. ij.*

Coque leviter in aqua simplici ad *libr. iv.*

In colatura solve

Salis Glauberi. . . . . *Drach. ij.*

Dos. *unc. vj*, bis, ter, quater in die.

Cuilibet dosi diluti Cassiæ, ut decocti Tamarindorum  
 possunt addi

Tartari Emetici, *Semi-gran.* ad *j*,

aut

Theriace *Semi-scrup.* prout feret indicatio.

## C A S S I A C U M M A N N A.

R. Medullæ Cassiæ . . . . . *Semi-unc.*

Salis vegetabilis. . . . . *Drach. & Semi*

Coque leviter in Aqua simplici, ad *unc. v.*

Sub finem solve

Mannæ. . . . . *Unc. ij.*

Colatura pro dosi.

## R H E U M C U M M A N N A.

R. Rhei electi . . . . . *Drach. j.*

Salis vegetabilis. . . . . *Semi-drach.*

Coque leviter in Aqua simplici, ad *unc. iv.*



Sub finem adde

Mannæ . . . . . *Unc. ij.*

Colatura pro dosi.

MANNA CUM CATHOLICO.

R. Mannæ . . . . . *Unc. ij.*

Solve in Aquæ bullient. . . . . *Unc. v.*

In colatura dilue

Electuarii catholici duplicis . . . . . *Unc. j.*

Pro uno haustu.

POTIO COMMUNIS MINOR.

R. Fol. Sen. . . . . *Drach. j & sem.*

Salis Vegetab. . . . . *Drach. j.*

Coq. leviter in aqua simpl. ad *unc. ij.*

Adde sub finem ebullit. mannæ . . . . . *Unc. j.*

In colat. dilue.

Syr. Rosarum solut. cum Sen. . . . . *Drach. vj.*

POTIO COMMUNIS MAJOR.

R. Fol. Sennæ . . . . . *Drach. ij.*

Salis Cathartici amari . . . . . *Drach. iij.*

Coque in aquæ simpl. *q. s.* ad *unc. v.*

In colatura dilue

Electuarii purgantis . . . . . *Semi-unc.*

E iij



## P O T I O H Y D R A G O G A.

R. Fol. Sennæ.....*Drach. iij.*

Arcani duplic.....*Drach. ij.*

Coq. in aqua communi ad *unc. iv.*

In colatura dilue

Syr. de Rhamno cathart.....*Unc. j & sem.*

Et, si præscribatur,

Elaterii.....*Gran. iv.*

## E M U L S I O P U R G A N S.

R. Rad. Jalappæ.....*Drach. j.*

Sacchari albi.....*Drach. ij.*

In mortario lapideo diu tritis, admisce sensim & divisim

Ptisane communis.....*Unc. iij.*

Colaturæ affunde

Syr. Rosarum solut. cum Sen.....*Unc. & sem.*

Uno haustu sumenda.

## B O L U S L A X A N S A D S T R I N G E N S.

R. Rhei electi  
Myrobalanorum citr. } *ana.....Semi-drach.*

Ipecacuanhæ.....*Gran. vj.*

Cum Syr. Cicorii cum Rheo, *q. s.*

F. Boli *ijj* pro dosi.



B O L U S P U R G A N S .

R. Rad. Jalappæ.....Semi-drach.

Cum Amygd. dulc. No. j, trituretur.

Adde

Crem. Tartari.....Gran. xij.

Cum Syr. Cicor. cum Rheo.

F. Boli iij pro dosi.

B O L U S H Y D R A G O G U S .

R. Rad. Jalappæ.....Semi-drach.

Resinæ Scammonii }  
Gummi Guttæ } ana.....Gran. iv.

Salis Absinthii.....Gran. vj.

Cum Syr. de Rhamno cathartico, diu trititando,

F. Boli iij pro dosi.

P I L U L Æ A N T I - H Y D R O P I C Æ .

R. Aloes Soccotrinæ.....Semi-unc.

Gummi Guttæ }  
Diacrydii } ana.....Drach. ij.

Gum. Amm. in aceto soluti.....Drach. iij.

Arcani Duplic.....Drach. ij.

Cum Oxymellis scillit. f. q. F. Pilul. gr. x pond.

Dos. pilul. ij ad iij.



## P I L U L Æ M E R C U R I A L E S.

R. Mercurii vivi }  
 Diacrydii } *ana* ..... *Unc. j.*  
 Rad. Jalappæ }

Mercurius perfectè extinguitur in mortario lapideo,  
 trituratione longâ cum Sacchari *Semi-unc.* instillando  
 Oxymellis guttulas: dein misce paulatim Diacryd.  
 & Rad. Jalap. addendo Oxymel. *q. s.* & sub finem

Nitri puriss. .... *Drach. j.*

Camphoræ. .... *Gran. vj.*

F. Pilul. *gran. x pond.*

Dos. Pilul. *ij* ad *vj* si scopus sit purgandi; si vero  
 alterandi, pilul. *j* vel *ij* semel vel bis in die.

## E L E C T U A R I U M P U R G A N S.

R. Rad. Jalappæ ..... *Unc. iv.*

Fol. Sennæ ..... *Unc. ij.*

Scammonii Alep ..... *Semi-unc.*

Crem. Tartari }  
 Sem. Anisi } *ana* ..... *Unc. j.*

Pulpæ Prunorum ..... *Libr. j.*

Tamarindorum ..... *Semi-libr.*

Rad. Jalapp. & Scammon. in subtil. pulv. redigantur;  
 diu terantur cum Amygd. dulc. No. *xx*, postea  
 addantur Fol. Sen. pulver. Sem. Anisi & Crem.  
 Tartari; simulque misceantur pulpis Prunorum &  
 Tamarindorum bene coctis, mellisque despumati  
*q. s.* ad conficiendum Electuarium.

Dosis *Semi-unc.* in Potione purgante.

E N E M A T A.



# ENEMAT A.

## ENEMA SIMPLEX.

R. Fol. Malvæ . . . . . *M. j.*

Coque in Aqua communi ad *libr. j.*

In colatura solve

Saponis Veneti . . . . . *Drach. ij.*

## ENEMA LAXANS.

Dilue in Enemate simplici

Electuarii lenitivi . . . . . *Unc. j.*

## ENEMA CARMINATIVUM.

R. Baccar. Juniperi	}	<i>ana . . . . . Drach. ij.</i>
Sem. Anisi		
Cumini		

Contusa coq. in aqua simplici ad *libr. j.*

In colatura calida solve

Saponis Veneti . . . . . *Semi-unc.*

## ENEMA LENIENS.

R. Sem. Lini . . . . . *Unc. j.*

Coq. in aqua simpl. ad *libr. j.*



In colatura adde

Olei Lini . . . . . *Unc. iv.*

Pro *ij* enematibus.

*E N E M A B A L S A M I C U M.*

℞. Terebinthinæ puræ . . . . . *Drach. ij.*

Vitel. ovi . . . . . *No. j.*

Diu simul tritis & permistis, adde

Theriace . . . . . *Semi-unc.*

Decoct. Sem. Lini . . . . . *Libr. j.*

In *ij* partes divisum, inserviat pro binis Clysteribus.

*E N E M A A D S O P O R O S O S A F F E C T U S.*

℞. Fol. Sennæ }  
       Salis communis } *ana. . . . . Semi-unc.*

Coq. in aqua simpl. ad *libr. j.*

In colatura adde

Vini Emetici turbidi . . . . . *Unc. ij.*

M E D I C A M E N T A  
 SOLIO ENECANDO APTA.

*B O L U S G U M M I G U T T Æ.*

℞. Gummi guttæ . . . . . *Gran. x.*



Sem. Colocynth.....No. iij.

Cum Amygd. amar. No. j triturentur; & cum Syr.  
Absinth. F. Boli ij.

Pro dosi, singulis octo diebus, repetenda.

PILULÆ FÆTIDÆ.

R. Aloes Soccotrinæ } ana.....Unc. j.  
Assæ fætidae }  
Salis Absinthii.....Semi-unc.  
Olei Roris marini.....Drach. ij.

Cum Elixir. pptatis F. Pilul. gran. x pond.

Dos. Pilul. ij, mane & sero, superbibendo decoct.  
Rad. Filicis, Unc. vj.

OPIATA JOVIALIS.

R. Stanni purissimi } ana.....Unc. j.  
Mercurii vivi }

Stanno liquefacto, adde Argentum vivum; postquam  
mixtura refrixerit, in pulv. cum Concharum ppt.  
Unc. j redigatur.

R. Hujus Pulveris } ana.....Unc. ij.  
Conservæ Absinthii }

Cum Syr. Absinth. F. opiata.

Dosis Drach. ij, bis in die.



---

# REMEDIA EXTERNA.

---

## GARGARISMATA.

### GARGARISMA EMOLLIENS.

- R. Rad. Althææ . . . . . *Unc. j.*  
 Ficus ping. . . . . *No. iv.*  
 Coq. in aquæ simplicis *Semi-libr. ad Libr. j.*  
     In colatura dilue  
 Oxymellis simpl. . . . . *Unc. j.*

### GARGARISMA DETERGENS.

- R. Hordei integri . . . . . *Unc. j.*  
 Coq. in Aquæ simplicis *q. s. ad Libr. j.*  
     Sub finem adde  
     Fol. Agrimonie }  
     Rubi vulgaris    } *ana . . . . . Semi-M.*  
     In colatura dissolve  
 Mellis rosati . . . . . *Unc. j.*  
 Nitri purissimi . . . . . *Drach. j.*

### GARGARISMA ADSTRINGENS.

- R. Malicorii . . . . . *Unc. j.*  
 Balauftiorum . . . . . *Semi-unc.*



Coq. per dimidiam horam in aquæ simpl. q. s. ad libr. j.

In colatura solve

Aluminis.....Semi-drach.

Syr. de Rosis siccis.....Unc. j.

G A R G A R I S M A A N T I S C O R B U T I C U M.

R. Decoct. antiscorbut.....Libr. j.

Spiritus Cochleariæ.....Unc. j.

Salis.....Drach. ij.

Oxymellis simpl.....Unc. ij.

Misce.

C O L L Y R I A.

C O L L Y R I U M S E D A N S.

R. Camphoræ cum Saccharo trit.....Gran. ij.

Salis sedat. Homberg.....Gran. vj.

Emulsionis communis.....Unc. iv.

In mortario solvendo F. Collyrium.

Adde, pro re volente, Laudani liq. gut. vj.

C O L L Y R I U M A D S T R I N G E N S.

R. Trochisc. albi Rhafis.....Drach. j.

Vitrioli albi.....Semi-drach.

Sacchari Saturni.....Semi-scrup.

F ij



In mortario terantur & misceantur cum aquæ Rosarum . *Unc. iv.*

*COLLYRIUM RESOLVENS IN OPHTALMIÂ SCORBUTICÂ.*

℞. Sacchari Saturni  
       Salis Ammoniaci crudi    } *ana. . . . . Gran. iij.*  
       Solve in Aquæ font. . . . . *Unc. xij.*

Adde, pro re natâ, Tincturæ Thebaïcæ, *drach. j.*

*C O L L Y R I U M R O B O R A N S.*

℞. Aquæ Rosarum . . . . . *Unc. iv.*  
       Vini Emetici . . . . . *Semi-unc.*  
       Balsami Fioraventi . . . . . *Drach. ij.*

Misce.

*C O L L Y R I U M S A P H I R I N U M.*

℞. Salis Ammoniaci . . . . . *Drach. j.*  
       Solve in Aquæ calcis . . . . . *Libr. j.*

Stent simul in Vase cupreo, vel cum lamellis cupreis,  
 donec Aqua colorem Saphirinum acquisiverit.

*C O L L Y R I U M L A N F R A N C I.*

Vide Codicem Parisiensem.



CATAPLASMATA, LINIMENTA, &c.

CATAPLASMA ANODINUM.

℞. Fol. Althææ.....*M. iv.*  
 Papaveris hortenſis.....*M. j.*  
 Hyoſcyami nigri.....*Semi-M.*  
 Coq. in Lacte recenti; ſub finem adde  
 Farinæ Sem. Lini.....*Unc. j.*  
 Olei Lini.....*Unc. ij.*

F. Cataplaſma.

CATAPLASMA DE MICÂ PANIS.

℞. Micæ panis albi.....*Libr. ij.*  
 Flor. Meliloti }  
 Sambuci } *ana.....Semi-M.*

Coq. in Lactis *libr. vj*, ad conſiſtentiam Cataplaſmatis.

CATAPLASMA MATURANS.

℞. Cataplaſmatis de Micâ panis.....*Libr. j.*  
 Miſce cum  
 Saponis Veneti.....*Unc. ij.*

SINAPISMUS.

℞. Micæ panis.....*Unc. iv.*



Sem. Sinapi pulv. .... *Unc. ij.*  
 Salis communis. .... *Semi-unc.*

Aceti *q. s.* ut F. Cataplasma.

F O M E N T U M A N O D I N U M.

R. Plantas Cataplasma. anodini.

Coq. in Aquâ simpl. ad *libr. iij.*

Colatura cum expressione inserviat.

F O M E N T A T I O E M O L L I E N S.

R. Fol. Malvæ	}	<i>ana</i> ..... <i>M. iv.</i>
Bismalvæ		
Violarum		
Mercurialis		

Flor. Chamæmeli	}	<i>ana</i> ..... <i>M. ij.</i>
Meliloti		

Incisa ferventur.

Horum *M. iij* leviter coquantur in Aquæ *libr. iv.*

Decoctum inserviat pro fotu.

F O M E N T A T I O A D E R Y S I P E L A S.

R. Flor. Sambuci. .... *M. j.*

Bulliant in Aquæ simpl. *q. s.* In colat. *libr. j.* adde

Spiritus Vini camphorat. .... *Unc. j.*

Salis Saturni. .... *Scrup. j.*

F O T U S



FOTUS AD GANGRÆNAM.

℞. Cort. chinæ-chinæ.....Unc. j.

Coq. in Aquæ communis *libr. iij*, ad tertiæ partis  
consumptionem.

Sub finem adde

Flor. Chamæmeli Rom.	} ana.....	Semi-unc.
Tanaceti		

In colaturâ misce

Spiritus Salis.....Unc. j.

Vini camphorati.....Unc. ij.

VINUM AROMATICUM PRO FOTU.

℞. Summitat. Salvie	} ana.....	M. iv.
Hyssopi		
Rorismarini		
Lavendulæ		

Rutæ	} ana.....	M. ij.
Flor. Chamæmeli		

Digerantur *M. ij* per noctem, in Vini rubri *libr. iv*,  
supra cineres calidos, vase rite clauso.

In colaturâ solve

Salis Ammoniacy.....Drach. ij.

FOTUS TONICUS.

℞. Aquæ Vitæ camphoratæ	} ana.....	P. Æq.
Calcis vivæ		

Misce.



## A Q U A V I T Æ S A P O N A C E A.

℞. Saponis Veneti . . . . . *Unc. j.*

Solve in

Aquæ Vitæ camphorat . . . . . *Libr. j.*

## A Q U A S T Y P T I C A.

℞. Aluminis Rupei }  
Vitrioli cærulei } *ana. . . . . Unc. iij.*Solve in Aquæ comm. calidæ, *libr. ij.*

Filtrato liquori adde

Olei Vitrioli . . . . . *Drach. ij.*

## L I N I M E N T U M A N T I P L E U R I T I C U M.

℞. Saponis Veneti . . . . . *Unc. ij.*Olei Lauri }  
Balsami tranquillantis } *ana. . . . . Unc. j.*Spiritus volat. Salis Ammoniaci . . . . . *Drach. ij.*

Igne leni lique scat Sapo ; ab igne remove ; misce

Oleum Lauri, Balsam. tranquill. &amp; Spiritum vol.

## L I N I M E N T U M V O L A T I L E.

℞. Terebinthinæ Venetiæ }  
Spiritus Salis Ammoniaci } *ana. . . . . P. Æq.*

Trituratione misceantur, sensim Spiritum instillando.



LITUS AD RHUMATISMUM.

- R. Aquæ Vitæ camphorat. . . . .Unc. vj.  
 Spiritus Salis                    }  
 Olei Terebinth.                } ana . . . . .Unc. j.  
   Miscæ.

LITUS AD HÆMORROIDES.

- R. Unguenti Populei . . . . .Unc. j.  
 Balsami tranquill. . . . .Semi-unc.  
 Olei Ovorum. . . . .Drach. ij.  
   Miscæ.

UNGUENTUM AD HÆMORROIDES.

- R. Butyri recentis . . . . .Unc. iij.  
 Cerusæ lotæ. . . . .Drach. ij.  
 Opii pulv. . . . .Gran. vj.  
   Miscæ.

UNGUENTUM AD AMBUSTA.

- R. Olei Lini . . . . .Semi-libr.  
 Cerae Flavæ. . . . .Unc. ij.  
 Igne moderato liqueſcat Cera in Oleo; tunc miſce  
     Aceti Lithargyri . . . . .Unc. ij.  
 Agita, ſimul unitis, adde  
     Camphoræ. . . . .Drach. j.  
   G ij



## U N G U E N T U M N E R V A L E.

- R. Unguenti de Nicotianâ.....*Unc. iv.*  
 Olei Laurini.....*Unc. ij.*  
 Vitrioli.....*Semi-unc.*  
 Misce.

## U N G U E N T U M A D S C A B I E M.

- R. Axungię porcinae.....*Libr. j.*  
 Aluminis usti.....*Unc. iv.*  
 Flor. Sulphuris.....*Unc. ij.*  
 Radicis Hellebori albi.....*Semi-unc.*  
 Pulverifata misceantur cum Axungia.

## U N G U E N T U M M E R C U R I A L E C I T R I N U M.

Vide Codicem Parisiensem.

## E M P L A S T R U M R E S O L V E N S.

- R. Gummi Ammoniaci.....*Libr. j.*  
 Solve in  
 Succı Cicutę.....*Libr. iij.*  
 Igne moderato coque ad Emplastri mollis consistentiam.  
 Sub finem adde  
 Saponis Veneti.....*Unc. iv.*



EMPLASTRUM MERCURIALE.

- ℞. Gummi Ammoniaci colati.....*Libr. j.*  
 Mercurii Vivi.....*Unc. iij.*  
 Balsami Sulphuris simpl.....*Drach. ij.*

Mercurius cum Balsamo Sulphuris extinguatur; addatur  
 deinde paulatim Ammoniacum liquefactum, paulo  
 antequam resfrixerit, & accurate misceantur.

EXTRACTUM SATURNI.

- ℞. Lithargyrii.....*Libr. iij.*  
 Aceti optimi.....*Libr. vj.*

Bulliant per horam; spatulâ ligneâ sæpius agitentur.  
 Liquorem decanta & serva.

LIQUOR VEGETO-MINERALIS.

- ℞. Aquæ communis.....*Libr. ij.*  
 Extracti Saturni.....*Drach. ij ad Semi-unc.*  
 Misce.

PRIMA CANDLÆ SPECIES.

- ℞. Cere Flavæ liquatæ.....*Libr. ij.*  
 Extracti Saturni.....*Unc. j.*

Misce, ab igne remotis, immerge telas.

F. Candelæ *℥. a.*

G *iij*



## S E C U N D A C A N D E L Æ S P E C I E S.

℞. Cerae Flavæ liquatæ.....*Libr. j.*Extracti Saturni.....*Unc. ij.*

Misce.

## T E R T I A C A N D E L Æ S P E C I E S.

℞. Cerae Flavæ liquatæ.....*Libr. j.*Extracti Saturni.....*Unc. iv.*

Misce





# MEDICAMENTA

SIMPLICIA ET COMPOSITA,

Quorum Collectio in NOSOCOMIIS  
MILITARIBUS, pro ducentis Ægris,  
trium mensium spatio, necessaria est.



MEDICAMENTA

SEMPLESCIA ET COMPOSITA

Quorum Coll. 6to in Nosocomio

M. T. A. R. 1732, pro dispensatione

in Nosocomio M. T. A. R. 1732, pro dispensatione

REMEDIA





# REMEDIA

## SIMPLICIA ET COMPOSITA.

---

### REMEDIA SIMPLICIA.

---

#### RADICES.

	<i>Libr.</i>	<i>Unc.</i>
ACETOSÆ.....	12.	"
Acori Veri, Calam. Aromat.....	6.	"
Altheæ.....	60.	"
Angelicæ.....	6.	"
Apii.....	9.	"
Ari.....	2.	"
Aristolochiæ.....	9.	"
Asclepiadis.....	1.	"
Asparagi.....	6.	"
Bardanæ.....	6.	"
Bistortæ.....	3.	"
Brusci.....	6.	"
Bryonia.....	1.	"
	<i>H</i>	



	<i>Libr.</i>	<i>Unc.</i>
Caryophyllatæ . . . . .	3.	//
Chelidonii majoris . . . . .	4.	//
Chinæ . . . . .	6.	//
Cicorii sylvestris . . . . .	30.	//
Consolidæ majoris . . . . .	30.	//
Contrayervæ . . . . .	1.	//
Enulæ campanæ . . . . .	12.	//
Eryngii . . . . .	3.	//
Filicis . . . . .	3.	//
Fæniculi . . . . .	12.	//
Fragariæ . . . . .	12.	//
Gentianæ . . . . .	8.	//
Graminis . . . . .	150.	//
Hellebori nigri . . . . .	//	12.
Hellebori albi . . . . .	//	8.
Ipecacuanhæ . . . . .	1.	//
Jalappæ . . . . .	3.	//
Imperatoriae . . . . .	3.	//
Iridis Florentinæ . . . . .	2.	//
Lapathi acuti . . . . .	50.	//
Liquiritiæ . . . . .	100.	//
Nympheæ . . . . .	4.	//
Ononidis . . . . .	4.	//
Paireiræ-bravæ . . . . .	1.	//
Petrofelini . . . . .	20.	//



Lib. Unc.

Pœoniæ . . . . .	1.	II
Polypodii . . . . .	3.	II
Raphani rustici . . . . .	12.	II
Rhabarbari . . . . .	2.	II
Rubiæ Tinctorum . . . . .	3.	II
Rufci . . . . .	3.	II
Sarsaparillæ . . . . .	6.	II
Scillæ . . . . .	3.	II
Scorzoneræ . . . . .	6.	II
Scrophulariæ . . . . .	4.	II
Serpentariæ . . . . .	2.	II
Tormentillæ . . . . .	18.	II

---

## F O L I A.

Abſinthii . . . . .	4.	II
Acetofæ . . . . .	6.	II
Agrimoniæ . . . . .	2.	II
Althææ . . . . .	12.	II
Beccabungæ . . . . .	6.	II
Capilli Veneris . . . . .	4.	II
Cardui Benedicti . . . . .	4.	II
Cerefolii . . . . .	6.	II
Chamædryos . . . . .	3.	II
Chamæpytios . . . . .	3.	II

H ij



	<i>Libr.</i>	<i>Unc.</i>
Chelidonii majoris.....	3.	"
Cicorii sylvestris.....	20.	"
Cicutæ majoris.....	3.	"
Cochleariæ.....	4.	"
Endiviæ.....	6.	"
Erysimi.....	4.	"
Fumariæ.....	10.	"
Hæderæ terrestris.....	6.	"
Hyosciami.....	2.	"
Hyssopi.....	3.	"
Malvæ.....	20.	"
Melissæ.....	2.	"
Menthæ.....	2.	"
Mercurialis.....	8.	"
Myrti.....	1.	"
Nasturtii aquatici.....	4.	"
Papaveris hortenſis.....	3.	"
Parietariæ.....	8.	"
Plantaginis.....	4.	"
Pulmonariæ.....	4.	"
Rorismarini.....	1.	"
Rubi vulgaris.....	2.	"
Rutæ hortenſis.....	1.	"
Sabinæ.....	1.	"
Salviæ.....	1.	"



Libr. Unc.

Saniculæ . . . . .	4.	"
Scolopendrii . . . . .	6.	"
Scordii . . . . .	"	12.
Sennæ . . . . .	18.	"
Taraxaci . . . . .	3.	"
Trifolii fibrini . . . . .	4.	"
Veronicæ . . . . .	4.	"
Violaris . . . . .	9.	"
Virgæ aureæ . . . . .	2.	"

Specierum amararum . . . . . 9. "

*Vide pag. 8.*

Aromaticarum . . . . . 12. "

*Pag. 49.*

Emollientium . . . . . 18. "

*Pag. 48.*

Vulnerariarum . . . . . 9. "

*Pag. 9.*

## F L O R E S.

Balaustiorum . . . . .	2.	"
Bellidis minoris . . . . .	1.	"
Centaurii minoris . . . . .	3.	"
Chamæmeli Rom. . . . .	2.	"
Vulgaris . . . . .	9.	"

*H iiij*



	<i>Libr.</i>	<i>Unc.</i>
Hyperici.....	3.	"
Lavendulæ.....	1.	"
Lupuli Salictarii.....	2.	"
Malvæ.....	1.	"
Meliloti.....	2.	"
Millefolii.....	1.	"
Papaveris Erratici.....	2.	"
Pedis Cati.....	2.	"
Rosarum Rubrarum.....	3.	"
Provincial.....	2.	"
Sambuci.....	4.	"
Tanaceti.....	1.	"
Tunicæ.....	1.	"
Tussilaginis.....	1.	"
Verbasci.....	4.	"
Urticæ albæ.....	1.	"

---

## S E M I N A.

Anisi.....	3.	"
Cardui Benedicti.....	"	6.
Cardui Mariæ.....	"	6.
Cinæ, <i>sive</i> Seminis contra Vermes.....	1.	"
Coriandri.....	"	8.
Dauci sylvestris.....	"	8.



	<i>Libr.</i>	<i>Unc.</i>
Fæniculi . . . . .	#	8.
Hordei . . . . .	200.	//
Lini . . . . .	6.	//
Sinapi . . . . .	1.	//
Quatuor Frigid. major. . . . .	4.	//
Farin. resolvent. . . . .	15.	//

---

## F R U C T U S.

Alkekengi . . . . .	1.	//
Amigdal. dulcium. . . . .	8.	//
Amar. . . . .	1.	//
Capit. Papaver. albi. . . . .	2.	//
Caricarum . . . . .	40.	//
Cassia Fistulæ . . . . .	60.	//
Colocynthidos . . . . .	//	6
Cupressi Nucum . . . . .	1.	//
Cynosbatos . . . . .	2.	//
Juniperi Baccar. . . . .	8.	//
Lauri Baccar. . . . .	//	12.
Myrobalanorum Citr. . . . .	1.	//
Passularum maj. . . . .	6.	//
Prunarum Damascen. . . . .	24.	//
Tamarindorum . . . . .	100.	//



*C O R T I C E S.*

	<i>Libr.</i>	<i>Unc.</i>
Aurantiorum.....	2.	//
Cascarillæ.....	1.	//
Cinnamomi.....	1.	//
Chinae Chinae.....	30.	//
Citri.....	1.	//
Malicorii.....	2.	//
Simaroubæ.....	1.	//
Vinterani - Magellanicæ.....	1.	//

*A R O M A T A.*

Caryophyllorum Aromat.....	//	6.
Croci Orientalis.....	//	12.
Cubebæ.....	//	2.
Macis.....	//	2.
Piperis longi.....	//	8.
Zedoariæ.....	//	8.
Zingiberis.....	//	8.

*L I G N A.*

Guajaci.....	9.	//
	Nephritici	



# S I M P L I C I A.

65

	Lib.	Unc.
Nephritici.....	II	8.
Sandalini Citrini.....	I.	II
Rubri.....	I.	II
Sassafras.....	6.	II

---

# F U N G I.

Agarici Albi.....	II	I 2.
Crepitus Lupi.....	I.	II

---

# M A R I N A.

Coralliorum Rubr. ppt.....	II	I 2.
Corallinae.....	II	8.
Spongiarum.....	II	8.
pptar.....	II	8.

---

# E X A N I M A L I B U S.

Milleped.....	II	I 2.
Cantharidum.....	3.	II
Castorei.....	II	6.
Ceræ Albæ.....	6.	II
Flavæ.....	4.	II
Concharum ppt.....	II	I 2.
	I	



	<i>Libr.</i>	<i>Unc.</i>
Cornu Cervi ras.....	6.	℥
ad Albed. calcinat.....	6.	℥
Matris Perlarum ppt.....	℥	12.
Oculorum Cancrorum.....	1.	℥
Offis Sepiæ.....	1.	℥
Spermatis Ceti.....	1.	℥

---

## M I N E R A L I A.

Antimonii Crudi.....	3.	℥
Argenti Vivi.....	2.	℥
Auripigmenti.....	℥	8.
Boli Armenæ.....	3.	℥
Cerusæ Albæ.....	6.	℥
Colchotar.....	1.	℥
Chalybis Limaturæ.....	4.	℥
Croci Martis aperient.....	℥	12.
Lithargyri.....	3.	℥
Minii.....	1.	℥
Terræ Sigillatæ alb.....	1.	℥
Tuthiæ.....	℥	6.
Viridis Æris.....	℥	8.

---

## G U M M I E T R E S I N Æ.

Ammoniacy.....	4.	℥
----------------	----	---



	<i>Libr.</i>	<i>Unc.</i>
Arabici.....	1.	II
Affæ dulcis.....	II	3.
Affæ fætidæ.....	II	12.
Camphoræ.....	3.	II
Colophonix.....	2.	II
Elemi.....	2.	II
Euphorbii.....	II	4.
Guajaci.....	II	6.
Gummi Guttæ.....	II	8.
Mastiches.....	II	12.
Myrrhæ.....	2.	II
Olibani.....	1.	II
Pini.....	2.	II
Sanguinis Draconis.....	1.	II
Succini flavi.....	II	12.
Tragacanthi.....	2.	II

---

## S U C C I C O N C R E T I.

Aloes Succotrinæ.....	3.	II
Hypocistidis.....	II	12.
Liquiritiæ.....	6.	II
Mannæ.....	60.	II
Mellis.....	100.	II
Opii.....	1.	II

*l ij*



	<i>Libr.</i>	<i>Unc.</i>
Sacchari . . . . .	50.	II
Sacchari, dicti <i>Cassonade</i> . . . . .	80.	II
Scammonii . . . . .	2.	II
Terræ Japonicæ . . . . .	1.	II

---

## B A L S A M A N A T I V A.

Copaibæ . . . . .	2.	II
Peruviani Albi . . . . .	II	12.
Nigri . . . . .	II	12.
Tolutani . . . . .	II	12.
Terebinthinæ communis . . . . .	60.	II
Venetæ . . . . .	6.	II

---

## O L E A E X P R E S S A.

Amygdalarum dulcium . . . . .	18.	II
Laurini . . . . .	2.	II
Lini . . . . .	6.	II
Olivarum . . . . .	50.	II
Ovorum . . . . .	II	6.

## O L E A I N F U S A.

Chamæmeli . . . . .	6.	II
Hyperici . . . . .	6.	II
Lumbricorum . . . . .	2.	II



Rofati. . . . . 6. II

## O L E A D I S T I L L A T A.

Anifi. . . . . II 4.

Citri. . . . . II 6.

Rorismarini. . . . . II 6.

Terebinthinæ. . . . . 9. II

## S A L I A N A T U R A L I A.

Aluminis crudi. . . . . 4. II

Boracis. . . . . II 8.

Nitri. . . . . 6. II

Salis Cathartici amari. . . . . 30. II

Ammoniaci. . . . . 2. II

Vitrioli Albi. . . . . 1. II

Cærulei. . . . . II 8.

Viridis. . . . . II 12.

## S A L I A A R T I F I C I A L I A.

Arcani duplicati. . . . . 1. II

Cristalli mineralis. . . . . 1. II

Cremoris Tartari. . . . . 2. II

Mirabilis Glauberi. . . . . 2. II

Polychrestii. . . . . 2. II

Salis, vel Vitr. Martis. . . . . II 12.



	<i>Libr.</i>	<i>Unc.</i>
Saturni.....	II	8.
Solubilis <i>de Seignette</i> .....	9.	II.
Tartari Chalybeat. solub.....	II	9.
Vitriolati.....	I.	II.
Emetici .....	II	12.
Terræ foliatæ Tartari.....	II	12.
Vegetabilis.....	I.	II.

## S A L I A F I X A.

Salis Absinthii.....	I.	II.
Genistæ.....	II	8.
Tartari .....	3.	II.
Liquoris Tartari per deliquium.....	I.	II.

## S A L I A V O L A T I L I A.

Volatilis Salis Ammoniaci.....	2.	II.
Cornu Cervi.....	I.	II.
Aromatici.....	II	12.
Salis sedativi Homberg.....	II	4.
Cinerum Genistæ.....	8.	II.
Saponis Veneti.....	9.	II.
Starckeï.....	II	6.





---

# REMEDIA COMPOSITA.

---

## P U L V E R E S.

	<i>Libr.</i>	<i>Unc.</i>
A <sub>RI</sub> composit.....	//	12.
Cornachini.....	//	6.
Diaireos.....	//	12.
Diatragacanth. frig.....	1.	//
Epileptici de Gutteta.....	//	6.
Pectoralis Looch ficci.....	//	8.
Trochiscorum albi Rhafis.....	//	8.

---

## C O N S E R V Æ.

Abfynthii.....	2.	//
Cochleariæ.....	2.	//
Enulæ Campanæ.....	//	12.
Fumariæ.....	2.	//
Rosarum.....	6.	//

---

## E L E C T U A R I A.

Catholici duplicis.....	4.	//
Lenitivi.....	8.	//



	<i>Libr.</i>	<i>Unc.</i>
Confectionis Alkermes . . . . .	3.	II.
de Hyacinth. . . . .	4.	II.
Diafcondii . . . . .	3.	II.
Philonii Romani . . . . .	II	I 2.
Theriace . . . . .	I 8.	II
Opiatæ Salomonis . . . . .	2.	II
Extracti Juniperi . . . . .	6.	II
Pulpæ Caffiæ . . . . .	6.	II

---

## E X T R A C T A.

Cicutæ . . . . .	2.	II.
Elaterii . . . . .	II	6.
Fumariæ . . . . .	II	8.
Laudani Opiati . . . . .	II	4.
Refinæ Jalappæ . . . . .	II	6.
Scammonii . . . . .	II	6.

---

## P I L U L Æ.

De Cynoglossæ . . . . .	II	I 2.
Starckeii . . . . .	II	6.

---

## S Y R U P I.

Abfinthii . . . . .	4.	II
		Altheæ



	<i>Libr.</i>	<i>Unc.</i>
Altheæ Fernelii . . . . .	9.	II
Balsamici . . . . .	2.	II
Capillorum Veneris . . . . .	3.	II
Caryophyllorum . . . . .	4.	II
Cicorii cum Rheo . . . . .	6.	II
Corticis Aurantiorum . . . . .	2.	II
Cydoniorum . . . . .	4.	II
Diacodii . . . . .	6.	II
Erysimi Lobelii . . . . .	2.	II
Limonum . . . . .	12.	II
Myrthini . . . . .	1.	II
Papaveris erratici . . . . .	9.	II
Rosarum solut. C. Sen. . . . .	12.	II
De Rosis ficcis . . . . .	2.	II
De Rhamno Cathart. . . . .	3.	II
De 5 Rad. aperient. . . . .	3.	II
Mel. Despumat. . . . .	12.	II
Mercurialis . . . . .	1.	II
Rosati . . . . .	4.	II
Oxymel. Simpl. . . . .	9.	II
Scillitici . . . . .	4.	II

---

## T I N C T U R Æ.

Aloes . . . . .	4.	II
-----------------	----	----

*K*



	<i>Libr.</i>	<i>Unc.</i>
Laccæ. . . . .	1.	II
Myrrhæ. . . . .	2.	II
Elixirii proprietatis Paracelsi. . . . .	3.	III
Laudani liquidi Sydenh. . . . .	1.	II

---

## B A L S A M A.

Commendatoris <i>de Perne</i> . . . . .	2.	II
Fioraventi. . . . .	3.	II
Lucatelli. . . . .	1.	II
Sulphuris Anisati. . . . .	II	8.
Tranquillant. . . . .	6.	II
Virid. Metensium. . . . .	3.	II
Vini Emetici. . . . .	3.	II
Aquæ Vitæ Camphorat. . . . .	24.	II
Aquæ Calcis. . . . .	12.	II

---

## U N G U E N T A.

Ægyptiaci. . . . .	1.	II
Albi Rhafis. . . . .	2.	II
Althææ. . . . .	9.	II
Unguenti <i>vulgo</i> dicti <i>Arcæi Balsanum</i> . . . . .	9.	II
Basilici. . . . .	9.	II
Cerati Galeni. . . . .	4.	II
Fusci, dicti <i>de la Mère</i> . . . . .	12.	II



# COMPOSITA.

75

	<i>Libr.</i>	<i>Unc.</i>
Mercurialis citrini . . . . .	12.	"
de Nicotiana . . . . .	1.	"
Nutriti . . . . .	3.	"
Neapolitani . . . . .	3.	"
Populei . . . . .	2.	"
Rosati . . . . .	4.	"

---

# EMPLASTRA.

Diabotani . . . . .	3.	"
Diachylon C. Gummi . . . . .	6.	"
Simplicis . . . . .	4.	"
Diapalmæ . . . . .	9.	"
Diaphoretici . . . . .	6.	"
De Meliloto compos. . . . .	4.	"
Norimbergensis . . . . .	9.	"
De Ranis C. Mercurio . . . . .	6.	"
Saponacei camphorati . . . . .	6.	"
Vesicatorii . . . . .	4.	"





# REMEDIA CHEMICA.

	<i>Libr.</i>	<i>Unc.</i>
ÆRIS usti.....	"	8.
Ætiopis antimonialis.....	"	9.
Mineralis.....	"	6.
Aluminis usti.....	6.	"
Antihæctici poterii.....	"	6.
Antimonii diaphoret.....	"	12.
Cinnabaris factitiæ.....	"	2.
Croci Martis aperient.....	"	12.
Diacrydii sulphurati.....	"	12.
Florum Benzoini.....	"	6.
Sulphuris.....	3.	"
Hepatis Antimonii.....	2.	"
Kermetis mineralis.....	"	1.
Lapidis caustici.....	"	12.
Infernalis.....	"	2.
Medicamentosi.....	"	8.
Mercurii dulcis.....	"	4.
Præcipitati rubri.....	"	12.
Sublimati corrosivi.....	"	1.
Vitri Antimonii.....	"	6.
Aquæ Rosarum.....	6.	"



	<i>Libr.</i>	<i>Unc.</i>
Cinnamomi hordeat.....	4.	"
Vinosæ.....	4.	"
Spirituosæ.....	3.	"
Rabellianæ.....	"	12.
Vulnerariæ spirituos.....	12.	"
Liquoris anodini mineralis Hoffmanni.....	"	12.
Lilii Paracelsi.....	"	8.
Olei Vitrioli.....	1.	"
Spiritus Cochleariæ.....	3.	"
Melissæ composit.....	3.	"
Theriacalis.....	3.	"
Spiritus Nitri.....	1.	"
Nitri dulcis.....	"	12.
Salis.....	2.	"
Salis dulcis.....	"	12.
Vini.....	4.	"
Vitrioli.....	2.	"
Volatilis Salis Ammoniaci.....	1.	"
Aromatici oleosi.....	"	6.













