Catalogus plantarum : quibus consitus est Patavii amoenissimus hortus illustrissimi, ac excellentissimi equitis Jo: Francisci Mauroceni / Ab Antonio Tita confectus.

Contributors

Tita, Antonio approximately 1657-1729.

Publication/Creation

Patavii: Typis Semin., Apud Joannem Manfrè, 1713.

Persistent URL

https://wellcomecollection.org/works/ydtba7tm

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



51615/B TITA, A.



Digitized by the Internet Archive in 2019 with funding from Wellcome Library

CATALOGUS PLANTARUM.

CATALOGUS PLANTAMUM

CATALOGUS PLANTARUM,

Quibus consitus est Patavii

Amænissimus Hortus

Illustrissimi, ac Excellentissimi Equitis

JO: FRANCISCI MAUROCENI VENETI SENATORIS

A B

ANTONIO TITA CONFECTUS.



PATAVII, Typis Semin. MDCC XIII.

Apud Joannem Manste. Superiorum Permissu.

CATALOGUS LANGATALINI,


Quibus confitus est Patavii

Minimi, as Eastlemijimi Egainis.

O: FRANCISCI

IMAUROORIJAM

EMETI SEMATORIS



ATIT OINOTH

336250

A VIII, Typis Semin. MIDOCXIII.

ANTONIUS TITA

Ad Lectorem,

De Operis ratione, & instituto.

Arum videbar mihi de Munificentissimo Senatore Jo: Francisco Mauroceno Equite industria, & labore mereri, si ad unius Urbis delectationem, & utilitatem Hortum ejus ingenti plantarum copia & varietate fecundissimum coluissem. Itaque cepi majora aliquanto cogitare tandiu sollicitus, donec Syntagma hoc literarum ordine distributum conscripsi, unde esset aliquis exteris ipsis rerum nostrarum usus. Nihil enim latere patitur magna seculi hujus in artibus, ac scientiis propagandis felicitas: jamque sibi invicem literati homines mutuo commercio utilissimi effatum illud legis sanctissimæ loco habent: bomo bomini Deus. Non ego quidem ita desipio, ut repente velim inter literatos obrepere: Sed tamen cum Arti liberalissimæ tota vita proxime inservierim, quis mihi gloriolam hanc literarii laboris invideat? Juvat ergo plantas omnes cum nostrates, tum exoticas, que Patavii in Horto Maurocenico germinant, in publicam lucem exponere, adjecto singulis Auctore, cujus opera inventæ sunt primum, aut illustratæ. Habebis, Lector, ve luti ο τύπω, juvenilia Viri suæ civitatis longe Principis studia quæ gravissimis subinde Reipu blicæ negotiis aut impedita, aut retardata, nunquam tamen penitus interciderunt. Ex his si quid emolumenti capies, aut voluptatis, ejus liberalitati debebis; sin minus, mihi tamen ignosces, qui tuorum studiorum caussa opus evulgandum putavi. Vale.

in Stan. Theoriumfti Erefii de hi

Jacobi Bonsii Hilloria

fforia Plantarum Josephis Bodes

EXPLICATIO

Nominum Authorum Citatorum.

edis ; .fin minus , mini tanton

A Costa Cristophorus.

Ad. Adversaria Penæ.

Ægin. Ægineta.

Aldin. Hort. Farn. Thobiæ Aldini

Hortus Farnesianus.

Aldroan. Ulysses Aldroandus.

Alp. Alpin. Alpinus.

Ambros. Hyacinthi Ambrosini.

Ang. Anguillar.

Bocc. Icon. & descr. Pauli Bocconi Icones, & descriptiones rariorum Plantarum Siciliæ.

Bocc. Epist. 21. & Observationes e-

jusdem.

Bod.a Stap. Theophrasti Eresii de historia Plantarum Joannis Bodæi a Stapel.

Bont. cent. Jacobi Bontii Historia.

Breyn.

Breyn. cent. Jacobi Breyni Centuria prima.

Brunf. Brunfeltius.

Cam. Camerarius.

C.B. Matth. Andreæ Matthioli opeara Caspari Bauhini.

C.B. Phyt. Phytophinax Caspari Ba-

uhini.

C.B. Pinax ejusdem.

C.B. Prodr. Prodromus Theatri Botanici ejusdem.

Cast. Castor Durante.

Catal. Hort. Reg. Paris. Catalogus

Horti Regii Parisiensis.

Cat. Hort. Oxon. Catalogus Horti Oxoniensis Philippi Stephani, & Guiliemi Brounei.

Cas. Cæsalpinus.

Clus. Caroli Clusii Historia Pannonica.

Clus. Clusius Historia rariorum.

Clus. Hisp. Clusius Historia Hispanica.

Co-

Colum. Fabii Columnæ.

Comm. Caspari Commelini Catalogus indigenarum Hollandiæ.

Comm. Caspari Commelini rariorum

Plantarum descriptio.

Comm. Caspari Commelini Præludia Botanica.

Cont. Nicolaus Contarenus.

Corn. Jacobi Cornuti.

Cort. Jacobus Antonius Cortusus?

Cost. in Mes. Costæus in Mesuem.

Dod. Dodart memor.

Dal. Dalecampius.

Dalech. in Diosc. Dalecampii in Dioscoridem.

· Dalech. Lugd. Dalechampius in historia universali Lugduni edita.

Diosc. Dioscorides.

Dod. Gal. Dodonæus in editione gallica Clusii.

Dodon. ut. Dodonæus in utraque tam Gallica, quam latina editione.

Eric.

Eric. & Val. Cord. Ericius, & Vale-

Ferr. Flor. Cult. Joannes Baptista Ferrarii Flora, seu Florum cultura.

Ferr. Hesp. Ejusdem Hesperides.

Flor. Florum Horti Lugduni Bata-

Fracast. Fracastorius.

Fuchs. Fuchsius in historia latina in folio.

Fuchs. Ic. in Iconibus seorsim edities.

Gal. Galenus.

Gesn. Gesnerus.

Ger. Joannes Gerardus Anglus?

Hort. Cath. Hortus Catholicus Cu-

Hort. Cat. Supp. not. Horti Catholici

Cupani supplementum.

Hofm. Flor. Mauritii Ofmani Flo-

Hort. Maur. Hortus Maurocenus: Hort.

Hort. Eyst. Hortus Eystectensis Basilii Besseri.

Hort. Lugd. Bat. Hortus Lugduno-

Batavus Paul. Hermani.

Hon. Belli. Honorius Belli in Epistolis ad Clusium.

Imp. Ferrandes Imperatus.

Josephus Acosta in historia Indiæ.

Jonst. de Arb.It. Joannis Jonstonis.

Joa. B. Joannes Bauhinus.

Lac. Andr. Lacuna.

Leon. Nicolaus Leonicenus.

Lob. Lobelius in observation.

Lob. Icon. Lobelius in Iconibus.

Lon. Adamus Lonicerus.

Magn. Bot. Botanicum Monspeliense Petri Magnoli.

Manard. Joannes Manardus.

Matth. Matthiolus.

Moris. Hist. Roberti Morisoni Historia.

Moris. bort. Bles. Roberti Morisoni Hortus Regius Blesensis.

Mo-

Moris. Umbel. Morisoni ejusdem de Plant. Umbeliser.

Parch. Theat. Theatrum Botanicum

Joannis Parkinsonii.

Pena. Petrus Pena in Adversariis.

Pluk. Alm. Pluknetii Almagestum.

Plin. Plinius.

Pon. Joannes Ponæ editione Lati-

Pon. Ital. Ejusdem editione Italica Montis Baldi.

Portæ. Jo: Baptista Portus.

Raij. Cat. Catalogus Plantarum Angliæ Joannis Raij.

Raij bist. Historia Plantarum ejus-

dem.

Ravu. Leonardus Ravujulfius.

Rob. Joannes Robinus.

Rond. Rondeletius.

Ruel. Joannes Ruellius.

Sherard. Gullielmus Sherard.

Sim. Paul.

Sutherl. Hort. Edib. Hortus medi-

cus Ediburgensis Joannis Suther-

Svvert. Flor. Florilegium Emmanue-

Tab. Jacobi Theodori Tabernæmontani edit. fol.

Tab. ico. Tabernæmontani Icones.

Th. Joannes Thalius.

Trag. Hieronymus Tragus.

Tourn. App. notat Tournefortii Appendicem.

Tourn. Cor. Tournefortii Corolla-

Triumph. obser. de Ortu, ac Vegetatione Plantarum Joannis Baptistæ Triumpheti.

Tur. bist. Plant. Historia Plantarum

Georgii Turre zuirolebno A han X

CHS

Turn. Guilielmus Turnerus.

Valeran. Valerandus Donreus Pharmacopæus.

Vesling. obs. Joannis Veslingii de Plan-

tis

tis Ægyptiis observationes.

Volcham. Jo: Georg. Volchameri Flora Noribergensis.

Zan: bist. Bot. Historia Botanica Jacebi Zanoni.

simbregio Lifotti Inquifitore di Padom, nel Libro intitolato: Catalogus Plantarum, quibus confitus est Patavii Ausanistimus Horus
Illustre, atque Eccell, Equitis Jos Ivancisti
Mannoccai Veneti Sevet, es Antonio Tita Comsectus, non a' ester cos' alcuna coretto la
Santa Fede Catrolica, & parimente per
Arcestaro del Segretario Nostro; niente
contro rencipi e buoni cossumi, concedenno Licenva a Giovarni Mansirè Siamcedenno Licenva a Giovarni Mansirè Siamciame, che possi esser stampato, osservancedentando le foste copie alle Publiche
presentando le foste copie alle Publiche
sisterie di Venetia, & di Padoa.

Dat. 23. Novemb. 1713.

(Francesco Loveden Kav. Proc. Ref. (Gio: Francesco Morosini Kav. Ref. (Alvise Pisani Kav. Proc. Ref.

Aggiino Gadaldini Segret,

NOIREFFORMATORI

Dello Studio di Padoa.

Havendo veduto per la Fede di revifione, & approbatione del P. F.
Ambrosio Lisotti Inquisitore di Padoa, nel Libro intitolato: Catalogus Plantarum, quibus consitus est Patavii Amænissimus Hortus
Illustr., atque Excell. Equitis Jo: Francisci
Mauroceni Veneti Senat. ab Antonio Tita Consectus, non v'esser cos' alcuna contro la
Santa Fede Cattolica, & parimente per
Attestato del Segretario Nostro; niente
contro Prencipi, e buoni costumi, concedemo Licenza a Giovanni Mansrè Stampatore, che possi esser stampato, osservando gl'ordini in Materia di Stampe, &
presentando le solite copie alle Publiche
Librarie di Venetia, & di Padoa.

Dat. 23. Novemb. 1713.

ION

(Francesco Loredan Kav. Proc. Ref. (Gio; Francesco Morosini Kav. Ref. (Alvise Pisani Kav. Proc. Ref.

Agostino Gadaldini Segret.

CATALOGUS PLANTARUM

Quibus consitus est Patavii

Amænissimus Hortus

Illustrissimi, ac Excellentissimi Equitis

JO: FRANCISCI MAUROCENI VENETI SENATORIS, ANNO MDCCXIII



Belmosch Ægyptiorum, sive Abutilum Avicennæ. Pon. Ital. 29. Abelmosch, seu Mosch Arabum. Vesling. ad Alp. 67. & Ray. hist. 1066. Belmuschus Ægyptia Hon. Bello. J.B. hist. tom. 2.962. Alcea Ægyptiaca villosa. C.B. Pin. 317. Alcea Ægyptia moscata. Parki.

Cattu-Gasturi. Hort. Malab. P. 2. Quingombo, seu Alcea moscata. Margr. Althæa Ægyptia villosa. Moris. Bamia moscata quorundam. Ketmia Ægyptiaca semine moscato. Tournes.

Abies

Abies conis sursum spectantibus, sive mas. C. B. Pin, 505. Abies legitima, vel mas. Bellonii; Taxi foliis. Herm. H. L. B.

Abrotanum mas, angustifolium incanum. C. B. Pin, 136.

Abrotanum mas. incanum. colum.

Abrotanum mas, angustisolium majus. C. B. Pin. 136.

Abrotanum vulgare mas. Matth. mas. Dodon.

Abrotanum campestre. C. B. Pin. 136. Artemisia tenuifolia, sive septophyllos, aliis. Abrotanum sylvestre. I. B. hist. tom. 3. 194.

Abrotanum mas. angustifolium minus . C. B. Pin. 136.

Abrotanum tertium. Dod. Gal.

Abrotanum fæmina foliis teretibus. C. B. Pin. 136. Abrotanum femina. Matth. Chamæcypariss. I. B. tom. 3. 1.26. 133. Santolina. Anguil. Santolina altera.

Dodon. Santolina vulgo . Herm. H. L. B.

Abrotanum semina solio collecto incano; an Abrotanum semina tereti solio collecto ex canescenti obscure virenti, jucundius Chamæmelum olens. Cupani corol. ad suppl. H. C. rectius si Chamæmelum Romanum scripsisset.

Abrotanum femina foliis cupressi . C. B. Pin 137. San-

tolina 4. Dodon.

Absinthium Ponticum, sive Romanum officinarum, seu Dioscoridis. C. B. Pin. 138. Absinthium. Matth. vulgare. Tragi. vulgare majus. I. B. tom. 3. 1.26.168.

Absinthium Ponticum tenuisolium incanum. C. B. Piz. 138. Absinthium Ponticum vulgare folio inferius albo. I. B. tom. 3. l. 26. 175. tenuisolium. Dod. 24.

Absinthium maritimum lavendulæ folio. C.B. Pin. 139. maritimum latifolium, sive Matth. I. B. tom.3. 1.26.

174. Artemisia marina Lob, & Ger.

Absinthium insipidum, Absinthio vulgari simile. C.B. Pin. 139. Absinthium insipidum, I.B. tom. 3. 1. 26. 138.

Absinthium alpinum umbelliserum latisolium. C.B.Pin. 139. Absinthium alpinum umbelliserum. Clus. bist.

umbelliserum Clavenæ, umbelliserum. 1. Ponæ Ital. umbelliserum album alpinum Achilleæ sloribus. Lob. umbelliserum albis sloribus, capitulis squamosis. I. B. tom.3. 1.26. 183. Ptarmica incana humilis soliis laciniatis absinthii æmulis. Herm. H. L. B.

Absinthium Ægyptiacum. C. B. P. Santonicum ibid.

Absinthium Seryphium Ægyptiacum. Matth.

Acacia Indica Farnesiana. Aldini H. Farn. 2. Jonst. 366. tab. 96. colum. in not. ad Henr. 867. Acacia Americana. Monting. Pl.cult. 35. Bodaus a Stapel.not in Theoph. 320. Acacia Indica Ferrarii. Indica foliis scorpioidis leguminosa siliquis suscis teretibus resinosis. Herm. catal. H. L. B. Acacia Indica Mexicana Aldini. Hoff. flor. Altford. Acacia Americana siliquis teretibus ventriosis storibus luteis. Herm. Prod. Parad. Bat. 303. Eamdem esse cum Acacia Alpini, & Veslingii crediderim, si siliqua Farnesiana responderet, qua de causa eam Cl. Hermannus in H. L. B. recte separavit, & Parkinsonus separata icone, utramque exhibuit p.1548. & nostram Farnesiana titulo proposuit.

Acacia spuria Anagyridis flore . Volcham. flor. Norib. (addidissem albo) Pseudoacacia Rivini . Acacia Virginiana siliquis glabris. Ray.bist. 1719. Arbor siliquosa Virginiensis spinosa. Parkins. ex Volck. sed apud ipsum Auctorem scribitur, Pseudoacacia Americana. Robini p. 1550. Parkinsonus enim siliquas, & folia, utriusque speciei, spinosas nimirum, & glabras siliquas sculptas dedic. unde, Acacia Virginiana siliquis glabris: Arbor siliquosa Virginiensis spinosas. Lycus nostratibus dicta. Park. spinosam vocavit Auctor quoad arborem, non quoad siliquas: addit Rayus loco supra citato : hæc arbor sæpissime falso vocatur Acacia Americana Robini ab Hortulanis nostris, annotante ingeniosissimo Viro D. Leonardo Plukenetio; ideo Parkinsonus ipse separatim siliquarum glabrarum, & spinosarum specimen nobis dedit.

Acanthium Matth. Acanthium vulgare flore purpureo.

A 2 T.M.

Catalogus

T.M. icon. 686. Spina alba tomentosa latifolia sylvestris. C.B. Pin. 382. Carduus tomentosus Achantifolio vulgaris. Tournef. 441. spina alba sylvestris Fuchsi I.B. tom. 3. 54.

Acanthus sativus, vel mollis Virgilii. C. B. Pin. 383.
Branca Ursina Italorum. Guil. epist. Carduus Acanthus, sive Branca Ursina. I. B. tra. 3. 75. Acanthus

sativus Dodon.

Acanthus aculeatus. C. B. Pin. 383. Acanthus sylvestris Dod. Branca Ursina aculeata. Lugd. Carduus Acan-

thus, five Branca spinosa. I. B. tom. 3.75.

Acarna flore purpurorubente patulo. C. B. Pin.379. A-chanthoides parva apula. Colum. P. t. 29. Carlina flore purpurorubente patulo. Tournef. 500. Carlina an-

nua purpurea Monspeliensum. Bot. monsp.

Acarna capitulis parvis luteis in umbella. C. B. Pin. 379. Acarna umbellata multicaulis, purpurante caule, patulo, candido, pallescente flore, radice perenni rub. stillante Belzoino non impar. cup. Hort. Catb. Acarna, sive Acorna altera apula. Colum. P. 1. 28. Euphr. qui umbellatam nuncupavit; flore est pallescente, sive subluteo ad albedinem inclinante.

Acarna Theophrasti. Imper. bist. descrip. 754. pag. 766. Carduus Polyacanthus solioso caule, Acarna dictus. Herm. H. L. B Polyacanthus Casabonæ, Acarnæ similis I. B. tom. 3.1.25. 92. Acarna Theophrasti vulgo

Herm. H. L. B.

Acarna flore luteo patulo. C. B. Pin. 379. Carlina fylvestris minor Dodon.

Acetosa pratensis. C. B. Pin. 114. Oxalis. Trag. Matth. Acetosa Americana foliis longissimis pediculis donatis 1. in Prodr. C. B. Pin. 114. Acetosa vesicaria peregrina Eyst. Acetosa Indica folio crasso, semine amplissimo. Cast. H. Mess. Oxalis Africana. I. B. tom. 2. 992.

Acetosa rotundisolia alpina, quæ 2. in Prodr. C. B. Pin.

117.

Plantarum.

Acetosa rotundisolia hortensis. C. B. Pin. 114. Oxalis Franca, seu Romana. Ger. Acetosa Romana & Veterum. Dod. Gal. Acetosa rotundisolia. Dodon. 649. Oxalis solio rotundiore repens. I. B. tom. 2. 991.

Acetosa arvensis lanceolata. C. B. Pin. 114. Oxalis Ovina T. M. Oxalis parva auriculata repens. I. B. tom.

2.992.

Acetosa Africana arborescens rotundisolio. Acetosa arborescens subrotundosolio ex insulis Fortunatis. Pluk. Almeg. Bot. & Phytogr. Tab. 252. fig. 3. ex Tournesort. 503.

Acetosa Ocimisolio Neapolitana. C. B. P. Acetosa O.

cimifolio Neapolitana Columnæ.

Acetosa lanceolata angustifolio repens . C. B. P. 4. in Prodromo .

Aconitum unifolium luteum bulbosum. C. B. Pin. 183. Ranunculus cum flore in medio folio, radice tuberosa. I. B. tom. 3. l. 4. 14. Aconitum luteum minus. Dod. 440. Helleborus niger tuberosus Ranunculi folio flore luteo. Tournef. 272.

Aconitum lycoctonum luteum. C. B. Pin. 183. Luparia, Trag. Aconitum folio Platani flore luteo pallescente. I.B. tom. 3. 652. Lycoctonum luteum majus. Dod.

439.

Aconitum ceruleum hirsutum flore consolidæ regalis. C. B. P.183. Lycoctonum flore Delphinii. Clus. Delphinium perenne montanum villosum Aconiti solio.

Tournef. 426.

Aconitum ceruleum, seu Napellus. I. C. B. Pin. 183.
Napellus Matth. Aconitum magnum purpureo flore,
vulgo Napellus. I. B. tom. 3. 655. purpureo flore in
figura, ceruleo in descriptione. Napellus Dod.442.

Aconitum violaceum, sive Napellus. 2. C. B. Pin. 183.
Aconitum Lycoctonum 4. vel præcox Tauricum. Chi.
si. Aconitum Napello simile, sed minus ceruleum præcocius. I. B. tom. 3. 656.

Aconitum racemosum Actea Plinii . C. B. P. 183. I. B.

A 3 1.27.

1.27 7. Christophoriana. Gesn. Hort. Dod. 402. Christophoriana vulgaris nostras racemosa, & ramosa. Mo-

rif. hift. & Tournef. 299.

Aconitum salutiferum, seu Anthora. C. B. P.184. Anthora Matth. Antithora flore luteo Aconiti . I. B. tom. 3. 660. Anthora Zedoaria, Aconitum salutiferum . T. M. Icon. 112.

Acorus verus, sive Calamus aromaticus officinarum. C. B. P. 34. Acorus, perperam calamus aromticus offi-

narum. Matth.

Adhatoda Zeylanensium. Herm. H. L. B. Wanæpala Malab. Hort. Malab. P. 10. 1.17. Tourn. 175.

Adianthum foliis Coriandri. C. B. P. 355. Adianthum,

five capillus Veneris. I. B. tom. 2.1.37. 751.

Adianthum rubrum . Lon. Trichomanes , five Polytrichum officinarum. C. B. Pin. 365. Trichomanes, five Polythricum . I. B. tom. 3. 754. Thrichomanes . Dod. 471.

Adianthum candidum. Cordi. Ruta muraria. C. B. P.

356. I. B. tom. 3. 753. Dodon. 470.

Adianthum furcatum. Thal. Filix faxatilis corniculata. C. B. P. 358. Filix faxatilis . Tragi; I. B. tom. 3. 755. Holostium petræum. T. M. Icon. 736. Filicula saxa-

tilis corniculata . Tournef. 542.

Adonis hortensis flore minore atrorubente. C. B. Pin. 178. Flos Adonis vulgo. Clusii. mihi videtur potius qui passim sponte apud nos nascitur in agris, Adonis sylvestris flore pheniceo, ejusque foliis longioribus in Pinace scribitur ab hortensi separatus.

Ægilops Matth. Festuca altera capitulis duris. C. B.

Pin. 10.

Æthiopis foliis sinuosis. C. B. P.241. Æthiopis Matth. Horminum Æthiopicum incanum foliis sinuosis, Æthiopis dictum. Herm. H. L. B. Sclarea vulgaris lanuginosa amplissimo folio . Tournef. 179. Æthiopis multis . I. B. tom. 3.315.

Æthiopis tota argentea perennis lanuginosa Cupani.

Ageratum foliis serratis. C. B. P.221. Eupatorium Mesues Tragi. Ageratum plerisque, herba Julia quibusdam. I. B. tom. 3. 1.26. 142.

Ageratum umbella candida folio millefolii minoris rigidiore tamen ; Lelii Triumfetti apud Fratris obser-

vationes.

Ageratum umbella candida Ptarmicæ folio chamæmeli nobilis odore. Triumfetti.

Agerato mesues cognata procerior corimbise luteo albi-

cantibus . H. R. P.

Agnus Castus; Vitex foliis angustioribus cannabis modo dispositis. C. B. P. 475. Agnus folio non serrato. I. B. tom. 1.1. 8. 208. floribus cæruleis.

Agrimonia officinarum; Eupatorium Veterum, seu A-grimonia. C. B. P.321. Agrimonia, sive Eupatorium.

I. B. Tom. 2. 398. Dod. 28.

Agrimoniæ fimilis . C. B. P. 321. Agrimonioides Co-

lum. P. I. 146.

Alcea vulgaris major. C. B. P.316. Alcea vulgaris. I.B. tom.2.1.23.953. Dod. 656. flore purpureo, sive ex rubro-roseo.

Alcea folio rotundo laciniato. C. B. P. 316. Malva montana, sive Alcea rotundisolia laciniata. colum. P. r.

148.

Alcea vesicaria. C. B. P. 317. Alcea solisequa multis Veneta. I. B. tom. 2. 1068. Append. Alcea vesicaria. Dod. 657. Ketmia vesicaria vulgaris. Tournes. 101. Althæa vesicaria Veneta. Moris. Herm. H. L. B.

Alcea vesicaria peregrina; Hypecoum Africanum triphyllum. Alcea Africana, seu vesicaria trifolia flo-

re purpureo. Boco. Icon. Tournef. 101.

Alcea Sabdarissa dicta trisoliata. Podachini. an Alcea Bengalensis sabdarissæ similis. Pluk. Phyt. ex Tourn.

Alcea Pernambucana Carpini folio, flosculis minimis luteis, semine simplici rostro donato. Moris, hist. 2. 528. Herm, H. L. B. Althæa peregrina semine rostra-

to flore luteo minimo. Moris. H. Blef. 220. Bocc. Pl.

Sic. II. Zanoni hift. Bot. 132.

Alcea Virginiana Ricinifolio. Althæa Ricinifolio Virginiana. Herm. H. L. B. Malva Aceris folio Virginiana. Tourn. 95.

Alchimilla vulgaris. C. B. Pin. 319. Pes Leonis. Fuchs. Stellaria. Matth. Pes Leonis, sive Alchimilla. I. B.

tom.2. 1.17. 598.

Alchimilla montana minima. Colum. Ecph. 145. Chærophyllo nonnihil fimilis. C. B. P.152. Perchepier. An-

glorum quibusdam. I. B. tom. 3.1.27.74.

Alysson siliqua lata aspera, quibusdam Lunaria slore luteo. I. B. tom. 2. l. 22. 934. Leucojum Alyssoides clypeatum majus. C. B. P. 201. Leucojum asperum siliquis asperis clypeisormibus. Morif. bist. Lunaria Leucoji folio siliqua oblonga major. Tournes. 218. Alysson. Diosc. Dod.

Alliaria Matth. Trag. cui Thlaspidium cornutum. C. B. P. 110. Alliaria. I. B. tom. 2. l. 21. 883. Hesperis Allium redolens. Herm. H. L.B. Moris. & Tournes. 222. extat epistola C. B. apud Hildanum, quæ omne tu-

lit punctum.

Allium sylvestre latisolium. C.B.P. 74. Allium Ursinum quod vocant, & Matth. Ursinum bisolium vernum sylvaticum. I.B. tom.z. l. 19. 569. Allium latisolium palustre. Moris. bist.

Allium sylvestre campestre purpurascens. C.B.P.74. Al-

lium caninum primum. Trag.

Allium sylvestre bicorne flore obsoleto. C.B. P.74. Al-

lium caninum alterum . Trag.

Allium sphærico capite solio latiore, sive Scorodoprasum alterum. C. B. Pin. 74. Scorodoprassum dictum.

I. B. tom. 2. l. 19. 558. Allium maximum multis porraceis soliis latioribus, sphærico capite ex storibus albis constato. Moris. bist.

Allium sativum alterum, sive Allioprasum caulis summo circumvoluta. C. B. P. 73. Morif. hist. Alii genus.

ophio-

ophioscorodon dictum quibusdam. B. tom. 2. 1. 19.

Alnus rotundifolia glutinosa viridis. C. B. P. 428. Alnus vulgaris. I. B. tom. 1. 1.8. 151. Alnus. Dod.

Alnus nigra baccifera. C. B. P. 428. I. B. tom. 1. 1. 5.

Aloe vulgaris. C. B. P. 286. Aloe Matth.

Aloe flore in oblongum aculeum abeunte. C. B. P. 286. Aloe Americana. Dod.

Aloe Africana caulescens, foliis minus glaucis caulem amplectentibus, dorsi parte suprema spinosa. commelin. Pralud. Bot. 69.

Aloe Africana humilis foliis ex albo, & viridi variega-

tis. Commel. Pral. Bot. 79.

Aloe Africana foliis glaucis, margine, & dorsi parte superiore spinosis, flore rubro. Commel. Pral. Bot. 75.
scribit Auctor: succus hujus plantæ viscosus, & dulcis est. apud nos e floribus tantum dulcissimus succus
emanat.

Aloe Africana minor. Cereus Africanus folio lato crasso. Alsine hederulæ folio. C. B. P. 250. Veronica hederulæ solio. Moris. bist. Alsines genus. Fusch. Alsine solio hederulæ hirsuto. I. B. tom. 3. 1. 29. 368. Alsine hederacea. Ger. Alsine hederulæ solio minor. Park. Morsus gallinæ solio hederulæ. Lob. Adu.

Alsine scandens baccifera. C. B. P. 250. Alsine repens.

Dod. Cacubalus Plinii . Lugd.

Alsine Veronicæ foliis, flosculis cauliculis adhærentibus. C. B. P. 250. Alsine serrato folio hirsutiori, floribus, & loculis cauliculis adhærentibus. I. B. tom. 3. l. 19. 367. Veronica flosculis cauliculis adhærentibus. Morss. hist. 322. Alsine foliis Veronicæ. Ger. Alsine foliis subrotundis Veronicæ. Park. Abysfon. Colum. Phitob.

Alsine Chamædrysolia slosculis oblongis pediculis insidentibus. C. B. P. 250. Alsine serrato solio glabro. I. B. tom. 3. 1. 29. 367. Veronica slosculis oblongis pe-

diculis insidentibus Chamædryos folio. Moris. Alsine foliis Trissaginis. Get. Park. & Lob.

Alsine major. C. B. P. 250. Alsine Marina. Dod. I. B.

tom. 3. 1. 29. 364.

* Alsine major scandens alpina circeæ minimæ Columæ

folio, flore albo.

Alsine media. C. B. Pin. 250. Alsine. Matth. Alsine vulgaris, sive morsus Gallinæ. I. B. tom. 3. l. 29. 363.

Alsine major multicaulis. G. B. P. 250. morsus Gallinæ. Brunsf. Alsine minima. Dod. & I. B. tom. 3. 1.29. 364. Centunculus minutissimis cauliculis. Casalp

Alsine minor lini capitulis . C. B. Pin. 251. Alsine Pe-

trea minima . T. M.

Alsine tenuisolia muscosa. C. B. P.251. Alsine muscosa.

Lugd. Alsine tenuifolia. 1. B. tom. 3. 1.29. 366.

Alsine hederula altera. Ger. Alsine species. T. M. Laminum foliis caulem ambientibus majus. C. B. P.231. Galeopsis, sive urtica iners minor folio caulem ambiente. I. B. app. tom. 3. 813.

Idem minor id. Lamium folio caulem ambiente minus. C. B. P. 231. morsus Gallinæ folio hederulæ alter.

Lob. Icon. Leucas. 4. cafalp. Ballote crispa. Lugd.

Alsine aquatica minor, & fluitans. C. B. P. 251. Alsine fluvialis. T. M.

Alsine verna Dalechampi. Lugd. Caryophyllus arvensis umbellatus solio glabro. C. B. P. 210. Caryophyllus arvensis umbelliserus. I. B. tom. 3. 1.29. 361. an Lychnis graminea hirsuta umbellisera. Moris. Holostæum caryophylleum arvense. T. M.

Idem. Caryophyllus arvensis glaber store majore. C. B.

P. 210. Gramen Leucanthemum. Dod.

Althæa Dioscoridis, & Plinii . C.B. P. 315. Althæa, sive Bismalva . I. B. tom. 2. l. 23. 954. Malva sylvestris, vel palustris, aut Ibiscus . Moris. bist.

Althæa laciniato folio. C. B. P. 316. Althæa 4. clusii

hift.

Althæa palustris. G. B. P. 316. Althæa hortensis, sive peregrina. Dod.

Althæa frutescens folio rotundiore incano. C.B.P.316.

Althæa arborescens. clusii.

Althæa Theophrasti slore luteo. C. B. P. 316. Althæa altera, sive Abutilon Avicenne. Matth. Althea Theophrasti slore luteo, quibusdam Abutilon. I. B. tom. 2. 1.23.958.

Althæa Americana Bryoniæ folio, sive Althæa frutescens Bryoniæ folio. C. B. P. 316. & in Prodr. 138.

quam Americanæ titulo accepit.

Althæa Americana Populi facie flore roseo. an Ketmia Africana populi folio. Tournef. 100. cui & Althæa rosea peregrina forte Rosa Moscheutos Plinii. Corn. 144.

Amaracus, sive Majorana tenuisolia. Matth. Majorana tenuisolia. C. B. P. 224. Majorana tenuior, & ligno-

fior. I. B. tom. 3.1.18. 241.

Amaracus Matth. Majorana vulgaris. C. B. P. 224.

Amaracus, Majorana Cretica origani folio. Turnef. Co-roll.

Amaranthus cristatus rubicundissimo slore. Cat. H.R.P. Amaranthus purpureus panicula speciosa cristata. I. B. tom. 2. 1.23.969. cujus species variæ.

Amaranthus pennatus coccineus. Amaranthus paniculis

coccineis. Herm. H. L. B. cujus species variæ.

Amaranthus spicatus purpureus. Amaranthus simplici panicula. C. B. P. 121. Amaranthus purpureus. Fuch. Amaranthus spicatus. Eyst. cujus species variæ.

Amaranthus cristatus aureus, sive paniculis luteis cri-

statis. Herm. H. L. B. cujus variæ species.

Amaranthus spicatus luteus, paniculis surrectis luteis.

Herm. H. L. B. cujus species variæ.

Amaranthus pennatus luteus, sive stamineis spicis luteis. Herm. H. L.B. cujus species variæ.

Amaranthus folio variegato. C. B. P. 121. Symphonia Plinii. Lugd. Amaranthus tricolor Lob. T. M. Blitum

maculosum, & herba Papagalli: Dod. in ejus fol. color variat.

Amaranthus siculus spicatus perennis. Bocc. Icon. 16. Amaranthus siculus spicatus radice perenni. Bocc. rar. plant. ex Tournef. 235.

Amaranthus Indiæ Orientalis spicatus linariæ folio flore

suave rubente. Gherardi an descriptus?

Amaranthus latifolius flore albicante, purpurascente.

Plures Amaranthorum visuntur varietates præsertim
in floribus, quibus Maurocenus Hortus quotannis
gaudet, quos hic omnes recensere supervacaneum duximus.

Amarantho affinis Africanus perennis. Amarantho affinis indiæ Orientalis floribus glomeratis ocymoidis folio. Breyn. cent. 1. 109. Icon. 51. Amaranthoides Lych-

nidis folio capitibus purpureis. Tourn. 564.

Amaranthus baccifer indicus, sive Solanum racemosum indicum. H. R. P. Solanum racemosum Americanum. Ray hist. 562. Solanum magnum rubrum Virginianum. Park. 347. Solan. racemosum tinctorium Americanum foliis & seminibus Amaranthi; Phytolacca. Tourn. 299. Phytolacca Americana majori fructu ejustem.

Ambrosia maritima. C.B.Pin.138. Ambrosia quibusdam. I.B. tom.3.1, 26.190. foliis Absinthii odoratis humi-

lior

Ambrosia campestris repens. C. B. P. 138. Coronopus. Ruellii; Nastrutium verrucosum. I. B. tom. 2. l. 22. 919. nastrutium verrucosum capsula bivalvi aspera, seu hirsuta. Moris.

Ammi majus. C. B. Pin. 15. Ammi vulgare majus latioribus foliis semine minus odorato. I. B. tom. 3. l. 27.

27. Ammi annuum . Moris, Umbel. 21.

Anagallis flore phæniceo. C. B. P. 252. Anagallis phęnicea mas. I. B. tom. 3. 1.29. 369.

Anagallis flore cæruleo. C. B. P. 202. Anagallis fæmina

cerulea. I. B. tom.3. 369.

Anagallis aquatica major folio subrotundo. C. B. P.252.

Anagallis, five Beccabunga. Ger. Veronica aquatica major . Herm. H. L. B. Anagallis aquatica folio rotundiori. I. B. tom. 3. 1.38. 791.

Anagallis aquatica flore ceruleo folio oblongo. I.B.tom. 3.1.38.791. Veronica aquat. major folio oblongo. Moof musicipar non musilimerals on

ris: bift.

Anagallis cerulea tenuifolia flore amplo. Bocc.

Anagallis aquatica major folio oblongo. C. B. P. 252. a-

quatica minor. Ger. & T. M.

Anagallis aquatica folio rotundo non crenato. C. B.P. 252. Anagallis aquatica rotundifolia. Ger. aquatica 3. Lobel. Aquatica folio subrotundo non crenato. Park. Samolus Valerandi . I.B. tom. 3. part. 2. 792. Veronica aquatica folio subrotundo non crenato. Moris.

Ananas Acosta. Carduus Brasilianus foliis Aloes. C. B. Pin. 384. Ananas Acostæ. I. B. tom. 3.95. & Linscotti. Ananas fructus. Bont. 1.6.145. Ananas. Pison.1.4.195. Matzatli, seu Pinea indica. Hernand. 311. Nana fru-

ctus, five yayama. Lugd. 1481.

Anagyris fetida. C. B.P. 391. Anagyris vera fetida. I.B.

tom. 2. l. 11. 364.

Anagyris non fetida major, vel alpina. C. B. Pin. 391. I aburnum arbor trifolia anagyridi similis. I.B. tom. I. 1.11. 361.

Anchusa lutea major. C. B. P. 255. Anchusa 3. Matth. Symphytum Echii folio ampliore, radice rubra flore luteo. Tourn. 138. Anchusa lutea. I. B. tom. 3. 538.

Anchusa lutea minor. C. B. P. 255. Echioides lutea cerinthoides montana. colum. p.1. 183. Symphytum echii folio angustiore radice rubra slore luteo. Tours. 138.

Androsæmon maximum frutescens. C. B. P. 280. Androfæmum. Dod. 78. Siciliana, aliis Ciciliana, vel Androsæmum. I.B. tom.3.384. Hypericum, seu Androsæmum maximum, quasi frutescens bacciferum. Moris.

Androsæmon hirsutum. C. B. P.280. Ascyrum. Matth, HyHypericum Ascyrum dictum caule quadrangulo. I.B. tom. 3. l.29. 132. an Hypericum Ascyrum dictum cau-

le quadrangulo glabro . Moris.

Androsæmum Matth. fol. Ascyrum, sive Hypericum bifolium glabrum non perforatum. C. B.P. 280. Hypericum elegantissimum non ramosum folio lato. I. B. tom. 3. 1.29.383.

Anemone Geranei rotundo folio purpurascens. C. B.P.

173. Anemone stellata purpurea, & alba. T.M. Anemone latifolia flore purpurascente. C. B. P.173.

Eadem latifolia flore purpuro-saturo. C. B. P. 173. Eadem latifolia fimplici carneo flore. C. B. P. 173.

Eadem Geranei Ropertiani folio cærulea, an Dioscoridis. C. B. P. 173.

Eadem tenuifolia slore multifido dilute purpurascente.

C. B. P. 174.

Eadem flore albo multiplex. G. B. P. var. 176.

Eadem flore flammeo, seu flore coccineo pleno. Eyst. & Moris. Hist.

Eadem flore carneo; forte Byzantina flore carneo vivacissimo. Moris. Hist.

Eadem flore violaceo; flore purpureo violaceo. C. B. P. Var. 173.

Anemone 2. Matth. Lugd. C. B. P. 175. an Ranunculus flore globoso.

Anemone flore pleno purpureo.

Ejusdem varietates plurimæ petalorum numero magnitudine, colore, & forma pro vario lascivientis naturæ lusu.

Anethum hortense. C. B. P. 147. Anethum. I. B. tom. 3. 1.27. 6. Moris. Umbel. 36.

Anethum verum Pernambuccense. Zan. Anethum Pernambuccense. Herm. H. L. B.

Angelica sativa. C. B. P. 155. I. B. tom. 3. 1.27. 140. sa-tiva, sive officinarum. Moris.

Angelica sylvestris minor, sive erratica. C. B. P. 155. Angelica sylvestris repens. I. B. tom. 3. 1.27. 145. Angelica Podagraria dicta. Morif. Umbel.9. Ægopodium. T. M.

Angelica lucida Canadensis. Cornuti 197. Moris. Umbel.
9. Imperatoria lucida Canadensis. Tour. 317. Panax
Heracleum alterum Americanum splendente solio Laserpitium creditum quibusdam. Parkins.

Anonis viscosa spinis carens lutea major. C. B. P. 389. Natrix Plinii Herbariorum. Lob. Adv. Anonis lutea

montana. Camer. Epift. Matth.

Anonis spinis carens purpurea alopecuroides hirsuta.

Anonis spinosa flore purpureo. C. B. P. 389. Anonis, sive resta bovis vulgaris purpurea spinosa. I. B. tom. 2.1.17. 391. Anonis purpurea vulgaris spinosa, flore purpureo siliquis erectis lentiformibus. Moris.

Anonis flore candidiffimo, & caule. Volkam. an eadem

albido flore invariet. C. B. P. 389.

Anonis viscosa spinis carens lutea minor . C.B.P.

Anthyllis maritima Alfine foliis. C. B. Pin. 282. Polygonum maritimum folio Alfines. Moris. Paronychia Alfinefolia incana. I. B. tom. 3. 1.29. 367. Paronychia altera. Matth.

Antirrhinum majus rotundiore folio . C. B. P.211. An-

tirrhinum majus flore roseo. Cat. Hort.

Antirrhinum majus alterum folio longiori. C. B. P.211.
Antirrhinum vulgare. I. B. tom. 3. 1. 32. 462. flore roseo.

Antirrhinum luteo flore. C. B. P. 211. Antirrhinum luteum. T. M. Icon. flore subluteo. Dod. hist. variar.

flore pro naturæ lusu.

Antirrhinum siculum altissimum annuum linariæ solio slore lactescente, ex Hort. Cath.

Aparine. C.B. P. 234. I.B. P. 334. I.B. tom. 3. 1. 36.

Apium hortense, seu Petroselinum planum. I.B. tom. 3.1.27. 97.

Apium hortense latisolium. C. B. P. 153. Apium latiso-

16 Catalogus

lium, seu hortense maximum. Moris. Umbel. 21. Appium hortense magnum vulgare, hortensi, seu Petroselino vocato, sapore idem, sive Anglicanum quibusadam. I. B. tom. 3. 1.27. 99.

Apium, vel Petuselinum crispum. C. B. P. 153. Apium hortense vulgo petroselinum crispum. I. B. tom. 3.

1.27.97.

Apium montanum folio tenuiore. C. B. P. 153. Apium facivum hortense angustifolium. Moris Umbel. 23. Petroselinum Dalechampi. Lugd.

Apium montanum folio ampliore. C. B.P. 153. Oreose-

linum . Adv. Lob. I. T. M.

Apium montanum nigrum. C. B. P. 153. Petroselinum

Parisientium. Lugd.

Apium palustre, & Apium officinarum. C. B. P. 154. Apium palustre. Matth. Apium vulgare ingratius. I. B. tom. 3. 1.27. 100. Apium palustre Paludapium dictum. Moris. Umbel. 21. & 23.

Apium Macedonicum. C. B. P. 154. Petroselinum Macedonicum. Matth. Apium, sive Petroselinum Macedonicum. I. B. Apium semine villoso, seu incano

Macedonicum. Moris. Umbel. 21.

Apios Americana. Cornuti 201. Astragalus perennis spicatus Americanus scandens caulibus radice tuberosa donatus. 41 g. Moris. hist. Astragalus tuberosus scandens Fraxini solio. Tournes. 41 g. Terræ glandes Americanæ, sive Virginianæ. Parkins.

Apocynum folio subrotundo. C. B. P. 302. Apocynum folio rotundiore flore ex albo pallescente. I. B. tom. 2.1.15.134. Apocynum primum latifolium. Clusi.

Apocynum angusto salicis solio. C. B. P. 303. secamone. Scammonii species Ægyptiis. Alpin. de Pl. Ægypti. 134. Apocyni secundi species altera. Clus. hist. & Hisp. Apocynum scandens Ægyptiacum, sesselios Æthiopici soliis, angustisolium. Herm. Par. Bat. 52. Periploca soliis oblongis angustioribus. Tournes.

Apocynum folio oblongo. C. B. Pin. 303. Apocyna re-

pens. Matth. Apocynum, sive Periploca scandens folio longo, flore purpurante. I.B. tom.2. l.15.133.

Apocynum erectum Africanum villoso fructu salicis, folio glabro angusto. Herm. Por. Bath.24.

Apocynum erectum Africanum villoso fructu salicis, fo-

lio lato subhirsuto . Herm. Por. Bat.24.

Apocynum Corassavicum, seu Americanum sibrosa radice storibus aurantiis Chamenerii soliis latioribus. Her.

Por. Bot. 36.

Apocynum humile Aizoides siliquis erectis. Herm. H.L. B. Fritillaria crassa Promontorii Bonæ spei. Stapel. in not. ad Theoph. 335. Raji. hist. app. 1907. Asclepias A-

fricana Aizoides . Tournef.94.

Apocynum erectum latifolium incanum Syriacum floribus parvis obsolete purpurascentibus. Apocynum latifolium Syriacum incanum erectum floribus umbellatis minoribus obsolete purpurascentibus, siliquis folliculatis rugosis. Herm. H.L.B. Apocynum majus syriacum rectum Cornuti. Apocynum syriacum syriacum forte. Clusic. Apocynum rectum Americanum latifolium, sive majus. Parkins. Beidelsar Weixii Clusio. Beidelsar Vestingii. Esula indica Patavinorum. Gerard. & Par. Bat. Herm. 32.

Apocynum maritimum Venetum falicis folio, flore purpureo. Tour.92. Apocynum maritimum erectum flore purpureo. H.L.B. Tithymalus maritimus purpurascentibus floribus. C.B.P.291. Alypum quibusdam, sive esula rara flore purpureo. I.B. tom. 3.676. Esula rara e Lio Venetorum insula. Lobel. icon. 372. Esula rara nostra floribus purpurascentibus. Donati. 39.

Apocynum Asclepiadis folio flore nigro. H.L.B. Asclepias flore nigro. C.B.P.303. Asclepias flore nigro quo-

rundam . I.B.tom.2.1.15.140.

Apocynum erectum Americanum; folio Chamenerii.

Par. Bat.

ALL LAND

Asclepias flore albo. C.B.P.303. Asclepias, sive Vincetoxicum cum multis floribus albicantibus. I.B. tom.2. 1.15. 138.

18 Aquilegia sylvestris. C.B.P. 144. Aquilegia flore simplici . I. B. tom. 3. 1.30. 484. Aquilegia . Dod. Aquilegia fimplex . Camer.

Aquilegia hortensis simplex . C.B.P. 144. & I.B. tom. 3.

1.30. 484. descrip.

Aquilegia flore albo simplici . C. B. P. 144. I. B. tom. 3. 1.30. 484.

Aquilegia flore violaceo.

Aquilegia flore castanei coloris. C.B.P.144. Sovert.

Aquilegia montana parvo flore Thalictri folio, quæ fecunda in Prodr. 75. C.B.P.144. I.B. tom 3.484.

Aquilegia variegata. Bry. C.B.P.145. flore variegato du-

plici . Svvert.

Aquilegia hortensis multiplex flore magno. C. B. Pin.

145. Aquilegia multiflora variegata . Lob. Icon.

Aquilegia flore ceruleo pleno . Eyft. Aquilegia hortensis multiplex flore magno. C. B. Pin. 145. flore ceruleo pleno.

Eadem flore albo pleno . Variet. C.B.P.145. Eyft. Eadem flore rubro pleno . Variet. C.B.P.145. Eyft.

Eadem flore incarnato pleno. C.B.P.145. Eyft.

Aquilegia stellato flore violaceo. Eyst.

Arbutus folio serrato. C. B. P. 460. Arbutus Comatus Theophrasti. I.B. tom. r. l. r. 83. Unedo Plinii vulgo.

Lob. Adv. Arbutus. Matth. & Dod. 804.

Argentina. Dod. Potentilla. C. B. P. 321. Potentilla. Matth. Pentaphylloides minus supinum, seu procumbens foliis alatis argenteis, & serratis flore luteo. Morif. bift. Potentilla, sive Argentina. I.B.tom.2.1.17. 398. Anserina vulgo . Herm. & L.B. Pentaphylloides argenteum alatum, seu Potentilla. Tournef. 298.

Arifarum. Matth. Arum venis albis. C.B.P. 195.

Arisarum angustifolium, Dioscoridis forte. C.B.P.196. I.B. tom.2. 1.19. 787. Arum angustifolium pistillo longissimo tenui reflexo, mucronato. Herm. H.L.B.

Arum maculatum, maculis candidis, vel nigris. C.B.P.

195. Arum . I.B. tom.z. 1.19. 183.

Arum vulgare non maculatum . C.B.P. 195.

Aristolochia rotunda slore ex purpura nigro. C.B.P. 307. Aristolochia rotunda. I.B. tom.3.1.32. 559. rotunda. Matth.

Aristolochia Clematitis recta. C.B. P. 307. Aristolochia

clematitis vulgaris. I.B. tom.3. 1.32. 560.

Aristolochia Pistolochia altera. I. B. tom. 3.1.32.563. Pistolochia cretica. C.B. P.307. Aristolochia Pistolochia dicta cretica, smilacis folio semper virens. H.L.B.

Argemone alpina coriandri folio. C.B.P. 172. Argemone lutea. Fonæ Ital. 100. Papaver alpinum saxatile corian-

dri folio . Tournef 239.

Argemone capitulo longiore. C. B. Pin. 172. Lob. Icon. 276. Luzd. Papaver erraticum alterum cafalp. Argemone capitulo longiore spinoso. I. B. tom. 3. 396. Papaver erraticum capite longiore hispido. Tournef. 238.

Artemisia vulgaris major . C.B.P. 137. Artem. vulgaris .

I.B. tom 3. 1.26. 184

Arundo vulgaris, sive Phragmitis Dioscoridis. C. B. P. 17. Arundo vulgaris palustris. I. B. tom. 2. 1.18. 485. Arundo vallatoria. Dod.

Arundo sativa, quæ Donax. Diosc. & Theoph. C. B.Pin. 17. Arundo maxima, & hortensis. I. B. tom. 2. 1.18.

486.

Arundo indica variegata, seu Laconica. Theoph. Cornuto 55. Arundo laconica a Petro Multerio. Bod. a Stapel. not. ad Theoph. 480. Arundo indica striata, vel sulcata alba Robini. Hist. Stirp. Lobel. Arundo indica variegata. Park. 1209. Arundo indica versicolor. Flor. Alt. ford.

Arundo indica latifolia. C.B.P. 19. I.B. tom.2. 1.18.489. Longoas Stapel.334 canna indica latifolia humilior flo-

re faturatius rubente. H.L.B.

Arundo indica latissimo folio flore rutilo. H.R.P. can-

na indica latifolia maxima. H.L.B.

Arundo indica latifolia flore luteo punctato, que 3. in Proder. C.B.P. 19. Arundo indica flore luteo punctato. H. B.

L. B. Arundo indica flore luteo punctato. I. B. tom. 2. 1.18. 490.

Arundo maxima Ceilanica.

Asarum. C.B.P. 197. I B. tom.3.1.32. 548. Asarum baccaris, five baccatus. Lob. Adv.

Asparagus sativa . C.B.P. 489. Asparagus hortensis. I.B.

tom. 3. 1.36. Asparagus domesticus. Morif.

Asparagus sylvestris tenuissimo folio. C.B.P. 490. Aspa-

ragus pratenfis. I.B. tom.3. 1.36. 725.

Asparagus Africanus caule spinoso cupressi folio, seu Chamæ cupressus Africana. Ottoni. Asparagus Africanus aculeatus. Herm. H.L.B.

Asperula cærulea arvensis. C. B. P. 334. Rubia cærulea

erectior, elatiorve. I.B. tom. 3. 1. 36. 719.

Asphodelus albus non ramosus. C. B. P. 28. & Moris. Asphodelus major flore albo non ramosus. I. B. tom.2.

1.19.625.

Asphodelus luteus, & flore, & radice. C.B.P. 28. Asphodelus luteus. I. B. P.28. Asphodelus luteus. I. B. tom.2. 1.19.632. Asphodelus folio sistuloso striato non ramosus, luteus & flore, & radice. Moris. bist.

Asphodelus foliis fistulosis. C. B. P. 29 Asphodelus minor folio fistuloso. I. B. tom. 2. 1.19. 631. Phalangium parvo flore ramosum foliis sistulosis annuum. Herm.

H.L.B.

Asphodelus Africanus soliis cepaceis slore luteo; si floribus esset albis, sorte Phalangium Æthiopicum ramosum petalis reslexis Commel. H. Amstelod. 67. esse crediderim.

Asplenum, sive Ceterach. I.B. tom.3.740. Ceterach of-

ficinarum. C.B.P. 354.

Aster Atticus soliis circa florem mollibus. C.B.P. 226. Chrysanthemum Asteris facie soliis circa florem mollibus. Herm. H.L.B. Aster cernuus. column.

Aster luteus major foliis succisse. C.B.P. 266. Chrysanthemum Asteris facie foliis succisse. Herm. H.L.B. Pannonicus Aster primus, vel Pannonicus major. Clusio.

After

Aster luteus hirsutus salicis folio. C.B.P. 266. Aster. 3. Pannonicus. Chusi. Aster luteus folio hirsuto salicis. Herm. H.L.B.

Aster montanus luteus salicis glabro folio. C. B. P. 266. Conyza media Monspeliensis, quibusdam Asteris attici genus folio glabro rigido. I. B. tom. 2. l. 24. 1049.

Aster luteus folio glabro, & crenato. C. B. Pin. 266.
Aster Italorum. Lob. Adv. Aster Atticus italorum.

- Clufii.

Aster luteus supinus. C. B. P. 267. Aster Atticus supinus. Clusi.

Aster luteus Atticus odoratus. Clusi. Aster conyzoides

odoratus luteus.

Aster montanus ceruleus magno flore foliis oblongis a C. B. Pin. 267. Aster Atticus, sive Amellus alpinus. Ponæ.

Aster Atticus alpinus alter. C. B. P. 267. Aster Atticus cæruleus alpinus. Camer. epit.

Aster tripolii flore. C.B.P.267. Aster linariæ foliis Nar-

bonensis. Lob.

Aster conyzoides odoratus luteus. Enft. Tournef. 483.

Aster Atticus cæruleus vulgaris. C.B.P. 267. Aster Atticus. Matth. Aster Atticus purpureo flore. I.B. tom. 2.1.24. 1047.

Aster arvensis cæruleus acris. Tournef. 481. Conyza cerulea acris. C. B. P.265. Senecio, sive Erygeron, cæruleus, aliis Conyza. I. B. tom. 2. 1043 Erygerum quartum. Dod. fol. Dentelaria. Gesn. Hort.

Aster latifolius Tripolii flore. H.R.P. Moris. H.R. Bles.

& Pralud. Bot. 235. fed flore albo.

After cæruleo flore Virgæ aureæ vulgaris undulato fo-

Aster novæ Angliæ altissimus hirsutus sloribus omnium maximis purpuroviolaceis. Par. Bot. Prodr. Aster novæ Angliæ latisolius umbellatus, sloribus dilute violaceis, Herm. H.L.B.

3 After

Aster maritimus palustris cæruleus salicis solio. Touranes. 481. Tripolium majus cæruleum. C.B. Pin. 267. Tripolium majus. I.B. tom. 2. l. 24. 1064. Tripolium vulgare. Lob. Aster maritimus purpureus Tripolium dictus. Raji. bist. 270.

Aster maritimus palustris cæruleus minor. Tournef. 482. Tripolium minus. C. B Pin. 267. Tripolium minus.

Lob. Icon. 298. I.B. tom. 2. 1064.

Aster maritimus folio tereti, crasso in summo tricuspidato. Herm. H.L.B. Crithmum maritimum flore A-steris Attici. C.B.P. 288. Crithmum maritimum tertium. Matth. flore luteo Buphthalmi. I.B. tom. 3.1.26. 106. Crithmum Chrysanthemum. Dod. 706.

Astragalus luteus perennis procumbens vulgaris sylvestris. Moris. bist. Glyzyrrhiza silvestris floribus luteo pallescentibus. C. B. Pin. 352. Fenum Græcum sylvestre, sive Fenum Græcum sylvestre primum. Dod.

540.

Astragalus Hispanicus siliqua epiglottidi simili, flore pur, pureo major. Tournef. & H.L.B. Astragalus supinus,

filiquis villosis glomeratis. Tournef. 416.

Astragalus luteus annuus Bæticus maritimus erectus.

Morif. hist. Astragalus annuus angustifolius flosculis
subcæruleis, cauliculis adhærentibus. Tournes. 416.
Fenugræco sylvestri Tragi in quibusdam accedens
planta. I. B. tom. 2. 331.

Astragalus alpinus Helveticus. C. B. Pin. 351. Cicer A.

stragaloides. Tona in Baldo.

Astragalus luteus annuus Monspeliacus procumbens. Morif. Securidaca lutea minor corniculis recurvis. C. B. P.349. Securidaca altera, sive minor. I.B. tom.2.347. Hedysarum alterum. Dod. 546.

* Astragalus alpinus purpureus perennis folio nitido flore

purpureo semine trifolii Americani . H.M.

Astragalus purpureus perennis spicatus Pannonicus. Morif. hist. Onobrychis spicata flore purpureo. C. B. P. 350.

Aftra-

Astragalus Syriacus hirsutus. C.B.P. Astragalus Syriacus. Lob. Christianæ radix. Ravulf. & Lugd.

Astragalus procumbens flor. alb.

Astragalus perennis erectus flore purpureo magn.

Atriplex hortensis alba, seu pallide virens. C.B. P.119.
Atriplex alba. I. B. tom. 2. 1.23. 970. Atriplex Matth.

fativa alba. Lob. Icon.

Atriplex hortensis rubra. G. B. Pin. 119. Atriplex rubra hortensis. I.B. tom. 2.970. Atriplex sativa altera solio, & flore purpureo-livens. Lob. Icon. 253.

Atriplex sylvestris folio sinuato candicante. C.B.P. 119. Chenopodium folio sinuato candicante. Tournef. 506.

Atriplex sylvestris . I. B. tom. 2. 972.

Atriplex sylvestris altera. C.B.P. 119. Cynocrambe prima Casalp.

Atriplex urbana folio crasso, calloso obscure virenti lu-

cido dentato. Cup. H. Cath.

Atriplex sylvestris latisolia. C.B.P. 119. Atriplex sylvestris, sive pes Anserinus, latisolial aceris laciniis. Lob. Adv. Chenopodium pes Anserinus. 1. T. M. Icon. 427.

Artiplex sylvestris latifolia acutiori folio. C.B.P. 119. Chenopodium pes Anserinus secundus. T.M. Icon. 428. Tourn. 506. Atriplex dictus pes Anserinus alter, sive

ramofior . I.B. tom.2.976.

Atriplex fetida. C. B. P. 119. Vulvaria. T. M. Lugd. Chenopodium fetidus. Tourn. 506. Atriplex fetida.

I. B. tom. 2. 974.

Atriplex angusto oblongo folio. C. B. Pin. 119. Atriplex sylvestris polygoni, aut helxines folio. Adv.
Lob.

Atriplex maritima laciniata . C.B.P. 120. Atriplex mari-

na . Matth.

Atriplex mori fructu major, seu frugisera major. Moris. hist. 606. spinachia frugisera. Aldini bort. Farn. 85.

Avena monoglomos. Cup. H. Cath.

Avel-

Catalogus

Avellana major . Lugd. Camer. Corylus sativa fructu ro-

tundo maximo . C. B. P. 418.

Avellana rubra oblonga rubicunda Lombardica. Gefn. bort. Corylus sativa fructu oblongo rubente. C. B. Pin. 418.

Auricula ursi. Dod. Sanicula alpina lutea. C.B.P. 242. Auricula ursi flore purpureo . Lobel. Icon. Sanicula alpina purpurea. C. B. Pin. 242. Sanicula alpina rubra.

T. M.

Auricula ursi quinta. Clusis bist. Sanicula alpina foliis rotundis . C.B.P. 242.

Auricula ursi 3. Clus. Sanicula alpina flore variegato. C. B. P. 242. Auricula urfi 8. Cluf. Cur. post. & T. M.

Auricula ursi Holandica latifolia oblongo cinereo flore violaceo, & species saniculæ alpinæ, foliis quasi farina aspersis. C. B P. 243.

Auricula ursi Holandica flore croceo.

Auricula ursi latifolia glabra flore atrorubente pleno odorato peregrina.

Auricula ursi Holandica flore odorato pleno croceo.

Eadem flore pleno stellato.

Eadem flore pleno violaceo caule folioso.

Auricula ursi latifolia glabra slore magno purpureo umbellato maximo.

Eadem flore rubro in medio luteo .

Auricula ursi Holandica latifolia glabra flore magno nigricante in medio albo cinere asperso.

Auricula ursi Holandica cinereo folio flore luteo, &

violaceo mixto variegata.

Auricula ursi latisolia crenata slore ex albo, & rubro mixto variegato, umbella maxima.

Auricula ursi minor, flore ex rubro, & albo varie-

gato .

Auricula ursi minor angustifolia flore persici colore. Auricula ursi minor angustifolia flore pallido.

Eadem flore rubello in medio linea alba notato.

Eadem flore candido.

Auricula ursi latifolia oblongo flore cinereo .! Auricula ursi minor flore sulphureo.

Eadem flore majore crispo.

Eadem flore pallescente crispo.

Aliæque Auricularum plurimæ varietates, quas lon-

gum foret hic omnes recenfere.

Auricula Muris camer. Loto affinis siliquis hirsutis cir-

cinatis. C. B. P. 333.

Auricula ursi maxima latioribus a & longioribus foliis flore luteo. Ales. Ballam,

Meriam alpinum quibuldam, airis Ledom elabruma.

Chemistracylanicus . H. ... B. M. agolf. I

es versionies gameines tende frudtu longiere.

fitanica. Padi-Papel. Herr. Melich. S. 17 memordi-

ar, 909. Hallamina schot inpat

Mal , mild smile lay y oller longer signer

it hillowla, tel Ass note me rangere I.

command are some their mention there are an areas and

is a L. B. comer. lor as at .. walnot B. L. ou



Accharis Monspeliensium. Lob. Adv. Conyza major vulgaris. C. B. Pin. 265. Conyza major. Matth. Baccharis quibusdam. I. B. tom. 2, 1, 24, 1051.

Balsamum alpinum hirsutum vulgo. Cistus Ledum alpinum hirsutum. C. B. Pin. 468. Nerium alpinum quibus-

dam alis Ledum hirfutum. I.B. tom.2. 1.13. 21.

Balsamum alpinum glabrum vulgo. Cistus Ledum alpinum foliis ferrea rubigine nigricantibus. C.B.P.468.
Nerium alpinum quibusdam, aliis Ledum glabrum.
I.B. tom.2. 1.13.21.

Balsamina rotundisolia repens, seu mas. C. B. P. 306. cucumis puniceus. Cord. Moris. Balsamina cucumeri-

na. I. B. tom.2. l.16.251. vulgo momordica.

Balsamina cucumerina punicea Ceylanica major. Hort. Amstel. Commel. Momordica zeylanica Volckameri. Cucumis zeylanicus. Herm. H. L. B. Maragosa Lussitanica. Pradi-Papel. Hort. Malab. 8. 17. momordica zeylanica pampinea fronde fructu longiore. Tourness. 86.

Balsamina fœmina. C. B. P. 306. flore incarnato Balsamina fœmina persici folio, vel salicis folio. I. B. tom. 2. l. 21. 909. Balsamina, herba impatiens, seu noli me tangere, flore patulo eleganter dilute ruben-

te. Moris.

Eadem flore candido.

Eadem flore flammeo, vel puniceo.

Eadem flore violaceo.

Balsamina lutea, sive noli me tangere. C. B. Pin. 306.
Persicaria siliquosa. Lob. Adv. noli me tangere. I. B.
tom. 2. 1.21. 903. Balsamina herba impatiens, seu noli me tangere, slore patulo luteo. Moris.

Barba capræ floribus oblongis. C. B. P. 163. Barba ca-

præ. I. B. tom.3 1.30. 488.

Barba capræ floribus compactis. C. B. Pin. 163. Ulma-

ria.

ria. I.B. tom. 3 l. 30. 488. Regina Prati. Dodon.
Barba Jovis. Cafalp. Barbæ jovis prima species. Anguil.
C. B. P. 397. Jovis barba. Lugd. Jovis barba pulchre lucens. I. B. tom. 1. 1.11. 385.

Bellis sylvestris caule folioso major. C.B.P. 261. Bellis

major. I. B. tom.3. 1.26. 114. caule glabro.

Bellis alpina major rigido folio, quæ prima in Prodr. C.B.P. 261. Bellis alpina major foliis angustis rigidis.

I. B. tom. 3. 1.26. 115.

Bellis sylvestris media caule carens. C. B. Pin. 261.

Bellis media. Matth. Bellis sylvatica. I. B. tom. 3.
1. 26. 114.

Bellis sylvestris minor. C.B.P. 261. Bellis minor sylve-

fris spontanea. I.B. tom. 3. 1.26. 111.

Bellis hortensis flore pleno. C.B P. 261. flore albo.

Bellis hortensis flore purpureo, & albo mixto inter Variet C.B.P. 261.

Bellis hortensis minor flore coccineo.

Bellis cærulea caule nudo. C.B.P. 262. aphyllanthes 3. Lugd.

Bellis cærulea caule folioso. C.B.P. 262. bellis cærulea, Globularia Monspeliensium. Lob. Adv. scabiosæ pumilum genus. Clusii.

Bellis cærulea montana frutescens. C.B.P. 262. scabiosa

repens montana. Camer.

Bellis ramosa umbellisera. Cornuti 194. bellis major ramosa umbellisera Americana. Park. Theat. 528. Aster

ramosus annuus canadensis. Moris.

Bellis leucanthema Tanaceti foliis inodoris flore majori. Morif. Tanacetum inodorum flore majori. C. B. P. 132. Tanacetum album flore ampliore. I. B. tom. 3. 1.29.133. descript.

Berberis dumetorum. C.B. P. 454. Oxyacantha Galeni, non Dioscoridis Cordo crispinus. Matth. Berberis vulgo, quæ & Oxyacantha putata. I.B. tom. I.

1.6. 53.

Betz communis, sive viridis. C. B. P. 118.

Beta alba, vel pallescens, quæ cicla officinarum. C. B. Pin. 118.

Beta rubra vulgaris. C. B. P. 118.

Beta rubra radice rapæ. C. B. P. 118. Beta radice rubra crassa. I. B. tom.2. 23. 901.

Betonica purpurea. C.B.P. 235. Betonica vulgaris purpu-

rea. I. B. tom. 3. 1.38. 301.

Betonica alba. C.B.P.235. Betonica flore albo. I.B.tom.

3. 1.28. 302. albo flore . Dod.

Betonica maxima scrophulariæ folio flore e luteo pallescente. Schol. Bot. Betonica Virginiana elatior scrophulariæ folio flore ochroleuco. Pluk.

Eadem flore purpureo.

Betonica fætida. Gefn. Stachys palustris fetida. C. B. P. 36. Galeopsis angustifolia fetida. I. B. tom. 3. app. 854.

Betonicæ folio capitulo Alopecuri. Alopecuri genus, sive Alopecuros montana. Lugd. ex C.B P. 235.

Bistorta major radice magis intorta. C.B.P. 192.

Bistorta alpina minor. C. B. P. 192. Bistorta alpina minima altera. Commel.

Blattaria lutea folio longo laciniato. C.B.P. 240. Blattaria. Matth.

Blattaria Lusitanica flore luteo magno.

Blattaria purpurea. C.B.P. 241. Blattaria phenicea. T. M. Blattaria flore croceo Horti Messanensis . Blattaria Anglicana perennis flore obsolete phæniceo. H. R. P.

Blitum majus album. C. B. P. 118. Blitum pulchrum magnum album. I. B. tom. 2. l. 23. 967. Blitum. . Matth.

Blitum album minus . C. B. Pin. 118. Blitum minus . Dod.

Botrys chamædryoides. C. B. P. 138. Botrys verticillatum. I.B. tom. 3.1.28.298. Chamædrys foliis laciniatis Botryos facie. H. L.B. Chamædrys laciniatis foliis. Lobel. Chamæpitys altera. Dod.

Botrys ambrossoides vulgaris. C. B. Pin. 139. Botrys.

Matth. Atriplex odorata, sive suave olens. Moris.

histor. Non videtur suavitas inesse. nam gravi est odore.

Brassica capitata alba. C. B. Pin. 111. I. B. tom. 2. 1.21. 826. Caputium, Brassicæ 3. genus, cumanum. Pli-

nii . Eric. Cord.

Brassica capitata rubra . C. B. P. 111. I. B. tom. 2. l. 21. 831. Brassica convoluta, & arcte occlusa rubro colore. Lob. Adv.

Brassica gongylodes. C. B. Pin. 111. Brassica caulem ra-

pum gerens. Dod.

Brassica cauliflora. C.B.P.III. prolifera florida. T.M. Brassica alba, vel viridis. C. B. Pin. III. Brassica vulgaris. Lob. Adv.

Brassica rubra. C. B. Pin. III. Cumana, sive rubra.

Dod. Gal.

Brassica sylvestris ramosa tota plene glabra. C. B. Pin. 112. Turrita minor. Classi.

Braffica folio virid. albicant. crispo laciniato.

Eadem folio rubro.

Brassica sylvestris foliis integris, & hispidis. C. B. P. 112. Turritis. Lob. Vaccaria. T.M. Turrita vulga-

ris. Clusi.

Bryonia aspera, sive alba baccis rubris. C. B. P. 297. Vitis alba, sive Bryonia. I. B. tom. 2. l. 15. 143. Bryonia aspera incana alba baccis rubris. Morif. Bryonia alba. Dod. Vitis alba. Matth.

Bryonia levis, sive nigra racemosa. C. B. P. 297. Vitis nigra quibusdam, sive Tamnus Plinii solio cyclaminis. I. B. tom. 2. 1.15. 143. Vitis nigra. Matth. Tamnum vulgo. Casalp. Vitis sylvestris, sive sigillum Mariæ. Dod.

Bryonia zeylanica foliis profunde laciniatis. Herm. H. L. B. fructu rotundo parvo striato. Bryonia zeylanica foliis in profundas lacinias divisis fructu minori.

Tourn, 102.

30 Bryonia zeylanica aspera semine Anguriæ; an Cucumis canadensis monospermos, fructu echinato. Herm. Parad. Batav. Icon.

Brunella major folio non dissecto. C.B.P.260. Prunella flore minore vulgaris. I. B. tom. 3. 1.30. 428. Brunel-

la . Dod. 136.

Brunella folio laciniato. C. B. P. 261. Prunella laciniata flore magno purpureo. I. B. tom. 3. 1.20. 429 Brunella 2. flore purpureo. Chisi bist. 43. symphytum petræum. Lob.

Eadem flore albo, an Prunella flore albo parvo folio

laciniato. I. B. tom. 3. 1.30. 429.

Brunella cerulea magno flore. C. B. P. 261. Prunella flore migno, folio non laciniato. I. B. tom. 3.429. Prunella I. Chufii .

Brunella Bugula Orientalis latissimo folio villoso. Tour-

nef. Corall.

Bruscus, sive Ruscus. Ger. Ruscus Matth. Trag. C. B. P 470. Ruscus Myrtifolius aculeatus. Tournef. 79. Ruscus. I. B. tom. I. 579. Ruscum. Dod.

Buglosum latifolium Borrago. C.B.P. 256. Borrago flo-

ribus ceruleis. I. B. tom. 3. 1.33. 574.

Idem floribus albis. I. B. tom. 3.1.33. 574. floribus candidis. C.B.P. Variet. 256.

Buglossum latifolium semper virens. C.B.P. 256. Buglossum folio Borraginis Hispanicum. I.B. tom.3 1.33 577.

Buglossum angustifolium majus. C. B. P. 256. flore ceruleo; Variet.256. Buglossum vulgare majus. I.B.to.3.

133. 578. Buglossum vulgare. Matth.

Buglossum vulgare asperitate, & proceritate discrepans. C.B.P. 256. Buglossum vulgare violaceo, & albo colore. Eyft.

Buglossum angustifolium minus . C.B. P. 256, buglossum vulgare minus. I. B. tom 3.1.33.578. Anchusæ genus. Dod, Buglossa minor . Trag.

Buglossum, Borigine silvestre annua di Candia. Zanoni p. 48. cap. 24. sed flore albo.

Buglossum. Boragine murale variegata, con siore odorato di Candia. Zanoni p.46. cap.23. Buglossum creticum minimum odoratum flore vario eleganti. H. R. Paris. Tourn. 134.

Buglossum creticum maius flore cæruleo purpurante. H. R. Parif. Tourn. 134. Boragine silvestre di Candia

di fior azurro. Zanoni p. 51. cap. 27.

Bulbus Eriophorus orientalis. C. B. P. 47. I. B. tom. 2. l. 19. 585. Hyacinthus Eriophorus Orientalis. Morif.

Bulbus Eriophorus. Dod.

Bulbocastanum majus folio Apii. C. B. P. 162. Bulboca-stanum. Morif. Umbel. 5. I.B. tom. 3. 1.27. 31. Dod. 334.

Buphthalmum tanaceti minoris foliis. C.B.P. 134. Chamæmelum Chrysanthemum quorundam. I.B. tom. 3. 1. 26. 220. Chrysanthemum Tanaceti minoris foliis. Moris. Buphthalmum vulgare Chrysanthemi congener. clus. bist. 332.

Buphthalmum Tanaceti minoris foliis majus flore candido. Clar. Volcham. an Buphthalmum Tanaceti mi-

noris folio flore albo. Tourn. 495.

Idem flore luteo.

Buphthalmum cotulæ folio. C. B. Pin. 134. Buphthalmum tenuifolium folio millefolii fere 1. B. tom 3. 1.26. 124. Chryfanthemum cotulæ folio. Herm. H.IL.

B. Cotula flore luteo radiato. Tourn. 495.

Buphthalmum lanuginosum foliis millefolii C.B.P.135. Chrysanthemum . Valentinum Clusii . Buphthalmum tenuifolium Narbonense . Lob. obs. Cotula flore luteo nudo . Tour. 499. Chrysanthemum Valentinum . Clus. I. B. tom. 3. 125.

Bupleurum folio rigido. C.B.P.278. Bupleurum perenne latifolium. Morif. Umb. 26. Auricula leporis altera, five rigidior. I.B. tom. 3. 1.27. 200. Bupleurum alte-

rum latifolium. Dod. 633.

Bupleurum angustissimo folio. C. B. P. 278. Bupleurum minimum. Colum. par. I. 247. auricula leporis minima. I. B. tom. 3. part. 2. 201.

Bur-

Catalogus

Bursa Pastoris major folio non sinuato in Prodr. descrip. C.B.P. 108. Bursa pastoris major capsula cordata foliis non sinuatis. Moris.

Bursa pastoris major folio sinuato. C. B. P. 108. Bursa pastoria. I.B. tom. 2. 1.22. 936. Bursa pastoris foliis laci-

niatis. Moris. Bursa pastoris. Matth.

Bursa pastoris media. C.B. P. 108. Bursa pastoria minor. T. M. minima. Gerard. Bursa pastoris minor capsula

brevi cordata foliis sinuatis. Morif.

Bursa pastoris minor foliis inciss. C. B.P. 108. Bursa pastoris parva folio glabro, spisso. I. B. tom.2. I. 22. 137. Bursa pastoris minor foliis alatis costæ mediæ e regione adhærentibus, uno impare extremum claudente. Moris. hist.

Bursa pasteris major loculo oblongo. C. B. P. 108. in Prodr. Draba minima muralis. Dioscor. Columna. Bursa pa-

storis major.

Bursa pastoris minor loculo oblongo. C. B. P. 108. Bursa pastoria minima oblongis siliquis verna loculo oblongo. I. B. tom.2.l.22. 937. Bursa pastoris minor loculo oblongo. Moris.

Buxus foliis rotundioribus. C. B.P. 471. Buxus humilis.

Dod.

Buxus arborescens. C.B.P. 471. Buxus. I.B. tom. 1. 1.42. 471. Buxus. Matth.

Buxus foliis aureis, & variegatis. H.R. Paris. Buxus au-

ratus. Park.

Buxus flore coluteæ. Chamæbuxus flore coluteæ. C. B. P. 471. Astragalus humilis buxifolius. Herm. H. L. B. Chamæbuxus, sive Chamæbixos. I. B. tom. I.l. 5. 24.

Acalia foliis crassis hirfutis. C. B. Pin. 198.

Cacalia foliis cutaneis acutioribus & glabris. C.B.P.198. Cacalia quibufdam . I. B. tom. 3. 1.32. 569. Cacalia 2. glabro folio. Cluf.

Cacris semine fungoso sulcato aspero

minori . Tournef . Corall.

Calamintha vulgaris, vel officinarum Germaniæ. C. B.P.228. calamintha flore magno vulgaris. I.B. tom.

3. 1.28. 228. calamintha 1. Matth.

Calamintha magno flore. C. B. Pin. 229. calamintha montana flore magno ex calyce longo. I. B. tom. 3. 1. 28. 229. calamintha montana præstantior . Lob Ado.

Calamintha montana præalta, pulegii odore, dentatis foliis, floribus dilute ceruleis, ex longo, ramoso, & brachiato pediculo . Bocc. muf. p. 2.45. calamintha præalta pulegii odore, ejusdem Tab. 40. calamintha præalta pulegii odore altera Icon. ex Sabaudia. ejusdem tab. 38. ex Tournef. 194.

Calamintha arvensis verticillata. C. B. P. 229. Mentha arvensis verticillata hirsuta. I. B. tom. 3. l. 28.

217. calamintha aquatica. Matth.

Calendula vulgaris flore citrino simplici . Herm. H L.B. caltha vulgaris. C. B. P. 275. caltha flore simplici.

I. B. tom. 3. 1.26. 101. caltha. Matth.

Calendula polyanthos maxima. Herm. H. L. B. caltha

polyanthos maxima. C. B. P.275.

Calendula flore luteo, vel aureo pleno. H. L.B. caltha polyanthos major. C. B. Pin. 275. caltha flore pleno. I. B. tom.3. 1.26, 101.

Calendula prolifera majoribus floribus . H.L.B. caltha prolifera majoribus floribus. C. B. Pin. 276. caltha

prolifera, I. B. tom. 3. 1.26, 102.

Ca-

Calendula minor arvensis. H L.B. caltha arvensis. C.

B. Pin. 276.

Campanula maxima foliis latissimis. C. B. P.94. slore ceruleo. Campanula pulchra a Tosano Carolo missa. I. B. tom. 2. 1.20. 207. Trachelium majus Belgarum.

Lob. & Clufi.

Campanula hortenfis Rapunculi radice. C. B. Pin.94. cervicaria 4. Dod. campanula hortensis Rapunculi radice repente. Moris. campanula repens, flore mi-

nore ceruleo . I. B.tom. 2. 1.20. 706.

Campanula horteniis flore, & folio oblongo. C.B.P. 94. flore ceruleo. medium Matth. Viola Mariana. Gesn. Viola Mariana. Dod. quibusdam medium. I. B. tom.2. 1.20.804.

Eadem flore subalbido. C.B.P. variet. 94. Morishift.

2. descript. 4 5.

Campanula vulgatior foliis urticæ major, & asperior. C. B. P 94. Trachelium majus . Dod. Et cervicaria major. Ejusdem campanula vulgatior foliis urticæ, vel major, & asperior. I. B. tom. z. 1.20. 805. flore ceruleo . C. B. P. Variet. 94.

Campanula urticæ foliis oblongis minus asperis. C.B.

P.94. cervicaria major altera. Dod.

Campanula media foliis inferius candida lanugine vestitis. C. B. P. 94. cervicaria media Thalii.

Campanula foliis Echii floribus villosis. C. B. P. 94.

quæ 3. in Prodr.

Campanula foliis Anchusæ floribus oblongis . C. B.P. 94.

Trachelium montanum. Lugd.

Campanula pratensis flore conglomerato. C.B.Pin. 94. Trachelium minus . Dod. Gal. Trachelium minus multis. I.B. tom.2. 1.20, 800.

Cannabis fativa. C.B.Pin.320. cannabis mas. I.B.tom.

3. 1.30.447.

Cannabis erratica. C.B. P. 320. cannabis fæmina. I. B. tom. 3. l. 30. 448. cannabis sterilis. Dod. flore purpureo.

Eadem flore luteo pallescente.

Cannabina aquatica folio tripartito diviso. C.B.Pin.321.

Hepatorium aquatile. Dod.

Cannabina aquatica folio non diviso. C.B.P. 321. Eupatorium cannabinum chrysanthemum. T.M.

Capsicum Clusii in mon. Piper indicum vulgatissimum. C. B.P. 102. Solanum capsicum dictum vulgatissimum.

Herm. H.L.B. Piper indicum. Matth.

Capsicum solanum capsicum dictum propendentibus siliquis recurvis. Herm. H.L.B. Piper indicum propendentibus siliquis oblongis recurvis. C. B. P.102. Piper indicum, sive calecuticum, sive capsicum oblongius. I.B. tom. 2.1.22. 934.

Idem filiqua flava. C.B.P. Variet. 102. flavis oblongis

filiquis. Piper indicum aureum latum. Eyft.

Capsicum brevioribus siliquis. Lob. Piper indicum siliquis surrectis cerasi forma. C. B. P. 103. rubris solanum capsicum siliquis erectis cerasi essigie. Lob. bort. Cath. siliquastrum rotundum angustisolium. T. M. capsicum siliquis surrectis cerasi forma. Tourn. 153. Piper siliqua parva Brasilianum. I.B. to. 2. 944.

Cardamine altera. Lobel. Lugd. Nasturtium pratense magno flore. C. B.P. 104. Nasturtium pratense magno flore simplici. Moris. Iberis Fuchsii, sive Nasturtium pratense. I. B. tom. 2. l. 21. 889. Flos cuculi. Brunf. Dod.

Cardamine altera flore pleno. Clus. hist. Nasturtium pratense flore pleno. C. B. P. 104. Iberis Fuchsii, sive Nasturtium pratense flore pleno. I. B. tom. 2.

1.21. 889.

Cardamine. Gerardi. Cardamine 2. T. M. Nasturtium pratense solio rotundiore flore majore. C. B. Pin.

104.

Cardamine quarta Dalechampi . Lugd. Nasturtium aquaticum minus. C. B. P. 104. Sisymbrium cardamine hirsutum minus slore purpureo . I. B. tom. 2. 1.21.888.

3 Care

36 Catalogus

Cardamine trifolia. Lob. Nasturtium alpinum trifolium. C.B.P.104. Nasturtium alpinum trifoliatum. Moris. Iberidi Fuchsii affinis trifolia cardamine. I. B. tom. 2. 1.21. 800.

Cardiaca Matth. Marrubium cardiaca dictum forte primum. Theoph. C. B. P. 230. cardiaca. I.B. tom. 3. 1.

28. 320.

Cardiaca Africana perennis, foliis sideritidis, floribus longissimis phæniceis villosis. Herm. H.L.B. Leonurus perennis Africanus vulgo. Leonurus capitis bonæ spei. Breyn. cent. I. Sideritis cannabina Æthiopica frutescens phæniceo flore maximo villoso. Breyn. Prodr. 47.

Cardiaca Americana annua Necetæ folio, floribus brevibus pheniceis villosis. Leonurus annuus America-

nus vulgo.

Carduus pratensis latifolius. C. B.Pin. 376. Acanthus sylvestris. Lugd. Carduus pratensis Tragi. I. B.tom. 3. 1.25. 42.

Carduus pratensis foliis tenuibus laciniatis. C.B.P.376.

Erifithales Plinii . Anguil. Lugd.

Carduus pratensis Asphodeli radice soliis profunde & tenuiter laciniatis. C. B. P. 577. Acanthus sylvestris alter Dalechampii. Lugd. Jacea aculeata, seu tuberosa, vel 47. T.M.

Carduus in Avena proveniens. C. B. P. 377. carduus

arvensis. T.M.

Carduus mollis foliis Helenii. C. B. Pin. 377. carduus mollis. Camer.

Carduus mollis latifolius lappæ capitulis, qui in Prodr. C. B. P. 377.

Carduus mollis lapathi foliis. C. B. Pin. 377. carduus mollis, vel mollior 2. clus.

Carduus mollis laciniato folio. C. B. Pin. 377. carduus

mollis 1. Clus. mollis tenuifolius. Camer.

Carduus albis maculis notatus vulgaris. C. B. Pin.381. carduus lacteus. Matth. carduus Marianus, sive lacteis

deis maculis notatus. I. B. tom. 3. 1. 5. 52. Carduus albis maculis notatus creticus semine albo. Carduus albis maculis notatus exoticus. C.B.Pin.381. carduus lacteus peregrinus. Camer. I. B. tom. 3. 1.

datie H Coth. Supp. 3. ub.; Cylibum mais 87.52 Carduus lacteus, seu Galactites. I. B. tom. 3. 54.

Tourn. 441.

Carduus sphærocephalus latifolius vulgaris. C. B. Pin. 381. carduus globosus. Ger. flore albo.

Carduus sphærocephalus cæruleus. C. B. Pin.

Carduus capite rotundo tomentoso. C. B. P. 382. carduus Eriocephalus. Dod. 723. carduus capite tomentofo . I. B. tom. 2. 57.

Carduus Lusitanicus capitulo tomentoso flore luteo. Carduus Lusitanicus luteus foliis coronopi glabris,

& rigidis. Tournef. 442.

Carduus humilis aculeatus Ptarmicæ foliis Austriace. Triumph. obf. 96. Carduus stellatus foliis integris flore purpureo. H. R. Paris. carduus stellatus leucoii lutei foliis. A. R. Parif. 69. carduus Leucoii foliis. Moris. Bles. ex Tournef.440. Triumfettus, esse leucoii foliis carduum Morisono non satis arridet; an carduncellus purpureus pulchellus, aculeis ad alas, feu angulos deorsum (nostra sursum) spectantibus Ptarmicæ Austriacæ foliis lævibus. hort. Cath. 36.

Carduus minor humilis lanceolato, atro angustissimo

folio, purpureus. hort. Cath. 36.

Carduus minimus Alpini exot. p.255. carduus parvus. I. B. tom.3.93. cnicus exiguus capite cancellato semine tomentoso. Tourn. 451; qui Alpini nomenclaturam respuit; an cardunculus nanus capitulo squamato, argentea macula notato foliis spinosis reticulatis obducto. H.Cath. 37.

Carduus palustris, altissimus lanceolato folio, ramosus, caule folioso, spinosissimus capitibus compactis. bort. Cath. 36. an carduus lanceolatus exoticus

altissimus. Tourn. 440.

Car

Catalogus

38 Carduus gygas pyramidalis Acanthi foliis tomentofis pycnopolysphærocephalus flore albo . H. Cath. 37.

Carduus leucographis, purpureus, capitibus acutiffimis, ac ferocissimis spinis eminentibus subcircumdatis . H. Cath. Supp. 3. ubi; sylibum majus annuum . Park.

Carduus lanceolatus latifolius. C. B. Pin. 385. carduus

lanceolatus. T. M. flore purpureo.

Idem flore albo. Cat. H. R. Paris. 38.

Carduus acaulis Septentrionalium, & chamæleon albus cordi; carlina acaulos minore purpureo flore. C. B. Pin. 380. carduus humilis, minore flore carlinæ foliis. Herm. H. L. B. chamæleon exiguus. Trag.

I.B.tom. 3. 1.27. 62.

Carduus, five chameleon albus. Matth. carlina acaulos magno flore. C. B. P. 38. carlina caulifera, vel acaulos. I. B. tom. 3. 1. 25. 64. carduus panis, seu Pacis. Enric. cord. carlina vulgo Cæsalp. carlina officinarum.

Carduus spinosissimus sphærocephalus rigidis aculeis ar-

matus . C.B. Pin. 385.

Carduus fullonum sativus. Trag. Dipsacus sativus. C.

B. Pin. 385. I. B. tom. 3.1.25. 73.

Carduus fullonum folio laciniato. Dipsacus folio laci-

niato. C. B. P.385. I. B. tom.3. 1.25. 74.

Carduus Fullonum erraticus Tragi Diplacus sylvestris. aut Virga pastoris major. C. B. Pin. 385. Dipsacus sylvestris, sive Labrum Veneris . I. B. tom. 3. 1. 25. 74.

Cardui Fullonii tertium genus Tragi . Dipfacus fylvestris capitulo minore, vel Virga Pastoris minor. C. B. Pin. 385. Virga Pastoris vulgaris . I. B. tom.

3.1.25.75.

Carduus stellatus foliis papaveris erratici. C. B. Pin. 387. carduus stellatus, sive calcitrappa. Lob. & I.B. tom. 3. 1. 25. 89. Spinastella. T. M. Icon. 702. Hippophæstum. Col. Phyt. 107.

Car-

39

Carduus stellatus luteus foliis cyani. C. B. P. 387. spina solstitialis. Dod.

Carduus benedictus. I. B. tom.3. 1.25.45. cnicus sylvestris hirsution, sive carduus benedictus. C. B. P.

378.

Carduus non aculeatus. Matth. cinara hortensis soliis non aculeatis. C. B. Pin 383. carduus, sive scolymus sativus non spinosus. I. B. tom. 3.1.25.48.

Carduus altilis. Lugd. cinara hortensis aculeata. C.B. P.383. carduus, sive scolymus sativus spinosus. I.B.

tom.3. 1.25.44.

Carduus, sive cinara hortensis non spinosa fructu ni-

gro.

Carduus chrysanthemos. Dod. Scolymus chrysanthemus. C.B. P. 384. Eryngium luteum facie cardui. Herm. H.L.B. spina lutea. I. B. tom. 3. 1.25.84.

Carduus spinosissimus latifolius sphærocephalus vulga-

ris. C.B.P. 385. carduus Asininus. Gesn.

* Carduus sylvaticus altissimus polycephalus capitulis compactis caule rotundo acutissimis spinis armato. H. M.

Caryophyllata vulgaris. C. B. Pin. 321. caryophyllata vulgaris flore parvo luteo. I. B. tom. 2. l. 17. 398.

Herba benedicta. Brunf.4.

Caryophyllata alpina lutea. C. B. P. 322. caryophyllata montana flore magno luteo. I. B. tom. 2. l. 17. 398. Caryophyllata alpina lutea major. Moris. hist. montana. Matth. major rotundifolia. Loh.

Caryophyllata aquatica nutante flore. C. B. Pin. 321. caryophyllata montana. 1. Clusii. caryophyllata aquatica flore rubro striato. I. B. tom. 2.1.17.398.

Caryophyllus maximus ruber. G. B. P. 207. cariophyl-

lus maximus plenus flore rubro. Eyft.

Caryophyllus maximus, & plenissimus colore mixto carneo, quibusdam corniculis lacteis. Bry. C. B. P. 207.

Caryophyllus maximus variegatus. C.B. Pin. 207. Beto-

nica coronaria flore pleno maxima punctis rubris variegata. I.B. tom.3.l.29.327.

Caryophyllus maximus, & plenissimus colore vario in diversis foliis, scarlatino dillutius rubente albo.

Bry. C.B.P.207.

Caryophyllus maximus, & plenissimus colore rubro saturatione staminulis tribus niveis in medio. Bry. C. B. P.207.

Caryophyllus multiplex flore albo, etiam rubro &

& carneo . Eyft. & Svvert. C.B.P. 207.

Caryophyllus pleno flore coloris albi, mista, & sparsa rubedine, Bry. G. B. P. 207.

Caryophyllus albus lineis rubris subtilissime distinctus.

Svvert. C. B. P. 207.

Caryophyllus flore majore partim carneus partim albus, rubris striis, ac punctulis variegatus. Eyst. C. B. P. 207.

Caryophyllus maximus, & plenissimus flore roseo.

Caryophyllus maximus, & plenissimus albo flore pun-Ais sanguineis asperso.

Caryophyllus maximus, & plenissimus flore albicante

rubescente.

Caryophyllus maximus, & plenissimus flore atro-rubente.

Caryophyllus maximus, & plenissimus flore incarna-

Caryophyllus maximus, & plenissimus flore Persici colore.

Caryophyllus maximus, & plenissimus flore albo, & purpureo variegato.

Caryophyllus cinensis latifolius flore elegantissimo va-

riegato Volckameri.

Caryophyllorum plures species variis coloribus distinclæ, & simplices, & multiplices.

Caryophyllus sylvestris alter flore laciniato odoratis-

fimo. C. B. P. 210.

Caryophyllus flore tenuissime dissecto. C.B. P.209.

Ca-

Caryophyllus sylvestris flore laciniato pallide rubente cum staminulis corniculatis odoratis: an Betonica coronaria minus ramosa flore tenuiter simbriato albo, corniculis duobus emergentibus. Ioa. B. tom. 3. lib. 29. 332. caryophyllus pulmarius, floribus odoratis staminulis corniculatis. Morif. bistor. 2. 562.

Caryophyllus sylvestris tertius flore laciniato staminu-

lis corniculatis odoratis. C. B. P. 210.

Caryophyllus vulgaris sylvestris angustifolius. C. B.P. 208. unguibus purpureis insignis. Betonica coronaria, sive caryophyllea, corolla purpurea insignis. I.B. tom. 3. 1.29. 329.

Caryophyllus alpinus linifolius radice amplissima, sa-

xifraga 3. Catal. Pat. Tur.

Caryophyllus barbatus hortensis flore multiplici. C. B. P. 208. Betonica coronaria latifolia petræa pleno flore rubro, vel ad purpureum accedente. I.B.tom. 3. 1.29. 333.

Caryophyllus barbatus hortensis simplex vulgaris lati-

folius flore albo. C. B. P. 208.

Idem flore purpureo. C. B. P. Variet. 208. Armeria

flore rubro. Svvert.

Caryophyllus sylvestris prolifer. C. B. P. 209. caryophyllus barbatus annuus latifolius multis capsulis simul junctis striatus. Moris. Betonica coronaria squamosa sylvestris. I. B. tom. 3.335. Armeria prolifera.

Lob. Icon. 449.

-35 L

Caryophyllus barbatus hortensis angustifolius. C.B. P. 209. Betonica coronaria latisolia, angustiore calyculo soliis fastigiatis cincto suaverubente slore. Lob. 4. Armerius simplex slos Pannonicus. clusi. I.B. tom. 3.333. Armeria altera suaverubente slore, & angustiore calyculo soliolis sastigiatis cincto. Lob. Icon. 448. ex Tourn. 331.

Caryophyllus arvensis hirsutus flore majore. C. B. P.

210. Holostium caryophyllæum. T.M.

Ca-

42

Caryophyllus holostius tomentosus angustifolius. C. B.Pin. 210. in Prodr.

Caryophyllus arvensis umbellatus folio glabro . C. B. P. 209. Holostæum caryophyllatum arvense. T.M.

Caryophyllus arvensis glaber flore majore. C.B. Pin. 210. Gramen Leuchanthemum . Dodon. Lychnis arvensis glabra flore majore. Moris. Gramen Fuchsii, sive Leucanthemon. I.B. tom.3.1.29.361.

Caryophy arvensis glaber flore minore . C. B. Pin. 210. Lychnis arvensis glabro flore minore. Moris. Gramini Fuchsii Leucanthemo affinis & similis herba. I. B. tom. 3. 1. 29. 361. Gramen Leucanthemum alterum. Ger.

Caryophylus montanus major flore globoso. C. B. P. III. Gramen Polyanthemum majus. Dodon. scabiosa montana gioboso flore gramineis foliis latioribus. Herm. H.L.B. caryophylleus flos aphyllocaulos, vel junceus major. I. B. tom. 3. 1.29. 336.

Caryophyllus flore purpureo axítus plumbeis. Sherard. Carthamus, five cnicus. I. B. tom.3. 1.25.79. cnicus fativus, five carthamum officinarum. C. B. P. 378. Carthamus officinarum flore croceo . Tourn. 457. cnicus vulgaris. Cluf. hist. c. 111.

Carthamus, five cnicus flore ceruleo . I. B. tom. 3. 1. 25. 80. cnicus ceruleus asperior. C.B.P. 378.

Carthamus, five cnicus cæruleus humilis montis Lupi . H.L.B. Eryngium montanum minimum capitu. lo magno. C. B. P. 386. carduncellus montis Lupi Lobelii Icon. 20. I.B. tom. 3 92.

Carthamus flore veluti umbellato. T.Coroll.

Idem: incano folio an cnicus cæruleus asper imis fo. liis canescentibus carduncelli montis Lupi H. Cath. Supp. 20.

Castanea folio multifido. C.B. P. 419. castanea equina folio multifido. I. B. tom. 1. 1.7.128. Hippocastanum vulgare. Tournef. 612. castanea equina. Dod. 814.

Carvi officinarum. carum, sive carvi. Moris, Umbel. 24. cuminum pratense, carvi officinarum. C. B. P.

158. caros. I. B. tom.3. 1.27. 69.

Caucalis maxima sphondylii semine aculeato. C.B.P. 152. Tordilium maximum sphondylii semine aculeato. Moris. Umbel. 40. caucalis major semine minus pulchro hirsuto. I.B. tom.3. 1.27. 85. an seseli creticum majus. C.B.P.161. ex Herm. H.L.B. an caucalis major. Cluss. I.B. tom.3.1.27.85. ex Herm. H.L.B.

Caucalis aruensis echinata latifolia. C.B. P. 152. Moris. Umbel. 33. Lappula canaria latifolia, sive I. B. tom. 3. 1.27.80. Echinophora major platiphyllos pur-

purea. colum.

Caucalis lato Apii folio. C. B. Pin. 152. caucalydes. Matth. I. B. tom. 3. lib. 27. 82. Daucoides majus. Cordi.

Caucalis arvensis echinata parvo flore, & fructu. C. B. Pin. 152. Echinophora 3. leptophyllon purpurea.

Caucalis arvensis echinata magno flore. C.B.Pin. 152.

Daucus echinocarpos minor Thalii.

Caucalis Daucoides altissima pastinacæ sylvestris folio flore albo: an caucalis major Daucoides Tingitana:

Moris. Umbel. 65.

Centaurium majus folio in lacinias plures diviso. C. B Pin. 117. centaurium majus juglandis folio. I.B.

tom. 3.1. 25. 38. centaurium magnum. Matth.

Centaurium alpinum luteum. C. B. Pin. 117. quod in Prodr. centauroides glabrum flore flavescente. I.B. tom. 3. lib. 25. 40. centaurium majus luteum cornuti.

Centaurium minus. C.B. P. 278. centaurium minus flore purpureo. I.B. tom.3. 1.29 353. centaurium minus rubrum. Moris. flore e puniceo colore in purpura rubente. C.B.P. Variet. 228.

*Centaurium creticum jaceæ nigræ folio capitulo ma-

gno flore luteo. H. M.

Centaurium luteum perfoliatum. C.B. P. 278. perfoliatum centaureum luteum. I.B. tom. 3.1.29.355.

Perfoliata Achillæa. Gefn. H. centaurium minus luteo flore perfoliatum. T.M.

Centaurium Orientale erectum Glasti folio flore luteo. T. Coroll.

Cepæa. C.B.P. 288. I.B. tom. 3. 1. 35. 679. pedum cepæa dictum . Herm. H.L.B. cepæa . Matth.

Cereus americanus serpens major articulatus, flore maximo noctu sese aperiente, & suavissimum odorem spirante. Hort. Med. Joan. Georg. Volch.

Eadem minor . Ibid.

Cereus Americanus triangulari latissimo folio. Volcham. Cereus erectus major spinis longissimis, & robustifsimis. Volcham. an Euphorbium. caft. Icon.

Cerinthe, five Cynoglossum montanum majus . C.B.P. 258. cerinthe quorundam major, versicolore flore. I.B.tom.3.1.33.602. flore purpureo.

Eadem flore luteo. C.B.P. Variet. 254.

Cherophyllum Sativum. C.B.P. 152. cerefolium sativum. Moris. Umbel. 46. chærephyllon. I. B. tom. 3. l. 25.75.

Chamæcistus vulgaris flore luteo. C.B.P. 465. Panax chironium quorundam Anguil. Helianthemum Cordi consolida aurea chirurgis ejusdem. Helianthemum vulgare flore luteo . I.B. 2.15.

Chamæcistus vulgaris flore albo majore. C.B.P.466.Helianthemum foliis majoribus flore albo. I.B. tom. 2. 1. 13. 16. cistus humilis, sive chamecistus vulgaris flore albo majore. ex Herm, H.L.B.

Chamæcistus serpillisolia storibus carneis. C.B.P.466.

Chamecistus 7. Clus.

-115

Chamecistus ericæ folio luteus. C.B.P.366. cistus humilis, sive chamecistus erice folio luteus. Helianthemum tenuisolium glabrum luteo slore. I.B. tom.3.1.13. 18. coris simillimus frutex in maritimis Cesalp. Erica chri-M.H. serul eroff Chafanthemos. Lugd.

Chamecistus foliis minoribus & incanis. C.B.P.466. Helianthos, sive flos solis. Lob. Adv. chironiæ aliud genus. Cæsalp. Cistus humilis clusio, sive Helianthemum omnino candicans flore nunc albo, nunc pallido. I.B. tom 2.1.13.16.

Chamecistus repens serpillisolia lutea C.B.Pin.466. ci-

stus humilis serpillifolia. T.M.

Chamædrys major repens. C.B.P.24. chamedrys vulgo vera existimata. I.B.tom.3.l.28.288. Trissago seu cha-

medrys. Matth. Lugd.

Chamedrys ficula repens pulchra foliis argenteis laciniatis flore albo ex Horto catholico: an chamedrys fupina foliis pulchre laciniatis chamedryos Botrioi-

dis facie inodora. H. Cat.47.

Chamædrys alpina cisti slore. C.B.P. 248. chamædrys montana frutescens durior. Adv. Lob. Herba cervi quibusdam. Gesn. H. Argentina mompelliaca. T. M. cariophyllata alpina chamedrios solio. Moris. chamędrys alpina slore fragariæ albo. I.B. tom. 3.290. Teucrium alpinum cisti slore. Ger.

Chamædrys alpina faxatilis. C.B.P. 248. Veronica petræa sempervirens. Ponæ in Baldo f. 179. Veronica petrea semper virens. Ponæ ad chamædrym vulgarem

falsam accedens. I.B.tom.3.289.

Chamædrys alpina minima hirsuta. C.B.P. 288. 4. in

Prod. an Teucrium minimum Clufii.

Chamædrys spuria major altera, sive frutescens. C.B. P. 288. Veronica major frutescens altera. Moris. chamedrys salsa maxima: an Teucrium I. sive majus Pannonicum Clusio. I.B. tom. 3.268. Teucrium 4. Clusis hist. 349.

Chamædrys spuria major angustisolia C.B.P.249. Veronica supina faciæ Teucrii pratensis. Lob. Icon. 473. chamedrys spuria angustisolia. I. B. tom. 3. 285. Teucrium. I. Matth. Hierobotane sæmina Dod. Gal. Lugd.

auricula muris v. Cæsalp.

Chamædrys spuria minor angustifolia. C.B.P.249. v. in

46 Prodr. Veronica minor, angustifolia ramosior & pro-

cumbens. Morif. chamædrys spuria minor angustifolia

I.B.tom.3.287.

Chamælæa tricoccos. C.B.P. 462. I. B. tom. I.l. 5. 584. chamælæa. Dod. hift. 363. Thymelæa foliis magnis & tenuibus Mesuæ . chamælæa Matth. Mezereon Arabum. Lob. Adv.

Chamæmelum vulgare, five Leuchanthemum. Diefc.C. B. P. 135. chamæmelum vulgare amarum. I. B. tom3.

1.26. 116.

Chamæmelum nobile, five Leuchanthemum odoratius. C.B.P.135. chamæmelum odoratissimum repens flore simplici. I.B.tom.3.1.26.118.

Chamæmelum Æthiopicum lanuginosum Breyn, cent, I. 188. chamæmelum curassavicum Æthiopicum lan-

natum inodorum dictum.

Chamæmelum fetidum .. C.B.P. 135. chamæmelum fætidum, sive cotula fetida. I.B.tom. 3.1.26.120. cotula fetida. Dodon, Gal.

Chamæpitys lutea vulgaris, five folio trifido C. B. P. 249. chamæpitys vulgaris odorata flore luteo. I.B.

tom. 3.1.28.295. Iva artetica officinarum.

Chamepeucæ. Prosp. Alpin. Exotic.

Chelidonium majus vulgare. C.B.P. 144. chelidonia. I.

B. tom. 3.1.30. 482.

Chelidonium majus foliis quernis C.B.P. 144. chelidonium majus laciniato flore, & foliis quernis. Moris. ex Herm. H.L.B.

Chelidonia rotundifolia major C.B.P. 309. in Prodr.

Chelidonia rotundifolia minor C.B.P.309. chelidonium minus. Matth. scrofularia minor, sive chelidonium minus vulgo dictum . I.B.tom.3.1.20.468. Ranunculus præcox rotundifolius granulata radice. Morif. Ranunculus vernus rotundifolius minor . Tourn. 586.

Eadem rotundifolia minor folio maculato. C.B.P. Variet. 309. Ranunculus vernus rotundifolius minor

maculatus. Tourn. 586.

47

Chondrilla juncea viscosa arvensis, quæ prima Diose. C.B.P.130. chondrilla viminea. I.B.tom.2. 1.27. 1021. chondrilla juncea. T.M.

Chondrilla viminea viscosa monspeliace, quæ 1.in Prodr.

C.B.P.130.

Chondrilla bulbosa, sive chondrilla 2. Diosc. C.B.P. 130. chondrilla marina T.M. Dens Leonis tuberosa radice. Tournes. 468. cichorium bulbosum. I.B. tom. 2. 1038. chondrilla pusilla marina lutea bulbosa: an Dioscorum radice rotunda orbiculata strongille, &

an Theoph.

Chondrilla verrucaria foliis intubaceis viridibus. C.B.P.
130. cichorium verrucarium. Matth. ex Herm. chondrilla verrucaria foliis cichorei viridibus C.B.P. Calendula Hieracii flore chondrillæ folio verrucaria. Herm.
H.L.B. cichorium verrucarium. Moris. cichorium verrucofum, five zazintha, Hieraciis annumerandum.
I.B. tom. 2.1.24.1013.

Chondrilla cærulea altera cichorii sylvestris foliis. C.B.P.
130. chondrilla cærulea Belgarum. Adv. Lob. chondrille vel chondrilla cærulea. I.B.tom. 2.24.1019.

Chondrilla foliis laciniatis serratis purpurascente slore. C.B.P. 130. Centaurium capitatum ciliare annuum foliis laciniatis serratis. Morif. Cyanus pulchro semine. centaurii majoris. I.B. tom. 3. l. 25. 24. crupina Belgarum vulgo ex Herm. H.L.B. chondrilla Hispanica Narbonensis. T.M.

Chondrilla purpurascens setida . C. B. P. 130. in Prodr.

chondrilla rubra fetida. Eyft.

Chondrilla vulgatissima lactuculæ foliis ad petiolum caninis dentibus donatis perfoliate supernis H. Cath. in Suppl. an lactuca leporina Anguil. p. 18.

Chondrilla palustris, longifolia, sinuata leviter spi-

nosa incana H. Cath. Suppl. 18.

Chrysanthemum foliis Matricariæ. C.B.P.134.flore simplici chrysanthemum majus folio valde laciniato, flore croceo. I.B. tom.3.1,26.112.

Idem

48 Idem flore partim candido, partim luteo . C. B. P. 134. flore simplici .chrysanthemum creticum I.B.tom. 2.1.26.112.

Idem flore albo pleno. Idem flore luteo pleno .

Chrysanthemum alpinum foliis abrotani multifidis. C. B.P.134. Ageratum ferulaceum. Lugd. Jacobæa foliis ferulaceis flore minore. Tournef. chryfanthemum alpinum 2. Clusi H. 334. Chrysanthemum alpinum Et-

scherianum Jacobææ affine I.B.tom.2 1058.

Chrysanthemum canadense latifolium altissimum foliis rugosis. Moris. Præf. Bot. 250. chrysanthemum canadense latifolium elatius Bocc. Icon. & descrip. 52. an Helenium canadense altissimum, Vosacan dictum.

Cat. H. Reg. Parif.85.

Chrysanthemum Americanum laciniato folio majus. Moris. Pral. Bot. 251. Doronicum Americanum laciniato folio. C.B.P.app. 516. sic ex Herm. H.L.B. sed Morisonus secus sentire videtur: nam in H.Bles.67. scripsit Doronicum Americanum laciniato folio. C.B P. app. Aconitum helianthemum canadense cornuti. si idem esset Bacchini Doronicum in ejus catalogo, profecto pro Synonimo apposuisset suo Americano chrysanthemo in prælud. decfript.

Chryfanthemum majus alterum sulphureo magno flore.

H. R. Parif. Tourn. 492.

Chryfanthemum Americanum cordis indi folio. chryfanthemum Virginianum foliis multifidis non nihil similibus. H.L.B. chryfanthemum cannabinum Americanum frutescens Virginianum sambuci laciniatæ foliis & facie. Brey. Prod. 2. chryfanthemum chinense foliis plurifariam divisis Halicacabi peregrini æmulis. Pluck. tab.22. cuambu five caryophyllata Pison. Par. Bat.p. 123. chrysanthemum aquaticum foliis multifidis cicutæ nonnihil similibus Virginianum Herm. H.L.B.

Chrysanthemum canadense bidens alato caule Moris. H. Blef.

Blef. & Pral. 253. an Helenium canadense elatius,

alato caule cat. H. Paris. 85. ex Herm. H.L.B.

Chrysanthemum Corassavicum alato caule floribus aurantiis. Chrysanthemum cannabinum Americanum alatum flore aphyllo globoso aurantii, soliis Baccharidis. Brey. Pr.2. chrisanthemum Americanum bidens
alatum flore parvo aurantiaco. Pluck. tab. 48. chrysanthemum Americanum caule alato flore aphyllo
globoso aurantio, soliis Baccharidis. Comel. H. M.
Amstel. p.5. cap. 3. chrysanthemum conyzoides curassavicum abrotani semine flore aurantio. Cl. Volka.
Flor. Norib.

Cicer sativum. C. B. Pin. 343. cicer arietinum. I. B. tom. 2. l. 17. 292. floribns, & seminibus candidis. C. B. P. var. 347.

Idem floribus, & seminibus ex purpura rubescentibus.

C. B. P. var. 347.

Cichorium spinosum. C. B. Pin. 126. cichoria spinosa imperati 764. cicoria spinosa di Candia Ponæ Ital. in Bald. 86. cichorium spinosum creticum. C.B. Prodr.

62. cichorium spinosum . I. B. tom. 2. 1013.

Cichorium semine adunco. Moris. H. Bles. 361. Hieracium capitulum inclinans semine adunco. C. B. P. 128. Hieracium florem inclinans. I. B. tom. 2.1. 24. 1042. calendula procumbens, Hieracii flore capitulum inclinans semine adunco. Herm. H.L.B.

Cichorium falcatum. Moris. H. Blef. 361. Hieracium sieliqua falcata. C. B. Pin. 128. Hieracium stellatum I. B. tom. 2. l. 24. 1014. calendula Hieracii flore se-

mine falcato. Herm. H.L.B.

4113

Cichorium sylvestre, sive officinarum. C. B. P. 124. cichorium sylvestre. I. B. tom. 1.1.24. 1007.

Idem floribus candidis. C. B. P. variet. 125!

Cichorio affinis, Lampsana domestica. Moris. H. Bles. 359. Soncho affinis, Lampsana domestica!. C. B. Pin. 124. Lampsana. Dodon. I. B. tom. 2. lib. 24. 1028.

Cichorium peregrinum, aut Januense, altius radicatum, laciniato, lanceolato folio. H. Cath. 50.

Cichorium sativum. C. B. Pin. 125. I. B. tom. 2. lib. 24.

1011. cæruleum . Lob.

Cichorium pratense luteum, hirsutie asperum, vel Hieracium hirsutum soliis caulem ambientibus. C. B.Pin. 126. Hieracium hirsutum soliis caulem ambientibus. Herm. H. L. B. cichorium luteum hirsu-

tum. I.B. tom.2. 1.24. 1025.

Cichorium pratense luteum lævius. C. B. P. 126. Hieracium luteum glabrum, seu minus hirsutum. I.B. tom.2. l.24. 1029. Hieracium luteum lævius hirsutum. Herm. H. L. B. Hedypnois. Dod. Gal. Dentis leonis tertia species. Dod. fol. & T.M.

Cicuta minor Petroselino similis. C. B. Pin. 160.

Moris. Umbel. 18. cicutaria Apii folio. I. B. tom. 3.

1. 27. 179.

Cicutaria latifolia fætida. C. B. Pin. 161. Seseli Peloponense. Matth. sive cicutaria quorundam. I.B. to. 3. lib. 37. 184. cicuta latifolia fætidissima. Moris. Umbel. 18.

Cicutaria palustris tenuifolia. C.B. P. 161. Morif. Umbel. 18. Phellandrium, sive cicutaria aquatica quo-

rundam . I.B.tom.3. 1.27. 183.

Circæa major. Herm. H.L. B. Solanifolia circæa dicta. C.B.P. 168. Ocimastrum verrucarium. I. B. tom. 2. l. 23. 977. circæa Lutetiana. Lob.

Circæa alpina minor. Herm. H. L. B. Solani folia circæa alpina. C. B. Pin. 168. circæa minima. co-lum.

Circium maximum Asphodeli radice. C. B. Pin. 168, circium maximum foliis carnosis, bulbosa radice, forte Lutetianum. I. B. tom.3. l. 25. 44. hoc vero folio viridi, & folio incano, sic & folio integro, & folio laciniato separatim invenitur patente varietate.

Circium singularibus capitulis parvis . C. B. Pin. 377.

circium foliis non laciniatis, virore Brasicæ & ma-

crocaulon. I. B. tra.3. 1.25.45.

Cistus ledon foliis laurinis. C.B. P.462. Ladanum alterum. Cæsalp. cistus ledon latiore folio. I.B.tom. 2.8. Ledon. r. latifolium. Clusi bist. 77.

Cistus mas, folio rotundo hirsutissimo. C. B. P. 464. cistus mas Matth. cistus mas 4. Clus. histor. flore

rofco.

Cistus semina solio salviæ. C. B. Pin. 464. semina Matth. cistus semina monspeliana slore albo. I. B.

tom.2. 1.13.4.

Cistus cretica frutescens supina foliis chamædryos sinuatis crispis flore roseo: an cistus mas foliis chamædrys. C. B. Pin. 464. quæ cistus mas. foliis crispis, & quodammodo sinuosis. I. B. tom. 2. l. 13. 3.

Citrullus folio colocynthidis secto semine nigro quibusdam Anguria. I. B. tom. 3. l. 16. 235. Anguria ci-

trullu dicta. C.B.P. 312.

Eadem semine rubro.

Clematitis cærulea erecta. C. B.P.300. clematis Pannonica flore cæruleo surrecta. I.B. tom.z.l.15.129. clematis cerulea Pannonica z. Clusii.

Clematitis cerulea flore pleno. C. B. Pin. 301. clematis purpurea flore pleno fcandens. I. B. tom. 2.

1.15.129.

Clematitis cerulea, vel purpurea repens. C.B.P. 300. clematis, sive flammula flore ceruleo scandens. I.

B.tom 2. 1.15. 128.

Clematitis trifolia flore roseo clavato. C. B. P. 301.
Granadilla Monardi. Flos Passionalis, sive Granadille ex India du Bry. cucumis flos passionis dictus, triphyllos flore roseo clavato. H.L.B. clematis passionali triphyllos flore roseo. Moris. clematis passionali triphyllos flore roseo. Moris. clematis passionali triphyllos flore roseo. Munting. Murucuja 3. Pison. Hisp. 247. Maracot Indicum. Aldini Horr. Farn. 50.

) 2 Cle-

Clematis pentaphylla flore roseo clavato. Moris. clematis passiflora pentaphylla flore ceruleo punctato. Munting. cucumis flos passionis dictus, pentaphyllus flore clavato. Herm. H. L. B. Murucuja 2. Pi-

Eadem curassavica hederæ hirsuto folio flore albo. Flos passionis albus reticulatus. Flos Passionis curaffavicus hederæ hirfuto folio flore albo . Prod. Parad. Bat. Flos Passionis althææ folio lanuginoso longiore, fetidus flore decapetalo, & filamentis niveis fructu vesicario . ex Pauli Herm. Parad. Bat p.173.

Clematitis, seu flammula recta. C.B.P. 300. clematis, five flammula surrecta a ba. I. B. tom. 2. 1.15. 127.

Flammula Jovis surrecta. Ger.

Clematitis peregrina foliis Pyri incisis. C. B. P. 300: clematis altera Bætica. clusii. clematis Bætica.

Clusis.
Clematitis, sive flammula repens. C. B. P. 300. clematis altera urens . Lob. Adv. Viticella . Cæsalp. Clematis, sive flammula scandens tenuifolia alba.

I.B. tom 2. 227.

Clematis tetraphyllos Americana. Morif. H. Blef. 255. clematide tetraphilla Americana. Zanoni bist p.74. c.41. tab. 28. clematis tetraphyllos Americana digitalis flore. H. R. Parif. clematis Americana siliquosa tetraphillos. A. R. Paris. 71. Bignonia Americana capreolis donata siliqua breviori. Tourn. 164. clematis Americana filiquosa tetraphyllos. Dod. mem. Bre . Prodr. 30.

Clematitis Geranifolia . C.B.P. 39. Prod. 135. clematis cerulea serrato folio. I. B. tom. 2. 129. clematide

cruciata Alpina. Pon. Bald. Ital. 175.

Clematitis sylvestris latifolia. C.B. P. 300. Vitis sylvestris. Trag. Atragene Theophr. Anguil. clematis latifolia dentata . I. B. tom. 2. 125. Vitalba . Dod. 404. ex Tourn, 293. clematis latifolia, five Atragene quibusdam. I.B.tom.2.1.15.125. ex Herm.H.L.B. CleClematis indica Contareni. Vesling. cat. Jasminum Indicum. Ferr. Flor. Gelseminum hederaceum indicum cornuti 102. Bignonia Americana Fraxini solio slore amplo phæniceo. Tournef. 164.

Clematis daphnoides major. C.B.P. 302. Pervinca major. Adv. Lob. altera major Cesalp. clematis daphnoides major flore cæruleo. I. B. tom. 2. lib. 15.

132.

Clematis daphnoides minor. C.B.P. 131. clematis daphnoides minor flore ceruleo. I.B. tom. 2. 1.15. 130. Vinca pervinca. Erunsf. cui & chamædaphne altera. Diosc.

Eadem flore albo . I. B. tom. 2. 1.15. 132.

Eadem flore purpurascente pleno.

Eadem folio, & flore variegatis. Herm. H.L.B.

Clinopodium arvense Ocymi facie. C.B.P. 225. Acinos multis. I.B. tom. 3.1.28.259. clinopodium alterum. Matth.

Clinopodium origano simile. C. B. P. 224. c. clinopo-

dium I. vulgare. Matth.

Clinopodium montanum. C. B. Pin. 225. clinopodium Austriacum. Clus. bist. 353. Acini pulchra species. I. B. tom. 3. Parn. 2.260.

Clinopodium alpinum roseum satureiæ foliis . Bocc.

tab. 95. descrip.135.

Clinopodium creticum latifolium hirsutum flore am-

plo . Sherard. an descriptum .

Origanum fistulosum canadense Cornuti 14. Leonurus canadensis origani folio. Tournef. 187.

Clinopodium creticum spicatum odore Pulegii . She-

rard.

Cochlearia folio subrotundo. C. B. P. 110. cochlearia. I.B. tom. 2. 1.22. 942. cochlearia major Batavica subrotundo folio. Morif. cochlearia. Dod. 594.

Colchicum commune. C.B.P. 69. Morif. colchicum. I.

B. tom. 2,1.19. 648.

D 3 Col-

Catalogus

Colchicum luteum majus . C.B.P. 69. colchicum flore luteo quorundam . I.B.tom.2. l.19.661. colchico-Narcissus autumnalis luteus major . Moris. Narcisso-cholchicum vulgo . H.L.B.

Colchicum flore pleno purpureo.

Colchicum flore carneo.

Colchicum flore purpurascente pleno punctato.

Colutea vesicaria. C.B.P. 396. I.B.tom. 1. 1.1. 380. se-

na Mauritanorum. Ruel.

Colutea siliquosa, sive scorpioides major. C.B.P.397. colutea scorpioides. I. B. tom. I. lib. II. 381. colutea scorpioides elatior, & major frutescens. Moris. Emerus. Casalp. 117. ex Tournes. 650.

Colutea caule Genistæ fungoso. I.B. tom. 1. 383. co-

ronilla caule genistæ fungoso. Tournef. 650.

Colutea scorpioides odorata. Pr. Alp. exot. 17. scorpioides odorata cretica. Moris. coronilla argentea cretica. Tournef. 650.

Coluteæ parva species, Polygala Valentina. Clusi.
I.B. tom. 1.383. Polygala altera. C.B. Pin. 344. coro-

nilla, five colutea minima. Lob. Icon. 87.

Colutea Æthiopica flore purpureo . Brey. cent. I. p.79.

cap.29.

Golocasia. I.B. tom. 2. 1. 19. 790. Arum maximum Ægyptiacum, quod vulgo colocasia. C.B.P. 195. culcas, sive colocassia. Alp. depl. Ægyp. p. 101. cap. 33.
Vesling. obs. p. 37.

Coma aurea Africana chrithmi chrisanthemi facie.

volcb.

Conyza mas Theophrasti, major. Diosc. C.B.Pin.265. conyza major Monspeliensis odorata. I. B. tom. 2. l. 24. 1053. conyza major vera. Lob. Adv. Virga aurea major soliis glutinosis, & graveolentibus. Tourness. 484.

Conyza femina Theophrasti minor. Diosc. C.B.P. 265. conyza minor vera. I. B. tom. 2. l. 24. 1054. conyza minor altera. Dod. Virga aurea minor foliis glu-

Ci-

tinosis, & graveolentibus. Tournef. 484.

Conyza major vulgaris. C. B. Pin. 265. conyza major. Matth. Baccharis quibusdam. I.B. tom. 2. 1,24. 1051.

Baccharis. Matth.

Conyza cerulea acris. C. B. P. 265. Senecio, sive Erigeron ceruleus, aliis conyza cærulea. I. B. tom. 2.1.24. 1043. Amellus montanus. Colum. Dentela-

ria . Gefn. H.

Conyza media, Asteris flore luteo, vel tertia. Diose. C.B.P. 265. conyza media. Matth. flore magno luteo humidis locis proveniens. I.B. tom. 2. 1.24. 1050. Conyza major flore globoso. C. B. P. 266. conyza mi-

nor . Matth.

Conyza minor Osyridis folio, aurantii odore. Booe,

conyza minor indica.

Conyza palustris serratifolia. C.B.P. 266. Virga aurea angustifolia serrata, sive Solidago Saracenica I.B. to. 2.1.24.1063. consolida palustris. T.M.

Conyza Orientalis fruticosa folio moll. Tournef. Co-

rall.

Consolida major Tragi Symphytum consolida major C.B.P.259. Symphytum magnum . I. B. tom. 3.1.33. 593. semina flore albo.

Eadem flore pallide luteo.

Eadem mas flore purpureo, vel purpurocæruleo C.B.P.

Variet. 259.

Consolida tuberosa vel nodosa. Camer. Symphytum majus tuberosa radice. C.B.P.259. Symphytum tubero-

fum I.B.3.1.33.594.

Consolida media pratensis cærulea. C.B.P.260. consolida media quibusdam Bugula I.B. tom. 3.1.30.340. Prunella cærulea Tragi. Symphytum medium Lon.

Eadem flore albo. C.B.P. variet. 1260.

Eadem flore purpureo. C.B.P. variet. 260.

Consolida media cærulea alpina. C.B.P.260. in Prodr. Consolida Regalis hortensis slore majore, & simplici. Ci. C.B.P.142. Delphinium sive Consolida regalis erectior

Catalogus

ctior purpureo, sive violaceo slore majore. I. B. tom. 3.1.26.211. Calcatrippa vulgo.

Eadem flore simplici rubro. C.B.P. variet. 142.

Consolida regalis erectior flore purpureo, sive violaceo pleno I.B. tom. 3. 1.26.211.

Consolida Regalis flore pleno purpureo. Eyf. C. B.P.

142. five rubro.

Consolida Regalis rosea flore pleno variegata serotina Cat. H. Reg. Paris. 56. sive variegata cæruleo & albo colore mixto.

Consolida Regalis arvensis. C.B.P.142. consolida Regalis flore minore I.B. tom. 3.1.26.210. flos Regius 2.

vel sylvestris. Dod.

Consolida Regalis latifolia parvo flore. C. B. P. 142.

Delphinium Dioscoridis Imper. C. B. in Prodr.

Convolvulus major albus. C.B.P.194. convolvulus major I. B. tom.2.l.15.154. imilax levis. Matth. levis major ior. Dod.

Convolvulus minor arvensis. C.B.P. 294. Helxine cifsampelos. Matth. Helxine cissampelos multis, sive con-

volvulus minor. I. B. tom.2.l.15.157.

Convolvulus minor semine triangulo. C.B.P.295. convolvulus niger. Dod. Volubilis nigra. T.M.

Convolvulus minor Africanus flore minimo albo. Vol-

ckam.

Convolvulus cæruleus hederaceo anguloso folio. C. B.P.295. Nil Arabum seu convovulus cæruleus I.B. tom.2.l.15,164. Nil Arabum. Gesn.

Idem flore variegato semine albo.

Convolvulus Africanus anguloso folio, quamoclit flore. convolvulus coccineus folio anguloso Plumier. Raij. tom.3.p.380. 76.

Convolvulus argenteus spicæfolius Bocc. apud quem scribitur convolvulus rectus, villosus argenteus an-

gustissimo folio. Mus. p.138. Tab. 96.

Convolvulus argenteus umbellatus erectus. Tournef. 84. Cneoron album folio oleæ argenteo molli. C.

B.P.

B.Pin.463. Cneorom album Dalechampii, aliis Dorycnium. I. B. tom. 1. 597. Dorycnium Plateau. Clusii. app. 254. Dorycnium Imperat. I. B. tom. lib. 5. 598.

Convolvulus linariæ folio. C.B.P. 295. cantabrica quorundam. Clusii. convolvulus minimus spicæfolius. Lob. Adv. volvulus terrestris. I. B. tom. 2. lib. 15.

160.

Convolvulus lusitanicus flore cyaneo, Brossão convolvulus cæruleus folio oblongo. C.B.P.95. I B.tom.2. 166. campanula exotica. Aldini bort. Farn. 89. has nomenclaturas habet. Cl. Tournef. 83. quarum unicam Aldini sequimur. Bauchini Fratres non tam clare, quam opus est, illos triplices florum colores, quibus insignita est Aldini planta, expressere, sed judicent Botanici.

Convolvulus Orientalis flore amplo subcarneo.

Convolvulus Arifari folio.

Coriandrum majus, C.B. Pin. 158. coriandrum. I.B. tom. 3.1.27. 89. coriandum sativum majus, Morif. Umbel. 48.

Coronopus hortensis. C.B.P. 190. coronopus sive cornu cervinum vulgo, spica plantaginis I.B. tom.3. l.

31. 509. cornu cervinum. Lob.

Coronopus sylvestris hirsutior. C.B.P. 190. sylvestris

Cesalp.

Coronopus maritima major . C.B.P. 190. Plantago angustifolia . Dod. coronopus maritima nostras. I.B. tom.

1.1.31.511. 017 21

Cortusa Matth. C.B. P.243. inter saniculas reposuit cortusa I.B. tom. 3.1.30.399. Primula veris montana laciniata. Herm. H. L.B. Sanicula montana laciniata latifolia. Moris. Auricula Ursi laciniata seu cortusa. Matth. Tournes. 121.

Cotyledon major. C.B.P.285. cotyledon vera radice tuberosa I.B.tom.3. 1.35, 683. Umbilicus Veneris vul-

1111111

go, & Matth.

Co-

Cotyledon stellata. C.B.P. 285. sempervivum tertium.

Cotyledon media foliis oblongis serratis. C B.P. 285. sedum serratum I.B. tom. 3. 1.35. 689. sanicula Aizoides, foliis oblongis serratis. Herm. H.L.B. Aizoum serratum. cordi. lingua Anserina herbariorum.

Cotynus. Matth. C.B.P. 415. coccigria, five cotinus

putata . I.B. tom 1.1.4.494.

Crithmum five feniculum maritimum majus odore Apii. C.B.P. 288. Morif. Umbel. 20. crithmum five feniculum marinum grandius, cui succus luteus. I.B. tom. 3.1.27. 199.

Crithmum, sive seniculum maritimum minus. C. B. Pin. 288. Fæniculum maritimum Donati. 46. Herba sancti Petri. Anguil. crithmum multis, sive senicu-

lum marinum . I.B.tom. 3.1.27.174.

Crithmum sive feniculum siculum marinum minus an-

gustifolium ex Horto Cathol.

Crithmum maritimum spinosum. C.B.P. 288. Moris. Umbel. 20. Pastinaca marina quibusdam secacus & crithmum spinosum I.B tom. 3.1.27.176.

Crocus fativus . C. B. P. 65. crocus autumnalis sativus floridus, & sine flore. Morif. crocus. I.B.tom.2.1. 19.

637. crocum. Matth.

Crocus Vernus latifolius aureus. C.B.P.

Crocus vernus latifolius aureus minor.

Crocus vernus flore purp. variegato.

Crocus vernus flore albo variegato.

Crocus vernus flore cœruleo lineis violaceis varie-

Crocus vernus flore externe pallido, intus ceruleo striato.

Crocus vernus flore albo.

Crocus vernus latifolius flore albo purpureo minor .

Cruciata hirsuta. C.B.P.335. cruciata. Dod.

Cruciata glabra. C.B.P. 335. in Prodr. Rubra quadrifolia glabra angustifolia I.B. tom. 3.717.

Cucumis sativus vulgaris. C.B.Pin. 310. Cucumis vul-

garis viridis. I. B. tom. 2. lib. 245. citreolus vulgo Cafalp.

Cucumis sativus major . C.B.P. 310. Cucumis Turci-

cus . Fuch. T.M.

Cucumis Sylvestris, Asininus dictus. C.B.P.314. Moris.

& I.B. tom. 2. 1.16.248.

Cucumis Ægyptius reticulatus, sive Luffa Arabum Vesh. in Alp. 48. Morif. H. Pepo indicus reticulatus seminibus albis major . Herm. H. L. B. Wæthakolu Zeylanenfium .

Cucurbita capitata. C.B.P.313. cucurbita stellata, sive

leffilis. Camer.

Cucurbitæ variæ species, fructus forma, magnitudine, & colore pro vario naturæ lusu inter se differen-

tes .

Cuminum sylvestre capitulis globosis. C.B.P. 146. cuminum sylvestre primum valde odoratum globosum. I.B.tom.3.1.23. Pastinaca tenuisolia cretica capitulis globosis. Morif. Umbel. 31.32. Cuminoides vulgare. Tournef. 300.

Cuscuta major. C.B.P.219. cassuta sive cuscuta. I.B.

tom. 2.1. 38. 266. cuscuta. Matth.

Cyanus floridus odoratus Turcicus, sive Orientalis major. Park. Theat. 482. Ambrette vulgo, flore purpur.

Idem flore albo. Cat. H.R. Parif. 62.

Idem flore luteo . H.L.B.

Idem flore incarnato. H.L.B.

Cyanus orientalis alter, seu constantinopolitanus flore fistuloso candicante. Cat. H.R. Paris. 63.

Idem fistuloso purpureo flore. car. H.R. Paris.63.

Idem filuloso luteo flore. Dod. 75.

Has cyanorum odorat. species sub nomine cyani peregrini Amberboi, sive Amberboi dicti in hortis vocantur. Ideo Ambrofinus hoc nomine generice Icripsit cyanum peregrinum Amberboi dictum pag. 187. aubumpet annies.

Cya-

Cyanus montanus latifolius, vel Verbasculum cyanoides. C.B.P.273. cyanus alpinus radice perpetua. I.B. tom.3.l.25.23.

Cyanus segetum. C.B.P.273. flore cæruleo, & cyanus hortensis flore simplici ejusdem 273. Bapticecula. Trag.

& Vulgo.

Cymbalaria. C.B.P. 306. cymbalaria flosculis purpurascentibus. I.B. tom. 3.1.35. 685. Linaria folio glabro subrotundo Hederæ folio clematitis. Moris. Linaria hederaceo folio glabro, seu cymbalaria vulgaris. Tourness. 169.

Cyclamen orbiculato folio inferne purpurascente. C. B.P. 308. cyclaminus folio rotundiore vulgatior. I.

B.tom. 3.1.32.551.

Cyclamen hyeme, & vere florens, folio anguloso

flore albo.

Cynoglossum majus vulgare. C. B. P. 257. cynoglossum vulgare. I.B. tom. 3.1.33.598. flore rubente cynoglos-

fum vulgare. Matth.

Cynoglossum majus latifolium frigidarum Regionum Cl. Volck. cynoglossum montanum maximum. Park cynoglossa montana maxima frigidarum Regionum. colum.

Cynoglossum minus. C. B. P.257. & cynoglossum medium ejusdem. cynoglossum minus. I.B.tom.3.1.33.

600. Lappula rusticorum. Lugd.

Cyperus longus inodorus Germanicus. C.B.P. 14. cyperus longus inodorus sylvaticus Lobelio. I.B.tom.3. 1.18.503.

Cyperus rotundus esculentus angustisolio. C. B. Pin. sive Trasi. Matth. vel Dulcichinum. Gesn. Dod.

Cyperus rotundus esculentus latifolio. C. B. Pin. sivo

caceras in Goa. Trag.

Cytisus argenteus linisolius insularum Stæchadum.

Tournes. 548. cytisus insularum Stæchadum solius oblongis angustis, subtus argenteis. Schol. Bot.

Cytisus glaber viridis. C.B.P. cytisus secundus. Tab.

Cy-

Plantarum.

Cytifus glabris foliis subrotundis, pediculis brevisiimis . C. B. Pin. seu Cytisus quintus rotundisolius. Tab.

Cytifus minoribus foliis ramulis tenellis villosis. C.

B. P. seu cytisus primus. clus.

Cytisus supinus foliis inferne, & siliquis molli hirsutie pubescentibus, seu Cytisi septimi species altera. Cluf.

Cytisus glaber nigricans. C. B. Pin. seu Cytisus quartus. Clus. 150 Dancus certius cer nia 1.0 . 193

Dougues montanus Apil folio major . C.B. Per co. fari-

verial plane .I. Broom t. l. zyord til ibrooms inigra,

Dens can'ts latione, noting of being toling, The Past,

Plandobergroded vin Thaisblot Satymon Ecychin-

Cafel Sayrian quoundam Erythiopians bifolium

flore ex pargura rebence, wel purporaformer xo stoff Dens tauts angultiore longioraque folio! C. B. Pault.

there also Merif Coll Brom to his odla colle tall as Chall Dens canions flores albo , Erychro-

num flore albo, angultioribus febris Teb rear, T

Dens leonis lattore folio G. B.P. et 26. Hedvonois.

five Dens leonis Huchfi. d B. tom at librage room

Dense iconia Afolodeli bulbalisa C. B. P. 136 Cichos

tera Dioleoridis Mandochienium IIIch leonis MC

phodeli, vel legeneranches bulbatts. Leb isan sear Dens leonis abgustifolio . C. B. P. 126 . Aphaca angu-

rium Configurinopolitan an educie. Chondrela al-

nium. Cofw. Mithridations Cratevas, Plinii . Amg.

flore unico radiato purpureo . I.B. consa. I. ras 620.

Ded. Sefeli Pannonicum 2. Cial. Dancura, March.

fragia Venetorum; Lob. Lubanotis nigra : Wood Cont. bel, 42. Libanotis alvera quorundain qualità d'ella cer-

Down Roofs minoralollis radiotiss of in Prair 62. C. -Da-

Dans leonis . Dad. 63 .

Ripris folii. Cafalo. 108.

Aucus alpinus multifido longoque folio, sive montanus umbella candida. C. B. Pin. 150. Myrrhis annua semine striato villoso incano. Moris. Umbell. 44. & 67. Daucus creticus semine hirsuto. I. B. tom. 3. l. 27. 57.

C. B. Pin. feu Cycifus

as alabris tolits

tea. C. B. Pin. 150. Daucus tertius creticus Belli.

Ponæ Ital.

Daucus montanus Apii folio major. C.B.P. 150. saxifragia Venetorum. Lob. Libanotis nigra. Moris. Umbel. 42. Libanotis altera quorundam, aliis dicta cervaria nigra. I.B. tom. 3. l. 27. 165. Libanotis nigra. Dod. Seseli Pannonicum 2. Clus. Daucus 2. Matth.

Dens canis latiore, rotundioreque folio. C. B.P. 87. Pseudohermodactylus Matthiol. Satyrium Erythronium. Gesn. Mithridatium Cratevæ, Plinii. Ang. Casal. Satyrium quorundam Erythronium bisolium flore unico radiato purpureo. I.B. tom. 2. 1.19. 680. flore ex purpura rubente, vel purpurascente.

Dens canis angustiore longioreque folio. C. B. P. 87. flore albo. Moris. & I. B. tom. 2. 1. 19. 680. Dentali 2. Clusic. Dens caninus flore albo, Erythronium flore albo, angustioribus foliis. Lob. Icon.

Dens leonis latiore folio. C. B. P. 126. Hedypnois, five Dens leonis Fuchsii. I. B. tom. 2. lib. 24. 1035.

Dens leonis. Dod. 636.

Dens leonis Asphodeli bulbulis. C.B. P. 126. Cichorium Constantinopolitanum. Marth. Chondrila altera Dioscoridis Monspeliensium. Dens leonis Asphodeli, vel leucacanthæ bulbulis. Lob. Icon. 232.

Dens leonis angustifolio . C. B. P. 126. Aphaca angu-

stioris folii. Cafalp. 508.

Dens leonis minor foliis radiatis. 3. in Prodr. 62. C. B.P. 126. an Trinciatella. Camer.

Dens leonis Asphodeli bulbulis foliis Cetrach Cu-

pani.

Dens leonis major alpinus crassulus, tenerrimus, foliis presse terram amplectentibus ephemero slore. H. Cath.

Dens leonis minor crispus canescens Tragopogonoides

Cupani.

Dentaria Eptaphyllos. C. B. Pin. 322. Viola dentaria altera. Dod. 162. Coralloides altera, sive septifolia.

I. B. tom.z. l.zr. 899.

Dentaria pentaphyllos. C.B.P. 322. coralloides prima quinquefolia. I.B. tom. 2. 1.21. 900. Dentaria minor. Matth. Viola dentaria prima. Dod. 162.

Dentaria heptaphyllos baccifera. C. B. P. 322. Coralloides minor bulbifera. I. B. tom. 2. 922. Denta-

ria 4. baccifera. Cluf. bist. CXXI.

Dictamnus creticus. C. B. Pin. 222. Dictamus cretica, seu vera. I. B. tom. 3. 1.28.253. Origanum creticum latifolium tomentosum, seu Dictamnus creticus. Tourn. 190. Dictamnum verum. Dod. 281. Dictamnum. Matth.

Dictamnus cretica montis Sipyli. Scherardi. Origanum

montis Sipyli . H.L.B.

Dictamnus 2. Theophrasti, Pseudodictamnus Cidonie.

Ponæ. Pseudodictamnus acetabulis Moluccæ. C. B.
P. 222. Dictamnus spurius inodorus acetabulis Moluccæ majoribus. Herm. H. L.B. Dittamo falso di Cerigo, overo dittamo 2. di Theosrasto. Ponæ Bald.

Ital. 25.

Dictamnus spurius inodorus acetabulis Moluccæ minoribus. Herm. H. L. B. pseudodictamnus verticillatus inodorus. C.B.P.222. Dictamnum adulterinum, quibusdam verticillatum, vel potius Gnaphalium Veterum. I.B.tom.3.1.28.255. Pseudodictamnum. Matth. & Dod. 281.

Dictamnus; seu Pseudodictamnus Hispanicus scrophulariæ folio. Tourn. 188. Galeopsis. Anguil. 278. Ga-

leo-

leopsis Anguillare, sive Pseudodictamnum nigrum

ficulum. Bocc. Muf. part. 2. 151.

Dictamnus, sive Pseudodictamnus Hispanicus foliis crispis, & rugosis. Tournef. 188. Marrubium Dicta-mni spurii foliis, & facie. Par. Bat. Pseudodictamnum nigro, rotundo, crispo folio. Bocc. Mus. part. 2.1 92. tab. 129.

Dictamnus albus vulgo, five Fraxinella. C. B. P. 222. Fraxinella officinis dictamnus . I.B. tom. 3. 1.30. 494.

floribus purpureis.

Eadem floribus albis. Fraxinella niveo flore. Clusii.

hift. rar. Plant lib. 1.100.

Digitalis purpurea folio aspero. C.B.P. 243. Digitalis purpurea. I.B.tom.2.1.20.812. Verbascum digitale Coitæo.

Digitalis alba folio aspero. C.B.P.244. I.B.tom.2.l.20. 812. descript. Virga Regia major flore pallido. Cdfalping munesing probably mer Hali

64

Digitalis lutea magno flore. C.B.P. 244. digitalis lutea flore majore folio latiore . I.B.tom.2.1.20.813. Di-

gitalis lutea flore amplo. Ponæ.

Digitalis major lutea vel pallida parvo flore . C.B.P. 244. Digitalis flore minore subluteo angustifolia. I. B.tom.2.1.20. 814. Digitalis lutea minore flore. Moris: Virga Regia, Alisma, & Damasonium. Diosc. & Fistula Pastoris Avicennæ. Casalp.

Digitalis angustifolia flore ferrugineo. C.B.P. 244. Digitalis ferruginea folio angustiori. I.B.tom.2.1.20. 813.

Digitalis ferruginea. Lob. Icon. 573.

Dorycnio congener planta. Clusii. Lotus pentaphillos incanus . C.B.P.332.

Doronicum radice scorpii brachiata . C.B.P.184. Aco-

nitum pardalianches Plinii. Matth.

Doronicum plantaginis folio . G.B.P.184. Doronicum folio fere plantaginis oblongo. I.B. tom. 3. 1. 25.18. Doronicum angustifolium. Clusis

Doronicum plantaginis folio alterum. C.B.P.185. ca-

lens

lendula Alpina: Gerar. Damasonium, sive Alisma:

Lugd.

B.P.185. Doronicum maximum foliis caulem amplexantibus. C.
B.P.185. Doronicum maximum foliis Hyoscyami Peruviani modo caulem amplectentibus. I.B.tom. 3.1.25.
18. Doronicum Austriacum. vii. Clussi.

Doronicum latifolium flore magno. C.B.P.185. Doronicum 4. stiriacum. Clusii. Doronicum folio lato,

flore magno. I.B.tom.3.l.25.14.

Draba umbellata, vel Draba major capitulis donata. C. B. P. 109. Draba flore albo. I. B. tom. 2. l. 22. 939. Draba filiquosa repens major foliis magis incanis, spanospermos vulgaris. Moris. Arabis, sive Draba. Matth.

Draba alba filiquosa. C. B. Pin. 109: Draba 2. Clusic. Draba alba filiquosa repens. C. B. P. 109. Draba al-

tera. Lob. Icon.

Draba siliquosa repens purpurea Cretica: an Draba alpina siliquosa minor hirsuta purpureo slore aspero serrato solio subrotundo. H. Cath. ubi, & Draba siliquosa sloribus violaceis: H. Paris. H. Bles. Moris. & Leucoium maritimum latisolium slore ceruleo purpurante. I.B. judicent Botanici.

Draba alba sicula procumbens minor folio aspero, magno flore umbellato. Cupani: an Draba siliquosa hispida foliis crassis circa radicem, bellidis slore ex purpuroalbo, multoties tamen est flore omnino al-

bo, ut contingit cultura. H.Cath.

Draba Arabum flore luteo: an Draba lutea siliquis strictissimis. C.B.P. 110. forte Eruca maxima cana-

densis. Cornuti.

+1103.

Dracunculus hortensis. C. B. Pin. 98. Dracunculus. Matth. Draco herba. Ruel. Dod. Gal. & Lob. Dracunculus hortensis, sive Tarchon. I. B. tom. 3. 1. 26. 148.

Ptarmica: Matth. Tanacetum album, seu acutum.

Tra-

Catalogus 66 Tragi. Ptarmica vulgaris folio longo ferrato flore albo . I. B. tom. 3. 1. 26. 147.

Dracunculus Bistortæ folio. C. B. Pin. 194. Dracunculus major . Matth. Dracontium majus Thal. Serpentaria major . Lugd. hanc nunquam vidit Bauhimus: an Bistortæ species.

Serenicum Jan Clium flore massner. C.B.P. 187. Dords

icum ar Ericacuar . Chaff . Derenicum felio lato.

Son terbellata . vel Drahi major chairelle donce de

949. Draw gilquota repens design reading march . 949. can't panel permos vulgaris, alevo, firriers five Den-

alones allowed minor himms required flore since to terrate folio labororando H. Cav. abi : 12 1 122

Plana figura front procumbens minor follo store, ma-

gaoctione ambellato; Cusani : an Ortha bill gold billialda folis erallis ci ca radicem, pelludis froze ex

perpendido , multures tanon el llore emano el-

fracting of the feetings of Practing of Dracting of the control of

Marro, Desco herba . wash Dod. Gal. & Leb. Bras. conceins hortenfis, five Tarchon . I. B. tein. S. i.

Arabem flore lateo : an Draba latea filianis

Leucoiam maritimum latifolium flore certiles

alba filiquela C. B. Pin. 109. Drabat. Ulaft;

alta Eliquola repens, C. B. P. 109, Draba riv.

senens purantes Cyclicae on Dasha

E.P. 110, forte fixuca maxima cana-

-217

H. P. 109, Draha tion allo : L. E. tom, z. L. 2

acquariles pratenfis terrato folio : C. B. Pin. 982 ica . Ivi artic Tanacetum abbum . Len souther.

purcaracte I.B. indicest Botanici.

bo - et contingit cultura, if Carb.



Bulus folio laciniato, five Sambucus humilis. C.B P.456. Ebulus laciniata. Pona. Ital. Ebulus, five sambucus herbacea. I.B.tom.1.1 5. 549.

Echium majus folio subrotundo, flore campanulato, & variegato ex H. Cath.

Echium amplissimo folio Lusitanicum . Tourn.135. flore albicante cæruleo: an Echium latissimo folio Lycopsis dictum flore dilute purpurascente. H.L.B. an Lycopsis. C.B.P.255.

Echium majus, & asperius flore albo. G.B.P.254. E.

chium albo flore majus. I.B.tom.3.1.33.588.

Echium vulgare. C.B.P.244. I. B. tom.3.1.33.586. Echia um . Matth. flore cæruleo.

Echium minus; sive cynoglossum minus. Matth.

Echinophora Cretica Peucedani folio Sherard.

Elatine folio subrotundo. C.B.P. 252. Elatine mas folio subrotundo . I.B.tom. 3. 1.29.372. Linaria hirsuta folio subrotundo flore ex herbido flavescente. Meris. H.L.B. Veronica scemina. Matth. Linaria segetum nummulariæ folio villoso. Tournef. 169. Veronica fæmina Fuchsii, sive Elatine . Dod. 42. nostra tamen est flore purpurante, non flavescente,

Elatine folio acuminato in basi auriculato flore luteo. C.B.P.253. Elatine fœmina folio anguloso. 1.B. tom. 3.1.29.372. Linaria hirfuto folio acuminato in basi auriculato. Morif. H.L B. Linaria segetum nummulariæ folio aurito, & villoso flore luteo. Tournef. 169. Li-

naria hederulæ folio. colum.

Ephemerum Africanum annuum flore bipetalo. Herm,

H.L.B.

Epimedium. Anguil. & Lunaria quorundam. C.B.P. 323. Epimedium quorundam. I.B.tom.2.1.17.391. Epimedium. Dod. 599. Epimedium apud Matth. Baub. p. 700.

Equi*

68 Equisetum palustre linariæ scopariæ folio I. in Prodr.

C.B.P.15. Equisetum palustre longioribus setis. C.B.P. 15. E-

quisetum majus aquaticum. I.B. tom. 3.1. 36.729.

Equisetum setidum sub aqua repens. C.B.P.16. I.B.tom. 3.1.36.731.

Erica maxima alba. C.B.P.485. Erica foliis corios, flore albo. I.B.tom.I.1.10.355. Erica prima. Cluf.

Erica alpestris palustris rosmarini incano folio flore purpureo. H.M. Erica Rosmarini foliis flore amplo.

Vesling. Cat. Pat. an Erica 3. Dod.

Erica myricæ folio hirsuta. C.B.P. 485. Erica Myricæ folio tomentosis, & incanis foliis. I. B. tom. I.

1.10.355. selago Plinii quibusdam.

Erica humilis cortice cinereo arbuti flore. C.B.P.486. Erica sexta. Clusis Erica ramulis ternis floribus saturatioribus purpureis. 1.B.tom.r.l.10.356.

Eryngium vulgare. C. B. P. 386. I. B. tom. 3. lib. 25. 86. Eryngium montanum, five campestre. Matth.

Eryngium montanum amethistinum . C. B.Pin. 386. Eryngium caule, & flore ceruleo. Anguil. Eryngium ceruleum. I.B. tom. 3. 1.25. 86.

Eryngium maritimum . I. B. tom. 3. 1. 25. 86. Matth.

Glyzyrrhiza spinosa Lacunæ.

Eryngium planum latifolium Creticum flore ceruleo, & albo mixto variegato. Sherardi nostri seculi Botanicorum facile Principis.

Eryngium arvense foliis serræ similibus. C. B.P. 386. Crithmum 4. Matth. Ammi perenne . Moris. Um-

bel. 22. Chrithmum 4. Matth. umbelliferum. I. B. to.3. 1.27. 195. planta potius marina, quam arvense.

Eryngium Oriental: capite stellato. Tourn. Corall.

Erysimum vulgare. C. B. P. 100. Irio. Matth. Erysimum Tragi flosculis luteis juxta muros proveniens . I. B. tom. 2. 1.21. 863.

Erysimum alterum siliquis erucæ: C. B. P. 101. Erysi-

mum 2. T.M.

Erysimum polyceratium, vel corniculatum & C. B. P.
101. Erysimum alterum . Matth. siliquis parvis quibusdam Dentaria. I. B. tom. 2. 1.21. 86 4. Irio alterum . Matth.

Erysimum creticum siliquis strictissimis . Sberard.

Eruca sylvestris minor luteo parvoque flore. C.B.P. 98.

Eruca sylvestris. Fuchsi. Eruca sylvestris, seu palustris minor procumbens, & repens, luteo parvoque

flore . Morif. H.L.B.

Eruca maritima Italica siliqua hastæ cuspidi simili : C. B. Pin.99. Kakile Serapionis . Anguil. Raphanistrum dispermum maritimum Italicum siliqua hastæ cuspidi simili . H. L. B. Crambe maritima foliis Erucæ fructu hastiformi . Tournef. 212. latioribus , & angustioribus duas fecit species .

Eruca latifolia alba sativa Dioscoridis. C.B.P. 98. Eruca major sativa annua flore albo striato. I. B. tom.

2. 859. Eruca sativa . Dod. 708.

Eruca latifolia semine nigro. Eruca gentilis, sive Erysimum Portæ: an Eruca Romana, seu gentilis siliqua angusta solio lato. I.B. tom.2. l.21. 860. Gentilis

Eruca, vel Hispanica, & major Portæ.

Eruca sylvestris major lutea caule aspero. C. B. P. 98: Eruca tenuisolia perennis slore luteo. I.B. tom. 2. l. 21.862. Eruca sylvestris major vulgatior setens. Moris. H.L.B. Eruca sylvestris: Dod. 708. & sylvestris Matth.

Eruca sylvestris minor bursæ pastoris solic. C.B.P. in Prodr. 2. 39. Eruca minimo slore Monspeliensis. I. B.tom. 2. 862. Eruca sicula bursæ pastoris solio. Bocc.

ter plant. 18. ex Tourn. 227.

Eruca monspeliaca siliqua quadrangula echinata. C.B.P. 99.7. in Prodr. 40. Raphanistrum dispermum monspeliensium siliqua quadrangula echinata. H.L.B. Sinapi echinatum. I.B. tom. 2.1.21.858. Erucago segetum. Tournef. 232.

Eruca palustris, & Nasturtii folio, siliqua oblonga. C.

Catalogus

B. P. 98. Eruca quibuidam sylvestris repens flosculo luteo . I.B. tom. 2. 1.21, 866. Eruca palustris minor. T.M. Sifymbrium palustre repens Nasturtii folio. Tournef. & Herm. H.L.B. qui ad supra dictam Bauhiclassem Erucam palustrem minorem referunt quam sub classe Erucæ sylvestris minoris luteo parvoque flore ipse C. B.P. in nomenclaturis reposuit in Pinace.

Euonymus vulgaris granis rubentibus. C. B. Pin. 428. Euonymus multis, aliis Tetragonia. I. B. tom. r.

1.8. 202. Euonymus . Dod. 783.

Eupatorium cannabinum. C. B. P. 320. Eupatorium adulterinum. I.B. tom. 2.1.14. 1065. Herba, seu Kunigundis. Trag. vulgare Eupatorium. Dod. 28.

Euphrasia officinarum. C.B.Pin. 233. Euphrasia . I.B.

tom. 3.1.20. 432.

Euphrasia pratensis lutea. C.B.P. 234. Coris monspessulana lutea. I. B. tom. 3. 1.30. 427. cristæ alterius generis altera. Cefulp.

Euphrasia pratensis rubra. C. B. P. 234. Euphrasia altera · Dod. Euphrasia parva purpurea · I. B. tom. 3. 1.

30. 427.

Eruca, vel Hilpanica, & major Euphrasia pratensis rubra latifolia . C. B. P. 234. Euphrasia 3. non scripta, sive media. Column.

Eques Ivluelles release burdet pelioris I die: C.B.P. in

ser plant, 18, on Town, 227.

Prodr 2 39. Eruca minimo fiore Monfpelientis. I. S. tom 2.862. I suca ficula buries patients follo, Esec,

aca monfeelisca filique quedrangula cchinata . C B P.

29.9 in Prode 40. Raphanilleum dispermun mont-

peliens un filique quedraugula echimeta. H.L.B. Simapi cchimatum . I.B. com. 2. i. 21. 8 78. Eracago fege-

Maffartii felio, filiqua oblonga

H.L.B. Ernes lylveneis: Ded. 708. & fylveliris

Aba sylvestris fructu rotundo atro. C. B. P. 338. Vicia Narbonensis maxima fructu rotundo atro foliis serratis: Moris. H.L.B. Faba sylvestris. Matth: Pisa nigra. camer. Vicia supina latissimo folio serrato. Tournes. 397: Aracus fabaceus. I.B. tom. 2. 287. Tour-

nefortius classem separat ab illa folio non serrato, quam Aracum fabaceum, & Fabam Kairinam, cui

semina minora I. B. fecit.

Ferrum equinum siliqua singulari. C. B. P. 349. Ferrum equinum vulgare. Colum. p. 1. 300. Ferrum equinum. Matth. Icon. Lob. 82. solea equina. I. B.

tom, 2. 1.17. 347.

Ferrum equinum Germanicum siliquis in summitate.

C. B. P. 349. Ferrum equinum capitatum, sive comosum. Colum. p. 1. 301. Ornithopodio affinis, vel potius soleæ, vel serro equino herba. I. B. tom. 2. lib. 12. 348. Sferra cavallo silvestris Germanicum.

Camer.

Fagus . C.B.Pin. 419. Fagus Latinorum Oxya Græco-

rum . I.B. tom. 1.1.3.217.

Ferula femina Plinii. C.B. Pin. 148. Ferula major, seu semina. Moris. Umbel. 35: Ferula solio seniculi semine latiore, & rotundiore. I.B. tom.3. 1.27.43. Ferula. Dod. 321.

Ferulæ species Cretic. Sherard.

Ficus indica folio spinoso fructu majore. C.B.P. 458.

Opuntia vulgo herbariorum. I.B. tom. 1.1.9. 154.

Ficus communis. CB.P. 457. Ficus. I.B. tom. 1. lib.I.

125. cujus species variæ.

Ficus indica folio spinosissimo. Opuntia major validissimis spinis munita. Tournef. 239. Ficus indica seu Opuntia major folio spinis longissimis, & validissimis armato. Breyn, Prodr, 2.35.

A Fi-

Ficus indica spinosa sylvestris. C.B.P. 458.

Filipendula vulgaris, an Molon Plinii. C.B.P.163. Filipendula. I.B.tom. 3. 1.27. 189. saxifragia rubra. Ger. Filipendula tenuifolia . T.M. Oenanthe Apii folio .

C.B.P. 162. Oenanthe 2. Matth. Oenanthe Apii folio caule firmiori . Morif. Umbell. 16. Oenanthe sive Filipendula monspessulana folio Apii . I. B. tom. 3. 1. 27. 190. 10 . 01 3751 oilot om

Filipendula aquatica, vel palustris . T. M. Oenanthe aquatica. C. B. P. 162. Oenanthe, five Filipendu. la aquatica. I. B. tom. 3. l. 27. 191. radice bulbulis donata.

Filipendula alpina. Lugd. Pedicularis alpina flore luteo radice nigra . I. B. tom. 3. 439. Pedicularis alpina lutea. C. B. P. 163. Pedicularis vel Fistularia alpina lutea quorundam. I. B. loco citato.

Filix ramosa major pinnulis obtusis non dentatis. C. B. P. 357. Filix fæmina Matth. Filix major, & prior Trago, sive ramosa repens. I.B. tom. 3. 1. 37.

735.

. 19

Filix ramosa non dentata florida. C.B. P. 375. Ofmunda . Lob. Filix floribus infignis . I. B. tom. 3. 1.

37.736.

Filix ramosa minor pinnulis dentatis . C. B. P. 358. Filix ramosa minor I. B. tom. 3. lib. 37. 741. Filix querna seu Dryopteris. Ger.

Filix non ramosa petiolis tenuissimis, & tenuissime

dentatis. C. B. P. 358.

Filix non ramosa dentata . C. B. P. 358. Filix vulgo mas dicta, five non ramosa. I. B. tom. 3. 1. 37. 737. Filix mas. Matth.

Filix querna. C. B. P. 358. Dryopteris mas. Matth. Fistularia, sive Pedicularis alpina filicis folio major.

C. B. Pin. 163. pedicularis major Dalechampii . . Ioa. B. tom. 3. 438. Pedicularis major alpina. Lugd. 1138.

Fistularia . Dod. 556. Pedicularis pratensis purpurea.

C.B.

Plantarum .

C.B. P. 163. Pedicularis quibusdam crista Galli, flore rubro. I. B. tom. 3. 437. Ruta pedicularis. T. M.

Fistularia sive Pedicularis pratensis lutea, vel crista Galli. C. B. P. 163. crista Galli semina. I. B. tom.

3. 436. crista Galli . Dod. 556.

Flos Africanus major multiplex. Dod. Gal. Flos Africanus major aureus multiplex. T. M. Tanacetum, sive flos Africanus major flore pleno. C.B. P. 152. Tagetes indicus flore maximo multiplicato. I.B. tom. 3. 1.26. 100. Caryophyllus indicus major. Matth. Gempoalxochitl, seu Giuhnaxochitl, Teneycepohuol, caryophyllus Mexicanus. 1. Hernand. 154.

Flos Africanus major simplici flore. Lob. Icon. Tanacetum Africanum majus simplici flore. C. B. Pin. 133. Tagetes indicus maximus rectus flore simplici

ex luteo pallido. I. B. tom. 3. l. 26. 100. Cempoalxochitl Caryophylli Mexicani planta. Hernand.

154.

Flos Mexicanus flore fistuloso simplici sive Tanacetum. C. B. P. 133. Caryophyllus Mexicanus fistuloso flore. Column. Tagetes indicus flore fistuloso sim-

plici . H. L. B.

Flos Africanus, sive Tanacetum Africanum minimum sericea hirsutie obsitum. C. B. P. 133. Tagetes indicus minimus flore sericea hirsutie obsito. H. L. B. Tlapalcoxatl coaxochitl Caryophillus Mexicanus.

Hernand. 156.

Fæniculum vulgare Germanicum. C. B. P. 147. Moris. Umbel. 3. Fæniculum vulgare minus acriori, & nigriori semine. I. B. tom. 3. l. 27. 2. Tournesortius I. B. nomenclaturam refert ad seniculum vulgare italicum semine oblongo, gustu acuto C. Baub.

Fæniculum sylvestre. C. B. P. 147. erraticum. Mat-

thiol.

Fæniculum marinum siculum altissimum angustifolium. ex H. Cath.

Fæ.

Fænum Græcum fativum. C. B. P. 348. I. B. tom. z.

1. 17. 363.

Fœnum Græcum sylvestre alterum Polyceration. C.B. P. 348. securidacæ genus triphyllon . I. B. tom. 2.

373. Hedysarum minimum Dalechampii. Lugd. 446.

Ficoides Africana latifolia cristaloides. Ficoides peregrina procumbens maxima foliis latissimis una cum caulibus cristallina aspergine ornatis Flor. Nerib. Cl. Volcham.

Ficoides Africana frutescens Kali folio, flore amplo luteo albicante. an Ficus Aizoides Africana minor erecta folio triangulo glauco flore luteo H. L. B.

Ficoides Africana folio triangulo crasso canescens slo-

re Persicino.

Ficoides Africana sedi minoris solio, in summitate spinulis in stellam dispositis slore purpureo: an si-cus Aizoides Africana solio tereti procumbens slore purpureo. H. L. B. sed apud Hermannum nihil de spinulis.

Ficoides Africana foliis Sedi minoribus oblongis flore amplissimo atropurpuratcente in summitate aureis

micibus circinato.

Ficoides Africana sedi minoribus foliis compactis flore parvo luteo pallescente.

Ficoides Aizoides Africana Kali folio flore eleganti coc-

cineo . H.L.B.

Flos Solis major. Ger. Helenium indicum maximum. C. B. Pin. 276. Planta maxima Cortusi apud Matth. Chrysanthemum Indicum flore, & semine maximis annuum. H L.B. Chrisanthemum Peruvianum. Moris. H. Bles. 399. Herba maxima. I. B. tom. 3. 1. 26. 106. Chimelati Peruviana flos solis. Hern. 228. corona solis. T. M. Icon. 763. seminibus nigris.

Idem semine cinereo. Helenium indicum ramosum semine albo cinereo striato H. R. Paris. 84. Tourn. 489. cui Corona solis maxima semine albo cinereo

ffriato.

Flos solis Farnesianus, sive Aster Peruanus tuberosus.

Colum. Echphr. p.2. 11. Helianthemum indicum tuberosum. C.B.P. 277. Chrysanthemum indicum radice tuberosa H.L.B. Helenium indicum tuberosum.

Cath. H. R. Paris. 85. Battatas de canada Park. 1382.

Flos solis pyramidalis tuberosa radice. Ray hist. 335.

Heliotropium indicum quorundam. Ger. d sitsimul

Flos solis minor femina. Ger. Helenium indicum minus. C. B. P. 277. Chrysanthemum indicum slore minore melino. H.L.B. Herbæ maximæ species minor florum, parvitate compensans. I. B. tom 3. 1.26. 107. Corona Solis minor fæmina. T.M. Icon. 764.

Flos solis minor, perenne radice repente. an Corona solis Trachelii solio radice repente. Tournef. 490.

Fragaria vulgaris. C. B. Pin. 326. Fragaria ferens fraga rubra. I.B. tom. 2. 1.17. 394.

Fragaria fructu albo . C.B.P. 326. fragaria ferens fra-

ga alba. I.B. tom. 2. 1.17. 394.

Fragaria fructu parvi pruni magnitudine. C. B. P. 327.

Fragaria fructu rotundo suavissimo flore duplici. Cath.

H. R. Parif. 72.

Fragaria flore viridi. Tourn. 296. Fragaria arborea con

fior herbaceo, Zanon. 99.

Fragaria sterilis. C.B.P. 327. Fragaria non fragisera vel non vesca. I.B. tom.z. l. 17.395. Fragaria sterilis seu minime vesca hirsuta minime incana. Morif. bist.

Fumaria officinarum, & Dioscoridis. C.B.P. 143. Fumaria vulgaris. I.B.tom. 3. 1.26. 201. Fumaria. Matth.

Capnos. Anguil.

-63

Fumaria minor tenuifolia. C. B. P. 143. Capnos minor. Lob. Adv. Fumaria minor, five tenuifolia surre-

cta. I.B.tom.3. 1.26. 203.

Fumaria altera circa Monspelium foliis tenuissimis floribus albis. C. B. P. 143. an Capnos cretica floribus candidis fusca macula notatis. Clus. hist.

Fu-

Catalogus

Fumaria claviculis donata. C. B. P. 143. Capnos altera Belgica albo flore. Cluf. bist. fumaria cum capreolis

I.B.tom.3.1.26. 204.

76

- - LT

Fumaria lutea. C.B.P.143. Fumaria Corydalis quibusdam Matth. Fumaria lutea montana. Parkins. Fumaria quæ Split dicitur. I.B. tom. 3. 1.26. 203.

Fumaria bulbosa radice cava major. C. B. P. 143. Fumaria tuberosa major radice cava. Moris. Fumaria bulbosa, radice cava flore purpurascente. I.B. tom. 3.1.26. 204.

Eadem flore albo. C.B.P. Variet. 143.

Flas folis minor, perenne radice repente, an Corona folis Trachellifelio radice repente. Tarmef. 490.
Fragaria vulgarist C. B. Pin. 216. Bragaria ferens fi aga rubra. L.B. com. 2.1.17. 394.

Fragaria fractu albo . C.B.P. 326. fragaria ferens fiz-

Fragaria tructu parvi prami magnitudine. C.B.R.

Pergeria fred gratindo funvifimo flore deplici. Carb.

Fragaria flow viridi Tomm, 255, Fragaria arborez con for he bacco, Zamm, 29.

ragaria fierilis. C.B.P. 307. Fragaria non fragifera vel non velca. I.B. tom.z. 1 17.394. Fragaria fieri-

feu minime velca briluta minime incena. Alevyl.

tumaria officiazión, & Dieferidis, C.B.P. 143. Fuma-

Capnos. Argail.

nor. Leb. Adv Fumaria minor, five tentifella furre-

Fumaria electa circa Montpelium fellis tennifilmis flo-

ribus albis, C. B. P. 1431 an Carnos tretica floribus candidis fusca macula notaris. Chef biff.

Ga-



Alega vulgaris. C.B.P.352. I.B. tom.2. 1.17. 342. Ruta capraria . Gefn. H.

Conflict affinis arbor

Eadem floribus albis : floribus penitus candicantibus. C.B.P. variet. 352. Gallium luteum . C.B.P. 335. Gallium verum. I.B. tom. 3. 1.36. 720.

Gallium rubrum. C.B.P.335. Gallium

rubro flore : cluf. hift.

Gallium palustre album. C.B.P. 335. Gallium album.

I.B.tom.3. 1.36.721.

Gallium nigropurpureum montanum tenuifolium : Co-

lum. C.B.P.335. Colum. P.1. 298.

Gallium album pratense vulgare, an Mollugo Montana angustifolia, vel Gallium album latifolium. C.B.P. 334: Gallium album vulgare . Tourn. 115. Gallium album. I.B.tom. 3. 721. Mollugo vulgatior herbariorum, Gallium album quorundam. Lob. Icon. 802.

Gallium sive Mollugo montana latifolia ramosa. C.B. B. 334. Matrifylva 2. Trag. Rubia sylvatica lævis. I.

B.tom. 3.716. Mollugo . Dodon. 354.

Genista spinosa major longioribus aculeis. C.B.P.394. Genistellæ spinose affinis Nepa quibusdam . I.B.tom. 1.1.11.400.

Genista tinctoris Germanica. C.B.P. 395. Tinctorius

flos. I.B.tom. 1. 1.11.391.

Genista humilis, seu Chamægenista foliis genistæ vulgaris. C.B.P. 395. Genistella pilosa. I. B. tom. I.

l. II. 193.

Genista Iluensis. Lugd. Spartium triphyllum. C.B.P. 396. an Spartium minimum montanum triphyllum. Column. Genista radiata, seu stellaris. Volck. Flor. Norimber. Chamæspartium montanum triphyllum: Park.

Genista, sive Chamægenista Africana frutescens flore cæruleo. Spartium Africanum. Rivini, Genista spar-

tium

tium cæruleum Africanum foliis pinnatis : Brey Genistæ affinis arbor Africana Monospermos flo

cæruleo foliis pinnatis. H.L.B.

Genista Hispanica floribus luteis amplis seminibus les ti similibus. H. L. B. Spartium arborescens semin bus lenti similibus . C. B. Pin. 396. Genista junce. . I.B.tom. T. 1.11. 305119111 mullis

Gentiana major luteal. C.B.P. 187. Gentiana vulgar major Ellebori albi folio . I.B.tom. 3. 1.31.520. Ger

tiana Veterum. Cluf. bist.

Gentiana major purpurea. C.B.P. 187. Gentiana ma

jor flore purpureo. clusi.

Gentiana Asclepiadis folio. C.B.P. 187. Gentiana fo lio Asclepiadis vulgo creditæ. I.B.tom.3. 1.31. 523

Gentiana 2. cæruleo flore. Cluf.

Gentianella alpina angustifolia magno flore. C.B. Pir 187. Gentiana alpina magno flore. I.B. tom.3.1.3 523. Gentianella campanulæ flore purpureo. Adz Sallam album quorundam. Lob. Lon. Mos.

Gentianella alpina latifolia magno flore, quæ in Prodi 4. Matritylva 2. Trag. Rubia fylvat 781 . Q.B.D.

Gentianella alpina æstiva centaureæ minoris foliis

C.B. P. 188 Gentiana minor. T.M. Conici

Geranium Africanum frutescens malvæ folio lacinia to odorato. H. L.B. Geranium malvæ folio odoratum flore purpurascente capitis bonæ spei . Breyn Frodr. 26.

Geranium Africanum coriandri folio floribus incarnatis majus. H.L.B. Geranium Æthiopicum myrrhidis folio tertium flore magno striato. Breyn,

leent. 1. 129. gegetium tripin . 221. 1 . 2019

Geranium Africanum tuberola radice floribus amplif. fimis incarnatis folio Anemones:

Geranium Africanum Alchimillæ hirfuto folio, floribus albis. H.L.B.

Geranium Africanum Alchimillæ folio arborescens flore coccineo eleganter splendenti . Clar. Volcham. minis.

Ge-

Geranium Africanum triste noctu olens Dauci solio: an Geranium Africanum noctu olens radice tube-rosa soliis pastinacæ incanis lanuginosis angustioribus. H.L.B. Breyn. cent. 1.127. an potius Geranium Africanum noctu olens tuberosum, & nodosum aquilegie soliis. H.L.B.

Geranium Africanum batrachioides flore atrorubente

magno . Volck.

Geranium Africanum uvæ crispæ folio cauliculis procumbentibus, floribus exiguis rubellis. H.L.B.

Geranium Americanum noctu olens radice tuberosa.

H.L.B. Geranium trifte . Cornut. 109.

Geranium batrachioides Gratia Dei Germanorum.

Lob. C. B.P. 318. Geranium batrachioides. I.B. tom.

3.1.30.113. grandius floribus cæruleis.

Idem floribus rubris.

Geranium batrochoides odoratum. C.B.P. 318. Geranium batrachoides longius radicatum odoratum. I. B. tom.3. 1.30. 477.

Geranium batrachoides folio Aconiti . C. B. Pin. 318.
Geranium batrachoides aliud folio Aconiti nitente.

Clusii. I.B.tom. 3.1.30.476. flore violaceo.

Geranium Batrachoides siculum annuum hirsutum flo-

re violaceo. Bocc.

Geranium sanguineum maximo flore. C. B. Pin. 318. Geranium hæmatodes. Dod. Geranium sanguineum, sive hæmatodes crassa radice. I. B. tom. 3. lib. 30. 478.

Ceranium tuberosum majus. C. B. P. 318. Geranium

tuberosum. I. B. tom. 3. 1.30. 474.

ceranium ficulum malvæ folio laciniato nitidum flore purpureo, five Geranium Apii folio. Bocc.

Geranium folio malvæ rotundo. C.B.Pin. 318. Geranium folio rotundo multum serrato, sive columbinum. I. B. tom. 3. lib. 30. 473. Columbinum.
T.M.

Geranium nodolum. C. B. P. 318. v. Ger. nodolum Pla-

Plateau. Clus. bist. Geranium magnum folio trifido

I.B. tom. 3. 478.

Geranium columbinum tenujus laciniatum. C. B.Pin. 318. Geranium Malacoides, five columbinum tenujus laciniatum. in Prodr. C. B. 138.

Geranium columbinum majus flore minore cæruleo.

Raij hift. 1059. Town. 268.

Geranium althææ folio . C.B. P. 318. Geranium mal-

vaceum. I.B.tom.3.1.30. 472.

Geranium Africanum procumbens betonicæ folio, floribus eleganter rubellis: an Geranium minimum
procumbens foliis betonicæ. Moris. bist. Geranium
pusillum supinum maritimum betonicæ folio. Raij
catal. 131. Geranium pusillum supinum maritimum
altheæ, aut betonicæ folio nostras. Raij hist. 1056.

Geranium cicutæ folio minus, & supinum. C. B. P. 319. Herba Ruperti, & Geranium quartum. Brunsf. Mirrhida Plinii, & Rostrum Ciconiæ inodorum

vulgatum. Lob. Icon.

Geranium latifolium longissima acu. C.B.P. 319. Geranium latifolium annuum cæruleo flore acu longissima. Moris. Geranium speciosum annuum longissimis rostris creticum. I.B. tom.3. l.30. 439. Geranium creticum annuum hæmatodes. Lob.

Geranium cicutæ folio acu longissima. C.B. Pin. 319. Geranium Apulum coriandri folio alterum odorum.

Column. p.1. 135.

Geranium Africanum betonicæ folio laciniato, maculato flore purpureo. H.L.B. flore incarnato.

Geranium Cicutæ folio moscatum. C.B. P. 319. Gearanium moscatum. Eyst. & Moris. Geranium moscatum folio ad Mirrhidem accedente majus. I.B. tom. 3.1.30. 479. Geranium supinum. Dod. 63. Acus mossicata. Eric. Cord. Geranium 3. Matth. muscatum Geranium, quod vocatur in hortis, folia cicutæ non obtinet: sed claris. Botanicis acquiesco:

Geranium argenteum alpinum. C. B. Pin. 318. Gera-

nium

nium alpinum longius radicatum. Ponæ 362. Geranium argenteum montis Baldi. I.B.tom.3.474.

Geranium parvum foliis ranunculi C.B.P. 318. Gera-

nium 8. vel Salmaticense rostratum. Clus.

Geranium Africanum flore crispo odorarum. Volch.

Gingidium umbella longa. C. B. Pin. 151. Gingidium. Matth. I.B. tom. 3. 1.27. 79. Visnaga, seu Gingidium. Moris. Umbel. 6.

Gingidium folio feniculi . C.B.Pin. Gingidium Diosco-

ridis. Ravulf. Lugd. ap.

Gladiolus floribus uno versu dispositis major. C.B.P. 41. Gladiolus, sive Xyphion. I.B. tom. 2. 1.19. 701. flore rubro.

Glyzyrrhiza capite echinato. C.B.P.352. Glyzyrrhiza Dioscoridis echinata non repens. I. B. tom. 2. l. 17. 327. Onobrychis flore cæruleo siliculis hirsutis, seu asperis ad imum Platani pilulæ modo junctis Moris. Hist.

Glyzyrrhiza siliquosa vel Germanica. C. B. P. 352. Glyzyrrhiza radice repente vulgaris Germanica. I. B.to. 2. 1.17. 328. dulcis radix. Trag. Glyzyrrhiza

altera Matth.

Glyzyrrhiza sylvestris floribus luteo pallescentibus. C. B. P. 352. Fænum Græcum sylvestre. Tragi. Polygalon. Cord. in Diose.

Gnaphalium maritimum. C.B.P. 263. I.B.tom. 3, 1, 26, 157. Gnaphalium. Matth. Gnaphalium legitimum.

Clusii.

Gnaphalium medium . C.B.P. 263. Gnaphalio vulgari similis . I.B. tom. 3. 1.26. 159. Filago 4. Dod. Gal. Fi-

lago minor Dod. lat.

Gnaphalium Africanum fætidum latifolium maximum flore argenteo. Volck. Flor. Norib. Conyza Africana graveolens capitulis argenteis. Pluken. Phytog. T. 244.

Idem flore aureo; an Elichrysum Africanum fæti-

dissimum amplissimo folio Tournef. 454.

Gina-

Gnaphalium montanum flore rotundiore. C.B.P. 263. Pilosella minor quibusdam aliis Gnaphalii genus. I.B. tom. 3. 1 16. 162. Lagopus 2. Trag. Auricula muris Lon. Pilosella minor. Fuchs. Gnaphalium montanum umbellatum Turr. H. Pat.

Gnaphalium vulgare maius. C.B.Pin. 263. Gnaphalium Germanicum. I.B.tom.3.l. 26.168. Heliochrysos sylvestre. Trag. Gnaphalium vulgare. Matth. Impia Pli-

nii . Anguil. Tomentum . Cord. hift.

Gnaphalium minus repens. C. B. P. 263. Gnaphalium minimum. I.B.tom. 3. 1.26. Filago minor. Ger.

Gnaphalium majus angusto oblongo solio alterum. C.B. P.263. Gnaphalium rectum. I.B. tom. 3. l. 26. 160. Pseudoleontopodium Matth. Lugd. Chrysocome Ger-

manica Lob. obf.

Gnaphalium angusto oblongo folio majus C.B.P. 263.
Gnaphalium vulgare tenuifolium. I.B. tom. 3. l. 26.
159. Filago Germanica alia secundo folio florida
Adv. Lob. Gnaphalium vulgare majus. Thal.

Gnaphalium alpinum magno flore, folio oblongo. C. B. P. 264. Leontopodium verum. Matth. Leonto-

podium. Dod. an Leontopodium Dioscoridis.

Gossipium frutescens semine albo. C. B. P. 430. Xy-lon, sive Gossipium. Matth. Gossipium Dod. Bom-

bax officinarum.

Gramen Alopecuroides Taurinensium spica longissima. Boccon. an Gramen Alopecuroides maximum spica longissima ex pluribus minoribus spicis conflata cap. bonæspei. Pluk. almag. ex Hist. Ray tom. 3. 601. an Gramen paniceum simplici panicula longiore alopecuroide cana. H. Cath. suppl.

Gramen Sabaudicum semine contorto a Boccone olim

miffum.

Gramen dactilon indicum esculentum spica articulata Ambros. I hytol. 646. Gramen dactilon maximum Americanum. H. R. Paris. 82. Sesamum perenne indicum. Zanon. bist. 181. an Gramen spica articula-

ta Virginianum. Parckins. en Raja Histor. tom. 3.

605.

Gramen striatum Hispanicum. Vesling. Gramen striis pictum. I. B. hist. Gramen striatum. Park. Lon. Gramen paniculatum folio variegato. C. B. Pin. 3.

Gramen pictum. Cam.

Gramen Parnassi albo simplici slore. C. B. Pin. 309. Gramen Parnassi. Dodon. & quibusdam Hepaticus slos. I. B. tom. 3. 537. inter cisti humilis species reposuit Hermannus Enneadynamis Polonorum. Gesmer. Hort.

Graminum paniculatorum, & spicatorum variæ, &

innumeræ species.

Gratiola centauroides. C. B. Pin. 279. Gratiola. I. B. tom 3. lib. 30. 435. Digitalis minima Gratiola dicta. Morif. Gratiola. Matth. Gratia Dei altera. Casalp. Gratiola vulgo dicta, quæ a quibusdam ve-

rius Hyssopum vulgare censetur. Colum.

Gratiola minor . Gesn. Col. Hyssopoides Cam. Hyssopisolia . C. B. Pin. 219. in Prodr. & Matth. descripta Lysimachiæ spicatæ purpureæ assinis Hyssopisolia. Herm. H. L. B. Hyssopisolia aquatica. I. B. tom. 3. 1.38. 792.

Groffularia simplici acino, vel spinosa sylvestris. C. B.Pin. 455. Uva crispa, sive grossularia. I. B. tom. I. lib. 6. 49. uva spina. Matth. uva crispa. Dod. Trag. Rocella Cordani de subtil. Ceanothus spina.

Teoph. Gefn. H.

Grossularia spinosa sativa. C. B. P. 455. uva crispa

fructu cerasi magnitudine. Gesn. H.

Grossularia multiplici acino, sive non spinosa hortensis rubra, sive Ribes officinarum. C. B. Pin. 455. Ribesium fructu rubro. Dod. Ribes Arabum. Lob.

Grossularia hortensis fructu margaritis simili. C. B. P. 455. Ribes fructu albo. Eyst. Ribes vulgaris fructu

F

albo . cluf. bift.

2 Gua-

S4 Catalogus

Guajacum Patavinum vulgo Fallopio Gesn. H. Lotus Africana latifolia. C. B. P. 447. Guajacum. Cord.

Guajacana. I. B. tom. 1. 1.2.238.

Langualvas vie Poismonani. Con-

cides C. B. Pin, 270 Craziola . T.

estrois . March. Cratic Deceleges .

Pin 210 in Product to Acido a

finiplier acino , vel fpinola fylvelitis . C.

Acc . guller avu denta . migh she call

neelle Condeni de fabril. Ceanochus ining.

shading fruits rubro . Dod. Ribes Arabum.

Pin. 455. Usa crifps, five groffularia. I. B. tom.

effector mulciplica acino a five non foinola her-

ada cultur . The Rules officionation. C. B. Pin.

formis hortonfis fructa margaritis fimili. C.B. P.

Ribes findly all or Est. Bibes valuaris fraction

his infrared purporter efficies thyf-

I. B. Hyllopnolia aquatica. I.

Guajava clusii bist. Appen. Guajabo pomisera, Indica :

serving products, and higher to content them the particus

and paniculatorum, & lincitation varies, &c

rations wolge dicta, quas

VI STORY BYENING



Alimus latifolius, sive fruticosus : C.B. P. 120. Halimus. Clusi. I.B. tom. 1. 1.8. 227. Atriplex latifolia, seu Halimus fruticosus latifolius . Moris. Portulaca Marina. Dod.

Halimus seu Portulaca marina. C.B. P. 120. Halimus vulgaris. Matth. Atri-

plex maritima angustissimo folio. Moris. hist.

Hedera quinquefolia Canadensis. Corn. 100. Vitis quinquefolia canadensis scandens. Tourn. 613. Vitishederacea indica. Bod. ad Tehoph. 364. Hedera indica,

Vitis Virginiana quinquefolio. Vesling. catal.

Hedera trifolia Canadensis. Corn. 96. Toxicodendron triphyllon glabrum. Tourn. 611. Apocinum trifolium indicum vulgo Epimedium. Bod. a Stapel. ad Theoph. 264. virgulis erectis; an Hederæ trifoliæ canadensi affinis planta indica, Arbor venenata quorundam. Cat. H.R. Parif. ex H.L.B. Vitis sylvestris trifolia Americana. Hoff. flor. Altford. Vitis indica trifolia. Vesling. H.Pat.

Hedera terrestris vulgaris. C. B. P. 306. chamecissus, sive hedera terrestris. I. B. tom. 3. app. 853. Chamæ-

cissos. Trag. Chamæclema cord.bift.

Helenium vulgare. C.B.P.276. Helenium, five Enula campana. I.B.tom. 3. 1.26. 208. helenium . Bru. & Matth. Panax chironium . Theophr. Anguil. cord.

Helichrysum foliis Abrotani . C.B.P.264. Heliochryson quorundam folio abrotani I.B. tom. 3. 1. 26. 150. Helichrysum. Matth. creticum in epist. ejusdem.

Helichrysum seu stæchas citrina latifolia. C. B. Pin. 264. Stæchas citrina Germanica latiore folio. I. B. tom. 3. 1.26. 153. Amanthus luteus primus. T.M.

Heliochrysum Africanum frutescens foliis Agerati canelcens umbella amplissima corymbifera. Scher. Botanicorum decus: an elichrysum maximum incanum fo-

foliis longis acutis floribus in summis caulibus, & ramulis plurimis parvis velut in umbellam diffusis.

Raij tom. 3. p. 170.

Heliotropium majus Dioscoridis. C.B.P. 252. heliotropium majus flore albo. I B.tom.3. 1.33. 604. herba

cancri major . Lon.

Heliotropium minus supinum. C. B. P. 253. heliotropium minus primum. T.M. Verrucaria altera minor. Lugd.

Heliotropium tricoccum. C B.P. 253. I.B.tom.3. 1.33. 406. heliotropium minus. Matth. heliotropium par-

vum Dioscoridis . Lob.

Heliotropium Americanum cæruleum foliis Hormini.

Dod. mem. 83. Heliotropium Americanum cæruleum latifolium. H.L.B.

* Heliotropium Africanum frutescens Anthirrhini mi-

noribus foliis flore albo. H. M.

Helleborine latifolia montana. C. B. P. 187. Damasonium Calliphyllum. Cord. bist. sigillum salamonis. Casalp. Epipactis latifolia. Eyst. helleborine Dodo-

nei. I.B.tom.3. 516. Helleborine. Dod. 384.

Helleborine flore albo, vel Damasonium montanum latisolium. C. B. P. 187. Alisma quorundam. Cord. bist. Epipactis angustis soliis Eyst. Damasonium alpinum, sive Helleborine floribus albis. I. B. tom. 3. 616. helleborine albo store. T.M. Icon. 724.

Helleborine flore rotundo, sive Calceolus. C. B. P. 187. Damasonii species quibusdam, sive calceolus divæ mariæ. I.B. tom. 4. 1.31. 518. Calceolus mariæ.

Adv. Lob. Pseudodamasonium. Clus. Pan.

Helleborus niger fetidus. C.B.P. 175. Helleborus niger fylvestris adulterinus; etiam hyeme virens. I. B. tom. 3. app. 780. Enneaphyllon Plinii. Cæsalp. Pedicularia fetida 3. Trag. Helleboraster. Adv. Lob. helleborus maximus Lob. Veratrum nigrum. 3. Dod.

Helleborus niger hortensis flore viridi. C. B. P. 185. elleborus niger vulgaris flore viridi, vel herbacea

radice diuturna. I. B. tom. 3. 1.32. 636. helleborus ni-

ger alter. Matth.

Helleborus niger flore roseo. C.B.P. 186. Helleborus niger flore albo, interdum etiam valde rubente. I. B. tom. 3. lib. 37. 634. Helleborum nigrum. Marth. Planta Leonis. Dod. Gal. Veratrum nigrum legitimum. Clusii.

Helleborus niger Saniculæ folio major. C. B. P. 186.
Astrantia major. Morif. Sanicula semina adulterina. Trag. Astrantia nigra. Gesn. Veratrum nigrum
Dioscoridis. Dod. Astrantia major corona sloris pur-

purascente. Tournef. 314.

Helleborus albus flore subviridi. C.B.P. 186.I.B. tom.

3.1.34. 633. Veratrum album. Dod. Gal.

Helleboru albus flore atrorubente. C.B.P. 186. Hellebori albi alterum genus. Casal. Helleborus albus

flore nigro. I. B. tom. 3. 1.34. 634.

Hemionitis multifida. C.B.Pin. 354. Hemionitis altera Dalechampii filici floridæ similis. I. B. tom. 3. 737. Hemionitis altera Dalecampii. Lugd. 1218. lingua cervina foliis costæ innocentibus. Tourn. 545.

Hesperis hortensis. C.B. P. 202. Hesperi: flore albo-I. B. tom 2. l. 21. 877. Viola matronalis vulgo. H. L.B. Viola matronalis. Gesn. Dod. Leucojum Diosc.

album purpureum . Fuchs . Icon.

Hyacinthus Orientalis maximus. C. B. Pin. 44. cujus species variæ. Hyacinthus Orientalis major. Dod. 216.

Hyacinthus Orientalis flore duplici. C. B. Pin.46. cu-

jus species variæ.

Hyacinthus Orientalis albus . C. B. P. 44. cujus variæ

species. Hyacinthus albus simplex.

Hyacinthus comosus major purpureus. C. B. Pin. 42. Hyacinthus maximus botryoides coma cærulea. I. B. tom. 2. 1.14. 574. muscari arvense. latifolium purpurascens. Tournes. 347. Hyacinthus comosus spurius tertius. Dod. 218.

Hya-

Hyacinthus racemosus cæruleus major. C. B. P. 42. Hyacinthus racemosus major latifolius speciosior arbuteo slore cæruleo. Morif. Hyacinthus botryoides cæruleus amænus. Lob. Icon. 108.

Hyacinthus racemosus cæruleus minor juncifolius. C. B.P. 43. Hyacinthus vernus botryoides minor cæruleus angustioribus foliis odoratus. I. B. tom. 2.571. Hyacinthus racemosus. Dod. 217. Muscari arvense

juncifolium cæruleum minus. Tournef. 348.

Hyacinthus racemosus moscatus. C. B.P. 43. Hyacinthus odoratissimus dictus Tibcadi, & Muscari. I. B. tom. 2. lib. 19. 578. Hyacinthus racemosus, seu botryoides major, seu Muscari majus obsoleto albo flore Moris. Muscari obsoletiore flore. Clus. bist. 178. Bulbus vomitorius. Matth.

Hyacinthus racemosus moscatus luteus. C.B. Pin. 43. Hyacinthus odoratissimus. Tibcadi luteus. I.B. tom.

2. lib. 19. 579. Muscari flore flavo. Clusi histor.

179.

Hyacinthus stellatus cæruleus staminulis ex viridi luteis. C.B.P. 46. Hyacinthus stellatus Italicus. Eyst.

Hyacinthus stellatus minimus. C.B.P.47. Hyacinthus

stellaris vernus parvulus. Lob. & Eyft.

Hyacinthus indicus tuberosus flore narcissi. C. B. P. 47. Hyacinthus stellatus Peruvianus. Clusi bist. Hyacinthus indicus tuberosa radice Robini. Hyacin-

thus major indicus tuberosa radice. Svvert.

Hieracium majus folio sonchi, vel Hieracium sonchites. C. B. P. 126. hieracium majus. Matth. Taraxacon majus. Lon. sonchus repens, multis hieracium majus. I.B. tom. 2. l. 24. 1017. Sonchus asper arborescens palustris Hieracii facie. H.L.B.

Hieracium majus erectum latifolium. C. B. Pin. 127.

Sonchus 3. Clussi caule aspero.

Hieracium dentis Leonis folio, flore suaverubente. C. B. P. 127. hieracium Apulum suaverubente flore. Colum. Hieracium dentis Leonis folio hirsutie asperum minus laciniatum. C. B. P. 127. hieracium alterum saxatile montanum. Colum.

Hieracium chondrillæ folio glabro radice succisa majus. C.B.Pin. 127. Hieracium minus. Trag. hieracium minus præmorsa radice. Adv. Lob. hoc Tournesortius 470. Hieracium coronopi folio esse statuit.

Hieracium siliqua falcata. C. B. Pin. 128. hieracium falcatum. Ger. hieracium Monspeliensium, & Narbonensium. T. M. Calendula hieracii flore semine falcato. H.L.B. Hieracium falcatum. Moris. Hieracium stellatum. I.B. tom. 2.1.24. 1014.

Hieracium echioides capitulis Cardui benedicti. C.B. P. 128. Buglossum Echioides luteum hieracio cognatum. Lob. Icon. hieracium capitulis cardui benedicti maximum, Buglossum echioides quibusdam. I. B. tom. 2. 1.24. 1029.

Hieracium alpinum latifolium hirsutie incanum flore magno. C.B.P. 128. hieracium primum latifolium. clus. hieracium phlomides. T.M.

Hieracium alpinum latifolium villosum magno flore: C.B.P. 128. Hieracium 5. villosum. Clus. hieracium latifolium montanum. T. M. hieracium alpinum hirsuto folio quodammodo incano: Clusi. I.B.tom. 2.1.24. 1027.

Hieracium hortense floribus atropurpurascentibus, quod 19. in Prodr. C. B. Pin. 128. Pilosella major quibusdam.

Hieracium montanum angustifolium nonnihil incanum. C.B.P. 129. hieracium montanum angustifolium 2. T.M.

Hieracium montanum latifolium glabrum majus : C. B. P. 129. hieracium montanum majus latifolium. T.M. sub Chondrilla Hispanica, Ger. Icon.

Hieracium murorum folio pilosissimo. C.B.P.129. Auricula muris major. Trag. Pulmonaria Gallica, sco-

90 pa regia forte Plinii. Gesn. H. Pilosella major quibusdam aliis Pulmonaria flore luteo. I.B.to. 2. 1.24

1033.

Hieracium murorum laciniatum minus pilosum. C.B. P.129. Pulmonaria Gallica fæmina. T. M. Piloselle majoris, sive Pulmonariæ luteæ species magis laci-

niata . I.B.tom.2. 1.24. 1034.

Hieracium fruticosum latifolium hirsutum. C.B.P.129. Erinus. Matth. Hieracium frutescens latifolium po-Ivanthos . Eyft. hieracii Sabaudi varietas . id. Erinus quibusdam Matth. dicta. I.B. tom. 2. 1.24. 1000.

Hieracium Africanum frutescens Pulmonariæ Gallicæ

folio . Volch.

Hieracium fruticolum angustifolium majus. C.B. Pin. 129. hieracium Sabaudicum. Adv. Lob. Lugd. hieracium primum. Dod. Hieracium rectum rigidum quibusdam Sabaudum. I.B. tom.2. 1.24.1030.

Hieracium fruticosum minimum, quod 24. in Prodr. C.

B. P. 129.

Hieracium Tragopogonoides luteum ex H. Cath.

Hieracium ficulum flore magno Scorzonere ex H. Cath. an hieracium asperum flore magno C. B. Pin. 127. dentis Leonis, quod hieracium foliis, & floribus Dentis leonis bulbosi Lob. Icon. & Vipeream, vel Scorzoneram Italicam Caft. in synonimis Bauh. scriplit.

Hieracium foliis cichoreii sylvestris odore castoris. Bot. Monsp. Magnol. Tournef. 469. Hieracium amygdalas amaras olens, seu odore Apuli suaverubentis. H R. Paris. hieracium parvo flore luteo, flore suaveru-

bentis odore emulum . H.R. Blef.

Hyoscyamus vulgaris, vel niger. C.B.P. 169. I.B. tom.

3. 1.34. 627. Apollinaris. Cord. in Diofe.

Hyoscyamus albus major, vel 3. Dioscoridis, & 4. Plinii . C.B.P.169. Hyoscyamus albus . Matth. & I.B.tom.3.1.34.627.

Hyoscyamus creticus luteus minor C.B.P. 169. Hyoscia-

mus albns. creticus. Clusii bist. 34. Hyoscyamus au-

reus . Alpin exot. 99.

Hypericum vulgare. C.B.P. 279. Hypericum vulgare, five perforata caule rotundo foliis glabris. I.B.tom.

3. 1.29. 381. Hypericum. Dod. 76.

Hypericum supinum tomentosum majus, vel Hispanicum. C.B.P. 279. Ruta sylvestris. Diosc. Placa. Hypericum humistratum. Lugd. Hypericum supinum tomentosum Hispanicum. Clus. bist. 181.

Hypericum minus supinum, vel supinum glabrum: C. B.P. 279. Hypericum minimum supinum. I.B tom.3. 1.29. 384. hypericum supinum 3. minimum. Clus.

hift. 181.

Hypericum folio crispo.

Hyssopus officinarum cærulea, seu spicata. C.B.P. 217. Hyssopus. Matth. hyssopus vulgaris spicatus angustifolius flore cæruleo. I B.tom.3. l. 28. 274. hissopus vulgaris. Dod. 287.

Hyssopus rubro flore. C.B.P. 217. Hyssopus Arabum flore rubro. Lob. Icon.434. I.B. tom.3. 1.28. 274 hissopus vulgaris. spicatus angustifolius flore rubro.

Hyssopus vulgaris alba. C.B.Pin. 218. hissopus albisflo-

ribus utrinque digestis. Lob. Icon. 435.

Hyssopus angustifolia montana aspera. C.B.P. Hyssopus montana. Matth.

Holosteum hirsutum albicans majus. C.B.P. 190. Holosteum plantagini simile. I. B. tom. 3. 1. 3. 508. holosteum salmanticum prius. Clusii.

Holosteum strictissimo folio majus. C.B.P.190. coronopus, sive serpentina. Matth. serpentina. Dod.

Holosteum nigricans plantaginis folio serpens majus A-fricanum. Cl. Volch am.

Horminum sclarea dictum. C.B.P. 238. Gallitricum sativum. I.B. tom. 3. 1.28 309. & Trag. sclarea. T.M. Icon. 373. Orvala. Dod. 292.

Horminum majus amplo flore violaceo, lobis florum punctis aureis notatis. Meris. H. Blef. Sclarea indica

flo-

flore variegato. Tourn. 179. Horminum indicum mas ximum flore variegato. H.R. Parif. Horminum indicum variegatum.

Horminum sanguineum asphodeli radice. Triumfet.obs. 69. Horminum sylvestre maculatum tuberosum Fran.

de Honophriis. Raij bist. 546.

Horminum sylvestre majus foliis profundius incisis. C. B.P. 239. Hormini sylvestris altera species vel dilutiore flore. Clusi Pan. & species 3. eidem hist.

Horminum sylvestræ foliis non serratis.

Horminum luteum glutinosum. C.B.P. 238. Galeopsis lutea Dalechampii. Lugd. Galeopsis species lutea, viscida, odorata nemorensis. I.B. tom. 3. 1.28.34. Orvala. Dod. colus jovis. Adv. Lob. melinum. Casalp.

Horminum luteum glutinosum flore striato. C.B. Pin. Horminum Verbenæ laciniis angustifolium Triums. obs. 66. quod Horminum minus folio sinuato flore minore dilute cæruleo. Moris. & Bles. idem fecit. Triumsetus hoc suum Horminum ab Hormino angustifolio laciniato C. Boub. in Prodr. descripto lib. 6.c. 22. diversum esse testatur.

Horminum sylvestre cæruleum betonicæ folio leviter lacerato. H. Cath. sclarea Tingitana betonicæ folio,

flore cæruleo. Tournef. 180.

Horminum hastatis amplioribus foliis seu Ari modo alatis caulibus, & pediculis araneosa lanugine villosis ex insula Gomera. Pluk. Almag. Bot. & Phytog. T. 301. fig. 2. Sclarea solio triangulari, caule tomentoso. Tournes. 180.

Horminum purpureum salviæ foliis, ac sativi sacie viscosum. H. Cath. horminum salviæ folio slore purpureo. Tournes. 180. Horminum salviæ folio. Mo-

ris. H. Blef. an sideritis salviæ folio Donati.

Horminum creticum salviæ solio incano spicato lavendulæ slore purpureo. Sherard. Botanici nostra ætate eximii.

Horminum Syriacum glutinosum Æthiopidis folio,

flore niveo. Sclarea syriaca flore albo Tournef. 179. horminum Syriacum sclareæ dictæ congener flore albo, an Bisermas. Catal. H.R. Paris. an Horminum syriacum. C.B.P.234.

Horminum Syriacum latifolium altissimum, & elegantissimum spicatum flore purpurascente: an Sclarea Lusitanica glutinosa amplissimo solio. Tourn. 179.

Horminum pratense niveum foliis incanis. C. B. P. 238.

Horminum Syriacum Verbenæ folis lavendulæ flore.

Volkam. an Horminum spicatum lavendulæ flore,
& odore. Bocc. rar. plant. 48.

Horminum Beticum annuum latifolium bitumen redolens, flore purpurascente. Sclarea maxima Bætica annua flore dilute cæruleo. Tournef. 179. Horminum Bæticum maximum flore dilute cæruleo. H.R. Par.

Horminum Neapolitanum glutinosum ramosum, latifolium flore candido.

Horminum Syriacum rugoso verrucosoque solio cornu cervinum exprimente. Par. Bat. Prodr. Horminum rugoso verrucosoque solio. Par. Bat. 186. Pluck. Pby-tol.T. 419. fig. v.

dans maricinus considers siato caule. Temener and

ten figuala figuala grepens capitulo aquamolo fizebe

seen infanta erected to Expent high 10%, jacob capite

es abore, argentes de Magula, parimente foucie di Fadeide Zanon, which was rop, jeces Epidauriga Cardidifficas, St tomentolay Towarf 447 jaces Ra-

wer ippens confushing have folds, one in Prof. feld

Ca market Walter Toneran

ours rought tollor. H.L.B. epg. 6

breviocipus aculeis ininolo, H. LoB.

Eugua II. Patayini floruduteo.

Horminum rarum flore variegato . Sherard.

Horminum Creticum allato caule . Sherard.



Acea nigra pratensis latisolia. C. B.P. 271. jacea nigra vulgaris capitata, & squamosa. I. B. tom. 13. l.25. 27. Scabiosa vulgaris pratensis, vel 4. Trag. centaurii pratensis species Gesn. H. jacea nigra. T.M Icon. 152. Cyanus sylvestris angustisolius. Thal.

Jacea nigra squamoso capite major. C.B.P. 271. jacea montana squamosa major semine nigro. I.B.to.

3.1.25. 29. jacea Austriaca prima. clus.

Jacea nigra squamoso capite minor. C. B P. 271. jacea montana squamosa minor semine albicante.

I.B.tom. 3. 1.25. 29. jacea squamoso capite 2. montana. clus. bist. v1.

Jacea angustifolia capite hirsuto. C.B.P.271. jacea montana villoso capite humilior, sive v. clus. bist. v1.

Jacea lutea capite spinoso. C. B. P. 272. Gentaurium collinum, sive jacea spinosa slore luteo. I.B. tom. 3.1.25.34. Spina solstitialis altera. Dod. carduus stellatus capitulis spinosis. Lob. Carduus luteus centauroidis segetum. Tournef. 441.

Jacea laciniato sonchi folio, sive jacea latifolia purpurea capitulo spinoso 4. in Prodr. C.B. Pin. 272. Carduus maritimus canescens alato caule. Tournef. 441.

jacea marina Bætica. Parkins. Th. 473. jacea laci-

niata sonchi folio. H L.B. app. 675.

Jacea sicula lignosa (repens capitulo squamoso stæbe essigie ex H. cath.

Jacea spinosa cretica. Zanon. hist. 105. jacea capite

brevioribus aculeis spinoso. H. L. B.

Jacea arborea argentea di Ragusa, parimente specie di Hiosiride Zanon. hist. Bot. 107. jacea Epidaurica candidissima, & tomentosa. Tournes. 445. jacea Ragusina H. Patavini slore luteo.

Jacea incana candidissima stæbe foliis, quæ in Prod. sub

7. de-

7. describitur, & in Phytop. & Matth. C.B. Pin. 272.

Jacea montana saxatilis argentea pennato auriculato, acuto folio capitulis nigris dilute purpureis. H. Cath. 101.

Jacea oleæ foliis capitulis simplicibus. C.B.P. 272. Ptarmica altera. Matth. Ptarmica Austriaca. Lob. Chus. Dod. Xeranthemum slore simplici purpureo majore H.L.B. Xeranthemum aliud, Ptarmica quorundam. I.B. tom. 3. 1.29. 25.

Eadem flore pleno duplici capitulo.

Jacea oleæ folio minore flore. C.B.P. 272. Xeranthemum flore simplici purpureo minore. H.L.B.

Jacea lutea capitulo villoso. Tournef.

Jacea Oleæ folio capite variegato Sherard.

Jacobæa vulgaris laciniata. C.B.Pin. 131. jacobæa vulgaris. I.B.tom. 3. 1.24.1057. flos sancti jacobi Brunf.

jacobæa. Dod. 642.

Jacobæa maritima. C. B. P. 131. jacobæa marina vel chrisanthemum, & Artemisia marina Neotericorum. Adv. Lob. & Icon. 227. cineraria. Dod. jacobæa marina, sive cineraria. I.B.tom. 2. 1058.

acobæa Chrisanthemi facie sicula. Icon. & descrip. rar.

plant.

acobæa Ætnica glauco folio cornu cervi divisura ex H. Cath. jacobæa sicula glauco folio Turnef. 486.

acobæa Ætnea glauco folio scisso ex H. Cath.

acobæa Ætnea chenopodii foliis latioribus ex Hor.

acobæa alpina foliis rotundis serratis. C.B.P 131. in Prodr. 69. jacobæa latifolia altera Clus. Pan. Cony-

za alpina. I.B.tom.2. 105.

ta. C. B. P. 131. jacobæa Pannonica 2. Clus. Pan. & bist. jacobæa Pannonica folio non laciniato. I.B. to. 2. 1058.

cobæa Africana frutescens flore amplo purpureo e-

e-

Catalogus

96 legantissimo senecionis folio. C. L. Volck. flor. Norib. 225.

Jacobæa sicula Bellidis minoris folio. Bocc.

Jasminum vulgatius flore albo . C.B.P. 397. jasminum, sive jelseminum florealbo. I.B.tom.2.1.15.101. Gelseminum, vel jasminum. Matth. jasme, & sambach. Gen. H.

Tasminum humilius magno flore. C. B. P. 398. jasminum Hispanicum flore majore externe rubente . I. B.tom. 2. 1.15. 101. Gelseminum Catalonicum. Ca-

mer. five hispanicum. Eyft.

Jasminum humilius luteum. C.B.P. 397. jasminum luteum. I. B. tom. 2. lib. 15. 102. Gelseminum luteum . Adv. Lob.

Jasminum cæruleum serapionis. C. B. Pin. 398. Jasminum cæruleum. T.M. an Ligustrum orientale.

Cesalp.

Jasminum luteum vulgo dictum bacciferum. C. B. P. 398. Polemonium Monspeliensium. Gesn. Ruta capraria Gallorum Monspeliensis ejusdem Gesn. Trifolium fruticans. Dod. Trifolium fruticans, quibufdam Polemonium flore luteo . I. B. tom. 3. lib. II. 575.

Jasminum flavum odoratum Cath. H. R. Paris. Moris. H. Blef. 133. Gelseminum indicum flavum odoratissimum.

Ferr. Fl. cult. 159.

Jasminum Azoricum flore albo. Jasminum Azoricum trifoliatum flore albo odoratissimo Commelini H.

Amstel. ad fol. 159.

Jasminum, sive Sambach Arabum Alpin. I. B. tom. 2. lib. 15: 102. Syringa Arabica foliis mali aurantis . C. B. Pin. 398. Nalla-Mulla Hort. Malab. tom. 6.

Idem folio acuminato, flore stellato majore albo o-

doratifimo, vulgo Muccarino.

Jasminum millesolii folio. C.B. P. 398. Gelseminum alterum rubrum. Casalp. Quamoclit Camer. Gel-

sominum indicum annuum flore sanguineo. Ponæ Ital. Quamoclit, sive jasminum Americanum. Clufii cur. post. Convolvulus pennatus exoticus. Columnæ.

Iberis nasturtii folio. C. B. Pin. 97. Iberis, & Lepidium . Matth. figur. majori . Iberis Cardamantica . Gerard.

Iris hortensis latifolia. C. B. Pin. 31. Iris vulgaris violacea, sive purpurea hortensis. I. B. tom. 2.1.19. 709. Iris nostra sativa. Cord. bist. Iris latifolia vulgaris cærulea. Eyst.

Iris hortensis alba Germanica. C. B. P.31. Iris vulgaris candidis floribus. Lob. Icon. Iris flore albo. I.B.

tom. 2. 1.19. 719.

Iris alba Florentina . C. B. Pin. 31: Iris flore albo. I. B. tom. 2. l. 19. 719. Iris sativa floribus nivei coloris. Matth.

Iris susiana flore maximo ex albo nigricante. C. B. Pin. 31. Iris latifolia major susiana, vel Chalcedonica, flore majore variegato I. Clusio. I. B. tom. 2. 1.19. 721. Iris Pharaonis, vel nigra cretica quibuídam ejusdem C.B.P.31.

Iris palustris lutea . T. M. Acorum falsum . Matthiol. Acorus adulterinus . C. B. Pin. 34. Iris palustris lutea, five Acorus adulterinus. I. B. tom. 2. lib. uncus acutus ponicula fearla.

19. 732.

Iris angustifolia prunum redolens minor . C. B. Pin. 33. Chamæiris angustifolia. Lob. Icon. Iris humilis, seu Chamæiris angustifolia graminea, H.L.B. Chamæiris. T.M. Iris graminea, cui quotannis pereunt folia. I.B.tom.2. l.19. 727. flore cæruleo.

Eadem floribus albis . uquuq eivisq eisasd einegluv

Iris, five chamæiris verna latifolia flore luteo palleicente, an iris humilis flore pallido luteo. Tournef. 362. an Chamæiris flore pallido luteo, vel chamæiris minor ocroleuca. C.B.P. 34. Chamæiris latifolia minor 1x, Clusii hist.227. Ci

Iris

Catalogus

98 Iris agria fætida, vel Xyris. Morif. Gladiolus fetidus. C. B. Pin. 30. Spatula fætida plerisque Xyris . I. B. tom. 2. lib. 19. 731. Xyris . Matth. Spatula fœtida. Trag. Xyris, sive Iris sylvestris. Dioscoridis .

ris bulbosa Persica. Park. 172. Iris Persica, variega-

ta precox. Ferr. Flor.

Iris bulbosa Anglicana major flore candido. Eyft.

Iris bulbosa Anglicana flore cæruleo. Eyst.

Iris bulbofa Hispanica variegata.

Iris bulbosa Hispanica alba.

Iris bulbofa Hispanica sulphurea.

Iris bulbosa Anglicana flore albo, cæruleis lineis variegato.

Iris bulbofa Anglicana flore albo purpureis lineis va-

riegato.

Isatis sativa, vel latifolia. C. B. Pin. 113. Isatis, sive Glastum sativum. I. B. tom. 2. lib. 21. 909. Glastum sativum. Adv. Lob. Glastum vulgo Guadum. Cefalp.

Tuncus maximus, five scirpus major. C.B. P. 12. juncus maximus holoschænos. I.B. tom. 2. lib. 18, 525.

holoschænos Theophr. Lugd. Mariscus Plinii .

Juncus acutus maritimus capitulis rotundis . C.B.Pin.

11. holoschænos major. Lugd.

Juncus acutus panicula sparsa. C. B. P. 11. juncus soliaceus. I.B. tom. 2. l. 18. 228. juncus oxyschænos.

Dod. Lugd.

Juncus acumine reflexo major. C. B. Pin. 12. Juncus melancratus, & juncus Oxyschænos sæmina. Lugd. Juniperus vulgaris fruticofa. C.B. Pin. 488. Juniperus vulgaris baccis parvis purpureis. I. B. tom. 2. lib. 9. 253. Juniperus humilis. Gefn.

Juniperus vulgaris arbor. C.B. P. 488. Juniperus vul-

garis celsior, & arborescens. Clus.



mer.

Ali majus cochleato semine. C. B. P. 285. Cali vulgare. I.B.tom. 3.1.35. 705. Kali Matth. Anthillis altera salsa. Camer. Salsolæ genus in hortis Isgarum vulgo. Cafalp.

Kali minus album semine splendente C.B. Pin. 289. Cali minus, five fedum

minus arborescens vermiculatum. I. B. tom.3. 1.35.

705. & H.L.B.

Kali fruticosum minus flore minore. Moris. hift. sedum minus fruticosum. C. B. P. 284. sedum minimum arborescens vermiculatum flore luteo. I.B.to. 3.1.35. 695.

Kali minus alterum. C.B.Pin. 289. Kali parvum foliis oblongis. Cam. forte edule, quod in acetariis rece-

ptum Roscanum vulgo dictum.

Kali geniculatum majus . C.B. Pin. 289. Cali geniculatum, sive salicornia: I.B. tom.3. 1.35. 704. Salicornia . Dod. & Lugd. Kali geniculatum vermiculatum, five Salicornia Donati.

Ketmia Africana altissima Chamædrys longioribus fo-

mio alba karea notatum ciuldem Caloopha folio mis

Laminos alba lines notatum. C.B. P. 231. Milyadeli volgo, i.cucas force Digitarian force fub claffe m

art. Calcopie, five mries lears minor folio

Lamine tollis conlen ambientibula minus della meintal

lem ambiente. L.E. tomes. 865, an Lamium Pannon

liis, flore luteo calice utriculato. I arnium maculatum. (T.B. P. 221. force ident cum la

agr. Balloce delips minor . Lagal.

culato. 1.B.tom.teles 8.724. x

culati lamii referendum.

Lamium folis caulens ambiencibus maius.

cum . v clas Aline bedemis altera . Car.



Actuca sativa. C. B. Pin. 122. Lactuca sativa vulgaris non capitata. I.B. tom. 2. lib. 24. 997. ejusdem species variæ. Lactuca sylvestris costa spinosa. C.B. Pin. 123. Lactuca sylvestris, sive Endivia multis dicta, solio laciniato dorso spinoso. I.B. tom. 2.1.24. 1003.

Lactuca maculosa. C. B. P. 123. Lactuca rubra Casalp.

sanguinea vulgo dicta.

Lamium purpureum fetidum folio subrotundo, sive Galeopsis Dioscoridis. C. B. P. 230. Galeopsis, sive urtica iners flore purpurascente majore folio non maculato. I. B. tom. 3. l. 28. 321. urtica non mordax. Lob.

Lamium purpureum, vel album non fetens folio oblongo. C. B.P. 231. Galeopsis, sive urtica iners floribus albis. I.B.tom.3. 1.28. 324. Galeopsis flore verticillato. Thal. urtica iners, sive Lamium. I. Dod.

Lamium folio oblongo luteum. C.B.P. 231. Galeopsis flore croceo, vel urtica 6. Trag. Leucas montana Casalp. Galeopsis, sive urtica iners flore luteo. I. B.tom. 3. 1.28. 325.

Lamium maculatum. C.B. P. 231. forte idem cum lamio alba linea notatum ejusdem Galeopsis folio ma-

culato. I.B.tom.3.1.28.324.

Lamium alba linea notatum. C.B. P. 231. Milzadella vulgo, Leucas forte Diose. Casalp. forte sub classe maculati lamii referendum.

Lamium foliis caulem ambientibus majus. C. B. Pin. 231. Galeopsis, sive urtica iners minor folio caulem ambiente. I.B. tom. 3. 863. an Lamium Pannonicum. 3. clus. Alsine hederula altera. Ger.

Lamium foliis caulem ambientibus minus . C. B. Pin.

231. Ballote crispa minor. Lugd.

Lamium maximum sylvaticum fætidum. C.B.P. 231.

Galeopsis, sive Urtica iners magna sætidissima. I.
B. tom.3. app. 853. Galeopsis legitima, vel vera Dioscoridis. Cluschist.

Lamium montanum melissæ folio . C.B.P. 231. melis-

sophyllum. Fuchs. melissa prima. Trag.

Lamium peregrinum, sive scutellaria in Prodr. descripta. C.B.P.231. Scutellaria Cortuso Gassida. colum. an Scordotis 2. Plinii. Ponæ. Lamium Astragaloides. Corn. 129. Scutellaria Teucrii sacie. I.B. tom. 3. 291.

Lamium peregrinum, sive Scutellaria Teucrii solio nitido: Scutellaria Teucrii sacie slore albo. I.B. tom. 3. 291. descript. Cassida slore ex albo pallente. Colum. descr. par. 1. 190. cassida slore exalbido. Tour-

nef. 182.

Lamium fruticosum perenne creticum Zanon. bist. Bot.
112. perperam Galeopsis maranthæ cretica dictum.
Galeopsis hispanica frutescens Teucrii solio. Tourn.
186. Teucrium Regium latisolium flore albo. H.R.
Paris.

Lapathum hortense solio oblongo, sive secundum Dioscoridis. G.B.P. 114. Lapathum sativum Lapas. I. B. tom. 2. 1.23. 985. Rumex hortensis, vel 2. Trag. Ru-

mex lativus. Cord. in Diosc.

Lapathum hortense seu spinacia semine spinoso. C.B. P. 114. spinachia semina. I.B. tom. 2. 1.23. 963. spi-

naceum olus Gein. spinacia. Matth.

C.B.Pin. 114. Spinachia semine non pungente, folio

majore, & rotundiore. I.B.tom.2. 1.23. 964.

acutum. Morif. lapathum acutum, sive oxylapathum. I.B.tom. 2. 1.23. 983. oxylapathum. Diose. & Plin. Fuelf. Dod. Rumicis primum genus. Tur.

cutum crispum. I.B.tom. 2. 1.29.988. an idem ejusadem C. Baub. cum Lapatho aquatico 116. quod I.

G 3 B. p.

B. p. 987. proposuit hydrolapatum. Matth. Ger. Lapathum folio acuto rubente. C.B. P. 115. lapathum

fanguineum, sive sanguis Draconis herba. I.B.tom. 2.1.23. 988. Lapathum sanguineum. Lob. Adv. Lapathum rubens. Dod.

Lapathum folio acuto flore aureo. C.B.P. 116. lapathi fylvestris 4. genus Dalech. Lugd. 603. Lapathum

anthoxanthum . I.B.tom.2. 987.

Lapatum minimum. C. B. Pin. 115. Lapathum acutum minimum. Lob. Icon. 557. Lapathum minimum. T. M. lapathum acutum minimum. I. B. tom. 2. 985.

Lapathum uncluosum. C. B. P. 115. Lapathum foliotriangulo Bonus Henricus. I. B. tom. 1.1.23.965.

Blitum perenne spinachie facie Moris. tota bona spi-

nachiæ facie. Adv. Lob.

Lapathum rotundum. Ang. Hippolapathum rotundifolium montanum. C.B.P. 115. Lapathum rotundifo-

lium . Cluf.

Lapathum latifolium. Camer. Hippolapathum latifolium. C.B.P.115. Rhabarbarum monachorum. Trag. hippolapathum lativum latifolium. Adv. Lob. Lapathum majus, sive Rhabarbarum monachorum. I. B.

tem.3. 1.23. 985.

Lapathum aquaticum folio cubitali . C.B.P. 116. Lapathum maximum aquaticum, seu Hydrolapathum. I.B. tom. 2. lib.23. 986. Britanica antiquorum vera Muntingh. tract. de vera herba Britannica. Rumex palustris. Trag. Hydrolapathum magnum, sive aquaticum. Adv. Lob.

Lapathum Africanum spinosum latifol.

Lapathum angustifol. foliis latescente flore luteo.

Lappa major Arcium Diosc. C. B. P. 198. Personata, sive lappa major: an Bardana. I.B. tom. 3. 1.32. 570. personata major Matth. Bardana, sive lappa major. Dod. descript.

Lappa minor Xanthium. Diose. C.B.P. 198. Xanthium,

five strumaria. adv. Lob. Xanthium, sive lappa mi-

nor . I.B.tom 2.1.33. 572.

Lappa Lusitanica minor spinosa. Xanthium Lusitanicum spinosum Par. Bat. Prodr. in app. Parad. Batav. 246. Xanthium spinosum Lusitanicum. Volk. Flor. Norib. Lappa minor polyacantha, seu Xanthium Lusitanicum validissimis aculeis munitum. Pluk.

Laserpitium Gallicum. C.B.P. 156. Laserpitium soliis angustioribus dilute virentibus Moris. Umbel. 28. Laserpitium e regione Massiliæ allatum. I.B. tom. 3. 1.27. 137. & Adv. Lob. 313. an laserpitium Alpini exot. 212. de quo nihil apud Moris. & Tournes.

Lathyris major. C.B.P. 293. Lathyris Matth. cataputia vulgaris Tartagi Hispanorum. Eyst. Lathyris Fuch.

Dod.

Lathyrus sativus flore fructuque albo. C.B.Pin. 343.

Lathyrus anguloso semine. I.B.tom.2.l. 17. 307. Lathyrus sativus minor semine anguloso. Moris. Phaseolus minor, aliquibus Eruum angulosum. Cord. in Diose. Cicercula. Ang.

Lathyrus sativus flore purpureo. C.B.Pin. 344. Ara-

cus, five cicera Dod.

Lathyrus sylvestris major. C.B.P. 344. Pisum Græcorum sylvestre. Trag. Cicercula. Tourn. lathyrus syl-

vestris. Dod.

Lathyrus latifolius. C.B P.344. lathyrus major latifolius flore majore purpureo speciosior. I.B.tom. 3.1. 17. 303. Clymenum. Matth. Eruum sativum. Cord. cicercula sylvestris. T.M.

Lathyrus distoplatiphyllus hirsutus mollis magno, &

peramæno flore odoro H. Cath.

Lathyrus Vicioides foris vexillo phæniceo foliis labialibus subalbescentibus, siliquis orobi. Moris. bist.

Vulgo spica. I. B. tom. 2. 1. 28. 280. Nardus Italica.

Matth. Casia alba Theophr. Dalechampii in Plinium.

Layandula angustisolia. C.B.P. 216. Pseudonardus, quæ

x 4

Catalogus

lavendula vulgo. I.B.tom. 2.1.28.287. lavandula. Ang. Pseudonardus Matth. femina . Fuchs. in Icon. flore violaceo.

104

Laureola semper virens flore viridi quibusdam Laureolamas. C.B.P. 462. Laureola semper virens flore luteo . I.B. tom. I. l. 5. 564. Thymelea foliis viridibus

mesue Daphnoides. Dod. Gal.

Laureola folio deciduo flore purpureo officinis laureola femina. C.B.P.462. Laureola folio deciduo, sive Mezereum Germanicum. I. B. tom. 1. 566. Chamælea, five Mezereon. Trag. Chamælea Germanica. Dod. Piper montanum. Anguil.

Laurus latifolia WAMTUTERM, Diofe. C.B.P. 460. Laurus regia amplissima Plinii, Laurus latiore folio. Matth.

Laurus vulgaris. C.B.P. 460. Laurus . I.B. to. I. l. 22. 405. Laurus tenuifolia Matth. Lauri altera species. Dod.

Laurus sylvestris corni fæminæ foliis subhirsutis. C. B.P.461. Laurus Tinus, sive sylvestris. I. B. tom. I. 1.4. 419. Laurus sylvestris, sive Tinus. Gesn. H. Laurus Tinus cærulea bacca. Adv. Lob.

Laurus Alexandrina fructu pediculo insidente. C.B.P. 304. Bonifacia sive Bislingua. I. B. tom. 1. l. 5. 557. Uvularia Brunf. Bonifacia, & bislingua Anguil.

Laurus Alexandrina ramosa fructu e summitate caulium prodeunte . cat. H. R. Paris. Ruscus angustifolius fructu summis ramulis innascente. Tourn.79. in app. H.L.B. Herm. ubi Icon. p. 681.

Lens vulgaris semine fusco, albove, & nigricante. Lepidium latifolium. C. B. P. 97. Lepidium Pauli. I. B. tom. 2. lib. 22. 941. Lepidium latifolium serratum . Moris. Piperitis , Brunf. Raphanus sylvestris officinarum. Lob. Lepidium, sive Piperitis. Trag. Matth. Raphanus rusticanus vulgo .

Lepidium glastifolium . C.B.P. 97. Lepidium glastifolium perenne . Moris. Lepidium non repens . I. B. tom.2. 1.22. 941. Lepidium annuum. Lob. Lugd. sed

Her-

Hermannus perenne glastifolium scribit.

Leucojum bulbosum vulgare. C.B.P. 55. narcissus martius. Brunf. narcissus 7. Matth. Viola alba bulbosa. Fuchs. Lugd. Leucojum bulbosum hexaphyllon cum unico flore, rarius bino. I.B. to.2. l. 19.590. Leucojum bulbosum præcox majus sex petalis æqualibus albis. Moris. & H.L.B.

Leucojum bulbosum trifolium minus. C.B.P.46. Narcissus alter. Matth. Leuconorcissolirion bisolium.

Camer, in Matth.

Trag. Leucojum flore albo simplici. Eyst. Leucojum hyemale, & diu durans, album. I. B. tom. 2.1.21.

874.

Leucojum purpureum vel rubrum. C. B. P. 200. Viola purpurea. Trag. Lob. Viola matronalis floribus rubentibus, aut ad purpuram inclinantibus. Cafalp. Leucojum hyemale, & diu durans flore purpureo. I.B.tom.2. l. 21. 874.

Leucojum incanum majus, multiplex. C.B.P.200. Leucojum duplis floribus. Adv. Lob. Leucojum, five Vio-

la purpurea flore pleno. Lob. Icon.

Idem flore rubro pleno . Eyst.

Idem flore violaceo pleno.

Idem flore albo pleno.

Leucojum incanum majus variegatum simplici slore.

C.B.P. 200. Morif. bift. 240.

Leucojum Alyssoides clypeatum majus. C. B. P. 201.

Leucojum asperum siliquis asperis clypeisormibus.

Moris. Alysson siliqua lata aspera, quibusdam Lunaria
flore luteo. I. B. tom. 2. 1.22. 934. Lunaria aspera.

Gesn. Alysson. Diose. Dod.

Leucojum incanum siliquis rotundis. C.B.P.201. Eruca peregrina. Clusis. Leucojum marinum Patavinum Lob. Leucojum incanum siliquis tumidis subro-

tundis . Moris.

Leucojum luteum sylvestre hieracifolium quod 2. in

Prodr. C.B.P.201. Leucoii lutei sylvestris species Thal Leucojum sylvestre inodorum flore parvo pallidiore Eyst.

Leucojum luteum montanum serrato folio. C.B.P. 201.

Leucojum luteum montanum. Ponæ. Ital.

Leucojum luteum utriculato semine. Alpin exot. 117.

Flor. Norib. 250.

Leucojum album odoratissimum folio viridi 4. loco in Prod. descriptum. C. B. P. 202. Leucojum slore albo odoratissimo folio lucido virente. Moris. an Keiri simplex slore albo Park. Leucojum Hyemale diu durans, slore albo, folio viridi, & lucido glabro. I.B. tom. 2. 1.21. 875.

Leucojum album odoratissimum folio viridi flore ple-

no . C.B.P. Prodr.

Leucojum ex purpureo colore & aureo varium Catal. H.R. Paris. 114.

Leucojum flore pleno luteo . I.B. tom. 2. 1.21. 873. Leu-

cojum pleno flore minus. C.B.P. 202.

Leucojum sylvestre luteum angustifolium. C.B.P. 202: Leucojum luteum sylvestre Clus. I. B. tom. 2. l. 21.

73. Viola lutea. Trag.

Levisticum vulgo Ligusticum. Morif. Ligusticum vulgare: an Libanotis fertilis Theoph. C.B.P. 157. Ligusticum vulgare foliis Apii. I.B. tom. 3. 1.27. 122.

Libanotis ferulæ folio semine anguloso. C.B.P. 158. Libanotis Cachryphoros quibusdam floribus luteis. I. B.tom.3. 1.26.40. Cachrys, seu libanotis Cachrypho-

ros semine fungoso levi. Moris. Umbel. I.

Libanotis ferulæ folio, & semine. C.B.P.158. Panax Asclepium ferulæ facie. Adv. Lob. Libanotis quibusdam flore luteo semine ferulę. I.B. tom. 2. 1.27. 41. Ferula libanotidis odorem, & succum fundens, seu panax Asclepium. Moris. Umbel. 35.

Libanotis ferulæ folio semine foliaceo. C.B.P.158. Li-

banotis nigra. Cafalp. Libanotis 2. Dod.

Libanotis alpestris minor Peucedani brevioribus foliis

107

aut seselli Massiliensis solio, semine compresso, Hort. Maur. an Cachrys semine sungoso sulcato, plano minore. Moris. Umbel. 62.

Libanotis, sive Panax Asclepium semine folioso. C. B.P. 158. Panax Asclepium Apulum. Column. Ta-

psia tenujore folio Apula. Tournef. 322.

Lichen petræus latifolius, sive hepatica fontana. C. B.P. 362. Lichen Matth. Lichen, sive hæpatica fon-

tana. I.B.tom.3.1.47. 758.

Lychnis hirsuta flore coccineo major. C.B. Pin. 203. Flos Constantinopolitanus miniatus. I.B. tom. 3. 1.29. 344. Lychnis Chalcedonica flore miniato, seu aurantiaco simplici. Moris. Lychnis Chalcedonica, sive Constantinopolitana miniata. Adv. Lob.

Eadem flore pleno . Lychnis chalcedonica flore ple-

no miniato, seu aurantiaco Moris.

Lychnis coronaria sativa multiplex. C.B.P. 204. Lychnis altera rubra. Lob. Icon. Lychnis coronaria flore rubro pleno. Eyst. Lychnis coronaria sativa flore coccineo pleno. Mores.

Lychnis sylvestris alba simplex. C.B.P. 204. Rosæ Marianæ similis 3. Trag. Ocymastrum, seu Ocymoides. Matth. Ocymoides majus: Cæsalp. Lugd. Basilicum

fylvestre. Cast. app.

Lychnis sylvestris, sive aquatica purpurea simplex. C. B.P. 204. Ocymoides purpureum. Gesn. H. Ocymastrum rubrum. T.M. Melandryum Plinii genuinum Clusii hist. Ocymoides purpureum multis. I.B. tom. 3. 1.29. 343. Lychnis sylvestris minus hirsuta flore rubello simplici. Moris.

Lychnis purpurea multiplex. C.B.P.204. Lychnis fylvestris flore rubello eleganter multiplici. Moris.

Lychnis segetum major. C. B. P. 204. Pseudomelanthium. Matth. Nigellastrum Dod. Lolium quibusdam flore parvæ rosæ. Cord. in Diosc. Lychnis hirsuta segetum major. Moris. Pseudomelanthium. I.B. tom. 3.1.29. 341. Nigelastrum vulgo. Lychnis sylvestris perennis, quæ Been album vulgo.

Morif. Lichnis sylvestris, quæ Behen album vulgo.

C.B.P.205. Been album officinarum. I. B. tom. 3. l.

29. 357. Papaver spumeum. Adv. Lob. Polygonatum,

& rosa marina. v. Trag.

Lychnis segetum rubra foliis perfoliatæ. C.B.P. 204. Vaccaria. Dod. Glastum : Anguil. Isatis sylvestris, vaccaria dicta. Adv. Lob. Vaccaria. I.B.tom. 3. 1.29.

357.

Lychnis sylvestris pluribus foliis simul junctis. C.B.P. 205. Lychnis sylvestris I. Clus. Hisp. 8. Clusi hist.

Lychnis maritima repens. C B.P. 205. Lychnis marina Anglica. Adv. Lob. Lugd. Lob. icon. 337. Lychnis

marina Anglicana. I.B.tom.3.357.

Lychnis Anglica pumila flore variegato. Sherard. an Lychnis hirfuta minor flore variegato. H.R. Parif. 77. Lychnis hirfuta flore eleganter variegato. Ray. Hift. 997.

Lychnis noctiflora angustifolia odorata. Tournef. 335. Lichnide viscosa peregrina noctiflora odorata. Zanon.

Hift. 127.

Lychnis frutescens Myrtisolia Behen albo similis. C. B.P. 205. Behen albo officinarum similis planta sempervirens. I.B. tom. 3.357. Ocymastrum fruticosum. Camer. Hort. icon. 33. Saponaria frutescens acutis soliis ex Sicilia. Bocc. rar. plant. 58. saponaria altera fruticosior ex Sicilia. Cesalp. 256 hæc a Tournes. 435. Cup.H. Cath. quam Cesalpinus Saponariam alteram ex Sicilia descripsit, sub classe saponariae frutescentis oleæ solio C.B.P. reposuit.

Lychnis sylvestris nocturna pilosa floribus unius ordi-

nis dilute purpureis . H. Cath. 119.

Lychnis Asiatica pumila flore purpureo calice ventricoso ex H. Cl. Volcham.

Lychnis arvensis pumila flore purpurascente: an Lychnis alpina pumila folio gramineo. C.B.P. 206.

Lychnis montana viscosa alba latifolia. C. B. P. 205.

floris cuculi sylvestris genus. Trag. Polemonium petræum. Gesn. I.B. Lychnis sylvestris. T.M.

Lychnis viscosa purpurea latifolia levis. C.B. P. 205.
Armerius flos 3. Dod. Muscipula. Camer. Viscaria sativa. T. M. Centaurium minus adulterinum, quibusdam Lychnidis viscidæ genus. I.B.

Lychnis viscosa flore muscoso. C.B. P. 206. Muscipula, sive Viscaria altera flore muscoso. Adv. Lob.

Sesamoides magnum salmanticum. Clus.

Lychnis auriculæ ursi facie in Prodr. C.B.P. 206. Lychnis sylvestris latifolia. Clus. H. 249. Viscago auri-

culæ facie cretica. I.B.tom.3. 351.

Lychnis incana repens. C.B.P. 206. Ocymoides Lychnitis. Colum. Ocymnides Lychnitis reptante radice I.B. tom. 3. 1.29. 353. Lychnis incana, & tomentosa cauliculis procumbentibus foliis latioribus, & brevioribus. H.L.B.

Lychnis, vel Ocimoides repens montanum, C.B.Pin. 206. Ocimoides repens. Cam. Ocymoides repens polygoni folio. Adv.Lob. Lugd. Lychnis, vel Ocimoides montanum hirsutum procumbens. Morif. saponaria minor quibusdam. I.B. tom. 3. l. 29. 344. Ocimoides repens polygoni folio. Catal. Fat.

Lychnis alpina pumila folio gramineo, sive muscus alpinus Lychnitidis flore. C. B. Pin. 206. Ocimoides muscosa. Pona Ital. 195. Caryophyllus pumilus alpinus, vel 7. Clusii. Muscus alpinus flore insigni di-

lute rubente. I.B.tom.3. 768.

Lychnis folio subrotundo calice striato, & rugoso. Sher. Ligustrum Germanicum. C. B. P. 475. Ligustrum. I. B. tom. 1. 1.5. 529. Ligustrum vulgare. Trag. Phyl-

lyrea. Dod. Ligustrum. Matth.

Lilium album vulgare flore erecto, & vulgare. C.B. P. 76. Lilium album vulgare. I.B. tom. 2. 1.19. 685. Lilium album vulgare, & odoratum flore erecto. Morif. Lilium, five Rosa junonis Apulejo. Lilium album. Matth.

Lin

Lilium album floribus dependentibus, sive peregrinum.

C. B. Pin. 76. Lilium album peregrinum floribus albis, & foliis angustioribus. Morif. Lilium album.

Constantinopolitanum Sultan Zambach dictum Clussis. I. B. tom. 2. 1. 19. 697. Martagum album Lilium candidum Byzantinum. Lob. Icon.

Lilinm purpuro-croceum majus. C. B. P. 76. Lilium rubens croceum majus. I. B. tom. 2.1. 19. 688. hemerocallis. I. Matth. Martagon radice alba. Ang.

Lilium floribus reflexis montanum. C.B.P. 77. Martagon. Matth. Lolium sylvestre purpureo flore. Cafal. Lolium flore nutante ferrugineo majus. I.B.to. 2. 1.19. 692.

Lilium sive corona Imperialis. C.B.P.79. Corona im perialis Tusai aliis. I.B. tom. 2. l. 19.697. Tusai sive Lilium Persicum, & Hemerocallis Diosc. Clusii.

Lilium Persicum. Dod. & Hyacinthus spurius 6. Lob. & Pennachio Persianorum. Lugd. Lilium Susianum. Clus. Lilium Persicum. C.B. Pin. 79. Lilium Persicum, sive Susianum. I B. tom. 2. 1.19. 699.

Lilium rubrum asphodeli radice. C.B.P.80. Lilium radice asphodeli phæniceum, sive lilio asphodelus quibusdam. I.B. tom. 2. l. 19. 701. Hemerocallis. Diosc. Theoph. & Plinii. Liliago major asphodelo assinis.

Cafalp.

Lilium convallium album. C.B.P.304. Lilium convallium vulgo. I. B. tom. 3. 1.31. 531. Lilium convallium Trag. Matth. Gesn. Dod.

Lilium, vel Corona Imperialis per omnia major. H.R.P. Lilium, vel Corona Imperialis foliis variegatis M.H. Lilium, vel Corona Imperialis Sinensium, seu foliis variegatis. C.H.R.P.

Lilium, vel Corona Imperialis, duplici corona. C.B.P. Lilium, vel Corona Imperialis, Multiflora latoque caule. C.B.P.

Lilium, vel Corona Imperialis flore pleno. C.H.R.P. Lilium, vel Corona Imperialis flore luteo. C.B.P.

Li-

Limonium maritimum majus. C.B.P. 192. Limonium majus multis, aliis Behen rubrum. I B.tom.3. App. 876. Limonium Matth. Behen rubrum officinarum Guil. Valeriane rubræ similis. Dod.

Limonium maritimum minus oleæ folio. C.B.Pin. 192. Limonium minus. I. B. tom. 3. app. 877. Limonium parvum Narbonense oleæ folio. Adv. Lob. Icon. T.M.

Limonium parvum bellidis minoris folio. C.B.P. 192.

Limonium pumilum . Chusii hist.

Limonium peregrinum foliis asplenii. C.B.P. 192. Limonium peregrinum. Clus. Cichorium globulare Imperati. Limonium Syriacum. Eyst. Limonii elegans genus Ravuolf. Lugd.app. Limonium quibusdam rarum. I.B. tom. 3. app. 877.

Limonium Siculum, Gallesferens lignosum Bocc.

Linaria vulgaris lutea flore majore. C.B.P. 212. Linaria lutea vulgaris. I.B. l. 30. 456. linaria vulgaris.

Trag. Camer. Ofyris. Matth. Dod.Gal.

Linaria scoparia. C.B.P.212 Atriplici affinis linariæsoliis, Belvedere dicta H.L.B. Linaria Belvedere dicta. I.B. tom. 3. 1.30. 462. herba studiosorum. T.M. Osyris

Græcorum quibusdam.

Linaria folioso capitulo luteo major. C.B.P. 213. Virga aurea foliis linariæ. Moris. H. Blef. Heliochrysos. Trag. sive linaria tertia. I.B. tom. 3. l. 26. 151.

Linaria aurea. Trag. Chrysocome. Diose. & Plinii Guil. colum.

Linaria flore pallido ricu aureo. C.B.P. 213. Linaria pannonica I. Clusi Moris, hist. 55. Linaria flore pallido

- Ocricu aureo donico coniculados de la coniculación de la constitue de la coniculación d

Linaria minor cyparissi soliis slore cæruleo: an linaria alpina slore parvo purpureo spicato Tithymali cyparissi densisolia H. Cath.

Linaria foliis carnosis cinereis. C.B.P.213. linaria hispanica 4. clussi. linaria parva hispanica altera. Park. Linaria tenuisol.minor Hispanica flore violaceo.

Eadem floribus albis.

Lin-

Lingua cervina officinarum. C.B.P.353. Phyllitis, five lingua cervina vulgi. I.B. tom. 3. 1.37. 756. fcolopendrium. Brunf. Phyllitis Matth. Hemionitis. Leon.

Lingua Gervina multifido folio. C.B.P.353. Phillitis polyschides: I.B.tom.3. l.37. 357. Phillytis foliis laci-

niatis. T.M.

Lingua Cervina ramosa cretica angustissimo folio. H.

L.B. Phyllitis ramofa Alpini in exot.

Linum sativum. C.B.P 214. Linum. L.B. tom. 3. 1.3. 450. Linum annuum cæruleum sativum. Moris.

Linum Americanum semine majore ex H. Cath. an Linum perenne majus cæruleum sativum. Moris.

Linum maritimum luteum. C.B.P. 214. linum luteum Narbonense. I.B. tom.3. 1.30. 454. linum sylvestre. Matth. Dod.

Linum sylvestre minus. C. B. P. 214. chamælinum.

Lob. Lugd. cæruleum. T.M.

Linum pratense flosculis exiguis. C. B. P. 214. linum sylvestre pusillum candicantibus floribus. Camer.

Lysimachia lutea major quæ Dioscoridis. C.B.Pin.245.
Lysimachia Lutea. I.B.tom.2.l.21.93. Blattariæ affinis planta major flore luteo. Moris. Lysimachia.

Matth. Lysimachia lutea. Trag.

Lysimachia trifolia lutea spicata. C.B.P.245. Lysima-

chia lutea altera. column.

Lysimachia bifolia flore globoso luteo. C.B.P. 245. Lysimachia lutea altera. Lob. Clusia. bist. Lysimachium aquatile. Dod.

Lysimachia lutea corniculata. C.B.P. 245. append. describ. 520. Lysimachia lutea corniculata non pappo-

sa Virginiana major. Moris.

Lysimachia lutea corniculata non papposa Virginiana minor. Moris.

Lysimachia Siliquosa hirsuta magno flore. C.B.P.245. Lysimachia siliquosa hirsuta majore flore purpureo I.B. tom. 2. l. 21. 905. Lysimachia seu salicaria al tera. Trag.

Plantarum. 113

Lysimachia siliquosa hirsuta parvo flore. C. B. P. 245. Lysimachia siliquosa hirsuta flore minore. I.B. tom.

2. l.r. 906. Lysimachia 2. T.M.

Lysimachia siliquosa glabra major. C. B.P. 245. Sancti Antonii herba 3. Gesn. ad Cord. cui & silius ante Patrem. pseudolysimachium purpureum. Dod. Lysimachia levis. I.B.tom 2. 1.21. 907.

Lysimachia siliquosa glabra minor. C. B. P. 245. silius ante patrem minor Gesn. Col. Lysimachia m nor, &

3. T.M.

Lysimachia chamenerion dicta latifolia. C.B.P. 245. On nagra. Lugd. Casalp. chamenerion, & epilabium. Gesn. ad Cord. Lysimachia speciosa quibusdam Onagra. dicta siliquosa I. B. tom. 2. l. 21. 906. slore purpureo, vel cæruleo, inter variet. C.B.P.

Lysimachia Chamænerion dicta angustifolia. C.B.P. 245. Pseudolysimachium purpureum minus Dodonei. Chamænerion Gesn. Lysimachia speciosa siliquosa and

gustifolia. I.B.tom.2 1.21. 907.

Lysimachia spicata purpurea sorte Plinii. C.B.P. 246. solidaginis saracenicæ alia species. Trag. lysimachia purpurea spicata. Ger. Lysimachia purpurea quibus-dam spicata. I.B.tom. 2. l. 21. 904. Blattatia rubra spicata major glabra communis solio acuto. Moris.

Lysimachia cærulea galericulata, vel Gratiola cærulea C.B.P.246. Syderitis cærulea. Thal. Gratia Dei . Caf. Tertianaria T.M. herba judaica altera. Dod. scutellaria aquatica vulgo Tertianaria dicta. H L.B. Tertianaria aliis lysimachia galericulata. I.B.tom.3. 1.30.

Lonchitis aspera. C. B. P. 359. Lonchitis altera cum foliis denticulatis, sive lonchitis altera Matth. I. B. tom. 3.1.37. 745. Lonchitis aspera. Matth. Lugd. Camer.

Lotus fructu cerasi. C.B.P.447. Lotus arbor fructu cerasi. I.B. tom. 1. 1.2. 229. Bagolarus Tridentinis Guil. Lupinus peregrinus pentaphyllos. C.B.P.348. Lupinus AraCatalogus

114 Arabicus, five Pentaphyllum peregrinum. Ponæ.

Lupinus sativus flore albo . C.B.Pin.347. lupinus Matth. lupinus vulgaris, seu sativus albus. Moris. Lupinus vulgaris semine, & flore albo sativus . I.B.tom.2. 1.17. 288. me rigorug muidosmity lobische me

Lupinus flore cæruleo sylvestris. C. B. P.

Lupulus mas. C.B.P. 298. I. B. tom. 2. 1.15. 151, convolvulus perennis heteroclitus, floribus herbaceis, capsulis foliaceis strobili instar. Moris.

Lupulus fæmina. C.B.P. 298. I.B.tom. 2. 1. 15. 152. lu-

Letimaches Chemicantion difficance and afficults.

18. com. 2 1 21. 007

romachia ipicata purpurea force Plinii

a advacies vulco Terrianaria die

pulus sylvestris minor, fine fructu. Moris. ed Cord by Imachia feeciofa quibutdam Onzera : di-

Head of vigrachium pur streum minus Dodostel.

foldeta. Ger Lylimarbia purpures quibut-

sider i E tom a last, con Blattaria rebra

filiquola E E com s. f. s.c. cob. flore purpures .

Chemener sen Cefts. Lyfimachia speciosa silimiosa an-

utimachia carulea galericulata. vel Gratiola cerul Syderitis cerules, That i

aria allis lefimachia galeria data . L.B. roma.

Sec. 7.8.0 . wlighquaning and



Ajorana tenuifolia. C.B.Pin. 224. majorana tenujor, & lignosior. I.B. tom. 3. l.28.241. majorana nobilis. Brunf. majorana sativa. Trag.

Majorana vulgaris. C.B.P. 224. sampsuchus, sive Amaracus, latinis majo-

rana . cord. in Diose. & bift.

Majorana Cretica Origani folio Tournef. Coroll.

Malva foliis crispis. C.B.P. 314. malva crispa. I.B.tom.

2. 1.23 952. malva annua foliis crispis. Morif. malva-

sativa laciniosa. Cord. hist malva crispa. Dod.

Malva sylvestris folio rotundo. C. B. Pin. 314. Malva vulgaris flore minore, folio rotundo. I.B. tom. 2. 1.23. 949. Malva sylvestris perennis procumbens flore mi-

nore albo folio rotundo. Moris.

Malva sylvestris solio sinuato. C.B.P.314. Malva vulgaris slore majore solio sinuato. I.B.to. 2. l. 23. 949. Malva sylvestris procerior, seu elatior, restave slore majore subrubente, aut purpureo venis saturate purpureis picto, solio sinuato. Moris. malva erratica 2. vel malva equina. Bruns. Malva slore rubente. Casalp.

Malva folio vario. C.B.P. 315. Malva trimestris, vel pumila. Clus.bist. Malva trimestris slore cum ungui-

bus purpureis. I.B.tom.2. 1.23. 950.

Malva rotundifolia glabra Hispanica flore amplo rubello Pluk.

Eadem flore candido.

Malva rosea solio subrotundo. C.B.Pin.315. Malva rosea, sive hortensis. I.B.tom. 3. l.23. 951. Malva rosea, solio subrotundo slore simplici. Moris. Malva sativa antiquorum, quæ cultu arborescit Theophrasti major. Plinii hastula regia. Gesn. slore purpue reo simplici.

Eadem flore albo simplici.

Mal-

Malva rosea folio subrotundo flore pleno. C.B.P.315. flore purpureo.

Eadem flore luteo pleno. Cath. H.R. Parif.

Malva arborea Veneta dicta parvo flore : C.B.P. 315. an Malva arborea. I.B.tom. 2. 952. Malva maritima ar-

borea Veneta dicta parvo flore. Moris.

Malva annua rotundifolia floribus omnium minimis albis pentapetalis verticillatim genicula ambientibus, & seminibus arcte eidem verticillatim adhærentibus. Morif. Hift. Oxon. p.2.521. Malva annua flosculis albis verticillatim nascentibus. Tourn. 96.

Malva Lusitanica elegantissima Hossmani: an Malva Lusitanica Ribesii folio. Tournef. 96. auctoris Hof-

fmani nomine mista.

Malva Hispanica foliis mollibus undulatis in margine, superius micis sulphureis ad solem splendentibus donatis. Moris. bift. 2. 523. & in Præludiis Botan. 285.

Malva Africana frutescens mori pusillo folio, flore minimo purpureo: an Ketmia Americana frutescens mori folio flore purpureo. Plum. & Tournef. 101.

Malus citria, sive malus medica e Benaci lacu dicta; malum Citrium vulgare Ferr. Hesp. citrus vulgo.

Malus citria cretica folio rotundiore, & fructi; an malus citria fructu magno . I.B. tom.r. l.r. 94. malus citria fructu magno. C.B.P 435.

Malus citria coronata latissimo folio.

Malus citria odoratissima folio oblongo angusto.

Malus citria medulla dulcis, malus citria dulci medulla Ferr. Hefp.

Malus citria Florentina fructu majore acuminato lati-

folia .

Malus citria florentina fructu minori crispo.

Malus citria Florentina folio sinuato, & serrato, fructu oviformi.

Mali citreæ congener, sive Lumia Valentina verrucola, & monstrolo fructu rotundo. Ferr. Hesp.

F.2-

Eadem fructu oblongo.

Mali citreæ congener fructu rotundo maximo; Pepona vera dicta.

Malus Limonia a Laura, fructu maximo. Ferr. Hefp.

Malus Limonia a Gritti, fructu maximo.

Malus Limonia salernitana. Ibid.

Malus Limonia Barberina fructu oblongo.

Malus Limonia sancti Remi. Ibid.

Malus Limonia Ligustica. Ibid. Malus Limonia Corcirensis. Ibid.

Malus Limonia Calabrensis cortice subtilissimo sine se-

Malus Limonia Rosolina dicta. Malus Limonia Cajetana. Ibid.

Malus Limonia latissimo folio serrato Lacus Benaci .

Malus Limonia a Patrasso.

Malus Limonia fructu rotundo, Melangola dicta.

Malus Limonia cucurbitifera.

Malus Limonia racemosa fructu maximo. Ibid.

Malus Limonia Ulyffiponensis medulla dulci.

Malus Limonia Hispanica fructu maximo medulla dul-

Malus Limonia popiformis medulla dulci.

Eadem medulla acida.

Malus Limonia Valentina.

Malus Limonia Ponzina Reginorum. Ibid.

Malus Limonia ponzina Neapolitana. Ibid:

Malus Limonia Ponzina Calabrensis. Ibid.

Malus Limonia striata communis. Ibid.

Malus Limonia striata a Molfetta. Ibid.

Malus Limonia striata popiformis, cortice subtilissimo medulla acida.

Malus Limonia sive Lumia fructu rotundo, Divi Dominici dicta

Eadem fructu oblongo.

Malus limonia, seu Lumia Arantii forma, vulgo lumia

H a Ma

1.18 Catalogus

Malus Limonia pyriformis spatafora regina dicta.

Malus Limonia pyriformis spatafora major dicti.

Malus Lymonia pyriformis foliis laurinis acuminatis spatafora minor dicta.

Eadem folio sinuato rotundo, & fructu rotundo flo-

re pleno.

Malus aurantiæ congener foliis angustis acuminatis, fructu odoratissimo, Mellarosa dicta.

Malus aurantiæ congener latifolia sinuata fructu odo-

ratissimo, Bergamota dicta.

Malus aurantiæ congener foliis angustis serratis fruchu parvo odoratissimo, Mellapia dicto.

Malus aurantia vulgaris medulla dulci .

Malus aurantia vulgaris latifolia.

Malus aurantia vulgaris folio crispo.

Malus aurantia vulgaris flore pleno.

Malus aurantia fœmina.

Malus aurantia Hermaphroditica. Ibid.

Malus aurantia fructu maximo verrucolo.

Malus aurantia Ulyssiponensis.

Malus aurantia stellata.

Malus aurantia Hispanica.

Malus aurantia Cretica fructu maximo.

Malus aurantia striata medulla dulci.

Malus aurantia folio, & fructu picto, sive variegato foliis angustis medulla dulci.

Malus aurantia corniculata. Ibid.

Malus aurantia finensis laurini folio fructu parvo.

Malus Aurantia Chinensis laurini folio picto, seu maculato. Vulgo Pomin di Dama.

Malus Punica sativa. C.B.P.438. Malus Punica. I. B. tom. I. l. 2. 70. Granata, vulgo malus granata Ravu:

T. M.

Miga

Malus Punica, sive Balaustia flore pleno majore. C. B.P. 438.

Marrubium cardiaca dictum, forte primum Theophra-

sti.

TIG

fti. C.B.P.230. Cardiaca. I. B. tom. 3. 1 28. 320. Cardiaca. Matth. Lycopfis Branca lupina Anguil. Cardiaca, vel Lycopsis. Fucbs.

Marrubium palustre glabrum. C.B.P. 230 Marrubium aquaticum quorundam . I.B. tom 3. 1.28. 318. Side-

ricis prima. Matth. Lancea Christi. Gefn. . . .

Marrubium nigrum fetidum Ballote. Dioscoridis. C. B.P. 230. Marrubium nigrum, five Ballote. I.B.tom. ryrum fylvaticum flore luteo ; fire .815182.1.5ca

Marrubium album vulgare. C.B.P.230. Marrubium album . I. B. tom. 3. 1. 28. 316. marrubium foemina .

Brunf. Marrubium candidum . Trag. Marrubium .

Matth. Prasium. Anguil.

Marrubium album latifolium peregrinum. C.B.P.230. Marrubium candidum . Dod. Marrubium candidum alterum hispanicum. Lob. Marrubium Creticum Camer. Marrubium candidum folio subrotundo . I. B. tom.3.1.28. 317.

Marrubium Africanum minus foliis rotundioribus parvo flore Cl. volch. cardiaca americana annua nepetæ folio floribus brevibus phæniceis villosis. H. L. B. Leonurus annuus Americanus vulgo

Marrubii species Cret. Sherard.

Marubiastrum coma flavescente . T. Corrol.

Marum syriacum vel creticum. H.L. B. Majorana Syriaca, vel cretica . C.B.Pin, 224. Marum Syriacum. Adv. Lob. Lugd. T.M. marum cretense Alpini.

Marum Matth. Tragoriganum latifolium. C.B.P. 223. Thimum creticum. Ger. Tragoriganum. Dod. Lugd.

Matricaria vulgaris. C.B.P.133, Matricaria vulgo, minus Parthenium, I.B.tom.3. 1.26. 129. Artemisia tenuifolia Fuchs. M.

Matricaria flore pleno. C.B.P. 124. I.B. tom. 3. 1. 26. 130. Matricaria pleno Flore Camer. Parthenium pleno, five polyphyllo flore. cluf. Pan. & histor.

Matricaria flore pleno fistuloso. Matricaria foliis flo-

H

rum fistulosis. Cath. H.R. Parif. 118.

WIEL .

Ma-

Matricaria, sive Parthenium minus cotulæ folio buphthalmi flore : an matricaria alpina chamæmeli fodiaca, vel bycopies Facef.

liis. C.B.P. 134.

Melampyrum purpurascente coma . C.B.P.234. Melampyrum multis, five Triticum vaccinum . I. B. tom. 3. 1.30. 439. Triticum vaccinum . Trag. parietaria Ofylvestris 3. Olufi . Ila mobiest murale muiders M

Melampyrum luteum latifolium. C.B.P.234. Melampyrum sylvaticum flore luteo, sive satureia lutea sylvestris. I.B.tom. 3. 1.30. 441. parietaria sylvestris. 2. Clusi. Crateogonon . Adv. Lob. Lugd. Satureja lutea Dalechampii. Lugd. hysfopus nemorensis, & lutea. Lugd.

Melanthium capite, vel calice & flore majore pleno. I.B. tom. 3. 1.36. 209. nigella flore majore pleno cæruleo . C.B.P. 145. Melanthium Damascenum pleno

flore . Cluf.

Melanthium calice, & flore minore, semine nigro, & luteo. I. B. tom. 3. 1. 26. 208. nigella flore minore fimplici candido. C.B. P. 145. Melanthium sativum Matth. nigella hortensis. Trag.

Melanthium simplici flore creticum : Clusii. Nigella

cretica . C.B.P. 146. in Prodr. 75.

Melanthium, five Nigella Americana elegantissimo

flore, semine foliaceo.

Melilotus officinarum Germaniæ. C. B. P. 331. Trifolium odoratum, seu melilotus vulgaris flore luteo. I.B.tom.2. 1.17. 370. Melilotus fruticosa lutea vulgaris, vel officinarum. Moris. lotus urbana. Matth. saxifraga lutea. Fuchs. & lotus sylvestris eiusdem Icon. Trifolium odoratum . 2. Dod.

Eadem flore albo. C. B. P. 331. Melilotus fruticosa candida major . Moris. Trifolium odoratum, five melilotus vulgaris flore candido . I. B. tom. 2. 1. 17.

370.

Melilotus corniculis reflexis major. C.B.Pin.331. Trifolium italicum, five melilotus italica corniculis incurvis. I.B. tom. 2. 1.17. 372. Melilotus italica. Fuchs.

Lotus sylvestris Gefn.

Melilotus major odorata violacea. Moris. Lotus hortenfis odora, C. B. Pin.331. Lotus fativa odorata annua flore cæruleo. I.B.tom.2. l.17, 368. Melilotus vera. T. M. Melilotus fingularis Alpin. Pona. Trifolium odoratum alterum, five lotus fativa. Dod. 571.

Melilotus coronata. Adv. Lob. Lotus, sive Melilotus pentaphyllos minor glabra. C. B. P. 332. Lotus corniculata glabra minor. I.B. tom. 2. l. 17. 356. Lotus polyceratos lutea minor, soliis, & siliquis glabris brevioribus, & crassioribus. Morif. Lotus sylvestris. Dod.

Eadem flore luteo majore splendente. Lotus pentaphyllos flore luteo majore splendente. C.B.P.332. Loti corniculatæ major species. I.B.tom.2. l.17.355. Trifolium corniculatum tertium. Dod.

Melilotus vulgaris alter sylvestris. Cesalp. Lotus pen-

taphyllos major hirsutie candicans. C.B.P.332.

Melilotus sive lotus pratensis siliquosa lutea. C.B.Pin. 332. Lotus siliquosa lutea monspeliensis. I.B. tom. 2.1.17.359. Lotus oligocheratos tetragonolobos perennis monspeliensis slore luteo. Moris. Lotus Trifolia corniculata. Ger. Lotus quadrata siliqua slore luteo. Cath.H.Pat. Polygala Cæsalpini, a C.B. pretermissa in synonimis.

Melilotus, sive Lotus ruber siliqua angulosa. C.B.P. 332. Lotus siliquosa slore susco tetragonoloba. I. B.tom. 2. 1.17. 359. Lotus oligocheratos tetragonolobos annua cretica, slore saturate rubro seu holoserico

coccineo. Moris.

Melilotus Messalensis procumbens. Raij bist.

Melianthus Africanus. H.L.B. Pimpinella spicata maxima Africana. Barth. act. Haf. anni 1673. volum. 2. p. 58. Melianthos Africana major setida floribus atropurpureis. Plukn. Almeg. Bot.

Melissa hortensis. C.B.P. 229. Melissa vulgaris odore

ci-

citri. I.B.tom. 3. 1.28. 232. Citrago . Gefn. Melisso-

phyllum . Matth.

Melissa peregrina folio oblongo. C. B. P. 229. Melissa Turcica multis dicta. I.B. tom. 3. 1.28. 234. Melissa Moldavica . Matth. Melissa Turcica Dalech. Lugd. flore cæruleo. C.B.P.227. manit andollold .IV

Eadem flore albo. C.B.P. Variet. 229. I.B.tom. 3.1.28. 234. descrip. mol del she istenoros smolisist

Melissa Molucana odorata. C.B.P.229. Moluca. I.B. to.3. 1.28. 234. Melissa Constantinopolitana. Matth.

Melissa Romana hirsutior. Moris. Pral. 286. Melissa Romana molliter hirfuta, & graveolens. H.R. Parif. ex Tournef. 193. Melissa sylvestris hirsution minus odora Raij H. Plant. Melissophylli sylvestris genus. Matth. T recies major frecies. I

Melissa, sive Moldavica Orientalis minima, ocimi folio flore purpurascente. Tournef. Coroll. II.

Melochia Alpini. Corcoros Plinii Lob. Lugd. C. B. P. 317. corchoros, five Melochia. Cam. Corcorus, five melochia. I.B.tom. 3. 983. Olus judaicum Avicennæ quibusdam, & Melochia Arabum. Ravuolf.

Melo Ægyptius. C. B. Pin. 311. Abdelavi Ægyptiorum Alp. Melo Ægyptius minor, Abdelavi H. Pat.

& Townef. 105.

Mentha hortensis verticillata Ocimi odore . C. B. P. 227. Mentha verticillata minor acuta non crispa odore Ocymi. I. B. tom. 3. 1.28. 216. Mentha fativa 4. Dod. Lugd. Ocymoides repens. Ger. Icon.

Mentha crispa verticillata. C.B.P.227. Mentha crispa verticillato folio rotundiore . I.B. tom. 3. 1.28. 216. Mentha sativa prima . Fuchs. mentha vulgata serpens rotundiore folio pulegii odore. Adv. Lob.

Mentha angustifolia spicata . C.B.P. 227. Mentha spicata folio longiore acuto glabro nigriori. I.B.tom.3. 1.28. 220. Mentha. I. Matth. Mentha sativa hortensis 3. Dod. Sifymbris altera species. Cord. in Diose.

Men-

Mentha rotundifolia spicata altera. C.B.P. 227. Menthastrum spicatum cultum folio rotundiore rugoso: 1.B. tom. 3 1.28 219. an Mentha rubra. Trag. Sisymbrium hortense. Matth. Sisymbria mentha agressis. Lob.

Mentha hortensis corymbisera. C. B. P. 226. Alisara. Trag. Balsamita major: Dod. Gal. Mentha græca. Matth. Costus hortensis. Gesn. Ovaria ejusdem, her-

ba Sanctæ Mariæ vulgo. Cæsalp.

Mentha sylvestris rotundiore folio. C.B.P.227. Menthastrum. Cord. in Diosc. Menthastrum folio rugoso rotundiore spontaneum, flore spicato odore gravi. I. B. tom. 3. 219.

Mentha sylvestris longiore folio. C.B.P.227. Menthastrum spicatum folio longiore candicante. I. B. tom. 3.1.28. 221. Mentha equina. Brunsf. Menthastrum.

Trag. silymbrium campestre, Anguil.

Mentha rotundifolia palustris, seu aquatica major. C. B. P. 227. Mentha aquatica, sive sisymbrium. I.B. tom.3. 1.28. 223. Mentha rubra. Brunf. Balsamina agrestis, & nepeta 3. Trag.

Mentha palustris folio oblongo. C.B.P. 228. Menthastri aquatici genus hirsutum spica latiore. I.B tom. 3. 1.28. 222. Menthastrum minus spicatum. Lugd.

Mentha cattaria vulgaris, & major. C.B.P. 228. Mentha cattaria. I.B. to.3. 1.28.225. calamintha cattaria, seu nepeta vulgaris, & major. H.L.B.

Mentha sylvestris longioribus, nigrioribus, & minus incanis foliis. C.B.P. 227. Menthastrum aliud. Lob.

Menthastrum campestre Lugd.

Mercurialis testiculata, sive mas. Diosc. & Plinii. C. B.P.121. Mercurialis mas. I.B. tom. 21.23.677. Mercurialis mas. Matth.

Mercurialis spicata sive sæmina. Diosc. & Plin. C.B. P.121. Mercurialis sæmina. I.B. tom. 2.1.23. 677. Phyllon Thelligonon Theophrasti Cord. in Diosc.

Mercurialis montana testiculata. C. B. P. 122. Cyno-

crambe mas, five Mercurialis repens. I.B.tom. 2.
1.23. 979. Cynocrambe. Matth. mercurialis canina
mas. Colum.

Mercurialis montana spicata. C.B.P.122. Cynocrambe semina, sive mercurialis repens. I. B. tom. 2. l. 23. 979. cynocrambe, sive mercurialis sylvestris semina. Camer.

Meum soliis Anethi. C.B.P. 148. Meum Athamanticum. Moris. Umbel.4. Meum vulgare, sive radix Ursina. I.B.tom.3. 1.27. 11. Meum. Matth. Dod. Anethum sylvestre Lon. Libanotidis primum genus, & seniculus porcinus. Dod. Gal. Seseli creticum. Fuchs. Icon.

Myagrum siliqua longa. C.B. P. 109. Myagro assinis planta siliquis longis. I.B. tom.21. 894. Eruca sylvestris latifolia solio integro, slore luteo minore. Moris. Viola lutea sylvestris. Trag. Camelina. Ger. eruca sylvestris angustisolia ejustem.

Myagrum monospermum latifolium. C.B.P.109. Myagrum hortense monospermum. Eyst. Raphanistrum monospermum latifolium siliquis sungosis glabris articulatis. Mor. myagrum monospermum. I.B. tom.2. l. 21. 894. Pseudoisatidem Alpinus nominabat.

Millefolium vulgare album. C.B.P. 140. Millefolium stratiotes pennatum terrestre. I.B. tom.3. l. 26. 136. stratiotes 2. Anguil. militaris sive Millefolium flore albo. Adv.

Millefolium vulgare purpureum minus. C.B. Pin. 140. Millefolium minus. Matth. millefolium parvum. Ca-falp. stratiotes Millefolia minor. Lugd.

Millefolium incanum creticum. C.B.P.140. stratiotes Millefolia Belli epist. Millefolium creticum. I. B.

tom.3. 1.26. 139.

Millefolium tomentosum luteum. C.B.Pin. 140. helichrysum Italicum. Matth. Tanacetum lanuginosum: Lugd. Millefolium tomentosum luteum. I.B. tom. 3. 1.26. 13.

Mil-

Millefolium majus album odore camphoræ. H. L. B. Tanacetum minus album odore camphoræ, sive A-chillæa Diosc. C.B.P. 132. Achillæa millesolia odorata. I.B. tom. 3. 1.26. 140. Achillæa Matth. Achillæa, sive millesolium nobile. T.M.

Myrrhis major, vel cicutaria odorata. C. B. Pin. 160. Myrrhis magno semine longo sulcato. I. B. tom. 3. l. 27. 77. Myrrhis perennis semine striato alba major odorata. Morif. Umbel. 44. Myrrhis Matth. Seseli Peloponense. Anguil. Cerefolium hispanicum T.M.

Myrrhis minor. C.B.Pin. 160. Myrrhis sativa minor.

Myrrhis sylvestris seminibus lævibus. C.B.P.160. Mirrhis Fuchs. Dod. cicutaria Gesn. cicutaria vulgaris. I.B.tom.2. l. 27. 181. cherephyllum, seu ceresolium sylvestre perenne, seminibus lævibus nigris Moris. Umbel. 46.

Myrrhis cicute foliis. Plures Myrrhis species cicutæ assimilantur, ita ut caute colligendæ, ne una pro al-

tera accipiatur:

Myrtillus Matth. Vitis Idæa foliis oblongis crenatis, fructu nigricante. C.B.Pin.470. Bagolæ primum genus. Cæsalp. Vitis Idea fructu nigro. I.B.tom.1.l. 5. 519. Myrtillus vulgo.

Myrtillus exiguus. Trag. Vitis Idea foliis subrotundis non crenatis baccis rubris. C.B.P.470. Vaccinia rubra. Dod.Gal. radix Idæa fructu rubro. Anguil.

Myrtus latifolia Romana. C.B. Pin. 468. Myrtus latifolia Bætica, forte Romana. I.B. tom. I.l. 5.512. Myrtus laurea maxima. Lob. Myrtus major. Dod. Gal.

Myrtus foliis minimis, & mucronatis. C.B.P.469 Myrtus angustifolia minor. I.B.tom. 2. 1.5. 513. Myrtus albis baccis in Asia Bellon.

Myrtus flore pleno Cornuti, & Raij hist.

Myrtus exoticus foliis tenuissimis viridis ex luteis variegatis.

Moly angustifolium umbellatum . C.B.P.74. Moly Dio-

ico-

Catalogus 126

scoridis parvum quibusdam . I. B. tom. 2. 1. 19. 568. Moly Matth. Diole, C.E.P. 122. Achil

Idem flore albo.

Moly latifolium liliflorum. C.B.P. 75. Ornithogalum indicum latifolium floriferum colore colossino, aut albo . Moris . Moly Theophrasti magnum . I. B. tom. 2.1.19. 569.

Moly exoticum floribus albo viridibus . C.B.P.75. Mo-

ly flore albo lineis viridis coloris Svertii.

Molle: I.B.tom.1. 1.5. 535. Lentiscus Peruviana. C.B. P.399. Molle Clusio. Molle arbor. Lugd.hift.

Myrela's lylveficis teminibus lavibus. C.R.P.160. Mir-

Margallus exicuis. Trag. Vitis Idea folils labround

mon agentarie paccis tubris. C. h. P. 190 Versies e

Margaret deritelle Romana . C.B.Pic.ada. Marca lat

corrected as it was a mental to assert distillation area

Marine everynes toline routh tilmis virillis en ligeris

biely appointed an unbedeau and the Population of the

Exchi Don vidure o con cicutaria valendi tromes is a first the calculation , for cerefaction

on persence, feministrations and entire Men. Com-

cionte foliis. Places Marchia forciel cicara

satur, its ut caute colligendie, ne una gro ac

Arciffus juncifolius oblongo calice luteus major. C.B.P.51. Narciffus major juncifolius. Eyft. Moris. Narcissus juncifolius flore luteo. I. B. tom. 2. 1. 19. 607. Narcissus juncifolius prior . Clu-

non deferipters. Sweet.

Narcissus juncifolius minor luteus. C.B.P. 51. I.B. tom.2. 1.19. 607. Narcissus juncifolius minor. Dod. Narcissus juncifolius ejusdem flor. Nar-

cissus juncifolius serotinus. Lob.

Narcissus juncifolius aureus multiplex, Anemones forma. C.B. Pin. 54. Narcissus juncifolius pleno flore Clus. Narcissus juncifolius luteus flore pleno. E ft. Moris. Narcissus Cyprius luteus polyanthes flore pleno. I. B. tom.2. 1.19. 595.

Narcissus latifolius maximus albus, calice brevi luteo.

C.B.P. 51.

Narcissus albus multiflorus minimus.

Idem medius.

Narcissus albus oblongo calice. C.B.P. 53. Pseudonarcissus albo flore. Clusii. I.B.tom.2. 1.19. 597.

Narcissus totus niveus multiplex. C.B.P. 54. narcissus flore singulari albo pleno . I.B. tom. 2. 1.19. 602.

Narcissus albus foliis reflexis, calice brevi aureo. Cath.

H.R. Parif. 127.

Narcissus incomparabilis flore pleno partim flavo,

partim croceo. Cath. H.R. Parif.127.

Narcissus major totus luteus calice prælongo. C.B.P. 52. Bulbocodium hispanicum. I.B. tom. 2. 1.19. 594.

Narcissus albus calice flavo, moscari odore. C.B.P. 52. Narcissus oblongo calice. clusis. Pseudonarcissus albus calice luteo. Eyft.

Narcissus albus tubo luteo. C.B.P. 52. Narcissus albus

oblongo calice luteo Svertii .

Narcissus maximus pallide luteus. C.B.P.52. Narcissus

maximus grifeus, vel pallidus amplo calice flavo

non descriptus. Svvert.

Narcissus latifolius sulphureus, vel albus brevi calice. C.B.Pin.52. Narcissus sulphurei coloris brevi calice. Svvert, vel narcissus totus albus brevi calice ejusadem.

Narcissus albus circulo croceo, vel luteo. G.B.P. 49. Narcissus mediocroceus tenuisolius. I.B. tom. 2. 1.19.

602. narciffus veterum. Trag.

Narcissus latifolius maximus albus calice brevi luteo.

C.B.P. 51. & Eyfs. & Moris. hift.

Narcissus juncifolius flore luteo lineis albis notato.
Narcissus Orientalis major albus. C.B.P. 49. narcissus orientalis major polyanthos totus albus. Eyst. Mo-

Narcissus flore luteo stellato multiflorus Constantinopolitanus: an Narcissus luteus Constantinopolitanus.

C.B.P.51.

Narcissus niveus odoratus circulo rubello C. B. P. 48.
Narcissus medio-purpureus minor . I.B. tom. 2. l. 19.
601.

Narcissus albus magno odorato flore, circulo pallido. C.B. P. 48. Narcissus medio-purpureus magno flore

folio latiore. I.B.tom. 2. l. 1 9. 601.

Nardus celtica Dioscoridis. C.B.P.165. Nardus celtica. Matth. nardus alpina, sive Celtica. Clusi.

Nasturtium hortense latifolium. C. B. P. 103. Nastur-

tium hispanicum. Gefn. T.M. Ger.

Nasturtium hortense vulgatum. C.B.P.103. Nasturtium vulgare. I.B.tom. 2. l. 22. 912. Nasturtium vulgare, sive hortense tenuiter divisum. Moris. bist. Nasturtium album Plinio Nasturtium. Matth. Anguil.

Nasturtium hortense crispum. I.B.tom.2. l.22. 913. hujus speciei invenitur latifolium, & angustifolium.

vide CB.P. in Prodr.

Nasturtium aquaticum supinum. C.B.P. 104. sisymbrium cardamine, sive Nasturtium aquaticum. I.B.tom.2.1.

21. 884. Nasturtium aquaticum supinum flore albo-Moris. Sifymbrium alterum, vel cardamine. Diofe. Sium minus . Gerar. cressolaver odoratum . Eurit. Cord.

Nasturtium aquaticum erectum folio longiore. C.B.P. 104. Sium vulgare. Matth. Lugd. Sion Matth. & Ita-

lorum . Lob.

Nasturtium sylvestre tenuissime divisum . C.B.P. 105. Seriphium Germanicum Trag. fophia chirurgorum Adv. Lob. Dod. Accipitrina Cafalp. feriphium Germanicum Sophia quibusdam. I. B. tom. 2. 1. 21. 886. Nasturtium sylvestre tenuissime divisum, seu nasturtium Moriophyllon flore luteo minimo. Moris.

Nerion floribus rubescentibus. C.B.P.464. nerium, sive Rhododendrum flore rabro. I.B.tom.2.1.15. 140. Oleander vulgo, Nerium Trag. Matth. Dod. Oleander flore rubro Ang. Rhododendron Bellonii Rho-

dodaphne. Gefn. H. Cefalp.

Nerion floribus albis. C. B. p. 464. Nerion, five Rho-

dodendron flore albo . I.B. tom. 2, 1.15. 140.

Nerium indicum latifolium floribus plenis odoratis . H.L.B. flore purpureo.

Nerium flore pleno variegato, & odorato. Volcham.

flor. Norib. 302.

Nerium Indicum flore simplici persici colore.

Nicotiana major latifolia. C.B.P. 169. Nicotiana major. five Tabacum majus. I.B.tom. 3 1.34. 629. fana sancta indorum . Adv. Lob. Ger. Tabacum latifolium Camer. Hyoscyamus Peruvianus. Dod.

Nicotiana minor. C.B.P.170. Priapeja quibusdam nicotiana minor. I.B.tom 3. 1.34. 630. Hyofcyanius Peruvianus. T.M. Priapeja a forma fructus. Gefn.H.

Nicotiana major angustifolia. C.B.P.170. nicotiana, sive Tabacum folio angustissimo. I.B. tom. 3. 1.34. 630. herba sancta, sive Tabacum minus Lob obs.

Nymphæa lutea major. C.B.P.193. Nymphæa lutea. I.

B.tom.3. 1.28. 771. Nenuphar luteum. Brunf.

Nym-

130 Catalogus

Nymphæa alba major. C.B.P. 193. Nymphea alba. I. B.tom.3. 1.28. 771. Nenuphar album. Brunf. an lotus Ægyptia. Aldini.

Nymphæa alba minor. C.B.P.193.1.38, 773. Nymphæa

parva . Matth.

Nummularia lutea major. C. B. Pin. 309. nummularia five centimorbia. I.B. tom. 3. 370. nummularia major flore luteo. Moris.

passing this the tenuthing divisunt

icum Sophia dubuldam . J. B. tom. s. J. 21 . 866.

Mer melylos fore intee minimo. Men

Khodedendrum flore tobro . I. B. com. Z. 1.1 4. 140.

states will be true Tree, March. Ded. Olean-

lore racto and Rhodedandron Bellock Rhod

lacifolium floribus plenis edal

pieno variegreo , Co pietaco , rengamen

rior Horibat tubelteatibus, C.B.P., 64. norium .

dendron tions allo . L.B. tono. 2. L.F. 150.1

a indorum. May Los Com Till

declar recent ornya. D. ream

and manager removed the real to

un vulgary Grant and Online Comment



Cimum viride foliis bullatis. C. B. P. 225. Ocimum bullatum. Volch. Ocimum indicum viride majus, foliis protuberantibus. Eyst.

Ocimum caryophyllatum majus. C. B.P.226. Ocimum odoratum, five Basilicum. I.B. tom. 3. 1.28. 249. Basilica

major Trag. Ocimum majus . Matth.

Ocimum citri odore. C.B.P. 226. Ocimum magnum .
I.B.tom. 3. 1.28. 246. Ocimum citratum. Gefn.

Ocimum vulgatius. C.B.P.226. I.B.tom. 3. 1.28. 247. O-

cimum medicum vulgatius adv. 4. Eyff.

Ocimum minimum. C.B.P. 226. I.B. tom. 3. l. 28. 247. Ocimum minimum Amaraci figura Caryophyllatum. Lob. Fyft.

Ocimum indicum orientale Sherardi

Ocimum meliffæ odore.

Ocimum indicum styracis liquide odore.

Olea sativa. C.B.P.472. I.B.tom. r. 1.6.1.

Onobrychis arvensis. C.B.P.215. vel campanula erecta ejustem. Campanula arvensis minima. Dod. Moris. Avicularia Sylvy quibusdam. I.B. tom. 2.1. 20. 8006 campanula arvensis minima. Dod. elatine. Cass. speculum Veneris Gerar.

Onobrychis foliis Viciæ fructu echinato major . C. B.P.350. Polyganon. Gefn. I.B.tom.2. 1.17. 315. Onobrychis major filiculis echinatis, cristatis in spica congestis. Moris. Glaux, vel Onobrychis. Gen H. Polygala multorum Lugd. Onobrychis. Dodon. Onobrychis flore rubro. Eyst. Onobrychis. Dod. flore rubro. Eyst.

Onobrychis semine clypeato aspero major. C.B. P.350. Astragalus Romanus, sive Hedysarum clypeatum siqua aspera. I. B. tom. 3. l. 17.315. Onobrychis ma-

jor perenni, filiculis articulatis.

2 Ophio

132 Ophioglossum vulgare. C. B. P. 354. Ophioglossum. I. B.tom. 3.1.35.7.8. Serpentaria 2. Brunf. Ophioglossum. Matthiol. Dodon. Lancea Christi, vel luciola. Gefn. Hort slov . munified munico

Ophris bifolia. C.B.P.87. Orchis bifolia herbaceo flore major. H.L.B. Bifolium majus, sive orchis major quibusdam . I. B. tom. 2. l. 31. 533. Alisma. Cord.

Gefn. H. Satyrium x. & bifolium . Trag.

Ophris trifolia. C.B.P. 87. Perfoliata sylvestris femina Brunf. Ophris trifolia. Tab.M.Gerard

Orchis mas latifolia. Fuchs. Cynosorchis latifolia, hiante cucullo major. C. B. Pin. 80. Orchis prior.

P.226. T.B. tom. 2: 1.28 Diofe.

Orchis 4. Dodonei Lugd. Cynoforchis montana purpurea odorata. C. B. P. 81. Orchis 5. odora serapiada. Diose . Trag. Testiculus primus . Matth.

Orchis, five Cynosorchis latifolia, hiante cucullo minor . C.B.Pin.81. Cynoforcnis altera . Dod. Lugd.

Orchis morio mas foliis maculatis. C.B.P. 81. Orchis major tota purpurea maculoso folio. I.B.tom.2.1.19.

763. Cynoforchis morio mas. T.M.

Orchis morio fæmina. C.B.P.82. Testiculi species tertia. Matth. Orchis angustifolia fæmina altera. Fuchs. · Icon. Orchis minor purpurea cum alis virentibus. I.B. tom.2. 1.19.761. Del sminim annovas sluggmes

Orchis fucum referens, flore subvirente . C.B.P.83. Orchis melittias, sive apis cadaverulum exprimens.

Lob. Lugd. Tab. M. HI was townsvior over

Orchis fucum referens colore rubiginoso. C. B. P. 81.

Testiculo vulpino similis minor. Adv.

Orchis muscam referens major. C. B. Pin. 83. Orchis myodes altera. Gefn. Lob. Lugd. Testiculus muscarius quartus. T.M.

Orchis muscæ corpus referens minor: C.B. Pin. 83. Or-

chidis quintum genus. Dod.Ger.

Orchis araneum referens. C. B. Pin. 84. orchis andrachnitis . Lob . Icon.

Orchis palmata angustisolia minor. C. B. Pin. 85. Satyrium sæmina. Brunss. Palma Christi major. Matabiol.

Orchis palmata pratensis maculata. C.B. Pin. 85. Orchis palmata maculata. I.B. tom.2. l. 19. 775. Satyrium Basilium Græcorum, & officinarum Christi palma. Ruel.

Oreoselinum Orientale Seselios Massiliens. folio. Tour.

Corall.

Origanum minus chium odoratissimum slore albo ex Triumfetti H.

Origanum sylvestre, cunila bubula Plinii. C.B.P.223.
Origanum vulgare spontaneum. I. B.tom.3.l.28.236.

Origanum vulgare. Trag. Matth.

Origanum heracleoticum. Cunila gallinacea Plinii. C. B. Pin. 223. Origanum heracleoticum. Matth. alliis forte Creticum. I. B. tom.3.1.28. 257. Origanum heracleoticum. Matth.

Origanum onites. C. B. Pin. 223. Origanum Monspeliensium pulchrum Camerarii. I.B.tom.3. 1.28. 238. Origanum Onites. Matth. marum quibusdam. Dod.

Gal. majorana major Anglica. T.M. Ger.

Ornithogalum umbellatum album medium latifolium. C. B. P. 70. Ornithogalo vulgari simile latiori folio I.B. tom.2. 631. Ornithogalum aliud vulgare. Classis

bift. 188.

10 30 F

Ornithogalum luteum. C.B.P. 71. Bulbus. Trag. Ornitogalum luteum. Cord. Bulbus sylvestris. Fuchs. flore luteo, sive Ornithogalum luteum. I. B. tom. 2. 623. bulbus sylvestris: Dod. 222. Sisynrichium. Cord. hist.

Ornithogalum latifolium, & maximum. C.B.P.70. Ornithogalum maximum. Clusii Ornithogalum, sive Lilium Alexandrinum floribus albis innumerabilibus.

Sover. Ornithogalum umbellatum . Eyft.

Ornithogalum angustisolium majus, sloribus ex albo virescentibus. C.B.P.70. Asphodelus sæmina. Dod.Gal. Catalogus

134 Orobus latifolius parvo flore purpureo. C. B. Pin. 351 Galegæ nemorensis vernæ similis multiflora flore purpureo . I. B. tom. 2. l. 17. 345. Orobus Venetus - Clusi . Orobus sylvaticus latifolius siliquis propendentibus, parvo flore purpureo. Moris.

Orobus sylvestris angustifolius Asphodeli radice. C. B.

Originom frirefire, quoita bubula Plinii : C.B P.222.

Originam herzelfordenn, Gunila exllinacea Plinii, C.

Originatulence.

Origanum subpare Spentanenms. L. B. com. 2.1.18.126.

8. Pin. 224. Only hugh herrelections. Marth. a. his farte Grevican . L.B. com ? L.C. 27. Origanum

iganum onices. C. R. Pin. 222. Origanum Moulire-

dienform unich fram Camerard , L.B. com 2 1 5 8 2 5 E.

Origonum Onice. March marum enibeldum, Ded.

nichogalom umbellatum'allagon madium latifolium. C. BL P. To Ornithecale release froile letion tolio LB. com.2. 6qr. Ornichogalum aliud vulgare. Oragi

benithogalum lorenan, C.B.P. 71, Balbus, Trag. Or-

aitogalum luccum. Cord. Bulbus fylycheis. Ferb. flore larco : five Ornithogelum lutcum, L. B. (oid.

nichoselam merimani. Class Orarchegalum. five Litium Alexandriaum floribus albis inquinccabillbus.

Cinichogalum angulti (olium maius, fioribus ex albo vi-

refeentibus. C.B. P.70. Aiphodelus famina. Dod. Opf.

bullous tyle Oris . Dod. 222. Silynischian ..

Oak majarana and on Amelica . I M. Cor-

Considered in initeliant Comestment.

Sport, Ornithogalom umbellatum. Evil.

P. 351. Orobus Pannonicus tertius. Clus.

no odla staff memiliaziono mulda zenimentatun

Pœo-



Eonia folio nigricante splendido, quæ mas. C.B.P. 323. Pæonia mas procerior. I. B. tom. 3. l. 30. 492. Pæonia mas. Matth.

Pœonia fæmina flore pleno rubro. majore, C.B. Pin. 324. pœonia flore pleno rubro. I.B. tom. 3. lib.30. 493. peonia femina multiplici flore. Gef. H.

Pœonia flore exalbido pleno major. C.B.P. 324. pœonia fexta, sive exalbida plena. Clus. pœonia albo flore pleno, sive polyanthos alba femina. I.B. tom. 3. 1.30. 494.

Palma major. C. B. P. 506. palma. I.B. tom. r. lib.3.

351. palma dactilifera Linscot.

Panax costinum. C. B. P. 156. costus spurius. Matth.

herba costa. Cas.

Panax Sphondylii folio, sive Herculeum. C.B.P. 157.
panax heracleum. Matth. Sphondylium alterum.
Dod. Sphondylium majus, sive panax heracleum quibusdam. I.B. tom. 3.1.27.161.

Panax Asclepium semine folioso. C.B.P. 158. Thapsia

Apula Panax Asclepium. column. Park.

Papaver hortense semine albo sativum. C. B. Pin. 170.
papaver album. I. B. tom. 3. 1.30. 390 papaver hortense simplex semine albo. Moris. papaver sativum.

Matth.

Papaver pleno flore album, G.B Pin. 171. papaver flo-

re multiplici . Gefn.H. Camer epit.

Papaver pleno flore nigrum. C. B.Pin. 171. papaver nigrum polyanthon. Lob. Ger.

Idem flore roseo.

Idem flore purpureo.

Idem flore variegato.

Idem flore violaceo.

Idem flore suaverubente.

Idem flore incarnato.

Papaver erraticum pleno flore. C. B. Pin. 171. Argemone multiplex. Trag. papaver Rhæas flore pleno.

Papaver erraticum majus Rhæas Diosc. Theoph. & Plinii. C. B. P. 171. papaver Rhæas. Lob. papaver erraticum rubrum campestre. I. B. tom. 3.1.30.395.

Papaver erraticum minus. C.B. P. 171, Argemone exi-

gua, & 2. Trag. Lugd.

Papaver Africanum perenne flore magno, mali aurantiæ

colore . Volck . .

Papaver corniculatum luteum. C. B. P. 171. I.B. tom. 3.l. 30. 398. papaver corniculatum. Matth. papaver cornutum. Dod. Gal.

Papaver corniculatum phæniceum hirfutum. C. B. P.

171. I.B.tom.3.1.30. 399.

Pastinaca tenuisolia sylvestris Dioscoridis, vel Daucus ossicinarum. C.B. Pin. 151. pastinaca sylvestris, sive staphylinus Græcorum. I. B. tom. 3. 1.27. 62. pastinaca sylvestris. Matth. Dauci tertium genus. Dod. Gal.

Pastinaca sativa latifolia. C.B. P. 155. pastinaca sativa latifolia Germanica, luteo slore. I. B. tom. 3. lib.27.

151. Sisarum sativum magnum. Fuch.

Pastinaca minor Germanica. Sisarum Germanorum. C. B. P. 155. Elephaboscum Dioscoridis. Colum. Si-ser Germanicum. Cas.

Pastinaca sylvestris latifolia. C.B.P.155. Elephaboscum

Matth. Dod. Spondilium . Ger.

Pastinaca tenuisolia sativa radice lutea, vel alba. C. B. P. 151. pastinaca radicibus luteis, vel albis. Gesn. H. Carota radice Buxei coloris. Ces. pastinaca sativa, sive Carota lutea. 1.B. tom. 3. 1.27.64.

Pastinaca tenuisolia sativa, radice atrorubente. C.B.P. 151. Carota. Matth. Carota radice sanguinei coloris. Cas. pastinaca sativa, sive Carota rubra. I. B. tom. 3. 1.27. 64.

Pentaphyllum album. Matth. Quinquefolium album majus alterum. C. B. P. 325. pentaphyllum album. I.B. tom. 2. lib. 19. 398. pentaphyllum minus rectum fubtus incanum, flore albo Moris. quinquefolium fylvaticum. T.M.

Pentaphyllum luteum majus. Dod.Gal. Lugd. quinquefolium majus repens. C.B. Pin. 352. quinquefolium.

Matth. pentaphyllum, sive quinquefolium vulgare
repens. I.B.tom.2. lib. 17. 397. pentaphyllum minus
procumbens, flore luteo vulgare radiculas emittens ex
geniculis. Moris.

Pentaphyllum rectum foliis profunde sectis subtus argenteis, flore luteo. I.B. tom. 2. 1.17. 395. Quinquefolium folio argenteo. C.B. Pin. 325. pentaphyllum

tormentillæ facie. Ger.

Pentaphyllum rectum majus. I.B. tom. 2. l. 17. Quinquefolium rectum luteum. C.B. Pin. 325. pentaphyllum,
feu potius heptaphyllum majus luteum montanum
flore majore. Morif. Heptaphyllon Hermolai. Gefalp.

Pentaphyllum, vel quinquefolium minus repens aureum. C.B.P. 325. Quinquefolii quarti secunda spe-

cies . cluf. Pan. & hift.

Pentaphyllum, sive quinquesolium minus. T. M. quinquesolium minus repens lanuginosum luteum. C.B. P. 325. Quinquesolii quarti prima species. Clus. Pan. & hist.

Pentaphyllum, vel quinquefolium fragiferum. C.B.P. 326. Fragaria 4. Trag. Quinquefolium fragiferum sextum. T. M. & Clus. bist. pentaphylloides erectum.

I. B. tom. 2. 1.17. 398.

Pentaphyllum supinum tormentillæ sacie. Lob. Lugd. quinquesolium fragiserum repens. Lob. pentaphylloides minus supinum, seu procumbens, soliis alatis Geranii supini instar. Moris.

Pentaphyllum argenteum. Ang. Tormentilla alpina folio sericeo. C. B. Pin. 326. Argentinas heptaphyl-

138 la montana'. Camerar. Alchimillæ alterum genus.

Cafalp.

Pentaphyllum, vel melius heptaphyllum rectum caule rubente hirsutius. H. C. quinquefolium montanum erectum hirsutum, quod 3. in Prodr. C. B. Pin. 325.

Periclymenum humile. C. B.P. 302. periclymenum minus. T.M. Chamæpericlymenum prutenicum. clu-

fii Pan.

Periclymenum non perfoliatum Germanicum. C.B.P. 302. periclymenum, five Caprifolium non perfoliatum . I.B.tom.2.1.15.104. Caprifolium . Brunsf.

Periclymenum perfoliatum . C. B. P. 302. I. B. tom.2.

1.15.104. Vinciboscum. Cas.

Perfoliata vulgatissima, sive arvensis. C.B.P. 277. perfoliata simpliciter dicta vulgaris annua. I.B. tom. 3. 1.27. 198. perfoliatum vulgarius flore luteo folio umbilicato . Adv. Lob.

Persicaria orientalis nicotianæ folio, calice florum purpureo. Tournef. Coroll. 38. altissima est, & arbo-

reicens.

Persicaria urens, seu hydropiper. C.B. P. 101. persicaria acris, five hydropiper. I.B.tom. 3.lib. 38. 580. hydropiper. Fuchs. Ang.

Persicaria mitis maculosa, & non maculosa. C.B. Pin.

101. plumbago Plinii quibusdam. Lugd.

Pinus sativa. C.B.Pin. 491. pinus officulis duris, foliis longis. I. B. tom. 1. 1.9. 248. pinus urbana folio perpetuo. Theoph. pinus domestica. Matth.

Pinus sylvestris. C.B.P. 49. pinus sylvestris montana.

Theoph. sylvestris pinus. Matth.

Pinus pumila Africana fructu parvo, cortice subtilissimo. Valisnerii.

Peucedanum majus Italicum. C.B. P. 149. Morif. Umbel. 36. I.B.tom. 3.1.27. 36. peucedanum Matth.

Phalangium magno flore. C.B.P. 29: phalangium Alobrogicum magno flore lilii. Moris. phalangium lilii

flo

flore. I.B. tom. 219, 636. Asphodelus allabrogicus magno flore lilii. H. L.B. phalangium Matth. pha-

langium Allobrogicum majus. Clussi.

Phalangium parvo flore non ramosum. C. B. Pin. 29. phalangites quorundam. Cord. in Diose. phalangium non ramosum. Lob. Dod. phalangium pulchrius non ramosum. I. B.tom. 2.1.19.635.

Phalangium parvo flore ramosum. C.B. Pin. 29. Moly alterum Plinii, Dod. Gal. Phalangium ramosum. Lob. Dod. Phalangium parvo flore quibusdam ramosius. I.

B.tom.2. 1.19. 635.

Phalangium Virginianum vulgo dictum. Phalangium indicum flore violaceo. Cath. H. Pat. Allium, sive Moly Virginianum. C. B. P. app. 520. Ephemerum Virginianum Tradescanti. Park. Phalangium Virginianum foliis latioribus radice repente flore tripetalo ceruleo. Moris. hist.

Phaseolus Americanus frutescens minor, flore atroru-

bente.

Phaseolus hispanicus fructu albo compresso lunato.

Phaseolus minor fructu croceo insulæ sancti Jacobi.

Phaseolus Turcicus, seu peregrinus hortensi assinis, semine lato, albo multis nigris venis striato. C.B. Pin. 340. Phaseoli peregrini primi genus alterum. Clus.

Phaseolus peregrinus primo similis fructu lato albo stria-

to. C.B. P.340. Phaseolus peregrinus. Clusii.

Phaseolus peregrinus Anagyridis fructui similis ex nigro subvirescente. C.B.P. 240. Phaseolus peregrinus.

v. Clusi . H.

Phaseolus peregrinus Anagyridis fructui similis colore rubescente. C. B. Pin. 340. phaseolus peregrinus 3.

Clusii.

Phaseolus peregrinus minori fructu albo nigris maculis insignito. C.B.P.340. phaseolus peregrinus 4. Alubias de indias. Clusi.

Phaseolus peregrinus fructu toto albo major.

Phaseolus Æthyopicus lobis nigris venis asperis, fructu

atrosplendente. C.B.P.340.

Phaseolus Ægyptiacus nigro semine. C.B.P.341. phaseolus niger lablab vocatus Alpini, phaseoli genus leplap. sive Lablab. Clus. cur. post.

Phaseolus Ægyptiacus semine ruso. C. B. P. 331. La-

blab. alterum rufum Alpini clufii. Dod.

Phaseolus Americanus semine hirsuto.

Phaseolus peregrinus fructu subrubente nigris striis variegato alter. C.B.P.340. phaseolus peregrinus x11. Clus. bist.

Phlomis hispanica candidissima herbacea. Sherard.

Pilosella major repens hirsuta. C. B. P. 262. pilosella majori slore, sive vulgaris. I.B. tom. 2. l. 24 1039. auricula muris. Brunf. pilosella Matth. pilosella major. Fuchs.

Pilosella major erecta altera. C.B.P.262. pilosella major prima. T.M. pilosella major latifolia. Ger.

Pimpinella saxifraga major altera. C.B.P.159. saxifragia minor foliis sanguisorbæ. H.L.B. pimpinella saxifraga minor. Moris. Umbel. 12. Saxifragia hircina minor foliis Sanguisorbæ. I B. tom. 3. l. 27. 109. Tragoselinum minus. T.M. pimpinella, sive saxifraga major. Ger.

Pimpinella Saxifraga major umbella candida. C. B. P. 159. laxifragia major umbella candida. H.L.B. Pimpinella saxifraga major. Moris. Umbel. 12. saxifraga hircina major. I.B. tom. 3. l. 27. 109. Tragoselinum ma-

jus. T.M.

Pimpinella saxifraga major umbella rubente. C. B. P. 159. saxifraga major in alpibus flore rubente. Gesn. Hore.

Pimpinella saxifraga minor. C.B.P. 160. Tragoselinum petreum. T.M. Daucus Selinoides. Cord. bist. Saxifragia minor crispa, umbella candida. H.L.B. saxifragia hircina minima, pimpinella crispa. Trag. I.B. tom. 3. 1.27. 113.

Pim-

Pimpinella sanguisorba major. C.B.P. 160. pimpinella spica brevi rubra. Moris. sanguisorba major flore spadiceo. I.B. tom. 3. l. 27. 120. Pimpinella seu sanguisorba major. Matth. sideritis 2. Dioscoridis major. Colum.

Pimpinella major rigida, præalta, auriculata Sabauda.

Bocc. Mus. Pimpinella auriculata Sabauda rigida

ejusdem ex Tournef. 157.

Pimpinella sanguisorba minor hirsuta. C.B.P 160. sanguisorba minor. I.B. tom.3. Port. 2. 113. pimpinella sanguisorba. Dod. 105. pimpinella italica. Trag. sideritis 2. Diosc. minor. Column.

Pimpinella sanguisorba minor levis. C.B.P. 160. sanguisorba minor. I.B. tom. 3. l. 27. 113. pimpinella spica brevi minor levis, non pilosa. Moris. Umbel. 57.

pimpinella sativa levis . Gesn. H.

Pimpinella spinosa cretica. Cath. H. Pat. pimpinella spinosa, seu sempervirens. Moris. Umbel. 57. Poterio affinis soliis pimpinellæ spinosa. C. B. P. 388. poterium quibusdam, sive pimpinella spinosa. I. B. tom. 1. par. 2. 410. Chalcios, sive ereria. Ang. Chalcejon Anguillaræ Lugd. Clus. hist. pimpinella spinosa. Clus hisp. Camer. stæbe legitima. Diose. Belli.

Pyrola rotundifolia major. C.B.Pin.191. pyrola I.B. tom.3. l.31. 135. pyrola Matth. Limonium Fuch. &

Lon.

Pyrola folio mucronato serrato. C.B.P. 191. I.B. tom. 3. 1.3. 536. Ambrosia Dalechampii in Diosc. Ambrosia montana. Lugd. pyrola minor. Thal.

Pyri sativæ varia arte, & mangonio productæ species

multivariæ.

Pisum hortense fructu rubro lituris distincto: an pisum maximum fructu nigra linea maculato. H. R. Paris. Tournes. 394.

Pisum hortense majus. C.B P. 342. pisum ramulare

hilo nigro. Morif. bist. pisum majus Matth.

Pisum humile caule firmo. Tourn. 394. pisa nana ro-

142 tunda sine adminiculis recta. H.R. Paris. pisa nana rotunda . Morif. H.R. Blef.

Pisum vesicarium fructu nigro alba macula notato. C. B.P. 343. Halicacabum peregrinum. Fuch. pisum cordatum Adv. Lob. Corindum, five haliacacabum peregrinum multis . I. B. tom. 2. 1.15. 173.

Pisum arvense. C.B.P. 342. pisum spontaneum nanum inter triticum. Moris. pisa arvensia. I.B. tom. 2. 1.17.

267. pisum minus . Matth.

Pistacia peregrina fructu racemoso, sive Therebinthus indica. Theoph. C.B.P. 401. pistacia. I. B. tom. 1. 1.3. 275.

Plantago latifolia finuata . C.B.P. 189. Plantago major folio glabro, non laciniato ut plurimum. I.B.tom.3.

1.31. 503. plantago major. Matth.

Plantago latifolia rosea, floribus quasi in spicam dispositis. C.B.P.189. plantago rosea Adv. Lob. Lugd. plantago multiplex. T.M.

Plantago latifolia rosea flore expanso. C.B.P. 189. plan-

tago rosea. Cam. Adv. Lob. Icon.

Plantago angustifolia major . C.B.P. 189. plantago minor. Brunf. Fuchs. Dod. Lanceola major. Casalp.

Plantago angustifolia minor . C.B.P.189. T.M. Ger. plantago pentaneuros minor. Thal. Lanceola minor. Cafalp.

Plantago aquatica latifolia. CB.P.190. plantago aquatica. I.B.tom. 3. 1. 38. 787. plantago aquatica. Matth.

Limonium . Anguil.

Plantago aquatica angustifolia. C. B. P. 190. plantago humilis angustifolia. I.B. tom. 3. 1.38. 788. plantago aquatica minor. Cesalp. plantago aquatica humilis. Ger.

Polygala major. C.B.P. 215. polygala vulgaris major. Clus. polygala major. T.M. flore cæruleo. Polygala vulgaris major. I.B. tom. 3. 387.

Polygala vulgaris. C.B.P. 215. polygalon multis. I. B. tom.3. 386. polygala cærulea. T.M. Icon. 831. poly-

gala

gala recentiorum . Adv. Lob. flos ambervalis. Dod. Onobrychis vera . Diosc. Lob. Adv. amarella Gesn. esida sudirolt mursylvi rinuira,

Polygonatum latifolium vulgare . C.B.P. 303. polygonatum, vulgo figillum Salomonis. I. B. tom. 3. 1. 31. 519. sigillum Salomonis, Brunf. Gefn. H. Frassinella Ang. Caf.

Polygonatum angustifolium non ramosum. C.B.P.303. polygonatum angustifolium. I.B. tom. 3. l. 31. 531. Si-

gillum salomonis angustifolium Trag.

Poligonatum spicatum sterile. Corn. 32. cap. 13. Smilax spicata Polygonati folio. Tournef. 654.

Polypodium vulgare. C.B.Pin.359. polypodium. I. B.

tom. 3. 1.37. 746.

Polium montanum album. C.B.P. 221. an polium monspessulanum. I.B.tom.3. 1.28. 299. polium montanum primum cluf.

Polium montanum repens. C.B.P. 221. polium 4 & repens. Dod. polium montanum alterum. Caf. polium

montanum supinum minimum. Lob, Lugd.

Polium maritimum supinum Venetum . C. B. P. 221. polium Venetum . I. B. tom. 3. 1. 28. 300. polium. 1. Dod. Gal. Origanum 3. genuinum. Diosc. Quadr. hysfopus Apulus Diosc. & serapionis. Column.

Portulaca latifolia, seu sativa. C.B. Pin. 288. portulaca hortensis latifolia. I.B.tom. 3. 1. 35. 678. portu-

laca latioribus foliis Caf.

Portulaca angustifolia, sive sylvestris. C.B.P.288. por-

tulaca sylvestris. Trag. Matth.

Portulaca latifolia foliis flavis . Moris, portulaca flavescens, seu foliis aureis. Cath. H.R. Paris.

Portulaca Americana capparidis folio, seu latifolia e-

recta floribus albis. Par. Bat.

Portulaca corassavica lanuginosa procumbens Par. Bat. portulaca corassavica lanuginosa psyllii folio humilior, & supina, flore saturatius rubente. Par. Bat. Prodr.

Primulæ veris minoris altera species. Dod. Verbasculum sylvestre minus singulari flore. C.B.P. 242.
primula sylvarum floribus obscure virentibus simbriatis. Adv. Lob. Lugd.

Eadem flore rubente, sive Primula veris Constantinopolitana, flore minore purpureo. Tournef.125. Verbasculum Turcicum, sive Carchichec Turcarum flo-

re purpureo minore H. Edi.

Eadem Primula veris Constantinopolitana flore dilute purpureo. Tournef. 125. Carchichec Turcarum, sive primula veris Constantinopolitana. Corn. 85. Verbasculum Constantinopolitanum H.R. Paris.

Primula veris constantinopolitana flore luteo. Tourn.
125. Verbasculum Constantinopolitanum flore lu-

teo. H.R. Parif.

Ejusdem species colore, & florum magnitudine variæ.

Primula veris flore pleno singulari. Verbasculum sylvestre magno flore pleno. C.B.P. 242. primula veris floribus plenis ex singularibus pediculis. I.B. tom. 3.

1.30. 497.

Primula veris hortensis umbellatamajor, flore simplici luteo. Verbasculum alpinus umbellatum majus. C.B.P.242. paralitica alpina, sanicula angustifolia major. Lob. Lugd.

Psyllium majus supinum. C.B.P. 191. I.B. tom. 3. l. 31. 513. Psyllium alterum. Matth. Psyllium perenne.

Gefn.

Psyllium majus erectum. C.B.P. 191. I.B. tom. 3. 1. 31.

Pulegium latifolium. C.B.P.222. pulegium. I.B.tom. 3.

1.28.256. pulegium Matth.

Pulegium angustisolium. C. B. P. 222. pulegium cervinum. Geln. H. Lugd. Camer. pulegium creticum, & Massilioticum. T.M. pulegium cervinum angustisolium. I.B.tom. 3. 1.28.257. slore purpureo. mentha aquatica saturejæ solio Tourn, 190.

Pul-

Plantarum.

145

Pulegium origani folio creticum. H.Pat. clinopodium perenne patavinum, Ocimi subrotundo folio, pulegil odore Bocc.muf. 47. tab. 45.

Pulmonaria altera. Matth. symphytum maculosum, si-

ve pulmonaria latifolia . C.B.Pin.249.

Pulmonaria angustifolia, rubente cæruleo flore. C.B.P. 260. pulmonaria foliis echii Lob. Icon. Ger. pulmonaria rubro flore foliis Echii tom.3. 1.33. 597.

Pulsatilla flore albo. C.B.P.177. pulsatilla alba. Lob. Lugd. pulsatilla flore candido. Dod. Anemone alpi-

na . Gefn.H. Anemone sylvestris 2. Clus.

Pulsatilla flore minore nigricante. C.B.P. 177. Pulsatilla altera. Dod. Lugd. pulsatilla vulgaris saturatiore flore. Glussi. Pon. & bist.

an Rapucculus roccin lifelius vormus delevirique ma-

ier, five Cashibiens foliis Thorse, seu Calense Gregar,

Rannewlus permocoffie albus in Rannmentius phranula

Ranganculus praceulis eredus aeris. Com Parra, Dan enocalus pratenti forredit caulis . Leb. Ranun-

cular redus non repens, flore Emplici lereo sala B.

Langueglus pracen's eredus dulcis: C.B.P. 179 (R.A.

nunculas furedis carticulist Cera Chrylanchemum

calus pratents reprante cauliculo a Les. Randacus law vincellis. T. Al. Rangendus-recens flore luico

thoughd . I.B. tomis, hace at al, Planencoins prated-

he programbens, age inclinant, himbaus, codequilient Describes praceules cadice verticilli emodo conveda,

ciufdem . Bettachion Appleit. Bod. Cal. Ranuncu.

the tuberolus majon. Libbooms bigo any.

E. P. 190 Con. Calli a Bruest Coronopus parsus

tes albus vermus, I.B.tom. 2.1., o.ara

Hodia radix. C.B P. 286. I.B. tom.3. l. 35. 682. Telephium radice rosam spirante majus. H. L. B. Radix Rhodia. Matth. Trag. Anguil. Dod. Rosea radix. T.M. Rhodia, sive rosea radix. Fuebs. Adv. Lob.

P. 178. Ranunculus phragmites luteus nemorosus. I.B. to. 3. l. 30. 413. Ranunculi 4. species lutea. Fuch. Dod. Gal. Lugd. Anemone nemorum lutea. Ger.

Ranunculus nemorosus, vel sylvaticus solio rotundo.
C. B. P 178. Ranunculus auricomus. Dod. Gal Lob.
Icon. Tbal. Polyanthemum. Angui. Ranunculus rotundisolius vernus sylvaticus. I.B. tom. 3. app. 841.
an Ranunculus rotundisolius vernus sylvaticus major, sive Cassubicus soliis Thoræ, seu Calthæ. Breyn.
Prodr. 45. H.L.B.

Ranunculus nemorofus albus. Ranunculus phragmi-

tes albus vernus. I.B.tom. 3.1.30.412.

Ranunculus pratensis erectus acris. C.B. P. 178. Ranunculus pratensis surrectis cauliculis. Lob. Ranunculus rectus non repens, flore simplici luteo. 1.B. tom. 3. 1. 30. 416.

Ranunculus pratensis erectus dulcis. C.B.P. 179. Ranunculus surrectis cauliculis. Ger. Chrysanthemum

simplex. Fuch.

Ranunculus pratensis repens hirsutus. C.B.P.179. Ranunculus pratensis reptante cauliculo. Lob. Ranunculus vinealis. T. M. Ranunculus repens flore luteo simplici. I.B. tom. 3. 1.30. 419. Ranunculus pratensis procumbens, aut inclinans, hirsutus. Morif. bist.

Ranunculus pratensis radice verticilli modo rotunda. C.B. P. 179. Crus Galli. Brunf. Coronopus parvus ejusdem. Batrachion Apuleii. Dod. Gal. Ranunculus tuberosus major. I.B.tom. 3.1.30.417.

Ranunculus arvensis parvus folio trifido. C.B. P. 179.

Ranunculus minimus Apulus. Colum.

Ranunculus hortensis erectus flore pleno. C.B.P.179.
Ranunculus multiplex. Fuchs. Ranunculus 3. flore multiplici. Trag. Ranunculus multiplex. Fuchs. polyanthemos. Adv. Lob.

Ranunculus arvensis echinatus. C. B.P. 179. Ranunculus arvorum. Loh. Icon. Ger. Ranunculus arvensis. Gesn. Ranunculus arvensis echinatus. I. B.tom.

3. append. 859.

Ranunculus palustris echinatus sub 3. in Prodr. C. B. Pin. 180. Ranunculus Apuleii quibusdam. Clusie

bift.

Ranunculus palustris Apii folio lævis. C. B. Pin. 180.
Ranunculus, & Sardonia. Diose. scelerata Apuleii.
Ranunculus primus. Matth. ranunculus primus.
Matth. Ranunculus palustris flore minimo. I.B. to.
3. append. 808.

Ranunculus palustris Apii folio lanuginosus. C.B.Pin. 180. Ranunculus Sardonicus. Anguil. Ranunculus 2.

Matth. Lugd.

Ranunculus lanuginosus angustifolius grumosa radice major. C.B. Pin. 181. Ranunculus Illiricus major.

Clusii bist.

Ranunculus montanus Aconiti folio flore globoso. C. B.P. 182. Ranunculus montanus alpinus glomeratus. Lob. ranunculus 6. Matth. Lugd. 3. Matth. Lac. Thal. Ranunculus flore globoso, quibusdam Trollius flos. I.B. tom. 3. 1.30. 419. Helleborus ranunculoides flore globoso. H.L.B.

Ranunculus montanus latissimo folio hirsutus. C.B.P. 182. Ranunculus platiphyllos flore luteo. Clus. Pan.

Ranunculus aquatilis albus fluitans Peucedani foliis. H.L.B. Ranunculus, five polyanthemo aquatili albo affinis, five millefolium maratriphyllum fluitans. I.B.tom.3. 1.38. 782. Millefolium foliis feniculi, ranunculi flore, & capitulo. C.B.P.141.

Ranunculus rutaceo folio flore pleno. H.L. B. Ranun-

148 Catalogus

culus rutæ folio serotinus flore aureo pleno. C.H. R.P. Ranunculus flavus multiplex folio rutæ. Ferr: Fl. cul. 340.

Idem flore elegantissimo variegato.

Idem flore albo lineis rubris notato.

Ranunculus grumosa radice, flore flavo vario. C.B.P. 181. Ranunculus Asiaticus grumosa radice, flore fla-

vo rubris venis distincto. Cluf. cur. post Eyst. .

Ranunculus latifolius bullatus asphodeli radice. C. B. P. 181. Ranunculus Lusitanicus. Clus. Ranunculus Lusitanicus autumnalis. Lob. obs.

Ranunculus Asphodeli radice, flore sanguineo C.B.P. 181. Ranunculus Asiaticus grumosa radice pleno slore. Clus. bist. Ranunculus Constantinopolitanus flore sanguineo pleno. I. B. tom. 3. app. 864.

Ranunculus Asphodeli radice flore subphæniceo rubente. C. B. P. 181. Ranunculus Asiaticus grumosa

radice pleno flore 2. Clusi bist.

Ranunculus Asphodeli radice prolifer miniatus. C.B.
P. 181. Ranunculus Asiaticus grumosa radice slore
pleno sanguineo prolifero. Eyst. Ranunculus Asiati-

cus grumosa radice pleno flore 3. Clus. hift.

Ranunculus Asphodeli radice flore albo, potius candidismo pleno: an ranunculus Asphodeli radice flore pleno magno albo roseo. Hort. Reg. Monsp. Tournef. 288. Ranunculus roseo flore quoad formam, non colorem intelligendus.

Ranunculus Asphodeli radice flore pleno in medio viridi: an Ranunculus asphodeli radice flore pleno ex

albo virescente. H. R. Monsp. Tournef. 288.

Ranunculus Asphodeli radice Constantinopolitana triphyllos, flore albo pleno stellato.

Ranunculus Asphodeli radice flore magno aureo.

Ranunculus Asphodeli radice slore pleno variegato, A-nemones facie.

Ranunculus Asphodeli radice, flore pleno roseo.

Idem flore pleno carneo albicante.

×110

Ranunculus Asphodeli radice minor flore pleno per-

Ranunculus Asphodeli radice flore pleno phæniceo.
Ranunculus alpinus humilis rotundifolius flore majo-

re . C.B.Pin. 181. Ranunculus montanus minimus .

Gefn. H.

Ranunculus Cyclaminis folio, Asphodeli radice major. Tournef. 285. Ranunculus alpinus Cyclaminis folio, sive Ranunculus rotundisolius alpinus slore parvo grumosa radice, Thora major dictus. Thora Valdensis. Clus. Aconitum pardalianches 1. seu Thora ra major. C.B.P. 184.

Idem minor, five Aconitum pardalianches alterum,

five Thora minor. C.B.P. 184.

Raphanus Rusticanus. C.B.P.96. Raphanus sylvestris, sive Armoracia multis. I.B.tom.2. l. 21. 851. Thlaspi alterum. Diose. Raphanus sylvestris, seu Armoracia Plinii quibus Armoracia, autiRaphanus major. Brunf.

Raphanus aquaticus foliis in profundas lacinias divisis. C.B.P. 97. Radicula sylvestris Dod. Sisymbrium sylvestre. Cas. Raphanus aquaticus. T.M. I. B. tom. 2.

1.21. 867.

Raphanus aquaticus alter. C. B.P. 97. sed in app. pin. 518. corrigit, & scribit Rapistri folio Raphanus aquaticus p. 518. Rapistrum aquaticum. T.M. Ger. radicula sylvestris, sive palustris. I.B. tom. 2. 1.21. 867.

Rapistrum flore luteo. C.B.P.95. Sinapi arvense præcox, semine nigro. Moris. Sinapi agreste. Trag. Ra-

pistrum arvorum. Adv. Lob. Icon. Fuchs.

Rapunculus vulgaris monspessulanus. I.B.tom. 2.1.20.
795. campanula radice esculenta slore cæruleo. H.
L.B.

Rapunculus pirenaicus Virgæ Aureæ folio ex Tournefortio: an Rapuntium Americanum virgæ aureæ foliis parvo flore subceruleo. Tournef. 163.

Rapunculus spicatus. C.B.P.92. Rapunculus spicatus,

K 3 five

Catalogus

five comosus exculeus. I.B. to 2.1.20. 809. Rapunculus corniculatus Spicatus, seu alopecuroides. Mor. Rapuntium majus. Ger. Rapuntium majus alopecuroides comoso flore. Adv. Lob. phyteuma soliis rapunculi. Cas.

Rapunculus scabiose capitulo ceruleo. C. B. P. 92. scabiosa media serrato angustifolio flore globulariæ. Ado. scabiosa globularis, quam ovinam nominant.

I.B.tom.3. 1.25. 12. 201

Rapunculus hortenfis folio latiori, seu pyramidalis. C. B.P.93. pyramidalis lævis, I.B. tom.2. 1.20.808. Cam-

panula major lactescens. Lob. Moris.

Rapunculus persicifolius magno flore. C.B.P.93. campanula persicifolia. Lob.Clus. phyteuma. Matth. campanula angustifolia cærulea 1.B. tom. 2. 1.20. 803.

Idem flore albo. campanula angustifolia alba. I.B.to.

2. 1. 20. 803.

CYL

Rapunculus umbellatus folio gramineo. C.B.P.92. Rapuntium alterum angustifolium alpinum. Colum.

Rapunculus alpinus corniculatus. C.B.Pin. 93. Trachelium petreum minus. Fona Rapuntio corniculato affinis. Colum.

Rapunculus campanulatus linifolius, seu 7. Thal. campanula minor rotundisolia vulgaris. C. B. P. 93.

Campanula rotundisolia. Ger. Campanula minor alpina rotundioribus imis soliis. clus. hist.

Rapunculus, idest Campanula minor rotundifolia minor alpina. C.B P.93. Campanula minor alpina. clus.

Reseda lutea maxima C. B. P. 100. Reseda maxima. Lob. Reseda major. Thal. Reseda lutea. Lugd. Sesamoides magnum. Lac.

Reseda vulgaris. C.B.P. 100. Reseda plinii. Ger. Eyst.
Neotericorum Erucago vulgaris Colum. Eruca peregrina, italica, vel cantabrica. Adv. Lob. Reseda lutea. I.B.tom.3. 1.30. 467.

Resedæ affinis phyteuma. C.B.P.100. phyteuma monspeliensium. Gesn. sesamoides parvum Lacunæ. Se-

12-

H.L.B. phyteuma. I.B. tom. 3, 1.29, 386,

Rhaponticum folio lapathi majoris glabro. C.B.P.117.

Rhaponticum Thracicum Alpino exot. 188.

Rhaponticum folio Helenii incano. C.B. P. 117. Rha capitatum folio Enulæ, centaurii majoris facie.

Adv. Lob. Rha capitatum. Ger. Rha helenii folio.

Lugd.

Rhamnus salicis solio angusto, fructu slavescente, C. B.P. 477. Rhamnus, vel oleaster Germanicus. I.B. tom.t. 1.6. 33. Rhamnus 2. Matth. Oleaster Germa-

nicus. Cord. bift. & in Diosc.

Rhamnus folio subrotundo fructu compresso. C. B. P. 477. paliurus. Dod. Rhamnus, sive paliurus folio jujubino. I.B.tom.t.l.6. 35. Rhamnus 3. Diosc. spina judaica Crescentio: paliurus frutex. Gesn.

Rhamnus palestinus spinis longissimis, & acutissimis

flore violaceo.

Ricinus vulgaris. C.B.P.432. I.B.tom.3. 1. 34. 642. Ricinus. Matth. Fuch. Dod. Mira sole Italis. Guil. epist. phaseolus Romanus Tuscis. Marc. Virg.

Ricinus Americanus minor. C.B.P.432. Eravvay, Ri-

cini pufillum genus . Clusii exot. 1.2. C.21.

Ricinus Americanus perennis folio ficolatiori, caule rubro: an Ricinus Africanus maximus caule geniculato rutilante. H.R. Paris.

Ricinus Americanus major caule virescente. cath. H.

R. Parif.

Rosa rubra. C.B.P. 48r. I.B. tom. 3. 1.14. 34. Rosa milesia Plinii. Rosa domestica purpurea. Matth.

Rosa purpurea. C.B.P.48t. Rosa Domestica carniscolorem referens. Matth. Rosa sativa purpurea. Cost. Rosa rubello flore majore multiplicato, sive pleno, incarnata vulgo. I.B. tom. 2. 1.14. 36.

Rosa versicolor. C.B.P. 481. Rosa Prænestina versico-

lor. Chif. biff.

Rosa maxima multiplex. C.B.P. 481. Rosa centifolia

· Catalogus 152

Batavica rubra. Clus. H. Eyst. Rosa hollandica rubella plena, quibusdam centifolia spinoso frutice. I.

B.tom.2. 1.14. 37.

Rosa milesia flore rubro pleno, vulgo Rosa fina. C. B.P.481.

Rosa ex rubro nigricante flore pleno . C. B.P. 481.

Rosa alba vulgaris major. C.B.Pin. 482. Rosa campana Plinii Rosa domestica alba. Matth. Rosa candida semiplena I.B.tom.2. 1.14. 44.

Rosa moscata simplici flore. C.B.P.482. Rosa moscata, & Damascena. Matth. Rosa moscata major.

I.B.tom. 2. 1 14. 45.

Rola moscata flore pleno. C.B.P. 482. Rosa coroneola Plinii. Rosa muscatula multifolia. Cesalp.

Rosa sylvestris vulgaris, flore odorato incarnato. C. B. Pin. 483. Rosa sylvestris alba cum rubore glabra. 1. B. tom. 2.1.14. 43. Cynosbatos Dioscoridis. Lon. Adv. Cynorrhodos, seu Rosa canina. Thal. Rosa canina odorata, & fylvestris. Lob.

Rola campestris spinosissima flore albo odoro. C.B.P. 483. Cynorrhodon polyacantos. Lugd Rosa pumila spinosissima foliis pimpinellæ glabris flore albo . I.

B.tom. 2. 1.14.40.

Rosa lutea multiplex . C.B.P. 483. Rosa flava plena. Clusii Rosa lutea maxima flore pleno. Eyst. Rosa lu-

tea flore pleno. I.B.tom.2. 1.14. 48.

Rosa sylvestris pomifera minor. C.B.P 484. Rosa sylvestris pomifera. Adv. Lob. Lugd. Rosa arvina. T. M. Rosa pimpinella Ger. Cynorrhodi species. Thal.

Rola punicea. Corn. 11. Rola sylvestris Austriaca flore phæniceo. Park, Th. 1019. ex Tournef. 475. Rosa simplex phæniceo colore adversa parte luteo, odore mellino. Rosa flore flavo simplex, Leonia dicta. Cat. H.P.

Rubia tinctorum fativa. C. B. P. 333. Rubia fativa. I.B.tom.2. 1.36. 715. Thapsia Asclepiadis. Anguil. Rubia sylvestris levis. C.B.P. 333. Rubia sylvestris.

Mat-

153 Matth. Lappago Plinio. cesalp. Rubia angulosa aspe-

ra, & parva Genuensis. I.B. tom. 2. 1.46. 715.

Rubia cynanchica. C.B.P.333. Asperula herba repens. Gefn. Col. Gallium tetraphyllon montanum cruciatum. colum. Rubia Cynanchica. I.B.tom.3. 36. 723.

Rubia maritima. C.B.P.334. Rubia marina Narbonenfium . Adv. Lob. Dod. Cluf Erythrodanum marinum.

Lugd.

Rubia quadrifolia, vel latifolia levis. C.B.P. 334. Ru-

bia levis Taurinensium . Lob. Lugd.

Rubia Pyrenaica minor argentea flore niveo ex Tournef.

Rubeola arvensis repens cærulea, quæ v. in prodr. C.

B.P. 334.

Rubus siculus spinosus flore, & fructu luteo ex H.

Rubus alpinus humilis . Gefn. Chamerubus saxatilis . C.B.P. 479. Rubus faxatilis, five petræus, five alpinus . Clusis Pan. & bist.

Ruscus. C. B. P. 470. I.B. tom. r. 1. 5. 579. Ruscus

Matth

4182

Ruta hortensis latifolia. C.B.P. 336. Ruta sativa vel hortensis. I.B.tom.3. 1.26. 697. Ruta. Matth.

Ruta sylvestris flore magno albo . C.B.P. 336. Ruta fylvestris Harmala: Matth. Harmala syriaca. Adv. Lob. Ruta, quæ dici solet Harmala. I.B.tom.2. 1.26. 200.

Ruta chalepensis latifolia, florum petalis villis sca-

Salvir miner autition, do non autition Commercivied

.vir misor auriculate L.B. comer. Land. gov. Salvinenbiles, Brawn, Salvia anidor. Massa Salvia cenuito-

Salvia folio tenujote. C.B.P.237, Salvia cennifolia I.

Brom, a. List. 200. talvin hispanica flore stall p.mor. &

tentibus . H.L.B. Tourn, 257.

Sa-

Manch Lappage Plinier, Office, Rubia ang



Abina folio Tamarisci . Diose. C.B.P. 487. Sabina sterilis . I.B.tom.r. 1. 9. 288. Sabina fine baccis, five sterilis. Matth. Assaulton. C.H.P. zza. data

Sagitta aquatica major . C B.P.194. sagitta major. Matth. Barba sylvana recentioribus. Calalp. Pistana magonis, sive sagittaria, aquatica Plinii.

Adv. Lob. in oron sentence and and A right. Sagitta aquatica minor angustifolia. C.B.P. 194. Sagitta minor angustifolia. T.M. Ger. Phleos, sive stæbe Theoph. fagitta minor angustifolia . I.B.tom. 3. 1. 38. 789. out in Part 23 , stoll salouted subjult sand

Salix latifolia rotunda. I.B. Pin. 474. salix latifolia inferne hirsuta. I.B.tom. 1. 1.8. 215. Salix lato folio i Gefn. Chaleb syrorum . Gefn. H. salix caprea rotundifolia, T.M. Ger.

Salix alpina angustifolia repens non incana, quæ. V. in

Prodr. C.B.P.474.

Salix pumila brevi angustoque folio incano. C.B.P.474. salix pumila angustifolia altera. Clusi.

Salvia major, an Iphacelus Theophrasti. C. R. P. 237. salvia latifolia . I.B. tom 3. l.28. 305. salvia major . Matth.

Salvia Africana frutescens rotundioribus foliis flore magno ferrugineo . Salvia syriaca cisti feminæ foliis; acetabulis moluccæ. Breyn, cent. 1, 170.

Salvia nigra . C.B.P. 237. Salvia major alba . Dod.

Salvia minor aurita, & non aurita. C.B.P. 237. Salvia minor auriculata I.B. tom. 3. 1.28. 305. Salvia nobilis. Brunsf. Salvia minor. Matth. Salvia tenuifolia auriculata. Camer.

Salvia folio tenujore. C.B.P.237. Salvia tenuifolia. I. B.tom. 3. 1.28. 306. salvia hispanica flore albo. Eyft.

Salvia odoratissima. Cam.

Salvia foliis ex luteo, & viridi variegatis C. H. Reg.

Parif. 160.

Salvia foliis ex luteo purpureo, & viridi variegatis. I Salvia Africana latissimo folio crispo mollib. lanuginosis.

Eadem foliis ex purpureo, & albo variis. C. H. R.

Pari 160.

Salvia sylvestris. Trag. Scordium alterum, sive salvia sylvestris. C.B.P.247. scorodonia. Cord. Salvia agressis, sive sphacelus. Dod. Lugd. sphacelus sylvestris. Dod. Gal. Scordium solio salviæ, sive scorodotis. I. B. tom. 3. 1.28. 292.

Sambucus racemosa rubra. C.B.P. 456. Sambucus racemosa acinis rubris. I.B.tom. 1. 1.5. 551. Sambucus montana. Matth. Sambucus sylvestris, sive monta-

. na. Lugd.

Sambucus laciniato folio. C.B.P. 456. Sambucus foliis laciniatis. Lob. Sambucus laciniata. I.B. tom. 1.1.5. 549.

Sambucus aquatica flore globoso pleno. C.B.P.456. sambucus rosea. I.B.tom. r. l. 5. 553. Sambucus rosea.

Adv. Lob. rosea quoad formam: nam candidissima est.

Sambucus humilis, sive Ebulus folio laciniato. C B.P.

456. Ebulus laciniata. Ponæ Ital.

Sanicula montana latifolia laciniata. C.B.P. 243. primula Veris montana laciniata. H. L. B. Sanicula montana latifolia laciniata: Morif. Cortufa. Matth. Caryophyllata Veronensium flore saniculæ ursinæ.

Sanicula montana rotundifolia major. C.B.P. 243. Sanicula montana r. Clus. Caryophyllata, sive Geum alpinum recentiorum folio hederaceo. Adv. Lob. Icon. Lugd. Sanicula guttata. Cam. H. Sanicula alpina guttata. I.B.tom.3. 1.35. 707.

Sanicula officinarum. C.B.P. 319. Diapensia sive sanicu-

la mas. Fuchs. I.B.tom.3.1.34.639.

S2-

156 Catalogus

Saponaria major levis. C. B. P. 206. saponaria vulgaris. I. B. tom. 3. l. 29. 346. Lychnis saponaria dicta major vulgaris simplex Moris. Viola agrestis. Trag. struthium. Fuchs. saponaria. Dod.

Saponaria flore pleno . Corn. 209. Lychnis Saponaria

dicta multiplex . Morif. bift.

Satureja hortensis, seu cunila sativa Plinii. C. B. P. Satureja sativa. I.B. tom. 3. 1.28.272. hystopus Agre-

stis. Brunf. satureja sativa. Fuchs.

Satureja montana. C.B.P. 218. Thymbra. Dod. Thymbra fylvestris. Anguil. Thymbra agrestis. Gesn. satureja durior. I.B. tom. 3.1.28. 272. satureja, sive Thymbra altera Advers. Lob.

Satureja Cretica frutescens spicata: Sherard.

Scabiosa pratensis hirsuta, quæ officinarum. C.B.P.269. scabiosa major communior hirsuta solio laciniato. I.B. tom. 3. 1.25. 2. scabiosa solio scisso. Cesalp. scabiosa major satorum vulgatior. Adv. Lob.

Scabiosa sicula flore candido . ex H. Cath.

Eadem flore carneo.

Eadem flore purpureo .

Scabiosa altissima annua foliis agrimoniæ nonnihil similibus: H.L.B.

Scabiosa Africana frutescens rugosis, & crenatis foliis capite rotundo. Par. Bat. Prodr. sive Scabiosa frutescens Africana maxima Par. Bat.

* Scabiosa alpina altissima foliis tenuissime dissectis,

flore cæruleo.

Scabiosa stellata solio laciniato major. C.B.P. 271. Scabiosa major cum pulchro semine. I. B. tom. 3. lib 25. 9.

Scabiosa indica prolifera. H. Edimb. ex Tourn. 465. an eadem folio intergo flore cæruleo prolifera. Tournef. 466. cui & Succisa alpina flore prolifero cæruleo. Cath. H.R. Paris.

Scabiosa peregrina rubra capitulo oblongo quæ 1. in Prodr. C.B.P. 270. Scabiosa indica, sive 6. clus. Sca-

bio

biosa rubra peregrina, quibusdam indica. I.B.tom. 3.

Eadem flore carneo . C.H.R. Paris.

Eadem flore atropurpureo. C.H.R. Ibid.

Eadem flore variegato. C.H.R. Ibid.

Scabiosa flore globoso niveo. C. B. P. 270. Scabiosa Belgica flore albo. Eyft. scabiosa alba in hortis Belgicis. cluf. bift.

Scabiosa alpina foliis centaurii major. C.B.P. 270. sca-

biosa alpina centauroides. Cam. Eyst.

Scabiosa montana dentis leonis folio, quæ 4. in Prodr.

C.B.P.270.

Scabiosa montana latifolia non laciniata rubra, & prima. C.B.P.270. Scabiosa latifolia purpurascente flore Clus. Pan. sive 4. eidem in Hist. Scabiosa latifolia purpurante ex nigro flore. I.B.tom.3. 1.25. 9.

Scabiosa latifolia rubra non laciniata 2. C.B.P.270. Scabiosa prima, vel latifolia rubro flore. Clus. Pan. Scabiosa succisæ similis. Cæsalp. Scabiosa latifolia ru-

bro flore . I.B. tom 3. 1.25.9.

Scabiosa argentea angustifolia, quæ 6. in Prodr. C. B. P.270. scabiosa graminea folio argenteo flore purpureo. Cam. scabiosa argentea I.B. tom. 3. 1.26. 12.

Scabiosa stellata folio laciniato minor, sive maritima.

C.B.P.271. Scabiosa hispanica minor. Clus. Hist. &

Hisp.

Scabiosa folio Cardiacæ Bocconi.

Scabiosa integrifolia Syriaca annua flore cæruleo, Sy-

ran ex Syria dicta.

Scabiosa stellata solio non dissecto. C.B.P.271. Scabiosa arborea cretica Pone Scabiosa arborescens. Casalp.

Veneris. Matth. Anguil. Pecten Veneris folio tenuio-

ri, paucioribus rostris. I.B.tom.3. 1.27. 74.

Scilla esculenta. C.B.P.73. Scilla epimenidia. Theoph. Scilla vera, & legitima. Anguil.

Scordium C. B. P. 247. I.B. tom. 3. lib. 28. pag. 292. Scordium Matth. Trag. Dod.

Scordium lanuginosum. C. B. P. 247. Scordium creti-

cum lanuginosum. Cam.

Scorzonera latifolia sinuata. C. B. P. 275. Tragopogon hispanicum, sive escorsonera, aut scorzonera. I. B. tom. 2. 1.24. 1060. Scorzonera hispanica. Matth. Scorzonera major hispanica I. Clusii.

Scorzonera sicula altissima foliis plantaginis hirsutis, & incanis, amplissimo slore ex H.Cath. an Scorzo.

nera Lusitanica plantaginis folio Tourn. 477.

Scorzonera foliis gramineis, flore purpurascente flavo. Scrophularia nodosa setida. C. B. P. 235. Scrophularia vulgaris, & major. I. B. tom. 3. 421. Scrophularia. Matth. Dod. Cast. Ocimastrum alterum. Trag. Galeopsis. Dod Gal. Clymenum mas Gesn.

Scrophularia aquatica major. C. B. P. 235. ocimastrum majus. Trag. Betonica aquatica, Dod. Adv. Lob.

Scrophularia nemorensis urticæ solio magno store atro punicante. H. Cath. titulo scruphulariæ nebrodensis, urticæ solio, altissima slore phæniceo missa ex H. Cath.

Scrophularia Americana sambuci solio. Parck. Scrophularia maxima Lusitanica sambuci solio lanuginoso. Tournef. 167. an eadem cum Scrophularia hispanica sambuci solio glabro ejustem Tourn. 166. sola soliorum lanugine diversa.

Scrophularia Americana Verbenæ folio. Scrophularia Lusitanica frutescens Verbenacæ foliis. Tournef.

167.

Scrophularia flore luteo. C. B. P.236. Lamium Pannonicum z. Clusii Pan. Scrophularia lutea magna amplis foliis. I.B.tom.2.1.3 422.

Scrophularia scorodoniæ foliis. Morif. bift.

Securidaca dumetorum major flore vario, siliquis articulatis. C. B. P. 349. Colutea herbacea dumetorum major siliquis articulatis, flore vario. H.L.B. Coronil-

159

nilla, seu polygala dumetorum major siliquis articulatis slore vario. Mor. H. Melilotus quinta. Trag. Ornithopodium 2. vel quodam majus Dod. Hedyssarum scorpiuton. Camer.

Securidaca dumetorum minor pallide cærulea. C. B. P.349. Securidacæ secundæ altera species. Clus. Pan.

& hift.

Securidaca lutea major. C.B.P.

Securidaca peregrina Clusii, vel Securidaca siliquis pla-

nis utrinque dentatis G.B.P.

Sedum majus arborescens flosculis candidis. C.B. Pin. 282. Sempervivum arborescens. Matth. Aizoon arborescens. Lugd. Cam.

Sedum majus vulgare. C.B.P. 283. I.B. tom. 3.1.35.687.
Aizoon magnum Dioscoridis. Umbilici Veneris spe-

cies altera. Ang.

Sedum Gnaphaloides angusto oblongoque folio, flore

purpureo Triunfetti.

Sedum minus teretifolium album. C.B. P. 283. Sempervivum minus album. Brunf. sempervivum minus. Matth. Vermicularis, & illecebra major. Adv. Lob.Lugd. Sedum minus folio longiusculo tereti, flore candido. I.B.tom.3.1.35.690.

Sedum minus teretifolium alterum. C.B.P. 283. sempervivum parvum. Lob. Aizoon minus Matth. Lug. Sedum minus teretifolium alterum. I.B. tom. 3. lib.

35.691.

Sedum minus folio circinato. C.B.P. 283. Aizoon dasyphyllum, idest dentifolium. Lugd. Sedum minimum frigidum. Clus. H. Sedum minus septimum. Clus. H. Sedum parvum folio circinato flore albo.

Sedum minus teretifolium luteum. C. B. P. 283. sedi minoris 2. species. Trag. sempervivum minus æsti-

vum . Lob. Lugd.

Sedum minus tertium, & Vermicularis, Trag. sempervivum minus verticillatum acre. C.B.P.283. semperpervivum minimum, sive 3. Matth. Castor. illecebra, sive sempervivum tertium Dod. Vermicularis, sive illecebra. Ger. sedum parvum acre flore luteo.

I.B.tom.3.l. 35. 694.

Sedum minus fruticosum. C.B.P.284. Kali fruticosum minus flore minore. Morss. sedum minimum arborescens vermiculatum flore luteo. I.B. tom. 3. 1. 35. 695. sedum minimum arborescens vermiculatum Lob. Lugd.

Serpyllum majus latifolium. C.B.P.220. Thymum la-

tifolium . Lob. Icon.

Serpyllum sativum. C.B.P. 220. Serpyllum Matth. serpyllum domesticum. Cast. Serpyllum soliis Amaraci. Ger.

Serpyllum foliis citri odore. G. B. P. 220. Serpyllum alterum citratum. Matth. Thymum latifolium. Ger: Icon. serpillum citri odore. I.B. tom. 2. 1.28.270.

Serpyllum angustisolium hirsutum, vel montanum repens hirsutum. C.B.Pin. 220. serpyllum Pannonicum, vel 3. Clusii serpyllum angusto lanuginosoque solio.

I.B.tom. 2. 1.28, 270.

Serratula. C. B. Pin. 235. I. B. tom. 3. lib. 25: 23. Serratula. Matth. Dod. Adv. Lob. serratula flore purpureo. Serratula præalta centauroides montana italica. Bocc. mus. 45. Tab.37.

Sefamum Matth. Ang. Lob. Dod. & C.B.P.27. I.B.tom.2.

1.21. 896.

Seseli massiliense ferulæ solio. C.B.P. 161. Seseli Massiliense. Matth. Siler montanum officinarum. Ger.

Seselli Massiliense seniculi folio, quod Dioscoridis censetur. C.B.P. 161. Seseli massiliense. Ang. Dod.

Sideritis vulgaris hirsuta erecta. C.B.P. 233. Sideritis vulgaris. I.B.3. 1.30. 425. Sideritis, sive Ferruminatrix. Adv. Lob. Icon. Sideritis vulgaris. Camer. in Matth. Tetrahit. Luzd.

Sideritis hirsuta vulgaris humilior. C.B.P. 233: Sideri-

tis 2. Cluf. Pan. & hift.

Sideritis hirfuta procumbens. C.B.P.233. Sideritis heraclea. Clus. & 3. hist. Herba judaica. Dodon. Sideritis. I. herculea. Cam, Tetrahit herbariorum . Lob. luces ex H.Com, so idem com imagicarvent.bgul m

Sideritis arvensis latifolia glabra. C.B.P.233. Sideritis arvensis flore pallido. Cam. Alyssum Germanicum. Ger. Alysium majus . T. M. sideritis glabra arven-

fis . I.B.tom.3. 1.30. 427.

Sideritis arvensis angustifolia rubra. C. B. Pin. 233. Sideritis arvensis flore rubro . Camerar. Ladanum segetum Plinii . Alyssum Galeni flore purpureo . T. M.

Sideritis perfica odorata latissimo folio, hirsuto flore lu-

teo albicante ex Tourn.

Sideritis lusitanica minor, flosculis luteis minimis saturate, ex Tournef.

* Sideritis montis Libani Lithospermi minoribus acu-

minatis incanis foliis, flore purpureo.

Sideritis glutinosa bitumen redolens. Moris. Præl. Bot. 309. Sideritide cretica viscosa con odore di bitume Zanon. bift. 186. H.L.B. Hermannus sideritidem spinosam. I.B. hanc Zanoni Sideritidem fecit idem, an recte si illa sine spinis, hæc spinosa, ut addidit etiam huic Clar. etiam stachidem spinosam creticam ? C.B. P. 236. 7 ilmilal bogo .

Siliqua edulis . C.B.P. 402. Siliqua Matth. Ang. Ceratonia Dod. siliqua vulgo carobe; siliqua arbor, sive

cerafia . I.B.tom.I. 1.12, 413.

Siliqua sylvestris rotundifolia. C.B.P.402. Arbor Jude Bellonii siliquastrum, & syliqua sylvestris, & fatua

Cast. Acacia vera fictitia. Matth.

Sinapi rapi folio . C. B. Pin. 99. Sinapi siliqua latiuscula glabra semine rufo, sive vulgare. I.B. tom. 2.1.21.855. Sinapi sativum Erucæ, seu rapi folio. Lob.

Sinapi erucæ folio . C.B. P. 99. Sinapi Erysimo cognatum Tragi, sive simile. I.B. tom. 2. lib.21. 857. E-TU-

ruca, five Rucula marina minor, & finapi 9. Trag.

Eruca sylvestris. Gefn.

Sinapi siculum minus chelidonii folio laciniato flore luteo ex H.Cath. an idem cum sinapi arvense album hyemale rapi folio semine luteo. H. Cath.

Sinapi Raphani folio minus flore albo ex H. Carb.

Sinapistrum siculum irionis siliquis moris, concinatis H. Cath.

Sion, five Apium palustre foliis oblongis. C.B.P. 154; Sion umbelliferum. I.B.tom.3.1.27.172. Sium verum Matth. Apium palustre. Fuchs. Silaum Plinii Anguil.

Sium minimum . Prosp. Alp. exot. 331. ming airinghi?

Sion maximum latifolium. I.B. tom.3. 1.27. 175. Sion aquaticum latifolium. Moris. Umbel. 12.

Syringa cærulea. C. B. P. 398. Lilac. Matth. syringa flore cæruleo, sive Lilac. I.B. tom.1.1.8.208. cauda

vulpina Tuscarum Bellonii.

Eadem lactea, seu floris colore quasi argenteo. C.

B.P. variet. 198.

Smirnium Dioscoridis Hipposelinum Theophr. C. B. P. 154. Petroselinum Alexandrinum. Trag. Petroselinum Macedonicum verum. Ger. Olusatrum. cord. in Diosc.

Solanum vesicarium, quod folliculi vesicæ instatæ similes, vel ut Plinius lib. 21. c. 31. quod vesicæ, & calculis prosit. C. B. Pin. 166. solanum
halicacabum. Matth. Trag. halicacabum. Ang. Kekengi Lon.

Solanum vesicarium indicum. C. B. P. 166. Solanum, sive halicacabum Indicum. I.B. tom. 3.1.34. 609. halicacabum, sive solanum vesicarium Indicum. Cam.

Eyft. fructu luteo a dam emine a dala slacini

Idem fructu viridinal mayatsh iganic 328.15.1.5

Solanum hortense nigrum Tragi, sive Solanum Melanocerasos. C.B.Pin. 166. hoc est sinctu nigro. Solanum majus Matth. Cost. Cæsalp Solanum lethale.

Dod.

Dod. Belladonna. Chifi Pan. Solanum maniagum multis, five Belladonna. I. B. tom. 3. 1.34. 6rr.

Solanum somniferum verticillatum. C.B.Pin. 166. Solanum verticillatum. I.B. tom. 3.1.34.610. AlkeKengi mexicanum. column. ad Hern. 296. Solanum fomniferum antiquorum Alp. exot.71. Pen-vecti H. M.

tom.4.113. Solanum somniferum . Matth.

Solanum fruticosum bacciferum. C.B. P. 166. Strychnodendron . Gefn. H. Adv. Lob. obf. Amomum Plinii . Gefn. Ger. Solanum arborescens . Cesulp. Pseudocapsicum. Dodon. Strychnodendros . I. B. tom. 3. lib. 34. 614.

Solanum scandens, sive Dulcamara. C.B.P. 167. Glycypicros, five Amaradulcis. I.B.tom. 2.1.15. 109. Dulcis amara. Trag. Vitis sylvestris. Matth Salicastrum Plinii. Guil. circæa monspeliensium. Adv. Lob. obs. Cam.

Solanum tuberosum esculentum. C. B. P. 167. Papas Peruanorum . Eyft. Picnocomum . Diose. Cortuso . Papas radix Acost. Arachidnas. Theoph. & Papas pe-

ruanorum. chif. H.

Solanum pomiferum fructu striato molli. C.B.P. 167. Lycoperficon Galen. I. Ang. Poma amoris . Dod. Gal. Adv. Lob. Pomum Amoris. Lugd. Camer. malum, & Pomum aureum. Gesn. H. Tumatle Americanorum . Guil. de Papyro. Mala aurea odore fetido, quibusdam Lycopersicum . I. B. tom. 3. lib. 34. 621.

Solanum pomiferum fructu rotundo striato duro. C. B. Pin. 167. mala Æthiopica. Dod. Lugd. capficum

rotundum Dalechampii . Lugd.

Solanum pomiferum fructu oblongo. C.B.P. 167. mala infana. Trag. Fuebs. Dod. Melongena. Matth. fructu rubro.

Idem fructu albo . C.B.P. variet . 167.

Idem fructu luteo. Solanum officinarum . C.B.P. 166 . Solanum hortense fiCatalogus

164 ve vulgare. I.B.tom.3.1.34. 608. solanum hortense. Matth.

Solanum spinosum fructu rotundo, C.B.P.167. Pomum Hiericonticum Imper. Solanum pomiferum indicum spinosum boraginis flore, fructu croceo. H.L.B. Pomum de Hierico melongenis congener . I.B.tom. 3.

1.34. 619. chunda H.M. tom. 2. 69.

Solanum pomo spinoso, rotundo longo flore C.B.P.168. Stramonia, five Pomum spinosum. Trag. nux metella. Matth. stramonia, seu datura pomo spinoso rotundo, longo flore . H.L.B. stramonia multis di-Cta, five Pomum spinosum. I.B. tom. 3. 1.34. 624. Hu-

matu . H.M. tom.2. 47.

Sulanum fetidum pomo aculeis crassioribus, & robustioribus donato. Morif. H. Blef. 310. Stramonia, sive datura ferox pomo crassioribus & robustioribus aculeis donato. H.L.B. Solanum fetidum pomo grandiori spinosissimo. Cath.H.R. Paris. 168. stramonium ferox Bocc. Plant. sicul. 50. Datura cochinensis, spinosissima. Zanon. H. Bot. 76. Datura fructu spinosisfimo . Garz. ab bort. l. 1. arom.

Solanum pomiferum, five datura Afiatica Hyofcyami

folio, flore rubro, albicante.

Solanum pomiferum frutescens Africanum spinosum nigricans boraginis flore, foliis profunde laciniatis. H.L.B. Solanum spinosum, arborescens capitis bonæ spei . Breyn. fasc. 25. fructu ad maturitatem croceo.

Solanum racemosum cerasorum forma pro.2. in Prodr.

descriptum. C.B.P.167.

Solanum Africanum Spinofum latifolium hirfutum spinis violaceis, fructu rotundo croceo.

Idem spinis carens, fructu croceo oblongo oviformil.

Solanum racemosum tinctorium Americanum, foliis, & seminibus Amaranthi . H.L.B. solanum racemosum indicum. H. R. Parif. 167. Solanum magnum Virginianum rubrum. Park. Th. 347. Solanum ma-

gnum

gnum Virgineum facie solani somniseri lethalis no-

Stratis. Illuft. (crip. Lob. 88.

Solanum mexiocanum flore magno. C.B.P. 168. Mirabilis Peruviana purpureo flore. H.L.B. jesminum mexicanum, sive flos mexicanus multis. I.B. tom. 2. 1. 20. 814. Atzoyatl, vel mirabilis mexicana. Hern. 176.

Idem flore flavo. C.B.P. variet. 168.

Idem flore exalbido. C.B.P. variet. 168.

Idem flore ex rubro luteo, & albo tam virgatim quam

punctatim miniato. C.B.P. var. 168.

Sonchus asper non laciniatus. C.B.P.123. intybus sylvestris, seu erratica acutis foliis Trago, Sonchus tenerior acuteis asperior, aut horridiusculis. Lob. ob-

fervat.

Sonchus asper laciniatus, & non laciniatus. C.B.P. 124. Sonchus mitis laciniosa, minor, sive minor spinosa, & asperior, sive spinossor. I. B. tom. 2. lib. 24. 1014. Cicerbita asperior. Eric. Cord. Sonchus aspera. Matth. Andryala major Dalechampii. Lugd.

Sonchus asper laciniatus creticus, qui i. in Prodr. G.B.

P. 124.

Sonchus lævis laciniatus latifolius. C.B.P. 124. Sonchus lævis. Matthiol. Sonchus non laciniatus non spinosus. I.B. tom. 2 1.24. 1015. lactuca leporina Apuleii Endivia sylvestris. Lon.

Sonchus lævis lacinia tus cæruleus, vel Sonchus alpinus cæruleus. C.B.P. 124. Sonchus lævis flore cæ-

ruleo . Clufii . Pan.

Sonchus lævis laciniatus muralis parvis floribus. G.B. P. 124. Scariola sylvestris lactucæ species Galeno: Ang. Sonchus lævis alter. Matth. Sonchus sylvaticus 4. T. M. Lactuca sylvestris murorum flore luteo. I.B. tom. 2. 1.24. 1004.

Soncho affinis Lampsana Domestica. C.B.P. 124. Lampsana Dodonei. I.B. tom. 2.1. 24. 1028. Cichorio af-

L 3 finis

finis Lampsana domestica Moris. H. Bles. 359. Chrvsolacanum Plinii. Ruel. Lampsana quibusdam napium

Dod. Gal.

Sophera Galegæ proxima Alpini, Galegæ affinis sophera dicta. C. B. P. 352, senna orientalis fruticosa sophera dicta. H. L.B. securidaca Ægyptia. Park. sophera indiæ Orientalis. Breyn. Prodr. 51. Ponnam-Tangera, H. M. tom. 2. 201. Ecapatli altera. Hern. 376.

Sparganium ramosum. C.B.P. 15. Sparganium quibusdam. I.B. to.2. l. 18. 541. Sparganium. Matth. Trag. Butomos. Teoph. An. Platanaria. Dod. Calamogrossis

2. Lugd.

Sparganium non ramosum: C.B.P. 15. Sparganium alterum. I B. tom. 2. l. 19. 549. sparganium alterum.

Lob. Casalp. Platanaria altera. Dod.

Stachys major Germanica. C. B. P. 236. Stachys Fuchsii. I.B.tom. 3. l. 18. 319. Marrubium agreste, vel 3. Trag. pseudostachys Matth. Lugd. stachys Matth. Salvia sylvestris Casalp. sideritis heraclea. Colum.

Stachys cretica pro Pseudostachide in Prodr. descripta

C.B.P.226.

Stachys palustris fætida. C.B.P.236. Galeopsis angustifolia setida. I.B. tom. 3. app. 854. betonica setida Gesn.
sideritis 1. gravis odoris. Thal. Clymenon minus.

Lugd. Tertiola, quod tertianas sanet. Cas. marrurubium aquaticum acutum. Ger. Lysimachia galericulata adulterina. Eyst.

Steebe major foliis cichoraceis mollibus lanuginosis. C. B. P. 273. stæbe salamanticensis prior Clusi, sive jacea intybacea. I.B. tom. 3. 1.25. 36. stæbe salamantica 1. Clusi bisp. & hist. Aphyllantes 1. Dod. flore

purp.

Eadem flore albo.

Steebe major foliis Erucæ mollibus lanuginosis. C. B. P. 273. stæbe salmanticæ I. altera species. Clus. hist. Lugd. Aphyllantes 3. Dod.

Suc-

Plantarum .

167

Succisa glabra: C.B.P. 269. jacea nigra. Brunsf. & morsus Diaboli eidem. Morsus Diaboli. Dod. Trag. Pycnocomon. Column.

Succisa hirsuta. C.B.P.279. Morsus Diaboli hirsuta ra-

Asy her silingd spityld

B. tom 3, 1.2 y. 131. Tanacerum, matriciniae andpe-

ean there laces. LEtcon. A. L. 26. 151. Toursettem crippen Anglicum. Let Leek Tangers den critgem

Anglicum, Caimer Artemitia (ativa Anglican, T.M.)

escetum monegum inodorum minore flore. C.M.P.

the Tanecetam album, I.B. tom. r. 1.26, 183. Beilia

Taba craffa . I.B. tom a. L. 25, 681, Habania . March. cnaff

feld major . Ded God. Corpledon alterang at Diefe.

Polom, Anstanigi Frot. Con. H. Acerabulum alcerum.

hings repens folio decidno, G.R.P. 287. Andente

perpirens ? Cepesa-Panell, Class MA. C. C. Cones.

Telephium depens falia non decidas . C.E.P. 287.1707

Michalane respect one for second remine

and a cobine of of the ft .a. J. H zb . 180 .s

pi

L'and 254. L'anacerum leucanthemum all'

Sideritis 3. Marrib, quoud folia , the Lead : Athan

of Parchium . Brunf. Arcounts considered in the monoclour a Fuch. Ambrotis quincipalm Cark.

Tabacaram, Marris. Ashanalla vulgaria.

Lamarillous ferning . Cord in bife.

Lanacetum vulgare lateum. C. E.

32. Tanacetum vulgace flore luteo.

Ta-



Amarix fruticosa folio crassiore, sive Germanica. C.B.P. 485. Tamarix Germanica, sive minor fruticosa. I.B.tom. 1. 1.10. 351. Myrica vulgo. Tamariscus Erunf. Tamariscus semina. Cord.in bist. Myrica humilis. Dod. Gal.

fus Diaboli cidem. Morfus Diaboli

Succifs glabrage C.B.P. 209, jacea nie

Tanacetum vulgare luteum. C. B. P: 132. Tanacetum vulgare flore luteo.

I.B.tom.3. l.25. 131. Tanacetum, matricariæ 2. species, & Parthenium. Brunf. Artemisia tenuisolia, sive monoclonos. Fuchs. Ambrosia quibusdam Cord. in Diosc. Tanacetum. Matth. Athanasia vulgaris. Lac.

Tanacetum foliis crispis. C.B.P.132. Tanacetum crispum flore luteo. I.B.tom. 3. l. 26. 132. Tanacetum crispum Anglicum. Lob. Lugd. Tanacetum crispum Anglicum. Camer. Artemisia sativa Anglica. T.M.

Tanacetum montanum inodorum minore flore. C.B.P. 132. Tanacetum album. I.B.tom.3. l.26. 133. Bellis leucanthemon Tanaceti foliis inodoris flore minore. Moris. H. Blef. 362. Tanacetum leucanthemum. T. M. Sideritis 3. Matth. quoad folia, & Lugd. Athanasia leucanthemos. Lugd.

Telephium vulgare. C.B.P.287. Anacampseros, vulgo faba crassa. I.B. tom.3. 1.35. 681. Fabaria. Matth. crassula major. Dod. Gal. Cotyledon alterum. Diosc. Colum. Anacampseros. Gesn. H. Acetabulum alterum.

Cord. in Diosc.

Telephium repens folio deciduo. C.B.P.287. Anacampseros minor rotundiore folio semper virens. I. B. tom.3. 1.53. 682. ex H.L.B. si est folio deciduo, cur sempervirens? Cepæa Pancii. Clusii bist. & Camer. Telephium minus. T.M.

Telephium repens folio non deciduo. C.B.P.287. Polygonum perenne procumbens folio breviore floribus in capitulum congestis. Moris. Telephium Imperati bist. Camer. Telephium 7. sive legitimum impera-

to. Clusii hist.

Teucrium. C.B.P.247. Teucrium 2. Matth. Teucrium vulgare fruticans, sive primum. clus. bist. Chamædrys altera, seu assurgens Dod. Teucrium latisolium. Ger.

Teucrium Asiaticum minus foliis consolidæ regalis hirsutum perennis flore cæruleo: an Teucrium Orientale angustifolium flore magno subcæruleo. To-

urnef. 14.

Teucrium peregrinum folio sinuoso. C.B.P. 247. Teucrium Bæticum. Clusii hist. Lugd. T. M. Teucrium fruticans Bæticum. Clusii. Teucrium Beticum, & creticum Clusii I.B. tom. 3. 1.28. 291.

Teucrium alpinum coma purpurocærulea. C.B.P.247.

Clinopodium Alpinum Pona Ital.

Thalictrum majus siliqua angulosa, aut striata. C.B.P. 336. Thalictrum nigrius caule, & semine striato. I.B. tom. 3. 1.30. 486. Ruta pratensis. Gesn. H. Ruta pratensis herbariorum. Adv. Lob. saxifraga lutea e-justem. Gesn. Thalictrum secundum, sive Germanicum latisolium. Cam.

Thalictrum majus non striatum. C.B.Pin. 336. Thalictrum magnum 2. Dod. Ruta pratensis major 2.T.M.

Thalictrum majus flavum staminibus luteis, vel glauco folio. C.B.P. 336. Thalictrum primum vel Hispanicum. Clus. Pan. & hist. Thalictrum speciosissimum glaucum semine, & caule striato. I. B. tom. 3 1.30.486.

Thalictrum majus florum staminibus purpurascentibus. C.B.P.337. Thalictrum v. flore purpureo. Cam. Ru-

ta pratenfis major 3. T'M.

Thalictrum pratense angustisolium. C.B.P.337. L.B.tom.

3. 1.30. 437. Thalictrum 3. angustisolium. Camer.
Thalictrum minus. C.B.P.337 Thalictrum minus, siye Rutæ pratensis genus minus semine striato. I.
B.tom.

B.tom.3. 1.30. 487. Hypecoum forte. Dod. Gal. Lugd. Ruta pratenfis tenuifolia. Adv. Lob. Ruta praten-

fis minor. T. M.

Thlaspi arvense Vaccariæ incano solio majus. C.B.P.: 106. Thlaspi vulgatius. I.B.tom.2. l.22. 921. Thlaspi primum. Matth. Thlaspi vulgatissimum Vaccariæ solio Lob. Thlaspi officinarum. Colum.

Thlaspi arvense persoliatum majus C.B.P. 106. Thlaspi pi oleraceum. T. M. sub 4. Thlaspi incanum. Ger. Icon. Thlaspi alterum mitius rotundisolium bursæ

pastoris fructu. Colum.

Thlaspi persoliatum minus. C.B.P. 106. Thlaspi pumilum, vel Thlaspi montanum minus. Clus. Pan. & hist. Thlaspi minimum. T.M. Thlaspi minus. Ger.

Thlaspi umbellatum arvense iberidis foliis C.B.P. 106. Thlaspi amarum. T.M. Ger. Thlaspi Allobrogicum

cretico par. Cluf. H.

Thlaspi umbellatum creticum iberidis folio . C. B. P. 106. Draba, sive Arabis, aut Thlaspi Candiæ . Dod. Thlaspi Cappadocicum . Ang. flore incarnato, & flore albo . Eyft.

Thlaspi siculum supinum umbellatum Leucoii folio, angusto flore albo, mellis odore, ex H. Cath.

Thlaspi fruticosum umbellatum Persicum soliis seucoii instar sempervirentibus. Moris. Thsalpi fruticosum Persicum soliis Keiri, slore odorato. Zanon. hist. 196. Thlaspi sempervirens, & slorens. Dod. 115. Thlaspi satisfolium platicarpon Leucoii soliis. Bocc. Plant. hist. 51.

Thlaspi fruticosum incanum. C.B.P. 108. Thlaspi incanum Mechliniense. Lob. Lugd. Thlaspi capsulis sublongis incanum. I. B. tom. 2. 1.22. 929. Thlaspi inca-

num flore albo, capsulis oblongis. Moris.

Thlaspi alpinum minus capitulo rotundo. C.B.P.107. Thlaspi petræum myagroides. Ponæ. Thlaspi 3. saxatile. Cam. epit. Matth.

Thlaspi parvum saxatile flore rubente . C.B.P.107.li-

-thothlaspi quartum carnoso folio . Colum.

Thlaspi montanum incanum luteum serpilli solio majus C.B.P. 107. Thlaspi supinum luteum. Lob. Icon. Thlaspi luteum. I.B. tom. 2. 1.22. 928.

Thlaspi Austriacum leucoii folo incano flore luteo.

Bocc.

Thlaspi saxatile incanum luteum serpilli solio minus.
C.B.P. 107. jonthlaspi luteo slore incanum montanum

discoides. Colum.

Thlaspi Alyssum dictum campestre minus. C.B. P. 107.
Thlaspi 4. Dodon. Gal. Alyssum minus Dalechampii. Lugd. Alyssum minus clypeatum. T.M. Thlaspi minus, quibusdam aliis Alysson minus. I.B. tom. 2. 1.27. 187.

Thlaspi campestre umbellatum supinum album, bursæ pastoris laciniato folio nitido, capsulis rotundis.

Thlaspi biscutatum asperum minus. C.B.P. 107. jondra-

ba Alyssoides Apula spicata. Colum.

Thlaspi creticum majoranæ selio supinum flore luteo

Thlaspi clypeatum serpillisolium hirsutum creticum.

Thlaspi Virginianum iberidis folio.

Thlaspi villosum capitulis hirsutis. C.B.P.

Thymbra legitima. Clus. Saturegia Cretica. C.B.P. Sa-

turegia legitima Dioscoridis. Ponæ.

Thymus vulgaris folio tenujore. C.B.P. 219. thymnm vulgare rigidius, folio cinereo. I.B. tom. 3. 1.28. 263. Thymum durius Dodon. Gal. Thymus nostra. Cord. in Diose.

Thymus capitatus qui Dioscoridis. C.B.Pin.219. thymum. Matth. thymus verus capitatus creticus. Cam. thymum cræticum, sive antiquorum. I. B.tom. 3. l.

28. 262.

Tithymalus characias amygdaloides. C.B.P. 290. Ascebra magnum mesue Tithymalus Characias 2. Clus. hisp. Cam.

Ti-

Catalogus Catalogus

Tithymalus characias folio lanuginoso. C.B P.290. Ti-

Tithymalus lunatus hirsutissimus montis Pollini . H.

Catb.

Tithymalus sylvaticus lunato flore. C.B.P. 390. Tithymalus platiphyllos. Ang. Tithymalus lunato flore. Cam.

Tithymalus myrtifolius arborescens. C.B.P.290. Tithymalus dendroides. Matth. Tithymalus characias. 3.

Dod.

Tithymalus Myrsinites latifolius. C.B.P.290. Tithymalus Myrsinites. Matth. Tithymalus myrsinites legiti-

mus . Cluf. hift.

Tithymalus myrsinites angustifolius. C. B. P. 290. Tithymalus myrsinites Dioscoridis. Adv. Lob. Icon. Ti-

thymalus myrsinites alter. T. M.

Tithymalus myrsinites fructu veronicæ simili. C.B. P. 291. Esula multicaulis, & 4. Trag. Tithymalus verrucosus Dalechampii. Lugd.

Tithymalus maritimus. C.B.P.281. Thitymalus paralius.

Matth. Ang. Dod.

Tithymalus maritimus purpurascentibus floribus: C. B.P.291. Esula rara e Lio Venetorum insula. Adv. Lob. Lugd.

Tithymalus helioscopius . C. B. P. 291. Esula . Brunf.

Tithymalus helioscopius. Matth.

Tithymalus cyparissus. C.B.P. 291. Tithymalus cypa-

riflus. Matth. Dod. Fuch. Pityusa minor. Lon.

Tithymalus, sive Esula exigua. C. B. Pin. 591. Esula exigua. Trag. Esula maxima. Lugd. Tithymalus leptophyllos Matth. Peplis minor Dalechampii. Lugd.

Tithymalus palustris fruticosus. C.B.P. 292. Esula major Germanica. Adv. Lob. Lugd. Esula major, &

2. Trag. Pityusa major. Dod. Gal.

Tithymalus montanus non acris. C.B.P.292. Esula dulcis, vel 7. Trag. Erino cognata herba. Gesner. H.

Pityusa, sive Esula minor altera floribus rubris : Lob.

Lugd.

Tormentilla sylvestris. C.B.P.226. Tormentilla. I.B. tom.2. 1.17. 598. Tormentilla. Matth. Trag. Hepta-

phyllum . Fuchs.

Tragacantha. C.B.P. 388. Tragacantha Massiliensibus. I.B. tom. I. l. II. 407. Tragacantha massiliensis soliis incanis perseverantibus, seu non deciduis, slore albo Moris. Tragacantha. Matth. Ang. Gesn. H.

Tragacanthæ affinis lanuginosa, sive Poterium. C. B.

Pin. 388. Poterium. Matth. Caft. Lugd. T.M.

Tragopogon pratense luteum majus. C.B.P. 274. Tragopogon flore luteo. I.B.tom.z. 1.24. 1058. Barbula hirci. Trag. Matth. Gerontopogon flore luteo. Gesn. Col.

Tragopogon coronopi folio. C. B. P. 274. Chondrilla

Tragopogonanthemos major. Thal.

Tragopogon gramineis foliis hirsutis. C.B.P. 275. Tragopogon alterum gramineo folio suaverubente flore.

Tragopogon purpurocæruleum porri folio, quod Artisi vulgo. C.B.P.274. Tragopogon alterum. Matth. Lugd. Tragopogon. Lob. Dod. Barbula hirci altera. Matth. Tragopogon sylvestre flore purpureo. Cæsalp. Gerontopogon flore puniceo. Gesn. Col.

Tragoriganum creticum. C.B.P.223. Tragoriganum cretense apud Venetos. Adv. Lob. Tragorigani 2. alte-

ra species. Clus. hist. Thymum magnum Alp.

Tribulus terrestris ciceris folio fructu aculeato. C. B. P. 350. Tribulus terrestris. I.B. tom. 2. l. 17. 352. Tribulus terrestris ciceris folio seminum integumento aculeato. Moris. Tribulus terrestris. Matth.

Tribulus aquaticus. C. B. P. 194. I.B.tom.3. l. 38. 775.

Trag. Matth. Butomos damocratis. Ang.

Trifolium bitumen redolens, C.B.P.327. Trifolium afphaltites, sive bituminosum odoratum, & non odoratum. I.B. tom. 2, 1.17. 366. Trifolium bituminosum,

Catalogus

174 sum, seu Trifolium cæruleum, aut violaceum bitumen redolens Moris. Trifolium asphaltæum. Matth. Oxytriphyllum . Gefn. H. fed perperam: nam hoc nomen acetofo trifolio tribuitur.

Idem flore variegato minus frutescens.

Trifolium palustre. C.B.P. 327. I. B. tom. 2.1. 17. 389. Trifoliata paludosa. Moris. H. Trifolium majus, & fibrinum. T.M. isopyrum. Dod. Gal. Gefn. H. Limonium. Cord. in Diofc.

Trifolium Americanum. C.B.P.327. Trifolium Americum. Lob. Dod. Loti sylvestris genus latifolium ex

America. Cefalp.

Trifolium pratense purpureum . C.B.P. 327. Trifolium pratense. Matth. Dod. Trifolium pratense purpureum. Trag. Trifolium purpureum vulgare . I.B.tom. 2. 1.

17. 374.

Trifolium pratense album. C.B.P.327. Trifolium pratense alterum. Trag. Matth. Trifolium pratense flore albo minus, & fæmina glabrum. I.B.tom.2.l.'17. 380. Trifolium pratense album vulgare odoratum.

Marif. no selid irrog amelurasorugua nogogoga

Trifolium pratense luteum capitulo breviore. C. B. P. 328. Melilotum minus. Brunf. Trifolium 4. arvense. T.M. Trifolium pratense luteum mas flore minore, semine multo. I.B.tom. 2. 1.17. 380. melilotus lutea minima hirfuta procumbens, spica breviori densitsima disposita seminis pericarpiorenali nigro. Mo-+if .

Trifolium pratense luteum capitulo lupuli, vel agrarium. C.B.P.328. Trifolium agrarium. Dod. Trifolium pratense luteum foemina flore pulchriore, sive lupulino. I.B.tom. 3. 1.17.381. Trifolium agrarium

luteum capitulo lupuli majus. Moris.

Trifolium pratense minus flosculis purpureis. C.B.P.

328. lotus pratensis purpurea. Luga.

Trifolium alpinum flore magno radice dulci, quod 4. in Phyt. & 20. in Prodr. C.B.P. 328. Trifolium angustifolium alpinum . Pona. Trifolium Glyzirrhizites . Parki. Moris.

Trifolium alpinum argenteum persiciflore. C.B.P.328.

Trifolium argenteum alpinum. Pona.

Trifolium spica subrotunda rubra. C.B.Pin. 328. lagopus maximus Lob. Lagopus major folio trifolii. Dod.

Trifolium spica oblonga rubra. C. B.P. 328. Trifolium majus tertium. clus. Pan. & bist. I. B. tom. 3. 1. 17.

375.

Trifolium montanum spica longissima rubente. C. B. P.328. Trifolium purpureum majus solio, & spica longiore. I.B. tom. 2. 1.17. 375. Trisolium purpureum montanum pinnatum spica longissima. Moris. Lagopus altera solio pinnato. Lob. Lugd.

Trifolium montanum angustissimum spicatum. C.B.P. 328. Lagopus altera angustisolia Adv. Lob. Icon. Lugd.

Alopecuros graminea Dalechampii. Lugd.

Trisolium arvense humile spicatum sive Lagopus. C. B.P.328. Leporinus pes. cord. in Diose. Lagopus, & lotus campestris. Trag. Lagopus, sive pes leporinus

Matth. Fuchf. Dod.

Trifolium album angustifolium, floribus velut in capitulum congestis. C.B.P. 329. Dorycnium salso dictum. Gesn. H. Dorycnium monspeliensium. Adv.

Lugd. Dorycnium. Lob.

Trifolium cochleatum fructu nigro hispido. C. B. P. 329. medica cochleata minor polycarpos annua, capsula nigra hispidiore. Morif. Trifolium cochleatum alterum. Dod. medica foliculo spinoso. Lob. Lugd.

- medica semine minuto hirsuto. Camer.

Trifolium cochleatum folio cordato maculato. C.B.P. 329. medica Arabica. Cam. an Trifolii species nigris maculis, quod hemoroidum cognominant Gefr. H. medica echinata glabra cum maculis nigricantibus. I.B. tom. 2. 1.17.384. medica cochleata minor polycarpos annua capsula majore alba folio cordato macula susca notato Moris.

Tri-

176 Trifolium cochleatum fructu magis tortili. Honor, Belli.

C.B.P.329. ex Cræta.

Trifolium cochleatum fructu latiore. C.B.P.329. medica scutellata. I.B.tom. 2. 1.17. 384. medica cochleata major dicarpos fructus, capfula rotunda globofa scutellata. Morif. medica minor Trifolium tortuosum . Gesn. Hort. Trifolium cochleatum primum. Dod.

Trifolium echinatum arvense. C. B. P. 329. Tribulus terrestris minor repens. Lugd. medica pusilla. Camer. medica echinata minima. I.B.tom. 2.1. 17. 386. medica cochleata polycarpos annua, capfula minima

rotunda. Moris.

Trifolium sylvestre luteum siliqua cornuta, vel medica frutescens. C.B.P. 330. medica sylvestris. I.B. tom. 2. 1.17. 383. Medica sylvestris frutescens siliqua cornuta tortili Moris. meliloti majoris species 3. Trag. medica flavo flore. Cluf. Pan. & bift.

Trifolium acetolum vulgare. C. B. P. 330. Trifolium acetosum. Matth. Brunf. Dod. Lugd. Trifolium acetofum flore albo . Fyft. oxytriphyllum Trag. Oxys.

Fuchs. Dod. Gal.panis cuculi. Brunf.

Trifolium acetosum corniculatum. C.B.Pin. 330. Oxys flore luteo vel flavo. Clus. Hisp. & hist. Oxys lutea. I B.tom.2. 1.17. 387. Oxys, five Trifolium acetolum corniculatum luteum minus repens, & etiam procumbens. Moris.

Trifolium acetosum corniculatum majus rectum, seu vir-

ginianum. Maur. Hoffm. Morif. hift.

Trifolium acetosum flore purpureo magno radice bulbosa, seu Oxys Africana flore purpureo magno radice bulbofa. H.L.B.

Trifolium cochleatum maritimum tomentosum. C. B. Pin. 329. Trifolium maritimum. Gefn. medica marina . Adv. Lob. Trifolium cochleatum marinum.

Trifolium hepaticum flore simplici. C.B.P.330. Hepa-

Plantarum ?

tica. Dod. Trinitas Matth. Ang. herba Trinitatis ! Gef. H. Lugd. Hepaticum Trifolium. Ado. Lob. Cam.

Tuliparum præcocium serotinarum, & dubiarum innumere varietates pulcherrimis florum coloribus iucunde florentes, quibus instructus est Hort. Maur. ut videre est.

Tussilago vulgaris. C.B.P. 197. Tussilago. I.B.tom. 3. 1. 32. 563. Ungula caballina. Trag. Tuffilago . Matth.

C.B.P. 18: Valerians indica. Cag. Valeriana peregri

velitis magna aquatica. I.B.com. v 1 27 fin Vale. riana major felveliris toliis latioribus (Mari)[Combal

Valeriana Ivlyellris major C.B.P. a Sa. Valeriana Ivl

50. Valeriana vulgaris. Tray. Pen parvum: Marth. Valeriana egender C.B.P. rod. Valeriana grace flore chrulee. Evs. Wileriana graces quorumdam, flore cac-

Ladem flore albertally which the Hell P. va rict. 164. Valeriana græssa quosundami flore albo. 1

proteculis, vol aquatica. L.B.com.z. Lay avr. Vale

Ang. Farfara Adv. Lob. Caf.

Block & 1.57.272. Valutions paroficis minor. C.B.P.164. Valeriena minor

na ocumi folio. Cenent.

Wash minor perennis paintris. Month Undel co. Va leriana exigna, vei q. Twe Phu pargum Ded. Cal

ralco, I.R. com J. Lar. etz.

Veleriana alpina prima. O E.P. 162, quasa in Aced. Valeriana alpina attera. C.B.M. Phu hazathe. fe

petreum, colo H. Valeriana fylveficis alpina to lat

Valeriana rebra. C.B.P.167. Polemonli altera ipecies Dody Gold Limonian montheliesham . Cola. M. Ph pereguinum, Cum ep. Valerians latholia rubra ch.

etom, g. i.zy. 211. Valeriana marma latifolia, fen m First rubra, Mont Unibel 50.

Eadern alba . Morif Umbel. 50.

Valeriana compeliris inodora maior. C.P.P. 165 herba. L.B.coms, L.z.S.z.s.Valoriana arvonfig pr

Gof. H. Lagd. Hepaticum Tritolium, Ado I ob.C.

Aleriana hortensis. Phu solio Olusatri Diose. C.B.P.164. Valeriana major odorata radice. I.B.tom.3.1. 27. 209. Valeriana major hortensis. Moris. Phu magnum Fuchs. Phu majus. Matth. Phu ponticum. T.M. Carpesium. Cast. Valeriana peregrina purpurea, albave.

C.B.P.164 Valeriana indica. Clus. Valeriana peregri-

na ocimi folio. Colum.

Valeriana sylvestris major. C.B.P. 164. Valeriana sylvestris magna aquatica. I.B. tom. 3. l. 27. 210. Valeriana major sylvestris foliis latioribus Moris. Umbel. 50. Valeriana vulgaris. Trag. Phu parvum. Matth.

Valeriana cærulea. C.B.P. 164. Valeriana græca flore cæruleo. Eyft. Valeriana græca quorundam, flore cæ-

ruleo. I.B.tom.3. 1.27. 212.

Eadem flore albo. Eyst. Moris. Umbel. 55. C.B.P. variet. 164. Valeriana græca quorundam, flore albo. I.

B.tom. 3. 1.27.252.

Valeriana palustris minor. C.B.P.164. Valeriana minor pratensis, vel aquatica. I.B. tom. 3. 1.27. 211. Valeriana minor perennis palustris. Moris. Umbel. 50. Valeriana exigua, vel 4. Trag. Phu parvum Dod. Gal.

Valeriana alpina prima. C.B.P.164. quæ 4. in Prod. Valeriana alpina altera. C.B.P.164. Phu saxatile, seu petreum. Gesn. H. Valeriana sylvestris alpina I. lati-

folia. clus. bist.

Valeriana rubra. C.B.P.165. Polemonii altera species. Dod. Gal. Limonium monspeliensium. Gesn. H. Phu peregrinum. Cam.ep. Valeriana latisolia rubra. I.B. tom.3. l.27. 211. Valeriana marina latisolia, seu major rubra. Morss. Umbel. 50.

Eadem alba . Morif. Umbel. 50.

Valeriana campestris inodora major. C.B.P. 165. Locusta herba. I.B.tom.3. 1.28.325. Valeriana arvensis precox humilior semine depresso. Moris. Umbel. 53. Lacluca agn na. T.M. Locusta quibusdam. Gesn. album olus. Dod.

Valeriana Cretica, flore vesicario. Tournef. Corall. Valeriana peregrina flore elegantissimo purpureo.

Verbascum mas latisolium luteum. C.B.P. 239. Verbasculum vulgare slore luteo magno, solio maximo. I. B.tom.3. app. 871. Verbasculum soliis incanis mas latisolium, sloribus luteis arcte caulibus adhærentibus, sive soliis angustis, inter slores emanantibus. Moris. H. Verbascum. Matth. Thapsus barbatus. Gesn.

Verbascum mas angustioribus foliis, floribus pallidis. C.B.P.239. Verbascum 2. Matth. Verbascum sylve-

fire majus. Lon.

Verbalcum fæmina flore albo. C.B.P.239. Verbalcum sylvestre. Trag. Verbalcum candidum mas. Fuebs. Dod. Gal. Gesn. H. Verbalcum 3. flore candido. Cesalp.

Thapfus barbatus flore albo. Ger.

Verbascum semina flore luteo magno. C.B.P.239. verbascum maximum meridionalium, odoratum luteum. I.B. to 3.app.871. Verbascum soliis incanis maximum odoratum meridionalium, floribus luteis arctè caulibus adhærentibus, & soliis multis angustis inter slores emanantibus. Moris H. Verbascum, sive candela regia. Trag. Verbascum nigrum. Fuebs.

Verbascum nigrum folio papaveris corniculati, & Camer. C.B.P.240. Verbascum intubaceum. T.M. Verbascum laciniatum. Lugdun. Verbascum alterum.

Matth.

Verbascum latis salviæ soliis. C.B.P. 240. Verbascum sylvestre. Matth. Verbascum sylvestre salvisolium fruticosum lignosum. Adv. Salvia sylvestris Verbasci latis soliis Moris. H. Bles. 278. Verbascum sylvestre salvisolium exoticum, solio rotundiore. I.B.tom. 3. 128. 307.

Verbascum siculum Brassicæ solio . Bocc. an Verbascum Brassicæ solio . Colum. Æph. vel arturus . Ponæ aut Verbascum humile creticum laciniatum. C. B.

Verbena peregrina foliis Urticæ. Dod. mem. Verbena urticæ folio canadensis. Cath. H.R. Parif. Zanon. bift. Bot. 203.

Verbena nodiflora in Phyt. Matth. & Prodr. descripta.

C.B.P.269. Verbenaca nodiflora Imperati.

Verbena communis flore ceruleo. C.B.P. 269. Verbena vulgaris. I.B.tom.3. l.30.443. Verbenaca. Matth.

herba facra . Anguil.

Veronica mas supina, & vulgatissima. C.B.P.246. Veronica vulgatior folio rotundiore. I.B. tom. 3. 1. 38. 274. Veronica mas supina vulgaris foliis serratis. Moris. Veronica mas serpens Dod. Betonica Pauli Dod. Gal.

Veronica spicata angustisolia. C. B. Pin. 246. Veronica major angustisolia caulibus viridibus. I. B. tom. 3. l. 28. 284. Veronica angustisolia recta minor vulgaris. Moris. Veronica recta herbariorum. Lob. Lugd. auricula muris 4. Cesalp.

Veronica pratensis serpillisolia. C. B. P. 247. Veronica seemina quibusdam, aliis Betonica Pauli serpillisolia. I.B. tom. 3. 1.28. 285. Eufragia nobilis. Brunf. Ve-

ronica femina . Dod. Gal. Lugd.

Veronica alpina frutescens. C.B.P. 247. Veronica alpina serpillisolia Ponæ Veronica 3, fruticans. clus.

Pan. & bift.

Veronica supina facie Teucrii pratensis. Morif. chamedrys spuria major angustifolia. C.B.P. 249. chamædrys spuria angustifolia. I.B. tom. 3. 1. 28. 285.

Veronica erecta Teucrii tenuisolii, sacie slore Teucrii

bætici forma.

Viburnum Mattb. C. B.P.316. Lantana vulgo, aliis Vibur-

num. I.B.tom. t. 1.5. 557.

Vicia maxima dumetorum. C.B.P. 345. Cracca major T.M. Osmunda latinorum. Trag. Aphace. Diosc. Vicia separum perennis I.B. to. 2.l. 17.313. Vicia perennes maxima dumetorum slore obscurorubente. Moris.

Vi-

Vicia Sylvestris spicata. C.B.P.345. Vicia sylvestris spi-

cato flore. Cluf. Pan.

Vicia lutea foliis convolvuli minoris. C. B. Pin. 345.

Aphace. Diosc. Gal. Plin. Pisine Theophrasti. Anguil.

aphaca. Adv. Lob. Gas. Camer. Elatine 3. T.M. Lathyrus lutheus annuus foliis convolvuli minoris. Moris. Vicia quæ Pitina. Ang. lata siliqua, flore luteo.

I.B. tom. 2. l. 17. 317. Aphaca vulgo.

Vicia Benghalensis hirsuta, & incana siliquis Pisi.

Herm. H.L.B. 620.

Viola lunaria major siliqua rotunda. C.B.P. 203. lunaria major. Cam. Viola latifolia. Dod. Viola bulbosa soliata officinarum Bulbonac Adv. Lob. lunaria græca. Cas. lunaria græca annua. Eyst. Thlaspi montanum: Gesn. H.

Viola martia purpurea flore simplici odoro . C. B. P. 199. Viola martia purpurea 1.B.tom. 3. 1.32.542. Vio-

la sativa. Brunf. Viola purpurea. Matth.

Eadem flore cæruleo. C.B.P. variet. 199.

Eadem flore albo. Viola martia alba. G.B.P.199. Viola martia flore albo odorato. I.B.tom.3. lib.32. 542.

flore. C.B.P. 199. Viola martia purpurea flore multiplicato majore. I.B. tom. 3. 1.32. 542.

Viola martia inodora sylvestris. G.B.P.199. Viola ca-

nina. T.M.

Viola alpina rotundifolia lutea. C.B.P. 199. Viola lutea martia inodora alpina. Cam. Viola martia lutea. I.B.tom. 3. 1.32. 544.

Viola tricolor erecta, an jovis flos Theoph. C.B.P. 199.

Viola affurgens tricolor. Dod.

Viola montana tricolor odoratissima. C. B. Pin. 199.
Viola montana 3. sive tricolor. Clus. Pan. & Hist. jaceæ tricoloris, sive floris trientalis genus flore luteo,
& purpureo magno, repens non annuum. I.B. tom.
3.1.32.547.

7 iola tricolor hortensis repens. C.B.P. 199. jacea, si-

ve flos trinitatis. Matth. jacea tricolor five Trini-

tatis flos. I.B.tom.3.1.32. 547.

Viola martia arborescens purpurea. C.B. Pin. 199. Viola arborescens. Marth. Viola erecta flore cæruleo. Moris. jacea tricolor surrectis cauliculis, quibusdam arborea dicta. I.B. tom. 3. 1.32. 547.

Viola bicolor arvensis. C.B.P. 200. jacea altera. Matth. viola sylvestris. Lob. Icon. herba Trinitatis sylve-

firis . Trag.

Viola indica icandens nasturtii sapore, & odore, slore slavo. H.L.B. Acriviola. Cesi Tab. 935. Nasturtium indicum majus. C.B.P. 306. nasturtium indicum solio peltato scandens. I.B. tom. 2. l. 15. 175. Pelon-Me-xixquilitl. Pelon chilli, seu nasturtium Peruanum. Hern. 161.

Eadem flore sulphureo. Nasturtium indicum flore lu-

teo dilutiore Cath. H R. Paris.

Eadem flore luteo coloris sanguinei striato.

Viola indica scandens nasturtii sapore maxima odorata.

Herm. H.L.B. 629.

Virga aurea major, vel Doria C.B.P.268. Alisma Monspeliensium, sive Doria. I.B. tom 2. 1.24. 1064. Doria forte Panaces chironium. Gesn. H. herba Doria. Lob.

Virga aurea latifolia serrata. C.B.P. 268. Virga aurea, five solidago saracenica latifolia serrata. I.B. tom. 2.1. 24. 1063. virga aurea vulgo dicta. Ces. Virga aurea

margine crenato. Dod.

Virga aurea angustifolia serrata C.B.P.268. Virga aurea angustifolia serrata, sive solidago saracenica. I.B. to. 2. 1.24. 1063. Solidago saracenica. Trag. Euchs. Dod. Consolida aurea Trag.

Virga aurea magno flore: C.B.P. 268. Consolida aurea

nemorum limonii folio. Adv. Lob. Icon.

* Virga aurea serrata minima alpina.

Virga aurea mexicana. G.B.P. app. 521. Virga aurea li-

mo-

monii folio, panicula uno versu disposita. Moris. H. Bles. 220. Virga aurea Virginiana. Bod. a Stapel. in

Theop. 365.

Virga aurea Americana hirsuta radice odorata foliis serratis. Moris. H. Bles. 320. Virga aurea canadensis hirsuta paniculis minus speciosis. Cath. H.R. Paris.

Virga aurea Novangliæ lato rigido folio : an herba do-

ria minor Americana. Parck. 542.

Urtica urens pilulas ferens, prima Diosc. semine lini. C.B.P. 232. Urtica Romana, sive mas cum globulis. I.B.tom. 3. 1.30. 445. Urtica Romana vel mascula. Lob.

Urtica aculeata foliis serratis. C. B. P. 232. cannabis sylvestris. Trag. Lugd. cannabis spuria. Ger. canna-

bina alba. T.M.

Urtica aculeata foliis striatis altera. C.B.P. 232. cannabis sylvestris spuria 3. Lob. Icon. Alyssum arvense

album. T.M. Urtica mortua 4. Dod. post.

Urtica aculeata foliis non serratis. C.B.P. 232. sideritis altera. Matth. Lugd. cannabis spuria facie Urticæ. Lob. Icon.

Urtica racemola canadensis. Dodart. mem. Morif. H. Blof.. 323.

FINIS.

monii folio, panicula uno verfu dispolita . Marif. H. Blof. 220. Virga aurea Virginiana. Bod. a Srapel. in

Theo. 365.
Virga aurea Americana hirfuta radice odorata follis

ferratis. Moris. H. Blef. 320. Virga. aurea canadenfis hirfara paniculis minus speciolis. Carh. H.R. Parif. Virga aurea Novanglias lato rigido folio : an herba do-

ria minor Americana, Parch. 542.

Urtica urens pilulas ferens, prima Diofe. femine liai. C.B.P. 222. Urtica Romana, five mas cum globulis. I.B. tom. 2.1.30. 445. Urtica Romana vel masscula.

Urtica aculeata foliis ferratis. C. B. P. ata. cannabis Ivivelleis. Trag. Logd. cannabis Spuris. Ger. canna-

bina alba . T.M.

Metica aculcara folia firiatis vitera. C.B.P. 222. cannabis fylvetiris fpuria 3. Lob. Leon. Alyffum arvenie album. T.M. Urtica in ortua 4. Dod. poft.

Urtica aculcata foliis non ferratis. C.B.P. 232. fideritis altera. Mareb. Lugd. cannabis spuria facie Urti-

Urcica racemola canadensis. Dodart. mem. Morif. H. Elof. 323.

ANTONII TITÆ

Per Alpes Tridentinas in Feltrensi ditione, per Vallem Sambucæ inter Bassani Montes, ac per Marcesinæ alpestria, quæ Septem Communibus accensentur. Übi multa ad rei Botanicæ incrementum animadversa, & notata, quæ nunc demum publici juris siunt.

ANNO MDCCXIII.

ITER

ATIT HIMOTMA

Per Alpes Tridentinas in Febrenss ditione, per Vallent Sambucæ inter Isassami Montes, ac per Marcessena næ alrestria, que Septem Communibus accensentur. Ubi multa ad rei Botanica incrementuna animaler versan publici juris funt.

AINNO MDCCXIII.

ANTONIUS TITA

frate, vento, atque imbre affichus; quoties fiti, iroftsolli intolerabili nene confedus! Obverfamur adhuc

animo impendentium montium alti-Nibi eram , ut operi manum subducerem, cum in mentem venit iter hoc Botanici studii caussa susceptum evulgare. Qui enim semel verecundiæ fines transierit, eum bene & naviter oportet esse impudentem *. Nihil profero per se quidem ipsum admiratione dignum: sed tamen, si quanti mihi steterit, paullum reputare volueris, lector humanissime, non tu sane, ut spero, contemnes. Quam enim sæpe, ut hæc qualiacunque colligerem, per montium anfractus, callesque non antea tritos de capite ipso dimicavi! Quas angustias adii, bone Deus; quam diruptas, ac præcipi-

cipites! Quoties in lubrico prolapsus; quoties offusa repente tempestate, vento, atque imbre afflictus; quoties siti, atque æstu intolerabili pene confectus! Obversantur adhuc animo impendentium montium altitudines, fedæ rupes, prominentia faxa, arrecti scopuli, latebrosæ valles, sylvarum horror ac silentium; quæ me faciunt; ut aliquem laborum meorum fructum petere ex amplissimo laudis & gloriæ campo, te probante, non dubitem. Vides, opinor, quam paucis contentus mea omnia in medium afferam. Tu noli plura viribus ab homine infirmifsimo postulare: sed his æquo animo fruere in domestico otio, quæ mihi ut compararem, cum Alpibus ipsis vehementer luctandum fuit.

que non antea tritos de capite iplo dimicavi! Quas angustias adii, bo-ne Deus; quam diruptas, ac præne Deus;

cipi-

IN Marchia Tarvisina Feltria est, urbs L non ignobilis ad Asonem amnem, qui paullum progressus decidit in Anaxum. A Septentrione, & occasu Tridentinis Alpibus clauditur, quasique media inter Cenetam & Bellunum, distat utrinque passum circiter millia XV. Tertio ab Urbe lapide, qua in Boream spectat, rus est vulgo Pedevena, ad ipsas Alpium radices, quæ peculiari ejus loci nomine Vette appellantur. Illinc ad fumma juga contendenti septem pasfuum millia conficienda funt: & primo quidem clivus est ineundus, via nec admodum recta, nec præcipiti, preter Vallem, quæ Vena dicitur. Hic - Aonem usque affurgit quatuor millium spatio: Aonem autem montani appellant pagum quendam perpetua montium corona circumdatum, qui omnes Alpibus committuntur, variifque nominibus pro vario regionis discrimine inter se singuli distinguuntur. A Venæ igitur clivo iter exorsus, plurima observatione dignissima animadverti; sed hæc in primis notanda mihi visa sunt, & in codicem memoriæ caussa referenda.

ine major, icandens Circea minim

00

*Trachelium majus, sive campanula urticæ folio major slore candido.

Cyclamen orbiculato folio inferne purpurascente. C. B. P. sive Cyclaminus vulgaris, & æstivus Cam.

* Hieratium minus longius radicatum folio nitido angusto ramosum luteo slore.

Gentiana Asclepiadis folio. C.B.P.U da

Alcea folio rotundo laciniato. C.B.P. sive malva montana, seu Alcea rotundisolia laciniata Col.

Cuminum pratense, Carvi officin. C.B.P.

Vennæ clivo lustrato, antequam Aonem pervenirem, in Vallem incidi vulgo Valdellam, quæ passus ferme quingentos in levam extenditur. Ibi autem prefertim occurrunt

Balsamina lutea, sive Noli me tangere. C.B.P. seu Persicaria siliquosa. Adv. Lob.

Herba Paris. Matth. five solanum quadrifolium bacciferum. C.B.P.

Sanicula montana rotundifol. major . C. B.P. sive Sanicula guttata. Eyst.

Saxifragia rotundifol. aurea. C.B.P.

Valeriana alpestris prima. C. B. Prod. 1

Chondrilla montana dentis leonis profunde laciniato fol. flore luteo.

* Alsine major scandens Circeæ minim.

Co-

Colum. rotundo folio, flore albo.

Laureola fol. deciduo, flore purpureo: C.

B. P. sive Chamelea Germanica Dod.

Piper montanum . Anguillom ambia

Aconitum racemosum. C. B.P. sive Christophoriana Gesneri

Myrrhis minor. C.B.P. five Myrrhis altera

parva. Adv. Lob.

Tithymalus amygdaloides sylvaticus, lunato flore. C.B.P.

Dentaria pentaphyllos. C.B.P. Viola den-

taria prima. Dod.

Cacalia foliis crassis lanuginosis. C.B.P.

Lysimachia siliquosa minima glabra.

Lysimachia siliquosa hirsuta major. C.B.P.

* Eadem latifolia hirfuta major ramosa, flore purpurascente.

· Ipsi porro Valdellæ prata quædam imminent, in quibus hæc passim germinant.

Myrrhis sylvestris seminibus levibus. C.B.P.

Geranium batrachoides, Gratia Dei Germanorum C.B.P. sive Geranium batra-

chioides primum. Cluf.

Ranunculus montanus aconiti folio, floreglobolo C.B.P. sive Ranunculus flo-

re glomerato Clusii. do. I. do. I.

*Trachelium montanum minimum , integro, acuminato, oblongo folio, flore campanulato cæruleo

Ranunculus montanus folio aconiti, ma-B. P. five Chample. Q.B.D. sool ongd.

Carduus mollis laciniato folio. C.B.P. feu Erifythales flore luteo, folio Acanthi.

Gentiana major purpurea. C.B.P.

Gentiana minor Matth. five Gentiana cruciata . C.B.P. parva. Adv. Lob.

Gentianella alpina Æstiva, Centaur. minoris foliis. C.B.P.

Gentianella alpina angustifol magno flore.

Panax sphondylii fol. C. B. P. sive sphon-

dylium alterum Loboupill sidosonly

Lapathum unctuosum folio triangulo. C. B.P. feu Bonus Henricus Trag.

Trifolium album petreum majus Ponæ.

Helleborus niger Saniculæ folio major. C. B. Pin. sive Sanicula femina adulterina. Eyst. 199 million out audiup mission

Bellis alpestris major rigido folio. C. B.

barrachordes, Gratia .rbord er-

Caryophyllus fylvestris vulgaris, angustifol. C.B.P.

Chamædrys spuria major angustifol. C.B. P. seu Veronica Teucrii effigie ptatens. Lob. Icon.

*Succifa montana minor rotundifol. glaof brailet emoide ; elsaimers com

Pimpinella crispa, sive petrea Tab. Jacobæa alpestris, angustifol altera. Clus. Pimpinella saxifraga major, umbella rubente. C.B.P.

Chamædrys minor spuria angustifol. C.B.
P. Teucrii quarti species tertia Clus.

*Hieratium fructicosum minus, brevioriabus foliis.

Confolida media alpina cærulea. C.B.P.
Brunella cærulea magno flore. C.B.P.

Linum pratense flosculis exiguis. C. B. P. seu Linum sylvestre pusillum, candicantibus florib. Cam.

Aonem prætergressus a læva iter institui Consinium versus: perque trita juxta atque invia curiose vaganti hæc se mihi obtulerunt.

Rubia latifolia, vel quadrifolia levis. C. B.P. Rubia levis Taurinensium. Lob.

Echinophora tertia. Colum flore purpu-

*Chondrilla lutea longioribus foliis, nitidis, dentatis.

Carduus capite rotundo tomentoso. C. B. P. Carduus eriocephalus. Dod.

Hinc ad Vallaciam, ut incolæ appellant, per arctas, & valde lubricas semiras

perrexi. Sed in media fere via locus est quidam, vulgo Le Pezze; unde in subjectum vicum nomine Cervum prospectus est. Hic duo Clusiii Asphodeli, ramosus scilicet, & non ramosus lætissime germinant, hoc veluti solo suo ita contenti, ut alibi nusquam regionem illam peragranti occurrant. His addi possunt

Pedicularis alpina filicis folio major. C.

B. Pin.

Eadem filicis folio minor. C.B.P.

Pedicularis pratensis purpurea. C.B.P. Fi-stularia. Dod.

Orchis palmata, seu Palma Christi.

Clinopodium montanum C.B.P. Clinopodium Austriacum Clus.

Vallaciam denique cum pervenissem, ejus dorsum tentare cæpi, confectoque septem millium spatio per salebrosas angustias, rectis ubique saxis, non sine ingenti conatu jugum tenui. Hic vero deserta omnia, aspera, lapidosa, & præter una pastorum mapalia, tolerabile nihil. Nist forte deliciarum loco germina quedam habenda sunt, quæ a postica mapalium parte succrescunt: idest

Aconitum Napellus dictus primus. C.B.P.

Aconitum salutiserum, seu Anthora. C.
Chamesciffus foliis minoribus, & i.q. anis
Aconitum cæruleum hirsutum flore Con-
folide regalis. C.B.P.
Rhodia radix . C.B. Matth.
Cotyledon media, foliis oblongis ferratis.
C.B.P.
Cotyledon media subhirsuta floribus pun-
Chatis. C.B.P. and mumilinog oach and
Cotyledon minor foliis subrotundis in
Produs Celtica flore albo I.B.D. arbarM.
Bellis globularia frutescens minor . C.B.P.
Aster atticus alpinus alter C.B.P.
Hieracium Chondrillæ, folio glabro, ra-
dice succisa minus. C.B.P.
* Eadem strictissimo Coronopi Mat. fol.
Hieracium hirsutum dentis leonis folio,
Affine faxifraga angultifoli.ostul srollo-
Veronica alpina frutescens . C.B.P. Vero-
nica alpina serpillifolia Ponæ.
Veronica pratensis serpillisolia C.B.P. Vero-
nica fœmina Dodonæi:
Alchimilla, seu stellaria vel Pes Leonis
fus vallem inii, cui nomen Sich. dtraMa-
Ledum alpinum hirfurum C. B. P. Balfa-
mum Alpinum Gesn. ikal orol alibari
Ledum alpinum soliis serrea rubigine ni-
gricantibus. C.B.P. assinipsi silolipsi
Chamecistus vulgaris flore luteo . C. B. P.
N 2 He-

Helianthemum Cord. Lob.

Chamæcistus foliis minoribus, & incanis C.B.P. Helianthemum anglicum luteum Gerardi.

Chamecistus serpillifolia, floribus carneis.

Sed & rupibus in septentrionem vergentibus hæc potissimum innascuntur.

Leontopodium verum Matth.

Nardus Celtica flore albo Diosc. C.B.P.

Chamædrys alpina saxatilis. C.B.P. Veronica petrea, sempervirens Ponæ.

Thimelææ affinis facie externa .. C. B. P. Cneorum Matth.

Bistorta minor alpina . C.B.P.

Alsine montana capillaceo folio . C. B. P. Alsine saxifraga angustifolia minima Co-lumnæ.

Auricula Ursi major, flore luteo. Sanicula alpina lutea. C.B.P.

A lævo Mapalium latere aliquantum digreffus vallem inii, cui nomen Siel, in magnam altitudinem abruptam: ibique in mediis fere faxis ecce mihi

Cortusa Matth. seu Sanicula montana latifolia laciniata. C.B.P.

Draba alba filiquosa minor . C.B.P.

Car-

Carduus mollis alpinus Lapathi folio, C. B.P.

Sed citò periculo monitus, & ad mapalia revocatus in dexteram concessi. Vix autem duodecim stadia processeram, cum in vallem deveni, vulgo. Morsupian. In media ferme planitie Attegiæ quædam sunt pro ea loci solitudine non plane incondite, & pecorum septa non una. Inter ipsos porro lapides attegiis, septisque circumpositos nascuntur

Absinthium alpinum umbelliserum latifol. C.B.Pin. sive Absinthium umbelliserum alpinum, floribus albis Ponæ in Bald.

Lapathum alpinum rotundifol. C.B.P.

Alfine hederacea montana maxima. Co-

Inde vero ad altiora converso itinere, qua se mihi aditus non impeditus offerebat; in herbidum cacumem ascendi, cui nomen Prel. Hæc autem ibi præter cætera nascuntur:

*Virga aurea parva seu minima, folio creanato flore luteo.

Rapunculus umbellatus folio gramineo. C.B.P. Rapuntium alterum angustifol. alpinum. Colum.

N 3 Lu-

Lunaria botryitis Matth. *Salix pumila alpestris repens Pyrecanthæ folio lucido. Salix pumila alpina repens rotundi fol. inxi ferne fubcinerea. G.B.P. autspoyer sil Salix pumila brevis, angustoquefolio incano. G.B.P. ineveb me lav ni muo Sed cum biceps jugum sit, in sinistro tantum latere inveni Doronicum plantaginis fol. C.B.P. sau septifque circumpolitos nascuntur Ab adverso latere, quod Septentrionem spectat, cum descendissem, glareas offendi nescio quas valde adustas, ac steriles. In illis tamen ecce mihi folio, unico caule, flore flammeo.

* Hieracium minus faxatile, dentis leonis

Matricaria alpina Chamæmeli foliis. C.B.

P. Parthenium alpinum Cluf.

Nasturtium petreum bursæ pastoris folio. -orCiuB. Prisola marnusco mubidad ni

Thlaspi incanum montanum luteum, ser-

pilli folio C. B.P.

Thlaspi alpinum umbellatum album minus, rotundo folio crasso: an Thlaspisa-. xatile rotundifol quod 5. in Prodr. C.B. Argemone alpina Coriandri folio. C.B.P.

Argemone lutea Ponæ Ital. qui in Bal-

do

do collectam transmist.

Helleborus albus, flore subviridi. C.B.P.

Ead. flore atro rubente. C.B.P.

* Carduus alpinus spinosissimus, polyce. phalus, foliis in fummitate albicantibus, & albo flore.

albethris funcifes longioribus for Sed cum me aliquanto plus spatii demisissem tentabundus, ac vix hærens vestigio, ad Passetum perveni. Sic enim appellant incolæ locum illum præruptum, faxofum, ac ne stirpium quidem satis feracem. Ex ipsis tamen saxis; passim succrescunt

Sedum alpinum Bupleori folio. C.B.P.

Pulsatilla flore albo. C.B.P. Anemone sylbe vest. 2. Clusion mus musui ni guina

Libanotis latifolia altera, five vulgatior. C.B.P. Seseli Æthiopicum herba Dod.

*Ranunculus alpestris luteus minor grumosa radice, cinereo folio.

Lamium flore luteo, oblongo folio. C.B.

Pin.

Gramen hirsutum angustifol. minus, paniculis albis. C.B.P.

Geranium alpestre, aconiti fol. flore vio-

laceo. C.B.P. .9.8.0 obhilum -

*Hieracium alpestre pilosum, angustis longioribus fol. flore pallente.

Gramen Parnassi albo simplici flore. C.B.P.

Im-

Imperatoria Matthioli.

* Panax sphondylii folio laciniatissimo.

Aconitum pardalianches prim. Thora major. C.B.P.

Scabiosa montana, dentis leonis folio, que

4. in Prodr. C.B.

* Scabiosa alpestris succisæ longioribus soliis, villoso, purpurascente, magno solore.

Bupleuron angustissimo fol. C.B.P.

Tussilago alpina rotundo folio canescens. C.B.P.

Tussilago alpina rotundisol. glabra. C.B. P. Tussilago alpina minima Lob.

Rursus in jugum cum redissem, inde ad Morsupiani attegias reverti, ut in tali loco, delicias nostras. Ibi viribus tantisper refectis, viæ me in levam commis; cumque oculis certum quoddam cacumen designassem, mihique proposuissem, repente per obliqua in patentem Vallem deveni, quam Cavren montani dixere. In ea porro sunt.

Chrisanthemum alpinum abrotani folio

multifido C. B. P.

Jacea latifolia capite hirfuto. C.B.P. Leontopodium alterum. Matth. Gnaphalium anglicum Tab.

Vi=

Vitis Idæa foliis oblongis serratis, fruct u

nigricante. C.B.P.

Caryophyllata aquatica nutante flore. C. B.P. Caryophyllata alpestris, flore nutante purpurascente Clus.

Caryophyllata alpina lutea. C.B.P.

Rapunculus folio oblongo, fpica orbiculari. C.B.P. Rapunculus corniculatus montan. Col.

Ad dexterum latus paullum procedenti, pone rupes quasdam hæc sese offerunt.

Lonchitis aspera. C.B.P.

Sanicula montana flore calcari donato. C. B.P. Pinguicula, seu Liparis Gesn.

* Planta anonyma feseli Peloponnens. simil. Colligit. sine flore.

Ad lævam cum revertissem, perque glareas sub ipsum jugum profectus essem, hæc se mihi statim

* Astragalus alpinus saxatilis lignosus Ciceri glabro folio, flore purpurascente,

semine Trifolii americani.

* Astragalus incanus saxatilis, hirsutus minor, acuminato folio, flore purpurascente.

Virga aurea magno flore. C.B.P. Consolida aurea nemorum Limonii fol. Ad. Lob.

N 5 Rha

Rha ponticum folio Helenii incano. C.B.

P. Rha capitatum folio Enulæ, Centau-

rii majoris facie Ad. Lob.

Aster montanus cæruleus, magno flore, foliis oblongis. C.B.P.

Ad mediam Vallem regressus Collem petii, cui nomen le Cavallae, in quo hæc prefertim nascuntur:

Teucrium alpinum coma purpurocærulea. C.B.P. Clinopodium alpinum Ponæ.

Viola alpina lutea. C.B.P.

Sedum alpinum album foliolis compactis.

C.B.P. Sedum alpinum 3. Cluf.

Sedum alpinum hirsutum, luteum. C.B.P. Sedum alpinum flore pallido. C.B.P.

* Chamæmespilus alpinus lato sol. serrato.

* Chamæmespilus alpinus lato fol. non serrato.

* Salix alpina latifolia canescens.

Rapunculus spicatus . C.B.P. Rapunculus nemorosus primus Tab.

Gentiana major flore pallido. C.B.P.

Jam vero a summo Alpium cacumine non longe aberam, cum passum sere millia progressus Vallem tenui, ab ipso Vettium nomine percelebrem. In qua præcipue germinant

* Tha-

* Thalictrum alpinum minus saxatile, rutæ folio, staminibus luteis.

Ranunculus præcox 1. rutæ folio Cluf. Ranunculus rutaceo fol. suaverubente flore. C.B.P.

* Ranunculus faxatilis aconiti folio lacinia-

tissimo nigricante, albo flore.

Linaria foliis carnofis cinereis, flore violaceo. C.B.P.

Lychnis alpina pumila folio gramineo; sive Muscus alpinus Lychnidis flore. C.B.

P. Ocimoides muscosus Ponæ.

Alsine muscosa Ocimoides muscosæ similis, albo flore.

Ab hac Valle in aliam profectus, que Favara dicitur, statim vidi Imperatoriam, Saniculam guttatam, Cortusam, Valerinam utramque Bauchini in Prodromo, & preterea multa, de quibus superius.

Hinc profectus mapalia quedam preterii, & ad ipsum Alpium supercilium sub-

ivi.

Ubi mihi informia primum jumentorum septa, deinde incomposita saxorum strues. in istis autem faxis,

An Saxifraga petrea, flore purpureo. Rapunculus alpinus corniculatus. C. B.P.

Trachelium petreum minus Ponæ.

*Ge-

*Geranium batrachioides, Gratia Dei Geranium, flore vinato.

Trifolium argenteum alpinum persici slore

C.B.P.

Chamedrys alpina Cisti flore. C.B.P. Chamedrys montana durior frutescens. Ad. Lob.

Campanula minor rotundifol. alpina. C. B. P.

Eadem rotundifol. minima. C. B. Prod. Meum alpinum umbella purpurascente. C.B.P.

Daucus alpinus multifido, longoque folio, five montanus umbella candida. C.B.P. Saxifragia Bavarica Ponæ.

Locum hunc Covolo appellant, unde in proximum Alpium cacumen ascendi; tantumque vie processi, donec subjectum Aonem prospexi, cepique de reditu cogitare. In ipso autem descensu hec in primis animadversione digna visa sunt:

Campanula folio Echii, floribus villosis.

C.B. Prod.

* Carduus spinosissimus latifolius spherocephalus, flore candido.

* Hieracium alpinum Jacee villoso folio in-

tegro, flore aureo magno.

Scorzonera angustifol. subcerulea. C.B.P.
Ona-

Onagra Lugd. Cef. Lysimachia Chamenerion dicta latifol. C.B.P.

Jamque Aonem reversus, inde Vennam, ac deinceps Pedevennam, demum quam potui brevissimo itinere Feltriam petii. Tum vero novas regiones meditatus, viribus nondum satis ex labore recreatis, ad Vallem Sambucæ, ut vulgo appellant, iter contuli. Itaque Arsedum, Primolanum, & Cismonem prætergressus, non procul a Carpineto in publica via a postica sacræ Ædicule parte glareas ossendi; per quas semita nec iniqua, nec perdifficilis in Vallem ipsam exit. Hic vero germina non plane vulgaria.

Aconitum Napelli flore, ceruleum. C. B. P. Aconitum lycoctonum 7. vel autu-

mnale Cluf.

Laserpitium Veterum . C.B.P.

Hieracium alpinum latifol. hirlutum, incanum, magno flore. C.B.P.

Gramen nemorosum spicatum latifol. C. B. P.

Chamebuxus flore Colutee. C.B.P. Anonymus flore Colutee Cluf.

Linaria montana flosculis albicantibus. C. B.P. Anonymus Linarie folio Clus.

* Eadem lignosa, & ramosa, foliis longio-

Prodr.

ribus finuatis, flore albo. Scabiosa argentea foliis gramineis. C. B. Prodr. Centaurium alpinum luteum majus 3. C. deinceps Pedevennam, demunabor Ro-Siler montanum majusaiti omiliverd ius Cirfium foliis non hirfutis, floribus comnondum fatis ex labore : 4. B. Ds. sits aqui-Idem angustifol non laciniatum. C.B.P. * Hieracium alpestre faxatile fol. gramineis angustis, flore luteo magno Aquilegia montana parvo flore, talictri fol. C. B. Prodr. saoralg orne olus Pseudoasphodelus pumilis foliis iridis Clus. pseudoasphodelus alpinus. C.B.P. Alni effigie lanato fol. major. C.B. P. Aria Theophrasti, vel Sorbus torminalis, - L'alterum genus Cef. on di musino Alni effigie lanato folio minor. C.B.P. Amelanchier Lob. * Succifa alpina foliis nitidis longioribus. Tithymalus myrsinites angustifol C.B.P. Tithymalus myrsinites in montibus Ces. Scorzonera latifolia finuata. C.B.P. After Linarie rigido fol. flore lureo. C.B.P.

Inde digressus Carpinerum, Medoacum tra-

Colutea filiquosa minor coronata. C.B.P.

Colutea scorpioides montana Gerard.

jeci, ubi Vallistamnea, frequens, ut inter montana, cultoribus vicus. Ab ejus platea in magnam quandam vallem aditus est, quam pro loci asperitate, mollior. In ipsa autem valle via duplex, altera in levam Gallium versus, in dextram altera, qua Fozam contendi. Hic autem passim per quatuor fere millium spatium occurrunt Daucus, Meum, Rapunculus cæruleus corniculatus, Taxus arbor, & alia præterea non pauca, de quibus alibi mentio. Ipsis porro Fozæ pratis samiliarissima est

Mirrhis major folio Cicutæ

Ad paucas hie horas animi gratia commoratus, in proximum jugum me contuli, & a tergo descendi, ubi nemus quatuor millia in longitudinem excedens vastissimam planitiem excipit, cui nomen Marcesina. In nemore autem ipso

Nasturtium alpinum trifolium. C.B.P. Car-

damina trifolia Lob.

Muscus terrestris clavatus. C.B.P. Lycopo-

Muscus denticulatus major. C.B.P.

Ead minor VC.B.P. suprive sullidary M.

Muscus pulmonarius. C.B.P. Pulmonaria fungosa Lugd.

Mu-

Muscus capillaceus longissimus. C. B. P. Muscus capillaceus cinerei coloris, e ramis ilicis dependens Clus.

Muscus clavatus foliis cupressi. C.B.P. Sa-

vina fylvestris Trag.

*Muscus, seu lichen petreus, incanus galericulatus.

Muscus terrestris coralloides, erectus incanus. C.B.P.

* Muscus arboreus capillaceus, lignosus flo-

ridus, glauco colore.

Lichen petreus cauliculo pileolum sustinente C.B.P. Lichen Plinii primus pileatus Column.

Leucojum alpinum petreum Centaurii minoris folio, unico caule nudo, albo flore.

Filicula alpina crispa. C.B.P. Filicula saxatilis crispa Ponæ.

Circea parva minima Column.

Pyrola rotundifol. minor. C.B.P.

Asperula, seu Rubeola montana odora.

C.B.P. Hepatica stellata Tab.

* Carduus sylvaticus altissimus polycephalus, capitulis compactis, caule rotundo acutissimis spinis armato, slore purpureo.

Myrthillus exiguus Trag. Vitis Idæa for liis subrotundis, non crenatis, baccis rubris. C.B.P.

Agri-

Agrimonioides. Col.

Nemus claudunt incondita quædam, ac plusquam sylvestria pastorum mapalia, unde longe lateque prospectus est in planiciem. Hic mihi respirare quodammodo visus sum, statimque ad paludem accessi, quæ dexterum Vallis latus tenet. Plurima circa

Pinus silvestris montana altera. C. B. P. seu Pinus sylvestris Mugo. Matth.

In media vero ipsa palude.

* Erica alpina palustris Rosmarini fol. flore purpureo.

Trifolium fibrinum palustre: C.B.P.

In adverso Vallis latere

Carlina acaulis minore purpureo flore. C. B.P. Carduus acaulis Septentrionalium Lob.

Ad irriguos quosdam rivulos, qui se per Vallem insinuant,

* Nardus, seu Valeriana minima aquatitica Consolidæ minoris fol. flore albo.

Hic jam consistendum mihi putavi; tametsi insitus discendi ardor longius compelpelleret, omnesque locorum, ac viarum asperitates animo præceptas explanaret. Sed tamen vel honestissima desideria cohibenda sunt, suisque sinibus concludenda. Itaque domum redii, quo me dudum & ratio temporis, & domestica negotia, & concrediti mihi horti, & illius in primis justa vocabant, qui

..... nobis bæc otia fecit.

ASOFINIS.

Carlina acaulis, minore purpurco flore. C.

B.P. Carduns acaulis Septentisonalium

Erica alpina paluffris Rofmarini fol. fo-

In media vero ipia palude,

In adverto Vailis latere



(
In nomini	b. Auctor. Cristophorus	. leg. Christophorus.
Pag. 10 Li	n. 2 Get. Leg.	Ger.
II	21 Subjungatur Amar	acus, fen Majorana
12	7 Scherardi	Sherard
15	33 Leg. Aparine C.B	
.,	I R 724 tom	2 1 26 222
16	I.B.334. tom 5 Petoselinum	Patro Coliman
16	3 1 ctotellium	A
	37 Apocyna	Apocynum.
17		Par. Bat.
18	30 & L. B.	& I. B.
21	35 Par. Bot. Prod.	Par. Bat. Prod.
2.3	34 frugifera	fragifera.
29	18 tota plene	tota plena.
30	16 Brunella Bugula,	Subjung. Brunella,
	- NT . C1:	feu Bugula.
36	14 Necete folio	Nepete folio.
37	20 A. R. Paris.	H. R. Parif.
42	3 Pulmarius	Plumarius.
48	22 Bacchini	Bauhini.
52	26 A. R. Parif.	H. R. Paril.
53	23 Parn.	Part. 2. 260.
57	13 Bauchini	Bauhini.
63	22 Cretica . Scherard.	Creticus . Sherard.
85	34 Scherard.	Sherard.
92	20 C. Bouh. in Prod.	C. Bauh. in Prod.
104	5 Laureolamas	Laureola mas.
110	30 M. H.	H. M.
123	6 Alifara	Alifma.
. 13r	12 medicum	medium.
233	6 Bafilium	Basilicum .
143	23 Quadr.	A 1
148	31 Constantinopolitana	Confirmina Tiles
151	32 Goft.	Cast.
x59	4 Scorpiuton	
162	18 Tuscarum	fcorpium.
162	28 KeKengi	Turcarum .
262	37 Coft.	AlKeKengi.
170		Caft.
771		Creticum.
173	24 capitulis hirfatis	capfulis hirfutis.
180	21 Artisi	Artifi.
200	36 perennes	perennis.

Auffor Collephorus, leg Gardiphorus 15 at him a Get. Let Ger Let 11 at 1 7 Scherardi Sucrare. 33 Leg. Aparine C.B.P. 234: B. 334. com. 201. 36. 923. Petofelinum L'etrojelinum: Арресупа Apodysonn. Por Bot. Par Bary Par. Rat. Prod. 34 frugilera 18 tota piene fregilera tota riene tota plena. Brunella, Sienella, feu Bugula_ Mecete folio Lamete folio. A. R. Parif. H. R. Parif. 03 Pulmarius as Bacchini .ininosa A. R. Park H. R. Parif. 26 Parm. Part. 2. 250. 28 13 Bauching "vinidusal Cretics - Schotard. 52 Scherard. C. Book in Prodo C. Bush in Prot. 53 dere plooner. Laureniaming OII MH SIE Alifais - emil A SEE medicum - muibson Bald Louis -223 Bafilian TAR Quadra boat Confiantinopolitana Confiantinopolita-F-8-7 TEN Call. fcommon. Scorpintun Lucarenn Currenum. Kerkengi Allken engir 071 17 Certico . tanoirs .D an capitalis historia ITI caplaits birfuris 35. ning A war countried of 68 percensis.





