Specification of Henry Heather Bigg : apparatus for curing deformities of the human frame.

Contributors

Bigg, Henry Heather.

Publication/Creation

London : Great Seal Patent Office, 1855 (London : George E. Eyre and William Spottiswoode)

Persistent URL

https://wellcomecollection.org/works/umekp2vn

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



A.D. 1854 N° 2062.

SPECIFICATION

OF

HENRY HEATHER BIGG.


APPARATUS FOR CURING DEFORMITIES OF THE HUMAN FRAME.

LONDON:

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE, PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY: PUBLISHED AT THE GREAT SEAL PATENT OFFICE, 25, SOUTHAMPTON BUILDINGS, HOLBORN.

1855.

Price 8d.





A.D. 1854 Nº 2062.

Apparatus for Curing Deformities of the Human Frame.

- (This Invention received Provisional Protection, but notice to proceed with the application for Letters Patent was not given within the time prescribed by the Act.)
- **PROVISIONAL SPECIFICATION** left by Henry Heather Bigg at the Office of the Commissioners of Patents, with his Petition, on the 25th September 1854.

I, HENRY HEATHER BIGG, of Leicester Square, in the County of Middlesex, 5 Anatomical Instrument Maker, do hereby declare the nature of the said Invention for "IMPROVED APPARATUS FOR CURING DEFORMITIES OF THE HUMAN FRAME" to be as follows :---

My Invention of improved apparatus for curing deformities of the human frame relates more particularly to apparatus intended to correct deformities of 10 the limbs, such as of the feet or hands, where parts of the limbs have been contracted, distorted, or drawn on one side out of their natural position. To effect this object the lower part of the limb (say, for example, the foot,) is secured in a shoe or frame, which is jointed to another frame that receives the leg, the joints or connections of the two parts being made in such a manner that the 15 shoe may be turned in any direction, according to the peculiar nature of

15 shoe may be turned in any uncertain, according to the foot are affixed a the deformity. To one side of the shoe that receives the foot are affixed a number of studs or pins, and on one side of the vertical frame, which envelopes and secures the leg, are a corresponding number of holes or studs; from these latter to the studs or pins on the shoe are extended a number of elastic bands

5

Bigg's Improved Apparatus for Curing Deformities of the Human Frame.

or straps, so arranged that the elastic force of the bands or straps shall have a tendency always to pull over the shoe or frame which receives the deformed part to the proper position. If the apparatus is intended to be applied to the arm or hand, its shape or form must of course be suitably modified; but it will be constructed upon precisely the same principle in all cases.

> LONDON : Printed by GEORGE EDWARD EYRE and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. 1855.

2