

Specification of Amos Gerald Hull : instrument for supporting the prolapsed uterus.

Contributors

Hull, Amos Gerald.

Publication/Creation

London : Great Seal Patent Office, 1857 (London : George E. Eyre and William Spottiswoode)

Persistent URL

<https://wellcomecollection.org/works/xz6bn486>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



A.D. 1836 N^o 7112.

S P E C I F I C A T I O N

OF

AMOS GERALD HULL.

INSTRUMENT FOR SUPPORTING THE
PROLAPSED UTERUS.


LONDON:

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY:

PUBLISHED AT THE GREAT SEAL PATENT OFFICE,
25, SOUTHAMPTON BUILDINGS, HOLBORN.

Price 5d.

1857.





A.D. 1836 N^o 7112.

Instrument for Supporting the Prolapsed Uterus.

HULL'S SPECIFICATION.

TO ALL TO WHOM THESE PRESENTS SHALL COME, I, AMOS GERALD HULL, of Cockspur Street, Charing Cross, in the County of Middlesex, send greeting.

WHEREAS His present most Excellent Majesty King William the Fourth, 5 by His Letters Patent under the Great Seal of Great Britain, bearing date at Westminster, the Ninth day of June, in the sixth year of His reign, did, for Himself, His heirs and successors, give and grant unto me, the said Amos Gerald Hull, His especial license, full power, sole privilege and authority, that I, the said Amos Gerald Hull, my exors, admors, and assigns, and such 10 others as I, the said Amos Gerald Hull, my exors, admors, or assigns, should at any time agree with, and no others, from time to time and at all times during the term of years therein expressed, should and lawfully might make, use, exercise, and vend, within England, Wales, and the Town of Berwick-upon-Tweed, my Invention of "IMPROVEMENTS IN INSTRUMENTS FOR SUPPORTING 15 THE PROLAPSED UTERUS," communicated to me by a certain foreigner residing abroad; in which said Letters Patent is contained a proviso, that I, the said Amos Gerald Hull, shall cause a particular description of the nature of my Invention, and in what manner the same is to be performed, to be inrolled in His said Majesty's High Court of Chancery within six calendar months next 20 and immediately after the date of the said in part recited Letters Patent, as in and by the same, reference being thereunto had, will more fully and at large appear.

Hull's Improvements in Instruments for Supporting the Prolapsed Uterus.

NOW KNOW YE, that in compliance with the said proviso, I, the said Amos Gerald Hull, do hereby declare that the nature of the said Invention, and the manner in which the same is to be performed, are particularly described and ascertained in and by the following statement thereof, reference being had to the Drawing hereunto annexed, and to the figures and 5 letters marked thereon, that is to say :—

My Invention of improvements in instruments for supporting the prolapsed uterus, consists of instruments to relieve and cure displacement of the womb, and on a new principle, and different from the accepted usages of the present surgical practice. The principle is that of external pressure in contra- 10 distinction to all the intervaginal means heretofore adopted. This pressure is to be effected either singly upon the hypogastric region, or conjointly upon hypogastric and perineal regions. Experience has proved that properly directed pressure upon or against the lower part of the abdomen, and upon the perineal region always relieves, and frequently removes the displacement 15 of the womb, and many maladies consequent thereon. The apparatus for the purpose of obtaining the proper pressure, and for which the Patent has been obtained, consists of the following parts :—A spring; two pads, one for the belly, the other for the back of the patient; a wedge of cork or other suitable material to slide between the belly pad and the spring; and a perineal strap. 20 The spring is an elastic hoop of steel clearly shewn in the Drawing. The back pad is formed by a simple plate of metal attached to the posterior end of the spring cushioned, and only intended to allow this extremity of the spring to rest comfortably upon the back of the patient, and to serve for the attachment of straps to be described. 25

The Lower Belly or Hypogastric Pad.—This pad must be so formed as to be applied below the naval to that part known as the hypogastric region. This pad has the form of a double inclined plane, the inner or hollow aspect of which is applied to the belly, and called the inner surface, the outer surface is the converse of the inner, and is called the back 30 of the pad. It is necessary that the planes of the inner surface of this pad should be moveable, so that the pad can always be made to correspond exactly to the various and changing convexities of the abdomen. To effect this important object, the pad consists of two wings of thin metal or other suitable material, joined together near the centre of the pad by a hinge fixture. These 35 wings, joined as aforesaid, form a pad plate, which is covered with soft leather or cloth, and wadded or stuffed on its inner surface, so as to make a soft cushion for the belly of the patient. The belly pad is attached to the spring by any convenient fixture by its back or outer surface at the centre by means

Hull's Improvements in Instruments for Supporting the Prolapsed Uterus.

of the cork wedge above-named, which is slid along the under surface of the spring (upon which it is looped) till it lies upon the smaller wing of the pad, the lesser wing is depressed, and by retracting it along the spring, away from the pad, the lesser wing elevates itself to contract with the spring, wherefore
 5 it is to be seen that the wedge of cork or other suitable material, acting upon a hinge pad, accomplishes the proposed object so necessary in the case, that is, it lessens or increases the capacity or angle of the double planed inner surface of the pad, so as to make the front or padded surface of it correspond with perfect exactness to the variable convexity of the surface of the belly, and
 10 besides, as the spring is hooped shaped, and made to pass through the fixture upon the centre of the back of the pad, and terminates upon the back of the larger wing of the pad, and therefore presses harder upon that wing than it does upon the lesser wing, the wedge being placed between the lesser wing, and the spring imparts any quantity of the force of the spring to that wing
 15 that may be required to render the pressure of the spring equal upon the two wings of the pad, by which means both sides of the hypogastric regions of the belly are equally pressed by the apparatus, a result which is very important to the cure of the difficulties to which this apparatus is intended to be applied. The apparatus is to be applied by placing the back pad upon the spine just
 20 above its junction with the hip bones, and the hypogastric pad upon the entire lower part of the front surface of the belly, the spring embracing the body closely from one pad to the other. Furthermore, the spring is to be increased by a cushion strap extending from the front to the back pad, and inclosing the plate of the back pad so as to form a cushioned pad of it, and still con-
 25 tinued around the opposite side of the body, embraced by the spring so as to fasten upon the front pad, and regulate its position there with greater certainty.

The Perineum Strap.—This consists of a strap of convenient size and material, elastic is preferable, which extends from the back pad under the bottom of the belly between the thighs, in order to its being attached to the front pad
 30 by holes upon corresponding knobs, so that it can be shortened or lengthened by being buttoned higher or lower upon the knobs of the front pad. This strap contains upon its inner surface a prismatic triangular shaped wedge (called an external pessary) also elastic, its apex looking upward and made to correspond to the part known as the perineum, against which it is to be firmly
 35 pressed. This apparatus completed by the addition of the perineal strap, is to be applied when there are displacements of the womb with relaxation of the vagina, and protusive or pouching of the perineum. If the vagina and perineum are not affected, the apparatus without the perineum strap may be applied.

From the foregoing description, and an examination of the Drawing, a

Hull's Improvements in Instruments for Supporting the Prolapsed Uterus.

workman acquainted with the making of ordinary trusses, will readily be able to carry this Invention into effect, so far as the making of the instrument, and a medical man will be able to direct its application to the patient.

Having thus described the nature of the Invention, and the best means I am acquainted with for combining the necessary parts of the apparatus, I do declare, that I lay no claim to the separate parts thereof, other than is hereafter claimed, nor do I confine myself to the precise arrangement, as variations may be made, but what I do claim, is, the application of such combination, or the essential parts thereof, consisting of the front hypogastric pad *a*, and the perineal wedge or cushion *b*, to obtain external pressure to the parts above-mentioned, for the supporting of the prolapsed uterus as above described.

In witness whereof, I, the said Amos Gerald Hull, have hereunto set my hand and seal, this Fifth day of December, in the year of our Lord One thousand eight hundred and thirty-six.

AMOS GERALD (L.S.) HULL.

AND BE IT REMEMBERED, that on the Fifth day of December, in the year of our Lord 1836, the aforesaid Amos Gerald Hull came before our said Lord the King in His Chancery, and acknowledged the Specification aforesaid, and all and every thing therein contained and specified, in form above written. And also the Specification aforesaid was stamped according to the tenor of the Statute made for that purpose.


Inrolled the Ninth day of December, in the year of our Lord One thousand eight hundred and thirty-six.

LONDON:

Printed by GEORGE EDWARD EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty. 1857.

A.D. 1836. JUNE. 9. N^o 7112.
HULL'S SPECIFICATION.

(1 SHEET)



The encolled drawing is colored.

Drawn on Stone by Malby & Sons

LONDON: Printed by GEORGE EDWARD EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty. 1857.

