

## **Specification of Jean Sirou : medicinal preparation.**

### **Contributors**

Sirou, Jean.

### **Publication/Creation**

London : Great Seal Patent Office, 1863 (London : George E. Eyre and William Spottiswoode)

### **Persistent URL**

<https://wellcomecollection.org/works/vbunttxn>

### **License and attribution**

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>



A.D. 1862, *8th August.* N° 2220.

SPECIFICATION

OF

JEAN SIROU.

MEDICINAL PREPARATION.

LONDON:

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,  
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY:

PUBLISHED AT THE GREAT SEAL PATENT OFFICE,  
25, SOUTHAMPTON BUILDINGS, HOLBORN.

*Price 4d.*

1863.





---

A.D. 1862, 8th AUGUST. N° 2220.

---

### Medicinal Preparation.

---

*(This Invention received Provisional Protection only.)*

**PROVISIONAL SPECIFICATION** left by Jean Sirou, at the Office of the Commissioners of Patents, with his Petition, on the 8th August 1862.

I, JEAN SIROU, of Castel Sarrazin, in the Department of Tarn-et-Garonne, in the Empire of France, Contractor of Public Works, do hereby declare the nature of the said Invention for "**A NEW MEDICINAL PREPARATION FOR INTERNAL AND EXTERNAL APPLICATION,**" to be as follows:—

The liquid forming the subject of my Invention will afford almost immediate relief in cases of headache, cramps in the stomach, colic, bruises, cuts, burns, female complaints, diseases of children, such as worms and convulsions, and many other complaints, it will also preserve the hair. It is composed of the following plants culled when at maturity, and in possession of all their aroma, both flower and leaf being used unless one or other be specially indicated 1, mentha viridis; 2, artemisia foliis pinnatifidis; 3, hypericum perforatum; 4, lavandula spicata; 5, achillea millefolium; 6, hypericum fuga  
15 dæmonum; 7, plantago arenaria; 8, hyssopus officinalis; 9, thymus serpillum;  
10, thymus vulgaris; 11, teucrium foliis cordatis undulatis; 12, artemisia absinthium; 13, salvia officinalis; 14, fœniculum officinale; 15, anethum fœniculum; 16, apium petroselinum; 17, borrago officinalis; 18, lilium candidum; 19, flores sambuci; 20, spirea ulmaria; 21, flores tiliæ parvi  
20 floræ; 22, flores rosarum centifoliarum; 23, flores citri medicæ; 24, rosmarinus officinalis; 25, verbena officinalis; 26, santolina; 27, angelica; 28, lythrum salicaria; 29, anthemis pyrethrum. I place the flowers and leaves above enumerated in a glass vase or bottle, mixing them in about equal

---

*Sirou's New Medicinal Preparation for Internal and External Application.*

---

portions, I then press them gently down with the hand, and pour upon them as much wine-brandy as will cover them, close the vase or bottle, and leave the whole to macerate and steep at an ordinary temperature during thirty days, when I filter, and the liquid is ready for use. It may be applied with a linen rag or sponge to the skin, or rubbed in, or it may be taken internally, 5 one large tablespoonfull to an adult, and a teaspoonfull to a child. If possible the whole of the above-named plants should be used, but the absence of one or two will but slightly affect the medicinal properties of the liquid.

---

LONDON:

Printed by GEORGE EDWARD EYRE and WILLIAM SPOTTISWOODE,  
Printers to the Queen's most Excellent Majesty. 1863.