

## **Specification of Henry Joseph Francis Hubert Foveaux : applying injections.**

### **Contributors**

Foveaux, Henry Joseph Francis Hubert.

### **Publication/Creation**

London : Great Seal Patent Office, 1866 (London : George E. Eyre and William Spottiswoode)

### **Persistent URL**

<https://wellcomecollection.org/works/e63pzrfr>

### **License and attribution**

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>



---

A.D. 1866, 28th MARCH. N° 906.

---

SPECIFICATION

OF

HENRY JOSEPH FRANCIS HUBERT  
FOVEAUX.

---

APPLYING INJECTIONS.

---

LONDON:

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,

PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY :

PUBLISHED AT THE GREAT SEAL PATENT OFFICE,

25, SOUTHAMPTON BUILDINGS, HOLBORN.

Price 4d.

1866.

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

THEORY OF QUANTUM MECHANICS

BY ROBERT F. STENGEL

CHICAGO, ILLINOIS  
UNIVERSITY OF CHICAGO PRESS  
1968



---

A.D. 1866, 28th MARCH. N° 906.

---

### Applying Injections.

---

*(This Invention received Provisional Protection only.)*

**PROVISIONAL SPECIFICATION** left by Henry Joseph Francis Hubert Foveaux at the Office of the Commissioners of Patents, with his Petition, on the 28th March 1866.

I, HENRY JOSEPH FRANCIS HUBERT FOVEAUX, of 62, Strand, in the City of  
5 Westminster, Manufacturer of Surgical Instruments, do hereby declare the nature of the said Invention for "**AN IMPROVED APPARATUS FOR INJECTING LIQUIDS AND APPLYING LIQUIDS EXTERNALLY,**" to be as follows :—

This apparatus consists of two boards or plates hinged together at one end and of a waterproof bag, by preference of wedge shape, fitted between the  
10 boards near the hinges. A tube is carried from the bag through openings in the boards or otherwise, and terminates in a funnel, by which the bag is filled with liquid; the tube is also furnished with a cock. The apparatus is employed as follows :—After the bag has been filled with the liquid the cock is closed and an injecting tube or pipe is attached to the funnel. The patient  
15 then sits upon the upper board, and the weight by forcing this board upon the lower board compresses the bag and injects the fluid through the pipe. The lower board may be placed upon a bidet or upon the seat of a watercloset, and the injecting pipe may be applied to the rectum or other part required; or the pipe may be caused to apply the liquid externally.

---

LONDON:

Printed by GEORGE EDWARD EYRE and WILLIAM SPOTTISWOODE,  
Printers to the Queen's most Excellent Majesty. 1866.

