

Specification of George Searby : curing smoky chimneys and preventing accumulation of soot in flues.

Contributors

Searby, George.

Publication/Creation

London : Queen's Printing Office, 1854 (London : George E. Eyre and William Spottiswoode)

Persistent URL

<https://wellcomecollection.org/works/tfgj2qq9>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



A.D. 1852 N° 334.

S P E C I F I C A T I O N

OF

GEORGE SEARBY.

CURING SMOKY CHIMNEYS AND PREVENTING
ACCUMULATION OF SOOT IN FLUES.

LONDON:

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY :

PUBLISHED AT THE QUEEN'S PRINTING OFFICE, EAST HARDING STREET,
NEAR FLEET STREET.

Prior 2½d.

1854.





A.D. 1852 N° 334.

**Curing Smoky Chimneys and Preventing
Accumulation of Soot in Flues.**

PROVISIONAL SPECIFICATION left by George Searby at the Office of the Commissioners of Patents, with his Petition, on the 11th October 1852.

*(Void by reason of notice to proceed not having been given within the
5 time prescribed by the Act.)*

I, GEORGE SEARBY, of No. 9, Markham St., Chelsea, Middlesex, do hereby declare the nature of the said Invention for "**THE CURE OF SMOKY CHIMNIES, AND THE PREVENTION OF ACCUMULATION OF SOOT IN FLUES,**" to be as follows:—

10 A cap is to be fixed on the top of a chimney pot, or made as part thereof, which cap is to contain a brush, secured from injury by yielding flaps enclosing the same; the said brush to be connected with an endless or single chain passing over a pulley within the cap.

The brush to be worked by means of a winch and rollers, both
15 upwards and downwards, so as to effect the purpose.

The motive power applied may be either by spring or hand with the attachment of a weight.

LONDON :
Printed by GEORGE EDWARD EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty. 1854.

