

Specification of George Kennedy Geyelin : furnaces and fire-places.

Contributors

Geyelin, George Kennedy.

Publication/Creation

London : Great Seal Patent Office, 1854 (London : George E. Eyre and William Spottiswoode)

Persistent URL

<https://wellcomecollection.org/works/cqf2xcbw>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



A.D. 1854 N° 1221.

S P E C I F I C A T I O N

OF

GEORGE KENNEDY GEYELIN.

FURNACES AND FIRE-PLACES.

L O N D O N :

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,

PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY :

PUBLISHED AT THE GREAT SEAL PATENT OFFICE,

25, SOUTHAMPTON BUILDINGS, HOLBORN.

Price 3d.

1854.



A.D. 1854 N° 1221.

Furnaces and Fire-places.

(This Invention received Provisional Protection, but notice to proceed with the application for Letters Patent was not given within the time prescribed by the Act.)

PROVISIONAL SPECIFICATION left by George Kennedy Geyelin at the Office of the Commissioners of Patents, with his Petition, on the 1st June 1854.

I, GEORGE KENNEDY GEYELIN, of Camden Town, in the County of Middlesex,
5 do hereby declare the nature of the said Invention for "**IMPROVEMENTS IN
FURNACES AND FIRE-PLACES FOR FACILITATING THE CONSUMPTION OF SMOKE**" to be
as follows:—

The improvements consist in forming that part of the fire-place or furnace
which receives the fuel into a chamber of a cylindrical or other form, capable
10 of rotation or inversion after each fresh supply of fuel, so that the smoke and
particles of combustion from the fresh charge may have to ascend through and
be consumed by the previously ignited fuel. The bars may be made hollow for
water in connection with a suitable boiler.

LONDON :

Printed by GEORGE EDWARD EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty. 1854.

