

Specification of Thomas Wicksteed : manufacture of sewage manure.

Contributors

Wicksteed, Thomas.

Publication/Creation

London : Queen's Printing Office, 1854 (London : George E. Eyre and William Spottiswoode)

Persistent URL

<https://wellcomecollection.org/works/jgx5tn4t>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



A.D. 1854 N^o 193.

S P E C I F I C A T I O N

OF

THOMAS WICKSTEED.

MANUFACTURE OF SEWAGE MANURE.


L O N D O N :

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY :

PUBLISHED AT THE QUEEN'S PRINTING OFFICE, EAST HARDING STREET,
NEAR FLEET STREET.

Price 3d.

1854.





A.D. 1854 N° 193.

Manufacture of Sewage Manure.

LETTERS PATENT to Thomas Wicksteed, of Leicester, in the County of Leicester, Civil Engineer, for the Invention of "**IMPROVEMENTS IN THE MANUFACTURE OF SEWAGE MANURE.**"

Sealed the 29th March 1854, and dated the 26th January 1854.

PROVISIONAL SPECIFICATION left by the said Thomas Wicksteed at the Office of the Commissioners of Patents, with his Petition, on the 26th January 1854.

I, **THOMAS WICKSTEED**, do hereby declare the nature of the said Invention for
5 "**IMPROVEMENTS IN THE MANUFACTURE OF SEWAGE MANURE**" to be as follows:—

I precipitate the fertilizing matter from sewage water by mixing it with lime and finely divided charcoal in the following manner:—I reduce the charcoal to fine powder, and I mix it and the lime with water, and I add this mixture to the sewage water by allowing a stream of the mixture to flow into
10 another stream of the sewage water by means of two pumps, one for the mixture and the other for sewage, properly proportioned, and working stroke and stroke together or otherwise. The united stream is well mixed by agitators, and passes into a reservoir where a precipitate soon subsides. This precipitate is collected and dried by exposure to the air with or without the aid of heat, or
15 by means of centrifugal machinery, as described in the Specification of former Letters Patent granted to me, and bearing date respectively at Westminster, the 24th February 1851; at Edinburgh, the 19th February 1851; and at Dublin, the 26th February 1851. The charcoal may be ordinary wood char-

Wicksteed's Improvements in the Manufacture of Sewage Manure.

coal, or charcoal made from peat, tan, or bones, or lamp black, or the refuse charcoal obtained in the manufacture of prussiate of potash or other description of carbonized matter.

The charcoal must in all cases be reduced to fine powder.

SPECIFICATION in pursuance of the conditions of the Letters Patent, filed 5
by the said Thomas Wicksteed in the Great Seal Patent Office on the
24th July 1854.

TO ALL TO WHOM THESE PRESENTS SHALL COME, I, THOMAS WICKSTEED, of Leicester, in the County of Leicester, Civil Engineer, send greeting. 10

WHEREAS Her most Excellent Majesty Queen Victoria, by Her Letters Patent, bearing date the Twenty-sixth day of January, in the year of our Lord One thousand eight hundred and fifty-four, in the seventeenth year of Her reign, did, for Herself, Her heirs and successors, give and grant unto me, the said Thomas Wicksteed, Her special licence that I, the said Thomas Wick- 15
steed, my executors, administrators, and assigns, or such others as I, the said Thomas Wicksteed, my executors, administrators, and assigns, should at any time agree with, and no others, from time to time and at all times thereafter during the term therein expressed, should and lawfully might make, use, exercise, and vend, within the United Kingdom of Great Britain and Ireland, 20
the Channel Islands, and Isle of Man, an Invention for "**IMPROVEMENTS IN THE MANUFACTURE OF SEWAGE MANURE,**" upon the condition (amongst others) that I, the said Thomas Wicksteed, by an instrument in writing under my hand and seal, should particularly describe and ascertain the nature of the said Invention, and in what manner the same was to be performed, and cause the 25
same to be filed in the Great Seal Patent Office within six calendar months next and immediately after the date of the said Letters Patent.

NOW KNOW YE, that I, the said Thomas Wicksteed, do hereby declare the nature of the said Invention, and in what manner the same is to be performed, to be particularly described and ascertained in and by the following 30
statement thereof (that is to say):—

I precipitate the fertilizing matter from sewage water by mixing it with lime and finely divided charcoal in the following manner:—I reduce the charcoal to fine powder, and I thoroughly mix it and the lime with water so as to obtain a uniform cream or milk of lime and charcoal. I add this mixture to the sewage 35
water by causing a stream of the mixture to flow into a stream of the sewage

Wicksteed's Improvements in the Manufacture of Sewage Manure.

water by means of two pumps, one of which pumps in the aforesaid mixture, while the other pumps the sewage water. These pumps work together, and are of such proportions that they may deliver the proper relative proportions of each liquid. These proportions may be varied according to the richness of the
5 sewage water, and the strength of the mixture of lime and charcoal. It is convenient to make the lime and charcoal pump of about one thirty-fifth of the capacity of the sewage water pump, and to provide it with an adjustable lever so that the proportion of liquid raised by it may be varied. The proportion of the lime and charcoal may also be varied by varying the strength
10 of the mixture, which is kept in constant motion by means of an agitator, to prevent the separation of the lime and charcoal from it, and to preserve its uniformity. When the sewage water is not raised by a pump, the lime and charcoal mixture may be allowed to flow into it through a valve or cock properly adjusted so as to deliver the necessary quantity.

15 The united stream of sewage water and lime and charcoal mixture is conducted through a cistern or cisterns containing an agitator or agitators, by which the whole is thoroughly mixed together, and it then passes into reservoirs in which a precipitate soon subsides to the bottom. This precipitate is the sewage manure, which is collected and dried by exposure to the air with
20 or without the aid of heat, or by means of centrifugal machinery, as described in the Specifications of certain other Letters Patent granted to me, and bearing date respectively at Westminster, the Twenty-fourth day of February, in the year of our Lord One thousand eight hundred and fifty-one; and at Edinburgh, the Nineteenth day of February, in the year of our Lord One thousand
25 eight hundred and fifty-one; and at Dublin, the Twenty-sixth day of February, in the year of our Lord One thousand eight hundred and fifty-one.

The charcoal above mentioned may be ordinary wood charcoal or charcoal made from peat, tan, or bones, or lamp black, or the refuse charcoal obtained in the manufacture of prussiate of potash or other description of carbonized
30 matter. It must in all cases be reduced to fine powder, and thoroughly mixed with the water. The lime and charcoal may be separately mixed with water, and introduced by separate pumps, but I prefer to mix them together, and to employ the same pump for introducing them. By proceeding in the manner herein-before described, the charcoal and the lime are thoroughly mixed with
35 the sewage water, whereas, if powdered charcoal were simply scattered upon the sewage water in the reservoir, the mixture would be very imperfect and unequal.

Having now described the nature of my said Invention, and in what manner the same is to be performed, I wish it to be understood that I do not

Wicksteed's Improvements in the Manufacture of Sewage Manure.

claim generally the addition of lime or charcoal to sewage water; but what I claim is,—

The mixing lime and charcoal with sewage water, in manner herein-before described, in and for the manufacture of sewage manure.

In witness whereof, I, the said Thomas Wicksteed, have hereunto set my hand and seal, this Twenty-second day of July, in the year of our Lord One thousand eight hundred and fifty-four.

THO^S WICKSTEED. (L.S.)

Witness,

CHARLES THOMAS WARD,

7, Market Street,

Leicester.

10

LONDON:

Printed by GEORGE EDWARD EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty. 1854.