

**Florae Altdorffinae deliciae hortenses, sive catalogus plantarum horti  
medici / [Moritz Hoffmann].**

**Contributors**

Hoffmann, Moritz, 1622-1698.

**Publication/Creation**

[Altdorf] : H. Meyer, 1677.

**Persistent URL**

<https://wellcomecollection.org/works/mwf8v8g5>

**License and attribution**


This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

FLORÆ ALTDORFFINÆ  
 DELICIÆ HORTENSES,  
SIVE  
**CATALOGVS  
 PLANTARVM HORTI  
 MEDICI,**  
QVIBUS  
**POST FELICIVM TEMPORVM  
 REPARATIONEM,**  
AB  
**ANNO CHRISTI CIC IDC L.**  
VSQVE AD ANNVM  
**CIC IDC LXXVII.**  
AVCTIOR EST FACTVS.  
**PRÆFECTO EJVSDEM**  
**M A V R I C I O H O F F-**  
**M A N N O, MED. D.**  
 ERENISS. ELECT. ET MARCHIONVM  
 BRANDENB. REIQ; PVBL. NORIMBERG.  
 ARCHIATRO.

...  
 : (o) :  


ALTDORFFI,  
 Typis HENRICI MEYERI, Universitatis  
 Typographi.

*Magnificis Nobiliss. Perstrenuis atq; Prudentissimis*  
**VIRIS**

DN. GEORGIO PAULO *Jm Hoff* / S. R. I. Castellano.  
DN. ANDR. GEORGIO *Paumgartner* / von und  
vff Holenstein und Lohnerstatt.  
DN. GEORGIO SIGISMUNDO *Führer* / von Haimen-  
dorff Steinbühl und Himmelgart.  
DN. JODOCO WILHELMO *Ebner* / von Eschenbach.  
DN. GEORGIO CHRISTOPH. VOLCAMERO.  
DN. GABRIELI *Nüzel* / von und zu Sündersbühl.  
DN. GEORGIO FRIDERICO *Behaim*.  
DN. WILHELMO *Jm Hoff*.

Inclutæ Reipublicæ Norimbergensis  
**Duumviris, Septemviris & Scholarachis**  
Dominis & Patronis summâ observantiâ colendis.

*S. P.*

**A**rtém servandorum hominum divinam  
quam *Magnus Hippocrates* ad tot seculorum, tot po-  
pulorum consensum diù ante, quām vel simplex Ve-  
ritas auctoritate Doctorum discrepantium obscu-  
rior, vel viētus pravitas cum Venæsectionis ac Pur-  
gationis abusu, Sudationisq; neglectu, Contagium  
item Scorbuticum ac Venereum, morborum novorum passim in-  
gruentium, matres fœcundæ fierent, meritissimo suo Longam pro-  
nunciavit, duo præcipue eam exercentibus facilem, dissentibus  
admodūm difficilem reddunt, affictis autem salutarem præstant  
PARTIUM nempè corporis humani diversimodè operantium atq; laboran-  
tium, adeòq; curationem peculiarem sibi postulantum varietas, & REME-  
DIORUM pro benignitate, optimæ rerum parentis, Naturæ è plantis pa-  
sim in superficie terræ mortalium oculis expositis seligendorum multitudi-

Ob alterutrius enim ignorationem pro salute speratâ ægro morbi & mortis periculum accelerari solet, fati violentiâ aut naturali vitæ hominis periodo sæpè hauddum urgente. Nihilominus utriusq; studium, ut esse solet conditio rerum præstantissimarum usuq; maximarum, sed laboris plenarum, per insolentiam generis humani, non solum Medico quasi fastigio indignum, Pharmacopæis & Chirurgis tonsoribus passim, pessimis ægrotantium rebus, relinquitur, frustrâ reclamantibus optimis quibusq; & doctissimis Medicis; sed etiam ab Artis, Vitæq; brevioris Magistris, nihil nisi Panacæas suas metallicas, ex horridâ Manium sede conquisitas, extollentibus, curiositatis superfluæ insimulatur, ignaviæ illorum horum insaniâ subveniente. At verò prudentioribus utriusq; cura adeò necessaria Medicis omni tempore credita fuit, ut magnum salutis publicæ incrementum non sine ratione inde speraverint. Et jam Principibus Viris & Magnatibus varios per Europæ tractus Theatra Anatomica & Botanica ad auctorum suorum vota operas suas cum salute populi conjunctissimas probârunt, geminoq; hoc commodo secula sibi devinxerunt. Quin præclari labores Anatomici Caspari Hoffmanni, & Botanici Ludovici Jungermanni, Antecessorum meorum, Athenæum Vestrum Altdorfinum, quaquaversum celeberrimum præstiterunt, Vestroq; generoso favore, rei Medicæ perfectionē respiciente, excitati, duce rectâ ratione, pravam illam, quæ multorum mentes occupârat, opinionem ita expugnârunt, ut vix amplius invidiæ illa vox audiatur, *Cui bono, dicentis, utrumq; illud bonum, Corporis humani scilicet curatiùs dissecti contemplatio & vegetabilium potentium frequens inspectio?* Proinde horum, aliorumq; per Europam Clarissimorum Virorum vitam, valetudinemq; Mortalium promoventium vestigiis, quamvis longo intervallo, insistens, ut Artis studium porrò apud nos, æquè ac apud Germaniæ nostræ vicinas Nationes facillimum sit, atq; per paucos labores multum proficiatur, Medendi scientiæ deditæ Societati nostræ non modò fundamenta Valetudinis tam prosperæ, quam aduersæ, per Corporum humorum, brutorumque dissectiones sive Anatomen physio-pathologicam, in umbris Theatri nostri, sed & præsidia utriusq; sub chiliade plantarum hortensium quotannis hæc tenus alternatim nec sine successu in Horto Medico demonstravi; Intereaq; juvandæ memoriæ

ergò earundem Florilegium, Loca & menses, quibus sub Cœlo Norico  
vigent, indicans conscripsi, inq; hoc elencho olim edito desiderata-  
rum nomina supplevi, synonymaq; Botanicorum laudatissimorum  
*Alpini*, *Aldini*, *Bauhini*, *Camerarii*, *Clusii*, *Cornuti*, *Dodonæi*, *Ferrarii*,  
*Lobelii*, *Matthioli*, *Tragi*, *Tabernæmont*. aliorumq; sed præcipuè *Officina-*  
*rū* addidi, ut quæ remedia in usum afflictæ valetudinis experientia Me-  
dica dudum vindicavit, præ cæteris observari, quævè publicè paucis  
in *Floræ Theatro* ad naturam sanguinis, in cuius massam potentissimæ,  
explicantur, lectione istorum auctorum privatâ confirmari, fructusq;  
laboris copiosiores in discentes redundare possint, quò minus sub  
imperio esse cogantur ministrorum, in plerisq; imperitorum, nihilo-  
minus Junioribus Medicis persæpè insultantium.

Vestrīs autem *VIRI Magnifici Nobiliſſ. Perſtrenui atq; Prudentiſſi-*  
*mi*, eo quo decet, observantiæ cultu, oculis nunc illum Indicem,  
plantar. scil. in horti pulvillis, areolisq; ac fictilibus etiamnum verna-  
tium, per geminum proximum decennium novo incremento locu-  
pletiore redditum, ceu operæ meæ dulcamaræ delineationem, of-  
ficii mei ratione submitto, ut quemadmodum *Theatrum Anatomi-*  
*cum* spacio horum XXV. annorum per dissektiones variorum cor-  
porum; sic *Theatrum Botanicum* quoq; & *Plantarum Hibernaculum*  
per exoticarum numerum auctum, pariterq; *Laboratorium Chymi-*  
*cum* tantoperè expetitum, Vobis commendatissimum reddam, ac  
ad impensas necessarias sumministrandas invitem, hocq; modo  
Medendi studio feliciùs incrementum conciliem. Quamvis aliud  
de Vobis mente præcipere & palam prædicare vix ausim, qui in-  
victa virtute Atlantes coelum patriæ sustinetis, omnia pro Justitia pru-  
denter, pro communi civium salute strenuè, pro universa Republ. &  
Academiâ piè ac benignè geritis. Sed & grandem gratiam, quam alii  
Proceres ab Orbe Christiano pro commoditatibus istis Medicis sibi  
postulant, Vestræ Illustri Reipubl. quoq; deberi, rectèq; imputari  
ipso facto clarissimè demonstratis, magnâ gloriæ Vestræ accessione,  
maximo Rei & Societatis nostræ Medicæ emolumento. DEUS O. M.  
Votis meis pleniùs faveat & Vos diutissimè Bono Vestro & publico  
superesse jubeat! Dab. Altdorffī Kal. Novemb. A. cl̄o Ioc LXXVI.

*MAGNIF. NOBILISS. PERSTR.*  
*AMPLIT. V.V.*

omni cultu & obsequio  
deditissimus

*MAURICIUS HOFFMANN, D.*

# CATALOGUS PLANTARUM HORTI MEDICI ALTDORFFINI.

A.

**A**BIES *Matth. alior. alba Bauh. Majo.*

*Abrotanum vulgare mas Matth. alicrumq; & Officin. Aug.*

*Camphoratum magnum Camer. Eod.*

*fœmina Matth. f. teretib. Bauh. Chamæcyparissus.*

*fœmina Hispan. Santolina. III. Dod. Jul. Aug. (Jun.*

**Absinthium vulgare Matth. alior. & Officin. Jul.**

*Ponticum tenuifol. incan. Bauh. & Offic. Aug.*

*arboresc. Lob. insipidum. Dod. Sept.*

**Acacia Indica Mexicana Aldini. ex semine raro adolescens.**

*II. Matth. Camer. Trifolia Bauh. Majo Jun.*

**Acanthus mollis verus & Matth. Branca ursina Italor. Jul. Aug.**

*Sylvestris Dodon. spinosus.*

*Germanicus Fuchsi. Branca ursina Officin. Jul.*

**Acanthium Matth. alior. vulgare fol. latior. fl. purpur. Jul.**

*fl. albō. Eod.*

*album Hispan. Leucacantha fol. angustior. fl. purp. Aug.*

**Acarna humilis caule folioso Bauh. Chamæleon niger. Tab. Aug.**

*major caule fol. Bauh. Chamæleon niger Salmaticensis Clus. Aug.*

**Acer major Cordi, Platanus Germanica. Maij pr.**

*minor Cordi, Dod. Opulus Gesn. Eod.*

**Acetosa Offic. vulgatior pratensis, Oxalis Matth. al' Majo, Jun.**

*Iaciniata sive Oxalis montana maxima Clus. Eod. Jun.*

*crispa Tabern. Eod.*

*rotundifol. Dod. scutata sive argentea repens. Eod.*

*Vesicaria peregrina Eystett. f. Americana annua Bauh. in prodr.*

*Lanceolata arvensis major, Oxalis min. Matth. Jun. (Jun.*

*minor tota rubra, minima Schwenckf. Eod.*

*Ocimifolia βγκεφαλή φοργ; Fabii Colum. Aug. Sept.*

**Acetosella V. Oxys.**

A

Aconi-

ꝝ 2. [ꝝ]

- Aconitum hemale** *Cam.* monophyllum fl. simplici hexaphyllo. Febr.  
 fl. per coalescentiam caulum multiplici. Eod.  
 racemosum, Christophoriana *Dod.* al' Majo.  
**Pardalianches** *Baub.* Thora Valdens. *Clus.* Mart. Apr.  
**Lycoctonum lut.** *Cam.* *Thal.* Luparia *Tragi* præcox min. Jun.  
 pallidum serotinū majus sive VI. *Cam.* ep. Aug.  
 fl. saturatè cœrul. sive Napellus *Matth.* major  
 fl. dilutè cœrul. serotin. Sept. (Tab. Aug.  
 fl. cinereo. Aug.  
 salutiferum, Napellus Moysis, Anthora *Herbar.* & *Offic.* Aug.  
 Helianthemum Cannad. *Cornuti*, Doronicum Americ. lac.  
*Baub.* Jul. & seq.  
**Acorum** *Matth.* Tab. hortense odoratus, pro floribus julos profert.  
 palustre, Calamus aromaticus verus *Offic.* Jul.  
**Adiantum album** *Offic.* Ruta muraria *Dod.*  
 nigrum *Offic.* rubrum *Loniceri*, Trichomanes *Matth.*  
~~angōχιστον~~ sive furcatum *Thalii*, quor. singulor. folia aversa  
 scobe fusca, forte spermatica, exasperantur.  
**Adonis hortens.** fl. rubro, Eranthemum *Dodon.* Majo & Jun.  
 arvensis fl. miniato. Anemone agrestis *Tragi.* Eod.  
 fl. luteo pallido. *Camer.* Eod.  
**Ægilops altera** *Matth.* peregrina *Dod.* Aug.  
**Ægopogon pratense**, Ullmaria *Lob.* & *Offic.* flor. compactis. Jun.  
 sylvarum, Drymopogon. flor. sparsis, Barba capræ *Tragi*  
**Æthiopis** *Matth.* *Dod.* al' foliis sinuosis *Baub.* Majo, Jun. (Cam. Jun.  
 foliis primis in profundas lacinias divisis. *Ejusd.* Eod.  
**Ageratum luteum**, Eupatorium *Mesua* foliis serratis. Jul.  
**Agnus castus** *Officin.* Vitex *Matth.* fl. albo. Jul.  
 fl. cœrulesc. Eod.  
**Agrifolium** *Dod.* Aquifol. *Matth.* alior. vulgare frutescens.  
 fol. variegatis sive pictis.  
**Aizoum** sive sempervivum arborescens fl. lut. *Matth.*  
 majus vulgare *Matth.* & *Offic.* Jun.  
 minus Stiriacum, majoris facie, Cotyledon altera II  
*Clus.* Jul.  
 minus petræum sive alpinum VI. *Clus.* fl. lut. Lev  
 coium aizoides *Col.* Apr.  
 tomentosum rubrum mont. γαραλωδες *Col.* Jun.  
 ferræ

serratum *Cordi*, Cotyledon serratifolium. Eod.  
 Teretifolium minus album *Baub.* Jul. & Jun.  
 Causticū minus sive Vermicularis *Tragi* & *Offic.* fl. aur. Jun.  
 Insipidum sive Vermicularis insipida *Thal.* Eod.  
 alpinum *M Baldi* fol. lentiformib. fl. albis non punctatis. Jul.  
 palustre *Cam.* fl. incarn. *Eystett.* Junio.  
 fl. purpur. *Bauh.*

minus fruticesc. f. *Sedum* minus arboresc. vermiculatum  
 tridaetylites V. *Alfine.* (Lobel.)

Hæmatodes *Lob.* minus V. *Clus.* lut. fol. acuto *Baub.* Jul.  
 Scorpioides sive fl. lut. inflexo *Cam.* Eod.

monstrosum, ex acutifolio demitis cymis sive summitatib.

*Alcea vulgaris* *Matth.* *Lob.* *Dod.* & *Offic.* Junio & seq. (degenerans.  
 tenuifol. congerie florum niveorum moschatâ. Jun.

*Cannabina* fruticans *Clus.* *Cam.* Jul. Aug.

Veneta *Tragi* Vesicaria *Dodon.* Hypecoum *Matth.* *Baub.* Eod.

Ægyptiaca, Ab el mosch. *Veslingi.*

Arborescens *Cam.* *Ketmia* fl. albo.

fl. purpur.  
 fl. suaverub.  
 fl. variegato. } Aug.

Indica parvo flore sive *Bamia* Alexandrina siliqua pentag. *Clus.*

magnō flore *Baub.* *Sabdariffa.* *Lob.* *Cam.* *Tab.* Sept.

*Alchimilla* *Offic.* *Stellaria* *Matth.* *Sanicula major* *Chir.* Majo, Jun.  
 montana minima *Col.* Percepier Anglor. *Lob.* Jul. & seq.  
 argentea alpina, *Stellaria argentea* *Cam.* Eod.

*Alliaria* *Tragi* *Lob.* al' Pes asini *Pandectarii.* *Scordotis.* Majo.

*Allium saxatile* *Camer.* Bulbus *Vomitorius.* Aug.

serpentinum, scorodoprasum II. *Clus.* Jul.  
 peregrinum spherocephalum album f. scorodoprasum I. *Clus.* Jun.  
 vulgare *Cam.* & *Offic.* sativum *Dodon.* Jul.  
 alpinum *Dod.* *Victorialis* mas *Tab.* longa *Clus.*  
 ursinum *Matth.* *Cam.* bifolium sylvestre. Majo.  
 lut. bicorne *Juncifol.* Jun.

*Alnus nigra* baccifera, *Frangula* *Matth.* & *Offic.* Majo.

*Aloë Americana* *Clus.* spinosa *Camer.* fol in oblongum aculeum abeunte  
*Baub.* m. Aug. in viciniā floruit.

spinosa fol. non in aculeum oblongum desinente.

Vulgaris *Matth.* al' suspensa semper vivit, dum ē pristinis foliis ta-  
bescens nova succrescunt.

**Alopecuros Dodon** Cauda Vulpina. Jul.

**Alfine** foliis triflaginis *Lob.* Chamædryfol. *Bauh.* Apr. Majo.  
repens *Clus.* baccifera, Cacubalum. Aug.

tenuifol muscosa *Bauh.* Majo & seq.

hederacea *Tab.* spuria prior *Dod.* Martio & seq.

**Officin.** sive minor multicaulis *Bauh.* per totam æstatem.

tridactylites cœrul. *Bauh.* Apr. & Majo.

minor *Androsaces* alt. *Matth.* facie sive *V.* *Bauh.* in *Prodr.* Jun.

tridactyl alba, petræa *Tab.* *Saxifragella* habenda. Majo.

muscosa *Bauh.* cruciato fol. ordine Majo & seq.

maxima *Lob.* major *Dod.* Eod. & seqq.

palustris serpillifolia min. *Bauh.* Julio.

**Althæa** major vulgar. *Herbar.* *Ibiscus*, & *Bismalva* *Officin.* Julio.  
laciniato fol. *Bauh.* *Pannonica* IV. *Clus.* Aug.

semperfiriens frutic. *Doldii*, *Bryoniæ* fol. *Bauh.* in *Prod.* Eod.

annua fl. luteo *Theophr.* *Bauh.* *Abutilon* *Avicennæ* *Matth.* Jul.

hortensis sive peregrina *Dod.* *Sida vulgò* *Cam.* Oct.

Japonica sive Indica, *Rosa Sinensis* *Ferrar.* Sept.

**Alyssum** *Dioscor.* *Dod.* *Lunaria lutea* aspera. Majo, & Junio.

Galeni *Clus.* *Dod.* Jun. & seqq.

*Matthioli* *Camer.* minim. *Clus.* *Thlaspi Græcum* *Lob.* Majo.

**Amaracus Matth.** *Majorana vulg.* annua latifol. & *Offic.* Jul.

tenuior s. tenuifol. urbana *Cam.* fruticesc. Junio.

*Anglicus*, odore origani repens sive *Majorana sylv.* perennis  
*Camer.* Jul.

**Amarantus** major fl. obsoleti coloris *Dod.* *Blitum Peruvianū* *Cl.* Jul. Aug.

minor dilutiore florum colore fol. angustior. *Bauh.* Eod.

*Panicula simplici ruberrima*, *Amaranthus* *Matth.* Julio.

*Cristatus* *Cam.* Eod. fol. & flor. sæpè rubentib.

*pictus* sive *tricolor* *Tab.* *Blitum maculosum* *Dod.* Aug.

totus luteus Indicus. Eod.

*Unicolor.* fl. verticill. herbac. *Blitum album* *Matth.* Eod.

*Indicus pannic.* aur. spicatus. Aug.

pann. alba spic. Eod.

surrectus *Corchorifolius* non ferratus spicis herbac. Jul. & seq.

*Baccifer* Ind. *Vest.* *Bella donna* racem. maxima. Aug. Sept.

Indi-

**Indicus Caudatus** *Veslingi*, fl. suaverub.

fl. albis.

fl. flavesc. Aug.

**Ammi Fuchs.** majus *Baub.* vulgare *Dod.* Ammioselinum. *Tab. Jul.*

**Amygdalus** vulgaris arbor. *Herbar.*

pumila fol. angust. fructu min. *Apr.*

**Anagallis phœnicea** mas *Lob al'* Corallium *Offic.* Majo & seqq.

bifol. cœrulea fœmina *Lob. al'* Jun. & seqq.

nemorum lutea, Numularia sylvat. five mas *Gesn.* Majo & seq.

aquatica angustifol. fl. incarn. Jun.

angustifol. scutellata *Baub.* Jul.

rotundifolia, Beccabunga *Officin.* Majo & seq.

trifolia cœrulea, tenuifol. Monnelli *Clus.* Jun.

**Inagyris foetida** arbor *Lob I. Cam. Tab.* (Majo.

non foetida, Arbor trifolia *Cordi.* Laburnum fol. atrovirent.

foliis argenteis splend. *Eod.*

**Androsace alt.** *Matth Clus.* Jul. Aug.

**Androsænum majus** *Cam H. Siciliana* *Tab.* frutescens. Jun.

minus *Cam.* angustiorib. fol. foetidum, *Tragium Cret.*

*Bellon.* Jun.

**nemone latifolia** versicolor, Chalcedonica major *Tab.* Junio.

flor. purpur. simpl.

pleno.

flor. albo simpl.

pleno.

fl. incarnato simpl.

pleno.

fol. saniculæ stellata five hortens. III. fl. simpl. *Clus.* Eod.

tenuifol. fl. ex albo & miniato varieg. pleno.

fl. albo pleno.

fl. miniato pl.

**Trifolia Dodon.** Majo.

Sylvestris five Pannon. *Dod.* III. *Matth.* Eod.

Cardinalis dicta fl. miniato medio puniceo. Jun.

**nethum** *Herbar.* & *Officin.* Jun.

**angelica sativa** *Tragi Matth.* & *Offic.* Jun.

lucida Cannad. *Cornuti*, fol. splendidib.

aquatica *Gesn.* & *Baub.* Augusto.

¶ 6. [¶]

- Sylvestris errat. *Baub.* Podagraria. Majo.
- Anguria *Matth.* *Dod.* al' *Citrullus Officin.* Julio.
- Anisum *Herbar.* & *Officin.* Julio.
- Anonis spicata sive alopecuroides Lusitanica non spinosa. Jul. & Aug.  
Iutea non spinosa, unctuosa fœt. *Natrix Plin.* *Lob.* Jun. & seq.  
ananthes siliquis ovalibus, Anonis lutea sylvestr. minima Col.  
vulg. spin. fl. purp. *Resta Bovis Offic.* Jun. (Jun. & seq)  
vulg. non spin. fl. albo. Eod.
- Anonymous fol. buxi varieg. V. Buxum.
- Linifol. *Clus.* Linaria mont. flosc. albic. *Baub.* Jul.
- Anserina *Tragi*, *Tab.* & *Offic.* Potentilla. Jun. & seqq.
- Anthyllis leguminosa *Lob.* *Clus.* Lagopodium *Tab.* fl. luteopall. Majo.  
fl. rubro. Jul.  
fl. albo. Eod.
- Antirrhinum majus fl. roseo *Camer.* Jun. & seqq.  
fl. incarnato.  
fl. intensius rubro *Eystett.*  
fl. albesc. striato.  
medium *Cam.* s. angustif. Ital. fl. albo rictu striato. Jun. & se  
minus arvense *Baub.* minim. *Thal.* Eod.  
majus arvense *Baub.* rubrum *Thal.* Bucranium *Cordi.* Eod.
- Aparine vulgaris *Herbar.* aspera *Thal.* Φιλάνθρωπος. Jun.  
sive Asperula cœrulea *Lobel.* *Dod.* granulis spadiceis. Eod.  
aurea *Dod.* cruciata aurea *Tragi*, Herniaria *Thal.* Majo.
- Apios Americana *Cornuti*, flore galeato carneo. Jul. Aug.  
*Tragi*, Pseudapios *Matth.* Chamæbalanus *Tab.* fol. roseo. Jun.
- Apium *Offic.* palustre sive Eleoselinum *Dod.* paludarium *Gazæ.* Jun.  
hortense *Matth.* *Dod.* Petroselinum vulgare & *Offic.* Jun. & J  
palustre sativum *Matth.* quoad fig. Selino Italor. & Capucino  
quo in mensis secundis gaudent; Geoselinum ex Eleot  
lino factum *Col.* Hippocelinum *Simon. Pauli.* Jul.
- crispum, Petroselinum crispum. *Camer.* Eod.  
Macedonicum, Petrosel. Macedon. *Mattb.* & *Offic.* verum. Ju
- Creticum, Smyrnium Cretic. *Matth.* Aug.  
latifol. *Baub.* sativum majus ranunculifolium. Jul.  
montan. fol. ampl. *Baub.* quasifractis *Jungerm.* Oreoselinum si  
Veelguta *Dod.* Eod.
- mont. fol. tenuior. *Baub.* Aug.

¶ 7. ¶

- Apocynum repens Matth.* Periploca altera *Dod.* Jun.  
*Syriacum Beid el Isar. Alpini & Vessingi.* Jun.  
*Americanum s. minus rectum Cannadense Cornuti.* Jun.  
*latifolium I. Clus.* Periploca latifol. *Lob.* Eod.
- Aquilegia Officin. & Herbar.* flor. simplici albo.  
 flor. simpl. incarn.  
 flor. simpl. cœrul.  
 violac.  
 cinereo.  
 purpureo.  
 atro rubente.  
 variegato. } Majo & Junio.
- flor. pleno iisdem fl. colorib.  
 ex albo & cœrul. varieg.  
 ex purpureo & albo varieg.
- pumila præcox Cannad. Corn.* Maji init.  
*rosea sive stellata fl. simpl. cinereo.*  
 albo.  
 violaceo.
- fl. pleno iisdem color.  
*flore inverso roseo.*  
 albo.  
 cinereo.  
 cœruleo.
- Degener *Cam. Clus.* s. in umbris virescens fl. muscoſo  
 vitioso ex pluvia per arbores destillante.
- Arachydna*, *Viciæ similis* suprà infrâq; terram fructum edens *Bauh.*  
 $\alpha\mu\phi\iota\kappa\alpha\rho\pi\Theta.$  Jul.
- Aracus niger Matth.* Ochrus fol. integro capreolos emittente *Bauh.* Jun.  
*Arbutus Matth.* *Dod.* fol. serrato *Bauh.*
- Arbor Judæ Bellon.* siliqua sylvest. *Clus. Cam.* Apr. & Maji initio.  
 Vitæ, Thuya *Theophrasti*, Majo & Jun. nucamenta profert.
- Arisarum angustifolium Clus.* alterum *Matth.*
- Aristolochia adulterina*, *Fumaria bulbosa Offic.* fl. albo.  
 sive *Radix cava Offic.* flor. rubro. } Apr.  
 flor. incarn. }
- radice non cava major *Bauh.* fl. purpureorubesc. folioso.  
 minor. *Ejusd.* (Eod.  
 Pisto-

¶] 8. [:¶]

*Pistolochia dicta Baub.* Dod semper virens fl. utric. recurvo  
longa vera *Dod.* Cam. Jun. (lurido. Jun.

longa clematitis vulg. *Clus.* serpens *Baub.* fl. lut. Jun.

rotunda vera *Tragi*, *Camer* al' & *Offic.* Majo & Jun.

*Artemisia vulgaris Herb.* & *Offic.* major *Baub.* caule & fl. rub. Jul.  
caule & fl. subpall. Eod.

picta sive foliis maculis buxeis variegatis. Eod.

fol. Lavend. *Clus.* marina *Lob.* Absinth. mar. *Cam.* foliis sum-  
mis incisis. Aug.

*Arthritica Gesn.* simplex lut. flore *Cam.* *Primula Veris* & *Herba paraly-*  
*vulg.* & *Offic.* Apr.

*Gesn.* multiflora, *Verbascum pratense polyanthemum.* Eod  
pleno flore *Cam.* *Primula Veris* *Anglica Eystett.* Eod.

inodora palustris fl. luteopall. præcox polyanth. Eod. & Nov  
monanthemos sive fl. singulari pallido pleno. Apr.

umbell. fl. purpur. *Cam.* *Primula Veris*, rubra I. *Clus.* Majo.

prolifera lutea, *Primula Veris* prolifera *Tab.* Apr.

prolifera variegata s. flor geminatis luteo rubesc. Apr. & Ma

*Turcica* s. *Carchichec.* *Turcar.* *Corn.* fl. simpl. purp. Apr. & C  
fl. pleno Apr. (etol)

fl. niveo. Eod.

*Artischochus V.* *Carduus.*

*Arum vulgare Cam.* sive majus non maculatum, *Aaron.* *Offic.* Majo.

maculatum *Tab.* argenteis & nigricantib. lituris signatum. Eod.

minus *Matth.* *Tabern.* Eod.

*Ægyptium Matth.* *Colocasia*, *Faba Ægyptia al'*.

palustre *Gesn.* *Dracunculus aquat.* *Matth.* *Dod.* Jul. Aug.

*Arundo Italica major Camer.* *domestica Matth.* Aug.

*Laconica Theophr.* sive *Indica variegata Cornuti* fol. striatis.

*Asarum vulgare* & *Offic.* flor. odor. piper æmulantibus. Apr. & Majo.

*Asclepias* fl. albo. *Vincetoxicum Matth.* & *Offic.* Majo.

fl. nigro *Lob.* *Vincetox.* fl. nigro *Cam.* Eod.

*Aspalathus V.* *Genista.*

*Asparagus hort.* *Dod.* *Offic.* fol. ten. Apr. & Majo comeditur, fl. Jun.  
foliis crassioribus & baccis major. Eod

sylvestr. *Dod.* *Corruda dictus.*

*Asplenium Matth.* sive *Scolopendrium verum* & *Cetrach.* *Officin.*

*Asphodelus mas* sive major *Clus.* fl. albo. Majo.

mine

¶ 9. [:¶]

minor fl. albo *Clus.* fol. fistulosis s. junceis. Eod. & seq.  
fol. planis, An minimus *Clus.* Eod.

fœmina five Luteus *Cam. Dod.* Majo, & Jun.

Aster Austriacus IV. *Clus.* montan. lut. lœvis amplio flore rep. Jun.  
Atticus fl. cœrul. Ital. & German. latifolius. Jul.

angustifolius. Eod.

Attic. I. *Clus.* five Hispan. fl. lut. fol. circa florem spinosis. Jun. & seq.  
montanus luteus mas *Tab.* magno flore *Baub.* fol. in exortu angu-  
stis & foliolis fl. qd. scissis. Eod.

Americanus luteus alatus *Cornuti* procerior. Octob.

American. repens humilior, s. Asteriscus latifol. autumn. *Corn.* Aug.  
montan. lut. rep. hirsutior fol. amplexi caulis fl. ante expansio-  
nem muscosis, s. V. *Clus.* Julio.

montan. fol. Linar. rig. *Baub.* Austr. II. *Clus.* Eod.

Virginian. repens s. Americanus thyrsoides. Sept.

flore Tripolii *Baub.* fol. Linar. Jul.

Astragalus annuus minor. fl. viridi pallescente, siliquis bivalvis. Jul.

sylvat. *Thal.* fol. obl. glabr. *Baub.* Jun.

galoides *Dod.* fl. purpurascens. Julio.

tractylis *Matth.* & *Dod.* annua minor Italica, costa sanguinea. Jul.

major Cretica. Eod.

triplex marina *Matth.* five Veneta semine herbaceo. Julio.

rubra exotica, Spinacia rubra fragifera *Aldini*, Maj. & seq.

hortensis alba *Baub.*

rubra *Ejusd.*

} Junio.

fœtida, Garosnum *Cordi* & *Dod.* Majorana Veneta. Julio.

angustifol. sylv. fol. polygoni *Lob.* *Cam.* Jul.

fimetaria major *Thal.* sylv. II. *Matth.* Eod.

fimetaria minor *Thal.* sylv. I. *Matth.* Eod.

sylv. latifol. *Baub.* Pes anserinus *Lob.* Eod.

vena nigra *Baub.* sylvestrior *Cæsalpini*. Junio.

vulgar. s. alba *Baub.* sativa & vesca. Jun.

uricula muris repens minus hirsuta s. *Pilosella Matth.* Majo.

pratensis s. *Pilosella repens minor* *πλευρίστος*. Eod.

major exotica flammea, *Pilosella Indica Cornuti*. Jun.

muris major *Tragi*, *Pilosella pulmonaria maculata* an-  
tiphtis. Majo.

muris *Cam.* Loto affinis siliq. hirsut. circinat. *Baub.* Aug.

Ursi I. Clus. major ferotina fl. lut. odor. Majo.  
media præcox. fol. farinac. flor. luteo Apr. sæpè & Octob.  
fl. rubro. }  
fl. albesc. }  
fl. fusco. } Aprili.  
fl. variegato. }

minima alpina fl. niveo Clus. Tab.

Azedarach Avicennæ Dod. Pseudofycomorus Matth. Jul. Aug.  
B.

**B** Alfamine scandens sive mas Camer. Momordica Offic. Jul.  
fœmina Persicifol. Lob. Jul.  
spuria galericulata, Herba impatiens Dod. Noli me tangere  
Barba hirci f. Tragopogon Matth. vulg. fl. flavo. Majo & seq. (Jun. Ju.  
maj. fl. ampliori. Jun.  
majus fl. purp. cœur. sive alterum Matth. Ju.  
minus foliis laciniatis Column. Eod.

minor Anglica annua f. Tragop. f. gramineo fl. suaverubens  
Barba Jovis fol. argenteo Plin. Cam. Jun. (Col. Ju.

Bellis alpina major fol. rigido Baub. M. Baldi ramosa, Majo & Jun.  
sylvestris caule folioso Ejusd. major Matth. Eod.  
nostra rarer foliolis flor. discum ambientibus fistulosis. Jun.  
rarior flor. disco albo, al' lut. Eod.  
sylv. media Matth. Eod.

Cerulea, Globularia Lob. foliis oblongis planis.  
fol. rotundis sinuosis. Eod.

hortensis sive minor Matth. fl. simplici albo. Martio & seq.  
rubro. item Octob.  
incarnato.  
variegato.

fl. pleno iisdem coloribus.

prolifera Cam. florib. plurimis reflorescens. Eod.

spinosa Cret. Vest. ramosa. Jul. & seq.

Indica maxima autumnalis f. Conyzæ fol. & fl. bellidis. Sept.  
Berberis Offic. dumetor. Baub. Spina acida Dod. Crespinus Matth. Ma.  
απωρος Clus. sine nucleo Baub. succiplo fructu. Eod.

Beta alba Matth. major. Jun.

rubra vulgaris f. Tragi Dod. nigra Matth. Eod.

rubra Matth. Rapum rubrum Fuchs. mas atrorub. Jun.

fœmina pallens.

rotu

- rotund. pallidior Hispan. tener. substantiæ. Julio.  
 spinosa f. Cretica aculeato semine Baub. in Prodr. Jun.  
**Betonica vulgar.** & *Officin.* spica florum purpur. longiore. Jun.  
 foetida f. Stachys palustris Gesn. Jul.  
 alpina alba f. albo flore Dod. Cam. Eod.  
 ramosa, Mauriciana à loco natali dicenda. Eod.  
 picta f. foliis ex lut. & herbac. colore variegatis. Eod.  
**Bistorta major** *Vulg.* & *Offic.* fol. læviorib. Serpentaria Fuchs fl. incarn. Maj.  
 minor alpina Clus. Apr. fl. albo. Eod.  
**Blattaria lutea** vulgaris & major f. *Matth.* Dod. Jun.  
 fl. albo Cam. Eod.  
 fl. violaceo. Eod. & Jul.  
 minor crispa, fol. tenuiss. incisis flosc. caducis aureis. Jul.  
**Blitum rubr.** *Matth.* Cam. majus Baub. Jul.  
 Polyspermon, à sem. copia Baub. Eod.  
**Borago Vulg.** & *Offic.* Buglossum latifolium annuū. fl. cœrul. Maj. & seq.  
 fl. albis Tab. Eod.  
 Hispanica sempervirens latifol. Eystett. Majo.  
 minima fl. cœrul. Martio & Apr.  
 fl. albis. Apr.  
 Cretica odor. fl. varieg. Alp. Jul Aug.  
**Botrys Officin.** Botrys ambrosioides vulg. Baub. Jul.  
 Mexicana Baub. Parotte dicta. Jul. Aug.  
**Brasifca crispa** *Matth.* latifolia. Majo.  
 tenuifolia.  
 Epiphyllitis f. asparagodes Baub.  
 gongylodes Baub. Caulorapum dicta, caule rapum gerens Dod.  
 capitata alba Dod. Majo.  
 rubra Dod. Eod.  
 Cauliflora Dod. Cam. Aug.  
 Campestris I. Clus. f. perfoliata Baub. flor. albo. Majo.  
 alba Neapolitana, Broccoli di Napoli, fl. lut. Apr. & Majo.  
 Picta f. varieg. fol. prædita, albis scil. & rubris, fimbriis viridib.  
**Bryonia alba** Dod. f. baccis rubris Cam. *Officin.* Jun. (Majo.  
 nigra Dod. f. baccis nigris Cam. Majo & seq.  
 nigra racemosa Baub. Vitis nigra *Matth.* Jul.  
**Buglossum Germanicum** f. vulgare *Matth.* & *Offic.* fl. rubello Jun.  
 fl. albo. Majo & seq.  
 luteum

luteum quorundam fl. Hieracii s. Hieracium Echioides *Tab.* Jul.  
 erraticum asperum Echioides *Lob.* *sylvestre Dod.* Majo.  
 Bupleurum latifol *Dod.* *Tab.* foliis recurvis costam æmulantibus. Jul.  
     angustifol. minus five minimum *Col.* Sept.  
 Bursa pastoris *Matth.* & *Offic.* major vulg. fol. integris *Martio* & seqq.  
     fol. profunde incisis. Eod.  
     minor loculo oblongo *Baub.* Pilosella siliquata minor. *Cam.* Eod.  
     min. fol. incis. *Baub.* minima *Lob.* Crispula *Offic.* quar. Eod.  
 Buxus arboreseens, foliis latioribus fl. herbaceo. Jul.  
     humilis *Dodon.* foliis rotundioribus areolas horti muniens.  
     sylvestris fl. papilionaceis lutealbis, Anonymos fl. Colutheæ *Clus.*  
         fl. luteorubentib. (Apr. fin.)  
     fol. pictis s. variegatis.

## C

**C**Acalia I. & vulg. fol. incano *Clus.* Majo & seqq.  
 Calamintha foliis & odore pulegii five altera *Matth.* Julio.  
     vera *Offic.* s. montana præstantior *Lob.* *Cam.* fl. rubesc.  
     arvensis *Tab.* verticillata *Baub.* Aug. (Jun.)  
 Calceolus Mariæ, Helleborine ferrug. *Dal.* monanthemos.  
     flor. binis. } Maji init.  
     flor. ternis. }  
 Calendula vulgar. *Dod.* s. major & *Offic.* fl. simpl. pallido.  
     luteo. }  
     fl. luteo med. ruffo. } Jun. & seq.  
     fl. luteo pleno. }  
     reflorescens s. prolifera *Tab.* Jul.  
     major inodora, Achoavan Ægyptii nomine missa. Jul. Aug.  
     minor Hispan. unctuosa fl. pallido *καυπήφοεια.* Jun. & seq.  
     palustris five Caltha vulg. *Clus.* Thora palustris habenda  
     flore simpl. croceo, mas dicta. Apr. seq.  
     fl. pallido fœmina. Eod.  
     fl. pleno *Cam.* *Clus.* Populago multiflora *Tab.* Eod.  
 Campanula pyramidalis *Camer.* s. major *Dod.* fl. cœrul. Julio.  
     Cretica s. Petromarula Cret. Belli *Ponæ* & *Clus.*  
     media *Dod.* Perficifol. *Lob.* fl. cœrul. Majo. (Majo.  
         fl. albo. Eod. & Jun.  
         minor

minor rotundifol. *Lob.* fl. cœruleo. Majo.  
fl. niveo. Eod.

humilis alpina, *Cymbalariae* fol. *Baub.* in *Prodr.* Jun.  
*Virginiana* s. *exotica Aldini* fl. cœrulealbo. Jul.  
fl. toto niveo. Eod.

fol. *Echii* *Baub.* in *Prodr.* Jun.

fol. *urticæ*, *Cervicaria dicta major Dod.* *Tab.* fl. cœrul. Jul.  
fl. albo. Eod.

major altera *Dod.* fol. longiorib. Eod.

minor *Dod.* *Thal.* *Campanula pratensis* fl. con-  
glomerato *Baub.* Majo.

*Cannabis Matth. al' & Offic.* mas *Dod.* sativa *Cordi.* Aug.  
erratica s. sterilis *Tragi.* Jul.

*Canna Indica* s. *Gladiolus Indicus Camer. al'* fl. rubro. Aug.  
fl. croceoguttato *Eystett* flavo punctato *Baub.* Jul.

*Capparis fabago Dod.* sive bifolia. Jul.  
rotundifol. *Matth. al'* spinosa.

*Carduus sylvestris III. Dod.* s. angustifol. spinosiss. fl. albo. Jun. & Jul.  
fl. purpuresc. Eod.

*Benedictus Matth. alior. & Officin.* Julio.

*Stellatus* fl. rub. *Dod.* muricatus *Cluf.* Jul.

*Stellatus luteus, Spina Solstitialis Dod.* major. Jul. & Aug.  
minor. Eod.

*lanceolatus Tabern.* fl. incarnato. Junio.  
fl. albo.

*Cirsium dict. fol. incan. capite squamm. s. III. Cluf.* Sept.

montis Piniferi repens, fol. imis integ. subtus incanis,  
superioribus dissectis, capitulis singularibus, gemi-  
nis, tergeeminis. An *Cirs. Pann. I. pratens. Cluf.* Jun.  
*tuberum* s. rad. asphodeli *Baub.* V. *Cluf.* Eod. (& seq.

*Mariæ Offic. Laeteus Matth.* *Leucographus Dod.*  
minor *Syriacus Cam.* Aga Cretensis. } Jul.

*Chrysanthemus Dod.* *Eryngium lut. Lobel.*

*Sphærocephalus Dod.* latifol. sive annuus *Cam.* Jun. fin.  
*fullonum Lob.* *Labrum Veneris Matth.* Jul.

flore scabiosæ, *Virga pastoris Matth.* Aug.

*Keyrifolius incanus capitis spinosi* fl. rub. Jul. & Aug.

*Eriocephalus Dod.* *Corona fratrum.* Eod.

esculentus f. Artischochus Cinara & Scolymus hort. dict. fol. non a-  
fol. aculeatis f. Cinara acul. Baub. Eod. (culeatis. Jul.  
hortensis, quem Cardum vulgo Cam. cuius stolones hieme Cardi-  
nomine gulæ commendantur. Eod.

Carlina Cam. magno fl. Baub. Cardopatium Offic. fl. albo. Sept.  
 minor fl. purp. Clus. Baub. Chamæleon exiguus Tragii  
caulescens Cam. Baub. Levcacantha Dod. fol. splend. Eod. (Aug-  
sylv. Dod. vulg. Clus. Cnicus sylv. spinos. Baub. Eod. & Sept.

Carotta Matth. radice rubra. Julio.

Carthamus Offic. five Cnicus Matth. Dod. sativus fl. croceo ann. Jul.  
fl. cœrul. Tab. & Cam. perennis. Jun.

Carum V. Cuminum.

Caryophyllus hortens. latifol. fl. rub. simpl.

fl. ruberr. pl.

fl. miniato pl.

fl. varieg. pl.

fl. albo simpl.

fl. albo pleno.

fl. pallide rubesc.

} Julio.

angustifol. fl. varieg. pl. prolific. Anglicus dictus.

fl. amplo albo incarn. pl. Comes appellatus,

aliisque fl. diversicolorum elegantissime

variegatorum differentiis, quibus Antho-

phili delectantur.

angustifol. supinus f. virgineus Tab. fl. albo simpl.

f. Moschatus flore incarn. simpl. punct.

fl. albo pleno.

fl. incarn. pleno.

} Majo.

iisdem florum coloribus laciniatus.

barbatus latifol. f. Carthusianor. Tab. fl. albo simpl.

fl. albo pl.

fl. rubro simpl. } Jun.

fl. rubro pl.

fl. vario.

fl. holofer. rub. }

angustif. sylvestris f. Viola barbata angustif. Lugd. Jul.  
montanus I. Tab. fl. rub. inod. simpl. Jun.

fl. pleno turgid. Eod.

sylv.

sylv. montan. fl. niveo angustifol. Jul. & seq.

plumarius *Tab.* fl. tenuiss. incis. odor. Eod.

*Saxifragus strigosier* f. fl. min. *Baub.* Jun. & seq.

**Caryophyllata** *Matth.* & *Offic.* H. benedicta *Brunf.* Hypochondriaca nostra. Jun. & seq.

monstrosa, f. fl. & semine in rosam herbaceam ex pluvia degener aquatica fl. nutante *Baub.* pappescente *Lob.* simplici Majo. (rans. fl. pleno rosellam luteoincarnatam æmulante Eod.

**Castanea vulgaris** f. sativa, foliis singularibus Julos profert & flores. Jun.

*Equina Matth.* *Dod.* *Tab.* *& alior.* Byzantina, pentaphylla heptaphylla & enneaphylla ferens, fl. spic. Majo,

**Caucalis Lusitanica** *Alpini.* Aug.

arvensis echinato magno flore *Baub.* coronata umbella *Camer.*

sive *Ερβίναρπτ* *Thal.* Jul.

nodosa sive semine ad caulum nodos echinato *Baub.* Eod.

semine aspero flosculis rubentibus *Baub.* Daucoides min. *Cordi,* *Thal.* Junio & seq.

de monte Sion. Scotisara Cret. & Libanotis legitima *Belli.* Jul.

**Cauda muris** *Lob.* *Tab.* Holosteon *Lonic.* Majo.

**Centaurium magnum** *Matth.* Rhaponticum vulg. *Officin.*

majus fl. luteo alpinum *Baub.*

majus sylv. German. *Thal.* Scharta tinctoria *Tragi.*

minus *Matth.* al' & *Officin.* Gentiana hydrop. nostra fl. suaverub. Eod.

fl. albo. Eod.

**Cepa sativa** sive *Vulgaris Matth.* rotunda *Dod.* alba & rubra *Tab.* Jun.

hiemalis, Borres Boëmis dicta. Junii init.

*Aascalonica Matth.* sive sterilis *Baub.*

**Cepaea Matth.** flosculis ex purp. candicantib. Jun. & Jul.

Pancii *Clus.* & *Cam.* Telephium semper virens *Ejusd.* & *Lob.* Jul.

**Cerasus avium** *Clus.* racemosa *Lob.* Padus *Theophr.* Apr. fine.

fructu dulciuscule incarn. præc. singulari.

ex fl. multipl. gemino f. testiculato.

fructu rotundo acido atrorub. singulari.

ex fl. multiplic. gemino,

fructu cordato pallido dulci majori.

pall. dulci minori.

dulci atrorub. majori.

minori

Apr.

minori singulari.

minori gemino, Cerasa nigra, d.

tergemino & quatergemino, Ceras. racemosa hor-

} Apr.

tensis dicenda cum *Baub.*

*Cerefolium vulgare Herb. & Officin.* Maji pr.

*Hispanicum Tabern.* Eod.

(Ior. Col. Jul.

sylvestre seminibus asperis s. Myrrhis sylv. nova æquico-  
sylv. *Tab.* Daucus sepiarius *Gesn.* Onoselinum perenne. Jun.

*Cerinthe major atropurpurea s. III. Clus.*

flavo flore *Clus.*

flor. albo.

} Jun. & Jul.

minor flor. luteo *Lobel. Cam.* Majo & seq.

*Cervicaria V. Campanula.*

*Chamædrys Officinarum quarundam* s. mas major repens *Dod.* Jul.

fœmina s. altera *Matth.* Chamæpitys alt. *Dod.* Junio.

frutescens cœrulea spicata, *Teucrium IV. Clus.* hist. Jun.

spuria, *Teucrium Offic.* pratense *Lob.* fl. cœrul. Maj. & seq.

faxatile fl. ex carneo colore niveis. Jun.

scutellata alpina fl. cœruleis mox albantibus. Majo.

*Chamælaea tricoccos* sive vera *Cam.* Majo & Junio.

*Chamæmelum odoratius Italicum Camer.* fl. simpl.

Romanum *Cam.* fl. multipl. } Julio.

luteum capitulo aphylo *Baub.*

sylvestre inodorum, *Cotula non fœtidæ Dod.* Maj. & seq.

*Chamænerium V. Lysimachia.*

*Chamæpitys Offic. & I. Matth. Dod.* fol. trifido. Julio.

Austriaca purpurea *Clus.* Majo & Jun. pr.

cœrulea *Cam.* Jun.

*Chamæsyce Matth. & aliorum Aug.*

*Chelidonium majus Tragi, Matth. & Offic.* Majo & seqq.

majus fol. tenuiss. incis. & crisp. cuius flosculis imperfectis  
filiæ steriles succedunt. Eod. & Jun.

minus *Matth. Dod.* flore simplici. Apr.

fol. argent. mac. flore multipli. Eod.

*Chondrilla Hispan. Tab.* fol. lacin. ferr. s. purp. *Baub.* Crupina Belgar. Jul.

*Juncea Tab.* viscosa arvens. *Baub.* Jun.

rubra fœtida *Eystett. III. Baub.* in *Prodr.* Jul.

(& seq.

cœrulea Coronopifolia, Sesamoides parvum *Matth.* Jun.

tegato-

*τραγοπωγονάθεμ* minor *Thal.* Julio.

*Chrysanthemum Matth.* fol. matricar. *Bauh.* fl. luteo. Jun. & seq.

Creticum mixtum *Eystett.* fl. lutealbescente. Eod.

Segetum tenuifolium *Eystettens.* Bupthalmum *Matth.* fl. aureo.  
fl. pallido. Jul.

Cretic. latifol. fl. alb. Jul. & seq.

*Chrysocome Tab.* peregrina II. *Clus.* Stoechas Citrina Orient. vulgo capite conglob. Jul.

peregr. *Eystett.* Helichrysum *Cam.* tenuif. incan. Eod.

Cicer sativum *Matth.* arietinum *Dod.* *Cordi* purpur. }  
album. } Junio.

sylvestre *Matth.* majus *Thal.* utriculatum

orobæum Theophr. *Lob.* Jun. & Jul.

Cichorium sativum sive hortense & *Offic.* fl. cœrul. } Junio  
fl. albo. } &  
fl. rubello. } Julio.

sylv. monstros. caule compresso flor. Jun.

verrucarium, *Zazyntha Matth.* Julio & Aug.

spinosum Cret. *Bauh.* fl. cœrul. Eod.

*ἄκανθα*, Dens Leonis *Matth.* Taraxacon *Offic.* Apr. & seq.

luteum *Tabern.* asperum. Jul. & Aug.

Cicuta *Matth.* & *Dod.* major *Cordi* & *Bauh.* fœtida sem. anisi. Jul.

minor *Cordi* & *Bauh.* Apium Cicutarium *Cam.* Eod.

Cicutaria Pannon. *Clus.* Bulbocastanum Coniophyllum *Cam.* Jun.  
latifol. fœtida *Bauh.* Seseli Pelopenense *Matth.* Majo.

Cinara V. Carduus.

Circæa solanifolia. Herba Stephani *Tab.* Jul.

Cirsium V. Carduus.

Cistus fruticans salvifol. fl. rubro sive I. *Clus.*

angustifol. fl. roseo sive mas II. *Clus.*

fœmina *Herbar.* fl. albo.

humilis, *Helianthemū Cordi*, Chamæcistus I. *Clus.* fl. aureo. J

fol. minorib. incanis, Chamæcist. IV. *Clus.* descr. at figu-

ra V. fl. albo. Eod. & Jul.

Iadanifera incana angustifolia, *Ledum I.* angustifol. *Clus.* Jun.

thymifol. fl. lut. *Erica chrysanthemos minor Lobel.* Jun.

*Ledum Cret.* *Ledon.* III. *Cyprium Clus.* Julio.

- annuus *Clus.* luteo pallidus. Eod.  
**Clematis latifolia**, Viorna vulgi *Lob.* Julio.  
     flammula dicta *Matth.* Junio.  
     repens, peregrina *Lob.* altera *Matth.* fl. purpuro cœrul. simpl.  
         fl. incarnato. Jul. & Aug.  
     exotica fl. atropurp. pleno s. alt. pl. fl. *Clus.* cur post. Eod  
     Pannonica cœrulea *Clus.* fol. asclepiadis. Jun.  
     Indica, Jasminum phœnic. *Ferrar.* Gelfiminum hederac. Ind  
     *Cornuti*, Aug. & Sept.  
**Daphnoides**, *Dod.* *Pervinca Offic.* vulgar. & min. fl. cœrul.  
         fl. albo.  
         fl. ex albo & cœrul. var.  
         fl. purpurascete. } Apr.  
     polyflora *Lob.* Purpur. Anstriaca fl. pl. *Cam.* } &  
         fl. pl. prolific. sive refloresc. } Mai.  
     latifol. *Clus.* major *Dod.* *Cam.*  
     minor picta s. fol. varieg fl. cœrul.  
**Clinopodium majus** sive vulgare *Matth.* Junio.  
     minus sive vulgare *Lobel.* Julio.  
     Austriacum *Clus.* Maji fine.  
**Cneorum** *Matth.* *Cluj.* Thymælæa minor *Cordi.* Majo.  
**Cochlearia** *Dod.* *alior.* & *Off.* fol. rubrotundo concavo. Apr. & Majo.  
         fol. plano.  
**Colchicum autumnale Germanicum** s. *Matth.* *alior.* fl. purp. simpl. Sep.  
         fl. purp pleno. Eod.  
         fl. niveo. & Octob.  
     Portugallicum dictum s. florum striis rubris & albis variega  
**Colocynthis** pyriformis *Lob.* nigra *Cam.* Aug. } tum. Eod.  
     pomiformis *Bauh.* sphærica *Lob.* Eod.  
     vera *Matth.* & *Offic.* amara.  
**Coluthea vesicaria** sive *Matth.* Pseudosena. Julio.  
     fruticans siliquosa sive scorpioides l. elatior *Clus.* Junio.  
     siliquosa minor s. scorpioides argentea odorata *Prospéri Alpi*  
         ni, Coronilla Cret. Julio.  
     Scorpioides altera *Clus.* Coronilla major. Maji fine.  
**Consolida major** *Offic.* Symphyrum majus *Matth.* fl. rubro.  
         fl. incarnato. } Maji  
         fl. albo. } & sec.  
         fl. lu.

fl. luteo. Symph. tuberos. *Clus.* Jun.

media *Matth.* & *Offic.* Bugula fl. cœruleo. Aprili.

fl. albo. Eod.

fl. incarnato. Eod.

alpina cœrulea *Bauh.* in *Prodr.* Junio.

incarnata. Aprili & seqq.

minor. *Matth.* Prunella *Officin.* fl. purpureo.

fl. albo Italica.

alpina s. grandiflora *Camer.*

regalis major, Delphinium elatius fl. cœruleo *Clus.*

fl. purpur. simpl.

minor fl. cœruleo simpl. & *Officin.*

fl. purpureo simpl.

fl. albo.

fl. incarnato.

fl. variegato.

fl. purpureo pleno.

fl. albo pleno.

fl. stellato varieg. pleno.

Junio

&

seqq.

Convolvulus major albus *Bauh.* Smilax levigata *Matth.* Scammon. German. s. hydragogum nostrum. Jun. & Jul.

minor arvensis *Bauh.* Helxine Cissampelos *Matth.* fl. albo. Eod.  
fl. varieg.

niger *Dod.* semine triangulo. Julio.

Indicus s. cœruleus hederaceus *Lob.* Nil Arabum. Aug.

rotundifol. violaceus *Eystett.* Fior de Notte. Jul.

fl. albo. Aug.

Pennatus exoticus *Col.* Quamoclit. *Cam.* Septemb.

minimus spicæfolius *Lob.* Cantabrica *Clus.* Jul. & seq.

argenteus s. althææ foliis *Clus.* Jun. & seq.

Conyza major *Clus.* & *Cam.* f. graviss. odoris unctuosis flosc. luteopall.

major *Matth.* Baccharis Monspel. *Lob.* Jul. & seq. (Sept.

media *Matth.* Herba dysenterica s. pestifuga nostra. Jul. & Aug.

thyrsoides flor. minutis ramosa *Jungerm.* Jul. & seq.

cœrulea *Tab.* *Cord.* Jul.

nodosæ fl. quasi pediculo destitutis aur. Aster conyzoides luteo. Iut.

Pannon. III. *Clus.* lanuginos. *Bauh.* Jul. (Jul. Aug.

Corchorus *Plin.* Melochia *Alpini.* Aug.

- frutescens, Melochia altera fl. luteo pentagono. Aug. Sept.  
 Coriandrum vulgare Matth. & Offic. Jun.  
 Cornus mas sive Matth. fruct. rubro. Mart. & Apr.  
     fœmina, Virga sanguinea Matth. Junio.  
 Corona Imperialis, Tusai simplici & duplici corona.  
     fl. multiplici Eod.  
     fl. flavis. Eod.  
 Coronopus Matth. Cornu Cervinum Lob. Jul.  
     marinus Cam. Plantago angustifol. Dod. Jun.  
     repens Ruell. & Lob. Pseudoambrosia Matth. Maj. & Jul.  
 Corylus domestica f. Avellana rubra Cordi oblonga Mart. dum juli hie-  
     males dispereunt floscul. stellatum rubentem exhibet.  
     non rubra oblonga. Eod.  
     sylvestris Matth. alior. fructu min. Eod.  
 Costus hortorum Lob. Mentha Græca Matth. Jul.  
 Cotinus Matth. Coccigria Theophr. Junio.  
 Cotyledon fol. bellidis minoris sed ferratis fl. punctatis. An. V. Bauh.  
     ferratifol. V. Aizoum. (in Prodr. Majo & Jun.)  
 Cracca major Lobel. Vicia semine rotundo nigro Bauh. Jun.  
     minor Tabern. minima Lob. Eod. & Jul.  
     minor filiquis singularibus flosculis cœrulecentibus. Jul. Aug.  
 Crassula Dod. major, Fabaria Matth. fol. oblongis. Jul. Aug.  
     fol. rotundis Eod.  
 Crithmum I. Matth. Fœniculum marinum Lobel.  
     maritimum spinosum Dod. II. Matth. Pastinaca marina Lob. } Jul.  
     Chrysanthemum Dod. III. Matth.  
 Crocus Herbar. & Officinar. sativus autumnalis Eystett. Septemb.  
     Vernus præcox fl. albo. Martio & seq.  
         fl. albo striato.  
         fl. luteo striis nigris ornato.  
         fl. purpureo cœruleo.  
         fl. luteo.  
     Persicus angustifol. fl. violac. eleg. striato. Mart.  
 Cruciant muralis minima Romana Col. Jun.  
     aurea V. Aparine.  
 Cucumis sativus Matth. & Officin. oblongus esculentus Jul.  
     sylvestris Matth. Asininus Tab. cuius succus Elaterium Off. Eod.  
     anguinus f. longus Matth. Eod.

- Cucurbita *Officin.* *Lagenaria* s. latior flor. albo fol. molli *Joann. Baub.*  
*in Histor. univers. Plantar. l. XVI. Jul. & Aug.*  
anguina *Lobel.* oblongior.  
capitata *Tab.* fungiformis sesilis s. stellata *Cam.*  
oblonga major è viridi nigricans }  
flavescens } Jul. & Aug.  
Pyriformis luteoviridis major  
alba minor s. aspera pyriformis parva alba *Joan. Baub.*  
albicans major  
minima.  
pomi aurantii facie. Jul. & seq.  
rotunda verrucosa *Joann. Baub.*  
poiniformis minor alba.  
reticulata *Ægyptia*, Charà be arir Arabum i. e. Cucurbita bom-  
bycina *Caroli Avantii*, Luffa Arabum *Veslingi*. Aug.  
clypearæ affinis à pediculo in conum desinens *Joan. Baub.*  
Cuminum sativum *Matth. alior.* & *Officin.* Jul.  
sylvestre l. *Matth.* globosum *Cam.* Eod.  
pratense, Carum s. Carvi *Offic.* fl. albo. Majo.  
fl. incarn. rubello. Eod.  
equinum s. sylv. *Tragi*, Carvifolia *Baub* Fœnic. sylv. Lonic.  
Cupressus *Matth. al'* Majo nucaria s. rudimenta fructus pauca sed mul-  
tos ferens Julos, cuius coni *Offic.* Nuces Cupresi dicuntur.  
sterilis.  
Cyanus major *Matth.* latifolius fl. cœrul. Majo.  
fl. albo.  
minor hortensis fl. albo apice cœrul.  
fl. violaceo.  
fl. cœruleo.  
fl. incarnato.  
fl. ex cœrul. & alb. varieg. } Junio & Julio.  
Indictis Jaceæfolius s. Asiaticus odore moschi fl. albo. Jul.  
fl. rubesc.  
Turcicus moschatus ferratifol. fl. purpurasc. Jul.  
fl. candido. Eod.  
fol. Cinerariæ, nomine Amberboi missus.  
Cyclamen autumnale s. vulgare *Eystett.* Arthanita *Offic.* Sept.  
odoratius æstivum. Jul.

*Cydonia V. Malus.*

*Cymbalaria Matth. al' fol. hederaceis, Elatine hederacea Apr. Maj. & seq.*  
*Cynoglossum vulgare Matth. majus fl. rubro & Offic. Majo.*  
*fl. albo. Eod.*

*parvum cinereum Cret. Cam. Apr. & Majo.*

*minus pumilum s. Austriacum alt. Clus. Majo & seq.*

*argent. min. fl. niveo pro Lino umbellato missum. Jul.*

*Cytisus Galeni Maranthe, siliquis falcatis. Majo.*

*niger Gesn. & Cordi, s. IV. Clus. Apr. & seq.*

*serratifolius s. glaber Diosc. Laugerii fl. rubro. Majo & seq.*

*hirsutus supinus s. VII. Clus. Apr. & Maj.*

*supinus sylvestris Ratispon. fl. lut. ad exortum folior. prodeunt  
tibus s. V. Clus. putatus Eystett Majo.*

*rotundifolius V. Tab. saxatilis quibusdam. Majo & seq.*

*saxatilis humilis fol. & siliquis argenteis M. Baldi. Majo.*

*Austriacus incan. fol. in aculeo desinentib. Bauh. V. Clus. Jul. Aug.*

*III. Hispan. Clus. folio medio longiore Bauh. Eod.*

*argenteus fl. aureis minor. Eod.*

## D.

**D**atula s. *Datura T urc. Eystett. Stramonium caule spadiceo, fl. purpu-*  
*caule herbaceo fl. albis, fœmina. Eod. (resc. s. mas. Jul.*  
*fl. pleno Ægyptia Contar. Alpini & Veslingi. Aug.*  
*capite spinosiss. s. aculeato globoso. Eod.*

*Daucus pratensis tenuif. odore pastinacæ Bauh. in Pr. s. Siler pratense. Jul.*  
*montan. Austr. apii fol. minor Bauh. Oreosel. nigrum Gesn. Jul.*  
*asper sem. oblongo, καρπωθης dicendus, nodosi nomine ex Itali-*  
*missus, V. Herbar. Pancoviozornian. p. 151. fig. 981.*

*Alsaticus Bauh. III. in Prodr. Jul.*

*Dens caninus fl. purpurasc. Clus. fol maculat.*  
*fl. albo Ejusd. Martii fine.*

*Dentaria baccifera Clus. Coralloides Cordi, septifolia. Mart. & Apr.*  
*siliquosa, οξιφυλλος Clus. Ceratia Plin. Col. Eod.*

*peregrina fol. Valer. fl. symphyti albis. Jul.*

*Dentillaria Rodeletii Lob. Plumbago Clus. Julio.*

*Dictamnus alb. Offic. Germanicus, Fraxinella Cordi fl. rubr. incarn. Maj.*  
*Italicus fol. latiorib. fl. albesc. Eod.*

*adulterinus Cretens. verticillatus, Pseudodict. Matth. Aug.*

Digitalis major purpurea *Dodon.* fol. hirsut.

fl. albo.

fl. pallido luteo.

fl. incarnato. fol. glabris.

fl. ferrugineo *Lobel.*

} Junio. & Jul.

Virgin. s. minor ramosa glabrif. fl. luteopall.

Americ. fl. purpur. fol. dentatis. Aug.

Doronicum latif. radice scorpii, Aconitum Pardal. minus *Matth.* Jun.  
rotundifol. peregrinum præcox *Jungerm.* Helveticum  
*Baub.* in Prod. Apr. & Majo.

Ungaricum s. Austriacum maximum *Clus.* Junio.

fol. plantag II. *Baub.* Alisma & Damasonium *Matth.*

American. trifol. V. Aconitum. (Jun.)

Austr. alt. *Clus.* rad. dulc. rep. Eod.

Dorycnium Monspeliensium *Lob.* Hispan. *Clus.* glabrum. Jul.

alterum hirsutum, Lotus siliquosus villosus *Baub.* V. in L.

Diosc. Ponæ oleæfol. s. argenteum.

Draba vulgaris I. *Clus.* Arabis *Matth.* Jun.

siliquosa alba s. II. *Clus.* Majo. (& seq.)

siliq. saxat fl. levcoij, incarn. An Erysimo similis *Baub.* in Pr. Mart.

Dracunculus hortensis *Matth.* acetarius s. esculentus, Tarchon *Avic.* Jul.  
minor *Matth.* Serpentaria colubrina *Lob.* Junio.

aquaticus *Matth.* & *Dod.* Arum palustre *Gesn.* Jul. Aug.

Dulcis amara *Tragi*, *Dod.* Solanum scandens s. γλυκύπικρον *Thal.* fl. cœrul.  
fl. albo. Jun.

Indica sive fimbriata fol. herbac. per ambitum albis fl. cœrul.  
Eod.

## E.

**E**Chium Monspeliense ramis flor. incarnat. bifidis. Jun.

vulgare & *Matth.* fl. cœrul. Junio.

majus fl. albo *Cam.* & *Baub.* Eod.

scorpioides arvense *Baub.* hirsutum. Majo & seq.

palustre glabrum fl. cœrul. Eod.

fl. albo.

Elatine Diosc. *Lob.* fol. subrotundo Ital. Veronica fœmina *Matth.* *Dod.*

folio auriculato s. *Matth.* Eod. (Jul. Aug.)

hederac. V. Cymbalar.

Endivia

- Endivia vulgaris* f. *hortensis* *Cam.* *Intubus major*. *Matth.* *Jul.*  
*Crispa*, *Intubus crispa* *Matth.* *Eod.*
- Enula* f. *Helenium* *Matth.* *alior.* & *Offic.* *Nectarium* & *Nepenthes Gor*  
*Epimedium Dodon.* *Cam.* *Maji initio.* (ræi. Ju)
- Equisetum arvense* *Bauh.* *alter.* *Cordi*, *Lob.* *Apr.* *Julos exhibit.*  
*palustre longior.* *setis Bauh.* *Hippuris major Brunf.* *Dod.* *Eod.*  
*breviorib.* *setis Ejusd.* *Polygonum fœm.* *Matth.*
- Erica vulgaris* *Tragi*, I. *Matth.* fl. purp. Aug.  
fl. niveo. Eod.  
altera *Matth.* fol. longioribus Majo.
- Eruca sativa* *Matth.* major *Cam.* fl. pallesc. Jun. & Jul.  
*minor lutea fœtida*, *Rucula Italor.* *Bursæ pastoris* fol. *Bauh.* *Eod.*  
*marina Ital.* *oblongo angustoq;* fol. *Cakile Serapionis.* *Lob.* *Jul.*  
*palustris minor Tab.* *Erysimum verum* *Lugd.* *Junio.*
- Ervum sylv.* *Dod.* *sine pedamentis assurgens* fol. *gram.* fl. rubell. filio  
*cylindr.* *altero à satione anno florens.* Jun. & seqq.
- Eryngium Pannon.* latifol. *Clus.* planum *Matth.* & *Officin.* *Jul.*  
*marinum Matth.* *Dodon.* latifolium.  
*campestre Matth.* *Dodon.* & *Offic.* *Eod.*  
*montanum minimum*, *Carduncellus M. Lupi* *Lob.* *Aug.*  
*arvense serratum*, *Crithum IV.* *Matth.* *Dodon.* *Julio.*  
*nobile Gesn.* *alpinum cœrul.* *capitulis Dipsaci* *Bauh.* *Jun.* *Jus.*
- Erysimum vulgare* f. *Irio* *Matth.* *Verbena fœmina Tragi.* *Junio.*  
*polyceratone* f. *corniculatum Bauh.* *Irio alter Matth.* *Jul.*
- Esula V.* *Tithymalus.*  
*rotunda V.* *Peplus.*
- Evonymus* *Matth.* *Dod.* *fructu miniato.* Majo.
- Eupatorium cannabinum* f. *vulgare Matth.* *Trifol.* *Cervinum Gesn.* Ju  
*Dioscor.* f. *Veterum*, *verum*, *Agrimonia Offic.* *Jun.* & seq.  
*verum majus* f. *ramosum*, *Agrimonia nostra Mauriciana*  
*luteum V.* *Ageratum.* (Eod.)
- Cannadense* fol. *Enulæ Corn.* Sept. Aug.  
*aquat.* *Dod.* *Cannabina* fol. *tripartitum diviso Bauh.* Aug.  
fol. *integro non diviso Bauh.* *Eod.*
- Euphrasia Offic.* & *Herbar.* *Ocularia Cordi* fl. *purpuralbicante.* *Jul.*  
*lutea Dodon.* *Ericoides Thal.* Sept.  
*arvensis rubra*, alt. *Dod.* *Jul.* seq. fl. albo. *Eod.*

- F**ABA Matth. Bona major & Officinar. pallida.  
spadicea. } Jun.  
minor s. equina, Phaselus minor Dod.  
sylvestris Matth. Tab. nigra semine rotundo. Majo.  
Fagopyrum Dod. Frumentum Saracenicum Matth. Baub. Julio.  
Ferula Matth. Dod. alior. angustifol. Jun.  
Ficus vulgatior, cuius fructus passi Offic. Caricæ d. Jul. & Aug. mature.  
Marsiliensis, foliis profundius dissectis. (scunt & proliferisunt.  
Filipendula vulgar. Matth. & Offic. Majo.  
tenuifol. Tabern. Oenanthe II. Matth. Julio.  
Flix mas Matth. & alior. item Officin.  
fœmina Matth. & alior. ramosa.  
Virginiana glycyrrhizoid. repens.  
ramosa cervilingua s. florida, Osmunda Lob. Aug.  
pumila saxatilis I. Clus.  
Flos Africanus s. Tunetanus major s. Tanacetum Africanum, Caryo-  
phyllus Indicus major Matth. fl. luteo simpl.  
fl. luteo pleno.  
fl. aureo pallido.  
fl. fistuloso. simpl.  
fl. fistuloso pleno.  
minor, Caryoph. Ind. minor Matth. fl. simpl. lut.  
fl. lut. pleno.  
fl. simpl. holoserico aur.  
fl. pl. holoserico s. aureo.  
Cardinalis Barberini Fab. Col. innot. ad Recchum, Trachelium Indi-  
cum flore rutilante miniato. Jul. Aug.  
alioq. monstruosus caule cōpresso polyanthemus redditur.  
mirabilis Peruvianus Eystett. Viola Peruviana Tab. fl. lut.  
fl. rubro. } Aug.  
fl. albo. } Sept.  
fl. incarn. }  
fl. varieg. }  
Passionis folio tripartito, Granadilla Monardi, Maracot. Indicum  
Aldini, Murucuja maliformis III. Marggravi. Sept.  
fol. hederaceo, Murucujæ V. Species Marggravi. Eod.

- Solis major, Chrysanthemum Peruvianum *Dod.* sem. nigric. } Julio  
sem. griseo. } &  
ramosus *Camer.* prolifer *Eystett.* sem. striato. } Aug.  
Farnesianus s. Aster. Peruvianus tuberosus *Col.* & *Aldini.* Aug.  
Alatus V. Aster.
- Fœniculum dulce *Matth.* & *Officin.* Jul.  
minus dulce Capucinor. humilius, semine rotundiore. Eod.
- Fœnum Græcum *Matth.* *Dodon.* & *Officin.* Junio.  
Burgundiacaum *Lobel.* Medica vera *Jungermanni.* Julio.
- Fragaria *Matth.* & *Off.* Trifolium fragif. *Tab.* fl. simpl albo, rad. rep.  
fructu rubr.  
fl. simpl. fructu lutealbesc. majori. } Maj.  
fl. pleno fructiferum.  
fl. incarnato fr. rubro majori. }
- alpestris æquinoctia s. vere & autumno fructifera.  
Indica caule cubitali ramoso fl. aur. rad. perenni. Jul.
- Fraxinus *Matth.* *Dod.* mas *Cam.* s. sterilis, cuius flores ante foliorum or-  
tum Julorum instar decidunt vel ex pluvia in ramosum  
fungum degenerant. initio April.
- Officin.* s. fœmina, frugifera, cuius flores in *Linguam avis Officin.*  
ex crescunt initio Maji.
- Fraxinella V. Dictamnus.
- Fritillaria purpurea variegata, Meleagris *Dod.* præcox. fl. sing. Apr.  
flore gemino.
- latifol. fl. atrorub. polyanthos. Eod.  
alba *Clus.* flore singulari. Eod.  
fl. gemino.  
atropurpurea serotina latifolia. Majo.  
Aquitana. fl. tergeminio.
- Frumentum Ind. *Matth.* Triticum Ind. *Fuchs.* Milium Ind. *Dod.* granis rub.  
granis fuscis.  
granis flavescentibus. Aug.
- Fumaria *Matth.* vulgatior & *Officin.* Majo & seq.  
tenuifol. fl. albo. Syriaca *Cam.* Majo & seqq.  
lut. Americana siliquosa *Cornuti.* Jul.  
bulbosa V. Aristolochia.
- Fungi esculenti I. genus *Clus.* Fungus porosus *Baub.* cum Lill. convall.  
prodit. Aprili.
- é trunc

è trunko Juglandis flavescentes. Jun.

Juniperi & Sabinæ φημέναι lut. Mart. frequentius Aprili.

## G.

**G**Alega Offic. Ruta Capraria *Matth. Tab.* fl. obsol. cœrul. Jun. & seq.  
fl. albo.

Ægyptiaca, Sesban *Alpini*. Aug.

Gelſiminum f. Jasminum lut. *Lobel.* inodorum. Jun.

album *Tabern.* Jul. (Jul. Aug.

Catalonicum album *Cam.* florib. aversa parte rubescens.

Iuteum bacciferum, Ruta baccif. f. trifol. *Tab.* Jun.

Indicum flavum odoratissimum *Ferrar.* Jul.

Persicum V. Ligustrum.

Genista *Vulgaris* & Offic. Scoparia fl. aureo. Majo.

fl. pallido albesc. Eod.

transalpina f. Hispan. *Camer.* Jun.

humilis argentea Cretica, Chamægenista *Bauh.* in prodr. Jul.

tinctoria major fruticescens ad exortum foliorum spinulis praedita; An ramosa fol. hyperici *Bauh.* Eod.

spinosa *Dod.* f. major, Scorpius I. *Clus.* arborescens. Junio.

spinosa minor, Genistella aculeata *Lob.* *Tabern.* Eod.

fagittalis Pannonica *Camer.* Norica nostra. Junio.

spartium spinosum Creticum, Asphalatus II. *Alpini*. Maj. & Jun.

Gentiana major Pann. cœrul. fol. asclep. f. II. *Clus.* Julio, Aug.

cruciata f. minor *Matth.* Eod.

minor f. Gentionella alpina verna major *Bauh.* Apr.

verna minor *Camer.* Eod.

angustif. autumnalis *Bauh.* Pnevmonanthe *Cordi* fl. barb. Sept.

fl. non barbatis, IV. species *Clus.* Eod.

pratens. fol. triangulo *Bauh.* annua πλαντεμονθη cœrul. Eod.

major *Lob.* *Matth.* fl. lut. *Cam.* Jul.

Geranium argenteum M. *Baldi*, alpinum longius radicatum *Pone*. Majo

folio althææ f. VI. *Matth.* annum. Julio. (& seq.

Apulum folio Coriandri *Col.* Jun. & seq.

saxatile *Cam.* rotundif. mont. *Col.* οχυρωπελον *Thal.* Apr. & Maj.

supinum *Cordi* & *Dod.* Cicutæ f. inod. *Bauh.* fl. rubello vulg.

fl. niveo. Eod. (Maj. & seq.

triste *Cornuti*. Aug.

Moschatum *Camerar.* Julio.

- malvaceum *Cam.* s. *Off.* *Pes* columb. *Dod.* fol. tenuius incis.  
fol. minus dissectis,  
aconitifol. s. *Batrachiodes* alterum *Clus.* fl. cœrul. } Jun.  
fl. albo.  
fl. ex utroq; varieg.]
- macrorrhizon *Cam.* odoratum. Majo.  
*Hæmatodes* s. VII. *Clus.* fl. purpureo.  
alterum *Clus.* palustre dictum fl. rub. Jun. & seq.  
fl. albo. Eod.
- Tuberofum s. I. *Matth.* repens. Junio.  
*Pannonicum* fuscum, maculatum *Tab.* Majo.  
maximum longius rostratum, *Creticum* *Cam.* *Lob.* Jun. & seq.  
unctuosum fol. ribes fl. cœrul. rostro atro.  
*Robertianum* s. III. *Matth.* Herba Roberti *Offic.* } Maj. & seq.  
*Americanum* maculatum floribus reticulatis.]
- Gladiolus* *Dodon.* segetalis fl. rubro. *Xiphium* minus *Clus.* } Majo  
fl. albo. } &  
Byzantinus major fl. atropurpureo. } Jun. init.
- Glaustum* *Matth.* sativum *Camer.* latifol. Majo.  
sylvestre *Cam.* *Isatis* sylv. *Matth.* angustifol. Eod.
- Glycyrrhiza* *Bapenbergen sis* s. alt. *Matth.* siliquosa, *Liquiritia* *Offic.* Jul.  
*Dioscoridis* *Lobel.* echinata. Eod.  
*sylvestris* *Gesneri* *Glaux vulgaris* *Lobel.* Junio.  
minor, *Glaux leguminosa* *Baub.* *Prod.* Julio.  
*Thal.* fl. punic. f. arachi *Baub.* *Glyc.* aphacoides. Eod.
- Gnaphalium Americanum* *Clus.* latifolium *Baub.*  
vulgare *Matth.* *Filago* *Dod.* *Impia* *Plin.* } Julio.  
virgatum max. *Tab.* *Anglicum* f. longior. *Lob.* }  
roseum hortense *Baub.* in *Prodr.* Aug.  
marinum tomentosum, Herba patientiæ vulgo dictum.
- Gossipiū* *Matth.* *Bombax.* *Off.* folia hederacea pauca profert qf. perforata.
- Gramen pictum* *Cam.* *Tab.* striatum *Lon.* Junio. (spadicea. Jun. & seq.  
tremulum majus *Baub.* amourettes tremblantes *Clus.* panicula  
minus Ejusd. panicula parva. Eod. (Aponitan. Jul.  
caninum maritimum asperum spica echinata *Baub.* E Thermis  
canarium medicatum *Lob.* & *Off.* falsaparillaceum nostrum.  
cristatum *Baub.* s. pectinatum. Jun.  
paniculatum molle *Lob.* *Baub.* holosericum d. Majo.)

alopecuroides *Lob.* molle typhoides *Baub.* Majo.  
sylv. miliac. *Lob.* *Tab.* Eod.

bulbosum *Tab.* nodosum *Cam.* panic. avenac. *Baub.*

dactylon *Baub.* Ischænum I. *Tab.* Coronop. quorund. Aug.

dactylum escul. *Baub.* Mannæ dictum. Eod.

exile hirsutum Cyperoides *Lob.* Cyperella *Cordi.* Mart.

cyperoides panicula sparsa flavescentia. *Baub.* Julio.

Cyperella dicendum.

junceum fol. articulato aquat. *Baub.* Eod.

ratiola *Matth.* *Dodon.* & *Officin.* fl. albo. Majo Jun. (Eod.)

cœrulea *Baub.* Tertianaria *Tab.* Lysimach. galericulata *Clus.* *Lob.*

rossularia racemosa rubra hortensis vulg. *Ribes Officin.* & domestica *Matth.* fl. herbaccis. Aprili.

racem. rubra major dulcis Apr. (Eod.)

major f. *Ribes baccis rub. majorib.* *Cam.* acidis, fl. rubentib.

sylvestr. rubra *Baub.* fl. herbac. muscosis. Apr.

Nigra, *Ribes fr. nigro Dod.* *Clus.* *Piperella Lugd.* Eod.

candida f. *Ribes fructu albo Clus.* *Eystett.* Eod.

non racemosa dulcisima, *Ribes morenægæpi Clus.* Eod.

spinosa, *Uva crispa Dod.* *spina Matth.* fr. majori flavescentia. Mart.

fr. minori flavescentia. Eod.

non spinosa sativa cœrulea. f. IV. *Baub.* Apr.

uajacum V. Lotus.

## H.

**I**alicacabum vesicarium *Cord.* *Cam.* Alkakengi *Offic.* Jun.

Indicum f. solanum Indic. *Camer.* Jul.

peregrinum *Fuchs.* *Dod.* Pisum Cordatum *Lob.* Aug.

variegatum *ωγενεριστον f. baccis luteopall.* odorat. Jul.

atriplicifolium Americanum, baccis herb. lut. Jul. Aug.

alimus *Matth.* Portulaca marina *Dod.* fruticescens.

edera procumbens, Helix *Matth.* major sterilis.

corymbifera baccis nigris. Junio.

terrestris *Dod.* *Matth.* & *Off.* Chamæcissus fl. cœrulea. Apr. & Majo.

fl. rubello.

fl. albo.

- Hedysarum vulgare f. purp. *Tab. Ornithopodium II. Dod. fl. var.*  
 fl. albo. } Jun  
 majus luteum, Securidaca major *Matth. Tab.*  
 minus siliquis recurvis, Securid. minor *Matth. Junio.*  
 peregrinum siliquis utrinq; serratis, Securid. peregr. *Clus.*  
 clypeatum alterum *Lob. fl. suaverubent. Eystett. Junii init.*  
 fl. albo. Eod.
- Helichrysum V. Chrysocome.  
 Heliotropium majus *Matth. Dod. alior. Julio.*  
 minus *Matth. tricoccum, ex quo Torna Solis Off. Sept.*  
 Helleborus albus *Offic. fl. atrorubentib. Lob. Eystett. Junio & Jul.*  
*Matth. flor. herbaceis. Eod.*  
 niger *Lob. Matth. & verus Off. fl. roseo Mart. & Octob.*  
 trifoliatus spinosus *Aldini. Apr.*  
 alter *Matth. f. styriacus fl. herbaceis. Eod.*  
 foetidus *Baub. Consiligo Matth. Feb. Mart.*  
 tenuifolius f. ferulaceus *Lob. Bupthalmum Dod. Clus. Ap.*
- Helleborine latifolia f. recentiorum II. *Clus. fl. albo. Majo.*  
 purpurascens f. IV. *Clus. Junio.*  
 Hepatica alba *Cordi, Gramen Parnassi Dodon. Jul. Aug.*  
 Herba mimosæ *Acostæ, Clus. fruticescens fl. musc. siliquis longis. Jul. Au.*  
 sentiens f. *Viva Acostæ, & Marggravi mimosæ congreger.*  
 Hesperis I. & mont. *Clus. Pannon. Cam. fl. fusco odorato.*  
 hortensis f. III. *Clus. fl. purpurasc.* } Majo.  
 fl. albo.  
 fl. herbaceo ex pluviis vitioso. Jun.  
 fl. multipli purpur. Eod.  
 fl. albo multipl. Eod.
- Hieracium unctuosum ramosum, an foliatū *Jungerm. f. frutic. XXV. Ba.*  
 latif. maculatum, Costa herba *Cam. Jun. (in Prodr. J.*  
 minus præmorsā radice *Lob. VI. Dod. Julio.*  
 Chondrillaceum, Coronopifol. Jul.  
 Hedypnoides *Lob. fl. nutante sem. adunco. Jun. & Jul.*  
 Stellatum f. Narbonense siliquā falcatā *Lob. Jul. (Baub. J.*  
 Intubaceum sulphureum, perfoliatum Cret. *Vestlingii. An-*  
 fruticosum latifol. hirsutum *Baub. polyanth. Eystett.* } Au  
 ordine florum sæpè monstroso.  
 angustifolium f. Sabaudum *Lob. Den.*

Dentis Leonis fol. fl. parvis *Baub.* IV. in *Prodr.* fruticescens. Jul.  
 ippoglossum *Matth.* latifol. Laurus Alexandrina vera *Clus.* Uvularia s.  
 angustifolium. Eod. (Bislingua *Off.* Apr. & seq.  
 iucca gloriosa s. Canedana *Aldini*, Sphæracantha Indica. Jul. & Aug.  
 ordeum nudum *Gesn.* Zeopyron *Dodon.* Jun.  
 orminum, Sclarea dictum *Matth.* & *Off.* Gallitricum sativum *Tragi.* Jun.  
 unctuosum luteum *Baub.* Colus Jovis. *Lob.* Camphoratum. Aug.  
 unctuosum cœruleum fol. dissectis Hispan. Majo & Jun.  
 fol. Beton. fl. cœrulealb. verticill. Jun.  
 annum Creticum apice violaceo *Alpini.* Jul.  
 apice rubescente. Eod.  
 pinnatis foliis verticillatum s. sylvestre III. fl. cœr. *Clus.* Jun.  
 pratense ferratif. *Baub.* Sclaræa sylvest. *Tab.* fl. cœr. Maj. & seq.  
 fl. albo.  
 fl. letè incarn. Eod.  
 yacinthus Oriental. *Clus.* *Matth.* major fl. cœrul. simplici. In fine Apr.  
 fl. cœrul. proliferò s. pleno.  
 minor fl. cœruleo. Apr.  
 niveus *Clus.* flore niveo suaviss. Eod.  
 autumnalis maximus odoratiss. Tuberøs. vulgò. Sept.  
 Lusitan. cœrul. campan. inodor. Majo.  
 foliosus, Asiatic. caule Φυλλοφόρω *Clus.* cur. post. fl. cœr. Eod.  
 foliis & fl. niveis.  
 comosus major s. I. *Matth.* Maji fine.  
 obsoleti coloris Hispan. serotinus *Clus.* Jun.  
 Sannefius coma panniculosa *Col.* calamistratus *Cornuti.* Co-  
 ralloides dictus fl. cœrul. Jun.  
 stellatus Peruanus *Clus.* polyanthos cœrul. Junii fine.  
 flor. niveo. Eod.  
 vulgaris bifol. cœruleus, Flos Martius stellatus Ger-  
 albus. Eod. (manicus. *Lob.* Mart. fin.  
 incarnatus. Eod.  
 Byzantinus *Clus.* *Eystett.* fl. cœrul. cinereo. Apr.  
 Belgicus *Lob.* Hispan. *Clus.* flore oblongo cœrul. Majo.  
 candidus *Lob.* fl. oblongo albo. Eod.  
 incarnatus s. fl. oblongo incarnato *Eystett.* Eod.  
 Botryoides præcox, racemosus cœruleus odoratus *Cam.*  
 thyrso singulari. Aprili.  
 thyrso

- thyrsos per coalescentiam caulum s̄epe geminato. Eod  
præcox albus s. lacteus *Clus.* Eod.  
serotinus fl. violaceo s. major *Eystett.* Maji init.  
racemosus moschatus, *Muscari Clus.* fl. obsol. alb. *Eystett.* Apr.  
**Hyoscyamus** luteus *Dodon.* solanifolius *Lob.* Jul. Aug.  
albus *Matth.* alior. & *Officin.* Majo.  
Peruvianus *Tab.* *Nicotiana* s. *Tabacum latif mas.* Jun. & se  
Tabacum angustif. foem. Eo  
**Hypecoum** *Clus.* Cuminum sylvestre alt. *Matth.* Junio.  
*Matth.* V. Alcea.  
**Hypericum** vulg. *Bauh.* & *Officin.* Perforata *Tragi.* Jun.  
minus *Dodon.* supinum III. *Clus.* glabrum *Bauh.* Eod.  
*Aescyrum dictum* *Matth.* bifolium glabrum non perforatu  
ejus vitium variegatum s. aureis fol. pictum. ( *Bauh.* Eo  
*Androsænum hirsut.* d. *Bauh.* *Campococlarens hirs.* *Col.* Ec  
Arborescens Cannad. flosc. albis quinq; fol. Majo.  
**Hyssopus** *Officin.* & *Herbar.* fl. coeruleo. Julio.  
fl. incarnato.  
fl. albo.  
**Hyssopifolia** *Bauh.* *Hyssopoides Cam.* Eod.

## I.

**Jacea Officinarum** V. Viola.

- Pannonica* capitulis vill. nigricant. fl. rubr. s. *montana I.* *Clus.* J  
*lutea* capite spinoso & *Carduus muricatus* fl. lut. *Clus.* Jun.  
*fruticans* pinifolia *Bauh.* *Chamæpytis fruticosa* Cret. Belli Po  
maxima, *Babylonica Alpini.* (in descr. M. Baldi. J  
*incana* caule alato cap. spinoso. fl. purp. An *Jacea purpurea V*  
lentina muricato capite *Clus.* Jun. & Jul.  
*pinea*, capite strobili *Job.* *Bauh.* l. 25. *pumila* & *nana Cam.* Ca  
duus pineus Narbonensium. *Lob.* Jul.  
*dissectifolia*, *Aphyllanthes IV.* *Dod.* quoad figuram. Julio.  
*integrifolia* s. *pratensis latifolia* *Bauh.* fl. albo medio purp. Eod  
angustifol. fl. alb. medio incarnat. Aug

**Jacobæa** *Offic.* laciniata *Bauh.* *Senecio major Matth.* Jul.  
fol. tenuiss. incis. Eod.

marina s. *incana Dod.* *Cineraria marina.* Eod.  
**Iberis** *Matth.* fol. nasturtii. Jun.

*Iris Susiana Clus.* s. Pharaonis fl. amplo atropurpur. Maji init.  
 vulgatior Germanica *Fuchs.* sylvestris *Matth.* cær. *Dod.*  
 hortensis latif. *Baub.* cær. tota, domest. *Matth.* labris latiss. } Majo.  
     major obsoleta *Clus.*  
*alba Florentina*, *Iris Offic.* Maji fine.  
*variegata* ex luteo & obsoletè purp. *Cam.* humilior. Junii init.  
     ex albo & violaceo elatior. Majo.  
     humilior. Jun.  
*Chalcedon.* varieg. odorata. Eod.  
 tuberosa fol. junceo quadrangulo, *Hermodactylus verus Matth.* Apr.  
 humilior præcox violacea s. perpusilla latifol. *Lob.* Aprilis fine.  
     obsoletè cœrulea.  
     ochranthemos.  
*angustifol.* pratensis. fl. cœrul. *Clus.*  
     fl. albo.  
     fœtida fl. cœrul. s. I. *angustifol. Clus.* } Majo.  
     floribus duplicatis cœruleis.  
*tenuifolia* s. *chamæiris* fl. purpur. odore prunor. }  
     fl. violac. odor.  
     fl. obsoleto inodoro.  
*bulbosa angustifolia* cœrulea s. V. *Clus.* Junio.  
     luteopallida.  
     cœruleolutea.  
 Persica dicta s. *Flos Persicus Sisyrinchio* congener *Clus.* Mart.  
 palustris lut. *Tabern.* Acorum *Officin.* Majo & Jun. init.  
 uncus floridus *Matth.* Cyperinus *Tabern.* Junio.  
 χοινολάγχη vernus s. capitulo lanuginoso *Baub.* Apr.  
 uniperus minor vulgaris, fruticosa baccifera *Tab.* Juniperus *Offic.*  
     cujus baccar. rudimenta ex viridi purpurascunt. Jun.  
     sterilis s. mas. Eod.

## K.

Ali geniculatum *Tab.* *Cam.* *Salicornia Dod.* fruticans Veneta.  
 Kakile V. *Eruca.* Spinosum, *Tragum Matth.* Aug.

## L.

Actuca sativa fol. scariolæ *Lobel.* Aug.  
     fol. Endiviæ s. *Intybacea Tabern.* Eod.  
     Romana *Matth.* foliis fuscorubentib. Julio.

*capitata Matth.* crispis brasicæ fol. *Lobel.*

*crispa Matth.* & *Tabern.*

*crispa Intybacea Tabern.*

*Intybacea costa spinosa, sylvestr. Matth.* Eod.

**Lacryma Jobi** V. *Lithospermum.*

**Lagopus vulgaris** *Matth.* *Trifolium arvense humile spicatum Bauh.* Jul.

*sanguineus* f. *maximus Lobel.* *peregrinus Eystett.* Aug.

*angustifolius italicus* f. *alter Lobel.* Eod.

*major Eystett.* *Trifolii majoris III.* alt. spec. *Clus.* Jun.

*stellatus* f. *Trifolium stellatum vel XVI.* *Baub.* in *Prod.* Aug.

**Lagopodium** V. *Anthyllis.*

**Lamium albâ lineâ notatum Bauh.** *Milzatella Cordi,* fl. *incarn.* Apr.

fl. *niveo.* Eod.

*foliis caulem ambientibus, Ballote crispa Lugd.* Eod.

*luteum Lob.* *Tab.* fol. *oblongo Bauh.* Majo.

*vulgare fœtidum rotundifol.* purpur. *Baub.* Majo.

incarnatum. Jun.

non fœtidum longifol. album. *Ejusd.* Eod.

*peregrinum, Scutellaria dictum.* Jul.

*sylvaticum maximum I.* *Baub.* *Galeopsis vera Diosc.* Clus. Jun.

**Lampsana Dod.** *Cam.* cui & ob effectum Papillaris. Majo & seqq.

**Lapathum sativum latifol.** *Hippolapathum Matth.* Rhabarb. Monachora

*sanguineum Lob.* sanguis Draconis herba *Gesn.* Jun. (Majo)

*acutum crispum Tabern.* Eod.

*unctuosum, Bonus Henricus Matth.* *Lob.* *Tab.* Apr. & Majo.

*rotundifolium Camer.* alpinum. Majo & seq.

**Lappa major Vulgar.** & *Dodon.* Bardana *Officin.* Julio.

minor, *Xanthium Matth.* Struinaria *Lob.* Eod.

**Larix Matth.** & *alior.* Apr. *julos* & *nucamenta suaverubentia* ceu flores

profert, cuius resina *Terebinthinam æmulatur*, & fungus *A-*

*garicus Officin.* dicitur.

**Lathyris major** f. *Matth.* *Cataputia vulgaris Eystett.* Majo & seq.

**Lathyrus perennis latifol.** fl. rubro. *Clymenum Matth.* Junio.

angustifol. fl. pall. rub. *Camer.* Eod.

foliis viciae f. *sylvestr.* fl. lut. *Thal.* Majo.

*annuus angustifol.* f. *peregrinus Eystett* fl. cœrul. Julio.

fl. albo. Eod.

fl. obsoletè punicante

angu

*angustifol.* semine maculoſo *Baub.* *Aracus Hisp.* *Cam.*  
fl. varieg. Jul.

*fol. gramin.* flosculis suaverubentibus *M. Baldi:* folio tenuio-  
re fl. rub. *Joann. Baub.* l. 17. Jul. & Aug.

*latifolius peregrinus* fl. luteo semine aspero. Aug.

*bifolius siliquis hirsut.* asperis fl. semper geminis varieg. Jun.

**Lavendula latifolia & Offic.** spica cœrul. *Pseudonardus Matth.*  
*angustifolia purpurea*, *Pseudonardus fœm.* *Matth.* } Jul.  
alba, spica alba *Tabern.*

*dissectifolia* f. multifido fol. *Clus.* perenn. Majo & seq.

**Laureola** fol. deciduo fl. purp. *Baub.* *Daphnoides Matth.* fœm. Febr. &  
semper virens sive *Dodon.* & mas. Eod. } (Martio.

**Laurocerasus Clus.** *Camerar.* Aprili & Majo.

**Laurus** latiore fol. *Matth.* Majo.

*tenuifolia Matth.* f. altera species *Dodon.* Eod.

*sylvestris* fol. hirsutis, *Tinus I. Cam.* *Clus.* Apr.

**Lens Italica Cam.** f. major *Tab.* Jun. ac Jul.

*vulgaris Tragi*, f. minor *Lobel.* *Dodon.* Eod.

**Lenticula palustr.** vulg. *Baub.*

palustr. alt. *Matth.* quadrifol. *Baub.* cruciata.

**Lentiscus Matth.** *Dod.* quæ in Chio Mastichen *Offic.* stillat.

**Lepidium Æginetæ**, *Piperitis Brunf.* Jun. & Julio.

**Leucoium bulbosum hexaphyllum Dod.** *Cam.* fl. singul. Martio.

fl. geminis. Eod.

*polyanthemum Dod.* *Cam.* f. majus serotinum. Maj.

*triphyllum Dod.* *Cam.* majus *Eystett.* Martio.

minus *Eystett.* *Bifolium.* Eod.

*luteum latifol.* f. sativum *Clus.* *Keyri Offic.* fl. simpl. Majo.

*angustifol.* f. minus *Eystett.* fl. pleno. Eod.

sylvestre *Clus.* *Cam.* fol. circumrosis. Jul.

*aureum holosericum* fl. simplici. Majo.

fl. multiplici. Eod.

*album Matth.* *incanum fruticosum* fl. rub. simpl. Majo.

fl. incarn. simpl.

fl. varieg. simpl.

} Jun.

fl. rub. pleno.

} &

fl. purpur. pleno.

} Jul.

fl. varieg. pl.



- Austríaca *Camer.* aurea *Tragi.* Jul.  
 Valentina *Clus.* tryphilla. Jul. Aug.  
 purpurea elatior *Eystett.* altera *Dodon.* Jul.  
 repens s. *Osyris* purpureo violac. repens *Lobel.* Eod.  
 arvensis annua s. parva fl. cœrul. *Cam.* Aug.  
*Icoparia*, *Osyris* s. *Herba Studiosor.* *Tab.* Jul.  
*latifol.* *Dalinatica* *Bauh.* perennis fl. lutealbesc.  
 fl. ruffescentib. Aug. & seq.  
 Pannon. I. *Clus.* Eod.  
 Lingua Cervina fol. multifido, Phyllitis laciniata *Dod.* *ἀκρίσιχθος*, sæ-  
 pè & ramosa.  
 Cervina *Offic.* Phyllitis *Matth.* *Dodon.* vulgaris.  
 ramosa *Columnæ*, Phyllitis foliis ferè Crithmiarvens. fer-  
 rati, Hemionitis alteta *Dalechampi.*  
 vulneraria *Cordi*, Ophioglossum lingua simplici. Junio.  
 dupli. Eod.  
 inum Pannonicum perenne fl. cœrul. s. sylv. latifol. I. *Clus.* Jun.  
 sylvestre III. *Clus.* fl. cœrul. *Camer.* Eop.  
 vulgare *Matth.* & *Offic.* sativum *Dod.* alior. Jun. Jul.  
 lithospermum s. Milium Solis *Offic.* Lithosperm. minus *Matth.* Majo.  
 sylvestre *Cam.* rad. rubra *Bauh.* sem. nigricantc. Eod.  
 arundinaceum, Lacryma Jobi *Dodon.* *Clus.* Aug.  
 anchusæ facie *Lob.* Martio. fol. rore madentibus.  
 onchyttis aspera minor *Matth.* Lanceæ instar in acutum desinens.  
 otus arbor *Matth.* *Dodon.* *Camer.* fructu Cerasi. Junio.  
 Africana *Tab.* Pseudolotus *Matth.* Guajacum Patavinum. Jul.  
 tetragonolobus *Camer.* fl. rubro holofer. Jun.  
 fl. luteo perenn. s. Lotus siliquos. *Clus.* Jul.  
 peculiaris siliquis Ornithopodii *Cam.* Aug.  
 pentaphyllus siliquosus villosus *Bauh.* Oxytriphylon Scribo-  
 nii *Lobel.* *Clus.* Dorycn. hirsutum. Aug.  
 minor siliquis teretib. Cytisus Columellæ *Cam.* Jul.  
 siliq. prat. pentaphyllos *Gesn.* Jun.  
 siliq. pentaph. aur. Trifol. cornic. minus pilosum *Bauh.* Jun.  
 spinus *Matth.* & *Officinar.* sativus *Dodon.* fl. albo. Jun.  
 Æthiopicus hirsutus, semine calvariam representante s. hirsutus  
 cœrul. major *Banh.* Indicus *Cornuti.* Jun. & seq.  
 sylvestris luteus *Camer.* *Tabern.* oderatus *Eystett.* Jul.

Hisp. fl. cœrul. Cam. Clus. angustifol. sem. majori. Aug.  
sem. minori. Eod.

Lupulus Matth. Dod. & Offic. mas Baub. cujus floribus compactis cere-  
fia utraq; condit. Aug.  
fœmina Baub. fl. dispers. Jul.

Lunaria Græca Lob. major fl. purp. siliqua rotunda, Bulbonac. Majo.  
major altera Camer. Viola latifol. alt. fl. niveis. Eod.  
minor Matth. & Offic. racemosa Lob. botryitis Thal. Ec-  
fol. rutac. Baub. tenuius incisis. Eod.

Luteola Lobel. Pseudostruthium Matth. Jul.

Lychnis Coronaria Lobel. Dodon. flor. albo simpl.

flor. incarn.

flor. varieg.

flor. rubro.

fl. rubro plen. Cam. Eystett.

tomentosa Cret. fl. rubesc. perenn. forte VII. Clus. Majo & Ju-  
sylvestr. alba simplex, Saponaria hirsuta Baub. Ocymoides  
Matth. Majo.

multiplex Ocymastrum multiflorum Tab. Eod.  
aquatica purpur. simpl. Ocymoides rubr. Thal. Maji fine.

multiplex s. sylv. fl. pleno rubro Eystett. Eod.  
segetum rubra fol. perfol Baub. Vaccaria Dodon. Jun.

major, Nigellastrum Dod. Pseudomelanthium Matth.

flor. purp. Eod.

flor. albo. Eod.

sylvestr. Been album vulgo, Papaver spumeum Lob. fl. sim-  
nostrum Altdorffinum fl. multiplici niveo. Eod. (J)

latifolia caliculis turgidis striatis s. sylv. II. Clus. Junio.  
noctiflora, Ocymoides noctiflorum Camer. Jun. & seq.

pratenis, Flos Cuculi, Odontitis simpl. fl. purp. Clus. Maj.  
item fl. albo.

Odontitis fl. pl. Clus. Cam. Jun. (Eo

Viscaria maxima Cret. Alpini, sylv. latif. Clus. fol. auriculæ un-

Viscosa, sylvestr. purpur. Tab. ιξόναυλος Thal. fl. rub. simpl. Ju-

fl. rub. pl. Eod.

Viscosa calice oblongo unctuoso s. IX. Clus. Jul.

Viscosa fl. muscoso, Baub. latifol. Otites Tabern. Sesamoides  
magnum Salmant. Clus. Jul.

Visco

39. [39]

- Viscosa montana fl. albo pleno, prolifero. Majo.  
 floribus foris purpur. intus albis Baub. s. sylv. ex sem.  
 nata II. Clus Junio.
- latifolia Muscipula dicta, Pseudo-Centaurium mi-  
 nus fl. albo. }  
 fl. rubell. } Jun. & Julio.  
 fl. incarnat. }
- fl. muscoſo angustifolia incana, an Sesamoides Salman-  
 ticum parvum Eystett. ? Junio.
- fl. rubro parvo reflexo, forte II. Baub. in Prodr. Jun. & seq.  
 spicata peregrina. Julio.
- Constantinopolitana Cam. Byzantina Clus. major fl. coccin. simpl.  
 fl. albo simpl. }  
 fl. incarn. simpl. }  
 fl. varieg. simpl. } Jun. & Julio.
- fl. coccineo s. miniato pleno.
- ysimachia Virginiana s. lutea cornicul. Baub. Julio.  
 altera fol. latioribus flor. lut. majorib. Hyoscy-  
 mes Virginianus Alpini. Eod.  
 lutea fl. majorib. odore Tabaci, lutea II. Clus. Jun.  
 Chamænerion Gesn. dicta latifolia.
- lutea Tabern. Lobel. vulg. palustris trifolia.  
 spicata cœrul. Baub. Pseudolysimachium cœrul. Dod.  
 filiformis glabra major Baub. Pseudolysimachium pur-  
 pur. II. Dodon.
- glabra minor, Filius ante patrem minor Gesn.  
 galericulata V. Gratiola.

M.

**M** Agistrantia Camerar. Imperatoria major & Officinar. Junio.  
 Majorana V. Amaracus.

alva Mauritiana dicta, fol. variis Baub. fl. ruberr. Junio.

fl. incarnatopall. Eod.

crispa Tabern. Dodon. Cam. Mesenterica nostra. Eod.

arborescens Dodon. Camer. Eystett. Jun. & seq.

Romana Gesn. s. Rosea fl. rubro simplici.

fl. dilutè purpur.

fl. incarnatō.

Jun. Jul. & seq.

fl. atro-

ꝝ:] 40. [ꝝ]

fl. atrorubente.

fl. niveo.

fol. ficus fl. sulphureo.

fl. incarnato pleno.

fl. luteo pleno.

fl. albo pleno.

fl. atrorub. pleno.

} Jun. Jul. & seq.

pumila *Dodon.* Malva *Matth.* & *Officin.* Junio & seq.

procerior *Dodon.* Equina *Brunfels.* Eod.

*Malus vulgaris* s. Pomifera, poma ferens

striata pallide flavescentia *Hartäppfel.*

striata rubra *Blawäppfel.*

vinosa *Weinäppfel.*

atrorubentia oblonga, *Zäppfer.*

suaverubentia pumila, *Knöcklein.*

sanguineo flavescentia dulcia. *Herrenäppfel.*

rubroflavescentia fragrantia curtipendula, *Borgstörffer.*

sanguinea majora, *Erabiner.*

suaverubentia compressæ rotunditatis, *Engeläppfel.*

atrorubentia porosa, *Adamäppfel.*

& similia prodigioso insitionis artificio in una arbore nascen-  
tia, flor. Aprili.

luteopallida *Cydoniata,* *Rütténäppfel.*

pumila s. humilis *Gesn.* ferens mala præcoccia *Tragi,* *Tabern.* *G*  
*hannesäppfel.* flor. Mart. Apr.

sine floribus poma ferens.

*Arantia major* *Baub.* vulgaris frugifera. Junio.

sterilis spinosa.

humilis, Aurea malus pumilio *Cluf.* Eod.

Adami s. pomum Adami *Matth.* Citria altera *Cordi.* Julio.

Citria vulgaris, Limonia *Matth.* *E* alior. Jun.

Citria vera s. *Medica,* *Matth.* *Dod.* è cujus fructu Caro citri Off. Ju

Punica *Matth.* *Dod.* Granata *Cordi,* *Tabern.* fl. simpl. Jul.

fl. pleno, Balaustium *Offic.* Eo

Perfica *Dodon.* alba *Matth.* Aprilis fin.

rubra *Tab.* *Matth.* sanguinea *Cam.* fl. simpl. Eod.

fl. pleno. Eod.

Nucipersica *Matth.* Eod.

Arm

*Armeniaca Dodon.* minor *Matth.* April. init.

*Cydonia* fr. aur. rot. minor. Majo.

fr. aur. rot. majori. Eod.

fr. pyriformi oblongo viridesc. Eod.

*Mandragora* mas *Matth.* *Camer.* & *Officin.* Martio.

fœmina *Matth.* *Camerar.* Eod.

*Marrubium* album vulgare s. *Matth.* & *Prassium Officin.* Junio.

*Cardiaca* dictum *Matth.* & *Officin.* Eod.

aquaticum *Dod.* Sideritis I. *Matth.* H. *Ægyptia* latifol. Jul.

angustifol. Sider. II. *Matth.* Eod.

*Creticum* incanum *Cam.* Julio & seqq.

*Marum* verum *Lugd.* Mastich *Gallorum,* Julio.

*Syriacum* s. *Creticum Alpini.* Eod.

*Matricaria Vulg.* & *Offic.* *Parthenium Matth.* Jun.

fl. pleno *Anglica Cam.* Parthen. fl. polyphyllo *Clus.* Jul.

fl. disci fistulosis albis. Eod.

fl. herbaceis pl. Eod.

*Medica cochleata maculata, Arabica Camer.* Jul.

capsulis latis, platicarpos *Camer.* Eod.

rotundis magnis glomeratis s. scutellata *J. Baub.* l. 17.

oblongis glomeratis.

doliatis s. oblongis lævib.

spinosis.

turbinatis s. *Medica magna turbinata J. Baub.* l. c.

tribulaceis.

platani pilulas æmulantibus.

muricatis majorib. Spina Christi Religiosor. im-

minoribus.

nigris spinosis majoribus.

minoribus.

Echinatis pall. minoribus Med. echinata hirsuta

oblongis tornatis lævib. (ta *J. Baub.* l. c.

spinosis.

*Marina Lobel.* *Camer.* tomentosa.

frutescens sylvestris, s. flore luteo *Clus.*

vera Jungerm. Vid. Fœnum Burg.

*Medium Matth.* *Viola mariana Dod.* *Clus.* fl. cœrul. Jun.

fl. albo. Eod.

- Melanthium citrinum, Nigella Citrina *Lob.* fl. albo simpl.  
fl. albo pleno }  
Damascenum *Dod.* *Cam.* *Clus.* fl. cœrul. simpl.  
fl. cœrul. multipl.  
fl. albo multipl. } Jul.  
Hispanicum grandiflorū cœruleum s. majus *Eyst.*  
sativum *Matth.* s. Nigella *Officinar.*  
Sylv. *Dod.* arvense *Clus.* Flos passionis dicendum.  
Melilotus *Offic.* *Germ.* Trifolium odoratum *Dod.* fl. luteo. Julio.  
fl. albo.  
fol. pictis s. variegat.  
Italica *Camer.* folliculis rotundis *Baub.* Jun. & seqq.  
Vesicaria Cretica. Julio  
Frisiaca strigosior flosculis minutis luteis. Jun, & seq.  
Melissa *Offic.* Apiastrum s. Melissophyllum *Matth.* *Citrago Gesn.* } Jul.  
Moldavica *Matth.* s. Turcica fl. albo.  
fl. cœruleo.  
Molucca lœvis *Dod.* Constantinopolitana *Matth.* Aug.  
spinosa *Dod.* Cardiaca Syriaca aspera *Tab.* Eod.  
Fuchsii *Camer.* Lamium Pannon. *Clus.* fl. albo. Majo.  
fl. variegato. Eod.  
Melo *Vulgar.* *Offic.* Pepo *Matth.* }  
rotundus parvus, Saccharinus *Tab.* } Julio.  
Ægyptius, Abdellavi *Alpini.*  
Melongena *Matth.* *Lob.* Mala insana *Dod.* fl. albo. Aug.  
Mentha sativa alt. *Dod.* *Matth.* crispa *Cam.* Balsamita rotundif. spicata. Jul.  
spicata picta s. *Anglica*, Menthastrū alt. *Dod.* *Anglicum Lob.* Eod.  
Cattaria *Lob.* latifol. Nepeta German. *Cam.* *Officin.* Jul.  
tenuif. s. *Hisp.* *Clus.* Nepeta minor *Cam.* incana. Jul.  
angustifol. *Hispan.* s. peregrina *Lob.* folio longiore *Dod.* Eod.  
montana verticillata *Baub.* Menthastrum Pannon. *Clus.* *Cam.*  
fl. albo. Jun. & seqq.  
fl. cinereo.  
palustris rotundifol. *Baub.* Balsamita *Offic.* Jul.  
Mercurialis *Offic.* mas *Matth.* *Dod.* testiculata. Jul.  
fœmina *Matth.* *Offic.* *Dodon.* spicata. Eod.

*sylvestr.* f. *montana testiculata* *Baub.* *Cynocrambe Matth.* Apr.  
*spicata* *Baub.* *Cynocr. fœm.* *Matth.* Eod.

*Mespilus vulgaris* *Cam.* *Dod.* *alior.* fructu majori. Majo.  
fructu minori. Eod.

*sylvestris*, *Oxyacantha Matth.* *alior.* Aprili.

*pumila* fol. *Cydon.* *Chamæmespilus Clus.* Apr.

*Meum Matth.* *Dod.* *Offic.* *vulgare tenuifol.* *Clus.* Majo & Jun.

*Milium Matth.* *Dod.* *vulgare sem.* luteo. Jul. init.

nigrum *Tab.* *Cam.* semine nigro. Eod.

arundinaceum, *Sorgo dictum*, *Indicum Matth.* Aug.

*Millefolium majus Matth.* fl. rubro *Clus.* Junio.

vulgare *Tragi & Officin.* fl. albo *Lob.* Majo.

fl. incarnato. Eod. (*Cam. Maj.*)

tomentosum aureum f. luteum *Lob.* *Helichrysum Ital.* *Matth.*

nobile *Tragi*, *Tab.* odoratum, *Achillea Matth.* Junio.

*Moly luteum* fol. *Tulipæ odore allii* f. latif. flavo fl. *Clus.* app. alt. Jun.

capitatum majus f. *Theophr.* *Dod.* *Clus.* umbella fl. candida. Eod.

montanum purpureum, f. II. *Clus.* Julio.

sphærocephalon atropurp. *Allium vel Moly montan.* V. *Clus.* Eod.

*Morus Matth.* *Dod.* fructu nigro, *Officin.* Maji fine.

alba *Matth.* *Cam.* candida *Dod.* fructu albo. Eod.

foliis variis flore muscoſo julaceo f. vano, *Pseudosycomorus*  
*Ruell.* l. I. c. 79. ineunte vere nucamentum prælongum  
parturiens, An *Chamæmorus?* *Cam. Majo.*

*Morsus Diaboli Tragi, Lob. Cam.* *Succisa Matth.* *Dod.* fl. incarn. Aug. & seq.

fl. albo. item fl. cœrul. *Officin.* Eod.

*Muscus polytrichoides minimus Baub.* Apr.

*pyxiodes terrestris Baub.* *Alabastrites f. Trochiscatus.* Aug.

terrestris *Matth.* *Dod.* *Clavatus Baub.* *Lycopodium Tab.* Jul.

petræus, *Hepatica Brunfels.* *Lichen Matth.* Julio.

*stellaris roseus Baub.* fol. splendentibus.

arboreus coralloides *Baub.* nigricans.

*Iyagrum monospermon latifol.* *Baub.* hortense *Eystett.* Majo.

sativum, *Camelina Dod.* *Sesamum Offic.* sed spurium. Eod.

microsperm. filiq. rot. *Pseudomyag.* alt. *Cam. in Matth.* Jun.

*Iyrtus Tarentina Matth.* f. minor *Clus.* & *Lob.* angustifol. Jul.

latifol. f. *Boetica sylvestris Clus.* fl. simpl. Eod. & Aug.

fl. pleno *Cornuti.* Aug. & Sept.

**N**Apus *Matth. Dod. Cam. & Offic.* Bunias *Lob. Jul.*

Narcissus communis odoratus s. Veterum *Tragi*, Italicus *Gesn.* præcox fl. albo simplici singulari circulo croceo. Apr. fl. gemino. Eod.

ferotinus fl. ejusmodi simpl.

fl. pleno singulari sive V. *Clus.* } Maji init.

fl. pleno gemino. }

Indicus obtuso latiore folio fl. geminis albis odoratis, calice brevi luteo. Eod.

Constantinopolitanus *Tab.* folio latiss. s. III. *Matth.* Majo. sylvestr. latif. præcox totus luteus ampio obl. Apr. calice minori. Eod.

pallidus præcox calice lut. *Pseudonarcissus* lut. *Tab. Eystett. Martio.*

latifol. pallid. præcox fl. nutante singul. *Pseudo-* narciss. albo flore *Clus. auſtar.* Apr.

latifol. præcox fl. luteo ampio tubo proliferò laci-

nato *Clus. cur. post.* Ejusd. fine.

angustifol. præcox fl. pleno stellato viridipalleſc-

s. *Pseudonarcissus* pl. fl. *Clus.* Ejusd. init.

pumilus angustif. præcox fl. lut. sing. minimus *Eyst.* Apr. in

fl. gemino *Van Heck* dictus. Eod.

Oriental. latifolius polyanthos *Musart* dictus candidus ca-

lice brevi lut. flor. quinis. Apr.

fulphureus calice lut. fl. x. & xii. Eod.

Incomparabilis dictus, fol. latis obtusis fl. sulphureo calice

flavo folioso pl. breviusculo. Eod.

latifol. polylevcanthem. fl. parvis odore Jasmini. Eod.

fl. tergem. ex fol. cand. & calic. lut. pl. odor. Eod.

fl. tergem. cand. cal. lut. odor. simpl. Eod.

angustifol. polyanthos fl. sulphur. cal. lut. Eod. (& Jun-

Japonicus s. Virginian. fl. albo, Colchicum æmulante. Ma-

Bijuncifolius lut. minor. fl. nutante fol. circa calicem re-

flexis. Aprili.

Juncifolius totus luteus calice exiguo in 6. partes distin-

cto fl. acutifol. singul. Maji init.

fl. ge

fl. gemin. acutifol.

florum fol. reflexis lut. Campanella dictus. Apr.

Nasturtium hortense latifol. Bauh. Hispanicum Gesn. fol. integr. Maji fin.  
vulgare s. Dod. Matth. Offic. fol. divis. Eod.

crispum Bauh. in Prodr. Creticum quib⁹d. Jun.

pratense fl. pleno, Cardamine altera fl. pleno Clus. Maj.

Hypernum Thal. Barbarea Dodon. Bunium adulterinum Camerar. April. & seqq.

Indicum Dodon. Hederaceum tricoccon. Flos sanguineus  
Manardi fl. lut. Jun. & seqq.

fl. pallido. Eod.

sylvaticum, Sium minimum Alpini, Impatiens altera. Majo.

sylvestre Bauh. μυελόφυλλον Thal. Sophia Chirurgorum Lobel. Dodon. Majo.

erium Matth. & alior. Rhododendron Bell. Rhododaphne Camerar.

fl. rubro. Jun. & seqq.

fl. albo. Eod.

umularia Matth. Dod. Hirudinaria Tab. Centummorbia Brunf. Gesn. Jun.

ux juglans vulgaris Tragi, Matth. Majo julos profert Officin. à quibus  
nucamentorum flos triquetrus differt.

fructu majori, An Nuces caballinæ Lugdun? Eod.

### O.

Cimum s. Basificum majus Matth. & Officin. Jul. Aug.

alterum s. medium Ejusd. Eod.

crispum maculatum, Indicum s. Hispan. Cam. Tab. Sept.

minimum Lob. minus Matth. rubrum. Aug.

album. Eod.

sea sativa Matth. Dodon. alior. Jun.

sylvestris s. Oleaster Germanicus Cordi. Eod.

Isnicium Cordi, Apium lact. succo turgens Bauh. pestifugum nostr. Jul.

nobrychis Cretica annua fl. rubell. Cristam aculeatam ferens. Aug.

I. Clus. fl. purp. spic. Jul. Aug.

II. Clus. filiquosa fl. coerulea. Aug.

III. Clus. siliquos. fl. pallido spicato. Eod.

Dodon. Clus. fructu echinato majori, Cristam galli non cap-

put æmulante perenn. Jul.

fructu minori. Eod.

- Ophrys *Matth.* *Tabern.* Bifolium & Pseudorchis *Dodon.* Majo.  
trifolia sterilis.
- Opuntia *Cam.* Ficus Indica *Matth.* spinosa *Tab.* fol. & fr. major. Jul. Aug.  
fol. & fructu minor. Eod.
- Orchys diphylllos f. Bifolia minor *Baub.* fl. albo, Testiculus V. *Matth.* Ma-  
serapias punctata f. Cynosorchis latifol. spica rubra compa-  
cta *Baub.* Majo.
- spiralis f. autumnalis Gemmæ *Lobel.* minor fl. albo caule qua-  
contorto. Sept.
- latifol. montana f. antropophora *Colum.*  
galea purpur. f. IV. *Pann.* *Clus.* humilior. } Majo.  
elatior.
- palmata angustifol. Palma Christi macul. *Tab.* fl. rubesc. Maj. fi-  
fl. candido. Eod.
- pusilla pallida odorata f. VII. *Clus.* Monorchis moschata. Jun.
- Oreoselinum V. Apium.
- Origanum vulgare *Matth.* & *Officin.* fl. rubentib. Julio.  
fl. albis. Eod.
- Creticum *Camerar.* Aug.
- Ornithogalum vulgare f. luteum *Lob.* Bulbus sylvest. *Tragi* & *Fuchs.* Ap-  
Neapolitanum *Clus.* & *Eystett.* pingue dicendum. Majo.  
pannonicum spicatum fl. albo f. IV. *Clus.* Junii pr.  
spicatum fl. herbaceis f. I. *Clus.* Eod.
- umbellatum Italicum f. medium *Eystett.* Majo.
- latifolium multiflorum f. maximum *Clus.* Jun.
- Arabicum *Clus.* majus *Dod.* umbilico nigro. Eod.
- Ornithopodium minus *Camer.* elegantiss. flore, fronte scil. rubescent  
genis candidis. Jun. & seq.
- Orobus sylvaticus vernus *Thal.* fl. purpur. Apr.  
Pannonicus IV. *Clus.* flore pallido. Junio.  
III. *Clus.* rad. asphodeli. Maji init.
- Venetus *Clus.* Junio.
- Oryza *Matth.* *Dod.* & al' Italica *Baub.*
- Oxycoccum *Cordi*, Vaccinia palustria *Dod.* Maji fin.
- Oxys fl. lacteo, Oxytriphylon *Tragi*, Acetosella & Alleluja *Offic.* Apr.  
fl. luteo corniculata *Clus.* repens *Lob.* Impatiens dicenda. Maj. & se-

- Aliurus s. spina Christi. Rhamnus III. Matth. Junii fine.  
 Palma Dactylifera s. major, ex semine terræ commisso post trimestre  
     prodire solet.  
 humilis Matth. minor Baub. thecā oviformi fœtum ramosum  
     parturiens. Junio.  
 anicum vulg. Fuchs. Dod. paniculis albis. Jun.  
     paniculis purpureis. Eod.  
 papaver sativum Matth. s. hortense flor. simplici rubro.  
     purpur.  
     albo.  
     miniato.  
     ciner. integris.  
     flor. multiplici albo.  
     miniato.  
     purpur. int.  
     fl. iisdem tenuissimé incisis.  
 Sylvestre s. Erraticum Matth. & Offic. fl. punic. simpl. unguibus  
     nigris. Maj. & seqq.  
     unguis lacteis.  
     fl. puniceo pleno.  
     fl. incarnato simpl.  
     fl. incarnato pleno.  
     fl. ex albo & punic. var.  
 tenuifol. fl. rubr. capitulis oblongis hispidis, in stellam descen-  
     dentibus, Argemone I. Tab. Jul.  
 spinosum Clus. luteum, Ficus Infernalis Italor. Eod.  
 aliquosum s. Corniculatum Matth. luteum. Junio.  
     fl. phœniceo Clus. hirsutum. Jul.  
     fl. phœn. pall. Clus. glabrum. Eod.  
 Tulipatum dictum fl. ex albo & miniat. varieg.  
     fl. laciniato simplici.  
     fl. hoc modo variegato pleno. Jun. & seq.  
 ietaria major & Officin. Helxine Matth. al' Majo.  
     minor, exigua vel I. Tragi. Eod. & Jun.  
 is herba Offic. & Lob. Solanum quadrifolium bacciferum Baub. Majo.  
     quinquefolium. Eod.

Pastina-

- Pastinaca sativa** *Dodon.* *domestica Matth.* latifol. Julio.  
alia angustifolia. Eod.  
*sylvestris tenuifol.* *Diosc.* *Daucus Offic.* flosculo in mediâ u  
bellâ atropurpur. Julio.  
*tenuifolia sativa*, *Carotta lut.* *Camer.* Eod.
- Pecten Veneris** *Matth* *Scandix Dodon.* semine rostrato. Majo.  
**Peplis** *Matth.* *Cam.* *Clus.* *Pèplum Cæsalpini*, *Efula rot.* *Bauh.* Jul.  
**Perfoliata vulgaris** s. *aryenis & Officinar.* latifol. Jun. Jul.  
**Periclymenum Germanicum** *Eyst.* *Caprifolium Dod.* non perfoliatum. M  
Italicum perfol. *Eyst.* *Matth.* flore luteopall. Eod. & Se  
flore ruffo. Majo.  
rectum *Lob.* *Xylosteum Dod.* *Orcheocarpos Cordi.* A  
Belgicum hirsutius incanum. Majo.  
**IV.** s. *humilius flor.* ex purpura candidantib. *Clus.* Maj  
**Perficaria Dod.** s. major maculata & non maculata fl. albo.  
fl. purpurasc.  
minor s. pusilla rep. *Lob.* *Pulicaria pumila Tab.* fl. albo.  
fl. incarn.  
acida repens sterilis s. nunquam & nuspian florens.
- Petasites Lob.** & *Offic.* *Tusfilago major Matth.* fl. punicante s. mas. A  
minor foemina s. fl. albo *Cam.* Martio
- Petromarula** V. *Campan.*
- Peucedanum Dod.** *Cordi*, *Fœniculum porcinum Lob.* Junii fine.  
Pannon. *Clus.* pro fœniculo petræo missum. Jul.
- Phalangium Virginianum** fl. violaceo.  
fl. dilute cœrul.  
fl. candido mox cœrulesc. } Majo & seq.  
fl. ex albo & violac. var. }
- Allobrogicum majus** *Clus.* cur. post. *Lilium album odore*  
præsentans, quasi *Lil. minus* esset. Majo.
- Phalaris Matth.** *Dod.* *Canariense semen Gesn.* sem. albo. Jun. Jul.  
sem. nigro. Eod.
- Phaseolus niger Ægyptiacus**, *Lablab Alpini*, Aug.  
albus minor oviformis s. *Venereus*.  
*hortensis* s. *Smilax hortens.* *Matth.* fructu albo.  
fr. nigro. } Jun. &  
fr. luteo. }

ꝝ:] 49. [ꝝ]

fr. rubro.

fr. pallido,

fr. violaceo.

fr. ex rubr. & nigro varieg.

fr. ex albo & nigro varieg.

} Jun. & seq.

niveus minor circa hilum nigrâ maculâ insignitus *Johann. Bauh.*

*Histor. Univers. lib. 17.*

Indicus flore miniato sem. nigro. Jul. & seqq.

sem. ex nigro & rubro variegato.

flore albo semine candido.

Ægyptius minimus fructu subviridi hilo albo, cum gummi Ara-  
bico Venetias missus, forte Anil. Terentii *ap. Bauh. Aug.*

Phyllitis V. Lingua Cervina.

Pimpinella *Offic. saxifraga Matth. major Dod. hircina Gesn. Jun.*

sanguisorba major *Matth. fl. suaverubentib. fl. sanguineis. Aug.*

minor *Matth. Italica Tragi*, hirsuta rotundifo-  
lia. Majo & seq.

Lusitanica glabra oblongifolia. Eod.

maxima Cannad. *Corn. Jul. Aug.*

spinosa *Clus. Cam. Poterion Lobel. Aug.*

facie agrimoniae odore fragorum, Agrimonoides *Columne*  
falso hab. à *Bauh. Junio.*

Pinguicula *Gesn. Clus. fl. albo.*

fl. cœruleo. } Majo.

Pinus vera s. Italica *Camer. Junio* nucamenta profert.

Piper Indicum *Matth. Capsicum* filiisque longis rubris.

filiq. rotundis rubris.

Cordatum *Camer. s. siliqua rubra Cordata.*

aureum *Eystett. s. filiisque flavis oblongis.*

} Aug.

Pisum umbellatum *Bauh. in Prodr. Jun.*

sativum majus fl. roseo odorato. Eod.

sylvestre *Clus. Pannonicum* perenne. Majo & Jun.

quadratum majus *Bauh. Italicum Cam. subflavum.* Eod.

leptolobum *Cam. recurvâ siliquâ cinereum.* Jun.

nigrum holosericum umbilico albo, An Indicum majus *Caspar.*

*Bauh. s. Phaseolus fructu nigro, umbilico candido Johann. Bauh.* Julio.

**Pistacia** *Matth. Dod. & Offic.* *Terebinthus Indica Theophr.* Maji init.  
*sylvestris, Staphylocarpus Matth.* *Nux vesicaria Tragi, Dod.*  
*major vulg. Eod.*  
*minor trifol. sem. ad pisi minoris magnitudinem vix*  
*accedente.*

**Pistolochia** V. *Aristolochia.*

**Plantago latifolia** f. major *Matth. Dodon. Officin. Majo.*

*rosea & spicata Lob. Cam. Eyst. Jun. & Jul.*

*angustifolia f. quinquenervia Lobel. Majo.*

*alopecuroides Jungerm. paniculis Lagopi Baub. Jul.*

*aquatica Matth. latifol. Jun. & Jul.*

*marina tota glabra Jul.*

*minima aquat. Clus. Plantaginella palustris Baub. Eod.*

**Pœonia mas** *Matth. fol. latiorib. fl. purp. simpl. sem. rotundo nigro. Maj.*

*fœmina Matth. fl. simplici rubro præcox. Apr.*

*fl. pleno ruberr. Eystett serotina. Maji fine.*

*rubrincarnato Eystett. Eod.*

**Levcanthemos** *Cam. fl. simpl. incarnato albescente. Maj.*

*Byzantina altera Clus. fl. dilutè rubente simpl. Junii init.*

*tenuifolia pumila f. Hispan. Cam. II. Clus. Majo.*

**Polium** fol. *Lavendulæ Baub. montan. VII. Clus. alter. Matth. Cam. Jul.*

*angustifol. minimum f. VIII. Clus. Eod.*

**Polygala vulg. & Offic.** *Ornithanthemum fl. albo ramosum. Maj. & seq.*

*fl. purp. & fl. cœrul. Eod. (gris. Maj. init.)*

**Polygonatum** *Matth. latifol. Dodon. Sigillum Salomonis Officin. baccis ni-*

*angustif. f. V. Clus. cruciatum & stellatum. Maj. fin-*

*ramosum Clus. & Baub. Eod.*

*Virginian. spicatum Corn. Eod.*

**Polygonum montanum niveum minimum** *Lobel. Paronychia Hispanica*

*Clus. Majo & seqq.*

*minus Matth. Herniaria Dod. & Offic. glabra & hirsuta. Jul.*

*minus repens littoreum flosculis spadiceo albicant. Baub.*

*in Prodr. Jun. & seq.*

*mas Matth. Centinodia Offic. fl. purpur. Aug.*

*fl. albesc.*

*fœmina, Knebel Tragi, ad cuius exortum ramosum in arenosi*  
*coccis colligi solent circa Solstit. Maj. & seq.*

**Polypodium vulgare** *Matth. alior. & Officin.*

- Poma amoris *Cam.* fructu rubro majori.  
 fr. rubro minori.  
 fr. luteo majori.  
 fr. luteo minori. } Julio & Augusto.
- Æthiopica *Dodon.* Augusto.
- Populus nigra *Matth.* cuius gemmæ pro Ung. Populeo *Offic.* vulgo Ulberbrust dicuntur, Majo julos abjicit; foliis a. foliorumq; petiolis ob adhæsum sordium spermaticar. in bullas rubentes ex crescentib. quotannis culicibus cinericiis hospitium commodum præbet.
- alba *Matth.* *Dod.* foliis farfaræ.
- Porrum commune *Matth.* capitatum *Cam.* Majo.
- sestile *Matth.* Χοινέπεασσος *Dodon.* Eod.
- Portulaca latifol. sativa s. domestica *Matth.* & *Officin.* Jul.  
 aurea dicta s. fol. flavis. Eod.  
 marina V. Halimus.
- repens angustifol. s. sylvestr. *Matth.* *Dodon.* Eodem.
- Prunus *Dod.* *Matth.* domest. *Lob.* Apr. fine & Maji init. florens, & ferens  
 pruna Ungarica s. Damescena *Matth.* atrocœrul. Zwetschken.  
 pruna lutea Oviformia majora, Cerea serot. *Cam.* Maschen.  
 pruna luteoviridia. grüne Pfäumen.  
 pruna cerea præcoccia *Camer.* s. oviform. minora. Spilling.  
 serot. rotunda. Zigräthen.  
 pruna magna rubra rotunda s. asinina *Tragi.* Kospfäumen.  
 rubra Oviformia majora. rothe Maschen.  
 parva rubra rotunda. Krügchen.  
 oviformia rubra minora. rothe Spilling.
- Myrobalanus cognominata *Clus.* *Cam.* Maji init.
- sylvestris *Matth.* & alior. Acacia *Offic.* German. Apr. fine.  
 major s. altera species *Tragi*, mitior. Haberschlehen. Eod.
- Syllium annum s. majus erectum *Baub.* Jun.  
 perenne *Gesneri* s. minus supinum *Baub.* Majo & seq.
- Tarmica vulgar. s. *Matth.* Pyrethrum Brunf. fl. simplici. Aug.  
 fl. multipl. s. pl. *Clus.* Eod.
- Austriaca *Lob.* *Clus.* fl. rubr. elegant. Jun. & seq.
- Pulegium *Matth.* & *Officin.* latifolium fl. albo *Lob.* s. mas.  
 angustifolium s. Cervinum *Lobel.* fl. purpurasc. s. fœm. Plin. Cæsalp. } Aug.

- Pulmonaria maculosa *Lob.* *Clus.* & *Offic.* fl. cœruleorubentib. Apr.  
latifolia Pannon. f. V. *Clus.* Martio.
- Pulsatilla *Matth.* vulgaris *Lob.* fl. simpl. purpur. obsoleto nutante. Apr.
- Pyrola *Matth.* & *Offic.* rotundifolia major *Bauh.* Maj.  
rotundifol. minor. Eod. & Jun.  
frutescens arbutifol. *Bauh.* III. *Clus.* Jul.
- alpinæ flore Europæa *Bauh.* Alfinanthemum *Cordi*, latifolium  
fl. lacteo monophyllo heptagono. Maji init.
- Pyrus sativa flor. Apr. ferens pyra *Gesn.* serot. duriora. Königsbirn.  
Moschatellina minora præcoccia Muskatellerbirn.  
majora serotina.
- Regulana præcoccia succulenta, Regelsbirn.  
sanguinea s. cruenta, Bluhbirn.
- psalzgravia præcoccia crocea, Frühe Pfalzgr.  
serotina rubra, Späthe Pfalzgr.
- Curtipendula aquosa dicta, Wasserbirn.  
sapida tener. substantiæ cortice ql. coriaceo, Bergamota  
cort. tenuiore, Glashbirn. (temba  
parva ex luteo nitida rubore perfusa, Vogelsbirn.  
& similia communi unius, alteriusve caudicis  
succo viventia.

## Q.

- Q**uamoclit. V. Convolvulus.
- Quercus humilis gallifera. Julos & nucamenta offert Maji init.
- Quinquefolium supinum, ουρανος *Bauh.* fl. aur. An Tormentillæ facie  
palustre *Cordi*, Cam. rubrum *Bauh.* Maj. (Clus. Jul.)
- majus *Dodon.* repens luteum *Cam.* Jun.
- majus *Eystett.* rectum *Cam.* fl. sulphureo. Jun.
- majus argenteum s. I. majus fl. albo *Clus.* Apr. fine.
- folio argenteo *Bauh.* rectum incanum ramos. Jun. & seq.

## R.

- R**Anunculus alpestris rad. instar Irid. nodosis fl. aur. Majo & Jun.
- nemorosus *Lob.* & *Bauh.* fl. albo simpl.  
fl. albo multipl.  
fl. pl. ex purp. rub. } April.  
fl. luteo singulari.  
fl. luteo gemino. }

fl. lut.

- fl. lut. ex gem. nonnunquam multipl. Eod.  
 præcox II. Thalictri folio Clus.  
 tuberosus fl. pleno s. multipl. lut. Dod. }  
 polyanthemus s. hortensis I. Dod. rep. fl. lut. simpl. } Majo.  
     s. hortensis erectus fl. pleno Eyſt. }  
 præcox fol. rutaceis I. Clus. alpinus Coriandri fol. Ponæ. Apr.  
 montanus aconitifol. fl. luteo globoſo Bauh. }  
 sylvaticus platyphyllus Clus. fl. luteo.  
 Illyricus Dod. tomentosus angustifol. fl. aureo. } Majo.  
 levcanthemus aconitifolius fl. simpl. Cam.  
     fl. pleno. Cam. }  
 Asiaticus rad. grumosa fl. phœniceo simpl. Maji fine.  
     fl. phœniceo pl. s. II. Clus. Eod.  
     fl. purp. tergem. odor.  
     fl. variegat. Eod.  
 Lusitanicus præcox rad. grumosa fl. aureo pl. An idem cum  
     Ranunc. latifolio multipl. serot. Cornuti? Apr. & Maj.  
 Lusitan. foliis longis angustisq; fl. aur. Jun.  
 dulcis Tragi, Calthæpalustris fol. fl. lut. Majo.  
 Echinatus arvensis Bauh. Majo.  
 Creticus latif. Alpini, micranthemos. Jun. & Jul.  
 palustr. ferratifolius s. lanceatus ferratus Tab. Jun. & seq.  
 minimus Septentrionalium fl. musc. Lob. Moschatella Cor-  
 pistrum monospermon max. Hispan. Corn. Jun. & seqq. (di, Apr.  
 arvense lut. Bauh. Lampsana Matth. Majo & seq.  
     album filiq. artic. Bauh. Eod.  
 aquat. Tab. Raphanus fol. profundè divis. Bauh. fl. lut. Jun.  
 pum sativum rotundum & longum Matth. Majo.  
 punculus esculentus Bauh. Rapantium parvum Lob. Majo & seq.  
     spicatus albus Bauh. alopecuroides spica alba Clus. Jun.  
     spic. violac. Bauh. Eod.  
     flor. scabiosæ cœrul. Bauh. Aphyllantes Lugd. Jul.  
     fl. scabiosæ albo. Eod.  
 phanus major s. radicula sativa Dodon. rotunda. }  
     minor Dod. s. longa. } Jun. & seq.  
     niger Lob. cortice nigraute Gesn. }

- Rusticanus** *Matth.* & alior. foliis integris. Majo.  
Bohemicus fol. profundè dissectis. Eod.  
**Reseda** Plin. *Neoter.* *Eystett.* s. *vulgaris* *Baub.* supina *Camer.* Popperge-  
sis. Majo & seq.  
**Rha Ponticum** fol. Iapathi majoris, *Thracicum* *Alpini.* Majo.  
capitatum fol. Enulæ incanis *Lob.* *Montis Baldi.* Jun.  
rotundifolium pro Barbaro vero ex Ungariâ missum.  
**Rhamnus catharticus**, Spina cervina *Gesn.* & *Off.* *Infectoria* *Matth.* M.  
**Rhôdia** s. *rosea* radix *Matth.* *Dod.* & *Officin.* fl. rubesc. Junii fine.  
**Rhus** s. *Sumach* *Officin.* fol. ulmi *Baub.* Jun.  
Virginianum *Baub.* in app. *Pin.* lacteo succo turgens. Ec-  
myrtifol. *Belgica* *Baub.* *Chamælæagnus* *Dod.* Thée E-  
ropæum & Chinensium *Sim.* *Pauli.* Jun. & seq.  
**Ricinus vulgaris** s. *Matth.* Cataputia major, major enim est & minor i-  
spectu semen, Julaceo lut. & rubro fl. Jul.  
**Rosa Centifolia** Batavica rubra *Clus.* *Eystett.* Jun.  
moschata *Lob.* s. Damascena fl. pl. albo. *Cam.* *Eystett.* Aug.  
densifoliatifolia atropurpureo cœruleoscens. Majo.  
rubra pallidior s. *Ulmensis* *Cam.* Jun. & nonnunquam Octob.  
alba *Matth.* candida *Tragi*, fl. simplici. Jun. & nonnunquam  
fl. multiplici. Sept.  
pimpinellæfolia fl. albo, biflora. Maj. & Octob.  
intensè rubens *Cam.* fina *Offic.* flore simplici. Junio.  
flore multiplici. Eodem.  
**Densifolia** Turcica dicta fl. rubro multiplici plano. Junii fine.  
punicea *Cornuti*, vulgo Turcica fol. odoratis, flore simpl. intus i-  
tilo exterius luteo. Majo.  
variegata pulcherr. *Caryophyll.* æmul. Aug. Sept. ito.  
**Calendula** s. menstrualis dicta fl. incarnato singulari. Majo & seq.  
fl. multis simul junctis q. Umbellifera. Eo-  
lutea *Lob.* *Cam.* fol. suaveolentib. fl. simpl. Majo & Jun.  
multiplex s. flava plena *Clus.* Jun. & Jul.  
**provincialis** minor *Tabern.* fl. incarnato. Jun.  
minor præcox fl. pusillo palliderub. Maji init.  
**Harcynica** sylvestr. *Jungerm.* Maji fine capitulis unctuosis, fragra-  
tibus foliis & flor. rubentib. à vulgari differens. Maj.  
sylvestris fol. odoratis *Baub.* *Canina odorata* s. X. *Dod.* Eod.  
**Hierichuntica** *Cam.* & alior. cum primis 4. fol. florere incipit. Jun.  
Rosm.

- osmarinum Coronarium Matth. Libanotis coronaria f. latior. Maji fin.  
 fol. angustiorib. Eod.  
 pictum s. foliis flavescentibus. Eod.  
 os Solis Dodon. Rorella rotundifol. Jul.  
 ubia tinctor. Officin. sativa Matth. alior.  
 min. Cruciatia Vid. in Cr.  
 Stellata s. rubiola arvensis rep. Cam. Baub. fl. purp.  
 spicata Cretica Clus. Eod. & seq.  
 abus Idæus Offic. vulgaris Clus. spinosus fructu rubro.  
     fructu albo, Leucocarpos Camer.  
 vulgaris Matth. s. fructu nigro, Morus Bassus Of-  
     ficin. IIIfolius & Vfolius.  
 Americanus non spinosus fl. roseo, Rubus odor. Cornut. Maj. & seq.  
 ificus Matth. Tragi, Dod. & Officin. Maji init.  
 ita sativa Matth. Cordi & Offic. larifolia fruticescens pericarpio tetra-  
     gono & pentagono antepileptico. Jun. & seq.  
 tenuifolia Cordi, Tabern. humilior. Eod.  
 canina Lob. Scrophularia III. Dod. Majo & seq.
- S.
- Abina Dodon. baccifera Matth. foemina Tabern. Majo.  
 altera Dod. sterilis Matth. mas Tab. Ultraq; Offic. est, ex plu-  
     viarum frequentiâ fungis s. spongiolis croceis ad ra-  
     morum divisiones abundare solet Aprili med.  
 via Cretica fol. hederaceis fl. iucarnato odoratissima. An Hispan.  
     Camer. Cretica non pomifera Clus. ? Jun.  
 major Matth. & Officin. latifol. fl. cœrul.  
     fl. albo.  
 minor Matth. angustifol. pinnata fl. cœrul.  
     non pinnata fl. albo.
- (nii init.)
- sylvestris, Scorodonia Cordi. Julio.  
 nucus vulgar. Matth. Dod. & Offic. arboresc baccis nigr. Majo & Ju-  
     altera species Dod. fruticescens baccis candidis s. vitreis. Eod.  
     humilis s. Ebulus Officin. Jul. & seq.  
     tenuifol. caule & flor. rubent. s. Ebulus Indicus. Jul.  
     rosea Lobel. Eystett. fl. albo conglobato. Maj. & Octobr.  
     fl. purpurascens.  
 montana Matth. Cervina Tabern. April.

- Sanicula Dodon.** ♂ Officin. mas Fuchs. Diapensia Matth. Majo.  
fœmina Fuchs. Astrantia nigra Lobel. Helleb. niger Diosc. D  
(don. Eod. & Junio.)
- alpina guttata Camerar. montana altera Clus. Majo.  
alpinæ alt. species Clus. pilosa. Eod. & Jun.
- Saponaria vulg.** Dod. Cam. laevis fl. simplici albescente. Julio.  
flore muscoso degener. Eod.  
Virginiana fl. pleno Cornuti, roseo rubente. Jun. & seq.  
fl. pleno albo turgesc. Jul.
- Satureia Dodon.** ♂ alior. annua s. hortensis & Offic. Julio.  
perennis Camer. Thymbra Dodon. Eod.
- Saxifraga aurea Dodon.** ♂ Lobel. April.  
ferulacea s. III. Matth. Jun. & Jul.  
alba Dodon. Camer. ♂ Officin. Maji init.
- Scabiosamajor Matth.** capitulis squammatis fl. albo.  
cap. squamm. fl. atrorub.  
Officinar. hirsutissima Baub. fl. albo.  
fl. cœruleo. } Jun. & seq.
- IX. æstivalis Clus. Virgæ pastoris æmula. Aug.  
alpina Centauroides Camerar. Eystett. Alpini. Julio.
- Indica Clus.** odore Zibethi fl. atropurpur.  
fl. albo.  
fl. variegato.  
fl. sanguineo. } Jun. & seq.
- prolifero flore Clus. sub cœruleo.  
arborescens Cret. Alpini, Ponæ, fol. non dissectis. Jun. & seq.  
**Hispanica major Clus.** fruticans caliculo paleaceo ampio st  
lato. Majo & seq. item Aug.
- Thuringiaca Cam. ochranthemos. Julio.  
media Dod. minor Baub. fl. albo. Julio.  
minor Matth. Columbaria Lob. Eod.  
marina fol. Chondrillæ Hispan. Tab. dictæ, An Hispanica  
nor Clus.? Junio.
- Scammonea Matth.** Syriaca vera, ex quo Scammonium Offic. Aug.  
**Scilla Matth.** al' Cepa maris & squilla Officin.  
minor pharmacop. Gesn. Pancratium marinum sive Heme  
callis Valent. Clus.
- Scordium Matth.** Dod. & Offic. allium repræsentans. Julio.

**Scorpioides leguminosa** *Lob.* Majo & seq.

folio Bupleuri *Lob.* siliq. hirsutis Jun. & seq.

Lusitanic. non hirsut. Serpentis instar in spiras coact. Eod.

Campoides f. facie Erticæ contortæ. Eod.

Matthioli *Dod.* Telephium *Dioscor.* *Bauh.* Julio.

**Scorzonera latifolia** f. *Pannonica* I. *Clus.* fl. simplici lut. Jun.

angustifolia Ital. f. humilis angustif. Pann. III. *Clus.* Jul.

cœrul. f. Pann. IV. *Clus.* Eod.

**Scotisara V. Caucalis.**

**Scrophularia Matth. Dod.** f. major foetida mas, caule ruff. Maj. & seq.

fœmina *Cam.* minus foetida caule viridi alato. Eod.

peregrina *Cam.* fol. urticæ *Bauh.* fl. suaverub. Apr. fin. & seq.

fl. luteo *Bauh.* in *Prodr.* montana maxima *Col.* Apr. & seq.

**Senecio Matth. alior.** & *Officin.* minor *Bauh.* Apr. & seqq.

foetidus *Gesn.* incanus pinguis *Bauh.* *Erigemon* I. & majus *Dod.* Jul.

**Serpillum citratum** *Matth. Tab.* *Clus.*

vulgare majus & *Offic.* fl. rubro. } Julio.

fl. albo *Cam.*

minus *Tab.* f. angustifolium pilosum.

picatum f. foliis variegatis. Eod.

**Seseli Æthiopicum** fol. aquilegiæ sed amplioribus *Camer.* Julio.

pratense f. siler pratense tenuifol. *Bauh.* pastinacæ odore. Jul.

Masiliense *Matth.* Siler montan. *Offic. quarund.* Julio.

**Sferracavallo Italicum** *Cam. Matth.* Ferrū equinum αὐλοκέρατον *Col.* Jul.

Creticum majori foliorum numero præditum. Eod.

German. sylv. *Cam.* Ferrum eq. comosum *Col.* Maj. & seq.

**Sideritis vulgaris** *Cam.* f. I. *Clus.* hirsuta erecta *Bauh.* Jul.

hirsuta procumbens *Bauh.* Heraclea *Diosc.* f. III. *Clus.* Herba Ju-  
daica *Dodon.* Jul.

montana parvo fl nigropurp. *Col.* mediocroceo. Jul. Aug.

coma flavescente f. V. *Clus.* fol. latiorib. Jul. & seq.

marina f. Veneta. Jul.

**Siliqua Matth. & Offic.** Ceratonia *Dod.* Panis S. Joannis vulgo. Jun.

**Sinapis sativum** I. *Dod.* *Matth.* & *Offic.* hortense *Cord.* rapifol. *Bauh.* Jul.

alterum *Matth.* *Dod.* apifolium *Bauh.* fl. lut. Jun.

**Sion** f. **Sium** verum *Matth.* I. minus *Tab.* Jul.

Magellanicum sem. foetido *Jungermanni*, An Petroselin.

Macedon. *Fuchs.* *Dodon.*? Jul. Sept.

*Siser Matth.* *Sisarum Dod.* Jul.

*Sisyrinchium majus Clus.* *Dodon.* fl. cœrul. Jun.

*Smilax aspera Matth.* fructu rutil. *Clus.* Jul. Aug.

*Smyrnium V. Apium.*

*Solanum Offic.* hortense *Matth.* baccis nigris. Jun.

arborescens *Cam.* *Strychnodendron Gesn.* Julio.

somniferum *Clus.* *Matth.* antiquorum *Alpini*, baccis rubro croceis. Eod. & Aug.

tuberous esculentum *Baub.* in *Prodr.* Papas Peruvianor. *Eystett.* flore albo pentagono. Jul.

fl. purpurasc. pentagono. Eod.

majus *Matth.* lethale *Dod.* μελανοκέρασον, *Belladonna Italor.* Eod.

*Soldanella marina Matth.* *Soldanella Dodon.* & *Officin.* Aug.

alpina *Cam.* minor *Clus.* rotundifol. fl. cœruleo. *Mart.*

major rotundifol. fl. cœrul. Eod.

*Sonchus Mauritan.* quorund. *Jungerm.* *Hierac.* *Cret.* *Cam.* Jul.

asper *Matth.* laciniosus *Baub.* *Cicerbita Offic.* Jul. & seq.

lævis *Matth.* *Dod.* laciñiatus latifol. *Baub.* fl. lut. Eod.

lævior parvis flor. f. sylvat. IV. *Tab.* *Laetula muror.* *Cæf.* Eod.

alpinus cœruleus *Baub.* *Sonchocichorium Cam.* Jun. & Jul.

*Sophera Ægyptia Alpini*, *Veslingi.* *Hoxocoquomaclit.* *Cam.* *Clus.* Octob.

*Sorbus domestica Matth.* *esculenta Cam.* Majo.

torminal. *Matth.* *Dod.* Majo.

*sylvestris Matth.* *aucuparia Clus.* *Fraxinus bubula.* Eod.

alpina *Gesn.* *Aria Theophr.* *Tab.* *Cam.* Junii init.

*Speculum Veneris f. Campanula arvensis minima Dod.* *Viola pentagona Tab.* fl. purpur. Jun. & seq.

flore albo. Eod.

*Spinachia Matth.* *Dod.* *vulgaris Tragi*, sem. spinoso. Majo.

nobilis *Tragi*, sem. non spinoso. Eod.

*Spiræa Theophr.* *Clus.* frutex ferratif. spicam flor. incarn. exhibens. Jun.

*Stachys Fuchs.* *Dod.* floribus subluteis. *Matth.* *Cam.* Aug.

palustris foetida *Baub.* *Betonica foetida Gesn.* Jul. & seq.

major German. *Baub.* *Pseudostachys Matth.* Jul.

*Staphisagria Matth.* *Dod.* *Officin.* *Pedicularis Cordi.* Aug.

*Stoebe Salmantica I.* *Clus.* *Hispanica Camer.* Jun. Jul.

incana fol. ptarmicæ Austr. *Jungerm.* Ptarmicæ Austr. species minor *Clus.* cur. post. Jul. Aug.

Austria-

- Austriaca elatior *Clus.* caliculis non splendentib. *Bauh.* Jul.  
*Stoechas* citrina *Matth.* & *Officin.* Jul.  
 Arabica *Camer.* & *Officin.* Julio & seq.  
*Styrax arbor* *Matth.* malo cotoneæ similis, cuius lacryma *Storax calamina* *Officin.* dicitur. Junio.  
*Syringa coerulea* Lusitan. *Lob.* Lilac. Jasminum coeruleum, *quorund.* Maj. init.  
 Lusitan. nivea s. fl. albo. Eod.  
 fl. albo odorata *Cam.* Italica *Lob.* fl. simplici. Maji fine.  
 rarius fl. multiplici. Junii init.  
 Agem Lilac dicta V. *Ligustrum.*

## T.

- T**amariscus *German.* & *Offic.* Myrica *Matth.* fol. latior. Majo & Jun.  
*Tanacetum* *Matth.* & *Officin.* vulgare *Eystett.* luteum. Julio.  
 crispum *Dod.* Anglicum *Camer.* Eod,  
 inodorum flore bellidis I. *Clus.* Levanthemum *Tab.*  
*Taxus* *Matth.* *Dod.* abietifolia. (Majo & Jun.  
*Telephium* sive *Fabaria* *Matth.* & *Officinar.* Crassula *Dodon.* rotundifol. purpurasc. Julio.  
 fol. oblongis angustis. Eod.  
*Imperati* *Cam.* s. VII. *Clus.* vasculo seminum trigono. Jun. & seq.  
*Terebinthus vulg.* *Matth.* *Dod.* *Tab.* Lombardica.  
*Teucrium vulgare* fruticans s. I. *Clus.* II. *Matth.* fl. pallido. Jun. Jul.  
 Creticum fruticans s. alterum *Clus.* Lagocephalon à forma floris purpurascens nondum aperti. Jun. & seq.  
*Thalictrum Canadense* *Cornuti*, fol. latis aquilegiæ fl. musc. incarn. *Eyst.*  
 fl. muscosoalbo. *Eyst.* (Maj.  
 Hispaniæ. *Clus.* III. *Dod.* fol. rutaceis glaucis fl. musc. lut. Jun.  
 magnum *Dod.* Ruta pratensis major I. *Tab.* Julii init.  
 pratense angustifol. *Bauh.* Eod.  
*Thlaspi Officin.* arvense siliquis latis *Bauh.* platycarpon *Camer.* scorodo-thlaspi *Dodon.* Apr. & seq.  
 foliis vaccariæ incan. s. I. *Matth.* II. *Dod.* verum *Cam.* Majo.  
 incanum Mechliniense *Lobel.* Jul.  
 biscutatum s. clypeatum majus hieracifolium *Bauh.* Lunaria lutea Monspel. *Lob.* Jun & Julio.  
 biscutatum villosum fl. calcari donato *Bauh.* Leucoium montan. fl. pedato *Col.* Jul. Aug.  
 clypeatum *Clus.* s. minus *M. Baldi.* Jondraba alysoides Apula spicata *Col.* Jul. init. H 2 par-

parvum saxatile fl. rubente s. *Lithothlaspi* IV. rotundifol. *Col.*  
 fruticosum spinosum *Narbonense* *Lob.* Junio. (Jul.  
*Creticum* s. *Cappadocicum* fl. purpurasc. Jun. &  
 fl. albo *Eystett.* Jul.

semperfiriens *Cam.* fruticans fl. albo, angustileucoifolium. *Maj.*  
 perfoliatum montanum s. *pumilum* *Clus.* Martio & Apr.  
*Græcum* V. *Alyssum.*

*Thymus vulgaris* & *Offic.* tenuifolius *Eystett.* durior *Cam.* Jun.  
*Cretenis* capitatus *Cam. Cordi*, legitimus *Clus.* Aug.

*Tilia Officin.* fœmina *Matth.* *Dod.* Jun. & Jul.

*Tithymalus Myrtites* s. *Myrsinites* *Matth.* *Dod.* I. *Tab.* Majo.  
 montanus dulcis s. *Esula dulcis* *Tragi*, *Gesn.* Apr. & Majo.  
 marinus fl. purpurasc. *Esula rara* è Lio Venet. *Insula Lob.*  
 fl. albo. Eod. (Aug.)

*Characias amygdaloïdes* *Lob.* s. I. *Dod.* Jun. & seq.

*helioscopius vulgaris* s. *Matth.* *Dod.* Majo & seq.

*Cyparissias minor* *Bauh.* *Humipinus* *Lob.* *Esula Off.* *Maji* init.  
 marinus fol. *Linariæ Bauh.* Majo.

*Charac.* III. *Clus.* Eod.

*Tordylium Creticum Patavinor.* foliis est serratis rotundis, flosculis al-  
 bis in umbella dispositis semen acre petroselini instar succe-  
 dit. An *Ammi majorib.* & serratis fol.sem.apii *Gesn.*? Jun. Jul.

*Tomentilla Matth.* *Dod.* & *Offic.* *Heptaphyllum Fuchs.* *Gesn.* flore tetra-  
 phyllo lut. rariss. pentaphyllo. Majo & seq.

*Trachelium umbelliferum cœruleum Ponæ*, *Valerianthemum* dicendum.

*Tribulus terrestris Matth.* *Dod.* & *alior.* Jul. Aug. (Jul. Aug.)

*Trifolium bituminosum Dod.* *asphaltæum Matth.* *Lob.* Jun. & seq.  
*Caballinum Gesn.* odorat. alt. *Dod.* *Lotus sylv.* *Matth.* sati-  
 va *Cordi*, fl. cœrulealb. Jul.

*Americanum spicatum* s. *Hedysarum triphyllum* *Cannad.* fi-  
 liqua articulata *Cornuti*. Jul. Aug.

*aculeatum* s. *spinosum Cret.* *Bauh. in Prodr.* Aug.

*Lusitanicum siliquosum* flore delphinii. Eod.

*subterraneum*, *globosum* flor. candidulor. contextum longo  
 petiolo insistentem sub terra recondens. *Tricoccon*  
*Regium Rob.* *Moris.* Jul. & seq.

*falcatum Clus.* app. alt. fl. lut. siliquis falciformib. Jul.

*Hepaticum* s. *aureum Dod.* fl. cœruleo simpl. April. init.

fl. albo

fl. albo simpl. & fl. suaverub. simpl. Eod.

f. Hepatica trifolia Clus. fl. cœr. pl. Eod.

palustre Baub. & Dod. flor. elegantiss. crispatis. Majo.

pentaphyllum sterilescens.

polyphyllum rubrum, Quadrif. phæum fuscum Lob. Jun. init.

agrarium Dod. arvense Tab. Botryoides. Apr. & seq. (Jul.

cornicul. I. Dod. siliq. minus Tab. Lotus pentaphyll. Gesn. fl. aur.

capitulo oblongo aspero f. VIII. Baub. in Prodr. è caulinum ge-

niculis glomerulos oblongos proferens Joh. Baub.

Hist. Univ. lib. 17. Jul.

Iupulinum Thal. capitulo lupuli Baub. luteo. Jun. & seq.

Fragar. aureum. V. Fragar.

polium Dod. Cam. majus cœrul. Baub. serratifol. Aug. & seq.

ticum spica multiplici Baub. Lob. ramosum Plin. ac fertilissimum. Jun. f.

vaccinum Tragi, Dod. Melampyrum comâ purpurasc. Baub. Maj.

lipa præcox lut. Apenninea Clus. odore levcoii fl. singul. Apr.

fl. gemino. Eod.

ramosa f. polyanthos Eyttett. Majo.

rubralba f. Persica, bicolor. Apr.

flammata f. Virgata, atropurpur. Clus. Eod.

Corona dicta, odorata variegata, ex lut. & miniato. init. Maji.

ex albo & miniato. Eod.

rubra unguibus luteis maculâ fuscâ notatis vulgatissima.

unguibus atris.

incarnata unguibus albis.

sulphurea unguibus fuscis.

sulphurea fl. pleno, thyrigerula.

tota candida unguibus pallidè fuscis.

tota lutea fimbria rubra.

tota lutea.

tota alba fimbria incarnata.

tota punicea unguibus fuscis.

alba incarnatis punctis varieg. unguibus pallidis.

alba incarnatis striis varieg. unguib. cœrul. (notatis.

variegata ex sulphureo & rubro unguibus pallidis macula nigra

quadricolor, purpurealba rubris striis ornata unguibus cœrul.

Feldhuen / dicta.

atrorubens albis striis variegata, Vidua appellata.

candidissima incarnatis lineis varieg. *Admiralis Angliae* dicta.  
*Viridis Eystett* fimbria intus & exterius rub.  
*nivea* lineis rectis miniatis varieg. *Scipio Africanus* dicta.  
*sanguinealbescens*, *Riswicker* dicta.  
*lætè* incarnata unguibus albis striatis, *Terlon* d. & similes diffe-  
tiæ *Tulipistis* relinquendæ, diversimodè pro rubedine  
lydædalâ, roseâ, miniatâ, variegatis subindè nova &  
gna nomina, uti & *Caryophyllis* cum *Caryophyl-*  
*imponentibus*.

*Turritis* fol. glasti s. *Brasica* sylv. virgata *Cordi*. Majo.  
fol. drabæ s. *vulgatior* *Clus.* Eod.  
*Tusfilago vulgaris* *Matth.* *Farfara Officin.* Martio.  
*alpina* *I.* *Clus.* *rotundifolia minor*. Aprili.

## V.

**V**aleriana major *Lobel.* & *Camerar.* hortensis & *Officin.* Phu m  
*Matth.* Ponticum *Tabern.* Majo & seq.  
*Campestris* *Cam.* *Lactuca agnina* *Tab.* Majo.  
*palustris minor* *Cam.* exigua vel IV. *Tragifl.* incarn. E  
*rubra* *Dod.* *Cam.* *Tab.* fl. & caule rubro. Majo & seq.  
fl. niveis. Eod.  
*peregrina* *Lob.* *Cam.* *Græca Dod.* *Tab.* fl. cœrul. Jun. ii  
fl. albis *Eystett.*  
*Indica* *Clus.* fl. rubro, *Peristeropodium* dicenda. Jul. A  
*petræa minor* s. *Valerianella* sem. scabiosæ stell. *Col.* E  
*Verbascum album* s. mas *Tab.* *Lob.* & *Thapsus barbatus* *Offic.* Julio.  
*fœmina* s. *nigrum* *Dod.* *Lob.* fl. luteo purpurasc. Eod.  
*candidum* *Fuchs.* fl. minorib. albicantibus, *Ly-*  
*tes Matth.* Jun. & Jul.  
*sylvestre*, *salvifolium* *Cam.* *fruticosum* *Lob.* latifol.  
angustifol.  
*Intybaceum* *Tab.* fol. papaveris *Corn.* *Cam.* *Baub.* fl. lut.  
*Verbenaca* *Matth.* recta *Dod.* *Verbena vulgaris* & *Officin.* Jul.  
*Veronica mas* *Fuchs.* *Thal.* serpens *Dod.* *vulgaris* & *Offic.* Jun. & seq.  
*fœmina Thal.* minor serpillifolia *Lob.* fl. albesc. Majo.  
*spicata cœrulea* *Cam.* recta *vulgaris major* *Clus.* Julio.  
*Viburnum* *Matth.* *Cam.* Maji init.  
*Vicia sylvestris* fl. albo *Clus.* Jun.

dumetorum perennis flor. reticulatis odoratis, *Cracca major* *Ta-*  
*bern* Majo & Jun. init.

*sylvestris* spicato flore sive II. *Clus.* Majo.

*sativa* f. *major* & I *Tragi*, fem. *spadiceo*. Jun.

*multiflora* *Baub.* *Galega sylv.* *Dod.* *Thal.* Jul.

*lutea* fol. *convolvuli minoris* *Baub.* *Aphaca.* *Dod.* Jul.  
*ola Martia* & *Offic.* purpur. *Matth.* *Tab.* fl. simpl.

candida *Tragi*, alba *Tab.* fl. simpl.

*variegata* *Eystett.* fl. simpl.

fl. multiplici *Dod.* atropurpur.

fl. multiplici albic. *Eystett.* *Martio* & *Sept.*

*Iutea inodora* *alpina* *Cam.* f. *montana* I. *Clus.* Apr.

*montana ananthes*, stamine perpusillo luteo, cui capsula obtu-  
fa triangula succedit. Majo & seqq.

*flammea* f. *montana grandiflora* lut. *Baub.* Majo & seq.

*tricolor* *Dod.* *Trinitatis* I. *Tab.* *Jacea* & flos *Trinitatis Officinar.*  
fl. atropurpur. Eod.

flor. lutealbesc.

*ga aurea* *Cam.* latifolia serrata *Baub.* *Consolida Sarac.* *Offic.* Jul. Aug.  
angustifol. Eod.

*sylv. trifolia Americana*, *Hedera trifolia Canadensis Cornuti*. Jun.

*Hederacea* f. *Hedera quinquefolia Canadensis Cornuti*. Eod.

*Vinifera Muscatellina Apiana Plin.* Maji fin. & Jun.

Zibibfera foliis profundè incisis. Eod.

acinis atropurpureis f. nigricantib. *Camer.*

acinae vitreis f. candidis vulg.

fol. profundius laciniatis *Corn.* *Ranunculifolia*. Jul.

*folium Dod.* *Cam Tab.* *Gramen Parnassi Matth.* Majo.

*ca Rom Off.* *mascula Cam.* *Lob.* pilulis sphæriceis fol. ferratis. Jun.

fol. non serrat. Eod.

*urens maxima* *Baub.* II. *Matth.* Jun.

minor f. acrior *Lobel.* III. *Matth.* Majo.

*ago miliacea*, *avenacea*, *hordeacea*, *secalina* nonnunquam occur-  
runt, & pro semine fuliginem atram offerunt.

### X.

*Iris Matth.* *Spatula foetida Dod.* *Tab.* *Tragi*, *Recoctaria Ital.* Jun.

### Z.

*Iziphus Dod.* rubra *Camer.* ex quâ *Jujubæ Officin.* Julio.

*Explicatio Nominum Botanicorum  
in Catalogo citatorum.*

- A**costæ, est Christophori Acostæ aromatum historia à Clusio & Aldin. Tobiae Aldini descriptio rarior. plantar. horti Farnesia & Alpin. Prosperi Alpini libb. de plantis Ægypti & de plantis exco Avant. Caroli Avantii notæ in cœnam Baptiste Fieræ Mantuani. Bauh. Caspari Bauhini Basiliens. Prodromus & pinax Theatri Botani Joann Bauh. Joannis Bauh. historia Univers. plantar. Libb. 40. tradit. Brunf. Ottonis Brunfelsii plantarum historia. Cam. Joachimi Camerarii Noriberg. hortus Medicus & Epitome Medicæ. Andreæ Cæsalpini lib. de plantis. Clus. Caroli Clusii rarior. & exoticar. historia accuræ posteriores. Col. Fabii Columnæ Lyncei minus cognitar. stirpium *expeditio* tæ ad Recchum. Cord. Valerii Cordi stirpium historia. Corn. Jacobi Cornuti Cannadens. plantar. historia. Dod. Remberti Dodon. stirpium historiæ Pemptades VI. Eystett. Hortus Eystettensis Basiliæ Besleri Norimberg. Ferrar. Joann. Baptistæ Ferrarii de florum cultura. Fuchs. Leonhardi Fuchsii historia plantar. Gesn. Conradi Gesneri historia plantar. Jungerm. Ludovici Jungermanni Catalogus H. M. A. 1646. editus. Lob. Matthiæ de Lobel. stirpium, icon. observat. & adversaria. Lon. Adami Loniceri herbar. Marcgr. Georgi Marcgravi histor. plantar. Brasiliens. Matth. Petri Andreæ Matthioli herbar. & compendium. Rob. Moris. Roberti Morison. Præludia Botan. Schwenckf. Caspari Schwenckfeldii Catal. stirpium & fossilium Silvæ. Tab. Jacobi Theodori Tabernæmontani Herbar. German. Thal. Joannis Thalii sylva Harcynica. Trag. Hieronymi Tragi herbar. Veslingi Joann. Veslingi de Plantis Ægypt. observat. & Catal. plantarum Horti Medici Patavini.

S. D. G.