Index plantarum officinalium, quas, ad materiae medicae scientiam promovendam, in Horto Chelseiano ali ac demonstrati curavit Societas Pharmaceutica Londinensis / [Isaac Rand].

Contributors

Rand, Isaac, 1743-1822. John Whiston. Society of Apothecaries, London.

Publication/Creation

Londini: Imprimebat J.W., 1730.

Persistent URL

https://wellcomecollection.org/works/p44t57gh

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

INDEX

Plantarum Officinalium,

QUAS, AD

MATERIÆ MEDICÆ

Scientiam Promovendam,

IN

HORTO CHELSEIANO,

Ali ac Demonstrari curavit

Societas Pharmaceutica Londinensis,

Inprimebat J. W. MDCCXXX

Digitized by the Internet Archive in 2019 with funding from Wellcome Library

VIRIS PRUDENTISSIMIS,

In ARTE

Præstantissimis & Spectatissimis,

Johanni Briscoe

MAGISTRO dignissimo,

Josepho Cruttenden

ET

Zachariæ Allen

Guardianis Vigilantissimis,

Cæterisque, in Curia Assistentium Clarissimæ Societatis Pharmaceuticæ Londinensis, Assessoribus sidelissimis,

INDICEM hunc,


Jussu vestro conscriptum & excusum, in usum præcipuè Tyronum,

Observantiæ & Honoris ergo

Ex animo offert,

Isaacus Rand.

Paupannisting, ... HT RAL et al And & Special Chinis, sooling infice ofepho Cruttender shiredon' diamis. Vigilamilianis, . MNDICEM hunc, Justin vettro, conferipeum & excellum, define plantage Tourist Objectionality at Honoris ergo Le agine offert,



Societas Pharmacopoeorum Londens; ne cuiquam nocumentum, ex Materiæ Medicæ inscitià, oriatur provida; Quo Tyrones in Arte Pharmaceuticà instituendi, Botanicà etiam scientià (quoad rem Medicam, saltem, spectat) quam facillime imbuantur, Stirpium officinalium Demonstrationes publicas, in Horto Chelseiano, statuit; atque Indicem sequentem typis mandari justi. Opusculi rationem perpaucis sciat Lector.

In prima serie, nomina Plantarum usitatiora, ordine Alphabetico, numeris progressivis præsixis, digesta sunt; quemadmodum & Plantæ in Horto Societatis disponuntur; bis synonyma ossicinalia (literis Italicis) subjiciuntur: Hoc adminiculo perfacile suerit addiscere Plantas usuales; Stirpem enim ipsam, a prima germinatione, cum Nomine, uno quasi intuitu, ad libitum, contemplari licet. Nibilominus ut magis pateat, studiis Botanicis vacantibus, ad rem Herbariam aditus; Appellationem specificam, Auctoris cujusdam lauda-

laudatissimi, semper annexi; & subindu Nomen genevicum, scriptoribus nuperimethodicis usitatum (charactere Romano, cum citatione notas etiam genericas indicante. His subjunxi enumerationem partium quæ usibus medicinalibus præcipue adhibentur: Nec illas annotare prætermist, quæ nuncupatione quadam communi complectuntur: Neque inutile fore duxi Appellationes nonnullas obsoletiores (quætamen in Scriptoribus pharmaceuticis, superioristævi, satis idoneis frequenter occurrunt) interspergere, & Nominibus usitatioribus accommodare. Sit satis bæc præfari.

Exvoto mibi omnino esset, si quod præstiti consilio Societatis competeret; & lapsus ignoscere dignaretur Lector.

and the last of the little

lausis.

Plante is there courretts off-

strain) agreeisifa areanough sie : 4220

trick labituaries : The advantage

specific factor additione to danses africier;

bring, concention that. Nibileshies

ns magis purent, funtis tectanicus vacius.

elbas, adrem Herbarian aditor; Appli-

darioness therefores, Luckeris enjufaces

Nomina-

李帝帝帝帝帝帝帝帝帝

Nomina Auctorum Explicata.

Boeth. Ind. alt. Hermanni Boerhaave Index alter Plantarum &c.

Breyn. prod. Jacobi Breynii Prodromus.

C. B. Caspari Bauhini Pinax.

Gerard. Johannis Gerardi Historia Plantarum.

Hort. Amst. Johannis Commelini Horti Medici Amstelodamensis Rariorum Plantarum descriptio, &c. Fol.

J. B. Johannis Buhini Historia Plantarum univerfalis, &c.

Moris. Hift. Ox. Roberti Morison Plantarum Historia Universalis Oxoniensis.

Pluck. phyt. Leonardi Plukenetii Phytographia.

Raij Syn. Johannis Raij Synopsis methodica Stirpium Britannicarum.

Sloan. Cat. Jam. Hans Sloane Catalogus Plantarum Insulæ Jamaicæ.

Sloan. Hist. Ejustdem Historia Naturalis.

T. Inst. Josephi Pitton Tournefortij Institutiones Rei Herbariæ.

Asteriscus, Namero præsixus, denotat Plantam minus commodè in Ordinibus inter alias adolescere; Arboribus enim adultioribus deest spatium; proinde n Arboreto disponuntur: Teneriores autem Plantæ, Cœli nempe calidioris alumnæ, Aeris nostri asperiatem ægrè patientes, in Hybernaculo aut Hypocausto quærendæ sunt,

Nonnulla inter legendum omissa deprehendi quæ amicè supplere, rogo, digneris.

PAG. 5. Num. 22.

fupple Halicacabum.

P. 26. N. 142.

Supple Handal.

P. 48. 1. 8, ante 328. insere C. B.

P. 60 N. 323.

fupple Bunias.

P. 65. N. 348.

Supple Helxine.

P. 20. l. 15. insere Caroba vide siliqua dulcis.
P. 22. l. 21. insere Ceratia vide siliqua dulcis.

Errata aliquot Typographica irrepserunt, quæ ferè literalia sunt, & sic corrigenda.

Moris. Hill. Ox.

P. 5. l. 14. lege Alleluia. p. 13. l. 3. lege Balsamita. P. 15. l. 2. lege rubra. p. 40. l. penultimâ lege Digitalis. p. 49. l. 3. lege cubitali. p. 53. l. 10. lege Catharticum. p. 54. l. 7. lege Alleluia. p. 56. l. penultimâ lege Periclymenum. p. 64. N. 346. sub rubrum, lege erraticum. rhaas. p. 71. l. 9. lege Prassum p. 72. l. antipenultimâ lege. phytum.

Arborabus enion situationions doeft foatium; praind

nempe caldiorys slymnæ, Aeris nottel albe

latent aged patienter, in Hybernaculo cue Hypocacleo



Plantarum Officinalium.

議条衛來源來源來源來源來衛奉衛奉衛奉衛本衛本衛本衛來源來源奉養養

a mano A Anunomo A muidialed de

BIES. The Fir=Tree. Abies mas conis sursum spectantibus C. B. Summitates; Lignum; Refina liquida, quæ Terebinthina Argentoratentis Officinarum.

2 Abies rubra. The common fir, oz pitch= Picea. Aree. Picea major prima; five Abies rubra C. B. 493. Summitates; Refina; Pix liquida, ficca & Burgundiaca.

- 3. Abrotanum mas. Southern Wood. Abrotanum mas, angustifolium, majus C. B. 136.
 Folia; Cymæ.
- 4. Abrotanum fæmina. Lavender=cotton. Abro-Chamacypariss. tanum fæmina, foliis teretibus, C. B. 136. Santolina T. Inst. 460. Folia; Cymæ.
- 5. Absinthium. Mozm=wood. Absinthium vulgare, majus 7. B. III. 168. Folia; Cymæ.
- 6. Absinthium Romanum. Roman Wozmwood.

 Absinthium Ponticum, tenuisclium, incanum C. B. 138.

 Folia; Cymæ.
- 7. Absinthium Romanum Officinarum Lond. Roman
 Mozimwood of the London
 Shops. Absinthium Seriphium
 Belgicum C. B. 139.
 Folia; Cymæ.
- * 8. Acacia. Acacia. Acacia foliis Scorpioides leguminosa C. B. 392. Succus inspissatus; Gummi Arabicum.

Acacia Germanica. vid. Prunus Sylvestris.

- 9. Acanthus. Brank-Arfin. Bears-Breech.

 Branca Ursina. Acanthus sativus; sive mollis

 Virgilii C. B. 383.3

 Folia.
- o. Acetosa. Sozzel. Acetosa pratensis C. B. 114. Oxalis. Folia; Radix; Semen.
- arvensis, lanceolata C. B. 114.
 Folia.
- 12. Acetosa Romana, rotundifolia. French 202= rel. Acetosa rotundifolia, hortensis C. B. 114. Folia.

Acetosella. v. Lujula.

- The true Acolus. Acorus
 Calamus aromaticus. verus sive Calamus aromaticus
 officinarum C. B. 34.
 Radix.
- 4. Acorus adulterinus, Bastaro Acozus.

 Pseudo-Acorus. Acorus adulterinus C. B. 34.

 Gladiolus lutens. Iris lutea palustris Gerard. 46.

 Radix.

Ade. v. Sambucus.

- Ruta Muraria. IR ue. Ruta muraria C. B. 356.
 Salvia vita. Herba, e quinque herbis capillaribus.
- Capillus Veneris. thair. Adianthum foliis Coriandri C. B. 355.
 Herba.
- 47. Adianthum nigrum. Black Baiden-Ijair.

 Adianthum foliis longioribus,
 pulverulentis; pediculo nigro C. B.

 355.
 Herba, e quinque herbis capillaribus.

Adianthum aureum, v. Polytrichum aureum. Agaricus. v. Larix.

Eupatorium Mesues. liis serratis C. B. 221.

Herba cum floribus.

SA

14. Accres saulterines, ... Terallar o Ercour

Agnus castus. v. Vitex.

Agresta. v. Vitis.

ABB.

- Eupatorium Gracor. Sive Agrimonia C. B. 3213

 Herba.
 - 20. Alcea. Mervain-Mallow. Alcea vulgaris major C. B. 315. Herba.
 - 21. Alchimilla. Ladies-Pantle. Alchimilla vulgaris C. B. 319. Folia.
- 22. Alkekengi. Winter-Cherry, Solanum vestcarium C. B. 166. Alkekengi T. Inst. 150. Fructus.

Allelulia. v. Lujula.

23. Allium. Barlick. Allium sativum, C. B. 73. Radix.

Alnus. Nigra. v. Frangula.

* 24. Aloe. The common Aloes. Aloe vulgaris C. B. 286. Succus inspissatus; q. Barbadoes Aloes Offic. * 25. Aloe Succotrina. The Succotrine Aloes.

Aloes Succotrina angustifolia,
Spinosa; flore purpureo Breyn.
Prod. 2.
Succus inspissatus.

26. Alfine. Chick=weed. Alfine media C. B. 250.

Bismalva. Darsh-mallows. Althau Dioscoridis

Bismalva. & Plinii C. B. 315.

Ibiscus. Herba, e quinque herbis emollientibus; Flores; Radix; Semen.

Amaracus. v. Majorana.

28. Amaranthus. Flower-gentle. Amaranthus Flos Amoris. maximus C. B. 120. Cymæ.

Ambrosia. v. Botrys.

29. Ammi vu'gare. Bishop's Weed. Ammi majus C. B. 159.

Semen, e quatuor sem. calidis minoribus.

20. Ammi verum. The true Ammi. Ammi parvum, foliis Faniculi C. B.
159.
Semen.

mon Amomum, sison, quod

Amomum Officinis nostris C. B.

154.

Semen, e quatuor sem. calidis

minoribus.

Amoris poma. v. Poma amoris.

Amurca. v. Olea.

* 32. Amygdalus. The Almondetree. Amygdalus sativa C. B. 441. Nucleus.

Amylum. v. Triticum.

- 33. Anagallis terrestris, mas. Dimpernell.

 Anagallis phaniceo flore C. B.

 252.

 Herba.
- 34. Anagallis terrestris, fœmina. The female Dimpernell. Anagallis cœruleo flore C. B. 252.
 - 5. Anagallis a juatica. 15200klime. Anagaliis
 Becabunga. aquatica, major, folio subrotundo
 C. B. 252. Veronica T. Inst.
 143.
 Herba.

APA

- 36. Anchusa. Alkanet. Anchusa puniceis floribus C. B. 255. Buglossum, T. Inst. 133. Radir.
- 37. Anethum. Dill. Anethum hortense C. B. 147. Herba; Semen.
- 38. Angelica. Angelica, Angelica sativa C. B. 155. Herba; Radix; Semen.
- 39. Anisum. Anis. Anisum Herbariis C. B. 159. Semen, e quatuor sem. calidis majoribus.
- Ononis. Rest Harrow. Anonis spinosa flore purpureo C. B. 389.

 Resta Bovis. Radix.
 - 41. Anthora. The wholesome Ponks=hood.

 Antithora. Aconitum salutiserum C. B.

 184.

 Radix.

Anthos. v. Rosmarinus.

. 42. Aparine. Clivers. Boole=Bzals. Aparine vulgaris C. B. 334.
Herba.

43. Apium. Smallage. Apium palustre C. B.
Eleoselinum. 154.
Herba; Radix, e quinque Rad.
aperientibus; Semen, e quatuor
Sem. calidis minoribus.

44. Aquilegia. Columbine. Aquilegia Sylvestris C. B. 144. Herba; Semen.

Arbor Vita. v. Thuya.

56. Asche

- 45. Argentina. Mild Tansie. Silver = weed.

 Potentilla. Potentilla C. B. 321. Pentaphylloides Raij. Syn.
 Herba.
- 6. Aristolochia Clematitis. Creeping Birtlyz wort. Aristolochia Clematitis recta C. B. 307,
 Radix.
- 7. Aristolochia longa. Long Birthwort. Aristolochia longa vera C.B. 307. Radix.
- 8. Aristolochia rotunda. Round Birthwort.

 Aristolochia rotunda, store ex

 purpurâ nigro C. B. 307.

 Radix.

* 49. Armeniaca. Apricock. Mala Armeniaca Pracocia. majora C. B. 442. Fructus.

Artanita. v. Cyclamen.

50. Artemisia. Dugwozt. Artemisia vulgaris major C. B. 137. Herba.

51. Arum. Wake Robin. Cuckobe-pint.

Arum maculatum maculis

nigris C. B. 195.

Herba; Radix.

Phragmites Dioscoridis C. B.

17.

Radix.

53. Arundo Saccharifera. Sugar=Cane. Arundo Saccharifera C. B. 18. Sal essentialis dulcis, qui Saccharum.

54. Asarum. Asarabacca. Asarum C. B. 197. Folia; Radix.

55. Asarum Virginianum.

- 76. Asclepias. Swallow-wort. Tame-poison.

 Vincetoxicum. Asclepias store albo C. B. 303.

 Hirundaria. Herba; Radix.
- 57. Asparagus: Sparagus, Asparagus sativus
 C. B. 489.
 Radix, e quinque Radicibus
 aperentibus; Semen.
- 58. Asperula odorata. Montana odora C. B.

 Aspergula. Rubeola montana odora C. B.

 334.
 Herba.
- Asphodelus verus, Albus. The true white Asphodelus albus ramosus mas C. B. 28.
 Radix.
- 60. Asphodelus verus, luteus. Pellow Asphodel.

 Hasta Regia. King's Spear. Asphodelus
 luteus & flore & radice C. E.

 28.

 Herba; Radix.

Asplenium. v. Ceterach.

Inguinalis. Atticus, caruleus vulgaris C. B.
267.
Herba.

62. After Atticus, luteus. The gotden Starwozt.

After Intens, foliolis ad florem
rigidis C. B. 266. Afteriscus
T. Inst. 497.
Herba.

Astrantia. v. Imperatoria.

- . 63. Atractylis. Distast=Ahistle. Atractylislutea C.B. 379. Cnicus T. Inft. 450.
 - 64. Atriplex. Dzache. Atriplex hortensis alba, sive pallide virens, C. B. 119. Herba.
- fætida C. B. 119. Chenopodium T. Inft. 506. Herba; Semen.

Avellana, v. Corylus.

* 66. Aurantia. The Drange = Tree. Malus Arantia major C. B. 436. Folia; Flores, qui Napha; Fructus.

Auricula Juda. v. Sambucus.

Auricula muris, v. Pilosella.

-62, After

B

Balaustia. v. Conyza.

Balaustia. v. Punica.

- 7. Balsmita mas. Costmary. Ale-coste. Mentha Costus hortorum. hortensis, corymbisera C. B. 226.

 Tanacetum T. Inst. 461.

 Herba.
 - 68. Bamia moschata. Dusk Seed. Alcea Ægyptiaca villosa C. B. 317. Ketmia T. Inst. 99. Semen.
- Lappa major. Burdock. Lappa major,
 Lappa major. Arcium Dioscoriais C. B. 198.
 Folia; Radix; Semen.

Bardana minor. v. Xanthium.

Basilicum. v. Ocimum.

Becabunga, v. Anagallis aquatica.

Behen album. Spatling Doppy. Lychnis sylvestris qua Been album vulgo C. B. 205.
Radix.

Behen rubrum. v. Limonium.

- 71. Bellis major. Drzeve Daisy. Bellis sylvestris, caule folioso, major C. B. 261.

 Leucanthemum T. Inst. 492.

 Herba; Flores.
- 72. Bellis minor. Daily. Bellis sylvestris minor Consolida minima. C. B. 492.

 Symphytum minimum.

 Herba; Flores; Radix.
- * 73. Benzoinifera. The Benjamin = Tree.

 Belzoinum officinarum C. B.

 503. Arbor. Virginiana, Pifaminis folio, baccata; Benzoinum redolens. Pluk. Phytogr. Tab.

 139. fig. 3 & 4.

 Resina, qua Benzoin, & Asa dulcis Officinarum.
- * 74. Berberis. The Barberry. Dipperidge.
 Oxyacantha Galeni. Berberis dumetorum C. B. 454.
 Cortex; Fructus; Semen.
- 75. Beta alba. White Beet. Beta alba, vel pallescens, qua Cicla Offic. C. B.
 118.
 Herba, e quinque herbis emollientibus; Radix.

- 6. Beta nigra. Red Beet. Beta rubra vulgaris rabra. C. B. 118. Radix; Folia.
- 7. Petonica. Betony. Betonica purpurea C. B.
 235.
 Folia; Flores.

Betonica aquatica. v. Scrophularia,

Betonica Pauli, v. Veronica.

78. Betula. Birch. Betula C. B. 427. Cortex; Lachrymæ.

Bislingua. v. Hippoglossum.

Bismalva. v. Althæa.

-). Bistorta. Wistort. Snakeweed. Bistorta + radice minus interta C. B. 192. Radix.
- Blitum album. White Blites. Blitum album majus C. B. 118.
 Herba.
- Blitum rubrum. Red Blites. Blitum rubrum majus C. B. 118.
 Herba.

* 82. Bombax. Cotton. Gossypium frutescens semine albo C. B. 430. Xylon T. Inst. 101. Semen; Lanugo.

Bonus Henricus. v. Mercurialis.

83. Borago. Folia; Flores, e quatuor Flor. cordialibus.

84. Botrys. Dak of Jerusalem. Botrys Ambro-Ambrosia. Sioides vulgaris C. B. 138. Herb2.

Branca ursina. v. Acanthus.

85. Brassica. Cabbage. Brassica capitata alba Caulis. C. B. 111.

Braffica marina. v. Soldanella.

Bruscus. v. Ruscus.

86. Bryonia alba. Bzionp. Bryonia aspera, sive Vitis alba. alba, baceis rubris C. B. 297. Folia; Radix.

- 37. Bryonia nigra. Black Bziony. Bryonia levis, sive nigra racemosa C. B. 297. Folia; Radix.
- 8. Buglossum. Wagloss. Buglossum angustifolium majus C. B. 256.
 Folia; Flores, e quatuor Flor. cordialibus; Radix.
- 9. Buglossum sylvestre. Wild Bugloss. Buglossum sylvestre minus C.B. 256.
- o. Bugula. Bugle. Consolida media pratensis Consolida media. cœrulea C. B. 260. Bugula T. Inst. 208. Herba.

Bunias. v. Napus.

- folio C. B. 134. Cotula T. Inft.

 495.

 Herba; Flores.
- Bursa pastoris. Shepherd's Burse. Bursa pastoris major, fesso sinuato C.B.
 108.
 Herba.

Harley Flores.

93. Buxus. Box=Aree. Buxus arborescens C. B.
471.
Folia; Lignum.

羅希撒希撒希撒希撒希撒希撒希撒希撒希撒希撒希撒希撒希撒希撒希撒

C

Alamus aromaticus. v. Acorus.

- 94. Calamintha montana. Pountain Calamint.

 Calamintha vulgaris vel Officinarum Germania C. B. 228.
- officinalis. Calamint of the Shops. Calamintha Pulegii odore sive Nepeta C. B. 228.
- Palustris. Calamintha arvensis verticillata
 C. B. 229.
 - 97. Calcitrapa. Star=Ahiffle. Carduus stellatus Carduus stellatus. foliis Papaveris erratici C. B. 387. Radix.
 - 98. Calendula. Parigold. Caltha vulgaris C. B.
 275.
 Herba; Flores.

* 99. Camphorifera. The Camphoze=Tree.

100. Cannabis. Hemp. Cannabis sativa C. B. 320. Semen.

Capillus Veneris. v. Adianthum vulgare.

* 101. Capparis. Capparis spinosa, fructus minore, folio rotundo C. B. 480. Cortex radicis; Gemmæ florum.

Caprifolium. v. Periclymenum.

Piper Indicum. Buinea: Depper. Piper Indicum vulgatissimum C. B. 102. Fructus.

103. Cardamine. Ladies Smock. Cuckows
flower. Nasturtium pratense,
magno flore C.B. 104.
Herba.

diaca distum C. B. 230. Cardiaca T. Inst. 186.

Herba.

- Thistle. Carduus benedictus. Carduus. The blossed Thistle. Cnicus sylvestris birsutior, sive Carduus benedictus
 C. B. 378.
 Herba; Semen.
 - 106. Carduus Marix. Dur Lavies Thistie.

 Carduus albis maculis notatus,

 vulgaris C. B. 381.

 Herba; Semen.

Carduus Fullonum. v. Dipfacus.

Carica. v. Ficus.

- Chamaleon albus. acaulos magno flore C. B. 380.

 Radix.
- Cnicus. Sassiower. Bastard=Sassron.

 Cnicus. Cnicus sativus sive Carthamum

 officinarum C. B. 378.

 Flores; Semen.
 - Carui Officinarum C. B. 158.

 Semen, e quatuor sem. calidis majoribus. Radix.

Caryophyllata Quens. Kerb=bennet.

Caryophyllata vulgaris C. B.

321.

Herba; Radix.

Tunica. Caryophyllus altilis major C. B.

Vetonica. 207.

Flos.

* 112. Cassia sistularis. Cassia sistula. Cassia sistula Alexandrina C. B. 403.
Pulpi e fructu.

* 113. Castanea. Chesnut. Castanea sativa C.B.
418.
Fructus.

Ricinus. vulgaris C. B. 432.

Cici. Semen.

Kerva.

Lathyris. Thyris major C. B. 293. Tithymalus T. Inst. 85. Semen.

Cauda equina. v. Equisetum.

Caulis. v. Brassica sativa.

116. Centaurium majus. Bzeat Centozp. Centaurium majus folio in lacinias plures diviso C. B. 117. Radix.

117. Centaurium minus. Centozy, Centaurium minus C. B. 278. Herbæ Summitates cum flori-

Centinodium. v. Polygonum.

118. Cepa. Dnion. Cepa vulgaris C. B. 71. Radix.

119. Cerasus nigra. The Black = cherry. Cerasus major ac sylvestris, fructu subdulci, nigro colore inficiente C. B. 450. Fructus.

* 120. Cerasus rubra. Redecherry. Cerasa Sativa, rotunda, rubra & acida C. B. 449. Fructus.

121 Ceterach. Ceterach. Spleenwozt. Wilt: maste. Ceterach Officinarum Asplenium. Scolopendria. C. B. 354. Herba, e quinque herbis capillaribus.

122. Chæ-

122. Chærefolium. Cherophyllum sati-

Chamaatte. v. Ebulus.

Chamacissus. v. Hedera terrestris.

Chamecyparissus. v. Abrotanum fæmina.

Chamadaphne. v. Laureola mas.

123. Chamædrys. Bermander. Chamadrys, vulgo Trissago. vera existimata J. B. III. 288.

Chamalea. v. Laureola fæmina.

Chamaleon albus. v. Carlina.

Holia; Nores, Radix; Jemen,

e quature ufera, fregidic animer-

124. Chamæleon niger. Wlack Chameleon.

Chamaleon niger umbellatus,
flore caruleo Hyacinthino C. B.

380.

Radix.

125. Chamæmelum. Camomile. Chamæmelum nobile, sive Leucanthemum odoratius C. B. 135.

Folia; Flores. Chamamelum vulgare. Field Camomile.

Chamamelum vulgare Leucanthemum Dioscoridis C. B. 135.
Herba; Flores.

Iva arthritica. Bround Dine. Chamapitys lutea vulgaris, sive folio trifido C. B. 249.

Cheiri. v. Leucoium luteum.

. 128. Chelidonium majus. Celandine, Chelidonium majus vulgare C. B. 144. Folia; Radix.

Ficaria. The letter Celandine. Chelidonia rotundifolia minor C. B. 309. Herba; Radix.

Chermes, v. Ilex.

130. Cicer. Cicers. Chich-Weas. Cicer sativum C. B. 347. Semen.

Seris. Cichorium hortense. Barden Succozy.

Seris. Cichorium sativum C. B. 125.

Folia; Flores, Radix; Semen,

e quatuor sem. frigidis minoribus.

132. Cicho-

2. Cichorium sylvestre. Mild Succozp. Cichorium sylvestre sive officinarum C. B. 125. Herba; Radix.

Cici. v. Cataputia major.

3. Cicuta. Hemlock. Cicuta major C. B. 160. Herba.

L. Cinara. Artichoke. Cinara hortensis foliis scolymus. aculeatis & non aculeatis C. B. 383.

35. Cistus. Poly Rose. Cistus folio oblongo incano C. B. 464.
Folia; Flores; Succus Hypocistidis.

36. Cistus Ladanifera.

Medica C. B. 435.
Fructus; Cortex; Semen.

Citrullus. Mater=Dellon. Anguria Citrullus dicta C. B. 312. Semen, e quatuor Sem. frigidis majoribus. Cnicus. v. Carthamus.

Coccus Baphica. v. Ilex.

139. Cochlearia Batava, Scurvy=Bzals. Cochrotundifolia. learia folio subrotundo C.B. 110.
hortensis.
Herba.

140. Cochlearia Britannica. Sea Scurby Brass.
Marina. Cochlearia folio sinuato C. B. 110,

* 141. Coffee. Coffee. Euonymo similis Ægyptiaca, fructu baccis Lauri simili
C. B. 428. Jasminum, Boerh.
Ind. alt. 217.
Fructus.

* 142. Colocynthis. Coloquintida. Bitter=apple.

Colocynthis fructu rotundo, minor

C. B. 313.

Colubrina. v. Serpentaria.

Consolida major. v. Symphytum.

Consolida minor, media. v. Bugula.

Consolida minima. v. Bellis.

Consolida regalis. v. Delphinium.

- 43. Conyza. Flea-bane. Conyza minor, flore globoso C. B. 266.

 Herba.
- 44. Conyza major. Plowmens Spikenard.

 Baccharis. Conyza major vulgari, C. B. 265.

 Herba.
- 45. Coriandrum. Coziander. Coriandrum majus
 C. B. 158.
 Semen.
- Cornus hortensis mas C. B. 447.
 Fructus.
- Coronopus. Buck's = hoan = Plantain.

 Coronopus sylvestris hirsutior C. B.

 190.

 Herba.
- brosia campestris repens C. B.

 138. Nasturtium. T. Inst. 213.

 Herba.
- * 149. Corylus. Halel. Corylus sylvestris C. B. 418. Avellana. Fructus; Lignum.

trocks of Electron

Costus bortorum. v. Balfamita mas.

Cotonea. v. Cydonia.

Camomile. Chamamelum fatidum C. B. 135.
Herba; Flores.

Umbilicus Veneris. Mabelmozt. Wall-Dennys 285.
Herba.

Crassula. v. Telephium.

Fæniculum marinum. culum maritimum minus C. B. Herba St. Petri. 288.

Herba.

153. Crocus. Saffron. Crocus sativus C. B. 65.

154. Cruciata. Cross-wort. Cruciata birsuta C. B. 335. Herba.

Asininus. cumis sylvestris asininus dictus
C. B. 314.

Succi facula. q. Elaterium.

* 156. Cu-

- fativus vulgaris C. B. 310.
 Semen, e quatuor Sem. frigidis majoribus.
- 157. Cucurbita. Bourd. Cucurbita major sessilis flore albo C. B. 312.
 Semen, e quatuor Sem. frigidis majoribus.
- 8. Cuminum. Cuminin. Cuminum semine Cymium. longiore C. B. 146.

 Semen, e quatuor Sem. calidis majoribus.
- Folia; Lignum; Fructus, vulgo Nuces.
- o. Cyanus major. The great Blue=Bottle.

 Cyanus montanus latifolius C. B.

 273.

 Folia; Flores.

peras offic. C. B. Fall

Cyanus minor. The small Blue-Bottle, Cyanus segetum C. B. 273, Folia; Flores.

100. Dancus Circleus. Wantus of Creek, Du

是學的情報或學校論教統治學科及改善

162. Cyclamen. Sow=bread. Cyclamen Hedera Artanita. folio C. B. 308. Radix.

* 163. Cydonia: Duince. Mala cotonea majora Cotonea. C. B. 434. Fructus; Semen.

Cyminum: v. Cuminum.

Cynoglossum. Rounds:tongue. Cynoglossum

Cynoglossum. majus vulgare C. B. 257.

Radix.

Cynorrhodon. Cynosbatos. v. Rosa sylvestris.

odoratus, radice longa: Sive Cyperus offic. C. B. 14.
Radix.

Cytini. v. Punica.

華港市縣布縣布縣布縣布縣布縣布縣布縣布縣布縣布縣布縣布縣布縣布縣

Charge moutains fair

D'Actylus. v. Palma.

166. Daucus Creticus. Daucus of Creet. Daul cus foliis Fœniculi tenuissimis C.B.

Semen.

167. Dau-

von Change migor

- nest. Pastinaca tenuifolia sylvestris Dioscoridis; vel Daucus officinarum C. B. 151.

 Semen, e quatuor sem. calidis minoribus.
- 68. Delphinium. Aarks=spur. Consolida regalis Consolida regalis. hortensis flore majore & simplici C. B. 142. Radix; Herba.
- 69. Dens leonis. Dandelion. Dens Leonis latiore
 Taraxacum. folio C. B. 126.
 Herba; Radix.
- 70. Dentaria. Moothmozt. Lepidium Dentillaria
 Dentillaria. dictum C. B. 97. Plumbago
 T. Inst. 140.
 Radix.

Sanguis Disconis.

- 71. Dictamnus albus. Fraxinella. White Fraxinella. Dictamp. Dictamnus albus vulgo, sive Fraxinella C. B.
 222.
 Radix.
- Dictamnus Creticus. Dittany of Creet.

 Dictamnus Creticus C. B. 222.

 Folia.

Herba : Madi

- 173. Digitalis. Fox=glove. Digitalis purpurea, folio aspero C. B. 243.
 Folia; Flores.
- 174. Dipsacus sativus. Manur'd Ceasell. Dip-Carduus Fullonum. sacus sativus C. B. 385. Radix.
- Labrum Veneris. Sylvestris, aut Virga Pastoris major C. B. 385.

 Radix.

69. Done leonis. Datterling, Done Leevie latiers

- 176. Doronicum Romanum. Bzeat Molfs=bane,
 02 Leopards=bane. Doronicum radice Scorpii C. B. 184.
 Radix.
- * 177. Draco Arbor. The Dragon-Aree, Draco arbor Clusii C. B. 505.
 Sanguis Draconis.

Draco herba. v. Dracunculus.

MAR CHINES C. B. 312

distant C. B. 97. Plumbago

178. Dracontium. Dragons. Dracunculus polyphyllus C.B. 195. Herba; Radix.

Trail Difference - Ornicus. April 201 Civil.

January alass.

79. Dracunculus hortensis. Tarragon. Dracun-Draco herba. culus hortensis C. B. 98. Abrotanum T. Inst. 459. Herba.

Dulcamara. v. Solanum Lignosum:

李操作成本教育教育教育教育教育教育教育教育

E

BULUS. Dwarf=Elder. Dane=
Chamaacte. wozt. Sambucus humilis sive

Ebulus C. B. 456.

Folia; Radix; Cortex.

11. Echium. Mipers=15ugloss. Echium vulgare C. B. 254. Herba; Flores.

Elaterium. v. Cucumis agrestis.

2. Elatine. Fluellin. Female Speedwell. Veronica fæmina. Elatine folio subrotundo C. B.
252. Linaria T. Inst. 168.
Herba.

Eleofelinum. v. Apium.

Elleborus. v. Helleborus.

Scariola.

Seriola.

Endive. Intybus sativa latifolia; sive Endivia vulgaris C. B. 125.
Folia; Radix; Semen, e quatuor sem. frigidis minoribus.

Enula campana. v. Helenium.

284. Equisetum. Horse-tail. Equisetum palustre Cauda equina. longioribus setis C. B. 15. Herba.

Erigerum. v. Senecio.

- Dioscordis C. B. 98.
 Semen.
 - 186. Eruca Sylvestris. Wild Rocket. Eruca Glvestris major lutea caule aspero C. B. 98. Herba.

Ervum. v. Orobus.

- . 187. Eryngium. Eryngo. Eryngium maritimum
 C. B. 386.
 Radix.
- vulgare C. B. 100.

 Herba; Semen.

 189. Esu-

- 39. Esula major. Esula. German Spurge.

 Tithymalus palustris fruticosus

 C. B. 292.

 Radicis cortex.
- Pityusa. The letter Esula. Tithymalus foliis Pini, forte Dioscoridis
 Pityusa C. B. 292.
 Radix.
- leaved Agzimony, Eupatorium Cannabinum C. B. 320. Herba.

Eupatorium Gracorum. v. Agrimonia.

Eupatorium Mesues. v. Ageratum.

Oltmunda II. Infl. 547.

on Piper C. B. 1 12

- verum antiquorum, Commelin.

 Hort. Amst. I. 23.
- 23. Euphragia. Eve=bzight. Euphrasia officinarum

 Euphrasia. C. B. 233.

 Herba.

.gibs.H

क्षा क

palafru frusualus

F

Flores; Siliquæ; Semen.

195. Faba minor. The Horse Wean. Faba minor sive equina C. B. 338. Semen.

Fabaria. v. Telephium.

Farfara. v. Tussilago.

Ficaria. v. Chelidonium minus.

196. Ficus. The Isig=tree. Ficus Communis C. B. 457. Fructus, q. Caricæ Offic.

ris, an Molon Plinii? C. B. 163. Folia; Radix.

Osmunda regalis. non dentata florida C. B. 357.
Osmunda T. Inst. 547.
Radix.

9. Filix semina. Female Fearn. Brakes.

Filix ramosa major, pinnulis
obtusis, non dentatis C. B. 357.

Radix.

o. Filix mas. Male Hearn. Filix non ramosa dentata C. B. 358.

Radix.

Flores Amoris. v. Amaranthus.

Germanicum C. B. 147.
Folia; Radix, e quinque aperientibus; Semen, e quatuor calidis
majoribus.

2. Fæniculum dulce. Sweet Fennel. Fæniculum dulce C. B. 147. Semen.

Toeniculum porcinum. v. Peucedanum.

ceniculum marinum. v. Crithmum.

Gracum fativum C. B. 348.
Semen.

LAILO LTOR

204. Fragaria. Straw=berry. Fragaria vulgaris
C. B. 326.
Folia; Fructus.

205. Frangula. The black Alder. Alnus nigra
Alnus nigra. baccifera C. B. 428. Frangula
T. Inst. 612.
Cortex.

Fraxinella. v. Dictamnus albus?

* 206. Fraxinus. The Ash. Fraxinus excelsior C. B. 416.
Folia; Cortex; Semen, q. Lingua avis offic.

* 207. Fraxinus Manna ferens. The Manna Tree. Fraxinus rotundiore folio C. B. 416. Manna.

208. Fumaria. Fumitozy. Fumaria officinarum & Dioscoridis C. B. 143. Herba; Semen. G

- 209. GALEGA. Boats Rue. Galega vulgaris
 Ruta capraria. C. B. 352.
 Herba.
- 210. Gallium. Ladies Bedstraw. Cheese= Rening. Gallium luteum C. B. 335. Herba.
- 211. Genista. 15200m. Genista angulosa & scoparia C. B. 395. Herba; Flores; Semen.
- 212. Gentiana. Bentian. Felwort. Gentiana major lutea C. B. 187. Radix.
- Pes columbinus. © ranes=bill. Geranium folio
 Malva rotundo C. B. 318.
 Herba.
- Geranium Cicut & folio moscharum

 C. B. 319.

 Herba.

215. Geranium Robertianum. Herb Robert.
Gratia Dei. Geranium Robertianum primum
C. B. 319.
Herba.

Gith. v. Nigella.

Glastum. v. Isatis.

- 216. Glycyrrhiza. Liquozice. Glycyrrhiza siliquosa Liquiritia. vel Germanica C. B. 352. Radix.
- •217: Gnaphalium. Cudweed. Gnaphalium vulgare majus C. B. 263. Filago T. Inst. 454.
 Herba.
 - 218. Gramen. Eog=grafs. Couch=grafs. Gramen caninum arvense, sive Gramen Dioscoridis C.B. 1.
 Radix.

Grana Cnidia. v. Thymelaa.

Grana Kermes. v. Ilex.

Granata. v. Punica.

LIN Corn.

. 219. Gratiola. Kedge=Hylop. Gratiola centauroides C.B. 279. Digitulis. T. Inft. 165. Herba.

220. Groffu-

Geranium mote

Uva crispa. Gooseberry. Grossularia spinosa.

Gativa C. B. 455.

Fructus.

Lignum vita. Guajacum magna matrice C. B. 448.

Lignum; Cortex; Resina; vulgo Gummi.

වර්ගේ යන් දෙන යන් වෙන ස

H

Talicacabum. v. Alkekengi.

Handal. v. Colocynthis.

Ruta sylvestris. magno albo C. B. 336. Harmala Dod. T. Inst. 257.
Herba; Semen.

Later annual dutte dutte annual annual

Hasta regia. v. Asphodelus luteus.

3. Hedera arborea. Jup. Hedera arborea C. B.
305.
Folia; Baccæ; Gummi.

- Chamacissus. Hedera terrestris vulgaris C. B.
 306.
 Herba.
 - Enula campana. C. B. 276. After T. Inft. 481.
 Radix.
 - 226. Helleborus albus. Alhite Pelleboze. Helle-Elleborus. borus albus flore subviridi C. B. 186. Veratrum T. Inst. 272. Radix.
 - borus niger flore roseo C. B. 186.
 Radix.

Helxine. v. Parietaria.

228. Hepatica nobilis. Poble Liverwort. Trifo-Trifolium aureum. lium hepaticum flore simplici. C. B. 330: Herba.

Hepatica vulgaris. v. Lichen?

Heptaphyllum. v. Tormentilla.

drifolium bacsiferum C. B. 167.

Fructus.

Herba Sancti Petri. v. Crithmum.

- 230. Herniaria. Rupturemozt. Polygonum minus, feu Millegrana major C. B. 281. Herba.
- 231. Hieracium. Hawkweed. Hieracium majus, folio Sonchi C. B. 126.
 Herba.
- 232. Hippoglossum. Morse-Aongue. Double:
 Bissingua. Aongue. Laurus Alexandrina,
 Uvularia. fructu pediculo insidente C. B.
 304. Ruscus T. Inst. 79.
 Herba.

Hippolapathum. v. Lapathum.

Hippofelinum. v. Smyrnium.

Hippuris. v. Equisetum.

Hirundaria. v. Asclepias.

33. Hordeum. Barley. Hordeum distichum C. B.
23.
Semen.

- 234. Horminum. Clary. Horminum Sclarea dictum Sclarea. C. B. 238. Sclarea T. Inft. 179. Folia; Cymæ.
- Oculus Christi. minum sylvestre Lavendula flore
 C. B. 239.
 Semen.
 - 236. Hyacinthus. Wyacinthy. Hyacinthus oblongo flore, ceruleus major C. B. 43.
 Radix.

Hydrolapathum. v. Lapathum.

Hydropiper: v. Persicaria.

- Hyoscyamus albus. White Denbane.

 Hyoscyamus albus major C. B.

 169.

 Semen.
- •238. Hyoscyamus niger. Black Henbane.

 Hyoscyamus vulgaris, vel niger

 C. B. 169.

 Folia; Radix.
- ricum vulgare C. B. 279.

 Herba; Flores; Semen:

 Hypos

Hypocistis. v. Cistus.

140. Hyssopus. Dyssop. Hyssopus officinarum cærulea, sive spicata C. B. 217. Herba.

泰族族族族族族族族族族族族族族族族族族族

I

41. J Alapium. Jalap. Bryonia Mechiocana nio J Jalappa. gricans C. B. 298. Jalapa T. Inft. 1echoacanna nigra. 129. Radix.

Intropy, v. Endivie.

- 42. Jasminum. Hasmine. Fasminum vulgatius flore albo C. B. 397.
 Flores.
- 13. Iberis. Diatica-Tress. Iberis latiore folio C. B. 97.
 Folia; Semen.

Ibiscus. v. Althæa.

244. Ilex coccigera. The Scariet of Kermes

Bak. Ilex aculeata cocciglandifera C. B. 425.

Grana, que Coccus Baphica, &
Kermes offic.

Illecebra.

Illecebra. v. Sedum minimum.

245. Imperatoria. Paster=mozt. Imperatoria
Astrantia. major C. B. 156.
Magistrantia.
Radix.

Inguinalis. v. After Atticus.

Intybus. v. Endivia.

246. Iris florentina. Dzzig. Iris alba Florentina Illyrica. C. B. 31. Radix.

247. Iris vulgaris. Barden Flower=de=Luce.
nostras. Iris vulgaris Germanica, sive
hortensis. sylvestris C. B. 30.
Radix.

248. Iris fætida. Stinking Bladwin, Gladiolus Spatula fetida. fetidus C. B. 30. Xyris.

Radix.

249. Isatis. Aload. Isatis sativa, vel latifolia Glassum. C. B. 113. Herba.

Iva arthritica. v. Chamæpitys.

250. Juglans. The Malinut. Nux Juglans, sive regia vulgaris C. B. 417.

Cortex; Fructus; Nucum

Putamina.

251. Jujubæ. Jujubæs. Jujubæ majores oblongæ Zizypha. C. B. 446. Fructus.

Juniper. Juniper. Juniperus vulgaris fruticosa C. B. 488.

Baccæ; Lignum; Gummi q. Sandaracha offic.

<mark>祥滋车滋来滋来滋养滋养滋养滋养滋养滋养滋养滋养滋养滋养滋养滋养滋养</mark>

K

3. KALI. Glass-wort. Kali majus, cochleato femine C. B. 289.
Herba.

Keiri. v. Leucoium luteum.

Kermes. v. Ilex.

Kerva. v. Cataputia major.

as ment the entry pare

L

Labrum Veneris. v. Dipsacus.

254. Lactuca. Lettice. Lactuca sativa C. B. 122.

Herba; Semen, e quatuor Sem.

frigidis minoribus.

Pes leporinus. humile spicatum sive Lagopus 328.
Herba.

Urtica mortua. album non fatens folio oblongo
C. B. 231.
Herba; Flores.

都是一点手指有各种原外的人的 多数并指导致多数

257. Lamium rubrum. Red Archangel. Lamium purpureum fatidum, folio subrotundo; sive Galeopsis Dioscoridis C. B. 230.
Folia; Flores.

258. Lapathum acutum. Sharp-pointed Dock.
Oxylapathum. Lapathum folio acuto plano.
Rumex. C. B. 115.
Radix; Semen.

- 9. Lapathum aquaticum. The great Mater=
 Hydrolapathum. Dock, Lapathum aquaticum
 folio cubitili C. B. 116.
 Radix.
- o. Lapathum rotundifolium. Bastard Ponks Hippolapathum. Rhubarb, Lapathum bortense rotundifolium, sive montanum C. B. 115. Radix.
- thum folio acuto rubente C. B.

 115.
 Folia; Semen.
- 2. Lapathum sativum. Patience. Lapathum
 Patientia. hortense, folio oblongo, sive secundum Dioscoridis C. B. 114.
 Radix.
- 3. Lapathum sativum latifolium. True Ponks
 abarbarum Monachorum. Rhubarb. Lapathum
 bortense latifolium C. B.
 115.
 Radix.

cappa. v. Bardana.

appa minor. v. Xanthium.

- * 264. Larix. The Larch-Tree. Larix C. B.

 493.
 Refina liquida, qua Terebinthina Veneta officinarum; Fungus qui Agaricus dicitur.
- 265. Lavendula. Lavender. Lavandula augustifolia C. B. 216. Folia; Flores.
- 266. Laureola mas. Spurge-Laurel. Laureola Chamadaphne. Semper virens, store viridi; quibustam Laureola mas C. B. 462.
 Folia; Baccæ.
- Chamalea. Dlive. Laureola folio deciduo,
 Mezereon. flore purpureo: Officinis Laureola
 foemina C. B. 462.
 Cortex; Folia; Baccæ.
- 268. Laurus. The Bay. Laurus vulgaris C. B. 460. Folia; Baccæ.
- andria. The Usay of Alers andria. Laurus Alexandrina fructu folio insidente C. B. 305. Ruscus T. Inft. 79.

- o. Lens. The Lentil. Lens vulgaris C. B. 346. Semen.
- 1. Lens palustris. Ducks-meat. Lenticula palustris vulgaris C. B. 362.
- 272. Lentiscus. Mastich. Lentiscus vulgaris C. B. 399. Lignum; Resina, que Mastiche. Ossic.
- Peperitis. Dittander. Pepperwozt.

 Lepidium latifolium C. B. 97.

 Herba.
- .. Leucoium. Stock=July=flower. Leucoium ineanum majus C. B. 200. Flores.
- Leucoium luteum. Walls Hower. Leucoium Keiri. luteum vulgare C. B. 202. Cheiri.

Flores.

Levisticum. Lovage. Ligusticum vulgare. C. B. 157. Herba; Radix; Semon.

- 277. Lichen. Liverwort. Lichen patraus latifolius, Hepatica. sive Hepatica fontana C. B. 362.
- 278. Lichen einereus. Alhecolour'd Liverwort.

 Lichen terrestris, cinereus Ray

 Synop. Ed. 2. p. 23. Lichenoides

 Ed. 3. p. 76.
- 279. Ligustrum. Dzivet. Ligustrum Germanicum C. B. 475. Folia; Flores.
- 280. Lilium album. Mhite Lilly. Lilium album, flore erecto, & vulgare C. B. 76. Flores; Radix.
- Lilium convallium. Lillies of the Halley.

 Lilium convallium album. C. B.

 304.

 Folia; Flores.
 - * 282. Limonia malus. Lemon. Malus Limonia acida C. B. 436.
 Fructus.
 - Behen rubrum. Dea Lavender. Limonium maritimum majus C. B. 192.

 Radix.

284. Linaria. Moad-fflar. Linaria vulgaris lutea flore majore C. B. 212.

Herba.

Lingua avis. v. Fraxinus.

- Phyllitis. Cervina officinarum C. B. 353.

 Herba, e quinque capillaribus.
- 86. Linum. Flar. Linum sativum C. B. 214. Semen.
- 87. Linum cathaticum. Durging Flar. Linum pratense flosculis exiguis C. B.
 214.
 Herba.
- 288. Liquidamber. Liquid Amber. Liquidambra, Liquidambra. Monard. C. B. 502. Resina liquida.

Liquiritia. v. Glycyrrhiza.

39. Lithospermum. Bromill. Lithospermum majus erectum C. B. 258.
Semen.

- Trifolium odoratum. hortensis odora C. B. 331. Melilotus T. Inst. 406. Herba; Semen.
 - Acetosella. Wood=Sozzel. Trifolium acetosum Acetosella. vulgare C. B. 330. Oxys Alleliua. T. Inst. 88. Folia.
 - 292. Lunaria. Poonwort. Lunaria racemosa minor C. B. 354. Herba.
 - 293. Lupinus. Aupin. Lupinus sativus, flore albo C. B. 347. Semen.
 - 294. Lupulus. Dop. Lupulus mas & fæmina C. B. 298. Turiones; Folia; Fructus, q. vulgo Flores.
- .295. Lysimachia. Loosestrife. Lysimachia lutea major C. B. 245. Herba.

M

M'Agistrantia. v. Imperatoria.

296. Majorana.

Amaracus.

Sampsuchus.

Sweet Parjozam. Majorana vulgaris C. B. 224.

Cymæ.

Malicorium. v. Punica.

297. Malva. Pallow. Malva sylvestris folio sinuato C. B. 314. Herba, e quinque herbis emollientibus; Flores; Semen; Radix.

- 198. Malva arborea. Hollphocks. Malva rosea, folio subrotundo C. B. 315. Folia; Flores.
 - 299. Malus. The Applestree. Malus hortensis.
 Sylvestris. The Crab.
 Fructus.
- oo. Mandragora. Mandragora fructus rotundo C. B. 169. Folia; Radix.

- 301. Marrubium, album. Pozehound. Marrubium Prassium. album vulgare C. B. 230. Cymæ.
- Ballote. Bozehound. Marrubium nigrum fætidum Ballote Dioscoridis C. B. 230. Herba.
 - 303. Marum. Perb=mastich. Pastich=thyme.

 Sampsuchus sive Marum Mastichen redolens C. B. 224.

 Cymæ.
 - 304. Marum Syriacum. Barum. Syrian Perb= mastich. Majorana Syriaca vel Cretica C. B. 224. Chamædrys T. Inst. 204.

Mastiche. v. Lentiscus.

- 305. Matricaria. Keberfew. Matricaria vulgaris Parthenium. vel sativa C. B. 133. Folia; Cymæ.

Matrifylva. v. Periclimenum.

Mechoacanna nigra. v. Jalapium.

- 306. Melilotus. Pelilot. Melilotus officinarum Germania C. B. 331. Folia; Flores.
- 307. Melissa. Balm. Melissa hortensis C. B. 229.
 Melissophyllum.
 Herba.
- *, 308. Melo. Dellon. Melo vulgaris C. B. 310. Fructus; Semen, e quatuor Sem. frigidis majoribus.
- 309. Mentha. Bint. Spear-mint. Mentha augustifolia spicata C. B. 227. Herba.
- 310. Mentha aquatica. Mater=mint. Mentha
 Sisymbrium. rotundifolia palustris, seu aquatica major C. B. 227.
 Herba.
- 311. Mentha Piperis sapore. Depper=mint.

 Mentha spicis brevioribus & babitioribus; foliis Mentha fusca
 sapore fervido Piperis. Raij Syn.

 Ed. 3. 234.
- Mentastrum. Hogse-mint. Mentha Sylvestris

 Mentastrum. longiore folio C. B. 227.

 Herba.

SIS. MINES

Mentha Cataria. v. Nepeta.

- 313. Mercurialis. English mercury. Lapathum
 Bonus Henricus. unctuosum, folio triangulo C. B.
 Tota Bona. 115. Chenopodium. T. Inst.
 506.
 Herba, e quinque herbis emollientibus.
- . 314. Mercurialis mas & fæmina. French-mercury.

 Mercurialis testiculata, sive mas;

 & spicata, sive sæmina Dioscoridis & Plinii C. B. 121.

 Herba.
 - * 315. Mespilus. Dedlar. Mespilus Germanica, folio Laurino, non serrato C. B. 453.
 Fructus.
 - 316. Meum. Dem Spignel. Meum foliis Anethi C. B. 148. Radix.

Mezereon. v. Laureola fœmina.

317. Milium. Milium semine luteo vel albo C. B. 26.
Semen.

Milium Solis. v. Lithospermum.

-318. Millefolium. Harrow. Millefolium vulgare album C. B. 140.
Herba.

Morsus Diaboli. v. Succisa.

* 319. Morus. Dulberry. Morus fructu nigro C. B. 459. Fructus; Cortex radicis.

302. Muscus pyxidatus. Cup=mols. Chin=cups.

Muscus pyxioides terrestris C. B.

361. Lychenoides Raij Syn.

Ed. 3. p. 68.

321. Myrrhis. Sweet-Cicely. Myrrhis major, vel Cicutaria odorata 160.
Herba.

Myrillus. v. Vaccinia nigra.

* 322. Myrtus. Aprtle. Myrtus communis Italica C. B. 468. Folia; Baccæ.

Myxa. v. Sebesten.

N

323 NAPUS dulcis. Sweet Pavew, Napus fativa C. B. 95.
Radix; Semen.

324. Napus sylvestris. Wild Pavew. Napus sylvestris C. B. 95.
Semen.

Natha. v. Aurantia.

- 325. Nasturtium aquaticum. Masturtium aquaticum supinum
 C. B. 104.
- 326. Nasturtium. Cress. Nasturtium hortense vulgatum C. B. 103.
- Mentha cataria. Vulgaris, & major C. B. 228.

 Cataria T. Inst. 202.
- Petum. folia C. B. 169.

 Tabacum.

 Folia.

329. Nigella. Hennel-Hlower. Pigella. Nigella Gith. flore minore simplici candido C. B. 145. Semen.

繼奉撒非衛非衛非衛非衛非衛非被非衛非衛非衛非衛非衛非衛非衛非衛

0

330. O Cimum. Basil. Ocimum vulgatius G. B.
Basilicum. 226.
Cymæ.

Oculus Christi. v. Horminum sylvestre.

* 331. Olea. Dlive. Olea sativa C. B. 472.

Fructus; Oleum; Oleum; Oleum;

Omphacinum; Olei fæx qua

Amurca offic.

Canna de Actua.

Ononis. v. Anonis.

332. Ophioglossum! Adders-tongue. Ophioglossum vulgatum C. B. 354: Herba.

Opium. v. Papaver.

Opopanax. v. Panax.

. 333. Origanum. Milo Barjozam. Origanum Sylvestre, Cunila bubula, Plinii C. B. 223. Herba; Cymæ.

Origanum Onites C. B. 223.
Flores.

235. Orobus. Bitter Hetch. Orobus siliquis arti-Ervum. culatis, semine majore C. B. 346. Ervum T. Inst. 398. Semen.

Otales Cirilli. v. Hormania file

336. Oryza. Rice. Oryza Italica C. B. 24. Semen.

Osmunda regalis. v. Filix florida.

Oxalis. v. Acetofa.

+310 SEE

Oxyacantha. v. Spina alba.

Oxyacantha Galeni. v. Berberis.

Oxylapathum. v. Lapathum acutum.

Opiner, v. P. gaper.

Opphysian w Penant

P

- 337. P Æonia; sæmina. Diony. Paonia sæmina flore rubro majore C. B. 324. Flores; Radix.
- 338. Pzonia mas. Dale=piony. Paonia folio nigricante splendido, qua Mas C. B. 323. Flos; Radix; Semen.
- * 339. Palma Dactylifera. The great Palm, or Date=tree. Palma major C. B. 506.
 Fructus, qui Dactylus offic.
- * 340. Palma oleosa. The Dily palm. Palma, foliorum pediculis spinosis; fructus pruniformi, luteo, oleoso. Sloan. Cat. Fam. 175. Hist. Tab. 214. Pinguedo, q. Oleum Palmæ offic.
- 41. Panax Coloni. Clown's allheal. Stachys

 palustris fatida C. B. 236.

 Galeopsis T. Inst. 185.

 Herba.

- 342. Panax Herculeum, Hercules's Alliheal.

 Panax Pastinaca folio C.B. 156.

 Gummi refinosum, q. Opopanax. Offic.
- 343. Panicum. Danick. Panicum Germanicum, five panicula minore C. B. 27.
 Semen.
- 344. Papaver album. Thite 100ppy. Papaver hortense semme albo C. B. 170. Capita; Semen; Succus inspissatus q. Opium offic.
- 345. Papaver nigrum. Black 190ppy. Papaver hortense nigro semme C. B. 170. Folia; Capita.
- 246. Papaver rubrum. Red Doppp. Papaver
 Erraticum. erraticum majus potais DioRhoeas. scoridi, Theophrasto, Plinio C. B.
 171.
 Flores.
 - 347. Paralysis. Cowssip. Verbasculum pratense odoratum C. B. 241. Primula veris T. Inst. 124. Herba; Flores.

348. Parietaria. Pellitozy of the Thall. Parietary.

Parietaria minor Ocimi folio C. B.,

121.

Herba.

349. Paronychia Rutaceo folio. Rue-leaved
Whitlow = grass. Sedum
tridactylites tectorum C. B. 285.
Saxifraga T. Inst. 252.
Herba.

Parthenium. v. Matricaria.

- 30. Pastinaca. Parinep. Pastinaca sasiva latifolia.
 C. B. 155.
 Radix; Semen.
- FI. Pastinaca sylvestris. Mild Parsnep. Pasti-Elaphoboscum. naca sylvestris latifolia C. B. 155. Radix; Semen.
- 52. Pastinaca aquatica. Water-parsnep, Sium.

 Sium. latifelium C. B. 154.

 Herba.
- 93. Pentaphyllum. Cinquefoil. Quinquefolium. Quinquefolium. majus repens C. B. 325. Folia; Radix.

Per columbiana vi Ceraniana.

The commenced the contract of

物性

- oblongus C. B. 311.
 Fructus; Semen.
- 355. Perfoliata. Thosowway. Perfoliata vulgatissima sive arvensis C. B. 277. Herba.
- 356. Periclymenum. Koney-fuckle. Periclymenum Caprifolium. non perfoliatum, Germanicum Matrifylva. C. B. 302. Folia; Flores.
- 357. Perfica malus. The Deach. Perfica molli carne, & vulgaris, viridis & alba C. B. 440.
 Flores; Nuclei.
- .358. Persicaria maculata. Spotted Arsmart.

 Persicaria mitis maculosa C. B.

 101.

 Herba.
- Hydropiper. Depper. Persicaria urens seus Hydropiper C. B. 191.
 Herba.

Pes columbinus. v. Geranium.

Pes. leporinus. v. Lagopus.

- 360. Petasites. Butterbur. Petasites major & vulgaris C. B. 197.
 Radix.
- 361. Petrofelinum. Parsley. Apium hortense, Ped troselinum vulgo C. B. 153. Folia; Radix, e quinque Rada aperientibus; Semen.
- parsley. Apium Macedonicum.

 C. B. 154.

 Semen.

Petume. v. Nicotiana.

- Faniculum porcinum. Wort. Peucedanum Germania cum C. B. 149.
 Radix.
- 364. Phellandrium. Water-hemlock. Cicutaria palustris tenuifolia C. B. 161. Herba.

Phu. v. Valeriana.

Phyllicis. v. Lingua cervina.

- 365. Pilosella. Mousesear. Pilosella major, repens, Auricula muris. hirsuta C. B. 262. Herba.
- 366. Pimpinella. Burnet. Pimpinella sanguisorba Sanguisorba. minor C. B. 160. Herba.
- 367. Pimpinella saxisraga. Burnet=sarisrage.

 Pimpinella saxisraga major umbella candida C. B. 159.

 Herba; Radix.
- 368. Pimpinella saxifraga. The letter Burnets
 saxifrage. Pimpinella saxifraga
 major altera C. B. 159. Tragoselinum T. Inst. 309.
 Herba; Radix.

gendangm, we get

- * 369. Pinus. The Dine. Pinus sativa C. B. 491. Folia; Nuclei; Resina.
- * 370. Pinus sylvestris. The wild Dine, 02 Pinaster. Bountain-pine. Pinus sylvestris C. B. 491. Terebinthina communis; Thus vulgare.

Piper indicum. v. Capsicum.

Piperitis. v. Lepidium.

- 371. Pisum. Deas. Pisum arvense; flore candido, fructu rotundo, albo C. B. 342. Semen.
- * 372. Pistachia. Distachio. Pistacia peregrina fructu racemoso; sive Terebinthus Indica Theophrasto C. B. 491. Fructus.

Pityufa. v. Esula minor.

- 373. Plantago. Diantain. Plantago latifolia Septinervia. Sinuata C. B. 189. Herba; Semen.
- 2 Plantago angustifolia. Rarrow = leab'o Quinquenervia. Plantairi. Ribwozt. Plantago angustifolia major C. B. 189. Herbs.
- 375. Polium montanum. Polium maruimum erectum Mon
 speliacum C. B. 221.

 Cymæ.
- 376. Polium Creticum. Poley of Creet. Polium angustifolium Creticum C. B.

377. Polygonatum. Solomon's=Seal. Polygo-Sigillum Solomonis. natum latifolium vulgare C. B. 303. Herba; Radix.

Centinodia. Inot=g2als. Polygonum lati-Herba.

379. Polypodium Quercinum. Polypodium vulgare C. B.
359.
Radix.

Polytrichum. v. Trichomanes.

380. Polytrichum aureum. Golden Maiden spair.

Polytrichum aureum majus C. B.
356.

Poma. v. Malus.

.381. Poma Amoris. Love-Apples. Solanum pomiferum, fructu rotundo, striato, molli C. B. 167. Lycopersicon T. Inst. 150. Fructus.

382. Populus nigra. Black Poplar, Populus nigra C. B. 429.
Folia; Gemmæ.

383. Por-

- 183. Porrum. The Leek. Porrum commune capitatum C. B. 72. Radix.
- 34. Portulaca. Durssain. Portulaca latifolia, seu sativa C. B. 288.

 Herba; Semen, e quatuor Sem. frigidis minoribus.

Potentilla. v. Argentina.

Prassum. v. Marrubium album.

Pracocia. v. Armeniaca mala.

- 85. Primula Veris. Primrose. Verbasculum sylvestre majus, singulari flore C. B.
 241. Primula Veris T. Infl.
 124.
 Herba; Radix.
- 86. Prunella. Selfheal. Brunella major folio non dissecto C. B. 260.

 Herba.
- S7. Prunus sylvestris. The Sloe-tree. Prunus
 sylvestris C. B. 444.
 Cortex; Flores; Fructus.
 eujus succus inspissatus. Acacia
 Germanica offic.

ACCOR!

", 394- Punt

Pseudoacorus. v. Acorus adulterinus.

- 388. Psyllium. Fleawozt. Psyllium majus erectum C. B. 191. Semen.
- . 389. Ptarmica. Sneezwozt. Bastard-pellitozy.

 Dracunculus pratensis, serrato
 folio C. B. 98. Ptarmica.
 T. Inst. 496.
 Herba.
 - 390. Pulegium. Pulegium latifolium C. B. 222. Herba.
 - 391. Pulegium erectum. Upright peuny royal.
 an Pulegium latifolium alterum?
 C. B. 222.
 Herba.
 - 392. Pulegium cervinum. Harts:penny:royal. Pulegium angustifolium C. B. 222.

Pulicaria. v. Conyza.

393. Pulmonaria maculosa. Spotted Lungwort.
Sage of Jerusalem. Symphy maculosum, sive Pulmonaria latifolia C. B. 259.
Herba.

* 394. Puni-

- 394. Punica Malus. Domegzanate, Malus punica sativa C. B. 438.

 Flores, qui Cytini; Fructus, q.

 Granata; eorumque Cortex q.

 Malicorium offic.
- 395. Punica sylvestris. Wild Pomgranate.

 Balaustia flore pleno majore C. B.

 438.

 Flores q. Balaustia offic.
- 6. Pyrola. Edintergreen. Pyrola rotundifolia major C. B. 191,
 Herba.
- 397. Pyrus. The Pearstree. Pyrus sativa C. B. 439.
- ·激并崇布崇布崇布崇布崇布崇布崇布崇布崇布崇布崇布崇布崇布崇布崇

0

O Uercus. Dak. Quercus latifolia fæd mina C. B. 419.

Cortex, Germina; Fructus q. Glandes, & glandium Cupulæ; Gallæ, q. Insectorum Niduli.

Viscus.

A in Rapana. Turner Laparetonie fo

Radicy Semon.

Quinquefolium. v. Pentaphyllum.

Quinquenervia. v. Plantago angustifolia.

ලක්වත්වත්වත්වත්වත්වත්වත්වත්වත්වත්වත්වත්

AMERICAN R.

- 399. R Anunculus. Erowsfoot. Ranunculus pratensis, radice verticilli modo rotunda C. B. 179.

 Herba.
- Ranunculus, Apii folio, lavis

 C. B. 180.

 Ranunculus primus Mathioli.

 Herba.
 - 401. Raphanus. Radish. Raphanus minor, oblongus C. B. 96. Radix; Semen.

等亦希古奇的原理各項系統會與直接等的系統原理系統原理系統原理系統原理

- Rusticanus. nus rusticanus C. B. 96.
 Radix.
- 403. Rapum. Turnep. Rapa rotunda sativa C. B. 89. Radix; Semen.

Regina prati. v. Ulmaria.

Resta bovis: v. Anonis.

Rhabarbarum Monachorum. v. Lapathum sativum

prestantissimum, Rhabarbarum officinarum dictum Morison, Hist.

Ox. II. 577.

Radix.

Spina Cervina. Rhamnus catharticus C. B. 478.
infectoria.

Baccæ.

406. Rhus Obsoniorum. Sumach. Rhus folio Sumach. Ulmi C. B. 414. Folia; Semen.

7. Ribes. Red Currang. Grossularia mulcipli-Ribesia. ci acino, sive non spinosa, hortensis rubra; Ribes officinarum C. B. 455. Fructus.

Ricinus. v. Cataputia major.

- 408. Ros solis. Rosa-solis. Sun-dew. Ros Solis folio rotundo C. B. 357. Herba.
- 409. Rosa alba. The white Rose. Rosa alba vulgaris major C. B. 482.
- 410. Rosa Damascena. The Damagk Rose,
 Rosa purpurea C. B. 481.
 Flores.
- 411. Rosa subra. The red Rose, Rosa subra C. B. 481. Flores, e quatuor cordialibus; Apices, q. Anthera offic.
- 412. Rosa sylvestris. The Dog-rose. Milo Canina. Briar. Rosa sylvestris vulga-Cynosbatus. ris, flore odorato incarnato C.B. Cynorrhodon. 483.

 Flores; Fructus; Spongiolæ (insectorum niduli) q. Bedeguar offic.
- 413. Rosinarinus. Rosemary. Rosmarinus hortensis angustiore folio C. B. 217.
 Folia; Cymæ; Flores q. Authos offic.

- 14. Rubia tinctorum. Padder. Rubia tinstorum.

 Sativa C. B. 333.

 Radix.
- sive Rubus fructu nigro C, B,
 479.
 Folia; Cymæ; Fructus.
- 16. Rubus Idœus. Raspherry=hush. Rubus.

 Idœus spinosus C. B. 479.

 Fructus.

Rumex. v. Lapathum.

- Bruscus. Butchers=broom. Kneeholita

 Bruscus. Ruscus C. B. 470.

 Radix, e quinque Rad. aperientibus.
- .18. Ruta. Rute. Ruta hortensis, latisolia C. B.
 336.
 Herba; Semen.

Ruta capraria. v. Galega.

Ruta muraria. v. Adianthum album.

It organ allege

Ruta sylvestris. v. Harmel.

and the second

A Line Seminone

S

19. SAbina. Sabina folio Tamarisci Dioscoridis C. B. 487.

Saccharum. v. Arundo Saccharifera.

borescens C. B. 473.
Folia; Cortex.

Folia; Flores.

Virtutis. aurita & non aurita C. B. 237.

Salvia Sylvestris. v. Scorodonia.

Salvia vita. v. Adianthum album.

423. Sambucus. Elder. Sambucus fructu in ambella nigro C. B. 456.

Cortex; Folia; Flores; Baccæ; Fungus, q. Auricula Judæ.

Sambucus montana. Pountain Elder.

Sambucus racemosa rubra C. B.

456.

Folia.

Sambucus

Sambucus humilis. v. Ebulus.

Sampsuchus. v. Majorana.

Sandaracha Arabum. v. Juniperus.

Sanguisorba. v. Pimpinella.

- 425. Sanicula. Sanicile. Sanicula officinarum C. B.
- 426. Saponaria. Soapwort. Saponaria major lavis C. B. 206. Lychnis. T. Inst. 333.
 Folia; Radix.
- * 427. Sassafras. Sassafras. Arbor ex Florida, Ficulneo folio C. B. 431.
 Radix; Cortex.
- 28. Satureia. Satureia hortensis, sive Cunila sativa Plinii C. B. 218.
 Cymæ.
- frutescens. montana C. B. 218.

 Thymbra.

 Cymx.

- 430. Satyrium mas. Pale Satyrium. Orchis morio mas foliis maculatis C. B. 81.
 Radix.
- 431. Satyrium fæmina. Female Satyrium.

 Orchis morio fæmina C. B. 82.

 Radix.

integation and

- 432. Saxifraga alba. White Sarifrage. Saxifraga rotundifolia alba C. B. 309. Radix; Folia; Flores; Semen.
- 433. Saxifraga vulgaris. Beadow=sarifrage. seseli pratense, Silaus forte Plinio C. B.
 162.
 Herba.
- 134. Scabiosa. Scabious. Scabiosa pratensis hirsuta, que officinarum C. B. 269. Herba.

Scariola. v. Endivia.

Janua Phon G. B. 218.

* 435. Scilla alba. The white Squill. Scilla radice alba C. B. 73.
Radix.

* 436. Scilla rubra. The red Squill. Scilla vulgaris radice rubra C. B. 73. Radix.

v. Horminum fativum.

Scolopendria. v. Ceterach.

Scolymus. v. Cinara.

- 437. Scordium. Scozdium. Water=Bermander. Scordium C. B. 247. Cymæ; Folia.
- 438. Scorodonia. Wood-fage. Scordium alterum, five Salvia Sylveftris C. B. 247. Salvia Sylvestris. Herba.
- Scozzonera. Aipers=gzafs. 439: Scorzonera. Scorzonera latifolia sinuata C. B: Viperaria. 275. Radix.
- Figwozt. Scrophularia nodosa 440. Scrophularia. fatida C. B. 235. Folia; Radix.
- .441. Scrophularia aquatica: Mater = figwozt. Mater=betonp. Scropkularia Betonica aquatica. aquatica major C. B. 235. Folia. AAS. Tengare

Scrophu.

Scrophularia minor. v. Chelidonum minus.

- * 442. Sebesten. Sebesten. The Assyrian Myxa. Williamb. Sebesten domestica C. B. 446.
- 443. Secale. Rie. Secale hybernum vel majus C.B. Siligo.

 23.
 Semen.
- 444. Sedum majus. House-leek. Sedum majus vulgare C. B. 283.
 Herba.
- 445. Sedum minus. The letter Douse=leek.

 Virmicularis. Sedum minus teretifolium album

 C. B. 283.
- 446. Sedum minimum. THall-pepper. Stone= crop. Sedum minus vermiculatum acre C. B. 283.
- Erigerum. C. B. 131.

 Herba.

Senella. v. Spina alba.

Screens &

* 448. Senna. Senna Alexandrina, sive foliis acutis C. B. 397. Folia.

Septinervia. v. Plantago latifolia.

Seriola. v. Endivia.

Seris. v. Cichorium.

- * 449. Serpentaria Virginiana. Snake=root. Ariftolochia Viola fruticosa foliis,
 Virginiana, cujus radix Serpentaria dicitur Pluk. Phytolog.
 Tab. 15. fig. 2:
 Radix.
- 450. Serpyllum. Pother of Thome. Serpyllum vulgare minus C. B. 220.
 Herba.
- * 451. Sesamum. The oily Grain. Sesamum Matth. C. B. 27. Semen.
- Siler montanum. Hovage, Ligusticum quod Sefeli officinarum C. B. 162. Folia; Semen.

Sigillum Solomonis. v. Polygonatum.

CHIMINITE OF S

Siler montanum. v. Seseli.

Siligo. v. Secale.

* 453. Siliqua dulcis. Carob. Siliqua edeslis C. B. Caroba. 402.
Ceratia.

Fructus.

- -454. Sinapi. Duffard. Sinapi Rapi folio C. B. 99. Semen.
 - 455. Sinapi album. Thhite Pustard. Sinapi hora tense semine albo C. B. 99. Semen.
- sifer. Sisarum. Skirret. Sisarum Germanorum.

 Sifer. C. B. 135.

 Radix.

Sisymbrium. v. Mentha aquatica.

- 457. Smyrnium. Alexanders. Hipposelinum Theo-Hipposelinum. phrasto, seu Smyrnium Dioscoridi C. B. 154. Herba; Radix; Semen.
- 458. Solanum. Might=shade. Solanum officinarum C. B. 166. Herba; Fructus.

459. Sola-

- Dulcamara. Solanum scandens, seu Dulcar, mara C. B. 167.
 Folia; Cortex; Radix.
- Brassica marina. weed. Soldanella maritima minor C. B. 295. Convolvulus Moris. H. Ox. II. 11.

 Herba.
- 61. Sonchus asper. Dzickly Sowethistle. Sonohus asper laciniatus C. B. 124. Herba.
- .62. Sonchus lævis. Smooth Sow thistle. Sonchus lævis laciniatus latifolius C. B. 1247. Herba.
- 63. Sophia Chirurgorum. Hirweed, Nasturtium sylvestre tenuissime divisum C.B. 105.
 Semen.
 - 464. Sorbus. Service. Sorbus sativa C. B. 415. Fructus.
 - 465. Sorbus torminalis. The wild Service.

 Mespilus Apii folio sylvestris non

 spinosa; sive Sorbus torminalis.

 C. B. 454.

 Fructus.

Spatula fetida. v. Iris fætida.

Spelta. v. Zea.

466. Spica. Lavender-spike. Lavandula latifolia C. B. 216. Folia; Flores.

* 467. Spina alba. White Thom. Dawsthom.
Oxyacantha. Mespilus Apii solio, sylvestris,
spinosa, sive Oxyacantha C. B.
454.
Flores; Fructus q. Senella offic.

Spina cervina. v. Rhamnus catharticus.

468. Spinachia. Spinage. Lapathum hortense seu spinacia semine spinoso C. B. 114.

Squilla. v. Scilla.

469. Staphis agria. Stapes=acre. Lousewort.
Staphis agria C. B. 324. Delphinium T. Infl. 426.
Semen.

bender, Stoechas, Arabica, Stechas, French: Las bender, Stoechas purpurea C.B. 216. Spica florum: 471. Stochas citrina. Boldy-Locks. Elichrysum.

Seu Stochas citrina angustifolia.

C. B. 264.

Herba.

472. Stramonium. Thorn-apple. Solanum fatiadum, pomo spinoso, oblongo C. B. 168. Herba.

* 475. Tomarificus. Manuaring. Tamarin mintel

Strumaria. v. Xanthium.

- * 473. Styrax, calamita. Stozar. Styrax folio Mali cotonei C. B. 452. Refina.
- * 474. Suber. The Corketree. Suber latifolium perpetud virens C. B. 424.

 Cortex.
- 475. Succisa. Devils=bit. Succisa hirsuta C. B.

 Morsus Diaboli. 269.

 Herba.

Sumach. v. Rhus obsoniorum.

超过在企业的工

476. Symphytum. Comfrey. Symphytum Conso-Consolida major. lida major C. B. 259. Folia; Flores; Radix.

T

- Abacum. v. Nicotiana.
- † 477. Tamarindus. Amarind. Siliqua Arabica, que Tamarindus C. B. 403. Pulpa fructus.
- * 478. Tamariscus. Amarisk, Tamarix altera; folio tenuiore, sive Gallica C. B. 485.
 Cortex; Lignum; Folia.
- 479. Tanacetum. Ansie. Tanacetum vulgare luteum C. B. 132.
 Herba.

Tapsus barbatus. v. Verbascum.

Taraxacum. v. Dens leonis.

480. Telephium. Depine. Telephium vulgare C. B. Fabaria. 287.
Crassula.

Herba.

Terebinthina Argentoratensis. v. Abies.

Terebinthina Chia. v. Terebinthus.

Lety. Induces.

Terebinthina communis. v. Pinus sylvestris.

Terebinthina Veneta. v. Larix.

- * 481. Terebinthus. The Curpentine stree!

 Terebinthus vulgaris C. B. 400.

 Refina, que Terebinthina Cy
 pria & Chia.
- 182. Thapsia. Deadly=carrot. Thapsia Carota folio C. B. 149.
- .83. Thlaspi. Treacle-mustard. Thlaspi arvense filiquis batis C. B. 105.

 Semen.
- 84. Thlaspi vulgare. Apithridate = mustard,

 Thlaspi arvense, Vaccaria incano
 folio majus C. B. 106.

 Semen.
- 85. Thuya. Aree of Life. Thuya Theophrastic Arbor vita. C. B. 488. Folia.

. 491. Trichemmen. Engliff Maiten elafer

discrete discussion of

Thymbra, v. Satureia durior,

diction e comque capillations

adiamagar I .ook

486. Thymelæa. Spurge-flar. Thymelæa foliis Lini C. B. 463. Folia; Baccæ; quæ Grana Cnidia officinarum.

287. Thymus. Thymus vulgaris folio tenuiore C. B. 219.

Cymx; Epithymum, sive Cuscuta minor C. B. ibid.

* 488. Thia. The Limestree. Tilia foemina folio majore C. B. 426.
Cortex; Folia; Flores.

Tithymalus. v. Esula.

Heptaphyllum. Westris C. B. 326.
Radix; Folia.

Tota bona. v. Mercurialis.

. 490. Tragacantha. Boats-thorn. Tragacantha C. B. 388.
Gummi.

Polytrichum. Trichomanes, sive Polytrichum officinarum C. B. 356.
Herba, e quinque capillaribus.

Trifolium acetofum. v. Lujula.

Trifolium aureum. v. Hepatica nobilis.

Trifolium odoratum. v. Lotus urbana.

-492. Trifolium. Trefoil. Trifolium pratense purpureum C. B. 327. Herba.

493. Trifolium palustre. Bog-bean. Barshpaludosum. trefoil. Trifolium palustre
C. B. 327. Menyanthes
T. Inst. 117.
Folia.

Triffago. v. Chamædrys.

carens C. B. 21.
Grana, Farina, Furfur, Amylum.

Tunica. v. Caryophyllus.

495. Tussilago. Colts:foot. Tussilago vulgaris

Farfara. C. B. 197.

Folia; Flores.

V

496. V Accinia. Bill-berry. Vitis Idea, foliis Myrtillus. oblongis crenatis; fructu nigricante C. B. 470. Fructus.

497. Valeriana. Halerian. Valeriana hortensis, Phus Phu. folio Olusatri Dioscoridis C. B.
164.
Radix.

498. Valeriana minor. The letter Halerian.

Valeriana palustris minor C. B.

164.

499. Valeriana sylvestris. Wild Waterian. Valeriana sylvestris, major, foliis angustioribus.
Radix.

Veratrum. v. Helleborus albus.

500. Verbascum. Dullein. Verbascum mas latifo-Tapsus barbatus. lium luteum C. B. 239.

flore C. B. 269.
Herba.

Vermicularis. v. Sedum minus.

Betonica Pauli. Speedwell. Baul's betonp.

Veronica mas supina & vulgatissima C. B. 246.

Herba.

Veronica fæmina. v. Elatine.

Vetonica. v. Caryophyllus.

503. Vicia. Metch. Aare. Vicia sativa, vulgaris.

semine nigro C. B. 344.

Fructus.

Vincetoxicum. v. Asclepias.

JII. Ulima

504. Viola. Miolet. Viola Martia purpurea, flore simplici odoro C. B. 199.

Flores, e quatuor Flor. cordialibus; Herba, e quinque herbis emollientibus.

505. Viola tricolor. Rearts:ease. Pansies.
Viola tricolor hortensis repens C. B.
199.
Herba.

Daphnoidis minor. C. B. 301.
Herba.

Viperaria. v. Scorzonera.

- 507. Virga aurea. Bolden=Rod. Virga aurea angustifolia, minus serrata C. B. 268.
 Herba.
 - * 508. Viscus Aucupum. Birdlime. ex Agrifolii (q. Aquifolium sive Agrifolium vulgo J. B. In 114.) cortice conficitur.
 - * 509. Viscus. Pissetoe, Viscum baccis albis C. B. 423.
 - * 510. Vitex. The chaste Tree. Vitex foliis an-Agnus castus. gustioribus, Cannabis modo dispositis C. B. 475. Flores; Semen.
 - Folia q. Pampini; Offic. Uvæ;
 Succus Uvarum immaturarum,
 Agresta; maturarum, Mustum;
 inde Vinum; Acetum; & Taratarum: Semina, qua Acini
 offic. Uvæ siccæ qua Uvæ passæ
 majores; & minores seu Corinathiacæ; Vitis Lachrymæ.

Vitis alba. v. Bryonia alba.

512. Ulmaria. Peadow = Iweet. Barba capra floribus compactis C. B. 164.
Herba.

C. B. 426.
Cortex; Folia.

Umbilicus Veneris. v. Cotyledon.

14. Urtica. Rettle. Urtica urens maxima C. B.
232.
Folia; Cymæ; Semen.

Urtica Romana. The Roman Pettle.

Urtica urens, pilulas ferens; prima Dioscoridis, semine Lini C.B.

232.
Semen.

Urtica mortua. v. Lamium.

Tua paffa. v. Vitis.

X

516. X Anthium. The lesser Burdock. Lappa
Bardana minor. minor Xanthium DioscoLappa minor. ridis C. B. 198.
Strumaria.

Herba.

China meters, no Lack ont

Xyris. v. Iris fætida.

ලක්වත්වත්වත්වත්වත්වත්වත්වත්වත්වත්වත්

Z come R come

517. Z E A. Spelt. St. Peter's = Cozn.
Zea Briza dicta, vel monococcos
Germanica C. B. 21.
Semen.

* 518. Zinziber. Ginger. Zinziber C. B. 35. Radix.

Zizypha. v. Jujubæ.

FINIS.