

An impartial inquiry into the seat of the immediate organ of sight. Viz. whether the retina or choroïdes. Being the subject of a lecture, in a course lately given on the nature and cure of the diseases of the eye ... / [John Taylor].

Contributors

Taylor, John, 1703-1772.

Publication/Creation

London : M. Cooper, 1743.

Persistent URL

<https://wellcomecollection.org/works/xb9xpusf>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

IMPARTIAL INQUIRY

Into the SEAT of the
IMMEDIATE ORGAN of SIGHT:

V I Z.

Whether the RETINA or CHOROÏDES,
BEING

The Subject of a LECTURE, in a Course
lately given on the Nature and Cure of
the Diseases of the EYE.

To which are annexed,
Five and Forty QUREIES on this Controverted
Subject.

Submitted to the Examination of the CURIOUS.

To which is added,
Some Account of the AUTHOR's Success, and a
List of Writers on the Diseases of the Eye, cited by
him in the Course of his Lectures.

By JOHN TAYLOR,
*Doct̃or of Physic, Oculist to his Majesty, and
Fellow of the Colleges of Physicians in several
Universities in Foreign Parts.*

Qui dat videre, dat vivere.

L O N D O N:

Sold by M. COOPER, at the Globe, in Pater-
Noster-Row. 1743.

[Price One Shilling.]

2

THE HISTORY OF THE

PROGRESS OF THE

ART OF PRINTING

IN GREAT BRITAIN

FROM THE FIRST

INTRODUCTION OF THE

ART INTO THE COUNTRY

TO THE PRESENT

STATE OF THE ART

AND THE

MANUFACTURE OF

PRINTED MATTER

IN GREAT BRITAIN

AND THE

MANUFACTURE OF

PRINTED MATTER

IN GREAT BRITAIN

AND THE

MANUFACTURE OF



T O

Dr. *BURTON*.

S I R,

IT would be an Argument of my being both insensible of Goodness; and ignorant, or at least, negligent of Merit, were I to hesitate one Moment, whose Name to prefix to the following Sheets, since the many generous and amicable Qualities of your Nature so easily direct my Choice of the *Man*; and the uncommon Accuracy and deep Penetration of your Judgment, with equal Distinction, point out the *Physician*.

It is therefore with extreme Pleasure I seize the present Opportunity of declaring the high Esteem and peculiar Affection, I so justly owe

A 2

you ;

DEDICATION.

you ; and at the same time, it is no small Increase of my Satisfaction, to be persuaded, the whole learned World must not only approve my Choice, but conclude the Subject of the ensuing Papers to be, in some Measure, worthy their impartial Examination, when they see them honoured with the Name, and submitted to the Judgment of one, whose Extraordinary Abilities and extensive Knowledge render him an unexceptionable Judge in Controversies of so nice and curious a Nature.

I am,

S I R,

Your most Obedient,

*Great Queen-
street, Lincoln's-
Inn-Fields,
May 17, 1743.*

Humble Servant,

JOHN TAYLOR.



THE
P R E F A C E.

I*T may perhaps be demanded, what End I propose by committing this controverted Subject to the Examination of the Publick, since some may say, the Determination of it is at best but precarious and uncertain, and even if it were infallibly decided, no extraordinary Advantage could be expected from it.*

To which I answer, though it has been generally given in Favour of the
Retina

Retina, yet I hope, the Arguments offered in the ensuing Sheets, will be sufficient, if not to determine it for the Choroides, at least to render the Claim of the Retina equally invalid, though in my Opinion the Choroides, has a just Title to the Pre-eminence.

*About the Beginning of this Century, many Disputes arose concerning this Question, amongst the French Writers, and since that Time it seems to be given up in Favour of the Retina; and indeed so strong is the Prepossession in the Minds of most Men, concerning the Right the Retina has to the Preference, that I am persuaded it will be no small Difficulty to eradicate it; though of late Years St. Yves has ventured to alledge some Arguments on the Side of the Choroides; but neither he nor his Predecessors, have, in my Opinion, been sufficiently copious to ascertain
the*

The P R E F A C E. vii

the Title either of the one or the other; I therefore thought it not unnecessary to be a little more comprehensive on the Subject; and display the Force of all the Arguments that seem to me to make for either Side of the Question: And that I might not pronounce dogmatically on so controverted a Point, I have subjoined to this Enquiry, a certain Number of Queries, all of them (at least as I think) of very great Validity in Favour of the Choroides.

As to the Usefulness of this Inquiry, and the Advantages that would follow the bringing it to a final Decision; I believe few will doubt of them, if it be considered how much our Knowledge of the Diseases of the immediate Organ of Sight, would be advanced by a certain Determination of the Question. It was with this View, that I judged it necessary to introduce the Question in the

the

viii The P R E F A C E.

the Course of my Lectures on the Nature and Cure of the Diseases of the Eye, immediately previous to my treating of the Morbific Alterations of the immediate Organ of Sight ; since the Discoveries, I presume to have made on the Nature and Cure of these Diseases, are in a great Measure owing to the diligent and accurate Examination of this important Question.





A N
IMPARTIAL INQUIRY
INTO THE
SEAT of the Immediate Organ of
S I G H T,

V I Z.

Whether the *Retina* or *Choroïdes*, &c.

BY the immediate Organ of Sight, Immediate Organ of Sight defined. we understand that Part of the Fund of the Globe, which by the Action of the Rays of Light, receives the Impression of visible and external Objects, which by the nervous Fibres communicate the Ideas to the Mind.

THE Question is whether the *Retina* or *Choroïdes* is that which immediately receives such Impressions, and from which the Mind receives it's Ideas? Question whether the *Retina* or *Choroïdes* be that Organ.

THIS Question, in the last Age gave Cause to a great Number of learned Disputes, which I do not find are even to this
B Day

Generally
given in Fa-
vour of the
Retina.

Day determined. In the Age we live in, some few have attempted to renew the Examination of the Question in Favour of the *Choroïdes*. But the universal Opinion of Mankind (without even having taken the Pains to examine this Question with proper Attention, from the general Notion we have of the Use of the Nerves) seems to have given it in Favour of the *Retina*.

I have taken great Pains to examine all that has been said on both Sides of the Question, and find it to be a Matter well worthy of Dispute, as the Knowledge of it is not a little necessary to give us a true Idea of the Diseases of which I am treating.

First Argu-
ment in Fa-
vour of the
Retina: That
it is an Ex-
pansion of the
Optic Nerve.

THUS it may be argued in Favour of the *Retina*, that it is an Expansion of the Optic Nerve, and consequently nervous in all its Parts, and therefore it is *that* only, which can be supposed to be the Seat of the Immediate Organ of Sight; whereas the *Choroïdes* is not a nervous Membrane, and tho' undoubtedly it is not without some Nerves, there are many Parts in it, where no Nerves are to be found; and as we all know that Nerves are the Instruments of Sensation, in whatever Manner the Impression of Objects are conveyed to the Mind, it is without Dispute that the Nerves only can be designed for that End: Whence follows, that where there are no Nerves there can be no Sensation; and as we have a Demonstration

stration from our seeing every Point of the Object distinctly, that every such Point must act on some Nerve, without which such Points would be lost to the Sight, it is absurd to pretend, that the *Retina* is not the Immediate Organ of Sight. — To which it may be replied, — That tho' the *Choroïdes* Answer.
 is not a nervous Membrane as the *Retina* is, yet it is sufficiently Nervous, for the Service of Vision: That it is not necessary that the Organ of Sight should be nervous in all its Parts, for if that were true, the *Retina* can no more be the Organ of Sight, than the *Choroïdes*; for the Arteries of the *Retina* are very numerous, many of them considerably large, and they are no more sensible of the Action of the Light, than the Parts of the *Choroïdes*, where there are no Nerves found; and therefore, as we plainly perceive every Point of the Object, the Argument proves no more for the one than the other: Thus tho' the Order and Number of the Nerves in the *Choroïdes*, cannot be supposed equal to those in the *Retina*, yet it is not sufficient to prove the *Retina* to be that Organ. But there are a vast Number of other Arguments, which may be offered in Favour Arguments in
 of the *Choroïdes*, of infinitely more weight, Favour of the
 than what I have said in Favour of the *Retina*. — For wherever we place the immediate Organ of Sight, we must indispensably allow an immediate Communication be-
 tween

Communica-
tion between
the Nerves of
the imme-
diate Organ
of Sight, and
those of the
Iris, that
move the
Pupil.

No Commu-
nication be-
tween the
Nerves of the
Retina and
Iris.

tween the Nerves of that Organ and those of the *Iris*, which give Motion to the *Pupil*: For every one knows, that not only in a healthful Eye, we plainly perceive the *Pupil* change its Diameter in the different Degrees of Light, but also in many Diseases of the Organ of Sight, the *Pupil* loses its Movement in Proportion, as the Sight loses its Perfection; so that in such Cases, by examining the Movements of the *Pupil*, we may judge, with the greatest Exactness, the Degree of the Imperfection of the immediate Organ of Sight, without any previous Knowledge of the Eye. And we find, that in the last State of such Diseases, when the Eye is no longer sensible of Light, the *Pupil* remains immoveable, whether dilated or contracted: Now it is certain, that notwithstanding these nervous Fibres the *Retina* has no Communication with those of the *Iris*; and even supposing, that there were any Fibres continued from the Extremities of the *Retina*, they are so very fine, that as yet, I think I may say, they have escaped all Anatomical Enquiries; and could such Nerves be discovered, they certainly are not those designed for the Movements of the *Pupil*, for they evidently take their Origin from those Branches of the Nerves, that are continued on the Surface of the *Choroïdes*, in or about the horizontal Line of the Globe, (as I shall shew hereafter.) Therefore as there is an indispensable Necessity of an

an immediate Communication between the Nerves of the Immediate Organ of Sight, and those of the *Iris*; and the *Retina* evidently has not that Communication, it seems to carry a Demonstration in Favour of the *Choroïdes*: And we may farther prove the Necessity of this Communication, by observing some few Particulars relating to the voluntary and involuntary Changes that happen in the *Pupil*, in the different Degrees of Light, for in a healthful Eye, we cannot voluntarily dilate the *Pupil* in any greater Degree of Light than the ordinary, nor contract it in any Degree less. But we can voluntarily dilate the *Pupil* in every lesser Degree of Light, than the ordinary Degree, but not contract it in the same Degree of Light: all which demonstrates, that Light is the immediate Cause of the Changes of the *Pupil*. Now, were there no Communication between the immediate Organ of Sight, and the Nerves which move the *Pupil*, it is hard to conceive how Light acting on the immediate Organ of Sight, can produce those Changes in the Movements of the *Pupil*: Thus to return to what has been said in Favour of the *Retina*, from the difference between its Nerves, and those of the *Choroïdes*; admitting, that the Nerves, which give the Movement to the *Pupil* (which I think cannot be disputed by any) come from the *Choroïdes*, and that the *Retina* has no Communication with the *Iris*, it follows, if the Nerves, which

Light the
immediate
Cause of the
Changes of
the *Pupil*.

which are continued from the *Choroïdes*, and enter the *Iris*, are sufficient to occasion these regular Movements of the *Pupil*; it is not easy to conceive why they cannot be equally sufficient for Vision.—That these Changes of the *Pupil* in a healthful Eye; and Loss, or defect in its Movements, are owing to the Nerves of the *Choroïdes* and those of the *Iris* being one and the same Nerves, is evident; and what farther confirms this, is, that in those Diseases where the *Iris* adheres in part to the *Cornea*, that Part which is free, however small, has some Movement in the different Degrees of Light, when the Sight is not lost; and on the contrary, when the Sight is lost, it always remains without any visible Movement.

Necessity of
Communica-
tion between
the immediate
Organ of
Sight, and
Nerves that
move the *Pu-
pil*, further
demonstrated.

OTHER Arguments may be drawn, each of which would be a Demonstration of the Neccessity of a Communication between the immediate Organ of Sight, and those Nerves that give Movement to the *Iris*: Such as, that painful Sensation which arises from Light in some of its Diseases, by which we find, that the *Pupil* is always much more contracted than we observe it to be in a healthful Eye in the same Degrees of Light; and that in Proportion to this Pain, the Contraction is greater, and that in such Cases, the Patient has no Power to dilate the *Pupil* in any Degree of Light, less than the ordinary,

ordinary, as we have in a healthful Eye. How then could it be possible to conceive, how this Contraction of the *Pupil*, should be greater in the same Degree of Light, when the Eye has no Appearance of Inflammation, unless from the diseased Alteration of the Nerves of the immediate Organ of Sight? And how could this greater Contraction of the *Pupil* happen, when the Nerves of the immediate Organ of Sight, are thus diseased, unless those Nerves in the *Iris* were equally affected with those of that Organ? For though it may be said (where there is an Inflammation in the Globe, whether in the external or internal Vessels, or both, where the Arteries that enter the *Retina* are fuller than in their healthful State) we may easily conceive, how in such Cases the *Pupil* shall be more contracted in a Degree of Light less than that of the *Pupil* in the healthful Eye; and also how this Pain is augmented from the least Increase of the Light, by considering the Compression that may be made on the Nerves of the *Iris*, from such a *Plethora* of the Blood Vessels and the Resistance these Nerves might meet with, in their Office of assisting towards the Movements of the *Pupil*: But in the Case we speak of, this could not be the Cause, there being (as I have said) no Inflammation, for this must necessarily flow from some particular Defect in the Nerves

Pain and Con-
traction of the
Pupil, on an
Increase of
Light in an
healthful Eye.

Nerves of the immediate Organ of Sight themselves, and therefore whatever that Defect is, it must necessarily be continued to the Nerves of the *Pupil*, and demonstrate (as I have observed) the Necessity of this Communication.—A farther Confirmation of this Argument, is the Pain, and sudden Contraction that affects the *Pupil* of an healthful Eye in any increased Degree of Light, falling suddenly into the Eye; and that Dilatation of the *Pupil* in any sudden diminished Degree of Light, which certainly could not happen, unless the Nerves of the immediate Organ of Sight, and those of the *Iris*, had an immediate Communication. Nay, this is demonstrable in that painful Sensation we daily observe going out of a dark into a light Place; and the Imperfection of our Sight which follows it: For the Pain of the former, is owing to the sudden Contraction of the *Pupil*, and the Confusion of the Sight in the latter, from the *Pupil's* not being sufficiently dilated, and the Slowness with which it dilates from going suddenly out of a Degree of Light, where such a Dilatation was not necessary, and therefore it will be extremely difficult to account how (unless we allow of such a Communication) this sudden and great Degree of Light, could occasion such a sudden and great Contraction of the *Pupil*; — Or how this Confusion of Sight and the Time it continues

tinues, consequent on the *Pupil's* Dilatation, and the Slowness with which it dilates could possibly have happened. But, above all, is the Insensibility of the *Optic-Nerve*, on its Entrance into the Organ, as appears by a well known Experiment: For notwithstanding what may be said from the Number of Blood Vessels that enter with the *Optic-Nerve* into the Globe; if we consider the Manner in which they enter, it does not seem to be any Argument for their Insensibility. For were the Nervous Fibres themselves sensible of Light, it is certain that there is a sufficient Number in their Entrance, that must be exposed to some Light falling upon them; and since they are not sensible of any Rays of Light, it seems to prove plainly, that the Nervous Fibres (of which the *Optic-Nerves* are composed) are insensible of Light, and that the *Retina* being a Continuation of the same Fibres, must necessarily be as insensible of the Action of Light as the *Optic-Nerve* itself.

THAT the *Retina* may be found sensible when wounded, and yet entirely insensible of the Action of Light, may be admitted without proving any thing in Favour of the *Retina*, though I think this is even greatly to be doubted, since we find that we daily wound the *Retina* in the Operation for the *Cataract*, with little or no Pain, and without any ill Consequence, Nay, Experience

Retina being
sensible when
wounded, and
yet having no
Sensation of
Light, no Ar-
gument if
granted.

Blindness and
Immobility of
the *Pupil*,
from wound-
ing the Nerves
in Couching
the *Cataract*,
a great Argu-
ment for the
Choroïdes.

teaches us, we may wound the Globe with the *Retina* twenty Times together in different Parts of it, and if we avoid wounding those Nerves, which traverse the Horizontal Part of the Globe, and are design'd for the Service of the *Iris*, there will not follow even a common Inflammation : But there is nothing more confirms the Certainty of the *Choroïdes* being the immediate Organ of Sight, than that Blindness and Immobility of the *Pupil*, which follows a Wound made in any of the Branches of those Nerves in their Passage in or about the Horizontal Line of the Globe, and whose Extremity is lost in the *Iris*, as it very often happens in the ordinary Operations for the *Cataract* : I mean when this is the Case (as it very often is,) without any other Symptom, than that of continual Pain in the Globe, Temple, and the same Side of the Head. Now allowing the *Retina* to be the Immediate Organ of Sight, it would be difficult to account how this Blindness could be brought on ; for the *Retina* being independent of the *Choroïdes*, and there being in this Case no Inflammation consequent on the Wound made in the *Choroïdes*, the *Retina* could not suffer from such a Wound, and if it be said that the Pain in the Head might occasion those Blood Vessels, that are continued thro' the Optic Nerve, to be so distended, as to destroy the Sensation of the Nervous Fibres, and consequently

consequently those of the *Retina* ; it may be replied that neither the Pain is alleviated by Bleeding, nor the Sight preserved ; the latter at least must be, were the *Plethora* of the Blood Vessels in or about the Optic-Nerve, the Cause : Whereas, allowing the *Choroïdes* to be the Immediate Organ of Sight, we may easily account how the Brain may be affected in or about the Organ of the Nerves thus wounded ; and how the Extremities of those Nerves in the *Iris*, together with those continued in the *Choroïdes* may become insensible. Thus the Arguments in Favour of the *Choroïdes* subsist in all their Force.

BUT even admit that the *Retina* is sensible when wounded (tho' I think from what I have said, it is almost demonstrable, that it is not so) the Transparence, which its Nervous Parts evidently have in a healthful Eye, seems to prove, that it is insensible of Light, or at least from such a Transparence, it is evident the Light having a Transition to the *Choroïdes*, the *Retina* cannot be supposed to receive the Impressions of Objects ; for it cannot be said that in a Looking-glass, the Objects we see, are impressed on the Surface, or any of the transparent Part of the Glass ; therefore the *Choroïdes* seems to be that, which resists the Passage of the Rays (as the Silver does in the Glass) and by Consequence, *that* only can be the Immediate Organ of Sight: Nay, even supposing

Tho' the *Retina* be sensible of Wounds, yet it seems insensible of Light.

Example of a Looking-glass

Different Colour of the *Choroïdes* in Animals.

that the *Retina* has some little Opacity, even as it appears when taken out of the Eye, this Opacity is not sufficient to resist the Passage of Light to the *Choroïdes*, tho' perhaps it may pass with less Freedom than through a Body perfectly transparent; and what seems to confirm this, is the Colours of the *Choroïdes*, or rather *Uvea* in Animals; for it is evident, that Animals by the Colour of their *Choroïdes*, see Objects that are most proper for their Support; that they see those Objects with less Light than Man; that any Degree of Light greater than the ordinary gives them Pain; that we see them in a great Light close their Eye-lids, and that their Sight is less distinct than that of Man, is certain; and all these Differences are undoubtedly owing to their *Choroïdes* being coloured, and ours black: Now if the *Retina* in us is the Immediate Organ of Sight, it is undoubtedly so in them; for if the *Retina* were not sufficiently transparent for the Passage of the Light, how could these Animals be sensible of those Differences? And if we admit such a Transparency, how can the *Retina* be said to be the immediate Organ of Sight, that is to receive the Impressions of every part of the Object, when at least a sufficient Number of the Rays reflected from the Object thus evidently pass the *Retina* and fall upon the *Choroïdes*?

As

To all that has been said in Favour of the *Choroïdes* it may be replied, first with Regard to the Loss of Sight, consequent on a Wound made in the Nerves, designed for the Service of the *Iris*, that this could not happen, were the *Retina* the immediate Organ of Sight, from its being independent on the *Choroïdes*, and more so from there being no Inflammation consequent on this Wound, it may be answered, that the Pain in the Head arising from the Wound, might occasion these Blood Vessels in or about the Optic-Nerve, to be so distended, as to hinder the Transmission of Nervous Supplies to the *Retina*; nor is the Argument of the Insensibility of the Brain, and consequently of the *Choroïdes*, of more Force; since the same may be said with equal Justice of all the Nerves immediately after their Egression from the Brain; and I believe no one would imagine, that the fine Fibres of the Nerves should be sensible, and yet that Part of the Nerves from which they are continued should be void of Sensibility.

Answers to all that has been said in Favour of the *Choroïdes*, and first to the Conclusions drawn from the Loss of Sight consequent on wounding the Nerves of the *Iris*.

THAT it is essentially necessary, that the immediate Organ of Sight should be more nervous than the *Choroïdes* really is, appears in that Disease of the Organ of Sight call'd *Muscae Volantes*, which is demonstrated to be a Vice in the Arteries of the *Retina*, and we know this Vice necessarily must be a preternatural Distention of the Arteries: Now since the Effect of such

Immediate Organ of Sight, must necessarily be more Nervous than the *Choroïdes*.

Answer to the
Arguments taken from the
Communication of the
Nerves of the
immediate Organ of Sight,
and those of
the *Iris*.

such a Distention, can be nothing more than hindring a proportionable Number of the Points of the Object falling on the Nervous Part of the immediate Organ of Sight; and that we plainly see, that the imaginary Objects always answer to the Number of Parts of the Object thus lost; we must conclude, that in a healthful Eye, every Part of the Object does fall on some nervous Part. It not only follows from hence, that the *Choroïdes* cannot be the immediate Organ of Sight, from the many Parts we find in it, where no Nerves can be discovered, but entirely removes that Objection that pretends to prove the *Choroïdes* sufficiently Nervous for Vision. As to what has been said about the Necessity of a Communication between the Nerves of the immediate Organ of Sight, and those which give Motion to the *Iris*, it will not be very difficult to remove that Objection; for, if we allow the Nerves of the *Iris* are indistinct from those of the immediate Organ of Sight, we admit that the *Retina* may be that Organ. For the Proof of its being so, as to all the Objections touching this Difficulty of accounting for all the Changes of the *Pupil* in a healthful and diseased Eye, wholly depends upon making it appear how they are brought about; in order to which, we shall observe, that the several Degrees of the Contraction of the *Pupil*, which follow every Degree

Degree of Light greater than the ordinary Degree ; together with that painful Sensation which attends any Degree of Light falling suddenly upon the Eye, greater than the ordinary Degree ; and that painful Sensation (which is much the same) which affects the Eye going out of an obscure Place suddenly into great Light, may be easily accounted for, by considering that tho' we do allow the *Retina* to be so sufficiently opaque, as to make that Resistance to every Point of the Object which is necessary to receive its Impressions ; yet not so as to hinder the Light from affecting the *Choroïdes*, and thus the Nerves of the *Choroïdes* might be so affected with the Action of Light, as to communicate its Effects to the Extremities of the same Nerves in the *Iris*. Thus when the Light does fall in a greater Degree than in the ordinary Degree, as there falls a greater Quantity on the *Retina*, so here falls a greater Quantity on the *Choroïdes*, and according to its entering more or less suddenly, the Sensation must be proportionable, and thus the Extremities of those Nerves in the *Iris* must suffer with those Parts of the *Choroïdes* from whence they are continued ; and in like Manner when it enters in a lesser Quantity, there must be a proportionable Loss of that Sensation which they received in the ordinary Degree of Light ; and thus these Extremities of the
Iris

Iris suffer a proportionable Change ; whence follows that Loss of Contraction and Degree of Dilatation, which the same Degrees of Light caused.

How the *Pupil* loses its Mobility in Proportion to the Loss of Sensibility of the immediate Organ of Sight.

AND we may from hence easily comprehend how the *Pupil* in some of the Diseases of the immediate Organ of Sight, shall lose its movements in proportion to the Degree of Insensibility in the immediate Organ of Sight; and in the last State, why it shall remain immoveable : All which may be accounted for (without allowing the *Choroïdes* to be the Immediate Organ of Sight) by remembering that those Diseases where the *Pupil* remains immoveable, always come from a Distension of one or more of the Arteries in or about the Optic Nerve, as appears by several of its Symptoms, particularly by those species of those Diseases, which are accompanied in their Progress with Pain, or with the *Muscae Volantes*; the first attended with Inflammations of every Kind, where the Arteries of the Globe are visibly affected ; the last where there is an Augmentation in the Diameters of the Arteries of the *Retina*, as I shall hereafter make appear. There is in both these Cases an Augmentation either in those Parts of these Arteries, which pass in or about the Optic Nerves, and by Consequence, those Nerves, which are continued along or about the Optic Nerve, and whose Extremities are employed

ployed in the Service of the *Iris*, must from their Situation suffer an equal Degree of Pressure with the Fibres of the Optic Nerve itself: For since the Optic Nerve, together with these Fibres, are with the Arteries we now speak of, all inclosed by the *Pia* and *Dura Mater*, and as the *Dura Mater*, from its natural Texture, cannot suffer any Change in its Diameter from any Resistance possible from the Augmentation of such Arteries, it follows (as I shall more fully explain speaking of the Causes of these Diseases) that all the nervous Fibres contained within the Surface of the *Dura Mater* must suffer an equal Degree of Pressure; and thus the Nerves whose Extremities are employed in the Service of the *Iris*, together with those of the *Retina* must suffer the same Degree of Alteration, and hence it is demonstrable how the Nerves of the *Retina*, as being the immediate Organ of Sight, are accompanied with the same Alteration as the Nerves of the *Iris*; and thus we see how the *Pupil* loses its Movements in Proportion to the Defect in the *Retina*; and how in the last State, when the *Retina* is no longer sensible of Light, the *Pupil* shall remain immoveable. It is therefore evident whether we do or do not admit the *Retina* to be the immediate Organ of Sight; the Argument drawn from the Alterations of the *Pupil* from the Action of Light in a

D

healthful

Alterations of the *Pupil* in an healthful, and Defect of its Mobility in a Diseased Eye proves nothing for the *Choroïdes*.

healthful Eye, with the Defect in its Movements, and at last its immobility, proves nothing in Favour of the *Choroïdes*, as to those Diseases, where the *Pupil* does maintain its Movements when the Eye is insensible of Light : Each one seems to carry with it a Demonstration that the *Choroïdes* cannot be the immediate Organ of Sight ; for this Mobility that remains in the *Pupil*, when the Eye is blind, plainly proves that the Nerves of the *Iris* are entirely independent of the immediate Organ of Sight : Now if the Nerves of the *Choroïdes*, and those of the *Iris* be the same Nerves, as it is said in Favour of the *Choroïdes* ; allowing the *Choroïdes* to be the immediate Organ of Sight, when the Nerves of the *Choroïdes* are become insensible, the Extremities of these Nerves in the *Iris* must necessarily suffer the same Alteration ; and thus when the Immediate Organ of Sight is so diseased, the Movements of the *Pupil* must be proportionably imperfect, and when it becomes insensible of Light, the *Pupil* must remain without Movement ; and therefore since in the Diseases where the *Pupil* does not remain without Movement, it is plain, that if the *Choroïdes* is the immediate Organ of Sight, the Nerves of the *Choroïdes* must be independent of those of the *Iris*, which no one yet has pretended to say ; it follows therefore that the *Choroïdes* cannot be this Organ, whereas if we allow the *Retina* to be the im-

immediate Organ of Sight, we may as easily account how the *Retina* may become insensible, without interesting those Nerves which are employed in the Service of the *Iris*, as where they suffer the like Alteration. For I shall shew that all these Alterations do not proceed from any Augmentation of the Diameter of the Arteries in and about the Optic Nerve, but from some Defect in the Brain, in or about the Origine of the Nerves of the immediate Organ of Sight, and thus the Nerves of the Optic Nerve, and by Consequence the *Retina* may suffer, without being accompanied with any Alteration of these Nerves, which (as we have said) are continued in and about the Optic Nerve, and whose Extremities are lost in the *Iris*; and as a further Proof that the Nerves of the *Pupil* are independent on the immediate Organ of Sight, there are many Examples where the Eye is blind, and the Patient has a voluntary Power to dilate the *Pupil*; nay there are some, whose immediate Organ of Sight is likewise insensible of Light, who yet have a voluntary Power both to contract and dilate the *Pupil*, which could not happen (for the Reasons already given) were the *Choroïdes* the immediate Organ of Sight, from the Necessity of the Dependence of the Nerves of the *Choroïdes* on those of the *Iris*. Besides we have many Instances, where the *Pupil* is naturally small, and absolutely without Movement, and yet the

These Alterations are not the Effect of a Diltention of the Arteries, but of a Defect in the Brain.

Pupil small and motionless, and yet immediate Organ of Sight in an healthful State.

immediate Organ of Sight in its healthful State : Nay, when the *Pupil* is not only without Movement, but exceeding small, and of a very irregular Figure, and sometimes when there are two or three *Foramina* or *Pupils* in the *Iris*, all which I have seen from the Effects of a Pustule or Abscess in the Small Pox, having happened in some of the interior Parts of the *Pupil*, where it has made such an Alteration in the Direction of its Fibres, that by the remaining Cicatrice they are so interlaced one with the other as to form these *Foramina*, and yet the Patient sees with the same Perfection in every Respect, as where the *Pupil* has its healthful Form and Movements : A Proof of this is also evident from the Success of that Operation which we call an artificial *Pupil*, or a Hole in the *Iris*, where the *Pupil* remains not only much larger than natural, but also irregular in its Figure, and absolutely without Movement, and yet the Patient continues to have a very useful Sight in a determined Degree of Light, all which shows that the Nerves of the *Iris* are so far from being dependent on the immediate Organ of Sight, that neither the Movements, Diameter, or Figure of the *Pupil* are essential to our seeing Objects. We shall further demonstrate this Truth from the Dilatation and Want of Movement, that we perceive daily in the *Pupil* of the *Myopes*, and yet it is

is not doubted but they see at a certain Distance with all the Degrees of Perfection. As to what has been said in relation to the Insensibility of the Optic Nerve at its Entrance into the Globe, it appears, that carries as little Argument as the preceding, for the Direction in which the Arteries enter the Globe, with the Optic Nerve considered with their number and Diameter, is more than sufficient to prove the Reason of this Insensibility; for the several Parts of the Optic Nerve separate on all Sides for the Formation of the *Retina*, and the Arteries immediately before this Separation are so large and so closely interwoven, that we may easily conceive how they may hinder the Light from acting upon its nervous Fibres. More might be said to favour the Reason of this Insensibility, from the Difference between the Fibres of the Nerves when in the Form, as they are in the Optic Nerve, and when in the *Retina*; but what I have said appearing already sufficient, I shall proceed to answer what is said relating to the Insensibility of the *Retina*, from Wounds made in the Globe and *Retina*, as in the Operation for the *Cataract*, or otherwise we may allow the Sensibility of the *Retina*, and yet easily comprehend why no ill Accidents succeed such Wounds, and why they should succeed Wounds in the Nerves destined for the Service of the *Iris*,
from

Answer to the
Arguments
drawn from
the Insensibi-
lity of the
Retina from
Wounds.

from the exceeding Fineness of the nerve Fibres of the *Retina*, and the considerable Bigness of those Branches designed for the *Iris*, in their Passage in or about the horizontal Line of the Globe : As to what has been said relating to the Colour of the *Choroïdes* or rather *Uvea* in Animals, this proves nothing more in Favour of the *Choroïdes* than any of the preceding Argument for we have already allowed, the *Retina* does permit sufficient Light to pass through it to the *Choroïdes*, but yet it affects the *Retina* on its Passage sufficiently to answer the End of Vision.

Other Animals from the different Colour of *Choroïdes* see Objects with less Light than Men.

THUS, tho' the Colour of the *Choroïdes* in Animals is undoubtedly instrumental to their seeing Objects with less Light than Men, and to be particularly sensible of those Objects, which are necessary to their support, this does not prove that the *Choroïdes* is the immediate Organ of Sight all that is proved from this Colour of the *Choroïdes* is, that the *Retina* is, by the Reflection of the Light striking on this Colour of the *Choroïdes*, made more sensible of the Impression of such Objects ; and thus we may comprehend how these Animals suffer Pain in that degree of Light, which is most necessary to the Perfection of Sight in Man ; and how they see with less Light and less Perfection than Man : besides were it necessary, it might be added, that admitting

ting this Colour of the *Choroïdes* in Brutes, as an Argument in Favour of the *Choroïdes*, it certainly cannot be so in Man: For as it is black in Man, it cannot easily be supposed proper to receive the Impression of Images, from the particular Quality that black has to absorb the Rays of Light, which seems to present a Difficulty in Favour of the *Retina*, much greater than the Colour of the *Choroïdes* in Animals, does in Favour of the *Choroïdes*.

WE might indeed add many other Arguments in Favour of the *Retina*, drawn from that curious Observation, which we have learned by Glasses, of every Part of the *Retina* being a Point directed towards the *Axis* of the Eye, which seems to insinuate how the Points of the objects are impressed on the *Retina*, and I believe we have no Experience of the like Observation with Respect to the *Choroïdes*.

Every Part of the *Retina* a Point directed towards the *Axis* of the Eye.

THERE is another Objection which seems very much to favour the *Retina*, which is that immediate Communication, which we can prove between the *Filaments* of one Eye and those of the other; and the Necessity of such a Communication for seeing with both Eyes, one and the same Object.

THERE is yet one Argument more I must not forget, which is, that the *Pia Mater* from whence, the *Choroïdes* is supposed by some to be continued, is proved to be

Insensibility of the *Pia Mater*.

be insensible, and consequently the *Choroïdes* must be the same: But admitting that *Choroïdes* is not continued from the *Pia Mater*, it seems evident that it is not sensible even from the same Experiment offered to shew the Insensibility of the *Retina*: to mean that of wounding the Globe in the Operation for the *Cataract*; because tho' it has been said in Favour of the *Retina*, from the exceeding Fineness of its Parts, why no ill Consequences follow such Wounds; the same cannot be said in Favour of the *Choroïdes* from the great Difference between the Thickness of the one and the other; and if it be allowed, that no ill Consequences follow such Wounds in the *Choroïdes* from a Deficiency of Nerves, it is giving up the Question in Favour of the *Retina*.

Sensibility of the Nerves destined for the Movement of the *Pupil* in those Species of *Gutta Serena* which proceed from a Defect in the Brain.

THE last and indeed the greatest Argument in Favour of the *Retina*, is that drawn from the Sensibility of the Nerves of the *Iris* and *Uvea*, destined for the Movement of the *Pupil*, in all those Species of the *Gutta Serena* which proceed from a Defect in the Brain; for were the *Choroïdes* the immediate Organ of Sight, it would follow, if the Nerves cannot be affected without those of the *Iris* and *Uvea* equally suffering, since these latter are a continuation of the former, and as the *Pupil* retains its Mobility, when the immediate Organ of Sight is no longer sensible of the Object; it follows that the *Retina*

Retina, (whose Nerves have no Communication with the *Iris*, as those of the *Choroïdes* have) must be the immediate Organ of Sight.

UPON the whole, if it appears from hence that the *Retina* is the immediate Or- Use of the
Choroïdes. gan of Sight, it follows that the Use of the *Choroïdes* is not only to absorb the Light, after it has produced its effects in the *Retina*, but also not to permit it to pass beyond it, and it is from the Light being thus hindered from acting too violently that the Perfection of Sight depends in the Eyes of Men, and some Animals; and in those Animals whose *Choroïdes* is coloured, its Use is not only to impower such Animals to see with a less Degree of Light, but also to render their Sight more sensible of the Impressions of such Objects, as are immediately necessary to their Preservation.

NOTWITHSTANDING that the Argu- Answers to
Arguments
brought for
the *Retina*. ments I have offered in Favour of the *Reti- na*, will undoubtedly appear to every one who has not accurately examined this Question, to determine it in Favour of the *Retina*, yet I have still some Arguments left to remove all those of any Weight that have been offered against the *Choroïdes*, and to proceed in my Answer in the same Order they are wrote; I repeat that it is not necessary that the immediate Organ of Sight should be more nervous than the *Choroïdes* is, for the Reasons already given in Favour of the *Cho- oïdes*; and as to the Argument drawn from No Necessity
for the imme-
diate Organ
of Sight be-
ing more
nervous than
the *Choroïdes*.

E the

Answer to the
Arguments
drawn from
the *Muscae Vo-*
lantes.

the *Muscae Volantes*, we admit that they are produced from a preternatural Distention of the Arteries of the *Retina*; yet we absolutely deny that to be an Argument of the *Retina* being the immediate Organ of Sight for every particular with Respect to the Deficiencies of the Impressions of the Object with its Consequences from those Pencils of Rays being lost, whose Points fall on those distended Arteries, may be equally said in Favour of the *Choroïdes*: For whether the Object is impressed on the *Choroïdes* or on the *Retina*, these Arteries prove an Impediment to their impressing the Image as well on the one as the other: nay this Imperfection of the object seems rather an Argument in Favour of the *Choroïdes* than the *Retina*, because it would be much easier to account how these Arteries by being situated immediately before the *Choroïdes*, should hinder, in Proportion to their Diameter, the Parts of the Pencils of the Rays falling on the *Choroïdes*, whereas allowing the *Retina* to be the immediate Organ of Sight, it will not be easy to conceive, how those Parts of the Object are distinctly impressed where such Arteries are not, if we consider that such a Distention of the Arteries, by bringing their Surfaces nearer one to the other, must necessarily so compress the nervous Fibres situated between their Surface, as proportionably to destroy that Sensation necessary to Vision: and since Experience teaches us, that all
who

who complain of *Muscae Volantes* before their Eyes, see every other Object with a healthful Distinction, this Perfection of the Impression of the Object, where such *Muscae Volantes* are not seen, joined to the Necessity of allowing these *Muscae Volantes* to arise from the Distention of these Arteries of the *Retina*; seems to offer a powerful Argument that the *Retina* cannot be the immediate Organ of Sight.

As to what has been said about the nervous Parts of the *Retina* being sufficient to receive all the Points of the Object, as being evidently more nervous than the *Choroïdes* and by consequence more capable of Vision, it proves no more than the preceding Arguments; for we have already made it appear, that the Arteries of the *Retina* cannot fail even in an healthful Eye (from their Bigness, Number and Situation) to hinder many of the Points of the Object from falling on the nervous Fibres, and since we do evidently see the Object distinctly, it plainly proves that, which ever is the immediate Organ of Sight, it is not essential it should be nervous in all its Parts, so that since we perceive it is not necessary it should be nervous in all its Parts, we cannot know to what Degree it should be nervous, and therefore the *Choroïdes* (for all this Argument) may be as sufficient for this End as the *Retina*.

No Necessity
for the immediate Organ
of Sight to be
nervous in all
its Parts.

IN Answer to all that has been said relating to the Independency of the Nerves of

Answer to the
Independency
of the Nerves
of the *Iris* on
those of the
immediate
Organ of
Sight.

the *Iris* on those of the immediate Organ of Sight, and by Consequence, that all the Arguments we have urged to prove the Necessity of a Communication between the Nerves of the *Choroïdes* and those of the *Iris* are without Foundation: We reply, that since these Arguments are all taken from a Supposition that the *Retina* may receive the Impression of the Object, and yet transmit sufficient Light to the *Choroïdes* to produce all these Appearances in a healthful Eye; and from supposing that the Nerves of the *Choroïdes* may suffer in some of these Diseases of the immediate Organ of Sight the same Alteration with those in the Optic Nerve: From whence all these Appearances proceed in a diseased Eye, it will not be very difficult to prove, that these Observations however curious, are not sufficient to give the Preference to the *Retina*, for it seems absolutely impossible to conceive how a Body, even with the Transparency that is allowed in Favour of the *Retina*, should be capable to receive the Impression of the Object, and at the same time permit the Transition of Light to the *Choroïdes*, if we remember that the Laws of Optics teach us, that the Rays sent from every Part of the Object, must meet in the same Number of Points, to impress the distinct Image of such Object: Now if any Number of these Points pass to the *Choroïdes*, it follows that we

we must lose a Proportion of the Distinction of such Objects ; since such Points, which thus fall, must be absolutely wanting to the Perfection of such Impression ; and to say that the *Retina* may receive the Impression of the Objects distinctly, and yet transmit the Light to the *Choroïdes*, seems absurd, not only from there being only one Point where any one Point of the Object can be distinctly impressed, but from the Consequence that must follow such a double Impression, with Respect to the Perfection of Vision : That the *Retina* and *Choroïdes* both seem to receive distinctly this Impression from the common Experiment of a Candle held at a proper Distance from the Eye, we do not deny ; but then we are to make a great Difference (as I have said) between the Transparency of the *Retina* in a living Eye, and when dead : For tho' from its Opacity when dead it does receive the Impression of the Image, it is very much to be doubted, if it be capable of doing so when living ; and without any Regard to the Difference of Colour between the *Retina* and *Choroïdes* we always find, that the Impression of the Image is more distinct in the *Choroïdes* than the *Retina*.

As to the other Argument, I mean that from the Progress of these Nerves destined for the Service of the *Iris* in and about the Optic Nerve, it does not seem to carry any greater Weight than the Preceeding, for all that it

Answer to the
Argument
drawn from
the Progress
of the Nerves
of the *Iris*.

proves

proves is, that the Nerves of the *Iris*, in their Passage by the Optic Nerve, must be affected when the Optic Nerve is ; and that these Nerves destined for the *Iris* in their Passage by the Optic Nerve, cannot be affected from the same Cause, I mean, that of the Distention of the Arteries, without equally affecting the Fibres of the Optic Nerves ; admit this to be true, we cannot pretend to say, that the Nerves of the *Iris*, together with those Nerves, from whence they are continued in the *Choroïdes*, cannot be affected from any other Cause, without equally being accompany'd with the same Defect of the Fibres of the Optic Nerve and *Retina* ; for if it be allowed that the *Retina* and Optic Nerve, may become defective from some Defect in the Brain, without compressing the Nerves of the *Choroïdes*, neither in their Extremities, nor in their Passage by the Optic Nerve, by which they pretend to prove how the *Pupil* preserves its Movements, when the *Retina* is insensible : We must equally allow, that these Nerves of the *Choroïdes* and *Iris*, may in like Manner become defective, from some Defects in the Brain without influencing the Optic Nerve, or its Extremities in the *Retina* ; and if this be allowed, all that has been said as to this Argument, can have no Force in Favour of the *Retina* ; because then we may account how the *Choroïdes* being the immediate

diate Organ of Sight, may become defective, and accompanied with the same Alterations of the *Pupil*, leaving only the Difficulty to get over, how the *Pupil* preserves it's Movements when the immediate Organ of Sight is insensible. How the *Pupil* preserves it's Motions when the immediate Organ of Sight is insensible.

of Sight is insensible ; and even this, (tho' perhaps the strongest Argument that has been urged in Favour of the *Retina*) may be removed, if we consider that all these Cases evidently come from a Defect in the Brain, and that there may be a Defect in the Brain, which, though the Nerves of the immediate Organ of Sight may have their healthful Perfection, may notwithstanding hinder the Idea of the Object, when impressed on the *Choroïdes*, being transmitted to the Mind ; and that this may happen is evident, if we consider that it is not the Painting the Picture on the immediate Organ of Sight that is the Cause of Vision ; for even in a dead Eye, we find the Picture distinctly painted ; but it is a certain Perfection that the Brain is in to receive such Impressions ; for in fact, it is the Mind that sees, and not the Eye : And therefore, whether the *Retina* or *Choroïdes*, is the immediate Organ of Sight, they may both have their healthful Supplies, and even their healthful Perfection, and yet from some Impediment in the Brain, (without determining what this Impediment is) the Idea of the Image may not be transmitted

to

to the Mind, since the Brain, in which the Power of forming such Ideas is undoubtedly seated, is thus render'd unable to answer the End designed by it : Thus nothing can be proved more from this Argument in Favour of the *Retina*, than of the *Choroïdes*.

Insensibility
of the *Choroïdes* from
Wounds,
makes no
more for the
Retina than
the *Choroïdes*

WHAT has been said, relating to the Insensibility of the *Choroïdes*, from Wounds made in the Globe and *Choroïdes*, can be no more an Argument in Favour of the *Retina*, than the *Choroïdes* ; for with Respect to the Argument that has been given in Favour of the *Retina*, being the immediate Organ of Sight, from the Loss of Sight consequent on a Wound made in the Nerves, designed for the Service of the *Iris*, in their Passage in or about the Horizontal Line of the Globe ; from the *Retina* being independent on the *Choroïdes* ; and more so, from this Wound being attended with no Inflammation, wherein this Loss of Sight is supposed to be owing to the Blood Vessels in and about the Optic-Nerve, and continued to the *Retina* : It may be answered ;— That were this true, the Variety of Bleedings, that are always directed on these Occasions, must necessarily prevent the Loss of Sight ; and since neither the Pain is alleviated by such Bleedings, nor the Sight preserved, it is demonstrable, that the Loss of Sight cannot be owing, to this Cause : Whereas allowing the *Choroïdes* to be the immediate Organ of
Sight

Sight, we may easily account how the Brain may be affected in or about the Origin of the Nerves thus wounded ; and how the Extremities of these Nerves in the *Iris*, together with those continued in the *Choroïdes* may become insensible, and also how it happens, that this Pain of the Head and Globe immediately ceases, when the *Pupil* becomes immoveable, and the Eye no longer sensible of Light.

As to that Argument in Favour of the *Retina*, (which perhaps is the strongest of any offered,) taken from the Nerves designed for the Movements of the *Pupil*, when those of the immediate Organ of Sight are become quite insensible, and concluding from thence that the *Choroïdes* cannot be that Organ, from the Nerves of the *Iris* being continued from the *Choroïdes*, and from the *Retina* having no Communication with them ; this proves nothing more in Favour of the *Retina* than the *Choroïdes*, for since we cannot trace the Image of the Object beyond the Impression made on the immediate Organ of Sight, because we know nothing of the Manner in which it is conveyed to the Mind ; it follows, that the Nerves of the immediate Organ of Sight may (for what we know) retain their Sensibility, and yet the Brain from some unknown Defect, may be in a State improper for the Reception of the Ideas : And this will be

Answer to the Argument drawn from the Sensibility of the Nerves which give Movement to the *Pupil* in the *Gutta Serena*.

F

further

Gutta Serena
from a Dropsy
in the Head.

further confirmed, if we consider those two Species of the *Gutta Serena*, where the *Pupil* retains its Mobility, which are the Effects, the one of a Dropsy, the other of an immediate Diminution of the Blood. For in the former Case, there must be an extraordinary *Plethora* in the *Cranium*; or in other Words, all the Brain continued from the Surface of the dropfical Humour in the *Cranium* must suffer Pressure; and yet (what is very surprizing) we find Persons affected with this Disease still retain their Reason; and all the Nerves continued from the Brain to other Parts of the Body, remain in their healthful Perfection; all which seems to prove, that the Nerves of the immediate Organ of Sight, do not, any more than any other Nerves, suffer from the Alteration of the Brain, notwithstanding the Loss of Vision which ensues, but that this Loss is not for Want of the Nerves maintaining their healthful Perfection, but it proceeds from the Brain's being in a State incapable of receiving the Idea of such Impression.

Gutta Serena
from a too
great Diminu-
tion of Blood.

WITH Regard to that Disease which is the Effect of an immoderate Diminution of the Blood, this does not proceed as in the Case of the Hydrops, from any Alteration in the Brain occasioned by Compression, but from a quite contrary Cause; which makes it plain, that the Defect here must be universal; whence it follows, that the Nerves

Nerves of the *Retina* cannot be supposed to be affected in particular, from an universal Cause, any more than any of the other Nerves ; and consequently the Deprivation of Sight cannot proceed from any Defect in these Nerves, but from the Brain's being in a State (as has been already said) incapable of receiving the Idea of the Object, whence it is plain, we can conclude no more from this Argument in Favour of the *Retina*, than what will be equally valid in Favour of the *Choroïdes*.

UPON the whole, if it appears from hence Use of the that the *Choroïdes* be the immediate Organ of Retina. Sight, it follows, that the Use of the *Retina*, is to modify the Rays of Light in such a Manner, as that they shall not pass with too much Violence, for the Perfection of Vision in Man and certain Animals : But in those Animals whose *Choroïdes* is coloured, the Use of the *Retina* is not only for the Modification of these Rays of Light, but also to render the Sight of such Objects as are necessary to their Conservation, more perfect. In a Word, the *Retina* may be said to be with Respect to the *Choroïdes*, what the *Epiderma* is to the interior Skin, for as the *Cuticula* or inner Skin, and not the *Epiderma* or *Cutis*, is the immediate Organ of Sensation ; so the *Choroïdes* and not the *Retina* is the immediate Organ of Sight.

I shall refer the Determination of this Controversy, to the Reader's own Judgment, and only recommend to his Observation, before he pronounces on either Side the Question, the following Queries in Favour of the *Choroïdes*.

Q U E R I E S.

I.

WHETHER the *Retina* being an Expansion of the Optic Nerve and Nerves, the Instrument of all Sensation be an Argument sufficient to make us conclude that the *Retina* is the immediate Organ of Sight?

II.

Whether, tho' the *Choroïdes* is not so nervous as the *Retina* it may not be sufficiently nervous for Vision?

III.

Whether, if it were necessary that the immediate Organ of Sight should be nervous in all its Parts, the *Retina* be not, on Account

count of its Arteries, as incapable of being that Organ as the *Choroïdes*?

IV.

Whether the Nerves that are instrumental to the Movements of the *Pupil*, are not a Continuation of those of the immediate Organ of Sight?

V.

Whether the Change of the *Pupil*, from the Action of Light, be not a Proof of this Continuation?

VI.

Whether the Sympathy observable in certain Species of the *Gutta Serena*, between the Nerves of the *Pupil* and those of the immediate Organ of Sight, be not a further Proof of the same thing?

VII.

Whether the Continuation of those Nerves be not further proved from the Immobility of the *Pupil*, which so certainly follows the Insensibility of the immediate Organ of Sight?

VIII.

Whether the *Pupil* retaining its Mobility in other Species of the *Gutta Serena*,
be

be any Objection against those Nerves being thus continued, for is it not possible that the Nerves of the immediate Organ of Sight may retain their natural Sensibility, and yet from some Defect of the Brain, the Idea of the Object may not be communicated to the Mind?

IX.

Whether this be not confirmed from these Species of the *Gutta Serena*, where the Eye is entirely blind, and yet the Mobility of the *Pupil* may be produced either by Friction or the Action of Light, or both?

X.

Whether if this be granted, we may not reasonably admit the *Choroïdes* to be the immediate Organ of Sight; tho' in these Cases the Idea of the Object may not be conveyed to the Mind?

XI.

Whether our Power of voluntarily dilating the *Pupil* in any Degree of Light less than the ordinary be not another Proof that these Nerves are so continued?

XII.

Whether our Want of Power of voluntarily dilating the *Pupil* in any Degree of

of Light greater than the ordinary, be not another Argument for the same Thing?

XIII.

Whether that particular Species of the *Gutta Serena*, which affects only one Eye, where, when the well Eye is closed, the *Pupil* of the diseased Eye remains dilated, and immediately on the opening the well Eye contracts to its natural Diameter, be not a further Proof of this Communication?

XIV.

Whether that painful Sensation arising from the Action of Light in certain Inflammations be not a further Proof of this Matter?

XV.

Whether the Increase of this Pain in a greater Degree of Light, and the Decrease of it in a lesser Degree and the entire Cessation of it immediately on the Absence of the Light, do not all confirm the same Thing?

XVI.

Whether the Pain arising from the Action of Light in these Inflammations be owing to the Effect of Light on the Nerves of the immediate Organ of Sight, or be the Consequence

sequence of that effect on the Nerves of the *Iris*?

XVII.

Whether the latter be not more probable since the Distention of the Arteries of the *Iris* hinders that Motion of the *Pupil* which in a healthful Eye would always happen to admit a determined Degree of Light

XVIII.

Whether if this be granted, it be not another Argument to prove the Communication abovementioned?

XIX.

Whether going suddenly out of a dark Place into a great Light be not a further Proof of this Communication; since the *Pupil* dilated in the Dark for the Reception of some Light, cannot contract with Velocity sufficient to hinder the Light passing to a greater Degree?

XX.

Whether, if it be from hence granted, that there is a Communication between the Nerves of the immediate Organ of Sight, and those which give Movements to the *Pupil*, it be not a plain Proof that the
Retina

Retina cannot be that Organ, since its Nerves have no such Communication ?

XXI.

Whether the well known Insensibility of the Optic Nerve immediately after its Entrance into the Globe be not a Proof that its Expansion, the *Retina* cannot be the immediate Organ of Sight ?

XXII.

Whether the Number of Blood Vessels, which are said to enter with the Optic Nerve into the Globe, can be sufficient to account for its Insensibility ; since there are any Parts of the Optic Nerve exposed to Sight immediately on its Entrance, and yet these Parts are likewise insensible ?

XXIII.

Whether the wounding the *Retina* in the operation of *Couching*, without any Disadvantage following, be not a further Argument for this Insensibility, since to wound a Nerve of equal Thickness with the *Retina* in any other Part of the Body is always attended with dangerous Consequences ?

XXIV.

Whether on the contrary, the wounding Nerves of the *Choroïdes* designed for the

Service of the *Iris* in their Passage in or about the Horizontal Line of the Globe, being attended with Pain, Immobility of the *Pupil* and Loss of Vision ; be not a very cogent Argument that the *Choroïdes* is the immediate Organ of Sight ?

XXV.

Whether the *Pupil* losing its Mobility and the Eye its Sensation of Light, in exact Proportion to the Degree and Duration of this Pain ; and the one becoming immovable, and the other insensible immediately on the Cessation of the Pain, be not a further Confirmation of the same Thing.

XXVI.

Whether the Pain on that Side of the Head accompanying the Pain in the Eye, and the one immediately ceasing when the other goes off, and the Eye becoming blind, do not still corroborate this Matter ?

XXVII.

Whether the Insensibility of the Brain observable on wounding it, be not a Proof of the Insensibility of the Optic Nerve, and consequently of its Expansion the *Retina*.

XXVIII.

Whether the Want of Communication of the *Retina* with the Nerves of the *Iris*, and the Insensibility of the Optic Nerve, be not a joint Demonstration that the *Retina* cannot be the immediate Organ of Sight?

XXIX.

Whether the Communication demonstrated between the Nerves of the immediate Organ of Sight in one Eye, and those of that Organ in the other, be not an Argument at least equally as valid in Favour of the *Choroïdes* as the *Retina*?

XXX.

Whether on the contrary, supposing the *Retina* to be the immediate Organ of Sight, be not absurd to imagine, that the Action of Light on the *Retina* can affect the Nerves of the *Iris*, since they have no Communication one with the other?

XXXI.

Whether it be reasonable to suppose, that the *Retina* can receive the immediate and distinct Impression of the Object, and yet permit the Light to pass beyond it sufficient to affect the Nerves of the *Choroïdes*?

XXXII.

Whether, if it be admitted, that the Action of Light on the *Retina* cannot affect the Nerves of the *Iris*, or that sufficient Light passes beyond the *Retina* to affect the Nerves of the *Choroïdes*, we may not hence justly conclude, that the *Retina* cannot be the immediate Organ of Sight ?

XXXIII.

Whether, tho' the nervous Parts of the *Retina* in a living Eye cannot be said to be perfectly pellucid, we may not nevertheless conclude from its allowed Transparency, that it cannot be the immediate Organ of Sight

XXXIV.

Whether the distinct Image of the Candle impressed on the *Choroïdes*, observable on removing the *Sclerotica* opposite to the *Axis* of the Globe, be not a further Proof that the *Retina* cannot be that Organ ?

XXXV.

Whether our seeing the natural Colour of the *Choroïdes* at the bottom of the Globe in a living Eye, by looking into its *Axis*, be not a further Proof that the *Retina* is transparent to receive immediately the image of the Object ?

XXXVI.

Whether the Picture of the Object in a Looking-Glass can be reasonably said to be reflected from the Glass itself, and not rather from the Silver or other Opacity behind it?

XXXVII.

Whether, if the latter be allowed, it be not an Argument that the *Retina* is to the *Choroïdes*, what the Glass is to the Opacity behind it?

XXXVIII.

Whether the Sight of the *Muscae Volantes*, which is known to be a Consequence of a Distention of the Arteries of the *Retina*, be not an Argument against the *Retina*, since that Light which should be transmitted to the *Choroïdes*, is intercepted by these distended Arteries, and the Sight rendered proportionably indistinct?

XXXIX.

Whether it be not erroneous to urge the same Argument in Favour of the *Retina*, since these Arteries being thus distended, must necessarily approach each other, and consequently compress the intermediate Nerves, which Nerves must proportionably lose their Sensibility, and if the *Retina* were the immediate Organ of Sight, it would follow,

follow, that the Points of these Objects thro' the *Muscae Volantes*, would be imperfect, which is directly contrary to Experience ?

XL.

Whether the Colour of the *Choroïdes*, or rather *Uvea* in Animals adapted to the Reception of such Objects, as are more immediately necessary to their Preservation, be not a Proof that this, and not the *Retina*, is the immediate Organ of Sight ?

XLI.

Whether the painful Sensation excited in these Animals by a certain Degree of Light, and their seeing Objects in less Light than Man, be not owing to the Colour of their *Choroïdes* or *Uvea* ?

XLII.

Whether if this be allowed, it does not follow, that as it is owing to the Light acting on the *Choroïdes*, the *Choroïdes* must be the immediate Organ of Sight ; since should we suppose the *Retina* to be that Organ, the Light falling on both at one and the same Time, would but render the Sight of the object imperfect, whereas it is reasonable to believe, that these Animals see Objects distinctly ?

XLIII.

Whether the Blackness of the *Choroïdes* in Man and some Animals, be not a further
Argument

Argument in Favour of the *Choroïdes*, since it is plain, that Man sees with more Perfection, and in a greater Degree of Light than these Animals, whose *Choroïdes* is coloured; whereas if the Colour of the *Choroïdes* were an indifferent Thing, it is reasonable to suppose, that Man, and these Animals, would see with equal Perfection ?

XLIV.

Whether, if from what has been said, it be granted, that the Colour of the *Choroïdes* is an Argument for its being the immediate Organ of Sight in other Animals, it be not equally valid when applied to Man ?

XLV.

Whether, upon the whole, the Communication between the Nerves of the *Choroïdes*, and those of the *Uvea* and *Iris*, and the Want of this Communication in the Nerves of the *Retina*, the Insensibility of the *Retina*, its Transparency, and the Effects of the Colour of the *Choroïdes* in Animals, being all allow'd, they do not amount almost to a Demonstration, that the *Choroïdes*, and not the *Retina*, is the immediate Organ of Sight ?

P O S T S C R I P T.

HAVING finish'd what I had to offer concerning this long controverted Question, I thought, it would not be improper, in order to corroborate the Arguments alledged in Favour of the *Choroïdes*, to mention a few Instances of Success in some extraordinary Cases, which have lately fallen under my Treatment, where the immediate Organ of Sight was affected in such a Manner, that the Patient laboured under a total Deprivation of Vision for many Years, and now enjoys Sight to a great Perfection ; which Success (in my Opinion) could not have happen'd but upon the Supposition that the *Choroïdes* and not the *Retina* is that Organ.

Mr. Crosbie, of Bristol.

Mr. Hammond, in Kirby-Street, Hatton-Garden.

Mr. Busbell, at Woolwich.

Mrs. Hooper, of Tunbridge.

Mr. Wilson, in Castle-Street, Bloomsbury.

Mr. Buckle's Daughter in Tidmarsh, near Reading.

Mrs. Maria, in Steward-street, Spittle-Fields.

Mr. Price, on the Pavement at Tottenham-Court.

Mrs. Mulleroe, Slaughter's-Street, Spittle-Fields.




Mrs. Newman, of Blackwall.

Mrs. Robinson, next to Aldgate-School, East-Smithfield.

Mr. Marcy, at the Sign of Bishop Blaze, High-street, Holborn.

As the precedent Question is the Substance of an Introductory Lecture, to a Course on the Diseases of the immediate Organ of Sight, I judged it not improper to affix the following Catalogue of such Authors as have treated on the Defects of that Organ and other Diseases incident to the Eyes, and whose Writings are occasionally cited and examined by me in the Order of my Lectures, of which I intend a Continuation this ensuing Winter.

The several Writings on the Diseases of the Eye, of
Hippocrates, Galen, Celsus and Ægineta.

- 1  Phtalmographia Plempii de oculi fabrica, 8vo.
Amst. 1632
- 2  Jacobus Hovius de circulari humorum motu in oculis, 8vo.
L. Bat. 1716
- 3  Antonii Nuchii Sialographia, & ductuum aquorum anatomia, *Lugd. Bat.* 1690 in 8vo.
- 4 Description mécanique de l'œil, démontrée par M. Wolcham, *Norimb.* in 4to.
- 5 Mécanisme de l'œil par M. Wolichain, *Dresd.*
- 6 Buychius passim in operibus, specialim in Epistolæ præ. de oculorum tunicis.
- 7 Schenchius Disput. Dioptrico-Anatomicam habuit de oculo *Jenæ*, 1654. & aliam de ophthalmia, 1667. utrumque in 4to. Item in Observat. medicinal. in fol. libro primo de oculis multa inseruit.
- 8 Puget observationes plures de structurâ oculorum in diversis insectis descripsit in duabus Epistolis ad R. P. Lamy, &c. Lingua Gallica, *Lugduni*, in 8vo, 1706.
- 9 Joan. Franc. Ripensis Carmen de oculorum fabrica, *Willend.* fol.
- 10 Michael (Joan.) oculi fabrica, usus, *Ludg.* in 8vo.

- 11 Joan. Jacob. Rea, epistolæ de fabrica oculi ad Boerhaviū
Genev. in 8vo.
- 12 Meibomius epistolam exaravit Langelottio inscriptam, de va-
fis palpebrarum novis 1666. in 4to. Idem tūm disputatio-
nem Medicam sustinuit, de suffusione 1670. tūm exercitatio-
nem medicam de fluxu humorum ad oculos naturali & pre-
ternaturali 1687. omnia in 4to. *Helmstadii.*
- 13 Joannes Baptista Carcanus Anatomix Professor publ. typis do-
navit libellum, in quo de musculis palpebrarum atque ocu-
lorum tractatur, *Ticini*, in 8vo. 1574.
- 14 Nicolaus Steno, (Danus) evulgavit observationes suas anato-
micas de glandulis oculorum, & novis earundem vasis 1664. in
4to. *Hafniæ*, quæ sunt denuò excusæ *Lugduni Batav.* in
12mo. 1680.
- 15 Nicolai Stenonis observationes Anatomicæ de variis oris, na-
rium, oculorum, lacrimarum fontibus, &c. autore Belzio
Ludg. Bat. 1680. in 12mo
- 16 Chroüet (Warnerus) de tribus humoribus oculi, *Leodii*, 1691
in 8vo
- 17 Dorstenii exercitatio anatomica de oculo, *Marburgi Catto-
rum*, 1687. in 4to.
- 18 Manfredus (Paulus) Dr. Medicus Romanus, novas observa-
tiones circa oculi uveam & circa aurem, Romæ in publicum
protulit, in 4to. 1674.
- 19 Biauchri (Joan. Baptistæ) ductus lacrimalis novis, *August.
Taurinorum*, 1715. in 4to.
- 20 Nicolai Severi observationes anatomicæ de glandulis oculorum
Hoffin. in 8vo.
- 21 Mappus discursum de risu & fletu edidit, 1684. & dissertatio-
nem anatomicam de oculi humani partibus & usu, 1677. u-
trumque, *Argentorati.*
- 22 Joan. de Burges, de pupilla oculi, in 8vo.
- 23 Simon Portius (Neapolitanus) libellum triviale emisit de co-
loribus oculorum, Florentiæ impressum, 1550. in 4to.
- 24 Cochii, (Antonii) de lente cristallina, *Romæ*, in 8vo.
- 25 Waldschmied (Wilhelmus Huldericus) humoris vitrei in oculo
structuram singularem conflare reperit ex innumeris parallelo-
pipedis sibi invicem appositis, &c.
- 26 Burrhus (Francisc. Joseph. Burrhus,) epistolam de artificio oculo-
rum humores restaurandi scripsit ad Thomam Bartholinum,
Hafniæ, in 4to. 1669.
- 27 Joan. Baptista Verte, anatomia artificialis oculi, *Amst.* 1680.
in 12mo.

- 8 Schaper de lippitudine cristalliferâ epistola, &c. *Rostochii*, 1704. in 4to. Ejusdem dissertatio epistolica de Hydrophthalmiâ interceptâ, *Rostochii* 1713.
- 9 Bscherer Doctor Medicus Norimbergæ edidit linguâ Germanicâ demonstrationem OEconomicam & descriptionem Anatomicam oculi sui artificialis, quem Stephannus Ziken, Tornator celebris excogitavit, & fabricavit Norimbergæ, legitur etiam brevior hujus oculi Tornatilis descriptio latinè in Ephe-meridibus naturæ curiosorum Germaniæ, anni 1700. obser- vat 220 pag. 398.
- 30 Constantinus Nerobus de nervo optico, *Francof.* 1691. in 8vo.
- 31 Mercurialis Foroliviensis de oculorum affectibus prælectiones in 4to. reperiuntur inter cætera ejusdem Professoris opera medica. Hujusce etiam Authoris extant litteræ de nervis opticis ad constantium Varolium, in 4to. *Francofurti*, cum ejusdem Varolii litteris.
- 2 Extat Joannis Michaelii J. F. Hornani oculi fabrica, actio, u- sus, &c. in 8vo. *Lugd. Bat.* 1695. libellus perperam scriptus.
- 3 Constantius Varolius (Medicus Bononiensis) de nervis op- ticis, &c. ad Hyeronimum Mercurialem, in 8vo. *Franco- furto*, 1692.
- 4 Isoardus Guigonius Philosophiæ & Medicinæ Doctor & Chi- rurgiæ Anatomixque Professor Ordinarius typis excudi jussit tractatum de oculo, in 4to. cui titulus — Authopsiomma, cum ejusdem oculi actionibus & utilitatibus, *Taurini*, 1619.
- 5 Sturmii Dissertatio Physica de Visionis organo & ratione ge- nuina, &c. in 4to. *Altdorffi*, 1678. Idem ibidem sustinuit Visionis sensum esse nobilissimum, &c. 1699. in 4to.
- 6 Discours de la conservation & de l'excellence de la vûë, &c. par André du Laurent (premier Medecin du Roy Henry IV.) à *Rouen*, in 12mo. 1615. Extat etiam hic liber Anglicè traductus ex priore editione Gallica à Surphlet, *Londini*, in 4to 1599. hunc etiam Joannes-Theodorus Schonlinus la- tinè edidit, sub titulo: Discursus de visûs nobilitate ejusque per diætam conservandi verâ methodo, &c. in 12mo. 1618. *Monachii*. Idem Dominus Andræas Laurentius in anatom. lib. 11. (de sensuum organis) plurima de oculo edisserit.
- 7 Caranta (Cuneas) Doctor Medicus & Philosophus, librum suum de natura Visionis, &c. edidit *Saviliani*, in 4to. 1623.
- 8 Petit 1°. Sa lettre dans laquelle il démontre que le cristallin est fort près de l'uvée.
2°. — Sa lettre contenant des réflexions sur ce que M. Hequet a dit dans ses Remarques sur l'utilité de la saignée dans les maladies des yeux.

- 3°. — Sur les deux especes que l'humeur aqueuse occupe dans l'œil & sur le cristalin & sur la cataracte. *V. l'Histoire de l'Academie Royale des Sciences pour les années 1722, 23, 25, 28, 30.*
- 39 Augustini Quirini Rivini Disputatio Physiologica de Visu, *Lipsiæ*, 1686.
- 40 Ruschius, (Joan. Baptista) de Visûs organo, *Parisi*. in 4to.
- 41 Professor Hetruscus, scilicet Joannes-Baptista Ruschius in Pisano Gymnasio Professor, qui scripsit de Visûs organo libros quatuor, in 4to.
- 42 Lettres de M. Mariotte à M. Pecquet, &c. & *vicissim* sur l'organe de la vûë, jointe à la description Anatomique des divers animaux.
- 43 Mariotte (Dominus Mariotte Abbas, &c.) novum suum de visione inventum typis mandavit in litteris ad Dominum Pecquet inscriptis. Responsum vero Domini Pecquet unâ simul impressum fuit in 4to. *Parisi*. inter Ephemerid. Eruditorum Gallia.
- 44 Memoire de la société d'Edimbourg, en Anglois, 1636.
- 45 Penipii Ophtalmographia ——— Lorain, fol.
- 46 Georgius Bartisch Ophtalmographia, *Dresd.* fol.
- 47 Jacobi Scillingi ophtalmia, seu de oculorum naturâ morbis & remediis, *Augentref.* 1615. in 4to. Allamand & Latin.
- 48 Graphei ars probata de oculorum affectibus, *Venet.* fol.
- 49 Heisterius Thesim quamdam Harderovici Doctorandus imprimi curavit de tunicâ Choroida, 1708, in 4to.
- 50 Heisterius de Cataracta Glaucomate amourosi, &c. *Altdorff*, 1713. in 8vo.
- 51 Heisterii apologia uberior explicatio systematis, contra Woolhousii ocularii Parisiensis cavillationes & objectiones, itemque Parisiensis eruditor, &c. in 8vo.
- 52 Heisterii hist. de fistulâ lacrimali, *German.* in 4to. 1716.
- 53 Gastaldi quæstio Medico-Ghirurgica, &c. sub hac verborum serie, an cataracta à vitio humoris aquei aut cristallini oriatur, &c.
- 54 Pinson, ses observations sur la Cataracte & le Glaucome.
- 55 Geister, sa lettre écrite à Nuremberg sur la cataracte.
- 56 Frystag. dissertatio Medica de cataracta, &c.
- 57 Menavii (Frederic.) Elenchus affectuum ocularium, *Regiomonti*, in 4to.
- 58 Horn, de Ophtalmiâ dissertatio, *Wittembergæ*, in 4to. 1677.
- 59 Georgius Bartisch Linguâ Germaniæ vernaculâ codicem in lucem edidit, cui titulus est Augendienst, id est oculorum servitium, aut ministerium. Hunc vero Authores vulgò citant sub nomine Ophtalmodoulia; sed librum istum nusquam

- in sermonem Latinum traductum fuisse accepimus. Bis autem prælo exivit, primum in fol. rursus in 4to. *Nurembergæ* 1686.
- 6 Benevenutus Grassus Hyerosolymitanus Dr. Medicus celeberrimus & expertissimus de oculis eorumque ægritudinibus & curis, liber in 4to. & in fol. *Venetiis*, 1500.
- 7 Hearnius (Joh) de morbis oculorum, aurium &c. *Lugdun.* in 4to.
- 8 Gothofredus Berger differuit de oculorum morbis, *Wittenbergæ*, 1698. in 4to.
- 9 Jacobus Schallingius librum emisit in fol. *Frankofurti*, 1615. *Ophtalmia* five disquisitio Hermetico-Galenica de naturâ oculorum Latinè & Germanicè. Schallingius autem Philosophus erat inter Rosi-Crucios Adepti gradum nactus.
- 10 Hambergerus (Mathem. Professor Ordinarius) *Jenæ* publici Juris fecit optica oculorum vitia, in 4to. 1696. opus valde selectum & laudabile.
- 11 Sebizius disputationem solemnem Medicam habuit de *Ophtalmiâ*, *Argentorati* in 4to. 1662. Idem Joannes Albertus Sebizius in exercitationibus pathologicis *Argentorati*, 1674. in 8vo. impressis multa eruditè & secundum experientias optimas de oculis differuit.
- 12 Joannis Ott, cogitationes Physico-Mechanicæ de naturâ visionis, *Heidelbergæ*, 1660. differuit etiam de propriorum oculorum defectibus, 1671. *Basileæ*, in 4to.
- 13 Friderici, disputatio medica de suffusione, *Jenæ* 1670. in 4to.
- 14 Salzmannus publico examine submisit Thesim de visûs obscuritate in genere & specie. *Argentorati*, 1521. in 4to.
- 15 Gabrielis Fallopii (Mutrinensis) tractatus de Vulneribus oculorum, in 4to, *Venetiis*. 1569.
- 16 Gellii disputatio Medica de internis oculorum affectibus. *Basilieæ*, in 4to. 1613.
- 17 George Wolffgangus Wedelius a mis au jour les huit dissertations qui suivent.
- Primo. *Disputatio medica de Ophtalmiâ*, 1684. *Jenæ*, in 4to.
- Secundo. *Dissertatio medica de Ægylope*, 1695. *Jenæ*, in 4to.
- Tertio. *Visum physiologicè examinandum proponit in thesi*, in 4to. 1674.
- Quarto. *Dissertatio medica de Amaurosi*, 1705.
- Quinto. *Dissertatio medica de Nyctalopiâ*, 1693.
- Sexto. *Dissertatio medica de Ophtalmiâ ex Epitome praxeos Clinicæ Georgii Wolffgangii Wedelii*, 1713.
- Septimo. *Dissertatio medica de visûs imbecillitate & defectibus*, 1714.
- Octavo. *Dissertatio medica de Cataractâ*, 1706.

- 72 Heurnius (Joannis Heurnii Ultrajectini in Academiâ Leiden Prof. Med.) Tractatus de morbis oculorum, &c. 1611. in 4to. *Lugdun. Batavor.* Idem in fol.
- 73 Palfin, des Maladies des yeux, en Hollandois.
- 74 Stahl disputationem Medicam sustinuit de affectibus oculorum in genere, Halæ Magdeburgicæ, 1702. cui annectitur ejus propempticon inaugurale de fistulâ lacrimali. Ibi vero videbitur candidus Lector quod ipsi Stahlioni plerumque debetur novus Anelli methodus de fistulâ lacrimali, &c. Vid. numero, 84.
- 75 Rolincius de Guttâ serenâ, in 4to. *Jenæ*, 1669.
- 76 Trinckhusius composuit dissertatiunculam de cæcis sapientiâ & eruditione claris, &c. *Jenæ*, in 4to. 1672.
- 77 Gruhlmanni Specimen Medicum de novo contra oculorum caliginem remedio tanquam specifico scilicet Hermaria, &c. *Jenæ*, 1706. in 4to.
- 78 Hardfocher (Nicolaus) Essai de dioptrique avec une dissertation sur les dissertations sur les différens accidens de la vûe.
- 79 De la Hire, Dissertatio de visu & variis ejus casibus, *Lut. Paris.* 1694.
- 80 Joan. Manelphus de fletu & lacrimis, *Romæ*, 1617.
- 81 Guillemeau Jac. Traité des maladies de l'œil, *Paris.* in 8vo.
- 82 Paulus Venetus plerumque laudatur ab Eruditis pro observatore primo motûs alterni in pupillâ, scilicet Dilatationis & Constrictionis, &c.
- 83 Antonii Menjoti Disceptationes Pathologicæ, in 4to. *Paris.* 1672. ubi duæ extant dissertationes, scilicet de dilatatione & angustia pupillæ.
- 84 Vater de visionis læsionibus, in specie in Mydriasi & Myosi, &c. *Wittemb.* 1706. in 4to. Secunda dissertatio de Trachomate, *Wittemb.* 1704. Tertia Idem ibidem de suffusione oculorum. 1705.
- 85 Hoppii Dissertatio Medica de palpebris, illarumque affectibus, *Basiliæ*, 1705. Novus hic Author sæpius Woolhousium laudat; Plurimi vero desiderantur palpebrarum affectus, quos Hoppius forsitan de proposito omisit.
- 86 Hecquet, sur l'utilité de la saignée dans les maladies des yeux. *Paris.* in 12mo.
- 87 Hecquet, sa Lettre mise à la fin d'un Traité de la digestion & des maladies de l'estomac. *Paris.* in 12mo.
- 88 M. Morand, ses Observations sur les cataractes, dans l'Histoire de l'Académie Royale des Sciences de l'année, 1722.
- 89 Woolhouse, 1^o. ses Dissertations savantes & critiques sur la cataracte & le glaucome.

- 2° Ses Observations sur le Mémoire Académique de M. Marchand.
- 3° Son Mémoire dans le Journal des Scavans, Décembre, 1720.
- 90 Antoine Maître Jean, Traité des maladies des yeux. *Troyes*, 1707. in 4to.
- 91 S. Ives, des maladies des yeux *Paris*, 1722. in 8vo.
- 92 Brisseau, Traité de la cataracte & du glaucome, *Paris*. 1709. in 12mo.
- 93 Petri Petiti Medici Parisiensis de lacrimis, libri, 3. *Paris*. 1641. in 12mo.
- 94 Barruffaldi dissertatio, cui accedit alia de fistula lacrimali, en Italien, *Venice*. 1717.
- 95 Dominiq. Anel, sur la découverte de l'hydropisie du conduit lacrimal, *Paris*, 1716. in 12mo.
- 96 Suite de la nouvelle méthode pour guérir la fistule lacrimale, *Turin*. in 4to.
- 97 Dedier, sa Lettre écrite à M. Woolhouse, &c. *vid.* Journal des Scavans pour le mois de Juillet, 1722.
- 98 Dubois, suite des maladies chroniques, v. 5.
- 99 Hist. Acad. Reg. Scient. in transact. Anglicanis.
- 100 Mémoire de la Société d'Edimbourg, en Anglois, 1736. *Lond.* in 8vo.
- 101 Guillelmi Briggos Ophtalmographia, *Ludg. Bat.* 1668. in 12mo.
- 102 Traité des maladies de l'œil, en Anglois, par Richard Bannistre, *Londre*. in 12mo.
- 103 Ophthalmiotria, seu oculorum medela à Guill. Couard, medico Londinensi, *London*, 1706, in 8vo.
- 104 Ophthalmographia en Anglois par Kennedi, *Londre*, in 8vo. 1714.
- 105 Traité des maladies de l'œil, en Anglois, par Guillaume Read. *Lond.* in 8vo.
- 106 Heister's System of Surgery, 1742.



BOOKS, Publish'd by the AUTHOR Himself.

- 1 **A**N Account of the Mechanism of the Eye, *Octavo, English, printed in the Year, 1727.*
- 2 A Treatise on the Diseases of the immediate Organ of Sight, *Octavo, French, 1734.*
- 3 A Treatise on the Diseases of the ChrySTALLINE Humour, *Octavo, English, 1736.*
- 4 A Treatise on the Make and Beauties of the Eye, with Figures, *Octavo, French, 1737.*
- 5 The same translated into *Spanish, Octavo, 1739.*
- 6 An Essay on the Actions of the Muscles of the Globe of the Eye, *Portuguese, 1740.*
- 7 An Account of the Case of the Eye, and Recovery of the eldest Son of the Treasurer of the King of *Portugal, Octavo, 1741.*
- 8 His *French* Treatise on the Make and Beauties of the Eye, *Portugal, 1740.*
- 9 An Account of the extraordinary Case and Recovery to Sight of the Eye of *Don A. de Saldania*, late Viceroy of the *Indies*, treated by him in *Portugal, Octavo, 1741.*
- 10 A Treatise on the Anatomy of the Globe of the Eye, with Figures, *Octavo, English, 1742.*
- 11 A Syllabus of a Course of Lectures, with a Description of all the Diseases of the Eye, *Octavo, Latin, 1743.*

