Examen medicamentorum simplicium, quae in catologo medicamentorum suethico continentur, ... / praesidio ... Nicolai Rosén, ... publice proponit Samuel Nauclér, ... ad diem XX Junii, anni MDCCL.

Contributors

Nauclér, Samuel, 1724-1770. Rosén von Rosenstein, Nils, 1706-1773. Uppsala universitet.

Publication/Creation

Upsaliae, [1750]

Persistent URL

https://wellcomecollection.org/works/eqmc6ab2

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

EXAMEN

MEDICAMENTORUM SIMPLICIUM,

QUÆ IN CATALOGO MEDICAMENTORUM SVETHICO CONTINENTUR,

CONSENT. ET ADPROBANTE EXPERIENTISSIMA FAC. MED. IN REGIA ACAD. UPSALIENSI,

> Sub PRÆSIDIO VIRI CELEBERRIMI,

DOM. DOCT. NICOLAI

ROSEN,

S:Æ R:Æ M:TIS ARCHIATRI,

MED. ET ANATOM. PROF. REG. ET ORD.

REG. ACAD. SCIENT STOCKH. ET UPS. MEMBRI,

PRO GRADU DOCTORIS

ET SUMMIS IN MEDICINA HONORIBUS RITE OBTINENDIS,

PUBLICE PROPONIT

SAMUEL NAUCLÉR, OLAVI FIL.
HELSINGUS.

IN AUDIT. CAROL. MAJ. AD DIEM XX JUNII, ANNI MDCCL.

HORIS, ANTE ET POST MERIDIEM, CONSVETIS.



LECTORI BENEVOLO

S. D. AUCTOR.

Trum multitudine remediorum, an paucitate, laboret Medicina, inter scientes tantarei existimatores nondum convenire potuit. Etenim longam morborum catervam, remediis buc usque pernotis, vix sanandam si adtendimus, sine ullo dubio, dessiderabuntur pharmaca. At medicamentorum, qua in Pharmacopoliis adservari solent, congeriem examinaturo, Medicam artem immensa obrutam esse copia & indigesta mole, vix ut animam trabat, vel me non monente, patet & patebit. Tanto tamque pestifero malo Medicas manus adbibuere baud pauci, iique longe Clarissimi Viri. Hisce quanquam multis parasangis ego inferior, medicamenta inertia, & inutilia omnino, pari quidem studio, e circulis Medicorum exterminata & proscripta esse satius duxerim.

xerim. Absit tamen longissime, ut Magnorum in Medicina Atlantum laboribus aliquid velim detrabi; cum eo mea qualiscunque tendat opera, ut rem pharmaceuticam oneri, Æma ausim dicere graviori, succumbentem sese erigere, & altius humo tollere caput, lætus aliquando videam. Medicamenta composita jam pridem, qua magnam partem emendanda curavit Celeb. Dn. Præses, nec dubitaverim, quin reliqua Præparata, Illo codem duce, in lucem sint & theatrum proditura: Mibi vero medicamenta simplicia in Catalogo Medicamentorum Svethico, Apothecare Taxan, que percensentur, examinare visum fuit. Tuam vero, B. L. mibi expeto mitiorem censuram & ita quidem, ut si que vel omissa sint, vel minus recte adposita, illa non tam meæ incuriæ, quam brevitati temporis, qua exteras oras jam jam aditurus, plus solito premor, adsignare velis. Plura forsan! eaque magis polita, DEO volente, alii occasioni reservabo. Interea Bono cuilibee nostrique Amicissimo iisdem verbis, que suis Epigrammatibus olim præmiserat magnus apud Anglos Poëta, Joannes Ovenus, ultimum dice vale:

Qui legis ista, Tuam reprehendo, si mea laudas Omnia, stultitiam; si nihil, invidiam.

D. D.



mus, quæ sua sponte crescunt & solius Naturæ beneficio proveniunt*). Si vero tale simplex, nomen Medicamenti mereatur, essicax sit, nec deleterium corpori humano. Talia autem, & inessicacia & nociva & superflua,

Medicamenta quoniam adservantur in Pharmacopoliis nostris, ut eliminentur, necessitas postulat. Sed, ut siat legitime, juxta sequentes Regulas inutilia extermi-

nare tentavimus Simplicia.

Reg. I.

Mineralia, quibus nociva vis inest & deleteria, omnino rejicienda putamus.

Ex hac regula improbamus Alumen plumofum & scissile.

Arjenicum album, citrinum & rubrumi Cobaltum f. Cadmiam Metallicam.

Reg. H.

Mineralia, quæ in corpore humano non sunt solubilia, sed sua forma & mixtione, in ventriculo & intestinis, permanent, licet non adeo nociva essent, nullius tamen esse utilitatis judicamus.

Rejicimus itaque

Lapides: Aetitem, Alabastrum, Amethystum, Armenum, Carneolum, Crystallum, Granatum, Hyacinthum, Judaicum, Lyncis, Magnetem, Nephriticum, Nigricam

fimplicium enumeravimus, quæ, quoad maximam partem, Præparatis adnumerari debuissent, sed capropter sastum est, quod in Pharmacopoliis præparari non solent nec possunt, & nihilominus ibi exstare debent. Fabrilem, Rubinum, Sapphirum, Silicem, Smaragdum, Specularem, Spongitem, Talcum Album & Viride, Topazium.

Aurum, falva aliorum venia, huc etiam refero, nifi

soliatum quis retinere vellet pro deaurandis pillulis.

Reg. III.

Mineralia, quorum vis operandi minus tuta, dum iisdem interdum in mineris admisceri possunt nociva mineralia, tutius eliminantur quam retinentur, dum tutiora, ejusdem virtutis, adesse possunt.

Sic exterminamus

Antimonii mineram Hungaricam & Svecicam:

Cinnaharim Nativam & Vulgarem *)

Lattem Luna.

Lapidem Lazuli.

Terras: Lemniam, Sigillatam albam s. Melitensem, Sigillatam Citrinam Silesiacam, Sigillatam Rubram, Turci-cam, Viridem.

Reg. IV.

Vegetabilia, quæ vel minoris sunt efficaciæ vel etjam suspectæ, dum succedanea majoris virtutis & melioris notæ habemus, retinere non necessum ducimus.

Eliminanda itaque censemus

Berberes exficcatas.
Boletum Cervinum.
Cardamomum majus.
Casham Ligneam.
Colubrinum Lignum.

Cor-

Non quidem nobis ignotum Cl. Hebenstreitium Cinnabaris naturalis laudes extollere præ attificiali, in curanda etjam Lue Venerea; interea tamen quum Cinnabaris naturalis etjam crassiori lapidi inhæreat, nec non arfenicale quoddam inimitatum habere possit, eandem igitur nos, ut minus securam, eliminamus,

Cortices Ebuli, Mezerei, Tiliæ interiorem, Ulmi. Dactylos.

Farinam Fabarum, Orobi seminis.

Flores Euphrasiæ, Gnaphalii, Rosæ Albæ & Sylvestris, Saxifragæ albæ, Scabiosæ, Sumach.

Folia Rubi Idæi, Tamarisci.

Galangam Majorem.

Grana Paradift.

Gummata: Arabicum Album & Nigrum, Asphaltum, Carannam, Copal.

Herbas: Bursam pastoris, Cuscutam s. Epithymum,

Herniariam, Melissam Turcicam, Menthastrum.

Nucleos Cerasorum, Pistaciæ.

Radices Acori vulgaris, Anthoræ, Cyperi rotundi, Do-ronici, Hyoscyami, Polygonati, Saxifragæalbæ, Zingibe-

ris nigri.

6

Semina Basilici, Citrulli, Coccognidii, Cucurbitæ, Cynosbati, Dauci hortensis, Lithospermi, Milii vulgaris, Plantaginis, Pisorum, Scariolæ, Sesami, Sileris montani.

Reg. V.

Vegetabilia exotica, quæ, vel vim suam perdunt antequam ad nos perveniunt, vel non nisi adulterata obtinentur, non injuste excludimus.

Improbamus igitur
Balsamum de Mecha.
Carpobalsamum.
Flores Stæchadis Arabicæ.
Lignum asphaltum.

Reg. VI.

Illa vegetabilia, quibus vix utuntur Medici, non tenetur Pharmacopola servare.

Hinc excludimus

Antberas Liliorum Alborum & Rosarum.

Baccas Bryoniæ, Ebuli, Myrtillorum, Sorbi aucu-

Flores Cyani, Nympheæ albæ, Persici, Ptarmicæ. Folia Fraxini, Salicis, Sambuci, Vitis viniseræ.

Fructus Anacardiorum, Castanearum.

Herbas: Acetosam rotundam, Adiantum Aureum & Rubrum, Anserinam, Antirrhinum, Centumnodiam, Chelidonium minus, Consolidam Mediam & Regalem, Fragariam, Galegam vulgarem, Persoliatam, Polium creticum, Prunellam, Ptarmicam, Rorem solis, Verbenam.

Ligna Cupressi, Fraxini, Lentisci, Santali albi.

Me/pila exficcata.

Myrobalanos Belliricæ, Chebulæ, Citrinæ, Emblicæ, Indæ.

Nuces Aquatica, Myristica longiores.

Radices Asphodeli veri, Been Album & Rubrum, Pa-

stinacæ sativæ, Victorialis.

Semina Atriplis sativæ, Bombacis, Brassicæ rubræ, Buniadis s. Napi, Calendulæ, Colocynthidis, Genistæ, Granatorum, Malvæ arboreæ, Melissæ turcicæ, Mespilorum, Persoliatæ, Petroselini macedonici, Phaseoli, Pimpinellæ germanicæ, Porri capitati, Salviæ, Saturejæ, Seseleos Cretici, Sophiæ Chirurgorum, Spinachiæ.

Reg. VII.

Ubi major vis Herbæ, Foliis vel Semini insidet quam Radici, hanc exterminamus.

Sic rejicimus

Radices Alchemillæ, Apii, Farfaræ, Fœniculi, Plantaginis latifoliæ, Ulmariæ.

Reg. VIII.

Dum Herba, minori gaudet virtute quam Radix, Semina vel Baccæ, illam excludimus.

Eliminamus itaque

Herbas Alkekengi, Apii Officinarum, Aquilegiæ, A-ristolochiæ longæ, Ari, Cardui Mariæ, Cariophyllatæ, Con-

Consolidæ majoris, Fæniculi, Hyoseyami alhi, Lapathi acuti, Meliloti, Nasturtii hortensis, Papaveris, erratici & sativi, Pentaphylli, Petroselini, Pimpinellæ Nostratis & Italicæ, Pulsatillæ, Saponariæ, Spicæ Celticæ, Tormentillæ, Valerianæ majoris, Verbasci, Urticæ majoris.

Reg. IX.

Quando maxima virtus in Radice, Foliis & Seminibus adest, tuto Flores, tanquam minorem efficaciam habentes, proscribere possumus.

Quapropter exterminamus

Flores Altheæ, Anethi, Betonicæ, Carthami, Cichorii hortenfis, Confolidæ Majoris & Regalis, Ebuli, Enulæ, Hepaticæ albæ & nobilis, Fabarum, Malvæ arboreæ, Matricariæ, Petasitidis, Pæoniæ, Salviæ, Tussilaginis. Reg. X.

Cum Semina vi prædita sunt minori quam Radix, Herba vel Flores, inutilia censeri debent.

Hine improbamus

Semina Anthos, Asparagi, Chæretolii, Cichorii, Co-chleariæ, Hyperici, Hyssopi, Lavendulæ, Majoranæ, Malvæ communis, Meliloti, Melissæ citriæ, Nicotianæ, Raphani rusticani, Scorzoneræ, Thymi, Tunicæ.

Reg. XI.

Flores & Herbæ, quæ exsiccatione vires perdunt male servantur.

Excludimus igitur

Flores Acacia, Aquilegia, Borraginis, Buglossi. Herbas Alliaria, Endivia.

Reg. XII.

Stipites Herbarum, nulla vel minori virtute gau dentes, rejiciuntur.

Sic eliminandos putarnus

Stipites Abrotani hortensis, Althew vulgaris, Arte misiæ Albæ & Rubræ, Balsamitæ, Hyperici. Reg

Reg. XIII.

Animalia vel animalium partes, que ejusdem sunt indolis, non opus est in duplo adservare.

Rejicimus itaque

Axungias Anatis, Apri, Ca- Medullam cruris Cervi & Viponis, Castorei, Cati sylvestris, Gallinæ, Lucii pifeis, Serpentum, Taxi, Urfi & Urfæ, Vulpis.

Bezoar Occidentale.

Corallia alba.

Cornu Alcis, Rangiferi, Scarabæi.

Dentes Apri, Lupi.

Entalos. Fel Urfi.

Hepatem Lupi.

Lapides Carpionis & Perca- Tales Leperum. rum.

Mandibulam Lucii Piscis.

tuli.

Ossa de Corde Cervi, Sepiz, Spinæ viperarum & Serpentum Svecicorum.

Pennas 1. plumas Perdicis.

Priapum Cervi.

Propolin.

Pulmonem Vulpis.

Sangvinem Cervinum exficea:

Serpentum exuvias.

Sperma Ranarum exficeatum.

Testiculos Equorum.

Umbilicum Marinum.

Reg. XIV.

Pharmaca ab Homine desumta, a numero remediorum omni jure segregamus.

Nunquam igitur utimur

Cranio Humano.

Mumia.

Axungia Hominis. Ossibus Humanis, . Ulnea.

Reg. XV.

Simplicia cariora, ejusdem prorsus virtutis cum minus caris, non injuste ex Pharmacopoliis eliminantur.

Hinc exterminamus.

Anthophyllas.

Chelas Cancrorum.

Coffum Arabicum. Crocum Orientalem.

Mar

Margaritas Orientales. Pruna Damascena. Semina Urtica Romana. Sulphur Vivum.

Reg. XVI.

non adhibentur, ea, tanquam aliena, e Catalogo ejicienda sunt.

Improbamus ergo

Ambram Liquidam.

Bismuthum.

Canariense Semen. Cardiaca Herbam-

Carminum.

Cerevisiam Dantiscanami

Chalcitidem.

Chalybem.

Coruleum factitium & mon-

tanum.

Corium molle rubrum.

Gluten.

Goffypium f. Bombax.

Gypfum.

Indigo.

Ligna: Brasiliense luteum, purpureum & rubrum, Ebenum, Fernabuc, Santalum

rubrūm.

Nibil album.

Ochram nativam.

Pilas marinas.

Plumbaginem.

Pompholyx.

Pumicem.

Rubricam Fabrilem.

Sericum Crudum.

Smaltum. Smiridem.

Succum inspissatum viridem

f. Rhamni.

Sulphur grifeum f. caballinum.

Terras: Anglicanam, Colonienfem, Orleanam, Rubram, Tripolitanam, Um-

bricam.

Tornam folis.

Tusch s. atcamentum Indicum.

Iutiam.

Viride Montanum.

Ultra Marinum.

Ungulam Alcis.

Unicornu Fossile.

Sicque, per Dei gratiam, absoluto Simplicium Medicamentorum examine & censura, restat, ut catalogum Simplicium exhibeamus retinendorum.

MATE-

MATERIA	MEDICA.	
NOMINA OFFICINALIA	SYNONYMA.	
A belmoschi semina.	Hibi/cus Linn.Mat. Med.	342
Abietis Refina, Colopho-		6 *)
nium, Summitates.		" ATA
Abrotani Herba fine sipiti-	Artemijia.	385.
Absinthii pontici Hba S. St.	Artemifia.	387
Radix, **)	211 company	301
Absinthii vulgaris Hha S. St.	Artemisia.	386
Acaciæ veræ fuccus	Mimofa.	261
Acaciæ Nostr. Cortex, Fru-	Prunus.	231
ctus, Succus.		MA
Acetofæ Hispanicæ Hba S. St. Radix, - Nostr. Radix,	Rumexi	-
Hba S. St. Semina.	INTITIC A.	529
Acetosellæ Herba.	Oxalis.	216
Acmella Herba. *	Verbesina.	406
Actea Radix *	Actea.	253
Æs, Ærugo.	Cuprum Wall, Min. gen.	47
Agaricus.	Boletus.	497
Agerati Herba. Agni casti semina.	Achillea. Vitex.	399
Agrimoniæ Hba S. St.	Agrimonia.	319
Alcannæ veræ radix. *	Lavlonia.	182
Alchemillæ Herba.	Alchemilla.	54
Alkekengi baccæ.	Phylalis.	93
Allii radix.	Allium.	164
Aloe Hepatica.	Aloe.	160
Socotorina.	Anall day	
Aloes Lignum, Refina.	Agallochum.	523
*) Synonyma e Regno Ves	B 2	Al-

*) Synonyma e Regno Vegetabili, quibus numerus solummedo est adscriptus, Celeb, Dn. Arch. LINN.FI Materia Medica nobis subministravit.

**) Radix absinthii Pontici adhue non suit usualis, videtur tamen tuto & utiliter in usum trahi posse, siquidem magis est calcsaciens, & non tam ingrata ac ipsa herba, nec caput, ut herba, tentat,

NOM. OFFIC.	SYNON.	
Altheæ Radix, Herba, S. St.	Althea.	318
Semina.		
Alumen Crudum.	Alumen Wall. Min. gen.	28
Ambra Grisea	Electrum. Lina. S. N. p	. 167
- Nigra.	n. ı. ")	
Ammios veri semina.	Silon.	140
Ammii veterum Herba. *	Lagecia.	92
Amygdalæ Amaræ	Amygdalus.	229
Dulces.	A Z	
Anethi Herba, semina	Anethum.	147
Angelicæ Sativæ Radix, Her-	Angelica.	110
ba, Semina.	Ani Guns	
Anifi femina.	Anifum.	141
Anisum stellatum.	Anas Linn. Fn. Sv.	510
Anferis Axungia, Stercus.	Antimenium Wall. Min-	90
Antimonium.	Apium.	128
Apii femina. Aquilegiæ femina.	Aquitegia.	272
Aranearum Telæ.	Aranea. Linn. Fn. Sv.	1215
Argentum purum & foliatum.	Argentum Wall. Min. g.	50
Argentum vivum.	Hydrargyrum Wall. M.	
Ari radix.	Arum.	417
Aristolochiæ fabaceæ radix.	Fumaria.	344
Aristolochiæ rotundæ & lon-	Aristolochia.	414
gæ radix.		
Aristolochiæ vulgaris radix.	Aristolochia.	415
Armoraciæ radix.	Cochlearia.	321
Arnica Herba.	Doronicum.	395
Artemisiæ albæ Herba S.'St.	Artemifia.	384
Rubræ Herba S. St.		
Alari folia, Radix.	Marum.	219
Asparagi Radix.	Asparagus.	169
Affa Fætida.	Ferula.	118
Ouanda Celeb Da Arch	riparti e a	Ave-

Quando Celeb. Da. Arch, LINNAI Systema Nacura adculumus,

NOM. OFFIC.	SYNON.	
Avena.	Avena.	38
Aurantiorum Succus, Cortex,	Citrus.	367
Semina, Naphæ Fl.		2-1
Auricula Judæ.	Iremella.	498
Auriculæ muris Herba.	Hieracium.	169
Auriculariæ Herba.	Hedyotis.	47
Aurum Foliatum.	Aurum Wall Min. gen.	51
Axungia Porcina.	Sus Linn. Fn. Sv.	36
The state of the s		13.00
B		4
Balaustiorum Flores, Gra-	Punica.	223
nator. cortex.		
Balfamitæ Hba f. st.	Tanacetum.	382
Balfamus Copaiva.	Copaiva.	513
Balfamus Peruvianus.	Peruifera.	514
Balfamus Tolutanus.	Toluifera.	101
Banigliæ.	Epidendron.	413
Barbæ Hirci Radix.	Tragopogon.	372
Bardanæ Radix.	Aretium.	375
Basilici Herba s. st.	Ocymum.	902
Bdellium.	Bdellium.	520
Beccabungæ aquat. H:ba f. st.	Veronica.	12
Belladonnii baccæ	Atropa.	89
Bellidis minoris Flores.	Bellis.	405
Bellidis pratenfis herba.	Chrysanthemum.	404
Berberum Succus.	Berberis.	170
Betonicæ herba f. st.	Betonica.	304
Bistortæ Radix.	Polygonum.	189
Bolus Armena.	2	16
Germanica alba.	Bolus. Wall. Min. sp.	21
Rubra communis.	A CONTRACTOR OF THE SECOND	
Boni Henrici Herba.	Chenopodium.	106
Borax Veneta	Borax Wall. Min. gen.	35
Botrys H.ba f. st.	Chenopodium.	109
		Bran-

NOM. OFFIC.	SYNON.	4.
Brancæ Urfinæ herba f. ft.	Acanthus.	318
Britannicæ Herba. *	Rumex.	177
Brufci Radix.	Ruscus.	468
Bryoniæ Radix.	Bryonia.	448
Bufones exficcati.	Rana. Linn. Fn. Sv.	253
Buxi Lignum.	Buxus.	423
		100
C		14 1
Caeao Fructus.	Theobroma.	364
Calami Aromatici radix.	Acords.	161
Vulgaris radix.	The state of the same	
Calaminthæ herba s. st.	Melissa.	295
Calcitrapa.	Centaurea Linn. H. U. p.	. 272
Calendulæ Flores.	Calendula.	407
Calx.	Marmer Linn. S. N. p.	151
Camphora.	Laurus	192
Camphorata Herba. *	Camphorosma	43
Cancrorum Lapides.	Cancer Linn. Fn. Sv.	1249
Canis Axungia, Stercus f.	Canis Linn. Syst. Nat. p.	5
Album Græcum.		
Cannabis femina.	Cannabis	457
Cantharides.	Cantharis Raij. inf.	275
Capilli Veneris Herba	Adianthum.	480
Cardamomum minus. Cardui Benedicti Herba f. st.	Amomum.	2
Semina.	Cnicus.	379
Cardui Mariæ semina.	Carduus.	-16
Caricæ.	Ficus.	376
Carlinæ Radix.	Carlina.	478
Carthami semina.	Caribamus.	378
Carvi femina.	Carum.	377
Caryophyllatæ Radix.	Geum.	138
Caryophylli aromatici & O.	Cariophyllus.	249
leum eorum stillatitium.	Our ropo ymas.	265
		Cafca
		Calca

础) 0 (器)

NOM. OFFIC.	SYNON.	1
Cafcarillæ Cortex.	Clutia.	470
Caffia Cariophyllata.	Myrtus.	226
Caffia Fistularis.	Coffia.	199
Cassines Lignum. *	Ilex.	56
Caftoreum.	Castor. Linn. Fn. Sv.	23
Cataputiæ majoris femina.	Ricinus.	438
Catechu Terra.	Areca.	503
Centaurii minoris Hba & Fl.	Gentiana.	112
Ceparum Radix.	Allium	166
Cera Alba & Citrina, Mel.	Apis. Linn. Fn. Sv.	1003
Cerasa nigra exficcata & eor.	Cerasus.	233
gummi album.		Control of the Contro
Cervi Cornua & Sevum.	Cervus. Linn. Fn. Sv.	38
Ceterach Herba.	Asplenium.	482
Ceti Priapus.	Balana Arted.gen.76.f	yn. 106
	fp. 106.	
Ceti Sperma.	Catodon. Arted. fyn.	108
Chærefolii Herba.	Scandix.	137
Chamædrys Herba f. st.	Teucrium.	288
Chamæmorus.	Rubus.	244
Chamæpitys Herba s.st.	Teucrium.	287
Chamomillæ nostr. Herba	Matricaria.	402
cum Floribus.		
Chamomillæ Romanæ Herba	Matricaria.	401
c. Floribus.	74	
Cheiri Flores.	Cheiranthus	335
	Chelidonium.	252
ft. Radix.		
Chelidonii minoris Radix.	Ranunculus.	274
Chinæ de China Cortex.	Cinchona.	71
Chinæ Radix.	Smilax.	AGI
Cichorii Hortensis Radix.	Cichorium:	373
Ciceris semina.	Cicer.	359
Cicuta herba f. st.	Cicuta.	129
Cineres Clavellati.	Fagus.	428
		Cin-

Cinnamomum, Oleum ejus Laurus. ftillatitium, Malabatri Folia. Citri Cortex, Succus & Oleum. Coccinella. C	NOM. OFFIC.	SYNON.	3/4
ftillatitium, Malabatri Folia. CitriCortex, Succus & Oleum. Coccinella. Coccinella. Cocchleariæ herba f. st. Cocchleariæ. Cocculi Indici. Coffe optimum. Colchici Radix. Colocynthidis pomorum Medulla. Confolidæ Majoris Radix. Contrajervæ Radix. Corftenio. Citrus. Cocchlearis. Cocchlearia. Cochlearia. Coffea. Colchicum.Lin.Hort.Cliff 140 Cucumis. Cucumis. Confolidæ Majoris Radix. Confolidæ Majoris Radix. Contrajervæ Radix. Confolidæ. Conf		Laurus.	190
CitriCortex, Succus & Oleum. Coccinella. Coccinella. Cocchleariæ herba f. st. Cocchleariæ herba f. st. Cocculi Indici. Coffe optimum. Colchici Radix. Colchici Radix. Colcoynthidis pomorum Medulla. Confolidæ Majoris Radix. Contrajervæ Radix. Corsenia. Citrus. Scarabæus Mer. Surin. Cochlearia. Cochlearia. Cochlearia. Coffea. Colcbieum.Lin.Hort.Cliff 140 Cucumis. Cucumis. Symphytum. Gentrajervæ Radix. Contrajervæ Radix. Corsenia. Symphytum.	fillatitium. Malabatri Folia.		
Coccinella. Cochleariæ herba f. st. Cocculi Indici. Coffe optimum. Colchici Radix. Colcoynthidis pomorum Me- dulla. Confolidæ Majoris Radix. Contrajervæ Radix. Scarabæus Mer. Surin. Cochlearia. Meni/permum. Coffea. Coffea. Colcbieum.Lin. Hort. Cliff 140 Cucumis. Symphytum. 61 Contrajervæ Radix. Dorftenia. 53	CitriCortex, Succus & Oleum.	Citrus.	366
Cochleariæ herba f. st. Cochleariæ. Cocculi Indici. Coffe optimum. Coffe optimum. Colchici Radix. Colchici Radix. Colcoynthidis pomorum Me- dulla. Consolidæ Majoris Radix. Consolidæ Majoris Radix. Contrajervæ Radix. Cochlearia. Cochlearia. Coffea. Coffea. Colchicum.Lin.Hort.Cliff 140 Cucumis. 446 Add Consolidæ Majoris Radix. Confolidæ Majoris Radix.		Scarabaus Mer. Surin.	2
Cocculi Indici. Coffe optimum. Colchici Radix. Colcoynthidis pomorum Me- dulla. Confolidæ Majoris Radix. Contrajervæ Radix. Meni/permum. Coffea. Coffea. Colcbieum.Lin.Hort.Cliff 140 Cucumis. 446 Cucumis. Symphytum. Gr. Dorftenia. 53		Cochlearia.	310
Coffe optimum. Colchici Radix. Colchici Radix. Colchicum.Lin.Hort.Cliff 140 Colcoynthidis pomorum Me- dulla. Confolidæ Majoris Radix. Contrajervæ Radix. Contrajervæ Radix. Coffea. Colchicum.Lin.Hort.Cliff 140 Cucumis. 446 Cucumis. Symphytum. 61 Contrajervæ Radix. Dorftenia. 53		Meni/permum.	175
Colchici Radix. Colchicum.Lin.Hort.Cliff 140 Colcoynthidis pomorum Me- dulla. Confolidæ Majoris Radix. Contrajervæ Radix. Contrajervæ Radix. Colchicum.Lin.Hort.Cliff 140 Cucumis. 446 Cucumis. Symphytum. 61 Contrajervæ Radix. Dorftenia. 53		Coffea.	70
Colocynthidis pomorum Me- Cucumis. dulla. Confolidæ Majoris Radix. Contrajervæ Radix. Dorftenia. 53		Colchieum.Lin.Hort.Cliff	140
dulla. Confolidæ Majoris Radix. Symphytum. Contrajervæ Radix. Dorstenia. 53		Cucumis.	446
Contrajervæ Radix. Dorftenia. 53			
Contrajervæ Radix. Dorftenia. 53	Confolidæ Majoris Radix.	Symphytum.	GE
			53
	Corallia Rubra.	Millepora.Linn.Syft. N.	240
Corallina. Sertularia. Linn.Fl. Lapp. 536	Corallina.	Sertularia. Linn.Fl. Lapp	. 536
Coriandri semina. Coriandrum. 135	Coriandri femina.	Coriandrum.	135
Coridis Herba. Coris. 80	Coridis Herba.	Coris.	80
Cortex Radicis Capparidis. Capparis. 259	Cortex Radicis Capparidis.	Capparis.	259
Coryli Lignum. Corylus. 431			43 E
Costus communis duleis. Costus.			4
Cotulæ Herba. * Anthemis. 403	Cotulæ Herba.	Anthemis.	403
Crepitus Lupi. Lycoperdon. 499	Crepitus Lupi.		499
Creta. Linn, S. N. p. 206.n. 1	Creta.	Creta. Linn, S. N. p. 200	5.n. 1
	Crocus Britannicus.		27
			526
Cucumeris femina. Cucumis. 445			445
Cucumeris asinini Radix, Fru- Momordica. 447	Cucumeris afinini Radix, Fru-	Momordica.	447
ctus maturus, Succus in-	chus maturus, Succus in-	A STATE OF THE PARTY OF THE PAR	12,0
spissatus s. Elaterium.			
Curcuma Radix. Curcuma.			1
Cyclaminis Radix. Cyclamen. 65			65
		Pyrus.	238
Semina & Succus.			1
Cymini femina. Cuminum.			13
			60
Cyperi Longi Radix. Cyperus. 29	Cyperi Longi Racix.	cyperus.	29

NOM. OFFIG.

SYNON.

		Dett. Ale
Daturæ femina. *	Datura.	85
Dauci Cretici femina.	Athamanta.	143
Dauci fylvestris semina.	Daucus.	142
Dentariæ Radix.	Plumbago.	75
Detamni Cretici Folia.	Origanum.	301
Dulcamaræ stipites.	Solanum.	
E	A THE SOUNDS AND AND A THE	95
Ebuli Folia.	Sambucus.	149
Ebur.	Elephas Linn. Syft. N. p	11
Endiviæ Semina.	Cichorium.	
Enulæ Campanæ Radix.	Inula.	374
Equifetum.	Equisetum.	392
Erucæ Semina.	Braffica.	479
Eryngii Radix.	Eryngium.	330
Eryfimi vulg. Hba f. ft.	Ery/imum.	114
Esulæ radix & cort. radicis.	Euphorbia.	333
Eupatorii Radix.	Eupatorium.	255
Euphorbium.	Euphorbia.	380
F		254
Fagaræ Fructus. *	Schinus.	
Fagopyri Semina. *	Polygonum.	533
Farfaræ Herba f. st.	Tuffilago.	188
Ferrum, Ferrugo.	Ferrum. Wall. Min. gen.	391
Filicis Radix.	Polypodium.	
Filipendulæ Radix.	Filipendula.	486
Eœnu Græci semina.	Trigonella.	239
Fœniculi Semina.	Anetum.	356
Fragorum Fructus.	Fragaria.	146
Frangulæ cortex.	Rhamnus.	245
Fraxini cortex, semina.	Fraxinus.	73
Fuligo.	Petuli.	475
Fumariæ Herba.	Fum iria.	421
Fungus Melitenfis. *	Cynomorium.	343
G.	Cynomortani.	534
Galangæ minoris Radix.	Kempheria.	to tall a
Tradition Tradition	C.	6
The second of th		Gal-

in Calendario anui 1745.

NOM. OFFIC.	SYNON.	
Galbanum.	Bubon.	T32
Gallæ Turcicæ.	Cynips Linn.S. N. p. 64.	n. 3
Gallii Lutei Herba.	Galium.	46
Gallitrichi Herba s. st.	Solvia.	15
Genistæ Flores:	Genista.	346
Gentianæ albæ radix.	Laserpitium.	123
Gentianæ Rubræ Radix.	Gentiana.	110
Geranii Moschati Herba	Geranium.	337
Geranii Robertiani Hba.	Geranium.	336
Ginfeng Radix. *	Panax.	116
Glycyrrhizæ Radix, luceus	Glycirrbiza.	3.62
inspissatus.		
Graminis Radix.	Triticum.	37
Gratiolæ Hba f. st. Radix. *)	Gratiola.	18
Gvajaci Lignum, Cortex,	Gvajacum,	207
Gummi, Refina.	August the state of	
Gummi Ammoniacum.	Ammoniacum:	516
Gummi Animæ.	Hymen&a:	515
Gummi Benzoi.	Laurus.	195
Gummi Elemi.	Elemifera.	518
Gummi Gutta.	Cambogia.	257
H	77 7	
Hederæ Arb. baccæ, Fol. Gum.	Hedera.	98
Hedera Terrestris Hba s. st.		3.03
Hellebori Albi radix.	Veratrum.	471
Hellebori Nigri radix.	Helleborus.	273
Hepaticæ nob. Herba.	Hepatica.	277
Hermodactyli radix.	Iris.	26
Hirci sevum, sangvis.	Capra. Linn. Fn. Sv.	42
Hirundinum Nidi.	Hirundo. Linn. Fn. Sv.	245
Hordeum Mundatum & Per- latum.	Hordeum-	35
Hyofcyami femina.	Hyofeyamus,	86
Hyperici Herba, Flores.	Hypericum.	365
	F	Ivno-
*) Radicem Granola capropter Caralogo interimus, and bee Par		
dicis specacuanhæ substitut polit. V.	id. Cel, Dn. Arch, LINNÆI	Obfery.
in Calendario anui 1745.		The state of the s

NOM. OFFIC.	SYNON.	
Hypocistidis succus. *	Afarum.	220
Hyffopi Herba f. S.ip.	Hysopus.	290
Jalanna Radise	Mirabilis.	the state of
Jalappæ Radix. Jasmini oleum.	Jasminum.	76
Ictyocolla.	Acipenser Arted. Syn.	9
Imperatoriæ Radin.	Imperatoria.	92
Ipecacuanhæ Radix.	Elonicera.	69
Ireos Florentinæ Radix.	Iris.	
Nostratis Radix.	The State of Laboratory	24
Jujubæ baccæ.	Rhamnus.	74
Juglandis Nuces.	Juglans.	430
Juniperi Bacca, Gumani L	Juniperus,	465
Sandaracha.	ALAN A MILL ENGLISHED	risk/
K	The State of the Control of the Miles	Osta
Kermes Grana, Succus.	Coccus Querci, Ilicis Sy	At. N.
L	p. 61. n. 7.	
Lactuce Semina.	LaEtuca.	
Ladanum.	Cistus.	370
Lamii albi Herba.	Lamium.	253
Lapathi Acuti Radix, Semina.	Rumex.	307
Lapathi Sangvinei Radix.	Rumex.	176
Lapis Bezoar Orientalis	Calculus Linn. S. N. p. 1	528
A CONTRACTOR OF THE SECOND SECOND	5. lit. a.	9).11.
Lapis Calaminaris.	Zincum. Linn. S N. p. 17	4.71.4
Hæmatites.	Ferrum Linn. S. N. g. 25	.fp. 5
Lavendulæ Flores.	Lavandula.	296
Lauri Folia, Baccæ, Oleum.	Laurus.	194
Laurocerafi Folia.	Padus.	228
Levistici Hba, Semina, Radix.	Ligusticum.	119
Lignum Rhodium.	Genista.	347
Lignum Tinctile Campechens.	Hæmatoxylum L. H. Cl.	р. 160
Liliorum Alborum Flores, Rad.	Lilium.	173
Liborum Convallium Flores.	Convallaria,	167
Linnea Herba 1. ft.	Linnea	317
		Lina-

NOM. OFFIC.	SYNON.	
Linariæ Herba.	Antirrbinum.	313
Lini Cathartici Herba	Linum.	157
Lini Semina, Farina.	Linum.	156
Lumbriei Terrestres,	Lumbricus. Linn. Fn. S	V.1271
Lupinorum Semina.	Lupinus.	350
Lupuli Flores, Folia.	Humulus.	458
Lycopodii Farina.	Lycopodium.	488
M	The little of the last	
Majoranæ Herba f. st.	Origanum.	298
Malvæ vulgaris hba f. ft.	Matoa.	339
Mandragoræ Radix.	Mandragora.	88
Manna Calabrina.	Fraxinus.	476
Mari veri Cretici Herba.	Teucrium.	285
Marrubii Albi Herba f. st.	Marrubium.	305
Maftix.	Piftacea.	453
Mater Perlarum, Margaritæ	Concba. Lang. test.	69
occidentales *).	是是有一种的一种,	
Matricariæ Herba f. st.	Matricaria.	400
Matrifylvæ herba.	Asperula.	45
Mechoacannæ Albæ Radíx.	Convoivolus.	83
Meliloti Albæ Flores.	Trifolium.	355
Citrinæ Flores.	applicated to the factories	Heon H
Meliffæ Canariæ Herba *	Dracocephalum.	293
Melissæ Citrinæ herbas.st.	Melissa.	294
Melonum ferina.	Cucumis.	444
Menthæ Crispæ herba f. st.	Mentha.	278
Menthæ sylvestris herba s. st.	Mentha.	279
Mercurialis Herba.	Mercurialis.	464
Meu Radix.	Athamanta.	
Millefolii Herba s. st.	Achillea.	
Millepedes.	Oniscus Linn. Fn. Sv.	CALL CONTRACTOR AND ADDRESS OF THE PARTY OF
TO THE REAL PROPERTY.		Mor-
Millefolii Herba s. st.	Achillea. Oniscus Linn. Fn. Sv.	397 1257 Mor-

*) His earere possumus, nist Magnates Loco matris perlarum adsumere velint. Occidentales vero Orientalibus prætulimus, eas ob caussas, quod
1. Orientales nimis sint prætiosi 2. Occidentales magis de Spiritu Salis ofvant, nempe scrupulus semis gemmarum guttas LXXX dum Orientalium
eadem quantitas non niss gt. LX absorbere potest, Vid, TRALLES Exam.
Rigorossus Med, Terr, p. 47.



NOM OFFIC.	SYNON.
Morfus Diaboli Radix.	Scabiofa. 41
Morus.	Morus. 422
Mofeus.	Moscus Linn, Syft. Nat. 13
Muscus Arboreus.	Lichen. 495
Mufcus Caninus *	Lichen. 491
Muscus Cumatilis	Lichen. 492
Muscus Erectus.	Lycopodium. 487
Muscus Islandicus *	Lichen. 493
Muscus Pyxidatus.	Lichen. 496
Myrrha.	Myrrha. 519
Myrti Brabanticæ Herba*	Myrica. 451
Myrti vulgaris Folia.	Myrtus. 224
N.	-oraci, additional library
Nasturtii Aquatici Hba f. st.	Si/ymbrium. 331
Nasturtii Hortensis semina.	Lepidium. 322
Nepetæ Herba.	Nepeta. 291
Nephriticum lignum, oleum	Guilandina, 202
Behen.	Att Street Laboratory attack the second
Nicotianæ Folia.	Nicotiana. 87
Nigellæ femina.	Nigella. 271
Ninfi radix.	Sium.
Nitrum.	Nitrum. Linn. S. N. p. 163
Norlandicæ Baccæ.	Rubus. 243
Nuces Cupreffi.	Cupressus. 433
Nuces Moschatæ, eorum con-	Myristica. 509
ditura, Oleum stillatitium &	
Oleum expressum, Macis.	Ca
Nuces Vomicæ.	Strychnus. 77
Nuclei Persicorum.	Amygdalus. 230
Nuclei Pini.	Pinus 435
Nuculæ faponariæ *	Sapindus. 532
Nummularia Herba.	Lysimachia. 67
Nympheæ albæ radix.	Nymphea. 258
Olam Dotam actions	Ditument inn CM n : 60 m
Oleum Petræ nativum.	Bitumen Linn. S.N. p. 168.n.2.

NOM. OFFIC.	SYNON.	
Olibanum.	Juniperus.	466
Olivarum Oleum.	Olea.	10
Ononidis radix, Herba.	Ononis.	357
Opopanax.	Patinaca.	,131
Origani Cretici Herba.	Origanum.	300
Origani vulgaris herba femina	Origanum.	299
Oryzæ fructus.	Oryza.	174
Ofteocolla.	Tophus. Linn. S. N. p. 18	19. n 3
Oftreorum Teftæ.	Concha Linn. Fn. Sv.	1338
Ova Gallinacea & eor. Testæ.	Gallus. Linn. Fn. Sv.	165
Papaveris nigri & albi Capitu-	Papaver.	250
la, femina, fuccus concre-		
tus f. Opium.	。 1. 141. 181. 181. 181. 181. 181. 181. 18	
Papaveris Rhæados Flores.	Papaver.	251
Pareiræ Bravæ Radix.	Cissampelos.	459
Parietariæ Herba f. st.	Parietaria.	472
Passulæ Majores & Corinthi-	Vitis.	97
acæ, Vinum album, Rhe-		
manum, Rubrum, Spiritus	是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
vini, Acetum, Tartarus.		
Pastinacæ Semina.	Pastinaca.	136
Pavanæ Lignum, Tilli grana.	Croton.	4+0
Pavonum stercus.	Pave. Linn. Fn. Sv.	103
Pedicularis Herba.	Pedicularis.	314
Pentaphylli radix.	Potentilla.	247
Peragvæ Herba.	Cassine.	151
Petatitidis radix.	Tiffilago.	33C
Petrofelini Nostr. Semina, Rad.	Apium.	127
Pimpinellæ nostratis Radix.	Pimpinella.	129
Fini Turiones, Pix nigra, Te- rebinthina Communis.	Pinus.	434
Piper album & nigrum.	Piper.	
Piper Indicum.	Capficum.	10
	O'A THE STATE OF T	96
		Piper

NOM OFFIC.	SYNON.	
Piper Longum.	Piper.	20
Piftaciorum nuclei.	Piftacea.	4.4
Plantaginis Latifoliæ Herba.	Plantago.	49
Plumbum, Ceruffa, Lithar.	Plumbum. Wall. Min. ge	n. 48
gyrium. *) Minium.	IN ANTHARAGE AND PROPERTY OF	100200
Pœoniæ Radix, Semina.	Paonia.	267
Polypodii Radix,	Polypodium.	485
Populi oculi	Populus.	463
Portulação Semina.	Portulaca.	260
Primulæ veris Flores, Radix.	Primula.	64
Profluvii cortex. **)	Nerium.	roz
Pruna Gallica majora & mi-	Prunus.	232
nora, Pruneola.		ed stoke
Pfylli femina.	Plantago.	.50
Pulegii herba f. ft.	Mentha.	280
Pulmonariæ arboreæ herba.	Lichen.	490
Pulmonariæ Maculosæ herba.	Pulmonaria.	62
Pyrethri Radix.	Buphtalmum.	396
Pyrolæ herba.	Pyrola.	212
0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Quercus Cortex, Folia, Glan-	Quercus.	426
des, Cupulæ.		1
R	The state of the American	
Radicis Dictamni albi cortex.	Distamnus.	208
Rapa.	Braffica.	329
Raphani Rusticani Radix.	Raphanus.	315
Rhabarbari MonachorumRad.	Rumex.	178
Rhabarbari Veri Radix.	Rheum.	197
Rhapontici Radix	Rheum.	198
Rhodiæ Radix.	Rhodiola.	477
	-12-26-11-1-1-1-1	Ri-

Distingvitur Lithargyrium in Argenti & Auri; nil vero discrepant, frigesacto enim Lithargyrio interdum albus apparet color & tunc vocatur Lithargyrium Argenti, interdum slavus ac Lithargyrium Auri appellatur; dis versitas coloris depender tantummodo a majori vel minori ignis gradu.

**) Vid. Les Essais & observations de medecine de la Societé d' Edin-


bourg. Tom. III. P. 34:

Ribium Nigrorum baccæ. Ribes. 100 Rorifmarini hortensis herba, Rosmarinus. 16 Flores anthos. Rorismarini sylvestris herba. Ledum. 210 Rosæ Damascenæ & Rubræ, Rosa. 241 Cynos bati fructus. Rubi Idæi fructus. Rubus: 242 Rubiæ Tinctor. Radix. Rubia. 44	NOM. OFFIC.	SYNON.	
Rorismarini hortensis herba, Rosmarinus. Flores anthos. Rorismarini sylvestris herba. Rose Damascenæ & Rubræ, Rosa. Cynos bati fructus. Rubi Idæi fructus. Rubiæ Tinctor. Radix. Rubia.			100
Flores anthos. Rorismarini sylvestris herba. Ledum. 210 Rosæ Damascenæ & Rubræ, Rosa. 241 Cynos bati fructus. Rubi Idæi fructus. Rubus: 242 Rubiæ Tinctor. Radix. Rubia. 44	Rorifmarini hortenfis herba,		
Rossmarini sylvestris herba. Ledum. 210 Rosæ Damascenæ & Rubræ, Rosa. 241 Cynos bati fructus. Rubi Idæi fructus. Rubus: 242 Rubiæ Tinctor. Radix. Rubia. 44			Seko M
Rose Damascenæ & Rubræ, Rosa. Cynos bati fructus. Rubi Idæi fructus. Rubiæ Tinctor. Radix. Rubiæ. Rubia. 241 Rubiæ. 241 Rubiæ.		Ledum.	210
Cynos bati fructus. Rubi Idæi fructus. Rubiæ Tinctor. Radix. Rubiæ. Rubia. 44	Rosæ Damascenæ & Rubræ,	Rofa.	
Rubi Idæi fructus. Rubus: Rubia. Rubia. 44	Cynofbati fructus.	The sales of the Think	
Rubiæ Tinctor. Radix. Rubia. 44	Rubi Idæi fructus.	Rubus:	242
TO TT CTT 1 C . D.	Rubiæ Tinctor. Radix.		
是是一种,我们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	Rutæ Hortensis Herba, semina	Ruta.	209
Rutæ Murariæ herba. A/plenium. 484	Rutæ Murariæ herba.	Alplenium.	484
Language Company of the Part of the Company of the		p) droppeder	
S. S	S.		
Sabina. Juniperus. 467			467
Sacchar Canar. puritimum & Saccharum.		Saccharum.	
rubruía.		Selection of the selection of	
Sagapenum. Sagapenum. 521			52 E
Sagu Succus. Cycas. 503			102
Sal Ammoniacum. Sal Ammoniacum. Wall. Min.	Sal Ammontacum.		Viin.
gen. 34.			
Sal Gemmæ. Muria Linn. S. N. p. 164. n. 3.		Muria Linn. S. N. p. 164.	n. 3.
Sal Marinum. Muria Linn. S.N. p. 164. n. 1.		Muria Linn. S.N. p. 164.	n. 1.
Salep Radix * Orchis. 412 Salviæ Herba f. st. Salvia.			412
Samburai Flores Baron can Cambani			THE RESERVE OF THE PARTY OF THE
tex interior, Radix, Se-		Oumouchs.	148
mina f. Grana Actes.		1 - 1 - 1 - 1 - 1	
Sangvis Draconis.		Promocombus	
Sanicula Herba			
Santalum Citrinum			1-10-112-12-13
Santolina Herha Contains	이 아니는 아니는 아니는 것 같아. 아니는 아니는 그들이 안 그녀를 가지 않는데 이렇게 하지 않는데 아니는 아니는 아니는 아니는		
Santonici Semina.			S 10 C 30
Sanonaria Radiy *1	Saponariæ Radix. *)		CONTRACTOR SOUTH
Sarcocolla.		Penaa.	48
Saffa-			100

Virtus, que Sassaparille antecellit vid. Neuman p. 1010.

NOM. OFFIC.	SYNON.	
Saffafras Radix ejusque cor-	Laurus.	193
tex.		THE NAME OF
Saffaparille Radix.	Smilax.	460
Saturejæ Herba.	Satureja.	284
Satyrii Radix.	Orchis.	411
Scabiosæ Herba, Radix.	Scabiofa.	40
Scammonium.	Convolvulus.	82
Schoenanthi Herba.	Lagurus.	31
Scordii Cretici Herba	Teucrium.	289
Scorodoniæ Herba.	Petiveria.	531
Scorzoneræ Radix.	Scorzonera.	371
Scrophulariæ Aquaticæ Fo-	Scropbularia.	311
lia *	如何多个。经验解析对一次设	
Scrophulariæ Fætidæ Radix.	Scropbularia.	310
Seheften Fructus.	Cordia.	171
Sedi minoris Herba.	Sedum.	218
Sempervivi majoris herba.	Sempervivum.	222
Senegæ Radix, *	Polygala.	345
Sennæ folia.	Casfia.	200
Serpentariæ virginianæRadix.	Aristolochia.	416
Serpentum radix.	Ophiorhiza.	• 79
Serpylli herba.	Thymus.	182
Siliqua dulcis.	Ceratonia.	455
Simarubæ cortex *	Simaruba.	535
Sinapeos femina.	Sinapis.	325
Soda.	Salicornia.	8
Sojæ Succus. *	Dolichus.	363
Solani Herba.	Solanum.	94
Soldanellæ Herba.	Convolvulus.	81
Spicæ Celticæ Flores.	Valeriana.	23
Spicæ Nardi Radix.	Lagurus.	32
Spinæ Cervinæ Baccæ.	Rhamnus.	72
Spongia,	Spongia.	527
· · · · · · · · · · · · · · · · · · ·	D	Squil-

NOM. OFFIC.	SYNON.	
Squillæ Radix.	Scilla:	162
Stannum.	Stannum. Linn. S. N. p.	181
Staphis agriæ Semina.	Delphinium.	269
Stincus Marinus.	Scincus. Rond. pifc. 2. p.	231
Steechadis Citrina Flores.	Gnaphalium.	389
Storax Calamita.	Styrax.	227
Suberis Cortex	Quercus.	427
Succinum.	Electrum. L. S. N. p. 167	
Sulphur.	Sulphur Wall. Min. gen.	
Suprat.		
Tacamahaca.	Populus.	463
Tamarindi.	Tamarindus.	28
Tamarisci Radix & cortex	Tamarin.	154
radicis.	The state of the s	
Tanaceti Herba, Flores, Se-	Tanacetum.	381
mina.	and a state of the state of the	
Taraxaci radix.	Leontodon.	368
Tauri Fel, medulla cruris		. 44
Bovis.		
Telephii Radix.	Sedum.	219
Terebinthina Cypria-	Pistacia.	45
Terebinthina Veneta-	Abies.	437
Thlaspios Semen	Thlaspi-	323
Thymi Cretici herba.	Satureja.	28
Thymi Vulgaris herba	Thymus-	331
Tilia Flores.	Tilia.	261
Tormentille Radix.	Tormentilla.	848
Tragaca tha alba & nigra.	Tragocantha.	358
Trifolii albi Flores.	Trifolium.	3.54
Trifolit aquatici Herba:	Menyanthes.	66
Tritici Farina, Amylum-	Triticum.	36
Tunicæ Flores.	Dianthus.	21
Turnethi Radix	Convolvulus.	87



NOM OFFIC.

SYNON.

U.

Valerianæ majoris Radix.	Valeriana. 93
Valerianæ minoris radix.	Valeriana. 21
Verbasci Flores.	Verbascum- 90
Vernicis refina *	Rhus. 151
Veronicæ herba f. ft.	Veronica 11
Vincæ per Vincæ Herba.	Vinca.
Vincetoxici f. Hirundinariæ	Asclepias: 103
Radix.	21 jen prave
Vinteranus Cortex.	Laurus 196
Violæ Flores, feminas	Viola. 410
Viperarum Axungia-	Coluber Linn. Syft. N. 34
Visci lignum.	Viscum. 450
Vitriolum album-	Vitriolum Zinch L. S. N. p.
	166. n. 4.
Vitriolum Cœruleum	Vitriolum Cupreum, L.S. N.
	p. 166. n. 2.
Vitriolum Viride	Vitriolum Ferreum, L. S. N.
	p. 166. n. I.
Ulmariæ Herba.	Filipendula 240
Unicornu Crudum	Monodon Arted. Gen. 78. Syn.
	118.
Urticæ majorisRadix, Semina	Urtica. 419
Uvæ Urfi Folia. *	Arbutus. 211
Vulvariæ Herba. "	Chenopodium 108
Uvulariæ Herba.	Ruscus. 469
210100	703
X	

Xanthil Herba.

Kanthium

424

NOM. OFFIC.

SYNON.

Z

Zibethum.

Zincum. Zedoariæ Radix. Zingiberis albi Radix & ejus conditura. Meles Linn. S. N. p. 6. g. 10 fp. 2.

Zincum Wall. Min. gen. 4.

Kæmpheria.

Amomum.

Bebert. Dn. Arch. LINNÆUS, que nostra Pharmacopolia intrarent, Vi Liusd. Pretate ad Mat. Medicam.

S. O. N. H.

