

Pharmacopoeia pauperum, in usum Nosocomii Regii Edinburgensis.

Contributors

Royal Infirmary of Edinburgh.

Publication/Creation

Edinburgi : Hamilton, Balfour & Neill, 1752.

Persistent URL

<https://wellcomecollection.org/works/vqfnfnpk>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>


1131
LONDON.
PHARMACOPŒIA
PUPERUM
INŒB

NOSOCOMII REGII

EDINBURGENSIS.



EDINBURGI,
Apud HAMILTON, BALFOUR, et NEILL,
sumptibus NOSOCOMII.
M,DCC,LII.



LECTORI.

E Catalogo simplicium omittuntur quæ-
cunque recentia præscribuntur, adeo-
que in officina reservari nequeunt. Omit-
tuntur quoque medicamenta domestica,
quæ nosocomii promptuarium suppeditare
intelligitur.

*In medicamentis præparandis et com-
ponendis observanda est norma Pharmaco-
pœiæ Edinburgensis, nisi ubi formula
aut exceptio aliqua adjecta est.*

*Distinguuntur asterismo medicamenta
composita quæ miscentur extempore.*

PHAR-

Digitized by the Internet Archive
in 2019 with funding from
Wellcome Library

PHARMACOPŒIA PAUPERUM

IN USUM

NOSOCOMII REGII EDINBURGENSIS.

MEDICAMENTA SIMPLICIA
Officinalia.

Radices.

A LII.	Fœniculi.
Althææ.	Gentianæ.
Ari.	Glycyrrhizæ.
Aristolochiæ long.	Helenii.
Bardanæ maj.	Hellebori nigri.
Calami aromat.	Jalappæ.
Consolidæ maj.	Imperatoriæ.
Contrayervæ.	Ipecacuanhæ.
Curcumæ.	Iridis Florent.
Eryngii.	Oxylapathi.
A	Pæoniæ.

2 PHARMACOPOEIA PAUPERUM.

Pæoniæ.	Senekæ.
Petrofelini.	Serpentariæ Virg.
Polypodii.	Tormentillæ.
Pyrethri.	Valerianæ filv.
Rhabarbari.	Zedoariæ.
Scillæ.	Zingiberi.

Herbæ, Folia, Flores, Summitates.

Abfinthium vulg.	Majorana.
Artemisia.	Malva.
Afarum.	Marrubium alb.
Betonica.	Mentha fativa.
Carduus bened.	Parietaria.
Centaurium min.	Plantago latif.
Chamæmeli flor.	Rosæ rubræ.
Crocus.	Rosmarinus cum flor.
Hedera terr.	Ruta.
Lavendulæ flor.	Sabina.
Lichen ciner. terr.	Salvia.
	Sambuci.

Sambuci flor.	Trichomanes.
Scordium.	Trifolium aquat.
Senna.	Tuffilago cum flor.
Tanaceti flor.	Viscus quernus.

Semina, Baccæ, Fructus, &c.

Amygdalæ dulc.	Fœniculi dulc. fem.
Angelicæ fem.	Fœni Græci fem.
Aurantia Curafla-	Juniperi baccæ.
venfia.	Lauri baccæ.
Cardamomum min.	Leviftici fem.
Caryophylli aromat.	Lini fem.
Caffia fiftila.	Nux mofch. et macis.
Colocynthis.	Papav. hort. capita.
Coriandri fem.	Piper Jamaicenfè.
Cubebæ.	Santonikum fem.
Cumini fem.	Sinapi fem.
Dauci filv. fem.	Tamarindi.

Ligna.

4 PHARMACOPOEIA PAUPERUM,

Ligna.

Campechense. Santalum rubrum,
Guajacum cum cort. Saffaphras cum cort.

Cortices.

Canella alba. Peruvianus,
Cinnamomum. Quercus.
Granatorum,

*Gummi, Resinæ, Olea, Succī, aliæque
ex vegetabilibus provenientia.*

Aloë hepatica. Benzoinum.
Aloë Succotrina. Camphora.
G. ammoniacum. Catechu, seu terr.
G. Arabicum. Japon.
Assa foetida. G. elemi.
Bals. Peruvianum. Fuligo ligni.
Bals. copaiba. Galbanum.

Gly-

Glycyrrhizæ succ.	Pix Burgundica.
Hispan.	Pix liquida.
G. guajaci.	Pix sicca.
Manna.	Refina alba.
Myrrha.	Saccharum album.
Oleum laurinum.	Sanguis draconis.
Oleum lini.	Sapo albus Hispan.
Oleum macis express.	Scammonium.
Oleum olivarum.	Styrax liquida.
Oleum palmæ.	Tacamahaca.
Olibanum.	Tartarus albus.
Opium.	Terebinthina Ven.

Animalia, et ex iis desumpta.

Axungia porc. præp.	Cochinilla.
Cantharides.	Mel.
Castoreum Russ.	Millepedæ præp.
Cera flava et alba.	Moschus.

Ostre-

6 PHARMACOPOEIA PAUPERUM.

Ostreorum test. præp. Sperma coeti.

Sal ammoniacum. Verrucæ equinæ.

Mineralia & Fossilia.

Ærugo.

Hydrargyrus.

Alumen rupeum.

Lithargyrus præp.

Antimonium.

Nitrum.

Bolus Armena præp. Stanni pulv.

Calamin. lap. præp. Sulphur.

Calx viva.

Vitriolum album.

Cerussa.

Vitriolum cæruleum

Creta alba.

Vitriolum viride.

Ferri limatura et
rubigo. Tutia præp.

MED

MEDICAMENTA COMPOSITA, et
Præparationes chemicæ.

A Cetum destillatum.

Acetum lithargyrites.

Acetum scilliticum.

Acetum theriacale.

Æthiops mineralis.

Antimonium diaphoreticum.

Antimonium præparatum.

Præparatur ut bolus Armena.

Aqua alexeteria.

℞ Flor. sambuc. mod. ficcatur. lib. iii.

Fol. recent. angelic. lib. ii.

Aq. font. q. s.

Destilla cong. iii.

Aqua aluminosa.

Aqua antihysterica.

℞ Rad. valerian. filv. lib. i. fs.

Sem. levistic. lib. fs.

Sabinæ unc. iii.

Spir. vin. Gall. cong. ii.

Macera per quatrimum, et destilla cong. ii.

Aqua

8 PHARMACOPOEIA PAUPERUM.

Aqua aromatica.

℞ Canell. alb. lib. fs.

Cort. exter. recent. limon. unc. iv.

Cardamomi min. unc. ii.

Spir. vin. Gall. cong. ii.

Macera per quatrimum, et destilla cong. ii.

*Aqua benedicta comp.

Omitte syrupum.

Aqua calcis.

Aqua chamæmeli flor.

Aqua epidemia.

℞ Rad. imperator. lib. i. fs.

Sem. angelic.

Flor. sambuc. aa lib. fs.

Spir. vin. Gall. cong. iii.

*Macera per quatrimum, et destillatis
cong. ii. fs. adde*

Aceti destillat. cong. fs. M.

Aqua fœniculi.

Aqua hyssopi.

Aqua menthæ.

Aqua menthæ piperitidis.

℞ Menthæ piperit. modice ficcata. lib. i. fs.

Aquæ font. q. s.

Destilletur cong. i.

Aqua

Aqua ophthalmica.

℞ Vitriol. alb. unc. fs.

Aq. font. lib. iv.

Coque ad solutionem, et filtra.

Aqua phagedænica.

* Aqua picea.

℞ Picis liquid. lib. ii.

Aq. font. cong. i.

Agitentur validè bacillo ligneo, et post biduum effundatur aqua.

Aqua pulegii.

Aqua raphani composita.

℞ Rad. recent. raph. rustic.

Cochleariæ hort. aa lib. iii.

Cort. recent. exter. aurant. Hispal.

Bacc. juniper. aa lib. fs.

Canell. alb. unc. iv.

Spir. vin. Gall. cong. ii.

Macera baccas et canellam in spiritu per quatrimum, et destilla cong. ii.

Aqua rosarum.

Aqua rutæ.

Aqua sapphirina.

Aqua styptica.

Balsamum anodynum.

℞ Bals. saponacei lib. i. fs.
Laudan. liquid. lib. fs. M.

Balsamum Locatelli.

Balsamum saponac. seu oppodeltoch.

Balsamum sulphuris terebinthinatum.

Balsamum (*i. e.* oleum fuscum) terebinthinæ.

Balsamum traumaticum.

Balsamum viride.

* Bolus alexeterius.

℞ Serpentar. Virg. gr. xv.
Castor. gr. x.
Camphor. gr. iii.
Syr. sacchar. q. f. M.

* Bolus è castoreo.

℞ Castor. scr. i.
Sal. C. cerv. vol. gr. v. *vel*
Ol. still. C. cerv. gutt. v.
Syr. sacchar. q. f. M.

* Bolus diaphoreticus.

℞ Pulv. contrayerv. comp.
Sal. ammoniac. crud. aa scr. i.
Syr. sacchar. q. f. M.

* Bolus

* Bolus diureticus.

R Sapon. alb. scr. ii.
Ol. still. junip. gutt. x.—xx. M.

* Bolus guajacinus.

R Extract. guajac. scr. ii.
Sal C. cerv. vol. gr. vii.
Syr. sacch. q. f. M.

* Bolus jalappæ cum mercurio.

R Jalap. elect. scr. i.
Calomel. gr. v.—x.
Syr. sacch. q. f. M.

* Bolus mercurialis.

R Calomel. gr. v.—xv.
Conserv. rosar. drach. fs. M.

* Bolus pectoralis.

R Sperm. cœti gr. xv.
G. ammoniac. gr. x.
Sal. C. cerv. vol. gr. vii.
Syr. sacchar. q. f. M.

* Bolus rhei cum mercurio.

R. Rhei elect. gr. xxv.
Calomel. gr. v.
Syr. sacchar. q. f. M.

* Bolus

* Bolus theriacalis.

℞ Theriac. scr. ii.
 Sal. C. cerv. vol. gr. vii.
 Camphor. gr. iii. M.

Calomelas.

Cataplasma aromaticum,

℞ Rad. aristoloch. long.
 Bacc. lauri,
 Fol. scordii,
 Sem. cumini,
 Myrrhæ aa unc. iv.
 Piper. Jamaic. unc. ii.
 Mellis triplum ad pondus pulv. M. f. z

* Cataplasma discutiens.

℞ Farinæ hord. unc. vi.
 Fol. cicutæ rec. optime contus. unc. ii.
 Aceti q. f.
Coque parum, et adde
 Sal. ammoniac. crud, unc. fs.

* Cataplasma emolliens.

℞ Medull. panis cibari. unc. viii.
 Sapon. alb. unc. i.
 Lact. vaccini. recent. q. f.
Coque parum,

* Cataplasma suppurans.

Adde priori cataplasmati

Cepar. crud. contus. unc. i. fs.

Ung. basilic. unc. i.

* Cataplasma stomachicum.

R Cataplasma. aromat. unc. i.

Ol. macis expr. drach. ii.

Bals. anodyn. q. s. M.

* Cataplasma camphoratum.

R Cataplasma. aromat. unc. i.

Camphor. drach. i. M.

Causticum lunare.

Causticum potentiale.

* Cervisia aperiens.

R Sem. finap. integr. unc. x.

Rad. aristol. long. unc. vi.

Summit. centaur. min. unc. ii.

fabinae unc. i.

Cervis. tenuis novae cong. x.

* Cervisia cephalica.

R Rad. valerian. filv. unc. x.

Sem. finap. integr. unc. vi.

Serpentar. Virg. unc. ii.

Rorismarin. *vel* salviae unc. iii.

Cervisiae tenuis novae cong. x.

* Cervisia

* Cervisia diuretica.

℞ Sem. sinapi integri,
Bacc. juniper. aa unc. viii.
Sem. dauc. filv. unc. iii.
Absinth. vulg. unc. ii.
Cervis. tenuis novæ cong. x.

* Cervisia ad scorbuticos.

℞ Rad. raph. rustic. recent. unc. xii.
oxylapath. unc. vi.
Canell. alb. unc. ii.
Trifol. aquat. recent. unc. viii. *vel* fic-
cat. unc. iii.
Cervis. tenuis novæ cong. x.

Chalybs saccharatus.

Cinnabaris antimonii.

Colcothar vitrioli.

* Collyrium album.

℞ Aq. rosar. unc. vi.
Trochisc. alb. drach. i.
Vitriol. alb. gr. x. M. f. a.

* Collyrium aluminosum.

℞ Alum. rup. drach. fs.
Albumen unius ovi.
Agitentur diligenter.

Confectio

Confectio roborans.

℞ Boli Armen. præp. unc. iii.
 Rad. tormentill.
 Nuc. moschat.
 Oliban. $\overline{aa}$ unc. ii.
 Opii præp. drach. i. fs.
 Syr. de ros. ficc. triplum ad pondus
 pulv. M. f. a.

Conserva rosarum rubrarum.

Cremor tartari.

* Decoctum album.

℞ Pulv. testac. comp. drach. vi.
 G. Arab. drach. iii.
 Aq. font. lib. iii.
Coque ad lib. ii. et decocto turbido adde
 Aq. aromat. unc. i.
 Sacchari alb. drach. ii. M.

* Decoctum antihecticum.

℞ Rad. consolid. maj.
 eryng. $\overline{aa}$ unc. fs.
 Conserv. rosar. unc. ii.
 Aq. font. lib. iii.
Coque ad lib. ii. colat. cui adde
 Spir. vitriol. dulc. gutt. xl.

* Decoctum

* Decoctum astringens.

℞ Rad. tormentill. unc. i.

Cort. granat.

Fol. plantag. $\overline{aa}$ unc. fs.

Aq. font. lib. iii.

Coque ad lib. ii. addendo sub finem

Cinnamom. drach. i.

Colat. adde

Syr. de ros. ficc. unc. i.

* Decoctum bardanæ.

℞ Rad. bardan. maj. unc. ii.

Aq. font. lib. iii.

Coque ad lib. ii. colat. cui adde

Tartar. vitriolat. drach. i.

* Decoctum Campechense.

℞ Scob. lign. Campechens. unc. iiii.

Aq. font. lib. iv.

*Coque ad medias, addendo sub finem*Cinamomi drach. ii. *Cola.*

* Decoctum commune.

℞ Fol. malv.

Flor. chamæmel. $\overline{aa}$ unc. i.

Aq. font. lib. vi.

Coque ad lib. iv. et cola.

* Decoctum

* Decoctum diureticum.

℞ Rad. petroselin. *vel* fœnicul. unc. i.
 Sem. dauc. filv. drach. iii.
 Herb. parietar. unc. fs.
 Passular. maj. unc. ii.
 Aq. font. lib. iii.
Coque ad lib. ii. colat. cui adde
 Nitri drach. i.

* Decoctum hordei.

℞ Hordei perlat. unc. ii.
 Aq. font. lib. vi.
Coque ad lib. iv. et cola.

* Decoctum lignorum.

* Decoctum nitrosum.

* Decoctum fenekæ.

℞ Rad. fenekæ unc. i.
 Aquæ font. lib. i. fs.
Coque ad lib. i. et cola.

* Decoctum serpentariæ compositum.

℞ Sacchar. alb. unc. i. *pro* diacodio.

* Decoctum tamarindorum cum fenna.

℞ Syr. ros. pall. *pro* syr. violar.

* Decoctum vulnerarium.

℞ Herb. hederæ terr.
Fol. plantag. $\overline{aa}$ unc. fs.
Aq. font. lib. iii.
Coque ad lib. ii. colat. cui adde
Sacch. alb. unc. fs.

* Electuarium antidyfentericum.

℞ Confect. roborant. unc. i.
Balf. Locatell. (ovi vitello solut.) unc. fs.
Rhei elect. pulv. drach. ii.
Syr. de althæa q. f. M.

* Electuarium balsamicum.

℞ Conf. rofar. unc. ii.
Balf. Locatell. (ovi vitello solut.)
unc. i. M.

* Electuarium cephalicum.

℞ Rad. valerian. filv.
Visci quern. $\overline{aa}$ unc. i.
Syr. sacchar. q. f. M.

* Electuarium hæmorrhoidale.

℞ Electuar. lenitiv. unc. ii.
Flor. sulphur. unc. fs. M.

Electu-

Electuarium lenitivum.

℞ Rad. polypod. unc. iii.

Aq. font. lib. vi.

Coque ad lib. iv. injiciendo sub finem

Fol. fennæ unc. ii.

Sem. coriandri unc. fs.

Colaturæ adde

Sacchar. alb. lib. iv.

Coque ad syr. spissior. consistent. et adde

Pulp. prunor. Gallic. lib. i.

cass. fistul.

tamarind. aa lib. fs. M. f. a.

* Electuarium ad nephriticos.

℞ Elect. lenitiv. unc. i. fs.

Terebinth. Ven. (vitello ovi solut.)
unc. i.

Testar. ovar. præp. unc. fs.

Rhei elect. drach. i.

Syr. de althæa q. f. M. f. a.

* Electuarium Peruvianum febrifugum.

℞ Cort. Peruv. unc. i.

Sal. ammoniac. crud. drach. i.

Syr. è succo limon. q. f. M.

* Electuarium Peruvianum roborans.

℞ Cort. Peruv. unc. i. fs.

Colcothar. vitrioli drach. iii.

Syr. sacchar. q. f. M.

* Electu-

* Electuarium Peruvianum stypticum.

℞ Cort. Peruv. unc. i. fs.

Alum. rup. unc. fs.

Syr. limon. q. f. M.

* Electuarium sistens.

℞ Conf. roborant. unc. ii.

Extract. lign. Campech. unc. i.

Syr. è ros. ficc. q. f. M.

Elixir proprietatis.

Elixir proprietatis cum acido.

Elixir salutis.

℞ Jalappam *pro rheo.*

Elixir stomachicum.

℞ Rad. gentian. unc. i.

Aurant. Curaflav. unc. i. fs.

Cochinill. drach. fs.

Spir. vin. Gall. lib. ii.

Macera per biduum, et cola.

Elixir vitrioli.

℞ Elixir. stomachici lib. i.

Instilla paulatim

Ol. vitrioli unc. iv.

M. et filtra.

Empla-

Emplastrum adhæsivum.

℞ Empl. commune *pro* diachylo.

Emplastrum anodynum.

Emplastrum antihystericum.

Emplastrum calidum.

℞ Empl. gummos. unc. i.
epispastic. drach. ii.

Liquefiant simul leni igne.

Emplastrum cereum.

℞ Ceræ flav. lib. iv.

Resin. alb. lib. ii.

Sevi lib. i. fs.

Liquefiant simul.

Emplastrum commune.

℞ Lithargyr. præp. lib. iii.

Ol. olivar. lib. vi.

Coque ad debitam spissitudinem.

Emplastrum defensivum.

℞ Lithargyr. præp. lib. ii.

Ol. olivar. lib. iv.

*Coque ferè ad spissitudinem emplastri, in
quo liquefiant.*

Ceræ flav. unc. vi.

Oliban. unc. iv.

Dein

Dein adde

Boli Armen. præp. unc. vi.

Sang. dracon. triti unc. ii.

Terebinth. Ven. unc. iv.

Emplastrum epispasticum.

℞ Picis Burgund. unc. xx.

Tereb. Venet.

Cantharid. pulv. aa unc. vi.

Emplastrum gummosum.

℞ Ol. palmæ lib. iv.

Lithargyr. præp. lib. i. fs.

Coque ferè ad spissitudinem emplastri, et a

G. ammoniac.

galbani, aa lib. i. fs.

Emplastrum mercuriale.

℞ Empl. gummosum *pro* diachylo.

Emplastrum saponaceum.

℞ Empl. gummosi lib. iii.

Sapon. alb. rafi lib. fs.

Liquefacto empl. immisce saponem.

Emplastrum stomachicum.

℞ Ceræ flav. unc. viii.

Tacamahac. trit.

Ol. palmæ, aa unc. iv.

Simul liquefactis adde

Caryophyll. aromat. pulv. unc. ii.

Ol. macis expr. unc. i. fs. M. f. a.

Emplastrum recens extensum inungatur

Ol. still. menthæ guttis aliquot.

* Emplastrum suppurans.

R Empl. gummos. unc. i. fs.

Picis Burgund. unc. fs.

Liquescant simul.

* Emulsio camphorata.

R Camphoræ scrup. i.

Amygdalas N^o iv.

Tritis simul, adde sensim

Aquæ rutæ unc. iv.

ut f. emulsio, cui adde

Aquæ epidem.

Syr. sacchar. aa unc. i.

* Emulsio communis.

R Amygd. dulc. unc. i.

Aq. font. lib. ii.

F. emulsio, cui adde

Sacch. alb. drach. ii.

Si aquæ incoxeris G. Arab. drach. iii. fit

* Emulsio Arabica.

* Enema

* Enema de amylo.

℞ Gelatinæ ex amylo unc. iv.

Liquefactæ leni igne immisce

Ol. lini unc. fs.

Fit quoque addendo

Laudan. liquid. gutt. xl.

* Enema anodynum.

℞ Infus. lini unc. vi.

Laudan. liquid. gutt. xl. M.

* Enema anticolicum.

℞ Decoct. commun. lib. fs.

Tinct. sacrae unc. i.

Sal. commun. drach. i.

Ol. lini unc. ii. M.

* Enema astringens.

℞ Aq. calc. unc. x.

Conf. roborant. unc. fs. M.

* Enema astringens balsamicum.

Adde priori enemati

Bals. Locatell. (vitello ovi solut.) unc. i.

Utrumque ferè sufficit pro duabus vicibus.

* Enema domesticum.

℞ Lact. vaccin. lib. fs.

Sacch. rubri,

Ol. olivar. $\overline{aa}$ unc. i. M.

* Enema

* Enema emolliens.

℞ Ol. palmæ unc. i. fs.
 Vitell. unius ovi.
Probè subactis adde
 Lact. vaccin. lib. fs.

* Enema foetidum.

℞ Rutæ,
 Sabin. aa unc. fs.
 Aq. font. lib. i. fs.
Coque ad lib. i. colat. cui adde
 Assæ foetid. drach. ii.
 Ol. olivar. unc. i.
 still. succin. drach. fs. M. f. a.
Pro duabus vicibus.

* Enema purgans.

℞ Decoct. commun. lib. fs.
 Sapon. alb. unc. i.
 Syr. de rhamno unc. i. fs. M. f. a.

* Enema terebinthinatum.

℞ Decoct. commun. unc. x.
 Terebinth. Ven. (vitello ovi solut.)
 unc. fs.
 Ol. lini unc. i. M. f. a.

D

* Expressio

* Expressio millepedarum.

R Milleped. viv. unc. iii.

Aq. fœnicul. lib. i.

raphan. comp. lib. fs.

*Contunde, sensim affundendo aquas, et f.
expressio.*

Extractum gentianæ.

Extractum hellebori nigri.

Extractum ligni Campechensis.

Extractum ligni guajaci.

Extracta utriusque ligni fiunt longâ
iteratâ coctione ex aqua, et inspissâ
tione lento igne.

Flores sulphuris.

* Fotus anodynus.

R Capit. papav. hort. unc. i.

Flor. sambuci unc. fs.

Aq. font. lib. iii.

Coque ad lib. ii. et cola.

* Fotus aromaticus.

R Caryoph. aromat.

Macis, aa drach. i.

Vini rubri lib. i.

Coque parum et cola.

* Fot

Fotus emolliens. *Vid. Decoctum commune.*

Fotus roborans.

℞ Cort. querc. unc. i.
 granator. unc. fs.
 Aq. fabrorum lib. iii.
Coque ad lib. ii. colat. cui adde
 Alum. rup. drach. ii.

Gargarisma astringens.

℞ Cort. quercûs unc. i.
 Aq. font. lib. i. fs.
Coque ad lib. i. colat. cui adde
 Alum. rup. drach. i.
 Mell. rosat. unc. i.

Gargarisma commune.

℞ Aq. font. unc. vi.
 Nitri drach. i.
 Mell. rosat. unc. i. M.
Adde nonnunquam
 Spir. vitrioli gutt. xl.

Gargarisma emolliens.

℞ Rad. althææ unc. ii.
 Ficus N° iv.
 Aq. font. lib. iii.
Coque ad lib. ii. et cola.

* Haustus

* Haustus diaphoreticus.

℞ Spir. Minderer.
Syr. diacod. $\overline{aa}$ unc. fs.
Sal. C. cervi vol. gr. v. M.

* Haustus salinus.

℞ Sal. absinth. scrup. i.
Succ. limon. unc. fs.
Sacchar. alb. drach. i. M.

* Infusum amarum.

* Infusum amarum cum fenna.

* Infusum antiscorbuticum.

℞ Trifol. aquat. unc. ii.
Aurant. Curaflavenf. unc. fs.
Aq. font. bullient. lib. iv.
Infunde per noctem in vase clauso, et cola-
turæ adde
Aq. raph. comp. unc. iv.

* Infusum cephalicum.

℞ Rad. valerian. filv. unc. ii.
Rorismarin. *vel* salviæ unc. fs.
Aq. font. bullient. lib. iv.
Infunde per noctem in vase clauso, et cola-
turæ adde
Aq. aromat. unc. iv.

* Infusum

* Infusum lini.

℞ Sem. lini integri cochl. ii.
 Glycyrrhiz. ras. unc. fs.
 Aq. font. bullient. lib. iv.
Infunde ad focum horas aliquot, et cola.

* Infusum pectorale.

Adde priori infuso
 Fol. tussilag. unc. i.

* Injectio balsamica.

℞ Bals. copaiba unc. fs.
 Vitellum unius ovi.
Probè subactis adde sensim
 Aq. calcis unc. vi.
 Mell. rosat. unc. ii. M.

* Injectio mercurialis.

℞ Argenti viv.
 Bals. copaiba, aa unc. fs.
Subactis ad extinctionem adde
 Ovi vitellum.
Et optimè commixtis sensim adjice
 Aq. rosar. lib. fs.

* Julapium ammoniacum.

℞ Lact. ammoniac. unc. iv.
 Syr. scillit. unc. iii. M.

* Julapium

* *Julapium antihystericum.*

℞ Aq. puleg. unc. iv.
 antihysteric. unc. ii.
 Tinct. castor. drach. ii.
 Sal. C. cerv. vol. gr. x. *vel* spir. fuc-
 cin. drach. i.
 Sacchar. alb. drach. vi. M.

* *Julapium cardiacum.*

℞ Aq. alexeter. unc. iv.
 aromat. unc. ii.
 Spir. vol. oleos.
 Tinct. croci, aa drach. ii.
 Sacchar. alb. unc. fs. M.

* *Julapium diaphoreticum.*

℞ Aq. alexeter. unc. iv.
 Spir. Mindereri unc. ii.
 Sal. C. cerv. vol. gr. x.
 Sacchar. alb. drach. vi. M.

* *Julapium diaphoreticum acidum.*

℞ Aq. alexeter. unc. iv.
 Aceti theriacal. unc. ii.
 Tinct. croci unc. fs.
 Spir. fuccin. drach. i.
 Sacchar. alb. unc. i. M.

* *Julapium*

* Julapium diureticum.

℞ Spir. Minderer. unc. iv.
 Aq. raph. comp. unc. ii.
 Syr. de althæa unc. iii. M.
Adde nonnunquam
 Spir. fuccin. drach. i.

* Julapium foetidum.

℞ Aq. rutæ unc. vi.
 Affæ foetid. drach. i. fs.
F. solutio, cui adde
 Aq. antihysteriæ unc. ii.
 Ol. still. C. cerv. gutt. xx. *exceptas*
 Sacchar. alb. drach. x. M.
Fit quoque sine oleo.

* Julapium hydragogum.

℞ Aq. fl. chamæm. unc. vi.
 Tartar. emet. gr. x.
 Syr. de rhamno unc. ii. M.

* Julapium moschatum.

℞ Aq. rosar. unc. vi.
 Spir. vol. oleos. drach. i. fs.
 Mosch. gr. xv.
 Sacch. alb. unc. fs. M.
Teratur moschus cum saccharo.

* Julapium

* Julapium salinum.

℞ Aq. menth.
Syr. limon. $\overline{aa}$ unc. ii.
Sal. abfinth. drach. i. M.

* Julapium scilliticum.

℞ Aq. hyssop. *vel* foeniculi,
Syr. scillit. $\overline{aa}$ unc. iii. M.

* Julapium sistens.

℞ Aq. alexeter. unc. iv.
aromat. unc. ii.
Confect. robor. drach. ii.
Terr. Japon. trit. drach. i.
Laudan. liquid. gutt. xl.
Sacch. alb. unc. fs. M.

Lac ammoniacum.

℞ Gum. ammoniac. unc. i. fs.
Aq. hyssop. lib. ii. *Solve.*

* Lac ferratum.

*Fit ex lacte vaccino recente, in quo fer-
rum candens toties extinctum fuerit
quarta pars exhalet.*

Laudanum

Laudanum liquidum.

℞ Opii unc. ii.

Aquæ aromat. unc. xx.

Digere leni calore donec solvatur opium, et cola.

* Linimentum anodynum.

℞ Ung. nervin. unc. iii.

Bals. terebinth. unc. i. M.

Linimentum Arcæi.

* Linimentum hæmorrhoidale.

℞ Ung. emollient. unc. ii.

Laudan. liquid. unc. fs.

Vitellum ovi.

Probè subigantur.

* Linimentum mercuriale.

℞ Axung. porc. unc. i.

Mercur. præcip. alb. drach. i. M.

* Lohoch balsamicum.

℞ Sperm. cœti drach. ii.

Bals. Peruv. gutt. xl.

Vitell. ovi q. f.

Probè subactis adde

Syr. de althæa unc. ii.

E

* Lohoch

* Lohoch commune.

℞ Ol. lini recent.
Syr. de althæa, aa unc. ii. M.

* Lohoch pectorale.

℞ Sperm. cœti,
Sapon. alb. aa drach. ii.
Vitell. ovi q. f.
Probè subactis adde
Ol. lini. recent. unc. i. fs.
Syr. de althæa unc. iii. M.

Magnesia alba.

℞ Matricis nitri q. v.
Adde paulatim
Lixiv. ciner. clavellat. q. f.
*i. e. donec cesset præcipitatio pulveris albæ
qui diligenter aquâ calidâ abluendus.*

Mel rosatum.

Mercurius præcip. albus dulcis.

Mercurius præcipitatus ruber.

Mercurius saccharatus.

Mercurius sublimatus corrosivus.

Mercurius sublimatus dulcis.

* Oleum

* Oleum camphoratum.

R Ol. lini recent. unc. i.
Camphoræ unc. fs. M.

Oleum still. cornu cervi.

Oleum still. juniperi.

Oleum still. menthæ.

Oleum still. origani.

Oleum still. rorismarini.

Oleum still. fuccini.

Oleum tartari per deliquium.

Oleum terebinthinæ.

Oleum vitrioli.

Opium præp. seu extract.

* Oxymel pectorale.

Pilulæ Æthiopicæ.

Duplicetur argentum vivum.

* Pilulæ

* Pilulæ ex allio.

℞ Allii,
Sapon. alb. $\overline{aa}$ unc. fs.
Milleped. præp. q. f. M. f. a.
E singulis semidrachmis formentur pil. vi.

Pilulæ aloëticæ.

℞ Aloës Succotrin.
Sapon. alb. $\overline{aa}$ p. æ.
Mellis liquid. q. f. M. f. a.

Pilulæ chalybeatæ.

℞ G. ammoniac.
Extract. gentian.
Sal. Martis,
Myrrhæ, $\overline{aa}$ unc. i.
Syr. facch. q. f. M. f. a.

Pilulæ cocciaæ.

℞ Ol. junip. *pro* ol. caryoph.

Pilulæ ecphracticæ chalybeatæ.

℞ Aloës Succotrin.
Extract. helleb. nigr.
Sal. Martis,
Galban.
Myrrhæ, $\overline{aa}$ unc. i.
Syr. facchar. q. f. M. f. a.

Pilulæ ecphracticæ purgantes.

℞ Aloës Succotrin.
 Extract. helleb. nigr.
 Scammonii, $\overline{aa}$ unc. ii.
 Tartar. vitriolat. drach. iii.
 Ol. still. junip. drach. i. fs.
 Syr. de rhamno q. f. M. f. a.

Pilulæ gummosæ.

℞ Affæ foetid.
 Fuligin. splendent.
 Myrrhæ, $\overline{aa}$ unc. ii.
 Ol. still. fuccin. drach. i. fs.
 Syr. sacchar. q. f. M. f. a.

Pilulæ mercuriales.

Pilulæ mercuriales laxantes.

Argenti viv. unc. i. fs.
 Mell. liquid. q. f.
Tere ad extinctionem, et adde
 Mass. pil. cocc.
 Gum. ammoniac. $\overline{aa}$ unc. i. M. f. a.

Pilulæ pacificæ.

℞ Galban.
 Myrrhæ,
 Sapon. alb. $\overline{aa}$ unc. ii.
 Opī præp. unc. i.
 Syr. sacch. q. f. M. f. a.

Pilulæ

Pilulæ pectorales.

℞ G. ammoniac. unc. i. fs.
 Myrrh. unc. i.
 Balf. sulph. terebinth. drach. i.
 Syr. de althæa q. f. M. f. a.

* Pilulæ piceæ.

℞ Picis liquid. q. v.
 Rad. helen. pulv. q. f. M. f. a.
E singulis semidrachmis formentur pil. vi.

Pilulæ roborantes.

℞ Oliban. unc. i. fs.
 Pulv. styptic. unc. i.
 Sal. Martis unc. fs.
 Syr. sacchar. q. f. M.

* Pilulæ scilliticæ.

℞ Scillæ recent.
 G. ammoniac.
 Cardamom. min. ʒaa p. æ. M. f. a.
E singulis semidrachmis formentur pil. vi.

Pilulæ stomachicæ.

℞ Aloës Succotrin. unc. i. fs.
 Gum. ammoniac.
 Myrrhæ, ʒaa unc. fs.
 Tartar. vitriolat. drach. ii.
 Ol. still. menth. drach. fs.
 Syr. sacchar. q. f. M. f. a.

* Potio

* Potio balsamica.

℞ Bals. copaib. drach. iii.
 Ol. still. junip. gutt. xxx.
 Vitell. ovi.
Optimè subactis immisce
 Aq. foenicul.
 raph. comp. $\overline{aa}$ unc. iii.
 Syr. de althæa unc. ii.

* Pulvis antilyffus.

* Pulvis cephalicus.

Pulvis contrayervæ compositus.

℞ Testas ostreor. præp. *pro pulv.* è chel.
 cancr. co.

Pulvis Cornachini.

Pulvis diaromatôn.

℞ Canell. alb.
 Zingiber. $\overline{aa}$ p. æ. M.

Pulvis stypticus.

Pulvis testaceus ceratus.

℞ Ceræ flav. q. v.
Liquefactæ insperge sensim, agitando dili-
genter supra ignem lenem.
 Testar. ostreor. præp. q. f.
i. e. donec pulveris mixturam respuat cera.

Pulvis

Pulvis testaceus compositus.

℞ Testar. ostreor. præp. lib. i.
Cretæ alb. lib. ss. M.

Pulvis vermifugus.

℞ Flor. tanacet.
Sem. fantonic. $\overline{aa}$ drach. iii.
Sal. Mart. drach. i. M.

Pulvis vermifugus purgans.

℞ Rhei elect. drach. iii.
Scammon.
Calomel. $\overline{aa}$ drach. i. M.

Saccharum Saturni.

Sal absinthii fixum.

Sal ammoniacum volatile.

Sal cornu cervi volatile.

Sal Jovis.

Sal Martis.

Sal mirabile Glauberi.

Sal polychrestum.

Sal tartari.

* Serum

* Serum acetosum.

R Lact. vaccin.
Aq. font. aa lib. i.
Coque ad ebullitionem, et adde
Aceti cochl. ii.
Aufer coagulum.

* Serum epidemium.

R Lact. vaccin. bullient. lib. ii.
Aq. epidem. unc. iv.
Aufer coagulum.

* Sinapismus simplex.

* Sinapismus compositus.

Spiritus cornu cervi.

Spiritus lavendulæ compositus.

R Flor. recent. lavendul. lib. i. fs.
rorismar. lib. fs.
Cort. exter. recent. limon. unc. iii.
Spir. vini rectific. cong. i. fs.
Destilla è B. M. ad siccitatem. In spiritu
destillato macera per biduum
Caryophyll. aromat.
Cubebar.
Scobis fantali rub. aa unc. ii. *Cola.*

Spiritus Mindereri.

F Spiritus

Spiritus nitri dulcis.

Spiritus falis dulcis.

Spiritus succini.

* Spiritus vini camphoratus.

Spiritus vini rectificatus.

Spiritus vitrioli dulcis.

Spiritus volatilis oleosus.

R Ol. still. rorismarini,
succini, $\overline{aa}$ unc. i. fs.

Sal. ammoniac. vol. unc. viii.

Spir. vini Gall. cong. i. fs.

Destilla cong. i.

* Succi antiscorbutici.

Sulphur auratum antimonii.

* Suppositoria.

*Fiunt è sale commun. cum duplo mell
coctis ad justam duritiem.*

Syrupus de althæa.

R Rad. althææ unc. iii.
glycyrrhiz. unc. i.

Trichomanis unc. ii.

Aq. font. lib. vi.

Sacch. alb. lib. iv.

F. s. a. syrupus, ut in Pharmac. Edin.

Syrupu

Syrupus è succo limonum.

Syrupus papaveris alb. seu diacodiôn.

Syrupus de rhamno cathartico.

Syrupus rosarum pallidarum.

Syrupus de rosis ficcis.

Syrupus sacchari.

Syrupus scilliticus.

Tartarus emeticus.

Tartarus vitriolatus.

Testæ ovorum præparatæ.

Pelliculâ interiore, post coctionem, detractâ, terantur et lævigentur in pulverem subtilem.

Theriaca.

℞ Rad. serpentar. Virg. unc. viii.

valerian. filv. unc. vi.

Fol. scord. unc. iv.

Caryophyll. aromat.

Myrrhæ, aa unc. iii.

Galban. unc. ii.

Croci unc. i.

Opii unc. fs.

Mellis triplum ad pondus pulverum.

M. f. a.

Tinctura

Tinctura antimonii.

Tinctura antiphthifica.

Tinctura cantharidum.

℞ Cantharid. unc. fs.

Spir. vini rectific. lib. iii.

*Digere per biduum, et tincturam filtratam
digere rursus in B. A. cum*

Bals. copaiba unc. iii.

*Donec solvatur balsamum, dein adde
Camphoræ unc. fs.*

Tinctura castorei.

Tinctura cort. Peruviani.

Tinctura croci.

Tinctura fuliginis.

Tinctura hellebori nig.

Tinctura jalappæ.

Tinctura ipecacuanhæ.

Omittatur cochinilla.

Tinctura Martis.

Tinctura menthæ.

Tinctura myrrhæ.

Tinctura

Tinctura myrrhæ & aloës.

Tinctura rhei amara.

Cum. spir. vini, omiffâ cochinillâ.

* Tinctura rofarum.

Tinctura facra.

R Aloës Succotrin. unc. ii.

Aquæ aromat. lib. iii.

Macera per biduum, et cola.

Trochisci albi.

R Ceruss. drach. x.

Gum. Arab.

Amyli, aa drach. iii.

Camphor. drach. fs.

Aq. rofar. q. f. M. f. a.

Trochisci de minio.

Turpethum minerale.

Vitrum antimonii.

Vitrum antimonii ceratum.

Unguentum Ægyptiacum.

Unguentum album.

Unguentum basilicon.

Unguentum

Unguentum è lapide calaminari.

Unguentum emolliens.

℞ Ol. palmæ lib. iv.

Ceræ flav. lib. fs.

Ol. lini lib. ii.

Liqueſcant ſimul.

Unguentum epifpaſticum.

Unguentum mercuriale.

℞ Argent. viv. unc. ii.

Axung. porc. præp. unc. iii.

Sevi unc. i.

Optimè ſubigantur.

Unguentum nervinum.

℞ Ol. laurin. lib. iii.

Sevi lib. ii.

Ol. ſtill. fuccin. unc. ii. M. f. a.

* Unguentum nutritum.

* Unguentum piceum.

℞ Picis liquid.

Sevi, aa p. æ.

Liqueſcant ſimul, agitando diligenter.

Unguentum ſambucinum.

Unguentum

Unguentum Saturninum.

* Unguentum sulphureum.

℞ Axung. porc. præp. unc. ii.
Sulphur. trit. unc. fs. M.

* Unguentum tutiæ.

℞ Tutiæ præp. unc. fs.
Butyri recent. insulf. unc. ii.
Ceræ alb. drach. i. M. f. a.

* Unguentum tutiæ camphoratum.

Adde priori unguento

Camphoræ drach. i.

Fit quoque cum camphora duplici, &c.

I N D E X

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

ingenuity of the farmer.

I N D E X

MORBORUM et MEDICAMENTORUM

quoad vires.

Alexeteria, Alexipharmaca. vid. *Diaphoretica.*

Abscessus. vid. *Traumatica.*

Alvi fluxus. vid. *Diarrhœa.*

Alvus adstricta. vid. *Cathartica, Laxantia.*

Amaurosis. vid. *Ophthalmica.*

Ambusta. Balf. traumaticum. Ol. camphoratum. Spir. vini camphorat. Ung. album. Ung. emolliens. Ung. è lap. calaminari. Ung. nutritum. Ung. sambucinum. Ung. Saturnium.

Angina.

Angina. Decoct. tamarind. c. Senna. Julap. diaphoreticum. Emetica. *Externa.* Empl. epispasticum. Gargarismata varia. Cataplasma camphoratum. Spir. Mindereri.

Animi deliquium, Syncope. vid. *Cardiaca.*

Anodyna, Paregorica. Opium præp. Bolus è castoreo. Laudanum liqu. Pil. pacificæ. Theriaca. Syr. papaveris albi. *Externa.* Bals. terebinthinæ. Fetus anodynus. Ol. camphoratum. Liniment. anodynum. Ung. nervinum. Empl. anodynum. Empl. calidum. Empl. epispasticum.

Anthelmintica. Fol. sabinae. Flor. tanacet. Sem. fantonicum. Pulv. stanni. Vitriol. alb. et viride. Æthiops min. Bolus rhei c. Mercurio. Chalybs saccharatus. Mercurius saccharatus. Pil. Mercuriales laxant. Pulv. vermifugus uterque.

Antibectica. vid. *Phthisis.*

Antimonialia. Antimon. præp. Antimon. diaphoreticum. Sulph. aur. antimonii. Tinct. antimonii

antimonii. Pil. Æthiopicæ. Tartarus emeticus. Vitrum antimonii. Idem ceratum.

Aphthæ. Gargarisma emolliens. Lohoch. Balsamic. Lohoch commune. Empl. epispasticum.

Apoplexia. vid. *Cephalica.*

Arthritica. vid. *Rheumatismus.*

Asthma. Rad. allii. Rad. scillæ. Rad. helenii. Fol. marrubii. Crocus. Gum. ammoniacum. Assa foetida. Sapo albus. Bolus pectoralis. Expressio milleped. Flos sulphuris. Balf. sulphuris terebinthinatum. Julap. ammoniacum. Julap. foetidum. Julap. scilliticum. Lohoch pectorale. Oxymel pectorale. Ol. cornu cervi. Pil. ex allio. Pil. pectorales. Pil. scilliticæ. Emetica. Empl. epispasticum. vid. *Pectoralia.*

Astringentia, Styptica. Rad. consolidæ maj. Rad. tormentillæ. Fol. plantaginis. Rosæ rubræ. Cort. granatorum. Cort. quercus. Terra Japonica. Olibanum. Sang. draconis. Alumen. rup. Bolus Armena. Creta alba. Vitriola. Colcothar vitrioli. Confectio roborans. Decoct.

Decoët. album. Decoët. astringens. Decoët. Campechense. Electuar. Peruv. roborans. Elect. Peruv. stypticum. Elect. sistens. Elect. antidysentericum. Extract. lig. Campechensis. Julap. sistens. Lac ferratum. Pulv. stypticus. Pulv. testaceus comp. Idem ceratus. Saccharum Saturni. Spir. vini rectif. Spir. vitrioli dulcis. Syrupus de rosis ficcis. Tinct. rosarum. Tinct. Martis. Tinct. antiphthifica. Aqua styptica. Gargarisma astringens. Enema anodynum. Enema astringens. Fetus roborans. Opiata.

Cachexia, Chlorosis. Sal polychrestum. Infusum amarum utrumque. Bolus rhei c. Mercurio. Pil. aloëticæ. Pil. chalybeatæ utræque. Pil. stomachicæ. Tinct. sacra. Tinct. rhei amara. Elix. stomachicum. Elix. vitrioli. Elix. proprietatis utrumque. Chalybs saccharatus. Tinct. Martis. Antimonium præp. Cinnabaris antimonii. Cervisia aperiens. Cervisia ad scorbuticos. Aqua picea. Æthiops mineral. Pil. Mercuriales utræque. Pil. Æthiopicæ. Decoët. lignorum. Emetica.

Calculus. vid. *Nephritica.*

Cardiaca.

Cardiaca. Aq. aromatica. Julap. cardiacum. Julap. moschatum. Spir. cornu cervi. Spir. volatilis oleosus. Spir. lavendulæ comp. Spir. succini. Tinct. croci. Tinct. castorei. Bolus è castoreo.

Cardialgia. Emetica. Tinct. rhei amara. Tinct. sacra. Magnesia alba. Pulv. testaceus comp. Chalybs saccharatus. vid. *Stomachica.*

Carminativa. Rad. zingiberi. Sem. coriandri. Pulv. diaromatôn. Aqua aromatica. Spir. lavendulæ comp. Spir. volatilis oleosus. Tinct. fuliginis.

Catarrhus. Flos sulphuris. Balf. sulphuris. Conserva rosar. Decoct. antihecticum. Elect. balsamicum. Emulsio Arabica. Infusum pectorale. Opiata. Infusum amarum c. fenna. Empl. epispasticum. vid. *Pectoralia.*

Cathartica, Laxantia. Rad. hellebori nigri. Rad. jalappæ. Rad. polypodii. Rhabarbarum. Fol. fennæ. Cassia fistula. Colocynthis. Tamarindi. Aloë. Manna. Scammonium. Sal Glauberi. Sal polychrestum. Extract. hellebori nig. Syr. de rhamno cathartico.

tico. Syr. rofar. pallidarum. Bolus jalappæ c. Mercurio. Bol. rhei c. Mercurio. Decoct. tamarindorum. Elect. lenitivum. Elect. hæmorrhoidale. Elixir proprietatis. Elixir salutis. Tinct. jalappæ. Tinct. rhei amara. Tinct. sacra. Magnesia alba. Infusum amarum c. senna. Julap. hydragogum. Pulv. Cornachini. Pulv. vermifugus purgans. Pil. aloëticæ. Pil. cocciaæ. Pil. ecphracticæ utræque. Pil. stomachicæ. Pil. Mercuriales laxantes. Enema domesticum. Enema purgans. Enema anticolicum. Suppositoria.

Cephalica. Rad. pæoniæ. Rad. pyrethri. Rad. valerianæ filv. Fol. asari. Fol. betonicæ. Fol. majoranæ. Fol. et flor. rorismarini. Fol. salviæ. Flor. lavendulæ. Viscus quernus. Cardamomum minus. Caryophylli aromatici. Cubebæ. Nux moschata. Assa foetida. Castoreum. Ol. cornu cervi. Ol. rorismarini. Ol. succini. Aqua rutæ. Aqua antihysterica. Infusum cephalicum. Cervisia cephalica. Spir. cornu cervi. Spir. lavendulæ comp. Spir. volatilis oleosus. Spir. succini. Tinct. castorei. Tinct. fuliginis. Cinnabaris antimonii. Bolus è castoreo. Julap. foetidum. Elect. cephalicum. Pil. gummosæ. Pulv. cephalicus. Empl. epispasticum.

epispasticum. Ung. epispastic. Sinapismus uterque. Emetica. Cathartica.

Chalybeata. Limatura et rubigo ferri. Chalybs saccharatus. Colcothar. vitrioli. Elect. Peruvian. roborans. Lac. ferratum. Pil. chalybeatæ utræque. Pil. roborant. Tinct. Martis.

Chlorosis. vid. *Cachexia.*

Chorea, Sancti Viti. vid. *Cephalica.*

Colica, Iliaca. Bolus rhei c. Mercurio. Elixir salutis. Tinct. sacra. Tinct. rhei amara. Pil. aloëticæ. Pil. stomachicæ. Aq. aromatica. Aqua menthæ utriusque. Tinct. menthæ. Haustus salinus. Julap. salinum. Enema anticolicum. En. emolliens. Fetus aromaticus. Cataplasma stomachicum. Opiata.

Convulsio. vid. *Cephalica.*

Cutanei affectus. vid. *Scabies.*

Diabetes. Aqua calcis et benedicta comp. Decoct. antihectic. Emulsio Arabica. Lac ferratum. Elix. vitrioli. Spir. vitrioli dulcis. Tinct.

Tinct. rosarum. Tinct. antiphthifica. Pulv. stypticus. Elect. Peruv. stypticum. Emetica et Cathartica lenia.

Diaphoretica, Sudorifica, Alexipharmaca. Rad. contrayervæ. Rad. imperatoriæ. Rad. serpentariæ Virg. Rad. zedoariæ. Fol. cardui ben. Fol. scordii. Fol. rutæ. Flor. sambuci. Sem. angelicæ. Crocus. Lig. guajaci cum cort. Extract. guajaci. Lig. sassaphras cum cort. Camphora. Emulsio camphorata. Gum. guajaci. Opium et opiata. Acetum theriacale. Serum acetosum et epidemium. Aqua alexeteria. Aqua epidemia. Decoct. serpentariæ comp. Decoct. lignorum. Bolus è castoreo. Bolus diaphoreticus. Bolus guajacinus. Bolus alexeterius. Antimonium diaphoreticum. Sulphur. aur. antimonii. Haustus diaphoreticus. Julap. diaphoreticum utrumque. Pulv. contrayervæ comp. Sal ammoniacum et cornu cervi volatilia. Spir. cornu cervi. Spir. Mindereri. Theriaca.

Diarrhæa, Dysenteria, Tenesmus. Rad. Ipecacuanhæ. Tinct. Ipecacuanhæ. Rhabbarum. Bolus rhei c. Mercurio. Tinct. rhei

rhei amara. Decoct. Campechense. Extract.
lig. Campechensis. Decoct. album. Decoct.
astringens. Confectio roborans. Electuarium
fistens. Elect. antidyfentericum. Pil. roborant.
Julap. fistens. Lac ferratum. Aqua calcis.
Lohoch. balsamicum. Pulv. testaceus cera-
tus. Vitrum antimonii ceratum. Opiata. Ene-
ma emolliens. En. anodynum. En. de a-
mylo. En. astringens. En. astringens balsa-
micum. Fetus aromaticus. vid. *Astringentia*.

Discussientia. Acetum lithargyrit. Sal. am-
moniacum. Spir. Mindereri. Spir. vini cam-
phorat. Cataplasma discutiens. Ung. sambuci-
num. Empl. gummosum. Empl. Mercuriale.
Empl. saponaceum. Oleum camphoratum.

Diuretica. Rad. allii. Rad. bardanæ maj.
Rad. eryngii. Rad. foeniculi. Rad. petroseli-
ni. Rad. senekæ. Rad. scillæ. Fol. parie-
taræ. Flor. chamæmeli. Sem. dauci filv.
Sem. foeniculi. d. Sem. sinapi. Terebinthina
Ven. Balf. copaiba. Cantharides. Millepedæ.
Nitrum. Aqu. foeniculi. Aqu. raphani comp.
Acetum scilliticum. Ol. terebinthinæ. Ol.
H juniperi.

juniperi. Decoctum bardanæ. Decoct. senekæ. Decoct. diureticum. Decoct. nitrosum. Cervisia diuretica. Bolus diureticus. Electuar. ad nephriticos. Emulsio communis et Arabica. Expressio millepedarum. Haustus salinus. Julap. salinum. Julap. diureticum. Julap. scilliticum. Potio balsamica. Sal tartari. Sal Polychrest. Spir. nitri d. Spir. falis d. Spir. fucini. Tinct. cantharidum. Pil. scilliticæ. E-nema terebinthinatum.

Dysenteria. vid. *Diarrhœa.*

Dysuria. vid. *Nephritica.*

Emetica. Rad. ipecacuanhæ. Tinct. ipecacuanhæ. Vitriolum alb. Syr. scilliticus. Tartarus emeticus. Turpethum minerale.

Emmenagoga. vid. *Menses Moventia.*

Epilepsia. vid. *Cephalica.*

Erysipelas. Sal. Glauberi. Decoct. Tamarindor. Bolus alexeterius. Empl. epispasticum. Cataplasma emolliens. Cataplasma camphoratum. Fetus anodynus. Fetus aromaticus. Spir. vini camphoratus. Ung. nutritum.

tum. Ung. sambucinum. Ung. tutiæ camphoratum.

Expectorantia vid. *Pectoralia*.

Febris Continua. Emulsio communis. Decoct hordei. Decoct. nitrosum. Decoct. tamarindorum. Decoct. serpentariæ comp. Haustus salinus. Julap. salinum. Julap. diaphoreticum utrumque. Julap. cardiacum. Julap. scilliticum. Pulv. contrayervæ comp. Bolus alexeterius. Bolus e castoreo. Bolus diaphoreticus. Emulsio camphorata. Julap. moschatum. Serum acetosum & epidemium. Emetica. Enema domesticum. Enema emolliens. En. purg. Empl. epispasticum. Sinapis uterque.

Febris Intermittens. Emetica. Tinctura sacra. Tinct. rhei amara. Sal ammoniacum. Haust. salinus. Bolus diaphoreticus. Julap. diaphoreticum. Electuar. Peruvianum febri-fugum. Tinct. cort. Peruviani. Infusum amarum utrumque. Ol. succini.

Fluor Albus. Emetica ex ipecacuanha. Bolus rhei cum Mercurio. Pil. Mercuriales lax. Chalybeata.

60 INDEX MORBORUM

Chalybeata. Pulv. stypticus. Spir. vitrioli
dulg. Aqua calcis & benedict. co. Decoct.
lignorum. Elect. Peruvianum stypticum. Pil.
roborant. Potio balsamica. Tinct. cantha-
ridum. Tinct. antiphthifica. Balsamum ano-
dynam *extrinsecus*. Fetus roborans *injectus*.

Gangræna. Bolus alexeterius. Cortex Pe-
ruvianus. *Externa*. Ol. terebinthinæ. Cata-
plasma camphoratum. Ung. Ægyptiacum.
Tinct. myrrhæ & aloës.

Gonorrhœa virulenta. Decoct. tamarin-
dorum c. fenna. Pil. Mercuriales laxantes.
Potio balsamica. Tinct. cantharidum. Fetus
emolliens. Injectio balsamica. Injectio Mer-
curialis.

Gutta serena. vid. *Ophthalmica*.

Hæmoptoe. Decoct. tamarindorum. Decoct.
antihecticum. Decoct. vulnerarium. Emulsio
Arabica. Elect. balsamicum. Elect. Peruvia-
num febrifugum. Aqua calcis. Spir. vitrioli
dulg. Tinct. rosar. Tinct. antiphthifica. In-
fusum pectorale. Pulv. stypticus.

Hæmor-

Hæmorrhagia. Decoct. tamarindor. Decoct. nitrosum. Enema purgans. Aqua styptica. Colcothar vitrioli. Spir. vitrioli dulc. Tinct. rofar. Tinct. antiphthifica. Pulv. stypticus.

Hæmorrhoidalia. Flos sulphuris. Elect. hæmorrhoidale. Enema anodyn. Fetus anodynus. Ung. Emolliens.

Hypnotica. vid. *Anodyna.*

Hydrops. Bolus jalappæ c. Mercurio. Tinct. jalappæ. Julap. hydragogum. Pil. Mercuriales utræque. Bolus diureticus. Cervisia diuretica. Decoct. fenekæ. Expressio millepedarum. Potio balsamica. Julap. diureticum. Julap. salinum. Julap. scilliticum. Tinct. cantharidum. Sal absinthii. Pil. ex allio. Pil. scilliticæ.

Hypochondriacus & Hystericus Morbi.

Aqua pulegii. Aq. rutæ. Aq. antihysterica. Ol. still. succini. Ol. still. cornu cervi. Spir. cornu cervi. Spir. volatilis oleosus. Spir. lavendulæ comp. Tinct. castorei. Tinct. fuliginis.

ginis. Tinct. cort. Peruv. Julap. antihysteri-
cum. Julap. foetidum. Julap. moschatum.
Cervisia cephalica. Infusum cephalicum. Bo-
lus è castoreo. Elect. Peruvianum roborans.
Elixir vitrioli. Elix. proprietatis utrumque.
Enema foetidum. Pil. gummosæ. Pil. aloëti-
cæ. Pil. stomachicæ. Pil. chalybeatæ utræ-
que. Alia chalybeata. Bolus rhei cum Mercu-
rio. Tinct. rhei amara. Tinct. sacra. Emetica.
Empl. antihystericum.

Icterus. Emetica. Bolus rhei cum Mer-
curio. Tinct. rhei amara. Tinct. sacra. Sa-
po albus. Expressio millepedarum. Pil. scil-
liticæ.

Ischiadicus morbus. vid. *Rheumatismus.*

Laxantia. vid. *Cathartica.*

Lepra. vid. *Scabies.*

Lithontriptica. vid. *Nephritica.*

Lues venerea. vid. *Mercurialia.* vid.
Gonorrhæa.

Lumbago.

Lumbago. vid. *Rheumatismus.*

Mania. Melancholia. Emetica. Extract. et tinct. hellebori nigri. Tinct. sacra. Decoct. tamarindorum. Julap. foetidum. Pil. gummosæ. Camphora. Opiata. Empl. epispasticum.

Menses morventia. Rad. aristolochiæ. Rad. curcumæ. Rad. hellebori nigri. Rad. scillæ. Rad. valerian. silv. Rad. zedoar. Fol. artemisiæ. Fol. rutæ. Fol. sabinae. Fol. salviæ. Summit. centaurii min. Crocus. Sem. levistici. Sem. finapi. Aloë Succotr. Galbanum. Myrrha. Castoreum. Aq. pulegii. Aq. rutæ. Aq. antihysterica. Extract. & tinct. hellebori nigri. Elixir proprietatis. Tinct. croci. Tinct. sacra. Cervisia aperiens. Infusum amarum utrumque. Julap. antihystericum. Julap. ammoniacum. Pil. scilliticæ. Pil. Mercuriales lax. Pil. chalybeatæ utræque, aliaque chalybeata.

Menses sistencia. Electuar. Peruvianum roborans. Elect. Peruv. stypticum Pulvis stypticus. Pulv. testaceus ceratus. Tinct. antiphthifica. Tinct. rosarum. Spir. vitrioli dulcis. Vitrum antimon. ceratum.

Mercurialia.

Mercurialia. Æthiops min. Cinnabaris antimonii *pro suffitu.* Mercurius sublimatus dulc. Mercurius præcipitatus, albus & ruber. Mercurius saccharatus. Turpethum minerale. Pil. Mercuriales utræque. Pil. Æthiopicæ. Bolus Mercurialis. Bolus jalappæ cum Mercurio. Bolus rhei cum Mercurio. Pulv. vermifugus purgans. Injunctio Mercurialis. Linimentum Mercuriale. Unguentum Mercuriale. Empl. Mercuriale.

Mictus cruentus. vid. *Hæmorrhagia.*

Nephritica. Sapo albus. Aqua calcis. Bolus diureticus. Decoct. diureticum. Decoct. nitrosum. Infusum lini. Emulsio communis & Arabica. Ol. still. juniperi. Lohoch commune. Haustus salinus. Potio balsamica. Julap. diureticum. Julap. scilliticum. Pil. scilliticæ. Spir. nitri dulc. Spir. falis dulcis. Spir. succini. Tinct. cantharidum. Opiata. Enema emolliens. En. terebinthinatum. Fetus emolliens. Elect. lenitivum. Elect. ad nephriticos. Elixir salutis.

Ophthalmica. Cathartica. Pil. Mercuriales utræque. Expressio millepedarum. *Externa.*
Aqua

Aqua ophthalmica. Aqua sapphirina. Collyrium album. Collyrium aluminosum. Spir. Mindereri. Pulv. cephalicus. Turpethum minerale. Ung. tutiæ utrumque. Empl. & Ung. epispastica.

Opiata. vid. *Anodyna.*

Paralysis. Rad. allii. Rad. ari. Rad. pyrethri. Rad. serpentar. Virg. Rad. valerianæ filv. Fol. betonicæ. Fol. & Flor. rorismarini. Fol. rutæ. Fol. salviæ. Flor. lavendulæ. Cardamomum min. Caryophylli aromat. Cubebæ. Sem. levistici. Sem. sinapi. Lig. guajaci & sassaphras. Canella alba. Assa foetida. Camphora. Gum. guajaci. Castoreum. Cinnabaris antimonii. Sulphur aur. antimonii. Aq. antihysterica. Aq. raphani comp. Succ. antiscorbutici. Decoct. lignorum. Cervisia cephalica. Bolus e castoreo. Bol. guajacin. Julap. antihystericum. Julap. diaphoreticum. Julap. diureticum. Julap. foetidum. Infusum cephalicum. Ol. still. cornu cervi. Ol. still. succini. Spir. cornu cervi. Spir. lavendulæ comp. Spir. succini. Tinct. castorei. Tinct. fuliginis. Emetica. Bolus jalapæ c. Mercurio aliaque cathartica. Enema foetidum. *Externa.* Pulv. cephalicus.

66 INDEX MORBORUM

Bals. terebinthinæ. Bals. saponaceum. Linimentum anodynum. Ung. nervinum. Empl. calidum. Empl. epispasticum.

Pectoralia. Rad. allii. Rad. altheæ. Rad. glycyrrhizæ. Rad. helenii. Rad. irid. Flor. Rad. scillæ. Fol. hederæ terr. Fol. marubii. Herba trichomanes. Fol. & Flor. tussilaginis. Crocus. Sem. lini. Gum. ammoniacum. Gum. Arabicum. Bals. Peruvianum. Benzoinum. Olibanum. Pix liquida. Sapo albus. Mel. Millepedæ. Succus glycyrrhizæ. Ol. lini. Sperma ceti. Flos sulphuris. Bals. sulphuris terebinthinatum. Acetum scillit. Aq. hyssopi. Aqua picea. Bals. Locatelli. Bol. pectoralis. Conserva rosarum. Decoct. antihecticum. Decoct. hordei. Electuar. balsamicum. Infus. pectorale. Expressio millepedarum. Infus. lini. Oxymel pectorale. Julap. ammoniacum. Julap. scilliticum. Lohoch commune. Lohoch pectorale. Lohoch balsamicum. Pil. ex allio. Pil. piceæ. Pil. pectorales. Pil. scilliticæ. Emetica.

Peripneumonia. Pleuritis. Bolus pectoralis. Decoct. hordei. Infusum lini. Lohoch

hoch commune. Julap. ammoniacum. Julap. scilliticum. Julap. diaphoreticum. Empl. epispasticum.

Phthisis. Conserva rosarum. Decoct. antihæcticum. Decoct. vulnerarium. Infusum pectorale. Bolus pectoralis. Electuar. balsamicum. Julap. ammoniacum. Julap. scillitic. Lohoch balsamicum. Pil. pectorales. Pil. piceæ. Pil. scilliticæ. Aqua calcis, & benedict. comp. Aqua picea. Emetica. Elixir vitrioli. Empl. epispasticum. vid. *Pectoralia.* vid. *Diarrhœa.*

Purgantia. vid. *Cathartica.*

Rabies canina. Pulv. antilyssus. Moschus.

Rheumatismus, Lumbago, Ischias,

Arthritis. Decoctum bardanæ. Decoct. senekæ. Decoct. lignorum. Decoct. tamarindorum. Succus antiscorbutici. Cervisia ad scorbuticos. Julapium diaphoreticum. Bolus guajacinus. Sapo albus. Pil. scilliticæ. Sem. sinapi. Ol. terebinthinæ. Æthiops mineralis. Cinnabaris antimonii. Pil. Mercuriales utræque. *Externa.* Cataplasma emolliens. Balf. anodynum. Balf. terebinthinæ

68 INDEX MORBORUM

binthinæ. Balsamum saponaceum. Ol.
camphoratum. Linimentum anodynum.
Empl. anodynum. Empl. saponaceum.
Empl. calidum. Empl. epispasticum.

Scabies, Lepra. Antimonium præp. Sul-
phur. aur. antimonii. Tinct. antimonii.
Æthiops mineralis. Pil. Æthiopicæ. Pil.
Mercuriales utræque. Cervisia ad scorbuti-
cos. Decoctum lignorum. Succi antiscor-
butici. Aqua picea. Pil. piceæ. Flos sul-
phuris. Tinct. cantharidum. *Externa.* Ung.
Mercuriale. Ung. sulphureum. Ung. piceum.
Linimentum Mercuriale. Empl. epispasticum.

Scorbutus. Aqua raphani comp. Cervi-
sia ad scorbuticos. Infusum antiscorbuticum.
Succi antiscorbutici. Elixir stomachicum.
Elixir vitrioli. Elixir proprietatis cum aci-
do. Pil. chalybeatæ utræque, aliaque chaly-
beata. Pil. piceæ. Aqua picea. Infusum
amarum utrumque. Sal. polychrestum. De-
coct. tamarindorum. Tinct. rhei amara.
Tinct. sacra. Pil. stomachicæ.

Singultus. Spir. lavendulæ comp. Julap.
cardiacum. Julap. moschatum. Cort. Pe-
ruvianus.

ruvianus. Opiata. Tinct. sacra. *Externa.*
Bals. anodynum. Cataplasma stomachicum.
Cataplasma camphoratum.

Stomachica. Rad. calami aromat. Rad.
curcumæ. Rad. gentianæ. Rad. zedoariæ.
Zingiberi. Rhabarbarum. Fol. absinth.
Fol. cardui ben. Fol. menthæ. Summit.
centaurei min. Flor. chamæmeli. Auran-
tia Curaflavenfia. Nux mosch. & macis. Ca-
nella alba. Cinnamomum. Cort. Peruvia-
nus. Aloë. Myrrha. Aqua menthæ utri-
usque. Elixir stomachicum. Elix. vitrioli.
Elix. proprietatis utrumque. Extract. gen-
tianæ. Infusum amarum utrumque. Tinct.
menthæ. Tinct. cort. Peruviani. Bolus
rhei c. mercurio. Pil. aloëticæ. Pil. sto-
machicæ. Pil. chalybeatæ utræque. Tinct.
rhei amara. Tinct. sacra. Tinct. ipecacu-
anhæ, aliaque emetica. *Externa.* Cataplas-
ma stomachicum. Empl. stomachicum. Fo-
tus aromaticus.

Styptica. vid. *Astringentia.*

Sudorifica. vid. *Diaphoretica.*

Tinea. vid. *Scabies.*

Traumatica,

70 INDEX MORBORUM, &c.

Traumatica, Vulneraria. Decoct. vulnerarium. Cort. Peruvianus. Aqua calcis & benedict. comp. Potio balsamica. Balf. Locatelli. Pil. Mercuriales. *Externa.* Balf. traumaticum. Tinct. myrrhæ & aloës. Balf. viride. Linimentum Arcæi. Ung. basilicon. Ung. Saturninum. Ung. e lap. calaminari.

Tussis. vid. *Pectoralia.*

Vermifuga. vid. *Anthelmintica.*

Vertigo. vid. *Cephalica.*

Ulcera. vid. *Traumatica.*

Vomitoria. vid. *Emetica.*

Vomitus. Aqua menthæ. Tinct. menthæ. Haustus salinus. Julap. salinum. Elix. proprietatis cum acido. Tinct. rhei amara. Tinct. sacra. Spir. vitrioli dulc. Elixir vitrioli. Emetica. Chalybeata. Opiata. *Externa.* Balf. anodynum. Cataplasma stomachicum. Empl. stomachicum. Fetus aromaticus.

TABULA POSOLOGICA.

R Ad. jalapp. ad scrup. ii.

Rad. ipecacuanhæ, ad scrup. ii.

Rad. rhabbari, ad scrup. ii.

Rad. valerian. filv. ad drach. fs. bis terve in die.

Sem. sinapi integr. ad cochl. i. bis in die.

Camphora, ad scrup. i.

Olibanum, ad scrup. i. bis in die.

Manna, ad unc. ii.

Sapo albus, ad unc. i. in die.

Castoreum, ad drach. fs.

Moschus, ad gr. xv.

Stanni pulv. ad drach. ii. bis in die.

Æthiops mineral. ad drach. i. bis in die.

Aqua bened. comp. unc. iv. ter quaterve in die.

Antimon. præp. ad drach. fs. bis in die.

Bals. sulphuris, ad gutt. x.

Cervifiæ medicatæ variæ, ad lib. fs. bis in die.

Chalybs saccharat. cochl. parv. seu drach. i.

Cinnabaris antimon. ad drach. fs. bis in die.

Confectio

72 TABULA POSOLOGICA.

Confectio roborans. (pro diascordio) Unc. fs.
continet opii gr. i.

Decoct. album, ad lib. ii. in die.

Decoct. antihectic. unc. iv. bis terve in die.

Decoct. astringens, unc. iv. ter quaterve in
die.

Decoct. bardanæ, ad lib. i. in die.

Decoct. Campechense, ad unc. iv. ter qua-
terve in die.

Decoct. diuretic. unc. iv. ter quaterve in die.

Decoct. lignorum, ad lib. ii. in die.

Decoct nitrosum, unc. iv. ter in die.

Decoct. senekæ, ad unc. ii. ter quaterve in
die.

Decoct. sepentar. co. cochl. ii. ter quaterve
in die.

Decoct. vulnerar. ad lib. i. in die.

Elect. antidyfenteric. moles jugland. semel
aut bis die.

Elect. balsamic. moles juglandis bis in die.

Elect. cephalicum, moles jugland. ter qua-
terve in die.

Elect. hæmorrhoidale, ad unc. fs.

Elect. ad nephritic. ad drach. i. semel aut bis
die.

Elect. Peruvian. robor. moles jugland. bis
terve in die. Elect.

Elect. Peruvian. stypt. moles jugland. ter in die.

Elect. fistens, moles jugland. ter quaterve in die.

Elix. proprietat. utrumque, cochl. parv. semel aut bis in die.

Elix. salutis, ad cochl. iv.

Elix. stomachic. ad cochl. i.

Elix. vitrioli, ad gutt. xxx. bis in die.

Emuls. camphorat. cochl. i. tertiâ aut quartâ quaque horâ.

Expressio millepedar. ad unc. ii. bis in die.

Infus. amarum, ad unc. iii. bis in die.

Infus. antiscorbut. }
Infus. cephalic. } unc. iv. bis in die.

Infus. lini, }
Infus. pectorale, } ad lib. i. in die.

Julap. ammoniac. ad cochl. ii. bis in die.

Julap. antihyster. }
Julap. cardiac. } ad cochl. ii. ter. in die.

Julap. diaphoret. utrumque, ad cochl. ii. quoque bihorio.

Julap. diuret. ad cochl. ii. ter in die.

Julap. foetidum, cochl. i. ter quaterve in die.

Julap. hydragog. cochl. ii. quoque bihorio.

Julap. moschat. cochl. i. ter quaterve in die.

Julap. salinum, cochl. i. quâque horâ.

- Julap. scillit. ad cochl. ii. bis in die.
Julap. fistens, cochl. ii. ter quaterve in die.
Lac ferratum, ad unc. iv. bis in die.
Laudanum liqu. gutt. xxv. continent opii gr. i.
Lac ammoniacum, cochl. ii. bis in die.
Magnesia alba, ad drach. ii.
Mercurius saccharat. ad scrup. i.
Ol. still. cornu cervi, ad gutt. x.
Ol. still. juniperi, ad gutt. xx.
Ol. still. terebinthinæ, ad gutt. xl. bis in die.
Oxymel pectoral. ad cochl. ii. bis terve in die.
Pil. Æthiopic. ad scrup. i.
Pil. ex allio, ad drach. fs. bis in die.
Pil. aloëticæ, ad drach. fs.
Pil. chalybeatæ, ad scrup. i. bis in die.
Pil. cocciaæ, ad scrup. ii.
Pil. ecphract. chalybeat. ad drach. fs.
Pil. ecphract. purg. ad scrup. ii.
Pil. gummosæ, ad scrup. i. bis in die.
Pil. Mercurial. lax. ad drach. fs. alternis diebus.
Pil. pacificæ, gr. viii. continent opii gr. i.
Pil. pectoral. ad scrup. i. bis in die.
Pil. piceæ, ad drach. fs. bis in die.
Pil. roborant. ad drach. fs. bis in die.
Pil. scillitic. ad gr. xv. bis in die.
Pil. stomachicæ, ad drach. fs.

- Potio balsamica, ad cochl. ii. bis in die.
Pulv. antilyssus, ad drach. i. fs.
Pulv. contrayerv. comp. ad drach. fs.
Pulv. Cornachini, ad scrup. ii.
Pulv. diaromat. ad scrup. i.
Pulv. stypticus, ad scrup. i. bis terve in die.
Pulv. testaceus cerat. ad drach. i. bis in die.
Pulv. vermifug. ad drach. fs. bis in die.
Pulv. vermifug. purg. ad drach. fs.
Sal Jovis, ad gr. x.
Sal mirab. Glauberi, ad unc. i.
Sal polychrest. ad unc. fs.
Spir. lavendulæ comp. ad gutt. xxx. bis terve
in die.
Spir. nitri dulc. ad drach. i.
Spir. salis dulc. ad drach. i.
Spir. succini, ad drach. fs.
Spir. vitrioli dulc. ad drach. i.
Succi antiscorbut. ad unc. iv. bis in die.
Syr. papav. alb. ad unc. i.
Tartarus emet. ad gr. vii.
Theriaca, drach. ii. fs. continent opii gr. i.
Tinct. antimonii, ad gutt. xl. bis in die.
Tinct. antiphthifica, ad gutt. xxx. bis in die.
Tinct. cantharid. ad gutt. xxx. bis in die.
Tinct. castorei, ad gutt. xl. bis terve in die.
Tinct.

76 TABULA POSOLOGICA.

Tinct. cort. peruv. ad cochl. ii. bis in die.

Tinct. croci, ad gutt. xl. bis terve in die.

Tinct. fuliginis, ad gutt. xxx. bis terve in die.

Tinct. hellebori nigr. ad cochl. i.

Tinct. ipecacuanhæ, ad unc. i. fs.

Tinct. Martis, ad gutt. xl. bis in die.

Tinct. menthæ, cochl. i. sæpe.

Tinct. myrrhæ, ad gutt. xl. bis in die.

Tinct. rhei amara, ad cochl. ii.

Tinct. rosar. ad unc. iv. bis terve in die.

Tinct. sacra, ad cochl. ii.

Turpeth. mineral. ad gr. vii.

Vitrum antim. cerat. ad gr. x.

F I N I S.