

Pharmacopoeia pauperum, in usum Nosocomii Regii Edinburgensis.

Publication/Creation

Edinburgi : Apud Hamilton, Balfour, et Neill, sumptibus Nosocomii, 1758.

Persistent URL

<https://wellcomecollection.org/works/fh83aafj>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHARMACOPOEIA
PAUPERUM,
IN USUM
SOCIETATIS
MEDICORUM LONDINENSIS

NOSOCOMII REGII
EDINBURGENSIS.

EDITIO TERTIA.



EDINBURGI,
Apud HAMILTON, BALFOUR, et NEILL,
sumptibus NOSOCOMII.

PHARMACOPOLIA

PAPERUM

MUSEUM

PHARMACOPOLIA

PHARMACOPOLIA

PHARMACOPOLIA



PHARMACOPOLIA

PHARMACOPOLIA

LECTORI.

E Catalogo simplicium omittuntur, quæcunque recentia præscribuntur, adeoque in officina reservari nequeunt. Omittuntur quoque medicamenta nonnulla domestica, quæ nosocomii promptuarium suppeditare intelligitur.

In medicamentis præparandis et componendis observanda est norma Pharmacopœiæ Edinburgensis, nisi ubi formula aut exceptio aliqua adjecta est.

Distinguuntur asterismo medicamenta composita, quæ extempore misceri debent.

Index morborum et medicamentorum cum tabula posologica in tironum usum subjuncta sunt. Quod ad hanc attinet; observandum, quod descriptæ doses plerumque maximæ sunt,

sunt, quas ægris convenit, vel saltem solitum est, præcipere: quum vero præpositio admittitur, dosis media pro adultis intelligitur. Medicamentis, quæ per se nunquam aut raro usurpantur, nulla dosis inditur. Multa alia etiam prætermittuntur, diversas ob causas: quædam, quia innoxia sunt, et magna copia, nisi morbi natura ægrive habitus peculiaris obstiterit, adhiberi possunt: alia, quæ etsi valentia sint ac potentissima remedia, pro morbi tamen et rerum varietate dosibus admodum variantur. Hujusmodi sunt nonnulla Mercurialia, et plura ex antimonio parata. Quæ commode definiri poterant, doses notatæ sunt: omnes designasse, vel supervacuum, vel ineptum.

PHARMACOPOEIA.

MEDICAMENTA SIMPLICIA

Officinalia.

Radices.

ALLII.

Althææ.

Angelicæ.

Ari.

Aristolochiæ clem.

Aristolochiæ long.

Bardanæ maj.

Bryoniæ albæ.

Calami aromat.

Consolidæ maj.

Contrayervæ.

Curcumæ.

Fœniculi.

Gentianæ.

Glycyrrhizæ.

Helenii.

Hellebori albi.

Hellebori nigri.

Jalappæ.

Imperatoria.

Ipecacuanhæ.	Senekæ.
Iridis Florentinæ.	Serpentariæ Virgin.
Oxylapathi.	Tormentillæ.
Petrofelini.	Valerianæ silvest.
Rhabarbari.	Zedoariæ.
Sarfaparillæ.	Zingiberi.
Scillæ.	

Herbæ, Folia, Flores, Summitates.

Absinthium vulg.	Majorana.
Afarum.	Malva.
Carduus bened.	Marrubium album.
Centaurium min.	Mentha piperitis.
Chamæmeli flor.	Mentha fativa.
Crocus.	Parietaria.
Hedera terrestris.	Plantago latifolia.
Lavendulæ flor.	Rosæ rubræ.
Lichen ciner. terr.	Rosmarinus cum flor.
	Ruta.

Ruta.	Solanum lethale.
Sabina.	Tanaceti flores.
Salvia.	Trichomanes.
Sambuci flor.	Trifolium aquatic.
Scordium.	Tussilaginis flores.
Senna.	Tussilaginis folia.
Solanum hortense.	

Semina, Baccæ, Fructus, &c.

Amygdalæ dulces.	Cubebæ.
Angelicæ sem.	Cumini sem.
Aurantia Curafla-	Dauci filv. sem.
venfia.	Fœniculi dulc. sem.
Cardamomum min.	Fœni Græci sem.
Caricæ.	Juniperi baccæ.
Caryophylli aromat.	Lauri baccæ.
Colocynthis.	Levistici sem.
Coriandri sem.	Lini sem.

Macis.

Macis.	Piper nigrum.
Nux moschata.	Prunā Gallica.
Papav. hort. capita.	Santonicum fem.
Passulæ majores.	Sinapi fem.
Piper Jamaicense.	Tamarindi.

Ligna.

Campechense.	Santalum rubrum.
Guajacum, cum cort.	Saffaphras, cum cort.

Cortices.

Canella alba.	Peruvianus.
Cinnamomum.	Quercus.
Granatorum.	

*Gummi, Resinæ, Olea, Succī, aliaque
ex vegetabilibus provenientes.*

Acetum.	Aloe hepatica.
Aloe Socotrīna.	G. ammoniacum.

Amylum.

Amylum.	Oleum macis express.
G. Arabicum.	Oleum olivarum.
Afa foetida.	Oleum palmæ.
Bals. copaibæ.	Olibanum.
Bals. Peruvianum.	Opium.
Benzoinum.	Pix Burgundica.
Camphora.	Pix liquida.
Catechu, seu terra Japonica.	Pix ficca.
Cineres clavellati.	Resina alba.
Fuligo ligni.	Saccharum album.
Galbanum.	Sapo albus Hispan.
Glycyrrhizæ succ. Hispanus.	Sarcocolla.
G. guajaci.	Scammonium.
Manna.	Tacamahaca.
Myrrha.	Tartari crystalli.
Oleum laurinum.	Terebinthina Ven.
	Thus femininum.
	Tragacantha.

Animalia,

Animalia, et ex iis desumpta.

Axungia porc. præp. Millepedæ præp.
 Cantharides. Moschus.
 Castoreum Ruff. Ostreorum test. præp.
 Cera flava ; et alba. Sal ammoniacum.
 Cochinilla. Sevum ovil um.
 Mel. Sperma ceti.

Mineralia, et Fossilia.

Ærugo. Calx viva.
 Alumen rupeum. Cerussa.
 Antimonium. Creta alba.
 Bolus Armena præp. Ferri limatura.
 Borax. Ferri rubigo.
 Calamin. lap. præp. Hydrargyrus.

Lithar-

Lithargyrus præp.	Vitriolum album.
Minium.	Vitriolum cæruleum.
Nitrum.	Vitriolum viride.
Stanni pulvis.	Tutia præp.
Sulphur.	

MEDI-

MEDICAMENTA COMPOSITA,

ET

PRÆPARATIONES CHEMICÆ.

A Cetum destillatum.
A Acetum lithargyrites.

Acetum scilliticum.

*Fiat ex radice transverse in taleolas secta, et
 modice siccata.*

Æthiops antimonialis.

℞ Æthiopsis miner. cum dupl. Mercur.
 lib. ii.

Antimonii præp. lib. i.

Tere simul in mortario lapideo.

Æthiops mineralis, cum simp. Merc.

Æthiops mineralis, cum dupl. Merc.

Antimonium præparatum.

Aqua alexeteria.

℞ Flor. sambuci modice ficcat. lib. iii.

Fol. recent. angelicæ lib. ii.

Aquæ fontanæ q. f.

Destilla cong. iii.

Aqua aluminosa.

Aqua aromatica.

℞ Canellæ alb. lib. fs.

Cort. exter. recent. limonum unc. iv.

Piperis Jamaicensis unc. ii.

Rad. recent. angelicæ unc. i.

Spir. vini Gall. cong. ii.

Macera per quatrimum, et destilla cong. ii.

Aqua calcis.

Aqua epidemia.

Aqua menthæ piperitidis.

Aqua menthæ fativæ.

Aqua phagedænica.

℞ Aq. font. lib. i.

Mercurii sublim. corros. gr. x.

F. solutio.

Aqua picea.

℞ Picis liquidæ lib. ii.

Aq. font. cong. i.

*Agitentur valide bacillo ligneo, et post biduum
effundatur aqua.*

Aqua piperis Jamaicensis.

℞ Piperis Jamaicenf. lib. i. fs.

Aq. font. q. f.

ut destillentur cong. ii.

Aqua raphani composita.

Aqua sapphirina.

℞ Aq. font. *pro* aq. calcis.

Aqua styptica.

Aqua valerianæ composita.

Aqua vitriolica.

Balsamum adstringens.

℞ Olei vitrioli drach. v.

terebinthinæ drach. iii.

*Sensim misce in vitro aperto; dein adde
paulatim*

Spir. vini rectific. unc. iii.

Balsamum anodynum Bateanum.

Balsamum

Balsamum Locatelli.

Balsamum piceum.

℞ Picis liquid. unc. ii.

Spir. vini rectific. lib. i.

F. digestio in B. A. per triduum, et effundatur balsamum a fœcibus.

Balsamum saponaceum, seu oppodeltoch.

Balsamum sulphuris crassum.

Balsamum sulphuris terebinthinatum.

Balsamum (*i. e.* oleum fuscum) terebinthinæ.

Balsamum traumaticum.

Balsamum viride.

* Bolus alexeterius.

℞ Serpentariæ Virgin. gr. xv.

Castorei gr. x.

Camphoræ gr. v.

Syrupi communis q. s. M.

* Bolus

* Bolus e castoreo.

℞ Castorei scr. i.

Salis C. cerv. vol. gr. v.

Syr. commun. q. f. M.

Fit quoque, in vicem salis substituendo

Olei still. C. cervi gutt. v.

* Bolus diaphoreticus.

℞ Pulv. contrayervæ comp.

Sal. ammoniaci crudi, $\bar{a}a$ scr. i.

Syr. commun. q. f. M.

* Bolus diureticus.

℞ Saponis albi scr. ii.

Ol. still. juniper. gutt. x.—xx. M.

* Bolus guajacinus.

℞ Gum. guajaci drach. fs.

Sal. C. cerv. vol. gr. vii.

Syr. commun. q. f. M.

* Bolus jalappæ cum Mercurio.

℞ Jalappæ electæ scr. i.

Calomelanos gr. v.—x.

Syr. commun. q. f. M.

* Bolus

* Bolus Mercurialis.

℞ Calomelanos gr. v.—xv.
 Conservæ rofar. drach. fs. M.

* Bolus pectoralis.

℞ Spermat. ceti gr. xv.
 G. ammoniaci gr. x.
 Sal. C. cerv. vol. gr. vii.
 Syr. commun. q. f. M.

* Bolus rhei cum Mercurio.

℞ Rhabarbari gr. xxv.
 Calomelanos gr. v.
 Syr. commun. q. f. M.

* Bolus fudorificus.

℞ Nitri,
 Sal. polychrestī, $\bar{a}a$ gr. xii.
 Ipecacuanhæ gr. vi.
 Opii gr. iii.
 Syr. papav. albi q. f. M.

* Bolus theriacalis.

℞ Theriacæ scr. ii.
 Sal. C. cerv. vol. gr. vii.
 Camphoræ gr. v. M.

Calomelas.

Cataplafma aromaticum.

* Cataplafma camphoratum.

℞ Cataplasmatif aromat. unc. i.
Camphoræ drach. i. M.

* Cataplafma difcutiens.

℞ Farinæ hordeaceæ unc. vi.
Fol. cicutæ rec. optime contuf. unc. ii.
Aceti q. f.

Coque parum, et adde
Sal. ammoniaci crud. unc. fs.

* Cataplafma emolliens.

℞ Medullæ panis cibarii unc. viii.
Ol. olivarum unc. i.
Lactis vaccini recent. q. f.

Coque parum.

* Cataplafma ftomachicum.

℞ Cataplasmatif aromat. unc. i.
Ol. macis expr. drach. ii.
Balf. anodynif Bat. q. f. M.

* Cataplafma fuppurans.

Adde cataplasmati emollienti
Ceparum crud. contuf. unc. i. fs.
Ung. bafilici unc. i.

Causticum lunare.

Causticum potentiale.

* Cervisia aperiens.

℞ Sem. sinapi integri unc. x.

Rad. aristolochiæ long. unc. vi.

Summit. centaurii min. unc. ii.

fabinæ unc. i.

Cervisiæ tenuis novæ cong. x.

* Cervisia cephalica.

℞ Rad. valerianæ filv. unc. x.

Sem. sinapi integri unc. vi.

Serpentariæ Virgin. unc. ii.

Rorismarini *vel* falviæ unc. iii.

Cervis. tenuis nov. cong. x.

* Cervisia diuretica.

℞ Sem. sinapi integri,

Bacc. juniperi, $\bar{a}a$ unc. viii.

Sem. dauci filv. unc. iii.

Abſinthii vulg. unc. ii.

Cervis. tenuis nov. cong. x.

* Cervi-

* Cervisia ad scorbuticos.

℞ Rad. raphani rustic. recent. unc. xii.
oxylapathi unc. vi.

Canellæ albæ unc. ii.

Trifolii aquat. recent. unc. viii. *vel* fic.
cati unc. iii.

Cervis. tenuis nov. cong. x.

Cinnabaris antimonii.

Colcothar vitrioli.

* Collyrium album.

℞ Aq. font. unc. vi.

Trochiscorum alb. drach. i.

Vitrioli albi gr. x. M. f. a.

* Collyrium aluminosum.

℞ Aluminis rup. drach. fs.

Albumen unius ovi.

Agitentur diligenter.

Colophonia.

Confectio Japonica.

Conserva rosarum rubrarum.

Crocus antimonii, *seu* metallorum.

* Deco-

* Decoctum adstringens.

℞ Rad. tormentillæ unc. i.
 Cort. granatorum,
 Fol. plantagin. $\bar{a}a$ unc. fs.
 Aq. font. lib. iii.

Coque ad lib. ii. addendo sub finem

Cinnamomi drach. i.

Colaturæ adde

Syr. de rosâ sicc. unc. i.

* Decoctum album.

℞ Pulv. testacei comp. drach. vi.
 G. Arabici drach. ii.
 Aq. font. lib. iii.

Coque ad lib. ii. et decocto turbido adde

Aq. aromaticæ unc. i.

Sacchari alb. drach. ii.

* Decoctum antihecticum.

℞ Rad. consolidæ maj. unc. i.
 Conserv. rosarum unc. ii.
 Aq. font. lib. iii.

Coque ad lib. ii. colaturæ; cui adde

Elix. vitrioli gutt. lx.

* Decoctum bardanæ.

℞ Rad. bardanae maj. unc. ii.

Tartari vitriolat. drach. i.

Aq. font. lib. iii.

Coque ad lib. ii. colaturæ.

* Decoctum Campechense.

℞ Scobis ligni Campechens. unc. iii.

Aq. font. lib. iv.

Coque ad medias, addendo sub finem

Cinnamomi drach. ii. Cola.

* Decoctum commune.

* Decoctum diureticum.

℞ Rad. petroselini *vel* fœniculi unc. i.

Sem. dauci silv. drach. iii.

Herb. parietariæ unc. fs.

Passularum maj. unc. ii.

Aq. font. lib. iii.

Coque ad lib. ii. colaturæ; cui adde

Nitri drach. i.

* Decoctum hordei.

℞ Hordei perlati unc. ii.

Aq. font. lib. vi.

Coque ad lib. iv. et cola.

* Decoctum lignorum.

* Decoctum nitrosum.

* Decoctum farsaparillæ.

℞ Rad. farsaparillæ unc. iii.

Aq. font. lib. vi.

Coque leni igne ad tertias, et cola.

* Decoctum fenekæ.

℞ Rad. fenekæ unc. i.

Aq. font. lib. i. fs.

Coque ad lib. i. et cola.

* Decoctum serpentariæ compositum.

* Decoctum tamarindorum cum fenna.

℞ Syr. rosarum pall. *pro* syr. violarum ;
et omittatur aq. cinnamomi.

* Decoctum vulnerarium.

℞ Herb. hederæ terr.

Fol. plantaginis, \overline{aa} unc. fs.

Aq. font. lib. iii.

Coque ad lib. ii. colaturæ; cui adde

Sacchari alb. unc. fs.

* Electuarium balsamicum.

℞ Conservæ rosarum unc. ii.

Bals. Locatelli (mucilage G. Arab.
soluti) unc. i. M.

* Electuarium ad dysentericos.

* Electuarium hæmorrhoidale.

℞ Electuar. lenitivi unc. ii.

Flor. sulphuris unc. i.

Syr. rosarum pallid. q. f. M.

Electuarium lenitivum.

*Omittatur cassia fistularis; et duplicentur
tamarindi.*

* Electuarium ad nephriticos.

℞ Electuar. lenitivi unc. i. fs.

Terebinthinæ Ven. (vitello ovi solutæ)
unc. i.

Rhabarbari drach. ii.

Syr. de althæa q. f. M. f. a.

* Electuarium Peruvianum febrifugum.

℞ Cort. Peruviani unc. i.

Sal. ammoniaci crudi drach. i.

Syr. e succo limon. q. f. M.

* Electuarium Peruvianum roborans.

℞ Cort. Peruviani unc. i. fs.
 Colcotharis vitrioli drach. iii.
 Syr. commun. q. f. M.

* Electuarium Peruvianum stypticum.

℞ Cort. Peruv. unc. i. fs.
 Aluminis rup. unc. fs.
 Syr. e succ. limon. q. f. M.

Elixir proprietatis.

Elixir sacrum.

℞ Canellam alb. *pro* fem. cardamomi.

Elixir salutis.

℞ Jalappam *pro* rheo.

Elixir stomachicum.

Elixir vitrioli.

Emplastrum adhæsivum.

Emplastrum antihystericum.

* Emplastrum calidum.

℞ Empl. gummosi unc. i.
 epispastici drach. ii.

Liquefiant simul leni igne.

Emplastrum cereum.

Emplastrum commune.

Emplastrum defensivum.

Emplastrum epispasticum.

℞ Empl. adhæsivi unc. xxiv.

Terebinthinæ Ven. unc ii.

Liquefiant simul, et admisceantur

Cantharidum contritar. unc. vi.

Emplastrum gummosum.

Emplastrum Mercuriale.

Emplastrum saponaceum.

* Emplastrum suppurans.

℞ Empl. gummosi unc. i. fs.

Picis Burgund. unc. fs.

Liquefiant simul.

* Emulsio Arabica.

* Emulsio camphorata.

* Emulsio communis.

* Enema adstringens.

℞ Aq. calcis unc. x.

Confect. Japonicæ unc. fs. M.

* Enema

* Enema adstringens balsamicum.

*Adde priori enemati*Balf. Locatelli (vitello ovi soluti)
unc. fs.*Utrumque sufficit pro duabus vicibus.*

* Enema de amylo.

℞ Gelatinæ ex amylo unc. iv.

Liquefactæ leni igne immisce

Ol. olivarum unc. fs.

Fit quoque addendo

Laudani liquid. gutt. xl.

* Enema anodynum.

℞ Infus. lini unc. vi.

Laudani liquid. gutt. xl. M.

* Enema anticolicum.

℞ Decocti commun. lib. fs.

Tinct. sacræ unc. i.

Salis commun. drach. ii.

Ol. olivarum unc. ii.

* Enema domesticum.

℞ Lactis vaccini unc. x.

Sacchari rubri,

Ol. olivar. aa unc. i. M.

* Enema

* Enema emolliens.

℞ Ol. palmæ unc. i. fs.

Vitellum unius ovi.

Probe subactis adde

Lactis vacc. lib. fs.

* Enema foetidum.

℞ Rutæ,

Sabinæ, $\bar{a}a$ unc. fs.

Aq. font. lib. i. fs.

Coque ad lib i. colaturæ; cui adde

Afæ foetidæ drach. ii.

Ol. olivarum unc. i.

stillat. succini drach. fs. M. f. a.

Pro duabus vicibus.

* Enema purgans.

℞ Decocti commun. unc. xii.

Saponis albi unc. i.

Syr. de rhamno unc. i fs. M. f. a.

* Enema terebinthinatum.

℞ Decocti comm. unc. x.

Terebinthinæ Ven. (vitello ovi solutæ)
unc. fs.

Ol. olivarum unc. i. M. f. a.

* Ex.

* Expressio millepedarum.

℞ Millepedarum viv. unc. iii.

Aq. pulegii lib. i.

raphani comp. lib. fs.

*Contunde, sensim affundendo aquas, et f.
expressio.*

Extractum gentianæ.

Extractum hellebori nigri.

Extractum jalappæ aquosum.

*Fit coquendo ex aqua, et spissando igne
leni.*

Flores sulphuris.

*Si acidi sint, coquantur paululum cum aquæ
fontanæ duplici pondere; hac aqua effu-
sa, colluantur frigida, deinde siccentur.*

* Fodus anodynus.

℞ Capit. papaveris hort. unc. i.

Flor. sambuci unc. fs.

Aq. font. lib. iii.

Coque ad lib. ii. et cola.

* Fodus aromaticus.

℞ Caryophyllorum aromat.

Macis, $\bar{a}a$ drach. i.

Vini rubri lib. i.

Coque parum, et cola.

* Fodus emolliens. *Vid. decoctum commune.*

* Fodus roborans.

℞ Cort. quercus unc. i. fs.

Aq. font. lib. iii.

Coque ad lib. ii. colaturæ ; cui adde

Aluminis rup. drach. iii.

* Gargarisma adstringens.

℞ Cort. quercus unc. i.

Aq. font. lib. i. fs.

Coque ad lib. i. colaturæ ; cui adde

Aluminis rup. drach. i.

Syr. de rosis ficc. unc. i.

* Gargarisma commune.

℞ Aq. font. unc. vi.

Nitri drach. i.

Syr. de rosis ficc. unc. i. M.

Adde nonnunquam

Ol. vitrioli gutt. xl.

* Gargarisma emolliens.

℞ Rad. althææ unc. ii.

Caricas iv.

Aq. font. lib. iii.

Coque ad lib. ii. et cola.

* Haustus diaphoreticus.

℞ Spir. Mindereri unc. i.

Syr. diacodiôn unc. fs.

Sal. C. cervi vol. gr. v. M.

* Haustus salinus.

℞ Sal. tartari scrup. i.

Succi limonum unc. fs.

Sacchari alb. drach. i. M.

* Infusum amarum.

* Infusum amarum cum fenna.

Si duplicetur fenna, duplicanda etiam aqua.

* Infusum cephalicum.

℞ Rad. valerianæ filv. unc. ii.

Rorismarini *vel* salviæ unc. fs.

Aq. font. bullient. lib. iv.

Infunde per noctem in vase clauso, et colaturæ adde

Aq. valerianæ comp. unc. ii.

* Infusum lini.

℞ Succ. glycyrrhizæ unc. fs.

Aq. font. lib. iv.

Coque parum; dein bullientem affunde

Sem. lini integri unc. ii.

Seponatur ad focum per horas duodecim, et cola.

* Infusum pectorale.

Adde priori infuso

Fol. tussilaginis unc. i.

* Infusum ad scorbuticos.

℞ Trifolii aquat. unc. ii.

Aurantiorum Curaslavenf. unc. fs.

Aq. font. bullientis lib. iv.

Infunde per noctem in vase clauso, et colaturæ adde

Aq. raphani comp. unc. iv.

* Infusum folani lethalis.

℞ Fol. folani leth. aridor. gr. iv.

Aq. font bullient. unc. iv.

Infunde per horas sex, et cola.

Paratur etiam infusum ex folano hortensi.

* Injēctio balsamica.

℞ Bals. copaibæ unc. fs.

Vitellum unius ovi.

Probe subactis adde sensim

Aq. calcis unc. vi.

Syr. de rosis ficc. unc. ii.

* Injēctio mercurialis.

℞ Argenti vivi,

Bals. copaibæ, āā unc. fs.

Subactis ad extinctionem adde

Ovi vitellum ;

et optime commixtis sensim adjice

Aq. font. lib. fs.

* Julapium ammoniacum.

℞ Lactis ammoniaci unc. iv.

Syr. scillitici unc. iii. M.

* Julapium antihystericum.

℞ Aq. pulegii unc. iv.

valerianæ comp. unc. ii.

Tinct. castorei drach. ii.

Sal. C. cervi vol. gr. x.

Sacchari alb. drach. vi. M.

* Julapium cardiacum.

℞ Aq. alexeteriæ unc. iv.
aromaticæ unc. ii.

Spir. vol. oleofi,
Tinct. croci, \overline{aa} drach. ii.
Sacchari alb. unc. fs. M.

* Julapium diaphoreticum.

℞ Aq. alexeteriæ,
Spir. Mindereri, \overline{aa} unc. iii.
Sal. C. cervi vol. gr. x.
Sacchari alb. drach. vi. M.

* Julapium diaphoreticum acidum.

℞ Aq. alexeteriæ unc. iv.
Aceti unc. i. fs.
Tinct. croci,
Theriacæ, \overline{aa} unc. fs.
Sacchari alb. unc. i. M.

* Julapium diureticum.

℞ Spir. Mindereri unc. iv.
Aq. raphani comp. unc. ii.
Syr. de althæa unc. iii. M.

* Julapium foetidum.

℞ Aq. pulegii unc. vi.

Afæ foetidæ drach. i. fs.

F. solutio ; cui adde

Aq. valerianæ comp. unc. ii.

Sal. vol. C. cervi gr. xii.

Fit quoque sine sale, substituendo

Ol. still. C. cervi. gutt. xx. *exceptas*

Sacchari alb. drach. x.

* Julapium hydragogum.

℞ Aq. menthæ fativ. unc. vi.

Tartari emet. gr. x.

Syr. de rhamno unc. ii. M.

* Julapium moschatum.

℞ Aq. alexeteriæ unc. vi.

Spir. vol. oleofi drach. i. fs.

Moschi drach. fs.

Sacchari alb. unc. fs. M.

Teratur moschus cum saccharo.

* Julapium salinum.

℞ Aq. menthæ fat. unc. iii.

Succi limonum unc. i. fs.

Sal. tartari drach. i.

Sacchari alb. unc. fs. M.

* Julapium scilliticum.

℞ Aq. pulegii,
Syr. scillitici, \overline{aa} unc. iii. M.

* Julapium fistens.

℞ Aq. alexeteriæ unc. iv.
aromaticæ unc. ii.
Confect. Japonicæ drach. iii.
Laudani liquid. gutt. xl.
Sacchari alb. unc. fs. M.

Lac ammoniacum.

℞ G. ammoniaci unc. i. fs.
Aq. pulegii lib. ii. *Solve.*

* Lac ferratum.

*Fit ex lacte vaccino recente, in quo fer-
rum candens toties extinctum fuerit, ut
quarta pars exhalet.*

Laudanum liquidum.

Fiat sine croco.

* Linimentum anodynum.

℞ Ung. nervini unc. iii.
Bals. terebinthinæ unc. i. M.

* Lini-

* Linimentum hæmorrhoidale.

℞ Ung. emollientis unc. ii.

Laudani liquid. unc. fs.

Vitellum ovi.

Probe subigantur.

* Linimentum Mercuriale.

℞ Axungię porcin. unc. i.

Mercurii præcip. alb. drach. i M.

* Lohoch balsamicum.

℞ Spermatis ceti drach. ii.

Balf. Peruviani gutt. xl.

Vitelli ovi q. f.

Probe subactis adde

Syr. de althæa unc. ii.

* Lohoch commune.

℞ Ol. olivarum,

Syr. de althæa, $\bar{a}a$ unc. ii. M.

* Lohoch pectorale.

℞ Spermatis ceti,

Saponis Hispan. $\bar{a}a$ drach. ii.

Vitelli ovi q. f.

Probe subactis adde

Ol. olivarum unc. i. fs.

Syr. de althæa unc. iii. M.

Magnesia alba.

Mercurius præcipitatus albus dulcis.

Mercurius præcipitatus ruber.

Mercurius sublimatus corrosivus.

Mercurius sublimatus dulcis.

* Oleum camphoratum.

℞ Ol. olivarum unc. i.

Camphoræ unc. fs. M.

Oleum stillatitium cornu cervi.

Oleum still. juniperi.

Oleum still. menthæ.

Oleum still. origani.

Oleum still. rorismarini.

Oleum still. succini.

Oleum tartari per deliquium.

Oleum terebinthinæ.

Oleum vitrioli.

* Oleum

* Oleum volatile.

℞ Ol. camphorati unc. i.

Spir. falis ammon. ex calce viva
drach. ii. M.

Opium præparatum, *seu* extractum.

* Oxymel pectorale.

Pilulæ Æthiopicæ.

* Pilulæ ex allio.

℞ Allii,

Saponis Hispan. $\bar{a}a$ unc. fs.

Millepedarum præp. q. f. M. f. a.

E singulis semidrachmis formentur pil. vi.

Pilulæ aloeticæ.

Pilulæ chalybeatæ.

℞ G. ammoniaci,

Extract. gentianæ,

Sal. Martis,

Myrrhæ, $\bar{a}a$ unc. i.

Syr. communis q. f. M. f. a.

Pilulæ ecphracticæ chalybeatæ.

℞ Aloes hepaticæ,
 Extr. hellebori nigr.
 Sal. Martis,
 Galbani,
 Myrrhæ, $\bar{a}a$ unc. i.
 Syr. comm. q. f. M. f. a.

Pilulæ ecphracticæ purgantes.

℞ Aloes hepat.
 Extr. hellebori nigr.
 Scammonii, $\bar{a}a$ unc. ii.
 Tartari vitriolati drach. iii.
 Ol. still. juniperi drach. i. fs.
 Syr. de rhamno q. f. M. f. a.

Pilulæ gummosæ.

℞ Afæ foetidæ,
 Galbani,
 Fuliginis splend. $\bar{a}a$ unc. ii.
 Ol. still. succini drach. i. fs.
 Syr. comm. q. f. M. f. a.

Pilulæ Mercuriales.

℞ Argenti vivi unc. i.
 Mellis liquidi q. f.
Tere ad extinctionem, et adde
 G. ammoniaci,
 Saponis Hispan. $\bar{a}a$ unc. i. M. f. a.

Pilulæ Mercuriales laxantes.

℞ Argenti viv. unc. i. fs.
 Mellis q. f.
Tere ad extinctionem, et adde
 Massæ pil. ecphractic. purg.
 Saponis Hispan. $\bar{a}a$ unc. i. M. f. a.

Pilulæ pacificæ.

℞ Galbani,
 Myrrhæ,
 Saponis Hispan. $\bar{a}a$ unc. ii.
 Opii præp. unc. i.
 Syr. papav. albi q. f. M. f. a.

Pilulæ pectorales.

℞ G. ammoniaci unc. i. fs.
 Myrrhæ unc. i.
 Bals. sulphuris terebinth. drach. i.
 Syr. de althæa q. f. M. f. a.

* Pilulæ piceæ.

℞ Picis liquidæ q. v.

Rad. helenii pulv. q. f. M. f. a.

E singulis semidrachmis formentur pil. vi.

Pilulæ roborantes.

℞ Colophoniæ unc. i. fs.

Pulv. styptici unc. i.

Sal. Martis unc. fs.

Syr. comm. q. f. M.

* Pilulæ scilliticæ.

E singulis semidrachmis formentur pil. vi.

Pilulæ stomachicæ.

℞ Aloes hepat. unc. i. fs.

G. ammoniaci,

Myrrhæ, $\bar{a}a$ unc. fs.

Tartari vitriol. drach. ii.

Ol. still. menthæ drach. fs.

Syr. comm. q. f. M. f. a.

Pilulæ terebinthinatæ.

℞ Vitrioli albi,

Terebinthinæ Ven. $\bar{a}a$ unc. fs.

Rhabarbari pulv. q. f. M. f. a.

Pilulæ e turpetho minerali.

℞ Turpethi mineralis,
Camphoræ, $\bar{a}a$ gr. x.

Tere simul; dein adde

Micæ panis humidæ q. f.

F. massa dividenda in pilulas xx.

* Potio balsamica.

℞ Balf. copaibæ drach. iii.

Ol. still. juniperi gutt. xxx.

Vitellum ovi.

Optime subactis immisce

Aq. pulegii unc. vi.

Syr. de althæa unc. ii.

Fit quoque sine oleo.

* Pulvis antilyffus.

* Pulvis cephalicus.

Pulvis contrayervæ compositus.

℞ Testas ostreorum præp. pro pulv. e
chelis cancror. comp.

Pulvis diaromatôn.

℞ Canellæ albæ,

Zingiberi, $\bar{a}a$ p. æ. M.

* Pulvis

* Pulvis diureticus.

℞ Scillæ aridæ gr. x.
 Nitri gr. xv.
 Piperis Jamaicens. gr. v. M.

Pulvis ad erysipelatem.

℞ Cretæ albæ part. ii.
 Absinthii vulg. p. i. M.

* Pulvis stanni ferratus.

℞ Pulv. stanni drach. ii.
 Sal. Martis gr. v. M.

Pulvis stypticus.

℞ Aluminis rup. unc. fs.
 Terræ Japon. drach. ii. M.

Pulvis testaceus ceratus.

℞ Testas ostreor. præp. *pro* pulv. e
 chelis cancror. comp.

Pulvis testaceus compositus.

℞ Testar. ostreorum præp. lib. i.
 Cretæ albæ lib. fs. M.

Pulvis vermifugus.

℞ Flor. tanacetī,
Sem. fantonici, $\bar{a}a$ drach. iii.
Sal. Martis drach. i. M.

Pulvis vermifugus purgans.

℞ Rhabarbari drach. iii.
Scammonii,
Calomelanos, $\bar{a}a$ drach. i. M.

Saccharum Saturni.

Sal ammoniacum volatile.

Sal catharticum amarum.

Sal cornu cervi volatile.

Sal Martis.

Sal polychrestum.

Sal tartari.

Sapa *sive* rob sambuci.

* Serum acetosum.

℞ Lactis vaccini,
Aq. font. $\bar{a}a$ lib. i.
Coque ad ebullitionem, et adde
Aceti unc. i. fs.
Aufer coagulum.

* Serum epidemium.

℞ Lact. vacc. bullientis lib. ii.

Aq. epidemiæ unc. iv.

Aufer coagulum.

* Sinapismus.

Solutio Mercurii corrosivi.

℞ Mercurii sublim. corros. in subtil. pul-
triti gr. xxiv.

Spir. ardentis e frumento lib. iv.

*Digere, subinde agitando, donec Mercurius
solutus fuerit.*

Spiritus æthereus.

Spiritus cornu cervi.

Spiritus lavendulæ compositus.

Spiritus Mindereri.

Spiritus nitri dulcis.

Spiritus falis ammoniaci ex calce viva

Spiritus falis dulcis.

* Spiritus vini camphoratus.

Duplicetur camphora.

Spiritus vini rectificatus.

Spiritus vitrioli.

Spiritus vitrioli dulcis.

Spiritus volatilis oleofus.

* Succi ad scorbuticos.

Sulphur auratum antimonii.

* Suppositoria.

*Fiunt e fale communi, cum duplo melle,
coctis ad justam duritiem.*

Syrupus de althæa.

Syrupus communis.

Syrupus e succo limonum.

Syrupus papaveris albi seu diacodiôn.

Syrupus de rhamno cathartico.

Syrupus rosarum pallidarum.

Syrupus de rosis ficcis.

Syrupus scilliticus.

Tartarus emeticus.

Tartarus solubilis.

Tartarus vitriolatus.

Testæ ovorum præparatæ.

Theriaca.

Tinctura antimonii.

Tinctura antiphthifica.

Tinctura aromatica.

℞ Pulv. diaromatôn unc. ii.

Spir. vini Gall. lib. ii.

Macera per triduum, et filtra.

Tinctura cantharidum.

Tinctura castorei.

Tinctura castorei composita.

Tinctura corticis Peruviani.

Tinctura croci.

— Tinctura epispastica.

℞ Cantharidum in pulver. trit. unc. ii.

Spir. vini rectific. lib. i.

Digere per biduum, et cola.

Tinctura fuliginis.

Tinctura hellebori nigri.

Tinctura

Tinctura jalappæ.

Tinctura ipecacuanhæ.

Tinctura Martis.

Tinctura menthæ.

Tinctura myrrhæ.

Tinctura myrrhæ et aloes.

Tinctura rhei amara.

Cum spir. vini, omiffa cochinilla.

* Tinctura rofarum.

Tinctura sacra.

℞ Aloes hepaticæ unc. ii.

Aq. aromaticæ lib. iii.

Macera per biduum, et cola.

Trochisci albi.

Trochisci de minio.

Turpethum minerale.

Vinum emeticum.

Vitrum antimonii.

Vitrum antimonii ceratum.

Unguentum

Unguentum Ægyptiacum.

Unguentum album.

* Unguentum antipforicum.

℞ Sulphuris triti unc. i.

Rad. hellebori albi drach ii.

Axungiā porc. unc. ii. M.

Unguentum basilicum flavum.

℞ Ceræ flavæ,

Resinæ albæ,

Thuris femin. āa lib. fs.

Liquefiant simul leni igne; dein adde

Axungiā porc. lib. ii.

Mixturam calidam cola.

Unguentum basilicum nigrum.

Unguentum emolliens.

Unguentum epispasticum.

Unguentum epispasticum mitius.

Unguentum e lapide calaminari.

Unguentum Mercuriale.

Unguentum nervinum.

* Unguentum ad paralyticos.

℞ Axungiaë porcinæ,
Ol. laurini, $\bar{a}a$ unc. ii.
vitrioli unc. i. M.

Unguentum piceum.

℞ Picis liquidæ,
Sevi, $\bar{a}a$ p. æ.
Liquefiant simul, agitando diligenter.

Unguentum sambucinum.

Unguentum Saturninum.

* Unguentum sulphureum.

℞ Axungiaë porc. præp. unc. ii.
Sulphuris triti unc. fs. M.

Unguentum tutiæ.

* Unguentum tutiæ camphoratum.

I N D E X
M O R B O R U M
E T
M E D I C A M E N T O R U M
Q U O D A D V I R E S.

Alexeteria, Alexipharmaca. vid. *Diaphoretica.*

Abscessus. vid. *Traumatica.*

Adstringentia, Styptica. Rad. consolidæ maj. Rad. tormentillæ. Fol. plantaginis. Decoct. vulnerarium. Rosæ rubræ. Syr. de rosæ ficcis. Tinct. rosarum. Cort. granatorum. Cort. Peruvianus. Electuar. Peruvianum roborans. Elect. Peruvian. stypticum. Tinct. cortic.
G

tic. Peruviani. Cort. quercus. Lign. Campechense. Decoct. Campechense. Olibanum. Colophonia. Terra Japonica. Alumen rupeum. Pulv. stypticus. Bolus Armena. Creta alba. Vitriola. Colcothar vitrioli. Aq. vitriolica. Aq. calcis. Bals. adstringens. Confectio Japonica. Decoct. adstringens. Decoct. album. Julap. fistens. Lac ferratum. Pil. roborantes. Pil. terebinthinatæ. Pulv. testaceus comp. Idem ceratus. Saccharum Saturni. Tinct. antiphthifical. Spir. vini rectificatus. Tinct. Martis. Opiata. Gargarisma adstringens. Enema adstringens. Enema anodynum. Aq. styptica. Fetus roborans.

Alvi fluxus. vid. *Diarrhœa.*

Alvus adstricta. vid. *Cathartica, Laxantia.*

Amaurosis. vid. *Ophthalmica.*

Ambusta. Balsam. traumaticum. Spir. vini camphoratus. Ol. camphoratum. Ung. emolliens.

liens. Ung. sambucinum. Ung. e lapide calaminari. Ung. album. Ung. Saturninum.

Angina. Emetica. Laxantia et Cathartica. Julap. diaphoreticum. *Externa.* Empl. epispasticum. Tinct. epispastica. Cataplasma camphoratum. Ol. volatile. Spir. Mindereri. Gargarismata varia.

Animi deliquium, Syncope. vid. *Cardiaca.*

Anodyna, Paregorica. Opium præp. Laudanum liquidum. Pilul. pacificæ. Theriaca. Syr. papaveris albi. Castoreum. Bolus e castoreo. Tinct. castorei. Tinct. castorei comp. Moschus. Julap. moschatum. Camphora. Emulf. camphorata. Spir. æthereus. Enema anodynum. *Externa.* Fodus anodynus. Balsam. anodynum Bateanum. Balsam. terebinthinæ. Ung. nervinum. Linimentum anodynum. Ol. camphoratum. Ol. volatile. Empl. calidum. Empl. epispasticum.

Anthelmintica.

Anthelmintica. Fol. fabinæ. Flor. tana-
ceti. Sem. fantonicum. Aq. calcis. Sapo al-
bus. Pulvis stanni uterque. Vitriola album
et viride. Æthiops mineralis uterque. Bolus
rhei c. Mercurio. Pilul. Mercuriales laxant.
Pulv. vermifugus uterque.

Antibectica. vid. *Phthisis.*

Antimonialia. Antimonium præp. Æthiops
antimonialis. Crocus antimonii. Pil. Æthiopi-
cæ. Sulphur auratum antimonii. Tartarus e-
meticus. Tinct. antimonii. Vinum emeticum.
Vitrum antimonii. Idem ceratum.

Aphthæ. Laxantia. Decoct. nitrosum. O-
piata. Gargarisma commune. Gargar. emol-
liens. Lohoch balsamicum. Loh. commune.
Cataplasma camphoratum. Ol. camphoratum.
Empl. epispasticum.

Apoplexia. vid. *Cephalica.*

Arthritica. vid. *Rheumatismus.*

Asthma.

Asthma. Rad. allii. Pilul. ex allio. Rad. scillæ. Julap. scilliticum. Pilul. scilliticæ. Rad. helenii. Fol. marrubii. Crocus. G. ammoniacum. Julap. ammoniacum. Afa fœtida. Julap. fœtidum. Sapo albus. Millepedæ. Expressio millepedarum. Flos sulphuris. Balsama sulphuris. Bolus pectoralis. Lohoch pectorale. Oxymel pectorale. Pil. pectorales. Ol. cornu cervi. Vesicatoria. Vid. *Pectoralia.*

Cachexia, Chlorosis. Sal polychrestum. Infusum amarum utrumque. Bolus rhei cum Mercurio. Pil. aloeticæ. Pil. chalybeatæ utræque. Pil. stomachicæ. Tinct. sacra. Tinct. rhei amara. Elix. sacrum. Elix. proprietatis. Elix. stomachicum. Elix. vitrioli. Ferri limatura. Tinct. Martis. Antimonium præp. Tinct. antimonii. Vinum emeticum. Æthiops antimonialis. Pil. Æthiopicæ. Cinnabaris antimonii. Æthiops mineralis uterque. Pil. Mercuriales utræque. Decoct. lignorum. Aqua picea. Cervis. aperiens. Cervis. ad scorbuticos. Emetica.

Calculus. vid. Nephritica.

Cardiaca.

Cardiaca. Aqua aromatica. Aq. menthæ piperitidis. Aq. piperis Jamaicensis. Tinct. aromatica. Castoreum. Bolus e castoreo. Tinct. castorei utraque. Crocus. Tinct. croci. Spir. cornu cervi. Spir. lavendulæ compos. Moschus. Julap. moschatum. Julap. cardiacum.

Cardialgia. Emetica. Elix. sacrum. Tinct. rhei amara. Tinct. sacra. Magnesia alba. Pulv. testaceus comp. Nux moschata. Limatura ferri. Vid. *Stomachica.*

Carminativa. Rad. zingiberi. Sem. coriandri. Pulvis diaromatôn. Aq. aromatica. Tinct. aromatica. Spir. lavendulæ comp. Spir. cornu cervi. Spir. volatilis oleosus. Spir. nitri dulcis. Spir. æthereus. Tinct. fuliginis.

Catarrhus. Flos sulphuris. Balfama sulphuris. Conserva rosarum. Electuar. balsamicum. Decoct. antihecticum. Infus. pectorale. Emull. Arabica. Opiata. Laxantia et Cathartica. Vesicatoria. Vid. *Pectoralia.*

Cathartica.

Cathartica, Laxantia. Pruna Gallica.
 Tamarindi. Manna. Syr. rofarum pallidarum.
 Crystalli tartari. Sal catharticum amar. Sal
 polychrestum. Tartarus solubilis. Magnesia
 alba. Flos sulphuris. Electuar. hæmorrhoidale.
 Aloe. Tinct. sacra. Elix. proprietatis. Elix.
 sacrum. Pil. aloeticæ. Pil. stomachicæ. Pil.
 ephracticæ utræque. Rad. hellebori nigri.
 Extract. hellebori nigri. Rhabarbarum. Bo-
 lus rhei c. Mercurio. Tinct. rhei amara. Fol.
 fennæ. Decoct. tamarindorum. Infus. amarum
 c. fenna. Elix. salutis. Electuar. lenitivum.
 Rad. jalappæ. Extract. jalappæ aquosum. Bol.
 jalappæ c. Mercurio. Tinct. jalappæ. Scam-
 monium. Pil. Mercuriales laxantes. Pulv.
 vermifugus purgans. Syr. de rhamno cathartico.
 Julap. hydragogum. Colocynthis. Enema
 domesticum. Enema anticolicum. Enema
 purgans. Suppositoria.

Cephalica. Rad. valerianæ filv. Aq. valeri-
 anæ comp. Infus. cephalicum. Cervis. cepha-
 lica. Fol. asari. Fol. majoranæ. Pulv. cepha-
 licus. Fol. et flor. rorismarini. Fol. salviæ.
 Flor.

Flor. lavendulæ. Spir. lavendulæ comp. Cardamomum minus. Caryophylli aromatici. Cubebæ. Nux moschata. Pulv. antilyffus. Sinapi. Afa foetida. Julap. foetidum. Pil. gummosæ. Tinct. fuliginis. Castoreum. Bol. e castoreo. Tinct. castorei utraque. Ol. rorimarini. Ol. succini. Ol. cornu cervi. Spir. cornu cervi. Spir. falis ammoniaci. Spir. volatilis oleosus. Spir. æthereus. Emetica. Cathartica. Sinapismus. Empl. epispasticum. Tinct. epispastica. Ung. epispasticum utrumque.

Chalybeata. Limatura et rubigo ferri. Sal Martis. Colcothar vitrioli. Elect. Peruvian. roborans. Pil. chalybeatæ utræque. Pil. roborantes. Lac ferratum. Pulv. stanni ferrat. Tinct. Martis.

Chlorosis. vid. *Cachexia.*

Chorea Sancti Viti. vid. *Cephalica.*

Colica, Iliaca. Bolus rhei c. Mercurio. Elix. sacrum. Elix. salutis. Tinct. sacra. Tinct. rhei

Rhei amara. Pil. aloeticæ. Pil. stomachicæ.
Aq. aromatica. Aquæ menthæ utriusque.
Tinct. menthæ. Haust. salinus. Julap. sali-
 num. Enema anticolicum. Enema emolli-
 ens. Fodus aromaticus. Cataplasma stoma-
 chicum. Opiata.

Convulsio. vid. *Cephalica.*

Cutanei affectus. vid. *Scabies.*

Diabetes. Aq. calcis. Decoct. antihecticum.
 Emulsio Arabica. Elix. vitrioli. Tinct. ro-
 sarum. Lac ferratum. Tinct. antiphthifica.
 Pulv. stypticus. Elect. Peruvian. stypticum.
 Emetica et Cathartica lenia.

Diaphoretica, Sudorifica, Alexiphar-
maca. Rad. ac Sem. angelicæ. Rad. con-
 trayervæ. Pulv. contrayervæ comp. Bolus
 diaphoreticus. Rad. farfaparillæ. Decoct.
 farfaparillæ. Rad. fenekæ. Decoct. fenekæ.
 Rad. serpentariæ Virg. Decoct. serpent. comp.
 Bolus alexeterius. Fol. salviæ. Fol. scordii.
 H Fol.

Fol. rutæ. Flores sambuci. Rob sambuci. Castoreum. Bolus e castoreo. Crocus. Tinct. croci. Camphora. Emulf. camphorata. Lign. guajaci cum cort. Decoët. lignorum. Gum. guajaci. Bol. guajacinus. Lign. fassaphras cum cort. Moschus. Julap. moschatum. Opium et opiata. Bolus sudorific. Theriaca. Bolus theriacalis. Sal ammoniacum et cornu cervi volatilia. Spir. cornu cervi. Oleum volatile *extrinsecus*. Spir. Mindereri. Haust. diaphoreticus. Julap. diaphoreticum. Sulphur auratum antimonii. Tartarus emeticus. Vinum emeticum. Pil. e turpetho min. Solutio Mercurii corrosivi. Aq. alexeteria. Aq. epidemia. Serum acetosum et epidemium. Julap. diaphoreticum acidum.

Diarrhœa, Dysenteria, Tenesmus. Rad. ipecacuanhæ. Tinct. ipecacuanhæ. Vitrum antimonii ceratum. Rhabarbarum. Bolus rhei c. Mercurio. Tinct. rhei amara. Aq. calcis. Conf. Japonica. Decoët. adstringens. Decoët. album. Decoët. Campechense. Electuar. ad dysentericos. Julap. fistens. Lac ferratum. Lohoch balsamicum. Pil. roborantes. Pulv. testaceus

testaceus ceratus. Opiata. Enema adstringens. En. adstringens balsamicum. En. de amylo. En. anodynum. En. emolliens. Fottus aromaticus. Vid. *Adstringentia*.

Discussientia. Cataplasma discussiens. Empl. gummofum. Empl. Mercuriale. Empl. saponaceum. Oleum camphoratum. Ol. volatile. Sal ammoniacum. Spir. Mindereri. Spir. vini camphoratus. Ung. sambucinum.

Diuretica. Rad. allii. Pil. ex allio. Rad. bardanæ maj. Decoct. bardanæ. Rad. fœniculi. Rad. petroselinii. Rad. fenekæ. Decoct. fenekæ. Rad. scillæ. Acet. scilliticum. Julap. scilliticum. Pil. scilliticæ. Pulv. diureticus. Fol. parietariæ. Sem. dauci silv. Sem. fœnicul. d. Sem. sinapi. Cervisia diuretica. Baccæ juniperi. Ol. juniperi. Terebinthina Veneta. Ol. terebinthinæ. Elect. ad nephriticos. Enema terebinthinatum. Balf. copaibæ. Potio balsamica. Sapo albus. Bolus diureticus. Cantharides. Tinct. cantharidum. Millepedæ. Expressio millepedarum. Nitrum. Decoct. nitrosum. Spir. falis dulcis.

Aqua:

Aqua raphani comp. Decoct. diureticum. Emulſio communis et Arabica. Hauff. falinus. Julap. falinum. Sal polychreſtum. Sal tartari. Spir. Mindereri. Julap. diureticum. Solut. mercurii corroſivi.

Dysenteria. vid. *Diarrhœa.*

Dysuria. vid. *Nephritica.*

Emetica. Rad. ipecacuanhæ. Tinct. ipecacuanhæ. Tartarus emeticus. Vinum emeticum. Turpethum minerale. Syr. ſcilliticus. Vitriolum album.

Emmenagoga. vid. *Menses moventia.*

Epilepſia. vid. *Cephalica.*

Eryſipelas. Decoct. tamarindorum. Sal cathartic. amarum. Bolus alexeterius. Empl. epifpaſticum. Tinct. epifpaſtica. Cataplaſma emolliens. Fetus anodynus. Fetus aromaticus. Pulv. ad eryſipelatem. Cataplaſma camphoratum. Spir. vini camphoratus. Ung. tutiæ camphoratum. Ung. ſambucinum.

Expe-

Expectorantia. vid. Pectoralia.

Febris Continua. Decoct. hordei. Decoct. nitrosum. Emulsio communis. Serum acetosum et epidemium. Haust. salinus. Julap. salinum. Spir. Mindereri. Julap. diaphoreticum. Bolus alexeterius. Bol. e castoreo. Bol. diaphoreticus. Decoct. serpentariæ comp. Emulsio camphorata. Julap. cardiacum. Julap. diaphoreticum acidum. Julap. moschatum. Pulv. contrayervæ comp. Emetica. Laxantia. Enema domesticum. En. emolliens. En. purgans. Empl. epispasticum. Tinct. epispastica. Sinapismus.

Febris Intermittens. Cort. Peruvianus. Elect. Peruvianum febrifugum. Tinct. cort. Peruviani. Elor. chamæmeli. Infus. amarum utrumque. Emetica. Elix. sacrum. Tinct. sacra. Tinct. rhei amara. Sal ammoniacum. Haust. salinus. Bolus diaphoreticus. Bolus sudorificus. Julap. diaphoreticum. Rad. fenekæ. Decoct. fenekæ. Ol. succini.

Fluor Albus. Emetica. Bolus rhei c. Mercurio. Pil. Mercuriales laxant. Chalybeata. Aq. calcis. Balf. adstringens. Decoct. lign. Elect. Peruvian. stypticum. Elix. vitrioli. Pil. roborantes. Pil. terebinthinatæ. Potio balsamica. Pulv. stypticus. Tinct. antiphthifica. Tinct. cantharidum. Balf. anodynum Bateanum *extrinsecus*. Fetus roborans *injectus*.

Gangræna. Bolus alexeterius. Cortex Peruvianus. *Externa.* Cataplasma camphoratum. Ol. terebinthinæ. Spir. vini camphoratus. Tinct. myrrhæ et aloes. Ung. Ægyptiacum.

Gonorrhœa virulenta. Decoct. tamarindorum. Sal catharticum amarum. Sal polychrestum. Emulsio Arabica. Infusum lini. Nitrum. Pil. mercuriales utræque. Pil. e turpetho miner. Solut. Mercurii corrosivi. Potio balsamica. Tinct. cantharidum. Fetus emolliens. Injectio balsamica. Injectio Mercurialis.

Gutta serena. vid. *Ophthalmica.*

Hæmoptoe. Decoët. tamarindorum. Aqua
calcis. Decoët. antihecticum. Decoët. vulne-
rarium. Emulsio Arabica. Electuar. balsami-
cum. Elect. Peruvianum febrifugum. Infusum
lini. Infus. pectorale. Pulv. stypticus. Spir.
vitrioli. Tinct. antiphthifica. Tinct. rosarum.

Hæmorrhagia. Laxantia. Aq. styptica.
Bals. adstringens. Colcothar vitrioli. Decoët.
nitrosum. Pulvis stypticus. Spir. vitrioli.
Tinct. rosarum. Tinct. antiphthifica. Ene-
ma purgans.

Hæmorrhoidalia. Flos sulphuris. Elect.
hæmorrhoidale. Enema anodynum. Fetus a-
nodynus. Linim. hæmorrhoidale. Ung. emol-
liens.

Hypnotica. vid. *Anodyna.*

Hydrops. Rad. allii. Pil. ex allio. Rad.
scillæ. Julap. scilliticum. Pil. scilliticæ.
Pulv. diureticus. Sem. sinapi. Cervis. diureti-
ca.

ca. Rad. fenekæ. Decoct. fenekæ. Millepedæ. Expressio millepedarum. Tinct. cantharidum. Sal tartari. Bol. diureticus. Julap. diureticum. Julap. salinum. Potio balsamica. Rad. jalappæ. Bolus jalappæ c. Mercurio. Tinct. jalappæ. Julap. hydragogum. Antimonialia. Mercurialia. Bol. fudorificus.

Hypochondriacus & Hystericus morbi.

Aq. pulegii. Aq. valerianæ comp. Bolus e castoreo. Cervisia cephalica. Infus. cephalicum. Julap. antihystericum. Julap. foetidum. Julap. moschatum. Ol. still. cornu cervi. Ol. still. succini. Pil. gummosæ. Pil. stomachicæ. Spir. æthereus. Spir. cornu cervi. Spir. lavendulæ comp. Spir. sal. ammon. ex calce viva. Spir. volatilis oleosus. Tinct. castorei. Tinct. castorei comp. Tinct. fuliginis. Elect. Peruvianum roborans. Tinct. cort. Peruviani. Pulv. antilyssus. Elix. vitrioli. Elix. proprietatis. Elix. sacrum. Pil. aloeticæ. Tinct. sacra. Tinct. rhei amara. Chalybeata. Emetica. Laxantia. Opiata. Enema foetidum. Empl. antihystericum.

Icterus. Emetica. Bolus rhei c. Mercurio.
 Elix. sacrum. Tinct. sacra. Tinct. rhei ama-
 ra. Sapo albus. Expressio millepedarum.
 Pil. scilliticæ.

Ischiadicus morbus. vid. *Rheumatismus.*

Laxantia. vid. *Cathartica.*

Lepra. vid. *Scabies.*

Lithonriptica. vid. *Nephrítica.*

Lues venerea. Decoct. lignorum. Decoct.
 sarsaparillæ. Mercurialia.

Lumbago. vid. *Rheumatismus.*

Mania, Melancholia. Emetica. Decoct.
 tamarindorum. Extract. et tinct. hellebori ni-
 gri. Elix. sacrum. Tinct. sacra. Camphora.
 Julap. foetidum. Pil. gummosæ. Opiata.
 Empl. epispasticum.

Menses moventia. Rad. aristolochiæ utriusque. Rad. curcumæ. Rad. hellebori nigri. Rad. scillæ. Rad. valerianæ silv. Rad. zedoariæ. Fol. rutæ. Fol. fabinæ. Fol. salviæ. Summit. centaurii min. Crocus. Sem. levistici. Sem. sinapi. Aloe utraque. Galbanum. Myrrha. Castoreum. Aq. pulegii. Aq. valerianæ comp. Extract. et tinct. hellebori nigri. Elix. proprietatis. Elixir sacrum. Tinct. sacra. Tinct. croci. Cervisia aperiens. Infusum amarum utrumque. Julap. ammoniacum. Julap. antihystericum. Pil. scilliticæ. Pil. Mercuriales lax. Pil. chalybeatæ utræque, aliæque chalybeata.

Menses sistentia. Bals. adstringens. Confect. Japonica. Elect. Peruvianum roborans. Elect. Peruvianum stypticum. Pulvis stypticus. Pulv. testaceus ceratus. Tinct. antiphthifica. Tinct. rosarum. Spir. vitrioli. Vitrum antimonii ceratum.

Mercurialia. Æthiops mineralis uterque. Æthiops antimonialis. Pil. Mercuriales utræque.

que. Pil. Æthiopicæ. Mercurius sublimatus corrosivus. Solutio Mercurii corrosivi. Mercurius sublimatus dulcis. Mercur. præcipitatus albus; et ruber. Turpethum minerale. Pil. e turpetho minerali. Bolus Mercurialis. Bolus jalappæ c. Mercurio. Bolus rhei c. Mercurio. Pulv. vermifugus purgans. Cinnabaris antimoni *pro suffitu*. Aq. aluminosa. Aq. phagedænica. Injunctio Mercurialis. Empl. Mercuriale. Linimentum Mercuriale. Ung. Mercuriale. Trochisci de minio.

Mictus cruentus. vid. Hæmorrhagia.

Nephritica. Aq. calcis. Sapo albus. Ol. still. juniperi. Bolus diureticus. Decoct. diureticum. Decoct. nitrosum. Haustus salinus. Julap. diureticum. Julap. scilliticum. Pil. scilliticæ. Pulv. diureticus. Potio balsamica. Spir. nitr. dulc. Spir. falis dulc. Tinct. cantharidum. Opiata. Emulsio communis; et Arabica. Infusum lini. Lohoch commune. Elect. lenitivum. Elect. ad nephriticos. Elixir salutis. Enema emolliens. En. terebinthinatum. Fodus emolliens.

Ophthal-

Ophthalmica. Cathartica. Pil. Mercurial.
 utræque. Expressio millepedarum. *Exter-*
na. Aq. sapphirina. Aq. vitriolica. Cata-
 plasma emolliens. Collyrium album. Colly-
 rium aluminosum. Spir. Mindereri. Pulv. ce-
 phalicus. Turpethum minerale. Ung. tutiæ
 utrumque. Empl. et ungu. epispastica.

Opiata. vid. *Anodyna.*

Paralysis. Rad. allii. Rad. ari. Rad. fer-
 pentar. Virgin. Rad. valerianæ silv. Fol.
 et flor. rorismarini. Fol. rutæ. Fol. falviæ.
 Flor. lavendulæ. Cardamomum min. Caryo-
 phylli aromatici. Cubebæ. Sem. levistici.
 Sem. finapi. Lign. guajaci et sassaphras. Ca-
 nella alba. Afa foetida. Camphora. Gum.
 guajaci. Castoreum. Cinnabaris antimonii.
 Sulphur auratum antimonii. Aq. valerianæ
 comp. Aq. raphani comp. Bolus e castoreo.
 Bolus guajacinus. Cervisia cephalica. De-
 coct. lignorum. Infusum cephalicum. Jula-
 pium antihystericum. Julapium diaphoreti-
 cum. Julapium diureticum. Julap. foetidum.
 Oleum stillat. cornu cervi. Oleum stillat. fuc-
 cini.

cini. Spir. cornu cervi. Spir. lavendulæ
 comp. Succu ad scorbuticos. Tinct. casto-
 rei. Tinct. castorei comp. Tinct. fuliginis.
 Emetica. Bolus jalappæ c. Mercurio, aliaque
 cathartica. Enema foetidum. *Externa.* Pulv.
 cephalicus. Bals. saponaceum. Bals. terebin-
 thinæ. Empl. calidum. Empl. epispasticum.
 Linim. anodynum. Ol. volatile. Ung. ner-
 vinum. Ung. ad paralyticos.

Pectoralia. Rad. allii. Pil. ex allio. Rad.
 helenii. Rad. iridis Flor. Rad. scillæ. Acet.
 scilliticum. Syr. scillit. Julap. scillit. Pil.
 scillit. Pulv. diureticus. Fol. hederæ terr. Fol.
 marrubii. Herba trichomanes. Fol. et flor.
 tuffilaginis. Crocus. Gum. ammoniacum. Lac
 ammoniacum. Julap. ammoniacum. Bals.
 Peruvianum. Benzoinum. Olibanum. Pix
 liquida. Aq. picea. Bals. piceum. Pil. pi-
 ceæ. Millepedæ. Expressio millepedarum.
 Flos sulphuris. Balsama sulphuris. Bolus pe-
 ctoralis. Oxymel pectorale. Pil. pectorales.
 Confer. rosarum. Rad. althææ. Rad. glycyrr-
 rhizæ. Succus glycyrrhizæ. Mel. Sem. lini.
 Infusum lini. Infus. pectorale. Gum. Arabi-
 cum.

cum. Tragacantha. Decoct. antihecticum.
 Decoct. hordei. Ol. olivarum. Sperma ceti.
 Bals. Locatelli. Elect. balsamicum. Lohoch
 balsamicum. Lohoch commune. Lohoch
 pectorale. Sapo albus. Emetica.

Peripneumonia, Pleuritis. Bol. pecto-
 ralis. Julap. ammoniacum. Julap. diaphore-
 ticum. Julap. scillitic. Decoct. hordei. In-
 fus. lini. Lohoch commune. Empl. epispasti-
 cum. Tinct. epispastica. Vid. *Pectoralia*.

Phthisis. Conserva rosarum. Decoct. anti-
 hecticum. Decoct. vulnerarium. Electuar. bal-
 samicum. Infus. pectorale. Julap. amonia-
 cum. Julap. scilliticum. Lohoch balsamicum.
 Pil. pectorales. Pil. scilliticæ. Potio balsami-
 ca. Aqua calcis. Aqua picea. Bals. piceum.
 Pil. piceæ. Balsama sulphuris. Bolus pecto-
 ralis. Emetica. Elix. vitrioli. Empl. epispa-
 sticum. Vid. *Pectoralia*. vid. *Diarrhœa*.

Purgantia. vid. *Cathartica*.

Rabies canina. Pulv. antilyffus. Moschus.

Rheumatismus, Lumbago, Ischias, Arthritiſis. Decoctum bardanæ. Decoct. lignorum. Decoct. fenekæ. Succī ad ſcorbuticos. Cerviſia ad ſcorbuticos. Sem. ſinapi. Bolus guajacinus. Bolus ſudorificus. Julap. diaphoreticum. Ol terebinthinæ. Pil. ſcillitic. Sapo albus. Æthiops mineralis. Æthiops antimonialis. Pil. Mercuriales utræque. Solutio Mercurii corroſivi. Laxantia et Cathartica. *Externa.* Balf. anodynum Bateanum. Balf. ſaponaceum. Balf. terebinthinæ. Catapl. emolliens. Empl. calidum. Empl. epifpaſticum. Empl. ſaponaceum. Linim. anodynum. Ol. camphoratum. Ol. volatile.

Scabies, Lepra. Antimonium præp. Sulphur aurat. antimonii. Tinct. antimonii. Vin. emeticum. Æthiops antimonialis. Æth. mineralis. Pil. Æthiopicæ. Pil. Mercuriales utræque. Solutio Mercur. corroſivi. Cerviſia ad ſcorbuticos. Succī ad ſcorbuticos. Decoctum lignorum. Aqua picea. Pil. piceæ. Tinct.

Tinct. cantharidum. Flos sulphuris. *Externa.*
 Bals. piceum. Ung. piceum. Empl. epispasti-
 cum. Aq. calcis. Ung. antipforicum. Ung.
 sulphureum. Linim. Mercuriale. Ung. Mer-
 curiale.

Scorbutus. Aq. raphani comp. Cervisia ad
 scorbuticos. Infusum ad scorbuticos. Succo ad
 scorbuticos. Elixir stomachicum. Infusum
 amarum utrumque. Elixir vitrioli. Pil. cha-
 lybeatae utraeque, et alia chalybeata. Pil. piceae.
 Aq. picea. Sal polychrestum. Decoct. ta-
 marindorum. Pil. stomachicae. Tinct. sacra.
 Tinct. rhei amara.

Singultus. Spir. lavendulae comp. Julap.
 cardiacum. Moschus. Julap. moschatum.
 Spir. aethereus. Cort. Peruvianus. Tinct. cor-
 tice Peruviani. Opiata. Elixir sacrum.
 Tinct. sacra. *Externa.* Bals. anod. Batean.
 Cataplasma camphoratum. Catapl. stomachi-
 cum. Fetus aromaticus. Vesicatoria.

Stomachica. Rad. calami aromat. Rad.
 zedoariae. Zingiberi. Folia menthae utriusque.
 Aquae

Aquæ menthæ utriusque. Tinct. menthæ. Can-
 nella alba. Cinnamomum. Nux moschata.
 Macis. Piper Jamaicense. Aq. piperis Ja-
 maic. Piper nigrum. Tinct. aromatica. E-
 lixir vitrioli. Aq. picea. Myrrha. Rad. cur-
 cumæ. Rad. gentianæ. Extract. gentianæ.
 Fol. absinthii. Fol. cardui bened. Summit.
 centaurii min. Flor. chamæmeli. Aurantia
 Curaflavenfia. Cort. Peruvianus. Tinct. cort.
 Peruviani. Elixir stomachicum. Infusum a-
 marum utrumque. Aloe. Elixir proprietatis.
 Pil. aloeticæ. Pil. stomachicæ. Tinct. sacra.
 Rhabarbarum. Bolus rhei c. Mercurio. Tinct.
 rhei amara. Elixir sacrum. Pil. chalybeatæ
 utræque, et alia chalybeata. Tinct. ipecacuan-
 hæ, aliaque emetica. *Externa.* Cataplasma
 stomachicum. Fodus aromaticus. Theriaca.

Styptica. vid. *Adstringentia.*

Sudorifica. vid. *Diaphoretica.*

Tinea. vid. *Scabies.*

Traumatica, Vulneraria. Fol. tussilaginis.

Decoctum vulnerarium. Cortex Peruvianus.

Aq. calcis. Aq. picea. Infus. folani. Bals.

Locatelli. Potio balsamica. Pil. Mercuriales
 utræque. Solutio Mercurii corrosivi. *Externa.*
 Bals. traumaticum. Aq. styptica. Aq. alumi-
 nosa. Aq. calcis. Aq. phagedænica. Tinct.
 myrrhæ et aloes. Bals. viride. Ung. Ægypti-
 acum. Ung. album. Ung. e lapide calaminari.
 Ung. Saturninum. Ung. basilicum utrumque.
 Ung. Mercuriale.

Tussis. vid. *Pectoralia.*

Vermifuga. vid. *Anthelmintica.*

Vertigo. vid. *Cephalica.*

Ulcera. vid. *Traumatica.*

Vomitoria. vid. *Emetica.*

Vomitus. Aquæ menthæ utriusque. Tinct.
 menthæ. Haust. salinus. Julap. salinum. E-
 lixir sacrum. Tinct. sacra. Tinct. rhei amara.
 Spir. æthereus. Elixir vitrioli. Emetica.
 Chalybeata. Opiata. *Externa.* Bals. anodyn.
 Bateanum. Cataplasma stomachicum. Fodus
 aromaticus. Theriaca.

TABULA POSOLOGICA.

- R** Ad. jalappæ, ad scrup. ii.
 Rad. ipecacuanhæ, ad scrup. ii.
 Rad. rhabarbari, ad drach. i.
 Rad. serpentariæ Virg. ad drach. fs.
 Rad. valerianæ filv. ad unc. fs. bis terve in die.
 Sem. sinapī integrum, ad drach. vi. bis in die.
 Aloe hepat. et Socotrin. ad scrup. i.
 Scammonium, ad scrup. i.
 Camphora, ad scrup. ii.
 Olibanum, ad drach. i. bis in die.
 Opium; gran. i.
 Manna, ad unc. ii.
 Cryſtalli tartari; unc. fs.
 Nitrum, ad drach. fs. sæpius in die.
 Sapo albus, ad unc. ii. in die, partitis vicibus.
 Castoreum, ad drach. fs.
 Moschus, ad gran. xv.
 Stanni pulv. ad unc. fs. bis in die.
 Vitriolum alb. scrup. i.
 Acetum ſcilliticum; drach. i. fs. bis in die.

Aqua calcis ; lib. ii. in die.

Antimonium præp. ad drach. ii.

Bals. adstringens, ad gutt. xl.

Bals. piceum. gutt. l. bis terve in die.

Balsama sulphuris, ad gutt. x.

Cervisiæ medicatæ variæ, ad lib. fs. bis in die.

Confectio Japonica. Unc. fs. continet Opii gran. i.

Decoct. adstringens ; unc. iv. ter quaterve in die.

Decoct. bardanæ ; lib ii. in die.

Decoct. Campechense, ad unc. iv. ter quaterve
in die.

Decoct. diureticum ; lib. ii. in die.

Decoct. lignorum ; lib. ii. in die.

Decoct. nitrosum ; unc. iv. sæpius in die.

Decoct. sarsaparillæ ; lib. ii. in die.

Decoct. fenekæ, ad unc. ii. ter quaterve in die.

Decoct. serpentariæ comp. unc. i. ter quaterve in
die.

Electuar. balsamicum ; moles juglandis bis in die.

Elect. ad dysentericos ; moles juglandis semel,
aut bis, in die.

Elect. hæmorrhoidale, ad drach. iii.

Elect. ad nephriticos, ad drach. i. semel, aut bis,
in die.

Elect. Peruvianum robor. moles juglandis bis
terve in die.

Elect. Peruvianum stypt. moles juglandis ter in
die.

Elixir proprietatis; gutt. xl. bis, vel ter, in die.

Elixir sacrum; unc. i.

Elixir salutis, ad unc. ii.

Elixir stomachicum, ad unc. fs.

Elixir vitrioli; gutt. xxx. bis in die.

Emulsio camphorata; unc. fs. tertia, aut quarta,
quaque hora.

Expressio millepedarum, ad unc. ii. bis in die.

Extract. hellebori nigri, ad scrup. i.

Extract. jalappæ aquosum, ad scrup. i.

Infus. amarum, ad unc. iii. bis in die.

Infus. cephalicum } unc. iv. bis in die.
Infus. ad scorbuticos }

Infus. solani lethal. unc. ii.

Julap. ammoniacum, ad unc. i. bis in die.

Julap. antihystericum } ad unc. i. ter in die.
Julap. cardiacum }

Julap. diaphoreticum utrumque, ad unc. i. quo-
que bihorio.

Julap. diureticum, ad unc. i. sæpius in die.

Julap. foetidum; unc. fs. ter quaterve in die.

Julap.

- Julap. hydragogum; unc. i. quoque bihorio.
 Julap. moschatum; unc. i. ter quaterve in die.
 Julap. salinum; unc. i. quaque hora.
 Julap. scilliticum; unc. i. bis. in die.
 Julap. fistens; unc. i. ter quaterve in die.
 Lac ammoniacum; unc. i. bis in die.
 Laudanum liquid. Gutt. xxv. continent Opii gr. i.
 Magnesia alba, ad drach. ii.
 Ol. still. cornu cervi, ad gutt. x.
 Ol. still. juniperi, ad gutt. xx.
 Ol. still. terebinthinæ, and gutt. xl. bis in die.
 Oxymel pectorale, ad unc. i. bis terve in die.
 Pil. Æthiopicæ, ad scrup. i.
 Pil. ex allio; drach. fs. bis in die.
 Pil. aloeticæ, ad drach. fs.
 Pil. chalybeatæ, ad scrup. i. bis in die.
 Pil. ecphracticæ chalybeatæ, ad drach. fs.
 Pil. ecphracticæ purg. ad scrup. ii.
 Pil. gummofæ; scrup. i. bis in die.
 Pil. Mercuriales lax. ad drach. fs. alternis diebus.
 Pil. pacificæ. Gr. viii. continent Opii gr. i.
 Pil. pectorales; scrup. i. bis in die.
 Pil. piceæ; drach fs. bis in die.
 Pil. roborantes, ad drach. fs. bis in die.
 Pil. scilliticæ; gr. xv. bis in die.

- Pil. stomachicæ, ad drach. fs.
 Pil terebinthinatæ; scrup. i. bis in die.
 Pil. e turpetho miner. pil. i. bis terve in die.
 Potio balsamica, ad unc. i. bis in die.
 Pulv. antilyssus, ad drach. i. fs.
 Pulv. contrayervæ comp. drach. fs.
 Pulv. cephalicus, pro sternutamento, ad gr. x.
 Pulv. diaromatôn, ad scrup. i.
 Pulv. diureticus, ad gr. xv.
 Pulv. stanni ferrat. ad drach. ii. bis in die.
 Pulv. stypticus, ad scrup. i. bis terve in die.
 Pulv. testaceus ceratus; drach. fs. sæpius in die.
 Pulv. vermifugus, ad drach. fs. bis in die.
 Pulv. vermifug. purg. ad drach fs.
 Sal cathart. amarum, ad unc. i. fs.
 Sal polychrest. ad unc. fs.
 Solutio Mercurii corros. ad unc. i. bis in die.
 Spirit. æthereus; gutt. xxx.
 Spir. lavendulæ comp. gutt. xxx. bis terve in die.
 Spir. nitri dulc. ad drach. i.
 Spir. vitrioli dulc. ad drach. i.
 Succu ad scorbuticos, ad unc. iv. bis in die.
 Syr. papaveris albi; unc. i.
 Syr. de rhamno; unc. i.
 Tartarus emetic. ad gr. vii.

- Tartar. solubilis, ad unc. fs.
Theriaca. Drach. ii. fs. continent Opii gr. i.
Tinct. antimonii, ad gutt. xl. bis in die.
Tinct. antiphthifica; gutt. xxx. bis in die.
Tinct. cantharidum, ad gutt. xxx. bis in die.
Tinct. castorei; gutt. xl. bis terve in die.
Tinct. castorei comp. gutt. xl. bis terve in die.
Tinct. cort. Peruviani, ad unc. i. sæpius in die.
Tinct. croci; gutt. xl. bis terve in die.
Tinct. fuliginis; gutt. xl. bis terve in die.
Tinct. hellebori nigri; unc. fs.
Tinct. ipecacuanhæ, ad unc. i. fs.
Tinct. Martis, ad gutt. xl. bis in die.
Tinct. menthæ; unc. fs. sæpe.
Tinct. myrrhæ; gutt. xl. bis in die.
Tinct. rhei amara, ad unc. i. fs.
Tinct. rosarum; unc. iv. ter quaterve in die.
Tinct. sacra, ad unc. i. fs.
Turpethum miner. ad gr. viii.
Vinum emeticum, ad unc. i. fs.
Vitrum antimonii ceratum, ad gr. x.