

**A sure guide to distillers, and all dealers in spiritous liquors, for discovering the true proportion of water and alchohol [sic] in any ... compound; and how to make it exactly proof, by a new-constructed hydrometer / [Benjamin Martin].**

**Contributors**

Martin, Benjamin, 1705-1782.

**Publication/Creation**

London : [The author], [1759]

**Persistent URL**

<https://wellcomecollection.org/works/dh7qrz8t>


**License and attribution**

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>





# The THEORY of the Genuine HYDROMETER illustrated.



Published according to Act of Parliament March 25 1762. By B. Martin.



A  
SURE GUIDE  
TO  
DISTILLERS,  
AND ALL  
DEALERS  
IN  
SPIRITUOUS LIQUORS,

For discovering.

The True Proportion of *Water* and *Alcohol*  
in any proposed Compound ;

AND

How to make it exactly PROOF,

BY

A New-constructed HYDROMETER, and SCALE of  
*Lines*, whose Uses are described and illustrated by  
Examples.

The Whole deduced from a Mathematical THEORY  
founded on *Philosophical Principles* and *Experiments*.

By BENJAMIN MARTIN.

This HYDROMETER is made only by Him, and Sold at his Shop,  
the Sign of the *Visual-Glasses* and *Globe*, in *Fleet-street*, 1759.

*Scam*

Price One Pound ~~Two~~ Shillings.



SURE-GUIDE

DISTILLERS

DEALERS

SPIRITUOUS LIQUORS

The True Proportion of Water and Alcohol  
in any proposed Compound;

AND  
How to make it exactly Proportional

BY  
A few condensed Historical Remarks, and a series of  
Experiments, which are described and illustrated by  
Diagrams.


The Whole designed for a Mathematical History  
of the Art of Distillation, and the Principles  
of the Art of Distillation.

By BENJAMIN MARTIN.  
LONDON: Printed by J. B. Smith, in the Strand, 1755.



TO THE  
Hon. COMMISSIONERS  
OF  
His Majesty's REVENUES  
OF THE  
CUSTOMS and EXCISE  
RESPECTING  
The DUTIES ON SPIRITUOUS LIQUORS.

Gentlemen,

 Have presumed on the Liberty of  
addressing to You an Essay on the  
Nature and Structure of a *genuine*  
HYDROMETER, as it is an Instrument that  
is best fitted to *analyze*, and thereby to dis-  
cover



## ii DEDICATION.

cover the component Parts of *Spirituous Liquors*; a Subject of great Extent in the Public Revenues of these Kingdoms; and which his MAJESTY has committed to your immediate Care, Inspection, and Regulation.

An Instrument, therefore, of this Sort must be of high Importance to a Community which not only imports great Quantities of different Sorts of Spirits from Abroad, but employs such an extensive DISTILLERY at Home entirely on that Subject; besides the frequent and necessary Use of an HYDROMETER in ascertaining the specific Gravity of mineral, medicinal, and other Waters, and Fluids produced by, and used in the various commercial, chemical, and oeconomical Arts and Manufactures of this Nation.

But as I have not yet seen any Instrument that can be properly called an HYDROMETER, *viz. one that depends on a just Theory, that will ascertain the specific Gravity, and will truly assign the Proportion of the constituent Parts of a Compound Fluid, both in regard to Quantity and Weight*, I have attempted



tempted such a Construction, and have now the Honour to offer it to your critical Consideration and Examination,

In every Department of his Majesty's REVENUES relative to the Duties on *spirituous Liquors*, there are not wanting Gentlemen of *Mathematical* Abilities much beyond what is necessary to render them competent Judges of the Nature and Construction of this Instrument, as here represented in the Diagrams of the Copper-plate; and who cannot but be apprized that a *genuine* HYDROMETER must not pretend to a less Number of either *physical* or *geometrical Principles* than they will here find premised to this.

I therefore submit this HYDROMETER to the *Examen* and Censure of Gentlemen, who by their Situation and Learning, are superior to every Interest and Influence, but those of *Truth* and the *public Welfare*. Their Sentiments of it ought to direct the *Public* in their Opinion of its Usefulness. And then there will be no Room to doubt but this Invention will have all the Regard which is due  
to



to its Merit from every Party concerned in so interesting a Subject, as the *making, importing, and vending* Spirituous Liquors; and that is all that is desired or expected by the Author, who has spared no Pains to make this Instrument as compleat, and as easy to be understood both in THEORY and PRACTICE, as any Thing of such a Nature can be; and who is, with profound Submission,

*Gentlemen,*


*Your most humble*

*And most obedient Servant,*

*Fleet-street,  
London.*

B. MARTIN.





# P R E F A C E.

**I**T must be allowed that equal Weights of Water and Spirit, or Alcohol, mixed together, make the only true and just Proof, because in that Case only the Quantity of Matter in each can be equal. And if the specific Gravity of Water and Spirit be taken in such Proportion as I have here supposed to be the best, then this HYDROMETER I presume, is constructed geometrically and physically exact; and I make no doubt of its being the first that ever was so. For such an Instrument can never be true if it be not constructed by the Rules of Algebra, and by an hydrostatic Theory nicely corrected by Experiments. They who make Hydrometers without these Principles may be justly said (*operosè nihil agere,*) to take great Pains to no Purpose, unless to deceive themselves and the Public; and tho' this Invention may seem no great Matter, I can assure the Reader it has cost me more Time, Trouble, and Expence than any Instrument I have ever yet made public. The Use of it may be greatly extended; but I have accommodated it at present only to the Service of the Distiller and Compounder,




## P R E F A C E.

*to whom I apprehend it must be very acceptable, since without it, all must be Guess-work which they do. At first I determined not to trouble the Reader with the MATHEMATICAL THEORY, but finding the Instrument greatly disparaged, and myself abused for the Contrivance, I was obliged for my own Justification to publish it; and I hereby appeal to any MATHEMATICIAN for the Truth of it in every Part; the Criticisms or Censures of any other Person not meriting the least Regard.*







T H E  
Description and Use  
O F A  
N E W H Y D R O M E T E R.

I. *Of the SCALE of LINES.*

1. **T**HE Result of a great Number of Experiments (which from 'Time to Time I have made purely in regard to this Subject) has convinced me that the best Proportion of the *Specific Gravities* of *Water* and *Alcohol*, or *Spirit*, is that of 1000 to 840, with respect to their Composition for PROOF-SPIRIT. And the Difference of these Numbers, *viz.* 160, make the Divisions of the *first Line* A B in the SCALE at the End of this Treatise.

2. In the second Line C D the Divisions are still the same, only they are number'd in the natural Order from 840 to 1000; that so they may serve to shew or express the common *Specific Gravity* of any *Composition* of *Water* and *Spirit*.

3. The Divisions of the Third Line E F and fourth G H are the same, *viz.* 1000, but number'd forward in one, and backward



ward in the other, that so the Numbers in one may be the *Complement* of those in the other to 1000.

4. Therefore if the whole Difference of Weight of the *Hydrometer* in Spirits and Water be divided into 1000 equal Parts, and these Parts be expressed by the Divisions of the Line E F; then the Number of these small Weights put into the Cup to make it sink in *any compound Spirit*, will shew the common *specific Gravity* of it, by the corresponding Number in the Line C D. For Example, if the Weights required to sink the Hydrometer to (o) be 700, then will the specific Gravity of that Compound be 952 nearly, or the Weight of that compared with the Weight of Water in equal Bulks will be as 952 to 1000.

5. Hence it is evident, the Numbers in the Line E F represent the *Bulk of Water* in any spirituous Compound, and those of the Line G H, will shew the *Bulk of Spirit*; for these Numbers will increase and decrease in the same Proportion every where with the *Bulks of Water and Spirit* in the Compound.

6. The fifth Line I K contains 840 Divisions numbered from the right Hand to the left; and therefore if the Divisions in the third Line E F represent the *Weight of the Water* in any Compound, those in the Line I K corresponding to them will represent the *Weight of the Spirit*; since every where  
those



those Numbers increase and decrease with the Weights of those Fluids respectively.

7. It is to be remembr'd that PROOF-SPIRIT is that which consists of *equal Weight of Water and Alcohol*; and therefore where you see the same Number in the third and fifth Line coincide, there will the common *specific Gravity* of that Proof-Spirit be expressed in the second Line. For Example, the Number 456 in the Line E F coincides with the same Number in the Line I K; and corresponding to these is the Number  $913\frac{1}{2}$  in the Line C D; therefore the specific Gravity of *Alcohol, Proof-Spirit and Water*, are as 840,  $913\frac{1}{2}$ , and 1000, as they are usually estimated.

8. Therefore if the Compound be such as requires a less Weight than 456 in the Cup to sink the Hydrometer to (o) then it is *above Proof*; if it require just 456, it is *just Proof*; but if more than 456 be put into the Cup, then it is *below Proof* according to the Customary way. And thus you see the Scale is marked on the Top.

9. The sixth Line L M shews the Quantity of Water to be added to the Compound, if *above Proof*, on the left Hand, or the Quantity of Spirit to be added if the Compound be *below Proof* on the right Hand of the Proof-Point, so that the Compound may be *just Proof*. And these Numbers are such Parts, of which the whole Compound consists of 1000.

10. But



10. But before we can arrive at the exact Truth, the Numbers of the second Line C D must be new modelled, and expressed as in the seventh Line N O; *this Correction* not having been attended to, has rendered all Hydrometers that have been hitherto made, very imperfect and erroneous. And these Divisions or Numbers in the Line N O have been deduced by Calculations founded on such Experiments as were necessary to ascertain the *True Density or specific Gravity* of a given Compound which is very different from what is usually supposed, or inferred from the common Algebraic Process. This Line N O of *correct specific Gravities* is therefore to be used conjointly with the Line C D, as we shall shew in what follows.

## II. Of the WEIGHTS used with this HYDROMETER.

11. Having thus described the several Lines of this new Scale, it will be necessary in the next Place to give an Account of the Weights used with the *Hydrometer*. These are nine in Number; *viz.* 400, 300, 200, 100, and 40, 30, 20, 10; with a *Proof-Weight* 600. With the four First any Number of *Hundreds* under a Thousand may be made, and with the four last you have any Number of *Tens* under an Hundred. So that with these eight Weights any Number

†

under



*The Description and Use of a New constructed HYDROMETER or SPIRIT-PROVER for discovering very accurately the Proportion of SPIRIT and WATER in any Composition, and how to make it Exactly Proof,*  
By BENJ. MARTIN Fleet Street London.

W	Above PROOF														PROOF	Under PROOF														S	R
A	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	B														
C	840	850	860	870	880	890	900	910	920	930	940	950	960	970	980	990	1000	D													
E	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	F														
G	1000	900	800	700	600	500	400	300	200	100	0	100	200	300	400	500	H														
I	840	800	700	600	500	400	300	200	100	0	100	200	300	400	500	600	K														
L	840	800	700	600	500	400	300	200	100	0	100	200	300	400	500	600	M														
N	840	850	860	870	880	890	900	910	920	930	940	950	960	970	980	990	1000	O													

Published by the Author Jan: 16 1758 according to Act of Parliament, and sold at his Shop opposite Sergeant's Inn Fleet Street London.



THE UNIVERSITY OF CHICAGO  
LIBRARY

THE UNIVERSITY OF CHICAGO  
LIBRARY

THE UNIVERSITY OF CHICAGO  
LIBRARY

THE UNIVERSITY OF CHICAGO  
LIBRARY

THE UNIVERSITY OF CHICAGO  
LIBRARY

THE UNIVERSITY OF CHICAGO  
LIBRARY



under a Thousand may be put into the Cup (to shew the specific Gravity of the compound Spirit) except the *Ten Digits*.

12. These Digits are marked on the Stem of the Hydrometer under the Cup, in a small Scale (0, 1, 2, 3, 4, &c.) for the Weight of the Fluid equal in Bulk to that Part of the Stem is a 1000th Part of the whole, and therefore equal to ten Parts of 1000. Hence any Number under 1000 is immediately formed by the Weights in the Cup, together with the Number on this Scale which stands at the Surface of the Fluid.

13. The *Proof-Weight* is marked 600; because in the Line N O, the Number corresponding to the Proof-Point is 936; and this Number 936 in the Line C D answer to 600 in the Line of Weights E F. Hence it appears that the Vulgar specific Gravity of *Proof* is to the True as  $913\frac{1}{2}$  to 936; and the *common* to the true *Proof-Weight* as 456 to 600.

### III. *The Use of the HYDROMETER, in Compounds of a given Measure.*

14. When any compound Spirit is proposed for Trial of Proof, let the *Proof-Weight* 600 be placed in the Cup, which, if it keeps the Instrument suspended to the Point (0) on the Stem, or very near it, shews that Compound is *true Proof-Spirit*. But if that Weight proves too heavy, and



sinks the Instrument down to the Cup, it shews that Compound is *above Proof*. As on the contrary, if that Weight be too light, so as not to carry the Hydrometer with any Part of its Stem below the Surface of the Fluid, it shews the Compound is *below Proof*.

15. But to specify its Use more particularly : Suppose the Weight put into the Cup be 300, which sinks the Hydrometer just to (0). Then it appears (1.) that the Compound is *above Proof*. (2.) That its specific Gravity in the Line C D is 888. (3.) This Number must be sought in the Line N O. (4.) And above it in the Line E F corresponds the Number 230, which expresses the Quantity of Water. (5.) And in the Line G H the corresponding Number expressing the Quantity of Spirits is 770. So that if the whole Compound be divided into 1000 equal Parts, the Quantity of Water is to that of Spirit as 230 to 770. (6.) In the Line I K the Number answering to 888 is 653; whence the Weight of Water is to that of Spirit as 230 to 653. (7.) Lastly, in the Line L M, the Number answering thereto, is 426, which is the Quantity of Water to be added, to make the Compound *just Proof*.

16. To render this Matter still easier to be understood: Suppose the above mentioned Compound were in Quantity just one *Ton*, or 252 *Gallons*, which contain 1008 *Quarts*: if we neglect the 8 *Quarts* as inconsiderable, then



then the Numbers in the Line E F will be *Quarts*; therefore in a Ton of such Spirits there will be 230 *Quarts of Water*, and 770 *Quarts of pure Spirit*; and 426 *Quarts of Water* must be added to make the whole *Proof*.

17. For a second Example, suppose a Ton of such Spirits as require the Weight 753 to suspend the Hydrometer, that is, 750 in the Cup, and 3 on the Scale at the Surface of the Fluid. Then (1.) the Compound appears to be *below Proof*. (2.) The Number in the Line C D answering to that Weight, is  $960\frac{1}{4}$ . (3.) This Number being found in the Line of *correct specific Gravity* N O, is to be noted. (4.) For above it in the Line E F corresponds the Number 665, and so many *Quarts of Water* are in the Composition. (5.) Therefore the Number 335 in the Line G H, expresses the *Quarts of Spirit*. (6.) In the Line I K the Number answering is 283; therefore the Weight of Water is to that of the Spirit as 665 to 283. (7.) In the Line L M the Number is 450, and so many *Quarts of Spirit* must be added to make the Compound *Proof*.

18. It is easy to understand that for a *Hogshead* of Spirits, the Numbers of the Scale will be Half-Pints, because 63 Gallons contain 1008 Half-Pints. But the Quantity of the Fluid, be it more or less, is at any time known by *Gauging*; let this be reduced to *Quarters of a Pint*, which divided by



1000, give a decimal Number, which multiplied by the proper Numbers in the Lines of the Scale, will give the *Proportion of Water and Spirit to a thousandth Part of a Quarter of a Pint*, which is a greater degree of Preciseness than can ever be necessary. I shall give an Example or two, to render this Matter easy to be understood.

19. Suppose you have 3,36 Gallons of Spirit, which reduced to *Quarters of a Pint* make 107,52; this divided by 1000 gives 0,10752 for the *thousandth Part* of the Whole. Now if we suppose it of the same Strength as in Article 15, then 230 of those Parts will be Water, that is 0,10752 multiplied by 230, will give 24,7296 Quarters of a Pint, that is 24 Quarters, and 7296 Parts of 10000 of another. The Quantity of Spirit, therefore, must be 82,7904 Quarters. And the Water to be added to make it Proof must be 0,10752 multiplied by 426, or 45,803 Quarters, so that the Whole will stand as below.

	Quarters.
Quantity of Water in the Compound —	24,7296
Quantity of Spirit —	82,7904
Additional Water for Proof —	45,803
	<hr/>
Whole Quantity Proof —	153,3230
	<hr/>
Reduced to Gallons —	4,7912
	<hr/>



20. For, another Example, suppose you had 13,5 Gallons of Spirit under Proof, the same as that in Article 17. This reduced to Quarters of a Pint make 432, which divided by 1000, gives 0,432 for a *thousandth Part of the Whole*; then proceeding as above, we have

0,432 multiplied by 665 is equal to 287,28 Quarterns of Water.

which subducted from 432, leaves 144,72 Quarterns of Spirit.

Then 0,432 multiplied by 450, gives 194,4 Spirit to be added.

The whole Quantity Proof is 626,8 Quarterns

And thus you proceed with the utmost Ease and Exactness for any other Quantity, of any given Strength.

#### IV. *The Use of the HYDROMETER in a Composition of a known WEIGHT.*

21. When the WEIGHT of the Liquor can be conveniently taken, it will still be more easy to determine the *additional Weight* of *Water* or *Spirit* to make it *Proof*, since by the Lines E F and I K, you have always the Proportion of the Weight of Water and Spirit in the given Compound; let the *specific Gravity* and *Quantity* of the whole be as they will.

22. For Example; suppose you have just 100 Weight of spirituous Liquor, and find  
Its



its Strength by the *Hydrometer* to be as in Article 15. Then the Weight of the Water to that of the Spirit is as 230 to 653; add these Numbers together, and the Sum is 883; but the Weight of the whole Compound is 100lb.; therefore say by the Rule of Three, as 883 is to 100lb. so is 653 to 74lb. the Weight of the Spirits; consequently the Weight of Water must be 26 lb. (for both together make 100lb.) Therefore since in Proof Spirit, the Weight of Water and Spirit is the same, 'tis evident 48lb. of Water must be added to the Compound to make it *just Proof*; and then the Weight of the Whole will be 148 lb.

23. Or a shorter way still is to take the Difference of the Numbers 653 and 230, *viz.* 423; then say as the total Weight 883lb. is to 100lb. so is the Difference 423 lb. to 48 lb. of Water to be added for Proof, as before.

24. Again; suppose 357lb. of a Compound in the same Degree under Proof as in Article 17. wherein the Weight of Water is to that of Spirit as 665 to 283; the Sum of these Numbers is 948, the Difference 382. Therefore say, as the Sum 948 is to the Difference 382, so is the Weight of the whole 357lb. to 143,85 lb. the Weight of Spirits to be added to the Compound to make the whole Proof. Hence also you find that the Compound itself consisted of  $250\frac{1}{2}$  lb. of Water, and  $106\frac{1}{2}$  lb. of Spirit.

And



And thus you proceed for any other spirituous Composition.

25. If the Quantity be large, it will be sufficient to take the Weight in *Pounds*; if small, the Weight may be taken in *Quarters of Pounds*; and if the Numbers be wrote in *Decimals*, you will have the Weight of the Spirit and Water expressed to the *thousandth* Part of a Quarter of a Pound; but in general, it will be sufficient to work by the *Sliding-Rule*, as it is both expeditious and exact.

26. In what we have said hitherto, it is presumed that the Person who uses this Hydrometer is skilled in Fractions both Vulgar and Decimal; but if it happens otherwise, I shall next show how any Person, without understanding Arithmetic at all, may use this Instrument to the greatest Exactness. Thus let him find the Number of Weights that will sink the Hydrometer to (o), and seek that Number in the Line E F, which for Example let be 830. The corresponding Number in the Line C D above is 973 nearly, this Number must be sought in the lowest Line N O; and exactly over it in the Line E F is 775, and in the Line I K, is 192; therefore the Weight of Water to that of Spirit in such a Compound is as 775 to 192, as is evident from Articles 6, and 15.

27. Having thus found the Proportion of Water and Spirit in round Numbers 775 and  
192,



192, let these be added together and their Sum will be 967, also take the lesser Number from the greater, and the Difference is 583 ; now these Numbers show, that to every 967lb. or Ounces of the Compound there must be added 583lb. or Ounces of Spirit to make it Proof, because then the Weight of Spirit will be equal to the Weight of Water ; for 583 and 192 make 775.

28. And as nothing can be easier than to weigh off any Number of Pounds or Ounces from any Compound, so it may be immediately made Proof without the least Difficulty or trouble in this last Method, to any one that can but count the Divisions in a Line of equal Parts.

29. In the Use of this Scale, I would advise to have it pasted on a Board, and a Wire W R fixed over it on the Top, parallel to the Lines on the Scale, and upon this Wire let a Line and Plumet S T be put, which may be moved to any Division of a Line, and then the Thread will show the Numbers in the other Lines corresponding thereto, and so will render the whole Process practicable with the utmost Ease.

V. *The Use of the HYDROMETER by taking the DEPTH of the FLUID.*

30. The Use of the HYDROMETER in Fluids of a known Depth, for those who  
I do



do not understand Numbers, or would chuse to be very expeditious and exact at the same Time, is in the following Method. Let a Vessel be provided of a uniform or equal Figure throughout, and therein pour the spirituous Compound, till the Depth of it be just 10 Inches, then by the HYDROMETER find the *correct specific Gravity* in the Line N O as before directed, and the Numbers in the Line L M above, will shew the Height in Inches, and thousandth Part of an Inch, to which the Fluid must be rais'd, by pouring in *Water* if above Proof, or *Spirit* if below.

31. For Example, let the Compound be that of Article 26, whose specific Gravity is 973 in the Line N O, correspondent to which in the Line above L M, is the Number 6,75, which shews that the Fluid must be rais'd  $6\frac{3}{4}$  Inches, by pouring in Spirits, so that the whole Depth of the Fluid when Proof, will be equal to  $16\frac{3}{4}$  Inches.

32. For a second Example, we take the Compound of Article 15, whose specific Gravity is 888, which being found in the Line N O, and the Number answering to it in the Line L M is 426, which shews that 10 Inches Depth of that Compound, must be rais'd  $4\frac{1}{4}$  Inches, or rather four Inches and  $\frac{26}{100}$  of another, by pouring in



Water to make it Proof, so that the Proof Spirit now will be 14 Inches  $\frac{26}{100}$  deep, and these two Examples we presume are sufficient to illustrate this Method, which is so very easy by plain Scale and Compasses.\*

VI. *To make any Compound PROOF by the  
HYDROMETER only*

33. But if it should happen that none of the foregoing Methods should be understood or thought easy in Practice, there is one other yet remaining, which is by Means of the *Hydrometer* itself and its Proof Weight only, and as this appears so simple, easy, and natural a Method, it may be wonder'd why I did not mention it as the first, instead of the last Method to be used, but the Reason of this will appear by and by. The Praxis is this, place the proof Weight on the *Hydrometer*, and then immerse the *Hydrometer* in the given Compound; if it be below Proof, the Weight will not sink it to the first Division (o) on the small Scale of the Stem; in this Case, Spirit must be poured in till the Proof Weight will sink it just to that Point, but in doing of this, considerable Time will

---

\* N. B. The Reason of this Process depends on this Consideration, that the Height of Fluids is always proportion'd to their Quantity in Vessels of an uniform Figure, and therefore the Line L M will equally shew both.



be requir'd ; for in pouring Spirits to the Compound, a certain Degree of Warmth will be produc'd in that Mixture, and you will be oblig'd to stay till that is gone off, or till the Fluid has acquir'd the common Temperature of the Air, before you can try the Experiment. And the Case will be the same, if the Compound be above Proof, where it will be necessary to put in as much Water as will make it Proof ; and because in each Case, you must wait for the cooling of the Fluid, and because more than one Trial may be necessary for making it Proof, therefore you may be oblig'd to wait a longer Time than can in many Cases be allow'd ; whereas any of the foregoing Methods are very expeditious to the ingenious Compounder ; but where there is time enough, this Method by the *Hydrometer* alone, without any Scale or Numbers will be very exact, and preferable to all others.

VII. *The Use of a TERMOMETER in Conjunction with the HYDROMETER.*

34. All we have hitherto said is upon Supposition that the Air is of a *moderate Warmth*, or that the *Thermometer* stands at *temperate*. If the Air be very hot or very cold it will considerably alter the specific Gravity of the Spirit. Heat will lessen it, and therefore



make the spirituous Compound appear more above *Proof* than it really is. On the contrary, Cold condenses the Compound and makes it seem lower than it is. And though this Difference in Weight from Heat and Cold is not very considerable in small Quantities of Liquor, yet in large ones the Case is otherwise, and will amount to a proportional Value.

35. The *Thermometer* to be used is that of *Farenheit's* Construction, wherein the freezing Point is at 32, temperate at 55,\* and the greatest Summer Heat at 85 or 90. And by Experiments I have found the Numbers which answer to every Part of the Scale of the *Thermometer*, and have placed them on the left Hand Side beginning at (0) opposite to 55 or *temperate*; so that when the Mercury stands above that Point you observe what Number on the left Side answers to it, and so many Weights must be added *to the Number in the Cup*; but if the Mercury stands below 55 or temperate, then the Number answering to it on the left Hand is to be *subducted from the Weight in the Cup* in order to have the *true specific Gravity*.

---

\* I take the temperate Point to be that at which the Mercury stands, when we say the Air is neither *Warm* nor *Cold*; and this I find by Experience, is generally 55 in *Farenheit's* Scale.



36. For Example, suppose the Weights put into the Cup were 830 (as in Article 26) and the Mercury in the *Thermometer* be at 40, then opposite to it is 36, the Number to be subtracted from 830; and the Remainder will be 794, then moving the Thread to 794 in the Line E F, it will cut the Number 967 in the Line C D. Then removing the Thread to the Number 967 in the Line N O, it will cut 720 in the Line E F for the Weight of Water, and 237 in the Line I K for the Weight of Spirit; the Sum of these Numbers is 957, and the Difference 483, which shews that to every 957lb. or Ounces, there must be added 483lb. or Ounces of Spirit, to make the whole Proof. And therefore 967lb. will require the Addition of about 490lb. of Spirit for Proof, which is less than 583lb. by 73lb. And hence you see the Reason of having Regard to the *Thermometer*. See Article 27.

37. On the other Hand, suppose the Air very warm, and that the Mercury stands at 75, then opposite to it is 50, the Number to be added to 830 (in the Example of Article 26.) the Sum is 880, over which hang the Thread, and it will cut 981 in the Line C D; then remove the Thread to 981 in the Line N O, and it will cut 840 in the Line E F for the Weight of Water; and 137 in the Line



IK for the Weight of Spirit in the Compound. Then the Sum of those Numbers is 977, and the Difference 703; therefore to every 977lb. must be added 703lb. of Spirit for *Proof*; consequently to 967lb. there will be required about 695lb. that is 112lb. of Spirit more will be necessary for *Proof* than would have been thought of without the *Thermometer*.

38. I shall conclude with only observing, that as a Gallon of Water weighs 132 Ounces, a Gallon of Spirits ought to weigh 111 Ounces; and then it will be found that a Gallon of *Proof* will weigh 120,65 Ounces. Consequently a Ton of real *Proof* (or 252 Gallons) will weigh 30403,8 Ounces. But by the *Statute Law* a Ton of *Proof* Spirit or 252 Gallons must weigh 17 Cwt. 1qr, 21lb. or 31248 Ounces, which is more than the *true Proof* by 844 Ounces or 52lb. I submit this to be considered of by those who may find themselves interested in so great a Difference as 52lb. in 1953.



THE  
MATHEMATICAL THEORY  
AND  
PHILOSOPHICAL PRINCIPLES  
ON WHICH THE  
CONSTRUCTION and Use  
OF THE  
*HYDROSTATIC* Scale of Lines  
Pertaining to this  
NEW HYDROMETER  
DEPEND.



THE  
MATHEMATICAL THEORY

AND  
PHILOSOPHICAL PRINCIPLES

ON WHICH THE  
CONSTRUCTION AND USE

OF THE  
HYDROSTATIC SCALE OF LINES


IS  
NEW HYDROMETER




DEPENDING





T H E  
T H E O R Y  
O F T H E  
N E W H Y D R O M E T E R  
D E M O N S T R A T E D  
From the P R I N C I P L E S of G E O M E T R Y  
and H Y D R O S T A T I C S.



I.  I  N order to be very accurate  
in the Experiments neces-  
sary for a just Construction  
 of this Instrument, I chose  
a hollow Glas Globe with a small Hole, and  
having equipoised it in a fine Ballance, I  
D fill'd



fill'd it with Water, the Weight of which was 542 Grains. The Weight of the same Globe of Spirit was  $458\frac{1}{2}$ ; then  $542 : 458\frac{1}{2} :: 1000 : 845$ , very nearly.


2. Afterwards I took a solid Glass Globe, and making an *Equilibrium* in the Air, it was immerfed in Water, and the difference of Weight was 470 Grains; upon immerfing it in Spirits, the Difference was 397; then  $470 : 397 :: 1000 : 844,6$ .

3. The Experiments were many times repeated, but with little Variation; and as I found some Spirits were more highly rectified, and gave a different Ratio from that of  $1000 : 845$  to  $1000 : 835$ ; I took the mean Ratio, *viz.*  $1000 : 840$ , as moft proper for the Standard for the *Hydrometer*; and here it is to be obferved, that no Spirit was ufed but fuch as would burn all away, and leave no Appearance of Phlegm or Water behind.

4. Let the *Bulk* of Water in any Compound Spirit be denoted by A, and that of the Spirit by B; and let *a* and *b* denote their fpecific Gravities, *viz.* let  $a : b :: 1000 : 840$ . Also let *c* be the fpecific Gravity of any Compound, whose Bulk will be  $A + B$ .

5. Fur-





5. Furthermore, let  $a$  (the specific Gravity of Water) be represented by the right Line  $w x = 1000$ , and  $b$  by the right Line,  $w z = 840$ . And since the specific Gravity of the Compound must ever be between both, let  $c = w v$  denote it.

6. And since the absolute Weight of any Body is in proportion to its Bulk and specific Gravity, therefore the Weight of Water in any Compound will be as  $a A$ ; and that of Spirit as  $b B$ ; and that of the Compound as  $c \times A + B$ ; and consequently we shall have  $a A + b B = c \times A + B$ ; whence  $A a - c A = c B - b B$ , which gives this Analogy  $A : B :: c - b : a - c$ .

7. But in regard to the foregoing Line of specific Gravities, we have  $c - b = w v - w z = z v$ ; and  $a - c = w x - w v = v x$ . Therefore in the Compound, the Bulk of Water will be to the Bulk of Spirit as  $A$  to  $B$ , or as  $z v$  to  $v x$ ; since  $A : B :: c - b : a - c :: z v : v x$ .

8. Let  $W$  express the absolute Weight of Water, and  $w$  that of Spirit; and then  $W : w :: a A : b B$  and so  $W b B = w a A$ ; therefore  $A : B :: W b : w a$ . And in equal

D 2

Bulks,



Bulks, where  $A=B$ , we have  $W b = w a$ ; and in that Case  $W : w :: a : b$ . Also if  $W$  be represented by the same Line with  $A$ , or  $A=W$ ; then will  $b B = a w$  and  $w = \frac{b}{a} B = 0,84 B$ .

9. In Proof-Spirit, where the Weight of the Water and Spirit is the same, we have  $A a = b B$ ; and so  $A : B :: b : a$ ; and therefore (by *Article 6*,)  $b : a :: c - b : a - c$ ; whence  $a b - b c = a c - a b$ , and thence  $\frac{2 a b}{a + b} = c =$  specific Gravity of the Compound.

In any Compound that is *above Proof*, the Bulk of Water ( $A$ ) is deficient by a Quantity ( $x$ ) which is to be added thereto, to make it *Proof*. In which Case  $A + x : B :: b : a :: 0,84 : 1$ ; therefore  $A + x = 0,84 B$ ; and  $x = 0,84 B - A$ . Now 'tis evident, when  $x = 0$ , the Compound is *Proof*; and when  $A = 0$ ,  $x = 0,84 B =$  the greatest additious Quantity of Water.

11. Again, when the Compound is *under Proof*, the Bulk of Spirit ( $B$ ) is deficient by a Quantity ( $y$ ) to be added to the Compound to make it *Proof*. For  $A : B + y :: 0,84 : 1$ . in that Case; and therefore  $A = 0,84 B + 0,84 y$ , and so  $y = \frac{A}{0,84} - B$ . In this Case also when  $y = 0$ , then the Compound is *Proof*; and when  $B = 0$ , the Value of  $y$  is greatest of all, or  $y = \frac{A}{0,84} = 1,19$ .

12. What



12. What we have now premised would compleat the Theory of the *Hydrometer*, where the *Algebraic Proof* (in *Article 9*) the same in Fact or Reality as it is in Theory; but since Experience shews the contrary, it will be necessary to investigate a proper Correction of this *theoretical Proof*.

13. According to the Theorem  $\frac{2ab}{a+b} = c$ , we shall have  $\frac{1680000}{1840} = 913,5 =$  specific Gravity of the *Proof*, but upon mixing equal Weights of Spirit and Water, and taking the specific Gravity of such a Mixture, by the *Hydrostatic Ballance*, we shall find it considerably more than  $913\frac{1}{2}$ . Upon many repeated Trials in various Methods, I have found it to be extremely near 936; and therefore I have fix'd that Number for the *Standard specific Gravity* of *PROOF*; to which also the Number 600 corresponds in the Line E F, for the true or correct *PROOF WEIGHT*.

14. From hence it is evident, that in, all spirituous Compositions, which are above real *Proof*, such Numbers must be investigated as will express the specific Gravity thereof, while the real Density is increasing above that given by the Theory from the Ratio of Equality in the Beginning, to that of 936 to  $913\frac{1}{2}$  in that which is *Proof*. After this the Numbers of  
the



the *correct specific Gravity* must every where duely express the decreasing Density of the Compound under Proof in the Ratio of  $\frac{936}{913\frac{1}{2}}$  at Proof to that of Equality at last. This proved a difficult and troublesome Task, but as it was necessary, I undertook and compleated it.

15. From this Theory, the Construction of the Scale of Lines immediately flows, *viz.* the Line A B shews the Number of Division contain'd in the Difference  $z x$  between the specific Gravities  $w x$  and  $y z$  of Water and Spirit; that is, supposing  $w x = 1000$ , then  $z x$  or A B =  $160 = 1000 - 840$ . (See *Article 5.*)

16. The Line C D is the Continuation of the Division of  $w x$  from  $z$  at 840 to  $x$  at 1000, the End. Expressing the specific Gravity of any spirituous Mixture in the same Divisions or Numbers according to the Algebraic Theory. (See *Article 6.*)

17. The Line E F answers to the Line  $z x$  divided into 1000 equal Parts; and the Line G H being the same but number'd the contrary way, it is evident if the Number in one represent the *Bulk of Water*, those in the other must express the *Bulk of Spirits* in any given Compound. (*Article 7.*)

18. The Numbers of the Line I K are those of the Line G H multiplied by 0,84, and



and therefore if the Numbers of the Line EF represent the Weight of Water, those of IK will express the Weight of Spirit in the Compound by *Article* 8 of this Theory.

19. The Numbers in the first Part of the Line LM are the Values of the additional Quantity of Water to reduce to *Proof* all spirituous Compositions that are *above it*, calculated from the Theorem in *Article* 10.

20. The Numbers in the other Part of the said Line LM beginning from the Proof Point, are the Values of the Quantities of Spirit to be added to any Compound *below Proof* to make it *exactly Proof*; and are computed from the Theorem in *Article* 11. foregoing.

21. The Numbers in the Line NO express the *correct* or true specific Gravities of all Compositions, and are only those of the Line CD qualified, to represent the specific Gravity of all *above Proof*, encreasing from the Beginning to the *Proof Point* in such a Manner that  $zv$  might in this Line contain 936 Parts in the same Space it contain'd  $913\frac{1}{2}$  in the Line CD, and that the remaining Part  $vz$  might contain the Complement 64 to a 1000; according to *Articles* 7, 13 and 14.

22. Thus I presume the *Rationale* of the Construction of this Scale of Lines is suffi-



sufficiently demonstrated, and evident to every competent Judge. And I shall only desire it may be observed, that only ONE *Instrument* of this Kind *can be right or true*; because I take it to be a very plain Axiom, *That if one HYDROMETER is in its own Nature truly adapted to express the real Specific Gravity, and true Proportion of Bulk and Weight in the Water and Spirit of any Compound proposed, another Hydrometer that is of a different Construction cannot do the same Things, therefore, cannot be true or just, but must be the Result of tentative and falacious Principles.* I could say much more on this Head, but the above Remark is at present sufficient.—*Verbum sat Sapienti.*

F I N I S.





THE  
THEORY  
OF THE  
GENUINE  
HYDROMETER,

Farther illustrated,

And rendered UNIVERSAL,

For determining

The PROPORTION of the QUANTITY and  
WEIGHT of ALCOHOL and WATER in  
any spirituous COMPOUND;

AND

What Quantity of one or the other must be  
added, to make it either TRUE or MER-  
CHANTABLE PROOF;

AS ALSO,

Proper TABLES for shewing the same, by In-  
spection, to the greatest Accuracy.

LIKEWISE,

A TABLE to render this HYDROMETER compleatly  
Useful for assaying all Mineral and Salt Waters,  
Chemical, Medicinal, and other Liquors.

PART II.

By BENJAMIN MARTIN.

L O N D O N:

Printed for the Author, and Sold at his Shop, the Sign of  
*Hadley's Quadrant*, and *Visual-Glasses*, in *Fleet-Street*.



THE  
HYDROMETER  
OF THE  
GENUINE

And rendered Universal  
For determining

The Proportion of the Quantity and  
Weight of Alcohol and Water in  
any mixture

AND  
What Quantity of one or the other must be  
added, to make it either True or Mer-  
curial

Proper Tables for showing the same, by In-  
spection, to the greatest Accuracy.  
A TABLE to render this Hydrometer completely  
Useful for all sorts of Mineral and Salt Waters,  
Chemical, Medicinal, and other Liquors.


By BENJAMIN MARTIN.  
LONDON.

Printed for the Author, and sold at his Shop, the Sign of  
the Anchor, in St. Dunstons Church-yard, in Fleet-street.





THE  
THEORY  
OF THE  
GENUINE HYDROMETER,  
FARTHER ILLUSTRATED.

I.  S I find by Experience the Lines of the *Hydrometric SCALE* are not so generally and easily understood as I expected, and could wish them to be, and in Consequence thereof, the Use of this *new and genuine Hydrometer* is not so intelligible, and therefore not so much encouraged as it really deserves; I have thought it necessary to give a further Illustration of the Nature and Use of this Instrument, by such Draughts and Representations, as, I hope, will render it a Matter of the utmost Facility. And that no Difficulty or Deficiency may possibly remain, or be objected, I have added a Table, to shew by Inspection the Quantity or Measure of Alcohol or Water that is requisite to be added to any Compound, to make it exactly either *REAL* or *Merchantable PROOF*.



2. The fundamental Experiment on which the Nature and Construction of a GENUINE HYDROMETER depends, is this; I took a Glass Tube A E F K (Fig. I.) having an equal Bore throughout; into which I put a *Cubic Inch of Water*, which filled it to the Height D G; upon this I gently pour'd a *Cubic Inch of Spirit or Alcohol*, which (being a refined *Oil*) did not of itself mix with the Water, but stood above it to the Height of D B equal to D E.

3. But upon inverting the Tube several times, and thereby causing the two different Liquors to mix, I observed when they were thoroughly mix'd, and the Tube held upright, that the Compound of the Spirit and Water did not fill the Tube to the same Height B E, as at first when separate, but subsided to the Height E C only; from whence I collected, that the Matter of those Fluids did mutually penetrate each other's Interstices, and thus occupying a lesser Space, did constitute a Compound of greater Density than is given by a *Mathematical Theory*, which supposes the Alcohol and Water to possess the same Space B E F I after Mixture as before.

4. And since equal Quantities of Matter of two different Substances mixed together, produce a Composition that is a real MEAN between them both; this with regard to *Alcohol* and *Water*, must be that which is properly meant by what is call'd PROOF, and is therefore a most certain, fix'd, and determinate Idea; and consequently a *Standard Measure* for the strength of Spirituous Liquors or Compounds.

5. To ascertain the *real Specific Gravity* of PROOF SPIRIT, we have assumed that of Water to Alcohol as 1000 to 840 (as found by Experiments) then the Mathematical



Mathematical specific Gravity of equal Weights of these will be  $913 \frac{1}{2}$ , but the real specific Gravity will be greater, as we have shewn. In order to determine which, I put equal Weights of Water and Alcohol into the Tube, and let B I and C H be the Surfaces of these Fluids before and after Mixture. Then having graduated a Scale A B (Fig. 3.) into 1000 equal Parts, in such Manner that the Surface C H corresponded to the Division  $913 \frac{1}{2}$  in the Scale, I observed that the Surface B I corresponded to 936, and was thereby assured that the real Density of PROOF was to that by Theory only, as 936 to  $913 \frac{1}{2}$ . This is here proposed as an ocular Demonstration, and is more accurately confirmed by the HYDROSTATIC BALLANCE.

6. Let a g d (Fig. 2.) be a Triangle whose Side g d is equal to the Line A B (Fig. 3.) of 1000 equal Parts, and take g c = 840 of those Parts; then draw b c parallel to a d; and since it is g d : g c :: a d : b c :: 1000 : 840, therefore the Lines a d and b c will represent the specific Gravities of Water and Alcohol. Thus *Air, Cork, Sassafras Wood, Fir, Cedar, Æther*, and other Bodies, whose specific Gravities are less than that of Water, may have their Places assign'd in this *Triangular Scale*, according to their specific Gravities in the Line A B.

7. Since the Figure or Space a b c d is that which comprehends all the specific Gravities between Spirit or Alcohol and Water, let this be represented more at large, as in the Trapezium A B C D (Fig. 4.) where parallel Lines drawn through every 10 Degrees of specific Gravities between 840 and 1000 will represent the specific Gravities of all the various Compounds of those Degrees between that of Alcohol  $840 = B C$  to that



that of Water  $AD = 1000$ . Thus the Parallel  $bi$  will represent the Density or specific Gravity of *Proof Spirit*, as it is drawn from  $913\frac{1}{2}$ .

8. These Parallels representing the specific Gravities, will also, when properly divided and subdivided by Lines drawn in the Figure, denote by their Parts, the Ratios of the Bulk and Weight of Water and Alcohol in any given Compound, and also the Measure or Quantity of Water or Spirit that must be added to make it perfect PROOF.

9. Thus by drawing  $EB$  parallel to  $DC$ , the Parts of the Parallels between those two Lines being everywhere equal, do represent any given Measure of a spirituous Compound, from all Alcohol at  $BC$ , to all Water at  $ED$ , whether this Measure be a *Pint*, a *Gallon*, a *Hogshead*, or a *Ton*.

10. Again, a Line drawn from  $B$  to  $D$  diagonally, divides these equal Parallels into unequal Parts, of which those towards  $EB$  represent the *Bulks of Water*, and the other Parts toward  $DC$  the *Bulks of Spirit* in a given Compound; thus let the Compound be  $he$  whose specific Gravity is  $de = 936$ , the Quantity of Water will be to that of Spirit, as  $hg$  to  $ge$ . Also let  $ai$  be a Parallel of compound PROOF, whose specific Gravity is  $bi = 913\frac{1}{2}$ , then the Quantity of Water will be to that of Spirit, as  $af$  to  $fi$ .

11. In the Line  $BC$  take  $Bm$  to  $BC$  as 840 to 1000, and draw the Line  $Dm$ . Then will all those Parts of the Parallels which before represented the Bulks or Measures of Alcohol be now curtailed or diminished in the Ratio of 840 to 1000, or 0,84 to 1. And therefore if the Parts of the Parallels in the Triangle  $EBD$  be now taken to represent the *Weight* of Water (as before they



they did the *Bulk*) then the other Parts contained in the Triangle B D m will represent the Weight of Alcohol in a given Composition, because by Art. 8, of the Theory, we had  $w = 0,84 B$ , (when  $A = W$ ) and consequently  $1 : 0,84 :: B : w :: g e : g n :: f i : f k$ ; or the Weight of Water to that of Spirit in the Parallel d e, will be as h g to g n; and in the Parallel of Proof b i, the Weights of Water and Spirit will be as a f to f k, and therefore equal to each other; for by the Theory (Art. 9.) when  $W = w$ , we have  $A : B :: b : a$ ; that is,  $a f : f i :: B m : B C :: f k : f i$ , consequently  $a f = f k$ .

12. As the Weight of Water in all the Compounds between the Parallel of *Proof* a i, and that of pure Spirit B C, is less than the Weight of Spirit, they must all be *above Proof strength*, to which they are to be lowered or reduced by the addition of a certain Quantity of Water; which Quantity as it is *nothing* in the Parallel of *Proof*, and in the Parallel B C of all Spirit, it must have the Proportion of 0,84 to 1, or of B m to B C, (by Theory Art. 10.) therefore a Line drawn from (a) to (m) will cut off such Portions of the Parallels towards a B, as will duly represent the additional Quantities of Water as are required for reducing the Compound to *Proof*. Thus in the Parallel s x, whose Density  $r x$  is less than that of Proof b i, the Ratio of the Bulks of Water and Spirit is that of s t to t x; the Ratio of the Weights, is that of s t to t w; and the Quantity of Water to be added to make it Proof is denoted by s v.



13. Or thus,  $\left\{ \begin{array}{l} s x \text{ is a given Quantity of a Compound,} \\ r x \text{ is its Density or specific Gravity,} \\ s t \text{ is the Quantity or Bulk of Water,} \\ t x \text{ is the Quantity of Alchohol,} \\ s t \text{ is the Weight of Water,} \\ t w \text{ is the Weight of Alchohol,} \\ s v \text{ is the Quantity of Water required to} \\ \text{make it Proof.} \end{array} \right.$

14. On the other Hand in all Compounds below Proof contained between the Parallel of Proof a i and that of all Water E D, we determine the Quantity of Spirit or Alchohol to be added to make the given Compound of *Proof-strength*, by drawing the Line i A ; for it begins at nothing in the Parallel of Proof at i, and in the Parallel of all Water E D, it must have the Proportion to the Bulk

of Water E D as 1,19 to 1 (for  $y = \frac{A}{0,84} = 1,19$

Art. 11 of the Theory) that is, if  $ED=1$ , then  $AD=1,19$ . since  $Bm : BC :: ED (=BC) : AD$ , or,  $0,84 : 1 :: 1 : 1,19$ .

15. Therefore in the Parallel h e of 936 specific Gravity,

we have  $\left\{ \begin{array}{l} h e, \text{ the given Quantity of the Compound,} \\ d e, \text{ the Density or specific Gravity.} \\ h g, \text{ the Quantity of Water.} \\ g e, \text{ the Quantity of Alchohol,} \\ h g, \text{ the Weight of the Water.} \\ g n, \text{ the Weight of the Alchohol.} \\ l e, \text{ the Spirit to be added for Proof.} \end{array} \right.$



16. The Difference between 1000 and 840 being 160, there would be so many Parallels in the Figure, if they were all drawn; but as they are drawn through every tenth Division only, there are now but 16, (or 17 including both Extremes) of which 8 are below the *Parallel of PROOF*, and 9 above it.

If the whole Difference of 160 Degrees of specific Gravity be divided into 1000 equal Parts, then the Scale A B (Fig. 3) will represent them; and the Point or Division of the said Scale corresponding to the *Parallel of Proof* will be 456,5.

17. Consequently if the *HYDROMETER* be made of such a Weight as will just sink it in Alcohol to the first Division, or (0) on the Stem, (or Scale of 10 equal Parts upon it,) and then afterwards a Weight be applied on the Top as shall just sink it to the same Division (0), in Rain or River Water, and this additional Weight be divided into 1000 equal Parts, then  $456 \frac{1}{2}$  of those small Parts or Weights would be the *PROOF-WEIGHT*, viz. such as would just sink the *HYDROMETER* to (0), in a Compound that is of just *PROOF* or *STANDARD STRENGTH*; provided the Bulks of Water and Alcohol were the same after Mixture as before.

18. But, as we have shewn, this is not the Case; but that the two Liquids in mixing, do so incorporate as to cause the Bulks to contract, and the Density of course to encrease in the Ratio of  $913 \frac{1}{2}$  to 936; therefore the Density d e of the *Parallel* of 936 will be that of the Compound when *PROOF*, and the *PROOF WEIGHT* corresponding thereto in the Scale A B (Fig. 3.) will be 600 as is evident by inspection.

B

19. Hence



19. Hence it appears that this Fig. 4. will by no means truly represent the Nature and State of Spirituous Compounds, in regard to their Density, or specific Gravity, nor the respective Quantities and Weights of Water and Alchohol, nor the Quantity of either to be added for making Proof; and therefore must be so altered and new modelled, that all those Particulars may be duly expressed, and represented in their just Proportion and Quantity. And such is Fig. 5. as will appear by considering the following Things.

20. First, retaining the same Height  $CD$ , it is evident from what we have shewn, that the Line  $BD$  must *bisect* that Part of the Parallel of Proof which lies in the Part  $EB$  in  $D$  which it cannot do any where but in the Parallel  $ai$ , at the Distance  $ci$ , in the Division  $913\frac{1}{2}$ ; as there only  $af = fk$ , or the Weight of Water is equal to that of Spirit.

21. Secondly, In this Parallel  $ai$ , the Density of the Compound must be equal to that at the 936th Division in Fig. 4. *viz.*  $ci$  here must be equal to  $de$  there.

22. Thirdly, Consequently all the Space  $deCB$  in Fig. 4. must be contracted into the Space  $ciCB$  in Fig. 5. that so all the Parallels below 936 may have a proper Share of the encreased Density, or the additional Part shewn in the small Triangle  $cBb$ ; for  $ab$  in each Fig. is the same; and  $ac$  here, equal to  $dh$  in Fig. 4.

23. Fourthly, Also the Space  $deDA$  in Fig. 4. must here be expanded into the Space  $ciDA$ , that so the various Parallels above 936 may duly partake of the additional Densities contained in the Triangle  $cAb$ .

24. Fifthly,



24. Fifthly, 'Tis obvious in Fig. 4. the Density of the Compound encreases every where in the same Ratio with the Quantity of Water; thus  $rs : ba :: st : af$ ; and  $ba : dh :: af : hg$ , and so on. But in Fig. 5. this Ratio holds no further than the Parallel of Proof  $ci$ , because here the Fig. of Densities  $AcBaE$  is not a Triangle but a Trapezium.

25. Sixthly, Hence all the Divisions in the Line of specific Gravities from  $C$  to  $i$  will be much less than those in the remaining Part from  $i$  to  $D$ , though every where equal among themselves, in each respective Part.

26. Seventhly, The Scale  $AB$  of 1000 equal Parts, or small Weights (Fig. 6.), will also have its Divisions contracted as far as 600, the *Proof Weight*; and afterwards the remaining Divisions will be dilated as *per* Figure.

27. Eighthly, By this reduction of one Part of the Figure, and Dilation of the other, it comes to pass that the just Ratio or Proportion of the Quantity of Water to that of the Spirit, in any Compound, will be determined and duly expressed by the Parts of the Parallels in the Triangles  $EBD$  and  $CBD$ ; also, that of their Weights by the Triangles  $EBD$  and  $mDB$ ; and lastly the Quantities of Water or Spirit to be added for Proof, by the Triangles  $aBm$ , and  $iAD$ .

28. Thus in Fig. 5.

$rs$  is the true Encrease of Density above  $BC$ .

$st : tx$ , the Ratio of the Bulks of Water and Spirit.

$st : tw$ , the Ratio of their Weights.

$sv$ , the Quantity of Water to be added for Proof when the specific Gravity of the Compound is 880; and which are all different from those in Fig. 4. (see Art. 13.



*Of the CONSTRUCTION of TABLE I.*

*Shewing by Inspection, the Measures of a given COMPOUND to which one such Measure of WATER or ALCOHOL must be added to make it real PROOF.*

29. **B**Y the Figures above explain'd, the Nature of a GENUINE HYDROMETER, and the Construction of the *Hydrometric Scale of Lines* directing its Use, will, I hope, be better understood than they have been hitherto, but lest any Difficulty should yet remain, I have added a *large Table*, for *shewing by Inspection, the Gallons of the Compound answering to any given Weight on the HYDROMETER; to which one Gallon of Water or Spirit is to be added to make it true PROOF.* The Rationale of the Table is this.

30. In Fig. 5. let  $Bm : BC :: 0,84 : 1 :: b : a$ , and put  $aB = 600 = p$ ,  $as = d$ ; and let the addititious Quantity of Water be to that of the Compound above Proof, as  $sv : sx :: x : n$ ; then it will be  $p : d :: b$

$: x = \frac{db}{p}$ ; but by Supposition  $x : 1 :: A + B : n$ ,

and consequently  $x = \frac{A + B}{n} = \frac{1}{n} = \frac{db}{p}$ ; whence  $n =$

$\frac{p}{bd}$ ; therefore  $n$  is given by having  $d$ ; and if  $x$  be ex-

pounded by 1, then  $n$  is  $A + B$ , or the Quantity of the Compound express'd by the Numbers in the 2d Column of the Table, above *Proof*.

31. Again



31. Again for Compounds below *Proof*, let  $D i = 400 = q$ , and  $i e = r$ , and  $d e = y$ , the addititious Quantity of Spirit; then because  $E D : A D :: a : c :: 1 : 1,19$  we have  $i D : i e :: A D : d e$ , that is,  $q : r :: c : y = \frac{c r}{q}$ ; but also  $y = \frac{1}{n} = \frac{c r}{q}$ ; wherefore  $n = \frac{q}{c r}$ ; and if  $y$  be  $= 1$ , then  $n = A + B$ , or the Compound expressed by the Numbers in the 2d Column of the Table, *below Proof*.

32. The Ratio of the Bulks of Water and Spirit is known for any Value of ( $n$ ) or Number in the Table, thus by Theory Art. 10. we have  $A + x : B :: b : a$ ; therefore  $\frac{B b}{a} - A = x = \frac{A + B}{n}$ , whence we get  $A : B :: n b - a : n a + a$ , in compounds *above Proof*. And in those which are below, we have  $A : B + y :: b : a$ ; whence  $y = \frac{a A}{b} - B = \frac{A + B}{n}$ ; and thence  $A : B :: n b + b : n a - b$ .

33. Furthermore, the Ratio or Weight of the Water and Spirit in the Compound is hence determined; for since  $W : w :: a A : b B$ , we shall have  $W : w :: \overline{n b - a} \times a : \overline{n a - a} \times b :: n b - a : n b + b$ ; for all *above Proof*; and for all *below*, we have  $W : w :: \overline{n b + b} \times a : \overline{n a + b} \times b :: n a + a : n a - b$ .

34. In Numbers, where  $b = 0,84$ , and  $a = 1$ , we have,  
 $A : B \begin{cases} :: 0,84 n - 1 : n + 1 & \text{— above Proof.} \\ :: 0,84 n + 0,84 : n - 0,84 & \text{— below Proof.} \end{cases}$   
 $W : w \begin{cases} :: 0,84 n - 1 : 0,84 b + 0,84 & \text{— above Proof.} \\ :: n + 1 : n - 0,84 & \text{— below Proof.} \end{cases}$



N. B. If the Ratio of A to B be given, then the Quantity ( $n$ ) is given; and consequently the Weight to sink the Hydrometer to ( $\phi$ ) in such a given Compound: For from the Analogies (in Art. 32) we have  $n = \frac{A + B}{bB - A}$  when it is *above Real Proof*; and  $n = \frac{A + B \times b}{A - bB}$  when it is *below*.

---

## THE CONSTRUCTION of TABLE II.

### For Merchantable PROOF.

35. WE have now considered the *fallacious Proof* given by the *Mathematical THEORY*; as also the *true and genuine PROOF* from the Principles of *PHILOSOPHY*; but there yet remains a third sort of Proof to be considered, which is usually called the *Saleable or Merchantable Proof*, being that commonly used in buying and selling Spirituous Liquors. This may be properly called an *Arbitrary Proof*, being determined and established only by *Custom* and *Use*.

36. This Proof results from assuming the Weight of a Gallon of it to be 124 Ounces, which is 3,35 Ounces more than the Weight of a Gallon of real Proof which is but 120,65 Ounces. Whence it appears, this *Merchantable Proof* is a Compound below TRUE PROOF in a very remarkable Degree. For since in given Quantities the specific Gravities are directly as the Weight; therefore say as 120,65 : 124 :: 913,5 :: 938,9 which therefore is the specific Gravity of *Saleable Proof*, by the Scale in Fig. 4. But in



In the correct Scale, Fig. 5. it is 954,8, or in round Numbers 955.

37. From hence it appears by Inspection, that if  $h o$  represent the Parallel of *Merchantable Proof*, then the Bulk of Water  $h g$  greatly exceeds the Bulk of Spirit  $g o$  in that Compound. And the Weight of the Water  $h g$  is near twice as great as the Weight of Spirit  $g n$ ; and lastly, the Quantity of Spirit  $l o$  to be added to make it *real Proof*, is nearly equal to all the Spirit it contains, viz.  $g o$ .

38. As the *Hydrometer-Weight* for REAL PROOF is 600, so that for *Merchantable Proof* is  $714 \frac{1}{2}$ ; and therefore each Proof is with equal Ease and Exactness ascertained by the *Genuine HYDROMETER*.

39. Now in order to determine the Ratio of Bulk and Weight of Water and Alcohol in the Merchantable Proof, we have (by Art. 31.)  $q = 400$ ,  $r = 117,45$ , and  $c = 1,19$  there  $n = \frac{400}{117,45 \times 1,19} = 2,862$ ; and therefore  $A : B :: 0,84 n + 0,84 : n - 0,84 :: 3,244 : 2,022$ . Wherefore the Water exceeds the Alcohol by somewhat more than a third Part.

40. Again we have the Weight of Water to the Weight of Spirit, as  $W : w :: n + 1 : n - 0,84 :: 3,862 : 2,022$ , or the Weight of Water is almost double that of the Spirit; as we observed in Art. 37. Whereas in *true Proof* the Weights of both are the same.

41. In REAL PROOF, the Quantity of Spirit exceeds that of Water in the Ratio of 100 to 84, but in the *Merchantable Proof*, the Quantity of Water exceed that of Spirit, nearly in the Ratio of 100 to 63.

42. And



42. And therefore if we take  $ED : FD :: 100 : 63 :: 1 : 0,63$ , and draw  $oF$ , it will cut off such Portions of the Parallels towards  $oD$ , as will duly express or represent the Quantities of Spirit that must be added to the respective Compounds, represented by those Parallels, to make them of *Saleable Proof*. Thus for the Compound of 970, the Quantity of Water is  $(ac)$ , the Quantity of Alcohol is  $(ce)$ , the Quantity of Alcohol to be added for TRUE PROOF is  $(be)$ , and that for *saleable Proof*  $(de)$ .

43. On the other Hand if  $BC$  be continued out, and we take  $BC : BG :: 63 : 100 :: 0,63 : 1$ ; and join  $hG$ , it will determine such lengths of Parallels, (continued out when there is occasion) as will every where represent the Quantities of Water to be added for *Merchantable Proof*.

44. Hence the second Table is made for *Merchantable Proof*, in the same Manner as the first was made for *real Proof*; and the same Weights of the Hydrometer serve equally for both. See Articles 30, 31, and 38.

### *The Construction of TABLE III.*

*By which the HYDROMETER is adapted to examine MINERAL and SALT WATERS, Medicated and other LIQUORS, to the greatest Exactness, in regard to their specific GRAVITY.*

45. **T**HE genuine HYDROMETER is in its Nature equally well adapted to explore the specific Gravities of Liquors to the same Extent *above* that



that of River Water as *below* it, viz. to 160 in the Scale of 1000, Fig. 3. And as all Degrees of Density in spirituous Compounds, below Water to pure Alcohol, are contained in that Extent; so the Density or specific Gravities of all *Salt*, and MINERAL WATERS, *Medicated* and *Chemical LIQUORS*, and many natural Fluids, as *Blood*, *Milk*, *Urine*, *Serum*; also all Kinds of prepared Liquors for domestic Uses, as *Cyder*, *Perry*, *Wines*, *Worts*, *Beer*, *Ale*, *Punch*, &c. &c. are all within the reach of this Instrument; and as their essential Goodness and Value depends on and may be most easily ascertained by it, to the greatest desirable Exactness, this HYDROMETER is capable of being applied to promote the greatest Ends in MEDICINE, CHEMISTRY, and Natural PHILOSOPHY.

46. The *Water-Weight* being put on at the Bottom, the other Weights are applied on the Top to discover any specific Gravity from 1000 to 1160 by means of the Numbers in Table III. which are thus calculated. Let the Ratio of the specific Gravity of *Rain-Water* to *Sea-Water* be that of 1000 to  $x$ , then will  $x$  be the Number in the Table required. Then as

$1000 : 160 :: a : \frac{160a}{1000} = 0,16a$ ; then  $0,16a + 840 = x$ , the specific Gravity required; thus all the Numbers of the Table are found from 1000 to 1160.

N. B. The Value of ( $a$ ) is the Sum of the *Water-Weight* 1000 at the Bottom, and the Weights put on at the Top.



*The Manner of Constructing the Genuine  
HYDROMETER, so as to render it Univer-  
sal, for examining all Kinds of FLUIDS.*

47. **I**N Order to construct a *true, genuine, and uni-  
versal* HYDROMETER, it must be considered  
that the Design of such an Instrument is to discover and  
measure the peculiar Weight, Density, or Strength of  
a given Compound, or simple Liquor in a *given Quan-  
tity*; which given Quantity is equal to a given and de-  
terminate Part of the Hydrometer to be constantly im-  
mersed into it.

48. By this Means we know the Weight of the same  
Bulk or Quantity of different Liquids, and thereby  
their *comparative Densities*, and specific Gravities. Thus  
let all the Part of the HYDROMETER (Fig. 7.) below  
D be that which is to be constantly immersed in the Li-  
quor, which in the first Place suppose to be *Alcohol*,  
whose specific Gravity compared with that of River-  
Water, is found by the *Hydrostatic Balance*, to be in  
the Ratio of 840 to 1000. And that it is nicely ba-  
lanced in such a Spirit by a proper Weight or Foot at K,  
screw'd on at the End of the Shank H I, which is sol-  
dered into the Ball F G, and keeps the Instrument in  
a perpendicular Position. Note, this Weight K is call-  
ed the *Spirit-weight*.

49. But since Water has a greater Density than *Al-  
cohol*, it will not sink into that so far as D without an  
*Additional Weight* applied to it. This Weight is there-  
fore



fore to be found very accurately, and then divided into 1000 equal Part.

50. Then it is evident, that when this *HYDROMETER* is immersed into any Liquor composed of Water and Spirit, a certain Weight applied to it, will sink it therein to D, and give it an Equilibrium there. This additional Weight is equal to the Excess of the Weight of this Compound above that of an equal Bulk of *Alcohol*; and must be expressed in Parts of the 1000 into which the whole Difference of the Weight of Water and Alcohol was divided.

51. Now this additional Weight must be applied to the *Hydrometer* either on the *Top* at B *out* of the Liquor, or at the *Bottom* at I, *in* the Liquor; and it may be made to answer with equal Accuracy either Way. But these two different Methods of Application of the Weight are attended with very different Circumstances in regard to *Conveniency* and *Dispatch*, two principal Points in the assaying of spirituous Liquors.

52. But supposing that the Weight were applied to the *Bottom*, there must be at least 100 out of the 1000 to be screwed on and off the *Hydrometer*; and every Time a Weight is changed, the Instrument must be taken out, and again put into the Liquor, which Procedure must necessarily be so tedious and irksome, as to be impracticable in common Use; and accordingly we find that instead of 100 different Weights, and these multiplied to 1000, there are in common Practice not more than about 30 used for spirituous Compounds, and those not capable of being multiplied with any Kind of Certainty or Truth.



53. But, if the Weights are applied at the Top of the Instrument out of the Fluid, then all such Weights may be almost instantly applied and changed, till the *Equilibrium* be procured, and the Strength of the Compound ascertained to the 1000th Part of the Whole, and this without ever taking the Instrument out of the Fluid once. And as this Method admits of the utmost Facility, Expedition, and Exactness, nothing more need be said to recommend it to the judicious.

54. The Weights which determine the Strength of all Compounds below Water to 160 Degrees of the Scale of specific Gravities, will also equally shew as many above Water, and therefore take in all the specific Gravities of Fluids from that of Water 1000, to 1160; which comprehends the specific Gravities or Densities of all MINERAL and SALT WATERS, and of most other natural and chemical Fluids, which therefore are all subject to a very critical Examination by this HYDROMETER, as they may thereby have their respective specific Gravities made apparent to that 1000th Part of the Whole 160.

55. If the Strength, Density, or specific Gravity of any Liquors exceed the Ratio of 1160 to 1000, this Instrument will find them still, with the same Weights, and to the same Degree of Accuracy; for only another *Water-weight* K is required just double the Weight of the former, and then the HYDROMETER will explore all specific Gravities from 1000 to 1320, which is farther than ever there can be Occasion for. Since I find  
by



by Experiment, that a Solution of Salt in Water as strong as it can be made, will not exceed the Weight of Water more than in the Ratio of 1215 to 1000.

56. I need only observe further, that by this *genuine* HYDROMETER, you will ever be able to determine the Ratio or Proportion of the Quantity and Weight of Water, to the Quantity and Weight of Alcohol in any Compound, by Art. 32, 33, 34. But this, I presume, you will in vain attempt with one of any other Structure.

57. As the Increase of the Density of the Compound is ever proportional to the Quantity of the heavier Ingredient, as is evident from the Triangles being similar, therefore when we know the specific Gravity of a *saline Mixture* in which a given Quantity of Salt has been dissolved, then the Quantity of Salt in any other is also known from its specific Gravity given by the HYDROMETER. Thus, suppose 3 Cubic Inches of River-water dissolves one Cubic Inch of common Salt, and the specific Gravity of such a strong Solution I find to be 1215; but taking a Quantity of *Sea-water*, I find by the Hydrometer, that its specific Gravity is but 1030; then I know that its Salt, in a given Quantity of Water, is to that in the strong Solution, as 30 to 215, or as 1 to 7 nearly, and consequently that a *Pint of Sea-water* contains *one Cubic Inch of Salt*.

58. Hence it appears, how serviceable such an Hydrometer must be in all SALT-WORKS, as a sure Guide or Director in ascertaining the various Densities, and the Quantities of Salt contained in given Measures of their *Brines*. By this one Instance it also appears, how extensive its Application may be made, as it will readily discover the specific Gravity of all Fluids and Liquors,



quors, natural or artificial, in no less than 3000 different Degrees, and that with *twelve Weights* only.

---

*The Use of the following TABLES illustrated by EXAMPLES.*

*The Use of TABLE I for true PROOF.*

59. **F**OR the Sake of such as are not acquainted with the Use of Lines and their Divisions, for estimating Quantities, or of such as would chuse to have a greater Degree of Accuracy in their Computations, I have here added several TABLES whereby the Use of the HYDROMETER is rendered as easy as can be desired, or, indeed, as the Nature of Things will admit of. The Construction of these Tables has been already shewn, and we now proceed to exemplify their Uses.

60. The *first* TABLE contains in the first Column the Number of Weights put upon the Hydrometer to sink it to its proper Depth (or Point (*o*) on the Stem above the Ball) in any proposed Compound. And the Numbers of the 2d Column shew the Quantity or Measures of that Compound to which one Measure of *Water* (if above Proof) or of *Alcohol* (if below) must be added to make the Whole *real* or *true* PROOF.

61. **For EXAMPLE.** Suppose the Weight 300 sinks the Hydrometer to (*o*) on the Stem, in a proposed Compound Spirit, then look for the Number 300, in the first Column, and against it in the 2d, you will find the Number 2.381, which shews, that to  $2 \frac{381}{1000}$  Gallons of the Compound, one Gallon of *Water* must be ad-



added to make it *true* PROOF, or 10 Gallons of Water to  $23 \frac{81}{100}$  Gallons of the Compound; or 100 Gallons to  $231 \frac{1}{10}$  Gallons; or lastly, 1000 Gallons of Water, and 2381 Gallons of that Compound make real PROOF.

62. EXAMPLE II. For a Compound Spirit *below* Proof. Suppose the Weight on the Top of the HYDROMETER, which sinks it to (3) on the Scale, be 750, then the whole Weight is 753; the nearest Number to that in the first Column of the Table is 755, corresponding to which in the 2d Column is 2,168, which shews that *one* Gallon of *Alcohol* is to be added to  $2 \frac{168}{1000}$  Gallons of this low Compound to make it PROOF.

$$\text{Or } \left\{ \begin{array}{l} 10 \text{ Gallons to } 21 \frac{68}{100} \\ 100 \text{ ——— } 216 \frac{8}{10} \\ 1000 \text{ ——— } 2168 \end{array} \right\} \text{for true PROOF.}$$

63. By these Numbers in the 2d Column, you have the Ratio of the Quantity of the Compound to that of the Water or Spirit to be added for Proof universally for all Degrees of Strength. And therefore if you have any given Quantity of a spirituous Compound, you will hence readily know the Quantity of Water or Spirit to be put to it for making it *Proof*. For suppose you have 3,36 Gallons of that Compound above Proof in Art. 62. Then say, by the *Rule of Three*, as 2,381 is to 1, so is 3,36 to  $1,411 = 1$  Gallon  $3 \frac{1}{4}$  Pints. The Quantity of Water to make it *Proof*; and the whole Quantity will be  $4 \frac{27}{100}$  Gallons. In the same Manner, 336 Gallons require  $141 \frac{1}{10}$  Gallons of Water, and then the whole Quantity made Proof is 477 Gallons.

64. By



64. By these Numbers in the 2d Column, we are able to *analyze*, or *decompound* (as it were) any given Compound, or shew the Proportion of its *component Parts* in respect both to *Quantity* and *Weight*. For Example, let the Compound proposed be that of Art. 63. which is *below Proof*. Where the Number 2,168 is the Value of (*n*) in Art. 33, 34; therefore the Proportion there given becomes  $A : B :: 2,561 : 1,168 :: \text{Quantity of Water} : \text{Quantity of Spirit}$ , or the Water is near twice as much as the Spirit in that Compound. And the *Weight of the Water* is to the *Weight of the Spirit* as 2,56 to 0,98. See Art. 34.

---

### Use of TABLE II. for Saleable PROOF.

65. **T**HE Numbers in Table II. are adapted to Computation for *Customary* or *Merchantable* PROOF, as those of the first Table were for *true* PROOF. The Manner of Proceedure therefore is the same in both for finding the required Quantity of Water or Spirit to be added to any proposed Compound Spirit, above or below *Saleable Proof*, to make it truly such.

66. Since (by Art. 41, 42.) it appears, that saleable Proof is so low, or the Compound so weak, we may, with good Reason, make its *Proof weight*, 700. And according to this Proof, the 2d Table is computed, whose Use in Practice is the same with the foregoing. Thus find in the first Column the Weight which sinks the *Hydrometer* to (0), and against it in the 2d Column, is



is the Number of Gallons to which *one* must be added for making it *Merchantable Proof*.

67. For EXAMPLE. Suppose in a given Compound we put the Weight 300 on the Hydrometer to sink it to (0) on the Scale; then against 300 in the first Column, you find 1,103 in the Second, which shews, that to every  $1 \frac{103}{1000}$  Gallons, one Gallon of Water must be added to bring it to be *saleable Proof*. Or more accurately, 10 Gallons of Water to 11 of the Compound.

68. Again, suppose the Compound such, that the Weight required to sink it to (0) were 665; then it appears this Compound is *above Merchant's Proof*, but below the real Proof. Against 665 in the first Column you see 12,61, which shews that one Gallon of Water is to be added to every  $12 \frac{61}{1000}$  Gallons of the Compound for making it *Merchantable Proof*.

69. For a third EXAMPLE, let the spirituous Compound be such that the Weight 770 is required to sink it to (0), then against that Number you see 6,802, which shews, that to  $6 \frac{802}{1000}$  Gallons of the Compound, one of Spirit must be added, to bring it down to *saleable Proof*; or 10 Gallons of Spirit to 68 of the Compound. These Examples, I think, must be sufficient for every intelligent Person, and though I have all along made mention of *Gallons*, yet the Ratio is the same for *Pints*, in small Quantities; or *Firkins*, *Hogsheads*, and *Tons* in large ones.



## Of Arrack PROOF.

70. **W**ITH regard to ARRACK, a great Pother has been made about Nothing; because there is no Doubt to be made, but that the *Arrack-Alcohol*, as well as that from Wines, Melasses, Malt, &c. may have its specific Gravity in its lower State of Purity, stated at 840 in Comparifon of that of Water at 1000.

71. Then it only remains to know what Proportion of Water and Arrack-spirit makes a common *saleable* ARRACK-PROOF. Dr. SHAW (*Physician* to his MAJESTY) tells us, that Arrack usually contains *three Parts of Water to one of Spirit*; in this Case, its specific Gravity is such as will require the Weight 816 to be put on the Hydrometer to sink it therein to (0). And therefore the Weight 800 may be esteemed the proper *saleable Arrack* PROOF-WEIGHT.

72. Accordingly, *strong Arrack* may be reckoned that which requires the Weight 750 to sink the Hydrometer to (0), and *weak Arrack*, that which will take the Weight 850; so that this *Hydrometer* will indicate 100 different Degrees in the Strength of Arrack, and as many more as you please, there being the same Exactness and Facility in applying it to this Sort of Spirit as to the common ones.



*The Use of* TABLE III.

73. **T**HE Use of this Table is so fully shewn in the Construction of it, that little more can be added. See Art. 45. and the following ones. As the *Lightness* of some Fluids, and the *Weight* of others are the Indications of their Goodness, so the *Hydrometer* being immersed into them, will by this Table immediately discover those specific Gravities, and thereby enable us to form a true Judgment of their *Nature, general Properties, constituent Parts, and Virtues*.

74. When the *Hydrostatic* BALLANCE is not at Hand, this HYDROMETER will supply its Place to an equal Exactness for all Liquors into which it can be put, or in which it can freely swim, corrosive Fluids only excepted; since the Weight that sinks the Hydrometer to (0) shews in this Table the specific Gravity of the Fluid to the 1000th Part of the whole Difference between that and the specific Gravity of Water.

75. This Table is also equally useful for shewing the specific Gravities of all Fluids or spirituous Compounds which are less than that of Water down to 840; for if those Numbers on the Right-hand of the Dott or Point (in the 2d Column) be added to 840, the Sum will be the specific Gravity of that Fluid which requires the corresponding Weights in the first Column to sink the Hydrometer to (0). For Example, suppose the Weight be 300, then against that is the Number 1.048; if then the .048 be added to 840, it will make 888 the specific Gravity of that Compound. See Page 10, Part I.

76. On the other Hand, if the specific Gravity of Fluids should exceed 1.160 which is the Extent of this



Table, yet those Numbers will equally serve for 160 more, by putting on the *double Water-weight* at Bottom, and adding the Numbers on the Right-hand of the Dott, corresponding to the Weight on the Hydrometer, to the Number 1.160. Thus supposing the Instrument with this double Weight at Bottom, should require the Weight 190 at Top for an Equilibrium with the Fluid; then against 190 is the Number 1.0304, and .0304 added to 1.160, makes 1.1904 the specific Gravity of that Fluid, and thus the Use of the Table is extended to examine all specific Gravities from 840 to 1.320, which is farther than there can be Occasion for.\*

77. In each Table, the Weights proceed with the Difference of 5, but when great Exactness is required, it is easy by the Rule of Three to find the proportional Part for any of the other Digits 1, 2, 3, 4, or 6, 7, 8, 9, or by Inspection with the Sliding-rule. But this can be only necessary, when the Compound is within a small Matter of Proof on either Side. And those who are used to compute by Tables, know the Process too well to need Examples. So that each Table may be easily accommodated to every *thousandth Part of the whole Difference* in regard to the Quantity or specific Gravity of any Fluid or spirituous Compound compared with Water.

\* N. B. As this *double Water-weight* can only be of Use in very dense or heavy Fluids, it can be but seldom required, and therefore is not made, but when expressly ordered.



TABLE I. *Shewing the Number of Gallons of Compound to which one Gallon of WATER or SPITIT must be added to make it real PROOF.*

PART I. ABOVE PROOF.

Weight on the Hydrometer.	Gallons of the Compound to which one of Water must be added.	Weight on the Hydrometer.	Gallons of the Compound to which one of Water must be added.	Weight on the Hydrometer.	Gallons of the Compound to which one of Water must be added.	Weight on the Hydrometer.	Gallons of the Compound to which one of Water must be added.
0	0.0000	155	1.6050	305	2.4213	455	4.9261
5	1.2005	160	1.6233	310	2.4630	460	5.1020
10	1.2117	165	1.6420	315	2.5062	465	5.2910
15	1.2210	170	1.6611	320	2.5510	470	5.4945
20	1.2325	175	1.6806	325	2.5974	475	5.7143
25	1.2422	180	1.7007	330	2.6455	480	5.9523
30	1.2531	185	1.7211	335	2.6340	485	6.2111
35	1.2642	190	1.7421	340	2.7472	490	6.4935
40	1.2755	195	1.7536	345	2.8011	495	6.8027
45	1.2840	200	1.7867	350	2.8572	500	7.1428
50	1.2988	205	1.8083	355	2.9154	505	7.5188
55	1.3107	210	1.8315	360	2.9761	510	7.9365
60	1.3228	215	1.8553	365	3.0395	515	8.4033
65	1.3320	220	1.8797	370	3.1056	520	8.9285
70	1.3478	225	1.9047	375	3.1746	525	9.5238
75	1.3605	230	1.9305	380	3.2467	530	10.2041
80	1.3736	235	1.9569	385	3.3222	535	10.9890
85	1.3869	240	1.9841	390	3.4013	540	11.9068
90	1.4005	245	2.0121	395	3.4843	545	12.9872
95	1.4144	250	2.0408	400	3.5714	550	14.2857
100	1.4285	255	2.0704	405	3.6630	555	15.8731
105	1.4430	260	2.1008	410	3.7594	560	17.8572
110	1.4578	265	2.1322	415	3.8610	565	20.4082
115	1.4728	270	2.1645	420	3.9682	570	23.8091
120	1.4881	275	2.1978	425	4.0816	575	28.5715
125	1.5038	280	2.2322	430	4.2017	580	35.7144
130	1.5080	285	2.2667	435	4.3290	585	47.6200
135	1.5361	290	2.3341	440	4.4643	590	71.4288
140	1.5528	295	2.3419	445	4.6083	595	142.8572
145	1.5699	300	2.3809	450	4.7619		
150	1.5873						

PART



## PART II. Below PROOF.

Weight on the Hydrometer.	Galls. of Compound to one Gallon of Spirit.	Weight on the Hydrometer.	Galls. of Compound to one Gallon of Spirit.	Weight on the Hydrometer.	Galls. of Compound to one Gallon of Spirit.	Weight on the Hydrometer.	Galls. of Compound to one Gallon of Spirit.
600	PROOF.	705	3.2000	805	1.6390	905	1.1016
605	67.2	710	3.0545	810	1.6000	910	1.0831
610	33.6600	715	2.9217	815	1.5628	915	1.0666
615	22.4000	720	2.8000	820	1.5272	920	1.0500
620	16.8000	725	2.6880	825	1.4933	925	1.0338
625	13.4400	730	2.5846	830	1.4608	930	1.0181
630	11.2000	735	2.4889	835	1.4297	935	1.0030
635	9.6000	740	2.4000	840	1.4000	940	0.9882
640	8.4000	745	2.3172	845	1.3714	945	0.9739
645	7.1306	750	2.2400	850	1.3440	950	0.9600
650	6.7200	755	2.1677	855	1.3176	955	0.9465
655	6.1091	760	2.1000	860	1.2923	960	0.9333
660	5.6000	765	2.0363	865	1.2666	965	0.9206
665	5.1692	770	1.9764	870	1.2416	970	0.9081
670	4.8000	775	1.9200	875	1.2218	975	0.8960
675	4.4800	780	1.8667	880	1.2000	980	0.8842
680	4.2000	785	1.8162	885	1.1789	985	0.8727
685	3.9529	790	1.7684	890	1.1586	990	0.8615
690	3.7333	795	1.7230	895	1.1389	995	0.8506
695	3.5369	800	1.6800	900	1.1120	1000	0.84
700	3.3600						

See an Example of reducing these decimal Numbers to *Pints*, and *Quarters*, at the End of the next Table.

TABLE



TABLE II. *For Merchantable Proof.*PART I. *Above Proof.*

0	0.0000	180	0.8488	355	1.2793	525	2.5221
5	0.6350	185	0.8570	360	1.2981	530	2.5963
10	0.6397	190	0.8654	365	1.3175	535	2.6750
15	0.6443	195	0.8740	370	1.3374	540	2.7585
20	0.6490	200	0.8827	375	1.3580	545	2.8475
25	0.6539	205	0.8916	380	1.3792	550	2.9424
30	0.6588	210	0.9007	385	1.4011	555	3.0439
35	0.6637	215	0.9100	390	1.4237	560	3.1526
40	0.6687	220	0.9195	395	1.4443	565	3.2693
45	0.6739	225	0.9292	400	1.4712	570	3.3951
50	0.6790	230	0.9390	405	1.4961	575	3.5309
55	0.6843	235	0.9492	410	1.5219	580	3.6780
60	0.6896	240	0.9595	415	1.5486	585	3.8379
65	0.6951	245	0.9700	420	1.5763	590	4.0124
70	0.7006	250	0.9808	425	1.6050	595	4.2034
75	0.7062	255	0.9918	430	1.6346	600	4.4136
80	0.7119	260	1.0031	435	1.6655	605	4.6460
85	0.7177	265	1.0146	440	1.6975	610	4.9040
90	0.7236	270	1.0264	445	1.7310	615	5.1925
95	0.7295	275	1.0385	450	1.7654	620	5.5170
100	0.7356	280	1.0508	455	1.8015	625	5.8850
105	0.7418	285	1.0635	460	1.8390	630	6.3051
110	0.7481	290	1.0765	465	1.8781	635	6.7901
115	0.7545	295	1.0898	470	1.9190	640	7.3560
120	0.7610	300	1.1034	475	1.9616	645	8.0244
125	0.7676	305	1.1173	480	2.0062	650	8.8272
130	0.7743	310	1.1319	485	2.0529	655	9.8080
135	0.7812	315	1.1464	490	2.1017	660	11.0340
140	0.7882	320	1.1514	495	2.1530	665	12.6103
145	0.7953	325	1.1769	500	2.2063	670	14.7121
150	0.8025	330	1.1928	505	2.2634	675	17.6545
155	0.8098	335	1.2092	510	2.3230	680	22.0681
160	0.8173	340	1.2260	515	2.3857	685	29.4249
165	0.8250	345	1.2432	520	2.4520	690	44.1363
170	0.8326	350	1.2610			695	88.2726
175	0.8407					700	PROOF.

PART



PART II. *Below* PROOF.

700	PROOF.	780	5.9524	855	3.0722	930	2.0704
705	95.2380	785	5.6022	860	2.9761	935	2.0263
710	47.6190	790	5.2910	865	2.8860	940	1.9841
715	31.7460	795	5.0125	870	2.8011	945	1.9436
720	23.8100	800	4.7619	875	2.7210	950	1.9047
725	19.0475	805	4.5351	880	2.6455	955	1.8675
730	15.8730	810	4.3290	885	2.5640	960	1.8315
735	13.6023	815	4.1408	890	2.5062	965	1.7968
740	11.9048	820	3.9683	895	2.4420	970	1.7636
745	10.5820	825	3.8095	900	2.3810	975	1.7316
750	9.5238	830	3.6630	905	2.3229	980	1.7007
755	8.6580	835	3.5273	910	2.2675	985	1.6708
760	7.9365	840	3.4013	915	2.2148	990	1.6420
765	7.3260	845	3.2841	920	2.1645	995	1.6142
770	6.8027	850	3.1746	925	2.1164	1000	1.604
775	6.3492						

In these Tables, if the decimal Part of the Numbers in the 2d Column be multiplied by 8, the first Figure to the Left-hand in the Product will be *Pints*; if the Decimal of that be multiplied by 4, it gives the Quarters of a Pint.

EXAMPLE.

Against 815 is  $\frac{\quad}{\quad} \frac{\quad}{\quad} \frac{\quad}{\quad}$  4,1408  
 Multiply by  $\frac{\quad}{\quad}$  8  
 Pints  $\frac{\quad}{\quad}$  1,1264  
 4  
 Quarters  $\frac{\quad}{\quad}$  0,5056

Therefore to 4 Gallons, 1 Pint, and  $\frac{1}{2}$  a Quartern  
of this Compound, one Gallon of *Alcohol* must be  
added for *Merchantable Proof*.



TABLE III. Of Specific GRAVITIES.

Weight on the Hydrometer.	Specific Gravity of the Fluid.	Weight on the Hydrometer.	Specific Gravity of the Fluid.	Weight on the Hydrometer.	Specific Gravity of the Fluid.	Weight on the Hydrometer.	Specific Gravity of the Fluid.
0	1.0000	155	1.0248	310	1.0496	465	1.0744
5	1.0008	160	1.0256	315	1.0504	470	1.0752
10	1.0016	165	1.0264	320	1.0512	475	1.076
15	1.0024	170	1.0272	325	1.052	480	1.0768
20	1.0032	175	1.028	330	1.0528	485	1.0776
25	1.004	180	1.0288	335	1.0536	490	1.0784
30	1.0048	185	1.0296	340	1.0544	495	1.0792
35	1.0056	190	1.0304	345	1.0552	500	1.080
40	1.0064	195	1.0312	350	1.056	505	1.0808
45	1.0072	200	1.032	355	1.0568	510	1.0816
50	1.008	205	1.0328	360	1.0576	515	1.0824
55	1.0088	210	1.0336	365	1.0584	520	1.0832
60	1.0096	215	1.0344	370	1.0592	525	1.084
65	1.0104	220	1.0352	375	1.060	530	1.0848
70	1.0112	225	1.036	380	1.0608	535	1.0856
75	1.012	230	1.0368	385	1.0616	540	1.0864
80	1.0128	235	1.0376	390	1.0624	545	1.0872
85	1.0136	240	1.0384	395	1.0632	550	1.088
90	1.0144	245	1.0392	400	1.064	555	1.0888
95	1.0152	250	1.040	405	1.0648	560	1.0896
100	1.016	255	1.0408	410	1.0656	565	1.0904
105	1.0168	260	1.0416	415	1.0664	570	1.0912
110	1.0176	265	1.0424	420	1.0672	575	1.092
115	1.0184	270	1.0432	425	1.068	580	1.0928
120	1.0192	275	1.044	430	1.0688	585	1.0936
125	1.020	280	1.0448	435	1.0696	590	1.0944
130	1.0208	285	1.0456	440	1.0704	595	1.0952
135	1.0216	290	1.0464	445	1.0712	600	1.096
140	1.0224	295	1.0472	450	1.072	605	1.0968
145	1.0232	300	1.048	455	1.0728	610	1.0976
150	1.024	305	1.0488	460	1.0736	615	1.0984



Weight on the Hydrometer.	Specific Gravity of the Fluid.	Weight on the Hydrometer.	Specific Gravity of the Fluid.	Weight on the Hydrometer.	Specific Gravity of the Fluid.	Weight on the Hydrometer.	Specific Gravity of the Fluid.
620	1.0992	720	1.1152	815	1.1304	910	1.1456
625	1.100	725	1.116	820	1.1312	915	1.1464
630	1.1008	730	1.1168	825	1.132	920	1.1472
635	1.1016	735	1.1176	830	1.1328	925	1.148
640	1.1024	740	1.1184	835	1.1336	930	1.1488
645	1.1032	745	1.1192	840	1.1344	935	1.1496
650	1.104	750	1.120	845	1.1352	940	1.1504
655	1.1048	755	1.1208	850	1.136	945	1.1512
660	1.1056	760	1.1216	855	1.1368	950	1.152
665	1.1064	765	1.1224	860	1.1376	955	1.1528
670	1.1072	770	1.1232	865	1.1384	960	1.1536
675	1.108	775	1.124	870	1.1392	965	1.1544
680	1.1088	780	1.1248	875	1.140	970	1.1552
685	1.1096	785	1.1256	880	1.1408	975	1.156
690	1.1104	790	1.1264	885	1.1416	980	1.1568
695	1.1112	795	1.1272	890	1.1424	985	1.1576
700	1.112	800	1.128	895	1.1432	990	1.1584
705	1.1128	805	1.1288	900	1.144	995	1.1592
710	1.1136	810	1.1296	905	1.1448	1000	1.160
715	1.1144						

— Si quid novisti rectius istis,  
Candidus imperti ; si non, his utere mecum.

F I N I S.



*Instruments invented or improved, by*  
B. MARTIN.

	<i>l.</i>	<i>s.</i>	<i>d.</i>
<b>A</b> New manual Orrery ——— ———	2	12	6
Ditto ——— ———	8	8	0
Planetarium shewing the Phænomena of the Ptolemaic and Copernican System, from 5 <i>l.</i> 5 <i>s.</i> to	22	1	0
<b>A</b> new Portable Air-pump, exclusive of any Apparatus ——— ———	6	6	0
Ditto, with a Clamp ——— ———	6	16	0
Ditto, smaller ——— ———	4	4	0
Ditto, with a Clamp ——— ———	4	14	6
Barometer, Thermometer, and Hydrometer, all in one Frame ——— ———	2	12	6
Hydrostatic Balance, from 15 <i>s.</i> to ———	2	12	6
English Dogen, or Money Stilyard ———	0	8	0
<b>A</b> new and most accurate Hydrometer for proving of Spirits, in a Tin Case ———	1	1	0
Ditto, in Mahogany Box and Glass Jarr ———	1	7	0
Hadley's Quadrant of a new Construction, for making it useful by Land as well as at Sea ———	4	14	6
<b>A</b> new Navigation Rule ——— ———	0	4	6
<b>A</b> Dialing Sector ——— ———	0	5	0
<b>A</b> Marine Plain Table ——— ———	1	11	6
<b>A</b> new Protractor, for setting off Angles to a Minute, with a Nonius ——— ———	2	2	0
Portable Electrical Machines, from 3 <i>l.</i> 3 <i>s.</i> to	5	5	0
<b>A</b> new universal compound Microscope, all in Brass, Shagreen Case ——— ———	5	5	0
<b>A</b> Pocket compound Microscope ——— ———	1	1	0
Ditto, all Brass ——— ———	2	2	6
Solar Microscope in Brass and Wood ——— ———	2	12	6
Megalscope for manifesting large Objects ———	1	1	0
<b>A</b> new proportional Camera Obscura, with a Solar Microscope ——— ———	2	12	6
<b>New</b> horizontal Dial for all Latitudes, from 50 to 60 Degrees ——— ———	2	2	0
Ditto, with Agate Needle and Azimuth Circle	2	12	6
<b>A</b> compleat Apparatus of Optical Instruments in Brass, consisting of a new universal Compound Microscope, a Solar Microscope of the latest Improvements, a small Reflecting Telescope. The Stand of the Compound Microscope is adapted also as a Rest for the Telescope. The whole is furnished with every thing necessary for the most nicest Observations on the Microscope ———	12	12	0



A portable optical Apparatus, consisting of a Scioptic Ball and Socket, a solar Microscope, Wilfon's Microscope, a Pocket compound Microscope, a Pocket Telescope and solar Telescope	2	12	6
Ditto, in spotted Fish skin and Brass	3	13	6
Visual Glasses or Spectacles of a new Construction, best Sort in Temple Frames	0	5	6
Nose ditto	0	2	6
Ditto, with the best Pebbles, in Temple Frames	0	16	0
With all other Philosophical, Mathematical, Optical, and Mechanical Instruments of the best Construction, and the most reasonable Prices.			

*N. B.* Good Allowance will be made to Merchants and others who sell again, 'as he deals for ready Money.

### *A CATALOGUE of BOOKS, wrote and sold by the Author B. MARTIN.*

- P**hilosophical Grammar, 6th Edition, 6s.  
 Young Student's Memorial Book, 3s.  
 Elements of all Geometry, 6s.  
 The Young Trigonometer's Guide, 2 Vol. 10s.  
 A New System of Optics, 6s.  
 A Treatise of Logarithms, 6s.  
 A Treatise of Decimal Arithmetick, 6s.  
 Philological Library, 6s.  
 Philosophia Britannica, 2d Edition, 3 Vol. 18s.  
 Appendix to Ditto, 2s. 6d.  
 New English Dictionary, 2d Edition, 6s.  
 Spelling Book of Arts and Sciences for the Use of Schools, 2s.  
 Physico Gramatical Essay on Language, 2s.  
 New Principles of Geography and Navigation, 10s. 6d.  
 Theory of Comets, 2s. 6d.  
 New Elements of Optics, 3s.  
 Familiar Introduction to Experimental Philosophy, 3s. 6d.  
 Panegyric on the Newtonian Philosophy, 1s.

### P R I N T S.

- S**ynopsis of Celestial Science, 3s.  
 Wonders of the Cometary World displayed, 2s. 6d.  
 The Orbit of the Comet of 1682 and 1759, 1s. 6d.  
 New Map of the World, 1s. 6d.  
 Map of 460 Miles round London, 6d.  
 The Transit of *Venus* over the Face of the Sun, as it appeared June 6, 1761.  
 There is now printing a General Magazine of Arts and Sciences, 6 Vol. already compleated, neatly bound, 1l. 15s.