

A tabulated arrangement of the principal modern classifications of skin diseases : to illustrate a paper / by Dr. Tilbury Fox.

Contributors

Fox, William Tilbury, 1836-1879

Publication/Creation

London : Robert Hardwicke, [1864?]

Persistent URL

<https://wellcomecollection.org/works/a36a8zhe>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

179. Fox

A TABULATED ARRANGEMENT
OF THE
PRINCIPAL MODERN
CLASSIFICATIONS OF SKIN DISEASES.

TO ILLUSTRATE A PAPER BY
DR. TILBURY FOX,
TO BE READ BEFORE THE MEDICAL SOCIETY,
On MONDAY, MARCH 7th, 1864.

LONDON: ROBERT HARDWICKE, 192, PICCADILLY.



H A R D Y ' S A R R A N G E M E N T .

I.—MACULÆ and DEFORMITIES.

(A).—DEFORMITIES OF PIGMENTATION.

1. *Augmentation*.—(a) Pigmentary nævi; (b) Lentigo; (c) Ephelis; (d) Nigrities.
2. *Decoloration*.—(a) Albinism; (b) Vitiligo.

(B).—DEFORMITIES OF VASCULAR STRUCTURE.

- (a) Port-wine marks; (b) Nævi; (c) Sanguineous tumours.

(C).—DEFORMITIES OF SEBACEOUS FOLLICLES.

- (a) Acne miliaris; (b) Molluscum.

(D).—DEFORMITIES OF PAPILLÆ.

- (a) Warts.

(E).—DEFORMITIES OF EPIDERMIS.

- (a) Corns; (b) Ichthyosis.

(F).—DEFORMITIES OF DERMIS.

Keloid.

II.—LOCAL INFLAMMATIONS.

(A).—ERYTHEMA.

1. *Cause local*.—(a) simplex; (b) vesico-pustular; (c) intertrigo.
2. *General symptoms*.—(a) papulatum; (b) nodosum; (c) scarlatiniforme; (d) mammillatum;
(e) copaïque.
3. *Sympomatic and Secondary*.—(a) læve; (b) paratrimma; (c) pernio.

(B).—URTICARIA.

(C).—ECTHYMA.

1. *Acute*.—(a) simplex; (b) gangrenosum.
2. *Chronic*.—(a) infantilis; (b) cachecticum.

(D).—ZONA (H. zoster).

(E).—STROPHULUS.

- (a) Simplex (usual varieties); (b) pruriginosus (a mixed disease).

(F).—PRURIGO.

1. *According to intensity*.—(a) mitis; (b) formicans.
2. *According to cause*.—(a) scabiosa; (b) pedicularis; (c) strophulus; (d) nervosa.
3. *According to seat*.—(a) podicis; (b) scroti; (c) pudendi.

2. *Inflammatory*.—(a) simplex; (b) indurata; (c) rosacea; (d) hypertropica.

(H.)—PEMPHIGUS.

1. *Acute*.—(a) neo-natorum; (b) of adults.

2. *Chronic*.—(a) diutinus; (b) foliaceus; (c) pruriginosus.

III.—PARASITIC.

IV.—ERUPTIVE FEVERS.

V.—SYMPTOMATIC ERUPTIONS.

Ex. Sudamina, Herpes, Purpura, Typhoid spots.

VI.—DARTRES.

(A.)—ECZEMA.

1. *According to aspect*.—(a) simplex; (b) rubra; (c) rimosum; (d) impetigo.

2. *According to configuration*.—(a) figuratum; (b) nummularis; (c) diffusum; (d) I. sparsa.

3. *According to seat*.—(a) pilaris; (b) capitis; (c) genitalis; (d) palmaris, &c.

(B.)—LICHEN.

(a) simplex; (b) circumscriptus; (c) agrius; (d) inveterata; (e) urticatus; (f) gyrratus; (g) lividus;
(h) tropicus.

(C.)—PSORIASIS.

1. *Form*.—(a) guttata; (b) circinata; (c) gyrrata; (d) diffusa.

2. *Seat*.—(a) communis; (b) capitis; (c) faciei; (d) palmaris; (e) palpebralis; (f) preputialis;
(g) genitalis, &c.

(D.)—PITYRIASIS.

(a) alba; (b) rubra; (c) nigra; (d) pilaris.

VII.—SCROFULOUS.

(a) Erythematous (*Lupus*); (b) Pustular (*Impetigo rodens*); (c) Verrucous; (d) Tuberular (with or without ulceration); (e) Phlegmonous; (f) Corneous.

VIII.—SYPHILITIC.

(a) Pigmentary; (b) Vesicular; (c) Papular; (d) Squamous; (e) Exanthems; (f) Pustular; (g) Bullous;
(h) Vegetating; (i) Tuberular.

IX.—CANCERS.


X.—EXOTICS (not seen in France).

Ex. Yaws, Elephantiasis.



Digitized by the Internet Archive
in 2019 with funding from
Wellcome Library

<https://archive.org/details/b30798760>



THE MIXED MODE OF CLASSIFYING SKIN DISEASES.

BY W. TILBURY FOX.

2. Dermal.

UALLY

A. STRUCTURES GENERALLY INVOLVED.

1. Epidermal

- A. Specific Eruptions of acute specific diseases
- Chiefly from some blood alteration of stomach origin
- Erythematous
- Direct poisoning
- Local irritation
- Vesicular
- Papular
- Pustular
- Sub order Furunculi
- Squamous
- Homologous products
- Heterologous
- Strumous
- Malignant

{
Pityriasis.
Ichthyosis vera.
Xeroderma.

{
Typhus, Typhoid.
Rubeola, Scarletina.
Variola, Vaccinia.
Erysipelas, Varicella.

{
Erythema, Roseola,
Rosalia, Urticaria.

Insect Bites and Stings.

{
Pernio.

{
Burns, Scalds.

{
Eczema, Pemphigus.

{
Herpes, Miliaria.

Lichen, Strophulus, Prurigo.

Rupia, Impetigo, Ecthyma.

Furunculus, Pustula maligna, Anthrax.

Lepra and Psoriasis.

{
Elephantiasis.

{
Frambœsia.

Keloid.

Lupus.

{
Epithelioma.

Cancer.

{
Cancroid.

Rodent Ulcer.

- A. Diseases of the Papillæ
- B. " " Vascular Structures
- C. " " Nervous Supply

{
Congenital

{
Diminution of activity

{
Increase of ditto

*

Warts, Corns, Callosities, Nævi.

*

Nævi (and Purpura?).

*

Pruritus, Hyperesthesia, Anæsthesia.

- Vitiligo.

{
Albinismus.*

Melasma, Nævi.

*

Leucopathia,* Melanopathia,* Chlorosis.

*

- D. Of Chromatic function
- Secondary to blood disease

