Report of the Department of Public Health for the year ending September 30th ... and of the Deputy Registrar General containing the vital statistics of the Province for the year ending December 31st ... / Province of Nova Scotia.

Contributors

Nova Scotia. Department of Public Health.

Publication/Creation

Halifax, [1936]

Persistent URL

https://wellcomecollection.org/works/y4bxtzff

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.

wellcome collection

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
https://wellcomecollection.org

RBBL
43C

PROVINCE NOVA SCOTIA

REPORT OF THE

Department of Public Health

FOR THE

Year ending November 30th, 1936

AND OF THE

Deputy Registrar General

CONTAINING THE

Vital Statistics of the Province

For the Year ending December 31st, 1935

HALIFAX, N. S.
PROVINCIAL SECRETARY
KING'S PRINTER
1937


22501407395

WELLCOME LIBRARY INSTITUTE

PROVINCE NOVA SCOTIA

REPORT OF THE

Department of Public Health

FOR THE

Year ending November 30th, 1936

AND OF THE

Deputy Registrar General

CONTAINING THE

Vital Statistics of the Province

For the Year ending December 31st, 1935

HALIFAX, N. S.
PROVINCIAL SECRETARY
KING'S PRINTER
1937

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call No. AmRep WA28 .GC2 N93 1936

To His Honour,

THE HONOURABLE WALTER HAROLD COVERT, K. C.,

Lieutenant-Governor of Nova Scotia.

Sir:—

I beg to present herewith the Report of the Department of the Public Health for the year ending November 30th, 1936 and of the Deputy Registrar General containing the Vital Statistics of the Province for the year ending December 31st, 1935.

I have the honour to be,

Sir,

Your most obedient Servant,

F. R. DAVIS,

Minister of Health

Digitized by the Internet Archive
in 2019 with funding from
Wellcome Library

https://archive.org/details/b3141221x

REPORT OF THE CHIEF HEALTH OFFICER

To the Honourable Frank R. Davis, M.D., F.A.C.S.,
Minister of Health.

Sir:—

I beg to submit, herewith, my report for the fiscal year ending November 30th, 1936.

Once again it is a pleasure to report that the health of the people was, in general, most favourable during the past year. The province was fortunate in not having any epidemics of the more serious diseases, nor any outbreaks of communicable diseases, due to infected water or milk. Measles was prevalent and in some sections assumed epidemic proportions; it, however, was not accompanied by any unusual mortality. Of special interest are the lower mortality rates from heart diseases and cancer.

The usual routine of former years has been continued, but with a steady growth of work in almost every activity. A large variety of matters respecting public health administration, in various parts of the province, have been referred to the Department, and all have been given attention. Every effort was made to operate the Department at the lowest possible cost without, in any way, crippling the work of the several bureaus.

To meet the ever increasing demands made on the Health Department for specialized services, a Bureau of Sanitary Engineering was, early in the year, inaugurated. This section is primarily concerned with environmental conditions, which may, in any way, exercise an influence on the Public Health. The specially trained Engineer, presiding over this Bureau, acts in an advisory capacity to local health officers and boards of health, and provides sanitary inspection of water and milk supplies, sewage disposal systems, bathing beaches, summer camps and recreational places. The importance of adequate supervision of water, sewage, milk and other food supplies, cannot be over-emphasized.

During the year the Department suffered a distinct loss in the death of Dr. C. M. Bayne, who had been Divisional Health Officer for the eastern health division of the province since the year 1930. In his chosen specialty, Dr. Bayne had few equals, hence it was that his counsel was continuously sought, not only by the many patients who were sent to him, but by his medical associates as well. His death leaves a vacancy difficult to fill and memory which will, for many years, endure.

In June 1936, Dr. J. S. Robertson was appointed Divisional Health Officer to succeed the late Dr. Bayne.

Heart Diseases

Diseases of the heart claimed 801 lives in 1935. The death rate from this particular group of diseases has been for a considerable number of years definitely on the increase, so that in most communities they now top the list as causes of death. It is true that most heart affections occur after middle or in old age, and since the present population contains a greater proportion of older people than formerly, we are bound to have more deaths from these causes. Besides the fundamental causes of many common heart conditions appearing in old people are as yet unknown and as a consequence many people are inclined to regard them as inevitable. There are, however, a good many heart diseases which are the direct outcome of infections such as Syphilis, Rheumatic Fever, and other communicable diseases, therefore by avoiding these infections we can prevent an appreciable number of deaths from heart degenerations in later life. It is not too much to expect that with more general progress for the prevention of all communicable diseases, coupled with early diagnosis and treatment, the incidence of heart diseases will be reduced.

Cancer

In the calendar year 1935 there were 617 deaths from Cancer and other malignant tumors. In 1934 there were 688 deaths. From this apparently satisfactory drop, occurring in a single year, it cannot be concluded that the peak has been reached and from now onwards, we may expect a gradual

decrease in deaths from this important cause, since the trend for many years has been definitely an upward one. It is not too much to hope and expect, however, that in the next five year period, the increase will not be as great as it has been in the past five year period. Those in charge of the Cancer Clinic find more early cases presenting themselves for treatment than formerly. This has, it is thought, a beneficial effect on mortality figures.

The extensive and growing significance of the Cancer problem is now fully recognized by the medical profession and to a considerable extent by the laity also. A great deal of effort and large sums of money are being expended in efforts to control it. Cancer clinics have been established in connection with the larger hospitals; surgery, X-ray and Radium are being further developed as the best known modern weapons to deal with and treat the cases discovered and research workers, all over the world, are busy endeavouring to find the cause of the disease. It is now definitely known that Cancer can be cured if discovered and treated in its early stages.

To promote early discovery of cases and effectual treatment of those found, certain services have been provided. All tissues sent in by physicians from local hospitals are examined and reported on, through the Department laboratories, without charge. A cancer clinic is in operation at the Victoria General Hospital, where surgeons, medical specialists, a Pathologist and Radiologist meet to study cases, so that patients may be given the benefits of expert diagnosis and modern treatment. A radium emanation plant and new X-ray apparatus have been installed for treatment purposes. Every opportunity is made use of to teach the public the importance of early discovery and early treatment. In order to bring this about, there should be complete cooperation between the people and the medical profession, since it is not possible for physicians to render aid unless patients come to them. In attempting to control Cancer then, early recognition of slight departures from the normal, utilization of cancer clinics, and periodic physical examinations are recommended.

Tuberculosis

There were 20 more deaths from Tuberculosis than in the year just preceding. This does not mean that this disease

is on the increase. It has, for some time, been observed that a period of low mortality is followed by a short period of comparatively heavier losses. We know the morbidity and mortality tendencies in tuberculosis are definitely downward and, as a consequence, we look for a sharp decline next year. As recently as 1910 the death rate in the province was 220 per hundred thousand, now it is in the vicinity of 90.

As yet we have no specific cure for tuberculosis; nevertheless, we know that many cases, particularly the early ones, are curable. Rest, diet, and fresh air, coupled with surgical measures in selected cases, will frequently bring about the arrest of the disease. The tendency now is to deal with tuberculosis as with other contagious diseases. When a person is found to have it, he should be prevented from passing it on to others by appropriate isolation, education, and treatment. Realizing the importance of prevention, our field examiners in their case finding programs, sought out contacts of open cases, present or past, adolescent children and adults under middle age. In so far as it was possible, special attention was given to surveys of high schools, colleges and certain groups in industry. Over 5000 examinations were made, which represents an increase over any other equivalent period.

Every effort was made to have as many as possible placed in institutional beds, where, in addition to isolation, they are given preventive instruction, so that on their return to the homes they will not be menaces to friends and associates. During the year, 621 persons were given supervision in the Nova Scotia Sanatorium, and 283 in the four general hospitals equipped with tuberculosis sections. The work performed at the provincial sanatorium was of its usual high order, as will be seen from a perusal of the Superintendent's report, which appears under separate cover. The four hospital units experienced a busy and successful year. Splendid service was given by all four, which are now filling a long felt want. In connection with these, 56 persons were found on pneumothorax treatment, 800 refills having been given.

In another portion of this report the travelling diagnosticians give valuable information on the tuberculosis problem

Whooping Cough

There were 48 deaths from this cause in 1935, three more than in 1934. Whooping Cough like Measles, comes in regularly recurring epidemics. It is perhaps the most fatal of the infections in young children, therefore, from the public health viewpoint, it is one of the really serious diseases of childhood. The younger the child the greater the probability of the attack proving fatal. Since infants and young children are so susceptible, it is most important that they be kept apart from other children during periods when the disease is prevalent. The most frequent cause of death is a complicating Broncho Pneumonia.

The Vaccines that have been developed in the past, for treatment and prophylactic purposes have, on the whole, given discouraging results. A newer one is now being tried out, which seems to give promise and it is hoped that within the next year or two, those experimenting with it will be in a position to give some valuable information.

Diphtheria

In 1935 there were 11 deaths from Diphtheria. Of the eleven, 1 occurred in Halifax, and 10 in Cape Breton County. While the incidence of the disease is lower than in some of the other Canadian provinces, nevertheless it is too high and can be lowered by a more widespread use of a very effectual weapon, known as Toxoid. Protection against Diphtheria through immunization with Toxoid, is now a measure of proven value. It is a procedure unattended with danger, so that there is no good reason for delay in making use of this sure means of prevention.

It is encouraging to know that more toxoiding was done during the past eight months than in any other previous equivalent time. An excellent start has been made in some communities; in others, however, the procedure has not been taken up seriously. Since so many cases of Diphtheria occur between the ages of one and six years, immunization should be especially practiced in this age group. In fact the time of choice for administering Toxoid is between the ages of six

months and one year. Parents and custodians of children are requested to unite with physicians and health officers in order that all children, particularly those of pre-school age, may be given the protection afforded by Toxoid of reliable manufacture.

Scarlet Fever

Scarlet Fever was responsible for 9 deaths in the past year. In 1934 there were 11, in 1933 ten, in 1932 eighteen, and in 1931 twenty-four. These figures show a general downward tendency in mortality from this disease.

Of recent years the Scarlet Fever encountered, has been mostly of a mild type, and this fact has made its control more difficult. In some instances, the infection is so mild that its nature in unrecognized and as a consequence, reporting, isolation and quarantine are not instituted. It is important to protect, if possible, very young children from Scarlet Fever, since every year of escape renders them less susceptible, until many with increasing years, become immune. Since serious complications may follow mild cases as well as severe ones, all affected should be given rest in bed, and the benefit of serum treatment when indicated. Toxin in measured doses is recommended as a preventive.

Measles

In the latter part of 1934 and first half of 1935, Measles was epidemic with the result that there were, in 1934 eleven, and in 1935 twenty-four deaths from this cause.

The usual methods used to prevent spread of Measles are by no means successful, for the reason that it is not only one of the most contagious of the communicable diseases, but it is most infectious before the characteristic eruption appears. Epidemics tend to recur every three or four years, no doubt due to periodic accumulations of fresh groups of susceptible children. Most of the fatalities, usually due to pulmonary sequelae, occur in those under five years, hence the desirability of screening those in their early years from the infection. Of recent years parents blood and sera from re-

covered patients have been used for treatment and prevention. The immunity conferred by either passes off rather quickly, which limits its practical value as a preventive. Both however, if given sufficiently early will modify or attenuate the disease and as a consequence are of very definite use, especially in the case of very young or delicate children.

Venereal Diseases

In 1935 thirty-seven deaths were recorded as due directly to these diseases. This does not tell half the story since scores of other deaths were caused indirectly by one or other of this group.

The control of Venereal Diseases is one of the most important as well as one of the most difficult problems with which we are confronted. The problem is so large that it really is of international concern. Health departments, without the aid of the people, cannot cope with it. It is so bound up with stigma, sex, morality,and other factors that real prevention must of necessity begin with the individual and it is only when the people generally make up their minds to cooperate fully with physicians and health authorities, that a proper start will be made in the work of control. Without this cooperation legislation and projected programs of control, while of some avail, will never bring about the desired result. We already possess sufficient knowledge regarding the causation, spread, diagnosis and treatment of these diseases, and the public must supply that which is wanting to reduce their incidence.

The various free treatment clinics were worked to capacity during the year and necessary treatment drugs were widely distributed to physicians for the benefit of necessitous cases.

Infantile Paralysis

In 1935 the incidence of and mortality from Infantile Paralysis was the lowest for many years, two deaths only having been recorded. This is all the more remarkable when it is known that all the Canadian provinces from Quebec to the Pacific Coast have had serious outbreaks of this disease in recent years. Just why Nova Scotia and the Maritimes

generally have so far escaped, is difficult to explain. For years sporadic cases have occurred but no epidemics. While some progress has been made in our knowledge respecting this malady, there are still many things about it that are not understood. This makes the problem of control an exceedingly difficult one. Convalescent Serum is still used in the treatment of Infantile Paralysis and following the custom of late years a quantity was prepared at the Department laboratories and stored for emergency use.

Smallpox

There has not been a case of Smallpox in Nova Scotia for some years, which probably accounts for the existence of many unvaccinated persons in a number of communities. Such a state is fraught with danger. The introduction of one case only into any town or municipality with unprotected people would be sufficient to start a wide-spread outbreak. Smallpox can be kept out of the province indefinitely by the maintenance of a proper standard of vaccination and in no other way. Vaccination as now practiced, is safe and harmless; consequently there is no good reason why all of our younger population, at least, should not be given the protection it affords. Parents who neglect this important matter are taking upon themselves serious responsibilities.

Typhoid Fever

There were eight deaths from Typhoid Fever in 1935. Two small outbreaks occurred in lumber camps during the year, which on investigation were traced to a carrier. When the seriousness of his state was shown this carrier, who in no way was responsible for his condition, he was found to be most cooperative and accepted, in toto, the advice of the Department, with the result that the infection has been removed from his system.

By contrast with other countries and other provinces of Canada, Nova Scotia has for some years experienced a most satisfactory Typhoid rate. This is all to the good, especially in the case of a province making a strong appeal for summer visitors. Of the cases occurring in recent years, none have

been traced to infected milk or water supplies. Those who contracted the disease, were thought to have received the infection from carriers or from sources outside the province.

Infant Mortality

During the past fourteen years there has been a substantial drop in the infant mortality rate of Nova Scotia. In 1921 it was 100; in 1927, 92.3; in 1930, 82.6; and in 1935, 71.

The total infant deaths in 1935 was 838. An analysis of infant deaths for a five year period shows that approximately fifty per cent occur during the first month of life and further that the deaths under one month have not been decreasing, but during the same period there has been a notable drop in the number of deaths in the first year of life. This means that infant deaths due to conditions incident to child bearing have not lessened, whereas there has been a marked decrease in these, due to causes which are likely amenable to infant welfare measures generally. It would appear therefore, that we should concentrate our efforts in an attempt to remedy adverse conditions affecting maternity. A study recently completed by the Department brought to light considerable evidence to indicate that the actual infant mortality rate of Nova Scotia is lower than the official figures would indicate. By infant mortality is meant the deaths occurring under one year of age, and by infant mortality rate, the number of deaths of persons under one year of age to every thousand living births. It will thus be readily seen that correct rates depend upon complete birth registrations. Improved birth registrations give decreased infant mortality rates, and vice versa. It was discovered in some districts there had been gross neglect by parents and others responsible for reporting and registering births. Action has been taken which it is thought will at least partially correct these irregularities.

Maternal Mortality

In the last statistical year there were 62 deaths from conditions surrounding childbirth. Puerperal Septicaemia, Hemorrhage and Toxaemia were the outstanding causes. There were 71 maternal deaths in the year immediately preceding.

This represents a gain, nevertheless the maternal death rate has not shown a satisfactory downward tendency. The Nova Scotian rate compares favourably with other Canadian provinces, yet it is higher than it should be. The protection of the health of mothers is a very important undertaking and everything possible should be done to reduce the hazards attending pregnancy and child bearing. In education of the prospective mother, coupled with adequate pre-natal and obstetrical care, there is hope. Already there appears to be increasing interest in the expectant mother, so that if only the knowledge now extant can be applied in the next few years, we may reasonably expect a reduction in maternal losses. With complete use of medical services, hospitals and the services of public health nursing agencies, encouraging results may be anticipated.

During their home visits, our nurses did everything within their power to instruct and to send expectant mothers to their physicians sufficiently early. In addition a great deal of well prepared literature was distributed in the homes.

Violent Deaths

352 deaths were recorded as due to various accidental causes. Fewer it is true than in 1934, but still too many.

In the past five year period more deaths were caused by violence than by Tuberculosis. This indicates the importance of safety campaigns, since many of the accidental deaths may be classed as definitely preventable. Motor vehicle accidents, accidents in the homes, in mines, and drowning are among the important causes. Commenting on motor accidents, it is, I believe, correct to state that many are due to carelessness and excessive speed, which places the responsibility on the motorist. Regulations and Statutes alone, will not prevent accidents of this class unless a serious effort is made to educate drivers regarding the special hazards attending the use of automobiles. To this end the removal of careless or irresponsible drivers from the road is indicated.

Laboratories

The increasing demands made upon the bacterialogical and pathological laboratories, particularly upon the former,

have caused the personnel to put in considerable overtime in the year just past. All manner of specimens have been sent in for investigation. This indicates the extent to which health officers and practicing physicians are bringing their problems to the laboratory for assistance. This is all to the good, since it indicates increasing interest in disease prevention and as a consequence better service to all the people. All public health examinations are made without charge, which means a saving to the public, of many thousands of dollars annually. The director's reports, detailing the various procedures are well worth careful perusal.

Milk

Milk, is, without a doubt, our most important single article of food; consequently its sanitary control should be a matter of major importance to all health officers and boards of health.

In the year just past a very considerable portion of the provincial supply was inspected by our Sanitary Engineering Section. Of the portion examined a large percentage was found to be of good quality. This, to a certain extent, is borne out by the fact that we have not had, in recent years, any outbreaks of communicable diseases traceable to milk. Increasing interest on the part of health officers, dairymen, and producers, in the production and marketing of a safe supply has had its effect. Improvement is particularly noticeable since the milk portion of the Public Health Act was strengthened about two years ago. Considering the diseases that may be transmitted through milk, public health authorities agree that it should be, especially when distributed in large towns, pasteurized. This process is not advocated as a corrective for dirty milk but as an added safeguard to a clean milk. Its merit in protecting the people from milk-borne infection has been thoroughly demonstrated. The number of pasteurizing plants in the Province is increasing year after year and it is hoped that before long none other than a scientifically pasteurized milk will be on sale in the larger communities. Modern milk plants, with a continuous survey and inspection of them, is of fundamental importance.

Public Health Nursing

During the year a group of specially trained nurses has been continuously on duty, both in the schools and in the homes.

In the schools searches were made for defects tending to prevent the children obtaining full benefit from the educational system provided and attempts were made to have all remediable defects corrected. Pupils were taught the dangers attending infectious diseases, how to avoid contracting them, and their responsibility in preventing their spread. Considerable attention was paid to the correction of insanitary conditions discovered in connection with school premises.

With the approval of family physicians, homes were entered for teaching and demonstration purposes. Instruction was given in the feeding of infants and in the care of the developing child. Those found suffering from communicable diseases were shown the methods they should employ in order to prevent spreading them. The home care of the Tuberculous was given particular consideration. Demonstrations were given outlining the arrangement of sleeping quarters, proper disposal of sputa, the care of dishes, and the necessity of sufficient rest. Conditions in the homes, which, it was thought, predisposed to disease were dealt with and in general the occupants were taught the practice of proper health habits.

38120 school children were inspected and 12178 home visits were made in the interest of 17493 persons.

Notification

In the year which has passed an effort was made to secure more accurate reporting of notifiable diseases. In this endeavour a goodly number of the medical health officers have willingly cooperated. It is regretted that a number of physicians and householders have not yet become impressed with the importance of reporting all cases of infectious diseases to their local health officers. If communicable diseases are to be controlled, a knowledge of their existence is essential and many epidemics have been due to neglect in reporting the first cases

seen. There is some consolation however, in the knowledge that there has been steady improvement in this respect and in some sections we are now getting almost full returns.

In conclusion may I be permitted to say we are fortunate in being citizens of a country so well protected against devastating diseases, which are still prevalent in many other places. Through the years there has been a steady decline in infant deaths as well as in mortality of all the ordinary infectious diseases and the span of life has been definitely increased. We must not forget, however, that many diseases are still with us, and much remains to be done through intelligent cooperation of all interested people with public health officials, and with the medical profession as a whole.

I desire, once again Sir, to acknowledge my appreciation for your kindly and prudent direction. I wish to thank all members of the staff for their loyalty and guidance. The valuable assistance rendered by local health officers, the medical profession and all voluntary health and social organizations is fully appreciated.

I have the honour to be, Sir,

Your obedient servant,

P. S. CAMPBELL, M.D.,

Chief Health Officer.

Halifax, N. S.,
November 30, 1936.

REPORT OF THE DEPUTY REGISTRAR GENERAL

To the Honourable Frank R. Davis, M.D., F.A.C.S.,
Minister of Health and Registrar General.

Sir:

I beg to submit the report of the Deputy Registrar General for the year 1935.

In the year 1935 there were 11617 live and 342 still births, representing an increase of 210 live, and a decrease of 8 still births as compared with 1934. The deaths from all causes numbered 6164, being 119 more than in the year immediately preceding. 838 infant deaths occurred and diseases of pregnancy, childbirth and the puerperal state claimed 62 lives. 3946 marriages were solemnized, 190 more than in 1934. The upward trend in marriage rates is regarded as an indication of improving economic conditions. Increasing employment and more money in circulation prompt people to enter matrimony and establish homes for themselves.

Registration of births and deaths occurring in the provinces, is improving, nevertheless there are still some who are backward in sending in returns they are required by Statute to send. The Vital Statistics Act provides that the medical doctor or other person who attends at the birth of a child shall give notice of the fact, within twenty-four hours, to the Division Registrar of the Division in which the child was born. Following this the father, mother or householder is required to affect official registration in the prescribed form, with the Division Registrar, within thirty days. Likewise it is incumbent upon the doctor who has been in attendance during the last illness of any person to file with the Division Registrar, notice of the death in the proper form. The undertaker is then charged with the responsibility of filing the official death certificate with the local registrar. Unfortunately those upon whom these responsibilities are enjoined do not always dis-

charge their obligations, perhaps because they do not reflect upon the serious consequences of failure to properly record the facts of births and deaths.

Birth certificates are of especial value, not only to the children concerned, but also to adults and to the community as a whole. They are essential for securing passports, for proving citizenship, legitimacy, identity and right of inheritance to property. They furnish data necessary for the granting of pensions and other compensations. The rights to vote, marry and to secure employment are fixed by such certificates. They are also useful for a variety of other purposes.

Death registrations are of equal importance. Such records are essential in determining causes of deaths, duration of life, and in the settlement of insurance claims. Unless there is accurate and complete reporting of deaths, it is not possible to tell from what causes and at what ages the greatest number of people are dying, neither can we tell whether certain diseases are increasing or diminishing. It is from an analysis of the information contained in Vital Statistics generally, that health departments are enabled to form their policies of health preservation.

In order to encourage accuracy and completeness in assembling these important data, an official of the Health Department, visited, during the year, as many registration divisions as possible for the purpose of assisting local officials in properly preparing their returns.

Appended will be found the usual statistical tables, arranged and classified in accordance with the national standardization.

I have the honour to be, Sir,

Your Obedient Servant,

P. S. CAMPBELL, M.D.,

Deputy Registrar General.

Halifax, N. S.
November 30, 1936.

REPORT OF DIVISIONAL MEDICAL HEALTH OFFICER

To the Chief Health Officer:

I beg to submit my report for the fiscal year, ending November 30, 1936.

A retrospection of Public Health achievements in the several counties in my division during the past year reveals steady progress, and the health of the people in general on a high level. The usual seasonable epidemics, mostly mild, have occurred in several districts, but attended by very few, if any, deaths. A small outbreak of Typhoid fever was reported from Digby County, but the scource of infection was quickly uncovered, and further outbreaks eliminated from that source. Two deaths from an unusual cause, viz., mussel poisoning, were reported, also from Digby County. The Department carried on an investigation into this matter and the study of mussels from different areas about the respective scenes of fatalities is still being carried on, and it is hoped that some light will be thrown on the edible qualities of these shellfish. No cases of infantile paralysis were reported in the division, neither were there any cases of small pox or any other of the acute serious infectious diseases.

As in other years our time was directed mainly in efforts of tuberculosis control. Our mortality figures in this disease may in some cases appear large and probably somewhat misleading without a thorough knowledge of present and past conditions. The ideal should be readily accepted as being beyond reach in the light of present day knowledge, but our aim should be to push forward as near that impossible goal as it is humanly possible for us so to do. This objective is possible only through the live interest and co-operation of the people comprising our population and I unhesitatingly point to that age group between twelve and twenty-five as the one holding the possible solution of the problem in their hands. An educational program of the horse sense type, instilling in them an appreciation of good health values and the prevention

of disease would have a far reaching and lasting effect. Making our public health conscious instead of disease conscious is the right and proper course to pursue.

Last winter I had the privilege of visiting sanatoria in the Province of Ontario and the State of New York, and getting an insight into the methods of treatment and control used there. This privilege extended me I greatly appreciate and I hope the experience gained justified the granting of time and expenditure. Ontario and New York have many large institutions, and as yet are below the large population requirements. One striking feature is the easy access of patients into sanatoria, the municipalities being held responsible by statute, for treatment, and without their consent. There is also a statute both in Ontario and New York, making it compulsory for an open case of pulmonary tuberculosis to take treatment, but this is not enforced, as there is no statutory provision made to detain the patient after admission. After making a study of conditions, I concluded that comparatively our progress, expenditure, bed capacity, etc. measured up well with that in Ontario and New York, and we can assuredly occupy a place in the front ranks of tuberculosis control and treatment.

Our Public Health Nursing Service is one that cannot be excelled in any Province in Canada. The work of this Service is continually growing and members of the staff are doing worth while work in educational and other phases of the service. They are to be commended for their devotion and untiring energy in the discharge of their duties. To them I extend my appreciation for their steady co-operation, also to the members of the medical profession, whom we have to rely on for success in contacting the public and making our path an easier one to travel.

Further appreciation must be passed on to the wardens, clerks and members of the municipal councils for their sympathetic understanding of the tuberculosis problem, and their ready assistance to the class of patients that sorely need assistance.

It is gratifying to know that the Board of Management of the Highland View Hospital, Amherst, are seriously consider-

ing building an addition to their institution for the care of certain cases of Tuberculosis. It is hoped that building operations will commence in the spring. I might also say that interested people in Pictou County are also talking up the question of an institution for the care of some of their tuberculosis cases.

Under your direction, Sir, I made an inspection of a number of penal and humane institutions throughout the Province and also assisted the Mothers' Allowance and Education Departments in submitting necessary reports on some of their cases.

The following is an account of the number of chest cases examined by me during the year:

1st. Positive Examinations	229
1st. Negative Examinations	821
1st. Suspect Examinations	86
2nd. Positive Examinations	400
2nd. Negative Examinations	360
2nd. Suspect Examinations	40
Total	1936

Again, Sir, I wish to thank you for your kind assistance and co-operation, and always available advice in matters pertaining to Public Health, and also that of the Honorable Minister of Health.

Respectfully submitted,

J. J. MacRITCHIE, M.D.,
Divisional Medical Health Officer.

Halifax, N. S.,
November 30th, 1936.

REPORT OF DIVISIONAL MEDICAL HEALTH OFFICER

To the Chief Health Officer:

As Divisional Health Officer for the Eastern Division of Nova Scotia, I beg to submit my first annual report for the fiscal year ending November 30, 1936.

Owing to the unfortunate death of Dr. C. M. Bayne, the duties of D.M.H.O. were taken over on the thirtieth of June, 1936, and I have endeavored to carry on the high standard as set by my predecessor.

In this territory there is an active and sustained interest in Public Health work, particularly in the control and treatment of Tuberculosis. This is seen not only in the industrial districts, but also in rural sections. Clinics are welcomed and well patronized, and the co-operation of local authorities is offered freely.

Many of the fishing and rural districts are unfortunately, at a considerable distance from any hospital so that the obtaining of X-rays on doubtful and contact cases of Tuberculosis is often impossible. The use of a portable X-ray unit would, I feel, be of great benefit in the diagnosis of Tuberculosis in certain districts. Also the examination of contacts by means of the X-ray would materially help in the control of the disease, since it is recognized that childhood and incipient Tuberculosis are, in the great majority of cases, only diagnosed with certainty by means of the X-ray or fluoroscope.

I would like at this time to thank the hospital management and personnel of all hospitals in the Division for their hearty cooperation. The price of X-rays has been lowered in many instances and many plates are taken gratis. Many societies and service clubs are showing an increasing interest in the Tuberculosis problem and helping the work by paying for X-ray films in needy cases, supplying extra milk, food and clothing and assisting in the examination of contact cases. Benefit organizations are also doing their part in the control of the dread disease.

The report and recommendations made by Drs. Grant and McLean in the Glace Bay district have been, on the whole, favorably received and it is the hope of everyone, especially the members of the medical profession, to see the recommendations put into effect as soon as is reasonably possible.

At this time I would like to take this opportunity to thank the Honorable Minister, yourself and staff for complete co-operation in the work in this Division, also the Public Health Nurses, who by unselfish work and cooperation, play a most important part in the work.

The following is a summary of the work carried out in my Division:—

Number of positive cases seen for 1st time	226
Number of positive cases re-examined	417
Number of suspected cases seen for 1st time	246
Number of suspected cases re-examined	45
Number of negative cases seen for 1st time	1230
Number of negative cases re-examined	117
Total	2281

A school survey, including fluoroscopic examinations of approximately three hundred and fifty (350) students is being carried out in North Sydney with the cooperation of the local chapter I.O.D.E.

Respectfully submitted,
J. S. ROBERTSON, M.D.,
Divisional Medical Health Officer.

Sydney, N. S.,
November 30, 1936.

REPORT OF TRAVELLING TUBERCULOSIS DIAGNOSTICIAN

To the Chief Health Officer:

As travelling diagnostician from the Sanatorium Staff, serving the counties of Lunenburg, Queens, Shelburne and Yarmouth, I beg to submit my second annual report for the fiscal year ending November 30, 1936.

During the year three clinics covering this area were held. The principles adopted previously were followed closely,namely, that the control of tuberculosis depends on the satisfactory correlation of all factors, medical, municipal and private. Each Municipal Council was visited during its annual session in January and particular problems concerning tuberculosis were discussed. It is most satisfactory to be able to report that their cooperation has been most encouraging. It is regrettable, however, that there are sections where the Municipal Council is apparently willing to cooperate in the matter of treatment for the tuberculous, but are unable to do so because of the financial status. The situation in these localities is rather alarming, for one finds a high death rate and open cases of tuberculosis in large families where living conditions are poor; such a situation is fraught with danger and little can be expected in the way of control unless aid is forthcoming which will facilitate treatment, education, or operative measures, when indicated, for the control of open cases.

A pneumothorax centre has been established in the town of Yarmouth. This has been made possible through the co-operation of the Board of Directors and the Medical Board of the Yarmouth Hospital. There are now five pneumothorax centres in these five counties. The importance of such equipment in competent hands cannot be over emphasized, since in collapse therapy lies the means for control of open cases and the protection of contacts in the home, and the opportunity for the individuals quicker return to usefulness.

Emphasis has been placed on the necessity for X-ray examination of contacts and the cooperation obtained from municipal authorities and private individuals in providing

transportation to X-ray centres for those who otherwise would be deprived of this service, has been highly gratifying. A total of 385 contacts were examined.

The facilities for surgical treatment at the Sanatorium have been taken advantage of whenever possible and results have fully justified this step.

I wish to take this opportunity to express appreciation of the untiring endeavors and cooperation of the nurses serving this area; of the medical profession in general and the Health Officers in particular for their continued interest and support; and to the municipal authorities for their attention and action in fulfilling recommendations.

To you, Sir, and to the Honourable Minister, may I express my thanks for the counsel which has always been so thoughtfully and generously given.

Finally, I must express my sincere appreciation to the Honourable Minister for granting me leave of absence so that I might pursue studies at the School of Hygiene, University of Toronto, leading to a Diploma in Public Health. I feel that this post graduate course will make for greater competence in coping with problems which may arise in public health work in general and tuberculosis in particular.

The following is a report of the examinations made in three clinics during the year:

Number of positive cases seen for the first time	112
Number of positive cases re-examined	338
Total Positive Cases Examined	450 or 37%
Number of suspected cases seen for the first time	68
Number of suspected cases re-examined	43
Total Suspected Cases Examined	111 or 9%
Number of negative cases seen for the first time	456
Number of negative cases re-examined	203
Total Negative Cases Examined	659 or 54%

Total Cases Examined	1220 or 100%
X-ray examinations (Fluoroscope, X-ray plate or both)	612 or 50.5%

Twelve addresses were given to various bodies interested in tuberculosis.

Respectfully submitted,
C. J. W. BECKWITH, M. D.,
Clinic Examiner.

Toronto, Ont.,
November 30th, 1936.

REPORT ON THE WORK OF THE PUBLIC HEALTH LABORATORY

To the Chief Health Officer:

During the fiscal year ending November 30, 1936, a total of 44,892 specimens of various kinds were examined and reported upon. They have been classified as follows:

Kahn Tests, Blood			8947
	Positive	1352	
	Negative	7322	
	Unsatisfactory	273	
Hinton Tests			8136
	Positive	1730	
	Negative	6406	
Smears for Gonococci			4973
	Positive	1299	
	Negative	3674	
Sputum for Tubercle bacilli			7277
	Positive	1921	
	Negative	5356	
Throat Swabs			3955
	Diphtheria		
	Positive	541	
	Negative	3101	
	Vincent's	92	
	Haemolytic Streptococci	221	
Widal Agglutination Tests			
	B. typhosus Positive	11	
	Negative	203	214
	B. paratyphosus A Positive	0	
	Negative	214	214
	B. paratyphosus B. Positive	17	
	Negative	197	214
	Br. abortus Positive	17	
	Negative	844	8 6

Br. melitensis	Positive	13	
	Negative	848	861
B. tularense	Positive	0	
	Negative	104	104
B. proteus X. 19	Positive	0	
	Negative	196	196

Yearly Report of the Public Health Laboratory, 1936

Spinal Fluids:			
Routine			396
Lange curve			356
Kahn test:	Positive	42	
	Negative	313	355
Urine for Tubercle Bacilli			743
	Positive	32	
	Negative	711	
Pleural Fluids for Tubercle Bacilli			205
	Positive	34	
	Negative	171	
Pus for Tubercle Bacilli			61
Faeces for Typhoid			192
Eye Smears for Gonococci			84
Water			1813
	Bacteriological	1329	
	Chemical	484	
Milk and Cream			4140
	Bacteriological	3672	
	Butter Fat	310	
	Special	158	
Cows' Bloods for Br. abortus			338
	Positive	80	
	Negative	258	
Miscellaneous			257
TOTAL			44,892

YEARLY REPORT, 1936

During the period under review, the work carried out in the Public Health Laboratory showed an increase of 8.3% over the corresponding period of the preceding year, due mainly to a great increase in the number of throat swabs and sputa examined.

The only change in the Laboratory Staff was the appointment of Miss Helen Gates as junior technician.

All of which is respectfully submitted.

Dr. D. J. MacKENZIE,

Director of Laboratories,
Department of Public Health.

Halifax, Nova Scotia,
November 30, 1936.

REPORT OF PROVINCIAL PATHOLOGIST

To the Chief Health Officer:

During the 12 month period, 2645 specimens of tissue of various kinds were received and reported upon. They have been classified as follows:—

Tumours, malignant	357
Tumours, simple	226
Tumours, suspicious	10
Other conditions	1737
From 61 Post Mortem examinations	315
	2645

The monthly average for the year 1935 was 209.
For the year 1936 the monthly average was 220.

29,584 specimens of various kinds were received and reported upon. They have been classified as follows:

Blood			10,347
Bilirubin Van den Bergh reaction		36	
	Fouchet Test	61	
	Icterus Index	61	
Bleeding Time		144	
Calcium		20	
Chlorides		1	
Cholesterol		2	
Clot Retraction		3	
Coagulation Time		358	
Compatibility		240	
Counts,	Arneth	5	
	Full Blood Pictures	350	
	Haemoglobin (alone)	5	
	Leucocyte (alone)	14	
	Red Cell Count (alone)	3	
	Platelet Count	15	
	Reticulocyte count	17	
	Schilling count	1	
	Blood films, differential count	252	
	Blood films, malarial parasites	3	

Creatinine	715	
Cultures	122	
Fragility Test	3	
Grouping	506	
Kahn Test	3	
Phosphorus	4	
Sedimentation Test	25	
Spectroscope test for Monoxide poisoning	2	
Stains on garments for Human Blood	16	
Sugar	870	
Sugar Tolerance	26	
Urea Nitrogen	753	
Uric Acid	712	
Widal Test for Typhoid	2	
Exudates and Transudates (Various)		237
Abdominal Fluid	18	
Culture from Bone	1	
Fluid from Cyst	2	
" " Gland	2	
" " hand	2	
" " knee	19	
" " neck	2	
" " testicle	1	
Drainage from Gall-bladder	2	
Pleural Fluid	81	
Pus, various sites	98	
Pus, for Actinomyces	4	
Pus, for B. Welchii	5	
Faeces		1,219
Antinomy	1	
Arsenic	3	
Blood	1,040	
Bile and Urobilin	8	
Codeine	1	
Cultures for organisms	16	
Fat	10	
Lead	2	
Mercury	2	

Microscopical examination, general	44
Pancreatic Insufficiency	7
Parasites	81
Strychnine	1
Tubercle Bacilli	2
Hair and Skin for Ring Worm Parasites	3
Gastric Contents	267
Alcohol	6
Fractional test meals (complete Analysis)	247
Poisons	14
Smears	14
Urethral	1
Vaginal for Gonococci and Trichomonas homonis	11
For Vincent's Angina	2
Swabs	419
From Abdomen	3
" Abscess	15
" Appendix	6
" Arm	3
" Cervix	1
" Ear	20
" Eye	68
" Finger	3
" Leg	7
" Mouth	4
" Nose	12
" Post-Mortems	5
" Rectum	3
" Teeth	8
" Throat	258
Other Swabs (including Cancer cells)	8
Sputa	70

Curschmann's spirals	3	
Eosinophiles	4	
General examination for organisms	39	
Typing for Pneumococcus	22	
Culture for Whooping Cough	2	
Tissues		2,645
Urines		14,285
Acetone	1,472	
Albumen (alone)	31	
Arsenic	5	
Bence Jones Albuminoses	9	
Bile	13	
Blood	3	
Chlorides	2	
Cultures	207	
Cystoscopic from Ureters	243	
Diacetic Acid	1,472	
Hydrogen Ion Concentration	154	
Indican	2	
Lead	19	
Mercury	4	
Microscopical examination (alone)	174	
Phenolsulphthalein Test	6	
Phenyhydrazine Reaction	3	
Phosphorus	1	
Routine	9,018	
Sp. Gravity Test	1	
Sugar	1,350	
Sugar Tolerance Test	23	
Urea Concentration test	24	
Urobilin	9	
Uric Acid	2	
Friedmann's Modification of Ascheim-Zondek	28	
Vaccines		75
For Acne	6	
" Boils	20	
" Bronchitis and Asthma, Sputum	24	

From Cultures	3
For Nasal Catarrh	8
Pus Swabs	10
For throat Catarrh	4
Vomitus	5
Blood	2
Miscroscopical examination	1
Routine	2
Water	4
For gas and metals	1
Chemical analysis	3
Miscellaneous	34
Alcohol for analysis	1
Dressings etc. from Operating Room	14
Calculus for Chemical Content	13
Food for poisons	1
Contents of glass " "	1
Grain " "	1
Towels and clothing " "	1
Strawberries and leaves	1
Inoculation of Guinea-pig for Rickettsia	1

It is pleasing to note that the Laboratory facilities are still being used to the fullest advantage by the clinical staff and the physicians of the Province. Complaints are conspicuous by their absence.

My assistant Dr. G. A McCurdy and my technician Miss Whidden continue as formerly to give loyal, able and valuable assistance and service.

Respectfully submitted,

RALPH P. SMITH, M.D., D.P.H.,
Provincial Pathologist

Halifax, N. S.
November 30, 1936.

REPORT OF THE SANITARY ENGINEER

To the Chief Health Officer:

As Sanitary Engineer for the Province of Nova Scotia, I submit herewith my first annual report, for the fiscal year, ending November 30, 1936.

The office of Sanitary Engineer for the Province of Nova Scotia was created in 1935, and the first appointment made in February, 1936.

The duties of the Sanitary Engineer are concerned with all matters where engineering work may affect Public Health. The chief of these are: public water supplies; sewerage systems; dairies, particularly pasteurizing plants; rural sanitation; tourist camps; and statistical work in connection with epidemiological studies.

The engineer has this year endeavoured to visit and inspect all public water supplies in the Province. There have been found a number of which there was no previous record; chiefly in mining towns. Most of these inspections have been routine; one, however, has revealed a number of defects. The Nova Scotia Hospital at Woodside has its own water supply, coming from Maynard's Lake, in Dartmouth; the water passes through slow sand filters, before use. Bacterial counts were high; a number of inspections were made, revealing several possible sources of trouble. A cross-connection between the raw water and the filtered water at the pumps, is believed to have been the chief, if not the sole cause of the contamination of the filtered water. This connection was cut and the pipe plugged; since that time, bacterial counts have been lower, and B. coli have disappeared.

Investigations have been made into the feasibility of sewerage systems for several towns, in one of which the possibility of a water system was also investigated. The work has varied from a brief study of the location to a preliminary plan with rough cost estimate. It is not in the province of a

Public Health Department to make final plans, and it has been the policy of practically all health departments not to accept this responsibility unless absolutely necessary. It is hoped that in several cases, the report of the engineer to the department will be acted upon.

Full dairy inspection presents a very widespread and difficult problem. In the province there are many persons who keep from one to three cows, and who sell a few quarts of milk daily to neighbors or tourists. Inspection of dairies has been confined to those in the larger towns, and chiefly to pasteurizing plants. They may seem a short-sighted policy; but as these plants would affect the greatest number of people in case of a milk-borne epidemic, the greatest good to the greatest number of our people, can thus be accomplished with any given amount of time available for inspection.

One of the difficulties of making an adequate inspecting service for dairies is the lack of quick and certain means of testing. The Department has recently purchased a sediment tester, which it is hoped will give some basis for judging the quality of milk. The centrifuge method is not designed for field use; the tester purchased is said to give comparable results by a different system. It is too early at present to say whether this tester will be found satisfactory; but it is of a type which has given good results in many places, including the city of Halifax.

This branch of the Department hopes to institute an educational campaign next year, dealing with rural sanitation. Privies and wells throughout the rural districts are at present far from satisfactory. It is hoped that by improving conditions around schools particularly, that two things may be achieved; first, the safe-guarding of pupils against disease; and second, the provision of an example to the people of the district.

The only work done this year in tourist camps was a sanitary inspection of the Nova Scotia Guides Association camp site at Lake William, Lunenburg Co. This inspection was made at the request of the manager of the camp. Certain

measures were suggested to avoid nuisance. In the future, camp inspection will be largely along the lines of rural sanitation, with a certain amount of food inspection as well.

During this year, most inspections of all sorts have been made as the necessity arose. In the future, a routine will be developed for water and milk inspections, which should make for greater efficiency.

There has been no occasion during this period for statistical or epidemiological studies.

One other field of work has been entered, to a slight extent. The engineer is co-operating with the Nova Scotia Housing Commission in a survey of conditions in different parts of the province, and it is probable that this will be continued for a short time into the next fiscal year.

Respectfully submitted,

R. DONALD McKAY,

Sanitary Engineer.

Halifax, N. S.
November 30th, 1936.

REPORT OF THE SUPERINTENDENT OF NURSING SERVICE

To the Chief Health Officer:—

I beg to submit my report for the year ending November 30, 1936.

One of the ten nurses who were on duty for the full year gave considerable assistance with the Survey work undertaken in the vicinity of Glace Bay. In addition, to this group, Miss Hazel R. C. MacDonald was taken on the staff on October 15, 1936. Smaller districts would enable the nurses to give more efficient service.

The appended table, which gives a summary of the outstanding activities of the nurses, reveals that the percentage of time spent on clinic and home work is increasing each year. The proportion of pupils with decayed teeth have been reduced 10%. There is also a 6% reduction in the number of unvaccinated pupils. Several free dental clinics were provided, but there is still considerable remedial work of this kind that requires special attention. The complexities of our modern life means increased burdens to be carried.

The effectiveness of procedures followed in dealing with many problems, are appraised, and an effort is made to adopt methods that give promise of more satisfactory results. The free discussion of problems at the Nurse's Annual Conference, helps to remove the weak links in the Service.

There were one hundred thousand sputum cup refills and five hundred holders for these refills distributed free to positive and suspect cases of tuberculosis. This is an increase over the number given in the fourteen month period of the previous year. This increase proves that more care is being taken in checking the spread of the disease. With the assistance obtained from various sources, the nurses have been successful in alleviating distress in numerous homes. They have also helped to protect a large number of children from exposure to infection.

The usual number of requests for various publications were received. This service is of particular value to young mothers. The demand for all types of assistance has grown considerably.

The responsibility of building up a Service that deals so closely with the lives of the people is a difficult task, but it is a privilege to be permitted to take a part in the development of such important work.

In conclusion, I wish to express my appreciation of the co-operation received from individuals and organizations.

All of which is respectfully submitted,

MARGARET E. MacKENZIE, R. N.,
Superintendent of the Nursing Service.

Halifax, N. S.
November 30th, 1936.

Cases Examined by the Divisional Medical Health Officers, Dec 1, 1935 to Nov. 30th, 1936.

COUNTIES	1st Exams.			Re-Exams.			Total examinations	Examinations, 20 yrs. and under
	Positive	Negative	Suspect	Positive	Negative	Suspect		
Annapolis	28	51	11	42	31	5	168	64
Antigonish	32	72	8	37	67	2	218	97
Cape Breton	161	796	158	284	40	34	1473	670
Colchester	32	62	7	58	61	5	225	99
Cumberland	39	87	12	78	49	3	268	86
Digby	35	83	14	100	36	7	275	119
Guysboro	23	53	12	20	4	5	117	56
Halifax County	25	22	8	26	14	1	96	42
Halifax City	2	.....	.....	1	.....	.....	3	2
Hants	12	24	5	22	17	5	85	40
Inverness	9	91	40	43	5	2	190	85
Lunenburg	29	152	21	100	82	9	393	153
Pictou	40	82	21	63	29	11	246	109
Queens	7	44	7	53	25	9	145	60
Richmond	6	44	15	18	.....	3	86	37
Shelburne	13	52	4	38	7	9	123	57
Victoria	2	32	13	16	.....	.....	63	30
Yarmouth	63	209	35	151	90	13	561	271
Normal School Students	1	237	.....	2	11	.....	251	251
Windsor High School Students	1	82	.....	1	26	.....	110	110
Indian Res. School	7	82	7	6	85	2	189	189
Mt. St. Bernard	.....	151	1	.....	2	.....	154	141
TOTAL	567	2508	399	1159	681	125	5439	2768

SUMMARY OF NURSES ACTIVITIES, DEC. 1, 1935 TO NOV. 30, 1936

	Months on Duty	Hours spent on Duty	Clinic work	Travelled		School Work			Home Visits			Interviews		Office Work	Meetings	Bedside careetc.	Delays
			Hours spent on ClinicWork	No. of Miles	Hours spent Travelling	No.classRooms Inspected	No. of Pupils Examined	Hours spent in Schools	No. of Homes Visited	No. of Cases given attention in homes	Hours spent in Homes	No. of Interviews	Hours spent on Interviews	Hours spent on Office Work	Hours spent at Meetings	Hours	Hours
Miss G. Anderson	12	2276.00	334.20	6487	333.20	134	3073	382.45	998	1360	496.00	715	195.35	474.15	15.30	40.45	3.30
Miss H. H. Macdonald	12	2083.45	254.55	5823	416.10	172	4026	451.35	1071	1541	457.35	461	167.10	322.50	9.30	3.00	1.00
Miss A. R. Macdonald	12	1947.50	150.30	4331	235.25	149	3015	452.00	904	1351	491.30	130	107.45	442.40	.....	41.15	26.45
Miss F. Macdougall	12	2076.25	371 30	4969	194.25	146	3504	496.00	1365	1691	602.00	176	158.00	228.00	1.00	14.30	11.00
Miss L. MacIntosh	12	2052.45	109.30	5211	307.50	148	3424	478.00	1258	1487	525.30	295	60.40	420.45	39.45	100.00	10.45
Miss B. Martell	12	2112.45	86.30	5833	355.15	156	3571	465.00	1351	1762	717.00	247	62.00	322.15	.....	104.30	.....
Miss A. Slattery	11¼	2127.00	91.30	6857	315.55	283	7166	705.20	1407	2408	478.05	459	143.50	358.45	7.40	15.30	10.25
Miss C. Wade	12	2190.00	44.30	4463	304.35	220	5295	771.00	1142	2147	498.30	798	259.50	305.25	6.30	.....	.....
Miss L. Dillon	12	2171.10	107.50	5539	283.50	43	951	122.40	1004	1063	543.50	1157	251.40	832.30	5.55	21.45	1.10
Miss H. R. Macdonald	1¼	319.20	58.30	1648	68.50	4	76	10.00	79	84	32.40	285	65.35	69.15	2.00	11.30	1.00
Miss M. O. Gray	12	2261.00	264.00	6226	.....	195	4019	.....	1599	2599	.....	263	.....	.....	.....	.....	.....
Total	121¼	21618.00	1873.35	57387	2815.35	1650	38120	4334.20	12178	17493	4842.40	4986	1472.05	3776.40	86.50	352.45	65.35

PROVINCE OF NOVA SCOTIA BIRTHS AND BIRTH RATES BY COUNTIES 1935

COUNTY	Population (1931 Census)	Number of Living Births	Rates per 1,000 Population
Annapolis	16297	309	18.9
Antigonish	10073	256	25.4
Cape Breton	92419	2487	26.9
Colchester	25051	547	21.8
Cumberland	36366	831	22.8
Digby	18353	378	20.5
Guysboro	15443	356	23.0
Halifax	100204	2441	24.3
Hants	19393	487	25.1
Inverness	21055	416	19.7
Kings	24357	543	22.2
Lunenburg	31674	571	18.0
Pictou	39018	688	17.6
Queens	10612	295	27.7
Richmond	11098	217	19.5
Shelburne	12485	269	21.5
Victoria	8009	134	16.7
Yarmouth	20939	392	18.7
Total	512,846	11,617	22.6

Note: Based on the corrected population for 1935 the provincial Birth Rate is 22.

PROVINCE OF NOVA SCOTIA

BIRTHS AND BIRTH RATES, CITIES AND TOWNS 1935

CITIES and TOWNS	Population (1931 Census)	Number of living births	Rate per 1,000 population
CITIES:			
Glace Bay	20706	779	37.6
Halifax	59275	1679	28.3
Sydney	23089	589	25.5
TOWNS: (1,000 population and over):			
Amherst	7450	180	24.1
Antigonish	1764	171	96.9
Bridgetown	1126	15	13.3
Bridgewater	3262	56	17.1
Canso	1575	33	20.9
Dartmouth	9100	128	14.1
Digby	1412	68	48.1
Dominion	2846	25	8.7
Inverness	2900	150	51.7
Joggins	1000	29	29.0
Kentville	3033	30	9.8
Liverpool	2669	120	44.9
Lunenburg	2727	40	14.6
Mahone Bay	1065	9	8.4
New Glasgow	8858	324	36.5
New Waterford	7745	310	40.0
North Sydney	6139	172	28.0
Oxford	1133	22	19.4
Parrsboro	1919	29	15.1
Pictou	3152	66	20.9
Port Hawkesbury	1011	1	.9
Shelburne	1474	26	17.6
Springhill	6355	182	28.6
Stellarton	5002	52	10.3
Sydney Mines	7769	221	28.4
Trenton	2613	34	13.0
Truro	7901	184	23.2
Wedgeport	1294	20	15.4
Westville	3946	34	8.6
Windsor	3032	108	35.6
Wolfville	1818	106	58.3
Yarmouth	7055	171	24.2
Total	223,215	6,163	27.6

PROVINCE OF NOVA SCOTIA

DEATHS AND DEATH RATES BY COUNTIES, 1935

COUNTY	Population (1931 Census)	Number of Deaths	Rate per 1,000 Population
Annapolis	16297	211	12.9
Antigonish	10073	232	23 0
Cape Breton	92419	993	10.7
Colchester	25051	280	11.1
Cumberland	36366	397	10 9
Digby	18353	182	9.9
Guysboro	15443	165	10.6
Halifax	100204	1310	13.0
Hants	19393	237	12 2
Inverness	21055	293	13.9
Kings	24357	295	12.1
Lunenburg	31674	380	11.9
Pictou	39018	456	11.6
Queens	10612	118	11.1
Richmond	11098	142	12.7
Shelburne	12485	161	12 8
Victoria	8009	83	10 3
Yarmouth	20939	229	10.9
Total	512,846	6,164	12.0

Note: Based on the corrected population for 1935 the provincial Death Rate is 11.6.

PROVINCE OF NOVA SCOTIA, DEATHS AND DEATH RATES, CITIES AND TOWNS 1935

CITIES and TOWNS	Population (1931 C nsus)	Number of Deaths	Rate Per 1,000 Population
CITIES:			
Glace Bay	20706	269	12.9
Halifax	59275	874	14 7
Sydney	23089	233	10.0
TOWNS: 1,000 population and over			
Amherst	7450	95	12.7
Antigonish	1764	133	75.3
Bridgetown	1126	23	20.4
Bridgewater	3262	66	20 2
Canso	1575	18	11 4
Dartmouth	9100	69	7 5
Digby	1412	19	13.4
Dominion	2846	24	8 4
Inverness	2900	51	17.5
Joggins	1000	9	9 0
Kentville	3033	60	19.7
Liverpool	2669	28	10.4
Lunenburg	2727	30	11.0
Mahone Bay	1065	10	9.3
New Glasgow	8858	125	14.1
New Waterford	7745	84	10 8
North Sydney	6139	83	13.5
Oxford	1133	12	10.5
Parrsboro	1919	25	13 0
Pictou	3152	50	15.8
Port Hawkesbury	1011	0	.0
Shelburne	1474	12	8.1
Springhill	6355	73	11.4
Stellarton	5002	43	8.5
Sydney Mines	7769	101	13.0
Trenton	2613	20	7.6
Truro	7901	108	13.6
Wedgeport	1294	10	7.7
Westville	3946	40	10.1
Windsor	3032	58	19.1
Wolfville	1818	41	22.5
Yarmouth	7055	104	14.7
Total	223,215	3,000	13.4

PROVINCE OF NOVA SCOTIA

INFANT MORTALITY BY COUNTIES 1935

COUNTY	Number of Living Births	Deaths under one year	Rate per 1,000 living Births
Annapolis	309	18	58.2
Antigonish	256	20	78.1
Cape Breton	2487	213	85.6
Colchester	547	36	65.8
Cumberland	831	61	73.4
Digby	378	29	76.7
Guysboro	356	21	58.9
Halifax	2441	152	62.2
Hants	487	20	41.0
Inverness	416	38	91.3
Kings	543	27	49.7
Lunenburg	571	51	89.3
Pictou	688	55	79.9
Queens	295	21	71.1
Richmond	217	20	92.1
Shelburne	269	25	92 9
Victoria	134	6	44.7
Yarmouth	392	25	63.7
Total	11,617	838	72 1

PROVINCE OF NOVA SCOTIA

INFANT MORTALITY, CITIES AND TOWNS 1935

CITIES and TOWNS	Number Living Births	Deaths under 1 year	Rate per 1,000 living births
CITIES:			
Glace Bay	779	85	109 1
Halifax	1679	105	62 5
Sydney	589	24	40.7
TOWNS: (1,000 pop. and over)			
Amherst	180	14	77.7
Antigonish	171	17	99 4
Bridgetown	15	.....	.....
Bridgewater	56	8	142 8
Canso	33	2	60.6
Dartmouth	128	5	39 0
Digby	68	2	29 4
Dominion	25	8	320 0
Inverness	150	13	86.6
Joggins	29	3	103.4
Kentville	30	3	100.0
Liverpool	120	7	58.3
Lunenburg	40	1	25.0
Mahone Bay	9	.....	.....
New Glasgow	324	18	55 5
New Waterford	310	25	80 6
North Sydney	172	22	127.9
Oxford	22	.....	.....
Parrsboro	29	2	68.9
Pictou	66	6	90.9
Port Hawkesbury	1	.....	.....
Shelburne	26	3	115.3
Springhill	182	14	76 9
Stellarton	52	8	153 8
Sydney Mines	221	12	54.2
Trenton	34	3	88.2
Truro	184	13	70.6
Wedgeport	20	1	50.0
Westville	34	7	205.8
Windsor	108	3	27.7
Wolfville	106	4	37.7
Yarmouth	171	11	64.3
Total	6,163	449	72 8

PROVINCE OF NOVA SCOTIA, ALL FORMS TUBERCULOSIS DEATHS AND DEATH RATES BY COUNTIES, 1935

COUNTY	Population (1931 Census)	Number of Deaths	Rate per 100,000 population
Annapolis	16297	12	73 6
Antigonish	10073	32	317 6
Cape Breton	92419	70	75 7
Colchester	25051	11	43 9
Cum erland	36366	25	68 7
Digby	18353	7	38.1
Guy boro	15443	21	135.9
Halifax	100204	128	127.7
Hants	19393	17	87.6
I verness	21055	19	90 2
Kings	24357	43	176.5
Lunenburg	31674	14	44.2
Pictou	39018	28	71 7
Queens	10612	12	113.0
Richmond	11098	16	144 1
Shelburne	12485	8	64 0
Victoria	8009	4	49.9
Yarmouth	20939	21	100.2
Total	512,846	488	95.1

Note:—Based on the corrected population for 1935, the Provincial Death Rate from all forms Tuberculosis is 92.

PROVINCE OF NOVA SCOTIA
ALL FORMS TUBERCULOSIS DEATHS, AND DEATH RATES BY CITIES AND TOWNS 1935

Cities and Towns	Population (1931 Census)	Number of Deaths	Rate per 100,000 population
CITIES:			
Glace Bay	20706	11	53.1
Halifax	59275	80	134.9
Sydney	23089	27	116.9
TOWNS: (1,000 pop. and over)			
Amherst	7450	6	80.5
Antigonish	1764	26	147.3
Bridgetown	1126	1	88.8
Bridgewater	3262	2	61.3
Canso	1575	3	190.4
Dartmouth	9100	6	65.9
Digby	1412	2	141.6
Dominion	2846	1	35.1
Inverness	2900	9	310.3
Joggins	1000	....	.....
Kentville	3033	32	1055.0
Liverpool	2669	2	74.9
Lunenburg	2727	1	36.6
Mahone Bay	1065	....	.....
New Glasgow	8858	7	79.0
New Waterford	7745	3	38.7
North Sydney	6139	8	130.3
Oxford	1133	....	.....
Parrsboro	1919	2	104.2
Pictou	3152	3	95.1
Port Hawkesbury	1011	....	.....
Shelburne	1474	....	.....
Springhill	6355	5	78.6
Stellarton	5002	6	119.9
Sydney Mines	7769	7	90.1
Trenton	2613	1	38.2
Truro	7901	5	63.2
Wedgeport	1294	1	77.2
Westville	3946	1	25.3
Windsor	3032	5	164.9
Wolfville	1818	5	275.0
Yarmouth	7055	11	155.9
Total	223,215	279	124.9

PROVINCE OF NOVA SCOTIA

PULMONARY TUBERCULOSIS DEATHS AND DEATH RATES BY COUNTIES 1935

COUNTY	Population (1931 Census)	Number of Deaths	Rate per 100,000 population
Annapolis	16297	8	49.0
Antigonish	10073	30	297.8
Cape Breton	92419	61	66.0
Colchester	25051	10	39.9
Cumberland	36366	22	60.4
Digby	18353	6	32.6
Guysboro	15443	18	116.5
Halifax	100204	104	103.7
Hants	19393	14	72.1
Inverness	21055	15	71.2
Kings	24357	40	164.2
Lunenburg	31674	11	34.7
Pictou	39018	23	58.9
Queens	10612	12	113.0
Richmond	11098	15	135.1
Shelburne	1?485	7	56.0
Victoria	8009	3	37.4
Yarmouth	20939	17	81.1
Total	512,846	416	81.1

Note: Based on the corrected population for 1935, the Provincial death rate from pulmonary tuberculosis is—78.9

PROVINCE OF NOVA SCOTIA, PULMONARY TUBERCULOSIS DEATHS AND DEATH RATES BY CITIES AND TOWNS, 1935.

Cities and Towns	Population (1931 Census)	Number of Deaths	Rate per 100,000 Population
CITIES:			
Glace Bay	20706	7	33.8
Halifax	59275	60	101.2
Sydney	23089	26	112.6
TOWNS: 1,000 population and over			
Amherst	7450	4	53.6
Antigonish	1764	24	1360.5
Bridgetown	1126	.....	.....
Bridgewater	3262	2	61.3
Canso	1575	2	126.9
Dar mouth	9100	6	65.9
Digby	1412	2	141.6
Dominion	2846	1	35.1
Inverness	2900	7	241.3
Joggins	1000	.....	.....
Kentville	3033	30	989.1
Liverpool	2669	2	74.9
Lunenburg	2727	1	36.6
Mahone Bay	1065	.....	.....
New Glasgow	8858	6	67.7
New Waterford	7745	2	25.8
North Sydney	6139	6	97.7
Oxford	1133	.....	.....
Parrsboro	1919	2	104.2
Pictou	3152	2	63.4
Port Hawkesbury	1011	.....	.....
Shelburne	1474	.....	.....
Springhill	6355	5	78.6
Stellarton	5002	4	79.9
Sydney Mines	7769	6	77.2
Trenton	2613	1	38.2
Truro	7901	4	50.6
Wedgeport	1294	1	77.2
Westville	3946	1	25.3
Windsor	3032	4	131.9
Wolfville	1818	5	275.0
Yarmouth	7055	10	141.7
Total	223 215	233	104.3

PROVINCE OF NOVA SCOTIA, MARRIAGES AND MARRIAGE RATES BY COUNTIES, 1935.

COUNTY	Population (1931 Census)	Number of Marriages	Rate per 1,000 Population
Annapolis	16297	119	7.3
Antigonish	10073	66	6.5
Cape Breton	92419	726	7.8
Colchester	25051	219	8.7
Cumberland	36366	304	8.3
Digby	18353	124	6.7
Guysboro	15443	77	4.9
Halifax	100204	873	8.7
Hants	19393	175	9.0
Inverness	21055	108	5.1
Kings	24357	217	8.9
Lunenburg	31674	231	7.2
Pictou	39018	269	6.8
Queens	10612	110	10.3
Richmond	11098	46	4.1
Shelburne	12485	85	6.8
Victoria	8009	28	3.4
Yarmouth	20939	169	8.0
Total	512,846	3,946	7.6

Note:—Based on the corrected Population for 1935, the Provincial Marriage Rate is 7.4.

TABLE I—GENERAL SUMMARY OF BIRTHS, DEATHS AND MARRIAGES IN NOVA SCOTIA BY COUNTIES, AND IN CITIES AND TOWNS OF 1,000 POPULATION AND OVER, 1935

Counties, Cities and Towns	BIRTHS (Exclusive of Stillbirths)			DEATHS									Still-births	Marriages
				All Ages			Under 1 Year		1 to 4 Years		5 Years and Over			
	Total	Male	Female	Total	Male	Female	Male	Female	Male	Female	Male	Female		
Nova Scotia	11,617	5,980	5,637	6,164	3,267	2,897	486	352	104	90	2,677	2,455	342	3,946
Counties:														
Annapolis	309	163	146	211	107	104	10	8	2	1	95	95	7	119
Antigonish	256	122	134	232	117	115	11	9	1	3	105	103	4	66
Cape Breton	2,487	1,258	1,229	993	532	461	123	90	26	27	383	344	68	726
Colchester	547	289	258	280	152	128	21	15	4	5	127	108	22	219
Cumberland	831	430	401	397	218	179	38	23	5	1	175	155	35	304
Digby	378	186	192	182	96	86	13	16	1	1	82	69	13	124
Guysboro	356	191	165	165	99	66	14	7	.....	1	85	58	12	77
Halifax	2,441	1,279	1,162	1,310	697	613	90	62	39	27	568	524	54	873
Hants	487	247	240	237	128	109	14	6	3	5	111	98	12	175
Inverness	416	242	174	293	147	146	23	15	4	1	120	130	18	108
Kings	543	252	291	295	155	140	14	13	1	6	140	121	13	217
Lunenburg	571	297	274	380	212	168	29	22	6	2	177	144	18	231
Pictou	688	351	337	456	234	222	34	21	6	4	194	197	24	269
Queens	295	147	148	118	62	56	13	8	1	2	48	46	8	110
Richmond	217	113	104	142	79	63	14	6	3	2	62	55	7	46
Shelburne	269	135	134	161	81	80	10	15	.....	.....	71	65	8	85
Victoria	134	72	62	83	35	48	3	3	1	1	31	44	5	28
Yarmouth	392	206	186	229	116	113	12	13	1	1	103	99	14	169
Cities:														
Halifax	1,679	881	798	874	459	415	60	45	31	16	368	354	38	600
Sydney	589	300	289	233	123	110	12	12	4	5	107	93	6	253
Towns;														
Amherst	180	97	83	95	53	42	9	5	1	1	43	36	6	118
Antigonish	171	74	97	133	67	66	9	8	1	2	57	56	4	33
Bridgetown	15	9	6	23	13	10	.....	.....	.....	.....	13	10	.....	17
Bridgewater	56	31	25	66	40	26	5	3	.....	.....	35	23	.....	56
Canso	33	18	15	18	10	8	2	.....	.....	.....	8	8	2	12
Dartmouth	128	70	58	69	34	35	4	1	3	2	27	32	2	75
Digby	68	35	33	19	13	6	1	1	.....	.....	12	5	1	19
Dominion	25	10	15	24	10	14	4	4	1	1	5	9	.....	32
Glace Bay	779	365	414	269	141	128	50	35	7	10	84	83	30	169
Inverness	150	83	67	51	29	22	8	5	.....	.....	21	17	9	17
Joggins	29	15	14	9	4	5	2	1	.....	.....	2	4	1	18
Kentville	30	19	11	60	42	18	2	1	.....	1	40	16	.....	65

| | | |

TABLE II—SINGLE AND MULTIPLE CONFINEMENTS AND LEGITIMATE AND ILLEGITIMATE BIRTHS BY COUNTIES, 1935

Counties (Including cities and towns)	No. of Confinements				No. of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplet	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Annapolis	315	314	1	.....	309	294	15	7	6	1
Antigonish	259	258	1	.....	256	246	10	4	4	.....
Cape Breton	2,520	2,486	33	1	2,487	2,364	123	68	63	5
Colchester	561	553	8	.....	547	516	31	22	19	3
Cumberland	855	844	11	.....	831	778	53	35	34	1
Digby	380	369	11	.....	378	361	17	13	12	1
Guysboro	364	360	4	.....	356	329	27	12	10	2
Halifax	2,473	2,451	22	.....	2,441	2,278	163	54	45	9
Hants	494	490	3	1	487	461	26	12	10	2
Inverness	431	428	3	.....	416	403	13	18	18	.....
Kings	552	548	4	.....	543	522	21	13	13	.....
Lunenburg	585	581	4	.....	571	525	46	18	17	1
Pictou	706	700	6	.....	688	651	37	24	23	1
Queens	296	289	7	.....	295	284	11	8	7	1
Richmond	222	220	2	.....	217	211	6	7	6	1
Shelburne	272	267	5	.....	269	256	13	8	8	.....
Victoria	139	139	.....	.....	134	123	11	5	5	.....
Yarmouth	401	397	3	1	392	352	40	14	12	2
Total	11,825	11,694	128	3	11,617	10,954	663	342	312	30

TABLE III—SINGLE AND MULTIPLE CONFINEMENTS AND LEGITIMATE AND ILLEGITIMATE BIRTHS BY CITIES AND TOWNS, 1935

Cities and towns	Number of Confinements				Number of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplet	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Amherst	183	180	3		180	170	10	6	6	
Antigonish	174	173	1		171	164	7	4	4	
Bridgetown	15	15			15	13	2			
Bridgewater	55	54	1		56	52	4			
Canso	35	35			33	32	1	2	2	
Dartmouth	129	128	1		128	127	1	2	2	
Digby	68	67	1		68	66	2	1	1	
Dominion	25	25			25	25				
Glace Bay	798	787	11		779	745	34	30	28	2
Halifax	1,697	1,677	20		1,679	1,555	124	38	32	6
Inverness	157	155	2		150	148	2	9	9	
Joggins	30	30			29	27	2	1	1	
Kentville	30	30			30	25	5			
Liverpool	120	118	2		120	116	4	2	2	
Lunenburg	40	40			40	39	1			
Mahone Bay	10	10			9	9		1	1	
New Glasgow	336	334	2		324	302	22	14	13	1
New Waterford	321	320	1		310	288	22	12	11	1
North Sydney	176	173	3		172	163	9	7	6	1
Oxford	23	23			22	21	1	1	1	
Parrsboro	30	30			29	26	3	1	1	
Pictou	66	65	1		66	61	5	1	1	
Port Hawkesbury	1	1			1	1				
Shelburne	26	26			26	24	2			
Springhill	189	187	2		182	173	9	9	9	
Stellarton	53	53			52	48	4	1	1	
Sydney	587	579	8		589	555	34	6	6	

TABLE III.—Continued.

Cities and towns	Number of Confinements				Number of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplet	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Sydney Mines	222	219	3		221	210	11	4	4	
Trenton	34	34			34	33	1			
Truro	193	192	1		184	168	16	10	9	1
Wedgeport	20	20			20	20				
Westville	34	33	1		34	34		1	1	
Windsor	109	109			108	102	6	1	1	
Wolfville	109	108	1		106	104	2	4	4	
Yarmouth	174	172	1	1	171	140	31	6	4	2
Total	6,269	6,202	66	1	6,163	5,786	377	174	160	14

TABLE IV—PLURAL BIRTHS CLASSIFIED TO SHOW NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, BY SEX, IN THE PROVINCE OF NOVA SCOTIA, 1935

Classification of Births		Total
Cases of twins		128
Two males (both living)		46
One male and one female (both living)		40
Two females (both living)		31
One male living and one male stillborn		1
One male living and one female stillborn		4
One male stillborn and one female living		1
One female living and one female stillborn		1
Two males (both stillborn)		2
One male and one female (both stillborn)		1
Two females (both stillborn)		1
Cases of triplets		3
Three males (all living)		1
Three females (all living)		1
Two males living and one male stillborn		1
Total Multiple Births	No.	131
	M.	150
	F.	115
Total Single Living Births	No.	11,368
	M.	5,838
	F.	5,530
Total Single Stillbirths	No.	326
	M.	185
	F.	141
Total Confinements		11,825

TABLE V—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS, CLASSIFIED AS RURAL AND URBAN IN THE PROVINCE OF NOVA SCOTIA, 1935.

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
NOVA SCOTIA	11,617	969	860	1,016	1002	1049	1066	972	1015	1034	898	883	853
Rural	5,454	447	415	479	484	496	489	458	466	463	417	423	417
Urban	6,163	522	445	537	518	553	577	514	549	571	481	460	436
ANNAPOLIS	309	22	31	25	26	33	27	21	21	27	30	19	27
Rural	294	22	30	24	26	31	26	19	18	25	30	17	26
Urban	15	.....	1	1	.....	2	1	2	3	2	.....	2	1
Bridgetown—t	15	.....	1	1	.....	2	1	2	3	2	.....	2	1
ANTIGONISH	256	18	16	20	22	20	30	22	17	28	23	19	21
Rural	85	5	7	6	11	7	7	7	6	7	11	3	8
Urban	171	13	9	14	11	13	23	15	11	21	12	16	13
Antigonish—t	171	13	9	14	11	13	23	15	11	21	12	16	13
CAPE BRETON	2,487	198	185	239	215	231	227	216	214	208	190	191	173
Rural	391	19	35	33	35	29	38	38	22	38	41	36	27
Urban	2,096	179	150	206	180	202	189	178	192	170	149	155	146
Sydney—c	589	53	44	69	50	45	55	48	56	50	39	43	37
Dominion—t	25	3	5	5	1	.....	4	2	1	2	1	1	.....
Glace Bay—t	779	58	46	64	64	84	77	73	78	70	53	58	54
New Waterford—t	310	35	29	33	31	29	18	23	31	17	24	21	19
North Sydney—t	172	12	13	15	16	20	18	14	10	12	15	11	16
Sydney Mines—t	221	18	13	20	18	24	17	18	16	19	17	21	20
COLCHESTER	547	44	52	46	52	45	45	43	45	40	39	38	58
Rural	363	25	37	33	34	30	28	26	29	28	26	28	39
Urban	184	19	15	13	18	15	17	17	16	12	13	10	19
Truro—t	184	19	15	13	18	15	17	17	16	12	13	10	19
CUMBERLAND	831	63	63	68	71	70	92	62	80	72	76	57	57

Rural	389	26	35	34	33	33	44	37	39	27	27	28	26
Urban	442	37	28	34	38	37	48	25	41	45	49	29	31
Amherst—t	180	18	7	12	17	13	22	12	15	17	18	18	11
Joggins—t	29	1	1	3	2	5	4	1	2	2	2	2	4
Oxford—t	22	1	.....	4	1	1	4	.....	3	3	4	.....	1
Parrsboro—t	29	2	3	1	4	3	.....	1	4	4	6	.....	1
Springhill—t	182	15	17	14	14	15	18	11	17	19	19	9	14
DIGBY	378	42	20	35	39	29	28	27	31	35	32	32	28
Rural	310	39	18	26	37	23	21	21	27	25	27	24	22
Urban	68	3	2	9	2	6	7	6	4	10	5	8	6
Digby—t	68	3	2	9	2	6	7	6	4	10	5	8	6
GUYSBOROUGH	356	26	19	25	23	29	39	36	40	34	27	29	29
Rural	323	26	18	24	23	25	34	32	36	29	25	27	24
Urban	33	.....	1	1	.....	4	5	4	4	5	2	2	5
Canso—t	33	.....	1	1	.....	4	5	4	4	5	2	2	5
HALIFAX	2,441	208	176	207	204	212	240	198	222	245	183	169	177
Rural	634	58	41	58	47	60	63	55	56	61	47	33	55
Urban	1,807	150	135	149	157	152	177	143	166	184	136	136	122
Halifax—c	1,679	142	127	147	148	141	160	130	154	174	128	120	108
Dartmouth—t	128	8	8	2	9	11	17	13	12	10	8	16	14
HANTS	487	39	38	46	41	55	40	45	41	43	35	38	26
Rural	379	31	33	38	31	45	29	36	28	33	26	27	22
Urban	108	8	5	8	10	10	11	9	13	10	9	11	4
Windsor—t	108	8	5	8	10	10	11	9	13	10	9	11	4
INVERNESS	416	36	38	35	32	45	38	33	36	28	34	35	26
Rural	265	22	23	25	21	35	24	20	21	14	21	20	19
Urban	151	14	15	10	11	10	14	13	15	14	13	15	7
Inverness—t	150	14	15	10	11	10	14	13	15	14	13	15	6
Port Hawkesbury—t	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
KINGS	543	55	44	50	41	40	53	36	47	42	39	50	46
Rural	407	38	31	41	33	29	40	24	42	31	25	38	35
Urban	136	17	13	9	8	11	13	12	5	11	14	12	11
Kentville—t	30	4	3	4	3	2	4	3	.....	3	1	2	1
Wolfville—t	106	13	10	5	5	9	9	9	5	8	13	10	10

TABLE V.—Births (exclusive of stillbirths) by months, classified as rural and urban in the province of Nova Scotia, 1935

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
LUNENBURG	571	55	28	45	45	56	51	58	59	47	41	49	37
Rural	466	44	19	39	36	45	40	49	49	37	36	43	29
Urban	105	11	9	6	9	11	11	9	10	10	5	6	8
Bridgewater—t	56	6	2	5	5	3	6	3	7	10	3	3	3
Lunenburg—t	40	3	6	1	4	7	4	4	3	.....	2	3	3
Mahone Bay—t	9	2	1	.....	.....	1	1	2	.....	.....	.....	.....	2
PICTOU	688	51	50	61	47	73	52	58	63	63	54	59	57
Rural	178	17	13	16	12	21	11	15	19	15	11	11	17
Urban	510	34	37	45	35	52	41	43	44	48	43	48	40
New Glasgow—t	324	22	20	20	24	35	25	31	24	28	32	40	23
Pictou—t	66	1	7	7	7	5	8	3	7	9	3	4	5
Stellarton—t	52	4	6	8	1	4	3	4	5	8	1	2	6
Trenton—t	34	4	1	5	2	4	3	2	4	1	3	1	4
Westville—t	34	3	3	5	1	4	2	3	4	2	4	1	2
QUEENS	295	28	19	24	31	26	26	27	26	33	21	14	20
Rural	175	17	10	14	16	15	15	17	14	24	10	11	12
Urban	120	11	9	10	15	11	11	10	12	9	11	3	8
Liverpool—t	120	11	9	10	15	11	11	10	12	9	11	3	8
RICHMOND	217	11	18	19	20	16	23	17	15	23	17	24	14
Rural	217	11	18	19	20	16	23	17	15	23	17	24	14
SHELBURNE	269	24	22	23	39	27	23	14	17	16	23	27	14
Rural	243	23	20	14	35	25	22	11	16	15	22	26	14
Urban	26	1	2	9	4	2	1	3	1	1	1	1	.....
Shelburne—t	26	1	2	9	4	2	1	3	1	1	1	1	.....
VICTORIA	134	13	8	14	11	10	9	16	8	9	7	14	15
Rural	134	13	8	14	11	10	9	16	8	9	7	14	15
YARMOUTH	392	36	33	34	43	32	23	43	33	41	27	19	28
Rural	201	11	19	21	23	17	15	18	21	22	8	13	13
Urban	191	25	14	13	20	15	8	25	12	19	19	6	15
Wedgeport—t	20	3	2	.....	5	2	.....	1	1	3	2	.....	1
Yarmouth—t	171	22	12	13	15	13	8	24	11	16	17	6	14

TABLE VI—TOTAL BIRTHS (EXCLUSIVE OF STILLBIRTHS) AND BIRTHS IN INSTITUTIONS SHOWING THE NUMBER OF MOTHERS NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1935.

	All Births		In Institutions	
	Total	Births to Mothers Non-resident in Province	Total	Births to Mothers Non-resident in Province
Total for the Province	11,617	48	2,905	25

TABLE VII—BIRTHS (EXCLUSIVE OF STILLBIRTHS) TO RESIDENT AND NON-RESIDENT MOTHERS AND BIRTHS IN INSTITUTIONS IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER IN THE PROVINCE OF NOVA SCOTIA, 1935

CITIES and TOWNS	All births				Births in Institutions				Births elsewhere than in Ins.			
	Total	To resident mothers	To mothers non-resident in city or town where birth occurred and		Total	To resident mothers	To mothers non-resident in city or town where birth occurred and		Total	To resident mothers	To mothers non-resident in city or town where birth occurred and	
			Resident in prov.	non-resident in prov.			Resident in prov.	Non-resident in prov.			Resident in prov.	Non-resident in prov.
Cities												
Halifax	1,679	1,373	297	9	832	540	285	7	847	833	12	2
Sydney	589	511	75	3	284	218	63	3	305	293	12	.....
Towns:												
Amherst	180	153	26	1	39	14	25	.....	141	139	1	1
Dartmouth	128	127	1	.....	.....	.....	.....	.....	128	127	1	.....
Glace Bay	779	622	157	.....	562	412	150	.....	217	210	7	.....
New Glasgow	324	139	183	2	234	50	182	2	90	89	1	.....
New Waterford	310	297	12	1	48	41	7	.....	262	256	5	1
North Sydney	172	149	22	1	25	4	20	1	147	145	2	.....
Springhill	182	135	46	1	100	60	39	1	82	75	7	.....
Stellarton	52	47	5	.....	.....	.....	.....	.....	52	47	5	.....
Sydney Mines	221	210	10	1	7	5	2	.....	214	205	8	1
Truro	184	152	31	1	39	18	20	1	145	134	11	.....
Yarmouth	171	140	29	2	54	33	20	1	117	107	9	1

TABLE VIII—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGES OF PARENTS, NOVA SCOTIA 1935.

| AGE OF FATHER | Total | AGE OF MOTHER | | |

TABLE VIII— Continued.

| AGE OF FATHER | Total | AGE OF MOTHER | | |

| | | |

TABLE IX—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF PARENTS, NOVA SCOTIA, 1935

Racial Origin of father	Total	Racial Origin of Mother																																		
		English	Irish	Scottish	Welsh	French	Armenian	Austrian	Belgian	Bulgarian	Chinese	Czech and Slovak	Danish	Dutch	Finnish	German	Greek	Hindu	Hungarian	Icelandic	Indian	Italian	Japanese	Jewish	Negro	Norwegian	Polish	Roumanian	Russian	Serb and Croat	Swedish	Swiss	Syrian	Ukrainian (1)	Other	Not Specified
English	4857	3894	185	441	9	202	..	..	3	..	..	1	7	39	..	55	..	..	1	..	..	4	..	..	4	..	..	1	..	1	2	1	5	..	2	..
Irish	1242	296	439	328	..	119	..	1	..	..	..	..	..	28	..	25	..	..	..	..	..	2	..	..	..	..	1	1	..	1	..	2	..	..	..	..
Scottish	2538	534	320	1451	3	150	..	..	7	..	..	..	2	30	1	26	..	..	..	..	..	2	..	1	..	..	1	1	..	..	3	3	3	..	..	..
Welsh	33	16	7	4	3	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
French	1242	168	80	111	..	836	..	..	2	..	..	..	1	16	..	20	..	..	..	..	1	1	..	..	..	..	2	..	..	..	1	..	..	..	3	..
Armenian	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Austrian	7	..	..	1	..	..	..	1	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..
Belgian	16	4	2	3	..	3	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Bulgarian	3	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chinese	3	2	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Czech and Slovak	10	1	1	1	..	2	..	1	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Danish	11	3	..	4	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Dutch	188	49	19	44	..	17	..	..	..	..	..	..	1	54	..	2	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Finnish	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German	319	76	27	28	2	14	..	..	..	..	..	..	..	8	..	160	..	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..	..	..
Greek	6	..	..	1	..	2	..	..	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hindu	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hungarian	5	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Icelandic	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Indian	47	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	46	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Italian	56	7	5	3	..	7	..	1	1	..	..	1	..	1	..	..	..	..	..	..	..	29	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Japanese	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE IX—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF PARENTS, NOVA SCOTIA, 1935.

Racial Origin of father		Total	Racial Origin of Mother: English	Irish	Scottish	Welsh	French	Armenian	Austrian	Belgian	Bulgarian	Chinese	Czech and Slovak	Danish	Dutch	Finnish	German	Greek	Hindu	Hungarian	Icelandic	Indian	Italian	Japanese	Jewish	Negro	Norwegian	Polish	Roumanian	Russian	Serb and Croat	Swedish	Swiss	Syrian	Ukrainian (1)	Other	Not Specified
Jewish		21	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Negro		172	4	1	3	.....	5	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	155	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Norwegian		14	10	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Polish		39	4	1	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25	1	.....	.....	.....	.....	.....	3	.....	.....
Roumanian		6	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Russian		18	4	2	4	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	3	.....	.....	.....	.....	.....	.....	.....
Serb and Croat		5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
Swedish		10	5	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Swiss		13	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....
Syrian		31	4	3	3	.....	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	.....	.....	.....
Ukrainian (1)		17	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	9	.....	.....
Other		22	8	2	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
Not Specified		2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Children born to married mothers	T.	10954	5102	1103	2448	17	1371	....	4	19	....	1	5	14	182	2	296	3	....	5	....	49	41	....	20	160	....	40	5	4	3	10	9	22	12	7	....
	M.	5639	2634	570	1254	4	718	....	3	9	....	1	1	8	80	2	150	1	....	2	....	23	22	....	9	89	....	23	2	4	1	2	5	12	6	4	....
	F.	5315	2468	533	1194	13	653	....	1	10	....	....	4	6	102	....	146	2	....	3	....	26	19	....	11	71	....	17	3	....	2	8	4	10	6	3	....
Children born to unmarried mothers	T.	663	260	77	138	1	86	....	....	1	....	....	....	....	15	..	22	....	....	1	....	3	1	....	....	52	1	....	....	....	....	....	1	1	1	....	2
	M.	341	130	44	64	1	47	....	....	....	....	....	....	....	8	....	10	....	....	1	....	2	....	....	....	31	1	....	....	....	....	....	....	1	1	....	....
	F.	322	130	33	74	....	39	....	....	1	....	....	....	....	7	....	12	....	....	....	....	1	1	....	....	21	....	....	....	....	....	....	1	....	....	....	2
Children born to all mothers	T.	11617	5362	1180	2586	18	1457	....	4	20	....	1	5	14	197	2	318	3	....	6	....	52	42	....	20	212	1	40	5	4	3	10	10	23	13	7	2
	M.	5980	2764	614	1318	5	765	....	3	9	....	1	1	8	88	2	160	1	....	3	....	25	22	....	9	120	1	23	2	4	1	2	5	13	7	4	....
	F.	5637	2598	566	1268	13	692	....	1	11	....	....	4	6	109	....	158	2	....	3	....	27	20	....	11	92	....	17	3	....	2	8	5	10	6	3	2

(1)—Including "Galician" and "Bukovinian."

TABLE X—LEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGE AND RACIAL ORIGIN OF MOTHERS, NOVA SCOTIA, 1935.

| Racial Origin of Mother | Total | AGE OF MOTHER | | |

TABLE X—Continued

| Racial Origan of Mother | Total | AGE OF MOTHER | | |

TBALE XI—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACES OF PARENTS, Nova Scotia, 1935

| Birthplace of Father | Total | BIRTHPLACE OF MOTHER | | |

BRITISH POSSESSIONS	549	3	267	1	1	2						13		4			244	7		1	1														5		
Newfoundland	519	2	253	1	1	2						11		4			242				1														2		
Other	30	1	14									2					2	7		1															3		
EUROPE	221		99	3	2	1						4		2	1	1	11		1	2	3	1	6	14		2	19		28	1	4	1	9				6		
Austria	3		2																					1													
Belguim	12		7												1					1			1									1					
Denmark	7		2									1									3										1			1		
Finland	3		2																			1														
France	13		7														1						4	1												
Germany	16		8											1										7												
Holland	1		1																																	
Hungary	5		3																							2									
Italy	43		19														2		1	1					19		1								
Norway	6		5														1																			
Poland	47		20									1				1								2			22			1					
Roumania	7		4	1																								1						1		
Russia (1)	22		5	2	1							2					3						1	1			3		4							
Sweden	2		1																															1		
Other	34		13		1	1								1			4							2			2			7			3		
ASIA	23		14	1													1														1	6				
China	3		2																												1					
Japan																																				
Other	20		12	1													1															6			
United States	190	1	148	9	2	2						6	2	1			6			1													12		
Various	2		1																														1		
Not specified	3		3																																	
Children born to Married Mothers	10,954	70	9,229	222	81	43	7	11	10	9	2	204	12	93	8	1	541	14	1	9	8	1	11	18	1	2	21		31	1	5	2	11	1		6	266	2	
Children born to Unmarried Mothers	663	2	607	14	2				2	2		5		4			15																		10		
Children born to All Mothers	11,617	72	9,836	236	83	43	7	11	12	11	2	209	12	97	8	1	556	14	1	9	8	1	11	18	1	2	21		31	1	5	2	11	1		6	276	2	

(1) Including the Ukraine

TABLE XII—LEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGE AND BIRTHPLACE OF MOTHERS, 1935, Nova Scotia

| Birthplace of Mother | Total | AGE OF MOTHER | | |

| | | |

TABLE XIII—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILLBIRTHS) IN THE PROVINCE OF NOVA SCOTIA BY MONTHS CLASSIFIED AS RURAL AND URBAN, 1935

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
Nova Scotia	838	80	81	77	74	104	60	53	72	63	61	56	57
Rural	389	44	38	35	33	52	26	30	27	27	24	29	24
Urban	449	36	43	42	41	52	34	23	45	36	37	27	33
Annapolis	18	3	3	2	2	2	4				2		
Rural	18	3	3	2	2	2	4				2		
Urban													
Bridgetown—t													
Antigonish	20	4	1		2	2	1	2	1	4	2		1
Rural	3	1			1					1			
Urban	17	3	1		1	2	1	2	1	3	2		1
Antigonish—t	17	3	1		1	2	1	2	1	3	2		1
Cape Breton	213	22	10	24	17	26	15	13	22	17	18	14	15
Rural	37	4	2	3	3	9	2	4		1	3	2	4
Urban	176	18	8	21	14	17	13	9	22	16	15	12	11
Sydney—c	24	5	2	2	3		1	2	1	6		1	1
Dominion—t	8	1		1			4		2				
GlaceBay—t	85	8	2	10	5	13	6	4	11	7	9	5	5
New Waterford—t	25	1	2	4	4	2			5	2	3	1	1
North Sydney—t	22	2	1	2	1	2	1	1	2		3	5	2
Sydney Mines—t	12	1	1	2	1		1	2	1	1			2
Colchester	36	2	7	5	3	2	3	1	4	2	2	2	3
Rural	23	2	5	3	1	1	2			2	2	2	3
Urban	13		2	2	2	1	1	1	4				
Truro—t	13		2	2	2	1	1	1	4				

Cumberland	61	4	7	7	5	12	2	4	2	5	3	3	7
Rural	28	3	3	2	2	8	1	2		2	3	1	1
Urban	33	1	4	5	3	4	1	2	2	3		2	6
Amherst—t	14	1	2	3	1	2						2	3
Joggins—t	3		1		1			1					
Oxford—t													
Parrsboro—t	2			1		1							
Springhill—t	14		1	1	1	1	1	1	2	3			3
Digby	29	3	3	3	1	7	2	2		2	2	3	1
Rural	27	3	3	2	1	6	2	2		2	2	3	1
Urban	2			1		1							
Digby—t	2			1		1							
Guysborough	21	2	2	1	4	1	1	2	1	2		2	3
Rural	19	2	1	1	4	1	1	2		2		2	3
Urban	2		1						1				
Canso—t	2		1						1				
Halifax	152	15	14	9	14	22	15	10	16	10	12	7	8
Rural	42	9	3	5	1	5	4	4	3	2	3	2	1
Urban	110	6	11	4	13	17	11	6	13	8	9	5	7
Halifax—c	105	6	11	3	13	16	11	6	13	7	8	4	7
Dartmouth—t	5			1		1				1	1	1	
Hants	20	2	4	1	3	2		3	2	3			
Rural	17	2	3	1	2	2		2	2	3			
Urban	3		1		1			1					
Windsor—t	3		1		1			1					
Inverness	38	6	2	4		6	2	4	4	1	2	3	4
Rural	25	4	2	4		3	1	3	4	1	1	2	
Urban	13	2				3	1	1			1	1	4
Inverness—t	13	2				3	1	1			1	1	4
Port Hawkesbury—t													
Kings	27	2	4	2	1	2	1	1	5	1	4	3	1
Rural	20	2	2	1	1	1	1	1	4	1	2	3	1
Urban	7		2	1		1			1		2		
Kentville—t	3		1	1							1		
Wolfville—t	4		1			1			1		1		

TABLE XIII—DEATHS OF CHILDREN UNDER ONE YEAR—Continued

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
Lunenburg	51	4	6	4	3	6	5	4	5	4	2	4	4
Rural	42	4	5	4	3	5	3	4	5	2	1	3	3
Urban	9		1			1	2			2	1	1	1
Bridgewater—t	8		1			1	2			2		1	1
Lunenburg—t	1										1		
Mahone Bay—t													
Pictou	55	4	9	6	6	5	4	2	4	3	5	6	1
Rural	13	2	1	1	2			1	3	2			1
Urban	42	2	8	5	4	5	4	1	1	1	5	6	
New Glasgow—t	18	2	3	2	2	2	1			1	2	3	
Pictou—t	6		2	1			1					2	
Stellarton—t	8		2		2	2	1					1	
Trenton—t	3			1			1		1				
Westville—t	7		1	1		1		1			3		
Queens	21	1	3	1	3	2	1		1	2	3	3	1
Rural	14		1	1	2	2	1		1	2	1	3	
Urban	7	1	2		1						2		1
Liverpool—t	7	1	2		1						2		1
Richmond	20		1	3	2	1	3	1	1	2	2	4	
Rural	20		1	3	2	1	3	1	1	2	2	4	
Shelburne	25	3	1	3	4	2	1	1	3	1	2	1	3
Rural	22	2	1	2	3	2	1	1	3	1	2	1	3
Urban	3	1		1	1								
Shelburne—t	3	1		1	1								
Victoria	6				1	1		2				1	1
Rural	6				1	1		2				1	1
Yarmouth	25	3	4	2	3	3		1	1	4			4
Rural	13	1	2		2	3		1	1	1			2
Urban	12	2	2	2	1					3			2
Wedgeport—t	1												1
Yarmouth—t	11	2	2	2	1					3			1

TABLE XIV—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE, SHOWING THE NUMBER NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1935

	All deaths under one year						In Institutions					
	Total			Non-resident in province			Total			Non-resident in province		
	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
Total for the province	838	486	352	1		1	181	109	72			

TABLE XV—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA 1935

Cities & Towns	All deaths under one year												Deaths in institutions												Deaths elsewhere than in institutions											
	Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and					
							Resident in Province			Non-resident in Province									Resident in Province			Non-resident in Province									Resident in Province			Non-resident in Province		
	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F
Cities:																																				
Halifax	105	60	45	85	44	41	20	16	4	.....	.....	.....	64	42	22	44	26	18	20	16	4	.....	.....	.....	41	18	23	41	18	23	.....	.....	.....	.....	.....	.....
Sydney	24	12	12	23	11	12	1	1	....	.....	.....	.....	9	3	6	8	2	6	1	1	....	.....	.....	.....	15	9	6	15	9	6	.....	.....	.....	.....	.....	.....
Towns:																																				
Amherst	14	9	5	12	8	4	2	1	1	.....	.....	.....	6	4	2	5	3	2	1	1	....	.....	.....	.....	8	5	3	7	5	2	1	....	1	.....	.....	.....
Dartmouth	5	4	1	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	1	5	4	1	.....	.....	.....	.....	.....	.....
Glace Bay	85	50	35	78	46	32	7	4	3	.....	.....	.....	32	21	11	25	17	8	7	4	3	.....	.....	.....	53	29	24	53	29	24	.....	.....	.....	.....	.....	.....
New Glasgow	18	12	6	12	9	3	6	3	3	.....	.....	.....	8	5	3	2	2	....	6	3	3	.....	.....	.....	10	7	3	10	7	3	.....	.....	.....	.....	.....	.....
New Waterford	25	14	11	24	13	11	1	1	....	.....	.....	.....	3	2	1	2	1	1	1	1	....	.....	.....	.....	22	12	10	22	12	10	.....	.....	.....	.....	.....	.....
North Sydney	22	13	9	21	12	9	1	1	....	.....	.....	.....	3	2	1	2	1	1	1	1	....	.....	.....	.....	19	11	8	19	11	8	.....	.....	.....	.....	.....	.....
Springhill	14	6	8	14	6	8	.....	.....	.....	.....	.....	.....	6	3	3	6	3	3	.....	.....	.....	.....	.....	.....	8	3	5	8	3	5	.....	.....	.....	.....	.....	.....
Stellarton	8	4	4	8	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	4	4	8	4	4	.....	.....	.....	.....	.....	.....
Sydney Mines	12	8	4	12	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	8	4	12	8	4	.....	.....	.....	.....	.....	.....
Truro	13	8	5	12	7	5	1	1	....	.....	.....	.....	1	1	....	.....	.....	.....	1	1	....	.....	.....	.....	12	7	5	12	7	5	.....	.....	.....	.....	.....	.....
Yarmouth	11	7	4	9	6	3	2	1	1	.....	.....	.....	7	4	3	5	3	2	2	1	1	.....	.....	.....	4	3	1	4	3	1	.....	.....	.....	.....	.....	.....

Table XVI— Deaths of children under one year (exclusive of stillbirths) by age at death, in the province of Nova Scotia, 1935.

AGES		Total
All infants	T.	838
	M.	486
	F.	352
Under 1 day	T.	138
	M.	80
	F	58
1 day	T	53
	M.	23
	F.	30
2 days	T.	34
	M.	21
	F	13
3 days	T.	40
	M	25
	F	15
4 days	T.	24
	M	11
	F.	13
5 days	T.	8
	M	4
	F	4
6 days	T.	13
	M.	11
	F.	2
Under 1 week	T	310
	M.	175
	F.	135
1 week and under 2 weeks	T.	51
	M.	27
	F.	24
2 weeks and under 3 weeks	T.	23
	M.	12
	F.	11
3 weeks and under 1 month	T.	30
	M.	20
	F.	10
Under 1 month	T.	414
	M.	234
	F.	180
1 month and under 2 months	T.	95
	M	51
	F.	44
2 months and under 3 months	T.	78
	M.	42
	F.	36

Table XVI—Deaths of children under one year (exclusive of still-births) by age at death, in the province of Nova Scotia
1935—Continued

AGES		Total
3 months and under 4 months	T.	69
	M.	46
	F.	23
4 months and under 5 months	T.	42
	M.	30
	F.	12
5 months and under 6 months	T.	34
	M.	21
	F.	13
6 months and under 7 months	T.	24
	M.	12
	F.	12
7 months and under 8 months	T.	23
	M.	14
	F.	9
8 months and under 9 months	T.	22
	M.	13
	F.	9
9 months and under 10 mos.	T.	19
	M.	12
	F.	7
10 months and under 11 mos.	T.	14
	M.	8
	F.	6
11 months and under 12 mos	T.	4
	M.	
	F.	

TABLE XVII—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, IN THE PROVINCE OF NOVA SCOTIA, 1935

Racial Origin	Total
All origins	838
English	398
Irish	90
Scottish	164
Welsh	1
French	96
Armenian	.....
Austrian	.....
Belgian	3
Bulgarian	.....
Chinese	1
Czech and Slovak	2
Danish	.....
Dutch	10
Finnish	.....
German	31
Greek	1
Hindu	.....
Hungarian	.....
Icelandic	.....
Indian	4
Italian	1
Japanese	.....
Jewish	.....
Negro	26
Norwegian	.....
Polish	2
Roumanian	.....
Russian	2
Serb and Croat	.....
Swedish	1
Swiss	1
Syrian	1
Ukranian (1)	1
Other	2
Not specified	.....

(1) Including "Galician" and "Bukovinian".

TABLE XVIII—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF PARENTS, IN THE PROVINCE OF NOVA SCOTIA, 1935

| Birthplace of father | Total Fathers | BIRTHPLACE OF MOTHER | | |

| | | |

TABLE XIX—DEATHS OF CHILDREN (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN SPECIFIED CAUSES IN THE FIRST YEAR OF LIFE BY SEX AND CALENDAR MONTH OF DEATH, NOVA SCOTIA, 1935

Int. List No.	Causes of Death	Total under 1 year			Month of Death																							
					Jan		Feb		Mar.		Apr.		May		June		July		Aug.		Sept.		Oct.		Nov.		Dec.	
		Total	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All Causes	838	486	352	51	29	40	41	48	29	41	33	62	42	39	21	31	22	35	37	33	30	40	21	30	23	33	24
7	Measles	9	4	5	1	....	....	2	1	1	1	....	....	2	....	....	....	....	1	....	....	....	1	....	....	....	....	....
8	Scarlet Fever	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
9	Whooping-cough	30	13	17	....	2	1	....	....	3	2	....	2	2	1	....	1	2	2	5	1	2	....	....	2	....	1	1
10	Diphtheria	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
11	Influenza	32	19	13	1	....	2	3	5	2	2	3	6	3	1	....	....	....	....	....	....	....	....	1	1	1	1	....
13	Dysentery	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15	Erysipelas	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
16	Poliomyelitis and polioencephalitis (acute)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18	Epidemic cerebrospinal meningitis	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
23	Tuberculosis of the respiratory system	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
24	Tuberculosis of the meninges and central nervous system	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....
25–32	Tuberculosis, other forms	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
34	Syphilis	18	11	7	1	....	....	1	1	2	....	....	1	2	3	....	1	1	1	1	1	....	....	....	....	....	2	....
36	Purulent infection, septicaemia	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
67	Diseases of the thymus gland	4	3	1	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
79	Simple Meningitis	5	2	3	....	....	....	1	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....
86	Convulsions	38	24	14	3	3	2	....	3	1	2	1	2	....	2	....	2	2	1	3	2	1	1	....	2	2	2	1
89	Diseases of the ear and mastoid process	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
105a	Croup	3	3	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
106	Bronchitis	12	6	6	1	1	....	....	1	....	1	1	1	....	1	....	....	....	....	1	....	....	....	....	....	1	1	2
107	Bronchopneumonia	70	42	28	6	2	3	2	5	5	1	5	9	3	6	3	....	1	1	....	1	1	2	3	4	2	4	1
108, 109	Pneumonia	44	27	17	4	5	4	1	3	3	4	3	2	....	2	1	2	1	1	1	....	....	5	....	....	1	....	1
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
116–118	Diseases of the stomach	6	2	4	....	1	....	1	....	....	....	....	....	1	1	1	....	....	....	....	....	....	1	....	....	....	....	....
119	Diarrhoea and enteritis	66	44	22	3	1	1	..	3	....	....	1	1	....	3	3	6	2	9	4	6	5	8	3	2	1	2	2
122	Hernia, intestinal obstruction	3	1	2	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
130	Nephritis	3	2	1	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....
157	Malformations	74	41	33	3	5	4	6	3	2	2	5	3	2	5	1	2	1	5	2	5	4	4	....	3	2	2	3
	(a) Congenital hydrocephalus	2	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	(c) Congenital malformations of the heart	38	19	19	3	4	2	3	1	1	1	3	2	2	2	1	2	1	..	..	2	1	2	....	....	1	2	2
	(b,d,e) Others under this title	34	20	14	....	1	2	3	1	1	1	2	1	....	3	....	....	....	5	2	3	3	2	....	2	1	....	2
158	Congenital debility	69	44	25	8	2	6	5	3	....	4	1	8	2	2	2	2	1	3	2	4	2	3	2	1	4	....	2
159	Premature birth	189	108	81	10	4	7	15	9	4	10	4	19	9	6	5	10	2	8	11	3	10	9	6	8	2	9	9
160	Injury at birth	50	25	25	4	1	2	....	2	....	1	2	4	9	....	1	1	3	1	3	3	3	1	1	4	2	2	....
161	Other diseases peculiar to early Infancy (under 3 months)	68	36	32	4	1	3	4	5	3	5	6	2	4	3	3	2	5	1	2	5	2	1	1	2	....	3	1
	(a-e) Specified diseases	54	26	28	3	1	3	3	3	3	4	5	1	4	3	3	2	4	1	2	4	1	....	1	1	....	1	1
	(f) No cause given. No doctor in attendance	14	10	4	1	....	....	1	2	....	1	1	1	....	....	....	....	1	....	....	1	1	1	....	1	....	2	....
173–175	Homicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
176–198	Other external causes	7	4	3	1	....	1	....	....	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	....
	Other specified causes	19	12	7	....	1	3	....	....	1	3	....	....	1	....	....	....	....	....	1	1	....	3	1	2	2	....	....
199–200	Unspecified or ill-defined causes	11	8	3	....	....	1	....	2	....	2	....	1	....	1	....	....	....	....	1	....	....	....	....	....	2	1	....

TABLE XX.—DEATHS OF CHILDREN (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN SPECIFIED CAUSES IN FIRST YEAR OF LIFE, BY SEX AND AGE AT DEATH, NOVA SCOTIA, 1935.

Int. list Number	Causes of Death	Total under 1 year			Age at Death																													
					Under 1 day		1 day and under 1 week		1 week and under 2 weeks		2 weeks and under 3 weeks		3 weeks and under 1 month		1 month and under 2 months		2 months and under 3 months		3 months and under 4 months		4 months and under 5 months		5 months and under 6 months		6 months and under 7 months		7 months and under 8 months		8 months and under 9 months		9 months and under 10 months		10 months and under 11 months		11 months and under 12 months	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All causes	838	486	352	80	58	95	77	27	24	12	11	20	10	51	44	42	36	46	23	30	12	21	13	12	12	14	9	13	9	12	7	8	6	3	1
7	Measles	9	4	5												1		1	1										2	1			1	1		1
8	Scarlet fever	1	1						1																											
9	Whooping-cough	30	13	17									1	1	1	3	1	4	3	2	3	1		2				2	1		2	1	1	1		
10	Diphtheria	2	1	1												1			1																
11	Influenza	32	19	13									1	1	1	2	5	2	2	1		3	1			1	1	2		2	1	4	1			1	
13	Dysentery																																			
15	Erysipelas	1		1														1																		
16	Poliomyelitis and polioencephalitis (acute)																																			
18	Epidemic cerebrospinal meningitis																																			
23	Tuberculosis of the respiratory system																																			
24	Tuberculosis of the meninges and central nervous system	2	2																								1		1							
25–32	Tuberculosis, other forms																																			
34	Syphilis	18	11	7	2		2		1	1					1	3		2	3			1		1	1											
36	Purulent infection, septicaemia																																			
67	Diseases of the thymus gland	4	3	1			1	1					1		1														1							
79	Simple meningitis	5	2	3												1	1							1		1			1							
86	Convulsions	38	24	14			5	6	2	2	1		1	1	1	1	2		4		3	1						2	2			2		1	1		
89	Diseases of the ear and mastoid process	1	1																								1									
105a	Croup	3	3														1		1				1													
106	Bronchitis	12	6	6												1	2	1	2			1	2	1		1							1			
107	Bronchopneumonia	70	42	28			1		1	2		1	1	1	10	8	3	3	6	4	3	1	6	1	1	1	3	2	3	3	2		1	1	1	
108, 109	Pneumonia	44	27	17			5	1	1		1			1	1	3	2	2	3	3	1	2	3	1	3	2	2	1			1	1	3		1	
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	1		1																									1						
116–118	Diseases of the stomach	6	2	4						1							1	1		1	1										1					
119	Diarrhoea and enteritis	66	44	22			1			1			1		7	1	9	5	9	3	7	3	4	3	1	2	2	1	2	1	1	2				
122	Hernia, intestinal obstruction	3	1	2														1		1			1													
130	Nephritis	3	2	1			1																			1							1			

TABLE XX.—(Continued)

Int. list Number	Causes of Death	Total under 1 year			Age at Death																															
					Under 1 day		1 day and under 1 week		1 week and under 2 weeks		2 weeks and under 3 weeks		3 weeks and under 1 month		1 month and under 2 months		2 months and under 3 months		3 months and under 4 months		4 months and under 5 months		5 months and under 6 months		6 months and under 7 months		7 months and under 8 months		8 months and under 9 months		9 months and under 10 months		10 months and under 11 months		11 months and under 12 months	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
157	Malformations	74	41	33	7	3	13	9	4	2	....	1	....	1	2	3	6	5	3	2	3	1	....	2	3	2	....	1	....	1	....	....	....	....	....	....
	(a) Congenital hydrocephalus	2	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	(c) Congenital malformations of the heart	38	19	19	4	3	7	5	2	1	....	....	....	....	....	2	4	3	....	1	2	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....
	(b,d,e) Others under this title	34	20	14	3	....	5	4	2	1	....	1	....	1	2	1	2	2	3	1	1	....	....	1	2	2	....	....	....	....	....	....	....	....	....	....
158	Congenital debility	69	44	25	3	2	11	6	....	....	4	....	2	1	11	6	5	4	2	5	2	....	2	1	1	....	1	....	....	....	....	....	....	....	....
159	Premature birth	189	108	81	51	41	27	18	12	8	3	6	1	2	7	3	4	1	2	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
160	Injury at birth	50	25	25	11	7	12	17	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
161	Other diseases peculiar to early infancy (under 3 months)	68	36	32	4	5	15	16	4	5	1	1	6	1	5	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(a-e) Specified diseases	54	26	28	4	5	13	15	4	5	1	....	2	1	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(f) no cause given (1)	14	10	4	....	....	2	1	....	....	....	1	4	....	4	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
173–175	Homicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
176–198	Other external causes	7	4	3	1	....	....	....	....	....	1	....	1	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Other specified causes	19	12	7	....	....	....	1	....	1	....	....	3	....	2	....	1	1	2	1	1	....	....	....	2	1	....	....	1	....	....	1	....	1	....	....
199–200	Unspecified or ill-defined causes	11	8	3	1	....	1	2	....	....	....	1	1	....	....	....	....	....	3	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....

(1) No doctor in attendance

TABLE XXI—DEATHS BY MONTHS IN THE PROVINCE OF NOVA SCOTIA, 1935

COUNTIES (Including Cities and Towns)	MONTHS												
	January	February	March	April	May	June	July	August	September	October	November	December	Total
Annapolis	26	18	24	23	22	15	12	8	13	18	15	17	211
Antigonish	24	12	26	28	16	18	20	13	21	17	19	18	232
Cape Breton	91	77	121	92	100	79	59	69	84	72	73	76	993
Colchester	24	29	36	30	20	19	17	26	10	23	29	17	280
Cumberland	30	38	51	25	36	31	29	24	32	33	27	41	397
Digby	17	22	19	16	18	12	10	11	13	12	21	11	182
Guysborough	15	17	14	29	21	12	14	10	7	7	11	8	165
Halifax	121	128	134	127	116	99	108	91	91	108	75	112	1310
Hants	21	21	22	25	30	18	20	13	18	18	14	17	237
Inverness	30	35	45	23	23	19	26	17	19	13	16	27	293
Kings	19	29	24	21	28	23	20	25	27	25	32	22	295
Lunenburg	41	34	34	27	41	35	26	26	34	22	28	32	380
Pictou	33	46	40	42	49	40	31	31	28	29	44	43	456
Queens	7	12	15	16	15	8	6	6	8	7	11	7	118
Richmond	10	11	16	16	11	12	15	11	12	10	11	7	142
Shelburne	14	11	21	18	19	16	6	11	11	13	10	11	161
Victoria	10	7	8	14	6	3	8	4	3	3	8	9	83
Yarmouth	19	23	21	24	22	20	18	16	19	15	10	22	229
Total	552	570	671	596	593	479	445	412	450	445	454	497	6164

TABLE XXII—DEATHS OCCURRING IN COUNTIES IN NOVA SCOTIA, 1935

Counties (Including Cities and Towns)	Sex		Social Condition					
	Male	Female	Single	Married	Widowed	Divorced	Unknown	Total
Annapolis	107	104	50	90	71			211
Antigonish	117	115	104	104	24			232
Cape Breton	532	461	460	352	181			993
Colchester	152	128	94	115	70	1		280
Cumberland	218	179	132	146	118	1		397
Digby	96	86	63	69	48	2		182
Guysboro	99	66	53	73	39			165
Halifax	697	613	478	511	319	2		1310
Hants	128	109	77	97	62	1		237
Inverness	147	146	126	87	80			293
Kings	155	140	77	117	101			295
Lunenburg	212	168	120	154	104	2		380
Pictou	234	222	153	173	130			456
Queens	62	56	46	43	29			118
Richmond	79	63	57	49	36			142
Shelburne	81	80	44	66	51			161
Victoria	35	48	28	35	20			83
Yarmouth	116	113	71	100	58			229
Total	3267	2897	2233	2381	1541	9		6164

TABLE XXIII—DEATHS OCCURRING IN CITIES AND TOWNS OF NOVA SCOTIA, 1935

Cities and Towns	Sex		Social Condition					
	Male	Female	Single	Married	Widowed	Divorced	Unknown	Total
Amherst	53	42	34	45	16			95
Antigonish	67	66	68	58	7			133
Bridgetown	13	10	7	9	7			23
Bridgewater	40	26	22	32	12			66
Canso	10	8	5	8	5			18
Dartmouth	34	35	21	19	28	1		69
Digby	13	6	9	8	2			19
Dominion	10	14	14	5	5			24
Glace Bay	141	128	156	78	35			269
Halifax	459	415	328	346	199	1		874
Inverness	29	22	30	16	5			51
Joggins	4	5	4	1	4			9
Kentville	42	18	22	28	10			60
Liverpool	12	16	11	11	6			28
Lunenburg	13	17	6	13	11			30
Mahone Bay	9	1	1	4	4	1		10
New Glasgow	68	57	47	52	26			125
New Waterford	46	38	46	29	9			84
North Sydney	46	37	37	33	13			83
Oxford	6	6	2	3	7			12
Parrbsoro	14	11	5	13	7			25
Pictou	22	28	14	9	27			50
Port Hawkesbury								
Shelburne	7	5	5	3	4			12
Springhill	40	33	27	21	25			73
Stellarton	24	19	17	21	5			43
Sydney	123	110	78	106	49			233
Sydney Mines	54	47	40	39	22			101
Trenton	6	14	7	9	4			20
Truro	54	54	41	46	21			108
Wedgeport	5	5	3	6	1			10
Westville	20	20	11	18	11			40
Windsor	28	30	20	19	18	1		58
Wolfville	17	24	12	14	15			41
Yarmouth	53	51	39	39	26			104
Total	1582	1418	1189	1161	646	4		3000

TABLE XXIV—AGE AT WHICH DEATHS OCCURRED IN THE PROVINCE OF NOVA SCOTIA, BY COUNTIES, 1935

COUNTIES (Including cities and towns)	Under 1 Year		1		2		3		4		5–9		10–14		15–19		20–29		30–39		40–49		50–59		60–69		70–79		80–89		90–99		100 and over		Not stated		
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Total
Annapolis	10	8	....	1	2	....	....	....	....	....	1	....	....	1	.....	....	6	1	6	4	4	5	8	6	7	21	32	30	29	23	2	4	....	..	....	....	211
Antigonish	11	9	1	1	....	....	....	....	....	2	....	1	2	3	5	5	14	10	5	6	5	8	16	4	17	16	17	25	20	22	4	3	....	....	....	....	232
Cape Breton	123	90	12	17	4	2	7	3	3	5	10	9	9	13	8	11	37	40	28	27	23	24	60	35	74	56	83	62	39	50	11	17	1	....	....	....	993
Colchester	21	15	3	3	....	1	1	1	....	....	2	2	2	1	2	3	10	7	6	9	8	12	9	9	24	19	40	25	17	17	7	4	....	..	....	....	280
Cumberland	38	23	1	....	2	1	2	....	....	....	2	2	2	5	4	2	11	12	6	11	12	5	18	17	29	14	47	39	42	37	2	10	....	1	....	....	397
Digby	13	16	1	1	....	....	....	....	....	....	1	1	2	1	1	2	3	2	2	6	9	5	9	3	15	12	17	12	16	21	7	4	....	....	....	....	182
Guysboro	14	7	....	1	....	....	....	....	....	....	....	2	1	1	2	2	7	5	2	3	4	4	7	3	12	8	25	15	18	14	7	1	....	....	....	....	165
Halifax	90	62	19	13	8	5	8	5	4	4	14	5	7	9	19	13	40	38	45	42	59	47	93	62	113	79	96	111	63	101	18	13	1	3	....	1	1310
Hants	14	6	2	....	1	1	....	2	....	2	1	1	1	1	.....	1	7	8	3	7	6	1	11	10	17	10	33	28	28	22	4	9	....	....	....	....	237
Inverness	3	15	3	1	....	....	1	....	....	....	1	7	2	2	3	2	8	8	5	6	4	4	15	8	12	15	32	36	32	33	5	7	1	2	....	....	293
Kings	14	13	....	3	....	3	1	....	....	....	1	2	1	1	3	2	8	9	10	6	11	10	11	7	25	9	36	30	28	32	6	13	....	....	....	....	295
Lunenburg	29	22	2	....	1	....	3	1	....	1	4	....	4	2	7	4	11	7	13	6	7	6	12	19	27	19	53	33	32	37	6	10	1	1	....	....	380
Pictou	34	21	1	2	4	....	....	2	1	....	3	3	2	4	5	6	12	8	9	15	10	9	28	15	34	23	51	40	29	51	11	22	....	1	....	....	456
Queens	13	8	....	1	....	1	1	....	....	....	3	1	2	....	2	3	1	2	.....	4	1	6	7	4	12	4	9	8	7	13	4	1	....	....	....	....	118
Richmond	14	6	....	1	2	....	....	....	1	1	1	....	1	3	3	1	2	4	6	2	1	3	6	2	9	7	11	7	14	20	6	6	2	....	....	....	142
Shelburne	10	15	....	....	....	....	....	....	....	....	1	....	....	1	1	1	.....	4	1	3	3	3	8	4	10	8	20	19	24	20	3	1	....	1	....	....	161
Victoria	3	3	....	....	....	....	1	....	....	1	....	1	....	....	1	....	1	3	1	3	1	1	5	1	2	3	9	13	9	12	2	6	....	1	....	....	83
Yarmouth	12	13	1	1	....	....	....	....	....	....	2	5	3	1	3	6	6	6	2	2	7	6	8	9	24	11	29	26	16	19	3	8	....	....	....	....	229
Total	486	352	46	46	24	14	25	14	9	16	47	42	41	49	69	64	184	174	150	162	175	159	331	218	463	334	640	559	463	544	108	139	6	10	....	1	6164

TABLE XXV—AGES AT WHICH DEATHS OCCURRED IN CITIES AND TOWNS OF NOVA SCOTIA, 1935

Cities and Towns	Under 1 year		1		2		3		4		5–9		10–14		15–19		20–29		30–39		40–49		50–59		60–69		70–79		80–89		90–99		100 and over		Not stated		Total
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
Amherst	9	5	1	...	...	1	...	...	...	2	...	1	1	1	2	...	4	3	3	4	4	4	5	7	10	3	10	8	4	2	...	3	...	...	...	...	95
Antigonish	9	8	1	...	...	...	...	...	...	...	...	1	2	3	3	4	9	10	5	4	3	7	12	3	12	9	6	11	5	4	...	...	...	...	...	...	133
Bridgetown	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	1	...	1	3	...	4	...	...	7	3	1	...	...	...	...	...	23
Bridgewater	5	3	...	...	...	...	...	...	...	...	1	...	2	...	3	3	1	1	5	1	2	2	2	4	6	3	6	3	6	5	1	1	...	...	...	...	66
Canso	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	2	...	...	1	2	2	2	4	...	...	...	...	...	...	...	18
Dartmouth	4	1	1	2	1	...	1	...	...	...	1	...	2	...	2	...	2	1	1	2	1	1	2	2	2	2	7	10	5	12	2	2	...	...	...	...	69
Digby	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	2	...	1	...	3	1	2	...	...	1	...	1	3	1	...	...	...	...	...	...	19
Dominion	4	4	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	1	1	3	3	...	2	1	...	...	...	...	...	...	...	24
Glace Bay	50	35	6	7	...	1	1	...	...	2	2	1	2	8	4	3	8	10	9	13	6	6	13	6	16	15	19	7	1	10	4	4	...	...	...	...	269
Halifax	60	45	15	8	5	2	7	3	4	3	11	3	2	6	11	10	27	28	31	30	51	35	68	49	79	55	58	74	25	58	4	3	1	2	...	1	874
Inverness	8	5	...	...	...	...	...	...	...	...	...	2	2	1	1	....	1	4	3	1	2	1	1	2	3	1	6	3	2	2	...	...	...	...	...	...	51
Joggins	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	...	...	1	1	...	...	...	...	...	...	9
Kentville	2	1	...	...	...	1	...	...	...	...	...	1	1	...	2	...	6	6	9	1	4	1	4	2	5	...	7	3	2	1	...	1	...	...	...	...	60
Liverpool	4	3	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	3	1	2	1	2	4	...	4	1	...	...	...	...	...	28
Lunenburg	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	...	1	1	...	...	1	3	...	2	4	5	3	4	...	1	...	...	...	...	30
Mahone Bay	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	1	...	4	1	...	1	...	...	...	...	...	...	10
New Glasgow	12	6	...	...	2	...	...	1	1	...	...	1	1	2	3	1	5	2	4	5	3	4	14	7	9	5	8	10	5	10	1	3	...	...	...	...	125
New Waterford	14	11	3	2	...	...	3	...	...	...	3	1	...	1	1	1	2	3	...	4	2	1	3	6	8	5	6	2	...	1	1	...	...	...	...	...	84
North Sydney	13	9	...	1	1	...	...	...	1	...	1	1	1	...	...	...	4	3	1	...	4	5	5	3	7	5	3	6	4	3	1	1	...	...	...	...	83
Oxford	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	3	2	2	...	1	...	...	...	...	12
Parrsboro	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	1	1	...	1	1	1	3	4	5	3	...	...	...	...	...	...	25
Pictou	4	2	...	...	...	...	...	1	...	...	2	1	...	...	...	...	1	...	...	1	...	1	...	1	2	3	6	4	5	11	2	3	...	...	...	...	50
Port Hawkesbury	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Shelburne	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	3	2	1	...	...	...	...	...	12
Springhill	6	8	...	...	...	1	...	...	...	...	...	1	...	3	...	...	4	3	2	2	3	...	5	3	5	2	11	5	2	6	1	...	...	...	...	...	73
Stellarton	4	4	...	2	1	...	...	...	...	...	1	...	...	...	...	2	2	2	3	1	2	...	3	...	3	...	4	2	...	5	1	1	...	...	...	...	43
Sydney	12	12	...	1	1	...	1	1	2	3	1	2	1	2	2	4	13	13	8	2	6	8	19	12	21	18	24	16	11	12	1	4	...	...	...	...	233
Sydney Mines	8	4	...	2	1	...	2	1	...	...	2	1	3	1	1	2	4	5	3	3	3	2	8	4	8	4	9	12	2	5	...	1	...	...	...	...	101
Trenton	2	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	1	...	2	...	...	...	3	1	2	1	3	...	1	...	...	...	...	...	...	20
Truro	8	5	...	2	...	1	1	1	...	...	1	1	2	...	1	1	3	4	1	6	5	8	4	3	11	8	15	6	1	6	1	2	...	...	...	...	108
Wedgeport	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	1	3	...	...	2	...	...	...	...	...	...	10
Westville	4	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	2	1	3	...	1	5	5	5	4	2	...	2	...	...	...	...	40
Windsor	2	1	...	...	...	...	1	...	...	2	...	...	...	...	1	4	3	1	2	2	...	...	3	2	7	3	5	4	4	7	...	4	...	...	...	...	58
Wolfville	3	1	...	...	...	...	...	...	...	...	1	1	...	...	1	1	1	3	1	3	1	3	...	...	3	2	5	2	2	6	...	2	...	...	...	...	41
Yarmouth	7	4	1	...	...	...	...	...	...	...	2	4	2	...	3	4	5	3	2	2	4	4	1	5	13	7	10	7	2	9	1	2	...	...	...	...	104
Total	263	186	29	27	13	8	18	9	8	12	30	25	26	28	40	42	117	110	97	95	115	99	184	133	245	174	250	226	121	200	25	41	1	2	...	1	3000

TABLE XXVI—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS SHOWING THE NUMBER NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1935

	All Deaths						In Institutions					
	Total			Non-resident in Province			Total			Non-resident in Province		
	Total	M	F	Total	M	F	Total	M	F	Total	M	F
Total for the Province.....	6164	3267	2897	43	34	9	1395	793	602	23	18	5

TABLE XXVII—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS, CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES AND TOWNS OF 5000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA 1935.

Cities and Towns	All Deaths												Deaths in Institutions												Deaths elsewhere than in Institutions											
	Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and					
							Resident in Prov.			Non-resident in Prov.									Resident in Prov.			Non-resident in Prov.									Resident in Prov.			Non-resident in Prov.		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Cities:																																				
Halifax	874	459	415	708	352	356	153	96	57	13	11	2	462	270	192	303	167	136	149	94	55	10	9	1	412	189	223	405	185	220	4	2	2	3	2	1
Sydney	233	123	110	200	100	100	32	23	9	1	....	1	97	47	50	68	28	40	28	19	9	1	....	1	136	76	60	132	72	60	4	4	....	....	....	....
Towns:																																				
Amherst	95	53	42	79	42	37	10	6	4	6	5	1	26	14	12	12	4	8	9	6	3	5	4	1	69	39	30	67	38	29	1	....	1	1	1	....
Dartmouth	69	34	35	68	33	35	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	69	34	35	68	33	35	1	1	....	....	....	....
Glace Bay	269	141	128	232	120	112	37	21	16	....	....	....	113	63	50	77	42	35	36	21	15	....	....	....	156	78	78	155	78	77	1	....	1	....	....	....
New Glasgow	125	68	57	70	35	35	54	32	22	1	1	....	65	37	28	13	7	6	52	30	22	....	....	....	60	31	29	57	28	29	2	2	....	1	1	....
New Waterford	84	46	38	78	42	36	6	4	2	....	....	....	16	6	10	11	3	8	5	3	2	....	....	....	68	40	28	67	39	28	1	1	....	....	....	....
North Sydney	83	46	37	71	38	33	10	6	4	2	2	....	15	9	6	5	3	2	9	5	4	1	1	....	68	37	31	66	35	31	1	1	....	1	1	....
Springhill	73	40	33	69	36	33	4	4	....	....	....	....	22	13	9	18	9	9	4	4	....	....	....	....	51	27	24	51	27	24	....	....	....	....	....	....
Stellarton	43	24	19	41	22	19	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	43	24	19	41	22	19	2	2	....	....	....	....
Sydney Mines	101	54	47	90	46	44	11	8	3	....	....	....	31	21	10	20	13	7	11	8	3	....	....	....	70	33	37	70	33	37	....	....	....	....	....	....
Truro	108	54	54	75	37	38	33	17	16	....	....	....	42	20	22	13	5	8	29	15	14	....	....	....	66	34	32	62	32	30	4	2	2	....	....	....
Yarmouth	104	53	51	66	33	33	38	20	18	....	....	....	62	32	30	24	12	12	38	20	18	....	....	....	42	21	21	42	21	21	....	....	....	....	....	....

TABLE XXVIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SINGLE YEARS OF AGE AND BY AGE GROUPS, IN THE PROVINCE OF NOVA SCOTIA, 1935

Ages	Total	Male	Female
All ages	6,164	3,267	2,897
Under 1 year	838	486	352
1 year	92	46	46
2 years	38	24	14
3 "	39	25	14
4 "	25	9	16
Total under 5 years	1,032	590	442
5 years	23	13	10
6 "	14	7	7
7 "	19	7	12
8 "	15	11	4
9 "	18	9	9
Total 5-9 years	89	47	42
10 years	18	9	9
11 "	21	10	11
12 "	15	6	9
13 "	18	7	11
14 "	18	9	9
Total 10-14 years	90	41	49
15 years	19	10	9
16 "	31	15	16
17 "	20	13	7
18 "	37	19	18
19 "	26	12	14
Total 15–19 years	133	69	64
20 years	38	20	18
21 "	33	12	21
22 "	41	21	20
23 "	47	31	16
24 "	33	15	18
Total 20-24 years	192	99	93
25 years	40	18	22
26 "	32	17	15
27 "	31	18	13
28 "	28	15	13
29 "	35	17	18
Total 25-29 years	166	85	81

TABLE XXVIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) Cont'd

Ages	Total	Male	Female
30 years	34	17	17
31 "	28	12	16
32 "	31	12	19
33 "	18	7	11
34 "	25	13	12
Total 30-34 years	136	61	75
35 years	41	25	16
36 "	38	22	16
37 "	26	10	16
38 "	46	21	25
39 "	25	11	14
Total 35-39 years	176	89	87
40 years	33	15	18
41 "	25	13	12
42 "	44	20	24
43 "	28	12	16
44 "	26	20	6
Total 40-44 years	156	80	76
45 years	30	13	17
46 "	29	16	13
47 "	35	19	16
48 "	40	23	17
49 "	44	24	20
Total 45-49 years	178	95	83
50 years	60	36	24
51 "	34	24	10
52 "	64	43	21
53 "	51	32	19
54 "	47	34	13
Total 50-54 years	256	169	87
55 years	39	24	15
56 "	52	30	22
57 "	64	38	26
58 "	68	34	34
59 "	70	36	34
Total 55-59 years	293	162	131
60 years	62	36	26
61 "	67	38	29
62 "	77	48	29
63 "	78	46	32
64 "	84	54	30
Total 60-64 years	368	222	146

TABLE XXVIII DEATHS (EXCLUSIVE OF STILLBIRTH)—Cont'd

Ages	Total	Male	Female
65 years	93	58	35
66 "	72	37	35
67 "	78	40	38
68 "	95	60	35
69 "	91	46	45
Total 65-69 years	429	241	188
70 years	113	64	49
71 "	97	47	50
72 "	127	69	58
73 "	114	59	55
74 "	141	77	64
Total 70-74 years	592	316	276
75 years	122	63	59
76 "	125	71	54
77 "	117	60	57
78 "	128	68	60
79 "	115	62	53
Total 75-79 years	607	324	283
80 years	132	65	67
81 "	102	50	52
82 "	115	43	72
83 "	105	52	53
84 "	140	68	72
Total 80-84 years	594	278	316
85 years	111	61	50
86 "	96	51	45
87 "	75	27	48
88 "	74	25	49
89 "	57	21	36
Total 85-89 years	413	185	228
90 years	39	17	22
91 "	44	20	24
92 "	34	17	17
93 "	25	10	15
94 "	29	13	16
Total 90-94 years	171	77	94
95 years	21	9	12
96 "	23	10	13
97 "	16	6	10
98 "	11	3	8
99 "	5	3	2
Total 95-99 years	76	31	45
100 years and over	16	6	10
Not stated	1	.....	1

TABLE XXIX—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, IN THE PROVINCE OF NOVA SCOTIA, 1935

Racial Origin	Total	Male	Female
All origins	6,164	3,267	2,897
English	2,689	1,421	1,268
Irish	644	347	297
Scottish	1,687	866	821
Welsh	13	10	3
French	587	322	265
German	220	119	101
Armenian	....	....	....
Austrian	2	1	1
Belgian	9	4	5
Bulgarian	....	....	....
Chinese	6	4	2
Czech and Slovak	5	2	3
Danish	3	3	....
Dutch	61	43	18
Finnish	2	2	....
Greek	4	4	....
Hindu	....	....	....
Hungarian	5	2	3
Icelandic	....	....	....
Indian	21	9	12
Italian	9	5	4
Japanese	....	....	....
Jewish	8	4	4
Negro	135	66	69
Norwegian	1	1	....
Polish	12	6	6
Roumanian	2	2	....
Russian	6	3	3
Serb and Croat	....	....	....
Swedish	4	4	....
Swiss	7	4	3
Syrian	8	5	3
Ukrainian (1)	3	1	2
Other	6	3	3
Not specified	5	4	1

(1) Including "Galician" and "Bukovinian."

TABLE XXX--DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF DECEDENTS, FOR THE PROVINCE, CITIES AND TOWNS OF 10,000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA, 1935

| Province, Cities and towns | | Total deaths by sex | BIRTHPLACE OF DECEDENTS | | |

| | | |

TABLE XXXI—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACES OF PARENTS OF DECEDENTS FOR NOVA SCOTIA 1935.

| Birthplace of Father | Total Fathers | BIRTHPLACE OF MOTHER | | |

| | | |

TABLE XXXII.—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
	Deaths--All causes	T.	6164	838	92	38	39	25	89	90	133	192	166	136	176	156	178	256	293	368	429	592	607	594	413	171	76	16	1
		M.	3267	486	46	24	25	9	47	41	69	99	85	61	89	80	95	169	162	222	241	316	324	278	185	77	31	6	...
		F.	2897	352	46	14	14	16	42	49	64	93	81	75	87	76	83	87	131	146	188	276	283	316	228	94	45	10	1
	Class I—Infectious and Parasitic diseases	T.	917	97	32	14	14	4	32	29	60	97	78	63	58	40	29	35	34	38	24	39	30	26	28	10	5	1	...
		M.	448	52	12	4	9	2	15	9	26	43	34	24	32	23	16	24	27	23	13	20	15	8	11	3	3	...	...
		F.	469	45	20	10	5	2	17	20	34	54	44	39	26	17	13	11	7	15	11	19	15	18	17	7	2	1	...
1	Typhoid fever	M.	4	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...
		F.	3	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
2	Paratyphoid fever	M.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4	Relapsing fever	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5	Undulant fever	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6	Small-pox	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

7	Measles	M.	9	4	2	2																1								
		F.	15	5	4				3	1			1	1																
8	Scarlet Fever	M.	9	1			3		3		1		1																	
		F.																												
9	Whooping-cough	M.	19	13	2	1	1		1	1																				
		F.	29	17	6	1		1	2	2																				
10	Diphtheria	M.	5	1			2		2																					
		F.	6	1	1				2	1	1																			
11	Influenza	M.	110	19	3				3	1	1	5	4	3	1	4	3	6	4	7	6	7	12	6	10	2	3			
		F.	132	13	1	3	2		1	2	4	5	1	5	3	1	6	4	3	7	5	13	13	15	16	7	1	1		
	(a) Sole cause	M.	24	5	1															1	1	2	7	1	3	1	2			
		F.	49	5	1		1				1	1		1	1		1	2		4	2	4	4	9	7	4		1		
	(b) With bronchitis	M.	4														1	1	1			1								
		F.	5								1											2	1		1					
	(c) With pneumonia	M.	42	7	1				1		1	2	2	3		2	1	5	2	2	2	2	3	3	2		1			
		F.	44	6		3					1	2		4	2	1	3	1		2	2	3	2	4	5	2	1			
	(d) With other diseases of the respiratory system	M.	5														1				2			1	1					
		F.	2				1															1								
	(e) With intestinal complications	M.	7	2					2											1		1	1							
		F.	5																2			1	1	1						
	(f) With other causes	M.	28	5	1					1		3	2		1	2			1	3	1	1	1	1	4	1				
		F.	27	2					1	2	1	2	1				2	1	1	1	1	2	5	1	3	1				
13	Dysentery	M.	3																1			1				1				
		F.	2				1														1									
15	Erysipelas	M.	6												1				1	2		2								
		F.	4	1							1								1				1							
16	Poliomyelitis and polioencephalitis (acute)	M.	1								1																			
		F.	1							1																				
17	Lethargic or epidemic encephalitis	M.																												
		F.																												

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
18	Epidemic cerebro-spinal meningitis	M.	6		2	1			1	1	1																		
		F.	3						1				1		1														
19	Glanders	M.																											
		F.																											
20	Anthrax, malignant pustule	M.																											
		F.																											
21	Rabies	M.																											
		F.																											
22	Tetanus	M.	4							1			1				1					1							
		F.	1																		1								
23-32	Tuberculosis	M.	236	2	1		3	2	5	2	22	36	26	19	27	17	12	16	17	10	7	7	2	2	1				
		F.	252		7	6	1	1	7	12	29	47	40	30	22	15	7	6	3	6	3	6	1	2	1				
23	Tuberculosis of the respiratory system	M.	199				1		3	1	20	30	24	16	25	14	10	15	16	9	6	5	1	2	1				
		F.	217		1	3			5	6	22	45	39	29	21	13	7	6	3	6	2	5	1	2	1				
24	Tuberculosis of the meninges and central nervous system	M.	12	2			2	2	2	1	1	1			1														
		F.	19		4	3	1	1	2	4	1			1	1	1													

| | | |

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
32	Disseminated tuberculosis	M.	6		1							2	1				1			1									
		F.	7		2					1	3										1								
	(a) Acute	M.	3		1							1								1									
		F.	4		2						2																		
	(b) Chronic	M.	1									1																	
		F.																											
	(c) Not specified	M.	2										1				1												
		F.	3							1	1										1								
33	Leprosy	M.																											
		F.																											
34	Syphilis	M.	25	11	2					1			2	2	2	2		2	1										
		F.	11	7									1	1		1				1									
35	Gonococcus infection and other venereal diseases	M.																											
		F.	1									1																	
36	Purulent infection, septicaemia (non-puerperal)	M.	6																2	3		1							
		F.	5											1				1		1				1			1		

38	Malaria	M.	1									1																		
		F.																												
39	Other diseases due to	M.																												
	protozoal parasites	F.																												
40	Ankylostomiasis	M.																												
		F.																												
41	Hydatid cysts	M.																												
		F.																												
	(a) Of the liver	M.																												
		F.																												
	(b) Of other organs	M.																												
		F.																												
42	Other diseases caused	M.																												
	by helminths	F.																												
43	Mycoses	M.	1																		1									
		F.																												
44	Other infectious or	M.	2	1					1																					
	parasitic diseases	F.	4	1	1		1		1																					
	(a) Chicken-pox	M.																												
		F.																												
	(b) German measles	M.	2	1					1																					
		F.	2				1		1																					
	(c) Others under	M.																												
	this title	F.	2	1	1																									
	Class II—Cancer and other Tumours	T.	645	1	2	1			1	1	1	1	6	5	18	19	34	44	63	87	95	92	80	60	22	10	2			
		M.	306		1	1				1	1	1	3	4	4	2	10	25	25	44	46	59	36	28	10	4	1			
		F.	339	1	1				1				3	1	14	17	24	19	38	43	49	33	44	32	12	6	1			
45–53	Cancer and other	M.	298			1					1		2	4	4	2	10	24	24	43	45	59	36	28	10	4	1			
	malignant tumours	F.	319	1	1								3	1	14	14	21	19	35	41	48	30	43	31	10	6	1			

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1-year	2-years	3-years	4-years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated			
45	Cancer of the buccal	M.	23														1	3	2	3	3	3	3	3		1	1				
	cavity and pharynx	F.	9		1															2	1		2	1	2						
46	Cancer of the diges-	M.	179										1	3	4	1	3	17	13	27	28	40	22	16	3	1					
	tive tract and peri-																														
	toneum	F.	166										3		2	7	3	5	17	20	27	22	28	22	6	4					
	(a) of the oesoph-	M.	5															1	1			2	1								
	agus	F.	1																	1											
	(b) Of the stomach	M.	100												2		1	5	5	17	19	27	11	11	1	1					
	and duodenum	F.	66													2	1	2	5	4	16	10	11	9	4	2					
	(c) Of the rectum	M.	10											1		1	1	1	1	1	2		1		1						
		F.	14												1			1	1	2	2		4	3							
	(d) Of the liver and	M.	23										1	1	1			3	4	2	3	3	2	3							
	biliary ducts	F.	27										3					1	3	4	3	1	6	5	1						
	(e) Of the pancreas	M.	7												1			1		1	1	1	2								
		F.	4																1	1		1	1								
	(f) Of the perito-	M.	2											1				1													
	neum	F.	2													1			1												
	(g) Of other organs	M.	32														1	5	2	6	3	7	5	2	1						
		F.	52												1	4	2	1	6	8	6	10	6	5	1	2					

| | | |

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
52	Cancer of the skin	M.	13														1			3	3	2	1		2	1			
		F.	8														1	1			1	1	1	2			1		
53	Cancer of other or unspecified organs	M.	21								1			1			2	2	5	2	1	1	2	2	2				
		F.	28	1											1		2	4	1	4	6	2	3	2	1	1			
	(a) Of the eye and orbit	M.																											
		F.																											
	(b) Of the circulatory system	M.																											
		F.																											
	(c) Of the glandular system	M.	5											1				1	1			1		1					
		F.	5															3			1					1			
	(d) Of the female urinary organs	F.	9	1														1	1	2	3		1						
	(e) Of the bones and joints	M.	1																		1								
		F.																											
	(f) Of the brain	M.	2								1							1											
		F.	3														2			1									

| | | |

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																								
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not Stated
	(b) Of the uterus	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Of other female genital organs	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d) Of the brain	M.	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(e) Of the thyroid gland	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(f) Of the prostate gland	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(g) Of other or unspecified sites	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Class III—Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	T.	145	6	1	....	1	....	5	7	2	4	3	2	2	2	10	7	10	10	14	30	15	11	2	1	.....	.....	.....
		M.	53	4	1	....	1	....	4	2	.....	2	.....	2	1	.....	3	2	2	4	6	11	5	3	.....	.....	.....	.....	.....
		F.	92	2	.....	.....	.....	.....	1	5	2	2	3	.....	1	2	7	5	8	6	8	19	10	8	2	1	.....	.....	.....
56	Acute rheumatic fever	M.	7	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
		F.	9	.....	.....	.....	.....	.....	1	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

57	Chronic rheumatism,	M.	9													1					1		3	3	1								
	osteo-arthritis	F.	19														1			1	1		7	3	5	1							
58	Gout	M.																															
		F.																															
59	Diabetes mellitus	M.	25					1	1				1				1	2	2	1	5	7	2	2									
		F.	52						1		1	2				1	5	3	6	5	8	9	7	3	1								
60	Scurvy	M.																															
		F.																															
61	Beriberi	M.																															
		F.	1	1																													
62	Pellagra	M.																															
		F.																															
63	Rickets	M.	4	1	1		1										1																
		F.																															
64	Osteomalacia	M.																															
		F.																															
65	Diseases of the pit-	M.																															
	uitary gland	F.																															
66	Diseases of the thy-																																
	roid and parathy-	M.	1														1																
	roid glands	F.	7									1					1	2	1			2											
	(a) Simple goitre	M.																															
		F.	2															1	1														
	(b) Exophthalmic	M.	1														1																
	goitre	F.	4									1					1	1				1											
	(c) Myxoedema,	M.																															
	cretinism	F.	1																			1											
	(d) Tetany	M.																															
		F.																															
	(e) Others under	M.																															
	this title	F.																															

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
67	Diseases of the thymus gland	M.	3	3																									
		F.	1	1																									
68	Diseases of the adrenals (Addison's disease)	M.	3									1		1						1									
		F.	1												1														
69	Other general diseases	M.	1																	1									
		F.	2														1									1			
	(a) Fatty or amyloid degeneration	M.	1																	1									
		F.																											
	(b) Steatosis	M.																											
		F.																											
	(c) Others under this title	M.																											
		F.	2														1								1				
	Class IV—Diseases of the blood and blood-forming organs	T.	44	3	1			1	2		4		4	3		1	1	1	4	6	3	4	1	4	1				
		M.	19	3							2		3	2			1		1	2		2	1	2					
		F.	25		1			1	2		2		1	1		1		1	3	4	3	2		2	1				
70	Haemorrhagic conditions	M.	2								1												1						
		F.	2								1		1																

	(a) Simple purpura	M.	1								1																					
		F.	2								1		1																			
	(b) Haemophilia	M.	1																						1							
		F.																														
71	Anaemia	M.	10	1								3				1				2		1		2								
		F.	15		1					1							1	2	2	3	2		2	1								
	(a) Pernicious anae-	M.	9	1							2				1			2		1		2										
	mia	F.	13							1						1	2	2	3	2		2										
	(b) Others under	M.	1								1																					
	this title	F.	2		1																			1								
72	Leukaemia and	M.	6	1						1		2						1				1										
	aleukaemia	F.	6				1	2				1						1	1													
	(a) Leukaemia	M.	3	1						1								1														
		F.	4				1	1				1							1													
	(b) Aleukaemia																															
	(Hodgkin's	M.	3									2										1										
	disease)	F.	2					1										1														
73	Diseases of the spleen	M.	1	1																												
		F.	2													1			1													
74	Other diseases of the																															
	blood and blood-	M.																														
	forming organs	F.																														
	Class V—Chronic	T.	16								2			1	1	3	1		2	3	2	1										
	poisonings and	M.	15								1			1	1	3	1		2	3	2	1										
	intoxications	F.	1								1																					
75	Alcoholism	M.	13								1			1	1	3	1		2	2	1	1										
		F.																														
	(a) Delirium	M.	1																1													
	tremens	F.																														
	(b) Other alcoholic	M.	12								1			1	1	3	1		1	2	1	1										
	intoxications	F.																														

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 to 99 years	100 years and over	Not stated
76	Chronic poisoning, by other organic substances	M.	2																		1	1							
		F.																											
	(a) Chronic morphinism	M.																											
		F.																											
	(b) Chronic cocainism	M.	1																		1								
		F.																											
	(c) Occupational	M.																											
		F.																											
	(d) Other organic poisoning	M.	1																			1							
		F.																											
77	Chronic poisoning by mineral substances	M.																											
		F.	1									1																	
	(a) Lead (including occupational)	M.																											
		F.	1									1																	
	(b) Occupational, except lead	M.																											
		F.																											
	(c) Others under this title	M.																											
		F.																											

	Class VI—Diseases of the nervous System	T.	437	46	5	4	3	2	8	7	7	6	4	2	10	8	11	15	30	29	49	50	52	65	15	7	2		
	and of the organs of special sense	M.	232	27	5	3	1	1	5	1	5	4	3	2	4	6	6	9	16	12	25	25	30	32	5	4	1		
		F.	205	19		1	2	1	3	6	2	2	1		6	2	5	6	14	17	24	25	22	33	10	3	1		
78	Encephalitis (non-epidemic)	M.	3					1	1											1									
		F.	1																	1									
79	Simple meningitis	M.	10	2	1	1	1		1		1											1	1	1					
		F.	8	3			2	1	1	1																			
80	Progressive locomotor ataxia (tabes dorsalis)	M.	1														1												
		F.																											
81	Other diseases of the spinal cord	M.	10													1	1	1	2		4	1							
		F.	5																1		3			1					
82	Cerebral haemorrhage, cerebral embolism and thrombosis	M.	118		2							1		1	1	1	2	4	6	8	15	16	25	27	5	4			
		F.	126									1			2	1	3	4	5	10	17	22	19	29	9	3	1		
	(a) Cerebral haemorrhage	M.	99		1							1			1	1	2	4	4	8	12	14	21	22	4	4			
		F.	102									1			2	1	2	3	4	9	16	16	14	25	7	1	1		
	(b) Cerebral embolism and thrombosis	M.	9		1														2			2	2	1	1				
		F.	2																		1					1			
	(c) Softening of the brain	M.	1																					1					
		F.	2																			1	1						
	(d) Hemiplegia and other paralysis, cause not specified	M.	9											1							3		2	3					
		F.	20														1	1	1	1		5	4	4	2	1			
83	General paralysis of the insane	M.	8												1	1	1		3		1			1					
		F.	5													1	1	1		1				1					
84	Dementia praecox and other psychoses	M.	6											1		1		1	1		1			1					
		F.	9										1						4	1	3								
	(a) Dementia praecox	M.	1													1													
		F.	2										1						1										

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
	(b) Other psychoses	M.	5											1				1	1		1			1						
		F.	7																3	1	3									
85	Epilepsy	M.	14			1			1		1		2		2	2		1	1		2		1							
		F.	6							3					2									1						
86	Convulsions (under 5	M.	25	24	1																									
	years of age)	F.	14	14																										
87	Other diseases of the	M.	22								1	2	1					1	1	3	2	5	3	2			1			
	nervous system	F.	25	2					2		1	1			2		1	1	3	4	1	3	3	1						
	(a) Chorea	M.	1									1																		
		F.	2								1	1																		
	(b) Neuralgia and	M.																												
	Neuritis	F.	1																				1							
	(c) Paralysis	M.	4																	1		2	1							
	agitans	F.	8																1	2	1	2	1	1						
	(d) Sclerosis (other than																													
	of the spinal cord)	M.	7															1		1	1	2		1			1			
		F.	4												2			1				1								
	(e) Others under	M.	10								1	1	1						1	1	1	1	2	1						
	this title	F.	10	2					2								1		2	2			1							

88	Diseases of the organs of vision	M.	2			1				1																			
		F.																											
89	Diseases of the ear and mastoid process	M.	13	1	1				2		2	1							1	1	2			2					
		F.	6			1				2	1										1					1			
	(a) Otitis	M.	7	1					1			1							1		2			1					
		F.	2							2																			
	(b) Diseases of the Mastoid process	M.	6		1				1		2									1				1					
		F.	4			1					1										1					1			
	(c) Others under this title	M.																											
		F.																											
	Class VII—Diseases of the Circulatory system	T.	1320	1			1	1	1	1	4	6	8	11	20	16	29	69	68	92	130	207	226	214	142	52	18	3	
		M.	700	1			1				4	2	5	3	12	8	21	45	47	63	75	112	121	97	55	22	5	1	
		F.	620					1	1	1		4	3	8	8	8	8	24	21	29	55	95	105	117	87	30	13	2	
90-95	Diseases of the heart	M.	433				1				4	2	5	3	9	5	13	32	39	38	53	67	73	55	25	9			
		F.	368					1		1		4	3	7	7	8	6	14	13	13	36	51	56	69	51	17	10	1	
90	Pericarditis	M.	1																						1				
		F.	2													1					1								
91	Acute endocarditis	M.	10				1				2	1	2		2	1		1											
		F.	4					1		1				1	1														
	(a) Endocarditis specified as acute	M.	10				1				2	1	2		2	1		1											
		F.	2					1						1															
	(b) Endocarditis unspecified (under 45 years of age)	M.																											
		F.	2							1					1														
92	Chronic endocarditis, valvular diseases	M.	125										2	2	1	2	5	6	15	10	13	15	27	20	5	2			
		F.	110									3	2	2	1	2	3	3	5	5	9	13	15	25	14	6	2		
	(a) Endocarditis specified as chronic and other valvular diseases	M.	113										2	2	1	2	5	4	13	10	12	13	24	19	4	2			
		F.	101									3	2	2	1	2	3	3	4	5	9	11	14	24	11	5	2		

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List. No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Endocarditis, unspecified, (45 years and over)	M.	12															2	2		1	2	3	1	1				
		F.	9																1			2	1	1	3	1			
93	Diseases of the myocardium	M.	81									1		1	2	2		3	6	5	6	11	15	17	9	3			
		F.	92												2	2		2	5	1	5	15	15	18	13	8	5	1	
	(a) Acute myocarditis	M.	3									1								1		1							
		F.	5																		2		1		1	1			
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	4											1	1	2													
		F.	1													1													
	(c) Chronic myocarditis and myocardial degeneration	M.	43												1			1	3	2	1	4	10	11	7	3			
		F.	45												2	1		1	1	1	2	8	7	8	5	5	4		
	(d) Myocarditis, unspecified, (45 years and over)	M.	31															2	3	2	5	6	5	6	2				
		F.	41															1	4		1	7	7	10	7	2	1	1	
94	Diseases of the coronary arteries and angina pectoris	M.	123										1		1		6	12	8	15	23	27	15	9	5	1			
		F.	71										1	3	2	1	1	4	1	3	13	13	11	9	7	1	1		

| | | |

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
102	Idiopathic abnormalities of blood pressure	M.	35													1	3	2	2	9	3	5	6	4					
		F.	45												1		1	3	1	8	1	10	7	7	5	1				
103	Other diseases of the circulatory system	M.	3	1											1										1				
		F.																											
	Class VIII—Diseases of the respiratory system	T.	542	131	23	8	3	6	7	4	6	6	6	7	10	16	13	17	20	25	24	45	56	47	43	11	7	1		
		M.	283	79	10	8	1	2	5	1	4	3		2	6	7	11	10	7	20	14	19	28	20	17	5	4			
		F.	259	52	13		2	4	2	3	2	3	6	5	4	9	2	7	13	5	10	26	28	27	26	6	3	1		
104	Diseases of the nasal fossae and annexa	M.	1			1																								
		F.	2		2																									
105	Diseases of the larynx	M.	3	3																										
		F.	1					1																						
	(a) Croup	M.	3	3																										
		F.																												
	(b) Other diseases of the larynx	M.																												
		F.	1					1																						
106	Bronchitis	M.	16	6		1														2			3	2	1		1			
		F.	19	6	2														1			4	1	2	2	1				

	(a) Acute	M.	9	6																			1		1		1			
		F.	11	5	1															1			1		2		1			
	(b) Chronic	M.	5																		2			1	2					
		F.	5		1																		2	1		1				
	(c) Unspecified	M.	2			1																		1						
		F.	3	1																			1			1				
107	Bronchopneumonia	M.	98	42	6	4		2	1						1		3	2		4	5	6	7	5	5	3	2			
		F.	88	28	4		2	2		1				1	2	3		2	1	1	2	8	6	10	9	3	2	1		
	(a) Broncho-	M.	97	41	6	4		2	1						1		3	2		4	5	6	7	5	5	3	2			
	pneumonia	F.	87	27	4		2	2		1				1	2	3		2	1	1	2	8	6	10	9	3	2	1		
	(b) Capillary bron-	M.	1	1																										
	chites	F.	1	1																										
108	Lobar pneumonia	M.	81	7	4	2	1		2	1	3	1		1	3	4	6	4	7	8	5	5	8	5	3	1				
		F.	76	5	4				1	1	2	1	4	2	1	5		4	8	2	6	7	11	5	5	1	1			
109	Pneumonia, un-	M.	47	20					1					1	1	2		2		2	3	3	4	5	2	1				
	specified	F.	46	12				1				1	1	1	1		1	1	1	1	1	4	4	7	8	1				
110	Pleurisy	M.	4						1			1								1		1								
		F.	6						1	1		1		1						1					1					
111	Congestion and hae-																													
	morrhagic infarct	M.	9														1						1	3	4					
	of the lung, etc	F.	10	1												1	1		1			1	3	1	1					
	(a) Pulmonary em-																													
	bolism and	M.																												
	thrombosis	F.																												
	(b) Others under	M.	9														1						1	3	4					
	this title	F.	10	1												1	1		1			1	3	1	1					
112	Asthma	M.	17													1	1	1		3	1	4	4		2					
		F.	9		1								1						1		1	1	2	2						
113	Pulmonary emphy-	M.																												
	sema	F.																												

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	7	1							1	1			1			1					1			1				
		F.	2																			1	1							
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.	1									1																		
		F.																												
	(b) Gangrene of the lung	M.	1															1												
		F.																												
	(c) Others under this title	M.	5	1							1				1								1			1				
		F.	2																		1	1								
	Class IX—Diseases of the digestive system	T.	367	77	10	5	7	3	14	19	14	17	14	11	9	9	11	21	18	17	18	27	16	11	15	3	1			
		M.	208	48	6	3	6		4	10	7	11	7	6	5	5	6	15	11	11	9	11	12	6	8		1			
		F.	159	29	4	2	1	3	10	9	7	6	7	5	4	4	5	6	7	6	9	16	4	5	7	3				

| | | |

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated			
	(b) Ulceration of the intestines	M.																													
		F.	2																	1		1									
121	Appendicitis	M.	35				3		2	6	5	5	2	1	1	1	2	1		4	2											
		F.	33					1	5	8	5	3	2	1	2	1	1	1	1					2								
122	Hernia, intestinal obstruction	M.	29	1	1						1	3					1	4		3	3	6	2	1	3							
		F.	20	2										1	1	1		3	1	1	2	4	2		2							
	(a) Hernia	M.	14								1							1		3	2	6	1									
		F.	7											1	1				1		1	3										
	(b) Intestinal obstruction	M.	15	1	1							3					1	3			1		1	1	3							
		F.	13	2												1		3		1	1	1	2		2							
123	Other diseases of the intestines	M.	3												1								1		1							
		F.	4															1		1						2						
124	Cirrhosis of the liver	M.	12										1	2					1	2	1	2	1	2								
		F.																														
	(a) Specified as alcoholic	M.	2											1						1												
		F.																														
	(b) Not specified as alcoholic	M.	10										1	1					1	1	1	2	1	2								
		F.																														

125	Other diseases of the liver	M.	2	1										1																
		F.	4						1			1											1			1				
	(a) Yellow atrophy of the liver	M.																												
		F.																												
	(b) Others under this title	M.	2	1										1																
		F.	4						1			1											1			1				
126	Biliary calculi	M.	2																		1		1							
		F.	19										1	1	1	1	3		2	2	4	3		1						
127	Other diseases of the gall-bladder and biliary passages	M.	4										1						1		1				1					
		F.	6																		2	2	1			1				
128	Diseases of the pancreas	M.																												
		F.	1										1																	
129	Peritonitis, cause not specified	M.	3							1									1				1							
		F.	3											1					1					1						
	Class X—Diseases of the genito-urinary system	T.	472	4		1			4		4	6	4	5	14	9	17	17	30	41	47	54	81	68	44	16	5	1		
		M.	283	3					2			2	4	2	5	3	2	10	13	25	35	34	50	48	31	12	2			
		F.	189	1		1			2		4	4		3	9	6	15	7	17	16	12	20	31	20	13	4	3	1		
130	Acute nephritis (including unspecified, under 10 years of age)	M.	10	2					2													3		1	2					
		F.	6	1		1					1							1			1		1							
131	Chronic nephritis	M.	136									1	1	1	2	2	2	5	7	16	16	18	26	25	9	4	1			
		F.	134								1	1		2	3	3	9	5	12	10	10	15	30	16	12	2	2	1		
132	Nephritis, unspecified (10 years and over)	M.	27										1		1			1	3	1	5	2	9	4						
		F.	17						1							1	3	1	1	3	1	3	1	1		1				
133	Other diseases of the kidneys and ureters	M.	21	1											1			2	1	3	2	1	1	3	4	2				
		F.	13						1		1			1	2		1	1	1	2				2		1				

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
134	Calculi of the urinary passages	M.	5										1			1					1	1	1						
		F.	4												2				2										
135	Diseases of the bladder (tumours excepted)	M.	9									1			1							1		1	5				
		F.	5									1							1			1		1			1		
136	Diseases of the urethra, urinary abscess, etc.	M	5										1	1				1			1		1						
		F																											
	(a) Stricture of the urethra	M.	5										1	1				1			1		1						
		F.																											
	(b) Others under this title	M.																											
		F.																											
137	Diseases of the prostate	M.	69															1	1	5	7	11	11	13	13	6	1		
138	Diseases of the male genital organs (not specified as venereal)	M.	1																1										

| | | |

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
	(b) Without mention of septic conditions	F.	2									1	1																		
143	Other accidents of pregnancy (haemorrhage excluded)	F.																													
144	Puerperal haemorrhage	F.	13									1	3	3	3	3															
	(a) Placenta praevia	F.	3										1	1	1																
	(b) Other haemorrhages	F.	10									1	2	2	2	3															
145	Puerperal septicaemia (not specified as due to abortion)	F.	13								2	2	3	3	3																
	(a) Puerperal septicaemia and pyaemia	F.	13								2	2	3	3	3																
	(b) Puerperal tetanus	F.																													

| | | |

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued.

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Others under this title	F.																													
	Class XII—Diseases of the skin and cellular tissue	T.	13	3					1						1	3			2	1				1		1					
		M.	8	3					1						1	1				1						1					
		F.	5													2			2					1							
151	Carbuncle	M.	1													1															
		F.	1																1												
152	Cellulitis, acute abscess	M.	5	2					1						1					1											
		F.	1													1															
153	Other diseases of the skin and annexa and of the cellular tissue	M.	2	1																						1					
		F.	3													1			1					1							
	Class XIII—Diseases of the bones and Organs of locomotion	T.	14	1		1				2	1				1	1		1		2		3		1							
		M.	8			1				1	1				1	1		1		1				1							
		F.	6	1						1										1		3									
154	Osteomyelitis	M.	6							1	1				1	1		1						1							
		F.	1							1																					

| | | |

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not Stated
	Class XV—Diseases of early infancy	T.	376	376																									
		M.	213	213																									
		F.	163	163																									
158	Congenital debility	M.	44	44																									
		F.	25	25																									
159	Premature birth	M.	108	108																									
		F.	81	81																									
160	Injury at birth	M.	25	25																									
		F.	25	25																									
	(a) With mention of caesarean operation	M.																											
		F.																											
	(b) Without mention of caesarean operation	M.	25	25																									
		F.	25	25																									
161	Other diseases peculiar to early infancy (under 3 months)	M.	36	36																									
		F.	32	32																									

	(a) Atelectasis	M.	5	5																									
		F.	4	4																									
	(b) Icterus of the	M.	4	4																									
	new-born	F.	2	2																									
	(c) Sclerema and	M.																											
	oedema	F.	1	1																									
	(d) Athrepsia	M.	1	1																									
		F.	1	1																									
	(e) Others, includ-	M.	16	16																									
	ing lack of care	F.	20	20																									
	(f) No Cause given	M.	10	10																									
	(1)	F.	4	4																									
	Class XVI—Senility	T.	301																	16	31	65	88	57	34	9	1		
		M	129																	5	17	20	44	26	12	5			
		F.	172																	11	14	45	44	31	22	4	1		
162	Senility	M.	129																	5	17	20	44	26	12	5			
		F.	172																	11	14	45	44	31	22	4	1		
	(a) With senile de-	M.	7																	1	2	2	2						
	mentia(70 yrs.& over)	F.	10																	3	3	2	1	1					
	(b) Without senile																												
	dementia (70	M.	122																	4	15	18	42	26	12	5			
	years and over)	F.	162																	8	11	43	43	30	22	4	1		
	(c) Premature senility																												
	(55 years but	M.																											
	under 70 years)	F.																											
	Class XVII—Violent	T.	352	7	10	4	10	5	11	19	24	29	26	16	16	23	19	25	13	13	17	18	14	16	11	3	2	1	
	or accidental	M.	274	4	6	4	6	2	8	15	18	28	25	14	15	21	16	25	12	9	12	13	7	9	3		2		
	deaths	F.	78	3	4		4	3	3	4	6	1	1	2	1	2	3		1	4	5	5	7	7	8	3		1		

(1) No doctor in attendance

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not Stated	
163-171	Suicides	M.	26								1	2	4	1	2	2	2	2	3	1	2	2		1	1					
		F.	3														1				2									
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	5								1						1	1		1		1								
		F.																												
164	Suicide by poisonous gas	M.																												
		F.	1														1													
165	Suicide by hanging or strangulation	M.	6										1				1		1		2	1								
		F.																												
166	Suicide by drowning	M.	2															1						1						
		F.	1																		1									
167	Suicide by firearms	M.	12									2	3	1	2	1			2						1					
		F.																												
168	Suicide by cutting or piercing instruments	M.	1													1														
		F.	1																		1									
169	Suicide by jumping from high places	M.																												
		F.																												

170	Suicide by crushing	M.																											
		F.																											
171	Suicide by other	M.																											
	means	F.																											
173–	Homicides	M.	4								1	2								1									
175		F.	2							1										1									
173	Homicide by firearms	M.	4								1	2								1									
		F.																											
174	Homicide by cutting or piercing instruments	M.																											
		F.																											
175	Homicide by other means	M.																											
		F.	2							1										1									
176–	Other violent deaths	M.	244	4	6	4	6	2	8	15	17	25	19	13	13	19	14	23	9	8	9	11	7	8	2		2		
198		F.	73	3	4		4	3	3	4	5	1	1	2	1	2	2		1	4	2	5	7	7	8	3		1	
176	Attack by venomous animals	M.																											
		F.																											
177	Food poisoning	M.																											
		F.																											
178	Accidental absorption of toxic gases	M.	4										1	2				1											
		F.	1											1															
179	Other acute accidental poisonings (except by gas)	M.	1		1																								
		F.	2		1										1														
180	Conflagration	M.	7			1				2		1												2			1		
		F.																											
181	Accidental burns (conflagration excepted)	M.	12		1	1	1	1		1	1					3		1		1	1								
		F.	6		1		1		3												1								

CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1935—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
182	Accidental mechanical suffocation	M.	7	4		1							1								1								
		F.	3	3																									
183	Accidental drowning	M.	53		3	1	1		3	8	7	7	7	2	1	2	2	5	2				2							
		F.	7				1	1			3						1								1					
184	Accidental injury by firearms	M.	6							1	2	2				1														
		F.	1													1														
185	Accidental injury by cutting or piercing instruments	M.	3						1						1		1													
		F.																												
186	Accidental injury by fall, crushing or landslide	M.	116				4	1	3	2	5	11	8	8	7	11	9	11	5	7	7	7	4	4	1		1			
		F.	43		1		1	2		4	2	1	1	1		1	1		1	4	1	4	5	5	5	2		1		
187	Cataclysm	M.																												
		F.																												
188	Injuries by animals	M.	5						1			1						1				1		1						
		F.	1				1																							

189	Hunger or thirst	M.																													
		F.																													
190	Excessive cold	M.	10							1	1		1	1	1	1	3	1													
		F.																													
191	Excessive heat	M.	2																				1		1						
		F.																													
192	Lightning	M.																													
		F.																													
193	Accidents due to electric currents	M.																													
		F.																													
194	Other accidents	M.	15		1				1		1	2		3	1		1	1			3		1								
		F.	9		1																1	2	2	2	1						
	(a) Foreign body	M.	1		1																										
		F.	1		1																										
	(b) Others under this title	M.	14						1		1	2		3	1		1	1			3		1								
		F.	8																		1	2	2	2	1						
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	2							1	1																				
		F.																													
198	Capital punishment	M.	1													1															
		F.																													
	Class XVIII—Ill-defined causes of death	T.	56	11	3		1	1		2	2		3	2	1	3	1	5	5	5	4	5	2								
		M.	38	8	1		1	1		2	1		2	2		2	1	5	3	3	1	4	1								
		F.	18	3	2						1		1		1	1			2	2	3	1	1								
199	Sudden death	M.	20	4						1	1		1	1		1	1	2	2	3		2	1								
		F.	5																1	1	2	1									
200	Cause of death not specified or ill-defined	M.	18	4	1		1	1		1			1	1		1		3	1		1	2									
		F.	13	3	2						1		1		1	1			1	1	1		1								

TABLE XXXII—SPECIAL CLASSES OF ACCIDENTAL DEATHS, NOVA SCOTIA, 1935.

(Included also under the numbers of the International List above)

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
A	Accidents in mines and quarries	M.	26									1	4	3	3	6	1	4			3	1							
		F.																											
B	Accidents caused by machines	M.	4										1					1				2							
		F.	1					1																					
C	Railway accidents	M.	16								1	3	2		1	1	2	4	1			1							
		F.																											
D	Street car accidents	M.	2											1	1														
		F.	1																	1									
E	Automobile and motorcycle accidents	M.	42				4	1	3	1	3	5		4	3	4	1	1		4	3	1	1	2	1				
		F.	15		1		1	1		3	1	1	1	1		1	1			1			1	1					
F	Other land transportations	M.	6												1	1			1	1	1		1						
		F.	1								1																		
G	Water transportation	M.	17		1						2	6	1	1	1	1	1	2	1										
		F.																											
H	Air transportation	M.																											
		F.																											

TABLE XXXIII—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY AND MONTH OF DEATH IN THE PROVINCE OF NOVA SCOTIA 1935.

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs. and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	Deaths—All Causes—	T.	6164	1211	268	224	166	364	...	57	393	787	1144	...	1550	...	5641	384	63	63	13	552	570	671	596	593	479	445	412	450	445	454	497
		M.	3267	678	159	143	105	189	...	9	164	486	787	...	547	...	2967	212	35	44	9	268	302	330	323	333	275	250	208	234	234	247	263
		F.	2897	533	109	81	61	175	...	48	229	301	357	...	1003	...	2674	172	28	19	4	284	268	341	273	260	204	195	204	216	211	207	234
	Class 1—Infectious and Parasitic Diseases	T.	917	222	137	98	22	28	...	20	137	97	63	...	93	...	833	59	16	7	2	79	97	155	92	84	61	59	57	54	42	66	71
		M.	448	103	66	52	18	16	...	3	59	62	36	...	33	...	392	42	9	5	...	29	48	73	54	40	34	29	21	28	20	34	38
		F.	469	119	71	46	4	12	...	17	78	35	27	...	60	...	441	17	7	2	2	50	49	82	38	44	27	30	36	26	22	32	33
1	Typhoid fever	M.	4	1	.....	1	.....	.....	...	.....	.....	.....	1	...	.....	...	4	.....	.....	.....	...	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1
		F.	3	1	.....	.....	.....	.....	...	.....	1	.....	1	...	.....	...	3	.....	.....	.....	...	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
2	Paratyphoid fever	M.	1	.....	1	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	1	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Relapsing fever	M.	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Undulant fever	M.	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Small-pox	M.	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Measles	M.	9	8	.....	.....	.....	.....	...	.....	.....	.....	1	...	.....	...	9	.....	.....	.....	...	2	1	2	1	.....	1	.....	.....	.....	1	.....	1
		F.	15	13	.....	.....	.....	.....	...	.....	2	.....	.....	...	.....	...	14	1	.....	.....	...	7	2	2	2	2	.....	.....	.....	.....	.....	.....	.....
8	Scarlet fever	M.	9	7	1	.....	.....	.....	...	.....	1	.....	.....	...	.....	...	8	.....	1	.....	...	1	.....	.....	1	3	.....	.....	1	.....	1	2	.....
		F.	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping -cough	M.	19	19	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	19	.....	.....	.....	...	.....	1	4	3	2	1	1	2	1	.....	2	2
		F.	29	29	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	29	.....	.....	.....	...	2	2	3	2	4	.....	2	8	3	1	1	1
10	Diphtheria	M.	5	5	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	5	.....	.....	.....	...	.....	1	.....	1	.....	.....	.....	.....	.....	3	.....	.....
		F.	6	5	1	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	5	.....	1	.....	...	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	2
11	Influenza	M.	110	26	6	6	4	12	...	.....	5	16	19	...	16	...	95	11	3	1	...	6	20	33	21	13	2	3	1	3	.....	6	2
		F.	132	22	8	3	1	8	...	1	7	17	20	...	45	...	124	7	.....	.....	1	8	24	44	14	12	5	2	.....	4	5	6	8
	(a) Sole cause	M.	24	6	.....	.....	1	8	...	.....	.....	.....	4	...	5	...	22	1	1	.....	...	1	4	11	5	3	.....	.....	.....	.....	.....	.....	.....
		F.	49	7	2	2	.....	5	...	.....	.....	.....	8	...	20	...	46	3	.....	.....	...	5	8	15	9	6	1	.....	.....	1	.....	1	3
	(b) With bronchitis	M.	4	.....	.....	.....	1	.....	...	.....	.....	2	.....	...	1	...	4	.....	.....	.....	...	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	5	.....	1	.....	.....	.....	...	.....	.....	.....	2	...	2	...	5	.....	.....	.....	...	.....	.....	2	1	.....	.....	.....	.....	.....	1	1	.....

| | | |

TABLE XXXIII—Continued

Int. List No.	Cuses of Death	Total	Conjugal condition												Nativity					Months											
				Single					Married					Widowed	Not stated			Foreign													
			Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated			Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
29	Tuberculosis of the lymphatic system (mesenteric, retroperitoneal and bronchial glands	M.																												
	excepted)	F.																												
30	Tuberculosis of the genito-urinary system	M.	4			1				1	2					4							1	1		1		1			
		F.																													
31	Tuberculosis of other organs	M.																												
		F.																												
32	Disseminated tuberculosis	M.	6	1	2	1					2					5	1								1	1		1		3
		F.	7	3	3							1				6	1				1		2		1	1	1	1			
	(a) Acute	M.	3	1	1						1					3										1				2
		F.	4	2	2											4					1			1		1		1		
	(b) Chronic	M.	1		1											1										1				
		F.																												
	(c) Not specified	M.	2			1					1					1	1											1		1
		F.	3	1	1							1				2	1							1		1		1		
33	Leprosy	M.																												
		F.																												
34	Syphilis	M.	25	14		3	1			5	2					19	5	1			2		2	1	3	7	3	1	1		1	4
		F.	11	7						3				1		10		1				1	2		2	2	2		1	1	
35	Gonococcus infection & other venereal diseases	M.																												
		F.	1						1									1			1										
36	Purulent infection, septicaemia (non-puerperal)	M.	6								4			2		6					1		1	2				1		1	
		F.	5				1			1	2			1		4			1		2	2			1						
38	Malaria	M.	1		1											1										1					
		F.																													
39	Other diesases due to protozoal parasites	M.																												
		F.																												
40	Ankylostomiasis	M.																												
		F.																												
41	Hydatid cysts	M.																												
		F.																												
	(a) Of the liver	M.																												
		F.																												
	(b) Of other organs	M.																												
		F.																												

| | | |

TABLE XXXIII—Continued

Int. List No.	Causes of death		Total	CONJUGAL CONDITION													NATIVITY					MONTHS											
				Single						Married									Foreign															
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
50	Cancer of the breast	M.																															
		F.	30			2	3	2			4	12	4		4		30						1	6	3	1	2	2	2	5	1	4	3
51	Cancer of the male genito-urinary organs	M.	49	1			2	2		1	5	21		17			46	3				5	4	1	3	3	4	4	5	4	5	5	6
	(a) Of the bladder	M.	17							1	3	9		4			17					1	3					1	3	1	4	2	2
	(b) Of the kidney	M.	2	1								1					2																
	(c) Of the prostate gland	M.	28				2	2				1	11		12		26	2				3	1	1	2	3	3	3	2	3	1	2	4
	(d) Of the testicles and annex	M.	2									1			1		1	1				1									1		
	(e) Of other male genito-urinary organs	M.																															
52	Cancer of the skin	M.	13				1	3				3	4		2		12	1							2	2	2	3	2		2		
		F.	8				1	1				1	2		3		8						3		1			1	2				
53	Cancer of other or unspecified organs	M.	21		1	1	2					2	6		2		19	2					3	1	3	1	3	3	2	3	2		
		F.	28	1			1	3			1	8	4		10		24	4				3	4	3	2	3	1	2	4	2	2	1	1
	(a) of the eye and orbit	M.																															
		F.																															
	(b) Of the circulatory system	M.																															
		F.																															
	(c) Of the glandular system	M.	5			1						2	1		1		5						1		1	1	1		1				
		F.	5									3	1		1		5								1	1			2	1			
	(d) Of the female urinary organs	F.	9	1				1				3	1		3		8	1				2	2	1		2					1		1
	(e) Of the bones and joints	M.	1										1				1							1									
		F.																															
	(f) Of the brain	M.	2		1							1					1	1										1	1				
		F.	3				1					1			1		1	2					1			1		1					
	(g) Of the spine and spinal cord	M.	1										1				1						1										
		F.	1					1										1															
	(h) Of the neck	M.	2									1	1				2											1					
		F.	2												2		2													1			
	(i) Of the abdomen	M.	7				1					3	2		1		6	1					1		2		1	1	1	1			
		F.	6					1			1	1	1		2		6					1		2	1			1	1				

| | | |

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition												Foreign					Months											
				Under 15 years	Single					Married						Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 yrs	65 years and over	Age not stated						United States	Other													
61	Beriberi	M.																														
		F.	1	1														1													1	
62	Pellagra	M.																														
		F.																														
63	Rickets	M.	4	3								1						4													2	2	
		F.																														
64	Osteomalacia	M.																														
		F.																														
65	Diseases of the pituitary gland	M.																														
		F.																														
66	Diseases of the thyroid and parathyroid glands	M.	1									1						1						1								
		F.	7								1	3	1			2		6	1				1	1		1	1	1	1				1
	(a) Simple goitre	M.																														
		F.	2									2						2						1			1					
	(b) Exophthalmic goitre	M.	1									1						1						1								
		F.	4								1	1				2		4					1			1		1				1
	(c) Myxoedema, cretinism	M.																														
		F.	1										1						1									1				
	(d) Tetany	M.																														
		F.																														
	(e) Others under this title	M.																														
		F.																														
67	Diseases of the thymus gland	M.	3	3														3							1			1		1		
		F.	1	1														1								1						
68	Diseases of the adrenals (Addison's disease)	M.	3		1						1	1						3							1			1	1			
		F.	1								1							1											1			
69	Other general diseases	M.	1									1						1								1						
		F.	2					1								1		2								1			1			
	(a) Fatty or amyloid degeneration	M.	1									1						1								1						
		F.																														
	(b) Steatosis	M.																														
		F.																														
	(c) Others under this title	M.																														
		F.	2					1								1		2								1				1		

| | | |

TABLE XXXIII—Continued

Inst. List No.	Causes of death		Total	Conjugal Condition												Nativity					Months											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign			January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other	Not stated												
	(c) Others under this title	M.																													
		F.																													
	Class VI—Diseases of the nervous system and of the organs of special sense	Total	437	75	12	16	16	28	....	1	8	63	107	....	111	....	403	28	2	3	1	50	43	41	41	40	36	27	34	31	29	32	33
		M.	232	43	9	12	9	13	....	....	3	32	71	....	40	....	215	13	2	1	1	28	23	21	25	21	20	10	17	17	16	14	20
		F.	205	32	3	4	7	15	....	1	5	31	36	....	71	....	188	15	....	2	....	22	20	20	16	19	16	17	17	14	13	18	13
78	Encephalitis (non-epidemic)	M.	3	2	....	....	....	....	....	....	....	1	....	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....
		F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
79	Simple meningitis	M.	10	6	1	....	....	....	....	....	....	....	2	....	1	....	10	....	....	....	....	1	1	....	2	1	2	....	1	....	....	....	2
		F.	8	8	....	....	....	....	....	....	....	....	....	....	....	....	8	....	....	....	....	....	1	....	1	1	1	....	1	....	....	1	2
80	Progressive locomotor ataxia (tabes dorsalis)	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
81	Other diseases of the spinal cord	M.	10	....	....	....	....	....	....	....	1	4	4	....	1	....	8	2	....	....	....	3	....	....	1	1	....	....	....	1	2	1	1
		F.	5	....	....	....	1	1	....	....	....	....	....	....	3	....	4	....	....	1	....	....	....	....	....	....	1	....	1	....	1	2	....	....
82	Cerebral haemorrhage, cerebral embolism and thrombosis	M.	118	2	1	1	5	11	....	....	2	15	54	....	27	....	112	4	1	....	1	16	13	12	13	11	10	5	8	8	8	5	9
		F.	126	....	1	1	2	12	....	....	2	18	30	....	60	....	114	11	....	1	....	17	17	11	7	14	8	11	10	6	11	11	3
	(a) Cerebral haemorrhage	M.	99	1	1	....	5	11	....	....	2	13	42	....	24	....	94	3	1	....	1	11	11	9	12	10	8	5	8	7	6	5	7
		F.	102	....	1	1	2	11	....	....	2	14	23	....	48	....	91	10	....	1	....	11	14	8	4	11	6	9	10	6	10	10	3
	(b) Cerebral embolism and thrombosis	M	9	1	....	....	....	....	....	....	....	2	4	....	2	....	9	....	....	....	....	3	1	....	....	....	....	....	....	1	2	....	2
		F.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	(c) Softening of the brain	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
	(d) Hemiplegia and other paralysis, cause not specified	M.	9	....	....	1	....	....	....	....	....	4	3	....	1	....	8	1	....	....	....	2	1	3	1	1	1	....	....	....	....	....	....
		F.	20	....	....	....	....	1	....	....	....	4	7	....	8	....	19	1	....	....	....	4	3	2	3	3	1	2	....	....	1	1	....
83	General paralysis of the insane	M.	8	....	....	2	2	....	....	....	....	2	2	....	....	....	7	....	1	....	....	1	1	....	1	....	....	....	2	....	1	1	1
		F.	5	....	....	....	....	1	....	....	1	3	....	....	....	....	5	....	....	....	....	1	....	1	....	1	1	....	....	1	....	....	....	....
84	Dementia praecox and other psychoses	M.	6	....	....	2	....	....	....	....	....	2	....	....	2	....	5	1	....	....	....	....	....	2	1	1	....	....	....	1	....	1	....	....
		F.	9	....	....	1	2	....	....	....	....	3	2	....	1	....	9	....	....	....	....	....	....	2	1	....	2	1	....	....	....	....	....	3
	(a) Dementia praecox	M.	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	2	....	....	1	....	....	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
	(b) Other psychoses	M.	5	....	....	1	....	....	....	....	....	2	....	....	2	....	4	1	....	....	....	....	....	1	1	1	....	....	....	1	....	1	....	....
		F.	7	....	....	....	2	....	....	....	....	2	2	....	1	....	7	....	....	....	....	....	....	2	1	....	....	2	....	....	....	....	....	2

| | | |

TABLE XXXIII—Continued

Int List No.	Causes of Death		Total	Conjugal Condition												Nativity					Months											
				Under 15 years	Single					Married						Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated						United States	Other													
	(a) Acute myocarditis	M.	3							1		1	1					3											1			1
		F.	5										2			3		5						3			1			1		
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	4			1					3							4								1			1	2		
		F.	1								1							1											1			
	(c) Chronic myocarditis and myocardial degeneration	M.	43				1	3			1	3	15			20		40	2			1	4	4	4	4	4	1	5	1	3	6	3	4
		F.	45					6			3	3	5			28		40	4	1			7	4	10	5	3	4			2	3	2	5
	(d) Myocarditis, unspecified ,(45 years and over)	M.	31				1	4				5	14			7		26	3		2			2	9	2	3	2		3	1	3	3	3
		F.	41				1	2				3	4			31		38	2	1			2	6	1	3	6	2	4	3	2	6	3	3
94	Diseases of the coronary arteries and angina pectoris	M.	123			2	4	10				34	45			28		107	12		3	1	8	10	8	13	12	17	10	6	6	11	11	11
		F.	71				2	6			7	6	17			33		66	2	2	1		5	4	5	9	4	3	6	7	3	11	7	7
	(a) Diseases of the coronary arteries	M.	5									1	2			2		4	1						1	2			1					1
		F.																																
	(b) Embolism and thrombosis of the coronary arteries	M.	68			1	3	9				18	21			16		59	6		2	1	3	6	3	6	9	9	7	3	4	6	6	6
		F.	48				2	4			6	4	9			23		46		2			3	3	2	8	3	2	4	4	1	9	6	3
	(c) Angina pectoris	M.	50			1	1	1				15	22			10		44	5		1		5	4	4	5	3	8	2	3	2	5	5	4
		F.	23					2			1	2	8			10		20	2		1		2	1	3	1	1	1	2	3	2	2	1	4
95	Other diseases of the heart	M.	93		2	1	7	6			2	20	39			16		83	3	3	3	1	8	9	10	10	4	9	10	8	4	1	9	11
		F.	89			3	2	13		1	1	8	13			48		80	7	1		1	11	9	10	10	4	5	8	5	9	11	3	4
	(a) Functional diseases of the heart	M.	9									4	2			3		9							1	1		2	2				3	1
		F.	6					2					1			3		6												1	1	2		
	(b) Others and unspecified	M.	84		2	1	7	6			2	16	37			13		74	3	3	3	1	8	9	9	9	4	7	8	8	4	1	7	10
		F.	83			3	2	11		1	1	8	12			45		74	7	1		1	11	9	9	10	4	5	8	5	8	10		4
96	Aneurysm (except of the heart)	M.	5									4				1		2	1	1	1		1				1	1				1	1	
		F.																																
97	Arteriosclerosis (of coronary arteries excepted)	M.	207			2	4	21			1	23	96			60		182	22	2	1		15	17	14	19	23	20	12	13	19	16	24	15
		F.	197				2	24			1	16	37			117		176	18	1	1	1	13	16	23	16	14	7	15	12	15	12	29	25

| | | |

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal condition													Nativity					Months											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other														
	(a) Pulmonary embolism and thrombosis	M.																															
		F.																															
	(b) Others under this title	M.	9					1				1	6		1		9					1		1	1	1				3	1		1
		F.	10	1				3			1	1	1		6		8	2				2		1	1	1	1	1	1				1	2
112	Asthma	M.	17								1	5	5		3		13	2						4	2	3	1			1	1	4	1	1
		F.	9	1		1							2		5		8		1			2		3			1	1			1		1
113	Pulmonary emphysema	M.																															
		F.																															
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	7	1	2			1			1	1			1		7						3	1		2		1					
		F.	2					1					1				2						1						1				
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.	1		1												1									1							
		F.																															
	(b) Gangrene of the lung	M.	1									1					1							1									
		F.																															
	(c) Others under this title	M.	5	1	1			1			1				1		5						3			1		1					
		F.	2					1					1				2						1						1				
	Class IX—Diseases of the digestive system	T.	367	135	26	15	8	10		5	25	52	41		50		340	12	4	10	1	30	28	29	24	27	34	34	37	34	33	27	30
		M.	208	77	18	11	6	6			11	34	25		20		190	8	2	7	1	16	16	16	12	14	21	20	22	18	20	16	17
		F.	159	58	8	4	2	4		5	14	18	16		30		150	4	2	3		14	12	13	12	13	13	14	15	16	13	11	13
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	18	4	3	3					2	4	1		1		15	1	1	1		2	1	2		1	2	1	2		1	3		3
		F.	13	4	3	1		1			3				1		12	1				1	1					2	1	1	2	1		4
	(a) Diseases of the buccal cavity and annexa	M.	7	1		2						2	1		1		7					1					1	1	1			1		2
		F.	6	2	1	1		1							1		6					1							1	1	1			
	(b) Diseases of the tonsils	M.	6	2	2						1	1					5	1				1		1		1			1		1	1		1
		F.	5	2	1						2						4	1										2			1	1		1
	(c) Others under this title	M.	5	1	1	1					1	1					3		1	1			1	1			1					1		1
		F.	2		1						1						2						1											1

| | | |

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition												Nativity				Months											
				Under 15 yrs.	Single					Married					Widowed	Not stated	Canada	British	Foreign			January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other	Not Stated												
130	Acute nephritis (including unspecified, under 10 years of age)	M.	10	4	.....	.....	.....	2	.....	.....	.....	.....	4	.....	.....	.....	9	.....	1	.....	.....	.....	1	.....	1	1	6	.....	.....	.....	.....	1	.....
		F.	6	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	5	1	.....	.....	.....	.....	.....	1	.....	.....	4	.....	.....	.....	.....	1
131	Chronic nephritis	M.	136	.....	1	4	4	10	.....	.....	2	21	50	.....	44	.....	117	17	1	1	.....	11	19	12	12	8	7	13	8	17	7	8	14
		F.	134	.....	2	1	5	11	.....	.....	6	25	22	.....	62	.....	124	5	3	2	.....	14	9	15	16	11	12	6	9	14	6	10	12
132	Nephritis unspecified (10 years and over)	M.	27	.....	.....	2	.....	4	.....	.....	.....	5	8	.....	8	.....	25	1	1	.....	.....	2	2	3	2	3	2	3	2	1	5	.....	.....
		F.	17	1	.....	.....	.....	1	.....	.....	1	8	3	.....	3	.....	15	2	.....	.....	.....	.....	.....	3	.....	3	4	.....	2	1	1	3	.....
133	Other diseases of the kidneys and ureters	M.	21	1	.....	.....	3	2	.....	.....	1	3	9	.....	2	.....	20	1	.....	.....	.....	4	2	3	5	1	3	1	.....	.....	2	.....	.....
		F.	13	1	.....	.....	2	.....	.....	1	3	2	.....	.....	4	.....	11	2	.....	.....	.....	.....	.....	.....	1	2	4	.....	1	2	1	2	.....
134	Calculi of the urinary passages	M.	5	.....	.....	1	.....	.....	.....	.....	1	.....	2	.....	1	.....	5	.....	.....	.....	.....	1	1	.....	.....	1	.....	1	.....	1	.....	.....	.....
		F.	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....
135	Diseases of the bladder (tumours excepted)	M.	9	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	6	.....	9	.....	.....	.....	.....	1	1	2	.....	.....	3	.....	.....	1	.....	1	.....
		F.	5	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	2
136	Diseases of the urethra, urinary abscess, etc	M.	5	.....	.....	1	.....	.....	.....	.....	1	.....	2	.....	1	.....	5	.....	.....	.....	.....	1	1	.....	1	.....	1	1	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Stricture of the urethra	M.	5	.....	.....	1	.....	.....	.....	.....	1	.....	2	.....	1	.....	5	.....	.....	.....	.....	1	1	.....	1	.....	1	1	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Others under this title	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
137	Diseases of the prostate	M.	69	.....	.....	.....	.....	10	.....	.....	.....	6	33	.....	20	.....	58	5	3	2	1	11	4	5	5	9	3	4	6	5	7	5	5
138	Diseases of the male genital organs (not specified as venereal)	M.	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
139	Diseases of the female genital organs (not specified as venereal)	F.	10	.....	1	.....	.....	.....	.....	2	4	1	.....	.....	2	.....	10	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	.....	1	.....	1	3
	(a) Of the ovary, Fallopian tube and parametrium	F.	3	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	(b) Of the uterus	F.	7	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	2	.....	7	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	1	.....	1	3
	(c) Of the breast	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d) Others under this title	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

| | | |

TABLE XXXIII—Continued

Int. List No.	Causes of Death	Total	Conjugal Condition												Nativity					Months											
			Under 15 years	Single					Married					Widowed	Not stated	Canadian	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Not stated					United States	Other													
	(d) Rupture of uterus in parturition F.																													
	(e) Others under this title F.	3							2	1						2	1						1				1			1	
150	Other or unspecified condition of the puerperal tate F.	1							1							1													1		
	(a) Puerperal diseases of the breast F.	1							1							1													1		
	(b) Others under this title F.																														
	Class XII—Diseases of the skin and Cellular Tissue T.	13	4		1					3	2	2		1		11	1		1			1		2	1		2	2	2	2	1	
	M.	8	4							2	1	1				8								2			1	2	1	1	1	
	F.	5			1					1	1	1		1		3	1		1			1			1		1		1	1		
151	Carbuncle M.	1								1						1												1				
	F.	1									1						1					1										
152	Cellulitis, acute abscess M.	5	3							1	1					5								2				1	1		1	
	F.	1								1						1									1							
153	Other diseases of the skin and annexa and of the cellular tissue M.	2	1									1				2											1		1			
	F.	3			1							1		1		2			1								1		1			
	Class XIII—Diseases of the bones and organs of locomotion T.	14	4	1	2		2				3	1		1		13	1				3	1	1		2		1	2	1	1	2	
	M.	8	2	1	2						3	1				8					2	1	1		1			1	1	1		
	F.	6	2				2				1			1		5	1				1				1		1	1			2	
154	Osteomyelitis M.	6	1	1	2						1	1				6					2	1	1		1					1		
	F.	1	1													1					1											
155	Other diseases of the bones (tuberculosis excepted) M.	1									1					1													1			
	F.	4					2				1			1		3	1								1		1	1			1	
156	Diseases of the joints and other organs of locomotion M.	1	1													1												1				
	F.	1	1													1														1		
	(a) Of the joints (tuberculosis and rheumatism excepted) M.	1	1													1												1				
	F.																															
	(b) Of other organs of locomotion M.																															
	F.	1	1													1														1		

| | | |

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition												Nativity					Months											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	(c) Premature senility (55 years but under 70 years)	M.																													
		F.																													
	Class XVII—Violent or Accidental Deaths	T.	352	66	49	30	11	13		4	47	51	37		44		317	24	3	7	1	18	32	23	32	32	32	44	28	25	3	26	22
		M.	274	45	44	29	8	5		2	42	47	30		22		245	20	2	6	1	13	24	17	26	24	24	36	19	22	27	21	21
		F.	78	21	5	1	3	8		2	5	4	7		22		72	4	1	1		5	8	6	6	8	8	8	9	3	8	5	4
163	Suicides	M.	26		3	5	4				3	4	6		1		23	2		1		1	4	4	2	5	2	3	1		1	1	2
171		F.	3				1								2		2	1							1			1				
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	5		1		1					2	1				4			1			1		1			1				2
		F.																														
164	Suicide by poisonous gas	M.																														
		F.	1				1										1															2
165	Suicide by hanging or strangulation	M.	6			1	2						3				6					1	1	2	1						1	
		F.																														
166	Suicide by drowning	M.	2									1	1				1	1							1	1						
		F.	1												1			1										1				
167	Suicide by firearms	M.	12		2	4	1				2	1	1		1		12						2	1		3	2	2	1		1		
		F.																														
168	Suicide by cutting or piercing instruments	M.	1								1							1						1								
		F.	1												1		1								1							
169	Suicide by jumping from high places	M.																														
		F.																														
170	Suicide by crushing	M.																														
		F.																														
171	Suicide by other means	M.																														
		F.																														
173–175	Homicides	M.	4		1						2				1		4									1	1	1			1		
		F.	2					1		1							1	1										1			1		
173	Homicide by firearms	M.	4		1						2				1		4									1	1	1			1		
		F.																														

174	Homicide by cutting or piercing instruments	M.																																		
		F.																																		
175	Homicide by other means	M.																																		
		F.	2					1		1								1	1								1				1					
176-198	Other violent deaths	M.	244	45	40	24	4	5		2	37	43	24		20		218	18	2	5	1	12	20	13	24	18	21	32	18	22	25	20	19			
		F.	73	21	5	1	2	7		1	5	4	7		20		69	2	1	1		5	8	6	5	8	8	5	9	3	7	5	4			
176	Attack by venomous animals	M																																		
		F.																																		
177	Food poisoning	M.																																		
		F.																																		
178	Accidental absorption of toxic gasses	M.	4			1					2	1					4								3								1			
		F.	1								1						1									1										
179	Other acute accidental poisonings (except by gas)	M.	1	1													1						1													
		F.	2	1							1						2						1											1		
180	Conflagration	M.	7	3	1			1					1		1		7								1		2		2		1	1				
		F.																																		
181	Accidental burns (conflagration excepted)	M.	12	5	1						3	2			1		10	1		1		1	1	2	5					1		1	1			
		F.	6	5											1		6						2	1			1	1		1						
182	Accidental mechanical suffocation	M.	7	5							1		1				6	1				1	1				1	1			2		1			
		F.	3	3													3							2			1									
183	Accidental drowning	M.	53	16	13	4	1	1		1	7	5	1		4		50	2	1			3		3	2	9	9	13	5	2	3	1	3			
		F.	7	2	3		1						1				7								1		1	1	2		1		1			
184	Accidental injury by firearms	M.	6	1	4						1						6					1						1			1	2	1			
		F.	1								1								1													1				
185	Accidental injury by cutting or piercing instruments	M.	3	1							1	1					3										1	1			1					
		F.																																		
186	Accidental injury by fall crushing or landslide	M.	116	10	15	14	2	2		1	18	27	18		9		101	11		4		4	13	5	9	7	6	15	8	13	13	13	10			
		F.	43	8	2	1	1	7		1	2	4	5		12		41	1		1		5	5	1	3	5	4	2	7	2	4	4	1			
187	Cataclysm	M.																																		
		F.																																		
188	Injuries by animals	M.	5	1	1							1	1		1		5							1			1	1			1	1				
		F.	1	1													1									1										
189	Hunger or thirst	M.																																		
		F.																																		
190	Excessive cold	M.	10		2	2	1				1	3			1		9	1					2	1	1	1				4			1			
		F.																																		
191	Excessive heat	M.	2										1		1														2							
		F.																																		
192	Lightning	M.																																		
		F.																																		
193	Accidents due to electric currents	M.																																		
		F.																																		
194	Other accidents	M.	15	2	1	3		1			3	2	1		2		12	2			1	1	2		3	1	1		1	2	3	1				
		F.	9	1									1		7		8	1						2	1	1	1	1			2		1			
	(a) Foreign body	M.	1	1													1								1											
		F.	1	1													1										1									

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Under 15 years	Conjugal Condition: Single: 15 to 24 years	Single: 25 to 44 years	Single: 45 to 64 years	Single: 65 yrs and over	Single: Age not stated	Married: 15 to 24 years	Married: 25 to 44 years	Married: 45 to 64 years	Married: 65 years and over	Married: Age not stated	Widowed	Not stated	Nativity: Canada	Nativity: British	Nativity: Foreign: United States	Nativity: Foreign: Other	Nativity: Not stated	Months: January	February	March	April	May	June	July	August	September	October	November	December
	(b) Others under this title	M.	14	1	1	3	....	1	....	....	3	2	1	....	2	....	11	2	....	....	1	1	2	....	2	1	1	....	1	2	3	1	....	
		F.	8	....	....	....	....	....	....	....	....	....	1	....	7	....	7	1	....	....	....	....	....	2	1	1	....	1	....	....	2	....	1
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	2	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
198	Capital punishment	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Class XVIII—Ill-defined causes of death	T.	56	16	2	3	3	4	....	....	4	7	7	....	10	....	51	3	1	1	....	6	6	7	7	5	4	3	3	5	2	4	4
		M.	38	11	2	1	3	3	....	....	4	5	6	....	3	....	33	3	1	1	....	5	4	3	5	4	3	1	1	5	2	2	3
		F.	18	5	....	2	....	1	....	....	....	2	1	....	7	....	18	....	....	....	....	1	2	4	2	1	1	2	2	....	3	1	2	1
199	Sudden death	M.	20	4	1	1	2	2	....	....	2	2	4	....	2	....	17	2	1	....	....	4	2	1	2	2	1	1	....	....	3	1	2	1
		F.	5	....	....	....	....	....	....	....	....	....	1	....	4	....	5	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	....	1
200	Cause of death not specified or ill-defined	M.	18	7	1	....	1	1	....	....	2	3	2	....	1	....	16	1	....	1	....	1	2	2	3	2	2	....	1	2	1	....	....	2
		F.	13	5	....	2	....	1	....	....	....	2	....	....	3	....	13	....	....	....	....	....	1	3	2	1	1	1	2	....	....	....	2	....

TABLE XXXIII—SPECIAL CLASSES OF ACCIDENTAL DEATHS (INCLUDED ALSO UNDER THE NUMBERS OF THE INTERNATIONAL LIST ABOVE) PROVINCE OF NOVA SCOTIA, 1935.

Int. List No.	Causes of Death		Total	Conjugal Conditions												Nativity					Months											
				Single						Married								Foreign															
				Under 15 Years	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
A	Accidents in mines and quarries	M.	26	....	1	5	....	....	....	....	10	5	4	....	1	....	19	7	....	....	....	2	4	2	7	1	1	1	....	1	4	1	2
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
B	Accidents caused by machines	M.	4	....	....	....	....	....	....	....	1	1	1	....	1	....	3	1	....	....	....	1	....	....	....	....	1	....	1	1	....	....	....
		F.	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
C	Railway accidents	M.	16	....	4	1	1	....	....	....	3	6	1	....	....	....	15	1	....	....	....	....	1	....	7	2	2	....	1	1	....	1	1
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
D	Street car accidents	M.	2	....	....	1	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....
		F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
E	Automobile and motorcycle accidents	M.	42	9	7	5	1	2	....	1	5	4	5	....	3	....	40	....	....	2	....	2	1	1	1	4	2	7	4	4	6	5	5
		F.	15	6	1	1	....	....	....	1	2	2	....	....	2	....	15	....	....	....	....	....	....	....	1	2	1	1	4	2	3	1	....
F	Other land transportation	M.	6	....	....	2	....	....	....	....	....	2	2	....	....	....	5	....	....	1	....	....	....	....	....	1	....	2	1	....	2	....	....	....
		F.	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
G	Water transportation	M.	17	1	8	1	....	....	....	....	3	1	....	....	3	....	15	2	....	....	....	1	2	1	....	1	2	1	1	5	1	1	1
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
H	Air transportation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Table XXXIV—CAUSES OF DEATH BY COUNTIES NOVA SCOTIA 1935

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	Deaths—All causes	T.	6164	211	232	993	280	397	182	165	1310	237	293	295	380	456	118	142	161	83	229
		M.	3267	107	117	532	152	218	96	99	697	128	147	155	212	234	62	79	81	35	116
		F.	2897	104	115	461	128	179	86	66	613	109	146	140	168	222	56	63	80	48	113
	Class I—Infectious and Parasitic Diseases	T.	917	18	47	154	35	43	21	26	221	35	56	66	42	52	16	25	20	6	34
		M.	448	11	25	73	18	13	10	12	113	20	23	36	22	23	7	13	8	2	19
		F.	469	7	22	81	17	30	11	14	108	15	33	30	20	29	9	12	12	4	15
1	Typhoid fever	M.	4	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
		F.	3	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
2	Paratyphoid fever	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Relapsing fever	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Undulant fever	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Small-pox	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Measles	M.	9	.....	.....	1	2	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....	1	.....
		F.	15	.....	.....	9	.....	2	.....	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
8	Scarlet fever	M.	9	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	2	1	1	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping-cough	M.	19	.....	.....	4	.....	2	.....	.....	4	.....	1	1	3	3	.....	1	.....	.....	.....
		F.	29	.....	.....	9	.....	2	.....	1	10	1	4	1	1	.....	.....	.....	.....	.....	.....
10	Diphtheria	M.	5	.....	.....	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	6	.....	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Influenza	M.	110	2	3	14	9	3	3	1	20	12	10	10	6	5	1	2	5	.....	4
		F.	132	3	9	22	7	8	4	2	18	3	16	9	6	10	2	3	5	1	4
	(a) Sole cause	M.	24	.....	.....	3	4	2	.....	.....	1	5	4	1	.....	2	1	.....	1	.....	.....
		F.	49	1	3	7	1	2	1	1	6	1	9	5	2	4	1	1	2	1	1
	(b) With bronchitis	M.	4	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	5	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	(c) With pneumonia	M.	42	1	2	5	2	.....	.....	1	10	3	4	4	4	.....	.....	.....	4	.....	2
		F.	44	.....	1	10	3	2	3	1	9	.....	2	3	1	2	1	1	3	.....	2
	(d) With other diseases of the respiratory system	M.	5	.....	.....	2	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	(e) With intestinal complications	M.	7	.....	.....	.....	1	.....	1	.....	3	.....	.....	.....	1	.....	.....	1	.....	.....	.....
		F.	5	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....
	(f) With other causes	M.	28	1	1	4	2	.....	1	.....	4	4	2	3	.....	3	.....	1	.....	.....	2
		F.	27	1	5	3	1	3	.....	.....	3	2	3	1	2	2	.....	.....	.....	.....	1

13	Dysentery	M.	3			2					1										
		F.	2								1				1						
15	Erysipelas	M.	6							1	4				1						
		F.	4								4										
16	Poliomyelitis and polioencephalitis (acute)	M.	1			1															
		F.	1						1												
17	Lethargic or epidemic encephalitis	M.																			
		F.																			
18	Epidemic cerebrospinal meningitis	M.	6			1					3					1					1
		F.	3			1													2		
19	Glanders	M.																			
		F.																			
20	Anthrax, malignant pustule	M.																			
		F.																			
21	Rabies	M.																			
		F.																			
22	Tetanus	M.	4			2	2														
		F.	1								1										
23–32	Tuberculosis	M.	236	8	20	39	4	8	4	10	59	7	9	23	6	11	5	8	3	1	11
		F.	252	4	12	31	7	17	3	11	69	10	10	20	8	17	7	8	5	3	10
23	Tuberculosis of the respiratory system	M.	199	4	18	30	4	6	3	9	51	5	7	21	5	10	5	8	2	1	10
		F.	217	4	12	31	6	16	3	9	53	9	8	19	6	13	7	7	5	2	7
24	Tuberculosis of the meninges and central nervous system	M.	12	2	2	5		1			1		1								
		F.	19				1				9	1		1	1	1		1		1	3
25	Tuberculosis of the intestines and peritoneum	M	9	2		2		1				2			1				1		
		F.	6					1		1	1		2			1					
26	Tuberculosis of the vertebral column	M	4						1	1	1										1
		F.	2												1	1					
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.	1								1										
		F.	1								1										
	(a) Of bones	M.	1								1										
		F.																			
	(b) Of joints	M.																			
		F.	1								1										
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M	1								1										
		F.																			
29	Tuberculosis of the lymphatic system (mesenteric, retroperitoneal and bronchial glands excepted)	M.																			
		F.																			
30	Tuberculosis of the genito-urinary system	M.	4								2			1		1					
		F.																			
31	Tuberculosis of other organs	M.																			
		F.																			
32	Disseminated tuberculosis	M.	6			2					2		1	1							
		F.	7							1	5					1					
	(a) Acute	M.	3			2					1										
		F.	4							1	2					1					
	(b) Chronic	M.	1										1								
		F.																			
	(c) Not specified	M.	2								1			1							
		F.	3								3										

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
33	Leprosy	M.																			
		F.																			
34	Syphilis	M.	25	1		3					15	1		1	2	1					1
		F.	11			1	2	1			3				2	1		1			
35	Gonococcus infection and other venereal diseases	M.																			
		F.	1		1																
36	Purulent infection, septicaemia (non-puerperal)	M.	6		2	2			1												1
		F.	5			2	1		1							1					
38	Malaria	M.	1								1										
		F.																			
39	Other diseases due to protozoal parasites	M.																			
		F.																			
40	Ankylostomiasis	M.																			
		F.																			
41	Hydatid cysts	M.																			
		F.																			
	(a) Of the liver	M																			
		F																			
	(b) Of other organs	M.																			
		F.																			
42	Other diseases caused by helminths	M																			
		F.																			
43	Mycoses	M.	1										1								
		F.																			
44	Other infectious or parasitic diseases	M.	2								1							1			
		F.	4								1	1			1						1
	(a) Chicken- pox	M.																			
		F.																			
	(b) German measles	M.	2								1							1			
		F.	2								1	1									
	(c) Others under this title	M.																			
		F.	2												1						1
	Class II—Cancer and other Tumours	T	645	26	22	109	29	39	18	14	152	34	20	25	48	27	18	13	13	11	27
		M.	306	9	8	62	15	20	7	7	73	13	9	11	23	14	8	7	7	3	10
		F.	339	17	14	47	14	19	11	7	79	21	11	14	25	13	10	6	6	8	17
45–53	Cancer and other malignant tumours	M.	298	8	8	61	15	19	6	7	71	12	9	11	23	13	8	7	7	3	10
		F.	319	16	12	44	12	16	11	6	76	20	11	13	24	12	10	6	5	8	17

45	Cancer of the buccal cavity and pharynx	M.	23			3	1	1	1		11	1			2	1			1		1		
		F.	9			2					2	1	1		1		1				1		
46	Cancer of the digestive tract and peritoneum	M.	179	7	7	41	8	14	4	4	36	9	5	4	13	5	7	4	4	2	5		
		F.	166	6	9	26	5	9	6	4	29	11	8	6	12	7	6	3	4	4	11		
	(a) Of the oesophagus	M.	5			3			1		1												
		F.	1						1														
	(b) Of the stomach and duodenum	M.	100	3	1	29	5	7	1	2	22	5	2	2	8		4	3	4		2		
		F.	66	1		13	1	4	2		14	4	2	1	5	3	3	2	2	2	7		
	(c) Of the rectum	M.	10		1	2	1				4	1									1		
		F.	14	1		1		2			3	2	3				1		1				
	(d) Of the liver and biliary ducts	M.	23	2	4	1		2	2	1	3	1	1	1		2	2	1					
		F.	27	2	2	7	1	1	2	1	1	2		3	3	1	1						
	(e) Of the pancreas	M.	7	1		1					2			1	2								
		F.	4	1	1						2												
	(f) Of the peritoneum	M	2			1					1												
		F.	2								2												
	(g) Of other organs	M.	32	1	1	4	2	5		1	3	2	2		3	3	1			2	2		
		F.	52	1	6	5	3	2	1	3	7	3	3	2	4	3	1	1	1	2	4		
47	Cancer of the respiratory organs	M.	13			6	2				3		1			1							
		F.	10				2	1	1		4	1			1								
	(a) Of the larynx	M.																					
		F.	1						1														
	(b) Of the lung	M.	11			4	2				3		1			1							
		F.	8				2	1			3	1			1								
	(c) Of the mediastinum	M.	2			2																	
		F.	1								1												
	(d) Of other organs of the respiratory system	M.																					
		F.																					
48	Cancer of the uterus	F.	56	4		5	1	2	2	1	17	4	2	1	5	3	2	1	1	1	4		
	(a) Of the uterus	F.	38	3		1	1	2	1	1	9	3	2	1	5	2	1	1	1	1	3		
	(b) Of the cervix uteri	F.	18	1		4			1		8	1				1	1				1		
49	Cancer of other female genital organs	F.	12	2		1					6			1	1			1					
50	Cancer of the breast	M.																					
		F.	30	2	2	4	1	4	2		8			1	3	1	1			1			
51	Cancer of the male genito-urinary organs	M.	49	1	1	8	3	2		1	10	1	1	5	6	5	1		1	1	2		
	(a) Of the bladder	M.	17		1	1	2	2			5		1	2		1				1	1		
	(b) Of the kidney	M.	2												1						1		
	(c) Of the prostate gland	M.	28	1		7				1	4	1		3	5	4	1		1				
	(d) Of the testicles and annena	M.	2				1				1												
	(e) Of other male genito-urinary organs	M.																					
52	Cancer of the skin	M.	13			3				1	4	1	1	1		1		1					
		F.	8		1	2	1				1	2		1									
53	Cancer of other or unspecified organs	M.	21				1	2	1	1	7		1	1	2			2	1		2		
		F.	28	2		4	2			1	9	1		3	1	1		1		2	1		
	(a) Of the eye and orbit	M.																					
		F.																					
	(b) Of the circulatory system	M.																					
		F.																					
	(c) Of the glandular system	M.	5				1				3				1								
		F.	5			1					1			1	1			1					
	(d) Of the female urinary organs	F.	9	2			1				3	1								1	1		

CAUSES OF DEATH BY COUNTIES—Continued

Int. list No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(e) Of the bones and joints	M.	1												1						
		F.																			
	(f) Of the brain	M.	2								2										
		F.	3			1					1					1					
	(g) Of the spine and spinal cord	M.	1																		1
		F.	1											1							
	(h) Of the neck	M.	2										1						1		
		F.	2								1			1							
	(i) Of the abdomen	M.	7					1		1	1			1				2			1
		F.	6			1	1			1	2									1	
	(j) Of other specified organs	M.	1					1													
		F.	2			1					1										
	(k) Multiple cancer	M.	1								1										
		F.																			
	(m) Of unspecified or unknown location	M.	1						1												
		F.																			
54	Non-malignant tumours	M.	6	1				1	1		2					1					
		F.	19	1	2	3	1	3		1	3	1		1	1	1			1		
	(a) Of the ovary	F.	3		1		1					1									
	(b) Of the uterus	F.	11		1	3		2			2			1		1			1		
	(c) Of other female genital organs	F.																			
	(d) Of the brain	M.	3	1					1							1					
		F.	2	1						1											
	(e) Of the thyroid gland	M.																			
		F.	3					1			1										
	(f) Of the prostate gland	M.	1								1				1						
	(g) Of other or unspecified sites	M.	2					1			1										
		F.																			
55	Tumours, nature not specified	M.	2			1						1									
		F	1				1														
	(a) Of the ovary	F.																			
	(b) Of the uterus	F																			
	(c) Of other female genital organs	F.																			
	(d) Of the brain	M	2			1						1									
		F.																			
	(e) Of the tyhroid gland	M																			
		F.																			
	(f) Of the prostategland	M.																			
	(g) Of other or unspecified sites	M.																			
		F.	1				1														

	CLASS III—Rheumatic Diseases. Diseases of Nutrition and of the endocrine glands and other general diseases	T.	145	3	4	26	7	15	7	3	29	6	8	4	13	6	3	1	2	3	5
		M.	53	2	1	12	2	6	.....	1	6	1	2	2	6	3	2	1	1	2	3
		F.	92	1	3	14	5	9	7	2	23	5	6	2	7	3	1	.....	1	1	2
56	Acute rheumatic fever	M.	7	.....	.....	3	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	9	.....	.....	3	.....	.....	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....
57	Chronic rheumatism, osteo-arthritis	M.	9	2	.....	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	.....
		F.	19	.....	2	3	.....	1	.....	.....	5	1	4	.....	1	1	1	.....	.....	.....	.....
58	Gout	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Diabetes mellitus	M.	25	.....	1	5	1	5	.....	1	1	.....	.....	.....	4	2	1	1	1	.....	2
		F.	52	1	1	5	4	7	6	1	12	2	2	2	4	2	.....	.....	1	.....	2
60	Scurvy	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Beriberi	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Pellagra	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Rickets	M.	4	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	Osteomalacia	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	Diseases of the pituitary gland	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66	Diseases of the thyroid and parathyroid glands	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	7	.....	.....	1	1	.....	.....	1	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
	(a) Simple goitre	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Exophthalmic goitre	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	4	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
	(c) Myxoedema, cretinism	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d) Tetany	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(e) Others under this title	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
67	Diseases of the thymus gland	M.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1
		F.	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
68	Diseases of the adrenals (Addison's disease)	M.	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
		F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
69	Other general diseases	M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Fatty or amyloid degeneration	M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Steatosis	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Others under this title	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class IV—Diseases of the blood and blood-forming organs	T.	2	3	2	8	1	3	.....	1	7	3	3	3	6	2	.....	.....	.....	.....	2
		M.	44	1	1	.....	1	.....	.....	.....	2	2	2	2	3	1	.....	.....	.....	.....	.....
		F.	19	2	1	4	.....	3	.....	1	5	1	1	1	3	1	.....	.....	.....	.....	2

TABLE XXXIV CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
70	Haemorrhagic conditions	M.	2			1									1						
		F.	2			2															
	(a) Simple purpura	M.	1												1						
		F.	2			2															
	(b) Haemophilia	M.	1			1															
		F.																			
71	Anaemia	M.	10	1	1	3					1	1			2	1					
		F.	15	1		2		2			2	1	1	1	3	1					1
	(a) Pernicious anaemia	M.	9	1	1	3						1			2	1					
		F.	13	1		1		2			1	1	1	1	3	1					1
	(b) Others under this title	M.	1								1										
		F.	2			1					1										
72	Leukaemia and aleukaemia	M.	6				1				1	1	1	2							
		F.	6	1	1			1		1	2										
	(a) Leukaemia	M.	3				1				1			1							
		F.	4	1	1						2										
	(b) Aleukaemia (Hodgkin's disease)	M.	3									1	1	1							
		F.	2					1		1											
73	Diseases of the spleen	M.	1										1								
		F	2								1										
74	Other diseases of the blood and blood-forming organs	M.																			
		F																			
	Class V—Chronic poisonings and intoxications	T.	16			3	5	2			2	1		1		1					1
		M	15			2	5	2			2	1		1		1					1
		F.	1			1															
75	Alcoholism	M.	13			2	5	1			1	1		1		1					1
		F.																			
	(a) Delirium tremens	M.	1				1														
		F.																			
	(b) Other alcoholic intoxications	M.	12			2	4	1			1	1		1		1					1
		F.																			
76	Chronic poisoning, by other organic substances	M.	2					1			1										
		F.																			
	(a) Chronic morphinism	M.																			
		F.																			
	(b) Chronic cocainism	M.	1								1										
		F.																			
	(c) Occupational	M.																			
		F.																			
	(d) Other organic poisoning	M.	1					1													
		F.																			

77	Chronic poisoning by mineral substances	M																			
		F	1			1															
	(a) Lead (including occupational)	M																			
		F	1			1															
	(b) Occupational, except lead	M																			
		F																			
	(c) Others under this title	M																			
		F																			
	Class VI—Diseases of the Nervous System and of the organs of special sense	T	437	25	18	75	22	24	8	17	65	12	15	24	31	38	12	14	20	6	11
		M	232	14	11	38	12	13	4	12	37	5	8	14	21	17	5	7	10		4
		F	205	11	7	37	10	11	4	5	28	7	7	10	10	21	7	7	10	6	7
78	Encephalitis (non-epidemic)	M	3								2				1						
		F	1				1														
79	Simple meningitis	M	10	3		1	1	1					1			1	1	1			
		F	8					2			1		1			1	2	1			
80	Progressive locomotor ataxia (tabes dorsalis)	M	1													1					
		F																			
81	Other diseases of the spinal cord	M	10	1	1	2	2	1			1					1		1			
		F	5			1	1		1							1		1			
82	Cerebral haemorrhage, cerebral embolism and thrombosis	M	118	7	7	16	7	9	3	5	14	2	4	7	14	4	3	2	10		4
		F	126	11	5	28	3	6	2	3	13	2	3	7	9	15	5	2	6	3	3
	(a) Cerebral haemorrhage	M	99	6	5	14	7	8	2	5	11	2	4	5	11	4	2	2	8		3
		F	102	9	5	20	3	6	1	2	9	2	2	7	8	14	4	1	5	1	3
	(b) Cerebral embolism and thrombosis	M	9	1		1					2			2	2						1
		F	2	1												1					
	(c) Softening of the brain	M	1					1													
		F	2	1		1															
	(d) Hemiplegia and other paralysis, cause not specified	M	9		2	1			1		1				1		1		2		
		F	20			7			1	1	4		1		1		1	1	1	2	
83	General paralysis of the insane	M	8			1					2	2		1	1			1			
		F	5								3		1			1					
84	Dementia praecox and other psychoses	M	6			1	1		1		3										
		F	9			1		1		1	3	2				1					
	(a) Dementia praecox	M	1								1										
		F	2					1				1									
	(b) Other psychoses	M	5			1	1		1		2										
		F	7			1				1	3	1				1					
85	Epilepsy	M	14		1	2	1				4			2		3		1			
		F	6					1				1	1			1		2			
86	Convulsions (under 5 years of age)	M	25	1	1	11				3	4		3			1	1				
		F	14			3	1			1	2				1				3	1	2
87	Other diseases of the nervous system	M	22	2		3		1		4	3	1		3	1	3		1			
		F	25		2	3	2		1		4	2	1	3		1		1	1	2	2
	(a) Chorea	M	1											1							
		F	2															1	1		
	(b) Neuralgia and neuritis	M																			
		F	1								1										
	(c) Paralysis agitans	M	4	1							2							1			
		F	8		1		1		1		1		1	2							1
	(d) Sclerosis (other than of the spinal cord)	M	7			2		1						1		3					
		F	4				1					1				1				1	

TABLE XXXIV CAUSES OF DEATH BY COUNTIES—Continued.

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(e) Others under this title	M.	10	1		1				4	1	1		1	1						
		F.	10		1	3					2	1		1						1	1
88	Diseases of the organs of vision	M.	2												1	1					
		F.																			
89	Diseases of the ear and mastoid process	M.	13		1	1		1			4			1	3	2					
		F.	6			1	2	1			2										
	(a) Otitis	M.	7					1			1			1	2	2					
		F.	2				1				1										
	(b) Diseases of the Mastoid process	M.	6		1	1					3				1						
		F.	4			1	1	1			1										
	(c) Others under this title	M.																			
		F.																			
	Class VII—Diseases of the circulatory system	T.	1320	61	30	147	60	94	44	35	298	64	62	71	77	110	18	17	48	11	73
		M.	700	29	19	79	35	56	24	20	139	41	34	42	39	57	7	8	24	5	42
		F.	620	32	11	68	25	38	20	15	159	23	28	29	38	53	11	9	24	6	31
90-95	Diseases of the heart	M.	433	20	11	54	21	32	16	12	79	25	25	26	28	34	7	5	13	4	21
		F	368	17	7	47	12	23	10	7	76	14	23	21	27	26	9	9	15	5	20
90	Pericarditis	M.	1												1						
		F.	2								1										1
91	Acute endocarditis	M.	10								7				2						1
		F.	4			1					1	1		1							
	(a) Endocarditis specified as acute	M.	10								7				2						1
		F.	2								1	1									
	(b) Endocarditis unspecified (under 45 years of age)	M.																			
		F.	2			1								1							
92	Chronic endocarditis, valvular diseases	M.	125	5	2	12	6	16	7		26	10	9	2	5	12	2		6	1	4
		F.	110	3	2	14	5	8	7	2	17	6	6	3	5	13	1	6	5	3	4
	(a) Endocarditis specified as chronic and other valvular diseases	M.	113	5	2	10	5	16	7		26	6	9	2	5	7	2		6	1	4
		F.	101	2	2	14	5	8	7	2	17	5	6	3	5	6	1	6	5	3	4
	(b) Endocarditis, unspecified, (45 years and over)	M.	12			2	1					4				5					
		F.	9	1								1				1					
93	Diseases of the myocardium	M.	81	2		9	3	6	3	4	16	4	5	8	4	6	1	1	3		6
		F.	92	4		16		9		1	21	4	6	5	8	8	1		2	1	6
	(a) Acute myocarditis	M.	3			1									2						
		F.	5	1		4															
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	4					1			1	1			1						
		F.	1					1													
	(c) Chronic myocarditis and myocardial degeneration	M.	43	1		4	3	1	2	3	10	1	4	6	1	2	1		1		3
		F.	45	3		4		2		1	12		5	3	4	4	1		2	1	3
	(d) Myocarditis, unspecified, (45 years and over)	M.	31	1		4		4	1	1	5	2	1	2		4		1	2		3
		F.	41			8		6			9	4	1	2	4	4					3

94	Diseases of the coronary arteries and angina pectoris	M.	123	12	.....	13	8	7	6	4	21	6	2	10	12	10	2	.....	3	1	6
		F.	71	6	.....	4	2	3	3	1	23	1	.....	7	7	2	4	.....	5	.....	3
	(a) Diseases of the coronary arteries	M.	5	1	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Embolism and thrombosis of the coronary arteries	M.	68	8	.....	6	2	6	4	2	13	2	1	2	11	7	.....	.....	.....	1	3
		F.	48	6	.....	3	2	1	1	1	18	.....	.....	4	5	2	1	.....	1	.....	3
	(c) Angina pectoris	M.	50	3	.....	6	6	1	2	1	7	4	1	8	1	3	2	.....	3	.....	2
		F.	23	.....	.....	1	.....	2	2	.....	5	1	.....	3	2	.....	3	.....	4	.....	.....
95	Other diseases of the heart	M.	93	1	9	20	4	3	.....	4	9	5	9	6	4	6	2	4	1	2	4
		F.	89	4	5	12	5	3	.....	3	13	2	11	5	7	3	3	3	3	1	6
	(a) Functional diseases of the heart	M.	9	.....	.....	1	2	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	1	.....	2
		F.	6	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
	(b) Other and unspecified	M.	84	1	9	19	2	3	.....	4	8	3	9	6	4	6	2	4	.....	2	2
		F.	83	4	5	11	4	3	.....	3	13	2	11	5	6	3	3	3	1	1	5
96	Aneurysm (except of the heart)	M.	5	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
97	Arteriosclerosis (of coronary arteries excepted)	M.	207	7	3	15	14	18	6	5	49	14	7	10	9	20	.....	2	9	1	18
		F.	197	12	2	11	13	11	4	5	73	8	3	5	6	23	1	.....	9	.....	11
98	Gangrene	M.	8	.....	.....	2	.....	.....	1	2	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....
		F.	6	.....	1	1	.....	1	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
99	Other diseases of the arteries	M	5	.....	.....	1	.....	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	4	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
100	Diseases of the veins (varices haemorrhoids, phlebitis, etc.)	M.	4	1	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
101	Diseases of the lymphatic system (lymphangitis, etc.)	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Idiopathic abnormalities of blood pressure	M.	35	1	5	6	.....	3	1	.....	7	1	1	4	1	2	.....	1	.....	.....	2
		F.	45	3	1	8	.....	3	5	3	9	1	2	1	5	2	1	.....	.....	1	.....
103	Other diseases of the circulatory system	M.	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class VIII—Diseases of the respiratory system	T.	542	13	17	82	27	37	16	16	124	17	24	26	32	49	15	11	11	6	19
		M.	283	8	10	39	11	22	8	12	70	5	13	12	18	24	11	7	3	4	6
		F.	259	5	7	43	16	15	8	4	54	12	11	14	14	25	4	4	8	2	13
104	Diseases of the nasal fossae and annexa	M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diseases of the larynx	M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....
		F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Croup	M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Other diseases of the larynx	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
106	Bronchitis	M.	16	.....	.....	2	.....	1	1	.....	4	.....	1	2	1	4	.....	.....	.....	.....	.....
		F.	19	.....	1	4	1	1	.....	.....	2	1	3	1	.....	2	.....	1	1	.....	1
	(a) Acute	M.	9	.....	.....	1	.....	1	1	.....	3	.....	.....	.....	.....	3	.....	.....	.....	.....	.....
		F.	11	.....	.....	3	1	.....	.....	.....	1	.....	2	1	.....	2	.....	.....	.....	.....	1
	(b) Chronic	M.	5	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....
		F.	5	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
	(c) Unspecified	M.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
		F.	3	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....

TABLE XXXIV CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
107	Bronchopneumonia	M.	98	5	2	15	...	9	3	4	27	3	2	3	8	6	3	3	1	...	4
		F.	88	4	...	11	5	7	6	1	24	...	2	4	5	13	...	1	3	...	2
	(a) Bronchopneumonia	M.	97	5	2	15	...	9	3	4	27	2	2	3	8	6	3	3	1	...	4
		F.	87	4	...	11	5	7	6	1	24	...	2	4	5	13	...	1	2	...	2
	(b) Capillary bronchitis	M.	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
		F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
108	Lobar pneumonia	M.	81	2	...	9	8	6	2	3	23	1	4	3	3	6	4	3	2	...	2
		F.	76	...	1	10	7	3	...	2	16	6	5	4	4	6	2	1	3	1	5
109	Pneumonia, unspecified	M.	47	1	7	8	...	2	2	3	10	...	2	1	4	3	2	1	...	1	...
		F.	46	1	5	10	3	3	...	1	4	2	...	4	3	3	2	1	1	1	2
110	Pleurisy	M.	4	...	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	1	...
		F.	6	...	...	1	...	1	...	...	2	...	...	...	1	1	...	...	...	...	...
111	Congestion and haemorrhagic infarct of the lung, etc	M.	9	...	1	2	...	2	...	1	1	...	...	...	1	...	...	...	...	1	...
		F.	10	...	...	4	...	...	...	...	2	2	1	...	1	...	...	...	...	...	...
	(a) Pulmonary embolism and thrombosis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b) Others under this title	M.	9	...	1	2	...	2	...	1	1	...	...	...	1	...	...	...	...	1	...
		F.	10	...	...	4	...	...	...	...	2	2	1	...	1	...	...	...	...	...	...
112	Asthma	M.	17	...	...	2	1	2	...	1	2	...	1	2	1	4	1	...	...	...	2
		F.	9	...	...	2	...	...	2	...	2	...	...	1	...	...	...	...	...	...	...
113	Pulmonary emphysema	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	7	...	...	1	1	...	...	...	1	1	1	1	...	...	1	...	...	...	1
		F.	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b) Gangrene of the lung	M.	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(c) Others under this title	M.	5	...	...	1	...	...	...	...	1	1	...	1	...	...	1	...	...	...	1
		F.	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	Class IX—Diseases of the digestive system	T.	367	13	14	101	7	21	8	4	67	9	23	15	24	28	5	2	7	2	17
		M.	208	6	5	66	3	11	6	2	42	4	12	8	13	15	4	1	1	1	8
		F	159	7	9	35	4	10	2	2	25	5	11	7	11	13	1	1	6	1	9
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	18	1	1	5	...	3	...	...	6	...	...	1	1	...	...	...	...	...	...
		F.	13	...	...	3	...	2	1	...	2	...	3	...	...	2	...	...	...	...	...
	(a) Diseases of the buccal cavity and annexa	M.	7	1	1	2	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...
		F.	6	...	...	...	...	2	...	...	...	...	3	...	...	1	...	...	...	...	...
	(b) Diseases of the tonsils	M.	6	...	...	2	...	2	...	...	2	...	...	...	...	...	...	...	...	...	...
		F.	5	...	...	3	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...

| | | |

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings'	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	Class X—Diseases of the Genito-urinary system	T.	472	19	22	57	24	26	22	19	95	17	25	22	36	45	4	7	13	8	11
		M.	283	13	11	32	15	15	14	13	56	10	14	13	22	27	2	5	9	5	7
		F.	189	6	11	25	9	11	8	6	39	7	11	9	14	18	2	2	4	3	4
130	Acute nephritis (including unspecified, under 10 years of age)	M.	10	1	.....	3	1	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....	.....
		F.	6	.....	.....	1	1	.....	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
131	Chronic nephritis	M.	136	7	3	15	5	8	7	8	32	3	8	10	11	8	1	2	3	2	3
		F.	134	5	8	16	4	9	7	6	27	6	6	8	10	11	2	2	3	3	1
132	Nephritis unspecified (10 years and over)	M.	27	.....	.....	4	1	1	3	2	4	3	2	.....	.....	5	.....	1	1	.....	.....
		F.	17	.....	2	3	.....	.....	.....	.....	1	1	2	.....	1	3	.....	.....	1	.....	3
133	Other diseases of the kidneys and ureters	M.	21	.....	5	3	1	1	.....	2	3	.....	2	.....	.....	.....	.....	1	1	2	.....
		F.	13	1	.....	3	1	1	.....	.....	2	.....	1	1	1	2	.....	.....	.....	.....	.....
134	Calculi of the urinary passages	M.	5	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	1	.....	.....	.....	.....	.....
		F.	4	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
135	Diseases of the bladder (tumours excepted)	M.	9	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	2	2	.....	.....	2	1	.....
		F.	5	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
136	Diseases of the urethra, urinary abscess, etc	M.	5	.....	.....	1	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Stricture of the urethra	M.	5	.....	.....	1	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Others under this title	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
137	Diseases of the prostate	M.	69	5	2	5	7	4	4	1	10	3	2	2	7	9	1	1	2	.....	4
138	Diseases of the male genital organs (not specified as venereal)	M.	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
139	Diseases of the female genital organs (not specified as venereal)	F.	10	.....	1	2	2	.....	.....	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	(a) Of the ovary, Fallopian tube and parametrium	F.	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	(b) Of the uterus	F.	7	.....	.....	1	2	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Of the breast	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d) Others under this title	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class XI—Diseases of pregnancy, childbirth and the puerperal state	T.	62	1	4	13	7	4	1	2	13	1	1	2	2	7	.....	1	1	1	1
140	Abortion with septic conditions	F.	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	(a) Abortion	F.	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	(b) Self-induced abortion	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Abortion without mention of septic conditions (Haemorrhage included)	F.	4	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	(a) Abortion	F.	4	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	(b) Self-induced abortion	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
142	Ectopic gestation	F.	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) With septic conditions	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Without mention of septic conditions	F.	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

143	Other accidents of pregnancy (haemorrhage excluded)	F.																			
144	Puerperal haemorrhage	F.	13			2		1			3		1	2		2		1			1
	(a) Placenta praevia	F.	3					1			1					1					
	(b) Other haemorrhages	F.	10			2					2		1	2		1		1			1
145	Puerperal septicaemia (not specified as due to abortion)	F	13		1	6	1	2			1				1	1					
	(a) Puerperal septicaemia and pyaemia	F.	13		1	6	1	2			1				1	1					
	(b) Puerperal tetanus	F.																			
146	Puerperal albuminuria and eclampsia	F.	12		1	1	2				4				1				1		
147	Other toxaemias of pregnancy	F.	3								3										
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.	2					1			1										
	(a) Phlegmasia alba dolens and thrombosis	F.	1								1										
	(b) Embolism	F.	1					1													
	(c) Sudden death	F.																			
149	Other accidents of childbirth	F.	9	1	2	2		1		1	1									1	
	(a) Caesarean operation	F.	1			1															
	(b) Other surgical operations and Instrumental delivery	F.	2							1	1									1	
	(c) Dystocia	F.	3		1	1														1	
	(d) Rupture of uterus in parturition	F.																			
	(e) Others under this title	F.	3	1	1			1													
150	Other, or unspecified condition of the puerperal state	F.	1				1														
	(a) Puerperal diseases of the breast	F.	1				1														
	(b) Others under this title	F.																			
	Class XII—Diseases of the skin and cellular Tissue	T.	13			1	1	1		1	5	1	1	1	1						
		M.	8					1		1	3	1		1	1						
		F.	5			1	1				2		1								
151	Carbuncle	M.	1								1										
		F.	1								1										
152	Cellulitis, acute abscess	M.	5					1			2	1		1							
		F.	1			1															
153	Other diseases of the skin and annexa and of the cellular tissue	M.	2							1					1						
		F.	3				1				1		1								
	Class XIII—Diseases of the bones and organs of locomotion	T.	14		1	2		1			5				2	1	1	1			
		M.	8					1			4				2	1					
		F.	6		1	2					1						1	1			
154	Osteomyelitis	M.	6					1			2				2	1					
		F.	1			1															
155	Other diseases of the bones (tuberculosis excepted)	M.	1								1										
		F.	4		1						1						1	1			
156	Diseases of the joints and other organs of locomotion	M.	1								1										
		F.	1			1															
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	1								1										
		F.																			
	(b) Of other organs of locomotion	M.																			
		F.	1			1															
	Class XIV—Congenital malformations	T.	85	1	1	18	2	5	3	4	29	1	3	1	3	4	1	2	5	1	1
		M.	50			7	2	3	2	2	18	1	2	1	2	3	1	2	4		
		F.	35	1	1	11		2	1	2	11		1		1	1			1	1	1
157	Congenital malformations (stillbirths excluded)	M.	50			7	2	3	2	2	18	1	2	1	2	3	1	2	4		
		F	35	1	1	11		2	1	2	11		1		1	1			1	1	1

TABLE XXXIV CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(a) Congenital hydrocephalus	M.	5					1			2				1	1					
		F.																			
	(b) Spina bifida and meningocele	M.	5			1		1		1					1				1		
		F.				1		2			3										
	(c) Congenital malformations of the heart	M.	23			6	1	1			8	1	1			1			2		
		F.	21			7			1	1	6		1		1	1			1	1	1
	(d) Monstrosities	M.																			
		F.																			
	(e) Others under this title	M.	17				1			1	8		1	1		1	1	2	1		
		F.	6			3				1	2										
	Class XV—Diseases of early infancy	T.	376	11	13	83	24	32	18	8	63	12	12	10	19	27	11	10	6	4	13
		M.	213	5	6	48	12	21	7	6	40	8	5	5	11	14	7	7	3	2	6
		F.	163	6	7	35	12	11	11	2	23	4	7	5	8	13	4	3	3	2	7
158	Congenital debility	M.	44	1	1	15	1	2	1	2	8	1		1	2	1	2	4	2		
		F.	25		1	6	1	2	1		3		1	1	4	1	1			1	2
159	Premature birth	M.	108	1	2	23	8	14	1	3	20	3	3	4	4	11	5	1		2	3
		F.	81	3	2	14	10	6	5		14	3	3	3	1	9	2	1	1	1	3
160	Injury at birth	M.	25	1	3	3	2	1	3	1	3	2	1		1	1					3
		F.	25		3	7			3		2	1	2	1	2	1	1				
	(a) With mention of caesarean operation	M.																			
		F.																			
	(b) Without mention of caesarean operation	M.	25	1	3	3	2	1	3	1	3	2	1		1	1					3
		F.	25		3	7			3		2	1	2	1	2	1	1				2
61	Other diseases peculiar to early infancy (under 3 months)	M.	36	2		7	1	4	2		9	2	1		4	1			1		
		F.	32	3	1	8	1	3	2	2	4		1		1	2		2	2		
	(a) Atelectasis	M.	5	2				1				1				1					
		F.	4	1		2			1												
	(b) Icterus of the new-born	M.	4					1	1		1				1						
		F	2					1											1		
	(c) Sclerema and oedema	M.																			
		F.	1			1															
	(d) Athrepsia	M.	1						1												
		F.	1			1															
	(e) Others, including lack of care	M.	16			6					6	1	1		1				1		
		F.	20	2	1	4	1	2	1		4		1		1	1		1	1		
	(f) No cause given, no doctor in attendance	M.	10			1	1	2			2				2						
		F.	4							2						1		1			
	Class XVI—Senility	T.	301	10	21	47	10	18	3	5	41	8	28	11	13	25	7	30	6	15	3
		M.	129	2	9	17	4	8	2	4	19	4	14	2	6	6	4	16	5	5	2
		F.	172	8	12	30	6	10	1	1	22	4	14	9	7	19	3	14	1	10	1

162	Senility	M.	129	2	9	17	4	8	2	4	19	4	14	2	6	6	4	16	5	5	2	
		F.	172	8	12	30	6	10	1	1	22	4	14	9	7	19	3	14	1	10	1	
	(a) With senile dementia (70 years and over)	M.	7					1	1		3			1			1					
		F.	10	1		1					5	2		1								
	(b) Without senile dementia (70 years and over)	M.	122	2	9	17	4	7	1	4	16	4	14	1	6	6	3	16	5	5	2	
		F.	162	7	12	29	6	10	1	1	17	2	14	8	7	19	3	14	1	10	1	
	(c) Premature senility (55 years but under 70 years)	M.																				
		F.																				

TABLE XXIV CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	Class XVII—Violent or Accidental Deaths	T.	352	5	13	57	14	27	13	8	87	16	8	9	26	34	5	5	8	7	10
		M.	274	5	9	45	13	22	12	6	67	12	7	4	18	28	4	5	5	5	7
		F.	78	.....	4	12	1	5	1	2	20	4	1	5	8	6	1	.....	3	2	3
163–171	Suicides	M.	26	.....	.....	4	2	1	.....	.....	9	1	1	.....	5	1	.....	2	.....	.....	.....
		F.	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	5	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
164	Suicide by poisonous gas	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
165	Suicide by hanging or strangulation	M.	6	.....	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
166	Suicide by drowning	M.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
167	Suicide by firearms	M.	12	.....	.....	1	.....	1	.....	.....	5	1	.....	.....	4	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
168	Suicide by cutting or piercing instruments	M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
169	Suicide by jumping from high places	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
170	Suicide by crushing	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
171	Suicide by other means	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173–175	Homicides	M.	4	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173	Homicide by firearms	M.	4	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Homicide by cutting or piercing instruments	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
175	Homicide by other means	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
176–198	Other violent deaths	M.	244	5	9	39	11	21	12	6	58	10	6	4	12	27	4	3	5	5	7
		F.	73	.....	4	12	1	5	1	2	16	4	1	4	8	6	1	.....	3	2	3
176	Attack by venomous animals	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
177	Food poisoning	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

178	Accidental absorption of toxic gases	F.																					
		M.	4									1					3						
179	Other acute accidental poisonings (except by gas)	F.	1									1											
		M.	1			1																	
180	Conflagration	F.	2			1									1								
		M.	7	1	1	1										1		2	1				
181	Accidental burns (conflagration excepted)	F.																					
		M.	12					1	1			3					5				1	1	
182	Accidental mechanical suffocation	F.	6			1	1			1		2										1	
		M.	7							1		1	1				2			2			
183	Accidental drowning	F.	3			1														2			
		M.	53	1	1	5	2	4	6	3		17	3	1	1		2	1	1	1	3	1	
184	Accidental injury by firearms	F.	7		1	1		1				2										2	
		M.	6	2				1	1							1			1				
185	Accidental injury by cutting or piercing instruments	F.	1		1																		
		M.	3			2						1											
186	Accidental injuries by fall, crushing or landslide	F.																					
		M.	116		7	26	9	12	4	2		26	6		1	6	11	1		1	1	3	
187	Cataclysm	F.	43		1	8		3		1		8	2	1	2	7	6	1		1	2		
		M.																					
188	Injuries by animals	F.																					
		M.	5									3			1		1						
189	Hunger or thirst	F.	1										1										
		M.																					
190	Excessive cold	F.																					
		M.	10			3						1		4		1				1			
191	Excessive heat	F.																					
		M.	2												1	1							
192	Lightning	F.																					
		M.																					
193	Accidents due to electric currents	F.																					
		M.																					
194	Other accidents	F.																					
		M.	15	1		1		3				3		1		1	3					2	
	(a) Foreign body	F.	9		1			1	1			3	1		1	1							
		M.	1													1							
	(b) Others under this title	F.	1									1											
		M.	14	1		1		3				3		1			3					2	
		F.	8		1			1	1			2	1		1	1							
195	Violent deaths of which the nature (accident, suicide, homicide)is unknown	M.	12									1				1							
		F.																					
198	Capital punishment	M.	1									1											
		F.																					
	Class XVIII—Ill-defined causes of death	T.	56	2	3	10	5	5		2		7		4	4	5		2	3	1	2	1	
		M.	38	2	2	8	4	4		1		6		2	1	5				1	1	1	
		F.	18		1	2	1	1		1		1		2	3			2	3		1		
199	Sudden death	M.	20	2	1	4	4	2				2		2		2				1			
		F.	5									1		1	1			1			1		
200	Cause of death not specified or ill-defined	M.	18		1	4		2		1		4			1	3					1	1	
		F.	13		1	2	1	1		1				1	2			1	3				

SPECIAL CLASSES OF ACCIDENTAL DEATHS FOR COUNTIES OF NOVA SCOTIA, 1935.

(Included also under the numbers of the International List above.)

Int. List No.	Causes of death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysborough	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
A	Accidents in mines and quarries	M.	26	.....	.....	10	.....	4	.....	.....	1	.....	.....	.....	.....	11	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
B	Accidents caused by machines	M.	4	1	.....	..	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
C	Railway Accidents	M.	16	.....	5	3	.....	1	.....	.....	3	1	.....	1	1	1	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
D	Street car accidents	M.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
E	Automobile and motorcycle accidents	M.	42	.....	2	10	6	3	2	.....	13	.....	.....	.....	1	2	.....	.....	.....	1	2
		F.	15	.....	.....	4	.....	.....	.....	.....	3	.....	.....	2	3	2	.....	.....	.....	1	.....
F	Other land transportation	M.	6	.....	1	1	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
G	Water transportation	M.	17	.....	.....	1	.....	2	1	4	3	.....	4	.....	1	.....	.....	.....	.....	1	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
H	Air transportation	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE XXXV—CAUSES OF DEATH BY CITIES AND TOWNS OF NOVA SCOTIA, 1935

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	Deaths—All causes	T	3000	95	133	23	66	15	69	19	24	269	874	51	9	60	28	30	10	125	84	83	12	25	50	....	12	73	43	233	101	20	108	10	40	58	41	104
		M.	1582	53	67	13	40	10	34	13	10	141	459	29	4	42	12	13	9	68	46	46	6	14	22	....	7	40	24	123	54	6	54	5	20	28	17	53
		F.	1418	42	66	10	26	8	35	6	14	128	415	22	5	18	16	17	1	57	38	37	6	11	28	....	5	33	19	110	47	14	54	5	20	30	24	51
	Class I—Infectious and Parasitic diseases	T.	488	10	38	2	6	5	11	5	5	38	145	11	....	35	2	3	....	12	14	15	....	2	5	....	....	10	9	36	15	3	13	1	4	8	7	18
		M.	250	5	21	2	5	2	4	4	3	16	79	5	....	23	1	1	....	6	7	8	....	....	3	....	....	3	2	16	9	2	5	1	1	4	1	11
		F.	238	5	17	....	1	3	7	1	2	22	66	6	....	12	1	2	....	6	7	7	....	2	2	....	....	7	7	20	6	1	8	....	3	4	6	7
1	Typhoid fever	M.	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2	Paratyphoid fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	Relapsing fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5	Undulant fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7	Measles	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
		F.	9	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	2	....	3	1	....	....	....	....	....	....	....	....
8	Scarlet fever	M.	4	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9	Whooping-cough	M.	9	....	....	....	1	....	1	....	....	3	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	16	1	....	....	....	1	3	....	....	6	3	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
10	Diphtheria	M.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11	Influenza	M.	38	1	2	1	1	....	....	2	1	4	9	....	....	1	....	....	....	1	1	....	....	....	1	....	....	1	....	2	1	1	1	....	1	2	1	3
		F.	58	2	7	....	....	....	1	1	2	7	16	1	....	1	....	1	....	1	....	3	....	....	....	....	....	1	2	3	3	....	2	....	2	....	1	1
	(a) Sole cause	M.	5	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
		F.	15	....	1	....	....	....	....	1	....	2	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	2	....	1	....	....	....	....	....	....
	(b) With bronchitis	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(c) With pneumonia	M.	14	....	2	....	1	....	....	....	....	....	5	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	2	....
		F.	25	2	1	....	....	....	....	....	2	4	9	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	3	....	....	1	....	1	....	....	....	....
	(d) With other diseases of the respiratory system	M.	3	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(e) With intestinal complications	M.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(f) With other causes	M.	13	....	....	1	....	....	....	1	....	2	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	1	2	....	1
		F.	15	....	5	....	....	....	1	....	....	....	2	1	....	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	1

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(c) Not specified	M.	2										1			1																					
		F.	2										2																									
33	Leprosy	M.																																			
		F.																																			
34	Syphilis	M.	22				1				1	1	15							1										1							
		F.	7									1	3																								
35	Gonococcus infection and other venereal diseases	M.																																			
		F.	1		1																										1	2					
36	Purulent infection, septicaemia (non-puerperal)	M.	5		2																																
		F.	3									1																		1	1						
38	Malaria	M.	1										1							1	1																
		F.										1																									
39	Other diseases due to protozoal parasites	M.																																			
		F.																																			
40	Ankylostomiasis	M.																																			
		F.																																			
41	Hydatid cysts	M.																																			
		F.																																			
	(a) Of the liver	M.																																			
		F.																																			
	(b) Of other organs	M.																																			
		F.																																			
42	Other diseases caused by helminths	M.																																			
		F.																																			
43	Mycoses	M.																																			
		F.																																			
44	Other infectious or parasitic diseases	M.	1										1																								
		F.																																			
	(a) Chicken-pox	M.																																			
		F.																																			
	(b) German measles	M.	1										1																								
		F.																																			
	(c) Others under this title	M.																																			
		F.																																			
	Class II—Cancer and other tumours	T.	344	10	18	5	7	3	6	1		25	110	7	2	3	5	6	3	10	10	10	1	6	1		1	5		40	8	2	15	1	2	7	4	10
		M.	170	5	7	1	6		2			16	54	2	1	1	1	3	2	5	4	6	1	3	1		1	5		20	4	1	6	1	1	3	4	3
		F.	174	5	11	4	1	3	4	1		9	56	5	1	2	4	3	1	5	6	4		3						20	4	1	9		1	4		7

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Of the eye and orbit	M.																																			
		F.																																				
	(b) Of the circulatory system	M.																																			
		F.																																			
	(c) Of the glandular system	M.	3										2					1																			
		F.	3						1			1				1																					
	(d) Of the female urinary organs	F.	5			1							3																						1		
	(e) Of the bones and joints	M.																																			
		F.																																			
	(f) Of the brain	M.	2										2																								
		F.	3										1							1										1				1			
	(g) Of the spine and spinal cord	M.	1																																		
		F.																																			
	(h) Of the neck	M.																																			
		F.	2										1			1																					
	(i) Of the abdomen	M.	1										1																								
		F.	4										2																	1			1				
	(j) Of other specified organs	M.	1	1																																	
		F.	2									1	1																								
	(k) Multiple cancer	M.	1										1																								
		F.																																			
	(m) Of unspecified or unknown location	M.																																			
		F.																																			
54	Non-malignant tumours	M.	3	1									2																							1	
		F.	10		1	1						1	3									1		1						1					1		
	(a) Of the ovary	F.	1																																		
	( ) Of the uterus	F.	7		1							1	2									1		1						1							
	(c) Of other female genital organs	F.																																			
	(d) Of the brain	M.																																			
		F.	1			1																															
	(e) Of the thyroid gland	M.																																			
		F.	1										1																								
	(f) Of the prostate gland	M.	1										1																								
	(g) Of other or unspecified sites	M.	2	1									1																								
		F.																																			

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Lawrence	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
68	Diseases of the adrenals (Addison's disease)	M.	2				1																					1									
		F.	1																																		
69	Other general diseases	M.																																			
		F.	2										1																	1					1			
	(a) Fatty or amyloid degeneration	M.																																			
		F.																																			
	(b) Steatosis	M.																																			
		F.																																			
	(c) Others under this title	M.																																			
		F.	2										1																						1		
	Class IV—Diseases of the blood and blood-forming organs	T.	24	1	2	1	1		1			4	5											1	1					1			1		1	1	1
		M.	12		1	1	1		1			2	1																	1			1		1	1	
		F.	12	1	1							2	4											1	1					1							1
70	Haemorrhagic conditions	M.	2				1					1																									
		F.	2									1																			1							
	(a) Simple purpura	M.	1				1																														
		F.	2									1																			1							
	(b) Haemophilia	M.	1									1																									
		F.																																			
71	Anaemia	M.	6		1	1			1			1																		1	1						
		F.	7	1								1	2											1	1												1
	(a) Pernicious anaemia	M.	5		1	1						1																		1	1						
		F.	6	1								1	1											1	1												1
	(b) Others under this title	M.	1						1																												
		F	1										1																								
72	Leukaemia and aleukaemia	M	4										1																			1			1	1	
		F	2		1								1																								
	(a) Leukaemia	M.	2										1																			1					
		F.	2		1								1																								
	(b) Aleukaemia (Hodgkin's disease)	M.	2																																1	1	
		F.																																			
73	Diseases of the spleen	M.																																			
		F.	1										1																								
74	Other diseases of the blood and blood-forming organs	M.																																			
		F.																																			

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
83	General paralysis of the insane	M.											1																								
		F.	1																																		
84	Dementia praecox and other psychoses	M.	2										1																1								
		F.	3										1																		1				1		
	(a) Dementia praecox	M.	1										1																								
		F.																																			
	(b) Other psychoses	M.	1																										1								
		F.	3										1																		1				1		
85	Epilepsy	M.	2										2																								
		F.	1	1																																	
86	Convulsions (under 5 years of age)	M.	12									2	2									5						1	1	1							
		F.	3																			2										1					
87	Other diseases of the nervous system	M.	8					1				1	1			1												1		1				1	1		
		F.	9										1								1								1		1	1			2		2
	(a) Chorea	M.	1																																1		
		F.																																			
	(b) Neuralgia and Neuritis	M.																																			
		F.	1										1																								
	(c) Paralysis agitans	M.	1										1																								
		F.	3																									1									
	(d) Sclerosis (other than of the spinal cord)	M.	4									1				1																			1		1
		F.	1																																		
	(e) Others under this title	M.	2					1													1														1		
		F.	4																																		
88	Diseases of the organs of vision	M.	2				1													1										1					1	1	
		F.																																			
89	Diseases of the ear and mastoid process	M.	11	1	1		2					1	4												1			1									
		F.	5										2		1														1			1					
	(a) Otitis	M.	5	1			1						1															1									
		F.	1										1																								
	(b) Diseases of the Mastoid process	M.	6		1		1					1	3																1			1					
		F.	4										1		1																						
	(c) Others under this title	M.																																			
		F.																																			
	Class VII—Diseases of the circulatory system	T.	580	20	9	9	14	3	21	2	4	35	194	8		9	5	9	2	22	10	13	4	6	8		1	18	6	42	19	6	18	3	14	11	9	26
		M.	301	9	7	5	7	2	9	1	1	17	88	6		7	2	3	2	10	6	8	3	4	4		1	12	3	28	10	1	13	2	8	4	2	16
		F.	279	11	2	4	7	1	12	1	3	18	106	2		2	3	6		12	4	5	1	2	4			6	3	14	9	5	5	1	6	7	7	10

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
100	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M.	1	1																																	
		F.																																			
101	Diseases of the lymphatic system (lymphangitis,etc.)	M.																																			
		F.																																			
102	Idiopathic abnormalities of blood pressure	M.	21		3				1			3	5	1		2					1		1						1	1							2
		F.	23	1			2			1	1	4	7			1		1		1		1	1						2								
103	Other diseases of the circulatory system	M.	1										1																								
		F.																																			
	Class VIII—Diseases of the respiratory system	T.	259	6	7	3	3	1	4	1	4	26	89	4	1	3	5		1	13	5	4	2	2	9		1	8	8	17	5		6		4	3	5	9
		M.	125	4	6	2		1	2	1	3	9	48	3	1	2	3		1	6	2	1	1	2	2			2	4	6	3		2		2		3	3
		F.	134	2	1	1	3		2		1	17	41	1		1	2			7	3	3	1		7		1	6	4	11	2		4		2	3	2	6
104	Diseases of the nasal fossae and annexa	M.																																			
		F.																																			
105	Diseases of the larynx	M.																																			
		F.	1									1																									
	(a) Croup	M.																																			
		F.																																			
	(b) Other diseases of the larynx	M.																																			
		F.	1									1																									
106	Bronchitis	M.	5						1				1															1	2								
		F.	6									2									1				1						1						1	
	(a) Acute	M.	3										1															1	1								
		F.	5									1									1				1						1					1	
	(b) Chronic	M.	1																										1								
		F.																																			
	(c) Unspecified	M.	1						1																												
		F.	1									1																									
107	Bronchopneumonia	M.	49	1	1	2			1		3	4	21	1		1	1			2		1		2	1			1		2	2						2
		F.	49			1	1		2		1	5	16			1				3	1		1		5			3	3	2			2				2
	(a) Bronchopneumonia	M.	49	1	1	2			1		3	4	21	1		1	1			2		1		2	1			1		2	2						2
		F	49			1	1		2		1	5	16			1				3	1		1		5			3	3	2			2				2
	(b) Capillary bronchitis	M.																																			
		F.																																			
108	Lobar pneumonia	M.	38									4	18	2	1		2		1	2	1		1						1	1	1		2			2		1
		F.	41	2	1		1					5	16	1			1			2		1								3							1
109	Pneumonia, unspecified	M.	14	1	4					1			3																1	3						1	
		F.	22				1					1	3				1			1		2			1		1	2	1	6							1

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	NewGlasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Diarrhoea and enteritis	M.	5								1		2															1	1								
		F.	2																										2								
	(b) Ulceration of the intestines	M.																																			
		F.																																			
121	Appendicitis	M.	32	1	1					1		3	5	3		1				2									7	3					1		4
		F.	29		5		2					5	4							3									2	1		1			2		4
122	Hernia, intestinal obstruction	M.	22							2		3	6			1				3		1			1				3						1		1
		F.	12		2		1					4	3																		1						1
	(a) Hernia	M.	11									3	3							1					1				2						1		
		F.	5		1							2	2																								
	(b) Intestinal obstruction	M.	11							2			3			1				2		1							1								1
		F.	7		1		1					2	1																		1						1
123	Other diseases of the intestines	M.	2				1						1																								
		F.	3	1									1																			1					
124	Cirrhosis of the liver	M.	6										5																						1		
		F.																																			
	(a) Specified as alcoholic	M.	1										1																								
		F.																																			
	(b) Not specified as alcoholic	M.	5										4																						1		
		F.																																			
125	Other diseases of the liver	M.	1										1																								
		F.	1										1																								
	(a) Yellow atrophy of the liver	M.																																			
		F.																																			
	(b) Others under this title	M.	1										1																								
		F.	1										1																								
126	Biliary calculi	M.	1																																		
		F.	12	1			1		1			1	1							2									1			1			1	2
127	Other diseases of the gall-bladder and biliary passages	M.	3	1									1							1																
		F.	2										1																1								
128	Diseases of the pancreas	M.																												1							
		F.	1																																		
129	Peritonitis, cause not specified	M.	1										1																								
		F.	2										2																								
	Class X—Diseases of the genito-urinary system	T.	211	9	14	2	7	1	2		3	12	70	5		2	1	2	1	13	8	2		2	4			1	2	15	6	1	8	2	5	6	1	4
		M.	121	5	7	1	5		2		1	9	40	4		2		1	1	10	3	1		1	3			1	1	11	1		3		1	5		2
		F.	90	4	7	1	2	1			2	3	30	1			1	1		3	5	1		1	1				1	4	5	1	5	2	4	1	1	2

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Placenta praevia	F.	3										1							1								1									
	(b) Other haemorrhages	F.	8								1		2	1								1										1				1	1
145	Puerperal septicaemia (not specified as due to abortion)	F.	13	1	1		1					4	1		1														2		1	1				
	(a) Puerperal septicaemia and pyaemia	F.	13	1	1		1					4	1		1														2		1	1				
	(b) Puerperal tetanus	F.																																			
146	Puerperal albuminuria and eclampsia	F.	10		1							1	4							1									1			2					
147	Other toxaemias of pregnancy	F.	3										3																								
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.	1																																1		
	(a) Phlegmasia alba dolens and thrombosis	F.	1																																1		
	(b) Embolism	F.																																			
	(c) Sudden death	F.																																			
149	Other accidents of childbirth	F.	5		2							1	1																	1							
	(a) Caesarean operation	F.	1																											1							
	(b) Other surgical operations and instrumental delivery	F.	1		1								1																								
	(c) Dystocia	F.	2									1																									
	(d) Rupture of uterus in parturition	F.																																			
	(e) Others under this title	F.	1		1																																
150	Other or unspecified condition of the puerperal state	F.	1																														1				
	(a) Puerperal diseases of the breast	F.	1																														1				
	(b) Others under this title	F.																																			
	Class XII—Diseases of the skin and cellular tissue	T.	9										5															1		1					1	1	
		M.	6										3															1							1	1	
		F.	3										2																	1							
151	Carbuncle	M.	1										1																								
		F.	1										1																								
152	Cellulitis, acute abscess	M.	5										2															1							1	1	
		F.	1																											1							

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(b) Icterus of the new-born	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Sclerema and oedema	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d) Athrepsia	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(e) Others, including lack of care	M.	12	.....	.....	.....	1	.....	.....	.....	1	3	4	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	10	.....	1	.....	.....	.....	.....	.....	.....	3	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(f) No causes given No Doctor in attendance	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class XVI—Senility	T.	72	2	3	.....	.....	1	5	1	.....	3	9	.....	.....	.....	2	1	.....	1	1	4	1	3	8	.....	3	2	2	7	4	.....	4	.....	.....	3	1	1
		M.	25	1	2	.....	.....	1	1	1	.....	1	3	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	2	.....	3	1	.....	1	2	.....	1	.....	.....	1	1	.....
		F	47	1	1	.....	.....	.....	4	.....	.....	2	6	.....	.....	.....	1	1	.....	1	.....	4	1	2	6	.....	.....	1	2	6	2	.....	3	.....	.....	2	1	1
162	Senility	M.	25	1	2	.....	.....	1	1	1	.....	1	3	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	2	.....	3	1	.....	1	2	.....	1	.....	.....	1	.....	.....
		F.	47	1	1	.....	.....	.....	4	.....	.....	2	6	.....	.....	.....	1	1	.....	1	.....	4	1	2	6	.....	.....	1	2	6	2	.....	3	.....	.....	2	1	1
	(a) With senile dementia (70 years and over)	M.	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F.	5	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Without senile dementia (70 years and over)	M.	22	1	2	.....	.....	1	1	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	2	.....	3	1	.....	1	2	.....	1	.....	.....	1	.....	.....
		F.	42	1	1	.....	.....	.....	4	.....	.....	1	3	.....	.....	.....	1	1	.....	1	.....	4	1	2	6	.....	3	1	2	6	2	.....	3	.....	.....	1	.....	1
	(c) Premature senility (55 years but under 70 years)	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class XVII—Violent or accidental deaths	T.	192	5	4	.....	3	.....	5	3	2	14	49	.....	1	.....	1	4	2	12	4	2	3	2	3	.....	3	5	9	14	12	.....	8	2	4	5	4	7
		M.	142	4	2	.....	.....	.....	5	3	.....	13	35	.....	1	.....	1	2	2	9	4	2	1	2	2	.....	1	5	9	9	9	.....	7	.....	4	3	1	6
		F.	50	1	2	.....	3	.....	.....	.....	2	1	14	.....	.....	.....	.....	2	.....	3	.....	.....	2	.....	1	.....	2	.....	.....	5	3	.....	1	2	.....	2	3	1
163	Suicides	M.	9	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
-171		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
164	Suicide by poisonous gas	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
165	Suicide by hanging or strangulation	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
166	Suicide by drowning	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
167	Suicide by firearms	M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

| | | |

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
191	Excessive heat	M.																																			
		F.																																				
192	Lightning	M																																			
		F.																																				
193	Accidents due to electric currents	M.																																			
		F.																																			
194	Other accidents	M.	9										2		1					1									1		1						2
		F.	4		1		1						1										1														
	(a) Foreign body	M.																																			
		F.	1										1																								
	(b) Others under this title	M.	9										2		1					1									1		1						2
		F.	3		1		1																1														
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	1						1																												
		F																																			
198	Capital punishment	M	1										1																								
		F.																																			
	Class XVIII—Ill-defined causes of death	T.	18	1	2	1			1			2	1								1	2						1		2			3				1
		M	14	1	1	1			1			2	1								1	1								2			2				1
		F	4		1																	1						1					1				
199	Sudden death	M	7	1		1			1			1									1													1				
		F																																2				
200	Cause of death not specified or ill-defined	M	7		1							1	1								1									2							1
		F.	4		1																1							1				1					

SPECIAL CLASSES OF ACCIDENTAL DEATHS FOR CITIES AND TOWNS OF NOVA SCOTIA, 1935

(Included also under the numbers of the International List above)

	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
A	Accidents in mines and quarries	M.	23									5								1	1							3	7		3						
		F.																																			
B	Accidents caused by machines	M.	1										1																								
		F.	1										1																								
C	Railway accidents	M.	8	1	1								2							1		1								1	1						
		F.																																			
D	Street car accidents	M.	2									1	1																								
		F.	1								1																										
E	Automobile and motorcycle accidents	M.	33	1	1				1	1		1	11							1	1			1				1		5	2		4			2	2
		F	10				1						2							2										2	1		1				
F	Other land transportation	M.	2																																1	2	
		F.																																			
G	Water transportation	M.	2						1				1																								
		F.																																			
H	Air transportation	M.																																			
		F.																																			

TABLE XXXVI—CAUSES OF DEATH BY SEX AND AGE, IN THE CITY OF HALIFAX 1935

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated			
	Deaths—All causes	T.	874	105	23	7	10	7	14	8	21	32	23	29	32	46	40	54	63	59	75	67	65	54	29	7	...	3	1			
		M.	459	60	15	5	7	4	11	2	11	15	12	13	18	23	28	32	36	32	47	34	24	16	9	4	...	1	...			
		F.	415	45	8	2	3	3	3	6	10	17	11	16	14	23	12	22	27	27	28	33	41	38	20	3	...	2	1			
	Class I—Infectious and parasitic diseases	T.	145	15	6	4	4	1	3	4	10	16	11	11	8	13	6	9	4	8	2	4	2	1	2	1	...	...	...			
		M.	79	8	3	2	2	...	3	1	3	8	5	7	4	10	6	7	3	5	...	2	...	...	...	...	...	...	...			
		F.	66	7	3	2	2	1	...	3	7	8	6	4	4	3	...	2	1	3	2	2	2	1	2	1	...	...	...			
1	Typhoid fever	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
2	Paratyphoid fever	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
4	Relapsing fever	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
5	Undulant fever	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
6	Small-pox	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
7	Measles	M.	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
8	Scarlet fever	M.	3	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
9	Whooping-cough	M.	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		F.	3	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			

10	Diphtheria	M	1	1																											
		F.																													
11	Influenza	M.	9					1				1		2	1	2		2													
		F.	16	2			1				1			1	1	1		1		1	1	1	1	1	2	1					
	(a) Sole cause	M.																													
		F.	5	1			1				1									1		1									
	(b) With bronchitis	M.	1													1															
		F.																													
	(c) With pneumonia	M.	5					1				1		1		2															
		F.	9									1	1	1		1				1			1	2	1						
	(d) With other diseases of the respiratory system	M.																													
		F.																													
	(e) With intestinal complications	M.	1															1													
		F.																													
	(f) With other causes	M.	2											1				1													
		F.	2	1																			1								
13	Dysentery	M.																													
		F.																													
15	Erysipelas	M.	4															1	1		2										
		F.	4	1								1						1				1									
16	Poliomyelitis and polioencephalitis (acute)	M.																													
		F.																													
17	Lethargic or epidemic encephalitis	M.																													
		F.																													
18	Epidemic cerebrospinal meningitis	M.	3		1	1			1																						
		F.																													
19	Glanders	M.																													
		F.																													
20	Anthrax, malignant pustule	M.																													
		F.																													
21	Rabies	M.																													
		F.																													
22	Tetanus	M.																													
		F.																													
23–32	Tuberculosis	M.	40				1				3	7	3	5	3	6	5	4	1	2											
		F.	40		3	2	1			3	6	7	6	3	3	2		1		1	1	1									
23	Tuberculosis of the respiratory system	M.	33				1				2	5	3	4	3	5	4	3	1	2											
		F.	27								5	6	6	3	3	1		1		1		1									

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																												
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated			
24	Tuberculosis of the meninges and central nervous system	M.																														
		F.	9		2	2	1			2	1					1																
25	Tuberculosis of the intestines and peritoneum	M.																														
		F.																														
26	Tuberculosis of the vertebral column	M.	1									1																				
		F.																														
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.	1													1																
		F.	1									1																				
	(a) Of bones	M.	1													1																
		F.																														
	(b) Of joints	M.																														
		F.	1									1																				
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M	1								1																					
		F.																														
29	Tuberculosis of the lymphatic system (bronchial mesenteric, and retroperitoneal glands excepted)	M.																														
		F.																														
30	Tuberculosis of the genito-urinary system	M.	2											1				1														
		F.																														
31	Tuberculosis of other organs	M.																														
		F.																														
32	Disseminated tuberculosis	M.	2									1					1															
		F.	3		1					1											1											

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																													
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated					
	Class II—Cancer and other Tumours	T.	110	1							1				6	9	11	8	15	16	18	12	4	4	4	1							
		M.	54								1				2	1	6	3	8	7	14	8	1	1	2								
		F.	56	1											4	8	5	5	7	9	4	4	3	3	2	1							
45–53	Cancer and other malignant tumours	M.	52								1				2	1	6	2	7	7	14	8	1	1	2								
		F.	53	1											4	6	5	5	6	9	4	4	3	3	2	1							
45	Cancer of the buccal cavity and pharynx	M.	8														1	1	1		3	2											
		F.	1																	1													
46	Cancer of the digestive tract and peritoneum	M.	25												2		2		2	5	7	4	1	1	1								
		F.	18													3	1		3	1	1	3	3	1	1	1							
	(a) Of the oesophagus	M.	1																			1											
		F.																															
	(b) Of the stomach and duodenum	M.	14												1		1			3	6	2		1									
		F.	7													1						1	3		1	1							
	(c) Of the rectum	M.	3																1	1					1								
		F.	1																					1									
	(d) Of the liver and biliary ducts	M.	3												1				1			1											
		F.																															
	(e) Of the pancreas	M.	2																		1		1										
		F.	2																1			1											
	(f) Of the peritoneum	M.																															
		F.	2													1			1														
	(g) Of other organs	M.	2														1			1													
		F.	6													1	1		1	1	1	1											

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
	(g) Of the spine and spinal cord	M.																												
		F.																												
	(h) Of the neck	M.																												
		F.	1																	1										
	(i) Of abdomen	M.	1																1											
		F.	2												1									1						
	(j) Of other specified organs	M.																												
		F.	1																			1								
	(k) Multiple cancer	M.	1														1													
		F.																												
	(m) Of unspecified or unknown location	M.																												
		F.																												
54	Non-malignant tumours	M.	2															1	1											
		F.	3													2			1											
	(a) Of the ovary	F.																												
	(b) Of the uterus	F.	2													2														
	(c) Of other female genital organs	F.																												
	(d) Of the brain	M.																												
		F.																												
	(e) Of the thyroid gland	M.																												
		F.	1																1											
	(f) Of the prostate gland	M.	1																1											
	(g) Of other or unspecified sites	M.	1															1												
		F.																												

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Under 1 year	Ages: 1 year	2 years	3 years	4 years	5–9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100Years and over	Not stated
	(a) Simple goitre	M.																										
		F.																										
	(b) Exophthalmic goitre	M.																										
		F.	1														1											
	(c) Myxoedema, cretinism	M.																										
		F.	1																		1							
	(d) Tetany	M.																										
		F.																										
	(e) Others under this title	M.																										
		F.																										
67	Diseases of the thymus gland	M.																										
		F.																										
68	Diseases of the adrenals (Addison's disease)	M.																										
		F.																										
69	Other general diseases	M.																										
		F.	1													1												
	(a) Fatty or amyloid degeneration	M.																										
		F.																										
	(b) Steatosis	M.																										
		F.																										
	(c) Others under this title	M.																										
		F.	1														1											
	Class IV—Diseases of the blood and blood-forming organs	T.	5		1						1			1		1			1									
		M.	1								1																	
		F.	4		1									1		1			1									

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(c) Occupational	M.																												
		F.																												
	(d) Other organic poisoning	M.																												
		F.																												
77	Chronic poisoning by mineral substances	M.																												
		F.																												
	(a) Lead (including occupational)	M.																												
		F.																												
	(b) Occupational, except lead	M.																												
		F.																												
	(c) Others under this title	M.																												
		F.																												
	Class VI—Diseases of the nervous system	T.	30	2	3	1	1	1	1	1	2				1	1		1	2	1	5	1	2	3	1				
	and of the organs of special sense	M.	19	2	3	1		1	1		2				1	1			1	1	3	1		1					
		F.	11				1			1								1	1		2		2	2	1				
78	Encephalitis (non-epidemic)	M.	2					1	1																					
		F.																												
79	Simple meningitis	M.																												
		F.	1				1																							
80	Progressive locomotor ataxia	M.																												
		F.																												
81	Other diseases of the spinal cord	M.	1																1											
		F.																												

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																												
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated				
	(a) Otitis	M.	1	1																												
		F.	1							1																						
	(b) Diseases of the Mastoid process	M.	3								2										1											
		F.	1																1													
	(c) Others under this title	M.																														
		F.																														
	Class VII—Diseases of the circulatory system	T.	194	1			1						4	2	5	8	6	16	18	9	26	24	34	28	8	2		2				
		M.	88	1			1						3		3	4	4	9	10	6	15	10	15	4		2		1				
		F.	106										1	2	2	4	2	7	8	3	11	14	19	24	8			1				
90–95	Diseases of the heart	M.	44				1						3		2	3	3	2	7	4	9	4	3	2		1						
		F.	45										1	2	2	4	2	4	2		6	4	9	5	3			1				
90	Pericarditis	M.																														
		F.	1													1																
91	Acute endocarditis	M.	5				1						2		1	1																
		F.	1											1																		
	(a) Endocarditis specified as acute	M.	5				1						2		1	1																
		F	1											1																		
	(b) Endocarditis unspecified (under 45 years of age)	M.																														
		F.																														
92	Chronic endocarditis, valvular diseases	M.	11										1			1		1	4		2		2									
		F.	6													1	1	1			2		1									
	(a) Endocarditis specified as chronic and other valvular diseases	M.	11										1			1		1	4		2		2									
		F.	6													1	1	1			2		1									

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																												
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
102	Idiopathic abnormalities of blood pressure	M.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....
		F.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	2	.....	.....	.....	.....
103	Other diseases of the circulatory system	M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class VIII—Diseases of the respiratory system	T.	89	17	6	1	.....	2	2	.....	2	.....	1	2	3	5	6	3	3	5	4	7	6	5	8	1	.....	.....	.....
		M.	48	9	5	1	.....	1	1	.....	1	.....	.....	1	3	1	6	2	1	5	3	3	.....	1	4	.....	.....	.....	.....
		F.	41	8	1	.....	.....	1	1	.....	1	.....	1	1	.....	4	.....	1	2	.....	1	4	6	4	4	1	.....	.....	.....
104	Diseases of the nasal fossae and annexa	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diseases of the larynx	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Croup	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Other diseases of the larynx	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
106	Bronchitis	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Acute	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Chronic	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Unspecified	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(a) Diseases of the buccal cavity and annexa	M.	1															1										
		F.																											
	(b) Diseases of the tonsils	M.	2						1		1																		
		F.	1								1																		
	(c) Others under this ttile	M.	3									1		1				1											
		F.																											
116	Diseases of the oesophagus	M.																											
		F.																											
117	Ulcer of the stomach or duodenum	M.	7													1		3	2				1						
		F.	1									1																	
	(a) Ulcer of the stomach	M.	3															1	2										
		F.	1									1																	
	(b) Ulcer of the duodenum	M.	4													1		2					1						
		F.																											
118	Other diseases of the stomach	M.																											
		F.	3	1										1				1											
119	Diarrhoea and enteritis (under 2 years of age)	M.	4	4																									
		F.	3	3																									
120	Diarrhoea enteritis (2 years and over)	M.	2															1						1					
		F.																											
	(a) Diarrhoea and enteritis	M.	2															1						1					
		F.																											
	(b) Ulceration of the intestines	M.																											
		F.																											

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																												
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
132	Nephritis unspecified (10 years and over)	M.	3										1						1			1							
		F.	1																			1							
133	Other diseases of the kidneys and ureters	M.	2															2											
		F.	2												1								1						
134	Calculi of the urinary passages	M.	2													1					1								
		F.	1																1										
135	Diseases of the bladder (tumours excepted)	M.																											
		F.	1																1										
136	Diseases of the urethra, urinary abscess, etc.	M.	3										1					1					1						
		F.																											
	(a) Stricture of the urethra	M.	3										1					1					1						
		F.																											
	(b) Others under this title	M.																											
		F.																											
137	Diseases of the prostate	M.	10																1	2	2		1	3		1			
138	Diseases of the male genital organs (not specified as venereal)	M.																											
139	Diseases of the female genital organs (not specified as venereal)	F.	4									1				2					1								
	(a) Of the ovary, Fallopian tube and parametrium	F.																											
	(b) Of the uterus	F.	4									1				2					1								
	(c) Of the breast	F.																											
	(d) Others under this title	F.																											

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																												
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated				
	(a) Puerperal diseases of the breast	F.																														
	(b) Others under this title	F.																														
	Class XII—Diseases of the skin and cellular tissue	T.	5	1											1	1			2													
		M.	3	1											1	1																
		F.	2																2													
151	Carbuncle	M.	1													1																
		F.	1																1													
152	Cellulitis, acute abscess	M.	2	1											1																	
		F.																														
153	Other diseases of the skin and annexa and of the cellular tissue	M.																														
		F.	1																1													
	Class XIII—Diseases of the bones and organs of locomotion	T.	3			1									1					1												
		M.	2			1									1																	
		F.	1																	1												
154	Osteomyelitis	M.	1												1																	
		F.																														
155	Other diseases of the bones (tuberculosis excepted)	M.																														
		F.	1																	1												
156	Diseases of the joints and other organs of locomotion	M.	1			1																										
		F.																														
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	1			1																										
		F.																														
	(b) Of other organs of locomotion	M.																														
		F.																														

| | | |

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated		
	(e) Others, including lack of care	M.	4	4																											
		F.	4	4																											
	(f) No cause given. No doctor in Attendance	M.																													
		F.																													
	Class XVI—Senility	T.	9																		2	2	1	2	1			1			
		M.	3																			1		1	1						
		F.	6																		2	1	1	1				1			
162	Senility	M.	3																			1		1	1						
		F.	6																		2	1	1	1				1			
	(a) With senile dementia (70 years and over)	M.	1																			1									
		F.	3																		2	1									
	(b) Without senile dementia (70 years and over)	M.	2																					1	1						
		F.	3																				1	1				1			
	(c) Premature senility (55 years but under 70 years)	M.																													
		F.																													
	Class XVII—Violent or acidental deaths	T.	49		3		2	2	2		2	4	2	3	2	2	7	1	1	3	4	4	2	2				1			
		M.	35		1		2	1	1		1	4	2	2	2	2	6	1	1	1	1	4	1	2							
		F.	14		2			1	1		1			1			1			2	3		1					1			
163–171	Suicides	M.	4													2	1							1							
		F.	1														1														
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	1														1														
		F.																													
164	Suicide by poisonous gas	M.																													
		F.	1														1														

165	Suicide by hanging or strangulation	M.																															
		F.																															
166	Suicide by drowning	M.	1																						1								
		F.																															
167	Suicide by firearms	M.	1															1															
		F.																															
168	Suicide by cutting or piercing instruments	M.	1															1															
		F.																															
169	Suicide by jumping from high places	M.																															
		F.																															
170	Suicide by crushing	M.																															
		F.																															
171	Suicide by other means	M.																															
		F.																															
173–175	Homicides	M.																															
		F.	2							1											1												
173	Homicide by firearms	M.																															
		F.																															
174	Homicide by cutting or piercing instruments	M.																															
		F.																															
175	Homicide by other means	M.																															
		F.	2							1											1												
176–198	Other violent deaths	M.	31		1		2	1	1		1	4	2	2	2		5	1	1	1	1	4	1	1									
		F.	11		2			1	1					1						2	2		1						1				
176	Attack by venomous animals	M.																															
		F.																															
177	Food poisoning	M.																															
		F.																															
178	Accidental absorption of toxic gases	M.																															
		F.	1											1																			
179	Other acute accidental poisonings (except by gas)	M.																															
		F.																															
180	Conflagration	M.																															
		F.																															
181	Accidental burns (conflagration excepted)	M.	2		1			1																									
		F.	2						1												1												
182	Accidental mechanical suffocation	M.	1										1																				
		F.																															

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
183	Accidental drowning	M.	7	.....	.....	.....	1	.....	1	.....	1	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
184	Accidental injury by firearms	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
185	Accidental injury by cutting or piercing instruments	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
186	Accidental injuries by fall, crushing or landslide	M.	17	.....	.....	.....	1	.....	.....	.....	.....	3	.....	2	1	.....	3	.....	.....	1	1	3	1	1	.....	.....	.....	.....	.....
		F.	7	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	1	.....
187	Cataclysm	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
188	Injuries by animals	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
189	Hunger or thirst	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
190	Excessive cold	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
191	Excessive heat	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
192	Lightning	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Accidents due to electric currents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
194	Other accidents	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

| | | |

TABLE XXXVII—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY AND MONTH OF DEATH IN THE CITY OF HALIFAX, 1935

Int. List No.	CAUSES OF DEATH	Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married								Foreign														
			Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Deaths- All Causes-Total	874	174	38	37	37	42	....	15	88	137	106	....	200	....	719	120	13	18	4	78	92	82	88	75	64	66	63	60	73	54	79
	M.	459	104	23	25	21	18	....	3	40	92	74	....	59	....	361	70	8	16	4	34	48	38	53	42	37	37	28	36	35	27	44
	F.	415	70	15	12	16	24	....	12	48	45	32	....	141	....	358	50	5	2	....	44	44	44	35	33	27	29	35	24	38	27	35
	Class 1—Infectious and T.	145	37	21	15	4	2	....	5	27	17	4	....	13	....	117	23	3	2	....	13	17	22	7	10	9	10	13	9	8	12	15
	Parasitic diseases..... M.	79	19	10	10	3	....	....	1	15	14	1	....	6	....	56	18	3	2	....	2	7	14	5	6	8	6	3	4	4	8	12
	F.	66	18	11	5	1	2	....	4	12	3	3	....	7	....	61	5	....	....	....	11	10	8	2	4	1	4	10	5	4	4	3
1	Typhoid fever..... M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	Paratyphoid fever..... M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Relapsing fever..... M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Undulant fever..... M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single						Married									Foreign												
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
17	Lethargic or epidemic encephalitis	M.																													
		F.																													
18	Epidemic cerebrospinal meningitis	M.	3	3													3					1			1					1		
		F.																													
19	Glanders	M.																													
		F.																													
20	Anthrax malignant pustule	M.																													
		F.																													
21	Rabies	M.																													
		F.																													
22	Tetanus	M.																													
		F.																													
23–32	Tuberculosis	M.	40	1	9	7	1			1	10	7			4		29	9		2			3	7	1	2	4	3	3	2	2	5	8
		F.	40	9	9	4				4	10	2	1		1		36	4				7	3	5		1		4	8	5	1	4	
23	Tuberculosis of the respiratory system	M.	33	1	6	6	1			1	9	5			4		22	9		2			3	5	1	2	3	3	2	1	1	5	7
		F.	27		8	4				3	9	2			1		25	2				5	2	4				2	7	3	1	2	1

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Others													
	(a) Acute	M.	1		1												1														1
		F.	1	1													1												1			
	(b) Chronic	M.																													
		F.																													
	(c) Not specified	M.	1									1					1												1			
		F.	2	1									1				1	1									1		1			
33	Leprosy	M.																													
		F.																													
34	Syphilis	M.	15	7		2	1				4	1					9	5	1			1		2		2	4	1		1		1	3
		F.	3	2											1		3									2					1		
35	Gonococcus infection and other veneral diseases	M.																													
		F.																													
36	Purulent infection septicaemia (non puerperal)	M.																													
		F.																													
38	Malaria	M.	1		1												1											1				
		F.																													

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married																						
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	Foreign: United States	Foreign: Others	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
46	Cancer of the digestive tract and peritoneum,	M.	25				2				2	7	12		2		21	4				3	4	2	4	2		4		2		3	1
		F.	18			2	4	1			1	1	2		7		16	2				4	3	1	1	1		1	1	3		1	2
	(a) Of the oesophagus	M.	1										1					1											1			
		F.																															
	(b) Of the stomach	M.	14				1				1	3	7		2		13	1				2	2	1	2	1		2		1		2	1
	and duodenum	F.	7			1							1		5		6	1				1	2					1	1	1			1
	(c) Of the rectum	M.	3				1					1	1				2	1						1				1				1	
		F.	1												1		1									1							
	(d) Of the liver and biliary ducts	M.	3								1	1	1				2	1					1		1			1					
		F.																															
	(e) Of the pancreas	M.	2										2				2					1	1										
		F.	2				1	1									1	1						1	1								
	(f) Of the peritoneum	M																															
		F.	2			1						1					2														1	1
	(g) Of other organs	M.	2									2					2								1	1							
		F.	6				3				1		1		1		6					3	1							2			
47	Cancer of the respiratory organs	M.	2								1				1		1	1						1	1								
		F.	2									1			1		2						1	1									

	(a) Of the larynx	M.																																	
		F.																																	
	(b) Of the lung	M.	2							1				1		1	1							1	1										
		F.	2								1			1		2							1	1										
	(c) Of the mediast-	M.																																	
	inum	F.																																	
	(d) Of other organs of	M.																																	
	the respiratory system	F.																																	
48	Cancer of the uterus	F.	13				1			3	6	1		2		11	2					1	1	1	2			1	1	3	1			2	
	(a) Of the uterus	F.	5				1			2	1			1		4	1						1							2	1			1	
	(b) Of the cervix uteri	F.	8							1	5	1		1		7	1					1		1	2			1	1	1				1	
49	Cancer of other female																																		
	genital organs	F.	5				1			1	1			2		3	2						1			1							1	2	
50	Cancer of the breast	M.																																	
		F.	5			1				1	1	1		1		5								1	1				1			1	1		
51	Cancer of the male																																		
	genito-urinary organs	M.	7								4	2		1		6	1					2	1						1	1	2				
	(a) Of the bladder	M	4								3	1				4						1	1							1	1				
	(b) Of the kidney	M.																																	
	(c) Of the prostate																																		
	gland	M.	2									1		1		2													1		1				
	(d) Of the testicle and																																		
	annexa	M.	1								1						1					1													
	(e) Of other male																																		
	genito-urinary organs	M.																																	
52	Cancer of the skin	M.	4				1				1	1		1		4													2	1		1			
		F.	1				1									1										1									
53	Cancer of other or un-	M.	6		1		1				3	1				5	1					1		1			2	1	1						
	specified organs	F.	8	1						1	1			5		7	1					1	1		1		1	1		1	1	1			
	(a) Of the eye and orbit	M.																																	
		F.																																	

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(b) Of the circulatory system	M.																													
		F.																													
	(c) Of the glandular system	M.	2								1	1				2						1		1							
		F.																													
	(d) Of female urinary organs	F.	3	1							1			1		2	1					1			1						1
	(e) Of the bones and joints	M.																													
		F																													
	(f) Of the brain	M.	2		1						1					1	1										1	1				
		F.	1											1		1												1				
	(g) Of the spine and spinal cord	M.																													
		F.																													
	(h) Of the neck	M.																													
		F.	1											1		1													1		
	(i) Of the abdomen	M.	1				1									1											1				
		F.	2							1				1		2							1				1				
	(j) Of other specified organs	M.																													
		F.	1											1		1														1	

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Class III—Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	T.	23	4	1	..	..	..	..	1	..	3	5	..	9	..	20	3	..	..	..	4	1	2	3	3	1	1	2	..	4	1	1
		M.	5	2	..	..	..	..	..	1	..	..	2	..	..	..	5	..	..	..	..	..	..	..	2	2	..	1	..	..	..	..	..
		F.	18	2	1	..	..	..	..	..	..	3	3	..	9	..	15	3	..	..	..	..	1	2	1	1	1	..	2	..	4	1	1
56	Acute rheumatic fever	M.	4	2	..	..	..	..	..	1	..	..	1	..	..	..	4	..	..	..	..	4	..	..	2	2	..	..	..	..	..	..	..
		F.	3	2	1	..	..	..	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..	..
57	Chronic rheumatism	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Osteo-arthritis	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
58	Gout	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
59	Diabetes mellitus	M.	1	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
		F.	12	..	..	..	..	..	..	..	..	3	2	..	7	..	10	2	..	..	..	3	1	1	1	1	..	..	..	..	3	1	1
60	Scurvy	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
61	Beriberi	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married																							
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	Foreign: United States	Foreign: Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
	(b) Steatosis,	M.																													
		F.																													
	(c) Others under	M.																													
	this title	F.	1												1		1											1				
	Class IV—Diseases of	T.	5	1	1	1				1					1		4		1			1		1	2					1		
	the blood and blood-	M.	1		1												1													1		
	forming organs	F.	4	1		1				1					1		3		1			1		1	2							
70	Haemorrhagic con-	M.																													
	ditions	F.																													
	(a) Simple purpura	M.																													
		F.																													
	(b) Haemophilia	M.																													
		F.																													
71	Anaemia	M.																													
		F.	2	1											1		2					1			1							
	(a) Pernicious	M.																													
	anaemia	F.	1												1		1					1										
	(b) Others under	M.																													
	this title	F.	1	1													1								1							

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
77	Chronic poisoning by mineral substances..	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Lead (including occupational).....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Occupational, except lead.....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Others under this title.....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class VI—Diseases of the nervous system and of the organs of special sense.....	Total	30	10	2	1	....	3	....	....	1	4	4	....	5	....	25	5	.....	.....	.....	1	3	2	3	3	4	1	1	2	4	1	5
		M.	19	8	2	1	....	1	....	....	1	2	2	....	2	....	18	1	.....	.....	.....	1	2	1	1	3	2	1	1	2	2	....	3
		F.	11	2	.....	.....	.....	2	.....	.....	.....	2	2	....	3	....	7	4	.....	.....	.....	.....	1	1	2	.....	2	.....	.....	.....	2	1	2
78	Encephalitis (non epidemic).....	M.	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
79	Simple meningitis.....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
80	Progressive locomotor ataxia	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married																						
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	Foreign: United States	Foreign: Other	Foreign: Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(c) Paralysis agitans	M.	1									1					1								1							
		F.																														
	(d) Sclerosis (other	M.																														
	than of the spinal cord)	F.																														
	(e) Others under this	M.																														
	title	F.																														
88	Diseases of the organs	M.																														
	of vision	F.																														
89	Diseases of the ear and	M.	4	1	2								1				3	1									1				2	
	mastoid process	F.	2	1								1					2							1							1	
	(a) Otitis	M.	1	1													1														1	
		F.	1	1													1														1	
	(b) Diseases of the	M.	3		2								1				2	1									1		1		1	
	Mastoid process	F.	1									1					1							1								
	(c) Others under this	M.																														
	title	F.																														

	Class VII—Diseases of the circulatory system	Tot'l	194	2		5	7	22			12	35	30		81		145	38	6	3	2	14	19	19	26	14	18	15	7	12	22	11	17
		M.	88	2		4	4	10			6	23	18		21		60	20	4	2	2	7	8	5	16	7	9	7	3	7	9	2	8
		F.	106			1	3	12			6	12	12		60		85	18	2	1		7	11	14	10	7	9	8	4	5	13	9	9
90-95	Diseases of the heart	M.	44	1		3	2	3			5	13	7		10		31	9	1	1	2	4	5	2	6	6	4	2	2	3	4		6
		F.	45			1	2	3			6	4	8		21		37	7	1			5	2	4	5	1	4	6	2	1	6	4	5
90	Pericarditis	M.																															
		F.	1												1		1															1	
91	Acute endocarditis	M.	5	1		2					2						4	1					2			1				1			1
		F.	1								1						1														1		
	(a) Endocarditis specified as acute	M.	5	1		2					2						4	1					2			1				1			1
		F.	1								1						1														1		
	(b) Endocarditis unspecified (under 45 years of age)	M.																															
		F.																															
92	Chronic endocarditis, valvular diseases	M.	11			1	1				1	4	2		2		6	4	1			3		1	1				1	1	2		2
		F.	6				1						2		3		3	3						1	3					1			1
	(a) Endocarditis specified as chronic and other valvular diseases	M.	11			1	1				1	4	2		2		6	4	1			3		1	1				1	1	2		2
		F.	6				1						2		3		3	3						1	3					1			1
	(b) Endocarditis, unspecified, 45 years and over	M.																															
		F.																															
93	Diseases of the myocardium	M.	8				1	1			1	1	1		3		6	1			1		1		2	2	1	1		1			
		F.	16				1	2			1	1	3		8		12	3	1			2	1	1	1	1	1		2		2	2	3
	(a) Acute myocarditis	M.																															
		F																															
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	1								1						1														1		
		F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	(c) Chronic myocarditis and myocardial degeneration	M.	4				1					1			2		3				1		1		2		1				
		F.	8					1			1	1	2		3		7	1				2		1	1					1		3
	(d) myocarditis, unspecified, (45 years and over)	M.	3					1					1		1		2	1									2		1			
		F.	8				1	1					1		5		5	2	1				1			1	1		2		1	2	
94	Diseases of the coronary arteries and angina pectoris	M.	17					2				7	3		5		12	3		1	1		2	1	5	3	2	1			1		2
		F.	12					1			3	1	1		6		12					1	1	1	1		2	2			2	1	1
	(a) Diseases of the coronary arteries	M	1												1		1								1							
		F.																														
	(b) Embolism and thrombosis of the coronary arteries	M.	10					2				5	1		2		7	1		1	1		2	1	2	2	2	1					
		F	11					1			3	1	1		5		11					1	1	1	1		2	2			2	1	
	(c) Angina pectoris	M	6									2	2		2		4	2							2	1				1		2
		F	1												1		1															1
95	Other diseases of the heart	M.	3								1	1	1				3					1							1			
		F.	9			1					1	2	2		3		8	1				2		1			1	4			1		1

	(a) Functional diseases of the heart	M.																																	
		F.																																	
	(b) Other and unspecified	M.	3							1	1	1			3					1							1			1					
		F	9			1				1	2	2		3	8	1				2		1			1	4			1						
96	Aneurysm (except of the heart)	M.	2								2					1	1			1									1						
		F																																	
97	Arteriosclerosis (of coronary arteries excepted)	M.	36			1	2	7		1	7	9		9	23	10	2	1		2	3	3	8		5	5		3	4	2	1					
		F.	54				1	8			8	3		34	44	8	1	1		2	6	8	5	6	5	2	1	4	6	5	4				
98	Gangrene	M.																																	
		F.																																	
99	Other diseases of the arteries	M.																																	
		F.																																	
100	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M																																	
		F.																																	
101	Diseases of the lymphatic system (lymphangitis, etc.)	M.																																	
		F.																																	
102	Idiopathic abnormalities of blood pressure	M.	5								1	2		2	5								2	1			1				1				
		F.	7					1				1		5	4	3					3	2					1		1						
103	Other diseases of the circulatory system	M.	1	1											1													1							
		F.																																	
	Class VIII—Diseases of Respiratory System	Total	89	28	2	4	3	3		7	11	12		19	73	13		3		14	12	10	6	5	9	7	2	5	6	7	6				
		M.	48	17	1	3	2	1		2	10	8		4	38	7		3		7	9	5	4	2	5	3	1	2	3	4	3				
		F	41	11	1	1	1	2		5	1	4		15	35	6				7	3	5	2	3	4	4	1	3	3	3	3				
104	Diseases of the nasal fossae and annexa	M.																																	
		F.																																	
105	Diseases of the larynx	M.																																	
		F.																																	
	(a) Croup	M.																																	
		F.																																	
	(b) Other diseases of the larynx	M.																																	
		F.																																	

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married								Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
106	Bronchitis	M.	1												1					1		1										
		F.																														
	(a) Acute	M.	1												1					1		1										
		F																														
	(b) Chronic	M.																														
		F.																														
	(c) Unspccified	M.																														
		F.																														
107	Bronchopneumonia	M.	21	10				1			1	4	5				16	4		1		1	4	1	2	1	3	1	1	1	2	3	1
		F.	16	5							1		1		9		12	4				3	2		1	1	1	2		2	1	1	2
	(a) Bronchopneumonia	M.	21	10				1			1	4	5				16	4		1		1	4	1	2	1	3	1	1	1	2	3	1
		F.	16	5							1		1		9		12	4				3	2		1	1	1	2		2	1	1	2
	(b) Capillary bronchitis	M.																														
		F.																														
108	Lobar pneumonia	M.	18	4		2	2				1	5	1		3		16	2				6	3	4	1	1		1		1			1
		F.	16	5	1	1	1	1			3	1	1		2		16					1	1	4	1	2	2	1		1	2	1	

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married					Widowed	Not Stated	Canada	British	Foreign		Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	6	1	2	1						1			1		4	1		1		1				1		2			1	1
		F.	1		1												1										1					
	(a) Diseases of the buccal cavity and annexa	M.	1												1		1											1				
		F.																														
	(b) Diseases of the tonsils	M.	2	1	1												1	1				1						1				
		F.	1		1												1										1					
	(c) Others under this title	M.	3		1	1						1					2			1						1				1	1
		F.																														
116	Diseases of the oesophagus	M.																														
		F.																														
117	Ulcer of the stomach or duodenum	M.	7			1						4	1		1		4	1		2						1	1	1	1	2		1
		F.	1							1							1								1							
	(a) Ulcer of the stomach	M.	3									2			1		2	1								1		1		1		
		F.	1							1							1								1							

| | | |

TABLE XXXVII— Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married									Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not Stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(a) Yellow atrophy of the liver	M.																													
		F.																													
	(b) Others under this title	M.	1								1					1											1				
		F.	1												1	1						1									
126	Biliary calculi	M.																													
		F.	1									1				1															1
127	Other diseases of the gall-bladder and biliary passages	M.	1									1					1							1							
		F.	1												1	1								1							
128	Diseases of the pancreas	M.																													
		F.																													
129	Peritonitis, cause not specified	M.	1	1												1								1							
		F.	2									1			1	1			1				1							1	
	Class X—Diseases of the Genito-Urinary System	T.	70	1		1	6	3		1	6	14	17		21		62	5	1	2		4	6	5	10	11	7	2	4	4	4	4	9
		M.	40	1		1	3	1			2	9	15		8		33	5		2		3	5	3	6	6	3		1	4	3	1	5
		F.	30				3	2		1	4	5	2		13		29		1			1	1	2	4	5	4	2	3		1	3	4
130	Acute nephritis (including unspecified, under 10 years of age)	M.	1	1												1										1					
		F.																													

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH	Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married								Foreign														
			Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Class XI— Diseases of pregnancy, childbirth and the puerperal state ..Total	13	.....	1	...	...	...	...	4	8	.....	.....	.....	.....	...	12	1	.....	.....	...	1	1	2	1	1	1	1	2	...	3	...	...
140	Abortion with septic conditions..... F.	1	.....	1	...	...	...	...	...	...	.....	.....	.....	.....	...	1	.....	.....	.....	...	1	...	...	.....	.....	.....	.....	.....	...	...	...	...
	(a) Abortion..... F.	1	.....	1	...	...	...	...	...	...	.....	.....	.....	.....	...	1	.....	.....	.....	...	1	...	...	.....	.....	.....	.....	.....	...	...	...	...
	(b) Self-induced abortion.....F.	.....	.....	...	...	...	...	...	...	...	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	...	.....	.....	.....	.....	.....	...	...	...	...
141	Abortion without mention of septic conditions (haemorrhage included) .....F.	.....	.....	...	...	...	...	...	...	...	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	...	.....	.....	.....	.....	.....	...	...	...	...
	(a) Abortion..... F.	.....	.....	...	...	...	...	...	...	...	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	...	.....	.....	.....	.....	.....	...	...	...	...
	(b) Self-induced abortion.....F.	.....	.....	...	...	...	...	...	...	...	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	...	.....	.....	.....	.....	.....	...	...	...	...
142	Ectopic gestation..... F.	.....	.....	...	...	...	...	...	...	...	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	...	.....	.....	.....	.....	.....	...	...	...	...
	(a) With septic conditions..... F.	.....	.....	...	...	...	...	...	...	...	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	...	.....	.....	.....	.....	.....	...	...	...	...
	(b) Without mention of septic conditions .....F.	.....	.....	...	...	...	...	...	...	...	.....	.....	.....	.....	...	.....	.....	.....	.....	...	.....	...	...	.....	.....	.....	.....	.....	...	...	...	...

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(d) Rupture of uterus in parturition	F.																													
	(e) Others under this title	F.																													
150	Other or unspecified condition of the puerperal state	F.																													
	(a) Puerperal diseases of the breast	F.																													
	(b) Others under this title	F.																													
	Class—XII Diseases of the skin and cellular tissue	Total	5	1						2	1			1		4	1					1		1			1	1	1		
		M.	3	1						2						3								1			1	1			
		F.	2								1			1		1	1					1							1		
151	Carbuncle	M.	1							1						1											1				
		F.	1								1						1					1									
152	Cellulitis, acute abscess	M.	2	1						1						2								1				1			
		F.																													

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married																						
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	Foreign: United States	Foreign: Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(d) Monstrosities	M.																													
		F.																													
	(e) Others under this	M.	6	6													6						1		1		2	1		1	
	title	F.	2	2													2					1					1				
	Class XV—Diseases	Total	44	44													44					3	7	1	5	8	1	3	6	3	3	1	3
	of early infancy	M.	27	27													27					2	2	1	4	5	1	3	3	2	2	1	1
		F.	17	17													17					1	5		1	3			3	1	1		2
158	Congenital debility	M.	5	5													5						1			2			1	1			
		F.	2	2													2						2										
159	Premature birth	M.	16	16													16					1			4	2	1	2	2		2	1	1
		F.	9	9													9						1			1			3	1	1		2
160	Injury at birth	M.	2	2													2							1		1							
		F.	2	2													2									2							
	(a) With mention of	M.																															
	caesarean operation	F.																															
	(b) Without mention	M.	2	2													2							1		1							
	of caesarean operation	F.	2	2													2									2							
161	Other diseases peculiar	M.	4	4													4					1	1					1		1			
	to early infancy (under 3 months)	F.	4	4													4					1	2		1								

| | | |

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
163–171	Suicides	M.	4								2	1	1				3	1						1		1	1					1
		F.	1				1										1											1				
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	1									1					1														1
		F.																													
164	Suicide by poisonous gas	M.																													
		F.	1				1										1										1				1	
165	Suicide by hanging or strangulation	M.																													
		F.																													
166	Suicide by drowning	M.	1									1					1								1						
		F.																													
167	Suicide by firearms	M.	1								1						1									1					
		F.																													
168	Suicide by cutting or piercing instruments	M.	1								1							1						1							
		F.																													
169	Suicide by jumping from high places	M.																													
		F.																													
170	Suicide by crushing	M.																													
		F.																													

171	Suicide by other means	M.																																	
		F.																																	
173-175	Homicides	M.																																	
		F.	2				1		1							1	1										1			1					
173	Homicide by firearms	M.																																	
		F.																																	
174	Homicide by cutting or piercing instruments	M.																																	
		F.																																	
175	Homicide by other means	M.																																	
		F.	2				1		1							1	1										1			1					
176-198	Other violent deaths	M.	31	5	4	1	2		1	5	6	3		4		23	5	1	1	1		3	4	2	1	2	3	5	1	3	3	3	1		
		F.	11	4			1			1	1			4		11						2		1		2	1	1	2	1	1				
176	Attack by venomous animals	M.																																	
		F.																																	
177	Food poisoning	M.																																	
		F.																																	
178	Accidental absorption of toxic gases	M.																																	
		F.	1							1						1										1									
179	Other acute accidental poisonings (except by gas)	M.																																	
		F.																																	
180	Conflagration	M.																																	
		F.																																	
181	Accidental burns (conflagration excepted)	M.	2	2												2						1												1	
		F.	2	1										1		2												1		1					
182	Accidental mechanical suffocation	M.	1							1							1										1								
		F.																																	

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
183	Accidental drowning..	M.	7	2	2	....	....	....	....	....	1	1	....	....	1	....	5	1	1	....	....	1	....	....	....	2	1	2	....	1	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
184	Accidental injury by firearms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
185	Accidental injury by cutting or piercing instruments	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
186	Accidental injury by fall, crushing or landslide	M.	17	1	2	1	....	1	....	1	2	3	3	....	3	....	13	3	....	1	....	1	3	1	1	....	....	3	1	2	2	3	....
		F.	7	2	....	....	....	1	....	....	....	1	....	....	3	....	7	....	....	....	....	2	....	1	....	1	....	....	2	....	1	....	....
187	Cataclysm	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
188	Injuries by animals	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
189	Hunger or thirst	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
190	Excessive cold	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
191	Excessive heat	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

192	Lightning	M.																																				
		F.																																				
193	Accidents due to	M.																																				
	electric currents	F.																																				
194	Other accidents	M	2					1			1								1				1		1								1					
		F.	1	1															1																			
	(a) Foreign body	M.																																				
		F.	1	1															1																			
	(b) Others under this	M.	2					1			1								1				1		1								1					
	title	F.																																				
195	Violent deaths of which the nature (accident, suicide, homicide)	M.																																				
	is unknown	F.																																				
198	Capital punishment	M.	1								1								1						1													
		F.																																				
	Class XVIII–Ill-de-	Total	1				1												1						1													
	fined causes of death	M.	1				1												1						1													
		F.																																				
199	Sudden death	M.																																				
		F.																																				
200	Cause of death not specified or ill-defined	M.	1				1												1						1													
		F.																																				

SPECIAL CLASSES OF ACCIDENTAL DEATHS
(INCLUDED ALSO UNDER THE NUMBERS OF THE INTERNATIONAL LIST ABOVE)
CITY OF HALIFAX, 1935

	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married					Widowed	Not stated	Canada	British	Foreign			January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other	Not stated												
A	Accidents in mines and quarries	M.																														
		F.																														
B	Accidents caused by machines	M.	1								1							1									1					
		F.	1	1													1											1				
C	Railway Accidents	M.	2		1								1				1	1											1		1	
		F.																														
D	Street Car Accidents	M.	1								1						1							1								
		F.																														
E	Automobile and motor-cycle accidents	M.	11	1	1	1		1		1	1	1	2		2		10			1		1	1		1			3		1	2	2	
		F.	2	1								1					2												1		1		
F	Other land transportation	M.																														
		F.																														
G	Water transportation	M.	1												1			1												1			
		F.																														
H	Air transportation	M.																														
		F.																														

TABLE XXXVIII.—MARRIAGES BY MONTHS IN THE PROVINCE OF NOVA SCOTIA 1935

COUNTIES (Including Cities and Towns)	Total	January	February	March	April	May	June	July	August	September	October	November	December
Annapolis	119	4	5	8	7	12	11	12	6	18	12	13	11
Antigonish	66	2	2	4	1	2	3	10	8	10	12	8	4
Cape Breton	726	49	41	31	20	34	88	67	71	71	85	126	43
Colchester	219	6	7	10	13	15	26	28	19	28	24	22	21
Cumberland	304	13	14	18	16	17	38	34	26	39	30	34	25
Digby	124	4	8	5	5	9	20	15	11	14	9	16	8
Guysboro	77	5	4	7	2	4	5	3	10	13	5	12	7
Halifax	873	49	75	54	60	59	96	90	65	86	81	106	52
Hants	175	5	10	7	14	11	19	18	18	27	17	12	17
Inverness	108	4	7	7	3	3	4	10	9	15	12	29	5
Kings	217	9	12	11	11	15	24	15	28	22	27	24	19
Lunenburg	231	15	9	23	16	8	25	17	18	20	28	23	29
Pictou	269	14	16	16	17	6	31	30	26	35	34	30	14
Queens	110	9	7	8	8	3	12	5	7	16	5	12	18
Richmond	46	7	....	1	3	1	2	5	4	9	4	8	2
Shelburne	85	5	7	4	7	4	8	5	6	5	12	13	9
Victoria	28	2	1	....	....	4	....	4	3	4	6	2	2
Yarmouth	169	10	7	5	6	15	24	19	16	17	16	27	7
Total	3,946	212	232	219	209	222	436	387	351	449	419	517	293

TABLE XXXIX.—MARRIAGES ACCORDING TO AGES, IN THE PROVINCE OF NOVA SCOTIA, 1935.

Counties (Including Cities and Towns)	Total	Ages of Men								Ages of Women							
		Under 21	21 to 25	26 to 30	31 to 40	41 to 50	51 to 60	Over 60	Not stated	Under 21	21 to 25	26 to 30	31 to 40	41 to 50	51 to 60	Over 60	Not stated
Annapolis	119	7	52	33	14	9	3	1	.....	37	50	16	11	3	1	1	.....
Antigonish	66	2	26	18	12	4	2	2	.....	23	21	10	7	3	2	.....	.....
Cape Breton	726	41	294	196	140	33	20	2	.....	217	327	102	56	17	7	.....	.....
Colchester	219	13	89	58	40	12	4	3	.....	54	99	34	23	6	2	1	.....
Cumberland	304	19	146	74	46	10	3	6	.....	116	118	37	23	7	2	1	.....
Digby	124	3	53	33	23	2	7	3	.....	44	43	18	11	2	2	4	.....
Guysboro	77	3	29	28	16	....	1	.....	.....	43	25	8	1	.....	.....	.....	.....
Halifax	873	55	323	267	157	41	23	7	.....	228	384	155	72	24	8	2	.....
Hants	175	18	90	36	23	5	1	2	.....	72	69	23	8	1	.....	2	.....
Inverness	108	2	40	32	22	11	1	.....	.....	26	52	16	10	4	.....	.....	.....
Kings	217	20	103	53	32	6	2	1	.....	80	89	27	17	1	3	.....	.....
Lunenburg	231	21	93	68	33	11	4	1	.....	88	98	26	14	4	1	.....	.....
Pictou	269	22	107	78	44	11	7	.....	.....	83	120	42	19	2	1	2	.....
Queens	110	16	44	32	12	2	3	1	.....	52	37	12	8	.....	1	.....	.....
Richmond	46	1	14	16	10	2	1	2	.....	12	19	7	6	1	.....	1	.....
Shelburne	85	7	40	23	11	1	1	2	.....	41	28	9	3	3	.....	1	.....
Vcitoria	28	1	8	7	10	2	.....	.....	.....	5	11	7	5	.....	.....	.....	.....
Yarmouth	169	10	71	35	36	13	2	2	.....	43	77	29	12	7	1	.....	.....
Total	3946	261	1622	1087	681	175	85	35	.....	1264	1667	578	306	85	31	15	.....

TABLE XL.—MARRIAGES REPORTED IN RURAL AND URBAN PARTS OF COUNTIES, NOVA SCOTIA, 1935.

COUNTIES	Total	Rural	Urban
Total for the Province	3946	1495	2451
Annapolis	119	102	17
Antigonish	66	33	33
Cape Breton	726	104	622
Colchester	219	67	152
Cumberland	304	76	228
Digby	124	105	19
Guysboro	77	65	12
Halifax	873	198	675
Hants	175	103	72
Inverness	108	80	28
Kings	217	105	112
Lunenburg	231	133	98
Pictou	269	62	207
Queens	110	64	46
Richmond	46	46	.....
Shelburne	85	65	20
Victoria	28	28	.....
Yarmouth	169	59	110

TABLE XLI.—MARRIAGES—CONJUGAL CONDITION OF CONTRACTING PARTIES IN THE PROVINCE OF NOVA SCOTIA, 1935

	Total Marriages	Marriages between									Per cent. of bridegrooms who were			Per cent. of brides who were		
		Bachelors and			Widowers and			Divorced men and								
		Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Bachelors	Widowers	Divorced Women	Spinsters	Widows	Divorced
Total for the province	3,946	3,556	84	19	164	73	3	39	4	4	92.7	6.1	1.2	95.3	4.1	0.7

TABLE XLII—MARRIAGES—AGES OF BRIDEGROOMS AND BRIDES, NOVA SCOTIA 1935

| Age of Bride-groom | Total Grooms | Age of Bride | | |

TABLE XLIII—MARRIAGES—BIRTHPLACE OF BRIDEGROOMS AND BRIDES, NOVA SCOTIA 1935

| Birthplace of Bridegroom | Total Grooms | Birthplace of bride | | |

Table XLIII—Continued

Holland																																							
Hungary	6		3																						3													
Italy	8		6																							1												
Norway	2		2																															1				
Poland	10		8		1	1																																
Roumania	4		3											1																								
Russia (1)	9		5		1	1														2																		
Sweden	1		1																																			
Other	9		5																					1														
Asia	1		1																																			
China	1		1																																			
Japan																																						
Other																																						
United States	91	1	79	1							1		1			2																			6			
Various	1		1																																			
Not specified	14		6	1																																		7
Total Brides	3946	25	3443	89	28	21	2	9	7	4	1	49	5	17	2		135	4	4	2			2	4		4	2		1		1	1	5				63		16

(1) Including the Ukraine.

TABLE XLIV.—MARRIAGES—DENOMINATIONS OF CONTRACTING PARTIES, NOVA SCOTIA 1935

Denomination of Groom	Total Grooms	Denomination of Bride																											
		Adventists	Anglicans	Baptists	Brethren	Christians	Christian Science	Church of Christ	Congregationalists	Disciples	Evangelicals	Friends	Greek Catholics	Greek Orthodox	Holiness Movement	Jews	Lutherans	Mennonites	Mormons	Pentecostal	Presbyterians	Protestants	Roman Catholics	Salvation Army	Unitarians	United Brethren	United Church	Oriental Religions	No Religion	Other Sects	Not stated
Adventists	10	3		6																						1				
Anglicans	750		398	80		3	2	1						1		1	12				29		77	11			133			2	
Baptists	708	2	83	428		4		1		1							7			2	30		26	6			116			2	
Brethren	1				1																									
Christians	5		2	1		1																				1				
Christian Science	1						1																							
Church of Christ	6			1				1									1				1					2				
Congregationalists																														
Disciples	6			2						3																1				
Evangelicals																														
Friends																														
Greek Catholics	5												4									1								
Greek Orthodox	4													1							1	2								
Holiness Movement																														
Jews	8															7					1									
Lutherans	75		13	12													31				4	3				12				
Mennonites																														

TABLE XLIV.—Continued

Mormons																																
Pentecostal	4		1																	2						1					
Presbyterians	330		49	15		2											4				154		32	3			71					
Protestants	3																				1	1					1					
Roman Catholics	1138	1	48	22		1															13		1012				39				2	
Salvation Army	23		1	1																	1			13			7					
Unitarians	1			1																												
United Brethren																																
United Church	838	2	134	92				1									10			1	47		51	4			495				1	
Oriental Religions (1)																																
No Religion	4			2																							1			1		
Other Sects	24		2	2																			2				2				16	
Not stated	2			1																							1					
Total brides	3,946	8	731	666	1	11	3	4		4			4	2		8	65			5	282	1	1206	37			884			1	23	

(1) (Includes Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus).

TABLE XLV—MARRIAGES—LITERACY OF BRIDEGROOMS AND BRIDES IN NOVA SCOTIA, CLASSIFIED BY BIRTHPLACE, 1935

BIRTHPLACE	Bridegrooms			Brides		
	Total	Illiterate	Per cent Illiterate	Total	Illiterate	Per cent Illiterate
Total	3946	89	2.3	3946	19	0.5
Canada	3487	81	2.3	3629	16	0.4
Prince Edward Island	31	1	3.2	25	.....	.....
Nova Scotia	3269	80	2.4	3443	15	0.4
New Brunswick	95	.....	.....	89	.....	.....
Quebec	19	.....	.....	28	1	3.6
Ontario	43	.....	.....	21	.....	.....
Manitoba	9	.....	.....	2	.....	.....
Saskatchewan	5	.....	.....	9	.....	.....
Alberta	10	.....	.....	7	.....	.....
British Columbia	6	.....	.....	4	.....	.....
Province not Specified	.....	.....	.....	1	.....	.....
British Isles	147	.....	.....	73	1	1.4
England	94	.....	.....	49	1	2.0
Ireland	11	.....	.....	5	.....	.....
Scotland	35	.....	.....	17	.....	.....
Wales	6	.....	.....	2	.....	.....
Other	1	.....	.....	.....	.....	.....
British Possessions	115	3	2.6	139	2	1.4
Newfoundland	105	3	2.9	135	2	1.5
Other	10	.....	.....	4	.....	.....
Europe	90	4	4.4	26	.....	.....
Austria	4	1	25.0	4	.....	.....
Belgium	5	.....	.....	2	.....	.....
Denmark	11	.....	.....	.....	.....	.....
Finland	1	.....	.....	.....	.....	.....
France	6	1	16.7	2	.....	.....
Germany	14	.....	.....	4	.....	.....
Holland	.....	.....	.....	.....	.....	.....
Hungary	6	.....	.....	4	.....	.....
Italy	8	.....	.....	2	.....	.....
Norway	2	.....	.....	.....	.....	.....
Poland	10	.....	.....	1	.....	.....
Roumania	4	.....	.....	.....	.....	.....
Russia (1)	9	2	22.2	1	.....	.....
Sweden	1	.....	.....	1	.....	.....
Other	9	.....	.....	5	.....	.....
Asia	1	.....	.....	.....	.....	.....
China	1	.....	.....	.....	.....	.....
Japan	.....	.....	.....	.....	.....	.....
Other	.....	.....	.....	.....	.....	.....
United States	91	1	1.1	63	.....	.....
Various	1	.....	.....	.....	.....	.....
Not Specified	14	.....	.....	16	.....	.....

(1) Including the Ukraine.

TABLE A—BIRTHS IN THE PROVINCE OF NOVA SCOTIA BY COUNTIES, 1935

Counties (Including cities and towns)	Sex		Still-births	Illegitimate births	Twins	Triplets	Total
	Male	Female					
Annapolis	163	146	7	15	1	.....	309
Antigonish	122	134	4	10	1	.....	256
Cape Breton	1,258	1,229	68	123	29	1	2,487
Colchester	289	258	22	31	8	.....	547
Cumberland	430	401	35	53	9	.....	831
Digby	186	192	13	17	10	.....	378
Guysborough	191	165	12	27	4	.....	356
Halifax	1,279	1,162	54	163	21	.....	2,441
Hants	247	240	12	26	2	.....	487
Inverness	242	174	18	13	3	.....	416
Kings	252	291	13	21	4	.....	543
Lunenburg	297	274	18	46	3	.....	571
Pictou	351	337	24	37	5	.....	688
Queens	147	148	8	11	7	.....	295
Richmond	113	104	7	6	2	.....	217
Shelburne	135	134	8	13	5	.....	269
Victoria	72	62	5	11	.....	.....	134
Yarmouth	206	186	14	40	3	1	392
Total	5,980	5,637	342	663	117	2	11,617

TABLE B—BIRTHS IN CITIES AND TOWNS OF NOVA SCOTIA, 1935

Cities and Towns	Sex		Still births	Illegitimate births	Twins	Triplets	Total
	Male	Female					
Amherst	97	83	6	10	2		180
Antigonish	74	97	4	7	1		171
Bridgetown	9	6		2			15
Bridgewater	31	25		4	1		56
Canso	18	15	2	1			33
Dartmouth	70	58	2	1	1		128
Digby	35	33	1	2	1		68
Dominion	10	15					25
Glace Bay	365	414	30	34	9		779
Halifax	881	798	38	124	19		1,679
Inverness	83	67	9	2	2		150
Joggins	15	14	1	2			29
Kentville	19	11		5			30
Liverpool	58	62	2	4	2		120
Lunenburg	23	17		1			40
Mahone Bay	3	6	1				9
New Glasgow	172	152	14	22	1		324
New Waterford	178	132	12	22			310
North Sydney	90	82	7	9	2		172
Oxford	12	10	1	1			22
Parrsboro	15	14	1	3			29
Pictou	36	30	1	5	1		66
Port Hawkesbury	1						1
Shelburne	9	17		2			26
Springhill	84	98	9	9	2		182
Stellarton	26	26	1	4			52
Sydney	300	289	6	34	8		589
Sydney Mines	112	109	4	11	3		221
Trenton	15	19		1			34
Truro	97	87	10	16	1		184
Wedgeport	11	9					20
Westville	18	16	1		1		34
Windsor	53	55	1	6			108
Wolfville	41	65	4	2	1		106
Yarmouth	100	71	6	31	1	1	171
Total	3,161	3,002	174	377	59	1	6,163

WELLCOME
LIBRARY
INSTITUTE