Report / Board of Health, City of Edmonton, Alberta.

Contributors

Edmonton (Alta.). Board of Health.

Publication/Creation

[Edmonton]: [The Board], [1945]

Persistent URL

https://wellcomecollection.org/works/d7m34vea

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





Report



of the

Local Board of Health



THE CITY OF EDMONTON

ALBERTA

1945



BOARD OF HEALTH, 1945

Dr. E. A. Hay Roe, Chairman

Dr. R. M. Shaw Ald. H. D. Ainlay

Ald. C. E. Gariepy

Dr. G. A. Gemeroy, Edmonton Public School Board Mr. J. A. Gallant, Separate School Board

EX-OFFICIO MEMBERS

Mayor J. W. Fry

Dr. G. M. Little, M.H.O.

Mr. A. W. Haddow, City Engineer

Catharine R. Rose, Secretary

1946

Ald. C. E. Gariepy, Chairman

Dr. R. M. Shaw Mrs. Ald. E. Browne

Dr. E. A. Hay Roe

Mrs. F. C. Butterworth, Edmonton Public School Board Mr. J. A. Gallant, Separate School Board

EX-OFFICIO MEMBERS

Dr. G. M. Little, M.O.H.

Mr. A. W. Haddow, City Engineer

Catharine R. Rose, Secretary


STAFF:


Medical Officer of Health	Dr G. M. Little, D.P.H.
Secretary	Catharine R. Rose
Chief Health Inspector.	John H. Blackburn
Health Inspector	Harry G. Chase
Health Inspector	
Health Inspector.	
Health Inspector	Ian D. F. Shaw
Health Inspector.	John D. Williams
Quarantine Officer	Robert T. Anderson
Chief Food Inspector	Dr. D. M. Morrison, V.S.
Dairy Supervisor.	Cyril Ellinger
Chemist and Milk Inspector	
Public Health Nurse	Mss M. Griffith, R.N.
Public Health Nurse	Miss S. C. Christensen, R.N.
Clerk	
Stenographer	Miss M. Deagon
Stenographer	




CONTENTS:

Annual Report of M.O.H.	3
Financial Statement	5
Summary of statistics	5
Vital Statistics	6
Infant Mortality	7
International List of Causes of Deaths	
Principal Causes of Deaths	
Isolation Hospital	11
School Medical Services	
Immunization	11
Communicable Disease	12, 13, 14
Public Health Nursing	15, 16
Health Inspection	17
Food Inspection	
Dairy Inspection	
Laboratory Report	91







Annual Report of the Medical Officer of Health

Chairman and Members, Local Board of Health, City of Edmonton.

Ladies and Gentlemen:

Herewith is submitted a report of the activities of the Board during the year 1945, and also a summary of work done by co-operating agencies.

Birth Rate:

The birth rate of 24.1 per 1,000 population is the highest since 1928, in which year the rate was 30.6. During this interval a low point of 16.8 was reached in the mid-depression year of 1936.

Death Rate:

There was no significant change in the general death rate from the previous year. Death from heart disease, however, showed a decided increase of 24.1 per hundred thousand population. Of the 232 citizens dying from this disease, 204 were fifty years of age or over. This reflects the strenuous efforts put forth by this older age group during the war years.

A notable increase in deaths from diabetes, particularly in citizens past middle age, suggests the need for periodic medical examination for that age group so that this insidious disease, amongst others, may be detected while effective treatment may be instituted.

Deaths from accidents showed a marked increase in number and variety. Automobile accidents again take the lead with eleven deaths from this cause. Unless we can educate our citizens to greater caution, this toll is likely to increase as more motor cars become available to the public.

Communicable Diseases:

A marked reduction in cases of communicable disease occurred during 1945. Only two cases and five carriers of diphtheria were reported. This is warning to parents, however, that this deadly disease is still able to threaten, and that no child is safe until immunized against it.

Pulmonary tuberculosis still remains the greatest killer amongst our communicable diseases, with twenty-eight deaths. Almost all these victims were in the prime of life. This tragedy may quickly be abated if our citizens will availthemselves of the X-ray clinic survey periodically offered free to all by the Provincial Tuberculosis Service. Early diagnosis is our greatest assurance of cure.

Of forty-three deaths from pneumonia, eleven were in the very young, under one year of age, and twenty-nine were fifty years or over. At these ages, neglect of even slight respiratory disease can quickly prove disastrous.

Venereal disease has increased since the end of the war. With the excellent control service being maintained by the Provincial Hygiene Clinic, and with many more of our citizens getting settled into normal peace-time occupations, a reduction in such cases is anticipated.

Some 11,274 immunization procedures were carried out in our immunization clinic which operates every business day of the year. This work has reached the level where few babies and pre-school children are presented at the welfare clinic who have not had some protection. These, coupled with immunization done by school medical services, are steadily bringing certain communicable diseases under satisfactory control.

Child Welfare:

Our infant mortality rate of 31.1 per 1,000 living births compares favorably with other centres of the Dominion, but we believe that a still greater saving of babies is possible.

Premature birth remains the greatest single cause of infant deaths. Many of these may be prevented if mothers will only place themselves under their physician's supervision during pregnancy.

The Baby and Pre-school Clinic, operated in co-operation with the Provincial Department of Health, has again increased the number of children served. This clinic is providing an outstanding service for protection of the health and normal development of these children from our city and the adjacent rural area.

Sanitation:

The war, with accompanying lack of equipment and need for make-shift procedures has left us with many formidable post-war problems in sanitation.

Our sanitary department has been re-organized, however, and is again at full strength. We anticipate that these problems will be gradually overcome.

Our veterinarian continues to inspect all meats slaughtered in the two local abattoirs. Tuberculous pork remains the greatest single cause of condemnation. Our information in this respect is transmitted to the provincial officers concerned with such problems.

Our milk supply has been threatened by shortage during 1945. An adequate and safe milk supply made readily available to all families is an outstanding factor in protection of the health of our people, particularly our young people. It is to be hoped that the Dominion Government will consider this fact in their reported contemplation of removal of their subsidy on this product.

General:

The end of the war has increased rather than decreased our problems in public health. Housing remains a pressing and troublesome problem. Shortages in many varieties of sanitary equipment have added difficulty to the situation. However, with the co-operation of our citizens, without which any civic service must fall short, and with a continuation of the reasonable tolerance which our citizens displayed during the difficult war years, these difficulties will be overcome to the great advantage of the public health.

We are grateful for the co-operation and assistance of officials of the Provincial Department of Health, and of the Provincial Laboratory who have made their services so freely available to us.

Respectfully submitted,

G. M. LITTLE.

Medical Officer of Health.

EXPENDITURE

1.	Salaries \$	36,394.23	\$ 36,401.83
2.	Supplies	1,077.61	1,029.15
3.	Transportation	5,360.69	5,295.58
4/6.	Telephones, Sundries, Uniforms	882.24	1,187.24
7.	Pensions	3.071.52	2,501.24
	Bathhouse included in a/c 1 and 2) -		
	S	46,786.29	\$ 46,415.76

REVENUE

Permits	\$ 643.00
Meat Inspection	1,168.70
License Department	1,500.00

\$ 3,311.70 3,456.85 \$ 43,474.59 \$ 42,958.91

EXPENDITURE—CLASSIFIED—1945

		Administratio	Communicabl	Dairy Inspection	Food Inspection	Laboratory	Public Health Nursing	Sanitation	Vital	Bath House	TOTALS
1.	Salaries	7,245.40	\$3,190.90	\$2,453.93	\$3,079.99	\$2,803.81	\$3,631.76	\$12,671.64	\$1.000.63	\$316.17	\$36,394.23
2.	Supplies	726.74	63.90	9.00		65.93		18.72	83.54	109.78	1,077.61
3.	Transportation	512.08	1,197.76	829.88	240.00	409.03	493.37	1,678.57			5,360.69
4.	Telephones	119.20	65.76	18.00	17.76	20.64	17.88	97.15			356.39
5.	Sundries	70.01	185.30		62.48	20.78	29.76	48.81			417.14
6.	Uniforms				24.46	***************************************	18.00	66.25			108.71
7.	Pensions	3,071.52									3,071.52
		\$11,744.95	\$4,703.62	\$3,310.81	\$3,424.69	\$3,320.19	\$4,190.77	\$14,581.14	\$1,084.17	\$425.95	\$46,786.29
		25.1%	10.1%	7.2%	7.4%	7.1%	8.8%	31.2%	2.3%	.9%	100%
		25.1	10.1	7.2	7.4	7.1	8.8	31.2	2.3	.9	100

SUMMARY OF STATISTICS

Area of City 26,778 acres including 1,000 acres of water and 2,147 acres in Parks.

	1945	1944	1943	1942	1941
Population 1	11,745	108,416	105,536	96,725	92,404
Persons per acre of land	4.1	4.0	3.9	3.8	3.6
Cost per capita	.41	.39	.38	.42	.41
School enrolment	17,714	17,623	17,337	17,315	17,536
Natural increase of population	1,831	1,622	1,629	1,260	1,083
Total births	4.726	4,286	4,083	3,526	3,230
Resident births only	2,695	2,447	2,443	1,972	1,805
Rate per 1,000 population	24.1	22.6	23.1	20.3	19.9
Total stillbirths	83	61	67	55	67
Resident stillbirths only	53	39	33	39	28
Rate per 1,000 births	19.6	15.9	13.2	19.3	15.5
Total deaths	1,425	1,498	1,342	1,195	1,205
Resident deaths only	864	825	841	712	722
Rate per 1,000 population	7.7	7.5	7.7	7.3	7.8
Total deaths under 1 year of age	159	159	124	127	110
Resident deaths under 1 year of age	84	82	62	68	58
Rate per 1,000 living births	31.1	33.5	25.4	34.5	32.1
Maternal deaths (city only)	6	3	4	1	3
Rate per 1,000 births	2.22	1.25	1.63	.25	1.66
Marriages	2,098	1,839	1,640	1,590	1,425
Rate per 1,000 population	18.8	17.4	17.6	23.0	21.6

VITAL STATISTICS

	Births		1945	1944
Total births Resident births only Male Female Attended by Physician Attended by Nurse Unattended Double births			4,726 2,695 1,392 1,303 2,690	4,286 2,447 1,255 1,192 2,438 6
Born in Institutions—2,68	5 or 99.6%; elsewhere,	10.		
Maternal Parentage:	1945		1944	
Canada British Isles Europe and Asia U.S.A. Other countries	215 or 8.0% 91 or 7.9% 212 or 3.3%		1,969 or 182 or 127 or 163 or 6 or	7.4% 5.2%
	Stillbirths			
Total stillbirths Resident only Male Female Born in institutions Born elsewhere		53 24 29 53		44 61 41 18 23 41
Cause of Foetal deaths: Dystocia Prematurity Toxaema of pregnancy Malformation Placenta and membranes Other conditions		6 2 11	194	44 27 3 3 4 4
	Deaths			
Total deaths Resident deaths only Male Female		519	194 1,49 85 48 34	98 25 31
	Racial Origin			
Canada British Isles Europe and Asia U.S.A. Others	125 or 14.3% 60 or 7.0%		1944 289 or 320 or 137 or 57 or 22 or	38.8% 16.6% 6.9%
	Infant Mortality			
		1945	194	14
Total deaths under 1 year of a Resident deaths under 1 year of Male Female Infant mortality rate per 1,000	of age	84	15 8 4	
		1000000		

INFANT MORTALITY—1945 SEX BY MONTH BY AGE	January March April April May June June July August September October November December Ist Day Ist Day Ist Week Ath Week Ath Week Ist Day Ist	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5 6 13 13 8 6 8 2 5 6 6 6 25 12 10 3 2 50 20 11 2 1
NT	Female		32
EAN	Male		4 52
Z	TOTAL	11:11111111 1:1111111	84
		83b—Influenzal meningitis 81 — Meningitis strepotococcus 83d—Prematurity associated with Jaundice 84a — Mental deficiency 84a — Mental deficiency 84a — Mental deficiency 84b — Mental deficiency 84b — Discriboration of movement 85b — Discriboration of cher, and unspecified organs of movement 85c — Conzenital Hydrocephalus 85c — Conzenital Malformations of central nervous 85c — Congenital malformations of heart 85c — Congenital debility (cause not stated) 85c — Congenital debility (cause not stated) 85c — Congenital debility (cause not stated) 85d — Dremature birth 85d — Other injuries at birth. 86d — Other injuries at birth. 86d — Other injuries at birth. 88d — Asphyxia (cause not stated) Atelectasis 86d — Other injuries at birth. 88d — Accidental mechanical suffocation. 88d — Occupantal mechanical suffocation. 88d — Obstruction, suffocation, puncture ingested objects.	TOTALS

1945
8
=
_
T
-
-
63
=
DEATH
24
OF
OF CAUSES
*
90
-
-
_
-
7
-
=
VCILV
5
ಲ
=
ĵ.
=
99
OC,
<
-
J
CLASSIFIC
I CI
AL CL
NAL CL
NAL CL
TONAL CI
FIONAL CL
TIONAL CL
ATIONAL CL
NATIONAL CL
RNATIONAL CL
SENATIONAL CL
TERNATIONAL CL
TERNATIONAL CL
NTERNATIONAL CL
INTERNATIONAL CL
INTERNATIONAL
ABRIDGED INTERNATIONAL CL

																			1					1				
	Total	M	F	Under		0.1	00	**	10 0	10	15	20	255	30	10 0	97	120	5.0	500	99	65	70	100	80	12.0	96	95	90
1. Typhoid and Paratyphoid Fever	M 1	1	1			1	1	1	. !			1					1			5 1			9 1	1	0 1		9 1	1
6. Tuberculosis of Respiratory System	M 26	17	- 1		11	11	11	11	11	11	11	-			-	7	100	00	-	-	11	-	01	11			11	11
7. All other forms of Tuberculosis	M S	-	6	11	11	11		11	11	1 1	- 1	11	01	-	00		-	11	-	11	11	11	11				11	11
9. Syphilis	M S	14	- 1	11	11	11	H			-			11	11				-	11	-	01	11					11	11
10. Influenza	M W	11	-	11	11	11	11	11	11	11	11	11	11			11	11	-	11	11	11	1	11	11	11			
14. Other infectious or parasitic discases.	M. A.	01	03 (-								11	11			-	11			-					- :			11
15. Cancer and other malignant tumors	M 148	91	00 10	11	11		11		11-		11-	- 1	- :		110 0	100	1000	t- 0	120	100	120	16	0.1	40	140 -	01	11	11
16. Nonmalignant tumors, Tumors unspecified nature.	8 W	7			1 4	1 1	1	1 1		1		1 1	1	9	0	4	0	0 01	•		•		•	4	•			
17. Chronic Rheumatism and Gout	M I		7										11			- 1	11		-			11	11	01	11		11	11
18. Diabetes mellitus	M 25	6	- 15									11	11	-	11		11		11	-	-	01	4	-			11	11
19. Chronic or Acute Alcoholism	N N	-	16	11		11	11	11		11	11	11	- :			11	- 1	-	04	01	9		0.0	01	11	11	11	11
20. Avitaminoses, other general diseases of blood, chronic poisonings	M 19	=======================================	1- 1	1. 1	1 1	1 1	-	1 1	1 1	-	1 1	1 1	1 1	1 1	-	1 1		-	01	01		-	6.0	-	-	-	1 1	1 1
21. Meningitis (nonmeningoceal) diseases of spinal cord	M 3	-	0	1 1	1 1		11		1 1	1 1	1 1	1 1	- 1	-		N -	1 1	1 1	- 1	: 1	1 1						1 1	1 1
22. Intracranial lesions of vascular origin	- M - M - M - M - M - M - M - M - M - M	80	01 14		11	-	11	11	11	11	11	11	11		11.	-	11	00 0	010	01	190	11	140 5	100	04.0	11	11	11
23. Other diseases of Nervous System and sense organs.	M 15	10	8 1	1 1	-	1 1	1 1		1 1	1 1	-	11	-	1 1	- 1	- 1	1	01 01	9 11	1 1	0 01	0 -	2	0	9	-	4 1	1 1
24. Diseases of Heart	M 232	155	0 1	- 1	11					-	11	11	011		-	10	10	- 22	100	100	- 00 0	21	119	12	10	11	11	11
25. Other diseases of the Circulatory System	M 20	13	- 15	11	11	11	1,1	11	11	11	11	- 1	-	- 1	- 1	-	0	9	01		2 1	× 4 -	0.4	2	10 01 -	00 m 0	11	
26. Bronchitis.	M 4	00		-		01					11	11	11	1 1				11	1	1	11	1		1	1	4		11
27. Pneumonia and Bronchopneumonia	M 43	30	1 2	00 e		11	11		11		-	11	11			01	11	-	. 04	44	-	01-	-	100	:00-	11	11	
28. Other diseases of Respiratory System	F 13	t-	9	0						111	111		-	-				111		· 00 H		- 11	9]]	0 1		11"	111	11
																								-			-	

ABRIDGED INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1915 (Continued)

	Total	M	F Ur	nder 1	0.1	00	7	10 0	01	15 20 20 20 20 20 20 20 20 20 20 20 20 20	20 25	348	60 60	07	459	5.0	10 10	64	69	074	75 80	82 68	94	95 1	90
29. Diarrhea and Enteritis M	11	90	1.0	10 0	51			1								1									-
30. Appendicitis M	-	-	0				-																		11
S1. Diseases of liver and biliary passages. M	13	10													11			11			1				11
F 32. Other discases of digestive system	10	10-	00			11		1			11					-	-	01	00	-	22	-			11
F 83. Nephritis M	17	11	00					11							11	-	-	-			00	11	11		11
F 34. Other disenses of urinary and genital systems M	9	9	9		11				11	-	11						-						7		11
35. Puerperal infection M	01																11								
36. Other discases of pregnancy, childbirth, and puerperium	*								1 1							1 1									
37. Diseases of skin, cellular tissue, bones and organs of movement.	60	-									04									-					1 1
38. Congenital malformations and debility, premature birth, diseases peculiar to first year of life.	123			90															-	-					1 1
39. Senliity M	17	10	01 01	21							11				11	11					01 4	01.01	- 00		11
	6	10	14									-				-	-	-	-						Hil
42. Automobile accidents M	=	00	00					1			- 0					1		-						1	1
43. Other violent or accidental deaths M 44. Causes of death ill-defined, unknown, F br unspecified F	39	នៈ	10	4					-	- 111						00	-01	7	7		-	64	HHII		1111
Total Male Total Female	1.0	519 3	545	52 3	2 -1	00	-	4	01 00	10 00	2 8 6 14	9 %	110	22	20	140	85 G	62	87	25 3	55 55 55 55 55 55 55 55 55 55 55 55 55	27	11 5	-	111
Total Deaths	864 2	519 3	345 8	84 4	00	00	-	10	10	00	8 22	11	21	00	355	27	622	94	2.6	00	91 70	4.5	16	-	

PRINCIPAL CAUSES OF DEATHS-1945

					945	HS—			19	044		
		Total	Male	Female	% of Total Deaths	Rate per 100M Population	Total	Male	Female	% of Total Deaths	Rate per 100M	
90 95	Diseases of the heart	232	155	77	26.8	207.6	199	134	65	24.1	183.5	
45 55	Cancer and other malignant tumors	148	91	57	17.1	123.5	132	68	64	16.0	121.7	
83	Intracranial lesions of vas- cular origin	93	38	55	10.7	83.2	84	46	38	10.1	77.0	
157—161	Congenital debility, pre- mature birth, diseases peculiar to first year of life,								-			
107-109	Pneumonia and broncho-	55	33	22	6.3	49.3	45	27	28	5.3	41.5	
163—198	pneumonia Exernal causes		42 30	17	6.8	52.8 39.3	.41	31 25	16	4.8	36.8	
13- 22	Tuberculosis, all forms	28	18	10	3.2	25.0	26	15	11	3.1	23.5	
61 130—132	Diabetes mellitus		9	16	2.9	23.2	19	8	11	2.3	17.5	
162	Nephritis Senility		11 5	12	1.9	15.2 15.2	48	24	14	5.7	44.5	
1	TOTALS	717	432	285	81.8							
	MORTALITY I	FRO	и н	EAR	T D							
Year.	Total Deaths			ths Fi		Total				per 10		
1945				232		26	3.8			207.6		
				199			1.1		183.5			
	814			202			1.8			191.4		
1942	712			197		27	7.7			203.4		
1941				166		28	3.0			179.4		
	MORTALI	TY	FRO	м	ANC	ER						
Year	Total Deaths			ths F		Perce Total				e per 1 opulati		
				148		17	7.1			123.5		
	825			132			6.0			121.7		
1943	814			121			5.0			114.7		
	712			111			5.6			114.4		
	722			105			1.8			113.5		
MORTA	ALITY FROM INTRACRA			ESI	ons	OF 1		CUI	AR	OR		
	Total					_		-	_			
Year	Deaths			ths Fr	om	Percer Total				e per 1 pulati		
					om	Total					on	
1945				is Cau	om	Total	Death			pulati	on	
1945 1944 1943				93 84 74	om	Total 10 10	Death).7).1).0			83.2 77.5 70.4	on	
1945 1944 1943 1942				93 84 74 62	om	Total 10 10	Death).7).1).0 3.7			83.2 77.5 70.4 63.9	on	
1945 1944 1943 1942			Thi	93 84 74 62 72	om se	Total 10 10 10 10 11 11 11 11 11 11 11 11 11	Death 0.7 0.1 0.0 3.7 0.0			83.2 77.5 70.4	on	
1945 1944 1943 1942			Thi	93 84 74 62 72 PN	om se	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death).7).1).0 3.7).0	18	Po	77.5 70.4 63.9 77.8	on E	
1945 1944 1943 1942 1941			Thi ROM Dea	93 84 74 62 72	om se EUM rom	Total 10 10 10 10 11 11 11 11 11 11 11 11 11	Death 0.7 0.1 0.0 3.7 0.0	of	Po	93.2 77.5 70.4 63.9 77.8	on ?	
1945 1944 1943 1942 1941			Thi ROM Dea	93 84 74 62 72 PN	om se EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 0.7 0.1 0.0 3.7 0.0 tage Death	of	Po	83.2 77.5 70.4 63.9 77.8	oon 2 3 3 000M	
1945 1944 1943 1942 1941 Year 1945			Thi ROM Dea	93 84 74 62 72 PN	om se EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 0.7 0.1 0.0 3.7 0.0	of	Po	93.2 77.5 70.4 63.9 77.8	oon 2 3 000M	
1945 1944 1942 1941 Year 1945 1944			Thi ROM Dea	93 84 74 62 72 PN ths Fe	om se EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death).7).1).0 3.7).0 datage Death	of	Po	83.2 77.5 70.4 63.9 77.8 e per 1 opulatio 39.3	oon 2 3 3 000M	
1945 1944 1943 1942 1941 Year 1945 1944 1943			Thi ROM Dea	93 84 74 62 72 PN ths Freumon 43 41 47 32	om se EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 0.7 0.1 0.0 3.7 0.0 tage Death 1.9 5.8 4.6	of	Po	99.00 ppulati 83.2 77.5 70.4 63.9 77.8 e per 1 ppulati 39.3 37.8 44.1 33.0	oon 2 3 3 000M	
1945 1944 1943 1942 1941 Year 1945 1944 1948 1942		Y FF	ROM Dea Pno	93 84 74 62 72 PN ths Feumon 43 41 47 32 31	EUM	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 0.7 0.1 0.0 3.7 0.0 tage Death 1.9 1.9 1.9 1.8 4.6 4.3	of	Po	93.2 77.5 70.4 63.9 77.8 e per 1 opulati 39.3 37.8 44.5	oon 2 3 3 000M	
1945 1944 1943 1942 1941 Year 1945 1944 1948 1942		Y FF	ROM Dea Pno	93 84 74 62 72 PN ths Freumon 43 41 47 32 31	EUM	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 0.7 0.1 0.0 3.7 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	of	Po Rate Po	99.03 and 10 and	on 2 3 3 000M on 3 5	
1945 1944 1943 1942 1941 Year 1945 1944 1948 1942		Y FF	ROM Dea Pno	93 84 74 62 72 PN ths Freumon 43 41 47 32 31 TUBI aths F	EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 1.7 (1.1) (1	of of his	Po Rate Po Rate	99.08 ppulati 83.2 77.5 70.4 63.9 77.8 e per 1 ppulati 39.3 37.8 44.1 33.6 33.1	on 2 3 000M on 3 5 9	
1945 1944 1943 1942 1941 Year 1945 1944 1942 1941 Year 1945		Y FF	ROM Dea Pno	93 84 74 62 72 PN ths Freumon 43 41 47 32 31 **UBI aths F bercui 28	EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 1.7 (1.1) (1	of of se of	Po Rate Po Rate	99.0 ppulati 83.2 77.5 70.4 63.9 77.8 e per 1 ppulati 39.3 37.8 44.1 33.6 33.1 te per 1 copulati 25.0	on 2 3 000M on 3 5 9	
1945 1944 1943 1942 1941 Year 1945 1942 1941 Year 1945 1941		Y FF	ROM Dea Pno	93 84 74 62 72 PN ths Freumon 43 41 47 32 31 **UBI aths F bercui 28 26	EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 1.7 (1.1) (1	of of se of	Po Rate Po Rate	ppulati 83.2 77.5 70.4 63.9 77.8 e per 1 ppulati 39.3 37.8 44.1 33.6 33.1	on 2 3 000M on 3 5 9	
1945 1944 1943 1942 1941 Year 1945 1944 1941 Year 1945 1941		Y FF	ROM Dea Pno	93 84 74 62 72 PN ths Freumon 43 41 47 32 31 **UBI aths F bercui 28 26 20	EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 1.7 (1.1) (1	of of se of	Po Rate Po Rate	ppulati 83.2 77.5 70.4 63.9 77.8 e per 1 ppulati 39.3 37.8 44.1 33.6 23.9 18.9	on 2 3 000M on 5 00M	
1945 1944 1943 1942 1941 Year 1945 1944 1942 1941 Year 1945 1941		Y FF	ROM Dea Pno	93 84 74 62 72 PN ths Freumon 43 41 47 32 31 **UBI aths F bercui 28 26	EUM rom	Total 10 10 10 10 10 10 10 10 10 10 10 10 10	Death 1.7 (1.1) (1	of of se of	Po Rate Po Rate	ppulati 83.2 77.5 70.4 63.9 77.8 e per 1 ppulati 39.3 37.8 44.1 33.6 33.1	000M 000M 000M	

MORTALITY FROM EXTERNAL CAUSES

1945		Schotal PDeaths	Deaths GExternal Causes	25 Male	Female	Suicide	Homicide	Automobile	co Other	9 Percentage	CrRate Per ic 100M So Population
					11	J		11			
1944	***************	825	40	31	9	9	****	9	22	4.8	36.8
1943		814	51	40	11	5	****	13	33	6.2	48.3
1942		712	38	27	11	4	1	7	26	5.3	39.0
1941		722	53	37	16	10	1	10	32	6.9	57.3

ISOLATION HOSPITAL

Six hundred and fifty-six patients were admitted, 77 were carried over from 1944 making a total of 733. There were 648 discharged, 15 died and 70 remained in hospital at the end of the year.

The diseases hospitalized included:		
Scarlet Fever	Whooping Cough	20
Scarlet Fever suspects 9	Vincent's Angina	8
Diphtheria 12	Septic Sore Throat	
Diphtheria carriers 8	Other conditions	85
Meningitis (Meningococcic) 5 Tuberculosis 29	The deaths included:	
Poliomyelitis 5	Tuberculosis	3
Poliomyelitis suspect 5	Meningitis (T.B.)	3
Erysipelas	Vincent's Angina	1
Measles 10		
Mumps	Diphtheria	1
Chickenpox 4	W. Cough and Pneumonia	1
Rubella 2	Other conditions	

SCHOOL MEDICAL SER	VICES	
Complete examinations	Public School Board 5242	R.C. Separate School Board 684
Number reported wth defects	1927	117
Number reported without defects		567
Parents present at examination	3509	60
Homes visited by nurses		63
Talles to classes	100	

omes visited by nurses 593 63 alks to classes 190 IMMUNIZATION 1945 1945

1945 all em S	Diphth	Searlet Fever	Whoop	Typhoi Fever	Tetanu	Schick Test	Dick Test
Board of Health (cases) 611	1161	436	1262	47	2	82	71
Board of Health (doses) 611	3584	2250	4515	159	2	82	71
Public School Board (cases)	2320						
Public School Board (doses)	3771				********		*******
Separate School Board							
(cases) 461	324		*******				
Separate School Board							
(doses) 461	947				*******		*******
Total Cases1072	3805	436	1262	47	2	82	71
Materials distributed to							
Private Physicians 454	517	35	352	14		1	1
1944							
Board of Health (cases) 857	1346	1205	1484	47	0	109	103
Board of Health (dozes) 857	4156	6122	4938	130	0	109	128
Public School Board (cases)2848	3548						
Public School Board (doses) 2848	5153					********	
Separate School Board							
(cases) 240	191		********				
Separate School Board							
(dozes)240	591			******			
Total Cases3945	5121	1205	1484	47		109	128
Materials distributed to							
Private Physicians 412	1062	49	695	6	0	3	1

COMMUNICABLE DISEASE, 1941-1945

	194	5	194	4	194	3	194	2	194	11
	C	D	C	D	C	D	C	D	C	1
Actinomycosis							2	-	*******	-
Chickenpox	1389	****	1793		745		726		1039	
Diphtheria	2		5		11	1	7	2	4	
Diphtheria carriers	5		16		12		4		1	
Dysentery		****			2					
Encephalitis Lethargica		1			3					
Erysipelas	19		17		18		17		31	3
Influenza		2		6		11		8		
Mensles	444		2420	0000	1926	1	673		1631	
Meningitis (meningococcie)	4		3	2	9	2	3	1	16	
Mononucleosis (infectious)			1						*******	
Mumps	1880		397		1076		2006		499	
Faratyphoid Fever			1		1		1		4	
*Pneumonia (lobar)	2	15		9		11		6	3	
Poliomyelitis			5		7				15	
Puerperal Septicaemia				1						
Rubella	277		77		330		653		3266	
Scarlet Fever	374		1010	1	513	2	512		198	
Septic Sore Throat	7		4		8		24		23	
Cuberculosis (Pulmonary)	64	26	69	20	133	15	68	17	47	1
Tuberculosis (other forms)		2	2	6	4	5	6	7	3	
Typhoid Fever	2				1				3	
Undulant Fever	3		1						2	
Vincent's Angina	28	1	20		1		1			
Whooping Cough	237		222	2	856	2	356	1	166	
Venereal Disease—										
G.C. Vaginitis	12		4		3					
G.C. Ophthalmia				100	1				********	
Gonorrhoea	479		308	****	209		155		218	,
Syphilis	108	5	74	6	38	7	74	5	79	
Type Undetermined	5									
	F0.44	F 12	0110	F (1)	F000		F00F	-	5010	
	5341	53	6449	53	5908	57	5287	47	7248	-

C-Cases.

D-Deaths.

During 1945 reportable disease was responsible for 53 or 6.1 of the 864 City deaths.

Of the 51 adult deaths from communicable disease, 27 were due to all forms of Tuberculosis and 5 to Syphlis.

Of the 5,341 cases of communicable disease—1,800 or 35.2% were due to Mumps, and 1,389 or 26.0% were due to Chickenpox. Scarlet Fever with 374 cases accounted for 7.2% of the communicable disease cases.

	No. of Cases	Percent of Cases	No. of Deaths	Percent of Deaths
Pre-school cases—1-5 years	1245	23.4	1	1.9
School Cases-6-14 years	2734	51.3	1	1.9
Over 15 years	1219	22.5	51	96.2
Age not stated	77	1.5	4000	84500
Armed Forces	66	1.3		*****

^{*-}Incomplete Reporting.

100
1945
6
-
-
AGE,
4
BY
100
0.0
100
32
7.3
DISEASE
-
2
200
-
=
28
NIC
Z
Atting.
=
6
MMC
0
0

A chi in construction in	Caser	Male Female	-	Under	1/4	5/14	15/19	Over 20	Not Stated	Armed Outside Forces Cases	utside
Chickenpox	1389	693 6		57	380	856	41	41	t		11
Diphtheria	011		04			1		-	- Constant		10
Ersinelas										1	00 (
*Lobar Pneumonia		10				-		=-	20		9
Measles					201	159	11	53	00	00	15
Meningitis (meningocorcie)					01	District of the last of the la		-			E-
Paratynhoid					245	1233	141	198	250	24	11
Poliomyelitis											- 0
Rubella					26	162	66	86	6	-	0 0
Scarlet Fever					112	189	36	42	9 01	- 61	3.0
Tuberculosis (pulmonary)	. 64					-	-	228		1	57
											-
Undulant Fever							-	- 0		1	
Vincent's Angina					0			7 -	0	10	- 0
Whooping Cough.					3 00	118		- 01	9 -	17	-
Septic Sore Throat			4		03	-		90			01
Managed Discourse											
veneral Discases—											
Gonorrhoea			977	00 (00	4.0	371	18		
Vazinitis			10			-	٠.	92	-		-
Type undetermined	9 10	*	1		0	0	-	- 4	1		-
TOTALS			-	1	000	0000		-			
A A A A A A A A A A A A A A A A A A A	1800	22 2192	1 6222	141	1038	2784	334	888	7.1	99	192
DEATHS:											
Encophalitis Lethargica	1	**						-			
Influenza Pneumonia (lobar)	01 10		030				ľ	-			
	0 10	77	0				-	7			
Tuberculosis (pulmonary)	26	18	00				-	255			
Tuberculosis (other forms)	03	-				1					
C A THOSE									-		
TOTALS	020	36	16	-		-	2	48			
*Incomplete reporting.											

1.00	
1177	
-	
94	
SEX,	
AND	
-	
-	
-	
-	
-	
ASON	
-	
SE	
BY	
50	
00	
50	
ASI	
ASI	
SASI	
EASI	
EASI	
SEASI	
SEASI	
SEASI	
ISEASI	
ISEASI	
DISEASI	
DISEASE	
DISEASI	
ABLE DISEASI	
ABLE	

	CO	MMUN	CABL	E DISE	ASE	SY SE	NOS	AND S	EX, 19	2						
	City	Male	Female	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec. C	tside
Actinomycosis Chickenpox	1389	693	969	E.	99	20	20	7.0	208	234	108	69	153	151	124	177
Diphtheria carriers	N kg	4	N2					1				- 01			1	001
Erysipelas	19	13	9 -	-	61	¢1	-	7	63		-	1	00	-	64	9
Measles	444	201	243	12	19	100	37	69	118	49	21	18	01	17	62	15
Meningitis (meningococcie)	1880	900	980	86	163	270	276	241	149	7.4	4.7	45	106	185	23 K	14
Paratyphoid		-														
Poliomyelitis.	1						00	-						t		0.00
Kuebella Scarlet Fever	874	182	192	5.4	- 65	450	00 00	28	113	11	01-	56	F 100	- 10	36	0 00
Septic Scre Throat	-	00	4	-	-	01			-			-		-		0.0
Tuberculosis (Pulm.)	99	33	25	14	10	10	10	4	-	01	4	6	10		10	61
Tuberculosis (others)	6			-				-			1	1				-
Undulant Fever	00	4 00									1			64		-
Vincent's Angina	53	62	9		1	00	10	1	4	1	10		03		03	01
Whooping Cough	237	116	121	30	42	25	31	01	90	10	130	t-	t-	ţ-	14	14
Venereal Disease-																
Gonorrhoea	479	255	226	41	87	31	41	31	20	2.0	39	48	51	20	52	-
Syphilis	108	23	49	6	15	00 0	11	60 0	0	11	10	10 +	(~·	10		
Vaginitis Type undertermined	127	4	12			N	N4	0				-			1	
											-	-		1	1	1
TOTALS	5341	2612	2229	362	330	497	524	536	624	471	267	227	284	486	547	192
DEATHS:																
Encephalitis Lethargica Influenza	- 67	-	61		1	1	-									
Pneumonia (lobar)	15	12	00 -		-		-	00	1	07 -		-		03	04.0	
Sypnins Tuberculosis (pulm.)	26	18	- 00	4	00	- 01	10	61	-		01	1	04	1	4 00	
Tuberculosis (other forms) Vincent's Angina	11 63	-						1				1	-		-	
	02	200	1.0	U	M	10	t	9	6	0	0	60	0	-	t	

*Incomplete Reporting.

TUBERCULOSIS CONTROL

Kinsmen's Club Service:	1944	1944
Total visits by nurse	3381	3986
Visits to T.B. cases		736
Visits to suspect cases	68	99
Visits to contact cases	2365	2803
Not seen, moved, etc.	59	
Co-operative visits	225	237
Provincial Tuberculosis Division:		
Provincial Tuberculosis Division:		
Examinations—	119	109
Examinations— Active cases		109
Examinations— Active cases Suspects	99	109 29 370
Examinations— Active cases Suspects Contacts	99 306	29
Examinations— Active cases Suspects Contacts Non-contacts	99 306 1013	29 370
Examinations— Active cases Suspects Contacts	99 306 1013 2397	29 370 1155
Examinations— Active cases Suspects Contacts Non-contacts Total Examinations	99 306 1013 2397 2161	29 370 1155 2056

PUBLIC HEALTH NURSING

Child Welfare

Early in May our offices were moved from the old Telephone Building to our present quarters in the New Market Building. Our offices are clean, bright and comfortable.

The clinics were well attended throughout the year, eighteen hundred and four new cases were admitted, which number exceeds that of any other year.

One hundred and sixty-six out-of-town cases were in attendance and thirty-two letters were written regarding the care and feeding of infants.

1945	1944	1943	1942	1941
Number of clinics held 200	200	150	101	83
Babies in attendance (under 2 years)6208	6198	5649	4905	3783
Pre-school in attendance1212	1158	1067	1146	972
Total7420	7356	6716	6051	4755
Average 37	37	45	60	49
New cases admitted, babies1523	1378	1320	1119	899
New cases admitted, pre-school 281	262	240	61	202
Babies referred to family doctor 9	25	31	21	28
Pre-school referred to family doctor 16	20	36	24	20
Re-admitted babies 10	11			********
Re-admitted pre-school 81	81			

Our thanks are due to Dr. Folinsbee, Dr. Newell and Dr. Collins for their untiring efforts on behalf of the service.

BSc. and Public Health students were with us for observation and field work, also students from the Royal Alexandra hospital.

One thousand, eight hundred and fifty-eight visits were made by the nurses, made up as follows: Babies—1,487; Pre-school—365; Pre-natal—6.

Victorian Order of Nurses

19	45 19	944	1943	1942
Pre-natal visits 4	22 5	545	347	399
Obstetrical (nursing care)	8	19	87	77
Obstetrical (advice)11	82 11	147	1157	693
Newborn (nursing care) 5	59 6	666	743	453
Newborn (health supervision)16	54 13	373	1287	857
Pre-natal clinics	51	49	46	49
Total attendance	68 9	982	658	500
Average attendance	15	20	14	10
Mothers enrolled 1	36		*******	.,,,,,,,,

HEALTH INSPECTIONS

INCORPORTIONS		
INSPECTIONS:	1945	1944
Dwellings		10,214
Hotels, lodging houses, apartment blocks		1,133
Schools, blocks, public buildings		68
Stores, business establishments	. 965	588
Food handling establishments	2,598	3,190
Garbage cans, etc	1,970	1,984
Streets, lanes, yards, dumps, etc.	2,186	2,544
Miscellaneous	. 3,188	2,576
	21,571	22,297
Re-inspections	4,552	3,605
Visits assisting Quarantine Officer	55	2,069
NOTICES:		
Written	2,042	1,886
Verbal	4,895	4,974
Garbage	1,038	595
7	7,975	7,455
COMPLATING:		
COMPLAINTS:		
Received from public		903
Justified		862
Received from other departments		38
Referred to other departments	52	111
The complaints were made up as follows:		
Garbage, streets, lanes, etc.	186	271
Vermin		219
Housing, plumbing and drainage		245
Food and drink	29	41
Miscellaneous	50	127
· · · · · · · · · · · · · · · · · · ·		
LICENSES:		
License applications investigated	2,392	2,304
PLUMBING:		
Sewer and water notices issued	7	18
Sewer and water installed, buildings removed, etc		31
Extension of time granted		38
Plumbing permits issued		986
Plumbing permits issued for old buildings		35
Alterations to existing plumbing (fixtures)		1,173
Privies eliminated through installation of plumbing	44	35
Number of septic tanks installed	5	****

DISINFESTING STATION:		
	1945	1944
Baths	4,005	4,129
Verminous		6
Scabies		315
Disinfested		321
No. of Men Washing Clothes		2,846
Units Washed		8,538
Articles sterilized for the Army	2,425	3,579
SCAVENGING CLEAN-UP WORK:		
Refuse removed during Clean-up Week (cubic yards)	8,140	3,546
ANIMALS, BARNS, STYES:		
Cow owners	392	481
Hog Owners		151
Goat owners		56
Fur Farm owners		58
FOOD:		
Samples submitted to Provincial Laboratory	12	16
Foodstuffs condemned (lbs.)		2,863
WATER:		
Water samples taken	14	19
Negative	. 14	8
*Positive	3	14
*Suspicious		
Wells chlorinated		11
Wells placarded	1	4
Ice samples	2	2
*-Wells condemned or further samples taken after ch	lorination.	

HOUSING:

9,479 dwellings and 1,147 hotels, lodging houses, apartment blocks, etc., were inspected for overcrowding, vermin and other insanitary conditions. Necessary notices were issued.

POISON GAS FUMIGATION:

Vermin were eliminated from 283 dwellings and blocks by hyrdocyanic acid gas. Inspections were made of all premises before and after fumigation, and the inhabitants warned regarding removal of all foodstuffs, etc.

ENFORCEMENT OF REGULATIONS:

Prosecutions		3	1
--------------	--	---	---

During the year, three prosecutions were instituted. One was against a lady for maintaining a nuisance on her property. This was satisfactorily rectified, the nuisance being disposed of.

The second was a prosecution for maintaining horses in an insanitary condition. The defendant was fined twenty dollars (\$20) and costs, and told not to repeat the nuisance.

The third was for keeping a cow in the prohibited zone. A conviction was obtained and a fine of three dollars (\$3) and costs imposed. The animal has been removed from the city.

FOOD INSPECTION

MEATS I	NSPECTED	AND	CONDEMNED
---------	----------	-----	-----------

Beef:	MNED		
	1945	1944	1943
No. of carcasses inspected		3,206	3,754
Carcasses condemned	37	26	32
Portions condemned	189	293	343
Weight (lbs.) of carcasses and portions condemned	9,960	19,285	18,100
Veal:			
N6	0.055	0.105	0111
No. of carcasses inspected Carcasses condemned	2,075	2,137	2,141
Portions condemned	32	5 55	3 41
Weight (lbs.) of carcasses and portions condemned	1,245	1,640	778
Mutton:			
No. of carcasses inspected	1.634	1,850	1,132
Carcasses condemned	13	17	6
Portions condemned	59	102	22
Weight (lbs.) of carcasses and portions condemned	815	1,130	380
Pork:			
	1000	0.501	- 000
No. of carcasses inspected	4.656	3,721	5,396
Carcasses condemned Portions condemned	1 200	57 978	85 1,251
Weight (lbs.) of carcasses and portions condemned2		22,710	31,545
	0,000	22,110	01,040
Totals:			
No. of carcasses inspected1	0,988	10,914	12,423
Carcasses condemned		105	126
Portions condemned	1,679	1,428	1,657
Weight (lbs.) of carcasses and portions condemned	0,325	44,765	50,803
CARCASSES FOUND TO BE INFECTED	WITH	TD	
Beef:	WIII	1.D.	
Infected	13		
Percent	100000	0	10
1 Crecit	495	8	19 506
	.495	.230	19 .506
Pork:	.495		
Pork: Infected			
	712	.230	.506
Infected Percent	712 15.29	.230 524 14.08	.506 749
Infected	712 15.29	.230 524 14.08	.506 749 13.88
Infected Percent CHIEF CAUSES OF CONDEMNATION Reef:	712 15.29	.230 524 14.08	.506 749
Infected Percent CHIEF CAUSES OF CONDEMNATION Reef:	712 15.29 N. 1943	.230 524 14.08	.506 749 13.88 Weight Lbs.
CHIEF CAUSES OF CONDEMNATION Beef:	712 15.29 N. 194	.230 524 14.08 5	.506 749 13.88 Weight Lbs. 465
CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis	712 15.29 N. 1943	.230 524 14.08 5 Portions 41	.506 749 13.88 Weight Lbs.
CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis Adhesions	712 15.29 N. 194: arcasses	.230 524 14.08 5 Portions 41	.506 749 13.88 Weight Lbs. 465 775 1,500 220
CHIEF CAUSES OF CONDEMNATION Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised	712 15.29 N. 194: arcasses	.230 524 14.08 5 Portions 41 79 17 2	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120
CHIEF CAUSES OF CONDEMNATION Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition	712 15.29 N. 194: arcasses 2 9 1	.230 524 14.08 5 Portions 41	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750
CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation	712 15.29 N. 1943 arcasses 2 	.230 524 14.08 5 Portions 41 79 17 2 18	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575
Infected Percent CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia	712 15.29 N. 1943 arcasses 2 	.230 524 14.08 Portions 41 79 17 2 18	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075
CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation	712 15.29 N. 1943 arcasses 2 	.230 524 14.08 5 Portions 41 79 17 2 18	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130
CHIEF CAUSES OF CONDEMNATION Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis	712 15.29 N. 1943 arcasses 2 	.230 524 14.08 Portions 41 79 17 2 18	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075
Infected Percent CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis Improper Bleeding	712 15.29 N. 1943 arcasses 2 9 1 4 5 5 2 1 2 1	.230 524 14.08 5 Portions 41 79 17 2 18	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450 900 525
Infected Percent CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis Improper Bleeding Peritonitis	712 15.29 N. 1943 arcasses 2 	.230 524 14.08 5 Portions 41 79 17 2 18	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450 900 525 875
Infected Percent CHIEF CAUSES OF CONDEMNATION Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis Improper Bleeding Peritonitis Haem, Septicaemia	712 15.29 N. 1943 arcasses 2 9 1 4 5 5 2 1 2 1	.230 524 14.08 5 Portions 41 79 17 2 18	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450 900 525 875 3,300
Infected Percent CHIEF CAUSES OF CONDEMNATIO Beef: Abscess Abscess Multiple Actinomycosis Adhesions Bruised Decomposition Emaciation Pleura-pneumonia Tuberculosis Oedema Metritis Improper Bleeding Peritonitis	712 15.29 N. 1943 arcasses 2 	.230 524 14.08 Portions 41 79 17 2 18	.506 749 13.88 Weight Lbs. 465 775 1,500 220 4,120 1,750 1,575 2,075 1,130 450 900 525 875

Veal				
Parasites	Veal:	arcasses	Portions	
Pruised	Abscess		8	85
Not Bled	Parasites		18	185
Preumonia				1.00
Mutton: 5 60 Bruised 2 2 125 Parasites 57 150 Decomposition 8 400 Miscellaneous (Oedema, emaciation, abscess multiple) 3 140 Pork: Abscess 13 150 Abscess Multiple 16 4.125 Adhesions 6 975 Bruised 1 26 815 Burnt 15 2 250 Contamination 15 2,250 Contamination 1 85 1,500 Parasites 9 874 13,100 Parasites		1		
Mutton: Bruised 2 2 125 Parasites 57 150 Decomposition 8 57 150 Miscellaneous (Oedema, emaciation, abscess multiple) 3 140 Miscellaneous (Oedema, emaciation, abscess multiple) 3 140 Pork: Abscess 13 150 Abscess Multiple 16 4.125 Adhesions 61 855 Arthritis 6 975 Bruised 1 26 815 Burnt 15 2,250 Contamination 1 3 50 Emaciation 1 3 50 Parasites 9 874 13,140 Decomposition 9 874 13,140 Decomposition 10 2,200 DISEASED ANIMALS DISEASED ANIMALS DISEASED ANIMALS DISEASED ANIMALS				

DAIRY INSPECTION

1945

Certificates issued Producer-distributors, raw milk	20
Certificates issued Producer-shippers, milk	263
Certificates issued Producer-shippers, cream	28
Certificates issued Pasteurization Plants	5
Inspections of Producer-distributors' Dairies	
Inspections of Producer-shippers' Dairies	784
Inspection of Pasteurization Plants	56
New Dairy Barns erected	9
Dairy Barns remodelled	6
New Milk Houses erected	24
Certificates suspended temporarily	124
Certificates suspended indefinitely	1
Applications for certificates of registration refused	********
Certificates issued to retail distributors	400
Permits issued to cowkeepers in the city	452
Reduction tests, milk	12,879
Reduction tests, cream	27
Sediment tests	789
Butterfat tests	913
Phosphatase tests	265
Bacterial plate counts, milk	676
Bacterial plate counts, ice cream	45
Chlorine tests at dairy farms	20
Dairy cattle privately tested for Bang's disease	538
Well water samples taken at dairy farms	
Milk cans condemned	
Written notices to dairy premises	
Educational circulars to cream producer-shippers	
Prosecutions	

During 1945 the number of producer-distributors of raw milk decreased from twenty to fifteen.

LABORATORY REPORT

During the year the testing and supervision has been carried out much along the same lines as previously, although the increase in the number of Methylene Blue tests and the uncertainty of times of getting the samples has precluded much other work. Our milk consumption is still maintained at an all time high, and trouble is still experienced in obtaining sufficient milk of satisfactory quality to meet our demands. A further decrease is noted in the number of retailers, but wholesale shippers are still increasing.

There were 789 retail samples taken during the year. All these samples were examined for butter fat content, solids-not-fat, sediment and flavor. Methylene blue tests were also run on all these samples. Over half the samples were also submitted to test for bacteria count, those exceeding 50,000 being given a recount as soon as possible. The pasteurized milk was also tested at least twice a month by the Phospatase test.

A summary of this work is given in the tables below. In the first table the retail milk samples are classified as in previous reports. The ten examinations which were spoiled by the growth of spreaders are of course excluded in calculating the proportion in each group.

Table No. 1, Retail Milk Samples-Bacteria Counts

Sp	ecial	15,000/ 40,000	40,000/ 100,000	100,000/ 300,000	Over	Spreader	Total
January	32	8	4	6		1	51
February	37	5	7				49
March	32	9	2	2			45
April	34	7	2		1		44
May	44	9	2	3		1	59
June	34	4	6		1	1	46
July	21	12	5	5	2		45
August	22	14	4	4	3	3	.50
September		*******				******	
October	14	18	4	1		1	38
November	26	10	8	1		*******	45
December	26	7	7			3	. 43
The state of the s	322	103	51	22	7	10	515
Percentage	63.8	20.4	10.1	4.3	1.4		100

These results are also shown broken down into various ways in the following table:

Table No. 2 Special	15,000/ 40,000	40,000/ 100,000	100,000/ 300,000	Over	Spr.	Total
Raw Milk 83-39.0%	66-31.0%	41-19.2%	16-7.5%	7-3.3%	7	220
Pasteurized140-83.8	17-10.2	6- 3.6	4-2.4		3	170
Jersey 56-78.9	12-16.9	2- 2.8	1-1.4	******		71
Homogenized 43-79.6	8-14.8	2- 3.7	1.1.9			54
322	103	51	22	7	10	515

Some improvement is shown over the previous year, but results are still below our pre-war standards.

In addition samples were taken at regular intervals for the Army Supply Depot and for the C.N.R. of the various products supplied. These were examined for bacteria count, butterfat and phosphatase and as the military forces attach considerable importance to the test, for coliform organisms, this test was applied to all their samples. Thirty cream and 105 milk samples were taken during the year. A summary of these and other tests is shown in the next tabulation.

		-				
- (7)	Day.	B- 1		N	200	- 0
	1128	E2-1	160	- 1	ο.	5

	Number	Average
Retail samples, butterfat	. 789	3.72%
Retail samples, solids not fat		8.81%
Retail samples, sediment	. 789	9.2 %
Special creams—butterfat	. 30	10.1 %
Special milks—butterfat	. 105	3.8 %
Chocolate milks, butterfat	. 76	2.3 %
Phosphatase tests	. 223	

Table No. 4, Bacteria Counts-Special Milks and Creams

Special Creams	30 - 26	in	Special	Class
Special Milks	104-76	in	Special	Class
Chocolate Milks	86 - 52	in	Special	Class
Ice Cream	57-28	in	Special	Class
Rinse Bottles	14			
Special Milks, coliform organisms	64			

As previously the greater part of the work was in checking the raw milk as received at the plants. The milk collectors still are working under considerable handicap and the delivery service is far from satisfactory. Milk handling equipment in the plants also is still overloaded. As a result it has been increasingly difficult to obtain the samples in reasonable time. There were over twelve thousand samples examined of which 878 failed to make the required grade. This is a better showing than last year, but still calls for improvement. Special tests to the number of 24 were run for producers having trouble meeting our requirements to help them locate the source of their trouble. The results of all the Methylene Blue tests are as listed:

Table No. 5-Methylene Blue Tests

	Number	Under 5½ Hours
Producers' Milk	12,136	878
Retail Samples	746	4
Special Tests	24	

Regular inspection and supervision was given the swimming pools both City and privately owned, test apparatus and chemicals supplied as needed, and samples of swimming pool water taken for examination. There were 186 samples from the City pools of which 31 failed to meet the accepted standards. Most of these were from one pool where trouble was experienced until extensive repairs were made. None of these samples showed the presence of coliform organisms in the amounts tested so that safety was assured at all times. There were 77 samples taken from privately owned pools and again we had a number of high counts and two positive colon tests.

Samples of tap water were examined for us almost daily by the Provincial Laboratory. Out of 292 samples so tested, 252 gave counts of 10 or under while only 8 gave over 50. One sample was spoiled by growth of a spreading organism. Daily checks were made on the chlorine in the water and the close collaboration was maintained with the water treatment at all times.

Occasional visits have been made to the various sewage plants which have been carrying on satisfactorily.

,



