Annual report on the Medical Department / Straits Settlements.

Contributors

Straits Settlements. Medical Department.

Publication/Creation

[Singapore]: [G.P.O.], [1933]

Persistent URL

https://wellcomecollection.org/works/n84ej9vt

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org JC 226

STRAITS SETTLEMENTS

Annual Report of the Medical Department for the year 1933

By

R. D. FITZGERALD (M.C.), M.D., Director of Medical and Health Services, S.S.





TABLE OF CONTENTS

T	ADMINISTRATION-					PAGE
-						
	(a) Staff	***				1
	(b) Ordinances					3
	(c) Financial					4
II.	PUBLIC HEALTH-					
	(a) General Remarks	a least at his		to suppose	land on the	5
	(b) General Diseases	efationed el			THE CO	6
	(c) Dangerous Infectious	Diseases		bearing.	web mo	8
	(d) Other Infectious Dise	ase				8
	(e) Malaria		***	***		0
	(f) Bowel Diseases				-Bergeral	0
	(g) Diphtheria			WHI	unif	10
	(h) Venereal Diseases			males no	- Page	10
	(i) Leprosy			Book 9, and	class (co.)	IO
	(j) Helminthic Diseases			0.110		10
	(k) Improvement of Pub	lic Health				II
	(1) Vital Statistics					11
	(m) Sickness, Invaliding	and Deaths a	mong I	uropean ar		AN
	European Officials				edl	12
	and the Princip Lague.					
Ш.	VACCINATIONS					12
IV	HYGIENE AND SANITATION-					
-		T 141 D				100
	A.—Organisation of the I					13
	B.—General Review of we		progress	made-		
	(i) Preventive Meas			orbit Million		14
	(ii) General Sanitati	on and Villag	e Conse	rvancy		15
	(iii) Water Supplies			***		18
	(iv) School Hygiene	TVE-LIS*				18
	(v) Labour Condition				2	19
	(vi) Housing and To	wn Planning				20
	(vii) Food in relation					20
	C.—Measures taken to s	pread the kr	owledge	of Hygie	ne and	
	Sanitation	D belling La		d la different	L V	21
	D.—Training of Sanitary	Personnel	***		***	21
V.	PORT HEALTH WORK AND	ADMINISTRATIO	ON-			
	A.—Singapore					22
	B.—Penang					24
V1.	MATERNITY AND CHILD WE	LFARE—				
	I.—Maternity Hospitals			***		25
	II.—Training and Work of	Midwives				28
	III.—Infant and Child Wel					28
	A.—In Municipalit					28
	B.—The Singapore	Child Welfare	Society			28
	C.—Government In					29
	D.—Combined retu			id to Hom	es and	
		t Welfare Cli	nics			29
	IV.—Associated Activities	***	***		***	29

						PAGE
VII.	HOSPITALS, DISPENSARIES AND V	VENEREAL C	LINICS—			
	Table showing hospitals main average daily number of p	patients, etc		***	***	29
	Table showing male and fem Hospitals	ale patient	s treated	at the	various	30
	Prevailing diseases among hos					31
	Total number of beds and aver	rage daily n	number of	patients	in the	
	three Settlements		***			31
	Police Hospital					31
	Terminal causes of deaths note		nalarial cas	ses		32
	Daily cost of diets per head in	hospitals				33
	Out-door Dispensaries			***		33
VIII.	MENTAL HOSPITAL, SINGAPORE		T tools		40 .00	33
IX.	Prisons-					
	(a) Singapore Prison			attache.	1111	34
	(b) Penang Prison			***	11 111	37
	(c) Malacca Prison		***			38
X.	KING EDWARD VII COLLEGE OF	MEDICINE-	_			
11	Abstract of Annual Report				- 1 ()	38
XI.	SCIENTIFIC, ETC., (APPENDICES)					
	A.—Report on Leper Settleme			T1	···	41
	B.—Report on Pulau Jerejak Settlement, Penang	Settlement	and the	remale	Leper	42
	C.—Report on Pathological Br		ts Settlem	ents		49
	D.—Report on the General Ho on Radiological Depart and Tan Tock Seng Ho	ospital, Singment, Den	gapore (in tal Depart	cluding ment, (reports General	77
	Settlements					61
	E.—Report on Schools, Straits			***		71
	F.—Report on Social Hygiene	, Straits Se	ttlements			84
		AADT TO				
FT		CABLES.				00
1	able I.—Staff	***				88
	" II.—Financial " III.—A—J. Returns of Vita	1 Statistics	***	***		90
	TV Metassalasiaal Detrom			***		92
	V Potum of Discours and		n-Patients)		3	95
	,, v.—Return of Diseases and	Deaths (II	a-ratients)	***		97





THE STRAITS SETTLEMENTS MEDICAL REPORT FOR THE YEAR 1933

I.—ADMINISTRATION

(a).—Staff

Dr. C. J. Wilson, M.C., Director of Medical and Health Services, returned from leave on 28th January, 1933, and resumed the duties of his appointment. He proceeded on leave prior to retirement on 14th December, 1933.

Dr. R. D. FITZGERALD, M.C., Deputy Director of Medical and Health Services, acted as Director of Medical and Health Services from 1st January, 1933, to 27th January, 1933, and from 14th December, 1933, to the end of the year.

Dr. W. M. CHAMBERS, Chief Medical Officer, Singapore, acted as Deputy Director of Medical and Health Services from 1st January, 1933, till the date of his departure on leave on 20th January, 1933, and again acted on return from leave till the end of the year.

(2) Dr. (Mrs.) M. G. Brodie was appointed Lady Medical Officer on a month to month basis on 27th September, 1933.

Dr. E. C. Vardy, Medical Officer, Federated Malay States, was appointed to the Straits Settlements Medical Service on 27th January, 1933, and Dr. D. M. McSwan, Medical Officer, Federated Malay States, was transferred to the Straits Settlements in place of Dr. W. J. E. Phillips, Medical Officer, Straits Settlements, with effect from 1st December, 1933.

(3) The following officers proceeded on leave during the year :-

Name	Appointment	Date
*Dr. (Mrs.) S. WINSTEDT	Lady Medical Officer, Singapore	ıst January, 1933
Dr. W. M. CHAMBERS	Chief Medical Officer, Singapore	
*Dr. N. H. HARRISON	Supernumerary Super Scale Medical &	
	Health Officer, S.S	
Dr. J. W. SCHARFF	Senior Health Officer, Penang	13th February, 1933
Professor K. BLACK	Professor of Surgery, College of	
D- W C From	Medicine, Singapore	
Dr. W. G. EVANS	Medical Officer i/c Officials and Gaol Singapore	J P-1
D-, (Mrs.) C. H. DUKE	Lady Health Officer, Schools, S	
Professor J. L. ROSEDALE	Professor of Biochemistry, College of	
Tioressor J. L. Rosebale	Medicine, Singapore	and Manch
Professor E. K. TRATMAN	Professor of Dental Surgery, College	3
	of Medicine, Singapore	28th April, 1933
Dr. (Miss) N. N. LOWTHER	Lady Medical Officer, General Hospi-	
BOT SUPER AND VALUE AND	tal, Singapore	THE STREET STREET, STR
Dr. R. F. PINSON	Health Officer, Malacca	700
Dr. R. B. MACGREGOR	Chief Medical Officer, Malacca	A A ARR
Dr. J. GRAY	State Surgeon, Kedah	
Dr. F. R. SAYERS	Chief Health Officer, Singapore	
Dr. G. H. LOWE	Health Officer, Johore	
Prof. J. R. KAY-MOUAT	Professor of Physiology, College of	
D. D. A. Mickin	Medicine, Singapore	The same of the sa
Dr. R. A. MACNAB	Medical Officer, Kedah	9
Dr. A. H. LOWTHER	Medical Officer, Penang	D
Dr. W. J. Moir Mr. C. J. Smith	Senior Health Officer, Johore Senior Surgeon, Singapore	10th November, 1933 8th December, 1933
*Dr. C. J. Wilson	Director of Medical & Health Services, Straits Settlements	14th December, 1933
Dr. H. G. HOLDBROOK		u n
Control of the Contro		1 990

^{*} Prior to retirement.

(4) The following office		
(4) The following our	ers returned from leave during the year	ar :
Name	Appointment	Date
Dr. J. C. Tull, F.R.C.P Dr. C. J. Wilson, M.C	Director of Medical and Health	20th January, 1933
Professor B. M. Johns		28th January, 1933
Dr. H. G. HOLDBROOK	of Medicine, Singapore Chief Medical Officer, Penang	18th February, 1933 30th March, 1933
Mr. E. A. Joy		31st March, 1933
Dr. J. S. Webster Dr. G. H. Garlick	Dhamisian & Dadislania Tabana	12th May, 1933 27th June, 1933
Dr. W. L. BLAKEMORE Professor J. L. ROSEDALE	Health Officer, Province Wellesley Professor of Biochemistry, College of	31st August, 1933
Dr. J. W. Scharff	Medicine, Singapore	16th September, 1933
Dr. W. G. EVANS	Madient Office the Office and Cont	16th September, 1933 17th September, 1933
Professor K. Black	Destaura of Comment Callers of	19th September, 1933
Dr. (Miss) N. N. LOWTHER	Lady Medical Officer, General Hospi-	27th October, 1933
Dr. W. M. CHAMBERS	tal, Singapore Chief Medical Officer, Singapore	24th November, 1933
Dr. J. GRAY Professor E. K. TRATMAN	State Surgeon, Kedah	15th December, 1933
senione diesti im les	of Medicine, Singapore	22nd December, 1933
	ers resigned or retired or were retrenche	
Name	Appointment	Date
D 04 11 0 004	Lady Medical Officer, Malacca Lady Medical Officer, S.S	resigned
D. F. I. Bonens	Madical Office C.C.	retired 4th March, 1933
Dr. F. O'DRISCOLL	W. P. LOW. CO.	resigned 11th April, 1933
Dr. (Mrs.) S. WINSTEDT		retrenched 11th August, 1933
		retired
Dr. N. H. HARRISON	Supernumerary Super Scale Medical & Health Officer, Straits Settlements	13th September, 1933 retired
(6) The following office	one were lost by the Redensted Malan	Chatan for complex in
	ers were lent by the Federated Malay	States for service in
the Straits Settlements du		Date
the Straits Settlements du	ring the year:— Appointment Acting Chief Medical Officer, Penang	
the Straits Settlements du Name	ring the year:— Appointment	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st
the Straits Settlements du Name	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol,	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933
Dr. R. A. PALLISTER	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933
Dr. R. A. PALLISTER Dr. J. E, MCMAHON	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Medical Officer, Labuan	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st
Dr. R. A. PALLISTER	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 1st Jan., 1933 to 2nd March, 1933
Dr. R. A. PALLISTER Dr. J. E, MCMAHON	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2st Jan., 1933 to 2nd March, 1933 2nd May, 1933 to 31st Aug., 1933 to 31st Aug., 1933
Dr. H. R. DIVE, M.C Dr. R. A. PALLISTER Dr. J. E. McMahon Dr. E. C. CHITTY	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Medical Officer, Labuan Medical Officer, Labuan Health Officer, Malacca Medical Officer, Malacca	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 1st Jan., 1933 to 2nd March, 1933 2nd May, 1933 to
Dr. H. R. DIVE, M.C Dr. R. A. PALLISTER Dr. J. E. McMahon Dr. E. C. CHITTY Mr. C. F. Mummery (7) The following off	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2st Jan., 1933 to 2nd March, 1933 2nd May, 1933 to 31st Aug., 1933 to 31st Aug., 1933 2oth March, 1933 to 31st Dec., 1933
Dr. H. R. DIVE, M.C Dr. R. A. PALLISTER Dr. J. E. McMahon Dr. E. C. CHITTY Dr. A. G. BADENOCH Mr. C. F. MUMMERY	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca Dental Officer, Singapore	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2st Jan., 1933 to 2nd March, 1933 2nd May, 1933 to 31st Aug., 1933 to 31st Aug., 1933 2oth March, 1933 to 31st Dec., 1933
Dr. H. R. DIVE, M.C Dr. R. A. PALLISTER Dr. J. E. McMahon Dr. A. G. Badenoch Mr. C. F. Mummery (7) The following off year:—	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca Dental Officer, Singapore cers were lent to the Federated Mala	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2nd May, 1933 to 2nd March, 1933 2nd May, 1933 to 31st Aug., 1933 to 31st Dec., 1933 2oth March, 1933 to 31st Dec., 1933 ay States during the Date 1st Jan., 1933 to 25th
Dr. H. R. DIVE, M.C Dr. R. A. PALLISTER Dr. J. E. McMahon Dr. E. C. CHITTY Dr. A. G. BADENOCH Mr. C. F. Mummery (7) The following off year: — Name	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Medical Officer, Singapore Medical Officer, Malacca Dental Officer, Singapore Mealth Officer Medical and Health Officer	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2nd May, 1933 to 2nd March, 1933 2nd May, 1933 to 31st Dec., 1933 2oth March, 1933 to 31st Dec., 1933 ay States during the Date 1st Jan., 1933 to 25th Jan., 1933 1st Jan., 1933 to 30th
Dr. H. R. DIVE, M.C Dr. H. R. DIVE, M.C Dr. J. E. McMahon Dr. E. C. CHITTY Dr. A. G. BADENOCH Mr. C. F. Mummery (7) The following off year: — Name Dr. N. H. HARRISON	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca Dental Officer, Singapore Cers were lent to the Federated Mala Appointment Superscale Medical and Health Officer Medical Officer	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2nd May, 1933 to 2nd March, 1933 22nd May, 1933 to 31st Dec., 1933 22nth March, 1933 to 31st Dec., 1933 1st Dec., 1933 1st Jan., 1933 to 25th Jan., 1933 1st Jan., 1933 to 30th Nov., 1933 1st Jan., 1933 to 37th Nov., 1933 1st Jan., 1933 to 27th
Dr. H. R. DIVE, M.C Dr. R. A. PALLISTER Dr. J. E. McMahon Dr. E. C. CHITTY Dr. A. G. BADENOCH Mr. C. F. Mummery (7) The following off year: — Name Dr. N. H. HARRISON Dr. W. J. E. PHILLIPS	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca Dental Officer, Singapore Cers were lent to the Federated Mala Appointment Superscale Medical and Health Officer Medical Officer Medical Officer Medical Officer	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2nd May, 1933 to 2nd March, 1933 2nd May, 1933 to 31st Dec., 1933 2nt Aug., 1933 to 31st Dec., 1933 2st Dec., 1933 2st Jan., 1933 to 25th Jan., 1933 1st Jan., 1933 to 30th Nov., 1933 1st Jan., 1933 to 27th April, 1933 1st Jan., 1933 to 37th April, 1933 1st Jan., 1933 to 31st Jan., 1933 to 31st Jan., 1933
Dr. R. A. PALLISTER Dr. J. E. McMahon Dr. A. G. Badenoch Mr. C. F. Mummery (7) The following off year: Dr. N. H. Harrison Dr. W. J. E. Phillips Dr. R. Walkingshaw Dr. R. Walkingshaw Dr. R. Walkingshaw	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca Dental Officer, Singapore Cers were lent to the Federated Mala Appointment Superscale Medical and Health Officer Medical Officer Medical Officer Medical Officer Medical Officer	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 22nd May, 1933 to 2nd March, 1933 22nth March, 1933 to 31st Dec., 1933 2y States during the Date 1st Jan., 1933 to 25th Jan., 1933 1st Jan., 1933 to 30th Nov., 1933 1st Jan., 1933 to 27th April, 1933 1st Jan., 1933 to 31st Dec., 1933 2gth Nov., 1933 2gth Nov., 1933 2gth Nov., 1933 to 31st Dec., 1933
Dr. H. R. DIVE, M.C. Dr. H. R. DIVE, M.C. Dr. J. E. McMahon Dr. E. C. CHITTY Dr. A. G. BADENOCH Mr. C. F. Mummery (7) The following off year: Name Dr. N. H. Harrison Dr. W. J. E. PHILLIPS Dr. R. WALKINGSHAW Dr. D. R. MCPHERSON	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca Dental Officer, Singapore Cers were lent to the Federated Mala Appointment Superscale Medical and Health Officer Medical Officer	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2nd May, 1933 to 2nd March, 1933 to 31st Aug., 1933 2nt May, 1933 to 31st Dec., 1933 2nt May, 1933 to 31st Dec., 1933 2nt Jan., 1933 to 25th Jan., 1933 1st Jan., 1933 to 25th Jan., 1933 1st Jan., 1933 to 27th April, 1933 1st Jan., 1933 to 31st Dec., 1933 29th Nov., 1933 to 31st Dec., 1933 29th Nov., 1933 to 31st Dec., 1933 29th June, 1933 to 31st Dec., 1933 29th June, 1933 to 31st Dec., 1933
the Straits Settlements du Name Dr. H. R. DIVE, M.C Dr. H. R. DIVE, M.C Dr. J. E. McMahon Dr. E. C. CHITTY Dr. A. G. BADENOCH Mr. C. F. MUMMERY (7) The following off year:— Name Dr. N. H. HARRISON Dr. W. J. E. PHILLIPS Dr. R. WALKINGSHAW Dr. D. R. McPherson Dr. J. C. CARSON	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca Dental Officer, Singapore Cers were lent to the Federated Mala Appointment Superscale Medical and Health Officer Medical Officer	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 2nd May, 1933 to 2nd March, 1933 2nd May, 1933 to 31st Dec., 1933 2oth March, 1933 to 31st Dec., 1933 ay States during the Date 1st Jan., 1933 to 25th Jan., 1933 to 30th Nov., 1933 1st Jan., 1933 to 27th April, 1933 2oth Nov., 1933 1st Jan., 1933 to 31st Dec., 1933 2oth Nov., 1933 to 31st Dec., 1933 2oth Nov., 1933 to 31st Dec., 1933 3th June, 1933 to 31st Dec., 1933 3th June, 1933 to 31st Dec., 1933 3th Jan., 1933 to 2nd
the Straits Settlements du Name Dr. H. R. DIVE, M.C Dr. H. R. DIVE, M.C Dr. J. E. McMahon Dr. E. C. CHITTY Dr. A. G. BADENOCH Mr. C. F. MUMMERY (7) The following off year:— Name Dr. N. H. HARRISON Dr. W. J. E. PHILLIPS Dr. R. WALKINGSHAW Dr. D. R. MCPHERSON Dr. J. C. CARSON Dr. J. PORTELLY	Appointment Acting Chief Medical Officer, Penang Acting Chief Medical Officer, Singapore Medical Officer i/c Officials and Gaol, Singapore Medical Officer, Labuan Acting Professor of Clinical Surgery, College of Medicine, Singapore Health Officer, Malacca Dental Officer, Singapore Cers were lent to the Federated Mala Appointment Superscale Medical and Health Officer Medical Officer	Date 1st Jan., 1933 to 31st March, 1933 8th Dec., 1933 to 31st Dec., 1933 1st May, 1933 to 31st Dec., 1933 1st Jan., 1933 to 31st Dec., 1933 22nd May, 1933 to 2nd March, 1933 22nd May, 1933 to 31st Dec., 1933 23th Dec., 1933 to 31st Dec., 1933 ay States during the Date 1st Jan., 1933 to 25th Jan., 1933 1st Jan., 1933 to 30th Nov., 1933 1st Jan., 1933 to 31st Dec., 1933 25th Jan., 1933 to 31st Dec., 1933 25th Nov., 1933 to 31st Dec., 1933 25th Nov., 1933 to 31st Dec., 1933 25th Nov., 1933 to 31st Dec., 1933 25th June, 1933 to 31st Dec., 1933 25th June, 1933 to 31st Dec., 1933 25th June, 1933 to 31st Dec., 1933

(8) The following officers were seconded for service in the Unfederated Malay States:—

Name	Appointment		Date
Dr. G. H. GARLICK	Physician & Radiologist, Johore		27th June, 1933 to
		***	31st Dec., 1933
Dr. W. J. Morr	Senior Health Officer, Johore	***	1st Jan., 1933 to 9th Nov., 1933
Dr. J. V. LANDOR	Medical Officer, Johore		1st Jan., 1933 to 31st Dec., 1933
Dr. R. Walkingshaw	Medical Officer, Johore		28th April, 1933 to
Dr. M. EDWARDS	Medical Officer, Johore		31st Dec., 1933 1st Jan., 1933 to 31st
Dr. J. PORTELLY	Health Officer, Johore		Dec., 1933 1st Jan., 1933 to 8th
Dr. S. W. EVESON	Health Officer, Johore		June, 1933 4th Nov., 1933 to 31st
Dr. G. H. LOWE	Health Officer, Johore		Dec., 1933 1st Jan., 1933 to 17th
Dr. W. PULESTON-JONES	Health Officer, Johore	***	Aug., 1933 1st Jan., 1933 to 31st
D- B C Cumpin (EMS	The property of particulars		Dec., 1933
Dr. P. G. CURRID (F.M.S. Officer)	Health Officer, Johore		18th Aug., 1933 to
Dr. (Mrs.) M. A. H. ZYLSTRA	Lady Medical Officer, Johore		31st Dec., 1933 1st Jan., 1933 to 31st
Dr. J. GRAY	State Surgeon, Kedah		Dec., 1933 1st Jan., 1933 to 13th
			June, 1933 15th Dec., 1933 to
Dr. D. T. SKEEN (F.M.S.			31st Dec., 1933
Officer) (F.M.S.	Acting State Surgeon, Kedah		15th June, 1933 to
Dr. J. I. BAEZA	Senior Health Officer, Kedah		31st Dec., 1933 1st Jan., 1933 to
Dr. J. H. BOWYER	Health Officer, Kelantan		7th Feb., 1933 1st Jan., 1933 to 3rd
	Health Officer, Kedah	***	Feb., 1933 4th Feb., 1933 to 31st
Dr. H. J. LAWSON (F.M.S.			Dec., 1933
Officer)	Medical Officer, Kedah	***	29th Aug., 1933 to 31st Dec., 1933
Dr. (Mrs.) M. G. BRODIE	Lady Medical Officer, Kedah	***	5th Dec., 1933 to 31st
Dr. R. A. MACNAB	Medical Officer, Kedah		Dec., 1933 1st Jan., 1933 to 2nd
Dr. R. C. Burgess	Health Officer, Kedah		Sep., 1933 1st Jan., 1933 to 31st
Dr. J. A. P. CAMERON	Medical Officer, Kedah		Dec., 1933 1st Jan., 1933 to 31st
Dr. (Miss) E. M. WEIR	Lady Medical Officer, Kedah		Dec., 1933 1st Jan. 1933 to 3rd
Dr. L. W. EVANS	Chief Medical Officer, Kelantan	***	Dec., 1933 1st Jan., 1933 to 31st
D. C. I. H. Brane (F.M.C.	and the second second second second		Dec., 1933
Dr. G. I. H. BRAINE (F.M.S. Officer)	Medical Officer, Trengganu		1st Jan., 1933 to 31st
Dr. E. W. MARTINDELL	Medical Officer, Brunei		Dec., 1933 1st Jan., 1933 to 31st
or up to the later of the	Marie Village of Blanch		Dec., 1933

- (9) European Matrons and Sisters.—The number of Matrons and Sisters in the service, including those seconded to the Unfederated Malay States, was 86 in 1933 as compared with 99 in 1932.
 - (10) The staff of the local medical service numbered 71.

(b).-Ordinances

The following ordinances respecting public health were passed during 1933:-

Ordinance No. 4 of 1933.—An ordinance to amend Ordinance No. 224 (King Edward VII College of Medicine). The objects and reasons are to enlarge the purposes of the College of Medicine by establishing a school of dentistry and providing for the grant of a diploma in this subject.

Ordinance No. 15 of 1933.—On ordinance to amend Ordinance No. 99 (Medical Registration). The objects and reasons for the more important amendments proposed by this Bill are as follows:—

Clause 2: permits allowances and travelling expenses to be paid to members of the Medical Council in connection with attendance at meetings. Clause 4: requires satisfactory evidence to be produced to the Registrar before any degree or qualification can be entered on the register.

Clause 5: empowers the Medical Council to remove names from the register in cases not at present provided for.

Clause 6: enables necessary alterations to be made in the register from time to time.

Ordinance No. 16 of 1933.—An Ordinance to provide for the Registration of Dentists. The objects and reasons are to repeal and to re-enact in amended form Ordinance No. 202 (Dentists' Registration).

Ordinance No. 30 of 1933.—An ordinance to provide for the Registration of Pharmacists. The object of this Bill is to provide for the training of Pharmacists and also to provide for the registration of properly qualified pharmacists in the Straits Settlements.

Ordinance No. 37 of 1933.—An ordinance to amend and consolidate the law for preventing the introduction into and spread in the Colony, and the transmission from the Colony of Infectious Diseases. This Bill repeals the existing law relating to infectious diseases which is contained in Ordinance No. 157 (Quarantine and Prevention of Disease), as amended by the Statute Laws (Revised Edition) Operation Ordinance, 1926, and as amended by the Quarantine and Prevention of Disease (Amendment) Ordinance, 1931. The provisions of these Ordinances are in the main consolidated and inserted in the present Bill, and the requirements of the International Sanitary Convention, which was signed at Paris in 1926 and to which the Government of the Straits Settlements has adhered, have been incorporated.

(c).-Financial

The actual expenditure on medical and health services and the revenue collected in the various settlements were :—

EXPENDITURE

Singapore						2,241,	610
Penang	***		7			924,	460
Malacca				11.000.15	***	335,	290
Labuan				200		23,	475
				To	tal	3,524,	835
			REVENUE	to the last		Service Services	- The
						\$	
Singapore					***	787,	650
Penang						325,	300
Malacca						103,	820
Labuan	day		mon		129	3,	585
				To	al	1,220,	355
In addition to	the above	the He	alth Services	of the Mu	nicipal	ities sper	nt:-
					COLUMN TO SERVICE	\$	c.
Singapore	S In Land				00	715,000	66
Penang	But Line.		d		0	248,394	
Malacca	Die you				****	43,926	
				TOTAL	I	,007,321	70
Further particu	ulars are g	given in	Table II or	page 90.	I con	olas ya	Big.
STO STOUT OF LIFE	T SU IN S		STATE OF THE PARTY	University of the last	ter to the	1	- Calle

II.—PUBLIC HEALTH

(a).-General Remarks

MONTHLY MORTALITY FIGURES FOR THE PAST SIX YEARS.

	1928	1929	1930	1931	1932	1933
January	 2,577	2,571	2,387	2,487	2,224	2,177
February	 2,219	2,139	2,117	1,956	1,947	1,967
March	 2,401	2,410	2,411	2,004	1,924	1,966
April	 2,615	2,307	2,689	2,208	2,026	2,000
May	 3,004	2,734	3,219	2,903	2,279	2,250
June	 2,921	2,629	3,194	2,742	2,173	2,214
July	 2,980	2,571	2,870	2,323	1,961	2,084
August	 2,495	2,302	2,603	2,255	1,834	1,884
September	 2,496	2,323	2,588	2,033	1,867	1,936
October	 2,524	2,443	2,658	2,046	2,042	2,068
November	 2,607	2,482	2,639	2,112	2,092	2,238
December	 2,677	2,633	2,553	2,300	2,172	2,417
Total Deaths	 31,516	29,544	31,928	27,369	24,541	25,201
				-	-	-

The economic depression of 1932 continued throughout the year under review necessitating further repatriation of Chinese and Indian labourers. 86,555 deck passengers returned to China and 32,339 deck passengers returned to India, as compared with 150,918 to China and 52,911 to India in 1932.

The continued high standard of health throughout 1933 may be attributed in part to the emigration of many sick and decrepit persons, but it is reasonable to conclude from the low mortality figures for communities not affected by emigration, that the year under review was a healthy one.

The number of admissions to hospitals decreased from 54,442 in 1932 to 50,206 in 1933.

The universal economic depression and the consequent lowering of the standard of living curiously enough did not give rise to any definite increase in those diseases which one would expect as a result from deficiency in quality or quantity of food.

The total number of deaths recorded in 1933 was 25,201, compared with 24,541 in the previous year.

The death-rate was 24.26 per mille, as compared with 21.39 per mille in 1932.

The infantile mortality was 168.04 per mille, compared with 162.43 in 1932.

The census population for 1931 and the population estimated racially and collectively of the Straits Settlements for the years 1931, 1932 and mid-year 1933 are shown in Table III C.

The method of calculating the population is that adopted by the Registrar-General of Statistics, Straits Settlements, who derives the mid-year population for the year 1933 from the 1931 census figures by adding the excess of births over deaths and subtracting the excess of emigrants over immigrants. The figure for the population of the Straits Settlements (excluding Christmas Island and Cocos Island) is 1,038,827.

The following table sets out the estimated population by race, mid-year, 1933, obtained by the balancing equation method (Census+Births-Deaths+Migrational Surplus):—

Government of	Local Registration Area	Malays	Euro- peans	Eurasians	Chinese	Indians	Others	Total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Straits	to bear on the			PHARM	1500	110	THE THE	1 17 10
Settlements	Singapore				Columbia .			1000000
200000000000000000000000000000000000000	Island	67,050	7,611	7,051	383,617	40,991	8,180	514,500
	Penang	0.,000	.,	.,			STATE OF THE PARTY OF	
	Island	40,897	1,251	2,102	113,913	22,616	1,834	182,613
	Province	,	-,	-,			P. Parket	100 10000
	Wellesley	72,684	215	275	41,407	20,125	581	135,287
	Dindings	7,855	20	16	6,286	3,874	79	18,136
	Malacca	99,070	306	2,070	60,059	18,757	630	180,892
	Labuan	5,048	21	36	2,094	139	67	7,405
		-,,,,,,						
	Total, S.S	292,604	9,424	11,550	607,376	106,502	11,371	1,038,827

The distribution of the population, on an estimated total of 1,038,827, was as under:—

					1,038,827
Labuan			***		 7,405
Malacca					 180,892
Dindings	***	***	***	***	 18,130
Province 1	Wellesley	***	***		 135,287
Penang		***			 182,613
Singapore					 514,500

The deaths registered in the Straits Settlements were classified as follows :-

	Singapore	Penang	Province Wellesley	Dindings	Malacca	Labuan	Total
Died in hospital	3,724	1,011	339	98	492	11	5,675
Certified by private medical practi- tioners	0.990	718	1		266	18	3,333
Certified by registering officers	3,333	1,994	38	1	434		5,800
Uncertified	2,193	1,314	3,200	428	3,065	193	10,393
Total	11,580	5,037	3,578	527	4,257	222	25,201

The greatest accuracy in recording the cause of death was attained in Singapore city, where 64.5 per cent. of the deaths were certified by registered medical practitioners.

(b).-General Diseases

Beri-Beri.—The deaths registered as due to beri-beri in the last 10 years numbered:—

Year		Number of death	s Year	Num	ber of deaths
. 1924		910	1929	 	944
1925		973	1930	 	1,047
1926		1,098	1931	 	911
1927	***	1,528	1932	 	725
1928		1,146	1933	 	721

Attention was drawn in the 1931 report to the fact that a diminished mortality from beri-beri has coincided in past years with periods of lessened prosperity. The figures for 1932 and 1933 bear out this observation.

Pneumonia.—Pneumonia accounted for 1,992 deaths compared with 1,860 in the previous year. One thousand three hundred and five deaths from this disease occurred within the Singapore city municipal area.

Convulsions.—This term is used to cover a number of incorrectly diagnosed cases. Three thousand nine hundred and eighty-four deaths were recorded in 1933 as due to convulsions as against 3,815 in 1932. This figure represents 15.8% of the total deaths in the Straits Settlements.

Cancer.—A large proportion of the population of British Malaya is of immigrant origin, with a vast turn-over of persons coming and going, giving an average duration of residence of about three years. This immigrant element naturally tends to disturb the sex ratio, on the one hand, and the age distribution, on the other. It accounts for the low average age at death, which is probably between 25 and 30 years. In the Straits Settlements, for example, the proportion of persons 55 and over was only 4.3% for the male population and 5.2% for the female population, while in the state of Kelantan it was 7.3% for males and 7.2% for females. But considering individual races or racial elements, for the Malaysians it is shown that at ages 55 and over the proportion is 5.8% for males and 5.5% for females; for the Chinese this proportion is 4.7% for males and 5.1% for females; for East Indian immigrants from India the proportion was only 1.5% for males and 1.3% for females. Hence, the conclusion that the age distribution of male Chinese and Indians, who together constitute 59.7% of the male population, is mainly determined not by natural causes but by the age distribution of immigrants.

CANCER MORTALITY IN SINGAPORE, 1926-1931

7-11-1-1		Buccal	Stomach Etc.	Intestines, Etc.	Female Genitals	Breast	Skin	Other & N.S.	Total	Rate
MALES	1	9	Marine Wa	70000	Press	300 500				
Europeans		4	3	2	muonta	tone:	2	4	15	62.9
Eurasians			6					2	8	47.5
Chinese		19	411	31	1		11	114	586	47.5
Malays		1	14	2			1	5	23	17.0
Indians		8	25	3			1	11	48	23.9
Others		1	6	1 227	22.00			2	9	35.2
Total		33	465	38			15	138	689	42.1
Per cent		4.8	67.5	5.5			2.2	20.0	100.0	
Rate		2.0	28.4	2.3	G-9203	net G	0.9	8.4	42.1	
FEMALES										
Europeans			2	1	2	2	1	1	9	68.3
Eurasians		3	4	3	2	3		4	19	106.7
Chinese	1	11	72	8	78	33	5	38	245	35.0
Malays		2	15		7	10	1		35	31.7
Indians		2	8	1	4	4			19	52.7
Others	000	1 44	4		4		1	3	12	65.8
Total	7.	18	105	13	97	52	8	46	339	37.8
Per cent		5.3	31.0	3.8	28.6	15.3	2.4	13.6	100.0	
Rate		2.0	11.7	1.5	10.8	5.8	0.9	5.1	37.8	
PERSONS				9-30-5	liger	10000	n in	Ealing		
Europeans		4	5	3	2	2	3	5	24	64.8
Eurasians		3	10	3	2	3		6	27	77.9
Chinese		30	483	39	78	33	16	152	831	43.0
Malays		3	29	2	7	10	2	5	58	23.6
Indians		10	33	4	4	4	1	11	67	28.3
Others		1	10		4		1	5	21	48.0
Total		51	570	51	97	52	23	184	1,028	40.6
Per cent		5.0	55.4	5.0	9.4	5.1	2.2	17.9	100.0	
Rate		2.0	22.5	2.0	3.8	2.1	0.9	7.3	40.6	

It is shown that the average death rate from cancer in Singapore for this period was 40.6 per 100,000 or respectively 42.1 for males and 37.8 for females. This rate compared with a rate of 43.1 in 1929 for Colombo, Ceylon, 43.6 in 1930 for Rio de Janeiro, 51.4 in 1930 for Naples and 51.8 in 1930 for Sao Paulo, Brazil. The rate therefore bears intrinsic evidence of reasonable trustworthiness and completeness, being measurably above the rate for Malacca, Straits Settlements, of 7.5, Penang, S.S., 8.3, Bangkok, Siam, 13.0, Havana, 13,0, and Bombay, 13.2. It is considerably below the excessive rate for London of 148.5, Manchester, England, 149.0, Paris, 149.7, Berlin, 165.1 Brussels, 175.6, and Vienna, 208.4.

On account of the predominating Chinese type of the population the rate, of course, is affected by racial distribution. For all the other elements the number of deaths is relatively small and the rates are conjectural. For the Chinese alone the rate for males was 47.5 and for females 35.0 and for both sexes combined 42.0.

I am indebted for these observations to F. L. HOFFMAN, LL.D., Consulting Statistician, Newark, N.J.

CANCER RETURNS, STRAITS SETTLEMENTS

Cancer or other malignant tumours of the digest organs and peritoneum:— (a) Stomach	ive 		
		F.Y	
		51	31
(b) Liver		61	34
(c) Other digestive organs		66	27
Cancer or other malignant tumours respiratory orga- Cancer or other malignant tumours of other fem	ans ale	27	11
genital organs		24	5
Cancer or other malignant tumours of the uterus		43	3
Cancer or other malignant tumours of the breast Cancer or other malignant tumours of the male gen	ita	18	6
urinary organs		24	5
Cancer or other malignant tumours of the skin		59	8
Cancer or other malignant tumours of the organs i	not		
specified		97	24
		470	154

(c).-Dangerous Infectious Diseases

Plague.—One fatal case of plague occurred in the Straits Settlements during the year.

Cholera.—One case of cholera occurred.

Small-pox.—There were four cases of small-pox with three deaths.

Cerebro-spinal fever.—There were four cases of which three died. One of the three deaths was an imported fatal case.

(d).-Other Infectious Disease

Tuberculosis.—Two thousand one hundred and sixty-nine deaths were reported as due to pulmonary tuberculosis, of these 1,279 occurred in Singapore city. While it must be admitted that very many cases of pulmonary tuberculosis escape detection, available statistics tend to show that tuberculosis is not on the increase. Housing improvement schemes and town planning schemes which are now in progress will it is hoped give a downward trend to the mortality curve for this disease. Special accommodation is provided in each Government hospital for tuberculous cases. At the General Hospital, Singapore, special treatment is available and similar accommodation is provided for in the new hospitals at Penang and Malacca. Tuberculosis wards at out-station hospitals are almost wholly occupied by advanced and hopeless cases.

The following table show the general downward trend of the mortality :-

				1931	1932	1933
Estimated pop	oulation of th	he Straits Se	ttle-			Sand advantage
ments		***		1,118,511	1,147,205	1,038,827
Total deaths	from all cau	ises		27,369	24,541	25,201
Death-rate pe		***		24.47	21.39	24.26
Total deaths f	rom pulmon	ary tubercu	losis	2,587	2,168	2,169
Pulmonary t	uberculosis	death-rate	per			STATE OF THE PARTY OF
thousand		***		2.31	1.89	2.09
Year				Deaths from Tuberculosis i		hs from Tuber- is in Singapore
				the Colony		city
1927		***		2,903		1,523
1928			***	2,727		1,411
1929		***		2,710		1,500
1930				2,795		1,622
1931	***			2,587		1,377
1932				2,168		1,088
1933	***			2,169		1,189

A comparison of mortality from pulmonary tuberculosis in urban and rural areas is shown by the following figures:—

a add on to be to	Estimated population	Death-rate from all diseases per thousand	from Tuber-	Tuberculosis death-rate per thousand
Singapore Municipality	 477,380	19.66	1,189]	
George Town (Penang)	 130,355	20.33	253 } 0	lities 2.35
Malacca Municipality	 40,200	20.64	85	
Rural areas of Colony	 390,892	20.66	980 R	ural areas
				2.51

(e) Malaria

The years 1931 and 1932 were considered remarkable for the large decrease in the number of deaths attributed to malaria and fever unspecified, but the figures for the year 1933 still show a decrease.

The figures for the last eight years show a progressive decline :-

Year				Malaria	Fever unspecified	Total
1926			****	6,452	2,398	8,850
1927	110	dance		6,283	2,161	8,444
1928				5,798	1,636	7,434
1929				4,648	1,764	6,412
1930				5,018	1,995	7,013
1931				3,506	1,513	5,019
1932				2,601	2,051	4,652
1933				1,747	2,821	4,568

This progressive decline may be ascribed to several factors. In the first place, during recent years the incidence of malaria in Malaya has been comparatively light, for reasons not yet ascertained. In the second place many sick and debilitated persons have left the country. There has been little immigration of non-immune persons, and there has been little movement of labour within the Colony; lastly, it is to be hoped that some of the reduction may be ascribed to greater efficiency of anti-malarial measures. No relaxation of anti-malarial measures can be allowed, since conditions cannot be expected always to remain as at present. With a renewal of trade and a return to more normal conditions on estates and mines there will be a large influx of non-immune labour into the country, and agricultural enterprise will necessitate the opening up of new land; these two factors, combined with the free movement of labour from place to place, will surely tend to an increase in the number of malarial cases. The usual periodical increase in malaria generally is also to be anticipated.

(f).-Bowel Diseases

Dysentery.—There were 473 deaths compared with 541 in the previous year; of the deaths occurring in hospital 49 were ascribed to amoebic dysentery, 66 to bacillary dysentery and 21 to undefined dysentery.

Diarrhœa and enteritis were recorded as the causes of 1,364 deaths in 1933, compared with 1,342 deaths in 1932.

Enteric Fever.—One hundred and twenty-two deaths were recorded as due to enteric fever; 87 of these deaths occurred in the Settlement of Singapore, 255 (7 paratyphoid) cases were notified to the Municipality of Singapore. The root cause of enteric fever in the towns is the itinerant hawker of foodstuffs.

In 1932 His Excellency the Governor, Straits Settlements, appointed a Committee to investigate the hawker question in Singapore. If and when the recommendations of this Committee are put into operation it is hoped that a greater measure of control over hawkers will result in a decrease of enteric fever.

Eighty-four cases of typhoid fever were notified in school children which were thoroughly investigated by the Municipal Health Authorities, Singapore.

To quote from the Annual Report for the year 1933 of the Health Department, Municipality of Singapore:—

"One school, St. Joseph's, had 19 cases in April, May and June. The houses of all these pupils were visited but in no instance was a second case found in a house, nor was there any history suggestive of a recent attack of the disease in any other member of the family. As the houses of the pupils were scattered all over the town this immediately suggested the source of infection as being at the school. With the added knowledge that most of the children obtained their lunch from food-hawkers who frequented the school compound, the field of investigation was further narrowed, and our attention was naturally focussed on these hawkers. Accordingly 33 hawkers selling at this school were admitted to Middleton Hospital and examined as to their "carrier" state. One was found to be excreting the typhoid organism. He himself stated that he sold mainly at this school but, to clinch matters, the affected children were shown the photographs of several hawkers, and 8 out of 13 invalids were emphatic in stating that they had bought food from the "carrier" within a month of the onset of their illness.

It is also worthy of note that 10 of the 13 invalids also recognised an iced water seller as one from whom they had bought cold drinks. And though he was not found infected it is significant that he lived with 29 other

food-hawkers in a house in Bencoolen Street, and, of these one was the "carrier".

Further, of the 30 hawkers in this house, 5, of whom the carrier was one, sold at St. Joseph's School with its 19 cases of typhoid, 2 sold at the Convent which had 6 cases in the same period, 2 sold at the Le Mercier school which had one case, and 4 sold at the Methodist Girls' School which had 8 cases.

When one realises that in addition to the 30 hawkers there were 55 other occupants of the house in Bencoolen Street and that the school children formed but a small part of the hawkers' clientele one trembles to think of the many more cases of unrecognised typhoid this one "carrier" most likely caused."

A licensed system of hawking such as exists in the large towns of Malaya from the health point of view is a menace to the public. It seems reasonable to advocate the imposition of hardship on hawkers by restriction of licences rather than to disseminate death and disease.

(g).-Diphtheria

Each year shows an increasing number of deaths under this heading. The increase in the main is due to more accurate diagnosis but it is probable that this disease is definitely on the increase.

Year		Deaths	in the Colony	in Singapore city
1926	 		15	46
1927	 		15 16	29
1928	 		21	59
1929	 		31	57
1930	 		31	57 63 65
1931	 		43	65
1932	 		43 56	124
1933	 		76	244

(h).-Venereal Diseases

There was a decrease in the total number of cases of venereal disease treated at Government clinics and dispensaries, the number of new cases being 23,256 in 1933, against 27,746 in 1932. The total number of attendances was 227,095 during 1933, compared with 300,545 during 1932.

(For details of anti-venereal work see Appendix G).

(i).-Leprosy

Reports on the Leper Settlements are attached as Appendix A and B.

The total number of new cases admitted during the year was 388 as compared with 271 during 1932 and 281 during 1931. This increase in admission is due to the inclusion of 101 cases transferred from the Sungei Buloh Leper Settlement, Federated Malay States, to relieve overcrowding there. The following tables shows the figures for the various Leper Settlements:—

religion of the Physics of the Separate of the	Remaining on 31-12-32	Admitted	Died	Absconded	Trans- ferred	Discharged	Remaining on 31-12-33
Men { Pulau Jerejak, Penang Singapore	765 71 67 102	* 299 141 13 36	84 7 12 3	18 28 1 5	† 85 5	67 1 3 11	894 91 59 119
Total	1,005	489	106	52	91	82	1,163

(j).-Helminthic Diseases

Ankylostomiasis.—During the year 1,305 cases of ankylostomiasis were admitted and treated in hospital; of these 29 died.

This disease is widespread in Malaya and gives rise to a lowered standard of health amongst the rural population and labouring classes.

Ascariasis.—Infestation with round worms is frequent in the Asiatic population.

Taeniasis.—This condition is rare in Malaya.

^{*} Includes 85 transferred from Singapore. † Transferred to Leper Settlement, Pulau Jerejak.

(k).-Improvement of Public Health

Two graphs and three diagrams numbered I, II, III, IV and V are enclosed. The graphs demonstrate the improvement in public health during the last generation.

Graph No. I shows the mean monthly death-rate in Singapore from all causes in the decennial periods 1902-1912 and 1913-1922 and 1923-1932 and 1933.

The diagrams are designed to show the amount of disease and of death that is possibly preventable.

(1).-Vital Statistics

Under heading Table III, pages 92 to 94 the following ten tables are appended :-

Table III A .- Estimated population with birth and death-rates for the years 1932 and 1933.

Table III B .- Quarterly death-rates for various parts of the Colony during the past three years.

Table III C .- Population estimated racially and collectively of the Straits Settlements for the years 1933, 1932 and 1931.

Table III D.—Births registered in the Straits Settlements during 1933 and

their ratio per mille of population.

Table III E.—Births registered in the Straits Settlements during 1933 according to nationalities.

Table III F .- Deaths registered in the Straits Settlements according to nationalities.

Table III G .- Deaths registered in the Straits Settlements during 1933 under different groups of ages.

Table III H .- Table showing the infantile mortality (under one year) in the Straits Settlements including children born elsewhere.

Table III I .- Table showing the infantile mortality (under one year) in the Straits Settlements, according to nationalities, excluding children born elsewhere.

Table III J.—Deaths registered in the Straits Settlements as regards certificates in the year 1933.

The number of births registered throughout the Straits Settlements during the year 1933 was 42,538 (males 22,231 and females 20,307) as against 41,106 (males 21,196 and females 19,910) in the previous year; this represents a crude birth-rate of 40.95 per mille persons living as compared with 35.83 in 1932 and 36.98 in 1931.

In every 100 births registered, there were 52.26 males and 47.74 females.

One thousand four hundred and eight still-births were registered in 1933 as compared with 1,460 in the previous year. The percentage to those born alive was 3.31 as against 3.55 in 1932 and 3.72 in 1931.

The highest birth-rate according to nationalities was 43.21 per mille of population amongst the Chinese, the Malays coming next with a ratio of 39.86 per mille of population vide Table III E.

The deaths from all causes in 1933 were 25,201 (males 15,004 and females 10,197) as against 24,541 (males 14,773 and females 9,768) in the previous year.

The average death-rate for the last 10 years was 27.23 per mille.

Death-rates for the last 33 years are: --Year Ratio per mille Year Ratio per mille 43.85† 1901 (Census) 39.85 1918 42.96 IOIO 33.04 1002 ... 1920 33.20 1903 39.49 1921 (Census) 39.00 31.54 1904 40.51 1922 30.68 1905 37.82 1906 1923 27.80 39.07 1907 ... 1924 27.42 1908 43.06 1925 27.26 *** 37.58 IQOQ 31.81 1926 41.88 IQIO ... 1927 33.55 ... *** 1911 (Census) 46.46 ... 28.76 1928 39.01 1912 26.10 1929 ... 1913 34.93 27.32 1930 34.13 1014 ... 1931 (Census) 24.47 29.15* ... 1915 ... 30.70* 1932 ... 21.39 1916 ... 24.26 1933 36.98 1917

^{*} Several thousands of decrepit Chinese were repatriated in 1915 and 1916 as a war measure, and in 1932 on account of economic depression.

† The Influenza pandemic occurred in 1918.

The Municipal Health Officer, Singapore, reports the death-rate for the city as 19.66 per mille against 20.12 and 25.20 in the two previous years. Two hundred and twenty persons died who had been less than three months resident in Singapore, deducting these the death-rate is reduced to 19.20 per mille.

The highest racial death-rate in the Colony was amongst Malays with a ratio of 26.19 per mille of population, the Chinese being next with a ratio of 24.19 per mille of population.

It is always difficult to assess the true infantile mortality. In illustration of this, the figures for the Singapore Municipal area where registration is more accurate than elsewhere, are quoted. Sixteen thousand eight hundred and eighty-one children were born in this area, a birth-rate of 35.36 per mille; infantile deaths number 2,980 a rate of 176.5 per 1,000 births.

The infantile mortality rate for the Straits Settlements is 168.04 per mille.

(m).-Sickness, Invaliding and Deaths among European and non-European Officials

Table showing the sick, invaliding and deaths of European officials of all ranks : --

	and the second second second second		1931	1932	1933
I.	Total number of European officials	on			
	the establishment		2,089	2,168	2,182
2.	Average number resident in Colony		1,993.12	2,041.84	2,061.47
3.	Total number on sick list		439	343	345
4.	Total number of days on sick list		4,662.5	3,187	3,118
5.	Total number invalided		21	21	20
6.	Total deaths		II	7	3
7.	Total deaths in Colony		7	5	2
8.	Average daily number on sick list		12.77	8.71	8.54
9.	Average number of days on sick list		10.62	9.29	9.03
10.	Percentage of deaths to number resid	ent	.50	-34	.14
II.	Percentage of sick to the average resid	lent	Anna Library	of the market	and the same of
	during the year		17.26	16.79	16.73

Table showing the sick, invaliding and deaths of non-European officials :-

			1931	1932	1933
I.	Total number on the establishment		11,707	11,600	12,971
2.	Average number resident		11,026.1	10,930.87	12,476.74
3.	Total number on sick list		8,190	8,376	6,655
4.	Total number of days on sick list		50,102	55,164	47,210
5.	Total number invalided	***	267	249	232
6.	Total deaths		117	59	02
7.	Average daily number on sick list		137.27	150.72	129.34
8.	Average number of days on sick list		6.11	6.50	7.00
9.	Percentage of deaths to number resid	lent	.64	-53	-73
10.		t	43.28	76.63	53.33

III.—VACCINATIONS


During the year 65,644 vaccinations and re-vaccinations were performed in the Straits Settlements. The results were as follows:—

					65,644
Not seen	***	***		***	 20,067
Failed	***	200			 2,872
	***		***		 1,316
Perfect Modified			***		 41,389

The number of births registered throughout the Straits Settlements was 42,538. A thorough programme of vaccination is carried out in the Straits Settlements, and the number of those who avoid vaccination is negligible.

The increase in the number 'not seen' can be accounted for by the fact that the majority occur within the group vaccinated at the Quarantine Station, Pulau Jerejak, Penang where passengers are discharged before there is time to obtain a record of the result.


SINGAPORE
MEAN MONTHLY DEATH RATE FROM ALL CAUSES






SINGAPORE

MONTHLY DEATH RATE FROM ALL CAUSES






DEATHS FROM INFECTIVE & PREVENTABLE DISEASES REGISTERED IN THE S.S. 1933 TOTAL 12396






TOTAL DEATHS FROM ALL CAUSES IN THE S.S. 25201






THE S.S. GOVERNMENT HOSPITALS DURING 1933 TOTAL CASES 19085




TOTAL DEATHS FROM PREVENTABLE DISEASES IN THE S.S. GOVERNMENT HOSPITALS 2814






GENERAL SYSTEMIC AND PREVENTABLE DISEASES ADMITTED TO S.S. GOVT. HOSPITALS DURING 1933 TOTAL CASES 50206





TOTAL DEATHS FROM ALL CAUSES IN THE S.S. GOVERNMENT HOSPITALS 4530





IV.—HYGIENE AND SANITATION

A .- Organisation of the Health Branch

The Director of Medical and Health Services is the head of the Health Branch of the Straits Settlements.

The Chief Health Officer, Singapore, is responsible for the health of the port and the rural areas of the island, and also for school inspection both within and without the Municipal areas.

The Chief Health Officer's staff consists of one Rural Health Officer, one Deputy Rural Health Officer, one Assistant Health Officer (Schools), one Lady Medical Officer (Schools), one Port Health Officer, one Assistant Port Health Officer, one Health Officer, Quarantine Station.

There is one European Chief Sanitary Inspector for the Rural areas of Singapore. Under him are a staff of locally trained sanitary officers.

The Rural areas of Singapore are divided into five sanitary districts, with one Sanitary Inspector in each district.

The Health Office is the centre from which the district health propaganda and welfare work are developed. Wherever there is a district dispensary, the office of the Sanitary Inspector is usually situated either in the same building or nearby.

There are two Rural Health Sisters in Singapore, under whom locally trained district health nurses conduct maternal and child welfare clinics, make house to house visits, visit schools in the villages, and also carry out a certain amount of maternity work in conjunction with the locally trained midwives.

The travelling motor dispensary in Singapore, in addition to treating the sick, co-operates in this work.

The Penang Settlement, excluding the Municipality of George Town, is divided into three areas for the administration of public health measures (i) Penang Rural Area, (ii) Province Wellesley and (iii) the Dindings. In addition the Senior Health Officer is responsible for Port Health and Quarantine work of Penang port.

Under him there is a Health Officer for Province Wellesley, a Deputy Rural Health Officer and an Assistant School Health Officer for Penang, a Senior Deputy Port Health Officer and an Assistant Health Officer (Quarantine). The Lady Medical Officer, Penang, the Deputy Medical Officer, Dindings and the three Assistant Medical Officers in Province Wellesley are also part-time Health Officers in their respective districts.

There is a European Chief Sanitary Inspector and there is a staff of locally trained Sanitary Inspectors in each of the sanitary districts. The rural areas of Penang Island and Province Wellesley are each divided into four sanitary districts; the Dindings constitutes a single sanitary district. There is one Sanitary Inspector in residence in each of these nine districts.

A Health Sister for Penang Rural Area has charge of maternity and infant welfare work; in Province Wellesley, there is a Senior Staff Nurse who undertakes this work under supervision of the Health Officer.

There is also a staff of five locally trained Staff Nurses and six Midwives whose work extends into villages and to remote kampongs throughout these areas.

In the Dindings there is one locally trained Midwife who attends to maternity work both in the hospital and neighbouring villages.

The travelling motor dispensaries in Penang and Province Wellesley co-operate in public welfare work, in addition to treating the sick.

Details of rural areas in Penang Settlement are as follows:-

as apply authorized poly	Area in square miles	Estimated population	Birth-rate	Death-rate	Infantile Mortality Rate
Penang Rural	98 1/2	52,258	34°31	24.60	151°70
Province Wellesley	280	143,887	36°88	24.87	144°36
Dindings	183	21,939	37°29	29.07	183°43

The Health Officer, Malacca, and his staff are responsible for the whole of Malacca. He is also the Rural Board and Municipal Health Officer, Port Health Officer and Registrar of Births and Deaths, Malacca. The Deputy Health Officer is on full-time health work, but the Assistant Health Officers are in charge of two district hospitals in Malacca and are under the Health Officer as regards health and sanitation. There is also a staff of trained Sanitary Inspectors in all the districts. The rural area of Malacca is divided into three sanitary districts—central, north and south. One Sanitary Inspector and one Sanitary Overseer are stationed in the southern district and

two Sanitary Inspectors are stationed in the northern and central districts. The Health Office of the district is in the central area from where the district health and welfare work are controlled. There is in Malacca Town one Health Sister, under whom locally trained Health Nurses work, including house and school visiting in the villages and kampongs, and in some cases maternity work. Attendances in clinics were 10,274 in 1933 as compared with 11,653 in 1932.

Extent and population of rural areas are as follows:-

ent and popul				Area in square miles	Estimated population
Singapore				185	37,120
Penang Islan			***	98½	52,258
Province We	llesley			280	135,287
Dindings			222	183	18,130
Malacca				720	140,692
Labuan		***		281/2	7,405
				1,495	390,892

B .- General Review of work done and progress made

(i).-Preventive Measures

Government provided the following votes for anti-malarial work in 1933 as compared with 1932:-

Settlement				1932	1933
Singapore				60,000	60,000
Penang			***	75,000	60,000
Malacca	***			31,000	31,000
Labuan		***		5,000	5,000

(a) Singapore.—A vote of \$60,000 was available for anti-mosquito works in Singapore. Wages of labourers accounted for \$33,399, anti-malarial oil cost \$7,125, \$2,926 provided for material and incidental expenses.

Forty-six thousand gallons of oil were sprayed and it is estimated that an area of sixteen square miles and a population of 64,000 is protected by all anti-malarial measures.

A considerable proportion of permanent subsoil and open drainage exists in the more populous parts of the Rural Area. In those districts not completely protected by these permanent works a regular oiling programme at definite intervals is in force and the efficacy is checked by weekly larval surveys by specially trained mosquito collectors.

During the year but little permanent drainage was undertaken. The total length of subsoil pipes laid was 1.11 miles with 0.21 miles of open cement channels in connection with existing drainage schemes, attention was directed principally to maintenance of existing works. The total length of drainage upkept exceeds 45 miles of subsoil piping and 15 miles of open cement drainage.

Since 1921 approximately \$1,020,505 have been spent on rural anti-malarial work in Singapore Island.

Over 10,000 anopheline larvae were collected of which 15.05% were A. maculatus, the main vector in malarial transmission in Malaya.

A reduction in the number of cases of malaria treated at the outdoor and travelling dispensaries was evident. The spleen rates in school children within protected areas is less than 1%.

(b) Penang.—The protection of the rural population from malaria forms an important section of the activities of the Health Branch. Uncombated, this disease, in our rural areas, alone exacts a greater toll of sickness and social devastation than all other diseases combined.

Works are generally carried out under the legal provisions of Ordinance 174 (Destruction of Mosquitoes). This Ordinance endows the Sanitary Authority with adequate means of enforcement of all such anti-mosquito measures as may be necessary and reasonable for the betterment of the public health in the more populous areas.

A provision of \$60,000 was made for such anti-mosquito work in the Northern Settlement during the year. Since 1926 the Health Branch has undertaken gradually extending measures for the permanent control of malaria in villages throughout the rural areas of Penang, Province Wellesley and Dindings. Complete anti-malaria protection is also assured for the whole of Penang Hill residential area and for Pulau Jerejak Quarantine Station and Leper Settlement.

The seriousness of the malaria problem throughout the hilly districts of the Northern Settlement is due to the widespread distribution of breeding places for Anopheles maculatus. Measures are directed against the larval stage of the mosquito, this work is associated also with general sanitary measures and, in some selected areas, with drug prophylaxis. There is also free distribution of quinine. Anti-larval operations extend to within a distance of half a mile of the outskirts of malarial villages. The practice of anti-larval control consists of applying larvicide (anti-malarial oils or Paris Green) to all the breeding places of dangerous mosquitoes within the protection zone; permanent protection works such as drainage and earth filling are then taken in hand so as to replace by gradual degrees anti-malaria measures which are lacking in permanence and reliability.

In the Dindings permanent anti-malarial works have been extended around Lumut, where malaria is now under complete control and further extensions of protection zones have taken place around the villages of Damar Laut and Segari.

The following table gives a resume of works done :-

one attack to	Notices served	Feet of sub-soil drains relaid	Feet of open masonry drains con- structed or repaired	Feet of earth drains dug and graded	Anti- malaria wells con- structed	Cubic yards of earth filling	Gallons of oil used	Mosquito larvæ examined
Penang	38	15,471	2,266	20,274	16	9,150	49,362	47,407
Wellesley Dindings	11 14	1,515 1,346	168 2,234	14,176 1,095	6	320 533	27,566 7,152	19,597 1,560

An expenditure of \$52,229 was incurred in the maintenance and extension of anti-malaria drainage works. Expenditure is incurred in the payment of staff on temporary wages, in labour, in the purchase of materials and on the upkeep of a motor lorry, etc. A sum of \$3,119 was recovered from private owners on whose land anti-malaria measures were carried out; this together with the balance on the vote has been credited to Colonial revenue.

(c) Malacca.—During the year the sum of \$29,003 was spent on temporary and permanent anti-mosquito measures. A scheme for the permanent drainage of a ravine near Gadek Estate was undertaken during the year and was almost completed at the end of 1933. In addition, repairs were carried out to existing permanent works at Jasin and Pulau Sebang.

(ii).-General Sanitation and Village Conservancy

SINGAPORE

A progressive improvement in the general sanitation of rural kampongs is evident. The labour force engaged in scavenging work consists of 137 coolies and six mandores (foremen) distributed within the five sanitary districts into which the Rural Area of the island is divided. The Sanitary Inspector of each district is responsible to the Health Officer for the efficient prosecution of sanitary measures.

During the year, a daily average of 4,000 cubic feet of refuse was incinerated or buried. Six new incinerators were constructed at an average cost of \$300 as follows:—Pasir Panjang and Paya Lebar Districts, one each: Geylang District, four. It is considered that requirements are probably more adequately served by the provision of multiple inexpensive incinerators rather than by the erection of expensive single or double chambered incinerators situated at widely separated intervals.

CONSERVANCY

Village conservancy in Rural, Singapore is of the dry pail system, and daily collection is in force. A further advance in the prevention of soil pollution was recorded. Three hundred and forty sanitary latrines were demolished and 870 were constructed or reconstructed on sanitary principles. The machinery for the collection of excreta remains similar to that of former years i.e. by approved nightsoil contractors utilising their own labour and transport under the supervision of the Health Officer. Only the more residential areas are catered for under this system these being gazetted as "Compulsory Nightsoil Removal Areas". The contractor is authorised to collect up to \$1 per pail per month. In many cases, a mutual adjustment is attained between the contractor and the householder at a lower figure. This system of collection continues to give satisfaction and adequate supervision is maintained to ensure final disposal in the trenching grounds or septic tanks provided for the purpose. There are at present four trenching grounds and three septic tanks. The number of pails on the removal list is 3,546 compared with 3,050 at the end of 1932 and 1,470 in 1930.

It is proposed to try experimentally a number of rubber pails during the coming year of the standard pattern in use at present. Owing to difficulties in control, it was not considered expedient to encourage the construction of tube latrines in populous rural areas.

OFFENSIVE TRADES

The supervision of premises engaged in any offensive trade is carried out by an inspector specially appointed for this purpose. During the year under review, seven new slaughter houses and one market were erected. Since the appointment of this officer in 1931 the number of licenses shows a continuous increase with a corresponding increase in revenue derived from these sources. In 1933, the revenue inclusive of fines totalled \$5,402 compared with \$2,160 in 1931, the licence fees for piggeries alone amounting to \$1,275 as against \$53 in 1931.

POLICE STATIONS

There are 13 police stations in the Rural Area which are regularly visited by the District Sanitary Inspectors and inspected by the Health Officer once monthly. Three hundred and twenty-three visits were paid.

GOVENRMENT BUILDINGS

Defects in the sanitation of Government buildings within Municipal limits are reported when they occur by the Sanitary Inspector (Town) while similar buildings in the Rural Area are supervised by the inspector in whose district they occur.

SCHOOLS

Regular visits were paid by Sanitary Inspectors to schools and a satisfactory sanitary standing was maintained.

INFANT WELFARE

There are five Infant Welfare Centres in Rural, Singapore which cater for the requirements of all nationalities. One additional centre was opened temporarily on the island of Pulau Tekong. It is intended to utilise two sub-centres at Kranji and Seletar during 1934 more especially for the immediate resident Malay population.

The figures for attendances by nationalities at all centres during the year were :-

Malays Chinese Indians and others Total 7,874 36,456 2,774 47,104

In addition, 32,497 home visits were made by the staff of the centres.

VACCINATIONS

During the year the vaccine lymph in use was supplied from the Institute of Medical Reasearch, Kuala Lumpur. Primary vaccinations are performed principally by the Government Vaccinator, the Medical Officer-in-charge travelling dispensary and at the Infant Welfare Centres. In the Rural Area 4,165 primary vaccinations were carried out by these officers. In addition, 6,922 children, chiefly those in attendance at school, received re-vaccination and 490 of the police staff.

PENANG

Rural sanitation is carried on mainly under the jurisdiction of the Rural Boards of Penang, Province Wellesley and the Dindings.

The Rural Board Health Departments are responsible for the progress of scavenging and conservancy in villages and kampongs and for the prevention of communicable diseases throughout the rural areas. The Health Staff undertakes regular sanitary surveys for the improvement of housing conditions and for the supervision of coffee shops, eating houses, bakeries, dairies, cattle-sheds, pigstyes, slaughter houses and offensive trades. Action is taken where necessary under appropriate laws or bylaws to stimulate public opinion or to enforce public health requirements.

The following figures refer to routine inspections carried out by the Sanitary Staff: -

	NUMBER OF INSPECTIONS OF:							
todies or feeloots meeting logismen	Houses	Latrines	Police Stations	Schools	Estates & copra sheds	Cattle sheds	Pigstyes	
Rural Penang Province Wellesly Dindings	14,881 20,193 2,796	16,881 28,623 873	312 264 278	459 384 253	388 267 43	1,654 1,089 148	4,998 649 1,461	

In Penang Island there were 73 prosecutions and the total number of fines realised were \$109.50.

In Province Wellesley, the number of prosecutions were 225 and fines amounted to \$488.23.

In the Dindings 41 prosecutions were effected; fines were \$75.

An organised system of night-soil removal and disposal is now fully established in all gazetted villages. Pail latrines are obligatory in places where buildings are close together; elsewhere in villages and throughout the rural area bore-hole latrines or corresponding types of sanitary convenience are provided by the responsible occupier. Owing to the adoption of the contract system, these conservancy schemes are self supporting and can be adapted to suit the different circumstances met with in each locality. Under this scheme a total of 4,647 nightsoil pails are dealt with daily at a rate which varies from \$1 to 50 cents per month inclusive of the cost of the pail and of disinfectants used. Throughout the residential area of Penang Hill, and in a number of residences along the coast road, water carriage and septic tank systems have been installed.

During the year 3,359 latrines have been constructed or reconditioned so as to render them sanitary. Insanitary latrines to the number of 1,166 have been demolished. One hundred and ninety-nine deep bore-hole latrines have been constructed and 724 pit latrines have been dug upon instruction by the sanitary inspectors. Sale of night-soil for manure is not permitted and as a rule disposal is effected by trenching, but at Lumut and Butterworth dumping at sea is successful. Altogether 4,086 notices under Section 209 (1) and Section 227 of Ordinance 135 Municipal were served in connection with this work; throughout the rural areas action is taken to minimise the risk of soil and water pollution.

In regard to scavenging, the occupiers of all licensed premises and better class houses in gazetted villages are required to possess and use rubbish bins of an approved type; in addition, Rural Board refuse bins are placed on concrete platforms along the road-side in places convenient for the public; domestic refuse collected in these bins together with road sweepings, is collected into hand-carts and disposed of either by incineration in the village incinerators or by "controlled tipping". Within the past year an extended use has been made of the latter system of rubbish disposal; which, in the first instance, depends upon the choice of a suitable site for dumping refuse. A disused gravel pit or other waste ground which affords easy access and an ample supply of earth for covering over rubbish, is selected near a village; the refuse is deposited in layers not more than 4 feet in depth and 10 to 15 feet in width in a position marked out by the sanitary inspector. The sides of each layer slope at an angle of 45°. The refuse when discharged from the rubbish cart is dealt with according to a definite routine. Paper, rags, baskets, boxes and other bulky materials are flattened and laid at the bottom of the pit. Buckets and tins are crushed or filled up with earth. Bottles, jars and similar receptacles are broken up. Vegetable and other waste matter, together with road sweepings, are raked down on to the top of this and stamped tight. Consolidated in this way all the rough material is placed at the bottom of the dump and a compact layer of rubbish lies above. Finally the face and sides of the dump are covered daily with a layer of not less than 6 inches of soil, stamped hard. The refuse carts which are hauled over the dump assist in the consolidation of the material upon which depends the successful working of the scheme. By careful packing air spaces are avoided: the exclusion of air prevents spontaneous combustion, and rats, flies and other harmful insects are prevented from finding a breeding place.

Gradually by biological action, the organic content of the refuse is transformed into simple inorganic compounds. Most of the material with the exception of glass and china-ware, is broken down into harmless products and within a period of 12 to 18 months, if the refuse be exposed, it presents an appearance of dark sandy soil. Local experiments which have been carried out for the past two years have shown that this method, wherever practicable, is hygienically sound and may sometimes be more economical than the older method of burning. Valuable land has moreover been reclaimed and fertile ground has been provided for cultivation of crops where previously the land was arid and useless.

There are 41 village incinerators within gazetted areas and three, in addition, on Penang Hill, most of which have given good service throughout the year.

MALACCA

The Rural Area of Malacca is 632 square miles in extent. Sanitary supervision is exercised by the Health Officer assisted by the Deputy Health Officer in the Central District, a part time Assistant Health Officer at Alor Gajah, a similar officer at Jasin, six sanitary inspectors and one sub-overseer.

During the year the various officers delivered 117 lectures on health measures in the various Vernacular Schools.

The Rural Health Department continued to carry out scavenging of all gazetted village areas and some ungazetted areas, control of night-soil collection and disposal, house-inspecting, maintenance of permanent anti-malarial work, control of temporary anti-malarial measures and supervision of all health matters.

Regular inspection of coffee-shops, slaughter-houses, pigstyes, dairies and cattlesheds continued to be carried out as in previous years.

CONSERVANCY

The advance in the control of soil pollution made in 1932 was maintained. Some 10,078 latrines being inspected during the year. Insanitary latrines abolished and new latrines constructed number 193 and 607 respectively.

(iii).-Water Supplies

Singapore.—The more populous parts of the Rural Area are provided with a piped water supply. The Rural Board provided adequate facilities to enable poorer families to obtain water by the installation of stand-pipes at convenient positions in relation to the various kampongs adjacent to the pipe line. Opportunity has been taken during a number of years past to utilise the subsoil water in connection with anti-malaria schemes in establishing a fairly satisfactory water supply to isolated kampongs and individual groups of squatters huts. The supply although far short of the purity obtainable with a piped system is yet an improvement on the type of open unlined well which the rural householder frequently constructs. Washing facilities are also provided where practicable.

Water samples are sent periodically for examination as to purity.

Penang.—The water supply of George Town (Penang) is good in quality and abundant. A number of the surrounding villages are served with Municipal supplies.

Elsewhere in rural areas, spring water is as a rule plentiful along the foothills, but in such situations malaria is also prevalent, and wherever practicable anti-malaria drainage schemes are specially designed to provide wholesome water and good bathing facilities for the villagers.

These new water supplies of which there are now one hundred and thirty in daily use have proved most beneficial to health and are very popular with the inhabitants. Protected wells are provided in the majority of villages and kampongs on flat land.

The inadequacy of potable water along the coastal and inland plains of Province Wellesley is a serious health problem.

Brapit Reservoir supplies Bukit Mertajam, Butterworth and Prai but as the reservoir has not a catchment area large enough to provide a constant supply in times of drought, the quality of the water is unsatisfactory. Analysis shows it to be free from dangerous pollution, but the presence of a red algae renders it unpalatable without domestic filtration. The erection of a filtering plant is under consideration.

A supplementary reservoir is in course of construction at Chero To'Kun; when completed this will partially remedy these defects and may permit the installation of a water carriage system in certain parts of Butterworth.

The supply to the villages of Nibong Tebal and Sungei Bakap from Bukit Panchor reservoir in South Province Wellesley continues to be treated through a filtration plant with satisfactory results, but the amount of water available is insufficient for the needs of a growing population.

Practically the whole of the large Northern area of Province Wellesley is lacking in a good water supply; the agricultural and village population depend upon heavily polluted surface wells. Twenty-one rubber estates in Province Wellesley have their own piped water system, notably Bertam estate which obtains a supply of filtered water from the Muda river. The water supply on Bertam Estate is a model on which in more prosperous times a plant might be erected for service in the district.

Added to the question of domestic supply, the inadequacy of the water supply is quoted as a deterrent to the supply of modern sanitary installations in developed areas, and where these have been installed great difficulty is found in their maintenance due to the interrupted supply in drought periods.

In Lumut, the headquarters of the Dindings, there is a piped supply from hill streams impounded in two catchment reservoirs. An additional dry weather emergency supply, from wells in the Pundut Valley, is now available.

(iv).-School Hygiene

Singapore.—Regular medical inspection of school children by the Lady Health and Assistant Health Officer (Schools) was in force throughout the year. There are 42 Government and 23 Government Aided Schools on the visiting roster of these officers.

Eight thousand four hundred and ninety-four pupils were inspected in the former and 9,165 in the latter. The Sanitary Inspector of Schools is responsible for an adequate standard of sanitation being maintained. The travelling dispensary visits a proportion of the Malay Schools each week.

Regular dental treatment is offered to pupils and free transport is provided between the outlying schools and the dental clinic.

The schools are also included in the routine roster of the Government Vaccinator and all children are re-vaccinated before the age of seven and a half years.

Penang.—The number of children of school age subject to regular medical examination in Government and Government-aided schools in Penang Settlement is 21,121 of whom 16,631 are boys and 4,490 girls. Of these 11-517 attend at 102 vernacular Malay Schools and 9,604 are in 21 Government English and Aided Schools. There are in addition 98 private Chinese and Tamil schools with 9,989 children; the latter schools are subject only to sanitary survey. The appointment of an assistant school Medical Officer for Penang has made it possible to make a complete survey of all boys schools in this Settlement. This officer is aided as a part time duty by members of the health and medical staffs. The Lady Medical Officer is also a part time school medical officer and carries out an annual medical inspection in all girl schools.

Treatment of minor ailments is carried out by the medical officer with the assistance of a dresser and where necessary children are referred to the out-door dispensaries for further treatment. Children suffering from defective vision, enlarged tonsils, etc., are advised to attend hospital.

The travelling dispensaries and public vaccinators co-operate in this work in rural areas and the Health Officer arranges for a dresser to pay regular visits to the schools for the treatment of children that he has examined.

(Details of schools work are shown in the Appendix F.)

Malacca.—Medical inspection of school children in Malacca is carried out by the Lady Medical Officer, who examines the female pupils at Government-aided institutions, and girls' vernacular schools; by the Deputy Health Officer who examines male pupils at Government-aided institutions and the boys vernacular schools of the Central District; and by the Assistant Health Officers at Alor Gajah and Jasin who examine the pupils at the various boys' vernacular schools in their respective Northern and Southern Districts.

Many children are found to be suffering from eye and dental defects. Those that can afford to pay for spectacles are examined and prescribed for errors of refraction at the Government Clinic conducted by the Deputy Health Officer. The children take little notice of advice given in regard to seeking dental treatment. The Settlement is sorely in need of a school dental service.

(v).-Labour Conditions

Singapore.—The most important event in the year's history of local labour was the passing of the Workmen's Compensation Act in the second half of the year.

The labour force employed by the Health Department is mainly Indian with one or two Malays and Chinese.

The health of estate labour and the sanitation of the coolie lines is supervised by the Health Officer and his subordinate staff.

There are on the island 113 rubber estates and 72 coconut estates. Only 28 estates employ a labour force of more than 25 coolies. Cases of sickness which require hospital treatment are referred to Government Hospitals in the city.

The coolie lines of the Public Works Department are inspected regularly. The largest force of this Department which is engaged on excavation work in the Changi area in connection with the filling operations of the new civil aerodrome has its own Dresser and Sanitary Inspector who are supervised by the Health Officer.

Penang.—Estates in Penang Island subject to medical inspection are 30 in number, of which only 4 are over 100 acres in extent. In the Dindings there are 34 estates including 10 large estates under European management. The estates in the Dindings are inspected annually by the Deputy Medical and Health Officer and this officer makes additional inspections at such other times as occasion may require. There are 209 estates over 25 acres in extent in Province Wellesley; regular bi-annual visits of inspection by the Health Officer are made to 54 of these estates; of these 27 receive in addition special and routine visits of private medical practitioners. There is a resident medical practitioner in the Caledonia group of estates. A number of estates are still exempt from inspection by reason of their having no resident labour force. There are three estate hospitals in Province Wellesley and two in the Dindings; elsewhere patients requiring hospital treatment are sent to the nearest Government hospital.

Malacca.—Estates in Malacca are inspected by the Government Health Officer and Assistant Health Officers. In Malacca there is a Planters' Board named the Malacca Agricultural Medical Board which provided medical service for most of the estates in Malacca, and during the year employed five medical practitioners (two whole-time European, two whole-time Chinese and one half-time Chinese) stationed at convenient centres. Twenty-two estates in Malacca are served by estate hospitals and there are twenty-six dispensaries. Estates which have no hospitals use Government hospitals. All estates send most of their serious cases into Government hospitals.

OTHER LABOUR

The health of the Public Works and other labour forces in the rural area of Singapore is cared for directly by the Medical Department. Offensive trades preponderate in the Municipality, where they are controlled effectively. Offensive trades in Rural Singapore are controlled by the Rural Board Inspector of Offensive Trades under the direction of the Health Officer.

The health of Public Works Department labourers and other forces in rural areas in Penang was inspected by officers of the Health Branch and the labourers received free hospital treatment when necessary.

(vi).-Housing and Town Planning

Singapore.—Various plans for the sub-division of land and road widening were submitted to the Health Department for approval.

Houses in the Rural Area are in the main of attap roof and plank wall structure but the number of better type houses continue to increase.

Attention has been directed in the last few years to the improvement of existing squatter houses and all new houses of this type must comply with certain fixed requirements as to size of cubicles and provision of latrine, kitchen, etc. There are in addition regulations affecting the type of house which can be built within 100 feet of main roads.

Three hundred and fifty-one applications for construction of buildings of a temporary nature were submitted to the Health Officer for approval and 117 applications were made for reconstruction of existing premises. Eighty-three plans for buildings of a permanent nature were approved with minor alterations in several instances.

No buildings were demolished during the year. The number of houses in the Rural Area is estimated at 18,000.

Penang.—The estimated number of houses in rural Penang is 13,965 of these 2,971 are within gazetted village limits. In addition to regular inspection of all schools, police stations and public buildings in their respective districts, the sanitary inspectors reported upon 14,881 house to house inspections in the course of their routine duties.

The Health Officer also inspects houses as occasion requires. Verbal advice and warning to remedy sanitary defects are generally given followed by an intimation notice and, if not complied with, nuisance notices are subsequently served.

Overcrowding and consequent lack of ventilation is the commonest defect in all types of dwelling, but considerable improvement has been effected in recent years as a result of inspections by the Sanitary Authorities.

Malacca.—Supervision of housing continued during the year and insanitary conditions were dealt with as and when they were discovered. Routine house to house inspections were carried out by the Sanitary Inspectors who carried out 10,716 such inspections during the year.

(vii).-Food in relation to Health and Disease

Singapore.—All premises engaged in the manufacture or sale of food or drink for human consumption are inspected regularly. The majority of such premises with the exception of eating houses and coffee shops which are licensed by the police on the recommendation of the Health Officer are licensed by the Rural Board. Special attention was paid to dairies not only with reference to existing sanitary conditions but also as regards the quality of the milk produced. One hundred and eighty-seven samples were sent to the Government Analyst for examination.

Five thousand six hundred and nineteen visits were paid to eating houses, coffee shops, fish shops, grocery shops, butchers and slaughter houses. Rural markets were inspected on 1,113 occasions and regular inspections were made to bake-houses, toddy shops, etc.

Penang.—The inspection and control of food is carried out by the Municipal and Government health officers in their respective areas. There are markets in all the principal towns and villages.

Milk vendors, eating houses, coffee shops, meat shops and aerated water factories are licensed and inspected. Water, milk and other beverages and food stuffs both local and imported are regularly analysed, and action is taken if indicated.

The practice of referring to the Health Branch applications for licences for coffee shops, eating shops, slaughter houses, markets, milk vendors, etc., has been continued with satisfactory sanitary results.

Inspections, as tabulated, were carried out in the Northern Settlement :-

	Eating houses and coffee shops	Toddy shops	Markets	Milk vendors and cow sheds	Bakeries, &c.	Slaughter
Penang	 1,783	197	839	81	142	318
Province Wellesley	 3,586	121	985	1,352	1,140	639
Dindings	 249	60	167	113	and and	109

In addition, bakeries, fishmongers' shop, grocers' shops, toddy-shops, and slaughter-houses were regularly inspected.

Malacca.—All applications for licences for coffee-shops, eating-shops, slaughter-houses, markets, dairies etc., are investigated by the Health Department and, before a licence is issued, applicants have to comply with fairly stringent sanitary requirements.

The following inspections were performed during the year :-

Coffee-shops and eating-	shops	 		5,655
Toddy-shops		 		8
Markets		 		1,479
Dairies and milk vendor	s	 	1111	148
Slaughter houses		 		349

C .- Measures taken to spread the knowledge of Hygiene and Sanitation

The education of the indigenous population is regarded as one of the most important measures in disseminating the practices and principles of hygiene and sanitation. These principles are inculcated by friendly talks between the District Sanitary Inspector on his rounds and the various house-holders and it has been realised that much can be accomplished by verbal request accompanied by the explanation of the reasons associated therewith. The law is brought in as a corrective agent only when other measures fail.

The officers in charge of travelling dispensaries contribute their quota by imparting instruction at the wayside halting places while the minds of the younger generation are influenced by lectures and film displays in the schools.

Much good work is also done at the various Infant Welfare Centres and penghulus (headmen) of outlying kampongs (villages) also lend valuable aid.

D.—Training of Sanitary Personnel

By arrangement with the Royal Sanitary Institute, London, a course of training is held yearly in Singapore and on the recommendation of the Board of Examiners, the Institute grant their certificate if the candidate has obtained the necessary standard at the examination held on completion of the six monthly course.

The student sanitary inspectors are of two classes, Government and private, and are recruited from the whole of Malaya.

Instruction includes sanitation, infectious diseases and their prevention; malariology including microscopic and practical field work and mosquito identification; physics and chemistry; sanitary engineering and food inspection.

The course has been in existance since 1921, the class is restricted to a maximum of 25 students in order to enable a greater amout of individual attention to be given to each student. The fee for the course is \$125 with an additional \$35 as examination fee. Students who fail at the first attempt may re-sit the following year on payment of the examination fee only. Thirty students were in attendance this year of which twenty have been recommended for the Certificate of the Institute.

V.-PORT HEALTH WORK AND ADMINISTRATION

A.—Singapore

	and the same of th		
I.	Number of ports from which vessels arrived		531
2.	Names of ports against which quarantine measures were de	eclared	
	during the year :-	Cabu	
	Alexandria, Basrah, Bombay, Calcutta, Canton, Chittagong, Colombo, Hongkong, Karachi, Madras	Moul-	
	mein, Muscat, Nanking, Negapatam, Pondicherry		
	goon, Shanghai, Swatow.		
3.	Total tonnage of ships entering the port		14-807,204
4.	Number of ships entering the port	***	20,689
	Ships examined including pilgrim ships and infected ships	***	965
	Outgoing pilgrim ships examined		3
	Returning pilgrim ships examined		3
	Infected ships examined (all small-pox)		2
111000	Ships fumigated or disinfected	***	142
	Crew examined		66,753
II.	a manifest and a mani	hinese	26.010
	immigrants		76,012
	Outgoing pilgrims examined Revenue for charges for fumigation or disinfection of shi	ne and	575
13.	from certificates issued to such ships	ps and	\$8,025
14.	Returning pilgrims examined		1,511
	Chinese immigrants examined		26,750
	Corpses inspected in harbour		23
	Water boats inspected in harbour		49
18.	Passengers undertakings issued for surveillance ashore		2
	Optional certificates issued to ships fumigated or disinfected		127
20.	Bills of health issued		1,916
21.	Permits to import and export corpses issued		25
	Revenue from Bills of Health fees (45 free to Warships)		\$9,355
23.	Revenue from permits to import and export corpses		\$250
24.	Charge of water supplied to passengers at Quarantine	Station	
	recovered from agents		\$347.05
-	Total revenue	***	\$17,977.05
	Exemption certificates issued to ships		363
	Deratisation certificates issued	***	6
-	Rats trapped and bacertiologically examined:		
R.			Plague
	Decumanus R. Rattus Others Total		Plague infected
	Decumanus R. Rattus Others Total 129 284 23 436		Plague infected Nil
29.	129 284 23 436 Prosecutions:—		infected
29.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenge	rs ex.	infected
	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenge s.s. Amboise, fined \$25 each	ers ex.	infected
	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenge	ers ex.	infected
	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenges s.s. Amboise, fined \$25 each Drinking water from water boats examined		infected Nil
	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenge s.s. Amboise, fined \$25 each		infected Nil
	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenge s.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATE		infected Nil
30.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasengers.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATI		infected Nil
30.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasengers.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATI		infected Nil
30. 1. 2.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasengers. S.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATION FIGURES FOR THE YEAR 1933 Total passengers admitted during the year Greatest number admitted on any one day (13-3-33)		infected Nil 1 4
30. 1. 2. 3.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasengers.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATION FIGURES FOR THE YEAR 1933 Total passengers admitted during the year Greatest number admitted on any one day (13-3-33) Maximum number in residence on any one day (27-2-33)		infected Nil 1 4 21,733 610 527
30. 1. 2. 3. 4.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenges.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATI FIGURES FOR THE YEAR 1933 Total passengers admitted during the year Greatest number admitted on any one day (13-3-33) Maximum number in residence on any one day (27-2-33) Minimum number in residence on any one day (11-1-33)		infected Nil 1 4
30. 1. 2. 3. 4. 5.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenges.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATI FIGURES FOR THE YEAR 1933 Total passengers admitted during the year Greatest number admitted on any one day (13-3-33) Maximum number in residence on any one day (27-2-33) Minimum number in residence on any one day (11-1-33) On 215 days there were none in residence.	 ON	infected Nil 1 4 21,733 610 527
30. 1. 2. 3. 4. 5. 6.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenges.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATI FIGURES FOR THE YEAR 1933 Total passengers admitted during the year Greatest number admitted on any one day (13-3-33) Maximum number in residence on any one day (27-2-33) Minimum number in residence on any one day (11-1-33) On 215 days there were none in residence. Total sick treated in hospital, i.e. total admissions during the and patients remaining in hospital on 31-12-32	 ON	infected Nil 1 4 21,733 610 527
30. 1. 2. 3. 4. 5. 6.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenges.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATI FIGURES FOR THE YEAR 1933 Total passengers admitted during the year Greatest number admitted on any one day (13-3-33) Maximum number in residence on any one day (27-2-33) Minimum number in residence on any one day (11-1-33) On 215 days there were none in residence. Total sick treated in hospital, i.e. total admissions during the and patients remaining in hospital on 31-12-32 Maximum number in hospital on any one day (29-4-33)	 ON	infected Nil 1 4 21,733 610 527
30. 1. 2. 3. 4. 5. 6.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenges.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATI FIGURES FOR THE YEAR 1933 Total passengers admitted during the year Greatest number admitted on any one day (13-3-33) Maximum number in residence on any one day (27-2-33) Minimum number in residence on any one day (11-1-33) On 215 days there were none in residence. Total sick treated in hospital, i.e. total admissions during the and patients remaining in hospital on 31-12-32 Maximum number in hospital on any one day (29-4-33) Minimum number in hospital on any one day (14-5-33)	 ON	infected Nil 1 4 21,733 610 527 1
30. 1. 2. 3. 4. 5. 6.	Prosecutions:— Under rule 20 (3) of Ordinance 157, Two pasenges.s. Amboise, fined \$25 each Drinking water from water boats examined St. JOHN'S ISLAND QUARANTINE STATI FIGURES FOR THE YEAR 1933 Total passengers admitted during the year Greatest number admitted on any one day (13-3-33) Maximum number in residence on any one day (27-2-33) Minimum number in residence on any one day (11-1-33) On 215 days there were none in residence. Total sick treated in hospital, i.e. total admissions during the and patients remaining in hospital on 31-12-32 Maximum number in hospital on any one day (29-4-33)	 ON	infected Nil 1 4 21,733 610 527 1

	Average daily number of sick in hospital			.783
	Total deaths during the year	***		Nil
	Deaths per mille in hospital		***	Nil
				Nil
	Death rate per mille amongst passengers admitted	***	***	7107
	Total cases of cholera admitted	***		Nil
	Total cases of plague admitted	***	***	Nil
~	Total cases of cerebro-spinal fever admitted			Nil
	Total cases of small-pox admitted			I
17.	Number of non-infected ships whose passengers	subsequen	tly	8891
	developed infectious diseases on the Island			Nil
18.	Number of infected ships whose passengers subsequen	itly develop	ed	****
	infectious diseases on the Island			Nil
-	Number of primary vaccinations			9,460
-	Total re-vaccinations		***	73
	Total vaccinations with anti-cholera vaccine			Nil
22.	Total vaccinations with anti-meningococcus vaccine			Nil
23.	Total number of N.A.B. injections			Nil
24.	Cases treated as outdoor patients (contacts and staff)			307
25.	Total births			1
26.	Number of Municipal contacts and patients admitted	1:		
	Small-pox contacts			Nil
	Plague contacts	***		Nil
	Cholera contacts		***	Nil
	Cerebro-Spinal meningitis contacts	***	***	Nil
27.	Number of Government contacts and patients admit	ted:—		
	Small-pox contacts	***		12
	Plague contacts	***	***	Nil
	Cholera contacts		***	Nil
	Cerebro-spinal meningitis contacts		***	Nil
28.	Number of Municipal contacts who developed infec	tious disea	ses	Nil
	on the Island			NII
29.	Number of Government contacts who developed info on the Island	ectious diea	ses	Nil
20	Corpses sent to station for (P. M. examination and)	hurial		I
	Number of gallons of Singapore water pumped up			3,742,592
		Contract of the	20 5-16	80.20
32.	Average daily number of passengers in quarantine	200 mg //	***	00.29
DE	SIMÉ OF BORT HEALTH WORK SINCARO	DE FOR	V	TADS

RESUMÉ OF PORT HEALTH WORK, SINGAPORE, FOR 31 YEARS

Year		Crew and Passengers examined	Passengers sent to St. John's Island	Visits to Vessels	Bills of Health issued
1903	 	321,365	21,253	809	1,000
1904	 	279,297	17,852	712	1,036
1905	 ***	323,431	12,109	1,279	1,220
1906	 	493,021	30,076	1,625	1,674
1907	 	377,325	25,408	1,226	1,318
1908	 ***	303,484	29,356	1,506	1,344
1909	 	291,625	15,072	1,251	1,299
1910	 	467,868	35,062	1,920	1,200
1911	 	538,291	53,961	2,100	1,800
1912	 	539,677	56,726	1,927	2,145
1913	 	506,925	56,838	1,818	1,582
1914	 	402,583	18,193	1,803	1,802
1915	 dom	200,978	3,335	821	1,563
1916	 	426,584	9,738	1,617	1,726
1917	 	277,442	78,881	694	1,915
1918	 	284,198	24,182	1,709	2,086
1919	 	411,921	28,318	2,130	2,160
1920	 	507,176	31,991	2,023	2,878

RESUMÉ OF PORT HEALTH WORK, SINGAPORE, FOR 31 YEARS

Year			Crew and passengers examined	Passengers sent to St. John's Island	Visits to vessels	Bills of Health issued
1921			511,747	8,950	1,851	2,951
1922			369,072	15,343	1,552	2,720
1923			395,583	7,374	1,360	2,718
1924			408,419	39,053	1,433	2,912
1925	V		366,671	46,063	1,018	3,204
1926		***	550,443	78,963	1,650	3,273
1927			643,066	20,169	1,568	3,071
1928			501,009	13,993	1,342	3,345
1929		***	526,048	84,282	1,578	3,255
1930	***		431,017	43,659	1,186	2,922
1931	***	***	205,542	2,733	697	2,401
1932	***		238,075	19,947	1,183	2,240
1933		***	142,767	21,733	965	1,871

B.-Penang

Ports of clearance on which quarantine restriction was imposed were:—

Small-pox.—Alexandria, Basrah, Bombay, Calcutta, Canton, Colombo, Karachi,

Porticle Processing Processing Medical Processing Number of Processing Processing Number of Number of Processing Number of Number of Number of Number of Num

Pondicherry, Swatow, Hongkong, Madras, Shanghai, Nanking, Rangoon, Moulmein, Muscat, Nagapatam.

Cholera.—Calcutta, Chittagong, Moulmein, Cebu, Madras. Plague.—Nil.

Cerebro-spinal Meningitis .- Nil.

The only infected ship to arrive in Penang during the year was s.s. "Rohna" from Madras on 2nd November, 1933, with a case of small-pox.

Other details are summarised as follows:-1. Passengers admitted to quarantine station 13,989 Greatest number admitted on any one day (21-9-33) 913 Passengers medically examined
Crew medically examined 63,457 48,073 Maximum number in residence on any one day (21-9-33) ... QI3 Minimum number in residence on any one day Sick treated in hospital (patients remaining on 31-12-33 7. included) 8. Total deaths during the year *** Death-rate among those treated 2.3% *** ... 10. Number of births Nil ... II. Cases of cholera admitted *** *** Nil Cases of plague admitted ... Nil 12. ... Number of vaccinations 13. 12,691 ... Number of anti-cholera inoculations Nil 14. Number of out-patients treated ... 15. 481 Number of anthelmintic treatments ... 1 Corpses examined in harbour ... 17. 18. Permits to import or export corpses 49 ... Certificates to accompany hides ... IQ. 2 Water boats examined 20. ... 0.001 ... 12 ... Revenue in stamp fees ... 21. \$4,004 Number of vessels entering the port (including native 22. craft) 8,418 23. 6,616,726 24. Number of ships examined (ship infected 1) ... 359 ... Number of pilgrim ships proceeding to Jeddah 25. Outgoing pilgrims examined 26. 708 Number of pilgrim ships returning from Jeddah 27. 2 Returning pilgrims examined Infected ships proceeding to quarantine 575 29. Fumigations and disinfections by disinfecting launch 30. Nil Number of disinfection certificates issued ... 31. Nil ... 32. Passengers undertaking issued ... 239 (on behalf of 529 passengers) 33. Bills of health issued (2 free) 704 ... 34. Exemption permits issued 142

RESUMÉ OF PORT HEALTH WORK, PENANG, FOR 30 YEARS

Year	No, of Vessels visited	Bills of Health issued	Passengers and crew units examined	Passengers sent to Quarantine	Number of Small-pox admissions	Number of cholera admissions	Number of Plague admissions	Vacci- nations carried out
1904	748		184,691	2,217	16	5	2	
1905	869	266	214,136	10,406	10	1		
1906	675	460	204,988	23,288	16	8	2	6,490
1907	633		219,839	17,650	4	24	1	5,625
1908	1,205		176,119	21,175	51	9	2	5,691
1909	503		161,971	23,058	23	2	1	5,614
1910	526		217,967	71,876	62	33	2	12,205
1911	1,144		277,151	134,957	109	387	1	63,988
1912 *	634		287,373	55,493	75	4	4	38,297
1913	818		272,473	53,937	11	12	1	37,276
1914	1,040		215,067	48,399	171	9		32,609
1915	405	396	148,622	23,179	3			21,562
1916	662		213,726	42,736	11	1		36,806
1917	367	437	203,737	37,595	11	12		36,808
1918	551	612	173,813	33,481	7	80		29,536
1919	493	633	210,839	50,733	6	264		39,941
1920	432	602	207,424	43,733	4	8		41,230
1921	461	393	197,446	19,653	42	3		10,377
1922	480	530	197,579	31,247	6	100000		26,675
1923	442	646	182,349	24,129	2	9	E 2000	23,359
1924	461	793	214,936	28,701		151	diagona	25,779
1925	417	754	203,204	44,984	8	47		42,514
1926	885	753	282,530	85,607	5	91		77,879
1927	3,201	733	367,183	88,849	11	41		83,675
1928	1,821	898	257,507	43,273	11		The story	40,354
1929	532	1,058	262,476	58,013	1		Best-best	54,554
1930	480	1,020	216,125	35,778				33,450
1931	375	783	136,503	6,837	3	5		6,659
1932	378	730	115,217	4,467	1			3,961
1933	359	704	111,530	13,989	1			12,691

VI.-MATERNITY AND CHILD WELFARE

I.-Maternity Hospitals

There are government maternity hospitals in both Singapore and Penang, and maternity wards in several of the government district hospitals, in the Church of England Mission Hospitals at Singapore and Malacca, and in the Kwong Wai Shiu Hospital, Singapore, a charity supported by the Chinese community.

The following is a statement of the number of women admitted to and delivered in maternity institutions in the Straits Settlements, 1933:—

	, months at the plants better the p	Admitted	Delivered
I.	Maternity Wards, General Hospital, Singapore	1,277	1,135
2.	Free Maternity Hospital, Kandang Kerbau, Singapore	2,417	2,303
3.	Maternity Ward, St. Andrew's Mission Hospital, Singapore	300	300
4.	Maternity Ward, Kwong Wai Shiu Hospital, Singapore	196	196
5.	(i) King Edward VII Maternity Hospital, Penang	1,541	1,364
	(ii) Maternity Wards in Province Wellesley and Lumut Hospitals	188	156
6.	Maternity Wards in Malacca and other District Hospitals	185	185
		6,104	5,639

The ever increasing number of patients admitted to the maternity hospitals and wards is a source of considerable gratification to all concerned. In no other section of the medical service has such progress been attained.

St. David's Mission Hospital, Malacca, was closed in 1933.

^{*} New Quarantine Station opened and old Quarantine Station converted into Leper Camp.

TABLE SHOWING MATERNAL MORTALITY RATE IN THE STRAITS SETTLEMENTS, 1933.

(a).-Singapore

		,	a).—S				
		Total admission		Total delivered	Total ma deaths deta thereft	and ils	Percentage of deaths to total treated
Maternity				* *64	*2	0	1156
Hospita		1,277		1,164			1.20
*Caus		ath were :-					
	Eclamp		partun 	n næmorrnag	ge	ui I fo	which 2 were delivered, and delivered be- re arrival).
		ital hæmorrhage ed shoulder presei	tation			1 (1	indelivered).
		malaria				I	
		ubertian malaria			***	1	
		ry anæmia	***		***	2	
		l lobar pneumonia al septicæmia			***	I	
	General	peritonitis & acu				1	
	Beri-ber	i		**************************************	****		which I un- livered).
					1	20	
					Total ma	ternal	Percentage of
		Total admissions		Total delivered	deaths detai	and Is	deaths to total treated
Maternity	Hoenite	1			therefr	om	
	g Kerba			2,303	*2	7	1.10
*Come	on of do	ath were:—		med allered		1000	
Caus		d placenta, shoci	k and	hæmorrhag	e (all		
		ered at home befor				3	
	Beri-ber					3	
		cardiac disease	***		***	3	
	Eclamp	a prævia				3 2	
		accidental hæmori				2	
		anæmia of pregn	ancy		****	2	
		oneumonia	***	Institution	91805 (da)	2	
	Enteric	almic toxic goitre			***	I	
		ar mole	***	wantille and	A SHIP Y	T	
		ia from septic	macer	ated undel	ivered		
	fœtus					I	
		rtum septicæmia al septicæmia				1	
	I der per	ai septicaemia	***	***	133	2	
					9 Tellions		
					W grie	7	
			(L)	ti alend	I Jeliene II enis	7	
			(b).—	Penang	W gries	7	
		Total		Total	Total ma	ternal and	Percentage of deaths to
King Ed	word VII	Total admission		Tanana S	Total ma	ternal and	
King Edv		Total admission		Total delivered	Total ma deaths detai therefr	ternal and ls	deaths to total treated
	ty Hospi	Total admission		Total delivered	Total ma deaths detai therefr	ternal and ls	deaths to total treated
Materni Butterwor Bukit Me	ty Hospi th Hosp rtajam F	Total admission tal 1,541 ital 35 Iospital. 33		Total delivered	Total ma deaths detai therefr (i) 2 (ii) (iii)	ternal and ls om	deaths to total treated
Materni Butterwor	ty Hospi th Hosp rtajam F akap Hos	Total admission tal 1,541 ital 35 Iospital. 33		Total delivered 1,364 27	Total ma deaths detai therefr (i) 2 (ii) (iii) (iii) (iv)	ternal and ls om	deaths to total treated 1.69 17.14

Causes of death were :-					
Beri-beri					
Anæmia of pregnanc	·v		***	2	
Revealed accidental h		е	***	2	
Hæmatoma & sloughi				I	
Retained placenta, po				3	
Albuminuria of pregr				5	
Eclampsia				3	
Pulmonary embolism				I	
Retained placenta, se	epsis			I	
Ankylostomiasis, anæ				1	
Broncho-pneumonia	***			1	
Cerebral malaria				2	
Malaria cachexia				I	
Subtertian malaria		***	***	1	
Influenza				I	
				-	
				26	
2000				-	
(ii) Butterworth Hospital					
Post-partum hæmorrh		***	***	1	
Puerperal septicæmia		***	494	3	
Eclampsia	***	all years.	***	1	
Pulmonary embolism				I	
				-	
				6	
(iii) Dubit Mastaiam Hasti	ital				
(iii) Bukit Mertajam Hospi					
Puerperal septicæmia				1	
(in) Sungai Dahah Hashita	1				
(iv) Sungei Bakap Hospita Obstructed labour, he					
Albuminuria and hea			***	T	
Toxemia of pregnance				T	
Tomenia or pregnant			2000	200	
				3	
				3	
(v) Lumut Hospital.—				3	
(v) Lumut Hospital.— Post-partum hæmorrh	nage	Clide a the	essell	3	
		 Malacca	Entre la	<u>3</u>	
		 Malacca		1	Percentage
Post-partum hæmorrh	(c).—		Total m	1 aternal	Percentage of deaths to
Post-partum hæmorrh	(c).—	Total	deaths	I aternal and	deaths to
Post-partum hæmorrh	(c).—		deaths deta	aternal and	
Post-partum hæmorrh Tot admiss	(c).—	Total delivered	deaths deta there	aternal and ails	deaths to total treated
Post-partum hæmorrh Tot admiss urian Daun Hospital 1	(c).—	Total delivered	deaths dete there (a)	aternal and ails from	deaths to
Post-partum hæmorrh Tot admiss urian Daun Hospital I	(c).—lal sions	Total delivered	deaths dete there (a) (b)	aternal and ails	deaths to total treated
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital	(c).—	Total delivered	deaths dete there (a)	aternal and ails from 9	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital Causes of death:—	(c).— tal sions 30 25 30	Total delivered	deaths dete there (a) (b)	aternal and ails from 9	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital Causes of death:— (a) Durian Daun Hospita	(c).— tal sions 30 25 30	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital Causes of death:— (a) Durian Daun Hospita Placenta prævia	(c).— tal sions 30 25 30	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital Causes of death:— (a) Durian Daun Hospita Placenta prævia Puerperal septicæn	(c).— tal sions 30 25 30	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis	(c).— tal sions 30 25 30	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital Causes of death:— (a) Durian Daun Hospita Placenta prævia Puerperal septicæn	(c).— tal sions 30 25 30	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis	(c).— tal sions 30 25 30	Total delivered	deaths dete there (a) (b)	aternal ails from 9 3 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis	(c).— tal sions 30 25 30	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital Sin Hospital Causes of death:— (a) Durian Daun Hospita Placenta prævia Puerperal septicæn Puerperal sepsis Abnormal labour	(c).—	Total delivered	deaths dete there (a) (b)	aternal ails from 9 3 2	deaths to total treated 6.92
Totadmiss urian Daun Hospital I lor Gajah Hospital Sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis Abnormal labour (b) Alor Gajah Hospital.	(c).— tal sions 30 25 30 ul.—	Total delivered	deaths dete there (a) (b)	aternal aternal and ails from 9 3 2	deaths to total treated 6.92
Total admission of the second	(c).— tal sions 30 25 30 al.— nia	Total delivered	deaths dete there (a) (b)	aternal ails from 9 3 2	deaths to total treated 6.92
Totadmiss urian Daun Hospital I lor Gajah Hospital Sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis Abnormal labour (b) Alor Gajah Hospital.	(c).— tal sions 30 25 30 ul.—	Total delivered	deaths dete there (a) (b)	aternal aternal and ails from 9 3 2 1 2 1 9 —	deaths to total treated 6.92
Total admission of the second	(c).— tal sions 30 25 30 al.— nia	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2 1 5 9 - 2 1 - 2	deaths to total treated 6.92
Total admission of the second	(c).— tal sions 30 25 30 al.— nia	Total delivered	deaths dete there (a) (b)	aternal aternal and ails from 9 3 2 1 2 1 9 —	deaths to total treated 6.92
Post-partum hæmorrh Tota admiss urian Daun Hospital I lor Gajah Hospital Causes of death :— (a) Durian Daun Hospita Placenta prævia Puerperal septicæn Puerperal sepsis Abnormal labour (b) Alor Gajah Hospital. Puerperal septicæn Abnormal labour	(c).— tal sions 30 25 30 al.— nia	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2 1 5 9 - 2 1 - 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital Sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis Abnormal labour (b) Alor Gajah Hospital. Puerperal septicæn Abnormal labour	(c).— tal sions 30 25 30 al.— nia	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2 1 5 9 - 2 1 - 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital Sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis Abnormal labour (b) Alor Gajah Hospital. Puerperal septicæn Abnormal labour	(c).— tal sions 30 25 30 al.— nia	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2 1 5 9 - 2 1 - 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital Sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis Abnormal labour (b) Alor Gajah Hospital. Puerperal septicæn Abnormal labour	(c).— tal sions 30 25 30 al.— nia	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2 1 5 9 - 2 1 - 2	deaths to total treated 6.92
Post-partum hæmorrh Tot admiss urian Daun Hospital I lor Gajah Hospital Sin Hospital Causes of death:— (a) Durian Daun Hospital Placenta prævia Puerperal septicæn Puerperal sepsis Abnormal labour (b) Alor Gajah Hospital. Puerperal septicæn Abnormal labour	(c).— tal sions 30 25 30 al.— nia	Total delivered	deaths dete there (a) (b)	aternal and ails from 9 3 2 1 5 9 - 2 1 - 2	deaths to total treated 6.92

II.—Training and Work of Midwives

Midwives are trained at the Government Hospitals; a few are trained at the Mission Hospitals.

Class A midwives comprise women with sufficient English education to undergo a 12 months' training and examination similar to the C.M.B., for which they receive a diploma. Nurses with British diplomas are registered in this class also.

Class B midwives comprise Asiatics of lower education, who undergo a practical training given in Malay for from six to nine months, and pass a practical examination.

Class C consists of women who have been registered, though unable to pass an examination because they were in regular practice before the passing of the Midwives Ordinance.

The number of registered midwives in the Colony is:-

			Singapore	Penang	Malacca
Class	A	 	136	80	9
Class		 ***	346	276	25
Class	C	 	32	186	194
				-	-
			514	542	228

Steps are being taken to train as many midwives as possible in Malacca to replace those in Class C.

The number of births in the Colony in 1933 was 42,538.

III.-Infant and Child Welfare Services

These are conducted by the Municipalities of Singapore, Penang and Malacca within Municipal boundaries, by the Singapore Child Welfare Society, and, in rural area, by Government.

A .- IN MUNICIPALITIES

Infants up to the age of 12 months are attended at the three Singapore Municipal Clinics. During the year 14,190 new infants were placed on the registers of the infant welfare clinics, this figure represents 84% of the total births in the city.

The total number of attendances was 49,237 as compared with 41,215 in the previous year.

The four District Sisters paid a total of 19,398 visits to homes, of these 14,666 were first visits to newly born babies.

The Municipal Health Officer in his annual report for 1932 stated that congenital syphilis was found to be the most important cause of chronic ill-health, and this investigation was continued throughout the year 1933, the results confirming those of the previous year.

The Penang Municipality employs two European Health Sisters.

In Malacca two Assistant Health Visitors are employed, under the supervision of a Health Sister who is the Government Health Sister but is also employed part time by the Municipality.

B.—THE SINGAPORE CHILD WELFARE SOCIETY

This Society is supported by subscriptions and donations and a Government grant.

The Society supports two clinics and a creche. Children between one and five years of age are treated free at these clinics.

The Municipal clinics which treat babies up to the age of 12 months, pass to the Society's care children over one year of age who require treatment.

The Society employs two qualified European Matrons and four locally trained Chinese nurses all of whom, after a morning's work at the clinics and creche, carry out a routine of house to house visiting in slum districts.

The total number of attendances was 55,854, which is 5,726 in excess of 1932 figures.

All children needing treatment which cannot be given at the clinics are sent to hospital, the majority being sent to St. Andrew's Mission Hospital.

Minto Road Creche.—The total number of attendances was 9,059 a decrease of 249 over 1932, due undoubtedly to the curtailing of work at certain factories. The total number of new admissions was 134 as compared with 127 in the previous year. The average daily attendance was 29.

C .- GOVERNMENT INFANT WELFARE CENTRES.

There are two Government Health Sisters in Singapore, one in Penang, one in Province Wellesley and one in Malacca. There are five centres in Singapore, two in Penang, three in Province Wellesley and four in Malacca. The clinics are held at the various centres on stated days and hours.

D.—COMBINED RETURN SHEWING VISITS PAID TO HOMES AND ATTENDANCES AT WELFARE CLINICS

			Visits to	Homes	Attendance	s at Clinics
Municipalities						
Singapore			126,215		49,237	
Penang			54,538		_	
Malacca		***	18,860		4,078	
				199,613		53,315
Singapore Child	Welfare	Farmer .				0010
Society				39,783		55,854
Government						
Singapore			32,497		47,104	
Penang			54,356		40,302	
Province We	llesley		51,520		52,144	
Malacca			16,806		10,274	
			-	155,179		149,824
		Grand	total	394,575		258,993

IV.-Associated Activities

Women's and children's dispensaries are conducted by Government in Singapore, Penang and Malacca, and by Missions in Singapore and Malacca. The dispensaries are staffed by Lady Medical Officers.

The returns for 1933 are :-

Women's and Children's Dispensaries,	New patients	Repetitions	Total	Total No. of children amongst the new patients
Singapore—				
(a) Kandang Kerbau	14,626	23,881	38,507	8,403
(b) General Hospital Outdoor Dispensary	4,508	16,943	21,451	2,081
Women's and Children's Dispensary,				
Penang	9,932	9,824	19,756	5,883
Women's and Children's Dispensary, Malacca	9,246	6,835	16,081	5,160
St. Andrew's Mission Dispensary, Singapore	6,759	16,518	23,277	81 1 <u>2</u> 1
	45,071	74,001	119,072	21,527
	-	The same of the sa	-	and the same of th

Motor Travelling Dispensaries.—There were 123,179 attendances in 1933. Of these 19,609 were women and 30,333 children.

St. David's Mission Dispensary, Malacca, was closed in 1933.

VII.-HOSPITALS, DISPENSARIES AND VENEREAL CLINICS

The following table shows the hospitals maintained by the Medical Department, the average daily number of patients in each, the total number of patients admitted during the year, the total number of deaths and the death-rate per hundred treated:—

	Average daily ber of patients	Total No. of patients treated	Deaths	Percentage of deaths to total treated
1.—SINGAPORE—				
General Hospital	610.86	14,043	1,551	11.04
Tan Tock Seng Hospital	777-34	7,742	929	11.90
Maternity Hospital, K.K	. 34-73	2,417	27	1.10
St. John's Island Hospita	1 .78	18	-	The state of the s
Police Hospital	15.12	941	-	-
Mental Hospital	1,349.50	1,718	165	10.41

Hospitals		Total No. of patients treated		Percentage of deaths to total treated
II.—Penang—				of the same of the same
General Hospital	168.26	4,563	396	8.67
Maternity Hospital	26.68	1,582	26	1.64
District Hospital	282.90	3,827	449	11.73
Balik Pulau	11.95	163	2	1.22
Lumut Hospital,				
Dindings	60.02	2,078	84	4.04
Butterworth Hospital,				
P.W	79-93	1,928	95	4.92
Bukit Mertajam				
Hospital, P.W	81.14	1,631	87	5.33
Sungei Bakap Hospital,				
P.W	103.59	2,601	112	4.30
III.—MALACCA—				
Durian Daun Hospital	306.53	4,683	384	8.19
Jasin Hospital	43.93	896	59	6.59
Alor Gajah Hospital	24.93	879	45	5.12
IV.—LABUAN—				art and
Wal . 1 . WW 1. 4	10.43	286	11	3.87

TABLE SHOWING MALE AND FEMALE PATIENTS TREATED AT THE VARIOUS HOSPITALS IN THE COLONY, 1933

(a)	.—Si	ngapore		300	
				Te	tal treated
01 111-1		Male			9,006
General Hospital		Female			4,679
77 77 -1 -5 TT it-1		Male			8,203
Tan Tock Seng Hospital		Female	OTT 122 10		129
Martin II.		Male			1,263
Mental Hospital		Female			455
T C-441		Male			212
Leper Settlement	***	Female			138
(b).—P	enang			
		Male			3,268
General Hospital		Female	***	***	
		Male			3,827
District Hospital		Female			3,02/
		Male	100000000000000000000000000000000000000	***	- C. C.
Maternity Hospital	***	Female	***	***	1,582
		Male		****	267
Prison Hospital		Female		***	201
		Male	-	1000	163
Balik Pulau Hospital		Female			103
		Male			
Female Leper Settlement		Female			80
		Male			1,064
Pulau Jerejak Leper Settlement	***	Female			1,004
		Male			74
Quarantine Station		Female			25
		Male			1,563
Butterworth Hospital	4000	Female			365
D. 1.1. 14 . 1 . 1 . 1 . 1		Male		***	1,329
Bukit Mertajam Hospital		Female			302
		Male			1,883
Sungei Bakap Hospital)	Female			718
T II 1. 1		Male	***		1,470
Lumut Hospital)	Female			608
(0)	M	alacca			
(6)					
Durian Daun Hospital		Male		***	3,689
	1	Female	100	***	994
Alor Gajah Hospital	}	Male	***		658
	1	Female			221
Jasin Hospital		Male			717
The state of the s	(Female	***	***	179

The preceding table VII excludes the number treated at the Leper Settlements of Penang and Singapore, and the Prisons Hospitals (vide Appendices A and B and section X(a), (b) and (c). These figures are included in the return of in-patients and diseases as shown in Table V, page 108.

Prevailing Diseases among Hospital Patients:-

Diseases		1	dmissions	Deaths	Mortality
Malaria, acute			4,487	172	3.83
Malaria, chronic			859	29	3-37
Venereal Diseases	***		3,292	166	5.04
Influenza			1,028	. 3	0.29
Chest Affections-					
Bronchitis			1,063	14	1.31
Pneumonia and bron		monia	1,220	729	59.75
Pulmonary Tuberculo	sis	***	2,121	845	39.83
Intestinal Affections-					
Dysentery			626	136	21.72
Diarrhœa and Enteri	tis		797	130	16.31
Other Affections-					
Helminthic Diseases			1,637	31	1.89
Beri-Beri			888	203	22.86
Anæmia			236	35	14.83
Surgical Conditions-					
Chronic Ulcers			1,706	8	0.46
Wounds			2,673	96	3.59
Fractures, etc			2,372	96	4.00
Abscesses, etc.			1,456	25	1.71

The total number of in-patients treated during 1933 was 50,206 with 4,530 deaths, as against 54,442 with 4,446 deaths in 1932.

The distribution in the three Settlements was as follows:-

			A	dmissions	Deaths
Singapore				25,610	2,682
Penang	***	A Street land		18,174	1,349
Malacca				6,145	488
Labuan				277	11
		Total		50,206	4,530

The total number of beds and the average daily number of patients in the three Settlements in 1933 were:—

			Beds	Average daily No. of patients
Singapore	***		 3,506	3,034.20
*Penang	200		 2,314	1,718.30
Malacca	***	***	 504	373.42
Labuan			 25	10.75

POLICE HOSPITAL, SINGAPORE

MEDICAL STAFF.-

One Assistant Medical Officer.

One Lady Assistant Medical Officer.

One Dresser.

Medical attention is given to the members of the police force by one part-time Lady Assistant Medical Officer who attends to the women and children and one full-time Assistant Medical Officer.

The men are treated as far as possible as out-patients. Those that need special attention are admitted into the police hospital at the Depôt, into the General Hospital or into the Middleton Hospital. Cases sent to the General Hospital are those that need more attention than can be given to them at the Depôt Hospital. Those sent to the Middleton Hospital are cases of infectious diseases.

Routine work at the Depôt hospital commences at 6-30 every morning. In addition to the ordinary routine hospital work the Divisions are visited every morning between the hours of 7 and 9 and medical advice given to those reporting sick. All the stations within Municipal limits are visited once a month and those outside once in

^{*} Includes Province Wellesley and Dindings.

six months. The men stationed at the Depôt are medically examined once a month and those at the Divisions once in six months. Lectures in First Aid are given to the men at the Depôt four days a week and during the latter part of the year under review a course of lectures in First Aid was commenced for the European Assistant Superintendents of Police and Inspectors.

The number of cases attended to during the year under review was 4,765, an average of 13.1 per day as compared with 13 the previous year and 14.6 in 1931. The average strength of the Force including the men at the Depôt for 1933 was 2,388, so the percentage of men reporting ill per day was 0.55.

The following were the chief complaints:-

Infe

Affections of ti	he respirat	ory syste	em	***	***	1,777
Affections of t	he digestiv	e system	1			531
Wounds and o			***	****		430
Ulcers and abs			other skin	affections		813
Fever of unknown						326
Affections of th						106
Affections of th	ie ear	***	***			52
Malingering		***				96
ectious disease:						
Mumps			***			26
Chicken pox				***		2

Venereal disease incidence: This shows a small increase over the previous two years.

	Syphilis	Gonorrhæa	Soft Sore, etc.	Total
1931	 90	50	18	158
1932	 84	74	6	164
1933	 88	80	12	180

One thousand one hundred and four cases were admitted into hospital during the year; 941 into the Depôt Hospital, 137 ito the General Hospital, and 26 into the Middleton Hospital. From the Depôt Hospital 31 cases were transferred to the General Hospital and 3 to the Middleton Hospital.

Total Total	number number	of of	days days	patients patients	detained detained	in in	Depôt Hospital General Hospital Middleton Hospital barracks	 5,284 2,649 398 1,669
							Total	 10,000

Thus the total number of days men were off duty owing to illness was 10,000 an average of 27.4 men per day and a percentage of 1.15 of the whole force.

There were five deaths during the year.

Forty-five men were found to be unfit for further service and were boarded out.

Two hundred and sixty-four recruits were medically examined and 55 of these were found medically unfit.

The following terminal causes of death were noted in 197 fatal malarial cases:-

	General Hospital, Singapore	Tan Tock Seng Hospital, Singapore	Penang Hospital	Malacca Hospital	Total
Ankylostomiasis	6		And the same		6
Cardiac failure	18	9	59	4	90
Cachexia		2	7	10	19
Coma or convulsions	2		20		22
Coma: cerebral malaria		14		9	23
Dysentery and enteritis	3	1			4
Failure of liver function		2			2
Hyper-pyrexia	2		3	8	13
Malaria—complicated with				1577 976;30	
beri-beri	3	3		100	6
Malaria complicated with					
hypostatic pneumonia	4				4
Malaria-complicated with inter- current lobar and broncho-				a Torton Ba	
pneumonia	2024 44	2		The Bear of the	2
Malaria—complicated by	and the last				
nephritis	1				1
Other pulmonary complications	2	3			5
THE RESERVE OF THE PARTY OF THE					-
Total	41	36	89	31	197

The approximate daily cost of diets per head in the Colony for the year 1933 was :-

		77							Third	Class				
2 2 2			10121	1	\$1 Grad	e		1000	50	Cents G	rade			
Seale		First Class	Second Class	Chinese	Mostem	Tamil	Bengalee Hindu	Sikh	Chinese	Moslem	Tamil	Bengalee	Sikh	
			\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ 0
A			1 32	94	28	24	24			19	21	18	25	31
A1 A2 B				98										**
B			1 38	96	48	48	48		::	16	16		1:	::
C			1 06	1 03						10	10	10	15	18
Spec	ial													
A. T					39	35	35	25	33					
B. T	.В.				59	59	59							

OUT-DOOR DISPENSARIES

Out-patients treated at all out-door dispensaries and hospitals, including travelling dispensaries, totalled 293,115, and the attendances were 544,002. This does not include those treated at social hygiene clinics, infant welfare centres, or at school inspections, all of which are recorded elsewhere in this report.

These out-patients can be classified under three headings :-

Appendix to designation of the Police		Ou	t-patients	Attendances
(I) At Hospitals	 (a) Singapo (b) Labuan		24,930 4,562	43,519 5,652
(II) At Dispensaries	 (a) Singapo (b) Penang (c) Malacca		48,556 83,928 39,459	96,447 198,115 77,090
(III) At Travelling Dispensaries	 (a) Singapo (b) Penang (c) Provinc Well	Island e	17,608 24,942 19,674	20,517 36,203 25,196
	(d) Malacca		29,456	41,263
			293,115	544,002

The number of out-patients treated for yaws was 8,060 as compared with 9,655 in 1932. More Malays suffering from this disease have come forward voluntarily to accept treatment.

The attendances at the Women's and Children's Dispensary, Kandang Kerbau, Singapore, numbered 38,507 as compared with 36,400 in 1932.

In the Women's and Children's Dispensary, Penang, the attendances were 19,756 as against 19,942 in the previous year.

The total number of attendances at the Women's and Children's Dispensary, Malacca, was 16,081. Of 9,246 new patients who received treatment 5,160 were children. This clinic has now been separated into two district units—a women's and children's dispensary and an infant welfare centre.

VIII.-MENTAL HOSPITAL, SINGAPORE

There remained on 31st December, 1932, nine hundred and eighty-two males and three hundred and fifty females. Two hundred and eighty-one males and one hundred and five females were admitted during 1933. The total treated was one thousand seven hundred and eighteen persons.

Of the admissions forty males and thirteen females had been previously inmates of Singapore Mental Hospital.

Of the total treated ninety-eight males and twenty-eight females were discharged as recovered, twenty-seven males and twelve females as improved, eight males and five females as not improved and six males and one female as not insane on admission. Eight males and one female absconded. One hundred and twenty-nine males and thirty-six females died.

^{*} Penang includes Province Wellesley and the Dindings.

There remained on 31st December, 1933, nine hundred and eighty-seven males and three hundred and seventy-two females.

The daily average was 989.74 males and 360.76 females.

The maximum and minimum daily numbers respectively were one thousand three hundred and sixty-nine and one thousand three hundred and thirty.

The nationalities of the admissions were: -

				Males	Females
British			***	5	1
Eurasians	***			4	11
Chinese				166	68
Tamils				61	7
Malays and allied	races			31	14
Other nationalities				14	4
e physical condition	of those	admitted	was :		
				Males	Females
Good				97	25

82

85

17

29

There were forty-eight less admissions than in 1932, the admission rate however being slightly above the average for the previous ten years. Some cases of mental disorder were primarily caused by privation and starvation but on the whole prevailing economical conditions do not appear to have affected the admission rate adversely to any marked extent. Heredity, alcohol, syphilis, fevers and critical periods of life as usual figure in some instances as factors contributing to the causation of insanity.

The recovery rate for the year was 32.64.

Criminal patients:-

Impaired

Greatly impaired

The

the state of the s		Males	Females
There remained on 31st December, 1932		46	3
During 1933—number admitted	***	12	1
No. discharged from the Mental Hospital:			
(a) to prison as not insane on admission		2	-
(b) as fit to make their defence	***	4	1
No. whose sentence expired		2	-
Number who died		5	

There remained on 31st December, 1933, forty-five male and three female criminal patients.

Mortality.—The death-rate based on the average daily number resident was 12.22 for 1933. In 1933, as in 1932, dysentery, pulmonary tuberculosis, general paralysis of the insane and pneumonia in order of frequency were the chief causes of death and caused 72% of the mortality. No suicides or fatal assaults on patients took place during the year but one patient died as the result of injuries caused by a fall.

Industries.—Seven thousand six hundred and eighty yards of cotton cloth were woven for use in the institution. Eighty-two thousand nine hundred and sixty pounds of vegetables were grown for the use of the patients and a small quantity of fruit was also available. One thousand nine hundred and ten cocoanuts were harvested.

Revenue was \$21,994.69.

Staff .- No change in the medical staff took place in 1933.

IX.-PRISONS

(a).-Singapore Prison

The general sanitary condition of the Prisons has been good. There has not been any out-break of serious infectious disease during the year and, with the exception of one disease, the health of the prisoners has been very satisfactory. A preliminary report concerning this disease was submitted in November, 1933. The main clinical features of the disease consist of a superficial glossitis, an eczematous condition affecting the scrotum and the corners of the mouth. Among a few of the long sentence prisoners stiffness of the legs and diminution in vision follows. The cause is possibly dietetic but the condition is still under investigation. It is hoped that some conclusions regarding etiology and prophylaxis may be formed in the near future. It should be pointed out that the prisoners affected are nearly always treated as outpatients and therefore the condition has not figured prominently in the hospital admissions. There is no evidence that it is any worse this year than previously.

There were five cases of mild enteric fever admitted into the Prison Hospital during the year and no deaths. Of these two cases (Nos. 1 and 2 on statement hereunder) returned from the General Hospital during the early part of the year. The other three cases were not in contact with each other and no common sourse of infection was found. All the cooks and bakers were examined bacteriologically and no carriers were found.

Date admitted to prison		Date of first having fever	Results of Widal	Location	
I.	2-12-32	5-12-32	+ in 1 in 250	E. Hall	
2.	20-2-30	4-11-32	+ in r in 50	D. Hall	
3.	17-7-33	4-10-33	+ in 1 in 50	D. Hall	
4.	14-1-33	1-11-33	+ in 1 in 25	D. Hall	
5.	15-9-33	29-11-33	+ in 1 in 25	D. Hall	

The average daily ratio of sick to prison population was :-

	Quarter	 	 	I to 33
2nd	"	 ***	 ***	I to 35
3rd	"	 ****	 	I to 35
4th	"	 	 ***	I to 33

Admissions to the prisoners hospital during the year numbered 1,254. This with 51 remaining at the end of the previous year gives a total of 1,305 treated of which 59 were Europeans and Euarsians and the rest Asiatics.

The principal diseases were: -

and humerhan macases were			
	Non-	Arthritis	9
Malarial type 269	28	4 Hornes moster	8
Pulmonary tuberculosis	32	2 Laryngitis	7
Scabies	119	9 Hemiplegia	5
Ankylostomiasis	21	I Enteric fever	5
Influenza	58	8 Dysentery unclassified .	4
Gastritis	79	O Acetia incompetance	3
Bronchitis Acute 30 Chronic	14 44	4 Cirrhosis of liver	2
Syphilis Primary 5 Secondar		Chronic nephritis	2
Cellulitis	39	9 Diabetes	I
Hæmorrhoids Corneal Ulcer	20	Cystitis	1
Conjunctivitis	10	Homorrhage due to moture	
Senility	24	T currerenal veccal	. I
Secondary Anæmia	19	Annon Maltin	
Acthma	14	*	5
Diarrhood	56		
Diarrinca	50	cmome interstitiat myocarditis	

The number of deaths in the Prisons Hospital was 18 as compared with 17 for 1932 giving a death rate of 10.69 per mille. Of these 12 were vagrants, 1 remand and the rest criminals. Excluding vagrants and remand, the death rate is 2.97 per mille.

The causes of death were :			
Pulmonary tuberculosis	8	Chronic interstitial nephritis	1
Senility cum arterio sclerosis	2	Acute intestinal obstruction due	
Aortitis cum aortic incompetence		to strangulation of small gut	1
and polycystitic kidneys	I	Cerebral hæmorrhage due to	
Empyema	I	hyperpiesia	1
Chronic malaria	I	Vesical calculus with basal lobar	
Malaria subtertian	I	pneumonia	I

Prophylaxis of Dysentery.—Prisoners who were sentenced to three weeks and over and vagrants were given a course of oral treatment of polyvalent anti-dysenteric vaccine. The long sentence prisoners and vagrants receive this course of treatment once every three months. Altogether 2,969 prisoners were treated during the year as per details below:

	Nation	nality		Total No. of Bowel Cases	No. of Bacillary Dysentery	No. of Amoebic Dysentery	Dysentery undefined	No. of prisoners having no oral Vaccine	No. of Oral Vaccine given
Europea Chinese Malays Indians	ns 		.:	1 44 7 3	1	::	4	::	7 2,538 162 262
		Total		55	2	1	4	1000	2,969

Worm Infestation. The stools of all prisoners and vagrants were examined on admission and those who were found to be suffering from helminthiasis were treated. During the year 7,205 stools were examined with the following results:—

Nationality	Anky	Anky. R.W.	Anky. W.W.	Anky. R.W. W.W.	R.W.	R.W. W.W.	w.w.	Neg.	Total
Europeans Chinese Malays Indians	 982 31 55	190 15 17	241 3 8	 13 1	782 26 58	329 6 17	471 10 23	12 3,564 99 252	12 6,572 191 430
TOTAL	 1,068	222	252	14	866	352	504	3,927	7,205

One thousand five hundred and seventy-seven prisoners were treated for ankylostomiasis of which 21 were in-patients. As these cases were admitted into the Prison Hospital for one night only they were not included on the sick list.

The routine treatment for ankylostomiasis was as follows:-

- 1. Urine is examined for albumen.
- 2. If no albumen is present one ounce of magnesium sulphate is given at 5 P.M.
- 3. Next day at 6 A.M. a dose of syrup is given.
- 4. Half an hour later the following mixture :-
 - R. Carbon—tetrachloridi 30 minims.
 Olei chenapodii 10 minims.
 Liquidum paraffin ... ad ½ ounce.
- 5. One ounce of magnesium sulphate is given immediately after the mixture.

Transfers .-

Hospital	Number transferred	Number died	No. remaining in Hospital	Returned to Prison and released
General Hospital	 76	6	10	60
Mental Hospital Leper Asylum	 5		5	2
TOTAL	 90	7	21	62

Outdoor Cases .- 32,046 prisoners were treated during the year.

Diets.—The quality of the prisoners diets is very satisfactory and complaints are rare.

Corporal Punishment.—During the year 85 prisoners were flogged.

Overcrowding.—The actual accommodation of the prisoners is 1,788 whilst the daily average muster was 1,696. The female prison was noticeably crowded during the early part of the year but this has been greatly relieved through the completion of an extra ward.

Executions.—During the year 9 prisoners were executed, 4 Chinese and 5 Indians.

Suicides.—There were three cases of suicides during the year, one in the Female Prison, one in the Civil Prison and the last in the Old Prison.

Dr. W. G. Evans was Medical Officer in charge from January to March when he was relieved by Mr. J. W. Winchester until May, 1933, when Dr. R. A. Pallister assumed charge. Dr. Abdul Samat continued as Assistant Medical Officer.

Total patients treated and mortality in the Prison Hospital for the year ending 31st December, 1933:—

treated 2nd class	deaths d class	vards	deaths	Total 1st, 3rd clas	Total 1st, 2nd and 3rd class wards		of	of total
Number tr 1st and 2n wards	Number of 1st and 2n wards	Number tro	Number of	Cases	Deaths	Percentage deaths 1st class ward	Percentage deaths 3rd wards	Percentage deaths on treated
Nil	Nil	1,305	18	1,305	18	Nil	1.38	1.38

(b).-Penang Prison

Admissions .-

(a) There were 12 cases remaining in hospital at the beginning of the year. 255 cases were admitted during the year making a total of 267 cases treated in all as compared with 495 cases in 1932.

(b) The daily average number of sick for the year was 6.17 as compared with 7.32 for the previous year.

Diseases.—The	principal	diseases	treated	amongst the inpatier	its were	as follov	vs:-
Malaria			18	Bowel diseases			17
Tuberculosis			6	Ankylostomiasis			5
Veneral diseases	s		16	Skin diseases			46
Diseases of the r	espirator	y system	16	Injuries			12

Deaths.—There were 2 deaths amongst those transferred to the General Hospital during the year with a death rate of 7.49 per mille, as compared with 7 deaths and a death rate of 14.14 in the previous year.

Causes of deaths :-

Lobar pneumonia ... 1 Septicæmia 1

The above 2 deaths were among criminals.

Out-patients.—995 cases were treated as out-patients during the year as compared with 1,052 cases in the previous year. The average daily attendance was 2.72.

The principal diseases treated among the out-patients were: -

Veneral diseases	IOI	Bowel disorders	 121
Fever (not specified)	102	Skin diseases	 137
	57	Ulcers	 87
Diseases of the respiratory system	103	Other diseases	 287

Veneral Diseases .-

- (a) Three hundred and twenty-six specimens of blood were taken for Wassermann Test as compared with 573 in 1932.
- (b) One hundred and twenty-eight gave positive results as against 196 in 1932.
 (c) Six hundred and thirteen intravenous injections of N.A.B. were given as
- against 606 in 1932.
 (d) Six hundred and thirteen Bismuth preparations were given as against 606 in

Hookworm.—

- (a) Seven hundred and twenty-seven specimens of stool were examined for ova of intestinal parasites etc., as compared with 967 specimens for the previous year.
- (b) Two hundred and twelve were found positive to ova as compared with 329 the previous year.
- (c) Two hundred and twelve cases received treatment for hookworm and ascariasis during the year (114 for ankylostomiasis and 98 for ascaris).

Minor Operations .- The following minor operations were performed :-

Incision of bubo					2
Insision of abscess	***	***		***	5
Extraction of teeth				***	8
				-	1000
			TOTAL		15

Prison Strength.—There were 228 prisoners and 25 vagrants at the beginning of the year.

One thousand one hundred and eighty-five were admitted during the year under review. (Of the total admitted 1,004 were prisoners and 185 vagrants). The number of prisoners and vagrants remaining on 31st December, 1933, were 165 prisoners and 18 vagrants respectively.

Judicial Hanging.—There were two cases of judicial hanging during the year on 10th October, 1933.

Health.—The sanitary condition of prison and the health of prison staff and prisoners were satisfactory throughout the year.

Hospital Buildings.—The wards and out-buildings were kept in a good state of repair and were painted and whitewashed during the latter part of the year.

Staff.—Dr. A. Somasundaram was relieved by Dr. R. K. Ponniah from April, 1933, who was subsequently relieved by Dr. H. R. Saravanamuthu from November, 1933.

(c).-Malacca Prison

The Prison in Malacca is provided with accommodation for 135 prisoners (129 males and 6 females).

The daily average number of inmates was as follows:-

Criminals	 	 	 84.89
Remands	 	 ***	 8.54
Vagrants	 	 	 5.04

Buildings.—The buildings are well constructed and were kept in good repair throughout the year.

Sanitation.—The cells and precincts of the Prison have been maintained in a sound sanitary state throughout the year.

Feeding.—The feeding of the prisoners throughout the year has been generous and the food well cooked. The vast majority of the prisoners on discharge showed increase in weight as compared with their weight on admission.

Medical Attention.—The prison is provided with a hospital of 8 beds for treatment of in-patients.

This is utilized merely as a detention ward for treatment of minor maladies, all serious cases being transferred to Durian Daun Hospital for treatment.

Dr. S. Thambiphlay, Assistant Medical Officer in charge of the Town Dispensary, visits twice a week and is called for emergencies. The Chief Medical Officer, Malacca, visits the prison every Saturday morning.

A Dresser and an attendant are also attached to the Prison Hospital.

Admissions to the hospital during 1933 ... 76 cases.

The cases treated in hospital were chiefly trivial and included 3 cases of malaria. The daily average number of sick treated was 2.24.

X.-KING EDWARD VII COLLEGE OF MEDICINE

Abstract of Annual Report

The Council.—There were seven meetings of the Council during the year, the average number of members present being eleven.

The Hon. Dr. C. J. Wilson, M.C., returned from leave on 28th January and was President of the Council till 14th December, when he proceeded on leave prior to retirement.

The Hon. Mr. A. M. GOODMAN, Secretary for Chinese Affairs, Straits Settlements, was transferred to Penang as Resident Councillor. The Hon. Mr. A. B. JORDAN became Vice-President of the Council in his place.

The Hon. Mr. L. RAYMAN acted as a member of the Council during the absence of the Hon. Mr. A. S. SMALL from 17th March to 10th November, 1933.

The Hon. Dr. NOEL L. CLARKE was elected as a member of the Council for a period of three years by the Electoral Board at its meeting held on 31st March, 1933.

The Senate.—Four meetings of the Senate were held during the year with an average attendance of ten members.

Students.—There was an entry of 17 medical and 20 dental students in June, 1933. Nineteen medical students and 7 dental students left the College during the year. Of these 11 completed the medical course and obtained the Diploma of the College. The first 2 dental graduates obtained their Diplomas during the year. There were 151 students including 37 dental students at the College in December, 1933 as against 140 in December, 1932. The number of fee-paying students increased from 61 in 1932 to 79 in 1933.

Teaching.—The re-examination in Chemistry, Physics and Biology was held at the end of May instead of August as in previous years. This change was adopted to enable all students who had passed in these subjects to commence their studies of Anatomy, Biochemistry and Physiology in June at the beginning of the academic year. Students who fail in the May re-examination are required to take the whole course in these subjects again. The course in Organic Chemistry and Biochemistry were combined and now extend over three terms of the second year and the combined examination is held in these subjects at the end of the academic year. The course in Physiology was rearranged to enable students to receive sufficient knowledge of such sections of Physiology as they require for the proper appreciation of the course in Biochemistry.

The final examination was divided into two parts; Part I, comprising Public Health and Medical Jurisprudence and Part II, Medicine, Surgery and Midwifery and

Gynæcology. The student may sit for Part I at the examination held previous to his final examination and, if he passes the examination, he is not further examined in these subjects.

The Council invited the General Medical Council to send a visitor to inspect the College in 1934.

The League of Nations with the approval of Government and the Council and Senate of this College, arranged to hold an International Malaria Course in the College of Medicine in May, 1934.

The Keith Museum.—Complete re-mounting of all old specimens was continued; the work has been carried out section by section. The two sections dealing with lesions of the central nervous system and respiratory system were completed by the end of the year. New specimens of special value were added to all sections. Microscopical sections are being prepared from many specimens. The mounting of an "Atlas of Ophthalmoscopic Diagnosis" was completed early in the year. At the end of the year the total number of specimens in the Museum was 451.

Research.—In the Biology Department Professor B. A. R. GATER reviewed the species of Anopheles occurring in Malaya in their larval and adult stages, as far as it was possible to obtain specimens. Descriptions of several species, previously incompletely or erroneously described, were made. At the beginning of the year the Malaria Advisory Board approached Professor Gater with a view to the issue of up-to-date, comprehensive keys to the larvæ and imagines of Malayan anopheline mosquitæs. This was completed, and by the end of the year the book was in the final stages of printing.

The nutrition research carried out by Professor J. L. ROSEDALE and his staff was continued during the year. The investigation of local foods in respect to their content of water soluble vitamin C was in progress; all local foods likely to serve as practical sources of this vitamin have been examined, and a report is about to be published. Investigations into the nature of vitamin C was continued and some active crystals have been secured from pineapples. Work on the fat-soluble vitamin A and D was continued. It was found that while vitamin D was not found as such in the majority of fats taken as food, the parent substance-ergosterol-evidently enjoys a wide distribution and lard, gingelly oil, earthnut oil, cocoanut oil, red palm oil, may readily be activated by our sunlight in this country and become potent sources of vitamin D. The vegetable oils and lard, with the notable exception of red palm oil, were not found to be sources of vitamin A. Cooking experiments were carried out with red palm oil and it was shown that it may be used for frying without significant deterioration of the vitamin; it was pointed out it is possible by the use of this oil to overcome all deficiency diseases due to the shortage of vitamin A, but that it is essential to take warning that if the oil is bleached it loses all its vitamin properties and becomes worthless. Work upon the mineral content of foods was continued and a table giving the calcium content of 58 foods was published in December. A number of species of dried fishes on the local market were submitted to chemical analysis and it is interesting to note that their price usually runs in accordance with their content of fat.

Professor W. A. Young continued his study of an undescribed spiral organism. An investigation was carried out into certain epidemics in pigs. The first disease investigated was a rapidly progressing broncho-pneumonia. A further epidemic of suppurative sub-maxillary lymphangitis associated in many cases with broncho-pneumonia was also investigated. Dr. N. K. Sen investigated the occurrence of acid-fast granules and granular bacilli occurring in the sputum of some cases in Tan Tock Seng's Hospital which had no clinical signs of pulmonary tuberculosis. An organism was isolated showing variable acid-fast staining, some forms closely resembling morphologically M. tuberculosis. This organism is at present non-pathogenic to laboratory animals. Serological examinations and the preparation of vaccines for the Social Hygiene Department were carried out as in previous years. Investigations as to the value of enterovaccination on the control of dysenteric infections in the Singapore Prison and the Singapore Mental Hospital were continued.

Professor R. B. HAWES continued his investigation into the cause and treatment of nephrosis and a paper was prepared for publication. In addition work was done on the following:—Aolan in the treatment of gastric ulcer; soya bean in the treatment of cirrhosis of the liver; the value of adexolin in pneumonia; the dietetic value of red palm oil when used in cooking; Reglyphol in diabetes.

Staff Changes.—Professor K. Black proceeded on leave on 17th February, 1933. He resumed duty as Professor of Surgery on 19th September, 1933, on his return from leave. During the absence Professor B. M. Johns acted as Professor of Surgery.

Professor B. M. Johns returned from leave on 18th February, 1933. He assumed duty as Acting Professor of Surgery. Dr. E. C. Chitty acted as Professor of Clinical Surgery during the leave of Professor B. M. Johns.

Professor J. L. Rosedale proceeded on leave on 30th March, 1933. He returned from leave and resumed duty as Professor of Biochemistry on 16th September, 1933. During his absence Dr. C. J. OLIVEIRO was in charge of the Department of

Professor E. K. Tratman proceeded on leave on 28th April, 1933. He returned from leave and resumed duty as Professor of Dental Surgery on 22nd December, 1933. During his absence Mr. C. F. MUMMERY acted as Professor of Dental Surgery.

Dr. J. C. Tull returned from leave on 20th January, 1933. During his absence Dr. H. O. HOPKINS acted as Lecturer in Pathology.

Dr. F. R. SAYERS proceeded on leave on 15th June, 1933. During his absence Dr. J. I. BAEZA acted as Lecturer in Public Health.

Professor J. R. Kay-Mouat proceeded on leave on 24th August, 1933. During his absence Dr. K. C. Ghosh was in charge of the Department of Physiology.

Publications.—Professor B. A. R. Gater: -

I .- The Genus Anopheles, M.M.J. 8 (1): 39.

II.—Seasonal Distribution ibid 8 (1): 43.

III .- The larval forms of Anopheles aitheni James, ibid. 8 (2): 96.

IV.—Anopheline Larvæ of the "umbrosus group", ibid 8 (3): 180.

V.—Some remarks on Anopheles maculatus Theobald in relation to Malaria, ibid. 8 (4): 277.

On Anopheles bazai n.sp. from the Malay Peninsula, Bull. Raffles Mus. No. 8, p.

Professor J. G. HARROWER :-

A case of Inflamed Saccular Subclavian Aneurism, M.M.J. 8 (1): 70. A case of Complicated Left Inguinal Hernia, M.M.J. 8 (1): 72. Septic Granuloma of the Vulva, M.M.J. 8 (2): 122.

Elephantoid Tumour of the Labium Minus, M.M.J. 8 (2): 124. Hydrocephalus, A Plea for its early Diagnosis and Treatment, M.M.J. 8 (3):

Acute Hæmorrhagic Pancreatitis due to Ascaris Lumbriccides, M.M.J. 8 (4): 295.

Treatment of Cystic Hygroma of the Neck by Sodium Morrhuate. B.M.J., July, 1933.

Bilateral First Thoracic Ganglionectomy in Two Cases of Parkinson's Syndrome. B.M.J., October, 1933

Skeletal Remains from the Kuala Selingsing Excavations. Jour. Roy. As.

Soc., Dec., 1933.

The Abdominal Viscera of Nycticebus Malayensis. Ceylon Jour. Sci., Dec., 1933.

Dr. K. C. GHOSH:-

The Kata-thermometer and Ventilation, A Review with some Observations in Singapore Schools, M.M.J. 8 (2): 109-116.

Dr. C. J. OLIVEIRO and Mr. J. P. MORRIS:-

Calcium in Tropical Foods, M.M.J. 8 (4): 236-238.

Professor E. K. TRATMAN:-

An unusual case of Multiple Epulides of the medullary type. The British Dental Journal.

Mr. T. ROEBUCK :-

Notes on the British Pharmacopæia 1932, M.M.J. 8 (2): 116. A Guide to the British Pharmacopæia 1932. A course in Dispensing for Medical Students.

XI.—SCIENTIFIC, ETC., (APPENDICES)

A.—Report on Leper Settlements, Singapore.

B.—Report on Pulau Jerejak Leper Settlement, and the Female Leper Settlement,

C .- Report on Pathological Branch, Straits Settlements.

D.—Report on the General Hospital, Singapore.

E.—Report on Schools, Straits Settlements.

F.—Report on Social Hygiene Branch, Straits Settlements.

R. D. FITZGERALD, M.C., Acting Director of Medical and Health Services, Straits Settlements.

APPENDIX "A"

Leper Settlements, Singapore

ANNUAL REPORT I	FOR	THE	YEAR	1933
-----------------	-----	-----	------	------

I.	Male Leper Settlement					
	Remained on 31-12-32		Sangi Pool P	W		71
	Admitted during 1933		to assurement			141
						212
	Discharged during 1933		III 11 1000 101	***		1
	Absconded during 1933		The same of the sa			28
	Died	***	Consess Day	1000		7
	Transferred to Pulau Jer	rejak (during 1933		***	85
	Remaining on 31-12-33	***	10/1800	***	***	91
	Immediate Causes of Death-	-				
	Leprosy and pulmonary	tuberc	ulosis		-1 22	1
	Leprosy					6
	Female Leper Settlement-					
	Remained on 31-12-32					102
	Admitted during 1933					36
	70700					_
						138
	Discharged during 1933					- 20
	Absconded during 1933	***	Telifon but	***	***	11
	Died during 1933		***	***	***	5
	Transferred during 1933				***	3
	Remaining on 31-12-33		***		***	IIO
	Immediate Causes of Death-		***			
	Leprosy and pulmonary	tuberc	uiosis	***		2
	Leprosy			***	***	1
				Ma	le F	emale
	Average daily number of	patien	ts for the year	84.4	I I	11.38

RETURN SHOWING NUMBER OF PATIENTS TREATED BY INJECTIONS

				Male	Female
Ol Hydnocarpus		5%	***	3,446	5,427
Alepol with .5%				908	1,990
Mercurochrome 2	%			83	130
Fluorescin 2%				100	383
Brilliant Green 1		***		20	15
N. A. B				53	119

TREATMENT

(1) General Treatment.

Every effort is made to eliminate other conditions with a view to raising the general resistance.

The patients are encouraged to lead a regular life with regard to hours for meals, rest and exercise. Particular attention is paid to personal hygiene.

Facilities are provided for such games as badminton, baseball, and ping-pong, and of these full advantage is taken.

Indoor games are also provided, and occasional supplies of illustrated papers are received, while newspapers are supplied free daily.

Missionaries of various denominations visit the settlements frequently, and at intervals provide the patients with entertainments.

All boys and girls attend school daily during the week. Instruction is given by the dressers.

(2) Special Routine Treatment.

(a) Subcutaneous infiltration of Ol Hydnocarpus with 0.5% Iodine is used. The commencing dose is ½ c.c., and it is increased gradually to 5 c.c. according to the tolerance of the patient. The injections are discontinued temporarily when a lepra reaction occurs.

- (b) Alepol with 0.5 Carbolic is also given intravenously. The commencing dose is 3 c.c., increasing gradually to 10 c.c. according to the tolerance of the patient. These injections too are discontinued for the same reasons. Lepra reaction is treated by rest, purgation, light diet, adrenalin or ephedrine, aspirin, phenacetin, Dover's powder or sodii salicylas.
- (c) Trichloracetic Acid Solution is painted on the leprous lesions and helps to bring about their absorption in a good many cases.
- (d) The dye treatment consisting of Mercurochrome 2%, Fluorescin 2% and Brilliant Green 1% was given to selected cases intravenously. The results have not been encouraging.

The following are the types of cases in the Settlements on 31-12-33:-

(a)	MALE LEPER	SETTLE	MENT		
Mixed cutaneous Leprotic cutaneous			T - 1117 or	lerricker.	15 64
3. Mixed cutaneous			H-III	1	7
4. Neural Results of Treatment—	***				5
Arrested					5
Improved Stationary				7. Tees	25 50
Retrogressing					II
(b)	FEMALE LEPE	D Summer	PATRAM		
(0)	T CONTRACT TABLE	K PRITTE	DIENI		
1. Mixed cutaneous	and neural				22
	and neural s lesions			to make	73
Mixed cutaneous Leprotic cutaneous Mixed cutaneous a Neural	and neural s lesions				27
Mixed cutaneous Leprotic cutaneous Mixed cutaneous a Neural Results of Treatment.	and neural s lesions and nodular				73 15 9
1. Mixed cutaneous a 2. Leprotic cutaneous a 3. Mixed cutaneous a 4. Neural Results of Treatment. Arrested Improved	and neural s lesions and nodular				73 15 9
Mixed cutaneous Leprotic cutaneous Mixed cutaneous Neural Results of Treatment. Arrested	and neural s lesions and nodular 				73 15 9

APPENDIX "B"

Pulau Jerejak Settlement

ANNUAL REPORT 1933.

	_				
*			-		
1. 1	175	m	a_{I}	-65	_

Total number remaining on	31-12-32		 765
Admitted during the year		*** 100	 299

The total number treated was 1,064 as compared with 873 for the previous year.

Died			 	1932 80	1933 84
Absconded Discharged-	-Relieved	14	 9	5 22 7	18
Transferred	Cured	5	 } 19	1 45 }	67

The total admission of 299 included the 101 cases transferred from the Federal Leper Settlement, Sungei Buloh, to relieve overcrowding there. The 22 inmates who were discharged as relieved include 16 Indians and 6 Chinese. They were repatriated to India and China respectively.

One Chinese leper who had a wife and a child who were also lepers, was transferred to Sungei Buloh as facilities for mixed living are obtainable there.

The total number remaining on 31-12-33 was 894, classified as follows:—

Residential—

				Total	894
Kelantan	***	***	***	***	 II
	***		***	***	 108
Federated Kedah	Malay	States	***	***	 117
Straits Se			***		 658

Nationality-				
Chinese	 a decision			 725
Indians	 110000			 127
Malays	 			 25
Eurasians		***	On Living	 13
Others	 	***	***	 4
			Total	 894

The daily average number of inmates was 808.16 as compared with 717.14 for the previous year.

Percentage of deaths to total treated as compared with those for the previous II years:—

				Inmates	Deaths		Rate
1923			***	688	140		20.34
1924				726	130		17.90
1925				831	117		14.00
1926				850	117		16.16
1927				871	122		14.00
1928	***	***	***	879	102		11.37
1929				990	105		10.60
1930				1,058	125		11.81
1931				1,040	88		8.46
1932				873	80		9.16
1933				1,064	84		7.89
			uring t	the year being	ng:		
	ticaemia						31
		tuberculosi	is			***	14
	ronic ne						10
		d heart fail	lure				8
	eumonia,						6
Dy	sentery						4

2. Administration-

The Chief Medical Officer and the Senior Health Officer were visiting Medical Officers throughout the year.

The resident staff consisted of :-

One Acting Senior Deputy Medical Officer.

One Assistant Medical Officer.

One Lay Superintendent.

Eight Dressers.

Dr. E. V. VEERASINGHAM continued to be in charge of the Settlement during the year.

Dr. A. Somasundaram relieved Dr. Au Kee Hock on 31st March, 1933 and Dr. J. E. Seevaratnam relieved the former on 1st November, 1933, according to the arrangement for the Assistant Medical Officers to do a six monthly tour in the Settlement.

Police-

The force consist of :-

One Sikh N. C. O. from the Regular Police in Penang in charge. One Sikh Auxillary N. C. O. Seven Sikh Auxillary constables.

One N. C. O. and four constables are stationed in the Old Settlement and the other N. C. O. and three constables are stationed in the New Settlement.

3. Buildings.

No new buildings were erected during the year. Most of the existing buildings were maintained in repair. Several wards in the Old Settlement are dilapidated and beyond the possibility of improvement. A scheme for the gradual demolition of these wards and replacing with modern buildings, preferably huts as in Camp E, is under consideration.

The main block comprising 5 wards, was converted into a boys' camp, and all the boys under the age of 18 years are accommodated there. Two of these wards were converted into 14 cubicles to accommodate the educated and better class Chinese inmates.

The housing of the boys together, with facilities for in-door and out-door games, scouting and other amenities has remarkably enhanced their cheerfulness. They are also provided with a common dining and assembly room and a Chinese school.

The Settlement consists of four main camps which are apart from one another and require separate residential subordinate staff at each.

Old Settlement.—This is the oldest camp of the Settlement. It is definitely older than 60 years. The main block of brick buildings formed the nucleus, other semi-permanent wards were added later on by the Malay States to provide accommodation for their own lepers. It is these wards which are referred to above under this item as being dilapidated.

The authorised accommodation in this Camp is 38o.

New Settlement.—This was originally the Quarantine Station for the port of Penang. When immigration from India increased with the boom in sugar and later rubber and this Camp was found inadequate and unsuitable, a new Quarantine Station was established on the northern part of the Island. The transfer took place in April, 1911. The name "New" does not in the least indicate it is more recent than that of the Old Settlement or that there is anything remarkably modern about it. The buildings are probably as old as those in the Old Settlement but due to extensive alterations and suitability of the site there is a far more cheerful appearance than in the dilapidated wards of the Old Settlement.

The authorised accommodation in this Camp is 300.

Camp "E".—This camp was completed and occupied in 1929. There are 54 huts in this camp, and each has a maximum accommodation for three. Each hut is provided with a small area surrounding it for gardening.

Flower gardening as a past time is a speciality. There is more home than institution effect in this camp. A prize of \$20 per year subscribed for by the staff for the best kept plot has acted as an inducement to the inmates to beautify this camp.

The authorised accommodation in this camp is 162.

Eurasian Camp.—This was the original site for the Cattle Quarantine for Penang which was transferred to Penang and Province Wellesley. A small camp with 8 rooms was initially started, later on another block of building with 8 more rooms was added. There is a common dining room and other back houses. This camp accommodates persons of better social status.

At present this camp is not reserved for Eurasians alone. Better class members of any other nationality are also accommodated here. There are in this camp a band stand, a club known as "Wheatly Club" and an English school.

Authorised accommodation in this camp is 18.

All the buildings in the Settlement are lighted by electricity.

There are in each of the three main camps:—Old Settlement, New Settlement and Camp "E"—a dispensary and a treatment room, while there is a hospital in the Old Settlement and another in the New Settlement. There is also a well equipped operation theatre in the New Settlement.

4. Water Supply-

Old Settlement Reservoir capacity ... 350,000 gallons.

New Settlement Reservoir (Green Bank) capacity ... 750,000 ,,

Camp "E" Reservoir capacity ... 750,000 ,,

There are also three deep wells in the New Settlement to supplement the inadequate supply for the "Green Bank" Reservoir.

There are in addition two small reservoirs, one in the Eurasian Camp and another behind the Lay Superintendent's Quarters. Their yield is negligible.

There was no shortage of water during the year and no water had to be imported from Penang as during all the previous years. An additional deep well was constructed in the New Settlement and this to a certain extent helped in tiding over the usual shortage of water for the New Settlement experienced during drought. The supply from the reservoirs in the Old Settlement and Camp "E" is sufficient with a fair margin.

Subsoil anti-mosquito drainage in the camps has provided in addition to a deep well which is capable of producing 2,000 to 3,000 gallons of water per day during drought, eight shallow wells which are popular bathing and washing places. This feature which is only a recent introduction has not only greatly relieved the tension of shortage experienced during the previous years but also helped to cut down the expenditure on water imported from Penang to an appreciable extent—1930—\$15,729; this was just prior to the construction of the deep anti-mosquito well in the New Settlement: 1931—\$1,681; 1932—\$2,011; 1933—Nil.

5. Rainfall-

The total rainfall for the year was 2242 m.in. as compared with 2538.5 m.m. for the previous year.

The maximum rainfall in any one day was 93 m.m.-on the 12th June.

6. Anti-Malarial Work-

Permanent works were completed in various other sites in the Settlement, and practically the whole island is being brought under permanent anti-mosquito control. Oiling of other potential areas has been carried out thoroughly and systematically. For the third year in succession there has been no case of malaria contracted within the Settlement.

7. Treatment-

There were 198 cases, excluding those from Sungei Buloh, admitted during the year and they were classified according to the stage of the disease, as follows:—

	Early	Moderately Advanced	Advanced	Total
Neural Cutaneous Mixed	4 3 5	6 5 10	3 37 125	13 45 140
	12	21	165	198

As can be seen from the above classification, out of the 198 cases admitted during the year, 12 were early and 21 moderately advanced.

It is a good sign that, probably because of better understanding of the early manifestations of the disease, moderately advanced and even early cases are being sent to the Settlement.

Still a large percentage of the cases admitted are advanced and unpromising for treatment.

Out of the total number of 1,064 who were in the Settlement, 812 were selected as suitable for intensive treatment: of whom 763 were under treatment with Hydnocarpus Oil or its derivatives and the remaining 49 were under various experimental remedies. Cases that were unsuitable for intensive anti-leprotic treatment were given general and symptomatic treatments.

Figures relating to cures and improvements are of doubtful value. The voluminous literature and figures available on the treatment of leprosy do not agree as to the efficacy or otherwise of any of the remedies used in the treatment of leprosy. Unfortunately, this is because of many aspects of the disease not being fully understood, but one has to bear in mind also that leprosy is a self-healing disease and due to certain yet unknown factors, the disease tends to become arrested at any stage of the disease. When a census of the cases, that were bacteriologically negative and free from all active signs of the disease, was taken in this settlement early in the year, it was found that 21 per cent. of the cases thus selected very irregularly attended or never had any treatment at all.

It is apparent, that though there is no "specific" in the treatment of leprosy, there is growing optimism as to the disease being "curable", at least in the sense that permanent relief can be brought to the sufferers.

The idea in the treatment of leprosy in this Settlement is that patients, when well fed and kept in good and congenial surroundings with some form of treatment, tended to get better. Every endeavour is made to raise the general resistance of the patients as it has been found that in patients with lowered resistance the disease developed more rapidly. Essentially, therefore, the first step in the treatment is to find out and remedy the cause or causes of the lowered resistance, which may be due to either one or more of the following causes:—

- (a) Concurrent disease-such as malaria, syphilis, helminthic infection, etc.
- (b) Dietary defects—such as insufficient, unsuitable or not properly prepared food.
- (c) Pernicious habits-such as laziness, overworking, overeating, etc.
- (d) Insanitary and sombre surroundings.
- (e) Mental factor-a cheerful patient responds easily to treatment.

At the outset it is realised that each patient should be treated individually and attention is not concentrated solely on the administration of a special drug.

Medicinal treatment with the Hydnocarpus Oil and its derivatives :-

(a) Hydnocarpus Oil with 4 per cent. double distilled creosote added and sterilised at a temperature of 120°C for thirty minutes is used for intramuscular and subcutaneous injections.

(b) Ethyl esters of hydnocarpus oil with 4 per cent. double distilled creosote added is also used for intramuscular and subcutaneous injections.

Both these preparations are administered in doses commencing from I c.c. and increased to 10 c.c. It is difficult to say which one of the two is more efficacious but the preparation of ethyl esters is easier to administer and less painful to the patient.

(c) Iodised Ethyl Esters. This is prepared by boiling ethyl esters with 0.5 per cent. metallic iodine at a temperature of 150°C for thirty minutes. The

solution of iodine is found to render it less irritating.

- This preparation is used for intra-dermal injections. For this method of treatment, cases with a moderate number of lesions are selected. This method of treatment undoubtedly hastens the resolution of the leprous lesions, either macular or nodular, but improvement was found to be more rapid in the former type. In a macule complete resolution is effected with one or two injections, whereas in a nodule it may be necessary to inject as many as four or five times. The effect is believed to be due to the counter irritation produced in the part of the skin injected. This form of treatment though painful, is popular because of the spectacular improvement produced.
- (d) Sodium Morrhuate. This drug has been found to be very useful in cases with low reaction level due to debilitating condition and in the treatment of the residual part of the disease, which does not further respond to treatment with hydnocarpus oil or esters. Its value seems to be purely nutritional. It is administered intravenously in a 3 per cent. sterile solution with 0.5 per cent. phenol added, commencing from a dose of 0.5 c.c. increased to 10 c.c.
- (e) Local treatments. One cannot disregard this treatment in leprosy. Rubbing of hydnocarpus, gingely and other oils while sitting in the sun is beneficial. Accelerated absorption of leprous lesions may be produced by painting on a solution of trichloracetic acid. This is used in two strengths—I in I solution for nodules and I in 3 solution for diffuse lesions.
- (f) Lepra Reaction. Mercurochrome gives more consistent and satisfactory results than either fluorescein, brilliant green or trypan-blue. This drug at the same time is not toxic and better tolerated by the patients. It is administered intravenously in a one per cent. sterile solution commencing from 5 c.c. and increased to 10 c.c.

Various other drugs such as adrenalin, ephedrine, sodium salicylate and calcium chloride are also administered in lepra reaction.

(g) Complications. Trophic ulcers. In addition to treatment for the general condition of the patient, cleanliness of the part and further avoidance of trauma give satisfactory results. Basic fuchsine, mercurochrome and potassium permanganate are sued for the dressings. Weekly intravenous injections of tr. iodine in doses of 10 minims diluted in 10 c.c. of saline were found to be useful in trophic ulcers with secondary infection. True leprotic ulcers respond well to dressings with hydnocarpus oil with iodoform or a solution of camphor and carbolic in equal parts.

Ambulatory treatment was tried in a number of leprotic and trophic ulcer cases. It was not found to be of any value in such cases. This treatment was also carried out in a number of ordinary chronic ulcers of non-leprotic origin and in all the cases the improvements were remarkable. Ulcers that have been stationary for even years have healed up with one or two applications of the treatment. One application usually lasts two weeks.

- (h) Duration of treatment in leprosy. The length of treatment is a very important matter. Relapses often occur in insufficiently treated cases. Treatment is carried out until repeated bacteriological examinations have failed to demonstrate the bacilli for a period of at least one year and all active signs have been absent for a similar period. The aim is to carry on the treatment for at least two years after all the active signs have disappeared.
- (i) Discharge on parole. A certain number of cases are discharged every year. In most of the cases no address is obtainable owing to the floating nature of the Indian and Chinese population in Malaya. They are, however, advised to report at the nearest Government Hospital or Dispensary once in three months. In only a small percentage of the cases discharged, it was possible to arrange for regular periodical examination and further treatment. A lot depends on the discharged patient being able to get suitable housing, food and other comforts after his discharge.

Out of the 54 patients who were discharged from this Settlement during the last three years as "cured" two were readmitted with relapse. It was quite evident in these two cases that they were unable to provide themselves with adequate comforts after they were discharged. The practice of discharging such cases in the absence of treatment and periodical bacteriological examination seems of doubtful benefit.

8. Various activities by the Inmates-

As much freedom as possible within the confines of the Island and encouragement are given to the lepers to lead normal lives and employ themseves at any useful occupation for which they are suited. During the year several of them were engaged in useful and lucrative work.

Employment is given to a number of able-bodied men as menials, attendants, barbers, sweepers, dhobies, toties, wood-cutters, etc.; for which allowances varying from \$3 to \$10 per month are paid by the Government. A few educated lepers are employed as teachers, dressers, tindals and band master.

Many take a lively interest as independent artisans in various ventures, such as carpenters, growers of vegetables and fruits, poultry farmers and fishermen. There are several shops in the Settlement which are managed by the inmates themselves.

Two large tracts of land have been set apart for the cultivation of fruits and vegetables and poultry farming. The provision of a small piece of ground around each hut for gardening in Camp "E" can be considered to be the best ideal for an institution of this kind.

The band now consisting of 11 educated inmates with a Philippino bandmaster continued to be popular. In addition to moonlight entertainments they supply the necessary music at the theatrical performances. Lessons in music are also given by the bandmaster to any one who is apt and willing to learn.

Several performances were given by the five theatrical troupes—three Chinese, one Malay and one Tamil—during the year. Every one of them has its own playwrites, scene painters and artists who are undoubtedly of no mean order.

Out-door games, such as football and volley ball games, badminton, swimming and fishing were indulged in to an appreciable extent.

The "Wheatley Club" of which practically all the educated inmates are members, has been chiefly instrumental in promoting out-door games, sports and picnics for the boys. Due to the generosity of several members of the public and clubs in Penang and Province Wellesley, this club has a well stocked library and is in receipt of regular contributions of periodicals, illustrated journals, newspapers, gramophones, records and various other useful articles.

There are two schools—English and Chinese. As most of the children of school age are Chinese the problem of education is simplified. The system is bi-lingual—Chinese and English. The children first study Chinese and after a certain amount of progress in this language they are transferred to the English school.

There have been 9 boys attending the English and 19 boys attending the Chinese classes.

There have been 17 new scouts enrolled in the Boy Scout Troop which now has a total membership of 39. The troop carried out regular exercises. There were two inspections during the year, one by the Scout Commissioner for Malaya and another by the District Commissioner, Penang. The Settlement troop is now affiliated with the Scout Organisation of Malaya.

For further information on the various activities by the inmates see Appendix D.

o General-

The health of the inmates and staff has been good. There has been fairly good attendance for treatment which is not compulsory. The discipline among the inmates continued to be excellent and there has been no serious breach of the peace. There has been further progress in the normal activities in the Settlement.

The Government Agricultural Field Officer and his Malay Assistant visit the Settlement periodically to advise in matters relating to agriculture. On the advice of the Field Officer, 101 fruit trees comprising 9 local varieties have been planted on the island and are doing well. It is anticipated that after a lapse of five years there should be an abundant supply of fruit for the inmates.

10. The following returns are attached:-

Appendix A.—Showing the number of admissions and deaths.

Appendix B .- Showing the nationality of the inmates.

Appendix C.—Showing the normal occupations of the inmates.

Appendix D .- Album with photos taken in the Settlement.

FEMALE SETTLEMENT, PENANG

(a) The total number remaining on 31-12-32 67 The total number admitted during 1933 13 made up the following:— Colonial	. The l	nmates.—							
The total number admitted during 1933 13 made up the following:— Colonial	(a)	The total number	remainin	ng on 31-	12-32				67
Colonial		The total number	admitted	during I	933	***			13
Total							II		
The total number remaining on 31-12-33 59 made up of the following:— Colonial		Kedah				***	2		
The total number remaining on 31-12-33		F.M.S.	***	***	***	***	-		
made up of the following:— Colonial					Total		13		
Kedah F.M.S		made up of the			12-33	- "	all the		59
F.M.S				***	211	***	120		
(b) The total number of deaths for 1933 12 The percentage of deaths to total treated for 1933 15 The percentage of deaths to total treated for 1932 13.75 The cases that died in 1933 were all very advanced cases with complications. e.g. pulmonary tuberculosis, pneumonia and dysentery. (c) Total number discharged as cured					***				
(b) The total number of deaths for 1933		F.M.S.	***	***		***	4		
The percentage of deaths to total treated for 1933 I5 The percentage of deaths to total treated for 1932 I3.75 The cases that died in 1933 were all very advanced cases with complications. e.g. pulmonary tuberculosis, pneumonia and dysentery. (c) Total number discharged as cured					Total		59		
The percentage of deaths to total treated for 1933 I5 The percentage of deaths to total treated for 1932 I3.75 The cases that died in 1933 were all very advanced cases with complications. e.g. pulmonary tuberculosis, pneumonia and dysentery. (c) Total number discharged as cured	(b)	The total number	of deat	hs for 10	933				12
The percentage of deaths to total treated for 1932								***	15
plications. e.g. pulmonary tuberculosis, pneumonia and dysentery. (c) Total number discharged as cured									13.75
Total number discharged as relieved		plications. e.g	d in 1933 pulm	were all onary to	very advanced aberculosis, p	cases	with c		
Total number discharged as relieved	(c)	Total number disc	charged :	as cured					Nil
taken to Siam. (d) Total number absconded	1000				d				3
(e) Total number transferred 5 Of these 2 leper boys were sent to Pulau Jerejak Settlement, two patients to Sungei Buloh Leper Camp and one was transferred to General Hospital, Penang, for operation, after which she was re-admitted into the Camp. (f) Average number of inmates on any one day 64.04 (g) Maximum number of inmates on any one day 68 The Staff consists of.— (a) A part time Deputy Medical Officer, who visits the Camp once a month. (b) A part time Assistant Medical Officer, who visits daily. (c) A part time Grade II Dresser, who lives at the Settlement. (d) A female leper attendant.			were rej	patriated	to India, and	one Ch	inese	was	
Of these 2 leper boys were sent to Pulau Jerejak Settlement, two patients to Sungei Buloh Leper Camp and one was transferred to General Hospital, Penang, for operation, after which she was re-admitted into the Camp. (f) Average number of inmates on any one day 64.04 (g) Maximum number of inmates on any one day 68 The Staff consists of.— (a) A part time Deputy Medical Officer, who visits the Camp once a month. (b) A part time Assistant Medical Officer, who visits daily. (c) A part time Grade II Dresser, who lives at the Settlement. (d) A female leper attendant.	(d)	Total number abs	conded						1
Of these 2 leper boys were sent to Pulau Jerejak Settlement, two patients to Sungei Buloh Leper Camp and one was transferred to General Hospital, Penang, for operation, after which she was re-admitted into the Camp. (f) Average number of inmates on any one day 64.04 (g) Maximum number of inmates on any one day 68 The Staff consists of.— (a) A part time Deputy Medical Officer, who visits the Camp once a month. (b) A part time Assistant Medical Officer, who visits daily. (c) A part time Grade II Dresser, who lives at the Settlement. (d) A female leper attendant.	(e)	Total number tran	sferred		Date II It was a				5
(g) Maximum number of inmates on any one day 68 The Staff consists of.— (a) A part time Deputy Medical Officer, who visits the Camp once a month. (b) A part time Assistant Medical Officer, who visits daily. (c) A part time Grade II Dresser, who lives at the Settlement. (d) A female leper attendant.	resident	patients to Sun to General Hos	gei Bulo pital, Pe	h Leper nang, for	Camp and one	was to	ransfe	rred	
(g) Maximum number of inmates on any one day 68 The Staff consists of.— (a) A part time Deputy Medical Officer, who visits the Camp once a month. (b) A part time Assistant Medical Officer, who visits daily. (c) A part time Grade II Dresser, who lives at the Settlement. (d) A female leper attendant.	(f)	Average number	of inmat	es on any	v one dav	1	11576		64.04
 The Staff consists of.— (a) A part time Deputy Medical Officer, who visits the Camp once a month. (b) A part time Assistant Medical Officer, who visits daily. (c) A part time Grade II Dresser, who lives at the Settlement. (d) A female leper attendant. 									13135
 (b) A part time Assistant Medical Officer, who visits daily. (c) A part time Grade II Dresser, who lives at the Settlement. (d) A female leper attendant. 			. 01	ices on ai	iy one day	-			
(c) A part time Grade II Dresser, who lives at the Settlement.(d) A female leper attendant.	(a)	A part time Depu	ty Medic	eal Officer	, who visits t	he Can	p one	ear	nonth.
(c) A part time Grade II Dresser, who lives at the Settlement.(d) A female leper attendant.							-		
(d) A female leper attendant.						and the second			
						1015			
(f) A daily paid leper dhoby.			dhoby.						

3. Activities in the Camp .-

Most of the inmates' time is spent in cooking, sewing, and other forms of domestic occupation and indoor games. Some devote their time to poultry farming and vegetable gardening, which provide sufficient outdoor exercise for them. It is interesting to note how neat and clean the gardens and poultry yard have been kept.

4. The Treatment .-

1

The treatment with dyes has been found unsuccessful and has been stopped. Besides treating the patient for leprosy every effort is made to improve the general constitution, and also by treating any accompanying disease. The routine treatment is the same as that carried out by the officer in charge of Pulau Jerejak who also supervises the treatment in this Camp.

5. Result of Treatment .-

Most of the cases suffer from mixed type of leprosy. The cutaneous lesions improve quicker than the neural type. This is specially shewn by intradermal injections of the patches locally with iodised ethyl esters, the result of which can be seen after one week. It gives a certain amount of dark discolouration of the skin and subsequently the patch clears up. Notwithstanding the painful and difficult nature of the treatment it is popular with most of the patients, because of the early apparent results produced

Erythematous patches are also painted with trichloracetic acid followed by application with chaulmoogra oil. After a fortnight they leave a whitish supple scar.

Pure chaulmoogra oil and ethyl esters of hydnocarpus oil with creosote are also given intramuscularly and subcutaneously. These two also give good results as may be seen by the many negative smears taken from time to time. At present these cases are still under observation, hoping to get a discharge after some time.

On the whole the results are very encouraging. There is always a good turn out in the number of cases coming for injection on injection days.

There are also very few advanced cases who are treated with chaulmoogra oil only by mouth, and who shew very little or no improvement.

There have also been a few cases shewing general reactions, and they are given 1% Mercurochrome solution, intravenously, all other injections having been stopped.

6. General .-

- 1. Two male leper boys were transferred to the Pulau Jerejak Settlement.
- 2. On Christmas Eve a few missionaries visited the camp and distributed presents to the inmates.
 - 3. On the whole the inmates of the camp are happy and contented.

APPENDIX "C"

REPORT ON THE PATHOLOGICAL BRANCH, STRAITS SETTLEMENTS, 1933

I.—SINGAPORE

by

Dr. J. C. Tull, M.D., F.R.C.P., Government Pathologist.

A .- PATHOLOGICAL DIVISION

The total number of specimens examined during the year was 8,373, an increase of 2,065 over 1932. These specimens included 793 pieces of tissue submitted for histological examination and report, and 7,538 sera submitted for complement fixation and Kahn tests for syphilis. These sera were received from the following institutions mainly:—

Tan Tock Seng Hospital	 n dhii ta	 2,658
General Hospital	 	 1,978
The Anti-Opium Clinic	 	 624
Police	 	 509
The Mental Hospital	 	 407
The Settlement of Labuan	 	 70
Kandang Kerbau Hospital	 	 39
The Leper Settlement	 	 38

- 2. A comparative test between Wassermann positivity and Kahn positivity was carried out in 7,058 sera, with an agreement between the tests of 83.5 per cent., both tests being positive in 3,328 cases, and both negative in 2,569 cases.
- 3. Fifteen colloidal gold tests on cerebro-spinal fluid were performed for the General Hospital.
- 4. The mounting and describing of pathological specimens has been continued throughout the year. Thirty specimens of primary carcinoma of the liver have been mounted in formalised gelatin and placed in frames, as well as other specimens of special interest.
- 5. The teaching of general, special and clinical pathology, and medical jurisprudence to students of King Edward VII College of Medicine has been carried on throughout the year.
- Special investigations into cirrhosis of the liver have been started, with a view to ascertaining, if possible, what are the causes associated with its frequency as seen at post mortem examination.
- 7. The total number of autopsies performed was 1,470, of which 1,049 were performed at Tan Tock Seng Hospital, and 421 in the Central Mortuary. Of these 1,470 autopsies 551 were performed for His Majesty's Coroner.
 - (a) Tan Tock Seng Hospital .-

Total number of autopsies 1,049.

Number of autopsies on patients dying: -

(i) within 24 hours of admission 70 (ii) within 48 hours of admission 22

(b) Central Mortuary .--

As most of the autopsies performed at this mortuary were Coroner's cases, brought from outside limits, the duration of illness was not ascertainable.

8. Return showing immediate cause of death-

o. Return showing inflictance cause of death	Tan Tock Seng Hospital	Central Mortuary
Asphyxia from (a) drowning	16	18
(b) hanging	8	39
	I	Those have
		I 2
Cut threat		6
Electrocution	-	I
Tuisming from (a) counchet mounds	I	2
(h) motor our agaidante	21	22
	6	8
The state of the s	27	50
Caulda	I	8
Deiganing (a) Carbolia Asid		4
(b) Caustia sada		9
(c) Opium	THE RES	3
		1
76 December 1	3	_
		I
Acute cardiac beri-beri General peritonitis following perforated appendi	49 x 5	15
Adherent periordium with heart failure	1	_
Callulitie following (a) absence made		_
(b) retropharyngeal abscess	I	I letter will
		I
	I	I
(a) aplania	7	I
Anauriem of thorogic costs with sunture	2 II	_
Sanila artariosolarosis	46	9
Branchicotosis with heart failure	4	7 -
	8	9 -
	10	6
	5	T -
(d) thrombosis	1	N T
Chronic bronchitis and amphysama	6	1
Santia cholongitic	9	2
Intestinal obstruction by fibrous bands		1 01 200 00
Coronary thrombosis	2	3
	1	-
	2	
Disseminate (insular) sclerosis	2	
(b) performation, and peritoniti	is 4	
Dysentery (a) acute amoebic	7	-
(h) chronic amoshic	. 7	-
(c) acute bacillary	22	6
(d) chronic bacillary	4	400 1000
(e) mixed	. 4	1
Empyema following preumonic	. 7	1
Endocarditis (a) acute aortic	. 7	moleça de
(b) acute aortic and mitral	inter to gradient Let	of silking
(c) acute mitral	2	T DE THERE
(d) chronic aortic	. 2	1
(e) chronic mitral, with stenosis		I
(f) chronic mitral and aortic with		
Endometritis, acute septic		K.
Septicæmia following gangrene of buttock	isolt as I saw with	94450 100
Gangrene of lung	STREET ED AND STREET (LI)	

	TA VARIATION	Tan Tock Hospita	Central Mortuary
Gastric ulcer (a) chronic		6	I
(b) with hæmorrhage		-	2
(c) with perforation and	peritonitis	8	2
General paralysis of the insane		-	I
General peritonitis of undetermined car		4	2
Hæmorrhage from ruptured ectopic ges	station	_	I
Cirrhosis of Liver (a) portal		12	I
(b) biliary		2	1
(c) syphilitie (d) with schistosomia	eie	6 2	
Mural infarct of heart, with rupture		ī	
Inanition		I	
Leprosy		8	
Abscess lung		8	_
Malaria (a) soute subtertion		29	2
(b) acute benign tertian		6	3
(c) acute tertian and subtertian		2	_
(d) malarial cachexia		1	2
Meningitis (a) pneumococcal		1	
(b) streptococcal		3	2
(c) syphilitic		I	I
(d) tuberculous		5	7
Myocardial degeneration		16	1
Malignant neoplasms including (a) Primary carcinoma of li	TOT	63	9
(b) Carcinoma of stomach	ver	14	-
(c) Carcinoma of œsophagu	s	10	_
(d) Carcinoma of lung		7	_
(e) Carcinoma of nasophary	nx	4	-
(f) Carcinoma of cheek		2	_
(g) Carcinoma of rectum (h) Carcinoma of larynx		2 I	
(i) Carcinoma of cæcum		I	The state of
(j) Carcinoma of ovary		1	_
(k) Brain tumours		5	-
(l) Sarcoma of femur		I	-
(n) Sarcoma of mediastinum (n) Retroperitoneal sarcoma		I	_
(o) Sarcoma of testis	a more and	DAG I	
Myeloid leukæmia	ul roubinto	I	The sea
Nephritis (a) subacute		4	1
(b) chronic		27	I
Osteomyelitis		2	I
Acute pericarditis		3	-
Paralytic ileus		_	1
Pneumonia (a) lobar		47	20
(b) broncho	web . See.	25	65
Premature birth		I	3
Pyelonephritis, with cystitis	Do 14 ***	3	1
Pyonephrosis and hydronephrosis		3	10.
Syphilitic aortitis, with aortic incompete	nce	35 26	10
Visceral syphilis Syphilis of nervous system	1130 - 500		3
Strangulated hernia		4	VISION DE
Congenital pyloric stenosis		_	1
Tetanus		3	I
Typhoid fever		22	2
Tuberculosis (a) pulmonary		255	16
(b) pulmonary and intestin	al	13	2
(c) generalised		3	3
(d) of joints (e) of pericardium		5	_
Volvulus of large intestine	1 to 1000 3		1

MAIN CAUSES OF DEATH, EXCLUSIVE OF CORONER'S CASES, BY MONTHS AS ASCERTAINED AT AUTOPSY AT TAN TOCK SENG HOSPITAL.

Month	Number of autopsies	Pulmonary	Malaria	Lobar	Dysentery amoebic & bacillary	Acute car- diac Beri-Beri	Typhoid	Syphilis	Others	Coroner's
January	93	22	1	3 2	6	5		4 5	36	16
February	84	17	1 3	2	6 3 7	4	1		32	17
March	79	28	2		7	1	1	1	22	17 17 18 12
April May	80	21	2	2	3	3	1	5	26	17
May	93	22 19	4	4	8	5	1	6	25	18
June	88	19	8	8	5 3 3	5	1	2	28	12
July	96	23	2	9	3	6	3	5	29	17 18 16 18 15
August	80	22	4	1		2 7	6		19	18
September	80	23	1	4	1		2	5	21	16
October	91	19 24	6	3	2	3	2	7	31	18
November	92	24	1	4 3	2 6 2	4	3	6	29	15
December	93	15	2	3	2	3	0	11	27	30
Total	1,049	255	36	43	49	48	21	61	325	211

MAIN CAUSES OF DEATH IN 1933, AS COMPARED WITH 1932 AS ASCERTAINED AT AUTOPSY IN TAN TOCK SENG HOSPITAL.

	Number of autopsies	Pulmonary tuberculosis	Malaria	Lobar pneu- monia	Dysen- tery	Beri-Beri	Typhoid fever	Syphilis	Coroner's
1932	1,116	267 or 23%	60 or 5.4%	40 or 3.6%	66 or 5.9%	47 or 4.2%	12 or 1.1%	68 or 6.1%	236 or 21.1%
1933	1,049	255 or 24.3%	36 or 3.4%	43 or 4%	49 or 4.6%	48 or 4.5%	21 or 2%	61 or 5.8%	211 or 20.1%

STAFF

- Dr. J. C. Tull, Government Pathologist, returned from furlough on 20th January, and resumed charge of this Branch from that date, Dr. Hopkins, Government Bacteriologist, reverting to his substantive post from that date.
- Dr. J. C. Tull was elected a Fellow of the Royal College of Physicians of London in May.

B. BACTERIOLOGICAL DIVISION

The work of this division consists in the routine bacteriological examination of specimens received from the General Hospital, Tan Tock Seng Hospital, Government Clinics and Dispensaries, Singapore, and includes cultural examinations, serologial tests (Widal and Weil-Felix), and the preparation of autogenous and prophylactic vaccines. In addition medico-legal exhibits are examined for the presence of seminal stains.

The total number of specimens examined throughout the year was 4,503.

B. typhosus was isolated from the Widal clot in 115 cases, from the stool in 65 cases, and from the urine in 33 cases. B. typhosus was isolated from the cerebro-spinal fluid in one case of typhoid fever. B. dysenteriæ (Flexner) was isolated from the stool in 165 cases.

During the early part of the year an outbreak of typhoid fever occurred in certain of the Singapore schools. Four and a half litres of T.A.B. vaccine were supplied by this division for the use of the Government Health Department for prophylactic inoculation.

Later on in the year several cases of diphtheria occurred in certain of the schools, and 426 throat swabs were examined for the presence of B. diphtheriæ by this division for the Government Health Department.

The staff consisted of the Government Bacteriologist, one assistant bacteriologist, Dr. C. H. Chee, one laboratory assistant, Mr. Chua Chor Kai, and one peon.

Dr. J. R. Jacob was in charge of the division for the first three weeks of the year, and Dr. H. O. Hopkins, Government Bacteriologist, was in charge for the remainder of the year.

The work of the staff throughout the year was most satisfactory, especially during the outbreaks of typhoid fever and diphtheria in the Singapore schools, when much additional work devolved on the staff of this division.

Total number of specimens				***	4,503
Blood Cultures					195
B. typhosus isolated		M	T . T . T	A. COURS	19
Streptococcus isolated			Lette		2
Pneumococcus isolated	111	district the	Manual !!	of	I
Staphylococcus aureus isolated			********	(1) -1 -1	2
Blood Cultures (Widal clots)	***		TE	0) 11	712
B. typhosus isolated Blood Widal reactions	***	***	***	d administra	115
Positive to B. typhosus		***	all prove	" Same	712
Positive to B. para "A"			The state	About the second	145
Positive to B. para "B"		***			2
Blood Weil-Felix reactions					35
Positive to B. proteus × 19 "K	" strai	n		1 1001 9	I
Positive to B. proteus × 19 "V	V" stra	in	***		I
Stools examined culturally for enter	eric gro	up	D"	of orline	274
B. typhosus isolated		to bearing	term laster		65
Stools examined culturally for dy	sentery	group	salest	of swiften	539
B. dysenteriæ (Shiga) isolated		500 ALC:		of sympas	5
B. dysenteriæ (Flexner) isolate			***	00 0710	165
B. dysenteriæ (Sonne) isolated			***	0 97	5
Urine examined culturally					454
B. typhosus isolated B. coli group isolated					33
Staphylococcus aureus isolate	4			to sylving	74
B. tuberculosis seen on direct		111	1000	W SPERSON	2
Throat swabs examined bacteriolog				15 00 100	892
Positive to B. diphtheriæ		111111111111111111111111111111111111111			49
Positive to Vincent's organism	ns				4
Nasal swabs examined bacteriolog	ically				10
Positive to B. diphtheriæ	***		1 277	elitare ett.	3
Cerebro-spinal fluid examined back	teriolog	ically	no Love	la constru	34
Positive to meningococcus			Lon 1200	1 1 1 1 1 1 1 1	-
Positive to pneumococcus	***	nolimation	an Inches	10 10 311	night.
Positive to streptococcus Positive to B. typhosus	***	***	L. Elegani	es bleff	I
Positive to B. tuberculosis (dir	ect sme	ear)	et felijili	n Helin	ī
Dental swabs examined bacteriolog		unia y la l	and distance		34
Positive to Vincent's organism				***	24
Eye swabs examined bacteriological	ally				70
Eye smears examined bacteriologic					123
Positive to Koch-Weeks bacilly		bearing	23 Tr	A	8
Positive to Morax-Axenfeld ba	icillus	barren	1 1111 220		6
Positive to gonococcus			11 (10)	Of the second	4
Pus examined bacteriologically	******		-		71
Positive to staphylococcus aur	eus		201.20	Dinter	24
Positive to streptococcus				27111111	7
Positive to pneumococcus	-inallar		***		3
Pleural fluids examined bacteriolog Positive to staphylococcus aur		de Lasie			40 I
Positive to pneumococcus	···		. 50	COURSE PERCON	7
Synovial fluids examined bacteriole	ogically	Locale	tions enot	on Imbah	13
Positive to streptococcus		14.70	-X0 1 100	Seed Seguel	2
Milk examined bacteriologically		BA LUES	rot anoit	ulaced la	68
Preparation of autogenous vaccines		vilostanti	distinct to	GETTER HE	54
Animal inoculations for diagnosis	of B	tuberculo	sis	approximate.	19
Smears from other sources			Star J. Lighter	politica Man	MINNS.
Swabs from other sources			mana J'ili	THE ANDING	18
		100.00	and and the	in leading	18
Medico-legal exhibits	***		Education of the		
Miscellaneous	***	***	***	***	109

II.—PENANG

	by		- Labouret	100 B	
J. A. COWAN, M.B., B.S., D.T.M.	, GOVERNM	IENT	Pathologist,	PENA	ING
Blood film examined					232
Positive to Plasmodium falcipa	trum .		***	***	47
Positive to P. vivax					15
Positive to P. malariæ			Grand Lines	***	3
Blood counts, total		•••	and the state of t		572
Blood, counts, differential			Acres III of my		451
Blood, hæmoglobin estimations			200 11 od 110		193
Blood, chemical examinations			Des \$115 Cd 300	****	101
Blood, cultures			National Association		30
Blood, Widal reactions Positive to Bact. typhosus			rates Mitheater		147
Positive to Para "A"			11-14 115 02 00		37 I
Positive to Para "C"			feulités toutin		1
Fæces, microscopical examinations			to have been did		822
Positive to Entamæba histolyti	ica		anglishbestsu		93
Positive to Ankylostome ova			all Committees		29
Positive to Ascaris ova	Datube		and the lightest		42
Positive to Hymenolepis nana			100/51 100 1901		6
Positive to Clonorchis sinensis			with the looks	***	3
Fæces, bacteriological examination	IS				467
Positive to Bact. typhosus Positive to Bact. shigæ				***	5
Positive to Bact. shight	··· holics		***		46
Positive to Bact. schmitz					2
Positive to Bact. morgani					3
Positive to Myco. tuberculosis					1
Fæces, chemical examinations					41
Urine, routine clinical examination					143
Urine, quantitative chemical exami				***	85
Urine, bacteriological examinations					95
Positive to Bact. coli					25
Spinal fluid, chemical examinations	5		collection of se		20
Spinal fluid, cell counts			2.47	***	38
Spinal fluid, celloidal tests			restaured at as	***	10
Spinal fluids, bacteriological exami Positive to Myco tuberculosis	nations		Compliture ada		35
Positive to pneumococci			100000000000000000000000000000000000000		3
Sputa, examined for Myco. tuberci	ulosis		el-landance.		38
Positive			of toursons a		13
Throat swabs, smears examined			o Wednesd to have		157
Throat swabs, cultures examined			A-RESIDE OF SE		590
Positive to C. diphtheriæ					82
Pus etc., smears examined			STREET, STREET		1,068
Smears examined for leprosy bacill Positive	1			***	277
			Contract of the Contract of th		36
Body fluids, bacteriological examina Positive to Streptococci	ations			***	37 5
Positive to Myco. tuberculosis	***		***		5
Vaccines prepared					II
Histological sections examined					54
Fractional test meals examined					9
Animal inoculations, for diagnosis			Address to the		- 19
Waters examined bacteriologically					68
Milk specimens examined bacteriole					1
Autopsies, Hospital cases					133
Autopsies, H. M. Coroner's cases					128
Medico-legal examinations, total			somet mete n		69
Blood, Wassermann tests					6,362
Positive					2,154

Blood, Kahn precipitation tests (sta	indard an	tigen)	No. or bish	17 JUL	2,498
Positive					833
Blood, gonococcal complement-fixa	tion tests				4
Positive					I
Spinal fluid, Wassermann tests		*** 35	Harrison at		52
Positive Spinal fluid, Kahn tests	***	***	10.00 HOLD		7
Positive	***	***		***	I
Other examinations, miscellaneous		***	AUTOMOTOR OF THE PARTY OF THE P	Secreta	87
		town then		ansi.	07
Dr. Cowan has been in charge of	the labora	ttory thre	ugnout the	year.	
RETURN OF CAUSES OF DEATH	AS ASCE	PTAINED	AT ATTORE	V T022	
			at Motors	, 1933	* 17.11
	Coroner's	cases.			
Beri-beri					11
Malaria, subtertian					1
Pneumonia, lobar Toxæmia, from ulcerative stomatiti					5
Syphilis, vascular	5		2000		I
Syphilis, visceral			W Self-Harry		3
Tetanus				0 1	I
Tuberculosis, pulmonary					3
Carcinoma, stomach					1
Carcinoma, œsophagus	***		Alberto II		I
Poisoning, with caustic soda, suicid	al	***	obsessed in a		2
Cerebral hæmorrhage			and the standard	***	2
Myocarditis, chronic Aneurysm of arch of aorta, reptur	hor		*** 100		2 2
Aneurysm of descending portion of	aorta, ri	intured	which a		1
Hypostatic pneumonia		peureu	a dilinate		Î
Chronic gastric ulcer		.ggrlunys	my galdinosh		I
Cirrhosis liver			per Wilders		1
Chronic interstitial nephritis			distribution.		2
Hæmorrhage from umbilical cord,	at birth		Emily :		I
Still birth	***	bearing in	distance them		2
Effects of heat, burns Asphyxia, from submersion			***	***	3 12
Asphyxia, from overlaying					I
Asphyxia, from hanging					15
Fracture skull (vault)					5
Fracture skull (base)		oland res	to Barrellen		9
Traumatic cerebral hæmorrhage			1 170		I
Rupture of trachea, aspiration pneu		*** 57	***		I
Cut throat, hæmorrhage					2 I
Cut throat, aspiration pneumonia Stab wound, neck					2
Fracture spine		***			2
Stab wound, abdomen			of orest		I
Traumatic rupture, small intestine					2
Traumatic rupture, spleen					1
Traumatic rupture, urinary bladder					2
Multiple injuries					13
Unascertainable, owing to advance	d decomp	osition	manual of the	***	9
					127
RETURN OF CAUSES OF DEATH,	AS ASCE	PTAINED /	T AHTOPSY	1022	
				, -933	11.00
AND THE RESERVE OF THE PARTY OF	pital cases	. mhu			
Beri-beri			DEMMONDS.	***	31
Dysentery, bacillary				***	4
Dysentery, amœbic		***		***	3
Typhoid fever	***			***	3
Enteritis			***	***	2
Malaria, sub-tertian		***			5
Malaria, benign tertian			***		I
Pneumonia, lobar		*** *******	and the		13
Pneumococcal peritonitis			Mirch		I
Toxæmia, from abscess neck				41.	1

Syphilis, vascular		***	***	***		I
Syphilis, visceral						5
Tuberculosis, pulmonary						10
Tuberculosis, meningeal			***	***		I
Tuberculosis, generalised	199					2
Carcinoma stomach				***	***	3
Carcinoma liver					***	3
Carcinoma œsophagus			***			2
Carcinoma gall bladder						1
Contract of the Contract of th						2
Sarcoma, retroperitoneal						I
Encephalitis, acute						2
Cerebral hæmorrhage		***			***	7
Pericarditis						I
Acute ulcerative endocar	ditis, aorti	c		· · · · · · · · · · · · · · · · · · ·		I
Acute ulcerative endocard	litis, mitra	1				I
Chronic valvular disease	of the hear	t, mitral			1000	1
Chronic myocarditis						3
Chronic bronchitis, with	cardiac fa	ilure				1
Hypostatic pneumonia						I
Proncho pnoumonio				TOTAL STATE		2
Absence lune				A STATE OF THE PARTY OF THE PAR		1
Empromo thoracio				DOMEST , NO		2
Calibia acusto ulconotino		-		and differ of		I
Intestinal obstruction						1
Cirrhosis liver						3
Acute vellow atrophy of	liver				***	I
General peritonitis, perfe				***	***	I
General peritonitis, vorvu				7770	1000	I
Chronic interstitial nephr	2027			***	***	3
Acute pyelonephritis	1615		· I Charles	Total Control	***	2
Suppurative cystitis		The same		***	***	I
Congenital malformation	of urinary	opporatue			***	T
Congenital manormation	or urmary	apparatus		***	***	1
						133
						133

III.-MALACCA

The total number of examinations conducted during the year was 19,521 as against 17,796 for the year 1932.

Details of the above are as set	out belo	w:			
			positi	in which ive results obtained	Total examined
Animal inoculations .				-abor on	8
Biochemical tests on blood and t	urine			hale Ammon	134
Blood counts		***		THE OWNER	92
Blood film for malarial parasites	5			THE PERSON	2,729
Subtertian parasites seen .				280	
Beningn tertian parasites s	een			141	District of the last of the la
Quartan parasites seen .				50	-
Subtertian and benign tert	ian		***	10	-
Quartan and benign tertian	1	***		3	- 17
Blood film for filaria				I	6
Cerebro-spinal fluid examination	ns			-	28
Cultures from blood .		***		_	11
Cultures for C. diphtheriæ .				21	163
Cultures for gonococci .		***		- 100	4
Cultures for meningococci .				I	21
Cultures from stools .		***		(const	47
Positive to enteric group .				7	400
Cultures from urine .				_	48
Dark-ground examinations for t	t. pallidur	n		- 6	2
Dark-ground examinations for 1	eptospira			-	6
Films for gonococci .				458	900
Films for other organisms .				A CHARLES	35
Gastric analysis					12
Kahn tests				891	1,901

ni malkentreki meleten sek Entersekten er merek Differentek berarrek			No. in which positive results were obtained	Total examined
Medico-legal exhibits		***	 -	10
Scrapings for fungi			 	10
Sections		***	 _	51
Skin clippings for m. lepræ			 53	120
Sputum			 id to be a second	1,005
Positive to tubercle bacill	li		 192	
Positive to pneumococci			 112	
Stools for ova			 _	3,538
Ankylostomum duodenale			 1,018	-
Ascaris lumbricoides			 206	-
Trichuris trichiura			 329	
Oxyuris vermicularis			 27	_
Ankylostome and ascaris			 150	_
Ankylostome and trichuri	is		 339	_
Ascaris and trichuris	155.1		 216	_
Ascaris, ankylostome and	trichuris		 254	_
Stools for protozoa			 _	148
E. histolytica	D Toda		 18	
Stools for tubercle bacilli			 1	2
Urine-general examination			 _	4,581
estimations of sugar			 _	232
albumin			 -	3
Urine for tubercle bacilli			 I	3
Vaccines autogenous			 _	4
Wassermann tests			 1,443	3,113
Water analysis			 _	49
Urine			 -	235
Prositive to typhoid			 ÀT.	_
Para A			 7	-
Weil-Felix tests			 3	7
Post mortem examinations			 A 12 - 15 - 1	92
Miscellaneous examinations			 _	162
en 4 m m	300			

T. A. B. VACCINE was prepared by this laboratory and issued to the Health Department for the prophylactic inoculation of 4,764 children. The practical class in laboratory work for estate dressers was commenced as usual in October and continued throughout the year.

APPENDIX "D"

REPORT ON THE GENERAL HOSPITAL, SINGAPORE

Administration and Staff.—Dr. R. B. MacGregor was in charge of the hospital until the 14th June when he went on long leave. Dr. E. D. Lindow acted until the 8th December when he was relieved by Dr. H. R. Dive.

Dr. J. M. A. Lowson acted as Radiologist in addition to his other duties, during the absence on leave of Dr. J. S. Webster who resumed duty as Radiologist on 12th May, 1933.

Mr. E. C. Chitty acted as Surgeon to the Ear, Nose and Throat Department until the return from leave of Mr. B. M. Johns on 18th February, 1933.

Nursing Staff.-Five sisters resigned on account of marriage.

Three sisters did not remain in the service.

One sister was invalided out.

Financial. Nett Hospital Board Nett revenue Year expenditure \$ c. \$ c. 572,966 36 240,370 01 1931 495,083 91 214,187 51 1932 450,649 10 1933 ... 199,743 32 *** Out-patient Department .-New patients Attendances 14,237 1000 34,651

This does not include venereal disease cases nor dental cases.

The number of new cases in 1932 was 7,955; the number of attendances in 1932 was 24,888.

In-patients .-

Total number of patients treated ...
Total number of deaths ...
Daily average number of patients ... 14,043 1,551 610.86 ...

The corresponding figures in 1932 were 13,685, 1,443 and 581.2.

COMPARATIVE TABLE.

	Year	600	Patients treated in 1st & 2nd class Wards	Died	Percentage of Deaths	Patients treated in Children's Wards	Died	Percentage of Deaths	Patients treated in 3rd class Wards	Died	Percentage of Deaths
1931 1932			3,854 3,518	128 115	3.35	1,230 1,318	586 601	47.64 45.6	9,170 8,849	752 727	8.2
1933			3,414	136	3.9	1,571	715	45.5	9,058	700	7.7

Chief diseases.—Table showing number of cases year by year since 1929.

		1933	1932	1931	1930	1929
Malaria		635	773	946	2,567	1,821
Intonia forma		193	104	156	154	132
Perhamentants		724	612	664	712	621
\		35	56	94	143	107
Dysentery, amount Dysentery, bacillary	**	1 7 7 7 1				77.7
		64	94	97	119	62
ysentery, mixed		8	2	1000	***	**
ysentery, unclassified	* * *	24	17	9	27	25
Syphilis and gonorrhœa		981	1,093	1,012	1,079	783
Beri-beri		114	165	234	428	308
Pneumonia, lobar		109	145	152	227	264
neumonia, broncho		430	309	349	233	147
neumonia, unclassified		18	3	6	34	17
nkylostomiasis		324	272	354	1,112	700
nfluenza		223	161	412		

Noticeable increases have occurred in the numbers of cases of enteric fever, tuberculosis and broncho-pneumonia and marked decreases in the numbers of cases of malaria and beri-beri.

Maternity Wards .-

		1933	1932	1931
Number of cases admitted		1,277	1,160	1,063
Number of cases delivered	ed	1,135	1,095	1,010

Dental Clinic.—The work of this department continued to expand; there were 2,920 new cases with 15,119 attendances, compared with 2,492 new cases and 12,969 attendances in 1932.

CLINICAL LABORATORY (ROUTINE)

Summary of specimens examined during 1933 .-

Examination of fæces		 1	15,088
Blood films		 	15,969
Examinations of sputum		 	9,029
Examinations of urine		 	4,166
Examinations of smears-urethr	al, etc.	 	1,186
Examinations of cerebro-spinal		 ***	7
College St. and Co.			
			45,445

CLINICAL LABORATORY.

RETURNS FOR 1933

(a) Examination of the Blood .-

(1) Pathological .-

Estimation of hæmoglobin	 		767
Enumeration of erythrocytes (total)	***	***	846
Enumeration of reticulocytes	 		345

	Enumeration of thrombocytes				23
	Enumeration of leucocytes (to	tal)			
	Differential leucocyte count	,	200		1,450
	Determination of arneth index		***	1	1,133
	Determination of the average s		retor	***	3
			ytes	***	549
	Determination of bleeding tim		***	***	9
	Determination of coagulation		***	***	24
	Determination of fragility of e				7
	Examination of films for male	aria—			
	Subtertian		***	***	33
	Benign tertian				13
	Quartan				4
	Mixed infections				2
	Negative	The second of	***		120
		nito rata	***	39.00	84
	Determination of malaria para		***	***	9
	Examination of films for mala	ria—			
	Positive	***		***	-
	Negative				4
	Examination of films for punc	tate basophilia			
	Positive		***		15
	Negative				21
	Examination of films for spiri	llum minus ne	egative		2
	Examination of films for abnor				208
		manty in gener			-
	Myeloid leukæmia	***		***	3
	Lymphatic leukæmia				I
	Determination of icterus index				145
	Determination of Van den Be-	rgh reaction	***		95
	Determination of Fouchet			******	4
	Direct matching for blood tra	nsfusion		1100000	10
	Formolgel test				3
		100	1900		3
(2) Biochemical.—				
	Galactose tolerance tests	WINDS NO.	1 4000 11	bearings in	6
	Glucose tolerance tests		***		110
	Single blood sugar estimation	s			255
	Single blood sugar estimation (Total number of specim	s			255
	Single blood sugar estimation (Total number of specim Estimation of blood urea	s			
	Single blood sugar estimation (Total number of specim	s			255 209 3
	Single blood sugar estimation (Total number of specim Estimation of blood urea	s	in the al		255
	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium	ens estimated	in the al		255 209 3
	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides	ens estimated	in the al		255 209 3 8
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides	ens estimated	in the al		255 209 3 8
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides Examination of Urine.—	ens estimated	in the al		255 209 3 8 2
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination	ens estimated	in the al		255 209 3 8 2
a)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin	ens estimated	in the al		255 209 3 8 2 368 398
a)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and	ens estimated	in the al		255 209 3 8 2
1)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv	ens estimated i	in the al		255 209 3 8 2 368 398 22 1
n)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and	ens estimated i	in the al		255 209 3 8 2 368 398 22
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations	ens estimated i	in the al		255 209 3 8 2 368 398 22 1
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6
n)	Single blood sugar estimation (Total number of specim) Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea—	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6
2)	Single blood sugar estimation (Total number of specim) Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6 11
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6 11
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Estimations chlorides	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 16 6 11 243 6 4
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6 11 243 6 4
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 16 61 11 243 64 67
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimation Quantitative albumin estimation Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6 11 243 6 4 6 7 2
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 16 61 11 243 64 67
2)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6 11 243 6 4 6 7 2
	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of Urine.— Routine chemical examination Smears for nature of cells and Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6 11 243 6 4 6 7 2
	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6 11 243 6 4 6 7 2
	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.—	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 1 6 11 243 6 4 6 7 2
	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive	ens estimated i	in the al	oove 830).	255 209 38 2 368 398 222 1 6 11 243 6 7 7 2 4 3
	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. negative	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 221 6 11 243 6 7 2 4 3 3
	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive	ens estimated i	in the al	oove 830).	255 209 38 2 368 398 222 1 6 11 243 6 7 7 2 4 3
c)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative sugar estimations Quantitative albumin estimation Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. negative Other examinations	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 221 6 11 243 6 7 2 4 3 3
c)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. negative Other examinations Examination of Cerebro-spinal	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 16 6 11 243 6 7 2 4 3
c)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative sugar estimations Quantitative albumin estimation Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. negative Other examinations	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 16 6 11 243 6 7 2 4 3 3
c)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. negative Other examinations Examination of Cerebro-spinal	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 16 6 11 243 6 4 6 7 2 4 3 3
c)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Urease method Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. pegative Other examinations Examination of Cerebro-spinal Total number examined	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 16 6 11 243 6 4 6 7 7 2 4 3 3 10 9 7 7
c)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Urease method Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. negative Other examinations Examination of Cerebro-spinal Total number examined Cell counts Globulin	ens estimated i	in the al	oove 830).	255 209 3 8 2 368 398 22 16 6 11 243 6 4 6 7 2 4 3 3
c)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimation Estimation of urine urea— Hypobromite method Urease method Urease method Urease method Estimations chlorides Determination of nature of sug Determination diastatic index Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. negative Other examinations Examination of Cerebro-spinal Total number examined Cell counts Globulin Total protein Total protein	ens estimated in the second construction and the second co	in the al	oove 830).	255 209 3 8 2 368 398 22 16 6 11 243 6 4 6 7 7 2 4 3 3 10 9 7 7
c)	Single blood sugar estimation (Total number of specim Estimation of blood urea Estimation of blood uric acid Estimation of blood calcium Estimation of blood calcium Estimation of blood calcium Estimation of blood chlorides Examination of Urine.— Routine chemical examination Routine microscopical examin Smears for nature of cells and Smears tubercle bacilli positiv Quantitative sugar estimations Quantitative albumin estimatic Estimation of urine urea— Hypobromite method Urease method Urease method Urease method Schlesinger's test Test for apiol Dark-ground examination for Examination of Sputum.— T.B. positive T.B. negative Other examinations Examination of Cerebro-spinal Total number examined Cell counts Globulin	ens estimated in the second construction and the second co	in the al	oove 830).	255 209 38 2 368 398 222 16 6 11 243 6 7 2 4 3 3 10 9 7 201 141 125 123

	Urea					9
	Smears—					MEDIA.
	T.B. positive				***	14
	Pneumococci positiv	re .		***		2
	Streptococci	***				I
	Negative for organis		***		***	96
	Differential count of	t cells	***	***		116
(e)	Examination of Fæces	_				
	Total number examined					TOF
	Fat estimation					105
				***	Copiesa !	
	Fat, gross estimation for Examination for occult 1			****		2
	Positive Positive					-
	Negative		***		Dolla" man	4
	"Cell-pictures"	***	100	100	to multiplier	7
	Examination for ova—	***				51
	Ascaris lumbricoides	nositiva				-
	Whipworm		THE PARTY NAMED IN	1000	o malatri	2
	Ankylostoma		***		201100	5
	Tænia saginata		***	***	****	ī
	Negative	***			or modelectric	17
	Examination for protozo	na—			1 1000100000	
	Vegetative entamœb	a histolytic	a positive		and the state of the	13
	Entamœba histolytica cy					4
	Trichomonas positive			700		I
	Negative			***		46
	Examination for (Heider	hain prepa	arations)		at design and	7
			,		Cont Institute	
(f)	Miscellaneous Examination	ons.—				
	Throat smears—					
	Klebs-Læffler bacillu	is positive	***		mini section	3
		negative				7
	Other examinations				100	2
	Nasal smears	ALC: NO IS		***	11 11 11 11	1
	Lip smears				do manda	I
	Tongue smears					3
	Urethral smears Gonococ	ci positive				4
		negative				-
	Vaginal smears			***		4
	Cervical smears		***			1
	Pus smears (abscess)					II
	Bubo-puncture—					
	Bacillus pestis positiv	ve	***	***	***	1
	negati	ive				1
	Urticarial nodule smears				***	1
	Ulcers smears					2
	Splenic smears		· · ·	***		1
	Eye smears	***	***		***	1
	Cystic hygroma smears				in artiforni	I
	Ascetic fluid	***	states los un	*** 10	noitstatures	14
	Hydrocele fluid	***	***	***	equitations	2
	Pericardial fluid Synovial fluid	***		***	A STATE OF LAND	2 2
	Pleural fluid		***	***	TO THE MENT OF	56
	Smears for nature of cell		****	1000	a publishing	38
	Smears for organisms—	9	***		a political and	30
	Pneumonococci positi	ive			-	4
	Streptococci				market of	2
	T.B.			The same	almand d	-
	Negative				***	45
TITT		ODTE OF	epror	AT D	PDADTAIN	-000
THI	E FOLLOWING REPO	ORTS OF	SPECI	AL DI	EPARTME	MIS

ARE APPENDED :-

I. Report of Radiological Department.

II. Dental Report.

III. Return of Surgical Operations.
IV. Report of Tan Tock Seng Hospital.

APPENDIX "D" (I)

REPORT OF THE RADIOLOGICAL DEPARTMENT, GENERAL HOSPITAL, SINGAPORE, FOR 1933

Staff.—Dr. J. S. Webster returned from home leave on May 12th and resumed duty, vice Dr. J. M. A. Lowson.

Equipment.—In the early part of the year a deep therapy plant was installed which was put into commission in May. Owing to the humidity of the atmosphere special measures had to be devised to counteract it; consequently a dry room was erected to house the apparatus which keeps the humidity constant and low (60%).

X-Ray diagnosis.—The total number of radiograms taken during the year is 10,808, which is practically the same as last year so that, despite the slump, the work of the department contines unabated.

The following exminations were undertaken:-

Abdomen			30	Mastoid		13
Ankle			108	Pelvis		213
Arm—upper		***	25	Pyelography (retrograde)		41
Arm—lower			86	Pyelography (uroselectan)		67
Barium meal			212	Pregnancy		1
Barium enema			23	Ribs		8
Barium swallow		- B. B	19	Sinuses	dista.	132
Clavicle			29	Skull		143
Cholecystography			39	Shoulder		99
Elbow			100	Spine		141
Foot			117	Sternum		4
Foreign body		***	20	Heart and great vessels		22
Gall-bladder (plain)			6	Hip		105
Estimation of age		***	1	Jaw—upper		22
Hand			129	Jaw—lower		40
Kidneys	***		122	Teeth	***	510
Knee			91	Thigh		72
Leg			103	Thorax		608
Lipiodol (chest)			14	Wrist		130

X-Ray Therapy.—Eighty-eight cases underwent treatment. With the opening of the deep therapy plant there has been an increase of the number of cases of malignant disease treated with X-rays but it must not be overlooked that X-rays are even more successful in the treatment of other internal conditions, e.g., leukæmia, exophthelmic goitre, Hodgkin's disease, etc., and that its use is not confined to the treatment of cancer.

The following diseases have been treated:-

gia			***	3
				3
				3
				15
	***	***		1
				1
				2
				2
				I
***	***			2
				4
ath				4
				25
cute			***	12
				9
				1
	gia ath		gia	gia

The results in non-malignant conditions have been good; the results of the treatment of sarcomata have been satisfactory but those in the case of carcinomata are somewhat disappointing probably because all the patients treated were in an advanced condition.

Eight cases of cutaneous malignancies were treated with radium with good results.

Electrical treatments and diathermy.—One hundred and thirty-seven cases were treated with the above agents.

APPENDIX "D" (II)

Annual Report of the Dental Department of the General Hospital, Singapore, for the year 1933

The past year has once more seen an increase in the number of patients attending the department for treatment, over those of the previous year. The actual increase is approximately 17%.

Owing to the absence on leave of the Professor of Dental Surgery the clinical staff was reduced by one. Mr. C. F. Mummery acted as Professor of Dental Surgery from the end of April till the latter part of December. One of the first two students to qualify, was employed from March onwards as an Assistant Dental Officer, his duties were those usually carried out by the European Dental Officer attached to the General Hospital.

The figures for the past year and the actual treatments given, are printed in Table I.

The clinic is open for the treatment of patients daily from 8-30 A.M. till 4 P.M. continuously (Saturdays till 12-30 P.M.) and on Sundays and all public holidays for an hour or more in the mornings.

The work of the department was handicapped for part of the year by structural alterations (which were not completed to schedule). These provided for an extension of the mechanical laboratory and the provision of an additional surgery.

Out of 2,920 patients seen during the year, only 834 were Government servants or 29.12%-a marked decrease on the percentage of the previous year and also in the actual number. In spite of this, it is estimated that out of a total revenue of \$3,391, collected in small amounts, Government servants contributed at least two-thirds; so that in every way, it is the general public and not the Government servants who are deriving most benefit from the clinic. In Table III, a brief analysis is given of the revenue earned by the department but not recoverable for one reason or another. The table only gives figures for a few well-defined groups and it is to be noted that again the largest amount appears under the heading of school children. The fees are calculated on the basic scale given in the previous report. The vast majority of the patients pay nothing at all for extractions, fillings and scalings, or if they pay, the amount is very small. Dentures are paid for, as far as possible, on the basis of the bare cost of materials used, no charge being made, as a rule, for time and skill required in their production. In other words, the clinic is for the treatment of the poor and every effort is made to prevent abuse of the clinic by patients who can afford to go to private dentists. If the clinic could have collected fees on the basic scale for all the treatment that has been carried out, the revenue would be approximately \$15,000 a sum exceeding the total annual recurrent votes, exclusive of salaries, of the department.

This report should be read in conjunction with the report of the Dental Department of the College of Medicine.

TABLE I

		100			PATIE	NTS					Ex	TRAC	TIONS			his.		600	2	
		1	First V	isits	f Govt.	7	1	+	Nit Oz	rous	Ger	her teral tass-	& Re	ocal gional sthetie	ctions	Rigo P			or dentu	es
Year 1932	A BEEN	Government	Others	Total	70	Other visits	Total all visits	Average daily attendances	Patients	Teeth	Patients	Teeth	Patients	Teeth	Total of extractions	Fillings ‡	Scalings	Dressings	Attendances for denture	Actual dentures
January		59	110	169	34.91	743	912	29-41	148	545	4	23	83	147	715	255	97	426	112	50
February		98	130	228	42.98	900	1,128	40-28	160	455	5	4	110	178	637	334	199	618	127	44
March		72	196	268	26.86	1,085	1,353	43.64	276	1,052			89	146	1,098	193	106	720	127	21
April		66	134	200	33.00	822	1,022	34.00	170	583	1		67	126	709	161	58	572	9	
May		66	188	254	25-98	1,115	1,369	44.16	208	750			126	270	1,020	334	74	587	72	50
June		72	149	221	32-57	1,057	1,278	42.6	185	640			98	171	811	246	61	664	184	62
July		74	216	290	25.51	1,077	1,367	44.09	199	734	1	8	127	238	980	302	68	664	146	26
August		64	188	252	25.39	1,066	1,318	42.51	180	593			101	189	782	313	71	722	141	42
September		63	213	276	22.82	1,235	1,511	50.33	225	781	1	16	138	218	1,015	321	70	787	164	39
October		72	186	258	27-90	1,179	1,437	46.35	210	735	2	2	141	260	997	290	91	763	150	36
November		58	215	273	21-25	925	1,198	39-93	221	732	1	3	140	316	1,151	115	64	574	205	50
December		70	161	231	30.30	995	1,226	39.54	181	606	4	51	109	192	849	134	87	667	183	24
Total		834	2,086	2,920	29-12	12,199	15,119	41.72	2,363	8,206	19	107	1,329	2,451	10764	2,998	1,046	7,764	1,620	444

• Government Servanta includes their wives and families.
† In calculating the daily average attendance, no allowance has been made for Sundays, public and half holidays.
‡ In this column only permanent fillings are included: all fillings of a temporary nature are included in the "Dressings" column: fillings also include all crowns and bridges.
‡ The figures in this column include such items as repairs and small partial dentures.

TABLE II

				PATH	INTS					Ex	TRACTI	ONS			1 1777		10.79											
YEAR		First V	isits	of Govt.		loni.	atten-	Nit O:	rous	gen	her eral thetics		l and ional thetics	etions	164			DENT	PURES									
YEAR	Government	Others	Total	Percentage of Servants	Other visits	Total all visits	Average daily atten-	Patients	Teeth	Patients	Teeth	Patients	Teeth	Total of extractions	Fillings	Sealings	Dressings	Dressings Attendances	Actual dentures supplied									
1930 *			662		1,586	2,248	12.95							1,910	930	324	668	182										
931		1	1,306		5,761	7,067	19.36							4,625	1,713	590	3,045	632	178									
932	. 922	1,570	2,492	36-9	10,477	12,969	35.40	1,755	5,766	49	267	1,354	2,364	8,377	3,551	1,461	6,114	1,498	493									
933	. 834	2,086	2,920	29.12	12,199	15,119	41.72	2,363	8,206	19	107	1,329	2,451	10,764	2,998	1,046	7,764	1,620	444									

TABLE III

Year 1933 Month	School Police		e *		Prisoners † Medical Department ‡			Po Leung Kok		Total		Actual amount received			
		\$	c.	\$	c.	\$	c.	\$	c.	\$	c.	\$	c.	\$	c.
January		78	30	21	70	25	55	44	55	39	55	209	65	222	90
February		128	-	60	75	4	50	61		9	45	264		261	
March		337		60	20	8	40	60	10	19	90	485	85	364	40
April		52	50	8	30	6	80	28	60	17	70	113	90	301	20
May		185	85	38	50	3	00	49	60	2	00	278	95	135	90
June		88	10	6	25			54	45	2	60	151	40	300	50
July		306	44	30	65	3	95	81		6	20	428	59	301	15
August		213	30	54	25	14	10	70	85	7	40	359	90	247	30
September		150	85	41	30	5		32		57	20	287		360	90
October			05			1	30	55		6				198	
November		196			00	0	~~	44	-	13		279		335	90
December		43	95	20	45	1	10	40	05	13	20	118	75	360	50
Total		1,862	49	403	10	75	35	623	60	194	75	3,159	29	3,391	45

- * Under Police Regulations subordinate ranks are entitled to free dental treatment
- Dental treatment of prisoners is almost entirely confined to extractions

 The term Medical Department includes Medical Officers, Sisters, Nurses, Dressers, Students, etc., but does not include their wives or children

APPENDIX "D" (III)

ANNUAL REPORT ON TAN TOCK SENG HOSPITAL, 1933

	Worl	 	
I.			

Remained on 31-1	2-1932			 765
Admitted during	1933			 6,977
				7,742
Discharged				 5,366
Died	444	***	***	 929
Absconded				 532
Transferred	***	****	***	 106
Remaining on 31-	12-1933			 809
				7,742

The average number of daily sick was 777.34 as compared with 760.02 in 1932. The percentage case mortality was 11.9% as against 11.6% in 1932. The total number of deaths was 929, of these 176 died within 24 hours of admission. Excluding these, the death-rate is 9.7%.

Chief Diseases.—The following table shows the incidence of the chief diseases treated in Tan Tock Seng Hospital for 1929, 1930, 1931, 1932 and 1933.

		1933	1932	1931	1930	1929
Malaria		1,168	1,601	1,965	6,059	3,741
Pulmonary tuberculosis		646	642	760	743	694
Dysentery, amœbic		53	91	96	95	110
Dysentery, bacillary		110	83	107	103	89
Dysentery, unclassified		21	43	78	89	81
Venereal diseases		228	321	878	1,198	1,435
Beri-beri	***	309	532	683	689	714
Lobar pneumonia	***	102	108	200	274	289
Fever, unclassified		192	II	138	186	474

- 3. Malaria.—The number of cases admitted was 1,168 as against 1,601 in 1932 and 1,965 in 1931.
- 4. Dysentery.—There was a slight decrease in the number of admissions, 175 against 204 the previous year. The death rate was reduced from 34.8% to 32%.
- 5. Beri-Beri.-Marked decrease-248 admissions with 46 deaths, compared with 439 admissions and 49 deaths in 1932.
- 6. Pneumonia.—Including broncho-pneumonia, fewer cases have been admitted, but the case mortality has been higher. One hundred and twenty-five cases admitted,

with 65 deaths giving a death rate of 52% compared with 135 cases and 63 deaths with a rate of 46.6% in 1932.

- 7. Tuberculosis.—Six hundred and forty-six cases were treated with 253 deaths. As usual, most of the cases are in a very advanced state on admission.
- 8.—Enteric Fever.—Fifty-three cases were admitted against 34 in 1932, with a case mortality of 37.7% compared with 35.3% the previous year.
- 9. Ulcers.—In 1932 a beginning was made with the treatment of chronic ulcers of the leg by the ambulatory metjod.

In no case so far treated have more than four bandages been necessary, and with the exception of a few cases, who ceased attending, all the ulcers healed soundly.

The first few cases were treated as in-patients, but as the excellent results of the method were early apparent, the rest were treated as out-patients.

The patients, themselves, were so gratified at the progress made under this treatment that little difficulty was experienced in securing regular attendance.

Eighty-five cases were treated during 1932, and forty-eight cases during 1933.

The ambulatory method of treatment, as well as being quicker than the older methods, has led to considerable saving on account of its suitability for use in the out-patient department.

10. Laboratory Work.—In the hospital laboratory where the routine work is conducted the following examinations:—

Blood films	 ***	***	***	13,211
Stools	 ***			10,977
Sputum	 	***	****	6,647
Lepra smears	 ***	***	***	168
Urethral smears	 200.0			154
Eye smears	 ***			85
Blood count	 ***			127
Urine	 ***			3,904

11. Dr. E. D. Lindow was in charge of the hospital from 1st January to 13th June and Dr. J. C. Carson from 14th June to 28th November, Dr. E. D. Lindow from 29th November, to 20th December, and Dr. J. W. Winchester from 21st December to the end of the year.

The surgical duties were performed by Mr. E. C. CHITTY, F.R.C.S., from 1st January to 2nd March and Mr. B. M. Johns, F.R.C.S., from 3rd March to the end of the year.

In the Clinical Laboratory attached to the Medical Unit under the personal direction of the Professor of Medicine, the following investigations were carried out:—

Estimation of blood	***	***	***	100	1,135
Blood counts, etc.		***		***	2,959
Cerebro-spinal fluid		***	***	***	492
Urine		***			2,609

ANNUAL REPORT OF THE RADIOLOGY DEPARTMENT TAN TOCK SENG HOSPITAL, SINGAPORE, FOR 1933

During the year 4,057 radiographs were taken. These were divided as follows :-... 211 Ribs ... 120 Teeth Sinuses 67 ... 67 Mastoids Patella 3 Mandible ... Spine IOQ 30 Clavicle Maxilla 23 ... 5 Nasal bones ... Scapula 28 ... *** Gall bladder Arm *** 25 Cholecystography ... 12 Forearm 92 ... *** Shoulder Kidneys 32 ... *** Urinary bladder Elbow *** 45 17 Hand Pyelography - 8 74 ... 69 Bronchography Femur ... II ... Lipiodol in spinal canal Leg Foot 71 3 ... Oesophagus-barium swallow 97 ... Hip 69 Barium meal ... 198 **** *** Barium enema Knee 49 Diaphragm ... Abdomen ... Ankle *** 44 16 *** ... Foreign bodies Sacrum IO *** ... ****** Lungs 615 Mediastinum 5 Heart Lipiodol in sinuses 70 Miscellaneous ... Sternum ... 16 ...

ANNUAL REPORT OF ELECTRO-THERAPEUTIC DEPARTMENT TAN TOCK SENG HOSPITAL FOR 1933

Ultra-violet Therapy.—Seventy-four cases were treated during the year, necessitating the almost daily use of the ultra-violet apparatus.

Diathermy.-A total of 43 cases were treated.

In December a new super power vario frequency diathermy apparatus was procured for this hospital. It is hoped to start artificial fever therapy with this apparatus shortly.

APPENDIX "D" (IV)

RETURN OF OPERATIONS IN HOSPITALS, STRAITS SETTLEMENTS FROM 1ST JANUARY, 1933 TO 31ST DECEMBER, 1933

	TO 318	ST DECE	MBER, 1933			
Total numb	er of operat	ions			8,741	
Total numb	er of deaths				189	
Pathological condition	on and natu	re	Total No.			
of operati			of cases	Cured	Relieved	Died
AMPUTATIONS-			Colored and			
Forearm or hand						a like
Foot or leg	***		23	11	mark that the	2
Fingers			54	19 54	C Manage	4
Toes			34	34	Bearing	1000
Others			3	2	Legan con-	1
OPERATIONS ON MUSCLA	es, Tendon	S OR				
LIGAMENTS-	no, Innion	S OK				
Exploration of tend	one					
Tenotomy	ons	***	I	,		
Plastic operation on	muscles		5	1	-	
Hernia of muscles			3	The state of the	5	
Suture of tendons			34	32	2	
Others			14	11	3	
OPERATIONS ON HEAD	ET AND I	BLOOD	Selfa in 1			
Vessels-		1,000				
Ligature of vessels	10 H		10	8		
Injection varicose ve			7	7	2	mile and
Aneurism			5	2	2	1
Suture of pericardius			I	_		I
Others			4	1	3	_
OPERATIONS ON LYMPHAT.	IC GLANDS					
Excision of glands	ic Outilio	7/	.0	32		
Insertion of radium	211	***	48	37	11	1
Incision of glands		****		-	T MARRION	-
Disection of glands		***	49	49		100
REMOVAL OF FOREIGN BO			**	7	4	1
Hand	,DY-					
Foot		***	22	22	-	-
Nose	***	***	11	10	1	-
Arm	***	***	11	11	1000	-
Leg	***	***	3	3	-	-
Ear			5	5	100	100000
Stomach	1	***	3	3	100	
Others	****		97	96	1	
OPERATIONS ON BONES-			"	90	100	PRINTED.
Sequestrectomy						
Plating fracture	***	***	41	37	4	-
Bone grafting		***	II	11		-
Plaster of Paris splin	nts	***	-0-		-	
Osteomyelitis			187	170	17	-
Reduction of fractures			10	7	3 6	-
Wiring or pegging fr	actures		133 61	125		2
Osteotomy			6	57	4	METERS.
	The state of		FIG.	4	2	nond-
Can	rried forward	1	917	836	70	11
				-0-	10	**

		-				
Pathological condition of operation	ind nature		Total No. of cases	Cured	Relieved	Died
Brough	ht forward		917	836	70	11
Removal of wire or plat	ing		4	4	A Re-prop	Octorio
Exostosis excised	***		3	3	onda Visto a	-
Excision elbow, clavicle Others	, etc.	***	8	4 2	4	
		***	4	2	don't to	1
OPERATIONS ON JOINTS-						
Arthrotomy			13	12	The Section of	I
Arthrectomy Aspiration			3 22	2	12	W .
Reductions of dislocation		***	20	9 27	2	1
Excision of semilunar ca	rtilage		6	6	a noinellan	-
Mobilisation of joint			9	6	3	-
Plaster of Paris splint Manipulation		***	34	23	11	-
Others		***	3	8 2	9	
Commission of the Commission o		***	de la companya de la	1 10 10	maybe, ofren	16
OPERATION ON SKULL-						
Trephining Decompression		***	12	10	1	1
Others			2 2	1	Total State of	2
				to rear lo	politicitation	0
OPERATIONS ON EAR—						
Radical mastoid operati		***	41	40	I	0-
Removal of papilloma			12	12	I WE DIE	ANTES.
Myringotomy			9	9	-	/-
Others	***		6	6	I to -states	1
OPERATIONS ON LIPS, I SALIVARY GLANDS—	Mouths	AND				
Repair of harelip			22	22	-	-
Repair of cleft palate	···	***	I	I	-	
Enucleation of tonsils at Extraction of teeth	id adenoids		297	297	1 14-1-1011	-
Removal of growth for e	vamination		472	472	3	
Peritonsillar abscess			I	1	-	
Radium introduced		***	1	-	1	-
Alveolar abscess			14	14	result	-
Excision ulcer of tongue		***	2	1	I	
Relief of tongue tie Plastic operations			3	3	to the second se	
Others			15	12	2	1
Excision of jaw		***	1.	- 0	arms - calms	I
OPERATIONS ON OESOPHAGUS	-					
Oesophagoscopy			33	7	25	1
Dilation of oesophagus	v	***	11	3	8	1
Foreign body in oesopha	agus	***	2	2	le Lecotho	-
Others	***	***	1	1	inq wan	-
OPERATIONS ON TRACHEA-						
Tracheotomy	***		6	5	1	-
Thyroidectomy		***	5	3	I	1
Bronchoscopy Others	***	***	41	6	40	I
	···	***	1.5	- Amb	parente Calcul	2
OPERATIONS ON NOSE AND SI	NUSES-		277	San San		
Turbinectomy Submucus resection	***	***	29 62	29	Mary and and and	-
Nasal polypus			63	63	6	
Frontal sinusitis		***	5	5	No the state of the	
Cauterisation of nose			5	5	Name I I I I	-
Plastic operation on nose			-	nobite to	showing day	-
Others Arthrotomy		***	16	16	Tung I	-
Arthrotomy		***	46	46	Name of Street	
Carrie	d forward	***	2,272	2,038	212	22

Pathological condition and nature		Total No.	Cured	Relieved	Died
of operation		of cases			
Brought forward	***	2,272	2,038	212	22
QPERATIONS ON EYE-					
For pterygium	***	13	13		-
For trachoma		9	62		T
For cataract Removal of foreign body		64	8	of service	1000
Plastic for entropion		13	12	1	A-Ar
Iridectomy		12	12	violational)	16-
Needling cataract Eviseration of eye	***	14	14	The state of the s	
Enucleation of eye	***	10	10	or to Table	-
Plastic for ectropion		3	3	10.7	1477
Excision of lachrymal sac		4 2	4 2		
Dacryocystotomy Incision abscess eyelid		5	5	70-10	-
Muscle advancement for squint		I	I	-	-
Symblepharon		1	1		200
Pinquecula		2	2	pales - com	-
Hordeleon	***	II	11	-	10-
Cauterisation of cornea		6	6	S Town	TARREST OF
Trephining for glaucoma Others		18	18	5	
	***	1.00			
OPERATIONS ON BREAST—		e	smollish	g to lesion	1956
Amputation Excision of breast	***	8	6	_	3
Removal tumour		2	2	-	-
Radium into breast		6		6	71 N. T.
Section for examination Others		3 7	5	3	9
		,	1113	ab to the	
OPERATIONS ON THORAX-			4 1 1 1 1 1	o politerion	155
Resection rib for empyema Empyema drained	***	27 3	20	1	5
Aspiration chest	***	21	17	4	- 10
Thoracoplasty		2	-	2	all -
Others	* *	1	manufacture of the last	1	10-
OPERATIONS ON HERNIA-				paul lo bil	
Radical cure of inguinal hernia		157	156	-	1
For strangulated hernia Ventral hernia		27	26	Z	1
Umbilical hernia		4	4	_	-
Femoral		2	2	-	-
OPERATIONS ON ABDOMEN-					
Peritoneal abscess drained		21	15	1/20/20/20	6
General peritonitis		13	8	-	5
Exploratory laparatomy Gastrectomy	***	31	4	16	11
Perforated duodenal or gastric uld	cer	24	11	· vitare Ecology	13
Gastro-jejunostomy		31	24	2	5
Splenectomy		10	8	-	2
Cholecystostomy Cholecystectomy		7	16	I	5 2
Choledochotomy		1	_	VIII. 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	ī
Acute intestinal obstruction		10	3		7
Intussusception Appendicectomy (acute or chron	ia)	3	I	CONTRACT DAY	2
Colostomy	1C)	140	130	6	10
Stab wounds of abdomen		2	1	Dan - I	I
Laparatomy; adhesions	***	2	2	-119	10 -
Perforation of typhoid ulcer	***	8	2	100 mm (100	6
Carried forwar	d	3,108	2,718	267	123

	dition and natur eration	19	Total No. of cases	Cured	Relieved	Died
	Brought forward	d	3,108	2,718	267	123
Gastrostomy			13	2	2	9
Liver abscess			23	19	I	3
Pyloric stenosis			-	-	Vernistration of	TOOL
mosis gut	arotomy and ar			300	aring section	units.
Ruptured liver		***	12	9 2	1	1 2
Enterostomy			3 2	I	Inning of	Y
Paracentesis abd			84	3	68	13
Others			8	5	2	I
OPERATIONS ON RECT	UM AND ANUS-					
Excision of hae	morrhoids	***	148	147	1	
Ischio rectal abs	cess		35	35		1
Sigmoidoscopy		***	117	-	117	-
Imperforate anus	1	***	8	5	2	1
Dilatation of and Anal fissure		***	17	2	14	1
Prolapse of rectu		***	5	5		-
Fistula-in-ano		***	101	101	670000	
Extra-peritoneal					11 24 7	-
Others			14	10	4	-
DEPARTIONS ON KILL BLADDER—	NEYS, URETERS	AND				
External urethro	tomy		14	14	THE PROPERTY.	May a
Litholopaxy			6	5	1	TA MEDICAL
Cystoscopy			159	_	159	-
Nephrectomy			6	6		-
Nephro-lithotomy			I	I	(1-010)	-
Pyonephrosis			Contract Contract	-	-	7
Peri-nephric abso			I	I	100 000	ra Tyen
Suprapubic cysto Urethrotomy into		***	22	18	THE RESERVE	4
Transplantation of					to describe	n/L
Others			9	3	5	I
OPERATIONS ON THE	MALE GENERA	TIVE				
Amputation of pe	enis		6	4	1	1
Hydrocele radical			104	104	NO YOUR	1
Varioccele			5	5	10000	-
Plastic of penis			8	6	2	-
Circumcision			128	128	a range	-
Orchidectomy		***	9	8		I
Ruptured urethra Peri urethral abs			3 8	8		
Prostatic abscess		***		_	al curt	
Epididymectomy				_ 10	biology biol-	7_
Dilation stricture	257 115		146	58	88	
Dorsal slit of prep	puce		11	11	I leadings are	-
Prostatectomy			2	2		_
Others			29	21	8	-
PERATIONS ON THE ORGANS—	FEMALE GENERA	TIVE				
Ovariotomy			21	18	I	2
Salpingectomy			22	19	and a such	3
Hysterectomy			17	16		1
Perineorrhaphy			386	386	The same of	-
Amputation of ce	ervix	***	7	7	A. Sprender	-
Hymenectomy	ination		4	4	2	200
				3	2	- Common or other Designation of the last
Per vaginal exam		***	5			0
Vesico vaginal fis			5	3	2	_

Pathological condition and nature		Total No.	Cured	Relieved	Died
of operation		of cases	Carea	Reneveu	
Brought forward		4,851	3,934	749	168
Dilatation and curettage		125	125	will be well	
Colporrhapy		6	5	1	1
Ventral suspension		22	22	NAME OF THE OWNER, WHEN	-
Oopharectomy	***	6	6	docutors In	-
Caesarian section		8	7 6	and the same	I
Ruptured ectopic gestation		7	100	well long	I
Recto vaginal fistula	***	4	4	20	
Insertion of radium into cervix Induction of labour	***	30	30		100
	***	2	2		diff
Myomectomy Marsupulisation of uterus	***	_	_	-9 -	
Insufflation of tube		13	II	2	_
Application of forceps		143	143	and the second	_
Manual removal of placenta		57	57	o letter or	198
For complicated labour		65	64	·	I
Others		25	19	6	-
Onne menus on Crom					
OPERATIONS ON CYST—					
Sebaceous		95	95	A CONTRACTOR	-
Ranula		2	I	I	-
Others	***	17	16	1	and the same
OPERATIONS FOR ABSCESS-					
Incision		1,215	1,204	8	3
Abscesses aspirated		38	23	15	-
		-	10000	ultern Tagra	
OPERATIONS ON NERVES—			20	- Annihita	dil
Injections into nerves Pluric avulsion	***	6		6	
Peri-arterial sympathectomy		16	10	6	
Others		13	8	5	-
OPERATIONS ON THE SPINE, CORD A	ND				
Bone graft of spine		2	I	1	-
Lumbar puncture		II	I	9	I
Plaster of spine		19	5	14	
Laminectomy		1	-	12 10 100	I
Others		6	2	4	-
OPERATIONS ON THE SKIN AND SUB- TANEOUS TISSUE—	cu-				
Skin grafting		46	41	5	-
Removal of nail		14	14	_	_
Suturing wounds		1,174	1,162	10	2
Exploration of wound	***	-	_	division of	-
Cellulitis incised	***	142	131	3	8
Carbuncle		16	16	Action to the same	-
Keloid, excision	***	5	4	I	blo T
Sinuses scraped		225	175	50	
Removal of papillomata Excision of ulcers	***	20	20	ng ho lige ha	COLL
Whitlams	***	20	16 41	3	1
Others	***	73	61	11	1
OPERATIONS ON TUMOUR-		73	1111111	CHT 100 100	nra251
Fibroma		-			
Tipomo	***	12	12	Williams	2707
Name		13	13	Yeromobia	12.00
Dedent when	***	7	7	· THE STATE OF THE	ECHES!
Tumour unspecified removed	***	2	28	60	1197
Osteomata		97	40	10 - 2	I Assi
Excision of lympho-sarcoma				THE MARKS	пуВ
Others	-	8	5	2	1
		n	-	IANTENT OF	121
Total		8,741	7,550	1,002	189

APPENDIX "E"

I.—MEDICAL INSPECTION OF ENGLISH AND MALAY GIRLS' SCHOOL, SINGAPORE.

- (i) The Government and Aided Girls' Schools.
- (ii) The Malay Girls' Schools.
- (iii) The Chinese Aided Girls' Schools.
- (iv) Twelve Junior Boys' Schools i.e. of boys up to the age of 12 years.
- (v) Three Junior Chinese Boys' Schools, and
- (vi) The locally trained Female Teachers, of whom a separate report is given.

The examination followed on the lines of former years, a routine examination and re-examination of those found defective. As in former years, treatment has been recommended to be carried out by private practitioners and in necessitous cases at the Government Dispensaries and Hospitals. Treatment was carried out at the Malay Girls' Schools for worm infection, and vaccinations were performed. Out of 316 girls examined, 45 had hookworm; 251 had roundworm; 179 whipworm and 7 threadworm infection. The hookworm infection in the Malay Girls' Schools was 14.2% in 1933 compared with 10% in 1932.

When possible cinema health films were shown during the re-examinations, the subjects being Dental Hygiene, Fly Dangers and Malaria.

The number of children medically examined in 1933 was 7,911 out of a total of 8,247, an increase of 218 over 1932. There were four Aided Chinese Girls' Schools examined for the first time.

One thousand eight hundred and thirty-one children required re-vaccination.

Five thousand one hundred and eighty-six children were referred for treatment as a result of the routine examination. 63.18% of the total from the English Girls' Schools, 80.59% from Malay Girls' School, 73.91% from Chinese Girls' School, 65.26% from Junior Boys' Schools, and 72.84% from Chinese Boys' Schools.

The group percentage was 66.26% as against 80% for 1932.

Altogether 14,928 examinations, re-examinations, and vaccinations were made during 1933.

Some extracts from the General Report are given below and compared with those for 1932 and 1931:-

General Nutrition .-

al arong filter bond	Un	dernourishe	ed	Improved at second examin			
	1933	1932	1931	1933	1932	1931	
Government Girls	0.35%	0.03%	0.14%	61.54%	0%	80%	
Malay Girls	0.49%	0.26%	0.27%	50%	0%	100%	
Chinese Girls	0.33%	0.19%		0%	0%	1000	
Junior Boys	0.98%	0.2%	0.95%	48.15%	33.3%	51.6%	
Chinese Boys	3.09%	Not ex	amined	0%	Not ex	amined	

Vaccinations .-

The second second	Requir	ing Re-vacci	nation	Success	cessful Re-vaccination			
	1933	1932	1931	1933	1932	1931		
Government Girls	17.9%	17.8%	26.1%	84.21%	85.01%	62.2%		
Malay Girls	18:43%	26.8%	30.9%	79.73%	94.1%	72.8%		
Chinese Girls	42.5%	73.17%		83.3%	91.7%			
Junior Boys	20:34%	23 %	29.6%	85.9%	83.9%	73.9%		
Chinese Boys	46.3%	Not ex	amined	86.6%	Not ex	amined		

Dental Caries.—This is still the chief defect found among the scholars. The number of those treated varied greatly in different schools. Treatment was carried out as usual by local dentists and those who were unable to pay were treated free of charge at the Dental Clinic, General Hospital.

MAY GIRLS	C	arious Teeth			Treated		
	1933	1932	1931	1933	1932	1931	
Government Girls	40.4%	52%	45.7%	66.05%	66%	59%	
Malay Girls	31.7%	67.6%	54%	65.12%	63.8%	61.9%	
Chinese Girls	46-29%	63.7%		31.84%	47.3%	(4) 11	
Junior Boys	36*55%	73.5%	57.7%	77.43%	79.7%	76.4%	
Chinese Boys	67.28%	Not ex	amined	27.52%	Not ex	amined	

Enlarged Tonsils and Adenoids.—The figures for this defect show an increase from last year, fewer improvements being noted.

Enlarged tonsils and adenoids ... 27.04% 15.2% 16.2%

Forty-two children had tonsillectomy performed.

Enlarged Cervical Glands.—55.61% were found, compared with 62.6% for 1932.

Defective Vision.—During part of the year, examination of eye defects was carried out free of charge at the General Hospital, and prescriptions for glasses given when required.

Defective Vision .-

a see it to be	De	fective Visio	n	Glasses fitted		
	1933	1932	1931	1933	1932	1931
Government Girls	4.25%	2.33%	3.19%	53.85%	80.68%	69-37%
Malay Girls	0.98%	1.05%	0.24%	0%	50%	0%
Chinese Girls	4.19%	3.94%		35.5%	57.14%	ter unito
Junior Boys	2.61%	0.76%	1.23%	62.5%	78-2%	70%
Chinese Boys	1.23%	Not ex	umined	50%	Not ex	amined

Eye Affections.—There were 6.78% cases in all groups compared with 1.69% in 1932. These were chiefly cases of mild follicular conjunicityitis.

Ear Conditions.—There were 0.23% of cases found as against 0.61% in 1932, otorrhœa being the chief defect.

Anæmia.—66% as compared with 0.82% in 1932. Group improvement 63.46% as against 60.3% in 1932.

Skin Conditions.—There were 255 skin affections in 1933, 3.22% as compared with 3.9% in 1932.

Infectious Diseases.—There was increased prevalence of typhoid fever among school children. In May and June preventive inoculations of T.A.B. vaccine, prepared by the Government Bacteriologist, were given to 2,774 children, in the four schools from which cases had been reported.

Mumps were prevalent; 445 cases being reported.

The following diseases were reported from the schools inspected.

Diseases reported.

			1933	1932
Chickenpox	***	 ***	72	105
Diphtheria		 	8	II
Measles	***	 	81	59
Mumps		 ***	445	50
Typhoid fever		 ***	29	3
Whooping cou	gh	 	15	17

Sanitation.—This was satisfactory in most of the schools. The buildings in which some of the Chinese Schools are situated are far from ideal, no funds are available for improvements at present.

NUMBERS TREATED AND PERCENTAGE OF IMPROVEMENTS DURING 1933

SCHOOLS	Mal- Nutrition	Dirty	Anæmia	Coryza	Otorrhœa	Conjunc- tivitis	Trachoma	Defective Vision	Enlarged Tonsils	Adenoids	Dental Caries	Sores	Ringworm	Enlarged	Fever	Tuber- culosis
Raffles Girls' School			3	3	1	2	1	10	11	1	200	3			4	
The French Convent	2	4	4	10		18		13	35	2	208	11			1	
The Fr. Convent—Katong Singapore Chinese Girls'	.:		1	1 3	**	1		6 2	8 7		56 86	2			2	
Mathadiat Cirle!	1	4	1	4		1 8	**	22	32	3	117	1	**	*:	1.5	1::
St. Anthony's Convent	2	20		18		25		25	21	6	112	2			19	
Fairfield Girls' School	2			4	2	1		5	6		168	4				
Serangoon English (Girls)	1	1		9	**	15		1		1	20				1	
Kampong Glam Malay Girls'		3	**	4	1	3			4		15	2			2	
Rochoh Malay Girls' Geylang Malay Girls'	1	3	1	6		4			6 9	1	23 26	100			7	
Kampong Roko Malay Girls'	::			2	::		**	**			20	**	11	::	í	1::
Siglap Malay Girls'	1			1		1			2	**	4	1	11		2	1::
Teluk Kurau Malay Girls'		4	2	2		12			2		14				6	
Holy Innocents Girls'		16		2		2	1		7		26	1			2	
Cheng Fong Chinese Girls'		7	2	5		11		4	3		17	1	.:		3	
Chong Poon Chinese Girls' Chung Hwa Chinese Girls'		6 2		5		9			7 8	3	25	2	1		5 2	
Nanyang Pin Min Chinese															-	
Girls'		1		4		2			1		9	1			1	
Chien Hua Chinese Girls'		2	1	1		2			1		4					1
Hop Kuan Chinese Girls'		2		3							4					
Nan Hua Chinese	1 .:	4	2	3		4		3	4		22	1			1	
Anglo-Chinese Boys' School St. Andrew's School	1	8	1	9	2	19		13	20 13		143	7 5			8 13	
Victoria Bridge School	1	7	1	7	1	4	1	2	2	::	28	9	11	1:		
Radin Mas Boys' School	100	7	î	3		17			3	2	17	4		1::	6	1::
Gan Eng Seng Boys' School	2	5	1	14	1	4		4	8	1	74	6	1		5	
McNair Road Boys' School	1	2		12	1	12		1	23	1	91	2			6	
Pearl's Hill Boys' School	1	12	5	32		3		14	41	3	144	3	1		2	
Teluk Kurau English School Outram Boys' School	i	5	2	8 5		19		**	11	4 2	49	1 4	1		1	
Serangoon Eng. School (Boys)		21	-	10	::	16	::	::	10	4	43	1	1::	1::	2	1
Geylang English Boys' School		9	2	9		11		6	9		83	6	1::	1::	1	1
Hop Kuan Chinese Boys'		8	1	3				1	2		20				1	
Chien Hua Chinese Boys'		9		7		1			2		4	1				1
Nanyang Pin Min Chinese Boys'		2		7		2			5		6				1	
Totals	22	176	33	236	10	249	2	137	325	37	1,947	81	2		106	1
Percentages 1933	44	80.4	63:46	87.7	58-8	66.4	100	49.1	15.41	14.8	59-6	92.05	50		92.98	1
Percentages 1932	22-2	62.5	60-3	93-98	60.2	36-7	33-3	75.7	41.8	31.8	49.99	88-8	71'4		88.89	-25

OF LOCALLY TRAINED FEMALE TEACHERS IN SINGAPORE SCHOOLS

	F	General	1		Irenlate	B B	1 8	atore	Gen	13	-	1	1	1		faction	l.		1	-	-	Trees	Treatment	I but	and the same as the same	0000	1	1
	9 1	ondition			System		8	stem.	ary	System		Skin		Eye		Vision	-	Throat	Teeth				2 nd	Exu	minnti	uon		
8700H28	No. of Teachers	Polz	FIIN	Requiring Re-vaccination	aimanA Saidra2	Nasal Catarrh	Bronchial	Catarrh Tuberculosis	Dysmenorth- orea	Pregnancy	Acne Vulgaris	Eczema	Other Condition	Conjunctivitis Partial Blind-	seou	Siight (V ₁₂₁)	(Stem to ArV)	Engrated slisnoT	Dental Carles	Pever	General Condi-	Successful Re-vaccination	Anamis, etc., Improved	Teeth Improved	Eye Conditions Improved	Eyes Examined	Throat & Tonsils Improved	Skin Improved
St. Anthony's Convent	9			-		-	-	-	-	-				-	-	-	-				-		-					
Raffles Girls' School Fairfield Girls' School	16		:	-	:	-			:		:	:	: :	:		-		-	. 04		: :	-	: :	. 04	: :		:	: :
	03		: :	: :	: :			. :			:-	: :		: :				: :			:	:	:	: 0	:	-	:	:-
	A 10		:	:-	:	:			:	-	:	: -	:	:	-			-	:	-		:	:	:	:	:	:	:
	100	::	::	. :	: :	::			::	::	::	1:	::	::		• •		::	:	: :	: :	- :	: :	:-	::	:-	::	- :
School	00	:	-	:				-	-	-	-					-												
Rochoh Malay Girls' School		:	:	:					: :	: :	: :	: :	: :	: :				: :			: :	: :	: :	: :	: :	: :	: :	::
Teluk Kuran Malay Girls School	0 4		1	:					:	:	:	:			-					-	:	-	:	:	:	:	:	
Siglap Malay Girls' School		: :	: -	: :	: :	: :			: :	: :	: :	: :	: :	: :				:	-			:	:	04	:	:	:	:
Kampong Roko Malay Girls'					-					-	: :	:		:				: :				: :	: :	: :	: :		: :	: :
Chong Poon Chinese Girls'									:		:			:				:			:	:	:	:	:		:	:
1	-1		:	-	1			-	-	-		-					-	100		+		-	-					
Hwa Chinese Girls'	-										:							:				-	*	:	:	:	:	:
Cheng Fong Chinese Girls'	12		:	00	1				:	:	:	;	-	:				:	79		-	-	:	1	:	:	:	:
	00		:	:				-		:	-	:	:	-				:		4		:	:	:	:	:	:	
School School	00	-				-					- 3		-															
Chinese School	04		: :	: -	::	. :			: :	: :	: :	: :	: :	: :	: :			: :	-						:	: :	:	:
Chien Hua Chinese School	10	:	:	-						-	-	:	:	:									:		: :	: :	: :	: :
: :	4 04	::	: :	::		: :			: :	-	: :	: :	::	: :	:			: :					:	:	:	:	:	:
		:	:	:					:	:	-	:	:	:				:	:	-		:		:	: :	:	: :	: :
	14 10	::	: :	: :	: :	: :			:		-	:	:						:			:	:	: "	:	:	:	-
	9	:	:	:	:						-	:	: :	: :				: :				. :	: :		: :	: :	: :	:-
Geylang English School	10	::	: :	::	:::	::			:	:	-	:	-	1	:				:	*				:	-	:	:	-
-	10	:			1.			-	-	-	: :	: :	: :	::				: :	: :			: :	: :	: :	: :	: :	:-	: :
	11	::	: :	:	:				:		:	:							:	1	-	:	:	:	:	-	:	
Anglo-Chinese Boys' School		::	::	::	::	: :			: :	::	: :	: :	::	::				: :	: :	-			: :		: :	: :	:	:
Pasir Panjang English School Rukit Panjang English School	01 0		:			:		100			*		:	:	-			:	:	-		:	: :	: :	: :	: :	: :	: :
	-	1	:	:	:	:	-		:	:	:	:	:	:		-		:	:	-		:	:	:	:	:	:	:
Totals 2	231	1	04	00	09	04	-	. 01		2 6	-	1	01	-		69			15			9	-	6	-	7	04	10
Percentages 1933 2	287	.48	10.	3.46	2.16	THE STREET	1	60	VEA	3.46	33	4.33	200	.48	-	4.33	-	1-73	6.49	-	1	-75	33.3	8 60	100	40	50	2.99
Percentages 1932			.84	4.55	-84	-	1	12				85.38		-	1	2.1		3.38	15.19	1.57	-	90	20	67.89	1	80	12.5	80
The state of the s	-	-	-	-	1	-					-						-			-								

SUMMARY OF RESULTS, GOVERNMENT AND AIDED GIRLS' SCHOOLS, SINGAPORE Treatment and Improvements at 2nd Examination

Schools	No. of pupils	No. Examined	Average Height	Average Weight	Condition: Fair or Poor	Dirty	Nits	Requiring Re-vaccination	Affections of Respiratory System	Affections of Circulatory System	Throat Affec-	Ear Affections	Eye Affections	Defective Vision	Dental Carles	Skin Affections
The French Convent Raffles Girls' School S'pore Chinese Girls'	1,101 572	1,052 563	::		3	5	65 10	191 72	14 3	12 8	250 60	i	36 14	32 20	409 242	27 22
School School Fairfield Girls' School St. Anthony's Convent	218 677 437 471	214 666 431 443		**	2 5	5 22	1 3 72	27 91 68 98	3 4 5 31	1 12 2 2	28 160 44 175	2	3 25 7 56	4 47 8 33	111 183 255 156	4 11 11 14
The Convent—Katong Serangoon English School (Girls) Pasir Panjang English	207 79	192 78			2	2	8	50 11	9	1	43 23		18	10	75 33	1
School Bukit Panjang English School (Girls)	23	21 8			100			17	1		10		1		12	
Totals	3,793	3,668			13	34	160	631	72	38	796	3	162	156	1,482	93
Totals 1932	3,861	3,773	Perce 15	otages 33	*35	.93	4.36	17.2	1.96	1.04	21.7	-08	4.42	4-25	40.4	2.54
			Perce 15	otages 01	.03		1.78	17-86	-61	.61	11.16	-27	1.01	2-33	52.05	2.49

Schools	Tuberculosis	Enlarged Spieen	Enlarged Glands	Fever	Abnormalities	General Condi- tion Improved	Successful Re-vaccination	Ansmia	Teeth Improved	Eye Conditions Improved	Eyes Examined	Tonsils	Skin Improved	Ear Condition Improved	Tuberculosis
The French Convent Raffles Girls' School S'pore Chinese Girls'	::		408 283	1 4	1 5	2	152 60	4 3	208 200	19	13 10	35 11	21 15		
School Methodist Girls' School Fairfield Girls' School St. Anthony's Convent The Convent—Katong Serangoon English	::		127 197 271 253 111	21 2	1 4 2 3	 2 2 2	26 71 59 91 44	1	86 117 168 112 56	1 8 2 25 1	2 22 5 25 6	7 32 6 21 8	4 6 10 11 2	2 	::
School (Girls) Pasir Panjang English School Bukit Panjang English			56 17	1		1	9	::	20	15	1		1		
School (Girls)			7												
Totals			1,730	29	16	8	512	9	967	74	84	120	70	3	7.
Percentages 1933			47.17	-79	:44	61.24	84.21	60	66-05	45-96	53.85	15.33	76-09	10.0	
Percentages 1932	.08		52.77	-32	-37		85.01	21.74	66.04	53.66	80.68	25.89	57.45	70	33.3

SUMMARY OF RESULTS, MALAY GIRLS' SCHOOLS, SINGAPORE Treatment and Improvements at 2nd Examination

The second second		****			-	P										-
Schools	No. of pupils	No. Examined	Average Height	Average Weight	Condition: Fair or Poor	Dirty	Nits	Requiring Re-vaceination	Affections of Respiratory System	Affections of Circulatory System	Throat Affec-	Ear Affections	Eye Affections	Defective Vision	Dental Carles	Skin Affections
Kampong Glam Malay Girls'	102	99				3	24	11	4		36	1	8		24	2
Rochoh Malay Girls'							1	23	2	2	26	100	9	10000	1 4170	100
School Geylang Malay Girls'	82	73			1		37	23	2	2	26		9	1	27	
School	111	98				3	45	22	9	2	41		9	1	36	1
Teluk Kurau Malay Girls' School	62	57			1	4	23	10	6	2	18		16	1	19	1
Siglap Malay Girls'	46	45					20	4	3		13		2	1	13	2
Kampong Roko Malay Girls'	40	35			!		8	4	2		12		2	-	10	1
Totals	443	407			2	10	157	74	26	6	146	1	46	4	129	7
Totals 1932	419	380	Percei 19	ntages 83	'49	2.46	38-57	18.43	6.39	1.47	35.87	-25	11.3	.98	31.7	1.72
			Percei	otages 92	.26		6.05	26.84	.53	3.42	20.52	-26	3.68	1.05	67:63	1.28

Schools	Tuberculosis	Enlarged Spieen	Enlarged Glands	Fever	Abnormalities	General Condi- tion Improved	Successful Re-vaccination	Ansemia	Teeth Improved	Eye Conditions Improved	Eyes Examined	Tonsils Improved	Skin Improved	Ear Condition Improved	Tuberculosis
Kampong Glam Malay Girls'			90	2			8	1	15	4		4	2	1	
School Geylang Malay Girls'			37		1	1	16	1	23	4		6			
School Celuk Kurau Malay Girls' School	**		57	9			17	1	26	4		9	1		
Siglap Malay Girls'			32	3			10	2	14	12		2 2	2	on a	
Campong Roko Malay Girls'			24	1			4		2			11111	1		
Totals		**	272	22	1	1	59	4	84	25		23	7	1	
Percentages 1933			66-83	5.41	.25	50	79-73	80	65.12	54.35		15.75	100	100	14.
Percentages 1932	-26		67-11	75.53			94.12	61.54	63.81	7.14	50	20.51	100		

SUMMARY OF RESULTS, CHINESE GIRLS' SCHOOLS, SINGAPORE Treatment and Improvements at 2nd Examination

Schools	No. of pupils	No. Examined	Average Height	Average Weight	Condition: Fair or Peor	Dirty	Nits	Requiring Re-	Affections of Respiratory System	Affections of Circulatory System	Throat Affec-	Ear Affections	Eye Affections	Defective Vision	Dental Caries	Skin Affections
			1	1000		231		THE R.	Inio to		122	1				
Holy Innocents Chinese Girls' Cheng Fong Chinese	137	120				19		44	6		41		9		78	7
Girls'	212	192				8	1	68	10	3	36		22	8	56	3
Nanyang Pin Min Girls' Chong Poon Chinese	78	71			1	1		56	4		22		7	4	37	3
Girls'	141	137			**	6	1	57	7	1	54		21	3	72	6
Chien Hua Chinese Girls' Hop Kuan Chinese Girls'	37	34				4		29	1	2	9		4	1	24	
Girls' Chinese	17	17				2		11			6			1	5	1
Girls' Nun Hua Chinese	212	207			2	5	1	73	5	5	45	1	17	19	93	4
Girls'	147	138				6		52	3	3	34		14	9	59	3
Totals	981	916			3	51	3	390	36	14	247	1	94	45	424	27
Total 1932	573	533	Percei	ntages 03	.33	5.37	-33	42-5	3.93	1.23	26.97	11	10.26	4.91	46-29	2.95
			Percei	ntages	-19	-19		73-17	-94	2.81	12.38	.26	2.63	3.94	63.79	6

Schools	Affections of Genito Urinary System	Enlarged Spicen	Enlarged Glands	Pever	Abnormalities	General Condi- tion Improved	Successful Re-	Anemia Improved	Teeth Improved	Eye Conditions Improved	Eyes Examined	Tonsils Improved	Skin Improved	Ear Condition Improved
Holy Innocents Chinese														
Girls' Chinese			80	2	2		38		26	3		7	6	
Girls'			56	3			34	2	17	11	4	3	2	
anyang Pin Min Girls'			39	1			51		9	2		1	3	
hong Poon Chinese			75	5	2		53		25	9		7	4	
hien Hua Chinese					-							1 13		
Girls' op Kuan Chinese			14	**		**	29	1	4	2		1	100.0	
Girls' Chinese			9				11		4					
Girls'			77	2	1		58		28	7	9	8	2	
un Hua Chinese Girls'			64	1			51	2	22	6	3	4	2	
Totals			414	14	5		325	5	135	40	16	31	19	
Percentages 1933			4.25	1.23	.55		83.3	83.3	31.84	42-55	35.2	12.55	70-37	
Percentages 1932		_	61.35	-56	-38		91.79	40	47.35	14.29	57.14	28-79	68-75	100

SUMMARY OF RESULTS, CHINESE BOYS' SCHOOL, SINGAPORE Treatment and Improvements at 2nd Examination

Schools	No. of pupils	No. Examined	Average Height	Average Weight	Condition: Fair or Poor	Dirty	Nits	Requiring Re-vaccination	Affections of Respiratory System	Affections of Circulatory System	Throat Affec-	Ear Affections	Eye Affections	Defective Vision	Dental Carles	Skin Affections
Hop Kuan Chinese Boys'	56	51			2	14		17	4	1	16	1	1	1	31	1
Chien Hua Chinese Boys'	65	63			2	17		41	11		20		7	1	45	4
Chinese Boys'	50	48			1	4		17	8	1	13		3		33	3
Totals	171	162			5	35		75	23	2	49	1	11	2	109	8
Totals 1932			Perce 1	otages 03	3.09	21.6		46.3	14.2	1.53	30.25	-62	6.79	1.53	67:28	4.94
			Perce	ntages 02												

Schools	Affections of Genito Urinary System	Enlarged Spieen	Eninged Glands	Fever	Abnormalities	General Condi- tion Improved	Successful Re-vaccination	Ansemia Improved	Teeth Improved	Eye Conditions Improved	Eyes Examined	Tonsils	Skin Improved	Ear Condition
Hop Kuan Chinese Boys'	1		44	1			16	1	20		1	2	1	18.0:
Chien Hua Chinese Boys' Nanyang Pin Min	2		32				35		4	2		2	1	4.
Nanyang Pin Min Chinese Boys'	1		23	1			14		6	2	1000	5	2	-
Totals	4		99	2			65	1	30	4	1	9	4	٠.
Percentages 1933	2.47		61.1	1.23			86.6	100	27.52	36.36	50	18:37	50	٠.,
Percentages 1932														

SUMMARY OF RESULTS, GOVERNMENT BOYS' SCHOOLS, SINGAPORE Treatment and Improvements at 2nd Examination

Schools	No. of pupils	No. Examined	Average Height	Average Weight	Condition : Pair or Poor	Dirty	Nits	Requiring Re-	Affections of Respiratory System	Affections of Circulatory System	Throat Affec-	Enr Affections	Eye Affections	Defective Vision	Dental Caries	Skin Affections
St. Andrew's School	333	316			2	6		111	18	3	75	2	15	14	98	13
Teluk Kurau English School	169	167				5		29	9		73		23	2	83	9
Gan Eng Seng	288	268		::		5		66	18	2	63	2	18	10	87	13
Outram Boys' School	111	108			2	2		1	6	2	42		7		19	6
Victoria Bridge School	108	101			1	7	1	13	10	1	30	1	13	2	32	14
Geylang English School	246	241			3	10		66	14	5	84		22	9	102	9
Radin Mas English School	94	92			2	8		31	5	1	42		24		24	9
Boys' School McNair Road Boys'	162	155			**	27		38	10		72	1	29		66	6
School	364	347			3	3		113	17	3	119	2	12	2	133	9
Anglo-Chinese School	469	464			6	3	1	120	17	7	126	2	22	17	155	12
Pearl's Hill Boys' School	460	444			3	13		36	42	10	158	1	37	16	176	18
Pasir Panjang English School	55	55				1		37	5	2	17	1	1		33	2
Totals	2,859	2,758			27	90	1	661	171	36	901	12	223	72	1,008	120
Totals 1932	3,084	3,007	Perc	ent- 1933	.98	3.26	'04	20-34	6.5	1.31	32-67	.44	8.09	2.61	36.55	4.35
			Perc		.5	.23		23.01	1.83	1	16.86	.8	2	.76	73.56	5.2

Schools	Affections of Genito Urinary System	Enlarged Spieca	Enlarged Glands	Fever	Abnormalities	General Condi- tion Improved	Successful Re-	Antenia Improved	Teeth Improved	Eye Conditions Improved	Eyes Examined	Tonsils Improved	Skin Improved	Ear Condition Improved
t. Andrew's School	13		198	13	1	1	102	1	77	4	5	13	11	1
eluk Kurau English	100			17/3			A STORE	1115	1110					
School	5	**	115	1 5	1		26		49	20		2 8	8	
an Eng Seng Outram Boys' School		**	169	1	4	2	56	2	74	7	4	11	13	1
ictoria Bridge School	3	::	56	1000	2	*	12	1	28	4	2	2	12	
eylang English School	10		147	1	1	3	62	2	83	13	6	9	9	
Radin Mas Boys'	1		MAN SERVICE		110	1		1 78						1000
School			65	7	3		25	1	17	17		3	6	
erangoon English Boys' School	6		113	2	19.9		30		43	17		10	4	
IcNair Road Boys'														
School	13		258	2	4	1	86		91	3	1	23	7	
inglo-Chinese School earl's Hill Boys'	6		316	6	2	4	107	1	143	13	13	20	9	1
School	11		346	9	2000	1	29	5	144	20	14	41	13	
asir Panjang English	**		340			man 's	20	1	100				10	
School	3		50							400				
Totals	76		1,894	47	18	13	536	14	755	122	45	142	97	
Percentages 1933	2.76		68.67	1.7	*65	48'15	85.9	56.00	77.43	54.95	62.5	16.06	82.2	54'5
Percentages 1932	2.26		69:47	-73	.6	33'33	83.96	63.33	79.75	41.67	78:26	39.64	87:35	54.1

REPORT ON THE MEDICAL EXAMINATIONS OF LOCALLY TRAINED FEMALE TEACHERS IN SINGAPORE SCHOOLS DURING 1933

Two hundred and thirty-one teachers were examined compared with 237 in 1932. There was the usual routine examination and re-examination of those found defective.

The accompanying table is a summary of the defects found and the improvements which followed treatment. The figures for 1932 are given for comparison.

The standard of health among the teaching staffs of the schools remained high during the year.

II .- MEDICAL EXAMINATION OF BOYS' SCHOOLS, SINGAPORE.

 Systematic routine medical inspection was carried out in the following schools during the year 1933:—

(a)	Government	Englis	h Schools				14
(b)	Government	Aided	English Schools	***	- III	***	8
(c)	Government	Malay	Vernacular Schools	***			19
(d)	Government	Aided	Chinese Vernacular	Schools	***		5
							-
					Total	***	46

(2) The following table shows the total number of boys examined :-

Year		Government ided English Schools	In Malay Vernacular Schools	In Aided Chinese Schools	Total
1931		 6,224	2,388	Nil	8,612
1932		 6,618	2,395	561	9,574
1933	***	 6,933	2,402	413	9,748

(3) The following schools were inspected as to their sanitary arrangements and accommodation capacity:—

Government English School	ls		***		13
Government Aided English	and Chinese	Schools			13
Private English Schools	***				59
Malay Vernacular Schools					19
Tamil Vernacular Schools	***				5
Chinese Vernacular Schools					284
Arab Vernacular Schools		***			2
Sanskrit School	***				1
	Government Aided English Private English Schools Malay Vernacular Schools Tamil Vernacular Schools Chinese Vernacular Schools Arab Vernacular Schools	Private English Schools Malay Vernacular Schools Tamil Vernacular Schools Chinese Vernacular Schools Arab Vernacular Schools	Government Aided English and Chinese Schools Private English Schools Malay Vernacular Schools Tamil Vernacular Schools Chinese Vernacular Schools Arab Vernacular Schools	Government Aided English and Chinese Schools Private English Schools Malay Vernacular Schools Tamil Vernacular Schools Chinese Vernacular Schools	Government Aided English and Chinese Schools

The total number of visits to these schools was 595.

The sanitation of the Government and Aided English Schools and the Malay Vernacular Schools remained very satisfactory, the sanitation of the Private Tamil Schools remained still unsatisfactory.

(4) Data elicited from systematic examination of boys:-

(a) General Condition .-

			1931	1932	1933
Good	***	***	88.72	92.12	93.27
Fair		***	9.23	6.86	6.71
Poor	***		2.05	.02	.02

The general condition of the school children showed a steady improvement.

(b) Vaccination.—This was performed by the vaccinator attached to the Health Branch. The figures below give a summary of work done. The total number of raccinations was 2,939.

Year	Eng	lish Schools	Chinese Schools	Malay Schools	Total
1931		1,022	Nil	812	1,834
1932		1,901	488	794	3,183
1933		2,053	205	681	2,939

(c) Diseases of the Eye.—(1) defective vision and (2) diseases of eye. The total number of pupils with defective vision was 272 as against 215 in 1932 and 228 in 1931. There were 161 cases of diseases of the eye as against 166 in 1932 and 305 in 1931.

Pupils with defects greater than 6/9 were enabled to see an optician. The number of trachoma cases is less compared with the previous years:—

Year		Trachoma	Conjunctivitis	Other Conditions
1931	 	134	132	39
1932	 	54	69	43
1933	 	17	108	36

(d) Dental Caries.—The percentage of dental caries amongst school children was 34.23. as against 19.89 in 1932 and 25.37 in 1931. The Malay vernacular school children received free dental treatment at the General Hospital once a week.

The majority of the Malay parents refused to have their children sent for treatment.

Three private dentists treated school children at reduced rates. Cases unable to pay were treated free.

(e) Enlarged tonsils and adenoids.—The percentage of enlarged tonsils and adenoids amongst school children was 5.06 as against 13.48% in 1932.

) In	fectious diseases	·					
1.	Chicken-pox	***		***	 	22	cases
2.	Diphtheria				 	7	,,
3.	Measles				 	22	,,
4.	Mumps	***			 	20	.,
5.	Leprosy				 	1	,,
6.	Pulmonary tu	berculosis	***		 ***	I	
7.	Typhoid fever				 	45	**

There was an outbreak of typhoid mainly among the boys of St. Joseph's Institution. Two preventive vaccinations of typhoid vaccine prepared by the Government Bacteriologist were given to all the boys except those vaccinated by their own medical practitioners.

Hawkers at this school were banned and a tuck shop opened.

(1)

- (g) Malaria.—There were II cases of enlarged spleen in English schools out of the 6,933 children examined (.16%). In Malay schools there were 8 cases out of 2,402 children examined (.33%). There was only I case of enlarged spleen in the Chinese schools examined. None of the boys at Pulau Tekong vernacular school had enlarged spleen this year.
- (5) Lectures.—Short talks and demonstrations on health habits were given whenever necessary during the routine medical examination of pupils. There appeared to be a tendency among boys and teachers voluntarily to seek for information on health matters.
- (6) Treatment.—Only the poor were treated free at the General Hospital or at the Out-door Dispensaries. Others were advised to see their own private practitioners. The boys of the Malay vernacular schools were treated free at the Government travelling dispensary.
- (7) Systematic examination of School Teachers and other staff of Government, Aided and Vernacuiar Schools.—The total number examined was 310 teachers and 115 other staff. The principal defects found amongst teachers were:—

			Cases
Dental caries	 	 ***	34
Enlarged tonsils	 	 	2
Defective vision	 	 	4
Diabetes	 	 	I
Asthma	 	 6	I
Anæmia	 	 	I

(8) Propaganda.—Propaganda work was carried out through posters and cinema films.

Cinema Films.—A film on malaria made locally was added to the list of films shown this year.

Eight cinema shows were given this year to about 2,000 children and their parents.

(9) General.—Since the outbreak of typhoid the different school authorities have exercised a proper supervision of the feeding of those who come for instruction to their schools. The hawkers are now medically examined at the end of the routine medical inspection of each school.

The Inspector of schools, the heads of schools and the teachers have given their hearty co-operation and encouragement in this work.

SUMMARY OF SCHOOL SANITARY INSPECTIONS FOR THE YEAR 1933

	English	Malay Schools	Chinese Schools	Tamil	Sanskrit Schools	Arab	Total
Number of inspections for general sanitation Number of new premises inspected as to their accommodation capacity and sanitary	144	37	1,025	56	3	5	1,270
arrangements	15		110	3	1	2	131
accommodation certificates	15	**	52	3	1	2	73
in unsuitable premises and consequently asked to remove to more suitable premises 5. Number of schools reported to Asst. Director of Education (Chinese) and Inspector of			3				3
Schools, Singapore for action re sanitary improvements, over crowding, insanitary conditions or undesirable cubicles 6. Number of schools where sanitary improve-	3	1	5	2			11
ments are carried out, overcrowding relieved, cubicles demolished, etc	2 18			2 1	1:	::	9 20
8. Number of visits to pupils in their homes reinfectious diseases		-		368		2	

TREATMENT AS CARRIED OUT SINCE LAST MEDICAL EXAMINATION

English Schools	Anamin	Enlarged Tonsils and Adenoids	Nasal Catarrh	Bronchial	Defective Vision	Conjunctivitis	Trachoma	Other Eye	Dental Carles	Sordes	Sores	Scabies	Ringworm	Other Skin Affections	Otorrhoen	Enlarged Spleen	Enlarged Glands
Holy Innocents											10			1000			
St. Joseph's Insti-	1	33			2		1		36		3	1	1		**		
St. Patrick's School		51 18	.:	1	14 5	3			246		21	5	18	36			
St. Anthony's Boys		18	1	1	9				103	2		2	12	25	2	1	
School Geylang English		16	1	1		2			94			4		17	2	00	
School Teluk Kurau		20			3	2	1		54	1		1	4	13	2		
Englih School									23			2	7	17			
Anglo-Chinese School		13		2	30								-		-		
Radin Mas School	::	8	**		1	1	2	1	121	::	**	**	30	15 8	8	4	::
Gan Eng Seng School		8		1	9				34		10		1.00				
Outram School		2	1		21	::	::	::	94	**	20	3	3	4	1	**	
St. Andrew's School		3		-	27				73		11	1	15	3		100	
Raffles Institution Victoria Bridge					49				164		8	2	34				
School Rangoon Road		3			19	3		1	90		18	3	13	7	1	1	
School		4			7	3	1		45		20	1	4	1	1		1
Serangoon English School		2			2	7					100		135				1
Pasir Panjang English School		-	**	*	-	,		1	13		8	**		1		100	**
Bukit Panjang						1			12		7						
English School Government Trade		2							13		5			1			
School		1	1		1	1					3		15				2
Totals	1	184	4	6	190	23	5	3	1244	3	134	25	157	148	12	6	2

Chinese and Malay Schools	Anæmia	Enlarged Tonsils and Adenoids	Nasal Catarrh	Bronchial Catarrh	Defective Vision	Conjunctivitis	Trachoma	Other Eye Affections	Dental Caries	Sores	Scabies	Ringworm	Other Skin Affections	Otorrhœa	Enlarged Spleen	Enlarged Glands
CHINESE SCHOOLS																
Hop Kuan Free School					2				3	4						
garten Nanyang Pin Min						3				3		1	1			
School Chong Cheng School Holy Innocents Chinese	::	5		3	ï	2	::	**	47	16	1	ï	**	::	::	::
Boys' School		1				2			5							
Totals		6		3	3	7			61	24	2	2	1			
MALAY SCHOOLS		100									45					
Kampong Jagoh Malay Sehool Telok Blanga Malay		8				3			5	7					1	20
School Rochoh Malay School	::	3 17		::				::	14 45	::	1	2	16		3	::
Padang Terbakar Malay School	2	3									1	3	5	1		
Beting Kusa Malay School		11			.,	1								1		
School Tanjong Katong Malay				1						1	1	3	11			
School Malay School		15				2		**			4	8	32	2	**	
Siglap Malay School Tangiin Kechil Malay	::	19	::	::	::	7			23	14	4	2	1			
School Geylang Malay School Teluk Kurau Malay	::	7	::	::	3	3 7	::	1	::	16	1	3	5 2	2	1 4	
School Malay School	3	2		2		7				25	1		7		1	2
Tanah Merah Besar School		1	1	1	**	1			10	2	1	3	1	00		
Totals	- 5		1	4	3	31	-		127	88	17	24	81	9	10	2

III.—SCHOOLS, PENANG SETTLEMENT.

There are 23 vernacular boys schools in Penang Island with a total enrolment of 3,545 scholars. These boys are medically examined each year by the Assistant Health Officer, Schools. In addition, this officer visits these schools monthly to supervise treatment of minor ailments, to give treatment for worm and yaws infections and to deliver public health lectures.

Two hundred and seventy-eight such visits were made to these schools during the year and sixty-one lectures were delivered dealing principally with hookworm and malaria prevention illustrated by posters and diagrams. Cinema films on malaria, tuberculosis and child welfare were shown on six occasions.

There are 12 English Schools in George Town where medical inspection is carried out by the Assistant School Health Officer; he is aided in this work by the Assistant Medical Officer in charge of Chowrasta Dispensary.

Public Health lectures were delivered in boys English Schools and cinema films on malaria and hookworm were shown on two occasions.

The girls schools in Penang Island number 17, four of these are English schools and 13 vernacular with a nominal roll of 3,365. These are visited by the Lady Medical Officer. In addition there are 14 girls schools in Province Wellesley and Dindings

with a roll of 1,125 pupils. These are also inspected annually by the Lady Medical Officer. In Province Wellesley there are 48 boys schools with an attendance of 6,367. The boys receive medical inspection and treatment through the Health Officer who is assisted in this work by the Assistant Medical Officers attached to the three hospitals situated in the north, south and central districts of Province Wellesley.

In the Dindings where there are 9 boys schools with an enrolment of 485 boys, medical inspection is done by the Deputy Medical Officer.

The following is a summary of the records obtained in school medical examination:-

SCHOOL MEDICAL DATA-1933

		Boys	Girls		
Details of Medical Inspection	English Schools, Penang	Verna- cular Schools, Penang	Verna- cular Schools, P. W.	English	Verna- cular
No. of schools visited No. of pupils examined No. of individual children found to require treatment (excluding those with dental defects and worm infections)	13 5,369 { 1044 (19.4%)_	25 2,854 634 (22.6%)	49 5,183 1,522 (29°3%)	2,204 562 (25.4%)	31 1,855 219 (11.2%)
No. with gross dental defect	{ 2,564 (45.9%) 344 (6.4%) 230 (4.2%)	1,286 (45°1%) 269 (9°4%) 174 (6°1%)	1,174 (22.6%) 168 (3.3%) 486 (9.3%)	1,120 (50°8%) 486 (22°0%) 183 (8°3%)	850 (45°3%) 285 (15°3%) 192 (10°3%)

The figures above reveal the existence of a large number of remedial and preventable defects amongst children and indicates the need for further advance in public health measures.

There is a medical examination record card for each child attending school upon which details of the annual inspection are entered. Medical examinations in schools in rural areas are followed by visits of the Travelling Dispenary. The headmasters of urban schools are required to inform the parents or guardians of ailing children the nature of the defect and to see that the child receives the remedy which is advised.

Dr. Ethel Morris officiated as Lady Medical School Officer during the greater part of the year. She was succeeded by Dr. M. Weir, Lady Medical Officer. A complete medical survey of girls' schools in the Settlement was completed by the end of the year.

IV.—SCHOOLS, MALACCA.

During the year 10,607 pupils were medically examined distributed as follows.

Boys English Schools	***	 	1,852
Girls English Schools	***	 	793
Malay Vernacular Schools	***	 ***	7,962

Of these pupils 274 were found to be in very poor physical condition, 35 suffered from cardiac disease, 56 had yaws, 349 had deficient eyesight, 2,103 suffered from adenoids and enlarged tonsils while no less than 5,957 (more than half) had dental caries.

Medical inspections are carried out by the Lady Medical Officer, the Deputy Health Officer, and the Assistant Health Officers resident at Jasin and Alor Gajah.

A school dental service is urgently required to deal with the large amount of dental caries present among the scholars.

APPENDIX "F"

MEDICAL DEPARTMENT.

SOCIAL HYGIENE BRANCH.

ANNUAL REPORT FOR 1933

1. Treatment Centres .-

I.—SINGAPORE

Male Clinics-

- (a) Bencoolen Street Clinic.
- (b) Tanjong Pagar Clinic.
- (c) General Hospital Clinic.

Female Clinics-

- (a) Outdoor Dispensary, General Hospital.
- (b) Kandang Kerbau Women and Children O. D. D.

Outdoor Dispensaries which treat Venereal Diseases-

- (a) Bukit Timah Outdoor Dispensary.
- (b) Kandang Kerbau Outdoor Dispensary.
- (c) Paya Lebar Outdoor Dispensary.

II.—PENANG

- (a) Kampong Kolam Clinic.(b) General Hospital Clinic.

- (c) Chowrasta Outdoor Dispensary.
 (d) Balik Pulau Outdor Dispensary.
 (e) Government Travelling Dispensary.
 (f) Butterworth and Penagga Dispensary.
 (g) Sungei Bakap Outdoor Dispensary.
 (h) Lumut Hospital.
 (i) Bukit Metajam Dispensary.
 (ii) Pengkalam Bakan Outdoor Dispensary.

 - (j) Pengkalam Bahru Outdoor Dispensary.

 - (k) Prison Hospital.(l) Women and Children Outdoor Dispensary.

III.—MALACCA

- (a) Durian Daun Hospital.
 - (b) Travelling Dispensary.

 - (c) Veneral Disease Clinic, Malacca. (d) Government Outdoor Dispensary, Jasin.
 - (e) Government Outdoor Dispensary, Alor Gajah.
 - (f) Prison Dispensary.

2. Classification of Cases .--

New Cases-							7.11	
			Singa			iang		lacca
and the same			32	1933	1932	1933	1932	1933
Males			,926	11,166	7,272	6,646	2,785	3,064
Females	**	. 1	,046	795	1,274	1,113	443	472
Tota	1	. 15	,972	11,961	8,546	7,759	3,228	3,536
Re-attendances-			Anna			normal or	the section is	-
Males			,645	143,747	60,993	57,328	12,486	14,812
Females		. 5	,736	5,626	7,915	4,702	1,024	880
Tota	1	250	,381	140,373	68,908	62,030	13,510	15,692
Total attendances	incl	uding ne	rw cas	es-	- Louis			-
		266	,353	161,334	77,454	69,789	16,738	19,228
3. Classifica	tion	t of dis	eases.	-				
Singapore-				1932			1933	
		New		Re-		New	Re-	
		cases		idances	Total	cases	attendances	Total
Syphilis		5,306		2,232	67,538	4,287	32,801	37,088
C-th C		4,000		,186	80,105	2,223	46,800	40,032
		3,462	84	1,435	87,897	2,622	54,685	57,307
Others	***	3,195	27	7,528	30,723	2,829	15,078	17,907
Total		15,972	250	0,381	266,353	11,961	149,373	161,334
Penang-								
Syphilis	***	4,112		1,417	35,520	3,374	27,565	30,939
Soft Sore		583		6,962	7,545	652	5,742	6,394
Gonorrhæa		1,544	17	7,907	19,451	1,377	16,152	17,520
Others	***	2,307	1:	2,622	14,929	2,356	12,571	14,927
Total		8,546	6	8,908	77,454	7,759	62,030	69,789
Malacca-					1000			National Property
Syphilis		1,763		4,904	6,667	1,848	6,421	8,269
Soft Sore	***	202		1,383	1,675	238	1,302	1,540
Gonorrhœa		660		5,492	6,152	721	5,626	6,347
Others	***	513	1	1,731	2,244	729	2,343	3,072
Total		3.228	1	3.510	16.728	3.536	15.602	10.228

Singapore-				New cases	Re-attendances	Total
Europeans	***		***	308	1,910	2,218
Chinese			***	7,431	79,733	87,164
Malays	***			760	11,144	11,904
Indians	***	***	***	3,079	49,788	52,807
Others	***			383	6,798	7,181
		Total		11,961	149,373	161,334
Penang-						
Europeans	111	***	***	31	225	256
Chinese	***	***	***	3,529	28,445	31,974
Malays	***		***	1,103	5,523	6,626
Indians	***	***	***	2,901	26,680	29,581
Others	***	***	***	195	1,157	1,352
		Total		7,759	62,030	69,789
Malacca-				V 100.00-10	and the state of the state of	
Europeans	***	***		6	170	176
Chinese	***	***		2,005	7,487	9,492
Malays	***		***	607	1,670	2,277
Indians	***	***		884	5,726	6,610
Others	***		***	34	639	673
		Total		3,536	15,692	19,228

RATIO OF ATTENDANCES TO NEW CASES

Ratio of total attendances to new cases-

	Singapor	e		Penang			Malacca	
1931	1932	1933	1931	1932	1933	1931	1932	1933
14.2	15.6	12.5	6.5	8.06	8.0	3.5	4.2	4.4

Treatment of Seamen .-

The new clinic situated at Breeze Road at Kampong Bahru District caters for men of the Mercantile Marine and conforms to the International Agreement by treating seamen of all nationalities free and providing them with therapeutic agents to carry them through to the next port of call.

Numbers of seamen treated-

New Cases Re-atten		 Total	 636 5,830 6,466	7,080
Nationalities of s	camen tre	ated-	_	-
			1932	1933
British			 146	157
Other Eur	opeans		 75	75
Chinese			 316	363
Malays			 25	12
Indians			 55	42
Others		***	 19	21
			-	
		Total	 636	670
			-	

Treatment by Private Practitioners-

There are at present eight private practitioners on our list who are supplied by Government with drugs and who have agreed to treat patients at a reduced fee.

Number of patients treated by general practitioners are :-

			-2 Garage	the property	WALKED BLILL			
		Sypi	hilis	Gono	rrhæa	Total		
N		1932	1933	1932	1933	1932	1933	
New cases	***	1,130	1,094	397	254	1,527	1,348	
Re-attendances	***	1,246	1,590	362	373	1,608	1,063	
Total		2,376	2,684	759	627	3.135	3,311	
			-	-	Marian Indian	-	-	

Ablution Centre, Bencoolen Street Clinic-

The following are the attendances at the Ablution Centre:-

		Total		2,208	1,815
Others				438	375
Indians		***		327	358
Malays			***	138	143
Chinese	***			715	510
Europeans	***			590	429
No. of the last of				1932	1933

Serological Examinations-

These are carried out at Singapore by the Professor of Bacteriology and at Penang and Malacca by the officers in charge of the Pathological Departments at these Settlements.

	No. of blood tests	Positive	Negetive
Singapore	10,882	4,493	6,389
Penang	4,836	2,481	2,355
Malacca	2,080	1,349	731

Analysis of work done in V.D. Clinics-

(a) Intravenous-			Singapore	Penang	Malacca
Arsenobenzol			-		100000000000000000000000000000000000000
The second second			16,730	9,211	5,476
Mercury	***	***	Termina	504	How Med
Collosol Iodine	***	***	1,291	87	23
Thiostab	***	***	126	14	15
Neosilbersalvarsan	***		1,896	114	175
Trypaflavine	***	***	280	488	419
Sulfarsenol	***	***	135	5	84
Dmelcos			309	The state of the	Short and
(b) Intramuscular—					
Bismuth			12,431	5,165	1,922
Contramine			263	136	54
Trimine			220	37	41
Manganese Butyra	te		324	139	Not blick made
Collosol Mangane		*	116	135	70
Bivatol			117	-	
Aolan			5	_	
(c) Hypodermic-			100000		
Vaccine Gonococc	us		20,880	2,729	3,040
Sulphostab		***	1,459	683	118
Gonoyatren			83	287	
Arthigon			30	509	(CONT.)
Adrenaline			8	and the second	921 200
Miscellaneous-					
Irrigations			63,408	19,281	8,060
Dressings			59,024	24,495	6,890
Prostatic Massage			3,218	523	485
Minor Operations			791	279	274
Dilatations	***		713	3	2
Microscopic Examinations-					
Gonococci			+3,382	+1,314	+771
			-2,686 -	- 379	-372
Dark Ground Illumination Fi	lms-				1
	and some		+ 346	+ 14	+ 1
			-1,437	- 57	- 2
Propaganda—			7137	e Health Set	One Fahin
1 whatauna					

The Social Hygiene Branch continues to distribute pamphlets and leaflets to the public. Applications from outstations for these were promptly attended to.

Large posters in Chinese, Malay and Tamil are daily posted throughout the streets. These explain the dangers of veneral diseases and the location of the clinics, and call the attention of the public to the facilities offered by Government in the form of free and confidential treatment.

TABLE I

STAFF

The authorised number of the European staff of the Medical Department of the Straits Settlements in 1933, including officers seconded for service in the Unfederated Malay States, was 180.

GENERAL

Director of Medical and Health Services, Straits Settlements. Deputy Director of Medical and Health Services, Straits Settlements. Secretary to Director.

Accountant, Medical Department.

Chief Medical Officer, Singapore.

Chief Medical Officer, Penang.

Chief Medical Officer, Malacca.

Nine Leave Supernumerary Medical and Health Officers.

Nine Leave Supernumerary Nursing Sisters.

HOSPITALS AND DISPENSARIES

Senior Surgeon, Singapore.

One Radiologist, Singapore.

Surgeon, Penang.

Seven Medical Officers, Singapore. (One appointment retrenched on 1-7-33)

Five Medical Officers, Penang.

One Medical Officer, Malacca.

One Anæsthetist, Singapore.

One Dental Officer, Singapore.

One Dispensing Chemist, Singapore.
One Medical Officer, Labuan.

One Medical Officer, Labuan.

Secretary, General Hospital, Singapore.

One Matron, Super-scale, General Hospital, Singapore.

One Matron, Grade I, Singapore.

One Matron, Grade I, Penang.

Three Matrons, Grade II, Singapore.

Two Matrons, Grade II, Penang.
One Matron, Grade II, Malacca.
Thirty-five Sisters, Singapore.

Fourteen Sisters, Penang.

One Sister, Malacca.

Two European Attendants, Singapore.

One Lay Superintendent, Leper Settlement, Pulau Jerejak.

HEALTH BRANCH

Chief Health Officer, Singapore.

Senior Health Officer, Penang.

Four Health Officers, Singapore.
One Health Officer, Penang.
One Health Officer, Malacca.
One Chief Society

One Chief Sanitary Inspector, Singapore.

One Chief Sanitary Inspector, Penang.

One Lay Superintendent, Quarantine Station, Singapore.

Two Public Health Sisters, Singapore.

One Public Health Sister, Penang.

One Public Health Sister, Malacca.

PATHOLOGICAL BRANCH

One Pathologist, Singapore.

One Pathologist, Penang.

One Bacteriologist, Singapore.

COLLEGE OF MEDICINE, SINGAPORE

Principal.

Professor of Physiology.

Professor of Anatomy.

Professor of Medicine.

Professor of Surgery.

Professor of Clinical Surgery.

Professor of Midwife and Midwife a

Professor of Midwifery. Professor of Bacteriology.

Professor of Biology.
Professor of Bio-chemistry.
Professor of Dental Surgery.

Dental Mechanic. Janitor.

MENTAL HOSPITAL, SINGAPORE

Medical Superintendent.

Assistant Medical Superintendent.

One Matron, Grade 1.

One Sister.

Three European Attendants.

Social Hygiene Branch
Chief Medical Officer, Social Hygiene.

In addition, 7 superscale and 15 time-scale supernumerary Medical and Health Officers and 2 supernumerary Matrons and 11 supernumerary Nursing Sisters are borne on the establishment for service in the Unfederated Malay States, making a total

The locally qualified medical staff (Senior Deputies Grade, Deputies Grade and Assistants Grade) number 71.

TABLE II

(c) FINANCIAL 1933

(a) Revenue

Settlement		Hospital Fees, etc.	Government contribution to Hospitals Board	Total Revenue of Hospitals Board	Medical, General and Health	Total
		\$	\$	\$	\$	\$
Singapore		223,350	*536,750	*760,100	27,550	- 787,650
Penang		94,490	222,060	316,550	8,750	325,300
Malaeca		9,120	93,180	102,300	1,520	103,820
Labuan		340	2,725	3,065	520	3,585
Tota	1	327,300	854,715	1,182,015	38,340	1,220,355

EXPENDITURE

OF THE SINGAPORE EXPENDITURE UNDER HOSPITALS AND DISPENSARIES, \$5,770 IS MET BY PROVISION OTHER THAN CONTRIBUTION TO THE HOSPITALS BOARD AND \$720 SIMILARLY, IN THE CASE OF MALACCA

(b) Expenditure

Settlement	Items of Expenditure	Medical General	Hospitals & Dispen-	Health Branch	Social Hygiene	General Clerical Service	Total	
			saries		Branch	Service		
		\$	\$	\$	\$	\$	\$	
(Personal Emoluments	336,920	714,750	148,660	52,050	51,220	1,303,600	
Singapore 4	Other Charges	50,440	*749,050	50,190	23,590		873,270	
i	Special Expenditure	2,440	16,820	45,480			64,74	
	Sub-total	389,800	1,480,520	244,330	75,640	51,220	2,241,61	
- [Personal Emoluments	33,890	348,920	105,560	6,580	22,250	517,200	
Penang	Other Charges	3,110	310,300	35,150	3,360		351,920	
1	Special Expenditure		6,250	49,090			55,34	
	Sub-total	37,000	665,470	189,800	9,940	22,250	924,46	
r	Personal Emoluments	20,400	102,450	37,780	6,810	10,850	178,29	
Malacca	Other Charges	3,420	93,460	15,800	1,730		114,41	
1	Special Expenditure		9,560	33,030			42,59	
	Sub-total	23,820	205,470	86,610	8,540	10,850	335,29	
1	Personal Emoluments	7,360	5,070	2,400			14,83	
Labuan	Other Charges		3,065	590			3,65	
1	Special Expenditure			4,990			4,99	
	Sub-total	7,360	8,135	7,980		**	23,47	
(Personal Emoluments	398,570	1,171,190	294,400	65,440	84,320	2,013,92	
Total	Other Charges	56,970	1,155,875	101,730	28,680		1,343,25	
(Special Expenditure	2,440	32,630	132,590			167,66	
	GRAND TOTAL	457,980	2,359,695	528,720	94,120	84,320	3,524,83	

The above statement includes under revenue and expenditure the Government contribution of \$132,820 to the Tan Tock Seng's Hospital, the funds of which are administered by a Special Committee.

The following is a brief summary of the Revenue and Expenditure for Tan Tock Seng Hospital.

THE PARTY OF THE P			\$	\$
Balance brought forward from	1 1932			7,179
Government contribution, 193.	3			132,821
Rent, interests, etc				8,461
				148,461
Less:—				
Salaries and wages			26,432	
Drugs, equipment and special	upkeep	***	115,883	
				142,315
Balance carried forward to 19	34			\$ 6,146

The Hospital is staffed and administered by officers paid from Hospitals and Dispensaries, Personal Emoluments, Colonial Estimates.

Ten thousand four hundred and fourteen dollars expended on vitamin research by Professor of Biochemistry was met from the Colonial Development Fund.

Sums expended by the Public Works Department on upkeep of buildings, minor repairs, etc., are not included in the financial statement.

TABLE IIIA

ESTIMATED POPULATION, WITH BIRTHS AND DEATH-KATES, FOR THE YEARS 1932 AND 1933

	-5	POPULATION		BIRTHS		DEATHS		BIRTH-RATIO PER MILLE		DEATH-RATIO PER MILLE	
7		Estimated 1932	Estimated 1933	1932	1933	1932	1933	1932	1933	1932	1933
Singapore Penang Province Wellesley Dindings Malacca		 580,438 204,011 142,820 20,862 191,335 7,739	514,500 182,613 135,287 18,130 180,892 7,405	20,762 6,782 5,389 587 7,309 277	21,569 6,844 5,306 676 7,859 284	11,840 4,941 3,145 359 4,048 208	11,580 5,037 3,578 527 4,257 222	35°77 33°24 37°73 28°14 38°20 35°79	41'90 37'48 39'22 37'29 43'45 38'35	20:40 24:22 22:02 17:21 21:17 26:88	22°51 27°58 26°45 29°07 23°53 29°97
	Total	 1,147,205	1,038,827	41,106	42,538	24,541	25,201	35-83	40.95	21.39	24*26

TABLE IIIB

QUARTERLY DEATH-RATES FOR VARIOUS PARTS OF THE COLONY DURING THE PAST THREE YEARS WERE:—

YEAR		193	1	-		19	32			193	13	
Quarter	1st	2nd	ard	4th	ıst	2nd	3rd	4th	1st	2nd	3rd	4th
Singapore and Labuan Penang Island Province Wellesley Dindings Malacca	20°62 23°03 19°39 19°02 21°38	27°93 28°30 27°17 26°51 25°53	23°81 22°63 20°68 19°41 22°57	21°98 23°34 21°19 20°23 26°91	20°51 23°60 21°84 18°14 21°82	21.57 26.44 22.90 16.73 22.56	19°24 22°81 19°31 17°15 18°47	24°40 23°59 19°94	18*73 25*36 24*85 15*73 21*80	20°09 24°53 26°19 20°85 22°69	21.72 23.87 23.35 28.26 22.11	23°59 30°18 28°18 43°11 24°26

TABLE IIIC

POPULATION ESTIMATED RACIALLY AND COLLECTIVELY OF THE STRAITS SETTLEMENTS FOR THE YEARS 1933, 1932 AND 1931

Settlement or	Provin	ce	Euro- peans	Eura- sians 1933	Chinese 1933	Malays	Indians	Other Nation- alities 1933	Estimated 30th June 1933	1931 Census	Estimated	Estimated 30th June 1932
Singapore . Penang . Province Well Dindings . Malacca . Labuan .	esley	::::::	7,611 1,251 215 20 306 21	7,051 2,102 275 16 2,070 36	383,617 113,913 41,497 6,286 60,059 2,094	67,050 40,897 72,684 7,855 99,070 5,048	40,991 22,616 20,125 3,874 18,757 139	8,180 1,834 581 79 630 67	514,500 182,613 135,287 18,130 180,892 7,405	558,861 198,788 141,377 19,592 186,694 7,538	562,866 199,150 141,635 19,628 187,627 7,605	580,438 204,011 142,820 20,862 191,335 7,739
Tot	al S.S.		9,424	11,550	607,376	292,604	106,502	11,371	1,038,827	1,112,850	1,118,511	1,147,205

TABLE IIID

BIRTHS REGISTERED IN THE STRAITS SETTLEMENTS DURING 1933 AND THEIR RATIO PER MILLE OF POPULATION

Settlem	ent or	Province		Male	Female	Total	Total	Total	Ra	tio per mil	le
						1933	1932	1931	1933	1932	1931
Penang Province Wel Dindings Malacca	llesley	::		11,409 3,494 2,716 355 4,097 160	10,160 3,350 2,590 321 3,762 124	21,569 6,844 5,306 676 7,859 284	20,762 6,782 5,389 587 7,309 277	20,470 7,083 5,281 552 7,700 275	41'90 37'48 39'22 37'29 43'45 38'35	35·77 33·24 37·73 28·14 38·20 35·79	36:37 35:57 37:28 28:15 41:58 43:74
		Total S.	s	22,231	20,307	42,538	41,106	41,361	40.92	35.83	36.8

TABLE IIIE
BIRTHS REGISTERED IN THE STRAITS SETTLEMENTS DURING 1933 ACCORDING TO NATIONALITIES

Settlement or	Euro	peans	Eura	asians	Chi	nese	Mal	ays	Ind	lians		her nalities	Tot	al
Province	No.	Ratio	No.	Ratio	No.	Ratio	No.	Ratio	No.	Ratio	No.	Ratio	No.	Ratio
Singapore Penang Province Wellesley Dindings	183 34 2	24.04 27.18 9.28	157 47 14	22°27 22°36 50°90	16,805 4,528 1,938 199	43°81 39°75 46°56 31°66	1,356 2,617	42:39 33:16 36:01 39:61	1,297 856 730 165	31.64 37.35 36.27 42.59	285 23 5	34°84 12°54 8°61 12°66		
Malacca Labuan	6	19.61 47.61	70	33.82	2,690 87	44°79 42°41	4,354 183	48°95 36°25		41.79 57.52	15 4	23°81 59°70		43°41 38°35
Total S.S	226	23.98	289	25.01	26,247	43.21	11,663	39.86	3,780	35.49	333	29.29	42,538	40.98

TABLE IIIF

DEATHS REGISTERED IN THE STRAITS SETTLEMENTS DURING 1933 ACCORDING TO NATIONALITIES

Settlement or	Euro	peans	Eura	asians	Chi	nese	Mal	ays	Ind	ians		her nalities	Tot	tal
Province	No.	Ratio	No.	Ratio	No.	Ratio	No.	Ratio	No.	Ratio	No.	Ratio	No.	Ratio
Singapore Penang Province Wellesley	45 11	5°91 8°79	101 31 2	14°32 14°75 7°27	8,749 3,143 1,154	22.81 27.59 28.87	1,766 1,201 1,886	26°34 29°37 25°95	788 615 526	19°22 27°19 26°14	131 36 10	16.01 19.63 17.22	11,580 5,037 3,578	22°51 27°58 26°48
Dindings Malacca Labuan	3	9.80	37	17.87	209 1,395 42	33°25 23°23 20°05	226 2,413 170	28.80 24.36 33.68	90 407 6	23°23 21°70 43°16	2 2 4	25·32 3·17 59·70	527 4,257 222	29°0° 23°50 29°9°
Total S.S	59	6.26	171	14.81	14,692	24.19	7,662	26.19	2,432	22.84	185	16.27	25,201	24.26

TABLE IIIG

DEATHS REGISTERED IN THE STRAITS SETTLEMENTS IN 1933 UNDER DIFERRENT GROUPS OF AGES

Ages			Singapore	Penang	Province Wellesley	Dindings	Malacca	Labuan	Total
0 ——			1,141	343	331	56	455	1	2,327
4 weeks			851	277	170	24	549	3	1,874
3 months			798	206	128	25	349	40	1,546
6 months			827	257	137	26	318	28	1,593
year			1,157	493	451	73	405	33	2,612
years			319	185	200	30	119	8	861
years		manufer.	154	68	74	7	47	3	353
years			226	121	96	15	77	4	539
years			411	209	122	19	132	11	904
years			568	250	137	28	194	12	1,189
years			675	294	179	24	214	4	1,390
years			640	304	173	32	184	6	1,339
years			685	319	190	27	218	15	1,454
years			668	292	146	27	153	54	1,230
years			654	314	191	27	177	, 9	1,372
years and Over			1,866	1,091	853	87	664	, 9 41	4,602
nknown				14	1.7		2		16
	7	otal	11,580	5,037	3,578	527	4,257	222	25,201

TABLE IIIH

TABLE SHOWING THE INFANTILE MORTALITY (UNDER ONE YEAR) IN THE STRAITS SETTLEMENTS INCLUDING DEATHS IN CHILDREN BORN ELSEWHERE

				D 41	Ratio	per mille of Bir	rths
Settlem	ents		Births	Deaths	1933	1932	1931
Singapore Penang Province Wellesley Dindings Malacca Labuan	::	::	21,569 6,844 5,306 676 7,859 284	3,623 1,083 766 131 1,671 73	167°97 158°24 144°36 193°79 212°62 257°04	176-24 142-14 117-65 151-62 194-83 256-31	197°65 133°76 121°00 130°43 243°51 287°27
	Total		42,538	7,347	172'72	166'42	185-15

TABLE IIII

Table showing the Infantile Mortality (Children under one Year) in the Straits Settlements and Nationalities excluding Deaths in Children born elsewhere

	Str	ngap	ore	1	Peni	ang			ince sley	1	Dine	lings	M	nlac	ca		Lab			Total	
Nationalities	Deaths	No. born elsewhere	Ratio	Deaths	No. born elsewhere	Ratio	Deaths	No. born elsewhere	Ratio	Deaths	No. born elsewhere	Ratio	Deaths	No. born elsewhere	Ratio	Deaths	No. born	Ratio	Deaths	No. born elsewhere	Ratio
Europeans Eurasians Chinese Malays Indians Other Nationa-	5 19 2,652 674 182	43 23	27.32 121.02 157.81 237.16 140.32	3 653 272		58.82 63.83 44.21 200.59 127.34	263 389	5	135°19 148°64 142°47	40 67	2	201°01 215°43 121°21	1 9 507 1,045 96	6 4	166.66 128.57 188.48 240.01 131.21	14 51	··· i	160°92 278°69 750 00	8 31 4,129 2,498 517	42	35:40 107:21 157:31 214:18 136:77
lities and Unknown	20	1	70.18	3	1	130.43							1		66-67	1		250.00	25	2	75-0
Total	3,552	71	164.68	1042	41	152-25	756	10	142-27	127	4	187.87	1,659	12	211.09	72	1	253-52	7,208	139	168'0

TABLE IIIJ

DEATHS REGISTERED IN THE STRAITS SETTLEMENTS AS REGARDS CERTIFICATES IN THE YEAR 1933

Particulars	Singapore	Penang	Province Wellesley	Dindings	Malacca	Labuan	Total
Died in Hospitals	3,724	1,011	339	98	492	11	5,675
Practitioners Certified by registering Officers	2,330	718	1		266	18	3,333
after death	3,333 2,193	1,994 1,314	38 3,200	1 428	434 3,065	193	5,800 10,393
Total	11,580	5,037	3,578	527	4,257	222	25,201

TABLE IV

Meteorological returns for the Straits Settlements for the year 1933.

Singapore

METEOROLOGICAL RETURN FOR THE YEAR 1933

7	ЕМРЕ	RATU	RE °F				RAIN	FALL	WINI MID-	DAY	
The same of the sa	The same of	Average Maximum (A)	Average Minimum (B)	Mean 1/2 (A+B)	Average Mini- mum on Grass	* Range	Amount in Inches	‡ Relative Humidity	Prevailing Direction	Average Speed mile per hour	Remarks
January February March April May June July August September October November December		85·2 88·5 87·7 87·9 88·7 89·0 88·1 88·0 87·0 86·5 85·2 84·7	72:5 71:0 72:9 74:3 75:3 75:6 75:0 75:5 73:5 74:0 72:4 71:5	78.9 79.7 80.3 81.1 82.0 82.3 81.5 81.7 80.4 80.3 81.5 81.7 80.4	71'9 69'8 72'5 73'8 74'2 74'6 74'0 74'5 73'3 73'2 72'1 71'3	19 23 24 22 20 22 22 22 22 23 22 29 20 22 22 22 23 22 23 22 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	11:02 1:92 10:97 4:33 6:29 10:07 4:73 5:92 6:03 7:63 9:12 4:49	88'4 80'6 86'8 85'1 84'2 81'4 82'3 83'2 81'9 83'1 87'8 88'2	N.E. N.E. S.W. S.W. S. W. S. S. S.W. S.W. S.W. S	8.7 7.2 8.0 7.6 7.8 9.4 9.8 9.2 8.9 10.1 6.9 6.0	

- * Difference between Extreme Maximum and Extreme Minimum during the month.
- † Difference between Extreme Maximum and Extreme Minimum during the year.
- ‡ Percentage of Saturation-Mean for 24 hours.

Penang
Meteorological Return for the Year 1933

7	EME	PERATU	RE °F				RAIN	FALL	WINI MID-	DAY	
		Average Maximum (A)	Average Minimum (B)	Mean 1/2 (A+B)	Average Mini- mum on Grass	* Range	Amount in Inches	†Relative Humidity	Prevailing Direction	Average Speed mile per hour	Remarks
Tannani		0010		000		00	3.86	% 72			
January February		90.5	74·2 73·1	82°2 82°5	**	20 24	2.74	76	200	1	
The state of the s	**	91.7	75.5	83.6		22	5.30	74			
March		90.2	75.2	83.0		20	10.89	79			
May		91'3	75.5	83'4	33	23	10.02	77	11	1	
June	**	89.9	74'5	82.2		23	4.82	75		100	
July		89.1	74'1	81.6	20	21	10.14	77		1	
August		89'8	74.3	82.1	1	20	4'81	77		1	
September		89.0	74'0	81'5		20	10.31	79		1	
October		87'9	73:7	80'8		19	15.81	83			
November		87'2	73'8	80.2		23	11.79	79			
December		87:7	72.7	80.5		21	6.85	74			
Year		89-7	74.2	82'0		† 25	97:37	77			

^{*} Difference between Extreme Maximum and Extreme Minimum during the month.

[†] Difference between Extreme Maximum and Extreme Minimum during the year.

[‡] Percentage of Saturation at 9 a.m.

TABLE IV-continued

Malacca

METEOROLOGICAL RETURN FOR THE YEAR 1933

	T	EMPERAT	URE °	F			RAIN	FALL	WINI MID-	DS AT	
		Average Maximum (A)	Average Minimum (B)	Mean 1/2 (A+B)	Average Mini- mum on Grass	* Range	Amount in Inches	‡ Relative Humidity	Prevailing Direction	Average Speed miles per hour	Remarks
January February March		. 85'3 . 89'3 . 86'7 . 85'3 . 86'2 . 85'7 . 84'7 . 85'0 . 84'4 . 84'5 . 84'3 . 84'4	73.0 72.6 73.9 74.0 74.5 73.8 73.6 73.8 73.4 73.2 73.3 72.5	79·1 80·9 80·3 79·7 80·3 79·7 79·1 79·4 78·9 78·8 78·8 78·5	71.5 71.3 72.5 72.9 73.4 72.2 72.3 72.5 72.2 72.0 72.3 71.5	18 23 20 18 20 18 16 16 17 16 19 16	6:46 0:96 10:51 8:85 3:60 7:16 11:59 7:30 12:25 14:08 4:13 9:02	% 83:8 78:3 83:0 86:1 86:7 81:6 85:1 85:6 84:0 87:0 87:1	N.E. N.E. S.W. S. S. S. S. N.E. S. N.E. S. S. S. S. S. S. S.	11.6 9.2 8.7 8.9 7.8 6.9 8.1 8.9 7.4 8.5 6.9 7.4	

- * Difference between Extreme Maximum and Extreme Minimum during the month.
- † Difference between Extreme Maximum and Extreme Minimum during the year.
- ‡ Percentage of Saturation-Mean for 24 hours.

Labuan
METEOROLOGICAL RETURN FOR THE YEAR 1933

	Темр	ERATU	RE °F				RAINFALL		WINDS AT MID-DAY		
	No. of Persons	Average (A)	Average Minimum (B)	Mean 1/2 (A+B)	Average Mini- mum on Grass	* Range	Amount in Inches	‡ Relative Humidity	Prevailing Direction	Average Speed miles per hour	Remark
January	5000	85.8	75.5	80.7		17	3:37	% 79	1		
February	**	85.8	74'3	80.0	**	21	2.68	79			
February March		86.9	76.0	81.2		18	7.56	80	1	* 350	
April May		88.0	76.5	82.3		20	4.88	78		2.50	
May		87.9	75.6	81.7		22	17.83	79		11	
une		87.8	75'6	81.7		19	2.87	77		23	
uly		87.2	74.4	80.8		19	10.02	78		100	
August		88-2	75'3	81.7		21	10.49	78			
September		87.0	75'0	82'0		20	15'69	80			
October		86.1	74.1	80.1		24	19.63	82		200	
November		86:3					12.44	83			
December		85.6	75.1	80.3		23	14.47	84			
Year		86.9				†··	121'98	80		7	

- Difference between Extreme Maximum and Extreme Minimum during the month.
- † Difference between Extreme Maximum and Extreme Minimum during the year.
- ‡ Percentage of Saturation-Mean of observations at 9 a.m., 3 p.m. and 9 p.m.

TABLE V HOSPITALS OR INSTITUTIONS STRAITS SETTLEMENTS RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933

Diseases	*Remaining in Hospital	YEARLY	TOTAL	† Total Cases	‡Remaining in Hospital	Reviers
DISEASES	at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARKS
- Distance a side of	STATE OF	ELE IN	9 :	housed	Brangitt	
-Infectious and Parasitic Diseases						
		202	0.5	annual Sal	linken Land	
1. Typhoid fever 2. Paratyphoid fever	12	303	95	315	34	
	0	15	1	15	2	
3. Typhus:— (1) Typhus exanthematicus		-		-	money.	
	0	7 2	I	7 2	0	
(2) Tropical typhus (3) Japanese river fever	0		0	2	0	
(4) Other rickettsia infec-	***			edentité so	10" 100	
		1 100				
			***	-	Co III Hall	
4. Relapsing fever						
5. Undulant fever 6. Smallpox						
	0	2	1	2	0	
0 0-1-1 1	1	53	0	54	2	
8. Scarlet fever 9. Whooping cough						
	0	34 60	I	34 60	0	
ro. Diphtheria	0	00	13	00	0	
		10		1	to the	
(1) with pneumonia (2) with other respiratory	0	49	1	49	1	
complications	0	37	0	37	3	
(3) without respiratory com-	1000000					
plications	14	942	2	956	14	
12. Cholera	***	***	***	***	***	
3. Dysentery:—	1					
(1) Amœbic	14	285	49	299	16	
(2) Bacillary	23	236	66	259	8	
(3) Mixed	0	17	8	17	I	
(4) Undefined or due to		00		,		
other causes	8	88	13	96	1	
14. Plague :—						
(1) Bubonic			***		***	
(2) Pneumonic		***	***	***		
(3) Septicæmic			***			
(4) Undefined	***	***	***			
15. Erysipelas	0	21	1	21	0	
16. Acute poliomyelitis :-	100			ALL DE LANGE	100000000000000000000000000000000000000	
(1) Acute poliomyelitis	0	2	0	2	0	
(2) Acute policencephalitis	***					
17. Encephalitis lethargica	2	5	2	7	0	
18. Cerebro-spinal fever	0	5	I	5	0	
19. Glanders			***	***		
20. Anthrax			***			
21. Rabies						
22. Tetanus:-					Control of	
(1) Tetanus of the newly	1	24.0	1000	1	Annual Control	
born	3	87	86	90	I	
(2) Other forms of tetanus	2	32	16	34	I	
23. Tuberculosis of the respiratory					100	
system	256	1,850	743	2,106	264	
STATE OF THE STATE						
0		1			0	
Carried forward	335	4,132	1,100	4,467	348	

The form shows in the main the arrangement of diseases in the International Nomenclature, 1931 Edition. To save space the unimportant diseases of any class can be grouped in their places as "Other Diseases" of the Class.

*i.e. the year previous to that for which the return is made

^{† &}quot;Total cases treated" will, of course, include those remaining in Hospital at the end of the previous year.

[†] The figures in this column to be carried on to the next year's Return.

TABLE V
RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

DISEASES	Remaining in Hospital	YEARLY	TOTAL	Total Cases	Remaining in Hospital	Davis
DIODADES	at end of 1932	Admissions Deaths		Treated	at end of 1933	REMARK
				12	132-14	
Brought forward	335	4,132	1,100	4,467	348	
.—Infectious and Parasitic Diseases— continued				18		
24. Tuberculosis of the central				16	2001.00	
nervous system 25. Tuberculosis of the intestines or	1	38	37	39	0	
peritoneum 26. Tuberculosis of the vertebral	1	42	24	43	3	
column 27. Tuberculosis of other bones and	12	35	6	47	15	
joints 28. Tuberculosis of the skin or	20	46	9	66	21	
subcutaneous tissue (lupus)	0	2	0	2	0	
29. Tuberculosis of the lymphatic system	I	46	4	47	3	
(abdominal & bronchial glands excepted)			1			
30. Tuberculosis of the genito-uri- nary system	0	13	1	12	anger Co	
31. Tuberculosis of other organs:— (1) Adrenal				13	dupliquion	
(2) Other sites	т	41	15	42	The street of	
32. Tuberculosis disseminated:—			-5	4-		
(1) Acute	0	2	2	2	0	
(2) Chronic (3) Not distinguished as	0	2	0	2	2	
acute or chronic	0	1			Trail Cont	
33. Leprosy	1,006	662	102	1,668	1,167	
(1) Primary	28	236	0	26.	8	
(2) Secondary	121	1,154	2	1,275	79	
(3) Tertiary	31	228	52	259	38	
(4) Hereditary	5	97	36	102	6	
(5) Period not indicated	17	243	73	260	21	
35. Other venereal diseases:— (1) Soft chancre	72	244				
(2) Gonorrhœa and its com-	13	244	0	257	18	
plications	53	775	0	828	51	
(3) Gonorrhœal opthalmia (4) Gonorrhœal arthritis	10	28	I	38	I	
(E) Cranulama manana		182	1	202	15	
(6) Tropical bules	0	3	0	3	0	
36. Purulent infective septicæmia—	4	102	1	106	15	
(1) Septicaemia				1		
(2) Pyæmia	0	54	42	54	2	
(3) Gas gangrene	0	26	11	26	0	
37. Yellow fever		3	3	3	0	
36. Malaria:— (1) Tertian (benion)			- "	***	10 10 10	
(2) Quartan	23	1,291	14	1,314	16	
(3) Aestivo-autumnal	3	126	3	129	6	
(subtertian)	42	2,361	140	2,403	42	
(4) Mixed infections	5	83		00	THE PARTY NAMED IN	
(5) Unclassified	20	626	5	88	1	
(o) Cachexia	22	859	10	646	15	
(7) Blackwater fever	0	3	29 I	881	23	
Carried forward	1,794	13,789	1,728	15,583	1,918	

TABLE V
RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

	Dienages		Remaining in Hospital	YEARLY	TOTAL	Total Cases	Remaining in Hospital	Dev
	DISEASES	Translation	at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARKS
	Trangt	A farmers	- 2/10	12.44	1 1111	1	1419	
	Brought	forward	1,794	13,789	1,728	15,583	1,918	
-Injectious	and Parasi	tic Diseases—				- damen's	badta bad bamitana	
o. Other tozoa:		ue to Pro-				ACUNOUS AND A	Side Strain	
	laws (fram Spirochætos	is ictero-	0	30	0	30	1	
	hæmorrha							
	eishmanias						•••	
(4) F	Kala azar Other diseas					7		
. Ankylos		ses	54	1,305	29	1,359	38	
. Hydatid			0	7	0	7	I	
. Other	diseases d	ue to Hel-				and the same of	9 947 30 4	
minths					10	Personal Marrie	The second second	
(+) 7	Cestodes l'aenia soliu	***	100000		and the same			
	l'aenia sagg		0	7	0	7	0	
	Other cesto					'		
	Nematodes					HI WELL	30	
			I	12	0	13	4	
	scaris		16	290	0	306	9	
	richuris tr		0	1	0	I	0	
)xyuris ver					***		
	Trematodes	medinensis	0	2	0	2	0	
	chistostom			1 . 5 !	4		Ben our y	
(9) 5	nicum	Japo-	0	1	1	T	0	
(10) C	lonorchis s		0	3	1	3	0	
	Other helmi		0	9	0	9	0	
3.—(1) Spr	ue		. I	3	2	4	0	
	inomycosis		1	I	0	2	0	
(3) Oth	er mycoti	ic infections			100		I	
		urely dermal			533	STREET, STREET,	V. minition	
	ycosis	or parasitio	0	1	0	1	0	
disease		or parasitic		1 1 2		- Invariant	NAMES AND	
		cluding post					Salara II	
(1)	vaccinal er	cephalitis			****			
(2) (Other sequel	æ of vaccina-			1	mideral :	of the carries	
	tion		0	2	0	2	0	
						•••	***	
		(chicken-pox)	5	68	0	73	1	
(5) 1		its complica-		200		-		
(6) T			0	68	1 0	68	0	
	Meliodosis							
				***			The state of the s	
(9) C	landular fe		0	1	0	1	0	
	7.4		2	11	0	13	0	
			1	10. 1		a carrie	And	
II.—Cancer	and othe	Tumours	MA HALL			The second second	The second	
		malignant						
disease	s of the b	uccal cavity,		-				
and ph	arynx		4	44	9	48	1	
450						-		
	Carried	forward	1,878	15,684	1,771	17,562	1,974	

TABLE V
RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

DISEASES	Remaining in Hospital	YEARLY	TOTAL	Total Cases	Remaining in Hospital	Devise
DISEASES	at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARK
Brought forward	1,878	15,684	1,771	17,562	1,974	
I.—Cancer and other Tumours— continued				COMMON SE		
6. Cancer or other malignant						
tumours of the digestive organs,						
and peritoneum:— (1) Stomach	0	51	31	57	Hard State	
(2) Liver (primary)	3	58	34	51 61	2	
(3) Other digestive organs	3	63	27	66	5	
. Cancer or other malignant						
tumours of the respiratory				50 50		
organs	0	27	11	- 27	3	
8. Cancer or other malignant tumours of the uterus	0	42	-		Been	
Cancer or other malignant	0	43	5	43	3	
tumours of other female genital				1 1 2 2		
organs	4	20	5	24	2	
o. Cancer or other malignant				0130	The state of	
tumours of the breast 1. Cancer or other malignant	2	16	6	18	3	
tumours of the male genito						
urinary organs	1	23	5	21	anality	
2. Cancer or other malignant		-3	3	24		
tumours of the skin	3	56	8	59	6	
3. Cancer or other malignant		1 1 6		0,5		
tumour of organs not specified	. 6	91	24	97	6	
 Tumours non-malignant:— (1) Of female genital organs 			F 1-0		THOUGHT SEED	
(2) Of other sites		50 87	2	51	4	
5. Tumours of undertermined	3	0/	4	90	7	
nature : —	18				miss marry	
(1) Female genital organs	0	4 18	0	4	0	
(2) Other sites	0	18	4	18	0	
III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases					ordelises decidions	
6. Rheumatic Fever :—					1 11500	
(1) with cardiac involvment (2) Without cardiac involv-	0	24	2	24	0	
ment	0	15	0	15	0	
7. Chronic rheumatism and osteo- arthritis					All or Share	
8 Gont	12	143	0	155	9	
Diabetes (not including diabetes						
insipidus) D. Scurvy (including Barlow's dis-	9	120	13	129	16	
ease)(1) Beri-beri including epidemic	0	2	1	2	0	
dropsy (2) Beri-beri associated with	121	814	193	935	89	
pregnancy or labour	I	74	10	75	All The same	
Pellagra	0	5	0	5	0	
. Osteomalacia	0	4	0	4	0	
Osteomalacia			***			
Carried forward	2,047	77 400	2.776			1
	m,04/	17,492	2,156	19,539	2,132	

TABLE V
RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

	DISEASES		2000	Hamilton and the	Total Cases		REMARKS
		at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARKS
	Brought forward	2,047	17,492	2,156	19,539	2,132	
	natism, Diseases of				1	26 . 41 21	
Glands o	and of Endocrine and other General ases—continued				Charlest Con	Summe Ord	
	of the pituitary gland		100 100		1	adest side	
6. Diseases	of the thyroid and para-		2	0	3	0	
	Simple goitre	0	4	0	4	0	
	exopthalmic goitre		25	4	27	I	
	Myxœdema, cretinism	4.0	4	0	5	2	
	Cetany Other diseases of the		3	0	3	0	
(3)	thyroid glands		3	0	3	0	
	of the thymus					10	
	of the adrenal glands	4			-	and page A	
	ling tuberculosis)			***		***	
	Acidosis	0	I	0	1	0	
	Other diseases of meta-				-	of maniphonesis and	
	bolism	0	5	2	5	I	
	ises of the Blood and Forming Organs	1			phot sets to	med may	
	hagic conditions:	1 1 1			20090	or alterance	
	upura	0	1	I	I	0	
	Hæmophilia	0	3	1	3	0	
	and chlorosis :-					y de restaures	
	Pernicious anæmia		25	5	26	I	
	plenic anæmia Chlorosis	0	7	3	7	1	
	econdary anæmia	10	160	18	170	13	
(5) C	Others	2	44	9	46	I	
2. Leukæm		13	13			atherine and	
	eukæmia Iodgkin's diseases	I	7 6	4 0	8	0	
	of the spleen :—	1	0		7	Bl to let a	
	Banti's diseases	0	4	0	4	0	
(2)	Others (not including					armin's	
	diseases of the spleen due to malaria or				11	manufact.	
	leukæmia)	1	3	0	4	0	
4. Other di	seases of the blood and						
blood f	orming organs			***			
V_C	hronic Poisoning	18	100		- 0	THE PARTY AND PARTY.	
	sm (acute or chronic)	0	66	0	66	Color Color	
6. Chronic	poisoning by other substances:—		00	0	00		
(I) C)pium	3	336	2	339	2	
	forphia, cocaine	0	I	. 0	I	0	
	Others	0	6	0	6	0	
	poisoning by mineral				15	ald town the	
	ead poisoning	0	25	0	25	1	
(2) A	Arsenical dermatitis	0	15	0	15	I	
(3)	Others	0	3	0	3	0	
					20,321	2,158	

TABLE V
RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

Brought forward I.—Diseases of the Nervous System and Sense Organs 8. Encephalitis (not including encephalitis lethargica):—	1	Admissions	Deaths 2,205	20,321	in Hospital at end of 1933	REMARK
I.—Diseases of the Nervous System and Sense Organs 28. Encephalitis (not including	1	18,251	2,205	20,321	2770	
I.—Diseases of the Nervous System and Sense Organs 28. Encephalitis (not including	1	18,251	2,205	20,321	A T-0	
and Sense Organs 8. Encephalitis (not including				THE REAL PROPERTY.	2,158	
	3			Sedendari General	In land	
		1 1 3		ola vastica	7000 000	
(1) Cerebral abscess (2) Other forms of encepha	. 0	3	3	ban 53	0	
litis 9. Meningitis (not including tuber	. 5	15	9	20	3	
culous meningitis or cerebro						
spinal meningitis) to. Tabes dorsalis (locomotor	I	28	23	29	2	
ataxia) 1. Other diseases of the spinal cord	7	43	0 2	53	17	
2. Apoplexy and paralysis:—		24		31	7	
(1) Cerebral hæmorrhage (2) Cerebral embolism		39	25	42	0	
(3) Cerebral thrombosis (4) Hæmiplegia cause not		19	0	20	3	
determined (5) Other paralysis	00	69	6	102	38	
3. General paralysis of the insane		25 32	26	35 62	31	
4. Other forms of insanity:— (1) Dementia præcox	205	34	20	220	Semina .	
(2) Others		651	120	1,758	205 1,131	
5. Epiplepsy 6. Infantile convulsions		69 58	2	74	3	
(age under 5 years)		30	31	59	0	
Other diseases of the nevous system:—		16		1704		
(1) Chorea (2) Neuritis and neuralgia						
(3) Paralysis agitans	42	325	4	367	53	
(4) Disseminated sclerosis	3	3	0	9 4	3	
(5) Neurasthenia	I	40	0	41	0	
(6) Hysteria	1	20	0	21	0	
(7) Others 8. Diseases of the eye:—	I	39	5	40	5	
(1) Conjunctivitis	10	226	20	to the .		
(2) Trachoma	13	326 47	0	336	13	
(3) Corneal ulcer	2	122	0	60	0	
(4) Other diseases of the eye	182	482	0	664	190	
 Diseases of the ear and or the mastoid sinus:— 			- 3		190	
(1) Otitis externa	0	68	0	68	2	
(2) Otitis media	6	46	3	52	0	
(3) Mastoiditis (4) Others	I	38	2	39	2	
(4) Others	0	41	0	41	0	
VII.—Diseases of the Circulatory System				seine	N/200	
o. Pericarditis	1	13	5	14		
I. Acute endocarditis:— (I) Malignant			3	14	- 1 1000	
(2) Others	0 2	5 24	16 16	5 26	1 1	
Carried forward	3,757	21,005	2,510	24,762	3,904	

TABLE V

RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

DISEASES	Remaining in Hospital	YEARLY	TOTAL	Total Cases	Remaining in Hospital	Reviews
DISEASES	at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARKS
Brought forward	3,757	21,005	2,510	24,762	3,904	
	31/3/	21,000	2,5.0	24,,,02	31904	
VII.—Diseases of the Circulatory System—continued				form form	100 No 1919	
92. Chronic endocarditis-valvular					pal self to	
disease:— (1) Aortic valve disease	6	83	27	80	0	
(2) Mitral valve disease	4	84	19	88	11	
(3) Aortic and mitral	5	21	II	26	5	
(4) Others 93. Diseases of the myocardium:—	0	8	2	8	0	
(1) Acute myocarditis	12	122	33	134	14	
(2) Chronic myocardial dege-			33	WHERE WE	Reibh 100	
neration	2	63	22	65	11	
94. Diseases of the coronary	1 : 14	1 1 63	100			
arteries:— (1) Angina pectoris	0		0	4	0	
(2) Coronary thrombosis	0	4 4	3	4	0	
(3) Coronary sclerosis	0	2	I	2	0	
95. Other diseases of the heart:-	- 10			1	animation.	
(1) Auricular fibrillation	2	25	0	27	4	
(2) Heart block (3) Others	0	3	3	3	3	
96. Aneurysm :—			3	donatados	3	
(1) Aneurysm of aorta (2) Aneurysm of other	3	23	10	26	3	
arteries	0	7	3	7	1	
97. Arterio-sclerosis	10	90	55	100	II	
98. Gangrene	I	29 12	II	30	I 0	
100. Diseases of the veins:—				-3		
(1) Varicose veins	1	28	0	29	0	
(2) Hæmorrhoids	10	221	0	231	8	
(3) Phlebitis (4) Thrombosis	7	8	0	15	I	
(4) Thrombosis (5) Others	4 0	5 8	0	8	3	
101. Diseases of the lymphatic				the lund	3	
system:—		1 19.00		THE PARTY		
(1) Lymphangitis	5	12	0	17	0	
(2) Lymphadenitis (3) Bubo (non-specified)	13	32 103	0	33	3 8	
102. Abnormalities of blood pres-	13	103	0	110		
sure :—					mala 2	
(1) High blood pressure	0	29	4	29	2	
(2) Low blood pressure 103. Other diseases of the circulatory		***				
system:—					and work	
(1) Epistaxis	0	4	0	4	0	
(2) Others	0	13	4	13	0	
VIII.—Diseases of the Respiratory System		2 207 5		ellevat adi	The Residence of	
104. Diseases of the nasal fossæ and		103.1		seggeden	to style	
its annexa:—		240	0	245	7	
(r) Diseases of the nose (2) Diseases of the accessory	5	240	0	~43	Ulner of the	
nasal sinuses	5	57	I	62	2	
Carried forward	3,854	22,356	2,723	26,210	4,007	

TABLE V
RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

Demons	Remaining in Hospital	YEARLY	TOTAL	Total Cases	Remaining in Hospital	David
DISEASES	at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARK
Brought forward	3,854	22,356	2,723	26,210	4,007	
VIII.—Diseases of the Respiratory					161 10 1115	
System—continued					ATTO STATE OF	
o5. Diseases of the larynx:—						
(1) Laryngismus stridulus						
(2) Laryngitis (3) Other diseases of the	0	24	1	24	I	
Larynx	0	3	0	3	Des Server	
o6. Bronchitis:—		3		3	maid	
(1) Acute	24	404	3	428	8	
(2) Chronic	10	311	9	330	16	
(3) Not defined as acute or				P. Land	(GLOIDERS)	
chronic	0	348	2	348	20	
o7. Broncho-pneumonia	16	650	449	666	14	
o8. Lobar-pneumonia	II	536	268	547	19	
og. Pneumonia (not otherwise	1 18	100		- CONTRACT	The section of	
defined) 10. Pleurisy	1	34	12	35	0	
(*) Denomo						
(a) Other planning	3	58	9	61	1	
11. Congestion and hæmorrhagic	5	99	4	104	10	
infarction of lung, etc. :-					2000000	
(1) Hypostatic congestion of					1	
lung	0	3	0	3	0	
(2) Massive collapse					1000	
(3) Pulmonary embolism	0	1	1	1	0	
(4) Others						
12. Asthma	30	538	4	568	39	
13. Pulmonary emphysema	0	24	7	24	3	
14. Other diseases of the respiratory system:—					PE SOL 3014	
(1) Chronic interstitial pneu-	1 1 2				I more	
monia (including occu-					COLUMN TO SERVICE STATE OF THE PARTY OF THE	
pational diseases of the					A CHARLES	
lung)	0	8		8		
(2) Gangrene of the lung	0	2	1 2	2	0	
(3) Abscess of the lung	0	14	10	14	0	
(4) Bronchiectasis	1	II	2	12	2	
(5) Others	4	40	ī	44	2	
	19	10		The same of the	-mal odni	
IX Diseases of the Digestive				of contract	No codings	
System		1		7	Land William	
15. Diseases of the buccal cavity,					The Party	
Pharynx, etc.:—		1 6		Section 20	The state of the s	
(r) Pyorrhœa	2	TIO	0	770		
(2) Dental caries	ō	107	0	112	5 5	
(3) Stomatitis	0	58	2	58	4	
(4) Ludwig's angina	U	I	I	I	0	
(5) Diseases of the tonsils	7	372	3	379	15	
(6) Others	2	120	4	122	4	
r6. Diseases of the œsophagus	I	24	I	25	5	
7. Ulcer of the stomach or duode-			1		THE RESIDENCE	
num (1) Ulcer of the stomach	***			Print - 1		
(2) Ulcer of the duodenum	17	166	30	183	22	
(a) older of the duodeddin	13	124	12	137	24	
Carried forward	4,010	26,546	2 262			
70.000	4,010	20,340	3,561	30,556	4,227	

 ${\bf TABLE} \quad {\bf V} \\ {\bf Return \ of \ Diseases \ and \ Deaths \ (In-patients) \ for \ the \ Year \ 1933-continued}$

	DISEASES		Remaining in Hospital	YEARLY	TOTAL	Total Cases	Remaining in Hospital	Davis
	DISEASES	hotsest	at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARKS
							-	
	Brough	t forward	4,010	26,546	3,561	30,556	4,227	
Syste	m—contin					Min'll-ories	D with to	
	eases of th astritis	e stomach :	18			of classics for	of the c	
(2) 0			9	373 253	2	391 262	24 7	
. Diarrhœa	and ente		11	245	110	256	2	
	er 2 years					replaif is	To Ibelah	
Diarrhœa	ears and			1 0	199	E DEFEIRE	10 100000	
(I) C			15	245	2	260	6	
	therwise	defined	I	307	18	308	7	
. Appendic	ntis	obstruction	14	189	14	203	7	
(I) H		obstruction:—	12	187	2	199	12	
	trangulate	d hernia	0	37	3	37	12	
(3) In	itestinal o	obstruction	0	47	15	47	1	
	g intussu			1				
	eases of the	ne intestines— n, intestinal	100				i protestyrate	
	stasis	u, mestmar	3	115	1	118	2	
(2) D	iverticulit	is	0	9	ī	9	0	
(3) O			6	225	5	231	12	
. Cirrhosis				***				
	n-syphilit leoholic		0	11	2			
1000000		ed as alcoholic	14	167	3 55	181	12	
		he liver :			- 00	sterner with		
		ow atrophy	0	I	0	I	0	
	oxic hepa mœbic	abscess and	0	2	0	2	0	
			8	68	6	76	4	
(4) O	thers		I	49	8	50	4	
6. Biliary ca								
	Vith chole		0	8	1	8	0	
	1	ention of cho-	0	10	0	10	0	
		of the gall		10		10		
bladder	and ducts	s:-					lam svins	
	holecystit cord of ca	is without re-	11 3	1		1000	Bills allege	
(2) O			2	51 64	6	53 67	0	
8. Diseases			3 0	3	9	3	0	
(excluding	g diabetes	mellitus)					1000	
9. Peritoniti	s, withou	t stated cause	2	46	32	48	0	
_Diseases	of the G	enito-Urinary		14 - 120		9231	page 10	
	(non-ve			10		Secretary Sec.	A CONTRACTOR	
. Acute ne			22	140	42	162	20	
r. Chronic	nephritis		28	337	136	365	20	
2. Nephritis	(undefin	ed as acute or			99	1198	THE REAL PROPERTY.	
chronic		ha bidney and	3	29	4	32	6	
annexa		he kidney and				Colomostic.		
	yelitis		6	137	14	143	5	
(2) O			10	78	16	88	0	
		3 (
	Carrie	d forward	4,198	29,979	4,068	34,177	4,388	

TABLE V

RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

Diseases	Remaining in Hospital	YEARLY	TOTAL	Total Cases	Remaining in Hospital	Danie
	at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARKS
Brought forward	4,198	29,979	4,068	34,177	4,388	
X.—Diseases of the Genito-Urinary System (non-venereal)—continued				minus	10 10 100	
134. Calculi of the urinary pass-				diamiles	Channe !	
ages:—		1 35			shriend	
(1) Calculi of the kidney and ureter		6-		6-	and the same	
(2) Calculi of the bladder	I	60	3	61 22	0 2	
(3) Calculi of unstated site	0	13	0	13	0	
135. Diseases of the bladder:—				1990	hen grany	
(1) Stricture (2) Others	I	76	5	77	6	
136. Diseases of the urethra	2	34	0	36	2	
(1) Cystitis	4	72	2	76	5	
(2) Others	5	62	1	67	4	
137. Diseases of the prostate	0	28	I	28	3	
138. Diseases of the male genital Organs:—	1 1	410		To the same	100000000000000000000000000000000000000	
(1) Epididymitis	2	24	0	26		
(2) Orchitis	2	42	0	44	0 2	
(3) Hydrocele	4	123	0	127	8	
(4) Others	3	66	2	69	2	
139. Diseases of the female genital		10			SOUTH !	
organs:— (I) Diseases of the ovary	-1					
(2) Diseases of the fallopian	1	II	2	12	0	
tube	3	60	3	72	3	
(3) Diseases of the paramet-	9		3	1-	3	
rium	0	6	I	6	0	
(4) Diseases of the uterus (5) Diseases of the breast	2	128	I	130	5	
(6) Other diseases of the	2	28	0	30	1	
female genital organs	2	18	0	20	0	
				20		
XI Conditions arising in Pregnancy,	0 0	8 9	5 704	old little	Marky charle	
Childbirth and the Puerperal	-	100	2 129	5 10 doing	on amounts we	
State		11111	10 10	-30	The state of the s	
40. Post abortive sepsis				13.00	tuch bearing	
(1) Septic abortion	0	2	2	2	0	
141. Abortion not returned as	124	19		jbrd.	o lo lossy	
septic :— (1) Hæmorrhage following		19				
(1) Hæmorrhage following abortion	-			100000000000000000000000000000000000000		
(2) Abortion without record	I	34	0	35	3	
of hæmorrhage	I	145	0	146	2	
42. Ectopic gestation	0	18	0	18	0	
43. Other accidents of pregnancy	7	210	10	217	6	
44. Puerperal hæmorrhage:— (1) Plancenta prævia		11000		1 6 500	altricus.	
(2) Other puerperal hæmor-	0	32	6	32	0	
rhage	2	63	14	65	0	
45. Puerperal sepsis:—		03	14	05		
(1) Puerperal septicæmia	0	25	14	25	0	
(2) Puerperal sepsis, not in- cluding septicæmia			-	21	o williams	
cluding septicæmia	2	34	8	36	1	
Carried forward	4,246	31,423	4.744	35,669	4.442	
	41,440	3-14-3	4,144	35,009	4,443	

TABLE V
RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

DISEASES	Remaining in Hospital	YEARLY	TOTAL	Total Cases	Remaining in Hospital	REMARKS
441	at end of 1932	Admissions	Deaths	Treated	at end of 1933	REMARKS
Brought forward	4,246	31,423	4,144	35,669	4,443	
I.—Conditions arising in Pregnancy,				the second		
Childbirth and the Puerperal State—continued				action of the state of	is of Locale	
46. Puerperal albuminuria and convulsions:—				mood in		
(1) Ante-partum eclampsia		38	6	42	1	
(2) Intra-partum eclampsia (3) Post-partum eclampsia		13	3 3	13	0	
(4) Albuminuria of pregn-		,	3	10		
ancy	. 0	66	I	66	I	
(5) Pyelitis of pregnancy		2	0	2	0	
47. Other toxæmias of pregnancy—				poorbes.	Liting	
(1) Hyperemesis gravidarur. (2) Others	0 0	33 17	8	33 17	0	
48. Puerperal phlegmasia, embo- lism:—	1 110			month	Dellaware.	
(1) Puerperal phlegmasia . (2) Puerperal embolism .		3	0 2	3	I 0	
49. Conditions associated witl	1	1			Di Shalin	
(1) Normal labour	. 88	4,440	7	4,528	91	
(2) Abnormal labour (3) Labour complicated with		644	- 11	657	8	
intercurrent disease (4) Accidents of childbirth		18	0	18	0	
50. Other or unspecified conditions of the puerperal state:—	s				Application of the second	
(1) Puerperal insanity (2) Puerperal diseases of the	. 0	I	0	I	0	
breast		6	0	6	0	
(3) Others	. 0	2	0	2	0	
XII Diseases of the Skin and	1	1 12		- decorate	analdanat	
Cellular Tissues		1	1 11 -1	15	made	
51. Carbuncle, boil	. 7	157	4	164	2	
52. Cellulitis, acute abscess:—		10-11			mh Lio	
(a) Calladia	. 23	429	16	452	44	
(2) Acute abscess (3) Otherwise defined	. 52	943 84	9	995 92	31 7	
53. Other diseases of the skin and it	S		1 6	ed basets	Sections Pa	
(1) Ulcers	. 122	1,706	8	1,828	134	
(2) Dermal mycoses		12	0	12	0	
(3) Herpes		46	0	49	2	
(4) Scabies	-6	725	0	238 761	7 34	
Carried forward	4,618	41,057	4,225	45,675	4,808	

TABLE V

RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

and the same	DISEASES	Supports	Remaining in Hospitals at end of 1932	YEARLY TOTAL		Total Cases	Remaining in Hospital	
				Addmissions	Deaths	Treated	at end of 1933	REMARK
	Request	forward	4,618	41,057	4,225	45,675	4,808	
	Diongin	, or a a a a a a	4,010	44,037	41443	45,075	4,000	
	ases of the is of Locon	Bones and notion				Particular Particular	her han h	
		omyelitis and		00		795	HILDS-N	
periost 55. Other di		na honas	6	88	5	94	14	
56. Diseases	of the join	ats and other	4	39	1	43	3	
(r) I	Diseases of	the joints	23	213	0	236	18	
		ocomotion	5	169	0	174	4	
XIV.—Con	genital Ma	lformations					Delication of	
57. Congenit	al malform ongenital			199			To and the said	
	phalus pina bifida	and menin-	0	5	2	5	1	
	gocele ongenital	malformation	0	3	1	3	0	
	of the hear	t	0	7	0	. 7	I	
(4) N (5) C		ypertrophic,	0	2	1	2	o	
(6) C	pyloric ster left palate,	harelin				1 5000		
(7) In	mperforate	anus	0	25 13	0 2	25 13	3 0	
			4	12	3	16	1	
XV.—Disea		Infancy	1 3		- 4	THE REAL PROPERTY.	rurretel.	
8. Congenit	al debility	***	2	23	12	25	,	
 Prematur Injury at 	e birth .		0	20	16	20	ī	
Other di infancy	seases pecu	liar to early	0	1	I	1	0	
(1) A	telectasis .		0	+			to and	
(3) A	fections of	atorum f the umbi-	0	12	6	12	0	
	licus . emphigus	noonat	0	9	3	9	0	
	thone	neonatorum	0	2	0	2	1	
		200	0	17	5	17	0	
VI.—Condi	tions Assoc Old Age	ciated with		- 3			Total of the	
2.—(1) Seni	le dementia	1	4	18	120		- AND SEA	
(2) Othe	er forms of	senile decay	49	120	3 34	169	44	
XVII.—Aff Ext	ections Pro ernal Cause	duced by			-	on stay of	1 to minist	
Suicide, o poisonin	r attempted	l suicide, by	- 14		. 84	-	Sant la	
(including of Suicide, of	corrosive por	suicide, by	0	46	18	46	0	
gas pois	oning		***					
	Carried	forward	4,715	41,902	4,339	46,617	4,902	

TABLE $\,^{\circ}$ V Return of Diseases and Deaths (In-patients) for the Year 1933—continued

-	DISEASES		Remaining in Hospitals	YEARLY TOTAL		Total Cases	Remaining in Hospital	Deve
			at end of 1932	Addmissions	Deaths	Treated	at end of 1933	REMARKS
	Broughi	forward	4 775	47.002	4 220	46,617	4.000	
	100000000	Control of the last	4,715	41,902	4,339	40,017	4,902	
XVII.—Affections Produced by External Causes—continued						O- MANAGES		
hanging	or strang	ed suicide, by sulation ed suicide, by	0	5	3	5	0	
drownin	ıg	ed suicide, by	1	13	0	14	1	
firearms	3		0	I	1	1	0	
cutting	or piercin;	ed suicide, by g instruments ed suicide, by	1	19	3	20	1	
jumping	from a h							
crushin	g	ed suicide, by					1	
other n	neans		0	1	0	. 1	0	
73. Assault o	or homicide	e, by firearms	0	8	2	8	0	
or piero	ing instru	ments	8	275	3	283	6	
means		de, by other	23	1,209	4	1,232	37	
(I) S	nake bite		0	17	0	17	0	
(3) 0	nsect bite		0 1	35	0	20 36	0	
77. Food poi	soning	ion of irres-	0	18	3	18	0	
pirable	or poisono		0	4 35	2 8	4 35	0	
80. Injuries	due to con	nflagration						
	agration e	xcepted)		0-		0-	ou while I	
(2) S			3 5	82 185	5	85	5	
	tances	orrosive subs-	1	10	0	11	0	
	sure to sur			***				
(5) D		due to expo-					CEAR COLD	
82. Accident	radiation al mecha	 nical suffoca-	0	5	0	5	0	
tion		ion or drown-				•••		
ing			0	18	1 0	18	0	
 Accident piercing 	al injury g instrume	by cutting or	6	296	0	302	6	
shing,			40	1,171	47	1,211	45	
(2) B	y machine	гу	7	100	I	107	7	
(3) B	y motor v	ehicles	57	535	33	592	34	
	Carried	l forward	4,868	45,969	4,465	50,837	5,055	

TABLE V
RETURN OF DISEASES AND DEATHS (IN-PATIENTS) FOR THE YEAR 1933—continued

2000	Remaining in Hospitals at end of 1932	YEARLY TOTAL		Total Cases	Remaining in Hospital	REMARKS
DISEASES		Admissions	Deaths	Treated	at end of 1933	REMARK
Brought forward	4,868	45,969	4,465	50,837	5,055	
XVII.—Affections Produced by External Causes—continued					on union	
(4) By railway vehicles (5) By other means	0 26	5 561	1 14	5 587	0 34	
87. Cataclysm:— (tidal waves cyclones, etc.)	0	2	1	2	0	
88. Injury by animals (except poisoning by venomous animals)	1	50	0	51	0	
89. Hunger or thirst	0	5	0	5	0	
90. Excessive cold	0	I	0	1	0	
gr. Excessive heat	0	3	0	3	0	
92. Lightning	0	4	4	4	0	
93. Electricity	0	4	0	4	0	
94. Other unstated forms of violence				The Bally	Abbrul S	
(1) Inattention at birth (2) Others	0	I	I	I	0	
95. Violence of an unstated nature (i.e. suicidal, homicidal, or accidental)	1	189	0	189	5	
96. Wounds of war					511d 5day	
97. Execution of civilians by belli- gerent armies					4110	
98. Execution						
90. 2	***			250 10		
XVIIIIll-defined Conditions				project let	palitant gar	
99. Sudden death (cause unknowu)	0	4	4	4	0	
200. Cause of death unstated or ill-		-		Chelipsia	P COUNTY OF	
defined	4	35	39	39	0	
classification which have caused				THE PERSON	TO DESIGN	
no deaths	38	1,784	0	1,822	44	
202. Malingering	9	37	0	37	0	
os. Cases admitted to hospital for observation as to mental condi- tion		252		258	13	
204. Cases admitted for observation (not mental)	5 8	253 202	0	250	2	
205. Persons accompanying patients	41	1,095	0	1,136	32	
				10101111	THE REAL PROPERTY.	
Total	4,991	50,206	4,530	55,197	5,185	

