# **Annual medical and sanitary report / Trengganu.**

#### **Contributors**

Terengganu. Medical Department.

### **Publication/Creation**

Singapore: Govt. Printer., [1930]

#### **Persistent URL**

https://wellcomecollection.org/works/qkkytq5x

#### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org Ac. 226

# **TRENGGANU**



Annual Medical and Sanitary Report for the year ending 31st December, 1930





# TRENGGANU.

# THE ANNUAL MEDICAL AND SANITARY REPORT FOR THE YEAR ENDING 31st DECEMBER, 1930.

#### I. ADMINISTRATION.

#### (a) STAFF.

Dr. N. H. Harrison, Chief Medical Officer, returned from leave on 2.5.30, and relieved Dr. T. C. Lonie, who had been acting for him.

Dr. T. C. Lonie proceeded to Kelantan for duty as it was found impracticable, on financial grounds, to retain his services as Health Officer; an appointment it was expected he would fill when the Chief Medical Officer returned from leave.

The appointment of Health Officer has now been abolished.

Miss E. K. Chenhalls, Health Sister, arrived in Trengganu for duty on 11.11.30.

The appointment of Health Sister is in danger of being abolished next year for financial reasons.

Lim Guat Neo, Maternity Nurse, returned to Trengganu for duty from Singapore on 23.2.30 having passed the examination for certificate B of the Central Midwives Board of Malaya.

The principal subordinate appointments are:-

- 19 Dressers—3 of Grade I, 3 of Grade II, 5 of Grade III, 5 probationers, 2 travelling dressers and one ungraded.
- 1 Steward
- 1 Assistant Store-keeper
- 3 Clerks
- 2 Sanitary Inspectors
- 4 Vaccinators.

Two dressers were sent to the Federated Malay States for examination and both passed to Grade II.

Two Sanitary Inspectors resigned. One probationer dresser was transferred to the Clerical Service. One dresser, seconded from the Straits Settlements, returned to Singapore for duty.

Two Sanitary Inspectors and four dressers were appointed including two additional appointments sanctioned during the year.

(b) LIST OF ORDINANCES AFFECTING PUBLIC HEALTH ENACTED DURING THE YEAR. Nil.

#### (c) FINANCIAL.

The financial year A. H. 1348 of the Trengganu Government closed on A. H. 29.12.48 (27.5.30).

Headings	Year A.H. 1346	Year A.H. 1347	Year A.H. 1348	
	\$ c.	\$ c.	\$ c.	
Revenue from sale of medicines and hospital fees	1,049.55	1,468.15	1,153.81	
Total Revenue of State	1,402,150.63	1,361,026.00	1,391,470.82	
Total Expenditure of Medical Department	52,755.78	61,888.61	65,627.33	
Percentage of total medical expenditure to total Revenue of the State	3.76%	4.5%	4.7%	

#### II. PUBLIC HEALTH.

#### (a) GENERAL REMARKS.

A few remarks on the State of Trengganu, and its people, may be of interest as indicating the chief physical features of the country, and the character of the native for whom medical, and sanitary work is being provided.

Trengganu is an Un-federated Malay State of about 5,000 square miles situated on the East Coast of the Malay Peninsular; bounded on the North and North West by Kelantan; on the South and South West by Pahang; and on the East by the China Sea. Inland are splendid hills rising to a height of three or four thousand feet, and forming watersheds for the numerous rivers which empty into the China Sea. The coastal area consists of alluvial plains of varying depth, interrupted here and there by small hills some of which reach down as far as the foreshore. The climate is healthy, and affords a pleasant constrast to the enervating climate on the west coast, inasmuch as the North East Monsoon, lasting from November to March, brings with it rain, wind, and a lowered temperature. The nights are cool, and refreshing sleep is possible. The population, consisting of 94.6% Malays, is concentrated along the sea board, and on the banks of the rivers.

The Trengganu Malay, generally speaking, is a simple unobtrusive person. His wants are few and easily satisfied. He is for the most part self-supporting and independent. If his rice crop is good, all is well; if not, he makes the best of it, and looks forward to the next. He has his fowl, and his betel nut; he may possess cattle, and he can nearly always get fish. Knowledge of affairs comes to him by word of mouth. He is illiterate but is awaking to the value of literacy for his children. In addition to Government Vernacular Schools there are, in a few villages, independent, unaided locally supported, vernacular schools The native Malay has very little initiative or inventive capacity. He blindly follows tradition. His pleasures are bound up in the numerous ceremonies associated with birth, marriage, death etc. He finds his amusements in the village gatherings where story and jest are exchanged. He is interested in the foreigner but only as a curiosity. Competition plays only a small part in his life. He gives one the impression that his race in the contest of peoples has been run, and now he is an onlooker only. The remnants of a past epoch of valour are to be found in the fine courage of the present day fishermen, whose skill, and intrepidity are to be admired.

It is not surprising, therefore, that external moral and material influences react very slowly on the Trengganu Malay. The effect of trade depression with its attendant evils of unemployment and want are not perceptible. Even on the few sophisticated Malays, constituting the governing class, the prevailing trade depression is of no more than casual interest.

From the point of view of public health it may be said that the rate of sickness has not been influenced by the prevailing economic depression, except among the Chinese, and Indians, of whom there are only a few in Trengganu. Amongst the Malay population there are signs that, at least, the "white mans'" curative medicines are being appreciated, and that the prospect for preventive medicine is not hopeless. What is being accomplished, or contemplated, in the matter of urban, and rural sanitation, will be mentioned under their appropriate headings in this report.

The prevailing diseases recorded during the year compared with 1928—1929 are shown in the table following.

Diseases	. 1928	1929	1930
Yaws	 2,921	3,390	3,386
Malaria	 3,089	3,370	5,775
Fever unspecified	 705	1,827	2,799
Beri Beri	 1.531	1,297	915
Diseases of the skin	 7.041	8,906	6,888
Diseases due to intestinal parasites	 1,913	1,802	2,894
Diseases of Digestive System	 4.851	11,696	10,357
Diseases of Respiratory system	 1,286	1,431	1,437

#### (I) General Diseases.

Skin Diseases account for 6,888 cases, of which 3,144 are returned under the heading tinea, and 2,370 under scabies. It is probable that many of the cases labelled scabies are cases, either of tinea, or of staphylococcic origin.

An interesting skin affection is associated with yaws, showing itself between the date of the appearance of the primary affection and the secondary eruption. It is characterised by an arborescent macular rash becoming papular in places and seen principally on the trunk. It is evanescent and usually disappears leaving some of the papules to develope into the typical secondary eruption. It is called "bunga" and later as the papular form "ketot puru."

Beri Beri is constant in its appearance during, and immediately after, the North East Monsoon. The seasonal incidence is shown as a graph appended to this report. Similar graphs for the years 1926, 1927 and 1928 show a correspondence in the seasonal incidence. The total number of cases was 915. The number of cases treated in the hospital was 97 with 12 deaths.

Radio malt is now being given to Beri Beri patients with encouraging results.

#### (II) Communicable Diseases.

Mosquito or Insect-borne:—Malaria becomes more prominent as a cause of sickness year by year. This is due to the opening up of the hinterland. The main sources, from which the severe cases of malaria coming under medical observation are derived, are to be found in new properties, in jungle, being felled and cleared as, for example, the new Japanese Iron Mine at Dungun, and in new road construction. Reference will be made supporting this statement under Hygiene and Sanitation. The seasonal incidence is shown as a graph. The total number of cases treated was 5,775. The number of cases treated in hospital was 641 with 27 deaths.

Infectious Diseases. Dysentery. The returns from medical institutions for this disease do not represent the actual relative incidence as is clearly seen by referring to the figures recorded by the Registrar of Deaths under the heading, Dysentery, where 243 deaths are shown. If it is legitimate to draw inferences from hospital cases it would seem that bacillary dysentery in Trengganu is more common than has heretofore been recorded. Of the 61 hospital cases 15 were bacillary, 16 amoebic, and 29 chronic undefined.

Influenza was common but complications were rare, 1,621 cases were treated. The seasonal incidence is shown as a graph.

Yaws. There is little doubt that this disease is being brought under control in those districts where treatment is available. In Kuala Trengganu, where treatment by injection of Bismuth Sodium Tartrate on Saturday mornings has been regularly carried out for the last 5 years, the attendances of local patients have so diminished that at the present time the great majority of patients attending come from distant villages. With the establishment of small native hut dispensaries an attempt is being made to sterilize district by district. Two Travelling dressers will be at work. They will proceed systematically, and will stay in a village long enough to give thorough treatment. It is anticipated that it will be possible, in course of time, to declare this district as sterile to yaws, and that district as under treatment for yaws, and still later the State as sterile to yaws. The table below may be instructive as evidence of the therapeutic value of Bismuth Sodium Tartrate in the treatment of yaws. The figures are of cases under treatment and observation at the dispensary, Kuala Trengganu, during the past 5 years. The patients are practically all Malays, who recognize and are anxious to obtain the cure. It may be assumed that they come until all obvious lesions have disappeared.

Treatment of 7,603 cases of Yaws by Bismuth Sodium Tartrate.

Number of injections	Number of cases	Percentage of cases	
1	5,131	67.48	
2	1,895	24.92	
3	318	4.18	
4	140	1.84	
5	60	98 77	
6 and over	59	77	

#### (b) VITAL STATISTICS.

(1) General Native Population.—The population at the last census in 1921 was 153,765, divided, by race into Malays 145,523, Chinese 7,246, Indians 211, Europeans 34, and other races 751. The census for 1931 is anticipated with interest as the population in the decade 1911—1921 showed a decrease from that in the decade 1901—1911. From available figures, which are only approximate, it would seem that an increase is not to be expected. There has been a small excess of emigrants over immigrants during the last seven years. The number of emigrants was 86,063, and immigrants 83,257 for that period. For the four years, during which registration of births and deaths has been in force, an excess of deaths over births per mille per annum of 5.76, and 1.90 is recorded, respectively, for the first 2 years, and an excess of births over deaths of 0.50 and 10.39 per mille per annum, respectively, for the last 2 years.

Births. 6,189 births were registered during the year A.H. 1348 of whom 3,196 were males and 2,993 females, giving a birth rate of 40·25 per mille per annum compared with a birth rate of 31·48 per mille per annum for 1,347, 29·62 for 1,346 and 25·62 for 1,345.

Table showing Births according to Race.

Malays	Chinese	Indians	Japanese	Arab	Javanese	European	Total
5,957	200	18	4	4	5	1	6,189

Deaths. 4,591 deaths were registered of whom 2,198 were males, and 2,393 were females, giving a death rate of 29.86 per mille per annum compared with 30.98 per mille per annum for the year 1347, and 31.52, and 37.38 for the years 1346 and 1345 respectively.

Table showing Causes of Deaths.

Disease	A.H. 1345	A.H. 1346	A.H. 1347	A.H. 1348
Fever	. 2,390	851	2,672	2,692
Convulsions	. 690	643	790	848
Beri Beri	. 541	246	240	150
Bowel complaints includin	g			
dysentery	. 522	350	243	218
Respiratory diseases .	. 132	104	76	89
Puerperal fever	. 65	64	53	78
Still born	. 78	117	161	148
Old age	. 195	191	192	162
Annidanta	. 19	50	55	79
Other causes	. 278	143	251	127

Table showing Deaths according to Race.

Malays	Chinese	Indians	Javanese	Japanese	Siamese	Arab	European	Total
4,300	265	15	5	3	1	1	1	4,591

Table showing Deaths according to Age.

Under 12 months	1—2 years	2—3 years	3—12 years	Adults	Total
1,573	84	83	593	2,258	4,591

Infant mortality.—There were 1,573 deaths of children under one year. The infant mortality rate or rate per annum per thousand births was 254·13, compared with 337·53, 355·45, and 356·00 for the years 1347, 1346 and 1345 respectively.

- (2) General European Population.—The health of the Europeans in the State has been satisfactory. The total number of Europeans in the State on 31.12.30 was 27 including one child.
- (3) European Officials.—European Officials, of whom there were on an average 15 reside in towns on the sea coast where health conditions are good. There were two cases of amoebic dysentery, 3 cases of Malaria and a few minor ailments recorded.

Table showing the Sick, Invaliding, and Death Rates of European Officials.

Trengganu		1928	1930	
Total number of Officials resident			20	26
Average number resident			16	15
Total number of Sick List			4	5
Total number of days on Sick List			33	51
Average daily number on Sick List			.09	0.14
Percentage of sick to average number resid	dent		25	33.3
Average number of days on Sick List for e	each patier	nt	8.25	10.2
Average sick time to each resident			2.06	3.4
Total number invalided			Nil.	Nil.
Percentage of Invalidings to total resident	s		,,	,,
Total deaths			,,	
Percentage of deaths to total residents			,,	,,
Percentage of Deaths to total average nun	ber reside	nt	,,	,,
Number of cases of sickness contracted	away fr	om		
residence			,,	3

(4) Native Officials.—A registrar of native officials is not available. The total number of native officials treated during the year was 8,165 including 2,061 Police. The total of 1,674 days on the sick list with an average number of 3·1 days for each patient was distributed amongst 537 native officials on the sick list.

Five Native Officials were invalided from the service during the year.

# III. HYGIENE AND SANITATION.

General review of work done and progress made. It is disappointing that the appointment of Health Officer has had to be cancelled. The State needs the direction of an organized public health service.

The routine work of sanitation has been maintained during the year. There are two Sanitary Inspectors at work in the State. In Kuala Trengganu and Kemaman, where experienced sanitary inspectors supervise the work, progress is noted. At present urban, and rural sanitation, except in Kuala Trengganu and Kemaman, is dependent on the caprice of the Native District Officers. The problem of rural sanitation is now under consideration. Proposals are to be submitted to bring the rural areas under control for purposes of sanitation. Briefly the proposals will embrace scavenging, night soil, and refuse disposal, and anti malarial work under the supervision of a travelling health inspector. Each rural district will have its own Mandor and coolies.

During October 500 coolies were discharged from the Dungun Iron Mine. Advantage was taken of this by employing a certain number of these coolies for cleaning up the town while they were waiting transhipment to Singapore. The Sanitary Inspector, Kuala Trengganu was sent there to supervise the work.

(I) PREVENTIVE MEASURES. Malaria. A serious outbreak of malaria occurred on the Japanese Iron Mine at Dungun. The mine is in the heart of the jungle. A large hilly area was felled and cleared, and a camp formed. This area contains the iron ore which at present is being collected from the surface. A railway, for transport of the ore, has been constructed from the mine to a station near the mouth of the river Dungun. The ore is then taken by lighter to an ocean going steamer lying in the roads.

The Japanese management had not considered the probability of an outbreak of malaria, and no preventive measures had been taken. It was only after considerable pressure had been brought to bear that anti-malarial work and general sanitation were commenced, and are now proceeding. A copy of the report on this property is given as an appendix in order to demonstrate what is now regarded as axiomatic in Malaya namely: that before clearing jungle a well considered plan of anti-malarial work should be adopted.

On the new road construction North from Kuala Trengganu malaria is a matter of some concern. Preventive work is very difficult as the labourers are scattered and are constantly moving forward. The State Engineer is doing his best to cope with the difficulties by selecting healthy sites for hutments as the work progresses.

Vaccination. There were 7,196 vaccinations performed during the year.

(II) GENERAL MEASURES OF SANITATION. The private company, which commenced night soil collection and disposal, at Kuala Trengganu in 1928, continued to operate during the year, enlarging its clientele.

Scavenging is done in the more important towns under the direction of the Town Board or District Officer. Refuse is collected, dumped, and burnt, or, in the wet weather buried.

Water for both drinking and ablution purposes in the towns is obtained from wells. The riverine population use river water for both purposes.

Drain cleaning, inspection of food and markets, as well as inspection and licencing of lodging, eating houses, and abattoirs, are included in the duties of the Sanitary Inspector.

(III) School Hygiene. Miss B. K. Chenhalls, Health Sister, commenced the medical inspection of school children in Kuala Trenggaru on 7.12.30. The school buildings are inspected by the sister, and reports sent in regarding the structure of the school buildings, ventilation, light, accommodation, type of desk and black board used, play ground area and latrines. Notes are made of the curriculum, and school hours. The inspection of the children is recorded on forms, one for each child, a specimen of which is given as an appendix. Children suffering from minor ailments are sent to the Clinic for treatment.

During December 2 schools were visited and 396 children inspected.

The Health Sister reports "The children are well fed, happy and mentally bright. The teeth are fairly good. Vision very good. No postural deformities yet seen. Body and head cleanliness fair."

(IV) LABOUR CONDITIONS. During the year labour has been in a state of uncertainty owing to the depressed rubber and tin markets. Mass discharges of coolies have taken place from the tin mines and rubber estates. The 2 principal tin mines have virtually closed down, and the one large rubber and coconut estate has reduced its staff, and labour, to a number just sufficient to preserve the property. A new iron mine at Dungun, employing a Japanese staff of 66 and about 2,000 coolies, commenced operations during the year. Labour conditions on this property are the subject of a report inserted as an appendix.

In spite of the adverse condition of the rubber market, with its inevitable retrenchment on the estate, the Manager of the Kretay Plantations continued work on the programme of health improvement embarked on some three years ago. Such enterprise is being rewarded. A very unhealthy estate is now relatively healthy.

The desirability of introducing a Labour code is being seriously considered by Government. It is anticipated that a bill for this purpose will be enacted next year.

Sick returns are received from the under mentioned estate and mines, and are tabulated.

Property	Average Labour force	No. of deaths	Death rate %
Kretay Coconut and rubber Plantations	773	10	1.29
Bundi Tin Mine	300	1	0.33
Freda Tin Mine	180	1	0.55
Nanyo Kogyo Koshi iron mines	749	6	0.80
Nippon Iron Mine	2,000	95	4.25

The number of deaths against the Nippon Iron Mine includes 63 reported by the Management, and 32 at the Government Hospital Kuala Trengganu. There is reason to believe that other deaths occurred which are not recorded.

# IV. PORT HEALTH WORK AND ADMINISTRATION.

An outbreak of cholera in Siam from 17.5.30 to 12.9.30 necessitated the inspection of ships arriving from that country. 182 ships were inspected.

#### V. MATERNITY AND CHILD WELFARE.

The Ante natal and infant welfare clinic which was opened in February 1928, is situated in a shop house adjacent to, and communicating with, the Town Dispensary Kuala Trengganu. The Clinic has a daily morning session from 9 o'clock to 12, at which the Chief Medical Officer attends. The Saturday morning session is reserved for the treatment of yaws by the injection of Bismuth Sodium Tartrate.

Detailed clinical records are kept of all infants under 1 year, and of all women attending for ante natal examination. The Clinic also receives women, and children for the treatment of general diseases.

Records for the year 1929 were not accurately kept during the Chief Medical Officer's absence on leave so that the growth of the work at the Clinic cannot be ascertained, except by comparative statistics for 1928 and 1930. Where the figures for 1929 are available they will be quoted.

Midwife Lim Guat Neo was nurse in charge of the Clinic until the arrival of Miss E. K. Chenhalls, Health Sister, on November 11th.

Details of the work at the Clinic, including District maternity work, are given in a table at the end of this section.

ANTE-NATAL. 49 women came for ante natal examination with total attendances of 131; compared with 21 and 60 attendances in 1929, and 51 and 168 attendances in 1928. Of these 49 women, 39 were attended at labour; 22 in the district, and 16 at the hospital. Two cases of malpresentation were corrected by external version before labour. Three cases of severe albuminuria of pregnancy were treated; all of them terminating in normal labour.

MATFUNITY. Since the return of midwife Lim Guat Neo from Singapore in February a gratifying increase of maternity work has been accomplished. The midwife was in charge of the maternity work, both in the district, and in the maternity ward at the hospital, until the arrival of Miss E. K. Chenhalls, Health Sister, on November 11th. From that date the Health Sister took charge of the maternity work at the hospital leaving the midwife free for work in the district.

71 labours were conducted in the district with a total of 758 visits, and 42 labours were conducted in the maternity ward at the hospital, making a total of 111 cases compared with a total of 43, and 21 cases, respectively, for 1928 and 1929.

Of the 71 district cases 25 were Malay. This is noteworthy as indicating the confidence the midwife has inspired in the Malay women who are very difficult to deal with at the time of child birth.

The '11 cases are divided into 99 normal labours, and 12 abnormal labours, and include 36 cases of women who had received ante natal care at the Clinic. There was

no maternal mortality. There were two still births one of which was due to congenital syphilis. One case of ante partum haemorrhage, and one case of retained placenta are recorded.

GENERAL. 1,039 women were treated for general diseases, and diseases peculiar to women, with total attendances of 1849.

CHILD WELFARE. 85 infants under 1 year were under care, with total attendances of 513. All these infants are kept under observation. The mothers are provided with attendance cards, and are encouraged to bring their babies at regular intervals.

A pamphlet on infant feeding has been prepared for printing in English, Malay and Chinese. If funds are available the pamphlet will be printed next year.

1098 children, between the ages of 1 and 12, were treated, with total attendance of 2,014, compared with 316 new cases, with total attendances of 1931 for 1928.

The total number of new cases attending the Clinic was 3,139, with total attendances of 6,264; compared with 1.035 new cases, and 4,879 total attendances, for 1928. These figures include women and children who have attended the Clinic on the Saturday morning sessions for the treatment of yaws, of whom there were 364 women and 262 children, and also 171 children who came for vaccination.

Ante Natal and Infant Welfare Clinic, Kuala Trengganu, Annual Return for 1930.

	New Cases	Total Attendances
Ante Natal	49	131
Infants under 1 year	85	513
Children aged 1 year	233)	
9 200000	115	
0	149	
, , 4 ,	104	
" " 5 "	112	
" " 6 "	71	0.011
,, ,, 7 ,,	67 1,098	2,014
,, ,, 8 ,,	44	
,, ,, 9 ,,	50	
,, ,, 10 ,,	63	
,, ,, 11 ,,	35	
,, ,, 12 ,,	55)	
Adults	1,039	1,849
Yaws—Treatment Saturday		
morning sessions	The same of the same of	STATE OF THE PARTY
Children	262	200
Adult	364	828
District Labours	71	758 Visits
Vaccinations	171	171
Number of Infants breast fed	66	
" " " bottle fed	19	
Children	Adult	The second second
Malays	766 Mala	
Chinese	828 Chin	
Indian	3 India	
Others	9 Othe	ers 11
Total new cases	1,616	Total new cases 1,523
Total new cases .		3,139
Total attendances ar	nd visits	6,264

# VI. HOSPITALS DISPENSARIES AND VENEREAL CLINIC.

The total number of new cases treated in the Hospital, at the Dispensaries, Clinic, Gaol, and Police Stations was 57,926 with total attendances of 78,164, compared with 45,407 new cases and total attendances of 70,080 for 1929.

		1927	1928	1929	1930
New cases	 	20,147	37,349	45,407	57,926
Total Attendances	 	28,418	54,430	70,080	78,164

HOSPITAL. There is only one Government hospital for the whole State situated at Kuala Trengganu.

During the second half of the year the hospital has been greatly overcrowded and at one time as many as 202 patients were accommodated in wards designed to accommodate 116. Government approved in August the immediate erection of a temporary ward for males of 20 beds, as well as a permanent ward for males of 20 beds. The temporary ward was completed and occupied within a month. The permanent ward should be ready for occupation early in the new year.

Separate wards for cases of dysentery and pulmonary tuberculosis are urgently required. At the present time these cases, of whom there were 57 cases of dysentery, and 34 cases of Pulmonary Tuberculosis treated during the year, were accommodated in the General Wards. Application was made for these wards but had to be rejected for financial reasons.

The average cost of a diet for one day including kitchen fuel, medical comforts, and extras was 19.82 cents.

Through the benefience of a Chinese lady, who presented \$1,000 to the Medical Department, a supplementary electric lighting plant was erected.

The accommodation consists at present of

Administration block with office, dispensary, laboratory and operating theatre.

- 1 ward of 20 beds for females.
- 1 maternity ward of 8 beds.
- 3 wards of 20 beds for males.
- 1 ward of 20 beds for males. (building)
- 2 temporary wards of 20 beds for males.
- 1 ward of 8 beds for lepers.

Small Hospitals are required at Kemaman, Dungun, and Besut.

The importance of building a hospital at Kemaman has been urged for the past 4 years, but it is still found impossible to spare the money for this work.

The claims of Dungun and Besut for hospital accommodation are becoming increasingly serious.

RECORD OF HOSPITAL WORK DURING THE YEAR.

There were 1,990 admissions to the hospital during the year, with 92 remaining from 31.12.29, making a total of 2,082 cases treated, compared with 1,326 admissions, with 90 remaining 31.12.28, a total of 1,416 for 1929.

By race the number of admissions was Chinese 834. Malays 795. Indians 352. Javanese 4. Arab 1.

The increase in the number of admissions is due, partly, to a serious outbreak of malaria and dysentery on the Japanese Iron Mine at Dungun which was opened during the year. There were 368 cases from the mine. It is hoped that in the future the Japanese themselves will be able to provide hospital accommodation for their sick coolies.

There were 96 deaths during the year, with a percentage death rate to the total of admissions of 4.82, compared with 76 deaths, and a percentage of 5.08 during 1929. Of the 96 deaths 18 occurred within 48 hours of admission.

The steady growth of the hospital since 1925 is shown in the following table.

Year	1925	1926	1927	1928	1929	1930
Admissions	382	764	892	1,267	1,326	1,990

The following table shows the principal diseases with the number of deaths compared with the two previous years.

Diseases	19	28	19	29	19	930
Diseases	Cases	Deaths	Cases	Deaths	Cases	Deaths
Yaws	240	Nil.	193	Nil.	248	Nil.
Malaria	239	7	232	6	629	27
Bowel diseases	187	7	187	7	159	16
Beri Beri	56	1	56	1	97	12
Pulmonary Tuberculosis	15	2	28	12	30	11
Venereal diseases	127	Nil.	140	Nil.	139	Nil.

The increase in the proportion of deaths recorded against Malaria and Bowel diseases is due to 368 admissions, some of them moribund, from the Dungun Iron Mine, most of whom were suffering from malaria or dysentery. The number of deaths from this source was malaria 20 deaths and bacillary dysentery 12 deaths.

MATERNITY. 42 labours were conducted in the maternity ward at the hospital during the year compared with 21 cases in 1929 and 22 in 1930.

SURGICAL. 96 Surgical operations were performed at the hospital classified as 23 major operations and 73 minor operations, compared with 13 major and 52 minor operations totalling 66 for 1929. In addition there were 73 dental extractions compared with 48 for 1929 and 79 for 1928.

The major operations are tabulated.

No. of cases	Diagnosis	Operation	Anaesthetic	Result
1	Hernia	Radical cure-modified Bas- sini's	General	Cured
1	Gangrene	Amputation lower 1/8 femur	Do	Do.
1	Tumour	Excision	Do	Do.
1	Ruptured urethra	Repair	Do	Relieved
1	G.S.W. Abdomen	Laparotomy and extensive intestinal repair	Do	Cured
3	Inquinal hernia	Radical cures-modified Bas- sini's	Novocain infiltra- tion	Do.
1	Gangrene	Supracondylar Amputation femur	Spinal	Do.
1	Hernia and hy- drocele	Radical cures	Novocain infiltra- tion	Do.
1	Appendicial ab- scess	Laparotomy and drainage	Do.	Do.
2	Appendicitis	Appendicectomy	Do.	Do.
1	Bilateral hydro- celes	Radical cure	Do.	Do.
3	Hydrocele	Do	Do.	Do.
3	Tumours	Excision	Do.	Do.
2	Contracture de- formity	Amputations of finger and toe	Do.	Do.
1	Sequestrum man- dible	Sequestrectomy	Do.	Do.

Thirteen of these cases were Malays, eight Indian, and two Chinese.

General anaesthesia was employed in 5 cases.

Spinal anaesthesia was employed in 1 case.

Local and regional infiltration novocain anaesthesia was employed in 17 cases.

Special examinations and treatments:-

Gynaecological	 	23
Nose, throat and ear	 	39
Eye cases	 	14
Cystoscopy	 	1

#### LABORATORY.

During the second half of the year the work of the laboratory was reorganized. Equipment and instruments have been added so that now the commoner routine diagnostic methods may be carried out. Hitherto the dysenteries and enteric fevers have had to be diagnosed on clinical manifestations except for an occasional agglutination test. Culture and identification of pathogenic organisms from the stools of all suspected cases of enteric and dysentery, other than amoebic, are now done as routine.

For the diagnosis of syphilis and yaws the Kahn test has been supplemented by the Müller Ballung test. These tests are done side by side weekly.

For the cultivation of pathogenic organisms from the stools the nutrient media used at the Serum Institute Copenhagen has been introduced—Communications De L' Institut Serotherapique De L'etat Danois Tome XVI—1926. Trypsinized casein is used as a base. From this, modified Drigalski plates, by the addition of lactose, saccharose, sodium this sulphate and 0.1% crystal violet, are prepared using brom thymol blue as an indicator. Supplementary plates of bouilln-pepton-agar, to which have been added lactose with brom cresol purple as an indicator, are used for dysenteric stools, and plates of trypsinized casein and brilliant green with phenol red as indicator for Paratyphoid B. Colonies are isolated and identification is then carried out by testing for indol formation, fermentation tests, and agglutination.

The sera from 121 cases of clinical yaws were put up for the Kahn and Müller Ballung tests. Comparative results are given in the table following.

The work of the laboratory although it cannot claim expert direction, is of value when it is realized that the nearest specialist laboratory is 2½ days journey from Kuala Trengganu.

The following examinations were made during the year at the hospital laboratory:-

(a)	Blood.				
	Total number of films examined			 	 1,834
	Benign Tertian Parasites found			 	 101
	Quartan Parasites found			 	 45
	Sub-tertian Parasites found			 	 177
	Mixed infection of malaria			 	 23
	Negative			 	 1,488
(b)	Sputa for tubercle bacilli.				
10.00	Total examined			 	 245
	Tubercle Bacilli found			 	 34
	Negative			 	 211
(c)	Pus.				
1-7	Films examined for Gonococci			 	 52
	Positive			 	 12
	Negative			 	 40
(d)	Faeces not including those taken	for cult	ure.		
1	Total number examined			 	 2,206
	Ankylostoma duodenale ova only			 	 88
	Ascaris lumbricoides ova only			 	 234
	Trichuris trichura ova only				 213
	Various combinations of the above	The state of the s	ova		 797

	Entamoeba histolytica Entamoeba coli Other parasites found were oxyuris E. lamblia distoma, Clonochis Sine Canium	s vern	 nicul	aris didium			39 13
(e)	Faeces taken for culture.			and the same of th			0.5
	Total number of faeces including	2 take	n po	stmorte	m		97
	Repeat cultures for confirmation						15
	B. dysenteriae (shiga) isolated						6
	Repeat for confirmation						4
	B. dysenteriae (Flexner) isolated						2
	B. ceylonese isolated						1
	B. alkaligenes isolated						4
	B. paratyphoid B isolated						2
	Repeat cultures for confirmation		**				3
	Negative						76
(f)	Sera for Kahn test					1293	247
(//	Positive						144
	Weak positive						18
							20
				**	100		65
	Negative	for	the	Mallor	Pallung	re-	00
				Muner		16-	
	action also					**	
	Müller Ballung reaction						69
	Positive in both tubes						21
	Positive						3.00
	Negative	** 1					55
	Positive Müller Ballung; Negative						2
	Negative Müller Ballung; Positive	Kahn					6

Of the 247 sera taken there were 104 declared cases of yaws and 16 cases of doubtful yaws with one case who had had thorough treatment for yaws. The 104 cases were all positive to Kahn and the doubtful cases and the one treated case were negative. There were two cases having a negative Kahn with a positive Müller Ballung reaction, and one case with a Positive Kahn, and negative Müller Ballung.

#### DISPENSARIES.

There are 5 Government dispensaries in Trengganu situated as marked on the map. Each dispensary is in charge of an experienced dresser. The dispensary is used as a base for the dresser, who is expected to travel in his district with medicines as frequently as possible.

Dispensaries are needed for other districts but Government, while recognising the need, is unable to appropriate money for this purpose. As a compromise the erection of small native huts, with a lock-up-for medicines, has been approved. These huts will be erected at Stiyu, Batu Rakit, Marang, Kemasik and Kijal; all thickly populated villages. In addition the appointment of a travelling dresser has been approved. There will be, therefore, two Malay travelling dressers for work in 5 new districts. The huts will be occupied in rotation by the dresser for a period of about 6 weeks. One dresser will work North of Kuala Trengganu and the other South.

The Public Works Department have two dressers attending the labour employed on road construction.

A 30 feet motor boat "Penulong" has been fitted up as a motor boat dispensary, and was commissioned in August. Five voyages were made before the bad weather started in October. The motor boat dispensary will be used for river work during the summer months.

The rural police stations hold a small stock of simple medicines which are distributed by the officers in charge.

The following table records the number of out-patients attended to at the Government Dispensaries, Clinic, Hospital, and at the Police Stations.

	1930	1	12	- 52	17	14	101
Itineraries	1929		7 -	- 35	- 18	- 51	Ш
	1928	1	6	61	37	- B	122
sits	1930	1,360	758	1,387	112	176	3,953
Domiciliary Visits	1929	Î	11	1.1	1.1	11	-
Dot	1928	719	11	109	150	08	1,149
ances	1930	12,180	6,380	20,839	5,148	6,417	75,998
Total No. Attendances	1929	10,954	5,221	1,647	3,611	5,892	70,080
Total	1928	12,450	4,149	1,983	2,612	2,954	53,230
es	1930	8,163	6,107	431	9,768	5,847	55,936
No. of new cases	1929	7,060	3,959	266	3,405	4,610	45,407
No	1928	8,224	3,637	8,674	6,928	2,349	35,689
Districts		Kuala Trengganu Dispensary Hospital out-pati- ents and travel-	ling dresser Clinic Prison Out-pati-	ents Kemaman	Besut	Ruala Brang	Total

#### VII. PRISON AND ASYLUMS.

PRISONS .- As recorded in previous reports the prison at Kuala Trengganu is antiquated and unsatisfactory. Fortunately the number of prisoners is small and the able bodied amongst them are given extra mural employment. 179, including 27 mental cases, were admitted during the year with 62, including 14 mental cases, remaining from 31.12.29. There were 167 discharged, including 17 Mental cases, with 3 deaths, including one mental case and one execution. There remained 68, including 21 mental cases, on 31.12.30.

Prison hospital .- There were 56 admissions during the year with 2 deaths; one from pulmonary tuberculosis, and one from cut throat, compared with 66 admissions and no death in 1929. The total number of out-patients treated was 431 with total attendances of 1,680 compared with 266 cases with 1,647 total attendances in 1929.

Mental cases.-Mental cases are detained in the prison. It is not necessary to reiterate what has been recorded in previous reports on this unsatisfactory subject. An important decision was arrived at by Government to transfer the chronic mental cases to the Mental Hospital Singapore. Arrangements were made to send 8 cases but in view of the high cost of maintenance these arrangements were cancelled. The transfer has been postponed for 6 months.

27 mental cases were admitted with 14 remaining from 31.12.29 a total of 41 compared with 16 cases admitted and a total of 30 for 1929. 17 cases were discharged and 1 died.

#### VIII. METEOROLOGY.

The following statistics are obtained from observations at the meteorological station at Kuala Trengganu.

The highest rainfall in 24 hours was 10.61 inches on November 18th.

The highest shade temperature recorded was 93° F on April 13th, and May 24th and the lowest 65° F on February 6th.

The total rainfall was 119.48 inches compared with 210.96 inches during 1929.

# A.—REGISTER OF EUROPEAN OFFICIAL RESIDENTS.

District	Trengganu.	
TATOUTION	LICHEEGHU.	

I	District Trengganu.			Period 1930.
No.	Name	Rank	No. of days Resident	Place of Residence
1.	A. J. Sturrock	British Adviser	296	Kuala Trengganu
2.	G. L. Ham	Ag. Do	79	Do.
3.	A. J. Gracie	A.A. Trengganu.	365	Do.
4.	J. R. Neave	A.A. Kemaman.	365	Kemaman
5.	E. V. G. Day	A.A. Besut	365	Besut
6.	L. Rayman	C. of L. & Mines.	345	Kuala Trengganu
7.	E. E. F. Pretty	Ag. Do	20	Do.
8.	H. P. Bryson	C.L.R	228	Do.
9.	R. P. Clegg	Do	142	Do.
10.	P. Trump	State Engineer	66	Do.
11.	W. L. Bosker	Do	322	Do.
12.	A. Wear	Asst. Engineer	307	Do.
13.	P. McNee	Do	65	Do.
14.	G. T. F. White	Do	131	Do.
15.	E. B. Nisbet	Executive Engi-		
		neer	241	Do.
16.	G. O. Dorrity	Asst. to S. E	365	Do.
17.	J. V. T. Campbell	Asst. Engineer	365	Do.
18.	Dr. N. H. Harri-			The state of the s
	son	C.M.O	243	Do.
19.	Dr. T. C. Lonie	Acting C.M.O	122	Do.
20.	T. Kitching	S. of S	365	Do.
21.	R. A. Terry	Surveyor on Ag-		
		reement	317	Districts
22.	C. Noble	Asst. S. of S	31	Kuala Trengganu
23.	L. L. Mills	Commr. of Police	25	Do.
24.	E. E. H. Beck	Do.	287	Do.
25.	E. Bagot	Do.	51	Do.
26.	Miss E. K. Chen-		1000	
	halls	Health Sister	51	Do.
		Total	5,486	
		10001	0,400	

#### B.—REGISTER OF NATIVE OFFICIAL RESIDENTS.

Not available.

# C.—REGISTER OF EUROPEAN PATIENTS ON SICK LIST.

District Trengganu.

Period 1.1.30 to 31.12.30.

-			On Si	ick List	No.	- Agreeminer		
No.	Name	Rank	From	То	of Days	Diseases	Result	Remarks
1.	W. L. Bosker	Acting S. E.	14.6.30	24.6.30	11	Amoebic dysentery	Cured	
2.	E. E. H. Beck	Acting C. of P.	26.7.30	29.7.30	3	Do.	Do.	100
3.	L. Rayman	C. of L. & M.	12.11.30	22.11.30	10	Periton- silar abscess	Do.	
4.	P. McNee	A. E.	16.11.30	9.12.30	23	Malaria	Do.	
5.	J. V. T. Campbell	Do.	18.10.30	22.10.30	4	Do.	Do.	
Total	5			Total	51			

# D.—REGISTER OF NATIVE PATIENTS ON SICK LIST.

Not available.

#### Table I.

Medical Staff.

Dr. N. H. Harrison.

Chief Medical Officer

Do.

Chief Clerk ... Clerk Grade III ...

Clerk to Registrar of Births and Deaths

Chief Clerk

	Office Medical Officer	DI. IV. II. Hallison.
	Health Sister	Miss E. K. Chenhalls.
	Midwife Class B	Lim Guat Neo.
	Principal Members	of Subordinate Staff.
Dresser Grade I	Mr. T. A. Me Trenggar	non in charge of Town Dispensary Kuala
" " I	Mr. Ceng Die	u Huang in charge of Dispensary Kemaman
	Inche Alias bi	n Esa in charge of Dispensary Besut
" " II .	Mr. C. L. Fer	nandez in charge of Hospital
" " II		llai in charge of Dispensary Dungun
" " II		er in charge of Laboratory
" " III		
" " III		pal
" " III .		
" " III .		
Probationer dresse.		oin Haji Mohamed
	Inche Yusof	bin Haji Ibrahim
	Mr. D. L. Go	
	Mr. Ding Bin	g Ciong
	Mr. How Mir	
	Syed Ibrahim	
	Inche Awang	
Ungraded		urice in charge of Dispensary Kuala Brang
Steward	Mr. Ng Teng	
Assistant to Stewa		
Sanitary Inspector		rnegy Kuala Trengganu
D.		

.. Mr. C. Nagalingam Kemaman

.. Inche Mat Drus bin Haji Bidin.

.. Inche Abdullah bin Alias

.. Inche Jusoh bin Hitam

# Table II.

# Financial.

Estimates 1,3		 	 	1000	 \$ 81,612.00
	Emolument		 		 37,762.90
Annually	Recurrent	 	 		 24,944.27
Special I	Expenditure	 	 		 2,920.16
	Total	 	 71		 \$ 65,627.33
Receipts		 	 		 \$ 1,153.81

# Table III.

RETURN OF STATISTICS OF POPULATION FOR THE YEAR.

Not available.

Table IV.

METEOROLOGICAL RETURN FOR THE YEAR 1930.

			Temperature	rature		-	Rail	Rainfall	Wi	Vinds
	Solar Maximum	Minimum on Grass	Shade Maximum	Shade	Range	Mean	Amount in Inches	Degree of Humidity	General	Average
Tonnown	199 00	404	20	22	10	1 10	44.0	1 00	a.v.	
dailualy	100.30	10.1	00	10	10	0.17	1.6.1	83.1	NE	0
February	145.39	70.3	88	65	23	6.77	1.60	81.7	ENE	9
March	141.71	72.9	68	7.1	18	80.2	5.98	83.2	NE	9
April	146.53	72.4	93	17	22	81.3	1.14	80.3	ENE	20
May	136.50	72.9	93	71	22	81.9	4.02	83.9	ESE	9
June	132.89	72.2	92	71	21	81.5	5.40	83.5	SSW	5
July	133.47	71.9	16	69	22	81.0	11.06	88.3	SSW	5
August	140.45	71.7	92	69	23	9.08	12.85	85.5	SSW	9
September	140.67	72.0	92	7.1	21	6.08	4.67	86.8	SSW	5
October	124.10	72.3	68	7.1	18	79.4	5.60	88.2	SSW	10
November	119.00	70.8	06	70	20	78.5	42.17	88.2	NE	10
December	124.35	71.8	87	02	17	78.9	17.52	87.7	NNE	22
Mean	135,33	71.8	96	7.69	20.3	80.00	119.48	85.0	1	5,0

Table V.

Hospital or Institution Kuala Trengganu.

Return of Diseases and Deaths (In-Patients) for the year 1930.

Diseases	Remaining in Hospital at end of	Yearly Total		Total cases	Remaining in Hospital	Remark
	at end of	Admissions	Deaths	treated	at end of 1930	
.—Epidemic, Endemic, and Infectious Diseases.		0000				
1. Enteric Group:—						
(a) Typhoid Fever (b) Paratyphoid A	_	6	1	6	_	
(c) Paratyphoid B		4	_	4		
(d) Type not defined.	_	_	-		-	
2. Malaria:—						
(a) Tertian	2	50	_	52	1	
(b) Quartan	-	26	_	26	2	
(c) Aestivo-autumnal	2	127	13	129	-	
(d) Cachexia (e) Blackwater	8	426	14	434	26	
			-	_	-,	
3. Measles	-	3	-	3	-	
4. Influenza	_	70	_	70	-	
5. Dysentery:—						
(a) Amoebic	1	16	4	17	2	
(b) Bacillary	_	9	8	9	1	
(c) Undefined or due to other causes		31		01		
			3	31		
6. Leprosy	1	8	-	9	3	
7. Erysipelas	_	1	-	1	_	
8. Other Epidemic Dis-						
eases:—	1					
Yaws	26	248	-	274	30	
9. Tuberculosis, Pulmonary						
and Laryngeal	4	30	11	34	8	
0. Syphilis:—	700					
(a) Primary	1 1 1 1	-	_	_		
(b) Secondary	_	6	_	6	-	
(c) Tertiary (d) Hereditary	-	35	-	35	4	
(e) Period not in-	_	-	-	-	-	
dicated	_	_				
1. Soft Chancre	1	15		10		
2. A.—Gonorrhoea and its	1	15	_	16	-	
complications	-			-00		
	5	77	_	82	4	
B.—Gonorrhoeal Oph- thalmia						
chainna		6	-	6	-	
II.—General Diseases not				1		
mentioned above.					1489	
3. Cancer of other malig-						
nant Tumours of the Stomach or Liver			11.	, ,		
Stomach or Liver		1	1	1	-	

Table V.—Contd.

Hospital or Institution Kuala Trengganu.

Return of Diseases and Deaths (In-Patients) for the year 1930.

					I -	
Diseases	Remaining in Hospital at end of	Yearly	Total	Total cases	Remaining in Hospital	Remark
	1929	Admissions	Deaths	treated	at end of 1930	
Brought forward	50	1195	55	1245	81	8
14. Cancer or other malig- nant Tumours of the Peritoneum Intestines,						
Rectum	-	1	-	1	_	
15. Tumours non-Malignant	-	10	1	10	1	
16. Acute Rheumatism	-	17	-	17	-	
17. Scurvy (including Barlow's Disease)	-	1	-	1	-	
18. Beri-Beri	8	97	12	105	15	
19. Anaemia:—	1 3					
(a) Pernicious (b) Other Anaemias and Chlorosis	- 2	1		- 3	-	
III.—Affections of the Nervous System and Organs of the Senses.						
20. Apoplexy:—						
(a) Haemorrhage (b) Embolism	=	2 2	1	2 2	_	
21. Paralysis:— (a) Hemiplegia	1	2	_	3	1	
22. Other forms of Mental Alienation	14	7	1	21	_	
23. Infantile Convulsions	-	1	1	1	_	
24. A.—Hysteria B.—Neuritis	=	2 4	=	2 4	_	
25. Other affections of the Nervous System such as Paralysis Agitans	1	1	_	2	_	
26. Affections of the Organs of Vision:—				10		
(a) Conjunctivitis (b) Other affections	-	12	_	12	-	
of the Eye	-	5	-	5	2	
27. Affections of the Ear or Mastoid Sinus Otitis media	_	-6	=	-6	-	
IV.—Affections of the Circulatory System.		8 1				
28. Other Diseases of the Heart:—		1 9			1000	
(a) Valvular-Mitral (b) Myocarditis	Ξ	6 3	- 1	6 3	_2	
Carried forward	76	1375	73	1451	102	

Table V.—Contd.

Hospital or Institution Kuala Trengganu.

Return of Diseases and Deaths (In-Patients) for the year 1930.

	Diseases	Remaining in Hospital	Yearly	Total	Total cases	Remaining in Hospital	Remark
		at end of 1929	Admissions	Deaths	treated	at end of 1930	
	Brought forward	76	1375	73	1451	102	0.
29. Di	seases of the Veins:-					100 101	
	Haemorrhoids	_	2	-	2	1	
	-Affections of the espiratory System.				I company		
					To see It	200 00	
	fections of the Larynx- aryngitis					I the same of the	
		_	1	_	1		
	onchitis:— Acute		0.9		00		
			33	7	33	3	
	neumonia:— Lobar	1	8	5	0		
		1		9	9	2	
	eurisy, Empyema	-	2	-	2	1	
34. As	sthma	1	7	_	8	-	
	ther affections of the					to had	
	ings Abscess of Lung.	-	1	1	1	-	
	L.—Diseases of the						
	Digestive System. seases of Teeth or					-00	
	ms-Caries, Pyorrhoea,					No.	
&c		_	14	_	14		
37. Ot	her affections of the					-	
	omach:—					midle and	
	Dyspepsia	-	7	_	7	10 200	
38. Di	arrhoea and Enteritis-					1000	
Tv	vo years and over	_	22	_	22	_	
39. Ar	nkylostomiasis	4	27	1	31	_	
10. Di	seases due to Intestin-					- ALLEY	
al	Parasites:—					and the last	
	Ascaris	-	33	_	33	2	
11. Ap	opendicitis	_	4	_	4	_	
12. He	ernia		9	_	9		
43. A.	-Affections of the				100		
	Anus, Fistula, &c.		1	_	1	_	
B.	-Other affections of					CO IN	
	the Intestines:—					MI TO BUIL	
	Constipation	= 0	2	-	2		
	her affections of the ver:—					all had	
	Abscess	_	2	1	2	The state of	
	Hepatitis	_	2	1	2		
	Jaundice /	-	2		2	-	
	eritonitis (of unknown	1			- tools	- Talandari	
ca	use)	-	2	1	2	100-000	
	Carried forward	82	1556	83	1638	111	

# Table V .- Contd.

# Hospital or Institution Kuala Trengganu. Return of Diseases and Deaths (In-Patients) for the year 1930.

Diseases	Remaining in Hospital at end of	Yearly	Total	Total cases	Remaining in Hospital at end of	Remark
The state of the state of	1929	Admissions	Deaths	treated	1930	
Brought forward	82	1556	83	1638	111	
VII.—Diseases of the Genito-						
urinary System (non-						
Venereal). 46. Acute Nephritis —		1	1	1		
47. Chronic	2	16	1	18	4	
48. Urinary Calculus		1	_	1	_	
49. Diseases of the Ure-	3.1	4				
thra:-						
(a) Stricture (b) Other	1	3	- 1	4		
50. Diseases (non-Venereal)				-		
of the Genital Organs of						
Man:—				la l		
Hydrocele	_	4	-	4	-	
51. A.—Metritis B.—Other affections of	_	1		1		
the Female Genital						
Organs:-						
Displacement of Uterus		4		4		
Dysmenorrhoea		2		2		
VIII.—Puerperal State.	72 1					
52. A.—Normal Labour	_	42		42	1	
B.—Ante-natal observa-						
tion	-	4	-	4	-	
IX.—Affections of the Skin and Cellular Tissues.						
53. Gangrene	1	. 1	_	1	_	
54. Boil	_	3	_	3	_	
55. Abscess	2	41	_	43	-	
Whitlow	-	1	_	1	-	
Cellulitis Ulcers	- 3	207	_	210	13	
EC 4 Trimes	0	207		2		
B.—Scabies			_		_	
C.—Dermatitis	1	2	_	3	1	
57. Other Diseases of the		Part I		1		
Skin:— Erythema	1	1		2	_	
Eczema	1	7		8	_	
Herpes	-	2	_	2	-	
X.—Diseases of Bones and				1000		
Organs of Locomotions				- Ilea		
(other than tuberculous).	1	1 3 3		1 - 1 - 1		
58. Diseases of Bones:— Osteitis		1		1	_	
		1			-	
Carried forward	93	1904	86	1997	130	

Table V.—Contd.

Hospital or Institution Kuala Trengganu.

Return of Diseases and Deaths (In-Patients) for the year 1930.

Diseases	Remaining in Hospital at end of	Yearly	Total	Total cases	Remaining in Hospital	Remark
	1929	Admissions	Deaths	treated	at end of 1930	
Brought forward	93	1904	86	1997	130	
59. Diseases of Joints:—	1			100	mount?	
Synovitis	-	3	-	3	(Internal	
XII.—Diseases of Infancy.		1.00				
30. Infant neglect (infants of three months or over)	-	1	1	1		
XIII.—Affections of Old Age.					one man	
31. Senility	-	2	2	2	-	
XIV.—Affections produced by External Causes.						
2. Suicide by cutting or					AUTO TO	
stabbing:— Instruments	_	1	1	1	_	
3. Food Poisoning:—  Botulism		2		2	COLUMN TO SERVICE STATE OF THE PARTY OF THE	
4. Other accidental Poison-				-		
ings	_	4 2	3	4	da Lagra	
6. Wounds (by Firearms,		2	-	2	1	
war excepted) 7. Wounds (by cutting or	-	3	-	3	175	
stabbing Instruments)	2	77.	1	79	2	
8. Wounds (by Fall) 9. Wounds (crushing, e.g.	-	1	-	1	-	
railway accidents &c.)	_	13	_	13	1	
0. Injuries inflicted by Animals, Bites, Kicks,		700	+			
&c	-	3	1	3	- 90	
1. A.—Dislocation B.—Sprain	-	2	-	2	-	
C.—Fracture	_	8 9	-,	8 9	-1	
2. Other external Injuries.		1	_	1		
XV.—Ill-Defined Diseases.						
3. Diseases not already specified or ill-defined:—			- 5		all to con	
Ascites		1 1	1 1	1 1	System and S	
Total	95	2038	98	2133	135	

Table VI. .

Return of Diseases (Out-Patients) for the year 1930.

	Diseases				Male	Female
	I.—Epidemic, Endemic, and	Infectious 1	Diseases.			
1.	Enteric Group:-				THE PERSON	
	(a) Typhoid Fever				1	
	(b) Paratyphoid A.		(40)		Continuity Ton	
	(c) Paratyphoid B.					
	(d) Type not defined				1	
2.	Malaria:—			V. sure		
	(a) Tertian				321	73
	(b) Quartan (c) Aestivo-autumnal				8	4
	(d) Cachexia				118 3990	39 1222
	(e) Blackwater				5550	1222
	(f) Fever unspecified				2290	509
3.	Measles				12	7
4.	What County				6	6
		100000	1000			
5.	Influenza				1307	314
6.	Mumps				10	1
7.	Dysentery:					
	(a) Amoebic				39	16
	(b) Bacillary				42	11
	(c) Undefined or due to	other cause	s		84	22
8.	Leprosy				. 3	6
9.	Other Epidemic Diseases:-					
	(a) Varicella (Chicken-p	ox)			9	3
	(b) Dengue				1	
	(c) Yaws				1645	1493
10.	Tetanus				2	
11.	Tuberculosis, Pulmonary and	Laryngeal	1		19	7
12.	Tuberculosis disseminated				1	1
		•	- 100	17	animals in to	souling A
13.	Syphilis:—				00	0 10
	(a) Primary (b) Secondary				28 40	4 5
	(c) Tertiary			1.	87	6
14.					35	
			Constant			
15.	A.—Gonorrhoea and its com B.—Gonorrhoeal Ophthalmia				385 18	51
	C.—Gonorrhoeal Arthritis				26	
	II.—General Diseases not	mentioned	above.		i least	
16				not		E IA TE
16.	Cancer or other malignant '	Tumours of	Organs	not	1	
17			1977	30.00	Section 18 and	
17.					51	6
18.	Acute Rheumatism				182	35
				100		

Table VI.—Contd.

Return of Diseases (Out-Patients) for the year 1930.

	Diseases	Male	Female
	Brought forward	10762	3841
9.	Chronic Rheumatism	1778	524
20.	Beri-Beri	683	232
1.	Diabetes (not including Insipidus)	4	3
2.	Anaemia:—		
	(a) Pernicious		- Stanlatt
	(b) Other Anaemias and Chlorosis	777	352
3.	Diseases of the Thyroid Gland:—		
	Other diseases of the Thyroid Gland, Myxoedema	1	
4.	Alcoholism	3	
5.	Other General Diseases:—		
	Gout	1	
I	II.—Affections of the Nervous System and Organs		
	of the Senses.		
6.	Meningitis (not including Tuberculous Meningitis or Cerebrospinal Meningitis)		1
7.	Paralysis:—		1
	Hemiplegia	6	6
8.	Enilonev	4	2
9.	Eclampsia, Convulsions (non-puerperal) 5 years or		-
	over	4	3
0.	Infantile Convulsions	9	7
1.	A.—Hysteria	69	46
	B.—Neuritis	1730	371
0	C.—Neurasthenia	15	4
2.	Other affections of the Nervous System, such as Paralysis Agitans	6	
3.	Affections of the Organs of Vision:		
	(a) Conjunctivitis	856	284
	(b) Tunours of the Eye	2	1
200	(c) Other affections of the Eye	86	61
4.	Affections of the Ear or Mastoid Sinus	241	94
	IV Affections of the Circulatory System.		
5.	Other Diseases of the Heart:—		the best of
	(a) Valvular—		
	Mitral	17	5
	(b) Myocarditis	3	
6.	Diseases of the Arteries:—		
	(a) Arterio-Scierosis	10	1
	(b) Other diseases	2	1
	Carried forward	17070	5839

Table VI.—Contd.

Return of Diseases (Out-Patients) for the year 1930.

	Diseases			Male	Female
		Brought for	vard	17070	5839
37.	Diseases of the Veins:-			-	
	Haemorrhoids			59	10
	Varicose Veins			1	
	Phlebitis			1	2
38.	Diseases of the Lymphatic Sys	stem:—		1000	
	Lymphangitis Lymphadenitis, Bubo (non-	specific)		20	7
39.	Haemorrhage of undetermined			8	
-ov.	naemorrhage of undetermined	cause	depart in	0	here d.
	V.—Affections of the Respi	ratory Syste	m.	ATTENDED TO	yorks di
40.	Diseases of the Nasal Passage	s:—			100000
	Rhinitis			27	2
	Coryza			13	6
41.	Affections of the Larynx:-				
	Laryngitis			68	27
42.	Bronchitis:-				
	(a) Acute			575	138
	(b) Chronic			477	124
43.	Broncho—Pneumonia			3	per make
44.	Pneumonia:-			-	
	Lobar			15	3
45.	Pleurisy, Empyema			7	
46.	Asthma			148	51
47.	A.—Diseases of Teeth or Gum	s:—			
	Caries, Pyorrhoea, &c.			611	145
	B.—Other affections of the Mo	outh:—			
	Stomatitis			101	42
48.	Affections of the Pharynx or '	Tonsils:—			
	Tonsilitis			18	12
	Pharyngitis			55	15
	Foreign body in the throat			1	
49.	Other affections of the Stomac	h:—		W. 100 C.	
	Gastritis			2	2 700
			D Interior	4502	700
50.	Diarrhoea and Enteritis:—				
	Under two years			11	44
51.	Diarrhoea and Enteritis:—			-	1000
	Two years and over Colitis			418	98
	Ulceration			11	2
		Carried for	ward	24225	7274

Table VI.—Contd.

Return of Diseases (Out-Patients) for the year 1930.

	Diseases	Male	Female			
		Brought	forward		24225	7274
52.	Ankylostomiasis				687	356
53.	Diseases due to Intestinal Pa	arasites:—				man H
	Ascaris				774	644
	Trichocephalus dispar				4	1
	Unclassified				258	170
54.	Appendicitis				4	3
55.	Hernia				9	1
56.	A Affections of the Anus,	Fistula, &	c		1	1
	B.—Other affections of the I				3685	863
57.	Cirrhosis of the Liver:-					000
	(a) Alcoholic					
	(b) Other forms				6	1
58.	Other affections of the Live	r:-				
	Jaundice				24	0
					24	8
	VII.—Diseases of the Gen	ito-urinary	System			
	(non-Vener		System			
	(non-vener	cai).				
59.	Acute Nephritis				24	. 8
60.	Chronie				80	
61.	Urinary Calculus				00	11
62.	Diseases of the Bladder:-					1
02.	Ctiti-					
		**			40	12
63.	Diseases of the Urethra:			ab a		
				22	13	
	(b) Other				6	1
64.	Diseases (non-Venereal) of Man:—	the Genit	al Organ	s of		- TORR
	Epididymitis				89	
	Orchitis Hydrocele				1	100
65.					9	
	Uterine Haemorrhage (non-	pueprperal)	**			7
66.	A.—Metritis				-	10
	B.—Other affections of the F	emale Geni	tal Organ	is:—	alleria de la	
	Displacement of Uterus Amenorrhoea					2
	Dysmenorrhoea					78
	Leucorrhoea					170 13
	Vaginitis					1
				-		(mail:
		Committee				
		Carried	forward		29939	9636

Table VI.—Contd.

Return of Diseases (Out-Patients) for the year 1930.

	Diseases	Male	Female			
		Brought fo	rward		29939	9636
	VIII.—Puerperal	State.				
67.	A.—Normal Labour					79
	B.—Accidents of Pregnancy—					
	(a) Abortion					4
	(b) Other accidents of Pr	egnancy .				8
	(c) Ante-natal examination	ns .				49
68.	Puerperal Haemorrhage					4
69.	Puerperal Septicaemia					188
70.	Sequelae of Labour					1
71.	Puerperal affections of the Bre	east .				14
30000						
	IX.—Affections of the Skin an	id Cellular	l'issues.			
72.	Gangrene				1	
73.	Boil				135	38
2013	Carbuncle				9	
74.	Abscess Whitlow				184 27	57 8
	Cellulitis:—				98	15
75.					2428	716
	B.—Scabies				1919	451
76.	Other Diseases of the Skin:-					
3.500	Erythema				71	34
	Urticaria				4	5
	Eczema				255 26	122
	Herpes Psoriasis			**	7	1
	Elephantiasis				35	9
	Ulcers				4591	794
	Prickly heat				16	11
	Pediculi				1	10 51
	Impetigo				16	01
1	X.—Diseases of Bones and Org	gans of Loc	omotions	3		
	(other than tubero	culous).				
77.	Diseases of Joints:—					
	Arthritis				101 17	36 9
	Synovitis				11	,
	XI.—Malformati	ions.				
	XII.—Diseases of I	Infancy.				
78.	Congenital Debility				2	2
				-	20000	10001
		Carried fo	rward		39882	12361

Table VI.—Contd.

Return of Diseases (Out-Patients) for the year 1930.

79. 80.	Other affections of Infancy	ard	39882	******
				12361
80.			1	81
	Infant neglect (infants of three months or o	ver)		1
	XIII.—Affections of Old Age.			S (0)
81.	Senility		35	29
	XIV.—Affections produced by External Caus	ses.		Anniel .
82.	Food Poisoning:—			No. of the last
	Botulism		3	2
83.	Attacks of poisonous animals:—			
	Snake Bite		4	TORR. TORR.
0.4	Insect Bite		43	4
84.	Other accidental Poisonings		8	1
85.	Burns (by Fire)		64	46
86.	Burns (Other than by Fire)		44	12
87.	Wounds (by cutting or stabbing Instruments)	)	1779	241
88.	Wounds (by Fall)		216	44
89.	Wounds (crushing, e.g. railway accidents, &c	.)	456	99
90.	Injuries inflicted by Animals, Bites, Kicks, &	c	19	6
91.	A.—Over fatigue		4	
	B.—Hunger or Thirst		2	
92.	Exposure to Heat:—			
	Heatstroke		8	
93.	A.—Dislocation		13	7
	B.—Sprain		178	33
	C.—Fracture		36	3
	XV.—Ill-Defined Diseases.		No party in	
94.	A.—Diseases not already specified or ill-define	ed:—	Side Supply	
	Ascites		3	
	Oedema		5	
	R_Malingaring		3	2
	C.—Physical evamination	-	1	
	Prophylactic	white he	131	1
	Observation		3 12	1
	TOTA	AL	42953	12974

Charts & Appendices not included



Printers Limited, Singapore.