

Medical Officer's annual report [to] Durban Corporation.

Contributors

Durban (South Africa). Public Health Department.

Publication/Creation

[Durban] : [The Corporation], [1931]

Persistent URL

<https://wellcomecollection.org/works/nwzyhpuq>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

MEDICAL LIBRARY.

NOT TO BE TAKEN AWAY.

Copy for borrowing available in
Gen.

FCM
5. 12 1932

over



BOROUGH OF DURBAN



ANNUAL REPORT
of the
MEDICAL OFFICER OF
HEALTH

For the Year Ending
31st JULY, 1931

86633



PUBLIC HEALTH DEPARTMENT,
 OLD COURT HOUSE BUILDINGS,
 D U R B A N.

1st August, 1931.


To His Worship the Mayor and Town
 Councillors of the Borough of Durban.

Mr. Mayor, Ladies & Gentlemen,

I have the honour to present herewith the Thirtieth Annual Report dealing with the health and sanitary conditions of the Borough of Durban for the year ended 30th June, 1931.

I am,

Your obedient Servant,



MEDICAL OFFICER OF HEALTH.

R E P O R T "A".

1. VITAL STATISTICS.

POPULATION :

The following table shows the estimated population for the year 1930-1931, the last Census of the Borough being shown in comparison :

	Government Census 1926.	Estimate. 1930.	Government & Municipal Estimate 1931.
Europeans	53,348	60,560	59,250
Coloured	2,600	4,140	4,240
Native	33,407	43,640	43,750
Asiatic	<u>16,743</u>	<u>17,330</u>	<u>17,360</u>
	106,098	125,670	125,100
	<u><u> </u></u>	<u><u> </u></u>	<u><u> </u></u>

BIRTHS :

During the year the number of registered European births was 954 as compared with 973 and 986 in the two preceding years.

The following table shows the recorded births - all races - and birth rates in the case of residents only, the past eight years.

	EUROPEAN		COLOURED		NATIVE		ASIATIC	
	Births	Rates	Births	Rates	Births	Rates	Births	Rates
1924	919	18.09	54	12.02	19	1.17	770	47.67
1925	1025	19.95	84	45.7	40	1.43	665	39.76
1926	-	19.63	92	48.91	37	0.97	909	54.09
1927	1220	22.54	82	31.01	21	0.55	792	46.65
1928	986	17.34	117	34.70	49	1.54	679	39.94
1929	984	17.31	127	31.00	76	1.80	732	44.33
1930	973	16.06	136	32.84	129	2.72	658	37.96
1931	954	15.75	141	33.23	126	2.88	753	42.44

ILLEGITIMATE BIRTHS - BOROUGH RESIDENTS.

	EUROPEAN		COLOURED		NATIVE		ASIATIC.	
	M.	F.	M.	F.	M.	F.	M.	F.
Births	19	11	14	14	34	22	2	-
Percentages	3.14		1.98		44.44		.26	

STILL BIRTHS.

	EUROPEAN.	COLOURED.
Notified	33	4
Registered	30	11

The European Birth Rate, 15.75, is the lowest yet recorded. This rate has been falling steadily since 1927.

During the year the number of registered European citizens changed with 513 and 550 in the two preceding years.

The following table shows the recorded births - all sexes, and first names in the case of residents only, the past eight years:

Year	European	Coloured	Native	Asiatic
1931	141	135	135	135
1932	136	136	136	136
1933	137	137	137	137
1934	117	117	117	117
1935	113	113	113	113
1936	113	113	113	113
1937	113	113	113	113
1938	113	113	113	113
1939	113	113	113	113
1940	113	113	113	113
1941	113	113	113	113

ILLUSTRATIVE TABLES - EUROPEAN BIRTH RATE

Year	European	Coloured	Native	Asiatic
1931	141	135	135	135
1932	136	136	136	136
1933	137	137	137	137
1934	117	117	117	117
1935	113	113	113	113
1936	113	113	113	113
1937	113	113	113	113
1938	113	113	113	113
1939	113	113	113	113
1940	113	113	113	113
1941	113	113	113	113

The European Birth Rate, 18.75, is the lowest yet recorded. This rate has been falling steadily since 1927.

It is considered that two factors contribute to this phenomenon, firstly, the prevalent industrial depression and secondly, the markedly increasing popularity of the "flat". In steadily increasing numbers, people are giving up housekeeping in favour of domicile in the 'service flat', which makes it appeal on the grounds of economy and relief from the worries of managing native servants. Both factors are therefore inter-related, but it is questionable whether an improvement in the industrial situation will restore the popularity of the detached residence with its enclosed plot of land, so long as the present rating system of 6d. in the £. on land and 3d. in the £. on houses is maintained.

Flat life definitely discourages an increase in the birth-rate, children being classed along with dogs and gramophones as offensive to its amenities.

Having regard to the seriousness of a progressive loss of the best elements in our mixed civilization, the Council should seriously consider a change in its rating policy, with the object of removing the rating disabilities under which the small property owner and occupier presently finds himself as compared with the flat dweller.

The non-European Birth Rates are somewhat in excess of the previous year, but with the exception of the Native rate, they do not exceed the average of the previous five years.

Deaths/

It is considered that the factors mentioned in this
 phenomenon, namely, the present industrial depression
 and especially the steadily increasing popularity of the
 "flat" in steadily increasing numbers, people are
 giving up housekeeping in favor of flats in the
 "service flat", which makes it appeal to the groups of
 economy and relief from the worries of managing a live
 apartment. Both factors are therefore inter-related, but
 it is questionable whether an improvement in the industrial
 situation will restore the popularity of the detached
 residence with the proposed gift of land, so long as the
 present rental system of 50 in the 2 on land and 30 in
 the 2 on houses is maintained.

That life definitely discourages an increase in
 the detached, children being raised along with day care
 arrangements as alternatives to the suburbs.

Having regard to the seriousness of a progressive
 loss of the best elements in our mixed civilization, the
 Government should seriously consider a change in the rental
 policy, which would consist of giving the flat-dweller
 under which the small property owner and occupier presently
 finds himself as compared with the flat-dweller.

The non-European Birth Rates are shown in
 column of the previous year, but with the exception of the
 Native race, they do not exceed the averages of the previous

Table

DEATHS :

	EUROPEAN		COLOURED		NATIVES		ASIATICS.		TOTAL	
	Boro:	Imp.	Boro:	Imp.	Boro:	Imp.	Boro:	Imp.	Boro:	Imp.
Deaths	561	185	55	35	349	416	231	40	1196	676
Rates	9.47	-	12.97	-	7.97	-	12.93	-	9.5	-

TABLE SHOWING BOROUGH DEATHS & RATES FOR A PERIOD OF EIGHT YEARS.

	EUROPEAN		COLOURED		NATIVES		ASIATICS		TOTAL.	
	Deaths:	Rates	Deaths:	Rates	Deaths:	Rates	Death:	Rates	Deaths	
1924	473	9.31	23	5.14	234	6.68	300	18.57	1,030	
1925	537	10.95	55	29.92	242	8.65	314	20.77	1,148	
1926	460	8.81	59	31.36	275	7.23	303	18.03	1,097	
1927	507	9.37	62	23.45	287	7.55	19	18.79	1,175	
1928	476	8.37	40	11.83	248	6.49	269	15.82	1,033	
1929	503	8.42	42	10.25	285	6.75	250	14.54	1,080	
1930	508	8.83	5	1.20	319	7.31	266	15.35	1,098	
1931	561	9.47	55	12.97	349	7.97	231	12.93	1,196	

The European Death Rate, 9.47, although slightly in excess of last year, continues to be very low. The Asiatic Death Rate, 12.93, is the lowest recorded for many years, indicating the benefits of improvement in sanitary conditions and the widening scope of health services available for this section of the population.

INFANTILE MORTALITY :

The following table shows the Infantile Mortality figure over the past 8 years (Borough Europeans only).

	1924	1925	1926	1927	1928	1929	1930	1931
Deaths	68	82	47	35	44	46	36	36
Mortality Fig.	73.99	83.84	45.81	36.3	44.62	46.64	36.99	37.73

Year	White	Colored	Total
1925	12.97	18.97	15.97
1926	12.97	18.97	15.97
1927	12.97	18.97	15.97
1928	12.97	18.97	15.97
1929	12.97	18.97	15.97
1930	12.97	18.97	15.97
1931	12.97	18.97	15.97

TABLE SHOWING DEATH RATES & RATES FOR A PERIOD OF YEARS

Year	White	Colored	Total
1925	12.97	18.97	15.97
1926	12.97	18.97	15.97
1927	12.97	18.97	15.97
1928	12.97	18.97	15.97
1929	12.97	18.97	15.97
1930	12.97	18.97	15.97
1931	12.97	18.97	15.97

The infant mortality rate, 2.47, although slightly higher than the rate of 2.45 recorded last year, continues to be very low. The infant mortality rate, 12.97, is the lowest recorded for many years, indicating the benefits of improvements in sanitary conditions and the widening scope of health services available for this section of the population.

WHITE MORTALITY

The following table shows the infant mortality figures over the past 5 years (Borough Europeans only).

Year	White	Colored	Total
1925	12.97	18.97	15.97
1926	12.97	18.97	15.97
1927	12.97	18.97	15.97
1928	12.97	18.97	15.97
1929	12.97	18.97	15.97
1930	12.97	18.97	15.97
1931	12.97	18.97	15.97

INFANTILE MORTALITY - AGES & CAUSES OF DEATH.

DISEASES.	Weeks.			Months			Total Under One Year.
	0-1	1-2	2-4	1-3	3-6	6-12	
Dysentery	-	-	-	-	-	1	1
Cerebral Haemorrhage	2	-	-	-	-	-	2
Convulsions	1	-	-	-	-	-	1
Diseases of Lymphatis	1	-	-	-	-	-	1
Broncho-Pneumonia	-	-	1	1	-	-	2
Diarrhoea & Enteritis	-	-	-	3	3	3	9
Other Diseases of the Digestive System.	-	-	-	-	-	1	1
Other Dis. of Kidneys	-	-	-	-	-	1	1
Congenital Heart.	1	-	1	-	-	-	2
Prematurity	8	1	-	-	2	-	11
Other Diseases peculiar to early infancy	3	1	-	-	-	-	4
Burns	-	-	-	-	-	1	1
T O T A L S :	16	2	2	4	5	7	36

The European Rate, 37.73 per 1,000 births, continues to be very low. The slight increase over last year is attributable to the increasing popularity of the artificial feeding of infants - another sign of the times which cannot be regarded with equanimity.

Further developments in the scope of Maternity and Child Welfare education are contemplated with a view to popularising, inter alia, breast-feeding. These include an additional Municipal Midwife and educational propaganda for mothers by means of locally-produced miniature Cinema films shown regularly at the Clinics.

MATERNAL MORTALITY :

The Maternal Mortality rate (European) for the year was 2.09

TABLE 1. - THE CAUSE OF DEATH

Year	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	Total
Cardiovascular	1,200	1,300	1,400	1,500	1,600	1,700	1,800	1,900	2,000	2,100	2,200	17,400
Respiratory	800	850	900	950	1,000	1,050	1,100	1,150	1,200	1,250	1,300	10,600
Neoplasms	400	450	500	550	600	650	700	750	800	850	900	6,300
Accidents	200	250	300	350	400	450	500	550	600	650	700	4,700
Other	100	150	200	250	300	350	400	450	500	550	600	4,000
Total	2,700	2,950	3,100	3,250	3,400	3,550	3,700	3,850	4,000	4,150	4,300	37,000

The mortality rate (European) for the year 1920 was 1,000 per 1,000 births compared to 1,200 per 1,000 births in 1910. This shows a decrease of 20% in the mortality rate over the ten-year period. The cause of death for the majority of the population is cardiovascular disease, which accounts for approximately 45% of the total deaths. Other significant causes include respiratory diseases, neoplasms, and accidents. The mortality rate for infants is also high, with approximately 100 deaths per 1,000 live births in 1920. This is a significant public health concern that requires further investigation and intervention. The data suggests that while overall mortality has decreased, the burden of chronic diseases like cardiovascular and respiratory conditions remains high. Improvements in infant care and accident prevention are also needed to further reduce the mortality rate.

Table showing the Maternal Mortality figure for the past four years.

	1928	1929	1930	1931.
Deaths	-	-	4	2
Mortality Rate	4.05	3.04	4.11	2.09

Although the Rate (European) shown is low, it naturally does not reflect the amount of puerperal morbidity which occurs, nor the extent of either mortality or morbidity in the non-European sections. The better class Europeans are well-served by Trained Midwives, but numbers of untrained handymen cater for the poorest European class. For non-Europeans, adequate midwifery service simply does not exist. Excluding the first-named group, the position with regard to midwifery services generally requires urgent attention.

Powers for this purpose exist since June 1st, the date of promulgation of Regulations regarding persons practising midwifery under Section 133 of the Public Health Act. Under these Regulations, the Borough Council is required to make and keep a list of all persons (other than registered medical practitioners) practising midwifery within its district. The Council may refuse to enter on, or may remove from such list, the name of any person whose practising as a midwife the Council considers would be prejudicial or dangerous to the public health.

In the present Borough area there are 90 qualified and 71 unqualified midwives known to practice midwifery. In the sub-urban areas, soon to be incorporated, there are many more likely to be added to the latter category. Many of those unqualified midwives have no idea of ordinary cleanliness, let

alone/

Table showing the Natural Mortality Rate for the past four years.

Year	1931	1932	1933	1934
Natural Mortality Rate	2.08	4.11	3.02	4.08

Although the rate (shown) is low, it naturally does not reflect the amount of hospital morbidity which occurs not the extent of either mortality or morbidity in the non-European sections. The better class Europeans are well-served by trained midwives, but numbers of untrained handwomen cater for the poorest European class. For non-Europeans, adequate midwifery service simply does not exist. Excluding the first named group, the position with regard to midwifery services generally requires urgent attention.

Provision for this purpose exists since June 1st, the date of promulgation of Regulations regarding persons practising midwifery under Section 125 of the Public Health Act. Under these Regulations, the Council should be required to make and keep a list of all persons (other than registered medical practitioners) practising midwifery within the district. The Council may refuse to enter on, or may remove from such list, the name of any person whose practising as a midwife the Council considers would be prejudicial or dangerous to the public health. In the present Borough, there are 50 qualified and 75 unqualified midwives known to practise midwifery. In the suburban areas, soon to be incorporated, there are many more likely to be added to the latter category. Many of these unqualified midwives have no idea of ordinary cleanliness, let alone

alone asepsis. Although practising their craft for many years, numbers of those handymen do not know how to read a thermometer.

Unless the making and keeping of the List of Practising Midwives is to be merely perfunctory, the whole time of a woman Medical Inspector will be required to carry out the necessary supervision. Provision is being made on the coming year's Estimates for obtaining the part-time services of a woman medical officer to assist in this work.

There is an absolute shortage of trained midwives available for the non-European classes. The root cause of this shortage is the lack of training facilities. The public hospitals, which control such training facilities as are available are administered by the Provincial Government, which is under no statutory obligation to train midwives other than for the maintenance of hospital staffs.

PERCENTAGE OF DEATHS AT VARIOUS AGE PERIODS (EUROPEANS).

Age Period	No. of Deaths.	Percentages of Total Deaths at all ages.
Under 1 Year	40	7.1
1 - 2 Years	3	.5
2 - 5 Years	10	1.7
1 - 5 Years	53	9.3
5 - 15 Years	22	3.9
15 - 25 Years	16	3.2
25 - 45 Years	70	12.4
45 - 65 Years	199	35.4
65 and Over.	201	35.3
T O T A L:	561.	--

alone appear. Although practicing their craft for many years, members of these handicrafts do not know how to read a thermometer.

There is an absolute shortage of trained midwives available for the non-Surgical classes. The root cause of this shortage is the lack of training facilities. The public hospitals, which control such training facilities as are available are administered by the Provincial Government, which is under no statutory obligation to train midwives other than for the maintenance of hospital activities.

PERCENTAGE OF DEATHS AT VARIOUS AGE PERIODS (1930-1934)

Age Period	No. of Deaths	Percentage of Total Deaths of all ages
Under 5 years	40	7.1
5 - 10 years	5	0.9
10 - 15 years	10	1.8
15 - 20 years	25	4.5
20 - 25 years	22	3.9
25 - 30 years	15	2.7
30 - 35 years	10	1.8
35 - 40 years	100	18.2
40 and Over	201	36.4
TOTAL	341	100.0

TABLE B SHOWING DEATHS FROM CERTAIN MAIN CAUSES - OTHER THAN EUROPEANS.

	NUMBER OF DEATHS.				PROPORTION PER 1,000 DEATHS FROM ALL CAUSES.							
	Coloured. 1929/30:1930/31	Natives 1929/30:1930/31	Asiatics 1929/30:1930/31	Asiatics 1929/30:1930/31	Coloured 1929/30:1930/31	Natives 1929/30:1930/31	Natives 1929/30:1930/31	Asiatics. 1929/30:1930/31				
Infective Intestinal Diseases (Enteric Fever, Dysentery, Diarrhoea & Enteritis).....	-	4	41	38	27	24	-	73	128	109	102	104
Cancer	-	1	2	3	-	4	-	18	6	8	-	17
Heart & Circulatory Sys..	3	4	12	22	17	10	600	73	36	63	64	43
Nervous Systems.....	-	4	10	10	15	11	-	73	30	25	56	47
Birth & Early Development	-	6	32	27	26	24	-	109	100	77	98	104
Pneumonia & Bronchitis...	1	7	50	54	64	50	200,	127	159	154	240	215
Tuberculosis Pulmonary...	-	10	37	50	20	18	-	182	116	143	75	78
Tuberculosis -Non Pulm...	-	-	9	5	3	8	-	-	34	14	30	35

Table 2. Summary of data collected during the study.

Species	Number of Deaths	Number of Survivors	Total	Percentage of Deaths	Percentage of Survivors
Atlantic Salmon	10	90	100	10%	90%
Atlantic Salmon	15	85	100	15%	85%
Atlantic Salmon	20	80	100	20%	80%
Atlantic Salmon	25	75	100	25%	75%
Atlantic Salmon	30	70	100	30%	70%
Atlantic Salmon	35	65	100	35%	65%
Atlantic Salmon	40	60	100	40%	60%
Atlantic Salmon	45	55	100	45%	55%
Atlantic Salmon	50	50	100	50%	50%
Atlantic Salmon	55	45	100	55%	45%
Atlantic Salmon	60	40	100	60%	40%
Atlantic Salmon	65	35	100	65%	35%
Atlantic Salmon	70	30	100	70%	30%
Atlantic Salmon	75	25	100	75%	25%
Atlantic Salmon	80	20	100	80%	20%
Atlantic Salmon	85	15	100	85%	15%
Atlantic Salmon	90	10	100	90%	10%
Atlantic Salmon	95	5	100	95%	5%
Atlantic Salmon	100	0	100	100%	0%

DEATH RETURNS.

<u>EPIDEMIC, ENDEMIC, CONTAGIOUS & INFECTIOUS DIS.</u>	<u>BOROUGH</u>				<u>IMPORTED.</u>				
	<u>E.</u>	<u>C.</u>	<u>N.</u>	<u>A.</u>	<u>E.</u>	<u>C.</u>	<u>N.</u>	<u>A.</u>	
001/1 Enteric Fever	6	-	1	-	3	-	9	-	
002/x Typhus Fever	-	-	-	-	1	-	-	-	
005/1 Malaria	13	2	23	12	10	3	26	6	
007/x Measles	2	-	1	-	-	-	-	-	
009/x Whooping Cough	-	1	-	-	4	-	1	-	
010/x Diphtheria & Croup	5	-	-	2	-	-	-	-	
011/1 Influenza (with Pulm. Comp.).....	7	1	-	1	-	-	-	1	
011/2 -do- (without Pulm.Comp.).....	1	-	1	2	-	-	-	-	
016/1 Dysentery - Amoebic	3	-	2	-	1	-	2	1	
016/2 -do- - Bacillary	4	-	1	1	4	1	7	-	
016/3 -do- - Other Causes	-	-	16	3	1	2	40	1	
020/x Leprosy	-	-	-	-	-	-	2	-	
021/x Erysipelas	2	-	-	-	-	-	-	-	
024/x Meningococcal Meningitis	-	-	-	-	1	-	-	-	
029/x Tetanus	-	-	-	1	-	-	1	-	
031/x Tuberculosis - Respiratory System....	28	10	49	18	3	6	89	4	
032/x -do- - Meningeal	2	-	-	-	1	-	2	-	
033/x -do- - Abdominal	1	-	4	5	1	-	1	-	
034/x -do- - Of the vertebral column	-	-	-	1	-	-	1	-	
036/4 -do- - Genito-Urinary System.	1	-	-	-	-	-	-	-	
036/5 -do- - Other Organs	-	-	1	1	-	-	2	-	
037/1 -do- - Acute Disseminated....	-	-	-	-	-	-	1	-	
037/2 -do- - Chronic Disseminated..	-	-	-	1	-	-	2	-	
038/x Syphilis	2	-	7	-	-	2	6	-	
040/2 Gonorrhoeal or Purulent Ophthalmia...	-	-	1	-	-	-	-	-	
041/x Purulent Infection - Septicaemia....	1	1	1	3	1	-	-	-	
042/x Other Infectious Diseases	4	-	1	-	-	-	1	-	
CARRIED FORWARD :									
82 15 109 51 31 14 193 13									

DEATH RATES

DEATH RATES	DEATH RATES	DEATH RATES	DEATH RATES	DEATH RATES	DEATH RATES	DEATH RATES	DEATH RATES	DEATH RATES	DEATH RATES
1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50	50	50

GENERAL DISEASES (NOT INCLUDED IN CLASS I)	BOROUGH				IMPORTED.			
	E. C. N. A.				E. C. N. A.			
BROUGHT FORWARD	82	15	109	51	31	14	193	13
043/x Cancer - Bucal Cavity	2	-	-	-	3	-	-	-
044/x -do- - Stomach, Liver & Oesophagus	18	-	1	1	6	-	1	1
045/x -do- - Peritoneum, Intestines, Rectum	11	-	-	1	1	-	1	-
046/x -do- - Female Genital Organs.....	11	-	1	1	1	-	1	-
047/x -do- - Breast	11	1	-	1	2	-	1	-
048/x -do- - Skin	1	-	-	-	-	-	-	-
049/x -do- - Other or unspecified Organs	14	-	2	-	8	1	4	-
050/x Other Tumors	1	-	-	-	-	-	-	-
051/x Rheumatic Fever	1	-	-	-	3	-	-	-
052/x Chronic Rheumatism & Gout	-	1	-	1	1	-	-	-
057/x Diabetes	9	1	-	-	1	1	1	-
058/1 Pernicious Anaemia	-	-	-	-	1	-	1	-
058/2 Other Anaemias & Chlorosis	-	-	-	-	1	-	-	-
060/1 Exophthalmic Goitre	1	-	1	-	-	-	-	-
060/2 Other diseases of Thyroid Gland....	1	-	-	-	-	-	-	-
065/1 Leucaemia	2	-	-	1	1	-	-	-
066/x Alcoholism	1	-	-	-	-	-	-	-
069/x Other General Diseases	1	-	1	-	-	-	1	-
<u>DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS :</u>								
070/x Encephalitis	1	-	-	-	-	-	-	-
071/x Simple Meningitis	2	2	3	2	-	1	3	-
073/x Other Diseases of Spinal Cord	1	1	1	-	1	-	1	-
074/1 Cerebral Haemorrhage	11	-	2	2	-	-	2	-
074/2 Cerebral Thrombosis & Embolism.....	4	-	1	1	2	-	-	-
075/1 Hemiplegia	-	1	2	5	-	-	1	-
075/2 Paralysis	-	-	-	-	-	-	-	1
078/x Epilepsy	-	-	-	-	1	-	-	-
CARRIED FORWARD :	186	22	124	67	64	17	211	15

Category	Sub-category	Value 1	Value 2	Value 3	Value 4	Value 5	Value 6	Value 7	Value 8	Value 9	Value 10
A	1	1	1	1	1	1	1	1	1	1	1
	2	1	1	1	1	1	1	1	1	1	1
	3	1	1	1	1	1	1	1	1	1	1
	4	1	1	1	1	1	1	1	1	1	1
	5	1	1	1	1	1	1	1	1	1	1
	6	1	1	1	1	1	1	1	1	1	1
	7	1	1	1	1	1	1	1	1	1	1
	8	1	1	1	1	1	1	1	1	1	1
	9	1	1	1	1	1	1	1	1	1	1
	10	1	1	1	1	1	1	1	1	1	1
B	1	1	1	1	1	1	1	1	1	1	1
	2	1	1	1	1	1	1	1	1	1	1
	3	1	1	1	1	1	1	1	1	1	1
	4	1	1	1	1	1	1	1	1	1	1
	5	1	1	1	1	1	1	1	1	1	1
	6	1	1	1	1	1	1	1	1	1	1
	7	1	1	1	1	1	1	1	1	1	1
	8	1	1	1	1	1	1	1	1	1	1
	9	1	1	1	1	1	1	1	1	1	1
	10	1	1	1	1	1	1	1	1	1	1
C	1	1	1	1	1	1	1	1	1	1	1
	2	1	1	1	1	1	1	1	1	1	1
	3	1	1	1	1	1	1	1	1	1	1
	4	1	1	1	1	1	1	1	1	1	1
	5	1	1	1	1	1	1	1	1	1	1
	6	1	1	1	1	1	1	1	1	1	1
	7	1	1	1	1	1	1	1	1	1	1
	8	1	1	1	1	1	1	1	1	1	1
	9	1	1	1	1	1	1	1	1	1	1
	10	1	1	1	1	1	1	1	1	1	1

<u>DISEASES OF NERVOUS SYSTEM & SENSE ORGANS</u> <u>CONTD.</u>	<u>BOROUGH</u>				<u>IMPORTED.</u>			
	<u>E.</u>	<u>C.</u>	<u>N.</u>	<u>A.</u>	<u>E.</u>	<u>C.</u>	<u>N.</u>	<u>A.</u>
BROUGHT FORWARD :	186	22	124	67	64	17	211	15
080/x Convulsions	1	-	1	-	-	-	-	-
084/x Other Diseases of Nervous System...	-	-	-	-	2	-	-	-
086/x Diseases of the Ear & Mastoid Bone.	-	-	-	1	1	-	-	-
<u>DISEASES OF THE CIRCULATORY SYSTEM.</u>								
087/x Pericarditis	-	-	2	1	-	-	1	-
088/1 Acute Endocarditis	14	-	3	2	4	-	3	-
088/2 Myocarditis	26	1	5	2	15	1	7	-
089/x Angina Pectoris	3	1	-	-	-	1	-	-
090/1 Valvular Diseases of the Heart....	14	-	1	1	4	1	1	-
090/2 Fatty Degeneration of the Heart...	5	-	-	-	-	-	-	-
090/3 Other Diseases of the Heart	16	1	2	1	3	-	-	1
091/1 Aneurism	1	-	2	-	-	-	2	-
091/2 Arterial Sclerosis	27	-	1	1	2	1	-	-
091/3 Other Diseases of the Arteries....	8	-	-	1	2	-	1	-
091/4 Aortic Aneurism.....	1	-	-	-	-	-	-	-
092/x Embolism & Thrombosis	4	-	1	-	-	-	1	-
093/x Diseases of the Veins	1	-	-	-	-	-	-	-
094/x Diseases of the Lymphatic Sys.....	2	-	1	-	-	-	-	-
096/x Other Diseases of Circulatory Sys.	14	1	4	1	3	-	4	-
<u>DISEASES OF THE RESPIRATORY SYSTEM.</u>								
099/1 Acute Bronchitis	5	1	5	2	-	-	-	1
099/2 Chronic Bronchitis	6	1	1	4	-	-	-	2
099/3 Undefined Bronchitis (Under 5 yrs)	-	-	2	2	-	-	-	-
099/4 -do- (5 years & Over)	-	-	1	1	-	-	-	1
100/x Broncho Pneumonia	10	3	16	38	5	-	20	3
101/1 Pneumonia - Lobar	10	1	4	2	3	-	-	1
101/2 -do - Undefined	10	1	25	1	2	1	26	-
CARRIED FORWARD :	264	33	201	128	110	22	277	24

IMPORTED	DOMESTIC	CLASS OF DISEASE SYSTEM & NERVE ORGAN
188 82 184 87	188 82 184 87	Convulsions
		Other Diseases of Nervous System
		Diseases of the Ear & Mastoid Bone
		Pharyngitis
		Acute Pharyngitis
		Chronic Pharyngitis
		Acute Tonsillitis
		Chronic Tonsillitis
		Acute Laryngitis
		Chronic Laryngitis
		Acute Bronchitis
		Chronic Bronchitis
		Acute Pneumonia
		Chronic Pneumonia
		Acute Pleurisy
		Chronic Pleurisy
		Acute Peritonitis
		Chronic Peritonitis
		Acute Meningitis
		Chronic Meningitis
		Acute Encephalitis
		Chronic Encephalitis
		Acute Myelitis
		Chronic Myelitis
		Acute Polio
		Chronic Polio
		Acute Paralysis
		Chronic Paralysis
		Acute Epilepsy
		Chronic Epilepsy
		Acute Dementia
		Chronic Dementia
		Acute Insanity
		Chronic Insanity
		Acute Deafness
		Chronic Deafness
		Acute Blindness
		Chronic Blindness
		Acute Stomach Disease
		Chronic Stomach Disease
		Acute Intestinal Disease
		Chronic Intestinal Disease
		Acute Liver Disease
		Chronic Liver Disease
		Acute Gallbladder Disease
		Chronic Gallbladder Disease
		Acute Kidney Disease
		Chronic Kidney Disease
		Acute Bladder Disease
		Chronic Bladder Disease
		Acute Prostate Disease
		Chronic Prostate Disease
		Acute Gynecological Disease
		Chronic Gynecological Disease
		Acute Venereal Disease
		Chronic Venereal Disease
		Acute Syphilis
		Chronic Syphilis
		Acute Gonorrhea
		Chronic Gonorrhea
		Acute Scabies
		Chronic Scabies
		Acute Eczema
		Chronic Eczema
		Acute Psoriasis
		Chronic Psoriasis
		Acute Dermatitis
		Chronic Dermatitis
		Acute Rheumatism
		Chronic Rheumatism
		Acute Gout
		Chronic Gout
		Acute Osteoarthritis
		Chronic Osteoarthritis
		Acute Spondylitis
		Chronic Spondylitis
		Acute Tuberculosis
		Chronic Tuberculosis
		Acute Malaria
		Chronic Malaria
		Acute Cholera
		Chronic Cholera
		Acute Typhoid
		Chronic Typhoid
		Acute Diphtheria
		Chronic Diphtheria
		Acute Pertussis
		Chronic Pertussis
		Acute Whooping Cough
		Chronic Whooping Cough
		Acute Measles
		Chronic Measles
		Acute Rubella
		Chronic Rubella
		Acute Mumps
		Chronic Mumps
		Acute Scarlatina
		Chronic Scarlatina
		Acute Erysipelas
		Chronic Erysipelas
		Acute Tetanus
		Chronic Tetanus
		Acute Botulism
		Chronic Botulism
		Acute Rabies
		Chronic Rabies
		Acute Hydrophobia
		Chronic Hydrophobia
		Acute Strabismus
		Chronic Strabismus
		Acute Amblyopia
		Chronic Amblyopia
		Acute Myopia
		Chronic Myopia
		Acute Hyperopia
		Chronic Hyperopia
		Acute Presbyopia
		Chronic Presbyopia
		Acute Astigmatism
		Chronic Astigmatism
		Acute Anisometropia
		Chronic Anisometropia
		Acute Strabismic Amblyopia
		Chronic Strabismic Amblyopia
		Acute Refractive Amblyopia
		Chronic Refractive Amblyopia
		Acute Strabismic Deafness
		Chronic Strabismic Deafness
		Acute Refractive Deafness
		Chronic Refractive Deafness
		Acute Strabismic Blindness
		Chronic Strabismic Blindness
		Acute Refractive Blindness
		Chronic Refractive Blindness
		Acute Strabismic Epilepsy
		Chronic Strabismic Epilepsy
		Acute Refractive Epilepsy
		Chronic Refractive Epilepsy
		Acute Strabismic Dementia
		Chronic Strabismic Dementia
		Acute Refractive Dementia
		Chronic Refractive Dementia
		Acute Strabismic Insanity
		Chronic Strabismic Insanity
		Acute Refractive Insanity
		Chronic Refractive Insanity
		Acute Strabismic Deafness
		Chronic Strabismic Deafness
		Acute Refractive Deafness
		Chronic Refractive Deafness
		Acute Strabismic Blindness
		Chronic Strabismic Blindness
		Acute Refractive Blindness
		Chronic Refractive Blindness
		Acute Strabismic Epilepsy
		Chronic Strabismic Epilepsy
		Acute Refractive Epilepsy
		Chronic Refractive Epilepsy
		Acute Strabismic Dementia
		Chronic Strabismic Dementia
		Acute Refractive Dementia
		Chronic Refractive Dementia
		Acute Strabismic Insanity
		Chronic Strabismic Insanity
		Acute Refractive Insanity
		Chronic Refractive Insanity

	<u>BOROUGH</u>				<u>IMPORTED.</u>			
	<u>E.</u>	<u>C.</u>	<u>N.</u>	<u>A.</u>	<u>E.</u>	<u>C.</u>	<u>N.</u>	<u>A.</u>
<u>DISEASES OF RESPIRATORY SYSTEM (Contd).</u>								
BROUGHT FORWARD :	264	33	201	128	110	22	277	24
102/x Pleurisy	5	-	3	2	2	-	4	-
103/x Pulmonary Congestion	4	-	1	1	1	-	-	-
104/x Gangrene of the Lungs	1	-	1	-	1	-	-	-
105/x Asthma	4	1	-	1	-	1	-	-
107/3 Other Diseases of the Respiratory Sys	7	-	-	-	-	-	-	-
107/4 Miners Phthisis - without T.B.....	-	-	1	1	1	-	3	-
107/5 -do- - with Tuberculosis.	4	-	1	-	-	-	10	1
<u>DISEASES OF THE DIGESTIVE SYSTEM.</u>								
108/x Disease of the Mouth	-	-	-	-	1	-	-	-
110/x Disease of the Oesophagus.....	-	-	-	-	1	-	-	-
111/1 Ulcer of the Stomach	4	-	-	1	1	-	-	-
111/2 Ulcer of the Duodenum.....	4	-	-	-	1	-	-	-
112/x Other diseases of the stomach.....	1	-	-	-	2	-	-	-
113/x Diarrhoea & Enteritis (under 2 yrs)	13	4	14	16	4	1	14	1
114/x -do- (2 years and over)....	3	-	4	4	1	1	7	-
115/x Ankylostomiasis	-	-	-	1	-	-	-	-
117/x Appendicitis & Typhlitis	5	-	-	-	3	1	-	-
118/1 Hernia	1	-	-	1	3	-	-	-
118/2 Intestinal Obstructions	6	-	2	1	2	1	1	-
119/x Other diseases of the Intestines..	1	-	-	-	-	-	1	-
122/2 Cirrhosis	4	2	-	-	-	-	-	-
123/x Biliary Calculi	5	-	-	-	2	-	-	-
124/x Other diseases of the Liver.....	10	-	3	-	3	-	1	-
125/x Diseases of Pancreas.....	4	-	-	-	1	-	-	-
126/x Peritonitis of unstated Origin....	-	-	3	-	1	-	2	1
127/x Other diseases of the Digestive Sys	3	-	-	-	1	-	-	-
CARRIED FORWARD :	353	40	234	157	142	27	320	27

U.S. DEPARTMENT OF COMMERCE
BUREAU OF ECONOMIC ANALYSIS

Year	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
1. Diseases of the Digestive System	100	100	100	100	100	100	100	100	100	100	100	100	100
2. Diseases of the Mouth	10	10	10	10	10	10	10	10	10	10	10	10	10
3. Diseases of the Esophagus	5	5	5	5	5	5	5	5	5	5	5	5	5
4. Ulcer of the Stomach	15	15	15	15	15	15	15	15	15	15	15	15	15
5. Ulcer of the Duodenum	10	10	10	10	10	10	10	10	10	10	10	10	10
6. Other diseases of the stomach	5	5	5	5	5	5	5	5	5	5	5	5	5
7. Diseases of the Intestine (under 2 yrs)	10	10	10	10	10	10	10	10	10	10	10	10	10
8. Diseases of the Intestine (2 yrs and over)	10	10	10	10	10	10	10	10	10	10	10	10	10
9. Hemorrhoids	5	5	5	5	5	5	5	5	5	5	5	5	5
10. Diseases of the Rectum	5	5	5	5	5	5	5	5	5	5	5	5	5
11. Hemorrhoids	5	5	5	5	5	5	5	5	5	5	5	5	5
12. Diseases of the Intestine	10	10	10	10	10	10	10	10	10	10	10	10	10
13. Other diseases of the Intestine	5	5	5	5	5	5	5	5	5	5	5	5	5
14. Diseases of the Gallbladder	5	5	5	5	5	5	5	5	5	5	5	5	5
15. Other diseases of the liver	5	5	5	5	5	5	5	5	5	5	5	5	5
16. Diseases of the pancreas	5	5	5	5	5	5	5	5	5	5	5	5	5
17. Diseases of the salivary glands	5	5	5	5	5	5	5	5	5	5	5	5	5
18. Diseases of the tongue	5	5	5	5	5	5	5	5	5	5	5	5	5
19. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
20. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
21. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
22. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
23. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
24. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
25. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
26. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
27. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
28. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
29. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
30. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
31. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
32. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
33. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
34. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
35. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
36. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
37. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
38. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
39. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
40. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
41. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
42. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
43. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
44. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
45. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
46. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
47. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
48. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
49. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
50. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
51. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
52. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
53. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
54. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
55. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
56. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
57. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
58. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
59. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
60. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
61. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
62. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
63. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
64. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
65. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
66. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
67. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
68. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
69. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
70. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
71. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
72. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
73. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
74. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
75. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
76. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
77. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
78. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
79. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
80. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
81. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
82. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
83. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
84. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
85. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
86. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
87. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
88. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
89. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
90. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
91. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
92. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
93. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
94. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
95. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5
96. Diseases of the pharynx	5	5	5	5	5	5	5	5	5	5	5	5	5
97. Diseases of the nasal cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
98. Diseases of the oral cavity	5	5	5	5	5	5	5	5	5	5	5	5	5
99. Diseases of the throat	5	5	5	5	5	5	5	5	5	5	5	5	5
100. Diseases of the larynx	5	5	5	5	5	5	5	5	5	5	5	5	5

U.S. DEPARTMENT OF COMMERCE
BUREAU OF ECONOMIC ANALYSIS
WASHINGTON, D.C.

BROUGHT FORWARD :

353 40 234 157 140 27 320 27

NON V.D. OF GENITO URINARY SYS & ANNEXA

128/x	Nephritis - Acute	6	2	6	3	2	2	2	-
129/x	Nephritis - Chronic	19	3	5	1	4	-	2	4
131/x	Other Diseases of Kidneys & Annexa	5	-	-	-	1	-	-	-
133/1	Diseases of Bladder - Bilharziasis	-	-	-	-	1	-	1	-
133/2	Diseases of the Bladder	1	-	-	-	1	-	-	-
134/1	Stricture of the Urethra	-	-	-	-	1	-	-	-
135/x	Disease of the Prostrate	-	-	-	1	2	-	-	-
137/x	Cyst & other tumours of the ovary.	1	-	-	-	-	-	-	-
138/x	Salpingitis & Pelvic Abscess	-	-	1	-	-	-	-	-
141/1	Disease of the Uterus	-	-	-	-	-	-	3	-

THE PUERPERAL STATE.

143/1	Abortion (death of mother).....	-	-	1	-	-	1	1	-
143/2	Ectopic Gestation	-	-	-	-	1	-	1	-
143/3	Other Accidents of Pregnancy.....	2	-	-	-	1	1	-	1
145/x	Other Accidents of Labour.....	-	-	1	-	-	-	1	-
146/x	Puerperal Septicaemia	1	-	1	4	-	-	5	-
148/x	Puerperal Albuminuria & Convulsions	-	-	-	1	-	-	-	-

DISEASES OF THE SKIN & CELLULAR TISSUE

152/x	Furuncle	-	-	-	-	1	-	1	-
153/x	Acute Abscess	2	-	2	-	1	-	2	-
154/x	Other Dis. of Skin & Annexa	-	-	2	-	-	-	-	-

DISEASES OF THE BONES & ORGANS OF LOCOMOTION

155/x	Diseases of the Bones	-	-	-	-	1	-	-	-
156/x	-do- Joints	-	-	1	-	-	-	-	-

MALFORMATIONS.

159/1	Congenital Heart	1	-	2	2	-	-	-	-
159/2	Hydrocephalus	-	-	-	1	-	-	-	-
159/4	Malformation - other forms.....	-	1	-	2	1	-	-	1

CARRIED FORWARD :

391 46 256 172 160 31 339 33

REVENUE DEPARTMENT
STATE OF TEXAS
COMMISSIONERS OF REVENUE
Austin, Texas

CLASSIFICATION	AMOUNT	PERCENTAGE	TOTAL
1. Diseases of the Heart - Coronary Arteriosclerosis	10,000	10.0	10,000
2. Diseases of the Heart - Other	5,000	5.0	5,000
3. Diseases of the Heart - Rheumatic	2,000	2.0	2,000
4. Diseases of the Heart - Valvular	1,000	1.0	1,000
5. Diseases of the Heart - Other	1,000	1.0	1,000
6. Diseases of the Heart - Total	19,000	19.0	19,000
7. Diseases of the Lungs - Tuberculosis	15,000	15.0	15,000
8. Diseases of the Lungs - Other	5,000	5.0	5,000
9. Diseases of the Lungs - Total	20,000	20.0	20,000
10. Diseases of the Kidneys - Nephritis	8,000	8.0	8,000
11. Diseases of the Kidneys - Other	2,000	2.0	2,000
12. Diseases of the Kidneys - Total	10,000	10.0	10,000
13. Diseases of the Stomach - Gastritis	3,000	3.0	3,000
14. Diseases of the Stomach - Other	2,000	2.0	2,000
15. Diseases of the Stomach - Total	5,000	5.0	5,000
16. Diseases of the Intestines - Colitis	4,000	4.0	4,000
17. Diseases of the Intestines - Other	3,000	3.0	3,000
18. Diseases of the Intestines - Total	7,000	7.0	7,000
19. Diseases of the Liver - Cirrhosis	6,000	6.0	6,000
20. Diseases of the Liver - Other	4,000	4.0	4,000
21. Diseases of the Liver - Total	10,000	10.0	10,000
22. Diseases of the Gallbladder - Cholecystitis	2,000	2.0	2,000
23. Diseases of the Gallbladder - Other	1,000	1.0	1,000
24. Diseases of the Gallbladder - Total	3,000	3.0	3,000
25. Diseases of the Pancreas - Pancreatitis	1,000	1.0	1,000
26. Diseases of the Pancreas - Other	1,000	1.0	1,000
27. Diseases of the Pancreas - Total	2,000	2.0	2,000
28. Diseases of the Spleen - Splenitis	1,000	1.0	1,000
29. Diseases of the Spleen - Other	1,000	1.0	1,000
30. Diseases of the Spleen - Total	2,000	2.0	2,000
31. Diseases of the Adipose Tissue - Lipoma	1,000	1.0	1,000
32. Diseases of the Adipose Tissue - Other	1,000	1.0	1,000
33. Diseases of the Adipose Tissue - Total	2,000	2.0	2,000
34. Diseases of the Skin - Dermatitis	5,000	5.0	5,000
35. Diseases of the Skin - Other	3,000	3.0	3,000
36. Diseases of the Skin - Total	8,000	8.0	8,000
37. Diseases of the Bones & Joints - Osteoarthritis	4,000	4.0	4,000
38. Diseases of the Bones & Joints - Other	2,000	2.0	2,000
39. Diseases of the Bones & Joints - Total	6,000	6.0	6,000
40. Diseases of the Nervous System - Neuritis	3,000	3.0	3,000
41. Diseases of the Nervous System - Other	2,000	2.0	2,000
42. Diseases of the Nervous System - Total	5,000	5.0	5,000
43. Diseases of the Endocrine System - Diabetes Mellitus	10,000	10.0	10,000
44. Diseases of the Endocrine System - Other	5,000	5.0	5,000
45. Diseases of the Endocrine System - Total	15,000	15.0	15,000
46. Diseases of the Reproductive System - Gonorrhea	2,000	2.0	2,000
47. Diseases of the Reproductive System - Other	1,000	1.0	1,000
48. Diseases of the Reproductive System - Total	3,000	3.0	3,000
49. Diseases of the Urinary System - Nephritis	8,000	8.0	8,000
50. Diseases of the Urinary System - Other	2,000	2.0	2,000
51. Diseases of the Urinary System - Total	10,000	10.0	10,000
52. Diseases of the Female Reproductive System - Menstrual Disorders	3,000	3.0	3,000
53. Diseases of the Female Reproductive System - Other	2,000	2.0	2,000
54. Diseases of the Female Reproductive System - Total	5,000	5.0	5,000
55. Diseases of the Male Reproductive System - Prostatitis	2,000	2.0	2,000
56. Diseases of the Male Reproductive System - Other	1,000	1.0	1,000
57. Diseases of the Male Reproductive System - Total	3,000	3.0	3,000
58. Diseases of the Eye - Conjunctivitis	1,000	1.0	1,000
59. Diseases of the Eye - Other	1,000	1.0	1,000
60. Diseases of the Eye - Total	2,000	2.0	2,000
61. Diseases of the Ear - Otitis Media	1,000	1.0	1,000
62. Diseases of the Ear - Other	1,000	1.0	1,000
63. Diseases of the Ear - Total	2,000	2.0	2,000
64. Diseases of the Nose - Rhinitis	1,000	1.0	1,000
65. Diseases of the Nose - Other	1,000	1.0	1,000
66. Diseases of the Nose - Total	2,000	2.0	2,000
67. Diseases of the Throat - Pharyngitis	1,000	1.0	1,000
68. Diseases of the Throat - Other	1,000	1.0	1,000
69. Diseases of the Throat - Total	2,000	2.0	2,000
70. Diseases of the Larynx - Laryngitis	1,000	1.0	1,000
71. Diseases of the Larynx - Other	1,000	1.0	1,000
72. Diseases of the Larynx - Total	2,000	2.0	2,000
73. Diseases of the Trachea - Tracheitis	1,000	1.0	1,000
74. Diseases of the Trachea - Other	1,000	1.0	1,000
75. Diseases of the Trachea - Total	2,000	2.0	2,000
76. Diseases of the Bronchi - Bronchitis	3,000	3.0	3,000
77. Diseases of the Bronchi - Other	2,000	2.0	2,000
78. Diseases of the Bronchi - Total	5,000	5.0	5,000
79. Diseases of the Pleura - Pleuritis	1,000	1.0	1,000
80. Diseases of the Pleura - Other	1,000	1.0	1,000
81. Diseases of the Pleura - Total	2,000	2.0	2,000
82. Diseases of the Pericardium - Pericarditis	1,000	1.0	1,000
83. Diseases of the Pericardium - Other	1,000	1.0	1,000
84. Diseases of the Pericardium - Total	2,000	2.0	2,000
85. Diseases of the Peritoneum - Peritonitis	1,000	1.0	1,000
86. Diseases of the Peritoneum - Other	1,000	1.0	1,000
87. Diseases of the Peritoneum - Total	2,000	2.0	2,000
88. Diseases of the Diaphragm - Diaphragmatitis	1,000	1.0	1,000
89. Diseases of the Diaphragm - Other	1,000	1.0	1,000
90. Diseases of the Diaphragm - Total	2,000	2.0	2,000
91. Diseases of the Thorax - Other	1,000	1.0	1,000
92. Diseases of the Thorax - Total	1,000	1.0	1,000
93. Diseases of the Abdomen - Appendicitis	2,000	2.0	2,000
94. Diseases of the Abdomen - Other	1,000	1.0	1,000
95. Diseases of the Abdomen - Total	3,000	3.0	3,000
96. Diseases of the Pelvis - Prostatitis	2,000	2.0	2,000
97. Diseases of the Pelvis - Other	1,000	1.0	1,000
98. Diseases of the Pelvis - Total	3,000	3.0	3,000
99. Diseases of the Female Pelvis - Menstrual Disorders	3,000	3.0	3,000
100. Diseases of the Female Pelvis - Other	2,000	2.0	2,000
101. Diseases of the Female Pelvis - Total	5,000	5.0	5,000
102. Diseases of the Male Pelvis - Prostatitis	2,000	2.0	2,000
103. Diseases of the Male Pelvis - Other	1,000	1.0	1,000
104. Diseases of the Male Pelvis - Total	3,000	3.0	3,000
105. Diseases of the Urinary System - Nephritis	8,000	8.0	8,000
106. Diseases of the Urinary System - Other	2,000	2.0	2,000
107. Diseases of the Urinary System - Total	10,000	10.0	10,000
108. Diseases of the Female Reproductive System - Menstrual Disorders	3,000	3.0	3,000
109. Diseases of the Female Reproductive System - Other	2,000	2.0	2,000
110. Diseases of the Female Reproductive System - Total	5,000	5.0	5,000
111. Diseases of the Male Reproductive System - Prostatitis	2,000	2.0	2,000
112. Diseases of the Male Reproductive System - Other	1,000	1.0	1,000
113. Diseases of the Male Reproductive System - Total	3,000	3.0	3,000
114. Diseases of the Eye - Conjunctivitis	1,000	1.0	1,000
115. Diseases of the Eye - Other	1,000	1.0	1,000
116. Diseases of the Eye - Total	2,000	2.0	2,000
117. Diseases of the Ear - Otitis Media	1,000	1.0	1,000
118. Diseases of the Ear - Other	1,000	1.0	1,000
119. Diseases of the Ear - Total	2,000	2.0	2,000
120. Diseases of the Nose - Rhinitis	1,000	1.0	1,000
121. Diseases of the Nose - Other	1,000	1.0	1,000
122. Diseases of the Nose - Total	2,000	2.0	2,000
123. Diseases of the Throat - Pharyngitis	1,000	1.0	1,000
124. Diseases of the Throat - Other	1,000	1.0	1,000
125. Diseases of the Throat - Total	2,000	2.0	2,000
126. Diseases of the Larynx - Laryngitis	1,000	1.0	1,000
127. Diseases of the Larynx - Other	1,000	1.0	1,000
128. Diseases of the Larynx - Total	2,000	2.0	2,000
129. Diseases of the Trachea - Tracheitis	1,000	1.0	1,000
130. Diseases of the Trachea - Other	1,000	1.0	1,000
131. Diseases of the Trachea - Total	2,000	2.0	2,000
132. Diseases of the Bronchi - Bronchitis	3,000	3.0	3,000
133. Diseases of the Bronchi - Other	2,000	2.0	2,000
134. Diseases of the Bronchi - Total	5,000	5.0	5,000
135. Diseases of the Pleura - Pleuritis	1,000	1.0	1,000
136. Diseases of the Pleura - Other	1,000	1.0	1,000
137. Diseases of the Pleura - Total	2,000	2.0	2,000
138. Diseases of the Pericardium - Pericarditis	1,000	1.0	1,000
139. Diseases of the Pericardium - Other	1,000	1.0	1,000
140. Diseases of the Pericardium - Total	2,000	2.0	2,000
141. Diseases of the Peritoneum - Peritonitis	1,000	1.0	1,000
142. Diseases of the Peritoneum - Other	1,000	1.0	1,000
143. Diseases of the Peritoneum - Total	2,000	2.0	2,000
144. Diseases of the Diaphragm - Diaphragmatitis	1,000	1.0	1,000
145. Diseases of the Diaphragm - Other	1,000	1.0	1,000
146. Diseases of the Diaphragm - Total	2,000	2.0	2,000
147. Diseases of the Thorax - Other	1,000	1.0	1,000
148. Diseases of the Thorax - Total	1,000	1.0	1,000
149. Diseases of the Abdomen - Appendicitis	2,000	2.0	2,000
150. Diseases of the Abdomen - Other	1,000	1.0	1,000
151. Diseases of the Abdomen - Total	3,000	3.0	3,000
152. Diseases of the Pelvis - Prostatitis	2,000	2.0	2,000
153. Diseases of the Pelvis - Other	1,000	1.0	1,000
154. Diseases of the Pelvis - Total	3,000	3.0	3,000
155. Diseases of the Female Pelvis - Menstrual Disorders	3,000	3.0	3,000
156. Diseases of the Female Pelvis - Other	2,000	2.0	2,000
157. Diseases of the Female Pelvis - Total	5,000	5.0	5,000
158. Diseases of the Male Pelvis - Prostatitis	2,000	2.0	2,000
159. Diseases of the Male Pelvis - Other	1,000	1.0	1,000
160. Diseases of the Male Pelvis - Total	3,000	3.0	3,000
161. Diseases of the Urinary System - Nephritis	8,000	8.0	8,000
162. Diseases of the Urinary System - Other	2,000	2.0	2,000
163. Diseases of the Urinary System - Total	10,000	10.0	10,000
164. Diseases of the Female Reproductive System - Menstrual Disorders	3,000	3.0	3,000
165. Diseases of the Female Reproductive System - Other	2,000	2.0	2,000
166. Diseases of the Female Reproductive System - Total	5,000	5.0	5,000
167. Diseases of the Male Reproductive System - Prostatitis	2,000	2.0	2,000
168. Diseases of the Male Reproductive System - Other	1,000	1.0	1,000
169. Diseases of the Male Reproductive System - Total	3,000	3.0	3,000
170. Diseases of the Eye - Conjunctivitis	1,000	1.0	1,000
171. Diseases of the Eye - Other	1,000	1.0	1,000
172. Diseases of the Eye - Total	2,000	2.0	2,000
173. Diseases of the Ear - Otitis Media	1,000	1.0	1,000
174. Diseases of the Ear - Other	1,000	1.0	1,000
175. Diseases of the Ear - Total	2,000	2.0	2,000
176. Diseases of the Nose - Rhinitis	1,000	1.0	1,000
177. Diseases of the Nose - Other	1,000	1.0	1,000
178. Diseases of the Nose - Total	2,000	2.0	2,000
179. Diseases of the Throat - Pharyngitis	1,000	1.0	1,000
180. Diseases of the Throat - Other	1,000	1.0	1,000
181. Diseases of the Throat - Total	2,000	2.0	2,000
182. Diseases of the Larynx - Laryngitis	1,000	1.0	1,000
183. Diseases of the Larynx - Other	1,000	1.0	1,000
184. Diseases of the Larynx - Total	2,000	2.0	2,000
185. Diseases of the Trachea - Tracheitis	1,000	1.0	1,000
186. Diseases of the Trachea - Other	1,000	1.0	1,000
187. Diseases of the Trachea - Total	2,000	2.0	2,000
188. Diseases of the Bronchi - Bronchitis	3,000	3.0	3,000
189. Diseases of the Bronchi - Other	2,000	2.0	2,000
190. Diseases of the Bronchi - Total	5,000	5.0	5,000
191. Diseases of the Pleura - Pleuritis	1,000	1.0	1,000
192. Diseases of the Pleura - Other	1,000	1.0	1,000
193. Diseases of the Pleura - Total	2,000	2.0	2,000
194. Diseases of the Pericardium - Pericarditis	1,000	1.0	1,000
195. Diseases of the Pericardium - Other	1,000	1.0	1,000
196. Diseases of the Pericardium - Total	2,000	2.0	2,000
197. Diseases of the Peritoneum - Peritonitis	1,000	1.0	1,000
198. Diseases of the Peritoneum - Other	1,000	1.0	1,000
199. Diseases of the Peritoneum - Total	2,000	2.0	2,000
200. Diseases of the Diaphragm - Diaphragmatitis	1,000	1.0	1,000
201. Diseases of the Diaphragm - Other	1,000	1.0	1,000
202. Diseases of the Diaphragm - Total	2,000	2.0	2,000
203. Diseases of the Thorax - Other	1,000	1.0	1,000
204. Diseases of the Thorax - Total	1,000	1.0	1,000
205. Diseases of the Abdomen - Appendicitis	2,000	2.0	2,000
206. Diseases of the Abdomen - Other	1,000	1.0	1,000
207. Diseases of the Abdomen - Total	3,000	3.0	3,000
208. Diseases of the Pelvis - Prostatitis	2,000	2.0	2,000
209. Diseases of the Pelvis - Other	1,000	1.0	1,000
210. Diseases of the Pelvis - Total	3,000	3.0	3,000
211. Diseases of the Female Pelvis - Menstrual Disorders	3,000	3.0	3,000
212. Diseases of the Female Pelvis - Other	2,000	2.0	2,000
213. Diseases of the Female Pelvis - Total	5,000	5.0	5,000
214. Diseases of the Male Pelvis - Prostatitis	2,000	2.0	2,000
215. Diseases of the Male Pelvis - Other	1,000	1.0	1,000
216. Diseases of the Male Pelvis - Total	3,000	3.0	3,000
217. Diseases of the Urinary System - Nephritis	8,000	8.0	8,000
218. Diseases of the Urinary System - Other	2,000	2.0	2,000
219. Diseases of the Urinary System - Total	10,000	10.0	10,000
220. Diseases of the Female Reproductive System - Menstrual Disorders	3,000	3.0	3,000
221. Diseases of the Female Reproductive System - Other	2,000	2.0	2,000
222. Diseases of the Female Reproductive System - Total	5,000	5.0	5,000
223. Diseases of the Male Reproductive System - Prostatitis	2,000	2.0	2,000
224. Diseases of the Male Reproductive System - Other	1,000	1.0	1,000
225. Diseases of the Male Reproductive System - Total	3,000	3.0	3,000
226. Diseases of the Eye - Conjunctivitis	1,000	1.0	1,000
227. Diseases of the Eye - Other	1,000	1.0	1,000
228. Diseases of the Eye - Total	2,000	2.0	2,000
229. Diseases of the Ear - Otitis Media	1,000	1.0	1,000
230. Diseases of the Ear - Other	1,000	1.0	1,000
231. Diseases of the Ear - Total	2,000	2.0	2,000
232. Diseases of the Nose - Rhinitis	1,000	1.0	1,000
233. Diseases of the Nose - Other	1,000	1.0	1,000
234. Diseases of the Nose - Total	2,000	2.0	2,000
235. Diseases of the Throat - Pharyngitis	1,000	1.0	1,000
236. Diseases of the Throat - Other	1,000	1.0	1,000
237. Diseases of the Throat - Total	2,000	2.0	2,000
238. Diseases of the Larynx - Laryngitis	1,000	1.0	1,000
239. Diseases of the Larynx - Other	1,000	1.0	1,000
240. Diseases of the Larynx - Total	2,000	2.0	2,000
241. Diseases of the Trachea - Tracheitis	1,000	1.0	1,000
242. Diseases of the Trachea - Other	1,000	1.0	1,000
243. Diseases of the Trachea - Total	2,000	2.0	2,000
244. Diseases of the Bronchi - Bronchitis	3,000	3.0	3,000
245. Diseases of the Bronchi - Other	2,000	2.0	2,000
246. Diseases of the Bronchi - Total	5,000	5.0	5,000
247. Diseases of the Pleura - Pleuritis	1,000	1.0	1,000
248. Diseases of the Pleura - Other	1,000	1.0	1,000
249. Diseases of the Pleura - Total	2,000	2.0	2,000
250. Diseases of the Peric			

	<u>BOROUGH</u>				<u>IMPORTED.</u>			
	<u>E.</u>	<u>C.</u>	<u>N.</u>	<u>A.</u>	<u>E.</u>	<u>C.</u>	<u>N.</u>	<u>A.</u>
<u>DISEASES OF EARLY INFANCY.</u>								
BROUGHT FORWARD :	391	46	256	172	160	31	339	33
160/x Congenital, Debility, Icterus & Sclerema -	2	6	12		1	-	1	1
161/1 Premature Birth	10	2	12	5	3	1	11	-
161/2 Injury at Birth	-	-	1	-	-	1	-	-
162/x Other diseases peculiar to Early Infncy.4	1	6	2		-	-	1	-
<u>OLD AGE.</u>								
164/x Senility	6	-	-	7	-	-	2	-
<u>EXTERNAL CAUSES.</u>								
165/x Suicide by Liquid & Solid Poison....	1	-	-	-	2	-	-	-
166/x Suicide by Corrosive Substances....	1	-	-	-	-	-	-	-
168/x Suicide by Hanging or Strangulation.	3	-	-	-	1	-	-	-
169/x Suicide by Drowning	3	-	-	-	-	-	-	-
170/x Suicide by Firearms.....	3	1	-	-	-	-	-	-
171/x Suicide by Cutting or Piercing Instrument	1	-	-	-	-	-	-	-
175/x Poisoning by Food	-	-	-	-	1	-	-	-
177/x Other Acute Accidental Poisonings...	-	1	-	-	-	-	-	-
179/x Burns	4	-	-	1	-	-	-	-
180/x Accidental Mechanical Suffocation...	-	-	1	-	-	-	-	-
182/x Accidental Drowning	1	1	-	-	-	-	-	-
185/x Accidental Injury by fall.....	5	-	-	-	-	-	-	-
188/1 Accidental Injury by Railways	1	-	-	-	1	-	-	-
188/2 Accidental Injury by Motor Vehicles.	9	-	-	-	3	-	-	1
188/3 Accidental Injury by Animal drawn Vehicles	-	-	-	-	1	-	-	-
188/6 Accidental Injury by Motor Cycles...	7	-	-	-	1	-	-	-
196/x Electricity	1	-	-	-	-	-	-	-
197/x Homicide by Firearms	1	-	-	-	-	-	-	-
CARRIED FORWARD :	452	54	282	199	181	33	354	35

TABLES SHOWING DEATHS FROM CERTAIN CAUSES IN 1929/30 & 1930/31

<u>EXTERNAL CAUSES.</u>	<u>BOROUGH</u>				<u>IMPORTED.</u>			
	<u>E. C. N. A.</u>		<u>B. C. N. A.</u>		<u>B. C. N. A.</u>		<u>B. C. N. A.</u>	
BROUGHT FORWARD :	452	54	282	199	131	33	353	35
198/x Homicide by cutting or piercing instrument.....	1	-	-	-	-	-	-	-
199/2 Homicide by Other Means.....	-	-	-	-	-	2	-	-
201/x Fractures - Cause not stated...	-	-	-	1	3	-	-	-
202/1 Other External Violence.....	1	-	-	-	-	-	-	-
<u>ILL-DEFINED DISEASES.</u>								
205/x Cause of Death Unstated or ill-defined.....	8	-	67	31	1	-	62	5
T O T A L S :	561	55	349	231	185	35	416	40

INFECTIOUS DISEASES :

Throughout the year, the incidence of the various infectious diseases was, as usual, extremely low.

TABLE SHOWING NOTIFIED INFECTIOUS DISEASES - ALL RACES

(Page 8 follows)

DISEASE	Euro.		Coloured		Native		Asiatic		Totals	
	B.	I.	B.	I.	B.	I.	B.	I.	B.	I.
Cholera	77	42	7	1	1	5	1	2	86	52
Typhoid Fever.....	48	18	2	-	11	10	2	2	63	32
Scarlet Fever.....	23	4	-	-	-	-	-	-	23	4
Tuberculosis Pulm.	54	15	18	9	75	177	21	38	178	222
Do - Non-Pulm....	4	3	-	-	3	12	4	8	11	23
Dysentery.....	7	8	-	-	-	-	-	-	7	8
Typhus.....	14	-	-	-	1	-	-	-	14	1
Paratyphoid Fever...	5	1	1	-	1	-	1	-	8	1
Malaria.....	-	1	-	-	-	-	-	-	1	-
Septicæmia, Neutrophils	1	-	-	-	-	-	-	-	1	-
Septicæmia.....	1	-	-	-	-	-	-	-	1	-
Septicæmia.....	1	-	1	-	1	-	1	-	3	-
Septicæmia spinal	-	-	-	-	-	-	-	-	-	-
Septicæmia.....	2	-	-	-	-	-	-	-	2	-
Septicæmia - Gen...	-	-	2	-	2	-	-	-	4	-
T O T A L S :	237	87	22	12	84	189	21	43	321	271

REPORT

STATE

REPORT

REPORT

1st

REPORT

1st

REPORT

1st

REPORT

TOTAL

(Page 2 follows)

REPORT

TOTAL

TABLES SHOWING DEATHS FROM CERTAIN MAIN CAUSES
1929/30 & 1930/31 EUROPEAN A, OTHER RACES B.

DISEASES.	No. of Deaths. 1928/29:1929/30.		Proportion per 1,000 deaths from all causes. 1927/28 1928/29.	
Infective Intestinal Diseases (Enteric Fever Dysentery, Diarrhoea & Enteritis)	32	29	59	52
Cancer	63	68	118	121
Heart & Circulatory Sys.	102	136	190	242
Diseases of Nervous Sys.	21	20	39	35
Diseases of Birth & Early Development	22	15	41	26
Pneumonia & Bronchitis	45	41	84	73
Pulmonary Tuberculosis (incl Phthisis).....	34	32	63	57
Tuberculosis - Other form	3	4	5	7
Genito-Urinary	49	32	91	57

2. INFECTIOUS DISEASES :

Throughout the year, the incidence of the common infectious diseases was, as usual extremely low.

TABLE SHOWING NOTIFIED INFECTIOUS DISEASES, ALL RACES.

DISEASE.	Euro.		Coloured		Native		Asiatic		Total.	
	B.	I.	B.	I.	B.	I.	B.	I.	B.	I.
Diphtheria	77	49	7	1	1	5	1	2	86	57
Enteric Fever.....	48	18	2	-	11	10	2	3	63	31
Scarlet Fever.....	23	4	-	-	-	-	-	-	23	4
Tuberculosis Pulm.	54	15	19	9	75	177	31	28	179	229
do - Non-Pulm...	4	3	-	1	3	19	4	8	11	31
Typhus Fever.....	7	6	-	-	-	-	-	-	7	6
Erysipelas.	14	-	-	-	1	-	-	-	15	-
Puerperal Fever...	5	1	1	1	1	4	1	-	8	6
Anthrax.	-	1	-	-	-	-	-	-	-	1
Ophthalmia Neonatorum	1	-	-	-	-	1	-	-	1	1
Trachoma.....	1	-	-	-	-	-	1	1	2	1
Leprosy.....	1	-	1	-	-	1	-	1	2	2
Cerebro-spinal Meningitis	2	-	-	-	-	1	1	-	3	1
Ophthalmia - Gon..	-	-	2	-	2	1	-	-	4	1
T O T A L S :	237	97	32	12	94	219	41	43	404	371

TABLE SHOWING DEATHS FROM CERTAIN MAIN CAUSES
1920 & 1921 BURMAN A. OTHER STATES B.

DISEASE	1920		1921	
	No. of Deaths	Rate per 1,000	No. of Deaths	Rate per 1,000
Septicemia - Other	43	0.1	2	0.0
Tuberculosis - Other	3	0.0	2	0.0
(incl. Phthisis)	3	0.0	2	0.0
Pulmonary Tuberculosis	48	0.1	41	0.1
Pneumonia & Bronchitis	52	0.1	41	0.1
Development	52	0.1	41	0.1
Diseases of Nervous System	21	0.0	21	0.0
Diseases of Nervous System	21	0.0	21	0.0
Heart & Circulatory System	123	0.3	123	0.3
Cancer	32	0.0	32	0.0
Infective (Septic)	32	0.0	32	0.0
Dysentery & Cholera	32	0.0	32	0.0
Intestinal	32	0.0	32	0.0
Diarrhoea	32	0.0	32	0.0
Other	32	0.0	32	0.0
Total	181	0.4	181	0.4

Throughout the year, the incidence of the common infectious diseases was, as usual, extremely low.

DISEASE	1920		1921	
	No. of Deaths	Rate per 1,000	No. of Deaths	Rate per 1,000
Septicemia - Other	43	0.1	2	0.0
Tuberculosis - Other	3	0.0	2	0.0
(incl. Phthisis)	3	0.0	2	0.0
Pulmonary Tuberculosis	48	0.1	41	0.1
Pneumonia & Bronchitis	52	0.1	41	0.1
Development	52	0.1	41	0.1
Diseases of Nervous System	21	0.0	21	0.0
Diseases of Nervous System	21	0.0	21	0.0
Heart & Circulatory System	123	0.3	123	0.3
Cancer	32	0.0	32	0.0
Infective (Septic)	32	0.0	32	0.0
Dysentery & Cholera	32	0.0	32	0.0
Intestinal	32	0.0	32	0.0
Diarrhoea	32	0.0	32	0.0
Other	32	0.0	32	0.0
Total	181	0.4	181	0.4

ENTERIC FEVER :

There were fewer cases of Enteric Fever than were recorded in any of the preceding five years. The decreased incidence of and mortality from Enteric Fever observable over the last few years reflects a satisfactory position with regard to our most important endemic disease, other than Tuberculosis. As an anti-enteric measure, considerable importance is attached to the compulsory erection of additional sanitary conveniences on all premises employing Native or Indian servants. The personal hygiene of non-European domestics, such as cooks, house-boys and shop-workers is naturally important in view of the comparatively high "carrier" rate among non-Europeans, especially natives.

The marketing and hawking of fruit and vegetables, practically an Indian monopoly, still leaves much to be desired. Street-marketing in the open, under conditions of appalling congestion of buyers, retailers, products and beasts of burden such as obtains at the early morning Indian Market, remains a reproach to the sanitary conscience of the Town; The urgent nature of the fruit and vegetable market problem must be recognized. Of but slightly less importance is the lack of proper washing facilities and sanitary conveniences for food stalls in both European and Indian Market premises.

Hawkers, being largely domiciled outside the Borough are thereby difficult to control. No hawker should be licensed unless he has access to proper facilities for the overnight storage of fruit and vegetables.

With reference to Anti-enteric measures, the importance of cleanliness in the handling of foodstuffs is not yet sufficiently recognised. It is proposed, in the coming year, to require the provision of a wash-hand basin or sink in all premises

INDIAN MARKET

During the past few years cases of Asiatic typhus have been recorded in one of the preceding five years. The occurrence of this disease and especially from Asiatic typhus is of considerable importance. The last few years reflected a satisfactory position with regard to our most important endemic disease, other than Tuberculosis. As an anti-enteric measure, considerable importance is attached to the compulsory erection of sanitary conveniences on all premises employing Indian servants. The personal hygiene of non-Sanitary workers such as cooks, house-boys and shop-workers is naturally important in view of the comparatively high "carrying" rate among the Europeans, especially natives.

The marketing and handling of fruit and vegetables, particularly Indian produce, will leave much to be desired. Great attention is being given under conditions of marketing congestion of markets, especially products and pests of produce such as obtained at the early morning Indian market, reference is made to the sanitary conditions of the town. The nature of the fruit and vegetable market problem must be recognized. It has already been pointed out in the fact that proper washing facilities and sanitary conveniences for food stalls in both European and Indian market premises. Baskets being largely handled outside the shops are thereby difficult to control. No basket should be removed unless he has access to proper facilities for the overnight storage of fruit and vegetables.

With reference to anti-enteric measures, the importance of cleanliness in the handling of foodstuffs is not yet sufficiently recognized. It is proposed in the coming year to require the provision of a wash-hand basin or sink in all premises

licensed for the sale of exposed foodstuffs, such as meats, dairy produce, fruit and vegetables, etc.

The following tables show the number of cases notified and deaths from the more common infectious diseases :

ENTERIC FEVER :

	1925/26	1926/27	1927/28	1928/29	1929/30.	1930/31.	
						Boro.	Imp.
Cases	112	111	143	142	107	63	31
Deaths	47	23	35	26	24	7	12

Borough Europeans only :

Case mortality	2.9
Case Incidence per 1,000 of Population			0.8
Death Rate per 1,000 of Population			0.1

SCARLET FEVER :

	1925/26	1926/27	1927/28	1928/29	1929/30	1930/31	
						Boro.	Imp.
Cases	44	26	43	59	47	23	4
Deaths	-	-	-	-	1	-	-

Borough Europeans only :

Case incidence per 1,000 of Population	.39
--	-----

Diphtheria/

licensed for the sale of exposed foodstuffs, such as cheese,
dairy products, fruits and vegetables, etc.

The following tables show the number of cases

notified and deaths from the various infectious diseases

ENTERIC FEVERS :

Cases
Deaths

Year	Cases	Deaths
1930	112	17
1931	111	23
1932	143	25
1933	145	26
1934	107	24
1935	63	7
1936	31	12

Borough Europeans only :

Case mortality 2.8
 Case incidence per 1,000 of population 0.8
 Death rate per 1,000 of population 0.1

YACHTING FEVERS :

Cases
Deaths

Year	Cases	Deaths
1930	44	-
1931	29	-
1932	43	-
1933	47	1
1934	23	-
1935	4	-

Borough Europeans only :

Case incidence per 1,000 of population 0.3

District

DIPHTHERIA :

	1925/26	1926/27	1927/28	1928/28	1929/30	1930/31.	
						Boro.	Imp.
Cases	102	119	153	117	120	86	57
Deaths	8	8	6	6	8	7	-

Borough Europeans only :

Case Mortality	3.9
Case Incidence per 1,000 of Population	1.3
Death Rate	0.1

SMALL POX :

No cases of this disease occurred during the year, nor were any cases or contacts reported from the Port Health Department.

VACCINATION :

During the year the following vaccinations were performed :-

	Infants & Children	12 year old children & Others.
Successful Vaccinations	1,000	689
Insusceptible to Vaccination	31	108
Vaccination postponed owing to Illness.	316	45
Previously had Smallpox.	-	-

BY REPORTS OF HEALTH OFFICERS

Year	1907	1908	1909	1910	1911	1912	1913
Number of cases	1	1	1	1	1	1	1
Deaths	0	0	0	0	0	0	0
Number of contacts	1	1	1	1	1	1	1
Number of contacts vaccinated	1	1	1	1	1	1	1
Number of contacts who died	0	0	0	0	0	0	0
Number of contacts who were vaccinated	1	1	1	1	1	1	1
Number of contacts who were not vaccinated	0	0	0	0	0	0	0
Number of contacts who were vaccinated and died	0	0	0	0	0	0	0
Number of contacts who were vaccinated and did not die	1	1	1	1	1	1	1
Number of contacts who were not vaccinated and died	0	0	0	0	0	0	0
Number of contacts who were not vaccinated and did not die	1	1	1	1	1	1	1

No cases of this disease occurred during the year, nor were any cases of contacts reported from the four health districts.

During the year the following vaccinations were performed:

Year	1907	1908	1909	1910	1911	1912	1913
Number of contacts vaccinated	1	1	1	1	1	1	1
Number of contacts who died	0	0	0	0	0	0	0
Number of contacts who were vaccinated	1	1	1	1	1	1	1
Number of contacts who were not vaccinated	0	0	0	0	0	0	0
Number of contacts who were vaccinated and died	0	0	0	0	0	0	0
Number of contacts who were vaccinated and did not die	1	1	1	1	1	1	1
Number of contacts who were not vaccinated and died	0	0	0	0	0	0	0
Number of contacts who were not vaccinated and did not die	1	1	1	1	1	1	1

INFECTIOUS DISEASES HOSPITAL.

DISEASE.	European.	Coloured.	Native.	Asiatic	Total.
Diphtheria	122	5	8	3	138
Scarlet Fever	24	-	-	-	24
Measles	54	-	27	1	82
Chickenpox	5	4	47	-	56
Mumps	8	-	5	-	13
Typhus Fever	12	-	-	-	12
Whooping Cough	6	-	1	-	7
Puerperal Sepsis	1	2	-	-	3
Trachoma	1	-	-	5	6
Tonsillitis	3	-	1	-	4
Cerebro-spinal Meningitis	2	-	1	-	3
Laryngeal Catarrh	1	-	-	-	1
Malaria	-	-	1	-	1
Scabies	-	-	-	5	5
Observation	-	1	1	-	2
TOTALS :	239	12	92	14	357

INFECTIOUS DISEASES HOSPITAL :

During the year, negotiations were successfully entered into with the General Hospital Advisory Board and the Provincial Executive with regard to the centralization of hospital facilities at Congella. The proposed new Non-European General Hospital will be erected in juxta position to the Infectious Diseases Hospital. Details of the scheme are still under consideration. Co-operation between the Municipal and Provincial Authorities has, however, been assured to an extent which permits of considerable economy, both in capital and administrative expenditure, for both authorities.

Arising out of the agreement reached in connection with the housing and boarding of nursing staff, it will not now be necessary for the Municipality to proceed with the erection of a separate Nurses Home and Administration Block. The

INSTITUTIONAL DISEASE HOSPITAL

Disease	Number of Cases	Number of Deaths	Number of Recoveries	Number of Discharges
Diphtheria	12	2	8	2
Scarlet Fever	15	3	10	2
Measles	20	4	14	2
Cholera	10	1	7	2
Typhoid Fever	18	3	12	3
Whooping Cough	25	5	18	2
Paratyphoid Fever	14	2	10	2
Trachoma	30	6	20	4
Scarlet	10	2	7	1
Measles	15	3	10	2
Scarlet	12	2	8	2
Cholera	8	1	5	2

REPORT ON THE WORK OF THE INSTITUTIONAL DISEASE HOSPITAL

During the year, the following diseases were reported to have occurred in the hospital:

The following table shows the number of cases, deaths, recoveries, and discharges for each disease during the year.

The total number of cases reported during the year was 200. The total number of deaths was 40. The total number of recoveries was 140. The total number of discharges was 40.

The most common disease reported was Measles, with 20 cases. Other common diseases were Typhoid Fever (18 cases), Whooping Cough (25 cases), and Trachoma (30 cases).

The mortality rate for the year was 20%. The highest mortality rate was for Cholera, with a mortality rate of 12.5%.

The recovery rate for the year was 70%. The highest recovery rate was for Measles, with a recovery rate of 80%.

The discharge rate for the year was 20%. The highest discharge rate was for Cholera, with a discharge rate of 25%.

The following table shows the number of cases, deaths, recoveries, and discharges for each disease during the year.

The total number of cases reported during the year was 200. The total number of deaths was 40. The total number of recoveries was 140. The total number of discharges was 40.

The most common disease reported was Measles, with 20 cases. Other common diseases were Typhoid Fever (18 cases), Whooping Cough (25 cases), and Trachoma (30 cases).

The mortality rate for the year was 20%. The highest mortality rate was for Cholera, with a mortality rate of 12.5%.

The recovery rate for the year was 70%. The highest recovery rate was for Measles, with a recovery rate of 80%.

The discharge rate for the year was 20%. The highest discharge rate was for Cholera, with a discharge rate of 25%.

disinfection and laundry work for all Provincial Hospital Units in the Borough, together with that of the Municipal Infectious Diseases Hospital will be carried on in a New Station which the Municipality propose to erect on the hospital site.

As a result of the new scheme, the Municipality will be able to complete its programme for the provision of the required additional ward accommodation for infectious diseases, at a saving of approximately £20,000 on the cost of the originally approved scheme, less the cost of a new Disinfecting & Laundry Station at a cost of approximately £7,000. Final details of the re-modelled scheme have to be worked out before its submission to the Secretary of Public Health for approval.

It is distinctly a matter for congratulation that the policies of the two hospital authorities, Municipal and Provincial, have thus been profitably co-ordinated, instead of, as at first seemed inevitable, branching off into divergent and competitive schemes.

DISINFECTING STATION :

As already indicated, the existing inadequately housed and equipped station at Alice Street is intended soon to be replaced by modern premises at Congella Hospital.

It is proposed further, to transfer the control of the Cleansing Station, at the Alice Street depot, to the Borough Native Administration Department.

During the year the following work was carried out :-

	<u>Rooms Dis-</u> <u>infected.</u>	<u>Articles washed</u> <u>& disinfected.</u>
Private premises	449	16,232
Congella Hospital	-	43,239
Typhus Fever Precautions	-	25,131

...the hospital and laundry work for all Provincial Hospitals in the Province, together with that of the Hospital for Diseases Hospital will be carried on in a 2nd Station which the Municipality propose to erect on the Hospital site.

As a result of the new scheme, the Municipality will be able to complete the programme for the provision of the required additional ward accommodation for infectious diseases at a value of approximately £20,000 on the cost of the original approved scheme, less the cost of a new Disinfecting & Laundry Station at a cost of approximately £7,000. Final details of the re-modelled scheme have to be worked out before the submission to the Secretary of Health for approval.

It is distinctly apparent from comparison that the policies of the two hospitals, Municipal and Provincial, have been profitably combined, instead of, as is often assumed, diverging, branching out, and becoming divergent.

CONCLUSIONS :

As already indicated, the following conclusions have been reached in connection with the scheme to be submitted to the Secretary of Health for approval of the Provincial Hospital. It is proposed that the control of the Provincial Hospital should be transferred to the Borough Council, and that the Provincial Hospital should be transferred to the Borough Council, and that the Provincial Hospital should be transferred to the Borough Council.

During the year the following work was carried out :

Articles washed	Hours Disinfecting	Articles prepared
1,420	140	Provincial Hospital
48,200	480	Municipal Hospital
25,120	250	Typhoid Fever Preparations

AMBULANCE REMOVALS :

The following table shows that a total of 428 cases were conveyed in the Infectious Diseases Ambulance :

HOSPITALS.	European.	Coloured.	Native Asiatic.	Total.	
Municipal Isolation	190	11	89	11	301
Government Hospl.	33	6	14	9	62
Other Hospitals	50	3	7	5	65
TOTALS :	273	20	110	35	428

CLEANSING STATION :

Verminous Europeans - baths provided 5,644
 Verminous Natives - baths provided 2,989

LAUNDRY :

A total of 13,403 articles, including towels, coats, etc. were washed for the various Corporation Departments.

55,037 costumes, slips and towels were washed for the Ocean Beach Baths & Bathing Enclosure.

57,259 costumes, towels, etc. were washed for the Public Baths, West Street.

3. TUBERCULOSIS :

Pulmonary Tuberculosis.

	1925/26	1926/27	1927/28	1928/29	1929/30	1930/31.	
						Boro.	Imp.
Cases	253	280	324	338	342	179	229
Deaths	151	161	163	188	167	105	102

Borough Europeans only :

Case Incidence per 1,000 of Population .91
 Case Mortality per cent. 15.10
 Death Rate per 1,000 of Population .45

AMBUANCE RETURNS :

The following table shows that a total of 428 cases were conveyed in the Infectious Diseases Ambulances :

HOSPITALS.		European, Coloured, Native Asiatie, Total.	
Sanitary Isolation	100	11	11
Government Hospitals	33	5	5
Other Hospitals	50	7	7
TOTALS :	183	23	23

CLEANING STATION :

Various Europeans - baths provided 2,000
Various Natives - baths provided 2,000

LAUNDRY :

A total of 15,408 articles, including towels, coats, were washed for the various Corporation Departments. 65,037 costumes, shirts and towels were washed for the Ocean Beach Bath & Bathing Establishments. 37,229 costumes, towels, etc. were washed for the Public Baths, West Street.

TUBERCULOSIS :

Pulmonary Tuberculosis

Year	1920/21	1921/22	1922/23	1923/24	1924/25	1925/26	1926/27	1927/28	1928/29	1929/30
Cases	178	178	178	178	178	178	178	178	178	178
Deaths	103	103	103	103	103	103	103	103	103	103

(a) Foreign Europeans only

Case Incidence per 1,000 of Population 18.10
Case Mortality per cent. 1.25
Death Rate per 1,000 of Population 1.25

Non-Pulmonary Tuberculosis.

	1925/26	1926/27	1927/28	1928/29	1929/30	1930/31.	
						Boro.	Imp.
Cases	67	85	61	70	76	11	31
Deaths	65	48	41	58	36	17	11

Borough Europeans only :

Case Incidence per 1,000 of Population	0.06
Death Rate per 1,000 of Population.	0.06

TUBERCULOSIS :

No progress has been made with regard to the improvement of facilities for the detection and treatment of Tuberculosis, which continues to take a heavy toll of Non-European residents of the Borough and its environs.

So far as hospitalization is concerned, the conclusion of the co-ordinated scheme with regard to General and Isolation Hospitals already referred to, clears the ground to a considerable extent. It now becomes practical politics to discuss the long-deferred problem of a Tuberculosis Sanatorium for Natal, as an integral part of a co-ordinated scheme of facilities for the prevention and treatment of Tuberculosis in the Province.

Unfortunately, financial stringency will, in all likelihood preclude indefinitely the approval of any ad hoc scheme. The following extracts from recent reports on the subject briefly summarize the position. The following extracts from recent reports on the subject briefly summarize the position.

The functions of a Sanatorium are :

- (1) To cure curable cases of Tuberculosis.
- (2) To improve cases capable of lasting improvement, and
- (3) To disseminate a knowledge of tuberculosis, prevention methods;

Non-Tuberculous Tuberculosis

1950/51		1949/50		1948/49		1947/48	
31	11	70	70	81	88	87	88
11	17	58	58	41	48	88	88

The Case Incidence per 1,000 of Population
 0.08
 0.08

No progress has been made with regard to the improve-
 ment of facilities for the detection and treatment of tuberculo-
 sis which would be to take a heavy toll of Non-Tuberculous
 of the Bosphorus and its environs.
 As far as hospitalization is concerned, the conclusion
 of the co-ordinated scheme with regard to General and Special
 Hospitals already referred to, clearly also proved to be considerable
 result. It has become practical policy to disperse the long-
 delayed problem of a Tuberculosis Sanatorium for Katal, as an
 integral part of a co-ordinated scheme of facilities for the pre-
 ventive and treatment of Tuberculosis in the Province.
 Unfortunately, financial stringency will, at all least,
 not provide immediately the approval of any such scheme.
 The following extracts from recent reports on the subject briefly
 summarize the position. The following extracts from recent
 reports on the subject briefly summarize the position.

- The functions of a Sanatorium are:
- (1) To cure curable cases of Tuberculosis.
 - (2) To improve cases capable of lasting improvement, and
 - (3) To disseminate a knowledge of Tuberculosis, prevent-
 ion methods.

in short, to undertake curative treatment and preventive propaganda.

Thus the cases properly admitted to a Sanatorium are cases whom one can reasonably expect to be cured or greatly improved by the treatment; who are capable of appreciating the nature of that treatment, and further of practising it in their home life, and of spreading a knowledge of both treatment and prevention in their home circle and its every day contacts.

The importance of the propagandist or educative function cannot be over-stressed in the case of European and Indians, among whom the disease is regarded as conveying a social stigma.

The preventive or educative value of the Sanatoria presently available, i.e. Nelspoort and Springkell is negligible to the local community, because of the very few patients admitted from Natal, those too, almost exclusively Europeans, who are least ignorant of hygienic precautions.

A local Natal Sanatorium available for all classes of the population, would undoubtedly place anti-tuberculosis measures in this Province on a vastly improved footing. It would serve as a permanent stimulus to the development of Tuberculosis Schemes, by which one means the local facilities for notifying, investigating and dealing appropriately with cases of Tuberculosis.

As things are, there is unquestionably, a dead lack of constructive interest in the whole problem of Tuberculosis. Yet as a disease, it far transcends in social and economic importance, either cancer, heart disease, pneumonia or malaria. Deaths recorded - Borough and Imported - for the year 1930, compare as follows : Malaria 96, Cancer 107, Tuberculosis 293.

Throughout Natal, inquiry from each of the Local Authorities shows that in 1930, Tuberculosis caused 237 deaths - European 47, Coloured 8, Native 141, Asiatic 41.

When Tuberculosis Sanatoria were first introduced, over 40 years ago, extravagant hopes were entertained as to their probable effect in reducing the gross mortality and morbidity from Tuberculosis. Those hopes were disappointed, and Sanatoria fell into disfavour, as did the other special measures exploited to combat the disease. It was then recognized that special measures had their special uses, but were not alone sufficient to make headway. New tactics had to be evolved, and the strategy had to be altered. The accepted lines of strategy are now-a-days directed towards a steady improvement in the standard of living, i.e. work, housing, nutrition and recreation. New tactics are represented by the improved methods of discovering and following up cases of the disease and disseminating a knowledge of preventive methods. In this work, the Sanatorium, as properly administered now-a-days, can play an all important part.

During 1930, ten Natal cases were sent to the Nelspoort Sanatorium, nine of which were Europeans, while 320 cases of

in short, to undertake specific treatment and prophylaxis.

The above is a very general statement and it is not intended to be taken as a recommendation. It is merely a statement of the fact that the control of tuberculosis is a task which requires the co-operation of the community and the individual. It is not a task which can be undertaken by the individual alone.

The importance of the prophylactic or educative function cannot be over-emphasized in the case of tuberculosis. It is a disease which is spread by contact with an infected individual.

The prevention of a specific disease is a task which is not only a matter of individual responsibility but also a matter of community responsibility. It is a task which requires the co-operation of the community and the individual.

A local health department available for all classes of the population would undoubtedly place great responsibilities in this respect on a very large scale. It would serve as a permanent reminder to the individual of the importance of tuberculosis control.

As things are, the individual is responsible for his own health. It is a task which is not only a matter of individual responsibility but also a matter of community responsibility. It is a task which requires the co-operation of the community and the individual.

Throughout the world, tuberculosis is a major cause of death and disability. It is a disease which is spread by contact with an infected individual.

When tuberculosis is found in a community, it is a task which requires the co-operation of the community and the individual. It is a task which is not only a matter of individual responsibility but also a matter of community responsibility. It is a task which requires the co-operation of the community and the individual.

It is a task which is not only a matter of individual responsibility but also a matter of community responsibility. It is a task which requires the co-operation of the community and the individual.

3. Contd.

Tuberculosis were treated in Natal Hospitals, i.e. 49 Europeans, 19 Coloured, 199 Natives and 53 Asiatics. The number of deaths, in the case of Europeans and Asiatics approximate the number of patients admitted to Hospital; in the case of Natives the number of deaths represent, approximately 75 per cent of the number admitted to Hospital.

It is safe to assume that for every two fatal European Pulmonary cases, there is at least one case fit for admission to a Sanatorium; for every 5 Native deaths, at least one, with a similar proportion for Asiatics. In the case of Coloureds, the proportion would be less than for Europeans. Such an estimation, which errs, if anything, on the side of caution, would bring the annual Sanatorium population of Natal up to the figures shown hereunder :-

<u>European.</u>	<u>Coloured.</u>	<u>Native.</u>	<u>Asiatic.</u>	<u>Total.</u>
23	3	30	8	64

Compare this with the numbers actually admitted to Sanatoria in 1930:

<u>European.</u>	<u>Coloured.</u>	<u>Native.</u>	<u>Asiatic.</u>	<u>Total.</u>
9	1	-	-	10

To provide Sanatorium accommodation for Natal, on a minimum working bases, would therefore necessitate the establishment of a 25-30 bed - three - sectional sanatorium, capable of considerable expansion as its usefulness developed. Capital expenditure involved, on the basis of a cost of £500 per bed would amount to roughly £15,000. Maintenance would be recovered out of a tariff based on existing hospital tariffs varying from 3/6 to 10/- per day per patient.

3. Costs

Tabernacles were located in rural districts, in the mountains, in the area of the mountains and in the area of the mountains. The number of patients admitted to hospital in the case of Native the number of beds occupied, approximately 10 per cent of the number admitted to hospital.

It is not so common for every day. In the case of a patient, there is at least one day for admission to a hospital. For every 5 Native cases, at least one with a similar proportion for hospital. In the case of Colorado, the proportion would be less than for European. Such an estimation, which was made on the basis of a study of the number of beds occupied in the hospital, would be the same as the number of beds occupied in the hospital shown in the table up to the figure shown in the table.

Native	European	Native	European	Native	European
10	10	10	10	10	10

Compare this with the number actually admitted to hospital in the case of:

Native	European	Native	European	Native	European
10	10	10	10	10	10

To provide a better understanding of the situation, a minimum working basis would be to estimate the establishment of a 25-30 bed - these - national hospital, capable of considerable expansion as the need is developed. Capital expenditure involved, on the basis of a cost of \$100 per bed would amount to roughly \$2,500. Expenditure would be recovered out of a tariff based on existing medical tariffs varying from \$10 to \$15 per day per patient.

4.

VENEREAL DISEASES.

OUT-PATIENTS :

New Cases

European	- Male	295	
	Female	54	
Indian	- M & F	96	
Native	- M & F	335	
Coloured	- M & F	45	825
Non-Venereal			41

INJECTION OF N.A.B :

European	- M & F	500	
Indian	- M & F	60	
Coloured	- M & F	94	
Native	- M & F	743	1,397

IRRIGATION :

European	- Male	3,629	
	- Female	200	
Native	- M & F	669	
Col. & Indian	M & F	368	4,866

DILATATIONS :

Europeans		20	20
Coloured & Indian		-	
Wasserman Tests		139	
Slides & Smears		231	
Vaccine Injections		184	
Intramaine		14	
Medicine & advice only		1,287	1,855

Total Attendances at Clinic : 8,196

INPATIENTS :

European	- Male	79	
	- Female	5	
Native	- Male	467	
Indian	- Male	40	
Coloured	- Male	27	
Nat. Ind & Col. Female		190	808
Babies born in Ward			8

INJECTION OF N.A.B.

European	- M & F	67	
Nat. Ind & Co.	M & F	1,318	1,385

IRRIGATION :

European	- M & F	1,725	
Native	- Male	7,463	
Ind & Co.	- M & F	514	9,702

GENERAL DISBURSES

OUT-PATIENTS :

New Cases	
European - Male	285
European - Female	54
Indian - M & F	95
Native - M & F	335
Coloured - M & F	45
Total	814

INPATIENTS OF N.A.S. :

European - M & F	300
Indian - M & F	80
Coloured - M & F	95
Native - M & F	762
Total	1,337

LABORATORY :

European - Male	2,680
European - Female	200
Native - M & F	600
Col. & Indian M & F	308
Total	4,188

DIAGNOSTIC :

European	20
Coloured & Indian	20
European Tests	1,887
Slides & Grams	1,887
Vaccine Injections	1,887
Intracutaneous	1,887
Medicine & other work	1,887
Total	8,196

Total Attendance at Clinic :

LABORATORY :

European - Male	70
European - Female	5
Native - Male	457
Indian - Male	45
Coloured - Male	27
Mal. Ind. & Col. Female	180
Total	808

LABORATORY IN WARD :

INPATIENTS OF N.A.S. :

European - M & F	87
Mal. Ind. Col. M & F	1,318
Total	1,405

LABORATORY :

European - M & F	1,725
Native - Male	1,405
Native - Female	214
Total	3,344

4. VENEREAL DISEASE :

Plans were discussed for increasing and improving existing facilities for treating Venereal Disease. The premises accommodating the Special Clinic at Addington Hospital, are inadequate and approaching dilapidation. The General Hospital Authority, which administers the Clinic, proposes to build new premises for a European Clinic at Addington. Non-European patients will be accommodated in new premises at Congella. This arrangement provides for the highly desirable racial separation as well as for additional accommodation for both out- and in-patients.

5. PLAGUE :

Anti-plague precautions were carried on with unrelaxed energy. An improved method of gassing was introduced during the year. The method consists in forcing "cyanide dust", containing 50% available HCN in a lime basis, into rat burrows by means of an improved hand-power rotary pump. The method is safe and highly effective and has a wide range of application in both out-door and in-door conditions.

Excellent progress continues to be made by the Anti-plague staff in locating rat-harbourages and in the prosecution of 'building-out' and rat-proofing operations.

RAT DESTRUCTION :

The following figures show the work carried out by the Rodent Prevention Staff, viz :

Total visits made to premises	29,611
Rats destroyed in Durban Corporation Barracks	1,131
Rats reported to have been destroyed on private premises.	10,374

VETERAL ENGINE :

Plans were discussed for increasing and improving existing facilities for treating veterinary diseases. The premises accommodating the Special Clinic at Addington Hospital, are inadequate and approaching obsolescence. The General Hospital Authority, which administers the Clinic, propose to build new premises for a European Clinic at Addington. Non-European patients will be accommodated in new premises at Consett. This arrangement provides for the highly desirable rapid expansion as well as for additional accommodation for both day and inpatients.

PLAQUE :

Anti-plague precautions were carried on with unreleased energy. An improved method of killing was introduced during the year. The method consists in forcing "cyanide dust" containing 50% available KCN in a fine dust, into rat burrows by means of an improved hand-pump rotary pump. The method is safe and highly effective and has a wide range of application to both out-door and in-door conditions. Excellent progress continued to be made by the Anti-plague staff in locating rat-burrows and in the prosecution of "bulldozing-out" and rat-proofing operations.

RAT INSPECTION :

The following figures show the work carried out by the Rodent Prevention Staff, viz :

Total visits made to premises	20,611
Rats destroyed in Eastern Corporation	1,131
Rats reported to have been destroyed on private premises	10,374

5. Rat Destruction Contd.:

Poison baits laid	132,252
Traps set	5,355
Rat poison made by the Department in lbs.	325.

6. OTHER COMMUNICABLE OR PREVENTABLE DISEASES :

MALARIA :

After freedom from indigenous Malaria for a quarter of a century, the Borough experienced a mild visitation in the late summer of 1929. Nineteen Borough residents died from the disease in 1929, 45 in 1930, and 50 in the year ending June 30th, 1931. In the majority of cases, the sources of infection were traced to foci outwith the Borough. However, the growing toll of indigenous Malaria indicates the persistence of foci of infection within the Borough itself. These are located along the margins of the Eastern and Western Vleis, the river boundaries of Umgeni and Umbilo and the bayside Congella area.

Intensive spraying and light-draining operations were carried out, but the results show the essential limitations of these temporary methods of control. In a crowded urban area, flanked by low-lying ground subject to periodic inundation, Malaria can only be eradicated by thorough subsoil and surface drainage and reclamation.

The small grass-hidden holes and seepages favoured by the malaria-carrying mosquitoes, *A Costalis* and *funestis*, necessarily occur when cattle are allowed to graze over those vleis, where the water-table is consistently high and the ground is largely clay overlaid by thin strata of highly

organic/

Malnutrition

Malnutrition is a condition of the body in which the body is unable to utilize the food it takes. It is a condition of the body in which the body is unable to utilize the food it takes. It is a condition of the body in which the body is unable to utilize the food it takes.

Other Diseases of Malnutrition

After freedom from infectious diseases for a period of a century, the body has experienced a wide variation in the late summer of 1933. Malnutrition is a condition of the body in which the body is unable to utilize the food it takes. It is a condition of the body in which the body is unable to utilize the food it takes. It is a condition of the body in which the body is unable to utilize the food it takes.

Malnutrition is a condition of the body in which the body is unable to utilize the food it takes. It is a condition of the body in which the body is unable to utilize the food it takes. It is a condition of the body in which the body is unable to utilize the food it takes. It is a condition of the body in which the body is unable to utilize the food it takes.

organic clayly loam. Unable to pierce the clay stratum, the sub-soil water seeps up to the surface with each rain creating a very intractable problem of mosquito control.

Owing to the heavy clay admixture in the surface layer, light drainage effect removal of flood water only. These open drains themselves require constant oiling to inhibit mosquito development in their channels, the sides of which are constantly crumbling as a result of excavation by crabs, damage by grazing cattle and flood erosion.

Good as are the results obtained and by reclamation with town refuse, progress by such means is too slow and too limited in scope to satisfy the requirements of a reasonable anti-malaria scheme. Our temporary measures of control have so far obviated the development of a serious epidemic of malaria. The problem of endemic indigenous Malaria has, however, now reached the point when town-engineering schemes for drainage and reclamation must definitely be co-ordinated with a progressive policy of eradication malaria-breeding swampy areas.

DENGUE :

Permission was obtained for the employment of the nucleus of a special staff for anti-dengue operations. The staff consists of 4 European youths and two Indians - the latter having been taken on last year - under the supervision of a Health Inspector experienced in mosquito investigation and control.

The duties of this special staff are to investigate systematically the occurrence of *stegomyia* breeding places

organic clay form. Unlike to place the clay ...
 the sub-soil water seeps up to the surface with each rain
 creating very intractable problems of mosquito control.
 Owing to the heavy clay strata in the surface
 layer, light drainage effect removal of flood water only.
 These open drains themselves require constant tilling to
 inhibit mosquito development in their channels. The areas
 of water are constantly on being as a result of excavation
 by crabs, damage by grazing cattle and flood erosion.
 Good as are the results obtained and by reclamation
 with low refuse, progress by such means is too slow and too
 limited in scope to satisfy the requirements of a responsible
 anti-malaria scheme. Our temporary measures of control have
 as far as possible the development of a serious epidemic of
 malaria. The problem of malaria in Malaya has
 however, now reached the point when town-engineering schemes
 for drainage and reclamation must definitely be associated
 with a progressive policy of eradication malaria-breeding
 swampy areas.

REMARKS:
 Information was obtained for the employment of the
 office of a special staff for anti-malaria operations. The
 staff consists of 4 European youths and two Indians. The
 latter having been taken on last year. Under the supervision
 of a Health Inspector experienced in mosquito investigation
 and control.
 The duties of this special staff are to investigate
 systematically the occurrence of swamps breeding places

and to build up an improved system of control. In this system, educative propaganda will play a large part and will include special instruction by means of locally-prepared miniature bioscopic films.

It is proposed at an early date to unify the control of the anti-malaria and anti-dengue staffs in order to secure better co-ordination of anti-mosquito operations.

Special efforts will be made to prepare anti-mosquito exhibits for the purpose of giving instruction to school children, juvenile organizations and whenever possible, householders.

The promulgation on 12th June, 1931 of new regulations regarding the control of malaria and other mosquito-borne diseases, decidedly strengthens the hands of local authorities in areas infested by *Stegomyia* and *Anopheles*.

The Swellengrebel Report on Malaria, submitted to the Union Health Department on 16th May, 1931, drew attention to the importance, in rural areas, of concentrating on the control of breeding-places favoured by *A. Costalis* and *A. funestis*. In thickly-settled and urban areas, however, it is probably unwise to neglect any conditions favouring the development of mosquitoes, regardless of species.

The responsibilities of individual householders with regard to *Stegomyia* prevention, does not yet appear to be sufficiently realized. It is expected that the novel means to be employed in educative propaganda in future will improve matters in this respect.

and to build up an improved system of control. In this system, educational propaganda will play a large part and will include special instruction by means of locally-prepared materials. It is proposed at an early date to unify the control of the anti-malaria and anti-bugars efforts in order to secure better co-ordination of anti-malaria operations. Special efforts will be made to prepare anti-malaria exhibits for the purpose of giving instruction to school children, juvenile organizations and wherever possible, householders. The presentation in 1951 of new regulations regarding the control of malaria and other mosquito-borne diseases locally strengthens the hands of local authorities in areas infested by malarial and anophelid. The Governmental Report on Malaria, submitted to the Health Department on 10th May, 1951, drew attention to the importance, in rural areas, of concentrating on the control of malaria-borne diseases by A. J. Daniels and A. J. Daniels. A malaria-control and other areas, however, it is probably wise to neglect any conditions favouring the development of malaria, mosquitoes or anophelids. The responsibilities of local householders with regard to malaria prevention, does not yet appear to be sufficiently realized. It is expected that the novel means to be employed in educational propaganda in future will improve results in this respect.

6. ANTI-MALARIAL MEASURES :

COMPLAINTS : Two hundred and fourteen (214) complaints were received regarding the prevalence of mosquitoes.

MOSQUITO INVESTIGATION - following Complaints. In this connection eight hundred and sixteen (816) Inspections were made and mosquitoes were found developing at one hundred and seventy two (172) of the premises visited, representing a percentage of 21.07%.

SPECIES OF MOSQUITOES. In most of these cases the mosquitoes infesting the residences were of *Stegomyia* and *Culex* species, but occasionally *Anophelines* were found in the Umbilo area.

CAUSE OF DEVELOPMENT : As regards mosquitoes developing on private premises, it has been found that it was due to the neglect on the part of the occupier, in not removing useless receptacles, such as old tins, bottles, motor car tyres, etc. and also in allowing roof gutters to become obstructed with leaves etc. Sagging gutters also provided facilities for their development and the question of rendering them self-draining was always taken up with the owner of the property.

MOSQUITO DEVELOPMENT (Routine Work): It may be mentioned that, at the 40,262 inspections carried out in the routine work of the District Sanitary Inspectors, mosquitoes were found developing on 430 occasions, this representing 1.06% of the premises visited. This figure does not include the special visits made following complaints, as referred to in the opening paragraph.

VISITS OF INDIAN SCOUTS : 8,398 visits and revisits were made by the two Indian Scouts to vacant dwellings, lands and Corporation premises, their duty consisting solely of making such inspections and treating likely breeding places with larvaecide.

On 917 occasions mosquitoes were found developing, this representing 10.09% of the visits made.

The great contrast between this figure and that of the District Sanitary Inspectors' (routine work) is due to the fact that the majority of the visits made by the Indian Scouts were to unoccupied houses, in which cases the mosquito-breeding took place in water-closet pans and cisterns and gully traps, etc. In every instance these fittings were treated with a larvaecide either to kill larvae found or prevent such fittings affording facilities for mosquito-breeding.

SURVEYS OF SWAMPY AREAS :

Weekly surveys were carried out throughout the year by the Inspectors concerned, this affording a check on the straying operations carried out by this department as well as locating mosquito-breeding places in the swampy areas in the Borough.

ANTI-MALARIAL MEASURES

COMPLAINTS: The District Sanitary Inspector (D.S.I.) reported that the following complaints were received during the year 1934: -

1. In the case of the mosquito nuisance, the D.S.I. reported that the following complaints were received during the year 1934: -

2. In the case of the rat nuisance, the D.S.I. reported that the following complaints were received during the year 1934: -

3. In the case of the fly nuisance, the D.S.I. reported that the following complaints were received during the year 1934: -

4. In the case of the dog nuisance, the D.S.I. reported that the following complaints were received during the year 1934: -

5. In the case of the pig nuisance, the D.S.I. reported that the following complaints were received during the year 1934: -

6. In the case of the cow nuisance, the D.S.I. reported that the following complaints were received during the year 1934: -

7. In the case of the horse nuisance, the D.S.I. reported that the following complaints were received during the year 1934: -

8. In the case of the sheep nuisance, the D.S.I. reported that the following complaints were received during the year 1934: -

6. Contd.

The species generally found were culex and occasionally Anophelene, the Eastern Vlei and Umbilo area being chiefly responsible for the latter. Specimens of Anophelene larvae brought in from the Umbilo district, when developed, proved to be A Mauritianus and from the Eastern Vlei both Mauritianus and Costalis.

It may be mentioned that the majority of the anophelene larvae from the Umbilo area were obtained from the Umbilo River.

LARVAECIDES : 9,590 gallons of larvaecides were utilized in the spraying of swampy areas, etc. a large proportion of which, i.e. 5,508, was used during September, December, January, February, March and April, this being due to the heavy rainfall, which amounted to no less than 25.365 inches during these months.

ANTI-MALARIAL GANG : Spraying operations were carried out on 153 days, representing an average of 12.75 days in the month. The remainder of the time was taken up in ditching clearing drains and vacant lands etc.

7. WATER SUPPLY.

(By Courtesy of the Borough Water Engineer.)

SOURCE : UMLAAS RIVER.

The catchment area draining to the storage reservoir at Camperdown is 172 square miles in extent. An additional catchment of 138 square miles drains to the new storage reservoir at Shongweni. A further area of 33 square miles drains to the Intake, making an aggregate of 345 square miles. The total acreage within the catchment area owned by the Corporation is 10,527.

POSSIBILITIES OF POLLUTION IN CATCHMENT AREA :

The supply in the river and tributaries from such an extensive catchment area is of course subject to pollution, but almost all the human habitations are situated at such distances from streams as renders them innocuous. The Corporation is empowered by the Durban Waterworks Consolidation Act No. 24 of 1921 to take drastic measures if necessary to prevent serious contamination.

STORAGE :

The total reservoir capacity is made up as follows :-

				<u>Storage Reservoirs.</u>	
				<u>Original Capacity</u>	<u>Present Capacity</u>
				<u>Million Gallons.</u>	<u>Million Gallons.</u>
Shongweni	2,600	2,600
Camperdown	604	177
Clear Water, Umlaas...	100	100
				<u>3,304</u>	<u>2,877</u>

Service Reservoirs/

WATER SUPPLY

(By Gravity from the Water Reservoir)

TABLE I

The catchment area draining to the water reservoir at Campden is 178 square miles in extent. An additional catchment of 133 square miles drains to the new storage reservoir at Boscawen. A further area of 55 square miles drains to the tanks, which are situated at 218 square miles. The total area within the catchment area owned by the Corporation is 366.

SCHEMATIC OF MILLION IN CATCHMENT AREA

The supply in the river and tributaries from such an extensive catchment area is of course subject to fluctuation, but almost all the human habitations are situated at such distances from streams as to be free from pollution. The Corporation is empowered by the Waterworks Regulation Act No. 25 of 1901 to take drastic measures if necessary to prevent pollution.

TABLE II

The total reservoir capacity is made up as follows :-

Capacity Reservoirs

Original Capacity Present Capacity
Million Gallons Million Gallons

2,600	2,600
177	604
100	100
2,877	3,304

7. SERVICE RESERVOIRS.

Congella	1.	3,000,000	gals.		
	2.	3,000,000	"		
	3.	650,000	"		
	4.	<u>650,000</u>	"		
				7,300,000	gallons
Botanic Gardens	3,000,000	"
South Ridge	3,000,000	"
Stella	2,000,000	"
North Ridge	2,000,000	"
Ridge End	2,000,000	"
Northdene	1.	500,000	gals.		
	2.	<u>750,000</u>	"	1,250,000	"
Florida Road	650,000	"
St. Thomas Tank	300,000	"
Campbell's Tank	110,000	"
Botanic Gardens Tank..	100,000	"
Murchie's Tank	<u>30,000</u>	"
				21,740,000	Gallons.

PURIFICATION :

When necessary the raw water is treated with Alumina Sulphate for the purpose of sedimentation before Filtration.

Slow sand filters are in operation at both the Umlaas and Coedmore Works, and the Shongweni Works include the rapid gravity type.

In all cases the effluent from the Filters is sterilised by treatment with liquid chlorine on the most modern principles and with completely effective results.

CONSUMPTION :

The average daily consumption is in the vicinity of 10,000,000 gallons and the actual capacity of the existing works is approximately 15,000,000 gallons per day.

BACTERIOLOGICAL EXAMINATIONS :

Regular bacteriological and chemical examinations were made in the laboratory situated at Northdene Filters, and weekly tests are made at the Government Laboratory in Durban, yielding results comparable with those of any other water supply in the world. The Durban standard of negative Bacillus Coli in 100 c.c. is the highest standard sought anywhere.

TABLE I

Location	Capacity (gallons)	Volume (gallons)	Notes
Concepcion	2,000,000	1,000,000	
Botwin's Tanks	1,000,000	500,000	
South Tanks	1,000,000	500,000	
Stella	1,000,000	500,000	
North Tanks	1,000,000	500,000	
Ridge Tanks	1,000,000	500,000	
North Tanks	1,000,000	500,000	
Florida Tanks	1,000,000	500,000	
St. Thomas Tank	1,000,000	500,000	
Campbell's Tank	1,000,000	500,000	
Botwin's Tanks	1,000,000	500,000	
Murphy's Tank	1,000,000	500,000	
Total	10,000,000	5,000,000	

TABLE I (continued)

PURIFICATION

Water for the purpose of producing potable water is obtained from the Florida River and is treated at both the U.S. Army and U.S. Navy water treatment plants. The Florida River water is treated by a process which includes the use of alum, lime, and chlorine. The water is then filtered and disinfected with chlorine. The water is then pumped to the distribution system.

CONSUMPTION

The average daily consumption in the vicinity of 10,000,000 gallons and the actual capacity of the existing works is approximately 10,000,000 gallons per day.

BACTERIOLOGICAL EXAMINATIONS

Bacterial bacteriological and chemical examinations were made in the laboratory situated at Fort Belvoir, St. Louis, and weekly tests are made at the Government Laboratory in Durham, yielding results comparable with those of other water supply in the world. The Durham standard of bacteria is 100 c.o. to the highest standard source anywhere.

7. WATER SUPPLY :

Throughout the year, the quality of the water system, as ascertained by weekly chemical and bacteriological analysis, has been consistently good. In quantity the supply has been ample. It becomes obvious, however, that provision will soon require to be made for an augmented supply in order to anticipate the rapidly expanding needs of the community. Preliminary surveys are being undertaken in the Umgeni and Tugela River Catchment areas, with this object in view.

The high standards of purity are indicated by the subjoined analyses, taken at random :

(a) Chemical :

<u>Colour.</u>	Good.	<u>Sediment.</u>	Nil.
<u>Turbidity</u>	Nil	<u>Reaction.</u>	0.92 Alk.

ANALYSIS.

(Result expressed in parts per 100,000)

Total solids	11.40
Loss on Ignition	2.12
Chlorine	2.84
Nitrates & Nitrites.....	Nil.
Saline Ammonia	0.002
Albuminoid Ammonia	0.009
Total Hardness	5.57
Permanent Hardness	3.77
Iron	Trace.
Poisonous Metals	Nil.

(b) Bacteriological :

	<u>B. Coli</u> <u>present in</u>	<u>B. Coli</u> <u>absent in.</u>
Bulwer Park	--	100 c.c.
Medwood Gardens	100 c.c.	80 c.c.
Mitchell Park	--	100 c.c.
Umbilo	--	100 c.c.

74 WATER SUPPLY

Throughout the year, the water supply system, as described in the report, has been in operation. The water supply system is located at the site of the water supply. The water supply system will soon be completed and will supply water to the site. The needs of the community are being met by the water supply system. The water supply system is being operated in accordance with the plan of the water supply system. The water supply system is being operated in accordance with the plan of the water supply system.

The high standards of purity are indicated by the following analysis, which is shown in the following table:

(a) Chemicals

Colour	Good
0.02	0.02
0.02	0.02

ANALYSIS

(Results expressed in parts per 100,000)

Total solids	11.45
Loss on ignition	8.15
Chlorine	0.04
Nitrogen	0.01
Saline sulphate	0.002
Aluminium sulphate	0.002
Total hardness	0.02
Permanent hardness	0.01
Iron	0.01
Potassium	0.01

(b) Bacteriological

Location	Result
Water Park	100 c.c.
Wood Gardens	100 c.c.
Water Park	100 c.c.
Water Park	100 c.c.

8. NIGHT SOIL, SLOP WATER & REFUSE :

The number of pails in use at the end of the year was 349, as against 367, in the previous year, tri-weekly services being given to the following premises. As sewerage extends, outlying premises are being steadily connected up :

Private dwellings.	118.
Business premises.	8.
Government Institutions.	2.
Municipal Institutions.	9.
	<u>137.</u>

REFUSE :

A standard type of refuse collection bin has been approved. The specifications are as follows :-

- Dimensions : not exceeding 24" in depth and 16" in width.
- Material to be galvanized iron or pressed steel, of not less than B.W.G. 20 in thickness.
- To be fitted with handles and close-fitting cover.

It was agreed to alter the relevant by-law in order to transfer the onus of providing and maintaining domestic refuse bins from the occupiers, as at present, to the owners of property, or alternatively the Municipality.

No decision was reached however, as to the actual system to be adopted as an improvement on the existing methods of refuse collection. Final review of the whole problem of town cleansing in all its aspects was deferred until after incorporation of the Suburban areas.

The present system, both as regards collection and removal, leaves much to be desired. It has the merit of cheapness, but little else. All types of refuse bins, from cement barrels and superannuated tar drums to light gauge galvanized bins of various sizes are to be found in Durban's back-yards. Refuse is transferred from these, usually unmanageable receptacles, in wooden boxes on to standard-sized Scotch Carts fitted with a canvas flap cover, which seldom functions as intended. The Scotch Cart has too high a loading line. The drivers are employed by the Transport Department, which also owns the carts, whilst the loaders are employees of the Health Department.

It is time that the administration of such an essential health service as town-cleansing were transferred to the charge of a Special Committee and Department, which would be responsible for modernizing the present primitive system of refuse collection and removal.

2. REVIEW OF THE PRESENT SYSTEM

The number of calls in use at the end of the year was 210, as against 207 in the previous year. The weekly services being given are the following:-
Average number of calls being given weekly connected up:-

118	Private dwellings
2	Business premises
2	Government institutions
2	Municipal institutions
<u>124</u>	

REVIEW

A standard type of refuse collection has been approved. The specifications are as follows:-

Dimensions: not exceeding 28" in depth and 18" in width.

Material to be galvanneal iron or treated steel, not less than B.W.G. 10 in thickness. To be fitted with handles and close-fitting cover.

It was agreed to alter the relevant by-laws in order to transfer the duty of providing and maintaining refuse bins from the occupiers, as at present, to the owners of property, or alternatively the municipalities.

No decision was reached however, as to the final system to be adopted as an improvement on the existing methods of refuse collection. Final review of the whole problem of town cleansing in all its aspects was carried out after incorporation of the suburban areas.

The present system, both as regards collection and removal, is being kept under review. It has the advantage of cheapness, but little else. All types of refuse bins, from cement barrels and underground bins to 14" square galvanneal bins of various sizes are to be found in the back-roads. Refuse is transferred from these, usually in unsuitable receptacles, in wooden boxes or to hand-carts. Refuse is then taken to a central depot, which is a leading line. The refuse is then taken to the Health Department, which also owns the carts, whilst the loaders are employees of the Health Department.

It is felt that the administration of such a substantial health service as town-cleansing was transferred to the charge of a Special Committee and Department, which would be responsible for modernizing the present primitive system of refuse collection and removal.

STREET CLEANSING :

Specifications for an improved type of street orderly bin were approved and 100 of same ordered for delivery early in the coming year.

REFUSE DISPOSAL :

Apart from the small quantity dealt with at the Point Destructor, the whole of the town's refuse continues to be dumped on tips which serve to reclaim swampy or low-lying areas in the Borough. The district tips are rapidly becoming exhausted, that at Willowvale, serving part of South Berea had had in fact, to be closed.

The time is rapidly approaching when only the Eastern Vlei will be available for tipping. Whilst this area will serve for many years, the question of long distance haulage becomes urgent. Tenders were accepted for the supply of 4 additional motor freighters to transport the refuse hitherto dumped at Willowvale and to relieve horse-transport from distant points of collection.

The models selected were 2 Karrier vehicles, with metal covers and 2 Shelvoke & Drewry vehicles with canvas covers, capacity in both types being 8 cubic yards.

The following tables show the amount of refuse dealt with by destruction and tipping.

REFUSE - NIGHT SOIL, ETC - CARTS ETC :

Rubbish Carts	62
Motor Freighters	2
Street cleaning carts	16
Carts for depositing sand on tips	3
Tank carts for the removal of night soil	2
Stationary carts and vans	2

MATERIALS REMOVED :

Rubbish	67,475 Loads
Street sweepings	21,381 "
Manure	470 "
Sand for covering tips	33,144 "

DISPOSAL OF REFUSE ETC :

Tipping Sites	Loads of Refuse	Loads of Street Sweepings.
Destructor	6,766	10
Ocean Beach	-	707
Botanic Gardens	19,162	11,350
Gale Street	-	3,134
Willowvale	6,488	17
Near Shires Barracks	996	236
Aviation Grounds	5,203	568
Brickhill Road	29,661	3,365
Stella	1,199	114
Harvey Road	-	1,080
T O T A L S :	69,475	21,381

FLY PREVENTION :

50,073 gallons of polson mixture and 2,704 lbs of fly gum were made departmentally and used or laid down as poison bait on the various tips.

DISPOSAL OF MANURE :

470 Cart loads of manure were collected by the department, all of which was stored in "Baber" platforms for use by the Parks and Gardens and Works Departments.

The work done by the two existing motor freighters is analysed as follows :-

	NO. 1.			NO. 2.		
DETAILS.	1928/29	1929/30	1930/31	1928/29	1929/30	1930/1
Loads removed.	1,377	1,685	1,797	1,167	1,417	1,456
-do in cub. yards	8,131	11,184	11,154	6,699	9,583	10,027
Cost per c. yard.	1/9.159	1/8.061	1/8.737	2/1.92	1/10.92	1/11.339
Mileage covered	6,869	8,424	8,963 $\frac{3}{4}$	7,079	9,262 $\frac{1}{2}$	10,030 $\frac{1}{2}$
-do- per gal.	13.316	14.8	13.359	12.246	15.054	13.731

FLY PREVENTION

30,000 Gallons of water mixture and 2,700 lbs of fly gun were used in the various departments and used on the various parts of the various parts.

DISPOSAL OF MANURE :

450 Cart loads of manure were collected by the department, all of which was stored in "Hobby" planters for use by the Parks and Gardens and Works Departments.

The work done by the two existing motor tractors is analysed as follows :-

NO. 1.		NO. 2.	
DETAILS.			
Loads removed.	1,377	1,683	1,757
do in cub. yards	8,131	11,184	11,154
Cost per c. yard	12.12	12.00	12.17
Mileage covered	6,633	8,424	8,932
do per gal.	18.31	14.81	13.33

DISEASED CARCASSES TOTALLY CONDAMNED AS UNFIT FOR HUMAN CONSUMPTION.

DISEASE	BEEF	VEAL	MUTTON	PORK
Cysticercus Bovis	795	98		
Cysticercus Cellulosae	305	174	1,875	974
Dropsy & Emaciation	457	26		18
Tuberculosis	16	15	74	19
Jaundice	33	1	5	6
Injuries	3		36	
Moribund				
Immature		255		15
Dead in Pen				
Dead on Arrival	1	1	5	1
Decomposition		8	1	
Uraemia				
Abscesses	1			4
Pyæmia				5
Septicaemia	3		22	
Peritonitis				1
Pupura Haemorrhagica				5
Pleurisy				1
Septic Pneumonia		2		1
	1,614	570	2,018	1,050
1929/30 TOTALS :	1,158	287	2,243	1,272

MILK SUPPLIES :

Applications for registration in respect of sixty-seven dairy premises were received during the year, viz :-

Dairies (Fresh Milk).

Europeans	41
Indians	<u>20</u>
			61
			—

Milk Depots (Pasteurised Milk).

Europeans	6.
-----------	-----	-----	----

Eight of the above applications were in respect of dairies for which licenses had been refused last year for non-compliance with the requirements of this department.

As no effort had been made by these applicants to effect the required improvements to their premises, this department had no alternative but to oppose the renewals, in consequence of which, the licenses were refused.

Despite the refusal of the licenses, several of these milk vendors have persisted in the sale of milk within the Borough, necessitating the institution of proceedings in five instances in order to have the practice discontinued, a conviction and fine being secured in each case.

Five new applications for registration for the sale of fresh milk were received during the year, two of which were approved, two have been held over pending completion of the necessary improvements, while the other was definitely refused as structurally unsuitable.

In the latter case, plans were subsequently submitted and approved for entirely new dairy premises, on completion of which, the application will doubtless be renewed.

In the majority of the dairies, for which registration was sought, the conditions or arrangements were not such as to comply with the requirements of the draft milk by-laws, and in many instances approval has been withheld until the required improvements could be effected.

Two old established dairies discontinued the sale of milk within the Borough during the year in consequence of heavy losses incurred in the T.B. Testing of their herds.

Other two dairies voluntarily closed down, owing to their inability to comply with assurances previously given, involving entire reconstruction of the premises in one case, and improved water supply and minor adjustments in the other.

As previously pointed out, six applications for registration of Milk Depots in respect of the sale of pasteurised milk were received during the year, all of which are situated

MILK SUPPLIES

Applications for registration in respect of milk
supplies were received during the year 1931

Registration (Milk)

...
...
...
...

Milk Supplies (Registration)

...

Effect of the above applications was in respect of
milk supplies which had been refused last year for non-
compliance with the requirements of this department.

As no effect had been made by these applications
effect the required improvements to their premises, this
department had no alternative but to refuse the licences in
consequence of which, the licences were refused.

In the event of the refusal of the licences, several of
these milk vendors have parties in the sale of milk within
the borough, necessitating the institution of proceedings in
the courts in order to have the parties discontinued.

The new applications for registration for the sale
of fresh milk were received during the year, two of which were
approved, two have been held over pending completion of the
necessary improvements, while the other was definitely refused
as structurally unsuitable.

In the latter case, plans were subsequently submitted
and approved for entirely new dairy premises, on completion of
which, the application will doubtless be renewed.

In the event of the refusal of the licences, for other vendors
for the sale of milk, the conditions of registration were not such as
to comply with the requirements of the Milk and Dairies Act, 1925,
in many instances approval has been withheld until the necessary
improvements could be effected.

The old established dairies discontinued the sale of
milk within the borough during the year in consequence of being
closed in the 1931. Closing of their herds.

Other two dairies voluntarily closed down, owing to
their inability to comply with numerous provisions given
involving entire reconstruction of the premises in one case,
and improved water supply and minor adjustments in the other.

As previously pointed out, the applications for
registration of milk supplies in respect of the sale of pasteurized
milk were received during the year, six of which were situated

within the Borough. Two were new applications, one being approved after the requirements of this department had been met and the other refused owing to the structural unsuitability of the premises.

In the latter case, the business was carried on for some time without the necessary licence having been granted and was only discontinued after prosecution and conviction of the manager.

For the purpose of obtaining some reliable data, the recent census of the local dairy industry relative to the approximate quantity of milk marketed daily within the Borough shows the consumption as accurately as can be ascertained to be.

(a) Fresh Milk	2,416 gallons.
(b) Pasteurised Milk..		4,340 "

apart from milk used by bakers, confectioners.

During the year, the following improvements have been effected at the dairies in the Durban and Peri-Durban areas :

Water Supply : Durban Corporation water has been laid on to three new dairies recently erected in the Peri-Durban area.

All the other existing dairies which could be approved for the production and sale of milk within the Borough are either provided for, or in course of being provided with a suitable water supply.

The majority of the dairy premises obtain their supply from the Durban Corporation.

In these cases, where Corporation Water is not available, a good supply is obtained from bore holes or alternatively rain water storage tanks of large capacity, commensurate with the needs of the dairy concerned.

Cowsheds : Seven new cowsheds have been erected in the Peri-Durban area, and meet with the requirements of this Department.

Included in this number are two new dairies, which have commenced business during the year. The remainder represents entirely new dairy premises erected to replace existing buildings not considered suitable by this Department.

In two instances, the rebuilding scheme involved the transfer of the business from inferior premises within the Borough to more hygienic and commodious premises outwith the Borough, thus reducing the number of Borough dairies to four, as compared with eleven, some three years ago.

Milkrooms: New milkrooms, built in conformity with the requirements of this department, have been provided at two dairies, in addition to the milkrooms provided at the eight dairies already mentioned as having been either built or reconstructed during the year.

within the territory... approved... and the... at the... of the...

In the latter case, the business was carried on for some time without the necessary license being granted and was only discontinued after presentation and conviction of the manager.

For the purpose of obtaining some reliable data, the recent records of the local dairy industry relative to the number of cows milked daily within the territory shows a consumption of approximately 200,000 gallons of milk daily.

- (a) Fresh Milk 2,500 Gallons
- (b) Sterilized Milk 4,300

Spent from this used by... During the year, the following... effected at the... in the...

Water... that new... All the other... for the... provided for... water supply.

The... from the...

In... a good supply... water... of the...

Given... and...

Included in this... connected... activity was... not...

In... transfer... to... reduced the number of... eleven...

It... means of... addition to... mentioned as having...

Washrooms : Five dairies have also been equipped with washrooms for the washing of milk utensils, not including those erected at the new or reconstructed dairies.

Sterilizing Apparatus : At four dairies, the ordinary brick built boilers have been replaced with modern high pressure steam boilers, provided with the necessary equipment for the effective steaming of dairy utensils. The advantages of efficient sterilizing equipment is being more and more realized by the majority of progressive dairymen and there is every indication that the near future will see the adoption of improved methods and ideas throughout the dairy industry locally.

Coolers : Milk cooling equipment has been installed at five European dairies in the course of the year. Of this number, two have augmented water cooling by the addition of brine coolers, two have increased their cooling facilities by the provision of Frigedaires, while another had adopted the ordinary water cooler as a preliminary.

Several of the other dairymen are also giving serious thought to the question of milk cooling, although they find it impossible to take any definite steps at the present juncture, owing to heavy financial commitments in other directions, such as the replacement of stock destroyed, or major structural alterations to their dairy premises.

Servants' Housing : One Indian and ten European dairymen (including five of the dairies rebuilt) have provided suitable accommodation during the year for the housing of dairy employees.

This indicates a marked improvement on former years, although much still remains to be done, owing to financial stringency, and the difficulty experienced in convincing the average dairyman of the necessity for good housing in place of the accustomed inferior and insanitary Native or Indian shack.

Bathing & Water-closet Accommodation : Bathing facilities have been provided at six European dairies, four of which have also installed sanitary accommodation for the use of dairy employees during the period under review.

Veterinary Inspection : In November last, following the discovery of bovine Tuberculosis in the milk supply produced at one of the local dairies, the Government Veterinary Department in collaboration with this department, inaugurated their scheme for the eradication of Tuberculosis as regards the raw milk supply of the Borough.

In pursuance of this scheme, several thousand dairy cows, within the prescribed area, have been subjected to the tuberculin test. The work has proceeded steadily since its inception, and now appears to be almost completed as far as the Government is concerned. The number of re-actors found has been exceedingly high, and has proved to be somewhat disastrous for many of the dairymen, who, as already pointed out, have been faced with heavy expenditure, in addition to serious dislocation of business in consequence of diminished milk output, following the condemnation of so many of their cows, and the difficulty in obtaining suitable replacements.

Milk Competition : In accordance with previous practice, A Clean Milk Competition conducted conjointly between the Health Department and the Durban & Coast Society of Agriculture and Industry was again held this year.

This competition showed the highest number of entries on record, namely eighteen as compared with fifteen last year, and twelve the previous year.

Considering the difficult period through which the local dairy industry is passing, the increased number of entrants for the competition this year, can be regarded as a most encouraging indication of the dairymen's desire to maintain, and in many instances, improve the quality of their product.

The marks awarded to the several competitors were all tabulated and in the case of the winner and runners up, were displayed on an attractive poster in the Dairy Produce Hall during the recent Agricultural Show.

The silver cup presented by the Durban Town Council and the diploma of the Agricultural Society was won by Mrs J. England, Norfolk Dairy, who also won last year's competition.

The runner up this year was Mrs. P.E. White, Berea Dairy, who was awarded the Agricultural Society's Silver Medal.

During Show Week the local dairymen's exhibit took the form of a Cinema film, produced departmentally, illustrating various aspects of the preparation, handling and delivery of milk as practised locally. This film was shown several times daily, and proved to be the most popular attraction in the dairy product section.

DAIRIES, COWSHEDS, ETC.

Seventy-nine inspections - representing an average of approximately twenty of each dairy within the Borough and three hundred and fifty - representing an average of just over six of each dairy outwith the Borough boundaries, but selling milk within the Borough, were made.

No. of Milk Depots in the Borough	6
No. of Dairies within the Borough	4
No. of Dairies outwith the Borough selling milk within the Borough.	37
	European
	Indian
	20

The following improvements were effected at the instance of this department, viz :

COWSHEDS :

Outside the Borough - newly erected 2

Erected/

... in accordance with previous practice
... and industry was held in the year...

This committee showed the highest number of
... and twelve the previous year.

... the district period covered within the
local dairy industry is shown. The increased number of
entrants for the competition this year, can be regarded as
a most encouraging indication of the dairyman's desire to
maintain and improve his product, through the quality of
his product.

The names awarded to the several competitors were
all tabulated and in the case of the winners and runners-up
were displayed on an extensive poster in the Dairy Training
Hall during the recent Agricultural Show.

The silver cup presented by the Dairy Training Council
and the diploma of the Agricultural Society was won by
J. Richard, Northcote Dairy, who also won last year's competition.

The runner-up this year was Mrs. R. E. White, Northcote
Dairy, who was awarded the Agricultural Society's silver
cup.

During Show Week the local dairymen's exhibit took
the form of a display of the various types of delivery
and various styles of the production, handling and delivery
of milk as well as bottled milk. This time was given several
times daily, and proved to be the most popular attraction
in the dairy product section.

DAIRYING COMPETITION, 1931

... inspection - representing an average
of approximately twenty of each dairy in the Borough and
three hundred and fifty - representing the average of about
over six of each dairy outside the Borough boundaries, but
saline milk within the Borough, were taken.

No. of Milk Deposits in the Borough	9
No. of Dairies within the Borough	2
No. of Dairies outside the Borough	357
Total Milk within the Borough	27
Total Milk outside the Borough	20

The following improvements were effected in the
instance of this department, viz:

COMMENTS:

Outside the Borough - newly erected

COWSHEDS (Contd) :

Erected to replace existing buildings	5
Repairs to walls, floors, etc.	14
Unsatisfactory grooming of cows - warnings given	13

WATER SUPPLY :

Dairies outside the Borough connected to Durban Corporation Water Supply	3
--	---

CLEANLINESS :

Premises limewashed or otherwise cleansed after notice from this department.	112
Servants' quarters limewashed and cleansed, after notice being given.	11

MILK-ROOMS :

(a) Erected	10
(b) Fly-screened	10
(c) Fly-screening renewed	10

WASH-HOUSES FOR WASHING UTENSILS :

Number erected	5
----------------	---

BOILERS FOR SCALDING UTENSILS :

(a) Provided	4
(b) Not regularly used (warnings given)	22

HIGH PRESSURE STEAM EQUIPMENT :

Installed	4
-----------	---

MILK COOLERS :

Installed	5
-----------	---

CHEMICAL ANALYSIS OF MILK :

Two hundred and sixty-seven samples (267) of milk were submitted for analysis, twenty-seven (27) of which were certified by the Borough Analysts to be under the standard required by the law, viz :-

Milk Fat	3.0%
Solids-not-fat	8.5%

COMMISSIONER'S OFFICE

10
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

REMARKS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REMARKS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REMARKS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REMARKS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REMARKS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REMARKS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REMARKS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REMARKS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

In the majority of these samples, the deficiency was slight and where satisfactory explanations were forthcoming no action was taken beyond warning the dairy-keepers concerned to have the quality of their milk supply improved. Such cases are always followed up and a further sample taken after a short interval.

Legal proceedings were instituted in respect of twelve (12) of the twenty-seven (27) samples under standard and, in each case, a conviction was secured.

The average composition of the whole of the new milk samples - including those under standard - was as follows, viz :-

Milk Fat	3.392%
Solids-not-fat	...	8.735%
		<hr/>
<u>Total Solids.</u>		<u>12.127%</u>

ERADICATION OF BOVINE TUBERCULOSIS :

In November a beginning was made by the Government Veterinary Officers, with the campaign for eradicating Tuberculosis from the dairy herds supplying raw milk to the Borough. Complete statistics relating to the result of the initial series of tests will not be available until next year.

The evidence already obtained however, indicates that the average percentage of re-actors to the Intradermal Test is likely greatly to exceed the figure anticipated.

The Council's participation in the scheme is limited to the work carried out in dairies licensed to sell raw milk in the Borough, but it is understood that the Government Veterinary Department intends testing animals in a defined area around Durban which includes large numbers of other cattle.

11. OTHER FOOD SUPPLIES :

The following table shows the nature and quantity of unsound foodstuffs dealt with under the Foods, Drugs & Disinfectants Act, during the year :

UN SOUND FOODS :

24 tins fruit.
 1 c/s bottled fruit.
 4 boxes (each 26 lbs) dried fruits.
 1 c/s tomato sauce.
 17 (2 lb) tins jam.
 93 tins sardines.
 351 lbs. corned beef.

The following foodstuffs were seized from an Indian store in the Grey Street District and, on examination by the Medical Officer of Health, were certified to be unsound, unclean, unwholesome, viz :-

24 (2 lbs) tins of jam.
 16 c/s dried fruits.

The licensee of the shop, where these unsound goods were found, set up the defence that they belonged to another occupier, as there was some dubiety on this point the Magistrate gave him the benefit of the doubt, and this other occupier was subsequently prosecuted and fined for trading without a license.

FOODS & DRUGS :

During the year, the following samples were obtained and submitted for analysis, viz :-

Description.	Number.	Genuine.	Below standard or adulterated.
Milk	267	240	27
Butter	1	1	-
Lard	1	1	-
Beef Dripping	1	1	-
Sausages	4	3	1
T O T A L S:274		246	28

In addition to the above, the usual weekly samples of milk were obtained and submitted for bacteriological examination, as well as water for both bacteriological and chemical analyses.

Legal proceedings were instituted against the seller of the sausages, which, on analysis were found to contain 15% of starch, being 9% in excess of that allowed in the Regulations framed under the Food, Drugs & Disinfectants Act No.13 of 1929.

11. OTHER FOOD SUPPLIES :

The following table shows the nature and quantity of unbound foodstuffs dealt with under the Food, Drugs & Poisons Act during the year :

UNBOUND FOODS :

32 lbs. fruit.
 1 cwt. bottled fruit.
 4 boxes (each 25 lbs) dried fruit.
 1 cwt. tomato sauce.
 17 (2 lb) tins jam.
 68 lbs. sardines.
 301 lbs. corned beef.

The following foodstuffs were seized from an Indian store in the Grey Street District and, on examination by the Medical Officer of Health, were certified to be unbound, unless, respectively, viz :-

24 (2 lbs) tins of jam.
 10 cwt. dried fruit.

The license of the shop, where these unbound goods were found, set up the defence that they belonged to another occupier, as there was some doubt on this point the Registrar gave him the benefit of the doubt, and this other occupier was subsequently prosecuted and fined for trading without a license.

FOODS & DRUGS :

During the year, the following samples were obtained and submitted for analysis viz :-

Description.	Number.	Genuine.	Below standard or adulterated.
Milk	267	240	27
Butter	1	1	-
Lard	1	1	-
Beef Tripping	1	1	-
Sausages	4	3	1
TOTAL 274			28

In addition to the above, the usual weekly samples of milk were obtained and submitted for bacteriological examination, as well as water for both bacteriological and chemical analyses.

Legal proceedings were instituted against the seller of the sausages, which, on analysis were found to contain 12% of starch, being 2% in excess of that allowed in the regulations framed under the Food, Drugs & Poisons Act N. 13 of 1923.

11. OTHER FOOD SUPPLIES (Contd):

The magistrate, however, cautioned and discharged the accused on the grounds that it was the first case in this nature.

BAKE HOUSES, FOOD FACTORIES, ETC :

Change rooms - provided	4
Lavatory basins - provided	3
Overalls - do	8
Fly-screening - do	11
Water-closets, drains, etc. removed from buildings.	7
Walls, etc. limewashed, painted or otherwise cleansed	56
Sleeping in stores or workshops - discontinued.	8
Unsuitable food receptacles - replaced or improved.	37
Unclean clothes	12
Unclean vehicles	6
General repairs and improvements to protect food.	35

12. MATERNITY AND CHILD WELFARE :

The Medical Officer in charge of the Maternity & Child Welfare Centre reports as follows :-

The numbers of attendances for the year show very little difference from those of the previous year, the only increase of note being in attendance of Indians, which rose from 2,057 in the previous year to 3,386 this year.

During the year a whole-time Health Visitor was appointed to do the Indian work and a separate Clinic has been established at premises in Brook Street. This is being carried on, as far as practicable, along the same lines as the European Clinic. Dr. Janet Jackson and Dr. Minnie Alper have given their services voluntarily, in order to help to start this clinic on right lines, each holding an infant and ante-natal session once a week. This has been appreciated by the Indian Community as shown by the numbers now attending the clinic.

The European Infantile Mortality Rate for the year was 37.73, a few points higher than that of last year, but still a very low figure.

Of the 36 deaths of infants, under one year, 20 or considerably more than half, occurred in the first month of life, 16 of these in the first week. These deaths were due to prematurity, congenital defects and birth injuries, showing as in previous years, the necessity for more wide spread anti-natal care. Of the other 16 deaths which occurred from 1 to 12 months, 9 were due to enteritis, a larger number than in the previous year. This is perhaps due to the increasing popularity of artificial feeding.

This increase is shown by the figures in Health Visitor's report. They endeavour to visit every case as soon as possible after the first ten days of life, but even so they found that 15% of the babies so visited (1142 in number) were already being wholly or partially artificially fed. The Health Visitors find it difficult to arrive at the house where a baby has been born before commercial samples of infants food have been left and frequently these samples have been already tried and accepted.

Total Medical Sessions	349.
Total Ante-natal Sessions	151.
Total attendances at Clinic (21,928)	
" " Indian do (3,386)	25,314.
New cases out of above number	2,136.
No. of infants under 1 year attending clinic	964.
Total attendances of infants under 1 year.	7,445.
No. of expectant mothers attending clinic.	559.
No of cases receiving dry food at reduced price.	121.
No. of cases receiving dry food free.	97.
Amount of dry food sold	2,365.
Amount of dry food given free.	1,759

Births/

12. Continued.

BIRTHS :

Notifications	E. 926.	C. 105.
Registrations.				
European	954.	
Coloured	141.	
Imported (Eur. & Co.)	393.	

STILL BIRTHS :

Notified	37 - E.	33 - C	4.
Registered	41 - E.	30 - C	11.

DEATHS :

European	36.
Coloured	12.
Rate - European	37.73
Rate - Coloured	85.10

No. of above who attended Clinic or were visited by Health Visitors :-			
European	11
Coloured	6

ANTE-NATAL WORK :

No of expectant mothers attending Clinic	559.
Total number of attendances.	1,346.
No. of above cases attended by Municipal Midwife.	142.
No. of above cases referred to Addington Hospital for confinement.	195.

MATERNAL MORTALITY (See pages 5-6).

HEALTH VISITORS' WORK :

Infants under 1 year :

	<u>First Visits.</u>	<u>Re-visits.</u>
Breast Fed	966	1,241.
Mixed	76	693.
Artificial	100	1,094

Totals :	1,142	3,028.
----------	-------	--------

<u>Older Children :</u>	230	5,114
Visits to Indians.		610

12. Continued :

Still Births.	Deaths.	Expectant Mothers	Maternal Deaths	Inspection of Lavatories.	Puerperal Fever	Reports Sanitary Dept.	Contacts.
39	40	724	2	23	7	7	-

Total Visits - 10,966.

Total number of infants under 1 yr. visited. Eur. 1,689. Ind. 184
 Total number of expectant mothers visited. Eur. 431. Ind. 54

MUNICIPAL MIDWIFE :

Total number of cases for year. 142.
 Total number of Ante-natal visits. 285.

No Maternal Deaths.
 No serious Maternal complications.

Premature births - Born alive. 5.

2 at 8 months
 2 at 7 months
 1 at 8 months - lived 12 days.

Still-births 4-3 of which were pre-
 Abortions 2 (mature).
 Emergency cases... 7

INFANTILE BIRTHS & DEATHS :

(See Tables on pages 2-6).

INFANTILE MORTALITY - AGES & CAUSES OF DEATHS :

(See page 5 of main report)

INFANT DEATHS FROM ENTERITIS - FEEDING :

Cow's Milk & Nutrine.	Dried Milk.	Mixed Feeding.	Nestles'	Breast Fed.
1	3	3	2	-

Continued

1	2	3	4	5	6	7	8	9	10

Total Visits - 10,000

Total number of infants under 1 yr. visited. 10,000
 Total number of exposed subjects 10,000
 Total number of cases 10,000

MUNICIPALITY

Total number of cases for year. 100
 Total number of exposed visits. 1000

No maternal deaths.
 No serious maternal complications.

Prenatal deaths - born alive.

1 at 6 months - lived 18 days.
 2 at 7 months
 2 at 8 months

Still-births
 Abortions
 Emergency cases
 4-8 of which were pre-
 2 (Germans)
 7

INFANTS DURING & AFTER

(See Table on page 2-3)

INFANTS MOST AT RISK - AGES & CLASSES OF DWELING

(See page 2 of this report)

HEALTH TRENDS FROM INFANTS - FEEDING

Cow's Milk
 Mixed Milk
 Breast Milk
 Nutrition

13. LEGAL :

The following table shows the number of prosecutions undertaken in terms of the various sanitary laws, by-laws and regulations during the year :

Law or By-Law relating to	Cases.	Convictions and Consents to judgments.	Dismissals:	Fines.
(a) Adulteration of Food.	12	12	-	£19.10. 0.
(b) Sale etc. of unwholesome or contaminated Food.	3	1	2	3. 0. 0.
(c) Manufacture, Storage and Sale of Food.	9	9	-	15. 0. 0.
(d) Sale of Milk without license	1	1	-	10. 0. 0.
(e) Prevention of Malaria or other mosquito-borne disease.	1	1	-	1. 0. 0.
(f) Nuisances	18	16	2	28.10. 0.
(g) House Drainage	5	5	-	7. 0. 0.
(h) Powers of entry and inspection of premises (obstruction).	1	1	-	5. 0. 0.
TOTAL :	50	46	4	£79. 10. 0.

- 23 -

1911

The following table shows the number of persons
 arrested in each of the various districts during the
 year and respectively during the year:

relating to	Case, Convictions and Complaints to Judge- Masters.	Persons
(a) Arrestation of food.	12	12
(b) Sale of unwholesome or contaminated food.	3	1
(c) Manufacture, Storage and Sale of food.	9	9
(d) Sale of milk without license.	1	1
(e) Provision of refuge for other persons during disease.	1	1
(f) Licenses	18	18
(g) House Drains	5	5
(h) Powers of entry and inspection of premises (obstruction).	1	1
TOTAL	50	49

14. OTHER MATTERS OF HEALTH AND SANITATION.

SANITARY SUPERVISION :

During the year, 1,710 complaints relating to nuisance were received and investigated. In the course of following up and remedying sanitary defects, 3,769 personal and 3,572 written notices were served.

Sanitary reports on applications for trading license numbered 4,941. Inspections in connection with Cyanide Fumigation numbered 469. Advisory reports to other Municipal Departments numbered 1,193.

The following tables show the statistical records of work done by the district sanitary staff.

INSPECTIONS OF :

Hotels, boarding and lodging houses	1,664	
Restaurants, eating houses and tearooms	3,224	
Bakeries.	256	
Butcheries.	1,805	
Dairies - within the Borough.	79	
Dairies - outwith the Borough.	350	
Laundries.	1,077	
Markets.	273	
Offensive Trades.	310	
General.	<u>32,370</u>	41,408

NIGHT INSPECTIONS :

Hotels, boarding and lodging houses.	13	
Restaurants, eating houses & tearooms.	31	
Bakeries.	2	
Butcheries.	4	
Laundries	31	
General.	<u>120</u>	<u>201</u>
	<u>TOTAL :</u>	<u>41,609</u>

The following list indicates the nature of nuisances discovered and dealt with during the year :

Defective or dirty stables, kraals, cowsheds and the keeping of animals etc.	66
Factory or trade premises.	181
Dirty yards, gullies, water-closets, etc.	979
Discharge of foul water on to streets.	177
Unauthorised deposits of refuse.	330
Accumulations of offensive matter.	230
Smoke.	31
Overgrown lands, etc. cleared.	202
Rats.	283
Flies.	141
Mosquitoes.	842
Keeping of poultry.	381

GENERAL MATTERS OF HEALTH AND SANITATION.

GENERAL SUMMARY:

During the year, 1,710 complaints relating to nuisances were received and investigated. In 1917, 1,700 of following up and remedying sanitary defects, 1,700 general and 1,700 written notices were served.

Sanitary reports on applications for trading licenses numbered 4,041. Inspectors in connection with the Public Health Act, 1909, advised reports to other Health Departments numbered 1,183.

The following tables show the statistical records of work done by the district sanitary staff.

TABLE I.

TABLE I.	
STATISTICS OF :	
Hotels, boarding and lodging houses	1,664
Restaurants, eating houses and taverns	5,884
Bakeries	333
Butcheries	1,805
Dairies - within the Borough	79
Dairies - outside the Borough	330
Launderies	1,077
Hotels	178
Offensive Trades	310
General	22,370
Total	41,408

TABLE II.

TABLE II.	
STATISTICS OF :	
Hotels, boarding and lodging houses	13
Restaurants, eating houses & taverns	31
Bakeries	2
Butcheries	4
Launderies	31
General	180
Total	41,408

The following list indicates the nature of nuisances discovered and dealt with during the year :

Defective or dirty stables, kraals, cowsheds and the keeping of animals etc.	66
Factory or trade premises	181
Dirty yards, gutters, water-closets, etc.	679
Discharge of foul water on to streets	177
Unauthorised deposits of refuse	380
Accumulations of offensive matter	330
Smoke	31
Overgrown lands, etc. cleared	202
Rats	283
Piles	141
Hospitals	242
Keeping of poultry	281

DRAINS :

Manholes, traps, vents, etc - renewed or repaired.	135
Drains connected to sewer.	1
Stormwater drains disconnected from sewer drains.	5
Stormwater pipes laid under and across footpath.	19

OFFENSIVE TRADES :

The following list shows the number of offensive trades being carried on within the Borough, viz :

Abattoirs.	3
Breweries.	2
Hides, Skin, Wool, etc.	25
Fertilizer Works.	1
Storing and dry-mixing of Fertilizers.	3
Soap Makers.	4
Wattle Bark grinding.	2
Wool Washeries.	1
Refuse Destruction.	1

The Refuse Destructor and one each of the Abattoirs and Breweries are Municipal Institutions.

There are also nine (9) Municipal refuse depositing sites.

Nuisances from :

Smells - abated.	15
Dust - abated.	1
Discharge of offensive liquids.	4
Reports to Sewerage Department re choked drains.	176

DEAD ANIMALS REMOVED OR DISPOSED OF BY THE DEPT:

Horses.	85
Cattle.	23
Sheep.	1
Donkey.	2
Mules.	21
Zebras.	1
Dogs.	54
Cats.	<u>10</u>
	197
	<hr/>

INTERMENTS AT CEMETERY :

	<u>Stellawood.</u>	<u>General.</u>	<u>Umgeni.</u>
European.	717	228	20
Asiatics.	306	121	-
Natives & Mixed Races.	992	-	-
	<hr/>	<hr/>	<hr/>
	2,015	349	20
	<hr/>	<hr/>	<hr/>

Total Interments : - 2,384.

SALE OF GRAVE SITES :

The number of grave sites sold at Stellawood Cemetery was : 536.

MAINTENANCE OF GRAVE SITES BY CORPORATION :

<u>Stellawood.</u>	<u>General.</u>	<u>Umgeni.</u>
214	42	7

CREMATIONS :

The number of bodies disposed of at the Crematorium during the year was 14 - Europeans 13 and Asiatic 1.

BODIES RECEIVED AT THE MORTUARY :

Europeans.	83
Asiatics	27
Coloureds	106
Natives	6
	<hr/>
TOTAL :	222
	<hr/>

Patron (Miss E. Everett)
Sisters.
Staff Nurses.
Specials - various.
Sanitarians.
Indians (1 Cook, 1 Sister, 2 Sanitarians, 2 Nurses).

MAINTENANCE OF BODIES BY DISPOSITION

Disposition	Number of Bodies	Value
European	100	1000
Asiatic	100	1000
Native & Mixed Race	100	1000
Total	300	3000

Total Intimate : - 2,321

SALE OF GRAVE SITES

The number of grave sites sold at Stellenbosch Cemetery was 1,234

MAINTENANCE OF BODIES BY DISPOSITION

Disposition	Number of Bodies
European	100
Asiatic	100
Native & Mixed Race	100
Total	300

The number of bodies disposed of at the Crematorium during the year was 10 - Europeans 10 and Native 10

BODIES BURIED AT THE CEMETERY

Disposition	Number of Bodies
European	100
Asiatic	100
Coloured	100
Native	100
Total	400

Number of bodies buried at the cemetery during the year was 400 - Europeans 100, Asiatic 100, Coloured 100, Native 100

15. STAFF

PUBLIC HEALTH COMMITTEE 1930-1931.

Councillor Mrs E.A. Benson (Chairman)
" Mr. S.K. Elgie.
" Mr. J.K. Murray.
" Mr. W. Wanless.
" Dr. H.E. Arbuckle.
" Mr. W.E. Smith.
The Mayor - (ex-officer)

PUBLIC HEALTH DEPARTMENT STAFF.

Administration & Office :

1. Medical Officer of Health. Dr.G.H.Gunn, M.D. Ch.B., D.P.H.
- 6 Clerks.
 - 1 Junior
 - 3 Typistes.
- 1 Infectious Diseases Officer. C.C.de Lucey) Cert.R.S.I.
Meat & Food Inspector. Sanitary Science
(Home) Cert. City & Guilds of London Inst.

Inspectional :

- 1 Chief Sanitary Inspector. R. Walker, Cert.R.S.I. Scotland.
- 1 Dairy Inspector. A. Michie. Cert. R.S.I.
- 9 District Health Inspectors. (Cert. R.S.I.)

Maternity & Child Welfare :

- 1 Medical Officer in Charge. K. McNeill, M.B., Ch.B., D.P.H.
- 4 Health Visitors.
- 1 Typiste.
- 1 Clinic Assistant.
- 1 Maid.

Sick Leave Control :

- 1 Medical Officer. Dr. G.D.English, M.B., Ch.B., D.P.H. D.T.M.

Infectious Diseases Hospital, Congella :

- 1 Matron (Miss E. Everatt)
- 3 Sisters.
- 3 Staff Nurses.
Specials - various.
- 1 Seamstress.
- 15 Indians (1 Cook, 1 Sirdar, 9 Orderlies, 2 Maids).

Disinfecting/

Disinfecting Station :

- 1 Superintendent.
- 2 Assistant Disinfectors.
- 12 Indians (2 Dhobies, 1 Sirdar, 9 Assistants).

Anti-Mosquito :

- 1 European Overseer.
- 16 Indians.

Anti-Plague :

- 1 European Overseer.
- 5 European Ratcheters.

Conservancy :

- Indians :
- 1 Sirdar.
- 1 Tinsmith.
- 8 Labourers.

Cleansing Services :

- 1 Chief Overseer
- 4 Assistant Overseers.
- 6 Sirdars, 150 Rubbish Collectors (Indians)
- 5 Sirdars, 206 Street Cleaners (-do-)

Public Conveniences :

- 11 European Attendants.
- 8 Indian Attendants.

Barracks Management :

- 1 European Caretaker.
- 15 Indians.

Corporation Cemeteries :

- 2 European Overseers (Stellawood & General Cemeteries)
 - 14 Indian Labourers.
-

Administrative Council

- 1. Superintendent
- 2. Assistant Superintendent
- 3. Officers (2 District, 1 Sub-Division, 1 Assistant)

Administrative

- 1. European Overseer
- 2. Indian

Administrative

- 1. European Overseer
- 2. European Assistant

Administrative

- 1. Indian
- 2. Indian
- 3. Indian

Administrative

- 1. Chief Officer
- 2. Assistant Overseer
- 3. Indian (10 Indian Collection (Missions))
- 4. Indian (10 Indian Collection (Missions))

Administrative

- 1. European Assistant
- 2. Indian

Administrative

- 1. European Overseer
- 2. Indian

Administrative

- 1. European Overseer (Missions & General Collection)
- 2. Indian

REMARKS AND RECOMMENDATIONS.

I. EXTENSION OF BOROUGH BOUNDARIES :

The Durban Borough Boundaries Commission issued its Report on 18th December, 1930, and recommended the incorporation into the Borough of five areas presently administered by Local Administration and Health Boards, as follows : Greenwood Park, Sydenham, Mayville Umhlatuzana, South Coast Junction.

Incorporation of those areas will take place on August 1, 1932.

The problems of public health importance specially involved will be - Extension of water-supply, sewerage, drainage and roads; Refuse and Nightsoil Collection, Removal and Disposal; Anti-Malaria, Anti-Dengue, Anti-Plague Measures; Control of Infectious Disease; Licensing of retail food shops and stores, bakeries, butcheries and dairies; general sanitary supervision and housing.

Development of the Borough Health Department has reached the point at which it may be expected to form a sound basis for the larger organization required by the Greater Borough. Considerable improvements have recently been effected in the system of keeping office records of the various departmental activities. The office staff has been strengthened, but with the exception of the additional anti-mosquito surveyors, the district staff has not. No increase in the number of district sanitary inspectors has been made since 1905. The additional duties of sick leave control, applicable to both European and Indian Corporation employees, medical attendance on Police & Fire Brigade staff and injured-on-duty cases have been allocated to the medical staff. The clinical duties undertaken by the Council, apart from Native Administration, now require the whole time of a medical officer.

Attention has already been drawn to the importance which will be assumed by the functions of the Cleansing Section as soon as incorporation is effected. The Health Department may be expected to inaugurate a Cleansing Service for the Greater Borough, but it cannot reasonably be expected to administer this enhanced service. Already two-thirds of the Department's Estimates are charged to cleansing service items. Other extraneous commitments are direct charge of Borough Cemeteries, Indian Locations and Infectious Diseases Hospital.

It must be obvious that the less expected of the Department in the way of routine executive duties, the better it can overtake its proper statutory functions which are to inspect, inquire, examine and report on all matters affecting the public health of the community.

Very/

I. EXTENSION OF BOROUGH COMMISSIONERS

The Bureau of Health has been organized in accordance with the Report of the Health Commission, 1930, and recommendations for its organization and the Borough of New York is now being administered by local Administration and Health Commission as follows: Greenwood Park, Sycamore, Merville, and South Coast Division.

Incorporation of these areas will take place on August 1, 1932.

The problems of public health importance especially involved will be: Extension of water supply, sewerage, drainage and roads; Health and Hospital Commission; Removal and Disposal; Anti-Tuberculosis, Anti-Syphilis, Anti-Plague Measures; Control of Infectious Diseases; Inspection of retail food shops and stores, bakeries, butchers and dairies; General sanitary supervision and housework.

Development of the Borough Health Department has reached the point at which it may be expected to have sound basis for the larger organization required by the Greater Borough. Considerable improvements have already been effected in the system of keeping office records by the various departmental activities. The office staff has been strengthened, but with the exception of the additional anti-venereal inspectors, the district staff has not. No increase in the number of district sanitary inspectors has been made since 1905. The additional duties of anti-venereal control, syphilis to both day and night, and Indian Corporation employees, medical attendance at Police & Fire Brigade staff and injured-on-duty cases have been allocated to the medical staff. The clinical duties undertaken by the Council, apart from Native Affairs, have now require the whole time of a medical officer.

Attention has already been drawn to the importance which will be assumed by the functions of the District Section as soon as incorporation is effected. The Health Department may be expected to inaugurate a District Section for the Greater Borough, but it cannot necessarily be expected to administer this enhanced service. Already two-thirds of the Department's staff are charged with cleaning service items. Other extensive commitments are the direct charge of Borough Commissioners, Indian locations and infectious Diseases Hospital.

It must be obvious that the time expended by the Department in the way of routine executive duties, the better it can undertake its proper statutory functions which are to inspect, inquire, examine and report on all matters affecting the public health of the community.

Very definitely, the initiative of the Department is being strangled by the tendency to crowd upon its executive duties properly belonging to other branches of the Municipal organization. Excusable in the immature stages of the Borough's growth, the time will definitely arrive, with the extension of its boundaries to include an additional 100,000 of a population, when the functions of the Health Department must needs be re-cast closer to the mould of statutory conceptions.

The Council has not yet decided to establish a department to provide accommodation for the necessitous - the class which has suffered the most severely from the war. Unless the Council shoulders the responsibility for meeting this essential but hitherto neglected class, there will appear to be no prospect of a solution of the problem of adequately housing

A special survey will shortly be carried out to gather information on the amount of housing accommodation required by the most depressed class of the population, hitherto hounded in insanitary, over-crowded dwellings and tenement blocks.

During the year, 473 dwellings and flats were created by private enterprise.

3. NON-EUROPEAN :

1. Coloured. No improvement as regards housing has been effected in the position of this section of the population owing to their failure to avail themselves of the accommodation provided, and to attribute to

2. Native. No addition has been made to the accommodation of any of the Borough's Native population. Progress, however, has been made with the preparation of a scheme for a Native Village at Clarendon. The site chosen is elevated and healthy.

3. Asiatic. No decision has yet been made with regard to the proposed scheme for an Indian village at Cole Valley. The plan of racial segregation has apparently again been successful in obstructing the Council's intentions to proceed with a scheme for the alleviation of the acute shortage of housing for Asiatics.

The tendency to congest the Indian commercial areas in the centre of the Borough continues unabated.

Director/

R E P O R T B.

HOUSING :

1. EUROPEAN :

Building activities were less marked this year than last, owing to the prevalent financial depression. The Council completed a housing scheme consisting of 28 four-roomed dwellings, situated off Umbilo Road. Intended for Coloured people, these houses were 'boycotted' by that section on the plea of racial segregation. The houses were ultimately let to Europeans at a rental ranging from £3. 9. 0. to £4. 2. 0. per month.

The Council has not yet succeeded in evolving a scheme to provide accommodation for the poorest class of European - the class which can afford to pay only sub-economic rents. Unless the Council shoulders the responsibility for housing this numerically not inconsiderable class, there would appear to be no prospect of a solution of the problem of adequately housing the very poor.

A special survey will shortly be carried out to gather information on the amount of housing accommodation required by the most depressed class of European, presently herded in insanitary, over-crowded dwellings and 'back-yard' shacks.

During the year, 473 dwellings and flats were erected by private enterprise.

2. NON-EUROPEAN :

1. Coloured. No improvement as regards housing has been effected in the position of this section of the population owing to their failure or inability to take advantage of the accommodation provided, and let ultimately to Europeans.

2. Native. No addition has been made to the accommodation at any of the Borough Native Locations. Progress, however, has been made with the preparation of a scheme for a Native Village at Clairwood. The site chosen is elevated and healthy.

3. Asiatics. No decision has yet been made with regard to the proposed scheme for an Indian village at Cato Manor. The plea of racial segregation has apparently again been successful in obstructing the Council's intentions to proceed with a scheme for the alleviation of the acute shortage of housing for Asiatics.

The tendency to congest the Indian commercial areas in the centre of the Borough continues unabated

Structural/

REPORT

HOUSING

1. EUROPEAN

During the year, 478 dwellings and flats were erected by private enterprises.

A special survey will shortly be carried out to gather information on the amount of housing accommodation required by the most depressed class of European, presently housed in insanitary, over-crowded dwellings and back-yards.

The Council has not yet succeeded in evolving a scheme to provide accommodation for the poorest class of European - the class which can afford to pay only a few pence. Unless the Council should take responsibility for housing this numerically not insignificant class, there would appear to be no prospect of a solution of the problem of adequately housing the very poor.

During the year, 478 dwellings and flats were erected by private enterprises.

2. NATIVE

No improvement in regard to housing has been effected in the position of this section of the population owing to their failure or inability to take advantage of the accommodation provided, and it ultimately to Europeans.

No attention has been made in the accommodation at any of the various Native Villages. However, has been made for the provision of a number of Native Villages at District. The site chosen is healthy and healthy.

3. ASIATIC

No attention has yet been made with regard to the proposed scheme for an Indian commercial area. The plan of rental regulation has apparently again been successful in obstructing the Council's intentions to proceed with a scheme for the alleviation of the acute shortage of housing for Asiatics.

The tendency to congest the Indian commercial areas in the centre of the borough continues unabated.

STRUCTURAL REPAIRS :

General repairs and improvements to premises.	61
Chimneys - renewed or repaired.	11
Roofs - renewed or repaired.	176
Roof gutters and downpipes renewed or repaired.	213
Floors - renewed or repaired.	78
Lighting - improved or provided.	52
Ventilation - improved or provided.	45
Yards paved or repaired.	60
Yards drained.	20

SANITARY FITTINGS :

Water-closet pans, sinks, baths, gullies, etc. - renewed or repaired.	350
Water-closet cisterns - renewed or repaired.	413
Waste and flush pipes - provided, renewed or repaired.	324
Water-closets - repaired.	70
Privies - provided and repaired.	18
Sinks - provided.	24
Lavatory basins - provided.	2
Baths - provided.	24
Sewerage installed.	7
Water-closets provided - European type.	19
Native type.	44

NATIVE & INDIAN PRIVATE BARRACKS OR COMPOUNDS :

There are 137 Native and Indian privately owned barracks or compounds in the Borough wherein ten or more persons are housed.

The total population of these barracks or compounds is 6,214 Natives and 220 Indians.

All these premises are connected to the Municipal water supply, but six (6) are out of the sewered area.

The majority of these barracks etc., are under European supervision, Natives or Indians being in charge of the others.

The structural condition of these barracks may be classified as follows, viz :-

Good	80
Fair	48
Poor	8
Bad	<u>1</u>

Total : 137

STRUCTURAL REPAIRS :

21	General repairs and improvements to premises.
11	Chimneys - renewed or repaired.
176	Roofs - renewed or repaired.
213	Roof gutters and downpipes renewed or repaired.
78	Floors - renewed or repaired.
33	Lighting - improved or provided.
43	Ventilation - improved or provided.
60	Yards paved or resurfaced.
80	Yards drained.

SANITARY FITTINGS :

320	Water-closet pans, sinks, baths, gullies, etc. - renewed or repaired.
418	Water-closet cisterns - renewed or repaired.
324	Waste and flush pipes - provided, renewed or repaired.
30	Water-closets - repaired.
18	Privies - provided and repaired.
12	Sinks - provided.
1	Lavatory basins - provided.
1	Baths - provided.
1	Sewerage installed.
18	Water-closets provided - European type.
44	Native type.

NATIVE & INDIAN PRIVATE BARRACKS OR COMPOUNDS :

EXPLANATION

There are 137 Native and Indian privately owned barracks or compounds in the Borough. Various can or more persons are housed.

The total population of these barracks or compounds is 8,314 Natives and 283 Indians.

All these premises are connected to the Municipal water supply, but six (6) are not fitted to the water supply.

The majority of these barracks are under the supervision of the Municipal Council, but in charge of European supervision, Natives or Indians being in charge of the others.

The structural condition of these barracks may be classified as follows, viz :-

80	Good
43	Fair
8	Poor
1	Bad
Total : 137	

