Report on the sanitary administration of the Punjab and proceedings of the Sanitary Board for the year ... and the report on sanitary works for.

Contributors

Punjab (India). Sanitary Board.

Publication/Creation

Lahore: Government Printing, [1906]

Persistent URL

https://wellcomecollection.org/works/mdd2zbe6

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

REPORT

OF THE

SANITARY ADMINISTRATION OF THE PUNJAB

AND

PROCEEDINGS OF THE SANITARY BOARD

FOR THE YEAR 1906,

RV

LIEUT-COLONEL C. J. BAMBER, I. M. S., D. P. H., CAMB.,

FELLOW OF THE ROYAL STATISTICAL SOCIETY,

Sanitary Commissioner, Punjab,

AND

THE REPORT ON SANITARY WORKS

FOR 1906.

BY

MR. H. C. SANDERS,

Sanitary Engineer, Punjab.



Price Annas 12 or 1s. 2

Za bote:

PRINTED AT THE "CIVIL AND MILITARY GAZETTE" PRESS, Sole Contractors for Printing to the Punjab Government.

1907.



PUNJAB SANITARY REPORT FOR 1906.

Agents for the Sale of Punjab Government Publications.

IN LONDON.

- M. A. Arnold, 41 and 43, Maddox Street, Bond Street, W.
- CONSTABLE & Co., 16, James Street, Haymarket, W.
- GRINDLAY & Co., 54, Parliament Street, S. W.
- HENRY S. KING & Co., 65, Cornhill, E. C.
- P. S. Kine & Son, 2 and 4, Great Smith Street, Westminster, S. W.
- KEGAN PAUL, TRENCH, TRÜBNER & Co., 43, Gerrard Street, Soho, W.
- B. QUARITCH, 15, Piccadilly, W.

ON THE CONTINENT.

- FRIEDLANDER & SOHN, 11, Carlstrasse, Berlin.
- OTTO HARRASSOWITZ, Leipzig.
- KARL W. HIERSEMANN, Leipzig.
- ERNEST LEEOUX, 28, Rue Bonaparte, Paris.
- MARTINUS NUBOFF, The Hague.
- RUDOLF HAUPT HALLEAS, Germany.

IN INDIA.

- THACKER, SPINK & Co., Calcutta & Simla.
- NEWMAN & Co., Calcutta.
- R. CAMBRAY & Co., Calcutta.
- THACKER & Co., Bombay.
- HIGGINBOTHAM & Co., Madras.
- V. KALYANABAM IYEE & Co., 189, Esplanade Row, Madras.
- G. A. NATESAN & Co., Madras.
- Superintendent, American Baptist Mission Press, Rangoon.
- A. CHAND & Co., Imperial Book Depôs Office, Delhi.
- GULAS SINGE & Sons, Mufid-i-'Am Press, Lahore.
- Manager, Punjab Law Book Depôt, Anárkali Bazar, Lahore.
- S. Mumtaz Ali & Son, Rafah-i-'Am Press, Lahore [for Vernacular Publications only].
- Manager, "The Aryan Printing, Publishing and General Trading Co., Limited,

REPORT

OF THE

SANITARY ADMINISTRATION OF THE PUNJAB

AND

PROCEEDINGS OF THE SANITARY BOARD

FOR THE YEAR 1906.

BI

LIEUT-COLONEL C. J. BAMBER, I. M. S., D. P. H., CAMB.,

FELLOW OF THE ROYAL STATISTICAL SOCIETY,

Sanitary Commissioner, Punjab,

AND

THE REPORT ON SANITARY WORKS

FOR 1906.

BT

MR. H. C. SANDERS,

Sanitary Engineer, Punjab.



Price:-Rs. 0-14-0 or 1s. 6d.

Labore :

FRINTED AT THE "CIVIL AND MILITARY GAZETTE" PRESS Sole Contractors for Printing to the Punjub Government.

1907.

A. H. D. H. O. W.

1 5 2 60

MOUTABTERMAN

ALZES STITMO

INCOMENDATION OF THE SENTENSION

and and and

man of the first of the same o

Company of the contract of the

THE REPORT OF THE PARTY OF THE PARTY AND THE

page of the state of the state

actions to resemble

WELLCOME

Ann Rep

198

1906

(The text of the Sanitary Report is limited to 20 pages and that of the Sanitary Engineer to 4 pages).

TABLE OF CONTENTS.

Para.	Subject.	Pr
	SECTION I.—METEOROLOGICAL.	
1	Chief mateorological features	11/2
2	Prices of food grains	
3	Wages of labour	
	SECTION V.—VITAL STATISTICS.	
4	General summary	
5	Births-Annual Form No. I	
6	New census of the Chenab Colony	
7 8	Birth-rates of different provinces of India	
9	Birth-rate in England and Wales	
10	Birth votes by saves Annual Form No I	
11	Excess of births over deaths and vice versa. Annual Form No. I	
12	Deaths. Annual Form No. II	
13	Death-rates in different provinces of India	
14 15	Deaths from different causes in the province. Annual Form No. II	
16	Death-rates by districts. An nual Form No. II	
17	Mortality in towns and rural circles. Annual Forms Nos. VI A and B	
18	Death-rates of the four principal towns. Annual Form No. VI B Death-rates in other towns. Annual Form No. VI B	
19	Seasonal mortality. Annual Form No. III	
20	Death-rates by sexes. Annual Forms Nos. II and XII	
21	Description of the state of the	
22	Diminution in the percentage of excess in the female rate from plague	
23 24	Death-rates among infants under one year. Annual Form No. IV	
25		
26		
27	Death-rate at other age periods. Annual Form No. 1V Classification of deaths according to age-periods from different diseases sep	
	notely carried out as an experiment in the Ludhiéne district	
28	Paralta of the energial elegation	
29	Doeth veter according to classes Annual Form No V	
30		
32		
.,_	Births and deaths among Europeans and Eurasians	
	SECTION VICHIEF DISEASES.	
33	36 . 31. 3 31. 51.	
35		
36	Mantality in tamps Annual Form No VI B	
37	Second providence Annual Form No VII	
38	Particulars of the first few cases	201
39	Preventive measures	
40	Small-pox. Annual Form No. VIII	
41	Mortality among children. Annual Form No. VIII	
42 43	Seasonal prevalence of the disease. Annual Form No. VIII	
44	Death-rates by districts. Annual Form No. VIII	
45	Urban and rural death-rates compared. Annual Forms Nos. VI A and VI I Death-rates in towns. Annual Form No. VI B	
46	Plasma	1
47	Fevers. Annual Form No. IX	
48	Death-rates in towns and rural circles	
49	Dysentery and Diarrhoea. Annual Form No. X	
50	Respiratory Diseases. Annual Form No. XI	
51	Injuries. Annual Form No. VI B	. 1
	All other causes. Annual Form No. II	

Para.	Subject.								
	SECTION IX.—SANITARY WORKS.								
53 54 55	Sale of manure	16 ib. ib.							
. 56 57 58	Village sanitary note-books Rewards offered for improved village sanitation	ib. ib. ib.							
	SECTION X GENERAL REMARKS AND PERSONAL PROCEEDINGS.								
59 60 -61	Administration	18 ib. ib.							
62 63 64 65	Inspection work of Deputy Sanitary Commissioner	ib. ib. ib.							
66 67	Distribution of quinine Land under sewage irrigation and prices paid for sullage Work of Sanitary Board	19 ib. 20							
	APPENDIX A.								
	Proceedings of the Sanitary Board	i							
	APPENDIX B.								
	Annual report of the Sanitary Engineer to Government, Punjab, for the year 1906	ii							
	APPENDIX C.								
	Statement showing the death-rates from cholera, small-pox, fevers, and dysentery and diarrhosa for the five years preceding, and for the period since the introduction of drainage or water-supply, or both, in certain towns								
Nos.	SNNUAL FORMS.								
1	Statement showing the births registered in the districts of the Punjab during the year 1906								
II	Statement of births and deaths registered in each district of the Punjab during								
111	Deaths registered in the districts of the Punjab during each month of the								
v	year 1906	vi							
VIA	year 1906 Deaths registered from different causes in the districts (rural circles) of the	viii							
VI B	Punjab during the year 1906 Deaths registered from different causes in the towns of the Punjab during the	X!!							
VII	year 1906 Deaths registered from cholera in the districts of the Punjab during each month of the year 1906	xii xviii							
VIII	month of the year 1906 Deaths registered from small-pox in the districts of the Punjab during each month of the year 1906	xx							
1X	Deaths registered from fevers in the districts of the Funjab during each month of the year 1906	xxii							
X	Deaths registered from dysentery and diarrhoa in the districts of the Punjab during each month of the year 1906	xxiv							
XII	during each month of the year 1906	xxvi							
	of the year 1906	xxviii							
	PLAGUE STATEMENT.								
1	Statement showing the number of plague cases and deaths monthly by districts in the Punjab frem 1st January to 31st December 1906	xxxii							
- 13	The Marie Stand Stand Stand								

READ-

The Report on the Sanitary Administration of the Punjab, for the year 1906, by Lieutenant-Colonel C. J. Bamber, I.M.S., Sanitary Commissioner, Punjab.

REMARKS.—The death-rate for the year 1906 corresponds to a ratio of 36'94 per thousand and exhibits a very substantial decrease of 10'61 per mille as compared with the very high rate (47.55) of 1905. The climatic conditions for three-quarters of the year were favourable, and, had it not been for heavy monsoon rainfall late in the season, the year would under normal conditions have shown a low death-rate. The two principal features that have dominated the vital statistics for some years past are, however, the mortality from fever and from plague, and of these the latter is the more variable factor. The distinguishing feature, and it may be added the most satisfactory one, of the year under report is the remarkable diminution in the mortality from plague, and, broadly speaking, it is this which explains the more pronounced variations from the state of affairs that has existed during the previous four years. For four years, 1902 to 1905, the Punjab registered the highest death-rate in India, but during the year under review it shows a decline to the third place, below the Central and United Provinces; and for the first time since 1901 the birth-rate exceeds the death-rate. Both these facts may be attributed to the decrease in the loss of life from plague.

- 2. The number of births registered during the year was 878,006, which gives a ratio of 43.7 per thousand, and is slightly below the figure for the preceding year. A lowering of the birth-rate is usually ascribed to the prevalence of malaria in the preceding autumn; but, as the season was in 1905 not markedly unhealthy in this respect, and as plague greatly decreased in 1906, an explanation of the diminished birth-rate must be sought elsewhere. There seems to be reasonable grounds for the suggestion of the Sanitary Commissioner that the defect is possibly due to the scarcity and consequent high prices of food-grains prevailing in certain districts at the end of 1905 and beginning of 1906, especially as this defect is more strongly marked in the areas most affected by these causes The decrease in the birth-rate in Hissar and Rohtak is clearly ascribable to this cause. The excess of the birth-rate over the death-rate amounted to 6.8 per thousand for the whole province, and, although the birth-rate was less than in 1905, it is above the average for the previous quinquennium.
- 3. The statements again display marked variations in the birth and death-rates in towns and rural circles, respectively. Thus the 42 large towns of the province have a birth-rate of 40 per thousand only as against 43'9 in rural circles, while in Delhi the rate falls to the low figure of 33 per mille. The ratio of mortality for urban areas was 44'73 per thousand, or 8'6 greater than that recorded in rural areas. The excess of the death-rate in towns with the corresponding defect in the birth-rate can only be ascribed to the more unhealthy conditions of town life as compared with that of the country. The excessive mortality and low birth-rate in Delhi are due to some extent to the prevalence of malarial fevers during the year, but the figures indicate the existence of conditions prejudicial to health which apparently affect large numbers of the inhabitants. The high death-rate from small-pox in Multan points to incomplete protection by vaccination and needs the attention of the local authorities.
- 4. The mortality from fevers during the year was rather greater than in 1905, 407,878 deaths being registered from this cause, or more than half the total mortality from all causes. The year 1906 was not, however, particularly unhealthy in this respect, and in point of fact the death-rate from this class of disease was below the average for the previous five years. The death rate from small-pox, though nearly treble that of the pevious year, was only slightly in excess of the quinquennial average, and this disease seems to be subject to periodic variation for which no satisfactory explanation is forthcoming. The figures of deaths from other diseases varied but slightly from the normal average, and need no detailed comment.

- 5. The most marked feature of the year was the diminution in the plague mortality, which fell to the lowest figure recorded since 1901. There were 91,712 deaths reported as compared with 334,897 in 1905. This is ascribed to the climatic conditions of the autumn of 1905 being adverse to the recrudescence and spread of the disease, so that the high figures of the previous four years were never approached. In the later part of 1906 the conditions again most unfortunately became very favourable to the spread of the disease, and since the close of the year the province has been suffering from a visitation of the disease which is unprecedented, any hopes that were entertained of a natural diminution of virulence being thus disappointed. Every effort has been made to educate the people and their natural leaders in the measures which they can carry out themselves and to stimulate them into action. Rat destruction has been carried out on a large scale in the endeavour to prevent recrudescences of plague, and it is encouraging to learn that it has been to a modified extent successful. It is a measure that is fairly well accepted, as it causes little inconvenience, and it may be hoped that as time goes on the people may be persuaded to take a more active interest in it and learn to carry it out themselves. Evacuation, desiccation and inoculation form the other main palliatives in combating the disease, but their effectiveness is constantly marred by the lack of thoroughness with which they are carried out. The great preponderance of female over male mortality from plague and the relative immunity of infants and the aged from the disease are again striking features of the returns. The question of devising means by which more direct and efficient assistance may be afforded to the people is at present engaging the most serious attention of the Local Government.
- 6. A very large number of the entries in the birth and death registers were examined and tested during the year. Nearly 16,000 omissions were deducted and the necessary entries included in the registers after verification. A large proportion of the work of inspecting the registers was done by the revenue and vaccination staffs, and was necessarily not as thorough as that of the Divisional Inspectors. The scrutiny exercised, however, is very extensive, and on the whole it may fairly be said that the standard of registration in the province is at a comparatively high level. There is still room for more effective action against defaulters in the municipal towns, where registration is usually reported to be more defective than in villages.
- 7. A sum of over Rs. 40,000 was spent by local bodies in the clearance and protection of wells, but it is disappointing to note that the rewards offered by district boards for sanitary improvements in villages evoked no interest and remained unutilised. The provision of wells, bathing places and other works that serve sanitary purposes is, however, a favourite method of showing charity on the part of private individuals, and the officiating Lieutenant-Governor acknowledges with pleasure the public spirit evinced in this direction by the persons mentioned in paragraph 58 of the Sanitary Commissioner's report.
- 8. The remarks in paragraph 65 of the report show that many of the district boards have taken great interest in the distribution of quinine during the fever season, and considerable quantities have been distributed to the people through both official and non-official agency. The officiating Lieutenant-Governor regards this as a most useful measure, and commends its extension to the notice of all local bodies.
- o. The sanitary board held five meetings during the year and were able to distribute the allotment placed at their disposal by assisting fourteen towns to finance various sanitary projects which would otherwise have had to be postponed. The services of the Sanitary Engineer to Government, which has now been made a permanent appointment, were very fully employed by local bodies in the preparation of schemes and estimates for drainage and water-works, and a number of important projects are being carried through under his advice and supervision. Mr. Gordon Walker is glad to notice that the drainage scheme at Delhi, Multan and Rawalpindi made satisfactory progress during the year, while those at Jagraon, Gujrat and Sargodha were carried through to completion. The Ludhiana water-works were also sanctioned and a satisfactory commencement made with the project.

To. The officiating Lieutenant-Governor desires to thank Lieutenant-Colonel Bamber for his report, and has pleasure in acknowledging the useful work performed by him and by Messrs. Goument and Sanders during the year.


ORDER.—Ordered that a copy of the foregoing remarks be circulated with the reports and be furnished, with the usual number of copies of the reports, to the Government of India; also that the review be published in the Punjab Government Gasette.

Ordered also that a copy be forwarded to the Sanitary Commissioner, Punjab, for information.

By order of His Honour the Lieutenant-Governor,

A. B. KETTLEWELL,

Secretary to Government, Punjab.



PRINTERS MISTAKES.

- (1). Annual Form No. 2, District Lyallpur, sub-column 22 for "2.4" read "26.4."
- (2). Annual Form No. 4, District Hissar, sub-column 20 for "58" read "583."
- (3). Annual Form No. 4, ratio per 1000 living, sub-column 24 for "35.5" read "39.53."
- (4). Annual Form No. 6 B towns, Dinga town, sub-column 16 for "521" read "152"
- (5). Annual Form No. 6 B towns, total for the Province, sub-column 5, for "13,237" read "13,239."
- (6). Annual Form No. 7, District Karnal, sub-column 25, for " " read "0.24."
- (7). Annual Form No. 12, District Hoshiarpur, sub-column 8, for "877" read "377."

Section I.

The chief meteorological conditions of the Punjab for the year 1906 are given in the following brief summary kindly furnished by Mr. Gilbert T. Walker, M.A., Sc.D., F.R.S., Director-General of Observatories:—

The weather during the year was characterized by several abnormal features of which the most striking were -

- (a) The weather during January was fine throughout the province, but in February and March it was affected by several depressions which entered India from Persia, and in consequence the rainfall was much heavier than usual in all parts of the Punjab. The defect in temperature averaged about 2° in January, 3° in February and 5° in March, and was shown chiefly in day temperature.
- (b) The hot weather months of April and May were even drier than usual, and in consequence temperature recovered rapidly, becoming in the latter month nearly 3° above normal. In June the usual dust-storms and thunder-storms were not numerous in the plains and the precipitation there was on the whole below normal. The districts along the eastern border and the Simla Hills, on the other hand, received abundant rain towards the end of the month from a concentrated inflow of the Bombay monsoon current.
- (c) The monsoon rains were scanty in July and very copious thereafter.

 As might be expected from the character of the rainfall distribution, temperature was unusually high in July, normal in August and 2° lower than usual in September.
- (d) Weather was unusually dry and warm during the last three months of the year except in the third week of December, when general rain occurred over the province and temperature became temporarily low.
- 2. With regard to the rates of food grains, Mr. W. C. Renouf, C. S.,

 Director of Agriculture, Punjab, states that "the prices were high in the beginning of the year owing to demand for grain in the other provinces and in the south-east Punjab where scarcity prevailed.

 With a good rabi and a generally satisfactory monsoon and the assurance of a good pring harvest in 1907, prices fell steadily and touched the normal rates during the latter end of the year."
- 3. The average rate of wages in the province of an able-bodied agricultural labourer was Rs. 8-2-3 per mensem as against Rs. 7-9-7 Wages of labour. in the previous year, and of a common mason, carpenter or blacksmith Rs. 20-12-10 against Rs. 19-5-0. The rates varied very considerably in different districts; for instance, from Rs. 5 of a labourer in Gurgaon to Rs. 13-9-0 in Ambala, and from Rs. 11 of an artisan in Rohtak to Rs. 30 in Lyallpur. In the following districts during the second half of the year there was a marked increase in the rate of wages of artisans: -In Montgomery on account of the construction of the Lower Bari Doab Canal; in Shahpur owing to the want of common masons in the Jhelum Canal Colony; in Gujrat to the want of artisans on account of emigration from the district to colonies; in Ambala in consequence of the demand for labour in ginning factories and the commencement of masonry work in the city factories; in Rohtak, due partly to the construction of buildings in the Rohtak Mandi (market) and partly to the demand for labour in the cotton ginning factories; and in Hissar, the rise in the wages of skilled labour was due to better agricultural conditions in the district.

Section V.—Vital Statistics.

4. The most gratifying feature exhibited by the vital statistics for the year under review was the marked decrease in plague. But owing to heavier monsoon rainfall, the mortality caused by fevers during the last quarter was unfortunately greater than in the previous two years, though the total death-rate of the year under this head was below the average of the preceding quinquennium. There was an increase in the deaths reported from cholera and small-pox, but the total mortality from these diseases was insignificant. The deaths recorded from respiratory diseases, dysentery and diarrhoea and other affections grouped under the head "all other causes" were slightly above the normal. In consequence of the great subsidence in plague there was, on the whole, a very substantial reduction in the total provincial death-rate from all causes.

The death rate from plague in 1906 was 4.56 per 1,000 of the population; this is the lowest on record since 1902 when the disease assumed a severe form in this province. The mortality registered in that year was 8.52 per mille. In the following year, 1903, it rose to 10.22. The epidemic in 1904 was of the most virulent type, causing a death-rate of no less than 19.71 per mille, a rate 3.5 per 1,000 higher than the annual ratio of deaths registered from all causes in England and Wales in 1904. In 1905 also the disease was very fatal, but there was some abatement, the death-rate of 16.65 per mille was 3.06 per 1,000 less than in 1904. Thus the epidemic of 1906, with a death-rate of 4.56, was of a very mild character, compared particularly with the fearful visitations of the scourge in the previous two years.

The recrudescence of the epidemic of 1906 occurred as usual at the commencement of the cold season. Up till about the middle of February its progress was remarkably slow, and hopes were entertained that it might not take any serious turn in the following spring. At any rate a very mild form of outbreak was anticipated. This expectation was fairly realized. In accordance with the previous experience, a rapid increase did take place from the beginning of April, but the death-rate was comparatively very small. The disease attained its maximum intensity in the third week of May, during which period a total of a little over eight thousand deaths was reported in the British districts of the province, as compared with the heavy death roll of twenty-eight thousand in the first week of May 1905, and thirty-three thousand eight hundred in the same week in 1904. The epidemic subsided almost completely in the months of July and August. It reappeared with renewed activity in September, much earlier than last year; and in November and December it had a firm hold on many of the central districts of the province, the mortality registered in these two months having been considerably greater than in the corresponding period of the preceding year. The death-rate has been increasing very rapidly in the first quarter of the current year, and the latest returns received in April show that the epidemic of 1907 has proved more fatal than even the severest visitation of the pestilence in 1904.

5. Births.—The birth-rate of 43.7 per 1,000 of population registered in the Punjab in 1906 exceeded the average ratio for the preceding five years by 2.1 per mille. But this rate is somewhat lower than that of 1905, notwithstanding the considerable decline in plague in 1906, and the fairly healthy previous autumn. There was a decrease in the ratio to the extent of 0.7, and this may possibly be attributed to the marked rise in the prices of food stuffs during the last few months of 1905 which continued up to February of the year under report. Scarcity prevailed in Rohtak and Hissar, particularly in the former district, during the first half of the year when relief works were opened. And it is worthy of note that these are the two districts in the province in which there was a large diminution in the birth-rate. In Rohtak, the deficiency was no less than 7.7 per mille, the birth-rate having fallen in 1906 to a figure as low as 34.7 from 42.4 in 1905. In Hissar, the decrease amounted to 4.5 per mille, the ratio in 1906 was 42.2 as against 46.7 in 1905.

- 6. It appears from the report on the recent census of the Chenab Colony, census of the that its population since the last census of 1901 has increased by 65,716. The population of the Lyallpur, Sumundri and Toba Tek Singh Tahsils, comprising the newly constituted district of Lyallpur, as now given, is 654,229. Calculated on these figures, the birth-rate of the Lyallpur district instead of being 67.3 worked out on the smaller population of 1901, comes to 53.7 per mille-a ratio, though much higher than the provincial average, is not incredible in view of the thriving condition of the people. Referring to the statistics of the new census, the Financial Commissioner remarks that "the figures for children under ten years of age have largely increased and they really cover the whole of the total gain now recorded. In this there is nothing surprising, as the colonists are likely to be very prolific for a good many years to come." The statements appended to the report of the Colonization Officer do not give particulars according to prescribed age-periods of the population of the colony tabulated according to police stations in different districts, and unless this is done no alteration in my returns is possible. The population of Lyallpur town hitherto included in the rural circles, has risen from 9,180 to 13,477, and its statistics are now shown in the birth and death returns for the large towns with a population of 10,000 inhabitants and upwards, published weekly in the Punjab Government Gazette.
- 7. Comparing the birth-rate of the Punjab with other provinces, it appears

 Birth-rates of different that the Central Provinces show, as in the previous two years, the highest birth-rate in India, viz., 51.72 per mille.

 The ratio of 40.2 recorded in the United Provinces, is 3.5 per mille, lower than that of the Punjab. The birth-rates in the other provinces were registered in the following order:—North-West Frontier Province 38.6, Eastern Bengal and Assam 37.38, Bengal 37.32, Bombay 33.84, Burma 32.33 and Madras 30.9.
- 8. The birth-rate registered in England and Wales in 1906 was 27.0

 Birth-rate in England per mille, or a little over three-fifths of the rate recorded and Wales.

 But it must be remembered that there is a much larger proportion of the loss of infant life in the Punjab. Among every 1,000 births registered in this province in 1906, there were as many as two hundred and thirty-five deaths of infants under one year of age, as against the corresponding ratio of one hundred and thirty-three in England and Wales.
- 9. The statistics of births for towns and rural circles are not shown Birth-rates in towns and separately in any of the prescribed forms attached to this report. It appears from statements specially tabulated in my office, that in 1906 a birth-rate of 40·0 per mille was registered in the forty-two large municipal towns of the province and 43·9 in the rural circles. Compared with the figures for the previous year, the urban rate shows a decrease of 1·3 and the rural 0·8 per mille. The birth-rates of the four largest cities in 1906 were as follows:—Delhi 33 per mille, Lahore 39, Amritsar 39 and Multan 47. In the three last-named towns, the ratios differ very slightly from those in the previous year, but the rate in Delhi shows a large decrease of 7 per 1,000. Delhi was very unhealthy during the year, as also in the year preceding, on account of the great prevalence of malarial fevers.
- 10. As regards the birth-rates by sexes in 1906, the total provincial Birth-rates by sexes. ratio of 43.7 per mille includes 22.8 of boys and 20.8 Annual Form No. 1. of girls, as compared with the mean rates of 21.8 and 19.8 registered in the previous five years. Thus for every one hundred females born, there were 109.7 births of males. There are several districts with a much higher proportion of male births, notably Dera Ghazi Khan and Mianwali, in which it was 121.9 and 115.7, owing probably to a large number of omissions in female births in these districts. In England and Wales, the births of males to those of females were in the proportion of 103.6 to 100 in the decennium ending 1904.
- 11. This is the first year since 1901 that the births exceed the deaths registered in the Punjab. The number increased during the year at the rate of 6.8 per 1,000 of population, the difference between the birth-rate of 43.7 and the death-rate of 36.9 per mille. The excess was very considerable in Lyallpur, Multan,

Montgomery, Jhang, Gujrat, Shahpur and Muzaffargarh. Most of these districts were practically free from plague and their death-rates from fevers were moderate. Much of the increase of births over deaths in the province as a whole, is accounted for by the lesser prevalence of plague during the year. There were eight districts in which the deaths exceeded the births, owing to increased mortality contributed by plague and malarial fevers.

- 12. Deaths.—The total mortality registered from all causes in the Punjab during the year corresponds to a ratio of 36.94 per 1,000 of population, showing a very substantial decrease of 10.61 from the very high death-rate of 47.55 reported in the year preceding. The provincial death-rate, though still considerably above the normal rate registered in healthy years, is very satisfactory, in view of the fact that during the previous four years in succession the Punjab nad recorded annually the highest death-rate in India.
- 13. The highest death-rate during the year amounting to 43.47 per mille,

 Death-rates in different occurred in the Central Provinces. The ratio of 39.07 recorded in the United Provinces was 2.13 per 1,000 higher than that of the Punjab. The rates in the other provinces were as follows:—

 Bengal 36.08, very nearly equal to that of the Punjab, Bombay 35.06, North-West Frontier Province 33.73, Eastern Bengal and Assam 31.67, Madras 27.4 and Burma 27.15.
- 14. Classified according to different causes, the largest number of deaths

 Deaths from different in the Punjab, amounting to 20.28 per mille, were contributed during the year by fevers, or 1.88 in excess of the
 mortality of the previous year; a death-rate of 0.21 was
 assigned to cholera, 0.66 to small-pox, 4.56 to plague, 0.87 to dysentery and
 diarrhœa, 2.84 to respiratory diseases, 0.33 to injuries, and a ratio of 7.15 was
 accounted for by diseases grouped under the head of "all other causes." On
 the whole, there was a decrease of a little over twenty-two per cent. as compared
 with the total death-rate of the previous year.
- 15. A comparison of the death-rates in different districts in 1906 with Death-rates by districts. those registered in the preceding year, shows a great Annual Form No. II. falling off in the mortality as represented by a decrease as large as 42.2 per mille in Rohtak, 37.8 in Gurgaon, 24.5 in Amritsar, 24.1 in Jullundur, and between 18 and 14 per mille in Ferozepore, Gujrat, Lahore, Hissar, Ludhiana and Gujranwala. I have quoted the figures, with the view to give an idea of the immense saving of life resulting from the great abatement in plague during the year in these districts.
- It will be seen on reference to Annual Form No. II, that in twelve out of the twenty-nine districts of the Punjab, the total mortality from all causes was higher than the provincial ratio of 36.9 per mille. The largest death-rates, varying between forty-four and fifty per mille, were registered in Ludhiana, Ambala, Delhi, Gurdaspur, Karnal, and Sialkot; and from thirty-eight to about forty-two per 1,000 in Hoshiarpur, Ferozepore, Mianwali, Rawalpindi, Lahore and Amritsar. The chief factor which enhanced the annual rate of mortality in these districts was either fever or plague. The lowest rates, below thirty per mille, were recorded in Simla, Montgomery, Jhang, Gujrat, Multan and Muzaffargarh.
- 16. The total mortality in the one hundred and forty-four towns during Mortality in towns and the year, was recorded at the rate of 44.73 per 1,000 of rural circles.

 Annual Forms Nos, VI A population, showing a reduction of 4.4 per mills from the death-rate in the previous year, and of 1.92 per mills from the mean ratio in the preceding quinquennium. The town ratio in 1906 was 8.6 per mills greater than that of the rural circles, the number of deaths from fevers was registered almost exactly in the same ratio but there was an increase under all other heads, notably in diseases of the respiratory organs. A certain percentage of the mortality under this head—for instance in many of the towns in the Gurdáspur district—occurred probably from plague or other causes.

- 17. Of the four principal towns of the province, Delhi was most unhealthy during the year under report, as also to a lesser degree Death-rates of the four. in the previous year. It had a very high total death-rate rincipal towns.

 Annual Form No. VI-B. of 63.1 per mille of which no less than 43.5 was ascribed to fevers. Malarial sickness was very prevalent in the town in October and November. There were only ten deaths stated to have occurred from plague, but as there was a marked rise in the fever mortality in the months of April and May, it is very likely that a certain number of deaths occurring from plague were wrongly reported as fevers. In the Lahore Municipality a total death-rate of 39.0 per mille was reported, or 5.6 below that in the year preceding, chiefly on account of the lesser prevalence of fevers. The deaths from plague amounted to 4.76 per mille, or about double the ratio in the previous year. The death-rate of 49.4 recorded in Amritsar was much the same as in 1905. There was some decrease from fevers and all other causes, but the plague death-rate increased to 11:57 from 6:91 in 1905. Small-pox also prevailed largely in Amritsar, the ratio referred to this cause was 2.02. This disease was very severe in Multan. It caused a death-rate of 6.3 which increased the total death-rate of that town to 37.1 from 30.7 in 1905. There was no death reported from plague.
- Death-rates in other large towns, with a population of ten thousand inhabitants and upwards, Bhiwani and Kaithal recorded the highest death-rates of eighty-two and seventy-two per 1,000 during the year. A severe epidemic of plague in the former town and that of malarial fevers in the latter were the principal contributing factors. And from one or other of the same two causes, or from the presence of both, resulted in as many as sixteen minor towns, the great increase in their annual death-rates which varied between sixty and eighty-nine per mille.
- 19. Owing to the extremely slow progress of plague in January, February and March, and its almost complete cessation in the hot weather from July to September, the mortality during these months was very moderate: approaching very closely the average rate observed in the corresponding period in healthy years before the appearance of the pestilence in this province. The departure from the normal standard of health occurred in April and May, when plague was at its maximum, and in the last quarter of the year, in which the mortality caused by malarial fevers was heavier than usual. The amount of increase both in plague and in fevers was, however, much below the average in those months.
- 20. The total number of deaths registered from all causes in the Punjab during the year, excluding plague, correspond to a ratio Death-rates by sexes. Annual Forms Nos. II cf 30.66 per mille among males and 34.39 among females, relatively to the population of each sex, and from plague, 4.06 and 5.14 per 1,000; the mean deaths-rates during the preceding quinquennial period amounted to 32.43 and 35.83, respectively, excepting plague, and 9.41 and 13.21 from that disease. The excess is most marked in the female mortality from plague. And even without it, the proportion of deaths among females in the total of all other diseases is much higher. In reviewing my Sanitary Report for the last year, His Honour the Lieutenant-Governor expressed a desire to know whether this feature is peculiar to the Punjab or is common to all India. A comparison of the statistics of different provinces for the previous four or five years, shows that a higher female death-rate from all causes, excluding plague, is mainly a characteristic feature of the Punjab. And as regards plague, an increase in the female over the male ratio is observed, with one exception, in all the provinces where the disease has prevailed epidemically, though the amount of excess varies and is nowhere so considerable as in the Punjab.

The average female death-rate, substracting the plague mortality, is 10.48 per cent. in excess of the male ratio in the Punjab and 5.48 per cent. in those districts which form the North-West Frontier Province. In the Bombay Presidency, the death-rates by sexes are practically in equal proportions. In the United Provinces, there is a slight increase in the female rate of a little over one per cent. In all other provinces the male rate exceeds that of females—in Bengal, to the extent of twelve per cent., in Eastern Bengal and Assam seven per cent., in Madras about seven per cent. and in the Central Provinces fourteen

per cent.

- 21. The preponderance in the average ratio of female over male deaths caused by plague amounts to forty per cent. in the Punjab, thirty-two and twenty-six per cent., respectively, in the United Provinces and Bengal, six per cent. in the Central Provinces and 3.44 per cent. in Bombay. In Madras the male ratio from plague exceeds the female ratio by fifteen per cent.
- 22. There is hardly any appreciable variation from year to year in the Diminution in the percentage of excess in the female over the male death-rate in the Punjab excluding the deaths from plague. But it is gratifying to observe that in the case of plague, the percentage of excess has been diminishing since 1903 in the course of each successive epidemic. During the first serious out-break of the disease in 1902, it was forty-six per cent., in 1903 it increased still higher to fifty-one per cent. In 1904, however, it fell to forty-two per cent. and during the last two years it was only twenty-nine and twenty-seven per cent. I stated in my last report some of the possible causes of the higher rate of female mortality from plague, and have no further explanation to offer.
- Death-rates among infants under one year.

 Annual Form No. IV.

 Death-rates among infants of life. Among every one thousand births reported in 1906 in the Punjab, two hundred and thirty-five infants died under one year of age, exactly the same number as in 1905, and eight less than the average of the preceding five years.
- 24. The greatest death-rate among infants during the year, amounting

 Death-rates of infants in to two hundred and eighty, was recorded in the Central other provinces.

 Provinces in which the birth-rate was the highest among the different provinces in India. The smallest ratio, one hundred and ninety-one, was reported in the Madras Presidency where the birth-rate also was the lowest.
- 25. The infantile death-rate in the Punjab in 1906 was in the ratio of two hundred and thirty per 1,000 births among males and two hundred and forty among females. Taking the province as a whole, the excess in the female rate was slight and about the average of previous years, but it was, as usual, very large in the following districts, in some of which the prevalence of female infanticide is suspected:—Ambála male ratio 308 and female 351, Jullundur 233 and 276, Ludhiana 276 and 317, Amritsar 232 and 266, Ferozepore 228 and 258.
- Death-rates at other age-periods Annual Form No. IV.

 Death-rates at other age-periods Annual Form No. IV.

 Death-rates at other age-periods from five years among whom it was seventy-four; on the other hand, the lowest rates ranging from fourteen to eighteen per mille occurred in the age-periods from five to forty years. The percentage of excess in the death-rate of female children under five years and among old women over sixty was very little. It increased appreciably among girls between five and ten years and continued very high up to the fortieth year, particularly among young girls aged ten to fifteen years. The death-rates by sexes amongst persons between forty and sixty years were almost in equal proportions.
- 27. The present Annual Form No. IV shows the number of deaths according to age registered from all causes. A proposal Classification of deaths according to age-periods from different di-eases regarding the classification of deaths from different disfrom different di-eases separately carried out as an experiment in the Ludhiana eases was suggested by me in a former report, and has been taken into consideration by the Government of India. Last year, at my suggestion, Rai Sahib Bhagwan Das, Civil Surgeon of Ludhiana, very kindly carried out, under his direct supervision, as an experiment, the tabulation, under specified age-periods, of deaths registered from each cause separately in his district during the years 1903, 1904 and 1905. In view of the little extra labour caused by the special compilation and the very valuable information obtained, I recommended to the Local Government the introduction of a form embodying such a classification in every district of the province.

28. I selected Ludhiana as it is one of the worst plague-infected Results of the special districts in the Punjab. It appears from the calculations worked out on the figures supplied by Rai Bhagwan Das, that the disproportion between the death-rates from plague and other diseases according to age recorded in the Ludhiana district during the year 1904, in which the disease caused great havoc, is most striking. The total mortality registered in the district that year was seventy-five per mille of which a rate of fifty per mille was attributed to plague and the remaining twenty-five ascribed to other diseases, including fevers. I give below the figures in detail, with the view to give an exact idea of the extent to which the ratio of plague mortality differs from that caused by other diseases under each age-period.

Out of the total deaths of two hundred and eighty-one infants under one year per thousand of births, there were twenty-eight of those who died from plague, forty-nine from fevers, three from small-pox, seven from respiratory diseases and a number, as large as one hundred and ninety-four, "from all other causes." There was a very slight increase of two per cent. in the female over the male ratio from plague, and thirteen per cent. in other diseases. The infantile mortality returned under the general head "all other causes," occurred from inanition, inability to suck through imperfect breathing soon after birth, intestinal affections following dyspepsia, wasting maladies, convulsions, and various other diseases.

In connection with this subject, it may be noted that a return, specially prepared in this office a few years ago, shows that fifty-five per cent. of the total mortality among infants under one year of age registered in the districts of Rawalpindi, Multan, Lahore, Ferozepore, Jullundur and Karnal in 1902 was caused by those who died within a month of their birth; presumably from causes mentioned above.

In the other specified age-groups, the mortality was registered in the following ratios, calculated on the population under each period:—Over one and under five years, plague ratio, male 22, female 28, and those from all other diseases, except plague, male ratio 33, female 40; over five and under ten, 26 and 38 against 6 and 9, respectively; over ten and under fifteen, 41 and 65 against 6 and 11; over fifteen and under twenty, 45 and 55 against 8 and 10, over twenty and under thirty, 46 and 48 against 9 and 10; over thirty and under forty, 53 and 56 against 10 and 12; over forty and under fifty, 60 and 70 against 12 and 17; over fifty and under sixty, 66 and 83 against 19 and 21; and sixty years and upwards, 75 and 88 against 47 and 48. In the age-periods between five and fifty years, the death-rates from "all other causes" were very small.

We see from the figures quoted above that, while the plague death-rate at all ages in the Ludhiána district in 1904 was double that of every other cause, the rate from plague was much higher in all the age-groups from five to sixty years, notably at the period of life between ten and fifteen in which it was more than six times greater. On the other hand, the plague ratio was nine times less among infants under one year, as compared with that from all other diseases. Among children over one and under five years and old persons of the age of sixty years and upwards, the variations were comparatively inconsiderable. These results mainly support the conclusion drawn by me in my previous reports, that there is a relative immunity of infants from plague and a heavier mortality from the disease among persons in the best years of life.

29. The total number of deaths registered among Muhammadans in Death-rates according to classes.

Annual Form No. V.

By the Muhammadan and the Hindus by as much as 13.97. The comparatively larger decrease in the ratio among Hindus is accounted for chiefly by the very heavy mortality in 1905 in the Hindu districts of Rohtak, Gurgaon, and Hissar caused by plague and in Kangra by the severe earthquake. The Hindu and Muhammadan death-rates varied, as usual, during the year in different districts and in

some of them very considerably, for reasons explained in my reports for the last three years. The mortality among Native Christians was recorded at the rate of 30.51 per mille which is much lower than that among Hindus and Muhammadans.

- 30. A considerable amount of inspection work was performed during the Inspection of birth and year. A total of seven hundred and twenty-two thousand entries of births and five hundred and forty-seven thousand of deaths, in round numbers, was verified. The largest number of entries was checked by the Vaccinators during the summer months, but, as stated in previous reports, their inspection work as also of revenue officials is not so thorough as that of the five Divisional Inspectors. Among every one hundred entries checked by the latter, the percentage of omissions discovered was 4.4 in the number of male births and 4.3 in that of female births, 2.3 in male deaths and 2.4 in female deaths. A total of 11,302 births and 4,642 deaths was found omitted in the registers by all the inspecting officials. These entries were included, on verification, in the returns. Three hundred and sixty-four chowkidars were fined for the omission of particulars of births and deaths in the village registers, and the fines inflicted amounted to Rs. 134. The number of persons fined in forty-three out of the one hundred and forty-four towns was two hundred and eighty-one who neglected to register births and one hundred and five who failed to report deaths. The total amount of fines inflicted was Rs. 385.
- 31. There were one hundred and eleven births and ninety-six deaths

 Births and deaths at registered at the railway stations outside municipal limits,

 Railway stations. compared with one hundred and forty-six births and
 one hundred and twenty-six deaths reported in the previous year. The total
 deaths in 1906 included two from cholera, three from small-pox, five from
 plague, forty-seven from fevers, two from dysentery and diarrhea, nine from
 respiratory diseases, four from injuries and twenty-four from all other causes.
 The mortality was much lower than in the year preceding, the decrease having
 occurred from fevers and respiratory diseases.
- Births and deaths among Europeans and Eurasians was one hundred and fifty-seven and deaths ninety-four, as against one hundred and forty-seven births and one hundred and twenty deaths in the year preceding. There were four deaths registered from small-pox, none from cholera and plague, thirteen from fevers, six from dysentery and diarrhoa, eight from respiratory diseases, eight from injuries and fifty-five from all other causes.

Section VI.—Chief Diseases.

- 33. Cholera.—Cholera was more prevalent than in the year preceding, but happily it did not assume any large proportions as indicated by the very small death-rate of 0.21 per mille registered from it. The total deaths numbered 4,232. The mean death-rate during the previous five years was 0.18 per 1,000.
- Mortality by districts. He were reported during the year, with a few exceptions, in all the districts, but in most of them the rate was very insignificant. The largest number occurred in the district of Lahore, corresponding to a rate of 1.29 per mille. The deaths amounted to 1,480, or a little more than one-third of the total cholera mortality of the province. In 1905 also, the greatest proportion of cholera deaths was recorded in this district, viz., 1,624 out of a total of 2,197. The next largest number, 588, took place in the district of Sialkot.
- 35. The area affected by the disease in the province was very limited.

 Area affected by the Ont of a total of 32,834 towns and villages, there were only disease.

 six hundred and ten in which cholera deaths were reported including two hundred and eleven in the district of Lahore and one hundred and eight in that of Sialkot.
- 36. There were six hundred and eighty-eight deaths registered from Mortality in towns, cholera during the year in forty out of the one hundred Annual Form No. VI B. and forty-four towns, equal to a ratio of 0.34 per 1,000. Among the large towns having a population of ten thousand souls and upwards, Rewari was the only one in which the disease prevailed in a severe form. The number of deaths in this town was one hundred and thirteen, or nearly one-sixth of the total urban mortality from the disease. Of the largest cities, Delhi had a cholera death-rate of 0.31 per mille, Lahore 0.24, Amritsar 0.2 and Multan 0.67. Among the minor towns, the highest cholera death-rates were 7.89 and 5.16 registered respectively in Khem Karn in the Lahore district and Pasrur in the Sialkot district.
- 37. As regards the seasonal prevalence of the disease, it followed the usual course. During the first four months of the year, Seasonal prevalence. The province remained, as usual, practically free from the disease, only two isolated cases occurring in January and one in March. There were five deaths reported in April in the district of Hoshiarpur, and thirty-five in May, including nineteen in the district of Ludhiana and fourteen in that of Amritsar. A rapid increase took place in July. The largest numbers, 1,537 and 1,225, were registered in August and September, the months in which cholera is usually at its highest in this province. The disease declined considerably in October and disappeared almost entirely in November and December.
- 38. The first out-break of the disease took place in the Hoshiarpur Particulars of the first district. A Hindu was taken ill at a village a few miles few cases. from the small town of Anandpur on the 28th March, and arrived there the next day in a bullock cart. The patient who was treated outside the town recovered a few days after. He had come from Ludhiana on pilgrimage to the shrine of the goddess, Naina Devi. The second case in the Hoshiarpur district occurred in the suburbs of Anandpur in the person of a Hindu Rajput woman. She returned from Hardwar on the 5th April and developed symptoms of cholera on the following day. The third and fifth cases were her daughter and son, and the fourth and sixth cases were her neighbours. The disease broke out in May in the districts of Ludhiana and Amritsar. The first cases reported in the city of Amritsar occurred among residents lately returned from pilgrimage to Hardwar. In the Ludhiana district the first case also was that of a Hardwar pilgrim.

- Preventive measures. all precautionary measures, such as treating wells with permanganate of potassium, to prevent the spread of the disease on its first appearance in their respective districts. Its progress, as shown in the daily reports submitted to my office, was closely watched by me.
- 40. Small-pox.—The mortality ascribed to small-pox in 1906 corresponded to a rate of 0.66 per mille, which is 0.43 more than in the previous year, 0.18 in excess of the mean ratio during the preceding quinquennium, and 0.12 lower than in 1903.

Considering the remarkable immunity from small-pox enjoyed by all civilized countries in which vaccination is thoroughly carried out, a number as large as 13,239 deaths registered from this disease during the year must be considered very excessive. In England and Wales, for instance, the average annual rate of deaths recorded from small-pox during the five years ended 1904 was only '025 per mille. But it may be mentioned here that the death-rate from small-pox used to be very much higher in the Punjab in former years when vaccination was less thoroughly carried out. During the past forty years since the introduction of the system of death registration in 1867, it has been possible to note the considerable reduction that has occurred in the prevalence of small-pox in each successive decennium. Thus, during the first ten year period, the mean death-rate from the disease was as high as 1.37 per mille. In the second period it decreased to 0.88, in the third decennium it fell to 0.59, and during the last ten years it diminished to 0.45 the last ten years the last ten years it diminished to 0.45 the last ten years the las

- 41. Of the total deaths registered in 1906, there were 3,241 among Mortality among children infants under one year, and 7,938 among children over one Annual Form No. VIII. and under ten years of age. The difference in the death-rate by sexes at all ages is, as usual, very slight. The female ratio exceeded the male by only 0.04 per mille.
- 42. There is nothing particular to notice with regard to the seasonal prevalence of the disease. The epidemic reached its acme as usual, in May, and was at its lowest in October.
- 43. The highest death-rates over one per mille were registered in the Death-rates by districts.

 Annual Form No. VIII.

 1'38, Lyallpur 1'29, Montgomery 1'28, Gurgaon 1'22, Gujraowala 1'05. The lowest rates were recorded in the districts of Kángra 0'03, Mianwali 0'03, Simla 0'06, Delhi 0'09 and Karnal 0'10. The average rates in the districts of Kangra and Delhi were also very low.
- Urban and rural deathrates compared.
 Annual Forms No. VIA

 VI B.

 When the state of mortality registered from it in the one hundred and forty-four towns was 1.42 per mille compared with 0.57 in villages. The average urban and rural death-rates during the previous five years were 0.78 and 0.44 respectively.
- 45. Of the four largest cities, Multan had an excessive rate of 6.3 per Death-rates in towns.

 Manual Form No. VI B. largest ratios:—Pindi Bhatian 13.01, Chiniot 12.37, Ramnagar 10.25, Zira 9.75, Khanna 7.03, Kot Mithan 6.85, Hafizabad 5.75, Bhera 5.46, Tarn Taran 5.19, Kila Didar Singh 5.18 and Nurmahal 5.05. Besides these, there are several other towns in which the death-rate was also very high.

The great sacrifice of life as evidenced by such fearful death-rates from a preventible disease is deplorable. With the new stored glycerinated vaccine, a large number of operations can be successfully performed in a short time. But it must be borne in mind that it rests entirely with the people to avail themselves of the preventive remedy, and that the vaccination staff is strictly prohibited from using any sort of compulsion or harshness but is ordered to leave the choice to those concerned. In these circumstances, it is indeed too much to expect that any marked decrease will occur in the periodical visitations of small-pox, unless some change for the better in the present generally unfavourable attitude of towns-people towards vaccination is brought about by the friendly advice and persuasion of members of Municipal Committees and other persons of influence and intelligence amongst their own communities.

nothing was said in former was being reports as to the act with be Eff appared, if the Eff appared to be low

There are twenty-six towns to which the Vaccination Act applies. But it is noticeable that, even in some of these places, there is considerable room for improvement. The list includes Multan, where the small-pox death-rate, as already stated, was 6.3 per mille last year, also Lahore, Jullundur, Amritsar, Rupar and Rewari in which it varied between 1.22 and 2.31. There seems no reason why the provisions of the Act should not be strictly enforced. The aggregate mortality from small-pox in the remaining twenty towns amounting to 0.15 per mille, compares very favourably with 1.58 recorded in all others in which vaccination is not compulsory.

- 46. Plague.—The following report on plague has been furnished by the Inspector-General of Civil Hospitals, Punjab:—
- 1. General course of the epidemic.—During the year, 120,745 cases of plague were reported in the Province, of which 104,863 proved fatal. There were 92,115 deaths in British districts and 12,748 in Native States.

The epidemic, taken as a whole, may be characterized as a very mild one, compared with those of the previous four years, the total mortality being much lower than in any year since the general diffusion of infection over the greater part of the Province. The figures for the past six years are given below for comparison:—

					Cases.	Deaths.
1901	***				36,739	20,998
1902				***	321,938	222,571
1903		***	***	***	341,267	210,697
1904					481,412	402,950
1905	***				451,791	390,233
1906					120,745	104,863

The low mortality for 1906 might encourage the idea that a natural decline in the epidemic had begun. The light incidence of plague at the end of 1905 raised this question; the point was discussed in the last annual report and the conclusion reached that there was no evidence to support such an assumption. This view has been confirmed by the experience of the present year, for, at the end of 1906, plague was as bad as ever at the time of year, in fact, there is nothing to indicate that any natural decline has begun or even that the climax has been reached.

The annual visitation of plague can be best considered from the beginning of the rise in incidence in August, until the decline to a minimum in the next year. The period under report embraces two distinct phases, the latter half of the 1905-06 epidemic and the first part of the 1906-07 one. It is the former that shows such a mild incidence and accounts for the smallness of the mortality for the year, while the epidemic during the latter has been as bad as has yet been experienced, if not worse. The total loss that the province has suffered from plague since its first importation in 1897, up to the 31st December, 1906, amounts to 1,355,278 lives.

2. Districts .- On the 1st January, 19 districts out of 29 were infected, Six districts escaped altogether in the spring, namely, Attock, Jhang, Multan, Dera Ghazi Khan, Mianwali and Simla; Manwali only reporting a few imported cases. The following nine districts suffered but slightly :- Gurgaon, Delhi, Montgomery, Kangra, Shahpur, Jhelum, Rawalpindi, Lyallpur and Muzaffargarh; seven suffered more severely-Gujrat, Jullundur, Hoshiarpur, Ambala, Karnal, Rohtak and Hissar, while the brunt of infection fell principally upon Lahore, Sialkot, Gujranwala, Gurdaspur, Amritsar, Ludhiana and Ferozepore. In the autumo a marked rise in the figures began early in Rawalpindi and Ludhiana; in the former this may be considered as normal, coincident with the early appearance of a cooler temperature, but in Ludhiana it was due to the rapid spread in connection with a fair. At the close of the year it is again the central and submontane districts which have suffered most severely in the past, that are being more seriously attacked. It is worthy of note, however, that certain districts - Hissar, Gurgaon, Shahpur Jhelum, Jhang and Lyallpur-are escaping, although they have suffered in previous years.

- 3. Seasonal variation and climate. The incidence gradually increased from the beginning of the year until the maximum was reached in the third week in May, a fortnight later than usual; as a result of this, May was the worst plague month of the year, instead of April as has always been the case in previous years. The usual rapid decline then took place and continued till the middle of August, the rise beginning, as is usual, in about the third week of that month and continuing steadily until the end of the year. A reference to the statement appended will show the difference in degree of the seasonal variations in separate parts of the Province. It has been pointed out that plague incidence tends to diminish during extreme heat and cold; of these two conditions, both obtain in the Punjab, but the former is by far the more potent factor. Towards the south, with its earlier and longer hot weather, the maximum is reached sooner than in the north, the summer freedom is more distinct and more prolonged and recrudescence occurs later; in Hissar, Rohtak, Gurgaon, Ambala and Karnal the month of maximum intensity was April, although for the whole Province it was May. These conditions gradually change with the climate towards the north, which has a later maximum, a shorter period of freedom in the summer, an early recrudescence and a lull in the winter; this is seen in Rawalpindi, where plague was never absent in any month of the year. The normal monsoon conditions of the year were accompanied as usual with a severe outbreak and rapid increase, in marked contrast with the diminished severity of plague during the latter part of 1905, with its abnormally dry summer and late rains.
- 4. Attitude of the people.—Although generally apathetic, the people are gradually becoming less suspicious of proffered assistance. But in spite of increased knowledge and experience of the disease, the spirit of self-help is generally lacking.
- 5. Type of the disease.—The enormous majority of cases are bubonic, a certain number pneumonic and comparatively few septicaemic. Epidemics of pneumonic plague are common, especially in the cold weather; they are very fatal, often killing off all the inhabitants of a house or a whole family, but they are slow in spreading and tend to remain localized.
- 6. Reporting is as accurate as can be expected, when it is remembered that the reporting agency is usually an uneducated villager. Supervision is exercised, as far as possible, by the medical staff and the number of deaths reported is believed to be approximately near the actual figure. With regard to cases, it is different, for the village chaukidar is not capable of a medical diagnosis and consequently numbers of the milder cases pass unreported. In some districts practically only deaths are registered.
- 7. Case mortality.—This works out, in the case of British districts, to about eighty-seven per cent. For the reason given in the previous paragraph there is no doubt that this is much too high an average. It cannot be said that any general diminution in virulence is apparent. In bubonic plague the case mortality varies very much in different places and in the same places in different years; in some it is known to be over ninety per cent, and in others fifty per cent, or even lower. It is commonly lower at the beginning and end of epidemics.
- 8. General plague policy.—This is primarily based on the recognition of the fact that these annual seasonal epidemics, lasting from autumn to spring, do not depend so much on the spread of the disease from the few places remaining infected in the summer, as on recrudescence in a large number of places, which have been apparently free for some time, often many months; from these, plague spreads over the surrounding country. Every recrudescence that is prevented or aborted or even delayed, therefore, means a saving of life not only in that particular place, but in the whole of the large area which would have been infected from it. It is impossible to lay too much stress on the primary importance of preventing these outbreaks, which is by far the most important procedure in preventing or mitigating the epidemic. Second in importance come measures for preventing diffusion from actually infected to healthy localities and, last of all, those for combating each local outbreak.

The difficulties in attaining the primary object may be briefly summarized; first, it is impossible to discover definitely every endemic centre and consequently all potential ones must be attacked, involving a very large number of localities:

second, they must be attacked before infection becomes active, which makes the time available for the operations very short. An enormous amount of work then has to be done in a very short time, and the consequence is that, in all badly infected districts, long before all, or even a considerable number of, endemic centres have been treated, plague breaks out in many others, and, spreading rapidly, the epidemic soon gets beyond control. It may, however, be said that the operations, as far as it has been possible to carry them out, have been fairly successful, for although most of the districts, which have been for years thoroughly infected, are again being badly attacked, in such a district as Amritsar it is reported that not a single recrudescence had occurred up to 31st December and that the present epidemic is entirely due to importation; Gujrat is another case in point. Again, in certain districts, in which endemic centres are not so numerous, plague has been, to a great extent, suppressed; in no other way can the comparative freedom of Hissar, Gurgaon, Shahpur, Jhelum and Lyallpur, at the end of the year, be explained, for they have previously suffered severely and cannot, therefore, be considered as specially immune. It is evident that a very large staff is necessary for success, and as the medical staff can never be increased sufficiently to meet requirements, it is absolutely essential that such measures as are necessary should be capable of application and be undertaken by the people themselves. An endeavour is, therefore, to be made to select an agent for every small area, such as a zail, and educate him in anti-plague measures, in order to make him capable of carrying them out when necessary, under the supervision of the medical staff. In no other way can preventive measures be carried out rapidly enough over wide areas.

- 9. Rail and road inspection has been carried out during the year for the protection of Simla, Murree and Dalhousie.
- 10. Surveillance over arrivals, isolation and segregation.—These are carried out systematically in connection with the inspection posts referred to above Such precautions are but rarely observed by the people of their own accord. The towns of Jhang and Chiniot are, however, notable exceptions, and the freedom of the Jhang district is due, in great measure, to these precautions.
- 11. Refusal of access.—The right of refusal to allow persons from infected areas to enter healthy localities is hardly ever enforced. Social customs and the binding obligations of hospitality to relatives, guests and travellers are too strong to allow of the adoption of such a measure to any extent.
- 12. Evacuation. In the face of an epidemic, this is perhaps the best and most effective measure. The people are generally aware of its advantages, but, for various reasons, it is rarely carried out effectively. Much partial evacuation, however, goes on in some districts among the Hindu population; Muhammadans are taught that it is against their religion, and consequently seldom adopt it. Flight to other towns and villages is the popular idea of evacuation, and the most potent factor in the rapid spread of the disease.
- 13. Disinfection.—Recent research has considerably modified opinion as to the importance of this measure. To be effective, for bubonic plague, fleas and perhaps other insects, as well as the plague bacillus must be destroyed, and even with a perfect disinfectant, it is beginning to be recognized that, by the time it can be applied, the house or room is probably no longer infective. It is of great importance in pneumonic plague and also in preventing infection passing from the imported case to the rat population; it is but rarely that information is received sufficiently early to allow of its successful application. Insecticides are being tried, but reliance is mainly placed on disinfection by heat.
- 14. Inoculation.—This is one of the best and most effective methods, not only of mitigating plague incidence, but of diminishing mortality when an epidemic is in progress. It is everywhere recommended, but even when the people are convinced from experience of its utility they will not, as a rule, undergo the operation with its accompanying slight inconvenience, unless danger is actually present. In consequence of the comparative mildness of the epidemic of 1905-06, less inoculation was done than in the previous year. The total number of inoculations performed was 27,924.

15. Rat destruction.—This measure has assumed great importance. In the 1905-06 season it was carried out in some 3,000 towns and villages; the results were encouraging, although they were masked by the mild incidence of plague generally. General opinion, however, was pronounced in its favour, and it is considered by the officers engaged on the work that recrudescences were to a great extent prevented, aborted or delayed by it, and that the measure, even when applied after infection, mitigated the epidemic. From Amritsar Captain Davys, a very careful observer, reports that out of eighteen well authenticated centres of endemic plague, where the disease has annually re-appeared and infected the surrounding country, in eleven rat destruction was thoroughly carried, out, and in these no cases of plague occurred; five were only partially dealt with, owing to various difficulties, and in each of these a recrudescence occurred, which did not go on to a severe epidemic; in the two remaining localities, where nothing was attempted, severe epidemics followed recrudescence.

On account of the favourable results obtained, the measure was pursued with vigour. The returns are incomplete, but 100 municipal towns and about 9,000 villages were ratted in the latter half of the year. Over a million and a half rats were actually found dead after these operations, and this is generally considered to be but a small proportion of the actual number poisoned. The staff rarely have time to record the number found, except on the morning following baiting, whereas the mortality continues for some days; many are thrown away or otherwise disposed of by the people before they can be counted. In spite of the severe prevalence of plague at the end of the year, recrudescence has been certainly prevented in many places and, presumably, altogether in certain districts; Jhang escaped during the whole year without a single case, although rat mortality, indicating endemic infection, has occurred in several places. No recrudescences have occurred in the Amritsar district, which is in the very heart of the infected area; all the plague being due to importation. There have been and still are many difficulties in the successful application of the measure; Jains, Bhabras and certain higher caste Hindus object to the taking of life in any form. For instance, in Mukerian, the whole town was baited, excepting two clumps of houses inhabited by Jains : a recrudescence of plague occurred in both these ; again, in Rawalpindi city, which has suffered severely, the disease was started and spread from the ward inhabited by Jains, where no rat destruction could be done.

There are other difficulties dependent on the ignorance and suspicion with which any new measure is received; the results, in numbers of places, have been unsuccessful, owing to many of the inhabitants collecting and throwing away the baits after they have been laid. It may be said, however, that these difficulties are disappearing with the experience gained by the staff and the people, and the measure is usually accepted readily the second time, when it can be more perfectly carried out. All reports agree that the mass of the people accept rat destruction, and in many places even ask for it; in some, the people do it for themselves. If any plague measure can be called popular, it is rat destruction. as everywhere a connection between rats and plague is recognized; it causes less inconvenience than any other measure, and the people are also beginning to appreciate the fact that the removal of rats adds to their comfort and saves them from loss. It is consequently a procedure which can be carried out even in the absence of plague; and this is of the greatest importance in trying to prevent recrudescence. It must be recognized that, in order to carry out rat destruction or any other measure on the scale necessary, the people themselves must be the active agents. There is little or no hope that they will act on their own behalf without stimulation, but this may be supplied by their natural leaders, whose active co-operation has been and is being enlisted, as far as circumstances permit.

- 16. Medical treatment.—In towns application for European treatment is not usual, and only the very poor and homeless resort to plague hospitals. In villages everything is done to give medical assistance to all who wish it; not very much can be done in the way of systematic treatment, except in plague hospitals, as the medical staff are incessantly on the move.
- 17. Sanitation.—The staff are enjoined to inculcate ordinary hygienic principles among the people, but it cannot be said that much progress has been made in this direction, nor is much to be expected within a brief period.

47. Fevers.—The total number of deaths registered under the head of fevers in the province amounted to 20.28 per mille. This ratio exceeds that of the previous year by 1.88, but it is 1.99 lower than the mean ratio of 22.27 recorded during the five years ended 1905, and 12.03 below the high rate of 32.3, registered in the year 1900. The heavier monsoon rainfall was followed, as usually happens in this province, by the prevalence of malarial sickness, which enhanced the death rate during the last quarter of the year. The districts of Delhi, Mianwali, Karnal, Attock, Rawalpindi, Dera Ghazi Khan, Muzaffargarh and Ambala suffered severely from fevers. In Mianwali, the country was flooded by the river Indus. In Muzaffargarh there were floods in the Chenab. In DeraGhazi Khan, the mortality was heavy, especially in the Toursa Tahsil which lies near the foot of the hills and is liable to inundation. In Karnal large tracts were under water for a long period.

In nineteen districts the fever mortality was below the provincial ratio of 20.08.

- 48. The aggregate fever death-rate of the one hundred and forty four peath-rates in towns during the year was 20·11 and of the rural circles 20·3, as compared with 17·79 and 18·47, respectively, in the previous year and 20·08 and 22·51 in the preceding quinquennial period.
- 49. Dysentery and Diarrhea.—The total mortality from dysentery and diarrhea amounted to 0.87 per mille, as against 0.68 in the year preceding. The mean ratio of deaths registered during the five years ending 1905 was 0.71. The following districts recorded the highest rates:—Jhelum 2.07, Rawalpindi 1.90, Ambala 1.81, Simla 1.69, Sialkot 1.49, Gurdaspur 1.43, Jhang 1.41 and Kangra 1.41. The mortality in the one hundred and forty four towns, taken as a whole, was registered at the rate of 2.28 per mille and in the rural circles at 0.72. The death-rate from dysentery and diarrhea is usually higher in towns than in villages.
- 50. Respiratory Diseases.—The deaths attributed to diseases of the respiratory organs were equal to a rate of 2.84 per 1,000, showing a slight increase of 0.06 over the average annual ratio of 2.78, registered during the previous five years. There were, as usual, for reasons explained in previous reports, considerable variations in the district death-rates; for instance, in Multan a rate of only 0.41 was registered, in Jhang 0.45, in Montgomery 0.46 and in Muzaffargarh 0.49; on the other hand, in Gurdaspur, Ambala, Delhi, Hoshiarpur and Sialkot, rates as high as 11.33, 6.43-6.36, 5.89 and 4.92, respectively, were recorded.
- 51. Injuries.—The total number of deaths reported during the year under the general head "Injuries" was 6,668, giving a ratio of 0.33 per mille. This is the usual rate of mortality recorded from injuries of all sorts in this province. The deaths due to suicide were three hundred and four, of which one hundred and forty were of males and one hundred and sixty-four of females: the number of suicides is always larger among women than among men. From wounding and accidents 5,275 deaths were registered. Eight hundred and eighty-three deaths were caused by snake-bite, one hundred and fifteen were reported from hydrophobia and ninety-one from injuries inflicted by wild beasts.

It appears from the sixth annual report of the Pasteur Institute of India that during the year of the Institute, ending 8th August 1906, there were 1,145 patients who underwent anti-rabic treatment, of whom three hundred and forty-two were Europeans and eight hundred and three Natives. There were six cases among Natives and one among Europeans in which the treatment failed.

52. All other causes.—The death-rate registered from "all other causes" during the year was 7.18 per mille, as against 7.17 in the preceding year and 7.08 in the quinquennium ending 1905.

The district death-rates differ considerably for reasons stated in previous reports.

Section IX.-Sanitary Works.

- 53. The Report by the Sanitary Engineer on sanitary works for 1906 is sanitary Works. given as Appendix B to my Report.
- 54. The amount realized from the sale of manure in the municipal towns during the year was Rs. 1,59,847, compared with Rs. 1,51,879 in 1905. The largest income from this source was derived in the following towns:—Amritsar Rs. 32,119, Lahore Rs. 17,579, Delhi Rs. 12,578, Sialkot Rs. 7,232, Multan Rs. 6,961, Gujranwala Rs. 6,679, Ludhiana Rs. 5,024.
- 55. There were 7,292 wells cleaned and 966 parapets constructed during Clearing of wells and the year, at a total cost of Rs. 40,218. The largest sums construction of parapets. were expended in the following districts:—Multan Rs. 13,747, Hoshiarpur Rs. 7,068, Sialkot Rs. 3,949 and Amritsar Rs. 3,161.
- Village sanitary note. note-books are kept in selected villages in the districts mentioned in my previous reports. There were one hundred and five new villages in the district of Hissar, sixty-seven in that of Gujrat and twelve in Kangra in which these books were opened during the year in addition to those already maintained.
- 57. A few District Boards offered rewards for the best results shown in Rewards offered for improved village sanitation. sanitary improvements in villages, but they remained, as proved village sanitation. usual, unutilized, for want of interest in sanitation on the part of village communities.
- 58. The following works that serve sanitary purposes were constructed by Native gentlemen during the year 1905-06 at their own by private individuals. expense, amounting to a total of Rs. 84,143.

ROHTAK.—A Dharmsala near the boundary of Mauza Ridhoo, close to a tank, at a cost of Rs. 4,000 by Girdhari, son of Nanak, Mahajan, of Mauza Ridhoo, Tahsil Sampla.

A Baradarı with Ghât near the boundary of Mauza Gangana, at a cost of Rs. 1,500 by Masania, son of Majlas, Mahajan, of Mauza Gangana, Tahsil Gohana.

Gurgaon.—A Chaupal (rest-house) at Ratipur, Tahsil Palwal, at a cost of Rs. 2,000 by Shamlat Deh (village fund).

Delhi.—A Dharmsala, Temple and Pyao, near Narela Railway Station, at a cost of Rs. 3,000 by Lala Nand Lal, son of Khushi Ram, Mahajan, of Narela, Tahsil Delhi.

Karnal —A masonry well on the Kaithal Gohana Road, at a cost of Rs. 1,400 by Lala Dewatya, Mahajan, of Guhna, Tahsil Kaithal.

AMBALA.—A Dharmsala at Sadhaura, Tahsil Naraingarh, at a cost of Rs. 2,000 by Mussammat Bhagwani, widow of Gobind Brahman, of Sadhaura, Tahsil Naraingarh.

A Serai at Purkhali in Tahsil Ruper, at a cost of Rs. 1,500 by Ramanand Kesho Ram, son of Jhakku Mall, Banis, of Purkhali in Tahsil Ruper.

Kangra.—A Serai (rest-house) on the Jowala Mukhi Nadaun Road, near Nadaun Ferry, at a cost of Rs. 3,500, by Mussammat Parbo, widow of Ram Chand, Khatri of Nadaun, Tahsil Hamirpur.

A well at Jalari, Tahsil Hamirpur, at a cost of Rs. 2,000, by Harbhagwan, Rup Chand and Daya Ram, sons of Sita Ram, Khatri, of Katra Ahluwalian, Amritsar. HOSHIABPUR.—A Serai in village Basi Muda, on the Hoshiarpur Hariana Road, at a cost of Rs 2,250, by Mussammat Murto, widow of Chhanga Ghumar, of Basi Muda, Tahsil Hoshiarpur.

A well in village Jakhera, Tahsil Una, at a cost of Rs. 1,960, by Bhattu, son of Ruldu, carpenter of Bhahour, Tahsil Una.

A well in village Dehlan, at a cost of Rs. 1,750, by Pundit Roda Ram, Brahman, of village Dehlan, Tahsil Una.

JULLUNDUR. - A Rest-house at Nakodar, at a cost of Rs. 2,000, by Lala Baru Mal, Khatri, of Nakodar.

A tank, at a cost of Rs. 1,200, by Lala Chhaju Ram of Bunga, Tahsil Nawashahr.

A Rest-house with a well, a bungalow with stables and out houses, a tank and another well, at a cost of Rs. 7,375, by Pundit Tulsi Ram, Sahookar, of Bundala, Tahsil Phillour.

LUDHIANA.—A Dispensary, and out-houses attached thereto, at Maloudh, at a cost of Rs. 7,368, by Sardar Badan Singh, C. S. I. The Sardar has also paid Rs. 20,000 to the District Board, the interest of which is to be expended towards the maintenance of the dispensary.

Ferozepore.—One Dharmsala at Ferozepore Cantonment, at a cost of Rs. 16,000, by Lala Ramji Lal, son of Pat Ram, Bania, of Sadr Bazaar, Ferozepore Cantonment.

A Serai (rest-house) at Village Tharaj, on the Nathava Road, at a cost of Rs. 4,000, by Prem Singh, son of Jit Singh, Jat, of Village Tharaj, Tahsil Moga.

AMRITSAB.—A well at Wadala, Bhitewad, at a cost of Rs. 1,400, by Mussam-Labore Division. mat Kishen Kaur, widow of Wasu Mal, Khatri, of Amritsar.

GUJRAT.—A Rest-house at Maggowal, Tahsil Gujrat, at a cost of Rs. 2,000, Bawalpindi Division. by Mian Pir Bakhsh, son of Nur Muhammad.

Multan.—A Rest-house, with a well on the road to Cantonment Railway Station, at a cost of Rs. 13,000, by Bhai Lorinda Ram, son of Rup Chand, of Multan City.

A well for drinking purposes and bathing places for males and females, in the bazaar, inside Bohar Gate, at a cost of Rs. 3,000, by Mussammat Niki Bai and Sohari Bai, widows of Asa Nand and Mangha Ram, inside Bohar Gate, of Multan City.

Section X.—General Remarks and Personal Proceedings.

- 59. I remained in charge of the Sanitary Department throughout the yearAdministration. Captain W. H. C. Forster, I.M.S., officiated as Deputy Sanitary Commissioner, Punjab, from the 1st of January to the 26th of July, and Captain H. M. Mackenzie, I.M.S., from the 27th July to the end of the year.
- 60. During the month of January, I inspected the towns of Jagadhri Inspection work of Sani- Buria, Wazirabad, Bhera, and Sargoda, a new town on After my return to Lahore, I visited the towns of Hissar, Bhidistrict. wani and Hansi, and later on, the town of Dera Ghazi Khan and some villages in that district. During the month of February, I inspected the towns of Muzaffargarh, Multan, Sialkot, Sambarial, Pasrur, Kila Sobha Singh, Daska, Jamke, and twenty-four villages in the Sialkot district; the towns of Kasur, Khudian, Khemkarn, Patti and six villages in the Lahore district, and afterwards the towns of Bahadurgarh, Rohtak and Jhajjar. In March I continued my tour in the southern part of the province, visiting the Famine Works which were in progress at the time in the Rohtak district, also the towns of Beri and Phillour, and later in the month, in company with Lieut.-Col. John T. W. Leslie, I. M. S., Sanitary Commissioner with the Government of India, I inspected the towns of Rawalpindi, Campbellpore, Hazro, Lyallpur and Gojra, and afterwards Jullundur and Hoshiarpur. In the month of April I visited Farrukhnagar, Gurgaon, Sohna, Palwal Hodal and returned to Lahore. I then visited Tarn Taran in the Amritsar district. In May I accompanied the Local Government to Simla, and in June I inspected vaccinations performed in the Hill States of Keonthal, Kumar Sain and Rampur Bushahr. During the month of July I remained at Simla. In August I came down to Ludhiana to consider the suitability of the Fort for the Central Vaccine Institute, by a personal inspection of the place. I then visited Rawalpindi, Murree and the Lawrence Memorial Asylum there. In September I inspected some villages in the Murree Tabsil, and Dalhousie, and afterwards returned to Simla. In October, in company with Surgeon General G. Bomford, C. I. E., I inspected the Water Supply Springs on the Simla-Kalka Cart Road and the Lawrence Military Asylum at Sanawar and Kasauli. I then commenced my tour in the plains, visiting Kalka, Karnal, Rewari, Sirsa, Fazilka, Muktsar, Ferozepore, Pind Dadan Khan, Gujranwala, Kita Didar Singh, Eminabad, Akalgarh, Ramnagar, and some villages in the Gujranwala district, and made my annual inspection of the city of Lahore. In November I visited the towns of Kartarpur, Nakodar, Nurmahl, Alawalpur, a number of villages in the Jullundur district, Gurdaspur, Kalanaur, Dera Nanak, and, in company with Lieut.-Col. Leslie, the city of Delhi. During the month of December I inspected the towns of Dinga, Gujrat, Jalalpur, Kunjah and Jhelum.
 - 61. During the year, I delivered the usual number of lectures to the students of the Medical College, Lahore, in my capacity as Professor of Hygiene.
- 62. Captain Forster inspected the following towns:—Tarn Taran, Kasur, Inspection work of Jagadhri, Sohna, Khemkarn, Jhelum, Murree, Kasauli Deputy Sanitary Com- and twenty villages. Captain Mackenzie visited Murree, Kasauli, Ludhiana, Shujabad, Palwal, Panipat and fifty-six villages. Both these officers devoted a considerable part of their time to the supervision of the work of the Central Vaccine Institute. Captain Mackenzie inspected a large number of vaccine operations.
- 63. There were 173 towns and 2,365 villages inspected by the Civil Surgeons, as against 151 towns and 2,188 villages in the previous year. The Assistant Surgeons visited 17 towns and 31 villages, as against 30 and 122 in 1905.
- 64. The Manager North-Western Railway states that no new towns No new towns built in have been built in the vicinity of the North-Western Railway stations in the course of the year.

65. It appears from the annual reports furnished by Civil Surgeons that quinine was distributed in the following districts :-Distribution of quinine. The District Board of Hissar arranged to purchase and keep some quinine for distribution in stock. Quinine powders were prepared and given to Vaccinators touring through the district, when checking births and deaths during the summer months, for issue to the rural population at a distance from dispensaries. The inhabitants of villages at a convenient distance from dispensaries applied for quinine. In the Rohtak district quinine was issued by the Vaccination Staff free of cost to villagers during the malarial season. The use of quinine is encouraged in the Delhi district by its sale through the Agency of Post Offices. The District Board of Ambala sanctioned the purchase of five pounds of quinine and one hundred and twenty pounds of magnesia sulphas for distribution in the district through Tahsildars. Quinine was distributed through Lambardars, Zaildars, Tabsildars and other influential men in the Kangra district. Quinine sulphas in seven-grain powders was distributed in the villages of the Hoshiarpur district through Zaildars to the extent of sixteen pounds. A large quantity of quinine was freely distributed by the Local Bodies in the Ferozepore district. In the Gurdaspur district quinine and other medicines were distributed by the Vaccinators in villages. Quinine was distributed to all thanas in the Sialkot district, and the question was considered of issuing it to all schools, where pupils numbered over fifty. the Gujranwala district quinine was dispensed to the sick at the various dispensaries with beneficial results. Quinine in small packets was distributed by Vaccinators during their tours as well as by Zaildars in the district of Gujrat. Usually quinine pills and powders of the value of Rs. 100 are distributed annually in the Rawalpindi district, but this year, on the recommendation of Lieutenant-Colonel Stephen Little, I.M.S., Civil Surgeon of the district, Rs. 200 were sanctioned by the District Board for the purpose, and pills and powders of this value were distributed gratuitously throughout the rural circles through the agency of Inam Khors, Lambardars and Vaccinators. The Vaccinators distributed quinine throughout the Mianwali district during the prevalence of fevers. A large quantity of quinine was distributed to the poor people in the villages on the river Jhelum and round about Lallian in the Chiniot Tahsil of the Jhang district, where malarial fevers were very prevalent. This was done with good result. Two pounds of quinine were distributed by the District Board of Lyallpur amongst the Police Thanas. In the Multan district quinine is available for sale at two Sub-Post Offices and twenty-four Branch Offices scattered widely over the district. In the Muzaffargarh district fifteen pounds of quinine were purchased by the District Board for free distribution among the rural population, and the same was distributed through Thanadars, Zaildars and Vaccinators. In the district of Dera Ghazi Khan quinine was extensively used during the year. Forty-five pounds were expended. Not only was a good supply given to the various dispensaries, but Vaccinators during their tours also distributed it, and a certain amount was made over to various headmen of the district for distribution.

66. I noticed in my last report a great increase in many of the Municipal towns that dispose of sullage to cultivators, both in the Land under sewage irri-gation and prices paid for sullage. amount of land brought under sewage irrigation and in the prices paid for it. I am glad to observe a further increase in 1906 over the figures for the previous year. In Amritsar, the number of acres under sewage irrigation increased from about four hundred and eight to four hundred and sixty-four and the amount paid for the sullage from Rs. 4,086 to Rs. 4,669. In Delhi, the number of acres rose to 59.34 from 56.64, and the price paid for the sullage to Rs. 949 from Rs. 906. In Lahore an area of five hundred and one acres of land was irrigated by sewage, yielding a total income of Rs. 4,585, as against four hundred and eighty-five acres and Rs. 4,333 paid for the price of the sullage in 1905. In Gujranwala, the number of acres rose from twenty-seven to thirtytwo, and the income from Rs. 300 to Rs. 480. In Juliundur and Ludhiana the amount of land under sewage irrigation, i.e., twenty-four acres and a little over thirty-six acres, respectively, was the same as last year: the income derived from the sullage in Jullundur was Rs. 175, or Rs. 27 less than in 1:05, and in Ludhiána Rs. 276, showing a slight increase of Rs. 4. In Lyallpur the number of acres irrigated by sewage increased from forty-one to a little over forty-six acres, and the sum realized from the sale of sullage from Rs. 164 to Rs. 300. In Ferozepore the number of acres rose from 3.7 to 11 and the income from Rs. 48 to Rs. 274. In Ambala there were a little over ten acres of land irrigated by sewage, as in the previous year, and the price paid for the sullage was Rs. 52 as against Rs. 56. The Municipal Committee of Gujrát has taken up about ten acres for sewage irrigation and for the permanent acquisition of this land it has paid Rs. 5,074. In addition to this, the Committee has taken up four acres on an annual rental of rupees sixteen per acre.

67. A short account of the work done by the Sanitary Board during the Work of Sanitary Board. year is given in Appendix A to this report.

LAHOBE:
The 15th May 1907.

C. J. BAMBER, LIEUT.-COL., I.M.S., D.P.H.,

Sanitary Commissioner, Punjab.

APPENDIX A.

PROCEEDINGS OF THE SANITARY BOARD.

Five meetings of the Sanitary Board were held during the year 1906, and a brief account of the work done by the Board is given below :—

The Board allotted grants-in-aid to the following Municipalities for Sanitary Works to the extent noted against each, out of the grant of rupeeg thirty thousand sanctioned by Government for 1906-07:—

Palwal and Ladwa, filling up depressions round the towns, Rs. 3,903 and Rs. 1,000, respectively; Sonepat, construction of drains, Rs. 600; Ambala City, intramural drainage extension, Rs. 5,000; Machhiwara, construction of drains and out-falls, Rs. 2,000; Hoshiarpur, (1) the diversion of the drains in Custganj near Dharmsabha School and (2) purchase of land for the drainage of Garhi Muhalla, Bahadurpur, and Mori Muhalla, Rs. 2,000; Hariana, construction of latrines and paving streets, Rs. 453; Garhdiwala, construction of drains, Rs. 500; Anandpur, construction and repairs of drains, Rs. 400; Tanda, paving of streets Rs. 3,000 and construction of a drain, Rs. 496; Miani, paving of streets and construction of drains on either side of the town, Rs. 489; Murree, drainage scheme of the bazaar, Rs. 4,000; Muzaffargarh, improvement of drainage, Rs. 1,600; Kila Sobha Singh, a bund round the town, Rs. 2,059; Pasrur, purchasing a set of boring tools, Rs. 2,500 for improving water supply: total Rs. 30,000.

2. The administrative sanction of the Government was obtained to the following schemes:—

Intramural drainage scheme of the Jaimal Singh Bazaar portion of the Amritsar City at a cost of Rs. 18,367; improvement of the Amritsar City drainage Clock Tower Section, Rs. 27,455; water-supply scheme for the city, Central Jail and Civil Station of Ludhiana, amounting to Rs. 430,468 (exclusive of departmental charges aggregating Rs. 26,175); supplementary plans and estimate for a steam conservancy tramway at Lahore at a cost of Rs. 54,346.

The Commissioner, Lahore Division, accorded administrative sanction to the following Sanitary works—improving the Amritsar City drainage, Babecsar area at Rs. 9,303; (2) improving the Maclagan Road drainage, Lahore Civil Station, Rs. 9,137; improving the Amritsar City drainage, Hathi Gate area, Rs. 8,576 sanctioned by the Public Works Department.

The Board approved of the proposal that the work of the Jhelum drainage be carried out by the Public Works Department.

Out of the grant of Rs. 2,500 placed at the disposal of the Sanitary Board for 1906-07 for expenditure on experiments in connection with sanitation, the sum of Rs. 200 was allotted to the Sanitary Engineer for expenditure on experiments for testing the work done by Air Motors at Mianwali.

The Sanitary Engineer forwarded the plans of the proposed alterations in the sanctioned estimate of the Rawalpindi drainage works. The Board approved of the proposal regarding some of the drains, and also the abolition of the septic tanks and the removal of the site of the sewage farm.

The Sanitary Board discussed the proposal for a sullage farm at Amritsar. The Board agreed to the necessity for improving the present system of dealing with the sullage, so as to prevent the accumulation of sullage in the out fall sewer, as suggested by the Sanitary Engineer, that is, by means of a centrifugal pump lifting the sludge from a collecting tank at the level of the bed of the present out-fall sewer and discharging above ground level through two sludge intercepting chambers, built in two compartments, so that one can be cleared while the other is in use.

The Board approved of the proposal of the Sanitary Engineer to frame a preliminary estimate of the Gujranwala drainage scheme.

During the year the appointment of the Sanitary Engineer to Government, Punjab, was made permanent.

APPENDIX B.

ANNUAL REPORT OF THE SANITARY ENGINEER TO GOVERNMENT, PUNJAB, FOR THE YEAR 1906.

The post of Sanitary Engineer to Government, Punjab, was held by Mr. Goument from 1st January to 9th May 1906 and by Mr. Sanders, from 10th May to the end of the year.

Simla.—Owing to the good rains and the extension of the house metering system the water supply was abundant during the season. The usual annual inspection of the Pumping Installation was made by the Agent of Messrs. James Simpson and Co. on 15th and 16th January 1907 who reported the plant in good order.

The land in the neighbourhood of the unfiltered water pump in the Cherot nala below the main pumping station was taken on rent from the Hill State concerned and conserved in order to prevent pollution.

The work on laying new water mains of larger bore, for giving better pressure for distribution and for protection from fire of several large public buildings between Chowra Maidan and Boileauganj (estimated cost Rs. 44,000) was completed.

Periodical tests of the effluent at the various septic tanks showed that the tanks are working satisfactorily.

The construction of the two reservoirs (estimates for which were sanctioned in 1905) for storing storm water in the Long View and Combernere ravines for the purpose of flushing the drains was completed.

On the recommendations of the Sanitary Investigation Committee appointed in 1905, the Local Government approved of the following works being carried out:—

- (1). Provision of four small incinerators and one large one below the Cart road.
- (2). Conversion of 20 public urinals into those with automatic flush arrangements.
- (3). Extension of the sewage system for the disposal of sullage.

Estimates for these works were prepared.

A rough estimate for Rs. 14.515 for the disposal of sewage of "Chota Chelsia" was prepared for the Municipal Committee.

The half-yearly inspections were made in March and October of the water supply and sanitary arrangements of the Viceregal Lodge Estate, and reports were submitted to Punjab Government and Government of India.

A joint inspection with the Sanitary Commissioner was made in September 1906 of both the water and drainage works.

LAHORE.—Acting on the advice of Sanitary Engineer the Municipal Committee are fitting many private connections with meters.

The Pumping Installation at Badami Bagb was inspected by an Agent of Messrs. James Simpson and Co., and their report was favourable. It was also inspected by the Sanitary Engineer in May 1906 who brought to the notice of the Committee inter alia the necessity of the addition of a 3rd engine as well as a series of additional wells for which an estimate for Rs. 78,301 had already been prepared for the Municipal Committee.

The Committee are considering the raising of a loan for these works.

The removal of the smaller pumping engine from the high level to the low level pumping house was commenced. The 2nd rising main was linked up to the pumps and to the reservoir.

Fire hydrants were fitted in the city bringing the whole intramural area under fire protection.

The revised estimate amounting to Rs. 54,347 for a Conservancy Tramway to carry off the nightsoil and refuse of the city was approved by the Sanitary Board and sanctioned by the Local Government. The work was put in hand and is rapidly approaching completion.

An amended estimate amounting to Rs. 8,102 for the drainage of Maclagan road was approved by the Local Government and the work put in hand.

Delhi.—The urgent necessity of increasing the water-supply Head-works by adding extra pumps and engine, etc., and another set consisting of a Sedimentation Tank and 2 Filter beds, was brought to the notice of the Municipal Committee. The cost of the extension was roughly estimated by Sanitary Engineer to be Rs. 1,93,000.

An estimate for Rs. 7,336 was sanctioned for improvement of water supply to the Circuit House and for supplying water to the Civil Encamping ground.

The Delhi intramural drainage was under construction and making good progress.

AMBITSAR.—Six estimates aggregating Rs. 1,30,000 were prepared during the year for remodelling the street drains in the several wards of the city. These were approved and submitted to the Sanitary Board for sanction. Three out of them, and 3 which had been prepared in the previous year were sanctioned by the Local Government. Estimates for 2 wards of the city now remain to be prepared. The work on two wards was in hand and progressing well.

The question of providing disposal works at the outfall came before the Sanitary Board for consideration. They approved of the scheme of raising the sullage from the two collecting tanks by means of a centrifugal pumps. And left it to the Committee to decide whether they take up all the land required for a farm or only 50 acres for use when the cultivators do not require the sullage.

The Municipal Committee have determined to put the work in hand and having arranged for the cost to be budgetted during the next financial year.

AMBALA.—The effect of resinking five wells on the east line of the Head-works has been satisfactory. The increasing supply from these five wells having been 71 per cent.

The Sanitary Board sanctioned a grant-in-aid of Rs. 10,000 in the first instance and Rs. 5,000 more, later, to the municipality for the extension of the intramural drains of the city. The estimate against the Rs. 10,000 grant-in-aid was approved by Sanitary Engineer and the work is being carried out by the Committee.

RAWALPINDI CITY.—The work on the scheme sanctioned in 1904 for the construction of main intercepting drain and disposal works, estimated cost Rs. 1,38,967, was well advanced and nearing completion.

The preparation of project for the intramural drainage is in hand.

LUDHIANA. —A detailed estimate for Rs. 4,30,468 for the scheme of Ludhiana water works was sanctioned during the year. The work was put in hand in September last, and a good start had been made when the year closed.

MCLTAN.—Work on the construction of main drains and disposal works for Multan City (estimated cost Rs. 73,179) was nearly completed. To cover unforeseen excesses, the preparation of a revised estimate was necessitated. The estimate for the north intercepting drain amounting to Rs. 12,438 was also revised.

JAGRAON.—The drainage works (estimated cost Rs. 24,511) were practically completed during the year.

GUJRAT.—The extramural and disposal works (estimated cost Rs. 30,811) were completed during the year.

SARGODHA.—The water works (estimated cost Rs. 1,22,266) and the drainage works of city and civil station (estimated cost Rs. 91,000) were completed during the year. Water has been supplied to the town from the 16th November 1906.

PHILLOUR.—The Fort was inspected by Sanitary Engineer and proposals for the drainage of the Fort ditch were made at a rough estimated cost of Rs. 4,900.

All important sanitary works completed as well as those under construction, were inspected by the Sanitary Engineer from time to time during the year.

The following rough estimates were prepared by the Sanitary Engineer: -

			Rs.
1.	Amended estimate for Hansi drainage	 	20,235
2.	Extension of water-supply at Montgomery Central Jail	 	12,455
3.	Drainage of Kote Rukn-ud-din at Kasur	 ***	8,024
4.	Water-supply of Civil Encamping ground at Delhi	 	7,336

The following detailed estimates were prepared under the instructions of Sanitary Engineer and approved by him during the year:—

						Rs.
1.	Sangla drainage	works (revise	ed estimate)			47,887
2.	Lahore Maclage	n road draina	ge			8,102
3.	Amritsar intran	ural drainage	Clock Tower area			27,455
4.	Do.	do.	Babeesar area			9,303
5.	Do.	do.	Hathi Gate area	***		8,576
6.	Do.	do.	Bazar Sant Singh	and	Dhab	
			Khatikan			47,051
7.	Do.	do.	Hall Gate area		****	17,055
8.	Do.	do.	Catherine Hospital are	B	***	20,415
9.	Do.	do.	Khazana Gate (revised	estimat	e)	23,536
10.	Additional filter	at Dabali, Si	mla			9,765
11.	Providing additi	ional fire plugs	s, Lahore city			4,595
12.	Thanesar city d	rainage				2,184
13.	Sullage drainag	e of Telegraph	Office, Simla			2,037

The statement attached shows the quantity of water pumped and used during the year at several water-works stations in the Province and the cost of pumping.

In order to vigorously push on the Ludhiana water-works scheme, the Local Government created a special sub-division at Ludhiana with Mr. Hanly, Covenanted Engineer in charge. It comprises the construction of water works as well as all other ordinary public works in the district and is under the direct superintendence of the Sanitary Engineer.

There still remains much to be desired in the working of the Sewage Farms. Municipal Committee, with few exceptions, it is to be regretted, take little interest in this important matter.

The post of Boiler Inspector for the Punjab was sanctioned during the year and its incumbent Mr. W. Watson placed under the supervision of Sanitary Engineer. Mr. Watson joined his post on the 6th July 1906. The inspection of boilers was started on 1st September 1906. The amount collected on account of inspection fees during the year was Rs. 8,309.

A Board of Examiners under the Porjab Steam Boiler and Prime Mover Act has also been created by Government, with the Sanitary Engineer as ex-officio Chairman and the Boiler Inspector as an ex-officio member. During the year under report, the Board held 2 sittings and granted 150 certificates to Engine Drivers.

There are between 600 and 700 boilers in the Punjab.

H. C. SANDERS,

Sanitary Engineer to Government, Punjab.

STATEMENT A.

STATEMENT OF WATER PUMPED AND USED IN THE 7 (SEVEN) WATER-WORKS STATIONS, SIMLA, DELHI, LAHORE, AMBALA, AMRITSAR, SARGODHA AND

LYALLPUR, AND COST OF PUMPING.

		*									
orginal resinus	Benares.	16							Opened on the 18th	* This establishment also superintends con-	servancy, etc.
p921U S	Cost per 100,000 gallon 100 feet.	15	Rs.	4.1	3-0	3.7	6-5	63	:	42 42.2	
10000	Lift including friction	14	Rs.	1,300 4.1	155 3-0	100 3-7	272 4-9	82 7.2		24	
	Total.	13	B8.	6,324 18,939	5,031 25,946	4,215 26,916	3,972 10,499	4,588 10,592	481	3,853	-
ST.	Establishment.	12	Rs.					4,588	270	3,520	
Cost.	Value of stores.	11	Bs.	1,941	1,680	408	309	957	20	100	
	Value of fuel used.	10	Rs.	10,674	19,235	22,293	6,218	5,047	161	243	-
	Quantity.	6	Tons.	1,052	1,077	1,111	829	242		81	
FUEL USED.	Description.	80		15-6 35,777,091 21,898,612 Wood and coal	7-4555,705,621 164,150,000 Steam coal	Coal	Wood	Coal	Wood and coal	6,661,093 Water power and wood	
PUMPED.	In the three hot more months April to June.	2		21,898,612	164,150,000	10-5719,501,701 173,930,100 Cosl	21,920,851	53,497,454	:	6,661,093	
WATER	Daring the year.	9		35,777,091	555,705,621	102,501,701	94,392,174	3-1 180,067,436	1,196,400	21,807,953	
odt 1	Daily consumption per in gallons—average o	5			7.4	10-5	9.0	3.1	;	5.0	-
	Daily average.	4		587,245	1,526,663	1,971,237	259,080	493,335	38,593	71,268	
WATER USED.	Daring the year.	8		31,153 92,784,697 587,245	206,534 555,705,621 1,526,663	186,884 719,501,701 1,971,237	84,739,175	161,039 180,067,436	1,196,400	21,807,953	The state of the s
-paood	Population served ac	01		31,153	206,534	186,884	28,200	161,039	:	13,477	
	Name of Station.	1		Simla	Delhi	Lahore	Ambala	Amritear	Sargodha	Lyallpur	
1	2	1	1	00	-	-		-	04	-	

APPENDIX C.

STATEMENT SHOWING THE DEATH-RATES FROM CHOLERA, SMALL-POX, FEVERS, DYSENTERY AND DIABRHERA, FOR THE FIVE YEARS PRECEDING, AND FOR THE PERIOD SINCE THE INTRODUCTION OF DRAINAGE OR WATER SUPPLY, OR BOTH, IN THE UNDERMENTIONED TOWNS.

9.9	9	25							-			-	
		-	DATE COMPTO	RELION	RATE S	AGE AN HNCB TI OF DE	AINAGE	OB OB	TEAR THE OF D	GE ANN TE FOR PERIOD (B INTE RAINAS) OPPLY, (THE FI S PREC DUCTIO	VE- EDING N ATER	
To	rica.		Drainage.	Water-supply.	Cholera.	Small-pox.	Fevers.	Dysentery and Diarrhosa.	Cholera,	Small-pox.	Fevers.	Dysentery and Diarrhopa.	Remarks,
	1		9	3	4	5	6	7	8	9	10	11	19 0000
Delhi				1893	0.1	0-6	26-7	1.8	0.4	0-6	26-7	1.9	8.
Ambala	***	***		1895	0.4	0.5	12.9				19-3		
Simla		***	1893	1893	0.05	0-5	13.8	1000		1.1	17.1	1.4	
Lahore				1881	0.9	0.7	19.7	1.6	1.9	1.6	27.8	2.3	
Amritsar				1904	0.1	1.3	21.3	1.6	0.4	0.7	31.3	1.8	1 1 1 1 1 1
Dalhousie				1894	0.1	0.1	120	2.0			9.6	2.4	
Gujránwál	b	***	1892		0.8	0.2	16-1	1.1	0.2	0-6	19.7	1.7	
Ráwalpind	ī			1887	07	0.8	21.0	2.4	0.2	0.1	16:4	3.4	
Murres				1894	0.1		16.5	17	0.2	0.4	14.8	0-9	
Miśnwśli				1904		0.1	26.0	1.4		Not	avail	able.	
Lyallpur			1904	1904	0.1	1.0	10.3	0.9	*2.8	0.4	16.3	2.1	* Figures available
Kalka				1890	0.6	0.1	14.6	2.5	1.7	0.5	15-2	3.9	for four years only.

ANNUAL FORM No. 1.

STATEMENT SHOWING THE BIRTHS REGISTERED IN THE DISTRICTS OF THE PUNJAB DURING THE YEAR 1906.

=						-				-			- 1	. 1		_	-	10
1	Steam, of	'LTON'T	over) Motte	3	1 2	-	4		D.	5		6	7	8	Mu	9 AN B		10
				ION ACCOR			NR OF BII		BIRT 1,	TIO C	ER.	E.	the over deaths population.	lation.	1,00 PREI	OO DUI	PER RING FIVE	
2	Distr	RICTS.	, makes a T	Contain	siletus on yourselfs	partito						of males males be	98	of deaths over bir,		Spinorga.		1
Number.			Males,	Females	Total.	Males.	Females	Total.	Malos.	Females.	Total.	Number 100 fer	Excess per 1	Excess per 1,	Males,	Femalea	Total,	Number
1	2		3	4	5	6	7	8	9	10	n	12	13	14	15	16	17	18
	DELET D	WISTON		TELEVA					-									
1	DELHI DI	110.00	418,167	363,550	781,717	17,056	15,928	32,984	01.0	00:4	4900	107.1	9-0		01-1	10.5	40.6	1
2	Datash	inches "	333,217		630,672	353	10,391	21,859		1000	1000					19.3	404	1 .
3	Gurgaon		390,443	1000	746,208	15,222	14,008	29,230			1	100000	1000	300	226		43.3	1
4	Delhi		370,103		686,998	14,926	13,817	28,743							22.1		42.8	١.
5	Karnal		478,953		883,225		18,782	39,211				1330				18.8	39-6	
6	Ambala	P4 101	419,742		763,250	16,010	14,661	30,671					10000	1000	10000	17.0	35-7	6
7	Simla		23,012		35,579		348		10.5			1				8.4	18:3	2
	JULLUNDUR	DIVISION.	000,785	0.000.000		1000								paid	E	0		1
8	Kangra		396,484	387,957	764,441	15,147	14,449	29,596	19:8	18:9	38:7	104.8	7.1		18:2	17-0	35:2	8
9	The same of		525,854				19,499	40,665	1			1			20.7	18-9	39.6	
10	Juliandar		488,299			19,016	17,637	36,653		1000					20.8	19-5	40.3	10
11	Ludhians		369,165	The same of	673,097	13,450	12,401	25,851					10000	600	19.9	18-7	38-6	
12	Ferozepore		507,258		932,206	22,789	20,411	43,200							22.0	19-8	417	
	LAHORE D	\$0.00 THA	000,888												E AT	111		
13	Montgomery	*** ***	263,354	224,598	487,952	11,677	10,342	22,019	23.9	21.3	45.1	112.9	20%		21.0	18-7	39-7	13
14	The same		629,360	1			25,610	54,075							22-6	20.5	43.9	14
15			558,889		1,022,438	24,208	22,337	46,545					3.9		22-9	20.8	43.7	15
16	Gurdaspur	*** ***	1895	429,206			20,941		11.00		13333	106.0		0.9	23.1	21-3	44'4	16
1	Sialkot		111900	506,203			25,000	13 (2.73)				106.6	1	1.5	25.5	23.7	49-2	17
18	Gujranwala		1	405,317			17,544	37,233	22.1	19.7	41.8	112.2	9.1		22-9	20-3	43.2	18
	RAWALPIND	DIVISION.	1111111	AND STREET	NOT.	WEE !							1000		13	178		
19	Gojrat		389,402	361,146	750,548	17,545	15,949	33,494	23.4	21.2	44'6	1100	16.6		23.5	21.7	45-2	19
	Shabpur		273,144	251,115	524,259	12,472	11,189					111.2			21-9	19.6	41.5	20
21	Jhelum			247,435			9,506			570	10000	113.0			20'0	18.0	38'1	21
	Rawalpindi		270,855				10,256		000		100	109.5	1000	-	19.8	18:0	37-8	1
13	Attock			220,935	460,897		10,128	21,456	24.6	22.0	46.6	111.8	11.1		220	19.5	41.5	23
	MULTAN D														100			1
24	Mianwali		224,008	200,580	424,588	10,228	8,838	19,066	241	20.8	44'9	115-7	6-2		22.2	19.4	41.7	24
	Jhang			227,762	490,266	11,200	9,845	21,045	22.8	20.1	42.9	113.8	17.7		20-0	17.7	37-7	25
	Lyallpur			220,101	522,144		16,713	35,154		2000	233	and the		1984	28.1	25.2	53.3	
00	Multan	*** ***		318,090	697,859		16,583	34,726	26.0	23 8	49-8	109.4	22.1		23.6	21'4	45'1	27
	Muzaffargarh			185,449			8,377	17,692	23.0	20.7	43.6	111.2	15.0		21.7	19-0	40.8	28
	Dera Ghasi K			214,499	3000		7,187			1000		121.9			18-6	15.5	34'1	29
		1				-	4		_				_	_	_			1
		Total	10,798,255	9,310,435	20,108,690	459,329	418,677	878,006	22.8	20.8	43'7	1097	6.8		21.8	19.8	41'6	1
-					Indiag pape	1	-			-	-		-	-/	1-	-	-	5

^{*} Excluding population of military cantonments.

STATEMENT OF BIRTHS AND DEATHS REGISTERED IN EACH

DELHI DIVISION.	1	X SHE DE	THE PERSON	STATE OF	2	HA				3	4		5		6	19
Delhi Division.		1918	13	1	8	1					per	Popula	TION (CENSU	s 1901).	BIRTI	ts.
DELHI DIVISION.	Number,	Oct of behaviors								Area in square miles.	Average population square mile.		Females.	Total.	Total number.	Birth-rate per 1,000 of population.
Hissar	1	4 24 2	SE	1	2	1	1	1 1		3		5	6		_	9
Hissar	TA.	SPATI	D	ELHI	DIVI	SION		1 4		18			115			
Robtak	1	Hissar								5.217	150	418 167	262 550	HO1 HIM	22 984	42.2
Gurgaen	2	Rohtak									333			1/401003		347
Dalhi	3	Gurgaon				***	***	***					-			39'2
5 Karnal	. 4	Delhi				***		***		1,290	533			3 4 7 3		41.8
C	5	Karnal	001					***		3,153	280	a land from			000000	44.4
Simba	6	Ambala	·0 801		***	***				1,851	412	419,742	343,508			40.2
S Kangra	7	Simla			***	***	***		***	101	352	23,012	12,567		711	2010
9 Hoshiarpur	12	* H	JULL	UNDU	R D	IVISI	ON.		1-19	10.5E	MER	O COLDIE	ESCHIE .		TI. 19	
10 Jailundur	100							***		9,978	77	396,484	367,957	764,441	29,596	38.7
11 Ludhiana	1.60					***	***			2,244	441	525,854	463,928	989,782	40,665	41.1
12 Ferozeporo	1200	A STATE OF THE PARTY OF THE PAR	101	***	***	***	119	***		1,431	632	488,299	416,008	904,307	36,653	40-5
LAHORE DIVISION. 13 Montgomery			***		***		***	***		1,455	463	369,165	203,932	678,097	25,851	28:4
13 Montgomery	12	Ferezepore						***		4,302	217	507,258	424,948	932,206	43,200	46'3
14 Lahore	10			HORI	2 DI	VISIO	N.			1051		HAN DE	100			
15 Amritsar	-					111	***	***	***				224,598	487,952	17 3 3 5 5 5	45-1
16 Gurdaspur							***		***				516,669		-	47.3
17 Sialkot 1,991 538 565,124 506,203 1,071,327 51,653 4 18 Gujranwala 3,198 278 485,260 405,317 890,577 37,233 4 RAWALPINDI DIVISION. 19 Gujrat 2,051 366 389,402 361,146 750,548 32,494 4 20 Shahpur 4,840 108 273,144 251,115 524,259 23,661 4 21 Jhelum	100									-			463,549	1,022,438		45.5
18 Gajranwala	4 133	Carl or L.					***	***		19		1000000	439,296	936,784	43,134	46.0
RAWALPINDI DIVISION. 2,051 366 389,402 361,146 750,548 33,494 420 Shahpur 4,840 108 272,144 251,115 524,259 23,661 4 4 251,115 524,259 23,661 4 251,115 252,259 23,661 4 250,741 247,435 498,176 20,244 4 251,115 270,865 246,906 517,761 21,489 4 239,962 220,935 460,807 21,456 4 4 4 4 4 4 4 4 4	13.00	1					***	***			1000		Sens were		The same of	70.03
19 Gujrat		Gujiauwala						150	100	3,198	278	485,260	405,317	890,577	37,233	41.8
20 Shahpur 4,840 108 272,144 251,115 524,259 23,661 4 21 Jhelum	19	Gnirat								9.051	200	100000	OTR COA		00.000	1010
21 Jhelum										13	-			A STATE OF THE PARTY OF	SECTION SE	9/10/01
22 Rawalpindi										4,040	1					45-1
23 Attock	1 3 3								1	0015				1 0000000		100000
MULTAN DIVISION. 24 Mianwali									5	0,040	107				1000	
24 Mianwali								41		200		#dy,902	220,935	460,897	21,456	46.6
25 Jhang	24	Mianwali								7.816	KA	994 009	900 500		10.000	****
26 Lyallpur	25	Jhang								1,010	0.0					10000
27 Multan 6,107 114 379,769 318,690 697,859 34,726 4 28 Muzaffargarh 3,635 112 220,207 185,449 405,656 17,692 4 29 Dera Ghazi Khan 5,306 89 255,448 214,499 469,947 15,946 3	26	Lyallpur							3	€,746	150			-		1000
28 Musaffargarh 3,635 112 220,207 185,449 405,656 17,692 4 29 Dera Ghazi Khan 5,306 89 255,448 214,499 469,947 15,946 3	27	Multan		***	***					6,107	114					3
29 Dera Ghazi Khan 5,306 89 255,448 214,499 469,947 15,946 3	28	Mussffarga	rh			***										100
	29	Dera Ghaz	Khan							1						233
Total 97,309 207 10,798 255 9 310 425 00 108 200 070 000													212,000	300,031	20,046	-000
20,100,090 878,000 4								Total		97,209	207	10,798,255	9,310,435	20,108,690	878,006	43-7

Nors -Those born dead are not included

No. 11.
DISTRICT OF THE PUNJAB DURING THE YEAR 1906.

	7		8						9	-	-			1		10		1
	OF DEAT	HS BE-	males the of			D	EATHS	PER 1,0	00 ог	POPU	LATION	FROM				N RATI		_
			deaths of m 100 deaths	9				Diar-	diseases.			Δ	ll cause	8.	DURIS	IS PER NO PREV E TEAL	NIOUS	
cs.	Females.	al.	ber of every nales.	Cholera,	Small-pox.	Plague.	Ferers.	Dysentory and rhom.	Respiratory dia	Injuries.	other canses,	hoe.	Females.	al.	108.	Females.	al.	Number,
Males.		Total.	_		-	_	-	_	-	_	All	Malos.		Total.	Malos.		Total.	
10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
7000	E 1984	7127	11.02	1,500	VISLE!	mag.			036		100	100	1111					
13,389	12,577	25,966	106.5	0.1	0.8	2.0	21.6	0.5	1.0	0.5	7.5	32.0	34.6	33-2	40.0	42.6	41.2	1
11,907	11,000	22,907	108.2	100	0-3	5.6	19.7	0.8	1.4	0.5	8-4	35-7	37.0	36-3	45-9	49-3	47-5	2
13,174	11,817	24,991	111.5	0.2	1.2	0-2	19.5	1.1	1-2	0.4	95	33-7	33-2	33.5	46.1	49.8	47-9	3
15,747	15,798	31,545			01	0.7	31.2	0.0	6.4	1	5:9	42'6	49.9	45.9	41.3	46.3	43-6	
20,823	20,775	41,598			0.1	5.6	27.8	0.6	1.8		10-5	43-5	51:4	47:1	43.9	47.6	45.6	
16,688	17,162	33,850			0.7	3.3	23.5		64	0.3	84	39-8	50.0	44'4		62-2	56.1	
449	412	861	1090		0.1	***	8.1	1.7	4.1	0.4	9-8	19.5	32 8	24.2	19.2	26:3	21-7	1
11,868	12,277	24,143	96.7	(200.0)	0.03	0.1	18:1	14	2.2	0.4	9:4	29-9	33-4	31.6	34.7	37.6	36.1	8
18,827	18,913				0.2	5-0	20.1	0.6	5'9		5.4	919.5	40'8	38.1	41.5	- Comment	and the	
14,200	14,380	28,580			0.9	2.4	15'4		4'9		6-7	29.1	34.6	31.6	6			
14,640	15,201	29,841	1000		1.5	12-9	16.8		2.4		10.1	39.7	50-0	44'3	62.1	77.8	69:2	11
17,888	17,871	35,750			1.4	5.9	19%	0.4	1.6	0-3	9.2	32.3	42.1	38:4	4514	53.3	#310	12
					1000										1714	1400		
6,130	5,817	11,947	105.4	0.1	1.3	0.3	24.6	0-4	0-5	0.4	70	23-3	25.9	24:5	25.0	27-0	25.9	13
23,848	22,765	46,613	1048	1:3	1.4	8.3	169	0.6	2.3	0.4	8.2	37-9	44.1	40.7	46'3	56.4	5018	14
21,178	21,360	42,538	991	0.8	0.7	8.4	18.8	0.0	2.9	0-2	9.5	37.9	46.1	41.6	50.7	04:7	57:0	15
22,151	21,797	43,948	101.6	0.04	0.2	13.4	19.1	1.4	11.3	0.3	1.2	43.7	50-8	46.9	49.0	62.1	55:0	16
26,331	26,927	53,258	97-8	0.6	0.8	14.1	20.8	1.5	4.9	0.3	6.9	486	53*2	49.7	50.4	64.1	56.9	17
15,086	14,001	29,087	107:7	0.5	1.1	7-8	16.6	0-4	0.7	0-4	5.6	31.1	34.5	32-7	49.5	60-2	54:4	18
															1197	a train		
10,442	10,590	21,032			0.4	1.8	15.9	1000		0.3			1 1000			45.0		
7,938	7,586	15,524			0.3	0.4	18.3		33.7		1000		1000				1000	
7,649	7,704	15,353			0.5	0.7	19:9	5										
10,161	10,141	20,302			0.5	2:4	25.7	700.0		103			1			· · · · · · · · · · · · · · · · · · ·		
8,308	8,054	16,362	103-2	***	0-2	0.1	28-0	0.3	0.0	0.4	6.1	34-6	36.2	30 0	200	000	201	1
8,221	8,195	16,416	100.3	0.01	0.03	0.03	30.7	1.1	0.5	0.4	5.8	36-7	40-9	38.7	27:3	28.2	27-	724
6,569			100000		0.2		14:5	1		0.5		1	1					5 25
7,971	7,512				1.3	0.3	184		1000	0.4							1 30	626
9,971	9,374		1	The same	0.9		18.7			1							1 23	
6,004	5,587			100000	0.2	0.1	24:2	1	1	1			1	28-6	28.1	30-6	297	2 28
7,324	E BOO				0.5		25.1	0.6	0.7	0-3	2.7	28.7	31.0	29.7	23.2	23.9	23:0	529
374,880	368,026	742,906	101-9	0.2	07	4.6	20-3	0-9	2.8	0-3	7:	347	39-5	36-9	41-8	49-0	45,3	2

in this or any other statement.

iı

ANNUAL FORM No. III.

DEATHS REGISTERED IN THE DISTRICTS OF THE PUNJAB DUBING EACH MONTH OF THE YEAR 1906.

1	2		-	-			3						1	4	5
Number.	Districts,	January.	February.	March.	April.	May.	Jane,	July.	August.	September,	October.	November.	December.	Total deaths regis- tered during the year.	Namber.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	DELHI DIVISION.		13	10				91	11	H	EI.	15			
1	Hissar	1,973	1,469	1,670	2,563	2,456	2,328	1,679	1,549	1,809	2,370	3,224	2,876	25,966	E
2	Rohtak	1,747		1,492	2,283		1,667					3,379	2,121	22,907	2
3	Gurgaon	1,800			1,523									24,991	3
4	Delhi	2,036		1,613	1,985		2,300		-		1			31,545	4
6	Ambala	2,487		2,461 1,542	2,075	3,208	2,379			2000			4,548	41,598	6
7	Cimia	1,813	41	57	82	77	93	74					52	861	7
	JULLUNDUR DIVISION.						1 9		10		creat:	ms	213	122	
8	Kangra	1,961	1,588	1,482	1,552	2,781	2,089	1,640	1,956	2,051	3,209	2,019	1,815	24,143	8
9	Hoshiarpur	2,652	2,247	2,533	3,437	3,768	2,254	1,743	2,021	2,901	5,208	5,028	3,948	37,740	9
10	Jullandar	2,044	1,477	1,787	2,398	3,034	1,819	1,829	1,919	2,246	3,227	3,646	3,204	28,580	10
11	Ludhisus	1,872	1,406	1,924	3,087	3,552	1,508	1,213	1,327	1,957	3,216	4,377	4,402	29,841	11
12	Ferosepore LAHORE DIVISION.	2,778	2,165	2,444	3,870	4,404	2,229	1,951	1,707	1,878	2,727	4,983	4,623	35,759	12
13	Montgomery	1,135	781	837	721	928	840	784	718	780	979	1,619	1,825	11,947	13:
14	Labore	2,634	2,162	2,631	5,596	7,945	3,180	2,958	3,179	2,757	3,261	5,143	5,177	46,613	14
15	Amritsar	2,773	2,314	2,993	5,247	7,188	3,024	2,402	2,427						-
16	Gurdaspur	3,046	2,577	3,625	5,749			1,929			The same			- William	
17	Sialket	3,111	2,779	4,280		10,662				15000				53,258	
18	RAWALPINDI DIVISION.	2,385	1,653	1,842	3,751	5,959	2,154	1,651	1,848	1,334	1,525	2,032	2,458	29,087	18
19	Gujrat	1,770	1,690	1,270	1,663	1,890	1,697	1,561	1.478	1,721	2,089	2,409	2,394	21,032	19
20	Shahpur	1,526		994	1,002			1		130		Trans.		15,524	
21	Jhelum	1,471		929	1,036		970		915			-		15,353	31
22	Rawalpindi	1,555	1,123	1,163	1,118	1,352	1,294	1,135	1,132	1,570	2,470	3,109	3,281	20,302	22
23	Attock MULTAN DIVISION.	1,392	1,132	1,049	1,189	1,065	983	957	872	1,042	1,399	2,560	2,722	16,369	32
24	Mianwali	1,201	933	952	925	1,242	1,041	850	908	1,176	1,711	3,006	2,468	16,416	24
25	Jhang	1,272	785	832	783	1,157	1,113	1,020	784	798	993	1,297	1,559	12,353	25
26	Lyallpur	1,542	1,261	1,062	1,259	1,798	1,390	1,264	1,095	1,115	1,096	1,238	1,363	15,483	26
27	Multan	1,972	1,261	1,294	1,061	1,762	1,385	1,285	1,286	1,282	1,715	2,533	2,509	19,345	27
28	Muzaffargarh	876	663	668	602	792	736	758	533	653	1,448	1,928	1,909	11,593	28
29	Dera Ghazi Khan	871	714	864	697		-	831	826	818			1,961	-	
	Total for the Province Ratio of deaths per	58,767	41,825	47,698	69,262	87,576	51,094	42,415	43,191	51,502	76,548	93,501	84,527	742,906	7
1	1,000 in each month.	2.67	2.08	2.37	3 44	4.36	2.54	2.11	2.15	2.56	3.81	4.65	4-20	36-94	

ANTONIA FORM

DELTAR REGISTERED ACCORDING TO ARELE THE

		11								
							A SAST MEC			
						est;				
SF.	977	118	19/2	100	819	TODA	MD.E	6,412	#19.4	
4	441	010	107	108	730	105.5	213.2	9000	250.5	

ANNUAL FORM No. IV.

DEATHS REGISTERED ACCORDING TO AGE IN THE DISTRICTS OF THE PUNJAB DURING THE YEAR 1906.

DEATHS REGISTERED ACCORDING TO AGE IN THE

1	3			3		4		5		6		7	new that
	District			Under one	TEAR.	ONE YEAR A		5 TEAR UNDER 10		10 TEA	RS AND 5 TEARS,	15 YEAR UNDER 20	
aber.	District			100	Females.	Males.	Females.	69.	Femalos.	68.	Females.	.68.	Females.
Number.				Males.			16 E	Males.	Fen	Males.	Fen	Males.	Fe
1	3			3	4	5		7	8	9	10	11	12
	DELHI DIVI	SION	.										
1	Hissar		***	4,042	3,456	3,340	3,327	640	614	401	431	371	314
2	Robtak			3,247	2,816	1,093	2,064	737	685	646	655	595	640
3	Gurgaon	***		3,418	2,901	2,948	2,784	668	569	400	296	426	340
4	Delhi			4,432	4,127	3,221	3,511	717	727	582	623	568	688
5	Karnal			5,925	5,432	4,023	4,257	879	859	747	885	753	751
6	Ambala			4,923	5,152	3,432	3,888	667	603	466	517	454	463
7	Simla	***		183	136	33	48	10	12	9	12	10	20
	JULLUNDUR D	IVISI	ON.										
8	Kangra	757		3,888	3,652	1,475	1,462	511	. 266	321	337	316	549
9	Hoshiarpur	***		5,265	4,980	4,211	4,512	776	789	742	782	\$50	590
10	Juliandar	***	***	4,431	4,863	2,819	2,994	805	836	493	480	428	467
11	Ludhiana			3,712	3,932	2,437	2,471	946	984	923	1,042	830	927
12	Ferozopore			5,189	5,256	3,828	3,821	1,029	990	836	1,000	670	750
	LAHORE DIV	ISIO											
13	Montgomery	***	***	2,214	2,088	1,458	1,440	320	301	158		130	119
14	Labore			6,289	5,941	6,823	4,630	1,577	1,717			1,011	1,06:
15	Amritear	***		5,622	5,937	3,962	3,760	1,291	1,309		1,163	834	90
16	Gurdaspur	***		5,290	4,748	4,773	4,941	1,156	1,298		1,310	796	79
	Sialkot	***	***	5,284	4,998		4,694		2,683		2,312	1,766	1,80
18	Gujranwala			4,282	3,833	2,803	2,591	1,351	1,238	731	842	475	43
10	BAWALPINDI I	DIVIS	ON.				-						
19	Gujrat	***	***	2,825	2.670		- 5	472	100		374	1000	
20	Shahpur		***	2,537	2,331								
21	Jhelum Rawalpindi	***	***	2,014		1,000							
23		***	***	2,608	2,452				and the				
20	Attock MULTAN DI	VICTO	N.	2,280	2,079	1,780	1,781	683	745	193	216	221	17
24				2,451	2,232	1			m or fi				1.
25	Mianwali	***	***	2,430		3			10.2				
	Jhang	***	***						1000	-			
26	Lyslipar	***	***	3,292	3,290	100	1						
28		***	***	3,823	3,713								
	Muzaffargarh		***	2,044					1000			1 200	
2:1	Dera Ghazi Kha			1,870	1,581				-		-		22
	Total for the P			105,739	-					-			-
	Census of 19	01.		340,768	315,547					1,351,018		991,572	
	Ratio per 100	divin	g	810:30	318-62	70-23	76-94	14'44	17:20	11-72	16.87	13.16	173

Note.—The population of military cantonments by different sges caunot

DISTRICTS OF THE PUNJAB DURING THE YEAR 1906. AND HAR ALL RESEARCH OF DESCRIPTION OF THE PUNJAB DURING THE YEAR 1906.

-	-	1	-		-	-	- Amag			-	- distance	-
1	-)	10	0	1	1	1	2	1	3	14
20 YEA			RR AND	40 TEAL		50 YEARS	IND UNDER	60 YE	BS AND	PATRIOUS A	TOTTA FUTO	
UNDER 3	O YEARS.	UNDER 4	O TEARS.	UNDER S	O TEARS.		KAUS.	CPW/		Тот	AL.	
			T									Digrations.
						1 2					ghosp	
Males.	Females.	Males.	Females.	Males.	Femules.	Maloe.	Females	Males.	Females.	Males.	Females.	N un ber,
-		15	16	17	18	-		Commence of the latest of		-	-	-
13	14	12				19	20	21	22	23	24	25
790		13.05			660	HCU,UE	58	1,518	110 60	13,389	12,577	1 tantil
894	199.97	12 (6)		1 1	695 828	904	DET.AL	830 0	04 . 12	11,9-7	11,000	2 2230
1,13:	1000					1285'91.	870 890	TAGE	1,52	13,174	11,817	3
1,579		1 12 20				1,509		0,880	880 840	20,823	20,775	5
1,065	1,217	1,207	1,260	1,20:	1,050	1,093		I SEA	2,134	000,000	17,102	- G
56	41	47	41	36	19	40	28	2,007	55	449	412	7
							19		188,1 1800	011,12	000,0	
722	1,392	798	944	786	\$39	872	622	2,145	1,994	11,866	12,277	DIAL MAN
1,121	1,438	1,116	1,265	1,212	1,072	1,076	901	2,758	2,579	18,827	18,913	9 00000
732	Emil.	1			610	786	568	2,291	1,089	14,200	14,380	1. 10 dec1
1,055	Table 1		1000		958	852			The last	14,640	15,201	11
1,194	1,426	1,077	1,097	1,095	1,01.1	1,044	828	1,926	4,69:	17,688	17,871	12 Alithe
256	335	246	266	214	218	279	200	60-	- 000	0.190	800 00A	- erogepore
1,936		- 03		100	1.248	1,257	14.0	2,572			22,765	301377A1 20031V10
1,521		Permi		1	1,133	1,130	30,5	1,762	10.10	21,178	21,36	gramon and
1,707		1,689	1,709		100	1,256	101.12	TARLED SE	1110 1005	22 151	21,797	16
1,855	2,115	1,744	1,850	1,527	1,630	1,374	1,532	3,661	3,313	26,331	26,927	17
1,143	1,169	955	1,015	643	799	745	611	1,778	1,473	15,086	14,001	18
	Jones .			02 000	bre	SEER	00 12 0	004		100 100	- 00 x 100	
649	738	594	715	592	573	51	516	1,747	1,774	10,442	10,59	19
400					389	473					7,58	310 20 VIII
419	1200			183	482	463						21 danie 0
750	1000					676 483					10.141	22
498	1.82	2/4	,603	51.5	43	400	374	1,106	953	8,308	8,054	23
333	482	433	514	444	427	445	3×0	1:163	1,035	8,221	8,195	- 24
219	1			F 1883			261					
314							289					20
570	581	603	582	534	467	616	571	1,341	1,131	9,971	9.37-	27
290	439	394	198	379	321	.344	221	751	635	6,004	5,587	23
909	,969	502	507	423	335	880	293	849	623	7,324	6,649	29
24,947	23,572	24,251	25,463	23,722	21,478	22,086	18.618	49,619	44,526	374,880	368,020	1334
-	-			1,070,272	-			I		10,798,255		
14:07	16 32	16-26	19-44	22.16	22-82	31:58	32:19	74.88	83.05	3472	39-3	1790

be excluded, as it is not shown separately in the Census returns.

ANNUAL FORM No. V.

DEATHS REGISTERED ACCORDING TO CLASSES IN THE DISTRICTS OF THE PUNJAB DURING THE YEAR 1906.

1	2			3	11		1		4	91	10	1		5		
-		POPULATIO	ON ACCORT	DING TO	CENSES	от 1901.	Num	DER OF D	ZATRS	REGIST	RED.	RAT		RATHS PULATE	PER 1,00	00 09
Number,	Districts.	Muham madans,	Hindus,	Nativa Christians.	Other classes,	Total.	Muhammadans.	Bindus.	Native Christians.	Other chases.	Total.	Muhammadara.	Hindus	Native Christians.	Other classes.	Total,
1	2	3	4	5	6	7	8	9	10	11	15	13	14	15	16	17
	DELHI DIVISION.															
	Hissar	202,009	100	53	211	781,717	5,968	19,998			25,986	29.24	34-51	-		33-22
	Rohtak	91,687	211	41		630,672		20,113		122	23,907	30:46				36-32
	Gurgaon	242,548	- 12	221		746,208		16,367			24,991				1000	33-49
- 2	Delhi	188,655	to the	10.00	388	686,998		22,930			31,545				-	45-92
	Karnal	241,412		225		883,225		30,064			41,598					47.10
	Ambala	234,679 5,560		959		763,250		23,341			38,850			1		44.35
	JULLUNDUR	0,000	27,770	965	1,881	35,570	142	641	9	69	861	25.24	23.08	24'46	36.68	24-20
	DIVISION.	Car la	11.0	1,000	0	2 623										
8	Kangra	39,534	720,389	203	4,315	764,441	1,116	23,025	2		24,143	28.23	31.96	9.85		31-58
9	Hoshiarpur	312,958	676,009	785	30	980,782	12,107	25,622	11		37,740	88.00	37.90	14-01		38-18
0	Jellandar	416,691	487,234	276	106	904,307	13,524	15,054	2		28,580	32.46	30-90	7.25		31.60
11	Ludhises	235,937	436,212	415	533	673,097	9,586	20,248	7		29,841	40'63	46.42	16.87		44'33
12	Ferozepora	436,995	494,966	240	5	932,206	18,134	17,624	1		35,759	41.50	35-61	4.17		38.36
-	DIVISION.	13 19	1.8	00.	1.0	100										
13	Montgomery	348,806	138,772	313	61	487,952	8,947	2,999		1	11,947	25'65	21-61		16-39	24'48
14	Lahore	711,171	428,753	2,990	3,115	1,146,029	33,433	13,133	35	12	46,613	47'01	30-63	11.71	3.85	40-67
15	Amritear	474,457	546,208	1,492	281	1,022,426	19,423	23,011	24		42,538	40'94	42.28	16.09		41.60
16	Gurdaspur	462,996	469,346	4,198	244	936,784	21,090	22,573	280	5	43,948	45.55	48'09	66.70	20'49	46-91
17	Sialket	710,778	349,867	10,662	20	1,071,827	34,667	17,860	322	400	53,268	48.77	51.07	30'20	8	49.71
18	Gujranwela	603,464	281,439	5,582	82	890,577	21,509	7,250	110	218	29,087	35.64	25.76	19:67	?	32-66
1	BAWALPINDI DIVISION.	3 050	OI I	IN.E	TEST	100						171				
	Gujrab	655,838	94,250	241	219	750,548	18,364	2,660		8	21,032	28.00	25:23		36.23	28.02
20	Shabpur	442,921	81,247	21	70	524,259	13,204	2,298	27		15,524	29-81	28-22	2		29-61
	Jhelum	442,519	55,445	110	102	498,176	13,737	1,614	2		15,353	31.04	29:11	18.18		30-82
	Bawslpindi	451,850	65,136	225	550	517,761	17,361	2,750	8	180	20,302	28-43	42:22	35.56	327-27	39-21
23	Attock	418,142	42,465	250		460,897	15,123	1,232		7	16,362	36-17	29.01		5	35-50
	MUETAN DIVISION.															
	Mianwali	371,674	52,870	16	28	424,588	14,417	1,982	2	15	16,416	38.79	37.49	125-00	535 71	38-66
	Jhang	390,064	100,083	119		490,268	9,974	2,320		59	12,353	25.57	23'18	***	2	25-20
	Lyallpur	304,186	212,583		73	522,144	9,827	5,412	225	- 19	15,483	32.31	25.46	42'44	260-27	29-65
	Multan	565,557	131,852	198	252	697,829	15,225	4,116		4	19,315	26.92	31.22		15.87	27-72
	Muzoffargarh	350,177	55,446	17	16	405,656	10,033	1,552		6	11,591	28.65	27.99		375-00	28-57
	D. G. Khan	411,315	58,530	81	21	469,947	12,009	1,893		73	13,973	29-20	52-34		2	29.73
Total	I for the Pro-	10,732,550	,524,476	37,695	13,959	20,108,000	390,914	849,766	1,150	1,076	742,906	36'42	37:51	30:51	*77'19	36-94

^{*}Figures incorrect, due to misclasdification.

ANNUAL FORM No. VI.

DEATHS REGISTERED FROM DIFFERENT CAUSES IN THE DISTRICTS (RURAL CIRCLES)
OF THE PUNJAB DURING THE YEAR 1906.

-		_			- 1		- 1	. 1			-	-
1	2		3	4	5	6	7	8	9			10
			8118118									INJU
			20 03					boes.		Suici	ide.	4
Namber.	A.—RURAL CIRCLES.		Population according to census of 1901,	Cholera,	Small-pox.	Plague,	Fevers.	Dysentery and diarrhosa,	Respiratory diseases	Males.	Females.	Wounds and accidenta
1	2		3	4	5	6	7	8	9	10	11	12
	DELHI DIVISION.											
1	Hissar		693,044	46	213	238	15,030	196	474	5	1	97
2			576,415	***	145	3,252			658	6	6	102
	Gurgaon		678,503	206	711	117		588	697	16	42	220
4		144	457,658	25	31	434	11,825	117	2,654	5	24	123
5			799,607	293	58	4,445	22,652	278	1,112	2	4	195
6	Ambala		698,479	2	484	2,430	16,756	1,061	4,512	3	4	134
7	Simla		21,449				98	47	93			7
	JULLUNDUR DIVISIO	ON.										1
8	Kangra		751,945	10.20	21	84	13,725	1,047	1,660	6	10	210
9		***	923,773	320	499	4,316	18,602	478	5,452	4	9	201
10			789,950	48	640	1,674	12,495	602	3,770	7	5	162
11	Ludhiana		586,569	1	716	8,040	9,786	131	1,136	8	13	65
12			881,750	123	1,169	4,810	R. Harrison	271	1,274	9	5	181
	LAHORE DIVISION	710000							1000			
13	Montgomery		468,182	46	616	128	6,840	163	181	1	2	136
14	Lahore		906,019	1,288	1,309	9,350	15,686	260	922	3	5	288
15	Amritsar	***	842,818	256	380	6,507	15,927	591	1,352	5	2	153
16	Gurdaspur	***	871,990	26	90	11,995	16,690	1,192	10,000	5	4	201
17	Sialkot		994,914	504	744	14,324	21,062	1,431	4,595	9	5	241
18	Gujranwala		802,306	124	686	5,663	13,611	242	403	4	3	238
	BAWALPINDI DIVISIO	ON.					-					
19	Gujrat		709,017	205	293	1,269	11,351	292	1,965	5		188
20	Shahpur		471,938	6	49	177	8,615	210	389	1		187
21	Jhelum		472,703	4	244	337	9,524	980	608	3	4	162
- 22	Rawalpindi		469,167	2	85	697	12,175	833	497		1	165
23	Attock		442,646		69	59	12,463	94	171	1	1	125
	MULTAN DIVISION	τ.										
24	Mianwali	***	391,442		10	7	12,081	342	251	1	1	116
25	Jhang		451,383	6	52		6,604	586	141	1		60
26	Lyallpur		512,973	25	656	174	9,502	304	465	2	2	194
27	Multan		604,125	8	134		11,299	109	64	2		248
28	Muzaffargarh		393,253	140	73	33	9,528	96	160		1	154
29	Dera Ghazi Khan		428,705		204		10,961	154	190	1	3	82
	Total of the Rural Circles		18,092,723	3,544	10,381	80,584	367,330	13,004	45,846	115	157	4,635

No. VI.

(RURAL CIRCLES) OF THE PUNJAB DURING THE YEAR 1906.

3		11	12	3			1	3				14		
ILES.			ź		RATI	O OF DEA	THS PER	1,000 OF	POPULATIO	on.		FROM ALL	CAUSES.	1
Snake-bite and killed by wild bensts.	Total.	All other causes.	Tota. deaths from all causes.	Cholera.	Small-pox.	Plague.	Fevers.	Dysentery and diarrhoea.	Respiratory diseases.	Injuries.	All other causes.	For the year.	Mean ratio of previous five years.	Number
13	14	15	16	17	18	19	20	21	22	23	24	25	26	2
41	144 116	4,249	20,590	0.07	0.31	0.84	21-69	0.28	0.68	0-21	613		39:03	1
18	296	6,360	22,598	0.30	0.25	5.64	20'00	0.54	1.14	0.20	8.11		47:51	П
21	178	2,205	17,464	0-05	0.07	0.17	20.08	0.26	5.80	0.44	9.37		47.68	1
60	261	8,046	37,135	0.35	0-07	5-56	28:33	0.35	1:39	0.33	10.06		44.95	
27	168	5,611	31,024	0-002	0.69	3.48	28.99	1.52	6:46	0.24	8.03		56:40	1
2	9	183	430				4.57	2.19	4'34	0.42	8.23		16.02	п
- 1														ı
38	264	7,062	23,863	,	0.03	0.11	18:25	1.39	2-21	0.35	9.39	31.74	35.76	
34	248	4,903	34,818	0.35	0.24	4.67	20-14	0.52	5.90	0.27	5.31	37.69	45:79	
5	179	5,229	24,632	0.05	0.81	2.12	15.82	0.76	4.77	0.23	6.62	31.18	57:14	
6	92	6,112	26,014	0.001	1.22	13.71	16.68	0.22	1.94	0.16	10:42		70.16	1
23	218	8,065	33,220	0.14	1.33	5.46	19-61	0.31	1:44	0.52	9.15	37.68	49.07	
57	196	3,165	11,335	0.10	1.32	0-27	14'61	0.35	0-39	0.42	6.76	24:21	25.79	
83	879	8,111	37,305	1.42	1.44	10.32	17:31	0.29	1.02	0.42	8.95	41:17	52.56	
12	172	8,554	33,739	0.30	0.42	7.72	18.90	0.70	1.60	0.50	10.15	40.03	58:71	
26	236	873	41,102	0.03	0.10	1376	19.14	1.37	11'47	0.27	1.00	47:14	55.46	
52	307	6,647	49,614	0.51	0.75	14:40	21.17	1.44	4.62	0.31	6.68	49.87	57:38	
96	. 341	4,213	25,283	0-15	0.86	7.06	16:96	0.30	0.20	0.43	5.25	31.21	55.37	1
38	231	4,075	19,681	0.50	0.41	1.79	16.01	0.41	2.77	0.33	5.75	27.76	42-07	
57	245	3,904	13,595	0.01	0.10	0.38	18-25	0.44	0.82	0.52	8-27		46.35	П
41	210	2,663	14,570	0.01	0.25	0.71	20-15	2.07	1.20	0.44	5-63	30.82	34.55	1
30	196	3,135	17,620	0.004	0.18	1.49	25:95	1.78	1/06	0.45	6.68	37:56	32.85	1
29	156	2,633	15,645		0.16	0.13	28:16	0.21	0-39	0.32	5:95	35'34	29:84	۱
9.0		0.010	15.000		0.02	0.00	00.00	0.00	0.01					
36 40	154	2,248 3,307	15,093	0.01	0.03	0.05	30.86	0'87	0.64	0.39	5.74		27·91 24·99	1
14	212	3,961	15,299	0.02	1.28	0.34	14:63	0.59	0.31	0.22	7-33		35-65	1
47	297	4,018	15,924	0.004	0-22		18-70	0.18	0-11	0.49	6.65		27-83	н
60	215	1,016	11,121		0.19	0.08	24.23	0.24	0.41	0.55	2:58		28-88	1
45	131	890	12,530		0.48		25-57	0.36	0.44	0.31	2.08		22-88	П
1,040	5,947	126,112	652,724	0.50	0.57	4'45	20:30	0.72	2.23	0-33	6:97	36.08	45.01	1

_ .		2			3	4	5	6	7	8	9			10		
					Population according to census of 1901.					69.				INJURIE	ю,	
					a ga					Dysentery and diarrhoea.	108	Su	icide.	acci.	led	
0.	В	-Tow	NS.		poordi					dia dia	Respiratory diseases	_			Snake-bite and killed by wild beasts.	
					pulation acc sus of 1901,					7 880	D.			and	e-bite and ki	
					of 1	é	yod.	3	ni l	tery	ato		ž		bite	
					sus	Cholera.	Small-pox.	Plague.	Fevers.	ysen	spir	Males.	Females.	Wounds dents.	by w	Total.
1		2		_	3	5	5	6	7	-		-	_	-		-
-		-		_		-				-8	9	10	-11	12	13	14
	HISSAR	DIS	TRICT.										-			
2 3	Hissar Hansi		***		17,647 16,523		1	13 1 1,308	330 189	32 52	70 69		***	5	1	
3 4	Bhiwani				35,917	1		1,308	579	118	145		***	5 5 5		
5	Sirsa Fattehabad	•••	***		15,800 2,786	444	- 1	2	673 85	15	33	***		2	2	
	ROHTAK	DIS		1	2,100							***			***	***
6	Dalash				10 700			2	200	10						1
7	Jhajjar		**	***	19,766 12,227		1	. 2	306 135	48	85 55	141		3	***	
8				***	9,723		4	251	145	41	55 74	***	***	1	***	
0	Gohana Bahadurgarh		***		6,567 5,974			2	135 147	14 19	19 18		***	1		
	GURGAO	N DI	STRICT			1								. 19	***	
1	Rewari		***		27,295	113	6:	3	209	96	94		1	5		
3	Palwal Farrukhnaga		***	***	12,830	13	5:	9 1	208	25	18		***	1		
4	Firozpur			***	6,136 7,278	1	10		103 179	17 21	19		***	1		
5	Sohna Hodal				6,024	2	3		113	17	11					
	DELHI	mre.	TRIOM	***	8,142		13		144	18	17			1	1	
7	Delhi	D10			000 504	0.4						1 10				
8 9	Sonepat	***	***	***	206,534 12,990	64 36		10	8,983 491	457 15	1,686	6	2	37	3	
0	Balabgarh Faridabad		***		- 4,506 5,310	111	1		90 233	17 12	11			2 2		
	KARNAI				5,010	***		" "	200			***		***	***	
1 2	Karnal				22,703		1		400	86	100	10				
2 3	Kaithal				14.408			5 1	463 637	53	123 90		***	9		
4	Panipat Ladwa	***	***	***	26,914	3	- 1	427	395	61	166	2.0		8		
5	Shahabad				3.518 11,009			2 61	68 235	16 41	15 52		***	1 4 2	1	
0	Thanesar			***	5,066			1 2	126	29	38			2	2	
	AMBALA	DIS	STRICT												1	
8	Ambala Jagadri		***	***	26,744 13,462		1	5	487 285	127 62	181			11	4	
9	Burya Sadhaura		***		5,865		***		115	13	25	***	1	10	1	
1	Rapar				9,812 8,888	1	1:	64	210 95	81	108			2 2	***	
	SIMLA	DIS	TRICT.			1		1		-	-		***			
12	Simla				14,130			2	190	13	54		1	5		
	KANGE	A D	STRIC			144			100	-	34	***	***	3	***	-
33	Kangra			***	4,746			i								
14	Dharmsala			***	3,288	***			22		15 2	100000	***	1		
100	Nurpur				4,462				61		12			1		
	HOSHIARI		DISTR	ICT.												
36	Roshiarpur		***		17,037		1	2 4	181	36	160			8	100	
38	Khanpur Hariana	***		***	3,183 6,005		***	2	58	17	13			2	70	
39 40	Garldiwala	***		***	3,652			2 63 136			35 20			2 2	***	
41	Dasuyah Tanda Urm	ar		***	6,404	***	""	12	196	15	30		100	1		
42	Miani				10,247 6,118			2 140	268 159		45		***	1	***	
48	Mukerian Una	•••	***	***	3,589			4 93	88	9	26			1 3		
44		***	***	***	4,746 5,028		1	:	110	4	28					

No. VI.

TOWNS OF THE PUNJAB DURING THE YEAR 1906.

	11	19						13					14
		on page.			R	ATIO OF	SATUS PE	в 1,000 о	F POPULA	TION.			
	uses.	from all o					and diar.	diseases.		nases.	From all	equies.	No.
	All other causes,	Total deaths from all canners.	Cholera,	Small-pox.	Pagne,	Fevers,	Dysentery chia.a.	Respiratory diseases.	Injuries.	All other causes.	for the year,	Mean of prions	
-	15	16	17	18	19	20	21	22	23	24	25	26	27
	29: 34' 776 187 4	750 647 2,942 916 98	0-03	0·40 0·18 0·25 0·13 0·72	0°74 0°16 36 42 0°13	18-70 14-44 16-12 42-59 30-51	1:81 3:15 3:29 0:95	3 97 4·18 4·04 2·09 2·51	0°34 0°36 0°17 0°25	16-72 21-00 21-61 11-84	42:67 40:37 81:91 57:97 35:18	58:57 63:68 60:71 51:01 39:77	1 2 3 4 5
	262 182 84 68 55	715 424 600 24/ 245		0.48 0.57 0.41 0.15 0.84	0·10 25·82 0·30	15·48 11·04 14·91 20·56 24·61	2·43 3·60 4·22 2·13 3·18	4-30 4-50 7-61 2-89 3-01	0.15 0.08 0.10 0.15 0.17	13:26 14:89 8:64 10:35 9:21	36·17 34·68 61·71 36·55 41·01	44-76 42-66 53-44 54-09 45-90	6 7 8 9 10
	328 131 58 60 79 86	908 455 222 276 252 280	4·14 1·01 0·16 0·33	2-31 4-60 3-59 1-37 4-98 1-60	 6-16 	7-68 16-21 16-79 24-59 18-76 17-69	3·52 1·95 2·77 2·89 2·82 2·21	3·44 1·40 3·10 0·55 1·83 2·09	0°18 0°08 0°16 0°27 	12-02 10-21 9-45 8-24 13-11 10-56	33·27 35·46 36·18 37·92 41·83 34·39	45-57 56-18 38-40 48-99 50-00 63:20	11 12 13 14 15 16
	1,76 62 28 3	13,028 633 152 268	0·31 2·77 	0.02 0.48 0.89 2.64	0.05 0.31	43-48 37-80 19-97 43-88	2·21 1 15 3 77 2 26	8-16 1-15 2-44 1-13	0.23 0.31 0.44	8·60 4·77 6·21 0·56	63·08 48·73 33·73 50·47	48-68 47-28 47-85 39-44	17 18 19 20
	295 244 439 75 111 47	988 1,036 1,507 237 445 250	 0-11	0.44 0.35 0.30 0.18 0.79	0.04 0.07 15.87 17.84	20·39 44·21 14·68 19·38 21·35 24·87	3-79 3-68 2-27 4-55 3-72 5-72	5·42 6·25 6·17 4·26 4·72 7·50	0.44 0.42 0.30 0.57 0.36 0.79	12:99 16:94 16:31 21:32 10:08 9:28	43-52 71-90 55-99 67-37 40-42 49-35	54·16 68 84 45·76 62:36 45·11 37:39	21 22 23 24 25 26
	263 228 12 11 65	1,045 628 271 590 288	 0·11	0-64 0-07 1-32 2-25	0·19 0·07 6·52 3·60	16:34 21:17 19:61 21:40 10:68	4·75 4·61 2·22 8·28 4·16	6:77 3:27 4:26 11:01 3:83	0.56 0.74 0.51 0.20 0.23	9·83 16·57 20·46 11·72 7·31	39·07 46·50 47·06 60·44 32·18	52°24 52°90 58°89 50°71 54°84	27 28 29 30 31
	167	431		0-14		13:45	0.92	3-82	0.35	11:82	30-50	30-35	32
	52 2: 5:	91 3 14:				4·6 1·2: 13·6:	1.68 1.52 4.26	3·16 0·61 2·69	0:21 0:30 0:22	10-96 6:39 12-54	20 65 10 04 23 39	89 55 38 69 37 43	33 34 35
	14) 4/ 4: 24 3: 51 52 32 27 36	544 133 22° 23 28° 53° 40° 23° 18 16°	0.1	0·7(0·3: 0·2 1·1 2·3:	0-22 0-65 1-49 37-21 1-81 13-66 25-83 25-91	10-f 2 16-b 10-9 13-1 30-6 26-1: 25-9 24-5 23-18 16-31	21 1:34 2:34 2:34 2:27 1:31 2:5 0:6 1:9	9°39 4°08 5°83 5°48 4°89 4°29 1°91 5°90 3 5°	0.47 0.63 0.33 0.55 0.16 0.10 0.16 0.84	8:28 14:45 7:16 6:57 5:31 4:98 8:51 8:92 5:46 7:16	31:93 41:78 37:47 62:98 44:97 51:72 66:00 65:76 37:9:30:20	48:60 61:45 49:2: 52:14 44:32 53:01 42:14 59:01 23:88 38:15	36 37 38 39 40 41 42 43 44 45

1		2			3	4	5	6	7	8	9			10		
					Population according to cen- sus of 1901.	men d	- near			6				INJURIE	18.	
					60			1 8		and diarrhosa	*	Su	icide.	acci-	led	
	70				ordi					dia	46		-	. a.	and killed	
0.	В	Town	6.		acc 01.					pu	Đ.			bud	and k	
					138		#				2007		2		Ito	
					pulation ac sus of 1901.	era.	d-i	60	8	nte	i.	2	ole	ounds dents.	a-b	4
					Popr	Cholers.	Small-pox.	Plague.	Fevers.	Dysentery	Respiratory diseases.	Males	Females	Won	Snuke-bita by wild b	Total.
1		2		-	3	4	5	6	7	8	9	10	11	12	13	14
	JULLUNDU	R D	STRI	OT.	-1											
16	Juliundur Alawslpur		***	***	54,455 4,428	11	73	73	587 48	185	345	2	***	11	1000000	14
18	Kartarpur		22		10,84		1	182	118	16	87	1		" 1	***	2
50	Bungah Rahaon		***	:"	4,697 8,651		10	47	53 178	16	30 56		***	1 5	***]
51	Nawashahr	***			5,641	***	25	102	55	24	28		***			
3	Phillour				6,986	9	11	6	94	25	49		***	***		***
4	Nurmahal Nakodar		***		8,706 9,958		44 16	3 2	131	26 12	49 36			6	1	9
	LUDHIAN			- 200		1		1			2 100		1			200
5	Ladbiana				48,211	50	191	55	1,116	67	197			3	1	4
8	Jagraon				18,76	3	37	388	138	1.0	184		***	6		6
7 8	Raekot Khanna		***		10,131	***	21	94	79	13	30		*** 1	6 2 2		6
9	Machiwara	***	***		3,838 5,588	***	27	82 56	52 127	18	18			2 2	***	9
	FEROZEPO			- 1100			- 118						1			PORT I
0	Ferozepere				.23,475	5	30	199	409	29	8:			7		
1	Zira		***		4,001	1	39	142	80	6	20		***	i	1	1
3	Makhu	***	***		1 853	***		18	64	2 7	13	1	***			1
4	Dharmkot	***	111		6.731	***	7 29	815	48 70	10	19		- 44	2 4		2
15	Fazilka		***		8,505		34	17	264	26	30		***	2		1
	MONTGOME	RYI				17.00								1		
8	Montgomery				6,602				35	18	28			1	1	1
7	Kamalia				6,976	***	4	8	121	16	6			5		
8	Pakpattan	***	***		6,192	***	5		116	4	11		***	1	***	1
	LAHORE	DIS	TRICT			111										
	Lahore		***		186,984		228	890	3,007		1,498	2	1	96		1 200
0	Sharakpur Chunian	***	***		4,474 8,959		8	177	68 102	13	20		***	2	12333	1
2	Khudian		***	10.0	3,401	3	2	14	94	9				1		
13	Kasur Kham Kann	***	***		22,022		15	26	253	32	88			1 5	***	
5	Khem Karn Patti		111		6,083 8,187		12	155	113	11	30			2 3		
	AMRITSA		STRIC							**						
6	Amritsar		***		161,039	33	325	1,863	2,936	253	1,535	1	1	59	1	6
7	Majitha				€,403	***	1	30	84	26	2:			1		1
8 9	Jandiala Tarn Taran		111	***	7,750 4,428		6 23	133	219		31			***		***
	GUEDASE	URI	OISTE	CT.	9,420		23	-	*1	11	-	-			***	
0	Gurdaspar				4,903		2	59	75	8	55	,		1 2	2	
1	Dina Nagar	***			5,191		2	109	131	6	20			***		
82	Kalannur Parhankot	***	***		5,251 6,091		1	116	112		8:			1 2)	113
84	Sujanpur	***	***	191	5,687		***	121	63		7				"	
35	Dalhousig	***		-	808			10	1			8		1		100
86	Betala Srigobindpe	7	***	***	27,365 4,380		37					8		16		1
88	Dera-Nanak		***	***	5,118		6		125						3	1 11
89	SIALKO	T DI			44 500									1		1
90	Sialkot Daska	***	***	***	44,785 6,655		11 29							1	9	1 1
	Jamke		***	***	4,216	1	3	70	45	13	1	9			1	1
	Kila Sobha	Singh		***	3,338	5	20		113	14	3	7			1	1
92							- 40%	- 4.4	71	11 .99	5	PART .	A STREET			
91 92 93 94	Pasrur Zaffarwal				8,33: 4,658			55			4		***			١

TOWNS OF THE PUNJAB DURING THE YEAR 1906.

11	12	1					13					14
	Bidges.			R	ATIO OF I	DEATES PE	R 1,000 or	POPULATI	ON.			
	o Ila a			1		diar-	ascs.		1	From all	causes.	
All other causes.	Total deaths from all causes.	Cholera,	Small-pox,	Plagee.	Fevers.	Dysentery and rhosa.	Respiratory diseases.	Injeries.	All other causes.	For the year.	Mean of pre- vious five years,	No,
15	16	17	18	19	20	21	23	23	2.5	25	26	27
448 47 85 50 49 41 65 29	19 44 20 35 27 26 28	1 2 2 1.29	1'34 1'13 0'09 2'13 1'50 443 1'57 5'05 1'61	0°40 16 50 16 79 10°01 3°58 18°08 0°86 0°34 0°20	10.78 10.85 10.89 11.28 20.58 9.75 13.46 15.65 13.16	2-94 1-48 	6:34 2:49 3:41 6:39 6:47 4:96 7:01 5:63 3:82	0 26 	8·19 10·63 7·84 10·65 5·66 7·27 9·73 3·33 3·82	30 91 44 54 40 68 44 07 40 8) 48 75 37 50 32 85 24 50	46 06 52 0 52 56 47 01 58 12 58 72 59 61 51 46	46 47 45 49 50 51 52 53 54
253 213 119 38 57	1,01 38 24	9 0.16	3:96 1:97 2:07 7:03 0:36	1:14 20:68 9:28 16:15 10:02	23:15 7:36 7:10 13:85 22:73	2.67 1.28	4:09 9:81 2:96 11:46 3:22	0-08 0-32 0-59 0-78 0-36	5-25 11-5 11-75 9-90 10-20	40.09 54.32 35.73 63.57 48.14	\$9-51 53-60 84-71 79-1 71-37	55 56 57 58 59
157 65 95 53 120	49 49	0.25	1.28 9.75 1.04 4.54 4.00	8:48 35:49 13:28 46:80 2:00	17:42 19:89 47:23 7:13 10:96 31:04	1.30 1.48 1.64 1.57	3.45 5.5 9.59 2.82 2.19 3.53	0-80 0-56 0-74 0-15 0-63 0-24	6-69 16-25 14-11 8-30 14-11	39-06 89-23 72-32 73-39 28-17 57-97	45 03 58 31 66 27 82 7 7 42 7 8 39 76	60 61 62 63 54 65
54 75 104	23	5	0.57 0.81	1.15	5:91 17:35 18:73	1:97 2:29 0:65	4°24 0°86 1°78	0.30 0.42 0.16	8 18 10-75 16-80	20-60 33-69 38-92	19·02 35·12 31·52	66 67 68
1,187 48 61 28 210 80 59	14 41 15 68	02: 33 7 08 2-3: 1 7-85	1.22 0.67 0.89 0.59 0.68 1.97 0.86	4·7 19·76 4·1 1·1 25·4 0·24	16:00 15:10 11:30 27:6- 11:40 12:90 13:80	1.70 2.91 1.00 2.65 1.45 0.66 1.24	8:02 1:56 2:46 1:76 4:00 1:64 3:66	0.56 0.45 0.11 0.29 0.23 0.49 0.37	6:35 10:95 6:81 8:23 9:54 13:15 7:21	38·99 31·96 45·76 46·16 30·88 64·28 29·31	40°69 47°92 68°98 67°45 52°25 66°78 50°05	69 70 71 72 73 74 75
948 57 56 46	2: 4: 1:	6 0·26 0·45		11·57 4·69 17·16 0·45	18:23 13:12 28:26 10:61	4·06 2·58	9:53 3:90 3:87 4:52	0·40 0·16	5.89 8.90 7.23 10.39	49.42 34.98 60.13 34.10	48-91 58-04 49-63 45-98	76 77 78 79
24 20 14 27 34 54 27	2: 2: 2: 3: 1,0:	66 14 171 10 0-33 11 8 13	0-41 0-39 0-19 1-35 0-91 1-17	12·03 21·00 22·09 1·97 21·28 4·97 2·97 0·20	15:30 25:24 12:57 18:39 11:08 11:14 17:65 28:31 24:81	1:16 3:15 3:61 3:52 1:86 2:74	10-61 5-01 8-76 13-63 12-66 9-90 10-09 1-83 8-01	1·22 0·38 0·33 0·17 1·24 0·55 0·23 0·59	4-89 3-85 2-67 4-43 5-98 1-97 6-10 6-06	46 C9 56 64 51 42 42 69 54 60 22 28 38 48 43 15 43 96	54*29 65 77 60*37 56 90 44*84 36 14 44*93 53*84 46*62	80 81 82 83 84 85 86 87 88
397 65 65 24 85 27 45	2 2 2 4 7	0-24	4:36 0:71 0:30 2:40	10°09 0°90 16°60 5°99 10°08 11°81 13°34	17:30 11:57 10:67 34:45 9:48 7:51 8:82	1.80 3.08 4.19 2.76 1.50	10°02 4'51 4 51 11°08 6'72 9'88 8'59	0·22 0·90 0·24 0·30 0·72 	8:86 10:37 15:42 7:79 10:68 5:80 9:50	49 43 34 41 51 47 65 61 47 99 36 93 43 65	+6-98 56:58 69:21 62:49 50:22 61:70 39:21	89 90 91 92 93 94 95

1	z	3	4	5	6	7	8	9	1		10	-	-
	The second second	cen-								•	INJURI	18.	
	Tar Tollar	Porulation seconding to census of 1601.					Dysentery and diarrhose.	69	Su	icide.	acci-	Ded	
No.	B,-Towns,	ccord					nd dia	disens			and a	nd ki	
		profation sc sus of 1901.		pox.			ery as	tory		*	1	nke-bits and ki	
		orula sus	Cholera,	Small-pox.	Plague,	Fevers.	ysent	stespiratory diseases.	Males.	Femules.	Wounds dents.	Snake-bite and killed by wild beasts.	Total.
1	2	3	4	5	-6	7	8	9	10	11	12	13	14
	GUJBANWALA DISTRICT.												
96 97	Gujranwala Wazirebad	29,356 18,068	10	14 31	704 356	353 210	32 26	108 42	2		16 11	***	18 12
98 99 100	Kila Didar Singh	6,494 2,705 4,961		20 14 8	8	77 19 64	1 14	19 5 8			1		1
101	Sohdara	7,121 5,313		73	3 81	132 105	7	8 23			3	1	4
103 104 105	Hafizabad Khangah Dogran Pindi Bhattian	4,692 5,349 4,2:9		27 27 55		61 18 50	2 3 3	5 2 2			2		7 2 1
106	Sangla GUJRAT DISTRICT.	982	3	8	2	42		4		***	3		3
107	Gujrat	19,048	25	3	31	301	42	130			5		5
108 109 110	Jalalour Kunjah Dinga	10,640 6,431 5,412		3 1	15	130 75 75	30 6 2	70 43 50			5 4 2	1	6
	SHAHPUR DISTRICT.												
111 112	Shahpar	5,855 9,163		1		70 262	13	14 12			1 2		1 2 11
113 114 115	Bhera Miani	18,680 7,220 11,403		102	10	383 93 143	27 10 41	60 17 16		***	11 4 4		11
210	JHELUM DISTRICT.	22,200			"	100	41		***				1
116 117	Jhelum Pind Dadan Khan	11,70a 13,770		1 5	13	138 272	20 30	55 37	1		4 5		5
	RAWALPINDI DISTRICT.											1	
118 119	Rawalpindi Murree	47 077 1,517		2	567	1,097	148	269 3			26	2	30
	ATTOCK DISTRICT.												
120 121	Pirdigheb Hazro	8,452 9,799				271 154	24 14	11 50			5 4		5
2000	MIANWALI DISTRICT.												
122	Mianwali	3,591 7,546	***	2		100 211	7 5	2		***	3		3
124	Karor Bhakkar	3,243 5,312	4			98	8 15	10			1 5		1 5
126 127	Isa Khel Kalabag	7,630 5,824		1		174 184	17 61	8			1 2		1 2
	JHANG DISTRICT.												
128 129	Jhang-Maghinna Chiniot	23,198 15,685		194		307 173	88 19	42 41	***		2	" 1	2 2
	LYALLPUR DISTRICT.												
130	Lyallpur	9,171	1	19	1	85	7	15			6		6
-	MULTAN DISTRICT.		1				N S			1			
131 132 133	Multan Kahror Shojabad	74,027 5,552 5,880		470 7 2	***	1,357 112 134	184 10 16	200 11			14 2 1 1	1	15 2 1 2
134 135	Jalalpur	5,149 2,528	144	1		98 66	1	5 1			1 1	1	2 1
-												100	

No.VI-coninued.

TOWNS OF THE PUNJAB DURING THE YEAR 1906.

11	12	1			-	13					-	1 14
-		-			RATIO OF	DEATHS PE		P POPULAT	TION.			1.0
	Total deaths from all cassus.				II ATTO OF			roroux				
.69	00 E					d diar-	860348		99	From al.		No.
All other causes.	the f		8			y and	Respiratory diseases.		All other causes.	year.	pre- five	1800
other	al des	Cholora,	Small-pox.	Piague.	Fevers.	Dysentery rhea.	pirat	Injuries.	other	For the year	Mean of vious years.	
15	16	17	18	19	20	21	22	28	24	25	26	27
176	1,415	0.32	0.49	24.83	12-45	1.13	3.81	0.63	6:21	49-90	49-42	96
139 49	816 172		1.72 3.08	19.70 0.31	11:62 11:86	1:44 0:62	2-32	0.66	7·69 7·55	45·16 26·49	45:09 52:88	97 98
28 49 73	151		5·18 1·61 10·25	1:61 0:42	7:02 12:90 18:54	0·37 2·82 0·98	1:85 1:61 1:12	0.37	10:35 9:88 10:25	25·14 30·44 42·13	51.00	99 100 101
91 59	303 161		0·19 5·75	15.25	19.76 13.00	0.19	4:33 1:07	0·19 1·49	17·13 12·57	57·03 34·31		102 103
22 49 21	291	3.06	0·37 13·01 3·06	29:79 2:04	3°27 11°82 42°77	0.56	0.37 1.66 4.07	0 37 0 24 3 06	4:11 11:59 21:38	9:16 68:81 79:43	18"	104 105 106
125 107	662 346	1.31	0.19	1.63	15.80 12.22	2-20 2-82	6-82 6-58	0.26 0.56	6·56 10·06	34-75 32-52	41.69 45.04	107 108
45 20	191		0·47 0·18	2-33 0-18	11.66 13.86	0.93 0.32	6·69 9·24	0.62 0.55	7·00 3·70	29-70 28-09	31-22 37-47	109 110
50 177	458		0.11		11:96 28:59	2·22 0·44	2:39	0·17 0·22	8:54 19:32	25:28 49:98	28-39 48-54 46-24	111 113 113
206 92 97			5·46 0·14 0·18	0.54 0.55	20·50 12·88 12·54	1:45 1:39 3:60	3·21 2·35 1·40	0:55 0:55	11:03 12:74 8:51	42.77 30.61 26.57	59·11 34·31	114 115
			-									
104 95	. 336 447		0.36	1.11	11.79 19.75	1·71 2·18	4·70 2·69	0:43 0:44	8.89 6.80	28·71 32·46	33·15 50·28	116 117
532 9	2,645 37		0.04	12.04	23·30 15·16	3·14 1·32	5:71 1:98	0.64	5.83 2.83	56·18 24·39	38·72 37·31	118 119
64 120	375 342				32·06 15·72	2-84 1-43	1.30 5.10	0:59 0:41	7:57 12:25	44·37 34·90	32·42 31·57	120 121
22		*	0.26	***	27-85	1-95	0.56	0.84	6.13	37.87	Not available,	122
29 45 58	162	0-75			27 9d 30-22 33-70	0.65 2.47 2.82	3.08 1 13	0-53 0-31 0-94	3 84 13 88 10 92	33-93 49-95 50-26	20:20 32:69 29:18	123 124 125
17 30	216		0.17		22·80 31·59	2·23 10·47	0.92 1.37	0.34	2-23 5·15	28:31 49:11	23 17 41 38	126 127
422 267			12:37		13·23 11·03	3·79 1·21	1.81 2.55	0.13	18·19 17·02	37·12 44·31	41'09 48'89	128 129
								-				
50	184	0-11	2-07	0.11	9.27	0.76	1.64	0.65	5.45	20.06	30:77	130
	,						- 900				1000	
529 75	217	0.07	6:30 1:26	***	18 32 29 19	2:47 1:80 2:72	2 68 1 98 0 68	0-20 0-36 0-17	7:09 13:51 7:48	37·12 39·09 34·18	29.94 30.40 36.80	131 132 133
85 15	141		0:40		22 79 19:03 26:13	0·19 3·17	0.97 0.40	0.39	6·80 5·94	27:38 36:42	3:90 44:10	134 135
1.			1	1	-		2000	The state of	1	10000	-	

1	2	3	4	5	6	7	8	9			10		
		G. G. B.					· ·				NJURIO	8.	
		rding to					diarrho	enses.	Su	icide.	nori-	and killed easts.	
	B.—Towns.	Population seconding to census of 1901.	Cholera.	Small-pox.	Plague,	Fovers.	Dysentery and diarrhosa.	Respiratory diseases.	Melen.	Females.	Wounds and dents.	Snake-bite and ki by wild beasts.	Total.
1	2 .	3	4	5	6	7	8	9	10	11	12	13	14
	MUZAFFARGARH DISTRICT.		+										
136 137 138 139	Muzaffargarh Kbangarh Alipur Khairpur	3,621 2,788		2 1 1	1	69 91 60 55	10 7 3 6	16 9 7	-		5 1 1	1	5 1 1 1
	DERA GHAZI KHAN DISTRICT.												
140 141 142 143 144	Dera Ghazi Khau Jampur Dajal Rajanpur Kot Mithau	5,928 6,213 3,917		3 1 24		323 123 137 80 158	57 7 16 13 14	66 11 31 11 2			1 1	1	2
	Total	2,015,967	688	2,858	11,152	40,548	4,591	11,281	25	7	640	49	721
	Total for the Province .	. 20,108,690	4,234	13,237	91,712	407,878	17,595	57,127	140	164	5,275	1,089	6,668

No. V1-concluded.

TOWNS OF THE PUNJAB DURING THE YEAR 1906,

11	12					1	3		1000			14
	auses.				RATIO OI	DEATHS I	PER 1,000	OF POPULA	TION,			
	n all c			1		and diar-	ases.			From all	causes.	
All other causes.	Total deaths from all causes.	Cholera.	Small-pox.	Plague.	Fevers.	Dysentery and rhora.	Respiratory diseases.	Injuries.	All other causes.	For the year.	Mean of pre- vious five years.	No.
15	16	17	18	19	20	21	22	23	24	. 25	26	27
27 22 51 17	129 130, 124 87		0°54 0°36 0°44	0.36	18°46 25.13 21°52 24°37	2 68 1 93 1 08 2 66	4·28 2·49 2·51 3·10	1'34 0'28 0'36 0'44	7:23 6:08 18:29 7:53	35-90 44:48	34'31 44'74 41'82 37'31	
173 42 68 27 46	629 183 252 134 245	=	0·14 0·26 6·88		14:89 20:75 22:05 20:42 45:31	2·63 1·18 2·58 3·32 4·01	3:04 1:86 4:99 2:80 0:57	0·32 0·51 0·29	7:97 7:09 10:94 6:89 13:19	28-99 30-87 40-56 34-21 70-26	30°29 32°03 34°22 30°94 20°36	140 141 142 143 144
18,343	90,182	0.34	1.42	5*53	20:11	2:28	5.60	0.36	9:10	44.73	46.65	
144,455	742,936	0.21	0.66	4.26	20:28	0.87	2.84	0.33	7:18	36:91	45:17	

ANNUAL FORM No. VII.

DEATHS REGISTERED FROM CHOLERA IN THE DISTRICTS OF THE PUNJAB DURING EACH MONTH OF THE YEAR 1906.

1	2		3	4							5					6			7		8	9
		REC	CLES OF HETRA- TON.	Town	s AND					1	Ionths.					TOTAL.		RATIO O			previous .	
Number,	Districts.	Number in each district.	Number from which deaths from cholera were re- ported.	vumber in each district.	Namber from which death from cholera were re- ported.	January.	March.	April.	May.	July.	August.	September,	October.	November. December.	Males.	Females.	Total.	Males,	Females.	Total.	Mean ratio per 1,000 for five years.	Number,
1	2	3	4	5	-6	7 8	9		111	2 18	14	15	-	17 18	19	20	21	22	23	24	25	26
-	DELH! DIVI-						1															-
1	SION. Bissar	27	5	972	6					1	6	40			23	24	47	0.06	0.02	0.06	0.15	1
2	Rohtsk	15		o 502	-											***					0.03	2
3	Gurgnon	21	14	1,179	32							37			171	164	335	0-44	0.46	0.45	0.08	3
-	Delhi	17	6		10			1				40	1	-	75	50	125		0.16	0.18	0.10	4
	Kareal	26			13						65	208	7		141	145	286		0.36	0.32	0.10	5
	Ambala	19			3			-		3	175				1	2	3	0.002	0.002	0.008	20.232	6
7	JULLUNDUR DIVISION.	3	***	51				7			-						***	***	***	***	0-29	7
8	Kangra	18		718				1											100		0.04	8
9	Hoshiarpur	24	10	2,128	52			5	11	5 4	17	106	125	0	162	161	323	0.31	0.32	0.33	0.08	9
10	Jullundur	19	6	1,226	8					3 2	9	14	8.		37	26	63	90:08	0-06	0.02	0.14	10
11	Ludhiana	15	3	869	4	1	1	***	19		12	21		-	38	16	54	0.10	0.05	0.08	0.62	11
1	Ferozepore LAHORE DIVI- SION.	25	12	1,511	23				-		1 64	46	18		82	47	129	0.16	0.11	0.14	0.61	12
13	Montgomery	19	6	1,336	16						8	37	1.		27	19	46	0-10	0.08	0.09	0.09	13
14	Lahore	30	30	1,540	211	1				2 43	734	297	16		921	559	1,480	1:46	1.08	1.29	0-75	14
15	Amritsar	15	12	1,047	39				141	4 9	6 116	34	15	1 3	172	121	293	0.31	0.26	0.29	0.51	15
16	Gurdaspur	25	6	2,255	10					7	9 9	5	7		24	13	37	0.05	0.03	0.04	0.06	1
17	Sialkot	22	16	2,355	108					4 4	9 173	134	226	2	374	214	588	0.66	0.42	0.55	0.02	
18	Gujranwala RAWALPINDI DIVISION,	23	0	1,339	15		-				3 19	69	46		82	55	137	0 17	0 14	0.12	0.08	18
19	Gujrat	14	9	1,340	40				3	0 3	2 33	106	29		128	102	280	0.33	0.28	0.31	0.01	19
20	Shahpur	22	3	794	4			***	***		4	2			3	3	6	0-01	0.01	0.01	0.13	1
21	Jhelum	14	1	876	1							***	4.		1	3	4	0.003	0.01	0.01	0.03	
22	Rawalpindi	13							1			***	1	-	1	1	2	0.003	0.003	0.003		
28	MULTAN DIVI- SION,	18		621											***	***	***				0.08	23
24	Mianweli	20	1	431	1			100				***		4	3	1	4	0.01	0.004	0.009	0.04	24
25	Jhang	13	1	990	3						6	157			5	1	6	0.03	0.004	0.01	0.02	25
	Lyallpur	16	5	938	6		-		7		1	25		-	16	10	26	0.02	0.02	0.05	0.13	No.
27	Multan	21	2	1,357	3		-	***	***	-		4	4.		6	2	8	0.02	0.01	0.01	0.05	1
	Muzeffergarh	18		704		1					I			-							0.01	1
29	D. G. Khan	22		718	_		-			-						***			***		0.001	29
	Total for the Prvince.	549	171	32,834	610	2	1	5	35 7	9 82	1 1,537	1,225	507	7 3	2,493	1,739	4,232	0.23	0.19	0.21	0-18	

ANNUAL FORM No. VIII.

DEATHS REGISTERED FROM SMAUL-POX IN THE DISTRICTS OF THE PUNJAB DURING EACH MONTH OF THE YEAR 1906.

DEATHS REGISTERED FROM SMALL-POX IN THE DISTRICTS

1		2				3		4							5
						CLES OF TRATION.	Town								MONTHS.
No.	Di	STRIC	CTS.		Number in each district.	Number from which deaths from small pox were reported.	Number in each dis- trict,	Number from which deaths from small-pox were reported.	January.	February	March.	April.	May.	June.	July.
1		2		600	3	4	5	6	7	8	9	10	11	12	13
_	DELHI	DIV	ISION												
1	Hissar				27	27	972	124	15	28	. 20	27	30	46	21
2	Rohtak		***		15	15	502	20	6	7	5	22	40	46	21
3	Gurgaon				21	21	1,179	105	66	74	88	104	189	195	70
4	Delhi				17	9	718	27	3	3	2	1	12	8	9
5	Karnal				26	20	1,390	59	3	6	4	6	22		7
8	Ambala				19	17	1,725	249	23	43	34	43	79	98	72
7	Simla	***			3	1	51	1	2						***
	JULLUND	UR	DIVISI	ON.											
8	Kangra		***		18	7	718	15	2	2	3	3	2	5	2
9	Hoshiarpur				24	18	2,128	204	65	61	51	48	90	70	43
10	Jullundur			***	19	19	1,226	202	112	74	75	78	124	112	100
11	Ludhiana		***		15	15	869	248	236	134	111	91	136	115	56
12	Ferozepore				25	24	1,511	429	131	144	148	131	214	163	167
	LABOR	E DI	VISIO	N											
13	Montgomer				19	17	1 200	168	67	54	62	7:3	110	93	46
14	Lahore				30	30	1,336	538	178	154	152	133	182	199	171
15	Amritsar				15	15	1,540	166	59	74	59	51	89	85	89
16	Gurdaspur				25	17	2,255	21	8	14	16	8	29	23	15
17	Sialkot				22	21	2,855	630	62	69	83	82	158	140	113
18	Gujranwals				23	22	1,339	101	105	67	46	80	164	131	110
1000					-		1,000	101	100	0,	40		104		
	RAWALPI	NDI	DIVIS	ION.											
19	Gujrat	***	***	***	14	14	1,340	189	12	13	20	20	32	47	50
20	Shahpur		***		22	15	794	25	1	3	5	13	25	26	16
21	Jhelum		***	***	14	13	876	50	4	3	5	1	7	24	26
22	Rawalpind			•••	13	12	1,195	45	12	7	8	12	14	8	4
23	Attock		***	***	13	6	621	21	7	12	2	6	8	3	12
	MULTA	N DI	VISIO	N.											
24	Mianwali	***			20	7	431	10	2	1	1	***	3	1	
25	Jhang		***		13	9	999	47	1	1		2	9	17	35
26	Lyallpur				16	9	938	302	54	60	69	86	109	111	61
27	Multan				21	17	1,857	110	14	14	33	26	50	22	85
28	Muzaffarga	rh	***		18	15	704	59	7		6	4	7	19	15
29	Dera Ghazi	Kha	m		22	12	718	87	9	12	21	29	81	42	24
	Total for th	ie Pr	ovince		549	444	32,834	4,252	1,266	1,134	1,129	1,180	2,015	1,849	1,390

No. VIII.

OF THE PUNJAB DURING EACH MONTH OF THE YEAR 1905.

					-	6		1	7	1	8		1 9	10
-						TOTAL.		DEATHS	BER OF AMONG ILDREN.	RATIO 1,000	OF DEAT	HS PER LATION.	revious	
August,	September.	October.	November.	December,	Males.	Fomales,	Total	Under one year.	Over one year and under ten years.	Males,	Females.	Total.	Mean ratio per 1,000 for previous five years.	No.
14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
							,							
2		4	6	14	123	114	236	39	175	0.53	0.31	0.30	0. 43	1
	8 2	5	7	2	90	81	171	48	107	0 27	0.27	0.27	0.18	2
4		8	13	40	508	400	908	118	767	1.30	1.12	1'22	0-80	3
	5 7	5	3	1	35	24	59	11	35	0.09	0.08	0.09	0.30	5
3		6	5	6 15	280	47 255	87 535	26	50 264	0.08	0.12	0.70	0-52	6
1		56	18		280		2	146	-	0.09	200000	0.06	0.55	7
		***	***		-		-			0 049	***			
	1				-					Carrier .	100000			
1	1 1	***			10	11	21	2	4	0.03	0-03	0.03	0.02	8
1		5	22	42	273	257	530	141	241	0.22	0.55	0.54	0.27	9
6		6	22	62	439	399	839	223	452	0.90	0.96	0.93	0.39	10
6		1	22	23 51	525 678	630	994	280	520 740	1.42	1.48	1.40	0.75	12
	1 42	34	22	01	010	630	-1,000	304	740	1.34	1.40			1
2	4 18	15	00		327	298	ros.	150	386	1'24	1.33	1.28	1.07	13
10		17 60	33 66	107	830	754	1,584	150 383	948	1.33	1:46	1.38	6.71	14
4		13	43	117	360	375	735	179	465	0.64	0.81	0.72	0.40	15
	7 5	1	5	10	73	69	142	26	98	0.14	0.16	0.12	0.22	16
3			14	26	417	393	810	190	.507	0.74	0.78	0.76	0.35	17
7	1 20	12	49	79	508	426	934	229	586	1.05	1.05	1.05	0.14	18
											-			
2	7 19	9	19	34	153	149	302	84	172	0.39	0.41	0.40	0.40	19
1		1 18	16	28	79	76	155	28	117	0.29	0 30	0.30	0.75	20
1	1 1000	10	32	103	117	133	250	62	152	0.47	0.54	0.20	0.65	21
1	1 1	3	4	3	35	52	87	28	47	0.13	0.21	0-17	064	22
	7 5		1	6	41	28	69	22	38	0.12	0.13	0.12	1.09	23
	1	1 1900	100					1						
			5		6	7	13	2	7	0.03	0 03	0.03	0.48	24
3	7 87	29	36	42	127	119	246	83	128	0.18	0.25	0.20	0-71	25
4	2 28	13	16	26	361	314	675	180	384	1.30	1.43	1-29	0.28	26
2	5 27	42	144	182	301	313	614	194	369	0.79	0.98	0.88	0.56	27
1	0	5	1	3	40	37	77	13	42	0.18	0-20	0.19	0.91	28
	9 3	2			115	117	232	50	137	0.45	0.55	0'49	0:46	29
78	7 445	370	624	1,050	6,892	6,347	13,239	3,241	7,938	0.64	0.68	0.66	0.48	

ANNUAL FORM

DEATHS REGISTERED FROM FEVERS IN THE DISTRICTS

1	2	-		3		4	. 1			-			- 5
-		- 1		CIRCI	EATION.		s AND						MONTHS.
No.	Districts.			Number in each dis- trict.	Number from which deaths from fevers were reported.	Number in each dis- trict,	Number from which deaths from forces were reported.	January.	February.	March.	April.	May.	June.
1	2			3	4	5	6	7	8	9	10	11	12
	DELHI DIVISI	ION.											
1	Hissar			27	27	972	972	1,281	872	856	969	1,513	1,612
2	Rohtak			15	15	502	496	1,020	511	465	646	1,327	1,089
3	Gurgaon			21	21	1,179	1,179	1,082	923	911	877	1,485	1,199
4	Delhi	***		17	17	718	718	1,271	976	1,028	1,236	2,112	1,562
5	Karnal	***		26	26	1,390	1,292	1,387	1,081	937	1,196	1,417	1,394
6	Ambala			19	19	1,725	1,699	832	617	546	652	895	784
7	Sim'a			3	3	51	48	21	8	11	16	17	32
	JULLUNDUR DIV	ISION	٠.										
8	Kangra			18	18	718	419	1,017	790	774	785	1,566	1,181
9	Hoshisrpur	***		24	24	2,128	1,999	1,282	958	978	1,126	1,543	1,239
10	Jullundur	***		19	19	1,226	1,152	873	623	672	846	1,302	838
11	Ludhiana			15	15	869	623	712	550	521	475	758	661
12	Ferezepore			25	25	1,511	1,114	1,539	1,160	1,069	1,134	1,414	1,128
	LAHORE DIVIS	SION.											
13	Monigomery			19	19	1,336	793	701	446	485	402	510	458
14	Labore			30	30	1,540	1,513	1,346	1,086	1,091	1,166	1,486	1,428
15	Amritear			15	15	1,047	1,047	1,440	983	1,211	1,425	1,993	1,530
16	Gurdaspur			25	25	2,255	2,185	1,392	1,019	1,056	1,107	1,646	1,270
17	Sialkot			22	22	2,355	2,218	1,490	1,210	1,402	2,062	3,033	1,664
18	Gujranwala	***		23	23	1,339	1,339	1,494	939	969	959	1,701	1,331
	RAWALPINDI DIV	VISIO	N,										
19	Gujrat			14	14	1,340	1,231	1,054	627	686	671	907	983
20	Shahpur	***		23	22	794	794	1,003	688	561	527	705	733
21	Jbelum	***	***	14	14	876	876	971	677	576	567	696	588
22	Rawalpindi			13	13	1,195	1,195	1,058	754	714	662	821	790
23	Attock	***		13	13	621	597	1,018	855	794	890	803	744
	MULTAN DIVIS	SION.									70		
24	Mianwali	***		20	20	431	420	959	737	781	717	991	740
25	Jhang	***		13	13	999	826	710	455	437	401	703	647
26	Lyallpur			16	16	938	906	1,024	785	673	703	1,148	857
27	Multan			21	21	1,357	1,357	1,380	897	889	711	1,128	983
28	Muzaffargarh			18	18	704	663	728	579	547	427	635	565
29	Dera Ghazi Khan			22	22	718	713	724	671	674	504	736	881
	Total for the Prov	ince		649	549	32,834	30,387	30,809	22,327	22,314	23,859	34,936	29,020

No. IX. OF THE PUNJAB DURING EACH MONTH OF THE YEAR 1906.

-							6			7		8	9
The man						T SPACE	TOTAL.			OF DEATH		for	
									1,000	OF FORUE	1100.	1,000 ars.	
July.	August.	September.	October.	November.	December.	Males.	Females.	Total.	Males.	Females.	Total.	Mean ratio per 1,0 previous five years.	No.
13	14	15	16	17	18	19	20	21	22	23	24	25	26
										anto	yra ma		
1,044	959	1,239	1,717	2,546	2,278	8,634	8,252	16,886	20-65	22-70	21.60	26.93	1
663	930	1,068	1,345	2,148	1,185	6,482	5,915	12,397	19:45	19.89	19-66	26.77	2
790	946	1,194	1,658	1,962	1,552	7,665	6,914	14,579	19-63	19.43	19:54	24.49	3
1,190	1,500	2,132	3,072	3,289	2,254	10,565	11,057	21,622	28-55	34.89	31.47	26.97	14
1,213	1,144	2,577	4,854	4,185	3,191	12,247	12,329	24,576	25.57	30.20	27.83	29199	, 2
635	675	1,573	4,709	3,778	2,202	8,654	9,244	17,898	20.62	26.91	23'45	22-22	
29	31	43	30	30	20	134	154	288	5.82	12:25	8-09	7.50	7
882	1,072	1,248	2,159	1,251	1,087	6,693	7,119	13,812	16.88	19:35	18.07	20:40	8
907	1,097	1,691	3,632	3,348	2,052	9,659	10,194	19,853	18-37	21-97	20.06	17:01	9
907	964	1.169	1,896	2,215	1,485	6,832	7,058	13,890	13-99	16-97	15:36	1895	10
572	617	912	1,753	2,257	1,515	5,439	5,859	11,298	14.73	19-28	16-79	19-43	11
957	807	946	1,600	3,413	3,058	9,112	9,113	18,225	17:96	21:44	19.55	26'61	12
LI.		151	11	10000		-		437.			14:10	1,000	Call I
430	353	347	569	1,125	1,290	3,562	3,554	7,116	13.23	15.82	14.58	20-94	13
1,221	1,143	1,222	1,928	3,358	3,027	9,744	9,658	19,402	15.48	20:50	18:79	26 34	15
1,258	1,223	1,198	1,855	2,724	2,364	9,712	9,501	19,213	17:38	21 06	19:09	21.79	16
991	898	1,309	2,437	2,757	1,998	8,840	9,040	17,880 22,227	17:42	22.49	20.75	23.68	17
1,303	1,131	1,144	2,499	2,944	2,345	10,841	11,386	14,742	15'81	17:45	16.55	21.84	18
1,000	1,194	827	982	1,743	1,508	7,670	7,072	14,110	1001	on Table	10 2 10	1,050	
931	816	932	1,278	1,566	1,481	5,755	6,177	11,982	14.78	17:10	15 90	18:49	19
664	600	163	765	1,268	1,489	4,758	4,808	9,566	17:42	19:15	18:25	18-71	20
573	538	575	1,014	1,577	1,582	4,916	5,018	9,934	19'61	20:28	19:94	20-90	21
750	690	985	1,615	2,161	2,295	6,663	6,692	13,295	24:38	27:10	25.68	22.35	22
699	637	765	1,159	2,230	2,294	6,410	6,478	12,888	26-71	29:32	27796	21.63	28
			35000				200				COL NAT		
578	568	810	1,366	2,601	2,179	6,868	6,664	13,027	28'41	33-22	30.68	2221	24
565	413	391	509	817	1,036	3,696	3,388	7,084	14-08	14 88	14:45	15:33	25
833	632	674	642	767	849	4,911	4,676	9,587	16 26	21'24	18:36	24.87	26
825	760	7/5	1,192	1,801	1,735	6,712	6,364	13,076	17:67	20.01	18:74	2011	27
584	391	527	1,272	1,799	1,749	5,042	4.761	9,803	2::90	25'67	24.17	24-05	28
619	622	685	1,235	2,655	1,876	6,114	5,668	11,782	28*98	26'42	25.07	1991	20
23,708	23,351	29,531	50,742	64,315	52,976	203,765	204,113	407,878	18 87	21.92	20728	20.27	

ANNUAL FORM

DEATHS REGISTERED FROM DYSENTERY AND DIARRHOEA IN THE DISTRICTS

+														
1	2			1	3	1	4	1						5
	4000				S OF RE-	VIL	NS AND LAGES.						MONTH	8,
No	. District	та,		Number in each dis- trict.	deaths from which deaths from dysen- tery and diarrhoa were reported.	Number in each dis- trict,	Number from which deaths from dysen- tery and diarrhose	January.	February.	March.	April.	May.	June.	-
1	2			3	4	5	6	7	8	9	10	11	12	1
	DELHI DIV	ision.												-
1	Hissar			27	26	972	80	11	9	17	38	45	33	ı
2	Rohtak		***	15	15	502	284	18	9	11	36	32	13	1
3	Gurgaon			. 21	21	1,179	306	34	21	21	34	70	55	ı
4	Delhi		3110	17	17	718	233	28	22	25		40	JORA	1
5	Karnal			26	26	1,390	163	21	19	14	30	50		1
6	Ambala		***	19	19	1,725	475	49	36	31	52	83		п
,	JULLUNDUR I		w		3	51	35	- 5	3	0		1	10	ı
8	Kangra		··	18	18	718	78	55	51	42	66	215	149	ı
9	Hoshiarpur			24	24	2,128	266	20	28	35	38	133		1
10	Jullundur			19	19	1,226	192	32	27	32	120	132	56	I
11	Ludhiana			15	15	869	75	10	8	18	22	30	15	ı
12	Ferozepere			25	25	1,511	184	21	13	19	32	37	18	ı
	LAHORE DIV	ISION.											1	١
13	Montgomery			19	19	1,336	77	13	11	13	17	8	11	ı
14	Lahore			30	29	1,540	232	29	18	30	38	91	58	I
15	Amritsar			15	15	1,047	298	54	29	47	77	119	74	ı
16	Gurdaspur			25	24	2,255	782	48	36	40	95	205	153	ı
17	Sialkot			22	22	2,355	1,537	49	26	47	180	439	182	l
18	Gujranwala		***	23	21	1,339	34	26	23	27	23	68	24	ı
	RAWALPINDI D	DIVISIO	N.											ı
19	Gujrat		***	14	. 14	1,340	157	16	14	10	18	28	24	ı
20	Shahpur Jhelu		***	22	22	794	219	27	19	20	22	22	. 23	ı
22	W		***	14	14	876 1,195	447 390	128	60	52 51	68	92	57	1
23	Attock			13	13	621	58	5	56 10	3	61	29	71	
	MULTAN DIV			-	10	021	90		10			-	15	
34	Mianwali			20	20	431	109	17	13	21	27	43	29	
. 25	Jhang			13	13	999	141	120	61	80	48	63	48	
26	Lyallpur			16	16	938	250	23	17	22	39	40	31	
27	Multan			21	20	1,357	114	32	30	28	14	16	14	
28	Muzaffargarh			18	18	704	95	11	2	8	16	13	7	
29	Dera Ghazi Khan			22	21	718	185	26	12	12	20	16	22	
								1		16			1-1-1	
	·Total for the Pr	rovince	-	549	542	32,834	7,496	1,001	676	781	1,280	2,243	1,383	

No. X.

OF THE PUNJAB, DURING EACH MONTH OF THE YEAR 1906.

						1	6		1	7	-	8	1
	1						TOTAL.	D. Tale	RATIO	POPULATI	PRE 1,000	for	T
13 .v.(m/L	August.	September,	October.	November,	December.	Males.	Females.	Total,	Males	Females.	Total,	Mean ratio per 1,000 previous five years.	No.
	14												-
34	29	41	55	64	37 49	221 257	192	413	0-53	0.53	0.53	0.48	1 2
50	85	108	104	110	90	389	393	782	1.00	1.10	1.05	l·12	3
49	57	71	98	110	47	334	284	618	0.90	0.90	0.50	1.12	4
33	. 45	81	80	83	71	311	253	564	0-65	0-63	0.64	0.68	5
70	63	125	274	307	212	786	595	1,381	1.87	173	1.81	1.22	•
7	8	5	3	10	3	29	31	60	1.26	2.47	1.69	1.70	7
			150			FOR		1,079	1.20	1.32	1:41	1.01	8
77 30	78	75 88	152	63 52	56 12	595 340	484 274	614	0.65	0-59	0.63	0.74	9
48	74	115	129	116	59	505	435	940	1.08	1.05	1.04	0-76	10
7	29	35	48	34	35	146	140	286	0.40	0.46	0.42	0.68	11
30	25	29	59	32	36	198	153	351	0.39	0.36	0.38	0.44	12
9	19	23	19	24	29	109	87	196	0.41	0.39	0.40	0.34	13
51	57	47	79	101	68	429	238	667	0.68	0.46	0.58	0.64	14
38	63	87	119	124	70	515	386	901	0.88	0-83	0.88	0.87	15
82	73	90	180	206	135	738	605	1,343	1.45	141	1.43	1.19	16
97	87	102	179	133	77	868	730	1,598	1:54	1'44	0.38	0.80	18
18	30	22	36	27	11	205	130	000	0.42	0.35	0.99	0 20	10
23	38	44	64	55	38	210	162	372	0.24	0.45	0-50	0.47	19
26	24	30	31	33	35	190	115	305	0.70	0.46	0.58	0-63	20
68	60	96	106	120	122	501	529	1,030	2.00	2.14	2.07	0-61	21
50	66	58	123	144	138	532	451	983	1.96	1.83	1.90	1.05	22
10	11	11	7	10	11	82	50	132	0.34	0.53	0.29	0.29	23
1				1			1 /3						
34	56	72	43	57	43	268	187	455	1.20	0.93	1.07	0.57	24
37	25	26	50	46	89	421	272	693	1.60	0.62	0.60	0.88	25 26
28	17	16	26	23	29	174	137	311	0.28	0.42	0.47	0.49	27
18	35	35	38	36	37	186	51	122	0.35	0.58	0.30	0.27	28
10	7 31	25	30	10	21	165	96	261	0.65	0-45	0.56	0.30	29
10	31	20	30	-0				.		-			
							- coo	10.505	0:01	0.84	0*87	0.71	
1,066	1,821	1,669	2,258	2,243	1,674	9,775	7,820	17,595	0.91	0.00	00/	011	

ANNUAL FORM

DEATHS REGISTERED FROM RESPIRATORY DISEASES IN THE DISTRICTS

-10					-				. 1	1			-		-
1		2		100	in		3		4						5
					93 /	Circi Regist	RATION,	VILL	AGES.					-	MONTHS.
No.		Distr	MCTS.			Number in each dis- trict.	Number from which deaths from Respi- ratory diseases were reported.	Number in each dis- trict,	Number from which deaths from Respi- ratory diseases were reported.	January.	February.	March.	April.	May.	June.
1			2		-	3	4	5	6	7	8	9.	10	11	12
	DEI	LHI D	ivisi	ON.											
1	Hissar				***	27	27	972	210	102	97	78	71	69	54
2	Rohtak	***				15	15	502	497	98	91	60	43	114	55
3	Gurgaon		***	***		21	21	1,179	211	78	88	53	63	79	76
4	Delhi		***	***		17	17	718	597	185	120	114	124	128	98
5	Karnal					26	26	1,390	443	205	163	157	116	115	79
6	Ambala				***	19	19	1,725	1,105	421	342	310	257	311	235
7	Simla				***	3	3	51	28	18	7	19	41		7
	JULLO	NDUE	DIV	ISIO	N.										
8	Kangra		***	***		18	18	718	215	200	165	155	137	203	141
9	Hoshiarpur	r	***	***		24	24	2,128	1,235	658	497	595	457	522	375
10	Juliundur					19	19	1,226	426	462	333	323	356	424	263
11	Ludhiana		700			15	15	869	219	215	120	148	116	138	115
12	Ferozepore		***	***		25	25	1,511	537	167	115	138	126	158	99
		ORE :													
13	Montgomer					19	19	1,336	157	32	22	21	21	18	14
14	Lahore	***	381	***		30	30	1,540	411	217	186	155	253	271	241
15	Amritsar	***			077	15	15	1,047	519	247	217	251	250	344	287
16						25	25	2,255	2,089	999	711	742	682	978	755
17	Sialkot	NA.				22	22	2,355	1,650	552	380	408	427	665	452
18	Gujranwali					23	23	1,339	102	103	78	59	43	27	38
40	RAWA					20	-	1,000	-						
19.	Gujrat					14	14	1,340	693	269	157	152	150	190	178
20	Shahgur				-	22	22	794	447	62	41	47	50	40	31
21	Jhelum	***	***	***	***	14	14	876	310	77	59	61	61	54	50
28	Rawaipind			***	***	13	13	1,195	270	51	54	76	66	77	63
23	Attock				***	13	13	621	95	28	28	11	17	12	35
20	Contract Contract	TAN	DIVIS	ION.	***	16	10	051	-	-	-				1
24	Mianwali					20	19	431	98	26	9	17	17	13	31
		***	***	***		933	13	999	71	26	17	19	11	18	17
25 26	Jhang	111	***	***	***	13	16	938	360	47	55	41	44	56	36
		407	***	***	***	16	1	1	64	57	26	29	21	20	10
27	Multao			***		21	17	1,857			15	11	20	23	19
28	Muzaffargs			***	***	18	18	704	169	23	25	32	33	30	28
2"	Dera Ghaz	Khan	1		***	22	13	718	50	35	20	02	0.0	317	
	Total	for the	e Prov	ince		549	535	32,834	13.307	5 660	4,218	4,192	4,073	5,092	3,877

No. XI.

OF THE PUNJA DURING EACH MONTH OF THE YEAR 1906.

-	-	-	-					6			7		8	9
								TOTAL.		RATIO OF	DEATHS :	PER 1,000	for	
July.		August.	September.	October.	November,	December.	Males.	Femalos.	Total,	Males.	Fomalos.	Total,	Mean ratio per 1,000 previous five years.	No.
13		14	15	16	17	18	19	20	21	22	23	24	25	26
													0.00	
	65	21	19	50	86	100	424	374 447	798	1.39	1:03	1'02	0.98	1 2
1	65	50 48	50 79	71	125	77	462 424	436	880	1:09	1.50	1.15	1.13	3
	24	618	639	792	77	587	2,289	2,083	4,372	6.18	6-57	6-36	2.67	4
1 0	79	97	111	91	192	191	800	796	1,596	1.67	1.97	1.81	2.34	5
2	55	171	353	723	772	754	2,498	2,406	4,904	5.95	7.00	6.43	5.91	6
	13	6	14	7		15	70	77	147	3.04	6-13	4.13	4'44	7
1	19	110	107	142	102	108	888	801	1,689	2.24	2.18	2-21	2.52	8
3	30	316	414	578	621	561	3,134	2,700	5,834	5.96	5.82	5-89	6.34	9
2	87	305	331	395	467	467	2,248	2,165	4,413	4.60	5.20	4.88	5.33	10
	89	90	118	169	131	160	852	757	1,609	2-31	2.49	2.39	3.92	11
	87	106	75	107	130	150	757	696	1,453	1:49	1.64	1.26	1.66	12
		13				32		100	226	0.48	0.45	0.10	0.48	13
	14	218	13	18	8	212	126	1,872	2,583	1.92	0°45 2°66	2:25	2.43	14
	14	223	174 210	209	223 245	265	1,418	1,544	2,962	2.24	3.33	2-90	3.72	15
	54	669	882	1,268	1,235	1,037	5,626	4,986	10,612	11.09	11.61	11.33	9.67	16
-	46	297	355	478	415	495	2,763	2,507	5,270	4.89	4.95	4.92	5.08	17
	20	37	15	27	63	124	344	290	634	0.71	0.72	0.71	1.17	18
1														
1	57	165	194	222	200	224	1,150	1,108	2,258	2-95	3-07	3.01	3-04	19
	33	27	39	28	45	65	296	212	508	1.08	0.84	0.97	1.06	20
1	53	54	49	68	51	63	360	340	700	1.44	1.37	1.41	0.98	21
	49	58	61	59	72	83	382	387	769	1'41	1.57	1.49	1.11	22
1	24	10	11	11	16	29	124	108	232	0.52	0-49	0.50	0.87	23
	97	00		01	00	35	167	124	291	0.75	0.62	0-69	0.36	24
	27	26	31 20	31	28	20	129	94	223	0.49	0.41	0.45	0.64	25
1	27	20	16	42	38	58	269	211	480	0.89	0-96	0.92	0.58	26
	16	20	18	14	20	34	164	121	285	0.43	0-38	0.41	0.41	27
	17	15	17	11	. 8	20	113	86	199	0.21	0.46	0'49	0.82	28
1	30	22	23	15	13	25	181	130	311	0-71	0.61	0.66	0.56	29
3,6	003	3,820	4,438	5,928	6,149	6,077	29,669	27,458	57,127	2.75	2.95	2.84	2.78	

DEATHS REGISTERED FROM PLAGUE IN THE DISTRICTS OF THE

1	2			-		3		4						
	6	T. WEN			CIRCLES GISTR		Town VILL	AGES.						MONTHS
No.	Dist	RICTS.			Number in each dis- trict.	Number from which deaths from plague were reported.	Number in each Dis- triot.	Number from which denths from Plague were reported.	January.	February.	March.	April.	May.	June.
1	2				3	4	5	6	7	8	9	10	11	12
	DELHIT	18171	ON.											
1	Hissar	***		***	27	12	972	21	14	44	246	1,008	236	4
3	Rohtak	***			15	14	502	40	113	248	700	1,227	296	1
3	Gurgaon				21	5	1,179	12	1	14	36	54	12	
4	Delhi		***	***	17	7	718	17	16	14	-51	107	115	2
5	Karnal	***		***	26	18	1,390	96	284	723	1,007	1,593	857	37
6	Ambala		***	***	19	17	1,725	171	38	133	288	713	444	31
7	Simla				3		51			***				
	JULLUNDU	R DIV	ISIO	N.	11801	1100			on S					S' 5
8	Kangra		***	***	18	3	718	9		748	1	34	48	1
9	Hoshiarpur				24	22	2,128	383	223	877	561	1,380	1,043	88
11			***	***	19	19	1,226	152 284	47	31	678	548	546	154
12	Ferozepore		649	***	15 25	15	869	294	97	163	525	1,843	1,851	126
	LAHORE	DIVIS	108	***	20	15	1,511	20.8	110	119	020	1,000	1,111	120
13	Montgomery			٠	19	7	1,336	26		2	1	92	27	3
14	Lahore				30	29	1,540	487	32	95	536	3,353	5,011	460
15	Amritsar		***		15	15	1,047	323	103	298	667	2,811	3,659	343
16	Gurdaspur		***		25	23	2,255	1,042	526	704	1,685	3,735	3,141	332
17	Sialkot	***	***	***	22	22	2,355	799	382	637	1,833	5,229	5,349	467
18	Gujranwala				23	23	1,339	161	71	144	404	2,254	3,367	217
	BAWALPIN	DI DIV	isio	N.										
19	Gujrat				14	1 13	1,340	80	18	11	120	461	352	43
20	Shahpur				22	8	794	16		18	12	43	74	26
21	Jhelum				14	11	876	24	8	2	7	78	218	33
22	Rawalpindi	***			13	9	1,195	62	2	1	19	66	78	35
23	Attock	***	***		13	2	621	5			***			
	MULTAN	DIVIS	ION.						8					
24	Mianwali	***	***	***	20	2	431	3			***	4		
25 26	Jhang Lyallpur	***	***	***	13		999	***						
27	W 1	***	***	***	16	5	938	16		3	1	79	61	6
28	Muzaffargarh	***	***		21		1,357		***					
29	Dera Ghazi Kha		***	***	18	4	704	8		**		34		
		- ""	***		22		718				***		***	
	177 177			176							-			-
-	Total for th	e Prov	ince	***	549	323	32,834	4,531	2,093	3,779	9,552	28,565	28,559	2,440

No. XII.
PUNJAB DURING EACH MONTH OF THE YEAR 1906.

-	-					1	6	-	1	7		1 8	T 9
			1		-		TOTAL.	,	Ratio o	F DEATES	PER 1,000	- bue	-
July.	August.	September,	October,	November.	December.	Males,	Females.	Total.	Males.	Females.	Total,	Mean ratio per 1,000 for pre- vious five years.	Number.
13	14	15	16	17	18	19	20	21	22	23	24	25	26
		20	3	7	***	751	811	1,562	1.80	2:23	2.00	5·49 11·55	1
***	2		72	397	431	1,696	1,811	3,507	5-09	0.16	5.26	10.85	3
	""		16		87	199	56 249	118	0.16	0.79	0.62	2*39	4
1			26	182	228	2,217	2,720	4,937	4.63	6.73	5-59	3'11	5
	2	28	172	172	511	1,166	1,366	2,532	2.78	3-98	3-32	17:34	6
***										***	***	0.07	7
		***				34	50	84	0.00	0.14	0.11	0.03	8
3	23	27	85	343	772	2,307	2,618	4,925	4.39	5.64	4.98	16:20	9
2		1	54	188	520	1,033	1,109	2,142	2.13	2.67	2:37	22-75	10
5	5	167	500	1,167	2,066	4,253	4,442	8,695	11.52	14.62	12:92	33.44	11
- 11		2	106	374	457	2,550	2,951	5,501	5.03	6.94	5190	10.50	12
			9	20	52	80	56	136	0.30	0.25	0.28	0.62	13
10	7		40	347	723	5,289	5,325	10,614	8.40	10-31	9-26	15-74	14
18	***	5	12	160	459	4,046	4,489	8,535	7.24	9.68	8:35	16-19	15
67	11	29	162	593	1,587	6,089	6,473	12,562	12-00	15.08	13.41	18.74	16
23	2	15	62	238	783	6,984	8,086	15,070	12:36	15-97	14.07	20.28	17
22			5	177	284	3,439	3,506	6,945	7-09	8-65	7.80	24-30	18
2			38	85	187	611	706	1,317	1.57	1.95	1.75	12-66	19
7	2	2	1	5	1	93	98	191	0-34	0-39	0.36	16:21	20
		118		5	306	150	202	352	0.60	0.82 2.56	0·71 2·44	1.10	21 22
6	34	1	304	295	53	633	631	1,264	0.15	0.11	0-13	0.03	23
				•	00	35	24	69					
		3				5	2	7	0.03	0.01	0.02	0.003	24
											0:24	1:87	25 26
		2	3	16	4	86	89	175	0.28	0.40	0.34	0.02	27
						28	6	34	0.13	0.03	0.08		28
												0.23	29
											_		
167	88	420	1,671	4,915	9,463	43,836	47,876	91,712	4-06	6.14	4.26	11.17	-

1 -1 STATEMENT SHOWING THE NUMBER OF PLAGUE CASES AND DEATHS, MONTHLY, BY DISTRICTS, IN THE PUNJAB FROM 1st JANUARY TO 31st DECEMBER 1906.

xxxiv STATEMENT SHOWING THE NUMBER OF PLAGUE CASES AND DEATHS, MONTHLY, BY

_	STATEME		1	-	L		1					-
			JANE	TABY.	FEER	UARY.	MA	RCH.	APR	16.	MA	r.
	Distric	TS.										
Serial No.	Distance		Cases,	Deaths.	Cases.	Deaths	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
1	Hissar		29	19	62	59	277	225	1,104	1,019	243	236
2	Rohtak		113	113	248	248	700	700	1,227	1,227	296	296
3	Gurgaon		1	1	21	14	59	. 36	85	54	8	12
4	Delhi		24	17	38	21	76	43	130	85	171	131
5	Karnal		277	267	541	550	1,025	997	1,608	1,463	1,105	1,087
6	Ambala		70	38	151	121	376	297	731	681	471	432
7	Simla			9			***	-				***
8	Kangra				200	***	1	1	48	34	65	45
9	Hoshiarpur		223	223	377	377	638	561	1,380	1,380	1,231	1,043
10	Jullandur		55	39	35	37	262	178	702	513	743	589
11	Ludhiana	A1 100	119	94	190	105	1,143	738	2,747	1,835	2,485	1,928
12	Ferozepore		108	94	174	112	637	411	1,980	1,344	3,176	2,884
13	Montgomery				3	2	1	1	42	22	54	21
14	Lahore		44	32	104	95	593	536	3,813	3,353	6,409	5,011
15	Amritsar		118	103	324	298	695	667	2,889	2,811	3,674	3,659
16	Gurdaspur		539	538	645	622	1,545	1,402	3,637	3,526	4,089	3,837
17	Sialkot		369	364	400	393	1,685	1,607	4,123	4,070	5,870	5,855
18	Gujranwala		56	55	131	119	451	428	2,424	2,217	3,187	3,026
19	Gojrat		16	16	14	10	117	93	373	370	474	467
20	Shabpur		100	100	26	18	29	12	92	43	142	74
21	Jhelum		15	8	2	2	17	. 7	78	78	218	218
22	Rawalpindi		4	3	3	2	49	20	88	67	112	87
23	Attock				-			-	***		***	
24	Mianwali		***	***					6	4		
25	Lyallpur		1	1			-22		116	43	152	92
26	Jhang					144		***				
27	Multan	***			***		***					
28	Muzaffargarh							-	30	30	4	4
29	Dera Ghazi Kha	··· ø				***	-41	***	***			
	То	tal	2,181	2,035	3,489	3,205	10,376	8,955	29,453	26,269	34,379	31,009
1	Patiala	ATES.	259	229	315	283	1,121	991	2,271	2,121	2,424	2,307
2 3	Kaparthala Majorkotla		82	67	68	55		191	600 189	393 111	50 194	319 179
5	Faridkot		41	28	50		118		210	26 120	7 47	8 32
6 7	Jind Nabha		2	2	20	14	100	89	409 447	269 290	131 425	92 359
1	To		384	321	453	385		1,437	4,173	8,330	3,278	3,296
	Provincial to		2,565	2,346	3,942	-	12,215	_	38,626	29,599	37,657	34,305
-									deaths m			

(a) 9 deaths more reported to the Sanitary
(b) 168 Ditto ditto
(c) 286 Ditto ditto
(d) 46 Ditto ditto
(e) 19 Ditto ditto
(f) 6 Ditto ditto

DISTRICTS, IN THE PUNJAB FROM 1st JANUARY TO 31st DECEMBER 1906.

3 50 62	E Deaths.	: Cases.	Deaths.	Cases,		Sep	1			1		1		1			1	OTAL,
3 50 62	1	-	Deaths.	sees.		1										190	in	mong
3 50 62		-	-	10	Deaths.	Cases,	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cagos,	Deaths.	Inocalations.	Cases.	Deaths.
3 50 62			193			-		5	2					1,735	1,574	855	-	
3 50 62		20000		2	2	20	20	72	72	397	397	431	431	3,507	3,507	1,180		
50 62	3				1							1	1	175	118	734	4	2
62								. 23	12	65	40	124	87	654	(a) 439 (b)	865		
	55	1	1					5	/ 3	197	185	184	181	4,998	4,769	1,727		
The same of the sa	64	1	1	6	2	10	10	207	157	272	219	647	516	3,004	2,53	2,191		
7.07					40		-	1.			***				***			
6	4													120	81	41		
90	88	4	3	23	23	27	27	85	85	357	343	775	772	5, 110	4,925	1,864		
17	23	1	2			1	1	81	54	431	189	684	517	8,012	2,142	1,015		***
396	306	12	12	13	4	271	152	684	425	1,215	816	4,047	2,215	12,222	8,695	1,954	-	100
594	587	14	14	***		***		89	64	429	334	735	482	7,930	6,326	1,247	1	
10	9		***					27	. 9	39	19	65	53	241	136			
933	460	26	10	7	7	1		51	40	391	347	850	723	13 223	10,614	400		
343	343	18	18			5	5	12	12	160	160	459	459	8,697	8,535 (c)	8,197		***
445	434	73	73	14	11	16	15	220	159	598	515	1,241	1,144	18,062	12,276 (d)	511	1	1
1,830 1,	,829	42	42	5	5	16	16	18	18	289	288	537	537	15,184	15,024	1,878		
596	591	37	37	9	9		***	11	9	173	163	316	296	7,391	6,945			
48	49	2	2			12.		24	18	116	108	184	184	1,368	1,317			
38	26	9	7	2	2	4	2	2	1	16	5	21	1	281	191			
38	33	- 1		4				***		8	5	1	1	977	352	26		
44	36	8	5	61	39	220	155	424	339	375	301	346	304	1,734	1,358 (e)			***
	-					1	1			5	5	37	34	48	40			•••
***				-	-	3	3	***						9	(f)			194
6	5		2			9	4	***		30	19	5	3	319	169	49	+	****
											***					***		***
	-		441				-				***		-			100	-	***
	-	***									***			34	34			

5,550 4,5	950	248	299	142	104	604	411	2,040	1,479	5,578	4,468	11,690	9,011	105,700	92,115	24,693	6	3
		270	231	24	19	80	48	400	364	421	339	896	802	9,715	8,779	3,231		
7						9	2	107	93	112	80 135	388 326	308	1,779	1,399			
4	- 11	-1		***								174	90	644	341			
10	10									77	39	134	79	955	584 701			
1,255 1,1	128	270	231	24	19	89	50	587	436	745	593	1,918	1,5:2	15,015	12,748	3,231	-	
6,805 6,0	078	518	460	166	123	693	461	2,627	1,915	6,328	5,061	13,608	10,533	120,745	104,863	27,924	6	3

Commissioner, Punjab, than to the Inspector-General of Civil diospitals.
ditto ditto ditto.



