Annual report on the health and medical services of the state of Queensland.

Contributors

Queensland. Department of Health.

Publication/Creation

Brisbane: Government Printer, [1954]

Persistent URL

https://wellcomecollection.org/works/nzdb2heh

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



1954.
QUEENSLAND.



ANNUAL REPORT

OF THE

HEALTH AND MEDICAL SERVICES

OF THE

STATE OF QUEENSLAND

FOR THE

YEAR 1953-54.


PRESENTED TO PARLIAMENT BY COMMAND.

BRISBANE:
BY AUTHORITY: A. H. TUCKER, GOVERNMENT PRINTER.

A. 37-1954.

CONTENTS.

							Page
Introductory Remarks					 		1
Vital Statistics					 		2
Division of Public Health Supervision—							
Section of Communicable Disease C	ontrol	1			 	150	5
Hansen's Disease					 		11
Section of Enthetic Diseases					 		14
Section of Food and Drugs					 		17
Section of Environmental Sanitation	n		2.2		 		23
Section of Hookworm Control					 		26
Division of Tuberculosis					 		28
Division of Industrial Medicine					 		34
Division of Maternal and Child Welfare							45
Division of School Health Services					 		60
Division of Mental Hygiene					 		65
Division of Laboratory Services—							
Laboratory of Micro-biology and Pa	thology				 		82
Government Chemical Laboratory							92
Division of Nursing					 		102
9-11-18-1-19-1-1							
Louislation	***		**		 		104
Appendix A—Report of the National M		···	Comm	istan.	 		
Appendix A-Report of the National Ap	oadmito e	COLLEGE	Comm	10000	 		100







ANNUAL REPORT OF THE DIRECTOR-GENERAL OF HEALTH AND MEDICAL SERVICES,

1953-54.

The Honourable the Minister for Health and Home Affairs.

Sir,—I have the honour to submit for your information the annual report of the Health and Medical Services Branch of the Department of Health and Home Affairs during the year ended 30th June, 1954.

ABRAHAM FRYBERG,

M.B., B.S. (Melb.), D.P.H., D.T.M. (Syd.), Director-General of Health and Medical Services.

STAFF.

Dr. D. W. Johnson, Deputy Director-General of Health and Medical Services was awarded a World Health Fellowship and is visiting Britain, the Continent, Canada, and the United States. He will study all aspects of public health during his nine months' study tour.

Dr. T. H. R. Mathewson retired as Part-time Pre-School Child Health Officer and was succeeded by Dr. A. E. Paterson. Dr. Mathewson has been associated medically with the Maternal and Child Welfare Service for 16 years. While an Honorary Medical Officer at the Hospital for Sick Children, he was visiting medical officer to the Herschell Street Clinic. He was appointed Director of Maternal and Child Welfare in December, 1937, and continued in that office until December, 1947, when he resigned to enter private practice. He continued his association with the Service in a part-time capacty. His kindly manner endeared him to the staff and children. Dr. Paterson was superintendent of the Hospital for Sick Children from 1922 to 1935 and subsequently was appointed to the visiting staff of that hospital.

Mr. E. W. Haenke retired from the position of Chief Dental Inspector after forty-three years' service in the School Dental Service. He was the first school dentist appointed in Queensland and has travelled extensively throughout the State. As a result of his observations he recommended the introduction of rail clinics which have given such good service to the children of remote areas of Queensland. These clinic cars have served as a pattern for use by overseas and other State authorities. He opened the first dental clinic at Ipswich at his own expense and worked there in his own time until he retired. His work has earned him the esteem of his colleagues in the Public Service, and the practising dental profession. He is succeeded by Mr. G. O. Hosking.

Dr. V. M. O'Hara was appointed School Medical Officer in Brisbane to take the place of Dr. R. F. Condon whose resignation was reported last year. Dr. V. L. Matchett commenced duties as parttime psychiatrist in the Division of Mental Hygiene in March. Resignations were received from two Assistant Psychologists and one Speech Therapist but the vacancies have been filled. The position of Psychologist rendered vacant by the resignation of Mr. Winship was filled by the appointment of Mr. B. Fenelon.

Introductory Remarks. Vital Statistics.

The failure to lower the infantile mortality rate is a matter for concern. The rate of 25·0 per 1,000 live births as compared with 24·9 last year is the highest of any of the Australian States. Maternity hospitals in this State are well equipped and the Maternal and Child Welfare Service is unequalled in any State of the Commonwealth.

A committee of obstetricians, paediatricians, departmental medical officers, and the Government Statistician has been formed to study all aspects of treatment of the mother and child, and will report after investigating the problem.

The deaths from prematurity show a marked improvement, the number of deaths being 145 out of 769—a decrease of 42. During recent years medical students are required to attend the maternal and child welfare centres, and the principles and practices taught form a basis for the treatment of their patients in later life. This should show itself in a decline in the infantile mortality rate. While there has been a decrease in the inevitable deaths in the metropolitan and subtropical areas, there has been a marked increase in the tropical areas.

The maternal mortality rate continues to decline, the rate of 0.71 per 1,000 live births being the lowest recorded in Queensland.

Diseases of the cardio-vascular system are again the most common cause of death, while malignant disease followed. Research work into the cause of both these diseases is being carried out throughout the world but the results to date are disappointing. Accidents as a cause of death should be considered preventable, and it is hoped that during the coming year an investigation into all types of accidents will be carried out by the Director of Industrial Medicine.

HANSEN'S DISEASE.

There were 11 admissions to Peel Island during the year, two of these being re-admissions. It is interesting to note that no patient who has taken the sulphone drugs after release, has been re-admitted to Peel Island as a positive Hansen's disease patient. The value of the sulphone drugs has been definitely proven in Queensland, with the result that patients are now being admitted in an earlier stage of the disease. Seven patients were discharged, and it would appear from the smear results that there will be a number to be discharged within the next few months.

Because of this decrease in population, the shift to the mainland has been deferred.

Approval has been given for improvements at Peel Island, including a new jetty on the western side. This will shorten the distance from Cleveland to Peel Island to approximately 20 minutes, and at the same time provide a safe anchorage in all weathers. A new railway carriage for transport of patients from country districts to Brisbane should be completed within the next few months.

SECTION OF FOOD AND DRUGS.

In 1908 it was resolved at a Premiers' Conference that "uniform legislation for the standardisation of Australian manufactureed food products is desirable." At that time, Victoria and Queensland were the only two States who had adopted standards regulating the manufacture of food products. Since then other States have introduced legislation for this purpose, but there was wide variation in regard to standards. During the past two years, the Public Health Committee of the National Health and Medical research Council has discussed uniformity in regard to food and drug legislation, and has agreed to standards for many products. The new Food and Drug Regulations which are at present at the printers should be the first major step, as far as Queensland is concerned, towards this goal.

Action has been taken to abolish the "dumping" of milk on pavements. The wholesale distributors have agreed to co-operate and are establishing depots in the various suburbs.

The trade has been advised that in future they must wrap foodstuffs in clean paper—not newspaper.

SECTION OF ENVIRONMENTAL SANITATION.

Good relations exist between most Local Authorities and the Department. Some still fail to realise their obligations under the Health Acts. There is a shortage of trained health inspectors. That there are a few willing to take up duty in isolated areas where there are long distances to be travelled, is a factor in this, but there are some Councils who are unwilling to institute sanitary services or immunization campaigns because it might mean a slight increase in the rates. This shortsighted policy is to be regretted.

DIVISION OF MENTAL HYGIENE.

The first section of the Charters Towers Mental Hospital is ready for occupation and patients will be transferred early in the new financial year. This will assist in the relief of overcrowding in the mental hospitals. The main reasons for this overcrowding are:increase in population through immigration; increasing numbers in the higher age groups prone to senile mental disease; greater willingness on the part of patients to enter mental hospitals due to the removel of the stigma attached to such hospitals; and the unwillingness of the community to support elderly and usually troublesome relatives when free institutions are available. It is departmental policy to house these people in seperate institutions run on lines similar to the Eventide Homes.

VITAL STATISTICS.

Population.—The estimated population of Queensland at 31st December, 1953, was 1,270,381, an increase of 22,491 (or 1·8 per cent.) for the year. The estimated population living in the Greater Brisbane Area was 484,000, an increase of 15,000 (or 3·2 per cent.) during 1953.

It is to be regretted that two-thirds of the increase in population was in the Greater Brisbane area. This is a challenge to Queensland, a State which has prided itself on its lesser degree of urbanization.

The population density per square mile is 1.89 persons for the whole of Queensland, 1,257 persons in the Greater Brisbane Area and 1.17 persons for the rest of the State. Since 38.1 per cent. of the population of the State resides in the Metropolitan Area, it can readily be seen that there is abundant room for population growth in the rest of the State.

Births.—During 1953, births registered in Queensland totalled 30,782, an increase of 171 from the previous year, which was the highest number on record. The crude birth rate was 24·4, compared with 25·1 in 1952. The births comprise 15,842 males and 14,940 females, giving a masculinity rate of 106·0, which is slightly above the normal rate of about 105.

TABLE I. CRUDE BIRTH RATE (PER 1,000 POPULATION).

	1910.	1920.	1930.	1940.	1948.	1949.	1950.	1951.	1952.	1953.
	. 26-7	25-5	18-8	18-0	23-1	22-9	23.3	22-9	23-3	22-9
Vam Cantle Walso	. 27-3	27-2	20-8	19-9	24.7	24-2	24-6	24.6	25-1	24-4
Vistoria	27.8	23-9	20-6 18-5	17·8 16·8	22.1	21.9	22-6	21.7	21-9	21·7 22·5
Name & America III	26-5	24-7	17.4	16-7	24-1	23-8	24-7	24-3	24-2	24.0
Wastern Ametrolia	. 28-0	24.7	21.4	19-4	25-1	25-4	25.5	25-4	25-6	25-5
Parameter	. 29-2	27.3	21.7	20.8	26-4	26-1	25-7	25-1	26-0	24-7
	. 26-2	25-1	18.8	21-2	25-5	24-9	24-6	24-4	24-8	24-1
	. 25.0	25.4	16.8	14-6	18-1	17-0	16-1	15-9	15-7	15.9
	. n	23.7	18-9	17-9	24-1	24-0	23-4	24.3	24.6	24.7
Canada	. n	29-4	23-9	21-5	27-0	26-9	26-5	27-1	27-4	27.9

The natural increase (excess of births over deaths) was 19,776, being equal to an increase of $1\cdot 6$ per cent. of the population.

Deaths.—For the year 1953, deaths from all causes totalled 11,006, giving a crude death rate

(deaths per 1,000 mean population) of 8.7, which is lower than the previous year, and still below the crude death rate of the Commonwelath of Australia. Table II. compares the crude death rates of Queensland, other States, and certain overseas countries since 1910.

TABLE II.
CRUDE DEATH RATE (PER 1,000 POPULATION).

	1910.	1920.	1930.	1940.	1948.	1949.	1950.	1951.	1952.	1953.
Commonwealth of Australia Queensland	9-7 9-9 11-5 10-1 10-1 11-1 9-7 14-0 15-0	10·5 10·7 10·1 11·1 10·4 10·3 9·7 10·2 12·9 13·1 13·7	8-6 8-2 8-4 8-9 8-5 8-8 9-8 8-6 11-7 11-3 10-7	9-7 9-0 9-4 10-7 9-5 9-5 9-9 9-2 14-0 10-7 9-8	10·0 9·3 10·0 10·4 10·3 9·1 9·6 9·1 10·9 9·9	9·5 8·9 9·4 10·3 9·5 9·0 8·8 9·1 11·7 9·7 9·2	9-6 8-8 9-6 10-1 9-6 9-1 8-7 9-3 11-7 9-6 9-0	9·7 9·2 9·6 10·3 10·0 9·1 8·8 9·6 12·6 9·7 9·0	9-4 9-0 9-4 10-0 9-5 8-7 8-5 9-3 11-4 9-6 8-6	9·1 8·7 9·2 9·5 9·2 8·2 8·2 8·8 11·4 9·6 8·6

n Not available.

The causes of death to residents of Queensland during 1953 are shown in Table III.

TABLE III.
SHOWING CAUSES OF DEATH OF RESIDENTS OF QUEENSLAND, 1953.

	Causes of	Death.						Males.	Females.	Total.
uberculosis of Respirat	ory System		1.					118	33	151
uberculosis, other								7	4	11
Diphtheria								7	5	12
Whooping Cough								1	3	4
Cetanus								17	3	20
Cetanus Acute Poliomyelitis deasles								5	7	12
deasles				100				1	1	2
Other Infectious and Pa	rasitic Diseases			- 22	- 000			55	30	85
Ialignant Neoplasms								827	677	1,504
leoplasms, Benign and								33	37	70
lay Fever and Asthma	Chaptenieu							46	25	71
Diabetes Mellitus			2.					40	89	129
ther Allergie, Endocrin				Nutritio	mal D			18	30	48
ernicious and other Hy							2000	7	9	16
ther Diseases of the Bl				lemana	::			16	18	34
dental, Psychoneurotic							**	56	21	77
ascular Lesions affecting								634	717	1,351
ther Diseases of the Ne	ig the Central	and S	us or	Ormana			200	77	61	138
Diseases of the Heart	stvous System							1.832	1.055	2,887
Hypertensive Disease					**	**	**	296	276	572
	it is it is a second				**	* *			117	246
Other Diseases of the Ci	rematory Syste		* *			* *	**	129	20	36
nfluenza		**			**			16	36	106
obar Pneumonia			**				**	70	50	142
Bronchopneumonia		**				1.1	**	92		
Other and unspecified P		**	**			1.1		46	32	78 105
Bronchitis	150 4 150		0.0					71	34	
Other Diseases of Respi	ratory System					**		100	53	153
Diseases of Stomach and							2.5	84	30	114
Appendicitis		***					**	20	10	30
Diseases of Liver, Gallb								62	62	124
Other Diseases of Diges	tive System						**	104	99	203
Nephritis and Nephrosis	3							176	149	325
Diseases of Male Genita	I Organs							102	11	102
Other Diseases of Genite	o-Urinary Syste	em		and and				53	50	103
Deliveries and Complic	ations of Preg	mancy	, Cl	aildbirth,	and	Puerpe	rium	1.6	22	22
Diseases of the Skin and	i Cellular Tissu	10						16	10	26
Diseases of the Bones at	nd Organs of M	loveme	ent					15	26	41
Congenital Malformation	ns							97	69	166
Intra-cranial and Spinal	Injury at Birt	h						39	34	73
Other Birth Injury								16	23	39
Post-Natal Asphyxia an	d Atelectasis							53	28	81
Infections of Newborn								17	14	31
Immaturity Unqualified								82	63	145
Other Diseases Peculiar								53	45	98
senility without mentio	n of Psychosis							75	113	188
symptoms Referable to	Systems or Or	cans	-					14	6	20
Il-defined and Unknow	n Causes				2.0	1/4		18	8	26
Motor Vehicle Traffic A	ecidents					0.		206	51	257
						- 11		94	129	223
Accidental Drowning ar	ad Submersion		- 00			- 11	2000	61	6	67
Other Accidents	o company stori	-	**			- 11		193	56	249
Other Accidents Suicide and Self-Infliete	d Injury			**	**		11	137	42	179
Homicide and Injury P	urnosely Inflict	ad by					00000	10	4	14
A ATTACABLE AND ADDRESS OF TAXABLE PARTY.	MARKAGORY ARRESTS	ULL DY	CALL	OF TOTROLL	BO			8.0		
		100								-

Diseases of the heart, hypertension, and vascular lesions affecting the nervous system, which are largely due to degenerative changes in the blood vessels, caused 4,810 deaths or 43.7 per cent. of all deaths during the year.

Deaths from tuberculosis (all forms) fell from 216 in 1952 to 162 last year, and deaths from tetanus decreased from 26 to 20. On the other hand deaths from diphtheria increased from 7 in 1952 to 12 in 1953. Deaths from poliomyelitis totalled 13, compared with 100 in 1951, the peak year of the present outbreak, and 26 in 1952.

Deaths from motor vehicle accidents decreased from 275 in 1952 to 257. Accidental deaths of all kinds increased from 788, or 7·1 per cent. of all deaths in 1952, to 7.2 per cent. of all deaths

Marriages.—Registration of marriages during the year totalled 9,859, compared with 10,056 in 1952. The marriage rate was 7.8 per thousand mean population, compared with 8.1 in 1952. Marriages of minors during the year totalled 3,757, of whom 650 were males and 3,107 females.

Infantile Morality.-The infantile morality rate of Queensland, other States and certain overseas countries is shown in Table IV., while Table V. is a composite one showing the birth rates, infantile morality, and reproduction rates of Queensland compared with the Commonwealth of Australia.

TABLE IV. INFANT MORTALITY RATES (DEATHS UNDER ONE YEAR PER 1,000 LIVE BIRTHS) .

_	1910.	1920.	1930.	1940.	1948.	1949.	1950.	1951.	1952.	1953
Commonwealth of Australia	74.8	69-1	47.2	38-4	27.8	25-3	24.5	25-2	23-5	23-3
Queensland	62.9	63.2	40.0	35.3	28.0	24.7	24.8	25.7	24.9	25.0
New South Wales	74-7	69-4	49.8	39.0	30.3	27-3	27-1	26-3	24.5	24.6
Victoria	76.9	73-7	46-6	39-5	23.9	21.9	20.1	22.6	22-3	21.2
South Australia	70-2	67-3	48-4	35-5	29.7	27.7	24.0	24.5	23-1	20.7
Western Australia	78-2	66-0	46.7	44.2	25.6	26-4	27-1	28.7	25-4	23-8
Tasmania	101-7	65-5	50-6	35-2	27-7	23.9	23.8	26-6	21.7	22-9
New Zealand	67-7	50-6	34.5	30.2	21.9	23.7	23.0	22.8	21.8	20-1
United Kingdom	105-0	82-0	63.0	61.0	36-0	34-0	31.0	31.0	29.0	28.0
United States of America	n	85.8	64-6	47.0	32.0	31.0	29.0	29-0	29-0	n
Canada	n	n	89-3	56-4	44.0	43.0	41.0	38-0	n	n

n Not available.

TABLE V. BIETH, INPANT MORTALITY, MATERNAL MORTALITY, AND REPRODUCTION RATES, QUEENSLAND AND AUSTRALIA.

							Crude Birth Rate.		Infant M		Mate Mortalit (1)	y Rate.	Gross I duction (2)		Net R duction (3)	
							Queens- land.	Aus- tralia.	Queens- land.	Aus- tralia.	Queens- land.	Aus- tralia.	Queens-	Aus- tralia.	Queens-	Aus- tralia.
901							28-5	27-2	101-9	103-6	4-15a	3-77a	n	1-74	n	1.39
911							27-6	27-2	65-4	68-5	5.77	5-03	n	1.71	n	1.42
921				**	**		26-7	25-0	54-1	65-7	5.31	4.72	n	1.51	n	1-31
931		**	**		**	**	19-3	18-2	36-6	42-1	5-07	5-49	n	1.14	n	1.03
934			3.5	.4.4	2.5	**	10.0	16-4	40-6	43-6	4-61	5-76		1.00		0-94
			* *	4.4	4.9	3.5	18-2 20-0	10.4		40.0		9.70	1 no	1.03	an a	0.04
1939		4.4	**	* *		**	20-0	17-7	35-5	38-2	5.21	4-09	1.28 1.25	1.08	1.18	1.00
940		11		1.1		4 4	19-9	18-0	35-3	38-4	4.70	4.08	1.25	1.10	1.15	1.02
941	4.0		4.0	2.2	4.4	1.4	20-8	18-9	39-1	39-7	4.28	3-64	1.30	1.15	1-19	1.07
942							20-4	19-1	34-8	39-5	3.97	3.59	1.28	1.16	1.16	1.07
943							22-2	20-7	37-8	36-3	3.83	3.33	1.39	1.26	1.25	1.16
944				-			23-1	21-0	31-3	31-3	3.02	2.85	1.45	1.29	1.32	1.20
945				0.0			24-8	21.8	29.8	29-4	2.47	2.15	1.53	1.34	1.39	1.24
946							24-8	23-7	29-3	29-0	2.26	1.85	1.55	1.46	1.42	1.33
947				**	**	**	25.7	24-1	30.8	28-5	1.62	1.87	1.64	1.49	1.54	1.36
948	11	**	**		**	**	24-7	23-1	28-0	27-8	1.47	1.40	1.60	1.45	1.51	1.33
949	**	**	8.0	**	5.5	**	24-2	22-9	24-7	25-3	1-44	1-21	1.57		1.49	
050		**	**	**		**	24.5	22.0	24-8	20.0	1-45	1-21	1.61	1.46	1.52	1.33
950	4.0	11	2.0	**	**	**	24-6	23-3		24-5		1:09	1.61	1.49		1.42
951		111	11	0.0		4.1	24-6	22-9	25.7	25-2	1.18	1-05	1.64	1.49	1.55	1-21
952		++		**		**	25-1	23-3	24-9	23-8	1.03	0.94	1-69	1.55	1-59	1.47
953							24-4	22-9	25-0	23-3	0.71		1-67	n	1-57	n

a Figures for 1901 not available. Figures shown are for 1902.

(3) Net Reproduction Rate.—Is the gross reproduction rate corrected for deaths of females from birth to the end of the child bearing period. It is a more accurate index than the gross reproduction rate. Unless it exceeds unity the population is not replacing itself.

The infantile mortality rate increased slightly from 24·9 in 1952 to 25·0 in 1953.

The net reproduction rate is higher than the Australian average, whilst the maternal mortality rate declined from 4.15 in 1901 to 0.71 in 1953.

If the crude death rate had remained at the level prevailing in 1900, almost 3,800 additional deaths would have occurred in Queensland during 1953. In addition, the expectation of life has been increased by fifteen years during that period.

⁽¹⁾ Moternal Mortality Rate. - Deaths from purperal causes per 1,000 live births.

⁽²⁾ Gross Reproduction Rate.—Represents the number of female children who would be born on the average to women living right through the child bearing years, if the conditions on which the rate is based continue.

SECTION OF PUBLIC HEALTH SUPERVISION.

Deputy Director-General of Health and Medical Services: D. W. Johnson, M.B., B.S. (Syd.), D.T.M. & H. (Syd.).

Acting Chief Inspector of Food and Drugs: W. H. KELLY.

Chief Sanitary Inspector: W. D. PRYOR.

Secretary to Director-General of Health and Medical Services: T. O'SHEA, M.R.San.I.

Welfare Officer: Mrs. V. WILLS.

Inspectors in Charge of District Offices:

Cairns: B. M. Keeffe Rockhampton: R. Woodley Townsville: H. P. Lowes Toowoomba: C. J. Murray Mackay: R. A. Burke

SECTION OF COMMUNICABLE DISEASES.

Tables VI. and VII. show the incidence of notifiable diseases in the metropolitan and extrametropolitan areas respectively for 1953-54, while Table VIII. shows the same information for the calendar year 1953.

TABLE VI.

COMMUNICABLE DISEASES (EXCLUSIVE OF VENEREAL DISEASES) 1ST JULY, 1953, TO 30TH JUNE, 1954.

METROPOLITAN AREA (POPULATION AT 1ST JULY, 1953—480,000).

						Mont	hs.						Total
Diseases,			1953						1954	L			1953- 1954.
	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	April.	May.	June.	
						Acres 1							7
nehylostomiasis	**	5	2	**	i	**			**			100	1
inthrax	**		**	2.5	100	1.5	**	**				100	
lilharsiasis		**	**	11		1::							
oastal Fever	20	**	**	00	100	100						0.5	33
Diarrhoea (Infantile)	52	19	21	21	21	24	34	20	51	17	15	12	307
iphtheria	13	5	3	1	2	5	1	2	2	2	3	3	42
ysentery, Amoebic							::	.:	*:	i	2	3	43
ysentery, Bacillary incephalitis Lethar-	4	2	1	4	7	1	12	5	1				
gica	**	**	**			200	(2.5)		11		100		
Erythema Nodosa			**	**	11	**		**					
ilariasis Lead Poisoning	**	1:	11	- : :			800	1			4		. 5
eprosy		11											
eptospirosis (Weil's Disease, Paraweil's													
Disease, Seven-day									1	1	1	1	8
Fever)	1	1	2	**	2.5	î		355			1	1.	2
Ialaria Ieningitis, Cerebro-					**	100	**			1		1 600	
spinal	3			1	1			1	1	100	2	4	13
Iossman Fever		1											
Plague, Bubonic or	3000	12.00	100	17				1	I Surra			1 4	
Oriental				**	1.1								
Pleural Effusion					1								
Poliomyelitis, Acute								2	6	6	5	4	28
Anterior	4		1	**	111	**		ĩ			1	1.5	2
Puerperal Fever	i		9	i	1 ::	i	1						12
Puerperal Pyrexia Q. Fever	1	4	1	4	1	î		100	2	1	2	3	18
Relapsing Fever	1		1		1.30					1		1	1 ::
Rheumatic Fever	1								2	6	1	5	14
Rubella		7	2	2		1				**	1	1.0	10000
Sarina Fever												1 **	
Scarlet Fever or							111	10	3	7	5	18	238
Scarlatina	11	10	48	4	77	34	11	10	0	1	1	1	-
Smallpox (including		86	0.00	1	1039	1000	100	359					
Amaas or Alastrim) Tuberculosis (all	2.50	100	**						100	1	1000	111	
Process 1	**	23	30	36	28	33	38	32	27	26	33	36	397
Tetanus		1	2	4	1	3	1	1	1	3	1	1	17
Typhoid Fever (in-	150	-		1 50	1000	1 Section	12000	100	1	1	1000		
cluding Para-		100	1 3			1 7	102			2	1 5		1/
typhoid Fevers)	2	7	3				1		**	1	**	1	14
Typhus Fever (Scrub,					1			7000	- Comme	1	1000	35.	1 7
Tick, Murine)			1	1	1	2	1			1	**	4.5	1
Undulant (Malta)	1	1 1	1 2	1	1	1 10	3.0	18.50	15000			100	
Fever Yellow Fever	2000	1		1		1550	100	1 ::		1	1	80	
Yellow Fever						**	**	1	-				-
	-		of the same of the	79	140	106	98	75	97	72	76	91	1,190

Acute Rheumatism (including Rheumatic Fever and Chorea) declared a notifiable disease under "The Health Acts, 1937 to 1949" with repsect to the whole of the State of Queensland in Government Gazette of 13/3/54.

TABLE VII.

COMMUNICABLE DISEASES (EXCLUSIVE OF VENEREAL DISEASES) 1ST JULY, 1953, TO 30TH JUNE, 1954.

EXTRA-METROPOLITAN AREA (POPULATION AT 1ST JULY, 1953—785,571).

Therese	-		10	53.		Mon	oths.		10	5-4.	1115		Total
Diseases.	July.	Aug.	Sep.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	April.	May.	June.	1953- 1954.
-		1											
Anchylostomiasis .	. 1	14	2	13	5		2		1		1		39
Anthrax		**					***					22	
Bilharziasis													
Cholera												100	
Coastal Fever						1							
Diarrhoea (Infantil	9) 4	5	7	6	4	4	4	2	14	11	4		65
Diphtheria	. 34	7	7	4	4	1	3	5	6	1	9	5	86
Dysentery, Amoeb	ie		1	1		42							2
Dysentery, Bacillar	y			4	3		2	1	2	2	1	2	17
Encephalitis Letha						1			1	2			4
Erythema Nodosa .													
Wilasiasia													
Yand Delegation	. 2				1				3				6
Leprosy		2	1	2	3	3			2	7000	1		13
Leptospirosis (Weil Disease, Paraweil Disease, Seven-da	s s y												
Fever)	. 6	7		3	3	6			7	6	10	8	56
Malaria				1			**		1	1			3
Meningitis, Cerebro spinal	. 2	2	2	2	2				2		2	3	17
Mossman Fever .						**							1700
Plague, Bubonie o Oriental	r												
Pleural Effusion .			**							1	2		3
Poliomyelitis, Acut Anterior	e . 5	5	1	2			2	3	10	5	1	6	40
Puerperal Fever .				1						1	2		4
Puerperal Pyrexia .			4	2			1	1	5	1			14
Q. Fever	. 2	1			1							2	6
Rheumatic Fever .	: ::	::	::		::	::	::	::	i	3	5	6	15
Rubella	3000	1	3		1	2	1	::	*:	::	1	::	9
Scarlatina	gr I	7	9	12	14	4	3	9	12	8	7	4	99
Amaas or Alastrin Tuberculosis (all form Tetanus	s) 36	30	41 2	32	35 3	2i 	31	4i	50	30	28 2	49	424 18
Typhoid Fever (in cluding Paratypho Fevers)	-	6	2	1						2			14
Typhus Fever—	. 5	2	4		2	1		1	1	2		3	21
Tick				3	2		2		1			i	1 8
Undulant (Malte)						1				1	2	
Yellow River		::	::		::	::	::	::	::	::			*
Totals .	. 111	90	86	92	83	43	52	64	120	77	76	94	988

Acute Rheumatism (including Rheumatic Fever and Chorea) declared a notifiable disease under " The Health Acts, 1937 to 1949" with respect to the whole of the State of Queensland in Government Gazette of 13/3/54.

TABLE VIII.

NOTIFIED INCIDENCE OF COMMUNICABLE DISEASES IN QUEENSLAND (EXCLUSIVE OF VENEREAL DISEASES), SECTION 29 OF "THE HEALTH ACTS, 1937-1949," DURING THE CALENDAR YEAR 1953.

		100					Cases Reported	on Prescribed Fe	orm.
	Disease,					Metropolis.	Outside Areas.	Total Whole State, 1953.	Total Whole State, 1952
Anchylostomiasis						8	77	85	127
Anthony						1		1	
Bilharziasis				100					
Contal Paren									
71. 1									
Dinhtharia						70	117	187	218
Disease (Infantile)						342	82	424	
Donator America		**		**	***		5	5	443
					**	38	16	54	7
							1		278
Market St. St. St. St. St. St. St. St. St. St				**	**			1	2
Filariasis	:: ::	::	::	::	::	::.			::
						1	10	11	4
							13	13	5
Leptospirosis (including Seven-day Fever)	Weil's Di	isease, l	Parawei	il's Disc	ease,	8	101	109	76
Valenia						3	8	11	27
Meningitis, Cerebro-spinal						14	19	33	37
Mossman Fever					-11				
Plague, Bubonic or Orient	tal								::
Pleural Effusion						2		2	6
Poliomyelitis, Acute anter	rior					45	153	198	165
Puerperal Fever						1	2	3	9
Puerperal Pyrexia						26	20	46	23
Q. Fever						18	8	26	34
Relapsing Fever									
Rheumatic Fever									
Rubella						13	8	21	18
Sarina Fever									
Scarlet Fever or Scarlatin						210	89	299	372
smallpox (including Amae								-000	
Cetanus						18	19	37	
D. L						449	455	904	40
yphoid Fever (including		oid Few				15	21	36	832
yphus Fever (including I				nd Japan		10	21	30	15
Direct Personal	· · · ·	··	orms ar		nese	7	32	39	55
Indulant (Malta) Fever .							1	1	11
Yellow Fever									
					-				
Totals .						1,289	1,257	2,546	2,804

The State has been free from any epidemics of communicable diseases. The number of notifications received decreased for most diseases, and any increases were not significant.

Anthrax.—One case of anthrax was notified from Brisbane. The last case of anthrax reported in Queensland was in December, 1950, from the extra-metropolitan area. The source of infection in the present case was dead wool sent from New South Wales. Action was taken by the Department of Agriculture and Stock to see that all wool in store was scoured and there was a prohibition against wool from New South Wales coming into Queensland except under rigid conditions.

Diarrhoea (Infantile) and Bacillary Dysentery.—Notifications of these allied diseases decreased from 620 to 434 during the past year. The majority of notifications came from the metropolitan area. This disease is spread in the same way as poliomyelitis and the only hope of its control, like that of poliomyelitis, is by the development of a vaccine which can be used prophylactically. The work being carried out by the Queensland Institute of Medical Research might lead to such a result. Every effort should be directed to reducing the number of infections by a high standard of hygiene.

Diphtheria.—The immunization campaigns which were intensified by the Local Authorities throughout the State, following the increase in the number of cases notified in 1952-53, produced results, 128 cases being reported as against 211 in the previous year. Diphtheria is a disease which is preventable, and every effort must be made by the Local Authority to educate parents that this is so.

Poliomyelitis.—The accepted cases of poliomyelitis continue to decline since the 1950-51 epidemic when the number of cases was 824. The following year, the accepted cases numbered 359, while the incidence last year was 242 accepted cases. For the year 1953-54, there were 68 accepted cases, which is still higher than the average annual number of 30 notifications in previous inter-epidemic periods. The increased incidence of poliomyelitis during inter-epidemic periods has been noted throughout the world.

Table IX. shows the monthly incidence of the disease during 1953-54, and since 1st October, 1950, according to whether paralytic or nonparalytic, and whether occurring in the metropolitan area or in other parts of the State.

TABLE IX.

Showing Monthly Notifications of Poliomyelitis in Queensland, 1953-54, and since 1-10-50, Dissected Paralytic, Non-Paralytic, and Whether Metropolitan or Extra-Metropolitan.

							Acc	epted Ca	ses.					
	-			Me	tropolita	n.	Extra	-Metropo	litan.	W	hole Stat	0.	Negative.	Total Notifi- cations.
				P.	N-P.	T.	Р.	N-P.	T.	P.	N-P.	T.		
1953— July				2	2	4	4	1	5	6	3	9		9
August							5		5	5		5	1	6
September				1		1	**	1	1	1	1	2	6	8
October							2		2	2		2	1	3
November													2	2
December													1	1
1954— January				**			2		2	2		2		2
February				1	1	2	3		3	4	1	5	**	5
March				3	3	-6	7	3	10	10	6	16	4	20
April				4	2	6	3	2	5	7	4	11	3	14
May		19.		4	1	5	1		1	5	1	6	2	8
June				4		4	6		6	10		10	2	12
Total 195	3-54			19	9	28	33	7	40	52	16	68	22	90
Total 1-1	0-50	to 30-6	-53	373	72	445	820	150	970	1,193	222	1,415	195	1,610
Total 1-1	0-50	to 30-6	-54	392	- 81	473	853	157	1,010	1,245	238	1,483	217	1,700

P = Paralytic.

N-P = Non Paralytic.

T = Total cases.

Table X. shows the age distribution in 1953-54, and also the age distribution since 1st October, 1950. It is interesting to note that in the past year, the ratio of the cases under the age of nine years to the over-nine age group incidence is approximately the same as during the epidemic period between 1st October, 1950, and 30th June, 1953. This is of interest as it might be expected that in the inter-epidemic period the highest incidence would be in the age group 1-4 years.

TABLE X.

Poliomyelitis in 1953-54 Showing Age Distribution, Together with Age Distribution since 1-10-50.

		Age	Group.					Males.	Females.	Persons.	Total 1-10-56 to 30-6-54.
0- 1 years		100						2	2	4	52
1- 4 years	**	**		110	**			6	7	13	254
- 4 yours	**						***		1		
5- 9 years		1	**	**	**			8	5	13	342
0-14 years	**	1.1						8	6	14	230
5-19 years								4	3	7	200
0-24 years								4	1	5	164
5-29 years								2	2	4	118
0-34 years								2 2	3	5	67
5-39 years		- 3.0		990	- 00			1	Nil	1	29
0-44 years							**	Nil	Nil	Nil	6
5-49 years		**	**	**		**			Nil	2	
0-40 years				1.0	2.7	5.5	**	2			13
0-54 years		4.4			4.4			Nil	Nil	Nil	5
5 years and over								Nil	Nil	Nil	3
ll Ages			1					39	29	68	1,483

It is interesting to note that the five deaths which occurred during the past year occurred in the extra-metropolitan area. This is understandable as the resistance of rural dwellers is not as high as that of people living in cities, as they do not have the same opportunity of becoming infected with only slightly virulent organisms. It is also worthy of note that two of these patients were transferred to larger centres because of the desire of relatives to obtain specialist treatment, and I have impressed on doctors in country areas that it is unwise to transfer patients in the acute stage because the fatigue induced might result in a comparatively mild case being transformed into a bulbar paralysis.

Gamma globulin is now available in reasonable amounts for the prophylactic treatment of poliomyelitis, and will be used in the hope that it will prevent the onset of paralysis. It is not available in sufficient quantities to immunise the community at large, and a list of priorities has been accepted, the highest priorities being pregnant women who are contacts, babies born to women who are suffering from acute poliomyelitis, children who require urgent ear, nose, throat, and

dental operations during an epidemic, and the household contacts of a patient suffering from poliomyelitis, particularly if an intramuscular injection is required to be given. I am of the opinion that its use is doubtful, and that it is not the answer to the prevention of poliomyelitis. Wide-scale experiments are being carried out under the National Foundation for Infantile Paralysis of the United States with an inactivated vaccine, but it is too early to evaluate its efficiency. Some authorities in that country are not optimistic, and are continuing their researches into a vaccine of low-virulence which will protect against infection by the three known viruses. It would appear that the development of a vaccine which will provide an immunity for a reasonable period, is the only hope of control of this disease, and it is anticipated that such a vaccine will be produced in the not too-distant future.

Gamma globulin is also available for the prevention of measles, and infectious hepatitis. Children between the ages of six months and three years, pregnant women, and persons debilitated or ill with other infections, who have been exposed to a case, and have had no history

TABLE XI.

DEATHS FROM POLIOMYELITIS—1-10-50 TO 30-6-54.

(The figures for the period 1-10-50 to 30-6-53 are shown in brackets).

	Age G	roup.		Metro	politan.		ctra- politan.	Whole	State.	Ca	809.	Death	Rate*.
0- 4 years 5- 9 years			 	3 6	(3)	9 12	(8) (11)	12 18	(11) (17)	306 342	(289) (329)	3·92 5·26	(3-81)
0-14 years			 - : :	5	(5)	11	(11)	16	(16)	230	(216)	6.96	(7-41)
5-19 years			 	4	(4)	16	(16)	20	(20)	200	(193)	10.0	(10-36
0-24 years 5-29 years	::	::	 **	7	(3)	18	(18)	21 20	(21)	164 118	(159) (114)	12·8 16·95	(13.21)
0-34 years			 	5	(5)	7	(7)	12	(12)	67	(62)		(19-35)
5-39 years			 	1	(1)	6	(5)	7	(6)	29 27	(28) (25)	24-14 22-22	(20.00)
0 years and	over		 	1	(1)	5	(4)	6	(5)	21	(20)	25.22	(20.00)
ll Ages			 	35	(35)	97	(92)	132	(127)	1,483	(1,415)	8.9	(8-98)

^{*} Per 100 accepted cases.

of a previous attack of measles, may be given gamma globulin, and it is also available to household contacts of a diagnosed case of infectious hepatitis with no history of a previous attack.

Tuberculosis.—The opening of tuberculosis annexes of 48 beds each, attached to the Cairns and Townsville Hospitals, will improve still further the service available to patients. Medical officers with special training in tuberculosis will be appointed to these centres. In addition to carrying out treatment of patients at the hospitals, these officers will be available for consultation with local practitioners. They will also carry out preventive procedures including B.C.G. vaccination. Re-survey of coloured residents of the Torres Straits Islands, and the Gulf Country, will be undertaken when the medical officer appointed to the Thursday Island district takes up duty.

There has been a decline in the number of notifications received for tuberculosis, 821 being reported as against 943 in 1952-53. These figures would be a fair indication of the number of cases discovered because a pension is now paid to persons known to be suffering from an active form of the disease which will benefit by treatment, and this in turn induces them to undergo medical attention.

It is known that, following the commencement of a prevention campaign, there is usually a successive increase in the number of tuberculosis notifications received annually for a number of years. The campaign in this State was commenced only five years ago and it is hoped that the turning point has been reached. The decrease in the number of deaths from tuberculosis is a reflection of the efficient treatment being given to patients.

Typhoid fever.—The number of cases of typhoid fever occurring is an indication of the state of the public health. There were 15 cases of typhoid fever notified from the metropolitan area—an increase of 11—and 13 notified from the country which is the same as for 1952-53. The occurrence of typhoid fever is an indication of the standard of hygiene, and the large number of cases in the metropolitan area shows the necessity for the Brisbane City Council to push forward its sewerage scheme to completion as quickly as possible.

Of the extra-metropolitan cases, three occurred at Gladstone, two at Bundaberg, and the rest singly throughout the State.

HANSEN'S DISEASE (LEPROSY).

(1) HANSEN'S DISEASE IN THE WHITE POPULATION.

PEEL ISLAND LEPROSARIUM.

Medical Superintendent: M. H. Gabriel, M.B., B.S. (Qld.), A.A.C.I.

STATISTICS.

TABLE XII.

-		1951-52.			1952-53.			1953-54.		
A distribution of the last	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	
Population at 1st July, 1953 Admitted	39 6 5 4 36	6 1	45 7 5 4 43	36 1 17 20	7 4 3	43 1 21 23*	20 7 6 3 18	3 4 1 6	23 11 7 3 24†	
Increase	3	1	2	iė	4	20	2	3	1	

^{*} Includes one patient who was given special permission to remain at Peel Island.

Admissions.—There were 11 admissions during the year. This is the largest number of admissions in any year since 1948-49, when there were 13 admissions. Of the eleven admissions, seven were males and four were females. Nine of the admissions were patients admitted for the first time, and two were re-admissions. Of the new admissions, four are early cases, and it is gratifying to find that these, and some of the advanced cases, were diagnosed by recent graduates of the University of Queensland Medical School, where lectures and practical instruction on Hansen's disease have been given each year for some years by medical officers of the department. On the other hand, some of the advanced cases have been under medical care for periods ranging up to nine years without the correct diagnosis being made. Apparently there is still insufficient awareness amongst medical practitioners that Hansen's disease does occur in the white population of Queensland, and that every suspicious neurological or dermatological case should be tested for Hansen's disease.

Of the re-admissions, one was an arrested case needing institutional care, and the other was a case which had gone on to arrest on chaulmoogra oil derivatives some years ago. She had not at any time taken sulphone or thiosemicarbazone drugs.

Discharges.—Six male patients and one female patient were discharged during the year. The conditions for discharge remain unaltered, that is to say, patients must obtain twelve consecutive negative smears taken at monthly intervals, or they may be released after six consecutive negative smears if a skin biopsy proves negative. No patients availed themselves of the biopsy during the year.

Deaths.—There were three deaths during the year, all males and all old patients. Medical Treatment.—The treatment of Hansen's disease is continuing with the sulphone drugs, promin, diasone, sulphetrone, and diamino-diphenyl sulphone (dapsone), with the thiosemicarbazone drug, thiacetazone, and with isoniazid, and para-amino-salicylic acid and its salts

There has been a gratifying number of discharges again this year. Of the discharged patients, one was treated with promin, one with thiacetazone, and five with dapsone. Most of them received isoniazid or sodium para-aminosalicylate or both, in addition to the drugs already listed, and it is felt that these two drugs are a valuable addition to treatment.

Visits.—Requests were received from medical men during the year to visit Peel Island in order to discuss the disease with the medical superintendent. Such visits are encouraged, as a knowledge of the clinical signs of Hansen's disease enables early diagnosis. Five parties of medical students, 40 in all, visited Peel Island for clinical demonstrations of Hansen's disease, and one student spent several days to complete a class project on Hansen's disease.

Dental Unit.—During the year, a dentist from the Brisbane Dental Hospital made twenty visits (one of them of three days' duration), and carried out all classes of dental work for the patients. This is a reflection of the large amount of dental work needed by the newly admitted patients.

Optometrical Unit.—The official optometrist made four visits during the year to carry out optometrical tests on the patients and to prescribe and dispense spectacles where necessary.

Patients sent to Brisbane General Hospital for Specialist treatment.—During the year, the General Superintendent of the Brisbane General

t The total of 24 persons at 30th June, 1954, includes one male and one female, who have been granted special permission to remain in the institution, though eligible for discharge. They are unable to look after themselves because of physical disabilities and they have no one to care for them. There are, therefore, only 22 patients in whom the disease is active—the same number as at 30th June, 1953.

Hospital (Dr. A. D. D. Pye) again made accommodation available at "Wattlebrae" Infectious Diseases Hospital for patients from Peel Island who were in need of specialist treatment. A total of 13 patients was accommodated during the year, and of these, four made two visits, and one made ten visits.

Laboratory of Microbiology and Pathology.— Extensive use was made again this year of the facilities provided by the Laboratory of Microbiology and Pathology. The following figures will show the numbers and types of specimens submitted for examination.

TABLE XIII.

Specimen.	Number.			
Venous blood for full blood	i exam	ination		362
lissue smears (for M. lepro	ne)			309
Venous blood for serologica				12
Venous blood for ABO and				11
Venous blood for blood sug Urine specimens for che	zar esti	mation		5
scopical examination				312
Miscellaneous specimens				5
Total				1.016

Administration.—It has been decided to defer the transfer of the institution to Burpengary, pending further observation of the incidence of Hansen's disease amongst the white population of Queensland. In the meantime, very considerable improvements are to be made at Peel Island for the benefit of the patients. Up to the date of this report approval has been given for the building of a new jetty on the western side of the Island, and construction is to commence in October, 1954, whilst officers of the Department of Public Works have made an inspection and submitted estimates for essential repairs, plumbing, and painting of buildings at the institution.

Buildings, Grounds, Roads, &c.—Maintenance work has been carried out on all buildings. Supervision must be constant because of white ants.

Increased storage facilities have given relief from the worry of shortage of water, and laundry facilities have been extended by the installation of a new boiler.

Attention has been given to the roads of the island, which are now in a reasonable state of repair.

Work on the new jetty on the western side of the island is to be continued, and being protected from the south-easters, will, when completed, enable launches to tie up in bad weather. This will remove a great worry from the administration as it will enable stores to be brought in, and sick patients to be taken off at all times. Launch Service.—The launch service has now been carried on under contract for over two years and this arrangement has been most satisfactory. A disastrous cyclone on 20th February, 1954, severely damaged both the departmental launches, one so extensively that it was sold for salvage. The other launch is being repaired and should soon be back in service.

Patients.—The continuing high-discharge rate is maintaining a cheerful outlook amongst most of the patients, a circumstance which has impressed all of the official visitors most favourably. There is an ever-increasing interest by patients in their cottages and their surroundings, and some of the lawns and gardens are a credit to the patients responsible.

The blinded ex-servicemen (of whom there were only two) had a "talking-book" machine made available to them, together with a library of thirty complete "books." This has been a most welcome source of entertainment for them and thanks are due to the Red Cross Society for this very fine gift.

The benefits received by patients are substantially unchanged from those listed in previous reports.

Patients at present on the payroll are: (a) truck driver, (b) barber, (c) painter, (d) carpenter, (e) two groundsmen, and (f) seamstress. Their work has been satisfactory and helpful to the institution while at the same time it keeps them occupied.

Patients' Visitors.—Visiting days and arrangements remain unchanged this year. The substantial number of new admissions has caused somewhat of an increase in the number of visitors but the numbers are still well within the capacity of the transport available.

The Reverend Canon W. P. B. Miles of the Church of England, Reverend Father G. Nolan of the Roman Catholic Church, and the Reverends Pashen, McCarthy, and Calder Allen of the Presbyterian Church, frequently visited the Island and conducted divine service for the patients.

The Salvation Army visited as previously. These good people always bring presents for the patients. They were one of the first organisations to make regular visits to Peel Island and have been very consistent visitors ever since.

The Relatives and Friends' Association once again held a Christmas party when sixty members and relatives arrived.

The Toowong Sub-branch of the R.S.S.A.I.L.A. also provided a Christmas concert, and on Anzac Day, twenty members arrived to conduct an Anzac service at the flagpole near the Recreation Hall.

The Red Cross Handcraft Service continues to provide the patients with handcraft materials, but it is with regret that it was learned Mr. E. Ward was forced to discontinue his visits as a handcraft instructor because of his ill-health. Mrs. G. M. Melville from the Red Cross Society made a visit in May, 1954, and as a result of this visit it is hoped that a new instructor may be obtained.

General Remarks and Summary.—The year has been a most successful one. The number of patients remains the same despite the largest number of admissions for five years.

The decision that the institution remain at Peel Island and that construction of a new institution at Burpengary be deferred has meant that plans have had to be put in hand to make many improvements at Peel Island. Already there is a good serviceable motor truck, and the coming year will see repairs made to buildings, a start made on a new jetty, and possibly a big improvement to the electric power plant. It is emphasised the removal of the Peel Island institution to Burpengary has only been deferred and will be reviewed at the end of this year. If the number of discharges continues as it has during the past few years we can look forward to the day when Hansen's disease will no longer be endemic in Queensland.

HANSEN'S DISEASE IN THE ABORIGINAL POPULATION.

FANTOME ISLAND LEPROSARIUM.

There was an increase in the number of coloured patients admitted to the Fantome Island Leprosarium.

The treatment of the patients is under the control of the Medical Officer, Palm Island, who makes regular visits and is on call at all times by wireless for emergencies. The nursing of the patients is carried out by members of the Franciscan Missionaries of Mary. One cannot speak too highly of the excellent work of these Sisters who have given up so much to attend to the needs of the patients at Fantome Island. Patients requiring specialist treatment are transferred to the Townsville Hospital.

Table XIV. shows the population changes at Fantome Island for the past year.

TABLE XIV.

-			Males.	Females.	Total.
Inpatients at 1st . Admitted Discharged Died	July,	1953	42 12 9 1	19 5 3	61 17 12 1
			44	21	65

The number of discharges was 12 as against 16 in the previous year, with one death. There were 65 patients as at 30th June, 1954—an increase of four. This does not give a true indication of the successful results of sulphone treatment, as nine patients who have given the necessary negative smears for release under supervision, because of ulcerations of the legs have been retained so as to continue treatment. This has been found necessary in the interest of the patients, as better results have been obtained with the treatment at Fantome Island as against those obtained elsewhere.

SECTION OF ENTHETIC DISEASES.

Government Medical Officer and Medical Officer in Charge: Geoffrey Hayes, M.B., Ch.M. (Syd.).

Medical Officer: Beatrice Warner, M.B., B.S. (Melb.).

During the year, 740 eases were notified to the Department—as usual, identification numbers being used and not names. This is a decrease of 17 below the notifications for the previous year.

This represents an incidence of 0.578 per 1,000 mean population as compared with 0.607 for the previous year. Of these notifications, 129 were females, and 611 males, as compared with 122 females, and 635 males in the previous year.

Five hundred and fifteen patients were diagnosed as suffering from gonorrhoea, and 114 from syphilis, as compared with 542, and 131 respectively for the previous year. Eighty-six cases of venereal warts represented an increase of 23, but cases of early syphilis (primary and secondary) showed a satisfactory decline from 78 in the previous year to 57.

Table XV. dissects the incidence of notified venereal disease in Queensland for the past twelve months.

TABLE XV. NOTIFIED VENEREAL DISEASE IN QUEENSLAND, 1953-54.

			Metro	politan.	Outside	Centres.	Whole	State.	
-			Males.	Females.	Males.	Females.	Males.	Females.	Total,
Gonorrhoea—									
Unspecified			1	4	8	7	9	11	20
Acute			311	47	84	21	395	68	463
Sub-acute			4		1		5		5
Chronie				8	3	11	3	19	22
Ophthalmia					1	2	1	2	3
Vulvo-vaginitis				2				2	2
			316	61	97	41	413	102	515
Syphilis—						Printer			
Unspecified			1	1		1	1	2	3
Primary			33	2	5	2	38	4	42
Secondary			10	1	2	2	12	3	15
Tertiary			6	3	6	2	12	5	17
Latent			14	4	2	2	16	6	22
Neuro			5	3			5	3	8
Pre-natal (cong.)			2	1	1	3	3	4	7
			71	15	16	12	87	27	114
Soft Sore			23		2		25		25
Venereal Warts			86				86		86
Ulcerative Granuloma									
Sub-acute Gonorrho Ophthalmia	ea 	and							
-			109		2		111		111
			496	76 72	115	53	611 74	129	740
				7-	10				

Notifications from centres outside Brisbane, shown in Table XVI., give some idea of the distribution.

As was the case in the previous year, the far north (Townsville and Thursday Island) and the far west (Cunnamulla) would appear on notification figures to have a greater incidence than elsewhere. There are, however, certain anomalies which might make one doubt the value of official notification figures. A few years ago I had occasion to point out that virtually no cases were being notified from Thursday Island, whereas in the past two years, this area has ranked second only to Brisbane for numbers of notifications. This is due to the interest taken in the problem of venereal disease by the Medical Superintendent of the Thursday Island Hospital who has reported all cases of venereal disease found in that area. Also, with the exception of three cases at Dalby, Cunnamulla with 11 cases is the only town west of Toowoomba, and on or adjacent to the main Western Line to notify any cases. One rather has the feeling that there may be many more cases occurring than are being notified.

TABLE XVI.

CENTRES OF NOTIFICATION OF VENEREAL DISEASE
OUTSIDE THE METROPOLIS.

Centre.			Males.	Females.	Total.
Aramac	-		1		1
Babinda			î		î
Beaudesert	100		3	1	4
Bundaberg		130	4	i	5
Cairns	00	33	4		4
Charters Towers	-		i		î
Cherbourg			4	9	6
Cloneurry			i	9	3
Cooroy			î		1
Cunnamulla			11	1000	11
Dalby	100	1000	9	1	3
Gatton	1634	-	ī		1
Gladstone	**				î
Goondiwindi		**	. 0		9
Gordonvale				1	ī
Ipswich			5		, s
Kilcoy		**	1	1	1
Mackay			i		Â
Maryborough			1		1
Mount Isa			3		5
Mount Morgan			1	ĩ	2
Murgon			0	1	3
Muttaburra			î	-	1
**	**	2.5	i	- 11	1
Proserpine Rockhampton	**	**	9	7	16
Southport			1		10
Surfer's Paradise	**		1		1
Toowoomba	**		9		- 1
FF 199		**	3	0	
Townsville Thursday Island	**	**	36	97	63
Warwick			1	21	1
Wondai	**		1		1
Woorabinda			5		7
Yeppoon	**	7.0	1	-	1
reppoon					1
			115	.53	168

Table XVII. shows the number of venereal disease notifications since 1914, and the incidence per 1,000 of population.

TABLE XVII.

Showing Number of Notifications of Venereal Disease Since 1914.

Fiscal Year.		Notifi- cations.	Mean Population.	Incidence per 1,000 Popula- tion.	
1914-15		 	1,414	688,212	2.054
1915-16		 	1,946	690,494	2.818
1916-17		 	1,477	680,772	2-171
1917-18		 		688,946	
1918-19		 	2,003	707,732	2.83
1919-20			2,848	737,463	3-861
1920-21		 10	2,302	754,374	3.051
1921-22		 	1,815	769,180	2-359
1922-23			1,710	785,466	2-177
1923-24		0.	1.521	804,442	1.889

TABLE XVII .- continued.

P	iscal ?	Year.	Notifi- cations.	Mean Population.	Incidence per 1,000 Popula- tion.
1924-25			 1,503	825,313	1.821
1925-26			 1,401	847,757	1.652
1926-27			 1,319	864,502	1.525
1927-28			 1,373	877,753	1.564
1928-29		1.1	 1,382	891,435	1.55
1929-30			 1,541	903,703	1.705
1930-31			 1,552	917,830	1.690
1931-32			 1,841	930,456	1.978
1932-33			 1,464	940,628	1.556
1933-34			 1,576	950,462	1.595
1934-35			 1,248	961,200	1.298
1935-36			 1,125	972,767	1.156
1936-37			 1,211	984,056	1.23
1937-38			 1,256	996,448	1.26
1938-39			 1,147	1,008,207	1-127
1939-40			 1,091	1,021,426	1.077
1940-41			 1,328	1,032,122	1.286
1941-42			 1,207	1,036,630	1.164
1942-43			 3,101	1,040,433	2.98
1943-44			 2,718	1,054,810	2.576
1944-45			 2,391	1,068,630	2.24
1945-46			 1,309	1,084,125	1.207
1946-47			 1,373	1,097,303	1.251
1947-48			 1,000	1,112,722	1-112
1948-49			846	1,134,738	-745
1949-50			 731	1,163,084	-628
1950-51			 626	1,172,542	-534
1951-52			 627	1,219,606	-514
1952-53			 757	1,247,890	-607
1953-54			 740	1,280,000	-578

Table XVIII. shows the alleged sources of the notified infections of which 55 are attributed to professional prostitutes, as compared to 44 last year.

Fifteen professional prostitutes were found infected (and treated) as compared with a similar number in the previous year.

TABLE XVIII.

	TUDDE	****	
SHOWING	Sources	OF I	INFECTION.

SHOWING	Soul	RCES C)F	INFE	CTION.	
Non-profession	nal					438
Unknown						200
Prostitutes						55
Occupational						15
Wives						10
Aboriginals						. 9
Husbands						8
Mothers						3
Parents						2
						740

Tables XIX. and XX. show the Marital status and age groups of the cases notified and show little variation from the pattern of the previous years.

TABLE XIX.

	_		Males.	Females.	Total.
Married Single Separated Widowed Divorced Unknown		 :: :: :: ::	115 459 10 5 0 22	41 56 5 4 4 19	156 515 15 9 4
			611	129	740

TABLE XX.
SHOWING AGE DISTRIBUTION OF NOTIFIED CASES.

Age Group.		Males.	Females.	Total
Under 1 year		3	2	5
1-5 years				
6-10 years			2	2
11-15 years		1	4.0	1
16-20 years		64	29	93
21-25 years		157	26	183
26-30 years		133	17	150
31-35 years		94	10	104
36-40 years		50	8	58
41-45 years		34	5	39
46-50 years		23	2 1	25
51-55 years		15	1	16
56-60 years	20	9	2	11
61-65 years		3		3
Over 65 years		9	2	11
Unknown or Unstated		16	23	39
		611	129	740

Table XXI. shows the sources of the notifications received. It will be seen that 9·3 per cent. of these were received from private practitioners as compared with 10 per cent. last year and 9·7 per cent. in the previous year. Of the remainder of the notifications, approximately 15 per cent. come from Public Hospitals and 75 per cent. from Clinics (mainly the two ad hoc clinics in Brisbane.)

TABLE XXI.
SHOWING SOURCES OF NOTIFICATION.

_		Males.	Females.	Total.
Private Doctors—				
Brisbane	1000	23	6	29
Outside Centres		35	5	40
Outside Centres			9	40
Total		58	11	69
Hospitals—				
Brisbane	7.1	12	12	24
Outside Centres	1.1	.57	37	94
Total		69	49	118
Clinics—				
Brisbane		461	58	519
Outside Centres		23	11	34
Total		484	69	553
Total all sources		611	129	740

AD HOC CLINICS-BRISBANE,

The male clinic is situated in South Brisbane. In addition to the treatment of venereal diseases, it provides prophylactic facilities for those requiring them (including merchant seaman and service personnel) and also provides clinical instruction for medical students. Owing to the growth of Brisbane and changed distribution of population and industry, the present position could be more convenient and it is hoped that a more suitable site will be found.

The staff of the Female Clinic, in addition to the provision of treatment for female cases, also conducts a weekly examination of prostitutes, and treats any infected females at H.M. Prison.

6						
	D		CALL PROPERTY.			
	DEPARTMEN Record of Activitie		INIC 1	FOR M	ALES.	
23.	37 6	5.				1.139
	Total Visits					13,195
	Notifications Injections—					461
	Arsenie				2	
	Bismuth Penicillin				74 991	
	Fenicinn	**			991	1,067
	Bloods for Wasser	mann !	Tests			1,620
	Smears to Departi Smears examined			atory		381 5,016
	Dark Ground Test					67
	Prophylactic Trea	tments				1,102
В.	Notifications (Disse	eted).				
	Early Syphilis— Primary				31	
	Secondary				7	
	Latent Late Syphilis—	**			12	
	Secondary		74		1	
	Pre-natal				Nil	
	Latent Neuro		**		1	
	Tertiary		**	**	î	
	Consenhan				-	54
	Gonorrhoea— Acute				298	
	Chronie				Nil	
	Venereal (Genital)	Warte				298 86
	Soft Sore					23
						461
	DEPARTMENTA					
Α	RECORD OF WOMEN'S CLINIC.	P ACTI	VITIES	1953-	-54.	
28.0	Total Interviews					859
	New Patients					134
	Arsenical Injection Bismuth Injection	8	**			144
	Gonorrhoea vaccin	e injec	tions		**	6
	Penicillin injection	18	**			263
	Smears	mann T	Cest		**	553 215
	Dark ground exam	ination				11
	Trichomonas Patients cultured		**		11	193
	Number of culture	8		::	::	516
	Patients treated (t	hrush,				8
	Discharged		**			3
В.	WILLIAM ST. ROOMS	EXA	MINAT	ION OF	PROST	
	Examinations	200	200			1,581
	Dark ground exam	ination	18			3
	Smears		**			3,169
	Number of culture	s				43
C.	NOTIFICATIONS (DIS	SECTE	0).			
	Early Syphilis-					
	Primary Secondary	**	**			1 2
	Latent				-	1
	Late Syphilis—					
	Tertiary			**		6
	Gonorrhoea-				100	
	Acute Chronie					47
	Treated		11			7
						66
	Eleven of these n	otificat	ions	were	of pro	fessional
	stitutes.				1	
	Acute Gonorrhoea					11
	Nine of these					ose of
pr	isoners in Her Ma		s Pri	sons-	-	- 24
	Acute Gonorrhoea Chronie Gonorrhoe		**			7 2
	Caroline Golforriloe		**	**		2

Thirty-four girls were examined from St. Mary's Home. No venereal disease was detected in these patients.

Two contacts of male primary syphilities were treated.

SECTION OF FOOD AND DRUGS.

The work of this Section embraces all relevant duties under the Food and Drug Sections of the Health Acts, the Food and Drug Regulations, Health (Food Supply) Regulations, the Poisons Regulations, Health (Insecticide) Regulations, the Milksellers' Regulations, and the Footwear Regulations.

Milk.—This most important article of food has again received the attention of the staff. Policing a milk supply for a State with such wide differences of climatic conditions is not an easy task, and it is pleasing to report that the milk supply generally can be considered satisfactory.

Sampling operations were carried out regularly in Brisbane and the larger cities, whilst sampling was carried out as frequently as possible in other centres. These samplings covered all avenues of the sale of milk, i.e. at farms, bulk deliveries to factories, at factories and at points of distribution to the public, such as retail vendors and shops. The numbers of samples obtained and submitted to the Government Analyst are shown in the Government Chemical Laboratory section of this report. Many prosecutions were launched for adulterations with water and convictions were secured in every case.

TABLE XXII.

PROSECUTIONS FOR MILK ADULTERATION (ADDED WATER).

A STATE OF THE PARTY OF THE PAR	Date.					P	lace.		F	ines	S		Costa	
1953		100	11 11						£	8.	d.	£	8.	d.
3rd August					Gin Gin			 	10	0	0	1	11	0
9th August					Caboolture			 	5	0	0	1	11	0
9th August					Gladstone			 	10	0	0	1	11	0
9th August					Gladstone			 	10	0	0	1	11	0
7th October					Atherton			 	10	0	0	1	11	0
8th October					Mossman			 	5	0	0	1	11	0
5th November					Brisbane			 	20	0	0	1	11	0
6th November					Brisbane			 	20	0	0	1	11	0
th November					Brisbane			 	16	0	0	- 1	16	0
th November					Rockhampt	on		 	10	0	0	1	11	0
th November					Proserpine			 	6	0	0	1	11	0
th November					Proserpine			 	15	0	0	1	11	0
Oth December					Brisbane			 	7	0	0	2	1	0
Ith December					Boonah			 	5	0	0	1	11	0
th December					Miles			 	10	0	0	6	16	0
1954-					100 mm							1 8		
Ith January					Rockhampt	on		 	20	0	0	1	11	0
3th January					Brisbane			 	5	0	0	1	11	0
and February					Dalby			 	15	0	0	1	11	0
Ith February					Brisbane			 	10	0	0	1	11	0
Ith February	100				Brisbane			 	20	0	0	1	16	0
6th February					Brisbane			 	5	0	0	1	11	0
th February					Brisbane			 	15	0	0	1	11	0
Brd February					Brisbane		9.	 9.9	13	0	0	1	16	0
and March					Maryboroug	h		 	11	0	0	1	11	0
			To	tals				 	273	0	0	43	4	0

Where deficiencies were found in milk fat content, every step was taken to secure the desired improvement. However, it was found necessary on some occasions to institute legal proceedings against persistent offenders. The results of these cases are tabulated below.

TABLE XXIII.

PROSECUTIONS FOR MILK ADULTERATION (FAT DEFICIENCY).

	Date.						P	lace.		1	lines		. (Costs	١.
1953—		1								£	8.	d.	£	8.	d.
7th November					Prose	erpine			 	15	0	0	1	11	0
2nd December						hamp			 	3	0	0	1	11	0
1954— 2nd February					Ayr				 	5	0	0	1	11	0
			To	tals					 	23	0	0	4	13	0

Close attention was paid to pasteurisation plants, which now operate in most of the larger centres of the State, and it is worthy of mention that a great deal of improvement has been effected both in lay-out of plants and working methods at some premises which were not up to the desired standard. Samples for both chemical and bacteriological analysis were regularly

secured and the results obtained were found useful in control work at pasteurising plants. Generally, results were found good but further improvements have been ordered in some premises, and a continuance of this control work will undoubtedly obtain this desired improvement.

objects in milk were promptly investigated, and corrective measures were as promptly undertaken. In addition, where breaches of the milk-

Complaints about faulty milk and foreign sellers' Regulations were found warranting prosecution, such action was taken. Results of these cases are listed below:-

TABLE XXIV. OTHER OFFENCES BY MILK-SELLERS.

Date.	Place.	Offence.	Offence. Fines.		Costs.
1954— 29th January 15th February 13th April 13th April	Townsville	Selling without licence		£ s. d. 1 0 0 10 0 0 0 10 0 0 10 0 10 0 0	£ s. d. 0 10 0 1 11 0 3 13 0 0 10 0 2 12 0
Totals				22 0 0	8 16 0

The licensing of milk-vendors in the Greater Brisbane area ceased at the end of this fiscal year, when the Brisbane Milk Board assumed responsibility for the registration of milk-sellers in Brisbane. Close liaison exists between this board and the department, and also between the board and the Department of Agriculture and Stock. Such co-operation between the three bodies concerned, with the provision and distribution of a good milk supply for the capital city, can have nothing but beneficial effects.

During the year, the trade was notified that the dumping of milk on streets and open places must cease by 30th June. Reasonable time was given to the trade to make provision for depots and depot sites for the hygienic and orderly handling of milk.

Coconut.-The tracing of cases of typhoid salmonella infection in a southern state to desiccated coconut of Papuan origin as the likely source of infection led to an immediate investigation of stocks of coconut in this State. Close co-operation was maintained with the trade, which, when apprised of the possibilities, agreed wholeheartedly to cease sales of desiccated coconut, pending the results of a complete examination by this department. This agreement was honoured practically completely by the trade. A comprehensive range of samples were obtained and submitted to bacteriological examination. In many samples, organisms of the salmonella group were isolated and typed. As an upshot of the risk of infection, a ban on the sale of desiccated coconut of Papuan manufacture was gazetted. This ban was later relaxed by allowing the use of such of the coconut as could be satisfactorily sterilised by heat to the satisfaction of the Director-General. Prompt action by the department, assisted by the willing cooperation of the trade, prevented any risk to the public from this foodstuff.

Tobacco.-Lessons learned by growers from the previous year resulted in a very big improvement in the contamination of tobacco crops with poisonous residues. With the inability to sell leaf heavily contaminated with arsenic, growers turned their attention to different types of pesticides, types toxic enough to deal with pests but not so toxic to human beings. Snap testing continually done throughout the year revealed a very big improvement in regard to spray residues. That the quality of the leaf was not impaired by the change of pesticide is evident from the outstanding success of the sales this year. It should now be patent to the grower that he can successfully grow tobacco without resource to highly toxic pesticides.

Fruit.-During the year, it was found that growers were again forwarding to the local market fruit which was contaminated with arsenical spray residue. A quick comprehensive sampling-raid apprised the department of the over-all position. Action taken in prohibiting such contaminated fruit from sale had an immediate effect. The supply of contaminated fruit soon tapered off, and it is pleasing to report that it was not long before inspections were revealing that fruit was now coming to the markets in a satisfactory condition.

Liquor Testing .- This feature of the work of the section was not neglected during the year and officers carried out tests regularly of liquors for sale in all parts of the State. Where adulteration was detected, the necessary proceedings were taken. In addition to the monetary punishment, placarding of premises and forfeiture of any supplies of offending liquor help to act as a deterrent in such cases. Results are summarised in the table below.

TABLE XXV. LIQUOR PROSECUTIONS.

Date.	Place.	Basis of P	Basis of Prosecution.					Fines.			Costa.		
1953— 8th July 8th July 8th July 7th August 0th August 4th August 8th August 6th December 1954— 0th April	Brisbane	Adulterated rum Adulterated rum					£ 10 5 15 10 20 10 20 10 10 20	8. 0 0 0 0 0 0 0 0 0	d. 0 0 0 0 0 0 0 0 0 0 0 0	0 1 5	8. 7 7 7 11 10 10 11 15	0 0 0	
2th May	Rockhampton .	. Adulterated brandy					10	0	0	4	14	(

Preservatives in meat.—The law prohibits the use of any preservative in minced meat, and a limited quantity (3½ grains to the pound) in sausages and sausage meats. Sampling opera-tions were carried out in most main centres of

the State and, though many butchers showed that there was no difficulty in conforming to the standards above, there were quite a large number of butchers who offended. Their failure to obey the law led to their being prosecuted.

TABLE XXVI. PROSECUTIONS FOR ADULTERATED MINCED MEAT AND SAUSAGES DURING THE YEAR, 1953-54.

1954— 20th March 20th April	Rockhampton Rockhampton Brisbane Brisbane Brisbane Brisbane Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton	. Minced meat adulterated with preservative	d. £ s. 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11
20th March 20th April	Rockhampton Rockhampton Brisbane Brisbane Brisbane Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton	. Minced meat adulterated with preservative	0 1 11 0 1 11
0th March 4th April 4th April 4th April 4th April 3rd April	Rockhampton Brisbane Brisbane Brisbane Brisbane Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton	Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 10 0 Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 10 0 Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 4 0 Minced meat adulterated with preservative 3 0 Minced meat adulterated with preservative 1 0 Minced meat adulterated with preservative 1 0 Excess preservative in sausage meat 5 0	0 111 0 111 0 111 0 111 0 111 0 111 0 111
0th March tth April tth April tth April tth April tth April 3th April 3rd April 5rd April	Rockhampton Brisbane Brisbane Brisbane Brisbane Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton	Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 10 0 Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 10 0 Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 4 0 Minced meat adulterated with preservative 3 0 Minced meat adulterated with preservative 1 0 Minced meat adulterated with preservative 1 0 Excess preservative in sausage meat 5 0	0 1 11 0 1 11 0 1 11 0 1 11 0 1 11 0 1 11
Ith April tth April tth April tth April tth April Strd April	Brisbane Brisbane Brisbane	Minced meat adulterated with preservative	0 1 11 0 1 11 0 1 11 0 1 11 0 1 11
Ith April Ith Ap	Brisbane Brisbane Brisbane Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton	Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 10 0 Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 4 0 Minced meat adulterated with preservative 3 0 Minced meat adulterated with preservative 1 0 Minced meat adulterated with preservative 1 0 Excess preservative in sausage meat 5 0	0 1 11 0 1 11 0 1 11 0 1 11
th April th April th April trd April	Brisbane	. Minced meat adulterated with preservative	0 1 11 0 1 11 0 1 11 0 1 11
Ath April Grd April Sth April	Brisbane	Minced meat adulterated with preservative 5 0 Minced meat adulterated with preservative 4 0 Minced meat adulterated with preservative 3 0 Minced meat adulterated with preservative 1 0 Minced meat adulterated with preservative 1 0 Excess preservative in sausage meat 5 0	0 1 11 0 1 11 0 1 11
Brd April	Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton	Minced meat adulterated with preservative	0 1 11 0 1 11
Brd April	Rockhampton Rockhampton Rockhampton Rockhampton Rockhampton	Minced meat adulterated with preservative 3 0 Minced meat adulterated with preservative 1 0 Minced meat adulterated with preservative 1 0 Excess preservative in sausage meat 5 0	0 1 11
Brd April	Rockhampton Rockhampton Rockhampton Rockhampton	Minced meat adulterated with preservative 1 0 Minced meat adulterated with preservative 1 0 Excess preservative in sausage meat 5 0	
Brd April Brd April Brd April Brd April Brd April Bth April	Rockhampton Rockhampton	. Minced meat adulterated with preservative 1 0 Excess preservative in sausage meat 5 0	0 10 10
Brd April	Rockhampton Rockhampton	. Excess preservative in sausage meat 5 0	0 0 18
Brd April Brd April Sth April	Rockhampton	. systems become there on an anatomic money	0 1 11
8rd April			0 1 11
Sth April	recensulator .	The state of the s	0 1 11
Sth April	Brisbane	36 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	0 1 11
sth April	79. 1. 1.	36 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	0 1 11
Sth April	75. 5. 5.	200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 1 11
Sth April		a manufacture annual annual annual annual formation of the contract of the con	0 1 11
Sth April		a paragraph and a paragraph of the parag	0 1 11
Sth April		I benedict month additionation to the bacons to the con-	2 2 2 2 2 2
8th April		. Minced meat adulterated with preservative 5 0	9 9 9 9 9
Sth April		. Minced meat adulterated with preservative 8 0	0 1 11
8th April		. Minced meat adulterated with preservative 6 0	0 1 11
AND ADDRESS OF THE PARTY OF THE		. Minced meat adulterated with preservative 2 0	0 1 11
8th April		. Minced meat adulterated with preservative 1 0	0 1 11
	Brisbane	. Minced meat adulterated with preservative 5 0	0 1 11
2th May	Cairns	. Minced meat adulterated with preservative 2 0	0 1 11
2th May	Rockhampton	. Minced meat adulterated with preservative 2 0	0 1 11
2th May	Rockhampton	. Minced meat adulterated with preservative 2 0	0 1 11
5th May	Rockhampton	. Minced meat adulterated with preservative 2 0	0 1 11
7th May	195 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. Excess preservative in sausage 3 0	0 2 1
2nd June	Brisbane	. Excess preservative in sausage	0 1 11
7th June	Rockhampton	. Minced meat adulterated with preservative 2 0	0 0 18
7th June	1 77 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. Minced meat adulterated with preservative 2 0	0 0 18
7th June	Darkt	. Minced meat adulterated with preservative 4 0	0 1 11
9th June	m	. Minced meat adulterated with preservative 10 0	0 1 11
9th June	m	. Minced meat adulterated with preservative 3 0	0 1 11
9th June	m	. Minced meat adulterated with preservative 0 14	0 1 16
9th June	m	. Minced meat adulterated with preservative 0 19	0 1 11
9th June	799 799	. Minced meat adulterated with preservative 3 0	0 4 14
Oak Town	400	. Minced meat adulterated with preservative 4 0	0 4 14
Oak Town	797	The state of the s	0 1 16
Oak Tone	Manus audito	20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 1 16
14b Tons		A C	0 1 11
THE P		The state of the s	0 1 11
5th June		. Sement mout additionated with breast contract	0 1 11
5th June	and the second s	respecto brook sures ou our onder	0 1 11
5th June		. Aracess bress, array or surroughs	0 1 11
7th June		1 Exerces Incocs sucres of the surroughes	0 1 11
lst June		1 THE PROPERTY OF THE PARTY OF	0 1 11
lst June	Toowoomba	i maneca mene admicerated with preservative	0 1 16
0th June		. Excess preservative in sausages 10 0	
0th June	Th. J. L.	Excess preservative in sausages 10 0 Excess preservative in sausages 10 0	0 1 11

meat content. A range of samples was secured and submitted to the analyst. Where sausages

Sausages.—A standard is provided by the were not found to conform to the standard, Regulations for sausages to ensure a reasonable butchers so offending had legal proceedings instituted against them.

TABLE XXVII. PROSECUTIONS FOR MEAT DEFICIENCY IN SAUSAGES.

Date.	Place.	Basis of Prosecution.	Fines.	Costs.
1954— 2th May	Brisbane Brisbane Brisbane Brisbane	$7\cdot4\%$ deficient in meat content	£ s. d. 8 9 0 20 0 0 5 0 0 10 0 0	£ s. d. 1 11 0 1 11 0 1 11 0 1 11 0
Totals			43 9 0	6 4 0

Fish.—Inspection of fish sold on the Brisbane market was carried out. All fish considered unfit for human consumption was removed from sale and destroyed. The following table shows details of such condemnations:—

TABLE XXVIII.

QUANTITY OF FISH CONDEMNED AND DESTROYED AT THE FISH BOARD, SOUTH BRISBANE.

Clas	s of Fi	h-			Weigh	t.	
			- 1	T.	C.	Q.	L.
Bream				3	3	1	7
Black Bream				0.	0	3	15
Bream Fillets				0	1	0	14
Bonito				0	0	3	0
Catfish				0	1	3	21
Chinaman				0	0	1	2
Cod				0	0	2	12
Cod Fillets	4.4			0	0	3	4
Coral Bream				0	0	3	2
Darts				0	6	0	. 0
Drummer				0	0	0	14
Emperor				.0	- 1	1	14
Flathead				0	12	3	5
Flounder Fillets				0	3	3	22
Garfish				0	2	2	15
John Dory				0	0	2 2 2	24
King Fish				0	0	2	19
Long Toms				0	0	0	19
Mackerel				0	0	3	24
Mixed Fish				0	5	1	14
Morwong				0	0	2	9
Mullet				11	4	3	19
Parrot				0	0	3	14
Perch				0	0	1	15
Ray				0	2	3	2
Schnapper				.0	11	3	13
Shark				0	1	1	3
Squid				0	3	0	5
Squire				0	1	0	22
Sweetlip				0	9	2	18
Tailer				0	14	2	2
Trevalli				0	0	2	19
Trout				0	0	0	9
Tuna				0	0	0	14
Turrum			00	0	0	2	14
Whiting				0	12	2	1
Yellow Tail				0	0	0	15
	100	100000			- 32	- 75	175
Total				19	10	1	14

.

Prawns 0 tons 16 cwt, 1 qr. 16 lb. Cooked Prawns .. 6 tons 2 cwt, 2 qr. 0 lb.

 Sandcrabs
 ...
 907

 Cooked Sandcrabs
 ...
 401

 Lobsters
 ...
 1,395

Oysters 462 bottles, 3 bags.

Unsound foods.—The usual check on foodstuffs generally was kept, and as a result of our inspectors' activities, large quantities of unsound food were destroyed under supervision. Details are as follows:—

TABLE XXIX.
UNSOUND FOODS DESTROYED.

	Weight.					
	1		T.	C.	Q.	L
Bacon	1.1	 	0	8	3	81
Baking Powde	r	 	0	0	1	20
Beetroot (Tinn	(bed	 	1	5	1	18
Biscuits			0	1	0	5
Cereals		 	1	2	3	24
Cheese		 	0	3	2	11
Coconut		 	- 0	0	3	4

UNSOUND FOODS DESTROYED-continued.

Arti	icie.				Weig	tht.	
in a second				T.	C.	Q.	L.
Coffee				0	8	3	26
Coffee and Milk				0	0	1	14
Colouring Matter				0	0	2	18
Condiments				0	0	0	20
Confectionery				1	11	1	24
Cordials				0	10	2	4
Cornflour				0	3	3	26
Curry Powder				0	1	0	11
Dates				0	9	2	20
Fish-			- 0.00				
Dried		100	100	0	10	3	8
Fresh		1000		0	2	1	274
Tinned		100		0	4	2	13
Flour				0	2	3	26
Fruit-	100	1000	7.0	- 1	197		17717
Dried				0	0	1	1
Fresh	33	100	**	2	10	4	5
Tinned			***	19	19	- î	24
Ham	**	**	11	0	2	2	19
Honey		17.00	**	0	0	õ	19
Jams				0	1	2	16
		**	2.5	0	i	0	20
Jelly Crystals			**	0	0	2	14
Meat (Tinned) Milk—	**		**	0	0	3	14
Condensed				0	0	2	24
Malted				0	19	2	16
Mustard				0	0	0	18
Nuts				0	11	3	0
Pickles				0	0	2	1
Potatoes				2	7	3	25
Prawns				0	3	0	2
Prunes and Rice				0	1	0	27
Rice	00			0	2	2	0
Sauce	0.0		200	5	9	ĩ	2
Soups		100	7.	0	0	î	ī
Sugar—					-	-	-
Brown	36			0	0	2	24
Icing		100	200	0	1		27
Plain	100	-	- **	0	6	2 2	12
Fapioca	-	100	2.0	0	0	2	0
19	**		***	24	14	ĩ	27
Vegetables—	**	***	**	24	14	-	-
			100	1	8	3	23
	**		**				
Tinned			**	0	9	0	17
Vegetable Extrac		**		0	14	0	16
Vegetable Spread				0	0	3	9
Vermicelli		**	0.0	0	0	2	10
Vinegar				1	14	0	3
Miscellaneous	**	**		0	1	1	111
Total				69	17	3	2

In addition :-

Bottled Beer .. 89\(\frac{3}{4}\) gallons
Fruit .. .44 cases
Cigarettes .. .712,616
Cigars .. .243

Tobacco .. . 1 ton 5 cwt. 3 qr. 121 lb.

Complaints.—Complaints in regard to insanitary food premises, unhygienic food handling, and adulterated foods were investigated. It is the policy of the Department to use prosecution as a last resource, preferring to secure compliance with the Regulations on the part of the public by advice, persuasion, and education. The various tables in this report show that success is not always achieved.

TABLE XXX.

MISCELLANEOUS PROSECUTIONS.

Date.		Place.		Basis of Prosecution.				F	'ines-		C	osts	
1953								£	8.	d.	2	8.	d.
0th November		Innisfail		Dirty cafe premises				9	0	0		10	0
0th November		Innisfail		Dirty cafe premises				5	0	0	0	10	0
Ith December		Tully		Dirty cafe premises				10	1	0	0	15	0
6th December 1954—		Atherton		Dirty bakehouse premises				10	0	0	3	13	0
8th January		Mackay		Smoking while preparing food	for s	sale		3	0	0	0	10	0
2nd January		Mackay		Exposing unsound fruit for sa				3	0	0	0	10	0
2nd January		Mackay		Selling unsound Fruit				3	0	0	0	10	0
2nd January		Mackay		Dirty food premises			-	5	0	0		10	0
7th February		Caboolture		Dirty bakehouse premises			100	15	0	0		10	0
2nd March		Mourilyan		Dirty food premises				10	0	0	1	0	0
5th March		Brisbane	- 11	Falsely described insecticide			0.0	3	0	0	4	14	0
0th March	0	Brisbane		Cockroach in sausage	900			10	0	0		10	0
2nd April		Brisbane	- 10	Selling adulterated fish			- 11	13	9	0		11	0
2nd April	- 33	Ravenshoe		Bread deficient in wholesome				10	0	0		ii	ő
2nd April		Ravenshoe	00	Bread deficient in wholesome				20	0	0	î	îî	ő
9th May		Toowoomba		Cockroach in soft drink	Come			10	0	0	0	10	0
lst May	-	Mareeba		Beer wastes not denatured				25	0	0		10	0
3rd June	- 33	Brisbane		Adulterated chicken filling				15	0	0		17	0
9th June	199	Brisbane		Coekroach in meat pie				5	0	0		ii	0
our ourso ii	200	Dissoulle	33	Cockroach in their pie	0.00		**				-	**	-
				Marine Marine				184	10	0	29	3	(

General.—Apart from the special matter mentioned above, a close watch has been kept on all premises, where food is manufactured, packed prepared, and handled for sale and sold. The range of premises concerned is a wide one and embraces food factories, bakeries, aerated water factories, warehouses, retail shops etc. Inspectors have been busy on this particular work, and as a result of their activities, many improvements have been affected in premises and many improvements obtained in methods of manufacture.

Check sampling.—Allied with the above work is another important activity of this department, i.e., unofficial check—sampling of food products with a view to ascertaining their compliance with standards. During this year, over 3,000 such samples were submitted to the Government Analyst and action taken, where necessary, on the result of his analyses. A multiplicity of lines comes under review, and include milks, tobacco, bread, jams, aerated waters, confectionery, flours, cereals, condiments, beverages, biscuits, soaps—in fact, samples of practically every line for which standards are laid down in the Food and Drug Regulations.

Labelling.—Arising from such analyses, any labelling defects have been corrected. The Health Acts require that no food shall be misdescribed and labels must indicate the true nature of the food. In addition, certain specific requirements are laid down by regulation. Opinions and advice on labels are continually sought by the trade, whose confidence and co-operation is enjoyed in this regard.

Insecticides.—The spreading application of Chemistry to industry has resulted in a flow of insecticides on the market and these have been examined in regard to their composition and correct labelling.

Paint.—Many samples of paint have been secured and submitted for analysis. The law restricts the percentage of soluble lead on certain parts of premises to under five, and, where breaches of this law have been detected, the necessary corrective action has been taken. This work is a vital part of the compaign against lead-poisoning, the incidence of which is high in Queensland.

In one particular shire in Queensland, it was found that a very large number of premises had been painted in contravention of the law, and action is being taken to have offending paint removed from all such premises. One unfortunate feature was that, in a town dependent on rain water for domestic purposes, quite a few of the houses had the roofs painted with paint of high lead content.

Paint Regulations were gazetted in 1953 providing for the proper packing, description and labelling of paints so as to ensure that the purchaser was well aware of the composition of the paint he was buying. These regulations occupied the attention of the trade, and, as a result, several conferences were held with the department. Minor differences were ironed out and it is now anticipated that, when amended regulations are promulgated, they will prove satisfactory to all concerned.

TABLE XXXI.

PAINT PROSECUTIONS.

Date.	Place.	Basis of Prosecution.	Fine-	Costs.
1953—			£ s. d.	£ s, d,
	Rockhampton	Using lead paint on prohibited place	5 0 0	18 5 0

Legislation.—The Cafe Regulations of 1952 were repealed, and the Cafe Regulations of 1953, in which the powers were extended to all Local Authorities in the State, were gazetted. A further amendment to these Regulations gave powers to license to certain Local Authorities in the State. As forecast last year, the Paint Regulations of 1953 were also gazetted.

To meet advances in science with new drugs and medicines coming on the market, three separate amendments of the Poisons Regulations were gazetted during the year. Included in one of these amendments were powers to deal effectively with certain organic phosphates, used as pesticides. These are highly toxic.

The danger of mercurous chloride being indiscriminately used in teething powders for children resulted in an amendment of the Food and Drug Regulations, which now prohibits its sale and use for such purposes.

Amendments of the Food and Drug Regulations have been prepared to bring them into line, not only with modern standards and practice, but with the Regulations of other States.

Poisons and Drugs.—Work entailed in the carrying out of the Poisons Regulations is an essential feature of the work of this section. Poisons Regulations are made to ensure the safe and orderly handling of poisons and drugs and constant attention and supervision of all dealings with such matters is most essential. Work has been carried on steadily during the year and has embraced inspections of hospitals, chemists, and licensed dealers in poisons. Remedial action has been taken to correct breaches, whilst recourse has been had to court proceedings in some instances (Table XXXII.). The law envisages the correct packing and labelling of poisons, their being sold under proper conditions and their safe use. This indicates the scope of the inspector's work in this regard.

In addition, Poisons Regulations provide for the effective control of the sale and use of dangerous and restricted drugs. The use of such drugs is not small in present day medicine and keeping check of the requirements of the Poisons Regulations in regard to these drugs occupied a deal of time.

TABLE XXXII.

PROSECUTIONS UNDER POISONS REGULATIONS.

Date.	Place.	Basis of Prosecution.		F	ines		C	osts	
1953— 27th August 7th September	 Rolleston Biloela	 Selling poisons without a licence Selling poisons without a licence	::	 6		d. 0 0	0	s. 10	d. 0 0
1954— 2nd June	 Brisbane	 Improper packing of poison			0			11	0
				14	0	0	3	12	0

ENVIRONMENTAL SANITATION.

Local Authorities are given all the necessary powers and authority for the superintendence, enforcement, and execution of the laws relating to environmental sanitation in this State.

Their administration is supervised by district officers of this Department who act in an advisory capacity to the Local Authority inspector. Reports received from our inspectors and the Local Authority would indicate that there is a desire on the part of the Local Authority to raise the standard of hygiene constantly in their areas. Unfortunately, there is a small number who will not accept the responsibilities which Parliament has given them, in that they will not implement the basic principles of preventive medicine. A factor in this is the failure to employ a health inspector, either because of the limited number available or the failure to make the necessary provision in their budgets.

It is the Health Inspector who is responsible to the Local Authority for seeing that the requirements of the Health Acts and Council Ordinances are being fulfilled. He should, like the Department's inspectors, endeavour to educate the public in their civic responsibilities without recourse to the penal clauses of the legislation, for in no other way will he receive the co-operation of the householder.

In the State at present there are 117 health inspectors employed by Local Authorities, distributed as follows:—

Brisbane City Cour	neil			29
Cities and Towns				36
Shires employing	one	or	more	00
Joint areas (one ins	pector	to t	wo or	29
more Local Autho				23
				117

By far the greater number of these inspectors are employed by Local Authorities in the southern and eastern parts of the State. In the north and central western parts of the State, there are many Local Authorities unable to obtain an inspector.

The main reason for this is the long distance to be travelled, particularly in joint areas. In an endeavour to overcome this, it is suggested to Local Authorities that they employ their own inspector and give him other duties which can be carried out at the same time as he is performing his health duties in an area.

The Royal Visit.—As was expected, the visit of Her Majesty Queen Elizabeth II. attracted unprecedented crowds at every place visited. This created problems in providing adequate sanitary arrangements for the public, as few, if any, centres have more conveniences than are required for everyday needs. It was necessary to estimate crowd densities and possible waiting times, and to provide adequate temporary sanitary conveniences in convenient but

unobtrusive sites as near as practicable to first aid posts. Local Authorities responded very well, and it is pleasing to report that no complaints were received concerning the arrangements.

Nightsoil Removal and Disposal.—The reports received from all over the State indicate that, with few exceptions, the collection and disposal of nightsoil is well carried out by Local Authorities using day labour or by contractors to the Local Authority. The exceptions are in the collection of the nightsoil when used pans are not fitted with an airtight lid, and in the disposal, when trenches are overfilled. Both practices are dangerous and can be prevented by an efficient inspector. Most contracts contain penal causes and imposition of penalties by the Local Authority, on the advice of their inspector soon stops breaches.

Another serious breach often condoned by Local Authorities is the failure of builders to construct pansteads to the specifications as required by "The Sanitary Conveniences and Nightsoil Disposal Regulations, 1946." Weakening of the structure allows flies to have access to the pan contents with consequent liability to the spread of intestinal disease. This can only be prevented by regular house-to-house inspections by the inspector.

Refuse Collection and Disposal.—The collection of refuse has, for the most part, been well done, except in a few instances where the Local Authority, to effect economies, insists that occupiers of premises place the refuse bin on the footpath to save the time of the men engaged as collectors. This practice results in refuse not being regularly collected. It also imposes a hardship on elderly persons, particularly elderly women living alone as they find difficulty in carrying the bin to the footpath. Having the refuse bin in a recognised position on the premises to be collected by a man engaged for the purpose, is a much more satisfactory method.

The disposal of refuse throughout the State leaves much to be desired. Except in the few places where refuse is incinerated, the method of disposal generally practised is tipping, and reports show that in far too many places it is not covered, the refuse being left exposed for lengthy periods, thus attracting flies, rats, and cockroaches. Insecticidal or larvicidal measures are seldom adopted.

Plague Precautions.—It is the duty of every Local Authority to take active measures against rats. Most have enforced the regulations preventing the creation of rat harbourages in new buildings. But in combat with the rodent population, few, except those on the coastal belt, do little more than make poison baits available to the public. Most Local Authorities on the coastal belt employ rodent control men whose duty it is to destroy rats by whatever means possible.

Poisoning is the method usually used. A percentage of the carcasses of rats destroyed in Brisbane is examined at the laboratory of Microbiology and Pathology for evidence of plague. The following table shows the number of rodents known to have been destroyed in the State during the year.

TABLE XXXIII.

Ar	na.		Rats.	Mice.
Brisbane		 	55,379	10,208
Bundaberg		 	677	
Cairns		 	2,067	194
Gympie		 	245	
Ipswich		 	1,995	
Mackay		 	82	81
Maryborough		 	598	4
Rockhampton		 	4,543	
Townsville		 	3,047	281
Totals		 	68,633	10,768
Total all rod	lents	 	79,	401

Departmental officers have made inspections along the waterfront, and where rat harbourages have been found, they have been referred to the appropriate authority for attention.

Mosquito Eradication .- Many Local Authorities, by enforcing the screening of tanks, are doing much to control the breeding of the mosquito, Aedes aegyti, the vector of dengue and yellow fever. It is selective in its breeding places, requiring clean water, which is usually associated with habitation. But other species are more difficult to control. While many of them are not known as vectors of disease, they are still a nuisance. Because of the huge expenditure involved in permanently eradicating their breeding places, control of these can only be based on a long range plan, progressing a little each year. Subsidy of fifty (50) per cent. of the cost of permanent works is paid by the Government to Local Authorities wishing to undertake such works. The following table shows the amount of subsidy granted throughout the year.

TABLE XXXIV.

Local Author	Amount Granted.			
	773		7589	£
Brisbane City Council			***	28,720
Cairns City Council	+ -		* *	13,780
Ipswich City Council				2,500
Mackay City Council				6,150
Rockhampton City Counci	1			1,000
Townsville City Council				16,500
Bowen Town Council				316
Dalby Town Council				2,000
Redeliffe Town Council				3,847
South Coast Town Council				151
Blackall Shire Council				78
Burrum Shire Council				1,000
Douglas Shire Council				6,000
Johnstone Shire Council				2,042
Mareeba Shire Council				450
Murgon Shire Council		Ø		200
Stanthorpe Shire Council				295
Woongarra Shire Council				875
			-	
Total	445			85,904

Camping Areas and Seaside Resorts.— Departmental officers paid attention to camping areas and seaside resorts, particularly over the holiday periods, and it is pleasing to report that improvements are being made at almost all places by the provision of better water supplies, water closets connected to septic tanks, laundries and bathing facilities.

Water Samples.—Many of these samples are routine checks for Local Authorities on the quality of their reticulated water supplies. Quite a few however are for persons desirous of using ground water for domestic purposes.

It is advisable to draw attention to the fact that once water has been found to be polluted, it must be regarded as unsafe for all time and that one examination, showing no pollution of the water, does not guarantee it for ever. Pollution may be intermittent or the supply may become polluted after a good sample has been

District officers at Toowoomba, Rockhampton, Mackay, Townsville and Cairns all report that the conduct of essential services are in conformity with the general standard for the State. The following comments are offered in other respects:—

Toowoomba.—The Oakey water project has been completed, and reticulation of water at Stanthorpe should be completed at an early date.

Dalby Town Council is working on the augmentation of its town supply and Toowoomba has a long range plan for the expansion of the city water supply. Several smaller centres are exploring the possibility of reticulated water supply.

New blocks of public conveniences have been completed at Dalby and Warwick during the year

Rockhampton.—Reticulated water schemes were completed in Mount Morgan, Ilfracombe, and at Yeppoon connections for reticulation are being made. The township of Jericho is investigating the practicability of providing a water supply from bores,

Further progress has been made in the sewerage scheme for the town of Blackall, and preparations for sewerage are being made at Gladstone and Barcaldine.

The serious floods in Rockhampton in the early part of 1954 created a grave risk of disease as they receded, but special measures by the Local Authority prevented any outbreak of disease.

Mackay.—For many years, some sugar mills have created fly breeding grounds and polluted streams by the disposal of washes.

Local Authorities have taken steps by means of which it is hoped that the fly breeding will be prevented and the pollution of streams is being investigated.

Townsville.—In two towns, Ayr and Mount Isa, vehicles in which the refuse is compressed as it is collected, are in use. Such vehicles not only reduce mileage and travelling time to and from the disposal ground, but the compressed refuse, even though loosened by tipping, is more easily compacted in the tip than non-compressed refuse. This compacting helps to reduce fly breeding, rat harbourage, and the risk of fire from spontaneous combustion.

As the Shire of Thuringowa is without the services of an inspector of its own, departmental officers have assisted the Local Authority by making a house-to-house inspection in the town of Giru, and other inspections as required in other parts of the Shire.

Cairns District.—Plans for the installation of a sewerage scheme for the city of Cairns were further advanced during the year. The Shire of Atherton has almost completed the installation of septic systems in all premises in Atherton and Tolga. A similar system for the townships of Babinda and Gordonvale is being planned by the Mulgrave Shire. The Herberton Shire is investigating sewerage systems for the towns of Herberton, Ravenshoe, and Mount Garnet.

A reticulated water supply was completed at Kuranda, Edmonton, and Mount Garnet during the year. Further progress has been made in the new reticulation schemes for Mount Mulligan and Mount Molloy. Gordonvale now obtains its water from Behana Creek, a much more satisfactory source of supply than the Mulgrave River.

Swimming Pools.—Officers of this department, during the summer, tested the water in swimming pools at public baths, and school baths

for free residual chlorine. At all baths it was found that chlorine was available for the disinfection of the water.

Bedding and Upholstery Regulations.—In order to gain information for the better implementation of these regulations, unofficial samples of kapok, fibre, flock, and rags have been submitted to the Government Analyst and Laboratory of Microbiology and Pathology during the year. The investigation is proceeding and definite information is not yet available.

Hotel Licensing.—Many of our officers are appointed inspectors under "The Liquor Acts, 1912 to 1947", and by regulation 37 of "The Liquor Regulations 1936," all these officers enjoy the same powers in respect of regulations 33, 34, 35, and 36 of the abovementioned regulations as are conferred on an inspector appointed under the Acts.

At the request of the Licensing Commission, the annual inspection of licensed premises was resumed during the year, and reports on many of the hotels throughout the State have been submitted to the Commission. This work is to continue, and with a full year ahead, it is anticipated that a greater number of licensed premises will be inspected and reported on by our officers.

Many plans and specifications for new hotels, and/or alterations and additions to existing premises have been examined, and commented on to the Commission.

SECTION OF HOOKWORM CONTROL.

Microscopist in Charge: S. Thompson.

GENERAL.

The staff responsible for hookworm control consists of a Microscopist, Sister, one field inspector at Cairns, and one Sister at Innisfail.

During the year, the microscopist visited Mitchell River Mission. Of the 272 persons examined, 132 showed evidence of hookworm. Because of this high incidence, mass treatment was carried out, children of three years of age and under being treated in hospital. Arrangements have been made for all aboriginals arriving at the Mission to be examined so as to prevent new foci of infection spreading the disease. The sanitary conditions at this Mission were a factor in the spread of the disease, and advice was given regarding improvements.

A survey of the Yarrabah Mission was carried out and it was pleasing to see the low incidence of hookworm prevailing there. This is due to the fact that the sanitary conveniences and the sanitary depot have been brought up to a fair standard, as well as regular visits by a medical officer from the Cairns Hospital. The Yarrabah and Mona Mona Missions are now practically free of hookworm disease.

Mass treatment of aborigines has been carried out at Cairns, Bloomfield River Camps, Cooktown Camp, Coen, and Mitchell River Mission.

Surveys of school children have also been carried out in the Cairns, Mossman, Coen, Innisfail, and Tully areas. Of the 2,374 school children examined, 51 were positive for hookworm, and 183 for other parasitic worms.

Intensive survey of cane cutters, mostly New Australians, was carried out in the Mulgrave Shire. Of the 473 examined, only two were found to be harbouring hookworms.

A large number of aborigines was examined from all areas, and of the 1,594 examined, 496 were found to be positive.

From all areas, 4,645 specimens were examined; 565 were positive for hookworm, and 101 of the hookworm hosts were treated to a cure

It was found that 317 specimens contained ova of Enterobius vermicularis, Hymenolepis nana, and Trichostrongylus orientalis.

The School Sister at Innisfail carried out examination of specimens in conjunction with general school medical duties.

Arrangements have been made with the medical officers of district hospitals to treat persons heavily infested with hookworm, and carry out subsequent follow-up. Children three years of age and under, lightly infested, are also treated in hospitals.

Several hookworm cultures were made of positive specimens, and the examinations showed that these were Ancylostoma duodenale.

Sanitary inspections were carried out in the Mulgrave, Johnstone, and Douglas Shire areas, and reports were forwarded to the Local Authority, who issued the necessary notices.

Tables XXXV. and XXXVI. show the incidence of hookworm disease in each area, and the nature of the work carried out.

TABLE XXXV. Endemic Area under Residential Control.

				Specimens.				Treatm	ents.	
Area.	Total.		Ex-	Re-	Positive.			I		
		Received.	amined.	examined.	H.W.	Others.	Notices.	Delivered.	Posted.	Cured.
Cairns Area— Schools	1,327	1,295	1,277	18	24	113	104	21		6
Mossman Area—							101		1990	
Schools	114	116	111	5	12	7	7	9	3	2
Schools	23	34	20	14	15	1	1	6	7	6
Innisfail Area— Schools	514	484	484			35	35			
Tully Area— Schools	466	445	445			27	27			
School Total	2,444	2,374	2,337	37	51	183	174	36	10	14
Other Hosts in— Cairns Area Daintree Area	::	11 3		11 3	6 3			4	2 3	
Other Hosts Total		14		14	- 9			4	5	5
Intensive Survey—										
Cairns Area— Redlynch Sub-area Edmonton Sub-	140	126	126		1	8	8			***
area	108	104	104			2	2			**
area	239	208	208		1	6	6	1		
Mossman Area— Mossman Beach Sub-area	35	35	35		1				1	
Intensive Survey Total	522	473	473		3	16	16	1	1	

TABLE XXXV .- continued.

ENDEMIC AREA UNDER RESIDENTIAL CONTROL.—continued.

				Specimens.				Treatm	vents.	
Area.	Total.		Ex-	Re-	Posi	tive.				
The state of the s		Received.	amined.	examined.	H.W.	Others.	Notices.	Delivered.	Posted.	Cured
Miscellaneous-									0	
Cairns Area	110	110	110		1	9	9	1		
Mossman Area	32	32	32		1	5	5		1	
Mitchell River	1000			10000				1000		
Mission	6	6	6	100			200			
Innisfail Area	37	37	37		4	5	5	1		
Tully Area	5	5	5							
Miscellaneous Total	190	190	190		6	19	19	2	1	
Aborigines—	The same									
Cairns Area	246	274	218	56	95	3	3	89		14
Yarrabah Mission	668	639	639		26	48	1	26		
Yarrabah Mission		30	14	16	5	2	49	5		12
Mona Mona Mission	17	34	17	17	9	5	5	8		9
Mossman Area	12	59	12	47	40	4	4	14	26	14
Daintree Area	84	79	62	17	31	74.4		2	25	6
Bloomfield Camps	31	31	31		11			69	3	
Cooktown Area	27	50	27	23	31	1	1	83		5
Hopevale Lutheran	7999		100	337					1000	
Mission	26	89	26	63	60	7	7	49	11	16
Coen Area	11	23	11	12	15			189	8	6
Mission	272	272	272		173	27	27	240		
Innisfail Area	14	14	14			2	2			
Aborigines Total	1,408	1,594	1,343	251	496	99	99	774	73	82
Il Areas—										
Cairns Area	2,170	2,128	2,043	85	128	141	132	116	2	25
Yarrabah Mission	668	669	653	16	31	50	50	31		12
Mona Mona Mission	17	34	17	17	9	5	5	8		9
Mossman Area	193	242	190	52	54	16	16	23	31	16
Daintree Area	84	82	62	20	34		**	2	28	6
Cooktown Area	27	50	27	23	31	1	1	83		5
Hopevale Lutheran	- 0.0	- 00		00		-	-	40		
Mission	26	89	26	63	60	7	7	49	11	16
Area	31	31	31		11	4.4.		69	3	
Coen Area Mitchell River	34	57	31	26	30	1	1	195	15	12
Mission	278	278	278		173	27	27	240		
Innisfail Area	565	535	535		4	42	42	1		
Tully Area	471	450	450			27	27			
Grand Total	4,564	4,645	4,343	302	565	317	308	817	90	101

Number of treatments administered in hospital—Cairns 37, Mossman 9, Cooktown 31, Gordonvale 1, Babinda 1,

TABLE XXXVI.

SANITATION. MULGRAVE SHIRE COUNCIL.

_	Cairns Area.
Number of places visited	431 469 277
venience	1 72

MULGRAVE SHIRE COUNCIL.

_	D. Class.	G. Class.	E. Class.	F. Class	H. Class,
Pails Pits Septic	96 24	91 44	134 8	1	1
septie	72	**			

JOHNSTONE SHIRE COUNCIL.

_	Innisfail Area.
Number of places visited	8
Number of sanitary conveniences in- spected	27 8
Number of places without sanitary con- venience	

JOHNSTONE SHIRE COUNCIL.

-	D. Class.	G. Class.	E. Class.	F. Class.	H. Class.
Pails Pits	 18	2	5	.:	::

DOUGLAS SHIRE COUNCIL.

-	Mossman Area
Number of places visited	47
Number of sanitary conveniences in-	
spected	49
Number of defective privies	14
Number of places without sanitary con-	
venience	1
Septie tanks	2

DOUGLAS SHIRE COUNCIL.

-	D. Class.	G. Class.	E. Class.	F. Class.	H. Class.
Pails Pits Septic	26 7 2	8	2 3		::

D. Class—Regulation cabinet.
G. Class—Below standard, but not allowing soil pollution.
E. Class—Allowing soil pollution.
F. Class—No sanitary convenience.
H. Class—Soil pollution in evidence at time of inspection,

DIVISION OF TUBERCULOSIS.

Director: E. W. Abrahams, M.D. (Melb.), M.R.C.P. (Lond.).

Medical Officers: E. M. Rathouse, M.B., Ch.B. (Cape Town).

I. L. Chapple, M.B., B.S. (Q'ld.).

This year has been one of consolidation in the attack on Tuberculosis in Queensland. An anticipated rise in the notification rate has not occurred.

Buildings.—The present stage of the building programme is as follows:

Chest Hospital, Chermside.— The pavilion section of the hospital is complete. The planting of lawns and scrubs has been commenced, staff is being recruited, and patients are expected to be in occupation by the time this report is published. As staff becomes available the number of patients will be increased until the full 186 beds of this stage are occupied.

Tenders for the main block have been let, and work on the foundations is well advanced. A serious delay in construction will occur unless deliveries of structural steel come forward rapidly.

Thoracic annexe—Cairns General Hospital.— This building is complete with the exception of minor fittings, and it is expected that it too will be occupied by the time this report is published.

Thoracic annexe—Townsville General Hospital.—Work on this building is progressing very satisfactorily, and the building will be completed during the coming financial year.

Thoracic annexes—Rockhampton and Toowoomba General Hospitals,—These buildings are in the final stages of planning, and tenders should be let and work commenced within a few months.

Waiben Sanatorium, Thursday Island.—
A new ward of 16 beds has been completed, bringing the capacity of the institution to 75.
Further improvements, including X-ray room, and developing room, new kitchen, and the addition of two new wards are planned for the forthcoming year.

Aplin Hostel, Thursday Island.—This institution accommodates cases awaiting transport to their homes after treatment, and also provides accommodation for patients under outpatient investigation who are required to live on Thursday Island while this is being done. Two new wards, lavatory blocks, and laundry facilities are planned for the forthcoming year.

Staff.—Queensland is less centralised than the other Australian States, and recognising this, it has been decided to appoint regional chest physicians at suitable centres throughout the State. These doctors will be responsible for the public health control of tuberculosis in their area, and in addition will act as consultant chest physicians to the appropriate hospital

boards. Eventually these appointments will be made at Thursday Island, Cairns, Townsville, Rockhampton, and Toowoomba. The first of these, the Thursday Island position, has been filled by George R. Hales, M.B., Ch.B., T.D.D., and it is expected he will take up his appointment shortly. That for Cairns is at present under advertisement.


Mass Radiography.—This is continued at the Chest Clinic in Brisbane where a second X-ray unit has been installed, and also at the Brisbane General and Toowoomba General Hospitals where admissions are routinely X-rayed. In addition, the Mobile X-ray unit, which commenced working in July, 1953, has been touring the State; the major centres visited so far are Ipswich, Gladstone, Mount Morgan, Rockhampton, Bundaberg, Maryborough, Gympie, Nambour, Mackay, Proserpine, Bowen, and Collinsville. These surveys have been on a voluntary basis and so far some 60,000 X-rays have been taken.

Treatment.—There have been no outstanding changes in treatment during the past year. Experience has, however, revealed interesting differences between the success of treatment in the coloured native inhabitants of the State, and in those of European origin.

The immediate response to treatment with modern chemotherapy is good in both, and rapid clearing of X-ray pictures, and of enlarged glands is frequently seen. However, in whites with better natural resistance to the disease, the carly improvement is usually consolidated, cavities, reduced in size, may close or become suitable for chest surgery, and the great majority of cases recover. In the native people, however, relapse has been distressingly common, and few become suitable for surgical measures to be undertaken.

Domiciliary care has been a prominent feature of the work of the Brisbane Chest Clinic, and during the past year 107 cases have been treated both before and after hospital treatment with chemotherapy for periods of from six to nine months.

The most serious treatment problem at present is the lack of a suitable centre for thoracic surgery, the surgeon being obliged to operate in a number of hospitals. The Repatriation Commission, by making a small number of female beds available at the Repatriation General Hospital, Greenslopes, has helped considerably, but we are still unable to operate on all cases in which surgical treatment might be of benefit, and considerable delay has developed between surgery being advised and being undertaken. It is hoped the completion of the Chest Hospital, Chermside will rectify this.



1. Thoracic Annexe, Cairns General Hospital.



Notifications.—The total cases notified for the year were 821, which is 122 less than last year. This fall was unexpected and cannot be fully explained as the case-finding campaign has been energetically pushed forward, and a large proportion of the notified cases have been from the Chest Clinic. Every effort is made to encourage private doctors to notify their cases, and it is hoped that their co-operation will be as good in the forthcoming years as in the past.

The difficulty of undertaking bacteriological investigations in the country districts has complicated the investigation of cases found by the Mobile X-ray Unit who have suspicious lung lesions, and probably some cases have therefore not been notified because their investigation is not complete.

The death rate for the calendar year 1953 is 12·3 per 100,000. The sharp drop during the past two years is undoubtedly due to the wide-spread use of modern chemotherapy, and chest surgery, and is in keeping with the trend in other States and overseas.

The morbidity figures, however, show a rise during the corresponding period. This is probably not a true increase in the number of eases occurring, but reflects increased case-finding, the registration of cases, and the fact of modern treatment which keeps more persons alive who would naturally be removed by death from the number of cases known.

The morbidity rate in post-war migrants is lower than the overall morbidity rate, and shows the effect of the careful screening which these persons have undergone, both before leaving overseas and on arrival in Australia.

Prophylaxis.—Investigation of contacts of known cases in country districts still presents great difficulty because of the distances involved, and because of transport difficulties in the Torres Straits-Gulf of Carpentaria area. Transport difficulties make regular medical visits, including those for tuberculosis prophylaxis, and casefinding, almost impossible, and until a suitable boat is provided in this area, prophylaxis must continue to be inadequate.

Mantoux testing and B.C.G. Vaccination.— School leaving age groups: This is described in the report of the School Health Services Section. Testing is being continued among National Service Trainees, known contacts of cases of tuberculosis, nursing staffs of hospitals, University students, and other groups, and it is hoped that this aspect of the campaign can be extended to country districts.

Aborigines.—A limited follow-up survey was undertaken at the aboriginal settlement on Palm Island, at Woorabinda, and at Cherbourg by Dr. E. M. Rathouse who Mantoux-tested natives vaccinated by Dr. F. M. Macken with B.C.G. in 1950 at these centres. Results are set out in Table XLVIII.

The reversion rate—that is, cases vaccinated with B.C.G. and now found to be non-reactors to the Mantoux test—is disappointing and shows the need for regular surveys, and re-vaccination of those who have reverted, if the level of immunity of these communities is to be maintained. A more promising sign, however, was that no children under one year of age were found who re-acted to tuberculin, while four children had done so when Dr. Macken surveyed these same settlements. This, we hope, reflects a drop in the amount of disease occurring in these groups.

Tuberculosis Allowances.—The Commonwealth Tuberculosis Allowance scheme, for which the State Director in each State is medical referee, continues to be of great help to sufferers from this disease permitting, as it does, most cases to stop work, knowing that an adequate income is available for their families.

The group in which financial hardship may still occur is the middle income group rather than the wage earner, as the breadwinner's commitments may be heavier and the Tuberculosis Allowance inadequate to meet these demands.

During 1954–1955 the first major building works to be constructed under the Commonwealth/State Tuberculosis arrangement—the Cairns Thoracie Annexe, and the pavilion section of the Brisbane Chest Hospital—will be occupied. These increased treatment facilities will permit the attack on Tuberculosis throughout the State to be further intensified.

SUMMARY OF THORACIC SURGERY-JULY, 1952, TO JULY, 1954.

Morgan Windsor, M.B., B.S. (Syd.), M.S. (Syd.), F.R.C.S. (Eng.), Chest Surgeon.

An increasing amount of surgery has been done in these two years. This is due to a number of factors—the submission of more patients for assessment through normal hospital channels, the advent of the case-finding programme, the opening of the cardio-vascular field, the treatment of female tuberculous through Repatriation channels which provides some increase in operating time and, finally, the lengthening of normal operating sessions.

Much of the surgery performed was nontuberculous in origin. Portion of this nontuberculous surgery was referred from the Chest Clinic but the whole of the surgery carried out is included in this report because of the difficulty in differentiating these cases from cases diagnosed at hospitals.

TUBERCULOUS SURGERY.

Resection.—All types of procedure are still in use, but there has been a considerable increase in the number of resections, particularly of the lobar, segmental, and enucleation types. This increase has been slightly at the expense of other major procedures, but mostly as an alternative to further sanitorium care, minor collapse procedures or merely a watching brief.

Pneumonectomies, and those upper lobectomies where it has seemed indicated, have been followed by partial thoracoplastics, either simultaneously or at a later date, depending upon the patient's condition.

In the 27 cases there has been no mortality, and only one fistula (pneumonectomy) later closed by thoracoplasty.

Leucite Plombage.—After the technical style
of the Perth group this has been on trial for
about two years. It has been used as an alternative to resection in apical disease, more particularly when, in the acute stage, there has been
considerable disease present elsewhere.

It is also used where a classical thoracoplasty has been envisaged and the apex at operation has been softer than was expected. A certain number have been done in the over 50 year age-group who have had considerable disease with associated emphysema, in which resection or thoracoplasty in two stages would be more dangerous or less likely to achieve the desired results.

Two other factors have influenced its use: as a one-stage procedure it has considerably reduced the waiting list, whilst its performance under local anaethesia has allowed its use at Rockhampton, and sometimes at Repatriation General Hospital, Greenslopes, where general anaethesia for resection is not always readily available.

In 32 civilian cases, and 12 repatriation cases, it has been necessary to remove the spheres on three occasions for infection. There has been no subsequent trouble.

Thoracoplasty.—The classical operation with apicolysis but retention of the first rib has been practised. It has been used particularly for gross long-standing upper lobe disease and rarely for empyema. In the 43 cases were 40 two-stage procedures, and occasionally a loose polythene pack was inserted between stages. There were two deaths, both poor risk patients, in whom extensive apicolyses were performed, where discretion would have been the better part of valour. Fortunately there has been no Semb's infection or other serious morbidity.


Monaldi Drainage.—This has been done on six occasions preparatory to thoracoplasty. In one case the cavity had closed and thoracoplasty was avoided.

Empyema.—It is of interest that, of major procedures in 102 patients, only four were performed for empyema. One patient had an infected artificial pneumothorax, two had infected spontaneous pneumothoracies and one primary pleural disease. The first three were submitted to thoracoplasty, the last to decortication.

TABLE XXXVII.

Operation.	1952-1953.	1953-1954.	Total
Bri	SBANE.		
Thoracoplasty— (2 stages) 30 (3 stages) 3	} 20	13	33
Leucite Plombage	7	13	20
Resection		16	27
Monaldi Drainage	. 2	1 0	3 6
Rocks	IAMPTON.		
Thoracoplasty (2 stages) .			10
Leucite Plombage		10	10
Resection	100		
Monaldi Drainage		2 2	3
Adhesion Section	. 3	2	5
Total			119

No. of Operations 162,



2. Waiben Sanatorium, Thursday Island. General View.



3. Interior of Ward, Waiben Sanatorium, Thursday Island.




TABLE XXXVIII.

Non-Tuberculous Surgery—June, 1952, to July, 1954.

Lung and Mediastinum.

-		Pneumo- nectomy.	Lobectomy.	Segmental Resection.	Local Excision.	Exploratory Thoracotomy.	Total.	
appurations—	İ							
Bronchiectasis	4.4	***	25	5			30	
Abscess (Torula 2)		2	1				3	
Pneumonitis (Friedlander)		1	3		- 1		4	
ulmonary Tumours—			1 1 1 1 1 1 1 1 1					
Carcinoma		10	3			8	21	
Secondary (Breast 2)	2000					0	21	
Carcinoma Bowel 1		**	.,	**	1	3	4	
Bone 1								
Adenoma			2				2	
Angioma			2				9	
Chondroma			1		2	1000	3	
ediastinal Tumours					12	2	2 3 14	
ulmonary Cysts—	8.70			1000		-		
Blebs					6		6	
Congenital Cysts			3					
Hydatids					4		3	

Total Thoracotomies, 96.

Mortality (Exploratory Carcinoma) 1. Morbidity (Bronchial Fistula) 2.

Cardio-Vascular.	Summary—Total Thoracotomies.
Patent Ductus— Ligations 18 Division	Pulmonary and Mediastinum 96 Cardio-Vascular 24
Mitral Stenosis—Valvotomies 4 Cardiac Tumour—Thoracotomy and	Pleura and Diaphragm 14
Віорву 1	Oesophagus
Total Thoracotomies 24 (Mortality 1)	Total
Diaphragm and Pleura,	(10000000) 1, 110100000 2,
Hernia 8 Decortications— Clotted Haemothorax 2	Miscellaneous.
Empyema 3 Pancreatic Effusion 1	Lung Biopsy 1 Empyema Drainage 5
Total Thoracotomies 14 (Mortality 1)	Endoscopy Bronchoscopy—Diag- nostic
Oesophagus. Carcinoma—Thoracotomies 7	Oesophagoscopy—Diagnostic 12
(Resections 5, Mortality 2) Fibroma—Excision of Tumour 1	Oesophagoscopy Dilatation Stric- ture 5
Congenital Atresia 4 (Mortality 2)	Cardiospasm 3
Total Thoracotomies 12 (Mortality 4)	Total 279

TABLE XXXIX. X-Rays.

	-				Chest Clinic.	Mobile Unit.	Brisbane General.	Toowoomba General.
Micro X-Rays		 			34,656	62,978	25,442	2,954
Micro Re-rays Large Films	::	 ::	::	**	1,837 2,826	2,411	1,198	58
Active +ve Cases		 			230 (88)	(36)	130 (37)	11 (3)

Cases Discovered by Micro-Radiography alone thus ().

TABLE XL. CASE REGISTER.

_	Brisbane.		Cour	try.	Totals.			
	Male.	Female.	Male.	Female.	Male.	Female.	Persons.	
Notifications for 1953-54	268	129	262	162	530	291	821	
Cases on Register at 30-6-53 Cases added to Register 1953-54	860 239	490 118	733 233	377 151	1,593 472	867 269	2,460 741	
Cases on Register at 30-6-54	1,099	608	966	528	2,065	1,136	3,201	

TABLE XLL

Chest Clinic				 	 266
Hospitals				 	 244
Private Pract	itioner	8		 	 127
Repatriation	Depart	ment		 	 62
Thursday Isla	and He	spital		 	 54
Death Certific	cates			 	 34
Sanatoria				 	 22
Cherbourg Ab	origina	al Settl	lement	 	 12
	Total			 	 821

TABLE XLII.

MANTOUX TESTS AND B.C.G. VACCINATIONS.

BY CHEST CLINIC, BRISBANE. 1-7-53 то 30-6-54.

	Mantoux Tested. No.	Pos	itive.	Neg	ative.	Did not	Return.	Given B.C.G.		Refused B.C.G.	
		No.	Per- centage.	No.	Per- centage.	No.	Per- centage.	No.	Per- centage.	No.	Per- centage
Chest Clinic National Service	4,107	2,096	51.0	1,768.	43-0	243	6.0	762	43-1	1,006	56-9
Trainees Teachers Training	4,633	1,463	31-6	3,170	68-4			3,170	100-0		
College	1,307	694	53-1	604	46-2	9	0.7	511	84-6	93	15-4
Gatton College	707	168	23-7	539	76-3			537	99-6	2	0.4
University Students	483	188	38-9	273	56-5	22	4.6	264	96-7	9	3.3
Westbrook Boys' Home	120	20	16-7	92	76-6	8	6-7	92	100-0		
Totals	11,357	4,629	40-7	6,446	56-9	282	2-4	5,336	82-7	1,110	17-3

TABLE XLIII.

TUBERCULOSIS ALLOWANCES.

-	Male.	Fe- male.	Total.
Number accommodated in Tuber- culosis Institutions	240 327	77 113	317 440
Total receiving allowance	567	190	757

TABLE XLIV.

NUMBER OF HOSPITAL BEDS.

South Brisbe	ne Aus	ciliary	Hospita	al		 250
Westwood S	anitoriu	ım				 75
Thursday Isl						 80
Townsville I						 30
Repatriation				08		 93
Repatriation	Hospi	tal, K	enmore			 64
Number ava	ilable a	s at 3	0-6-54			 592
Chermside						 180
Cairns						 48
Anticipated	number	avail	able at	1-9-19	954	 820

TABLE XLV. TUBERCULOUS MIGRANTS.

_		British.			Total.		
IDA GLE	Male.	Female.	Persons.	Male.	Female.	Persons.	li Kan
Cases prior to 30-6-53	44 13	19 9	63 22	62 17	34 14	96 31	159 53
Total Migrant Cases	57	28	85	79	48	127	212

TABLE XLVI.

MORTALITY AND MORBIDITY.

Deaths.

			Rate (per 100,000 mean population).
1950	 236		20-1
1951	 226		18-8
1952	 216		17-6
1953	 162	1000	12-8

1. Queensland Total Cases ... = 35-6 per 100,000 Australians. 2. Queensland Migrants ... = 22-2 per 100,000 migrants.

TABLE XLVII.

Mantoux Survey of Aboriginal Settlements. 1950-51.

MANTOUX POSITIVE REACTOR RATE OF PERSONS NOT PREVIOUSLY TESTED OR B.C.G. VACCINATED.

		P	alm Island	4		Cherbourg.		W	l'oorabinda		Total		
Age Grou	р.	No. Tested.	Positive.	Per- centage Positive.	No. Tested.	Positive.	Per- centage. Positive.	No. Tested.	Positive.	Per- centage Positive.	No. Tested.	Positive.	Per- centage Positive
0-1 1-2 2-3 4-5 6-9 10-14 15-19 20-29 30-39		57 78 50 54 89 124 94 274 84	2 3 2 5 12 67 61 224 68	3-5 3-8 4-0 9-3 13-5 54-0 64-9 81-9 81-0	40 68 50 55 114 156 118 139 86	1 5 9 9 20 71 81 115 77	2·5 7·4 18·0 16·4 17·6 45·5 68·6 82·8 89·6	35 50 35 45 54 51 57 95 82	1 4 9 11 23 37 49 74 70	2·9 8·0 25·7 24·4 42·6 72·5 86·0 78·0 85·2	132 196 135 154 257 331 269 508 252	4 12 20 25 55 175 191 413 215	3-0 6-1 14-8 16-3 21-4 52-9 70-9 81-2 85-4
10		1,185	686	57-8	984	528	53-6	614	92 370	60-1	2,783	1,584	86-4 57-0

TABLE XLVIII.

MANTOUX SURVEY OF ABORIGINAL SETTLEMENTS. June, 1954.

MANTOUX POSITIVE REACTOR RATE OF PERSONS NOT PREVIOUSLY TESTED OR B.C.G. VACCINATED.

	1	alm Islan	ı.		Cherbourg		V	Voorabind	A.		Total.	
Age Group	+VE.	No. Tested.	Per- centage Positive-	+VE.	No. Tested.	Per- centage Positive.	+VE.	No. Tested.	Per- centage Positive.	+VE.	No. Tested.	Per- centage Positive
0- 1 1- 2 2- 3 4- 5 6- 9 0-14	 5 1 3 5 28	36 43 34 61 23 29	11·6 2·9 4·9 21·7 96·4	1 3 1 10 14	50 19 45 71 33 19	5-2 6-7 1-4 30-3 73-0	2 1 9 8 7	24 21 27 46 26 20	9-5 3-7 19-6 30-8 35-1	8 5 13 23 49	110 83 106 178 82 68	9·7 4·7 7·3 28·1 72·1
5-19 :0-29 :0-39 :0	 5 19 21 19	8 26 27 19	62-6 73-0 77-8 100-0	18 46 36 25	22 52 44 27	81·5 88·5 86·0 93·6	14 46 16 24	22 53 19 25	63-7 86-8 84-2 96-0	37 111 73 68	52 131 90 71	71-2 84-8 81-0 95-9
	106	306	34.7	154	382	40-3	127	283	44.8	387	971	39-8

TABLE XLIX.

MANTOUX NEGATIVE REACTOR RATE (REVERSION RATE) OF PERSONS GIVEN B.C.G. VACCINATION, 1950-51.

		P	alm Island	1.		Cherbourg	100	1	Woorabind:	a.		Total.	
Age Gro	ip.	-VE.	No. Tested.	Per- centage Rever- sion.	-VE.	No. Tested.	Per- centage Rever- sion.	-VE.	No. Tested.	Per- centage Rever- sion.	-VE.	No. Tested.	Per- centage Rever- sion.
0-1													
1-2				0.0			10	200					
2-3									11.				
4-5	0.0	44	75	58-6	31	54	57-4	20	34	58-8	95	163	58-3
6-9	11	40	88	45-5	36	105	34-3	1	3	33-3	77	196	39-3
10-14		14	71	19-7	19	106	17-9	i	3	33-3	. 34	180	18-9
5-19		11	44	25-0	10	49	20-3	î	2	50-0	22	95	23.2
00-29		6	32	18-8	4	24	16-7		1		10	57	17-5
30-39		5	17	29-4	5	12	41-7				10	29	34-5
10			16		5 7	21	33-3				7	37	18-9
		120	343	35-0	112	371	30-2	23	43	53-5	255	757	33-7

DIVISION OF INDUSTRIAL MEDICINE.

63 (58)

Director of Industrial Medicine: Douglas Gordon, M.B., B.S. (Q'ld.).
Inspector in Charge: Weil's Disease Control: J. M. Kennedy.

During the past year, the following matters have been dealt with by this Division:—

- 1. Reports submitted on industrial premises, industrial health hazards or to a less extent on administrative
- 3. Clinical examinations, other than regular routine ones 173 (107)
- (1) Results of similar activities for last year are shown in brackets.
- (2) As well as the matters dealt with in the above-mentioned official reports, approximately another one hundred and twenty different problems or questions were dealt with by letter, telephone or by interview.

MENTION OF SOME MATTERS OF INTEREST WHICH RECEIVED ATTENTION.

Addition of Gammexane to ordinary Fertilisers.

Hazards from Uranium Mining.

Tenosynovitis of the radial extensor tendons in biscuit packers.

Plastic floor polishes.

Ventilation of a telephone research laboratory, of "dark rooms", of a city cafe.

Asbestos hazards in the manufacture of "asbestos" wall boards.

Alkaline skin hazard in glass manufacture.

Systemic poisoning from the chlor-phenate group of fungicides and weedicides.

A case of anthrax in the wool-sorting industry—with subsequent control of imported skins.

Assisted in drawing up regulations to prevent explosions in Banana Ripening rooms.

A patient with severe purpura—at first thought to have some connection with benzol but later shown to be due to mononucleosis.

Decarbonisation of ears with compressed air. Fluorosis in a man dusting with fluorides.

Irritating fumes from whale-oil.

Use of X-ray techniques to discover faulty welds in pipes used in hydro-electric schemes.

Alleged Argyria in a silver-lead miner.

Pneumoconiosis in a millet farmer.

Sulphur dioxide hazard in a zinc ozide works. Acetone in the fusing of collars.

Disinfection of wool.

Skin and respiratory disease among workers in a cement factory.

"Conway Fever", Proserpine.

SO, in fruit canning.

Use of arsenic among prickly-pear sprayers. Address to the Dry Cleaners' Convention.

Dyes used to produce a green tattoo.

Use of carbon tetra-chloride in fire extinguishers.

"TIFA" spraying of lindane. Gnats in a coal-mine. PAPERS AND LECTURES.

A paper was delivered by the Director of Industrial Medicine to the Australian Convention of Dry Cleaners on the subject of "Health Problems in the Dry Cleaning Industry". The same officer delivered the Inaugural Presidential Address of the Thoracic Society of Queensland on "Dust and History". Lectures were delivered to medical and engineering students, and eight field-days were spent with medical students at the Ipswich Railway Workshops.

INDUSTRIAL TOXICOLOGY.

Parathions.—During the year, various discussions with officers of the Department of Agriculture and Stock took place in regard to control of this group of newer insecticides. The necessity for control was determined by the death of an elderly man from parathion poisoning in which it proved impossible to discover the source of the toxin. As a result of this, regulations were introduced limiting the minimum size of the container of liquid concentrate to be sold, and prohibiting the use of parathions in powder form. The powder form is considered more dangerous, because the dust tends to blow onto the user, remain on him, and if he sweats, a certain amount of absorption would take place through the skin.

Lead.—Routine examinations of workers engaged in the more hazardous of the lead trades were carried on, as usual, without any untoward findings. Assistance was given to the inspectorial staff regarding the use of lead paint, and as a result it can be anticipated that in the near future purchasers of paint will have adequate warning that they are buying paint which contains dangerous amounts of lead.

Radio-Active Substances.—The discovery of uranium-bearing ores in this State has brought to a head the matter of radio-active substances. At present, it is not anticipated that any great hazard will arise from their mining or treatment, but the Chief Inspector of Mines and officers of this Section have considered the matter fully, and are taking adequate steps to meet any difficulties or dangers which may arise.

Chlor-Phenates.—For many years, it has been considered that the chlor-phenate group of fungicides and weedicides was a severe skin irritant only. When first introduced into this State, there was an initial period during which skin cases were occurring, but with the publicity given, and the experience gained by the users, there have been few reports of disablement due to skin diseases in the last few years.

Unfortunately, during the current year, it became obvious that the widely-held opinion of their harmlessness as systemic poisons was poorly founded. Two cases occurred—one at Cairns and one at Nambour—in which the victims were severely ill in circumstances which definitely implicated the use of chlor-phenate material— in one case as a fungicide in a saw-mill, and in the other, as a weedicide on a pine-apple plantation. After this, a review made of

a death which occurred last year also suggested that this fatality was probably due to the use of chlor-phenates.

In the last six months, a report has come from overseas of the systemic toxicity of this substance, and there is a happening mentioned in which one hundred men were affected systemieally, among whom there were two or three deaths.

Whale-oil.—The increasing complexity of industry in this State is shown by a complaint which came in during the year concerning whale-oil. Men handling this oil in tanks were found to be intensely irritated by the fumes. A search of the literature, particularly medical literature, relating to the Falkland Islands, shows that this is not an uncommon happening, although, apparently, the substance can hardly be termed a poison. It has irritant properties which worry the eyes and mucous surfaces.

DUST DISEASES.

Asbestos .- For the first time in the history of this State, cases of clinical asbestosis were discovered. One patient was originally found by the Chest Clinic as the result of an X-ray survey, and following this matter up, it was found that, during the war years, a rapid increase had taken place among industries making various asbestos building materials, such as wall board and This increased production had taken place without adequate safeguards to remove the dust. All men who had worked in two or three dusty processes implicated were followed up radiologically and their sputum examined where samples of sputum could be produced. Any man showing sputum containing asbestos bodies or a doubtful X-ray film or who had a clinical respiratory disease was clinically examined. This group of men contained not only present employees but also men who had since left the firm and who are now working elsewhere. The group comprised some fifty patients of whom about four were considered to be suffering from asbestosis. More than this number showed asbestos bodies but, since all other findings were negative, they were not considered as being clinically affected. The group will be followed up from time to time, in the future.

At the same time, dust counts were carried out of the processes going on at present in this factory. High dust counts were obtained in some instances, but the general ventilation of the plant was said to have been greatly improved in the last three years. There is evidence of this, for quite a deal of money has been spent in the installation of mechanical exhaust equipment. It can therefore be inferred that, during the war years, conditions were extremely dusty.

The other factory engaged in this type of work is being investigated at the present moment but early indications seem to suggest that, in their case, the same trouble will not be found. Steps are being taken to remove all hazards.

Dust in Coal Mines.—This year has been an extremely busy one for officers of the Department engaged in ventilation and dust surveys in coal mines. The increased interest started off with a dispute at Ogmore in which it was shown that very dusty conditions existed when shot-firing

was carried on during the working shift. The other coal mines in Central Queensland were also surveyed without any worth-while concentration of dust being discovered.

Later on in the year, the Chest Clinic visited these centres and no coal miners with suspicious micro-films were found. This does not rule out the possibility of early dust diseases being present but does at least show that there is no wide-scale incidence of well-developed dust diseases of the lungs in any of these men.

Up to date, the Chest Clinic has now surveyed most of the miners from the West Moreton and Central Queensland fields, with practically negative results, as far as dust is concerned. This bears out opinions expressed in previous reports.

At least half-a-dozen pits on the West Moreton fields have also had dust and ventilation surveys carried out during the year, either at the request of the Chief Inspector of Coal Mines or of the Union officials. The results, in the main, have been quite satisfactory.

A happy working arrangement now seems to exist between the Union concerned and officers of this Department. By and large, complaints are not made without some adequate foundation.

Grain Dust.—The bulk-handling of wheat in Queensland ports gave rise to some complaints concerning dust in this type of work. The set-up that was used was an improvised one, in which the grain was handled over much, with a good deal of dust being dissipated into the working atmosphere. A report was made showing that, in the storage shed and environs, the dust was too high for safety after the men worked there for a number of years. However, since silos and proper handling equipment are visualised in the near future, this hazard will probably be reduced.

Trimming in the ships' holds gives rise to heavy quantities of dust but, in this case, gangs of wharf labourers are rotated around and it is rather unlikely that any man, except an unnaturally allergic subject, would get into trouble, for any one man would hardly do this job, in the wheat season, more than one or two days a month.

Dust In Cement Works.—A survey was made of the local cement works, at the request of the main Union working there, to discover the incidence of sickness due to respiratory diseases and skin troubles. All sickness records were investigated and any man who considered that he was suffering from complaints due to the dust was clinically and radiologically examined. Definite proof was found that the incidence of skin diseases — principally dermatitis — was higher among this group of employees than would be expected elsewhere.

No lung diseases were found, but a few men were suffering from upper respiratory tract infections, such as sinusitis. It is difficult to determine whether this incidence of sinusitis was more than would be found among a similar group of men in other industries, for, in winter time, infections of the upper respiratory tract are exceedingly common.

As in other surveys carried out in various parts of the world, no evidence could be found that eement-makers suffer from any of the wellknown dust diseases of the lungs.

MISCELLANEOUS INFECTIONS.

Anthrax.—A case of Anthrax occurred, in a man working in a wool store. This is the first case of this infection in this State since December 1950, and, as far back as records can be found, it is only the second case to occur in the wool industry here.

The source of the infection was considered to be due to dead wool introduced from a Southern State. All this consignment of wool was quarantined by the Department of Agriculture and Stock and was subsequently treated to remove any risk of further infection. The latter Department have also passed legislation making it extremely difficult for such wool to be introduced in the future. Happily, the patient recovered.

"Conway Fever".—While visiting North Queensland, an opportunity was taken to visit Proserpine—an area where Dr. Derrick had heard that some cases of fever had existed in the past. A week-end was spent in the district and there is no doubt that the disease entity known locally as "Conway Fever", which occurred a number of years ago in a small wet belt along the coast, east of Proserpine, when the scrub was being fallen and when people were living in camping conditions, was Scrub Typhus. Now that this area has been more permanently settled, the disease would seem to have disappeared.

"Monto Fever".—When in Central Queensland, a visit was paid to the Monto district to investigate a minor epidemic of infection with Leptospira Pomona which had occurred there. Particular interest was paid to this outbreak for it was the first time that an epidemic had occurred in a dairying district in what is a comparatively low rainfall area in this State.

In most instances, there had been sick calves or sick pigs on farms where patients had been affected and there was also evidence that quite a number of pigs and stud dairy calves had been introduced from wetter districts not long before the epidemic had been noticed.

Scrub Typhus.—A major development which has occurred during the past year is the work done by Dr. Derrick, of the Queensland Institute of Medical Research. Dr. Derrick has been engaged in mouse inoculations of blood from suspected cases of Scrub Typhus in North Queensland. His work, to date, has shown that the Weil-Felix agglutination test is not a good means of diagnosing Scrub Typhus. Cases which gave negative agglutination tests have subsequently been proved to give positive results by mouse inoculation. From other experiences, it is known that, on occasions, the Weil-Felix test will give a false positive result.

The results of this work are gratifying to this Section for, quite a number of years ago, the opinion was expressed that laboratory methods in existence were inadequate for the diagnosis of Scrub Typhus and quite a deal of injustice was, at times, done, in consequence, to men applying for compensation where their fever was considered to be due to occupation.

DETAILS OF FEVER PATIENTS.

The various tables appearing hereunder give the main data in connection with cases of 'fever'' which have occurred in North Queensland and in South Queensland. In the former instance the number of cases checked during the current year has shown a decline, being 524 in 1952-53 and 509 in 1953-54. On the other hand patients which we have followed up in Southern Queensland show an increase from 91 to 132. It must be remembered, however, that figures such as these probably do not really indicate a lessening or an increase of the problems investigated. So many extraneous circumstances can lead to an increase or decrease in the number of patients of which this Section becomes aware. It will suffice to say that the problem of the pyrexia of unknown origin is still with us.

It might be pointed out that during the year field follow-ups of fevers from the Mackay District were deficient on account of the fact that the Department's Health Inspector in that area did not have a truck to enable him to visit fever patients and the districts in which they worked.

TABLE L.
TOTAL CASES NORTH QUEENSLAND, 509

Thursday Island District . Cooktown District . Mossman District . Atherton Tableland Cairns District . Gordonvale District . Babinda District . Innisfail District . Tully District . Ingham District . Townsville District . North-Western Queensland	. 14 . 16 . 13 . 3		1 2 10 2 6 6 19 19 22 5 1
Cooktown District		2 7 2 5 5 3 9 2 1	2 10 2 6 19 19 22 5 1
Mossman District	. 3	5 3 9 2 1	10 2 6 19 19 22 5 1
Atherton Tableland Cairns District Gordonvale District Babinda District Innisfail District Tully District Ingham District Townsville District North-Western Queensland	1 14 16 13 3 3 · · · · · · · · · · · · · · · ·	5 3 9 2 1	2 6 19 19 22 5 1
Cairns District Gordonvale District Babinda District Innisfail District Tully District Ingham District Townsville District North-Western Queensland	. 14 . 16 . 13 . 3	5 3 9 2 1	6 19 19 22 5 1
Gordonvale District Babinda District Innisfail District Tully District Ingham District Fownsville District North-Western Queensland	. 14 . 16 . 13 . 3	5 3 9 2 1	19 19 22 5 1
Babinda District	. 16 . 13 . 3	3 9 2 1	19 22 5 1
Innisfail District Pully District Ingham District Fownsville District North-Western Queensland	. 13	9 2 1 	22 5 1
Tully District Ingham District Fownsville District North-Western Queensland	. 3	1 1	5 1 1
Ingham District Cownsville District North-Western Queensland		i	i
Fownsville District North-Western Queensland		i	i
North-Western Queensland		1	::
Proserpine District .			
Mackay District		1000	1
Total	. 50	39	
Total	. 50	39	89
Leptospirosis (Po	MONA '	TYPE).	
Thursday Island District			1
Atherton Tableland			2
Innisfail District			3 1
Fownsville District		** **	3
North-Western Queensland			
Bowen District			1
Mackay District			1
Total			11
LEPTOSPIROSIS (M	towns Th	france	
	uris 1	rraj.	4 1
Gordonvale			1
The second second			
SCRUB TYP	HUS.		
1	Proved		Cotal.
	Cases.	Cases.	

DURUB I	Traco.		
	Proved Cases.	Clinical Cases.	Total.
Thursday Island District	1		1
Cooktown District	3		3
Mossman District	3		3
Atherton Tableland	4	1	5
Cairns District	7		7
Gordonvale District	7		7
Babinda District	2		2
Innisfail District	., 3		3
Tully District	2	1	3
Ingham District	2	2	4
	-	-	
Total	34	4	38

MURINE TYPHUS.	P.U.O.
Atherton Tableland 5 (1 doubtful case) Innisfail District 1 Bowen District 1	Finalised. Cases not completely investigated as it was not possible to obtain second
Total 7	Thursday Island Dis- triet 11 11
TICK TYPHUS.	Cooktown District
Innisfail District 1	Mossman District 10 10
	Atherton Tableland 35 2 37 Cairns District 24 1 25
	Cairns District 24 1 25 Gordonvale District 23 1 24
Q Fever.	Cairns District 24 1 23 Gordonvale District 23 1 24 Babinda District 23 1 24
Atherton Tableland 1	Innisfail District 51 2 53
Cairns District	Tully District 18 2 20
Babinda District 1	Ingham District 14 1 15
Innisfail District 1 Townsville District 2	Townsville District 29 29 North - Western
North-Western Queensland 3 (1 clinical case)	Queensland 14 1 15
Mackay District 4	Bowen District 4 4
	Proserpine District 4
Total 13	Mackay District 63 12 78
	Total 324 23 347
BRUCELLOSIS.	Grand Total North Queensland, 509.
Atherton Tableland 1 Gordonvale District 1 (doubtful case)	Trans. Total Queensand, ove.
Total 2	

TABLE LI. THURSDAY ISLAND DISTRICT. Total Cases—14.

			Month	of Onse	4.		Leptospirosis (Non-cane Worker).	Leptospirosis (Pomona Type).	Scrub Typhus.	P.U.O.
1953-										
fuly						 	 			2
ugust						 	 	1		
eptember						 	 			2
etober						 	 			
November						 	 			
December						 	 			1
1954-	-									
anuary						 	 			
ebruary						 	 1		1	2
Iarch						 	 			
pril						 	 			1
Lay						 	 			1
une						 	 			2
	T	otals				 	 1	1	1	11

TABLE LII. COOKTOWN DISTRICT. Total Cases—6.

									Leptos	drosis.		
			Month	of Onse	4.				Cane Worker.	Non-cane Worker.	Scrub Typhus.	P.U.O.
1953-							-				1	
uly			**							1	4.5	
August										1	1	
september											1.0	

lovember												
1954-	-								1989			
anuary					20.00	2.5		4.0			1.1	**
ebruary											12	1
Larch											1	
April												**
May									4.4		1	
une												
	Te	otals								2	3	1

TABLE LIII. Mossman District. Total Cases—23.

			Leptos	pirosis.	Lepto-	1					P.U.O. (Lack of
Month	of Onset.		Cane Worker. Non-cane Worker.		spirosis (Pomona Type).	Scrub Typhus.	Murine Typhus.	Q Fever.	Brucellosis.	P.U.O.	Complete Investi- gation).
1953-	_	-									
July							14.40				0.00
August								**		1	
September										1	
Detober							4.4				
November											
December 1954—										5	
anuary						1				1	
ebruary			1	3						1	
Iarch				1		1					
pril				3							
fay			2			1					
fune										1	
Т	otals		3	7		3				10	1.

TABLE LIV. ATHERTON TABLELAND. Total Cases—53.

Month	of Onset		Lepto- spirosis (Non-cane Worker).	Lepto- spirosis (Pomona Type.)	Scrub Typhus.	Clinical Scrub Typhus.	Murine Typhus.	Q Fever.	Brucellosis.	P.U.O.	P.U.O. (Lack of Complete Investi- gation).
1953	anne									100	
January							**	200		1	4.4
July										1	
August					3					4	
Septembe	r			1						- 5	1
October					100		2			4	
Novembe					1	i	ī		100	5	-
December			**				i	3.5		4	
1954		**			**	***	1	**	**	7	
anuary			,	1			1*			0	1
		**					1.		**	5	-
ebruary	11		**	**		4.4			**	0	2.0
March			**	**				**		3	11
April	**		1						1.0		
May						1.0		1	1		
une				.,						1	
	Totals		2	2	4	1	5	1	1	35	2

^{*} Doubtful.

TABLE LV.
CAIRNS DISTRICT.
Total Cases—39.

					Lepto	spirosis.	Lepto- spirosis	Scrub			P.U.O. (Lack of
	Month of	Onse	t.		Cane Worker.	Non-cane Worker.	(Pomona Type).	Typhus.	Q Fever.	P.U.O.	Complete Investi- gation).
1953-	- =										
July						7.4		2		2	1000
August										2	
September								1	1	2	
Detober										5	
November							**			1	
December					44					1	
1954-											
anuary			4.4		100	1		1		1	1
ebruary							**			1	
March						3	4.0	1		1	0.00
April				fi.		1		1		4	10
day					1					2	
une								1		2	
	Totals				1	5		7	1	24	1

TABLE LVI.

GORDONVALE DISTRICT.

Total Cases—52.

Month of	Lepto	spirosis.	Lepto- spirosis	Lepto- spirosis	Scrub	Clinical	Murine		Brucel-		P.U.O. (Lack of
Onset.	Cane Worker.	Non-cane Worker.	(Pomona Type).	(Mitis Type).	Typhus.	Scrub Typhus.	Typhus.	Q Fever.	losis.	P.U.O.	Complete Investi- gation).
1953-											
July	1				1	100					
August	3 3									1	
September	3								1*	3	1
October					1					3	
November										4	
December 1954—										1	
January		2			1		-			1	
February	2		1000	2.0						1	
March	2 2	1				1		1		3	
April	'1	2	100			100		100		5	
May	1	ī		1							
June	î				2 2					1	
Totals	14	5		1	7				1	23	1

^{*} Doubtful.

TABLE LVII.

BABINDA DISTRICT.

Total Cases-46.

-			Leptor	spirosis.	Scrub	Clinical	Murine				P.U.O. (Lack of
30	omth	of Onset.	Cane Worker.	Non-cane Worker.	Typhus.	Scrub Typhus.	Typhus.	Q Fever.	Brucellosis.	P.U.O.	Complete Investi- gation.)
195	3-		1								4
July			 1		1					1	
lugust			 3					1		2	
eptem			 3							1	
etober			 1		1			1.0		11	
lovemb			i		1000		1 2000	2.20		3	1
Decemb			 2		**						
195		**	 -				**	**		5.5	
	-										
anuary				1	* * *		**	4.0	4.4		
ebruar	ry	* *	 1	1			**	4.4	4.9	4.4	
Iarch			 								
pril			 2	4.4						2	
fay			 1	1				**		1	
une			 1							1	
		Totals	 16	3	2			1		23	1

TABLE LVIII.

INNISFAIL DISTRICT.

Total Cases-83.

		Leptos	pirosis.	Lepto- spirosis	Scrub	Tick	Murine				P.U.O. (Lack of
Month of On	set.	Cane Worker.	Non-cane Worker.	(Pomona Type).	Typhus.	Typhus.	Typhus.	Q Fever.	Brucellosis.	P.U.O.	Complete Investi- gation.)
1953-											
May	2.0									1	
July		1								4	
August						1				3	
September		1								3	
October										6	1
November										3 3	
December		2								3	1
1954-											
anuary			1							4	
ebruary		2	2					1		1	
darch		1		1						1	
April		1	4		2		1			6	
day		2	1	1	1					12	
une		3	1							4	
Totals		13	9	2	3	1	1	1		51	2

TABLE LIX.
TULLY DISTRICT.
Total Cases—28.

							Leptos	pirosis.	Scrub	Clinical		P.U.O. (Lack of
		Monti	h of Ons	et.			Cane Worker.	Non-cane Worker.	Typhus.	Scrub Typhus.	P.U.O.	Complete Investi- gation).
1953-						-	100000000000000000000000000000000000000	-				
March		4.4			100	200		**			1	
April												12.2
May												1
une			4.4				2.0				1	
fuly												
lugust											1	
eptember			4.4								1	
Detober		**	++									
Vovember			++									
December			++									
1954-	-											1
anuary		700	2.0								1	2
Pebruary							1				3	
Inreh									2		2	
April							2				1	
Lay								2		1	4	
une											3	
		Totals					3	2	2	1	18	2

TABLE LX.
INGHAM DISTRICT.
Total Cases—20.

						Leptos	pirosis.	Scrub	Clinical		P.U.O.
		Month	of Ons	et.		Cane Worker.	Non-cane Worker.	Typhus.	Scrub Typhus.	P.U.O.	Investi- gation.)
1953-	4							-			
May					 				1	1	
June					 					1	
July					 					**	
August	**		**		 					**	**
September			++		 					**	**
					 					**	
November					 					1	
December 1954-					 						
January					 		100			1	
February					 			1			
March					 			1	1	2	
April					 		1			. 3	
May					 			33		4	
June					 					1	1
	7	Cotals			 		1	2	2	14	1

TABLE LXI.
Townsville District.
Total Cases—34.

			Mo	onth of (Onset.		Leptospirosis. (Pomona Type).	Q Fever.	P.U.O.	
1953										
June	***					4.4	 	 	1	
July							 	 		3
August							 	 	1	2
September		- 13					 	 1		3
October							 	 		4
November							 	 		4
December							 	 		1
1954-										
January							 	 		2
February							 	 		1
March							 	 		2
April							 	 		2
May				-,6			 	 1		3
June							 	 1		2
	To	tals					 	 3	2	29

TABLE LXII. NORTH-WESTERN QUEENSLAND. Total Cases—20.

		Monti	h of Ons	et.		Lepto- spirosis (Non-cane Worker).	Lepto- spirosis (Pomona Type).	Q Fever.	Q Fever (Clinical).	P.U.O.	P.U.O. (Lack of Complete Investi- gation.)
1953-			-		1-11-1				7		
fuly						 		1	1	2	1
August						 	1	5.0		1	
September						 				2	
November						 				2	
December 1954-				**	**	 			"	1	
anuary						 			**		
ebruary						 				3	
March						 1					
pril				4.4		 	6.	1		2	
Lay						 				1	
une						 					
	3	Cotals				 1	1	2	1	14	1

TABLE LXIII. BOWEN DISTRICT. Total Cases—6.

			M	onth of	Onset.			Leptospirosis (Pomona Type).	Murine Typhus.	P.U.O.
1953-			HILLIA							
uly						 	 	1		
ugust						 	 			
eptember						 	 		11	
october						 	 		1	1
lovember						 	 			
December 1954—			**			 	 			
anuary						 	 			
ebruary						 	 			
Larch						 	 			
pril						 	 			
Lay						 	 			
une						 	 			3
	To	tals				 	 	1	1	4

TABLE LXIV. PROSERPINE DISTRICT. Total Cases—4.

			Mont	th of On	set.		P.U.O.
October	53-				***	 	 2
March						 	 2
April						 	
May						 	
une						 	
		Total				 	 4

TABLE LXV. MACKAY DISTRICT. Total Cases—81.

		of Onse			Lepto	spirosis.	Lepto- spirosis	0.70	n	200	P.U.O. Lack of)
	atonth	or Onse	t.		Cane Non-cane Worker.		(Pomona Type).	Q Fever.	Brucellosis.	P.U.O.	Complete Investi- gation).
1953					1						
June										1	
July				4.4		1		1		5	
August								**		7	
September								1		1	
ctober										3	
lovember										7	1
December										7	1
1954-				933							1000
anuary							1	1		7	1
ebruary								1		8	3
Iarch										6	1
pril										3	1
Lay										6 3 3 5	3
une										5	1
	To	tals				1	1	4		63	12

Т	ABLE	LXV	ZI.			LEPTOSPIBOSIS (M	firms T	CYPE)-	-(Tota	1 4).	
FEVER CASES, SOUTH	HERN Q	UEEN	SLAND	(TOTA	L 132).	Dairy farmer			-		2
Occupa	tions .	of Pat	lionta			Pig farm labourer		**		**	ĩ
						Not known			11		î
Q. FE	VER-	(Total	58).			NOT KHOWH		**		100	_
Stock Inspector					1	Total	:.				4
Abattoir worker					43				- 55	200	
Meat inspector					1						
Slaughterman					2						
Dairy farmer					5	2.00					
Farmer					2	LEPTOSPIROSIS	(TYPI	E NOT	DETER	MINED).
Butcher's labourer					1	Dairy farm forems	in				1
Timber cutter					1						_
Forestry worker					1	Total					1
Shearer					1			1000		Contract of the last	
Total					58						
								-	-		
BRUCEI	LOSIS-	-(Tot	al 12).			CLASSICAL W	EIL'S	DISEAS	E-(Te	otal 7).	- 111
					0						1
Dairy farmer					2	Greenkeeper at bo		green			1
Butcher					2	Fruit cannery emp	oloyee				1
Meat inspector			**		2 2 2	Wool scourer					1
Bacon factory emp	ноусе				2	Housewife					1
Veterinary surgeon					2	Schoolgirl					1
Skin classer			**		1	Unemployed					1
Housewife			**	**	1						_
Total					12	Total					7
Leptospirosis (Po	MONA	TYPE)—(To	tal 36).	MURINE	Thomas	(T	neal 1	21	
Dairy farmer					8				Otal I	2).	100
Dairy hand					2	Storeman, produce	e store			**	2 2
Farmer					3	Farmer					
Banana grower					1	Baker					1
Pig farmer					2	Horse trainer					1
Piggery worker					3	Broom maker					1
Slaughterman					2	Commission agent					1
Meat worker					3	Policeman					1
Cleaner at abattoi	rs				1	Clerk					1
Meat inspector		S			1	Housewife					1
Milk vendor					1	Domestic					2
Railway worker					1						-
Housewife					1	Total			4.6		13
Schoolchild					1						-
Council sowerage v					1						
Carpenter		.,			1	The state of the s	-	-			
Station hand		1.	1000		1	Tick !	LALBERT	S-(To	otal 1).	1	
Not known					3	Scrub feller					1
										1000	-
Total					36	Total					1
			1111		1						

GENERAL.

A look at the record of work done during the year and a comparison with work performed last year will show that the activities of this section have increased by about 25 per cent. This has placed an additional burden on all concerned.

Unfortunately, it must not be forgotten that the main purpose of a Public Health Department is the prevention of disease and it must also not be forgotten that work and long hours of duty do not necessarily, in themselves, accomplish such an end.

As has been pointed out before, most of the work in this Section is really spent in reassuring patients and groups of employees that they are not suffering from occupational diseases. The main reason for this is that, owing to a set of circumstances—the relative innocuousness of our secondary industries and the shallowness of our secondary industries and the shallowness of our mines—very few industrial hazards exist in this State, and what there are adequately policed by Inspectors of the Department of Mines, of the Department of Labour and Industry and of

this Department. In other words, large sums of money and many hours of time cannot be spent in preventing diseases which, for the most part, do not exist,

It is hoped that in the coming year action will be taken to investigate the prevention of accidents. The problem is as yet unknown and the first step is to make detailed inquiries into a cross section of individual cases of accidents to determine what types of accidents are most likely to be amenable to preventive measures. When the problem is known a conference of all persons concerned will be convened in the hope that this preventable loss of life will be reduced.

CONCLUSION.

This report is brought to a conclusion by acknowledging the help received from officers of the other Departments—the Department of Labour and Industry and the Department of Mines in particular—and officers of the Queensland Institute of Medical Research and the various laboratory services in this Department.

WEIL'S DISEASE CAMPAIGN.

The area under the control of Weil's disease inspectors includes the mill areas of Goondi, South Johnstone, Mourilyan, Babinda, Mulgrave, Tully, Victoria, and Macknade, but other districts are visited when necessary.

In the "slack" season between January and May, farm to farm inspections are carried out, particularly those situated in low areas where water accumulates. The farmers are instructed in the measures necessary to prevent rat breeding, and the clearing of headlands, the burning of rat harbourage and destruction of secondary growth is insisted upon. Attention is also given to the hygiene of the farms, especially in the region of the cane barracks and in or near the canefields. This becomes more important as the season progresses as many newcomers to the district come from countries where hygiene standards are lower than ours.

From May to December all efforts are directed to the prevention of disease, mainly leptospirosis. Before the start of the cutting season, consultations take place between the inspectors, mill field staff, and farmers as to which areas are the safest to commence cutting. Cutting on farms adjacent to creeks and lowlying areas is postponed until later in the season in order to give the ground a better opportunity to dry out. A wet winter causes upset of schedule as it is necessary to wait for a drying out period to allow burning. In such cases the gangs are transferred to farms situated on higher ground.

General heavy rains were registered during June and July, but the subsequent months were comparatively dry. The number of cases of leptospirosis showed a decrease on the previous year, the greatest incidence again occurring among the cane cutters. Many of these men contribute to their infection because of failure to heed the warnings given in regard to the wearing of boots and suitable clothing.

The inspectors co-operate with officers of the Field Stations of the Queensland Institute of Medical Research in the investigation of fevers of unknown origin. Two hundred and eighty fever cases were investigated during the twelve months, and field inspections of the suspected areas of infection carried out. Assistance is also given in the follow up of patients, particularly in regard to arranging for the collection of blood samples.

It was noted that a large number of patients suffering from fevers of unknown origin came from new sugar lands but it is thought that, as the land is cleared and improved, there will be a decrease in incidence from these areas.

Rat control measures carried out by the various Pest Boards during the year have in the main been effective. Farmers in some mill areas experienced difficulty in obtaining baits from the mills. Unfortunately it is considered in some quarters that rat control is of secondary importance in the control of leptospirosis and this is accentuated by the time taken in carrying out other duties which the Pest Boards' officers are required to perform.

For some years past, strychnine, arsenic, and zinc phosphide have been in use as additional bases for baits. During the past twelve months, however, thallium sulphate wheat baits, and phosphorus bread baits have been the only medium used. The number and type distributed in the various mill areas are shown in Table LXX.

It is considered that some Boards could, with profit to themselves, devote more attention to the period and the method of distribution. Large sums spent on rat control do not necessarily mean efficiency. The several Local Authorities have made baits available to householders and stores, and have regularly baited rubbish tips and other likely rat breeding grounds, in addition to cutting and burning off rat harbourage on roads and reserves.

No cane was left unharvested at the season's end through application of the Regulations, and no major disputes occurred. Friendly relations were maintained with the various interests associated with the control of leptospirosis and full co-operation was received from the officers of the several organisations associated with the sugar industry.

TABLE LXVII.

Mil	Areas.		Area Harvested.	Cane Crushed.	Total Car	ne Burned.	Burned un Regula	der Health stions.
			Acres.	Tons.	Acres.	Tons.	Acres. (Including under	Tons.
South Johnston	0	 	13,516	379,065	13,437	376,547	400	11,194
Goondi		 	9,934	270,214	9,909	269,558	442	12,036
Mourilyan		 	9,600	239,376	9,590	239,143	8	550
Tully		 	14,043	399,207	13,994	397,809	3,498	99,452
Babinda		 	13,085	311,231	13,062	310,656	1,170	27,826
Mulgrave		 	12,389	323,836	12,359	323,044	4,825	125,943
Victoria		 	18,153	493,057	18,120	492,323	490	3,585
Macknade		 	13,672	358,724	13,651	358,326	526	5,440
Hambledon		 	12,031	321,452	12,011	320,869	A STATE OF THE PARTY OF THE PAR	100000000000000000000000000000000000000
Invicta (Inghan	n Line)	 	3,925	97,383	3,925	97,383	748	14,975
Totals		 	120,348	3,193,545	120,058	3,185,658	12,129	301,001

TABLE LXVIII.

	Mill	Areas.			Farms Inspected.	Fields Inspected.	Acres Inspected.	Fields Burned.	Cane-cutters signed on.
South Johnstone			 		504	540	3,819	72	495
Goondi			 		412	425	3,865	54	360
Mourilyan			 		59	65	515	2	279
Fully			 		1,281	1,340	10,509	134	463
Babinda			 	100	559	584	4,511	142	400
Mulgrave			 		165	172	1,561	51	403
Victoria					11	13	115		600
facknade				1.	10	14	120	7.	475
Hambledon					4	5	61		420
nvicta (Ingham			 		6	9	98		154
Totals			 		3,011	3,167	25,174	455	4,049

TABLE LXIX. FEVER CASES ALL AREAS. OCCUPATION AND TYPE. Field Investigated.

				Leptospirosis.	Scrub Typhus.	Murine Typhus.	Q Fever.	Brucellosis.	P.U.O.
Canecutte	ers			 18	2				36
Timber w	orkers			 5	1				7
Farmers				 5	2		1		22
Mill, L.A.	and T	ramw	rays	 2					11
Farm lab				 4	2				17
Women				 					11
Children				 3		1		1	- 19
Others				 3			2		33
	Totals			 40	7	1	3	1	156

TABLE LXX. Baits Distributed by Mill Pest Boards for Rodent Destruction. Numbers and Type.

			3	IIII Area	s.	911		Phosphorus. (On bread.)	Thallium Sulphate, (Wheat).
South Johnst	one	7	 			 	 	 30,000	1,134,000
Goondi			 			 	 	 	1,012,700
Lourilyan			 			 	 	 1,139,600	3,628,900
fully			 			 	 	 200,000	400,000
Lulgrave			 			 	 	 320,000	602,300
Babinda			 			 	 	 4,250,000	652,800
Victoria			 			 	 	 	1,330,000
Iacknade			 			 	 	 	1,024,500
Iambledon			 1			 	 	 	816,896
nvicta (Ingh	am Li	ine)	 /			 	 	 	63,104
Lossman			 			 	 	 	573,440
Total	als		 			 	 	 5,939,600	11,238,640

DIVISION OF MATERNAL AND CHILD WELFARE.

Director: H. C. MURPHY, M.B., B.S.

Deputy Director: P. M. Jackson, M.B., B.S.

Part-time Pre-school Child Health Officer: T. Henry R. Mathewson, M.B., Ch.B., until 31st March, 1954; A. E. Paterson, M.B., Ch.M., from 1st April, 1954.

Superintendent: D. Bardsley, A.T.N.A., F.C.N.A. (Seconded to the Department of Health and Home Affairs on the 12th February, 1953).

Acting Superintendent: A. Jenkinson, A.T.N.A.

TABLE OF CONTENTS.

Introduction - Staff - Prematurity - Vital Statistics-The Year's Work-St. Paul's Terrace Home—St. Paul's Terrace School—Clayfield Home—Clayfield Training Training School-Toowoomba Home-Toowoomba Training School—The Jefferis Turner Home, Ipswich—Jefferis Turner Training School— Rockhampton Home-Rockhampton Training School-Sandgate Home-Rail Car-Ante-natal Clinics-Correspondence Service for Expectant Mothers-Director's Consultant Centre-Pre-School Health Centres-Correspondence Section -Social Welfare Service-Lecture Demonstrations to School Girls-Co-operation with other Services — Medical Students — Newspaper Articles—Publications of the Service—Baby Clinic Social Club-Visitors from Overseas.

Answering various criticisms of the Maternal and Child Welfare Service in England, Dr. Elenora Simpson, Assistant Medical Officer of Health, Maternity and Child Welfare, in a paper on "The Future of Child Welfare Clinics," states inter alia:—

"With all respects to eminent authorities who think otherwise, I do not believe that it is possible for the preventive work of the present Child Welfare Clinics to be done either by general practitioners or Hospital paediatricians.

"First, because the claims of curative medicine are so urgent, the preventive side will inevitably be swallowed up; secondly, because education in positive health requires a special technique; thirdly, because I would most diffidently advance this view, those whose skill and interest it is to treat fully established illness, are not always trained to recognise the earliest symptoms of disease by having seen hundreds of normal children.

"I believe it is absolutely vital to retain the three distinct divisions of the National Health Service, following the individual from the cradle to the grave—Preventive; General Practitioner, and Hospital. These branches fail in their responsibility to the ultimate aims of medicine if they work in water-tight compartments. They succeed as they exchange information with each other so that the patient can obtain the best possible advice for his health."

With the sentiments expressed concerning co-operation of all Services, one is entirely in agreement. But one cannot agree, however, that the general practitioner should not, or could not, assume the public health responsibilities which are his by virtue of his profession and his position in the community. Has he no contribution to make, either because of lack of knowledge or interest, or ignorance of the work done by the Maternal and Child Welfare Service?

The general practitioner was formerly regarded as the one properly equipped, by virtue of his knowledge of the family and its background, to supervise the health of the family as a whole, and of the younger members particularly. This is still true of country practitioners, but it is doubtful in the case of practitioners in the larger cities and towns.

Many of the large number of medical students now passing through the University will, of necessity, be general practitioners, and it is a matter of gratification to know that Fourth, Fifth, and Final Year medical students are given theoretical and practical instruction in preventive paediatrics. This instruction includes the various activities of the Maternal and Child Welfare Service and should be of particular benefit to them after graduation.

There can be no reason then why the general practitioner cannot participate in the field of preventive medicine. The opportunity is there for him, and the complete co-operation of the Maternal and Child Welfare Service is assured.

This co-operation is vital to all interested in Child Welfare, and this Service is always seeking it. One instance of this is the fact that any infant attending the Centres, and who requires medical attention, is always referred to the patient's own doctor first, unless specialised treatment is necessary.

The continuous supervision of children by the sisters of the Maternal and Child Welfare Service, in close co-operation with the general practitioner, cannot but have a beneficial effect, and particularly on those most vitally concerned, namely, the mothers and their children.

STAFF.

The nursing staff now numbers 135, which includes five sisters who are relieving those members at present on leave. Of these, 58 are on the permanent staff and 77 on the temporary staff. The staff position is far from satisfactory, and it has been very difficult to staff the centres and homes, particularly in the country areas. Two of the western centres had to be closed during the sisters' annual recreation leave as no suitable relievers were available. One country centre is closed due to lack of suitable accommodation for the sister. A centre is never closed without every effort and avenue being used to obtain staff, but it is necessary for the sisters to have their annual recreation leave, particularly those who have long uncomfortable hours of travel to and from sub-centres.

At these times when there is a world wide nurse shortage, it is difficult for this service to compete with the more attractive nursing services to obtain suitable staff-suitable staff is most necessary as the child welfare nurse plays a very important role in the Public Health Services of this State. She is required to educate and guide parents in the physical and mental development of their children from the antenatal period until school age. If a nurse is not well-trained and experienced in this work and, above all, if she is not interested and keen to help parents, particularly those with their first baby, a great deal of harm can be done and opportunity lost in this very important period of physical and mental development of the future citizens of our State. This applies particularly to centres with only a staff of one.

A child welfare sister must handle each baby as an individual using tact and diplomacy to attract the mother to attend the centre. At the same time she must handle each mother as an individual, assessing the amount of advice and help that this mother requires and can absorb, holding her interest and confidence in the service until the mother has had time to see the satisfactory results that follow the correct advice. Once this is achieved a mother will become very willing and keen to learn and will prove a successful and contented mother who will look forward to a large, happy and healthy family.

If, on the other hand, through lack of, or incorrect help, a mother has experienced anxiety and unhappiness during the care and feeding of her child in the first years of its life, it is often found to be the reason given for the one- or two-children families.

The success of this service depends a great deal upon the efforts of the nursing staff, and to those sisters who are doing successful work to maintain a high standard-efficiency of this service sincere appreciation is extended.

Incidence of Prematurity and Percentage Mortality.

During the past three years at the Brisbane Women's Hospital there were 29,041 live births, of which 1,518 were premature, i.e., between 2 lb. 12 oz. and 5 lb. 8 oz. birth weight, giving a percentage incidence of 5.2 per cent. Of these premature infants, 161 died, representing a percentage mortality of 10.6 per cent. The following table shows the figures for the past three years.

Valid comparisons of the incidence of mortality due to prematurity between different countries cannot be made owing to difference in definition of prematurity. Nevertheless, some interesting excerpts from medical literature are worth recording.

In the May issue of the American Journal of Diseases of Children, Brooks, Cass, and Chinnock review the mortality of infants due to prematurity in the Premature Centre of the Los Angeles County Hospital for the years 1949 and 1950. During that time there were 1,975 premature infants weighing from 2 lb. 3 oz. to 5 lb. 8 oz. admitted to the centre. Of that number, 1,563 were born in the hospital and 412 outside. The percentage mortality of the total 1,975 admissions was 11·9 per cent. Of the 1,563 born in hospital, the mortality percentage was 9·3 per cent., whilst of the 412 born outside it was 21·1 per cent. The authors stress the need for better obstetrical care.

In the Bulletin of Hygiene, January, 1954, Margaret M. Kerr gives an analysis of prematurity amongst 13,396 babies born at the Glasgow Royal Maternity and Women's Hospital between 1949 and 1952 inclusive. There were 1,520 live born premature babies, giving a percentage rate of 12·1 per cent. These high figures appear to be related to a high proportion of abnormal deliveries. In 1950 nearly half the admissions were unbooked (2,002 out of 4,300), 21·4 per cent. were suffering from toxacmia, forceps were used in 11·4 per cent. and Caesarian section in 5·9 per cent, of all deliveries. "The problem," says Kerr, "is one which should attract the attention of the obstetrician and paediatrician."

Writing in the Practitioner, January, 1950, Richard W. B. Ellis emphasised that prematurity is a common occurrence and is a most important contributory factor to infant mortality. He quotes 10 per cent. of all live births in Scotland (MeNeil 1942) and 6·3 per cent. in Birmingham in 1944.

The problem of premature births is primarily one of antenatal care. In nearly 50 per cent. of cases no clearly recognisable cause can be found, and in the remainder toxaemia and twins pregnancies are the most important factor, followed by ante-partum haemorrhage, placenta praevia, foetal deformity, and various maternal conditions (cardiac and respiratory diseases, pyelitis, syphilis).

Leona Baumgartner in the Journal of the American Medical Association, July, 1951, quoted the work of Taylor in the Colorado Program, who found that in every weight group there is a significantly greater mortality for premature infants born from abnormal pregnancies or deliveries, the difference in a group of 477 infants being 8 per cent. for the normals and 37 per cent. for the abnormals. Baumgartner also mentions Eastman's Study of Premature Birth and there again shows the need for good obstetrical care. In Eastman's Study, 24-9 per cent. of his patients who had poor antenatal care or none had premature infants, whilst the incidence in those who had good care was 7.8 per cent.

TABLE LXXI.

Erisbane Women's Hospital.		Live Births.			Premature Births.			Percentage of Live Births.			Deaths of Permature Infants.			Percentage of Mortality Premature Infants.		
		1951.	1952.	1953.	1951.	1952.	1953.	1951.	1952.	1953.	1951.	1952.	1953.	1951.	1952.	1953
Public Hospital Intermediate	**	2,967 6,232	3,307 6,564	3,471 6,500	220 283	208 297	204 297	7·7 4·5	6·3 4·5	5-9 4-6	21 35	32 23	17 34	9-0 12-4	15-4 7-7	8-3 11-4
Total		9,199	9,871	9;971	503	505	501	5.5	5-1	5-25	56	55	51	10-9	10-9	10-2

VITAL STATISTICS, Births.

Thirty thousand, seven hundred and eightytwo births were registered during the year, a decrease of 171 from the previous year. Fifteen thousand, eight hundred and forty-two males and 14,940 females were born, giving a masculinity rate of 106·0. The natural increase of 19,776 was equal to an increase of 1·58 per cent. of the population compared with 1·62 per cent in 1952.

Marriages.

Nine thousand eight hundred and fifty-nine marriages were registered, the marriage rate being 7·8 per thousand mean population compared with 8·1 in the previous year. Minors married during the year numbered 3,757—650 being males and 3,107 females.

DEATHS.

Maternal.

The maternal mortality rate continues to improve, a record low rate of 0.71 per thousand live births being recorded. Twenty-two deaths occurred during the year due to diseases and accidents of pregnancy and childbirth. Of these, 13 followed childbirth and eight were due to diseases and accidents of pregnancy (excluding one abortion). The causes of the 13 deaths due to diseases and accidents of childbirth were as follows:—

Other accidents of		including
Caesarian section		
Puerperal toxaemias childbirth and pue		
Haemorrhage of chile		
Disproportion and ma	alposition of	foetus
Cerebral Haemorrhag	e in puerpe	rium

The causes of the eight deaths due to diseases and accidents of pregnancy were as follows:—

Toxaemias of pregnancy	(
Haemorrhage of pregnancy (H	Cetopie) 1
Other complications of pregn	

Infantile Mortality.

The infantile mortality rate for the year was 25·0 per thousand live births as compared with 24·9 for the previous year. Seven hundred and sixty-nine infants died during the first year of life as compared with 772 in the previous year. The rate for the metropolitan area was 21·1 as compared with 23·7 in 1952. A decline in deaths from prematurity, congenital malformations, birth trauma, and postnatal asphyxia, and atelectasis was responsible for the improvement in the rate. The sub-tropical rate was 23·9 as compared with 27 in the previous year, due mainly to a marked decrease in deaths due to prematurity. The tropical rate, however, showed an increase, being 32·5 as compared with 23·2 in the previous year. This marked increase was due mainly to a larger number of deaths due to congenital malformations and intracranial and spinal injury at birth.

The marked decrease in the number of deaths due to prematurity, namely 42, is gratifying but is offset by increases in practically all of the other causes of death in the first year of life.

Deaths of Children Aged One Year and Under Five Years.

(a) Deaths of children, aged one year and under two years, during the year numbered 86, representing a death rate of 2.9 per thousand children in that age group.

TABLE LXXII.

Causes of Deaths in Infants under One Year, Queensland, 1953.

Cause.	1952-			Increase		
, Cause.	*****	Metropolitan.	Sub-Tropical.	Tropical.	Total.	Decrease.
mmaturity (unqualified)	187	54	49	42	145	-42
ongenital Malformations	125	35	48	46	129	+4
ostnatal Asphyxia and Atelectasis	81	29	34	18	81	
ntracranial and Spinal Injury at Birth	65	21	30	22	73	+8
Other Birth Injury	48	10	16	13	39	-9
neumonia of Newborn	24	4	14	9	27	+3
Iaemolytic Disease of Newborn (Erythrob- lastosis)	23	10	11	6	27	+4
Toxaemia Toxaemia	14	8	9	8	25	+11
Francis de Principal de Princip	9	3	5	4	12	+3
North and a Part and a second	1	1	1	100	2	+1
Other Diseases Peculiar to Early Infancy	34	10	13	13	36	+2
Total Diseases of Early Infancy	611	185	230	181	596	-15
Sastro-Enteritis and Colitis	27	9	17	6	32	+5
bronehopneumonia, other and unspecified						
Pneumonia	23	4	13	14	31 8	+8 +3
obar Pneumonia	5		4	4	3	+2
Vhooping Cough	1	1	2		2	+2
Diptheria	105	29	34	34	97	-8
dl other Causes	105	29	34	04	91	-0
Total Deaths under 1 year	772	229	300	240	769	-3

TABLE LXXIII.

Causes of Deaths in Infants More Than One Month, but less Than Twelve Months of Age—Queensland, 1953.

			Increase or			
Cause.	1952.	Metro- politan.	Sub-Tropical.	Tropical.	Total.	Decrease.
Congenital Malformations Postnatal Asphyxia and Atelectasis Intracranial and Spinal Injury at Birth Other Diseases Peculiar to Early Infancy	54 3 1 9	18 2	20 2 4	19 3 8	57 3 2 14	+3 +1 +5
Total Pre-natal Causes	67	20	26	20	76	+9
Bronchopneumonia, other and unspecified Pneumonia	23 27 1 5	4 9 1 1 21	13 17 2 4	14 6 4 1 23	31 32 3 8 2 68	+8 +5 +2 +3 +2 -23
Total Deaths 4 weeks and Under 1 Year	214	56	86	78	220	+6

(a) Excluding Metropolitan.

TABLE LXXIV.

Causes of Deaths in Infants under One Month of Age—Queensland, 1953.


			1953.						
Cause,	1952.	Metro- politan.	Sub-Tropical.	Tropical.	Total.	Increase of Decrease.			
Immaturity (unqualified)	186	54	49	42	145	-41			
Postnatal Asphyxia and Atelectasis	78	29	34	15	78				
Congenital Malformations	71	17	28	27	72	+1			
Intracranial and Spinal Injury at Birth	64	21	28	99	71	+7			
Other Birth Injury	48	10	16	13	39	-9			
Pneumonia of Newborn	24	4	14	9	27	+3			
Haemolytic Disease of Newborn (Erythrob-				1					
lastosis)	23	10	11	6	27	+4			
Neonatal Disorders arising from Maternal				0.30		1 1 1 1 1 1 1			
Toxaemia	13	8	9	8	25	+12			
Haemorrhagic Disease of Newborn	9	3	5	4	12	+3			
Diarrhoea of Newborn	1	1	1		2	+1			
Other Diseases Peculiar to Early Infancy	27	8	9	5	22	-5			
Total Pre-natal Causes	544	165	204	151	520	-24			
All Other Causes	14	8	10	11	29	+15			
Totals	558	173	214	162	549	-9			


(a) Excluding Metropolitan.


TABLE LXXV.

Causes of Deaths of Premature (Immature) Infants.

		-	-						1952.	1953.
mmaturity unqualified								 	187	145
Il-defined diseases peculiar to early	infan	ev, with	h immat					 	16	11
Postnatal asphyxia and atelectasis,							-	 	43	40
ntracranial and spinal injury at bit								 	12	1:
other birth injury, with immaturity								 	23	2)
Veonatal disorders arising from mat				immat				 	8	25
neumonia of newborn, with imma-								 	5	
Inemorrhagic disease of newborn,	with in							 	3	. !
Crythroblastosis, without mention				ut with	imm	aturity		 	6	10
Nutritional maladjustment, with in								 		1
mmaturity with mention of any ot			y condit					 2.	6	1
Imbilical sepsis with immaturity								 		1
Other sepsis of newborn								 		1
								-		
Totals			**					 	309	282
Total under one year								 	309	285
Total under one month								 	305	278







The chief causes of deaths	s wer	e:	
Accidents			21
Pneumonia—			
Bronchopneumonia		67	
Lobar Pneumonia		2 }	10
Other Unspecified		2)	
Congenital Malformations			7
Avitaminoses and Nutritional	Defici	iency	
States			6
Gastro-enteritis and Colitis			4
Branchitis			

Of the 21 deaths due to accidents, three were caused by burns and scalds, two by drowning, four by accidental poisoning, two by traffic accident, five by motor vehicle (non-traffic) accidents, one by railway accident, one by machinery accident, two by accidental falls, and two unspecified.

(b) Deaths of children, between two years and under five years, during the year numbered 104, representing a death rate of 1.2 per thousand children in that age group.

The chief causes of deaths were :-

15	 	27
	 	14
	 	6
	 	6
8	 	4
	 	3
	 	2

Of the 27 deaths due to accidents, five were caused by motor traffic accidents, five by burns and scalds, two by poisoning, four by drowning, one by fall, one by electrocution, one by an animal, one by non-motor road vehicle accident, one by cutting instrument, one by machinery, one by firearm, and three unspecified. The remaining death was due to complications from a non-theurapeutic medical procedure.

Accidental Deaths of Children Between One and Fourteen Years.

The accidental deaths of children in this age group show no sign of diminishing, ninety deaths occurring, 55 being male and 35 female. In the following table showing the number of deaths from accidents for the six years 1948 to 1953, amended figures are shown for female deaths in 1952:—

THE YEAR'S WORK.

The total number of Centres and Sub-centres throughout the State is 217—53 being in the metropolitan area and 164 in the country.

New Centre Established-

On 18th May, 1954, Ayr was established as a Parent Centre. Home Hill and Giru, which had previously been visited from Townsville, will now be visited from Ayr.

New Sub-centres Established-

- Clare on 18th May, 1954, serviced from Ayr.
- (2) West Mackay on 8th June, 1954, serviced from Mackay.
- Chermside on 10th June, 1954, visited from Nundah.

Sub-centres Approved-

- (1) Millmerran to be visited from Toowoomba.
- (2) Park Avenue to be visited from Rockhampton.
- (3) Tinaroo Falls Dam to be visited from Atherton.

The total number of attendances was 362,008. This is a decrease of 10,318 as compared with the previous year.

This decrease was caused by two factors, namely the cyclonic weather accompanied by severe floodings in January, February, and March, and the severe incidence of influenza in June.

This is shown by the attendance for the first half of the year as compared with the second half....

Attendance from July 1st to December 31st, 1953 . . . 188,603

Attendance from January 1st to June 30th, 1954 . . . 173,405

The total number of mothers and babies admitted to the Homes was:—

Mothers 339
Babies 840

St. Paul's Terrace Home, Brisbane.

Two hundred and twenty-two babies and 118 mothers were admitted during the year. Babies have been admitted from the following country centres:—Colinton, Stanthorpe, Miles, Gatton, Beerwah, Landsborough, Millmerran, Caloundra, Dalby, Barcaldine, Goondiwindi, and Clermont.

TABLE LXXVI.

ACCIDENTAL DEATHS OF CHILDREN (AGED 1-14 YEARS) IN QUEENSLAND.

		1948.		1949.		1950.		1951.		1952.		1953.		
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Total.	
Road Accidents Firearms Drowning Falls Other Accidents	:::::	13 2 9 8 11	12 1 1 3 6	14 2 21 6 27	8 3 2 12	9 19 4 17	9 7 1 11	13 7 16 2 21	16 7 16	15 1 10 2 29	10 1 7 1 1 12	15 3 12 3 22	9 1 4 2 19	143 18 116 34 203
		43	23	70	25	49	28	59	39	57	31	55	35	514
Totals		(66	9	5	7	17	9	8	8	38	5	00	514

St. Paul's Terrace Training School.

In December, 1953, 31 candidates sat for examination, two failing to satisfy the examiners. In June, 1954, 30 candidates sat and there were four failures.

CLAYFIELD HOME, BRISBANE.

One hundred and ninety-five babies and 83 mothers were admitted during the year. A bowel infection caused by the introduction of *E. coli III.* which affected many babies caused a temporary closure of the Home from 30th March until 2nd April.

The appearance of the Home has been enhanced by the erection of a brick wall and piping fence facing Riverton Street. The fences at the back and sides have been renovated and a new back gate erected.

CLAYFIELD TRAINING SCHOOL.

Twenty-one candidates presented for examination in November, all being successful. In April, 20 candidates sat for examination, all but one satisfying the examiners. Graduation ceremonies were held at Centaur House instead of at the Home as was previously done.

TOOWOOMBA HOME.

There was an increase in numbers admitted during the year, there being 124 infants and 50 mothers admitted as compared with 106 infants and 34 mothers in the previous year.

Mothers and babies have been admitted from over a wide area, including Cairns, Blackall, Boggabilla, East Cooyar, Yelarbon, Goombungee, as well as Toowoomba and nearby districts.

Infants admitted during the year included cases of prematurity, a large number for the restoration of breast feeding, cases of malnutrition, anaemia, persistent vomiting, Pink disease, and a number of twins. The number of artificially fed undernourished children has been high. One infant whose birth weight was 7 lb. 6 oz. was admitted at the age of 19 weeks weighing 7 lb. 13 oz. This infant made excellent progress and was discharged at 29 weeks of age weighing 16 lb. 6 oz.

The erection of the new staff quarters is nearing completion. That portion of the Home which was previously used by the nursing staff will be available for mothers.

TOOWOOMBA TRAINING SCHOOL.

During the year 16 Child Welfare Assistant Trainees sat for examination and were successful. Graduation ceremonies were held in November and April.

THE JEFFERIS TURNER HOME, IPSWICH.

During the year 93 babies and 48 mothers were admitted, an increase of 26 babies and 13 mothers over the previous year.

Included in the babies admitted were eight sets of twins, 37 babies under 6 lb., 12 of whom were 4 lb. and under, the smallest being 3 lb. 7½ oz. Three sets of twins who afterwards attended the Centre at Ipswich were fully breast fed for nine months.

JEFFERIS TURNER TRAINING SCHOOL, IPSWICH.

Eight trainees sat for examination in the first term and all were successful. In the second grade ten sat and eight passed. Of the total 18 successful trainees, seven are already training as general nurses and a further seven have made application to do so. Graduation ceremonies were held in December, 1953, and April, 1954.

ROCKHAMPTON HOME.

During the year there have been 40 mothers and 81 babies admitted. Of the 81 babies, 16 were premature and of these there were four sets of twins.

On the 14th October a severe case of Pink Disease was referred from the Mount Morgan District Hospital. This child was a most difficult feeder. Her admission weight was 17 lb. and it was not until January that improvement began. She was discharged on 31st March, weighing 21 lb. The parents presented the Home with a Margaret Tarrant nursery picture as a token of gratitude.

ROCKHAMPTON TRAINING SCHOOL.

Eight trainees sat for examination in December and all were successful. One trainee in this grade did not sit for examination owing to ill health, but sat in April and was successful.

Eight trainees presented for examination in April, seven being successful.

Graduation ceremonies were held at the end of each grade's term of training.

SANDGATE HOME.

The year opened with 50 children in the Home representing 24 families.

During the year 724 children were admitted representing 276 families.

Thirteen of these families returned once, and one family returned twice during the year.

Children admitted were-

- (a) Between the ages of one and five years—191 boys, 152 girls;
- (b) Between the ages of five and tenyears—191 boys, 154 girls;
- (c) Over the age of ten years—18 boys, 18 girls.

Total-400 boys, 324 girls.

Children spent a total of 15,022 days in residence, which gives a daily average of 41.12 and an average of 20.7 days residence for each child.

During the year 34 children were transferred to hospital, 16 returned to the Home; the remainder were discharged to their own homes.

Measles and Mumps in the early part of the year accounted for most of those sent to hospital. During the latter part of the year, except for the usual colds, the children have had quite good health.

On Christmas Eve a party was given for the children, with a Christmas tree loaded with toys, each child received a toy, sweets and ice cream, which were supplied by the "Courier-Mail" Toy Fund and the Department. The Home was tastefully decorated by members of the staff and a happy Christmas was spent by all.


During the week of the visit of the Royal visitors, the children were well catered for. The Junior Chamber of Commerce arranged for a bus to call, which took the children to view the city illuminations. This was a wonderful



Toddler's Play Room, Sandgate Home.



Children's Play Room, Sandgate Home.



evening for the children, especially so for a few who were from the country and had never previously seen the "big lights." The R.A.C.Q. took thirty of the older children to the Exhibition Grounds on the day of the Civic Reception to the Royal visitors, which was an unforgettable experience for them.

At Easter time the children attended the R.A.C.Q. picnic held at the Wading Pool and greatly enjoyed the novelties and gaiety, also the afternoon tea which was provided.

Picnics have also been arranged by the Sandgate Baptist Sunday School at Christmas and on Labour Day.

We are indeed grateful to the teachers from the Baptist Sunday School who conduct Sunday school for the children each Sunday afternoon, also to the Society of St. Vincent De Paul whose members call each Sunday morning to escort the Catholic children to and from Mass.

The new building is now well advanced and we are looking forward to "opening day." This is going to be a wonderful asset and should make the working of the Home much easier and more comfortable. The dining room space will especially be welcomed, as will the recreation rooms, especially during the wet weather.

SANDGATE HOME-BABY WARD.

During the year 125 babies were admitted to the Home. The infants spent 3,848 days in the Home, giving a daily average of 10.54.

Nine babies returned a second time during the year.

The Home has been almost free of any infection during the year and, except for colds, the babies have been a healthy lot and there have been only five transferred to hospital.

Five were transferred to the Wooloowin State Home during the year.

Outside venetian blinds have been hung outside the isolation ward louvres, which has made the ward much more comfortable during the summer.

The Department supplied a large play-pen (16 ft. by 8 ft.) for the toddlers and this has proved a wonderful asset, enabling the toddlers to spend more time in the fresh air and sunshine.

RAIL CAR.

The present itinerary includes Winton, Dajarra, Julia Creek, Maxwelton, Kajabbi, and Richmond.

Mothers and babies attended at various sidings not included in the regular itinerary.

Mothercraft classes were held at Winton, Richmond, Julia Creek, and Hughenden.

The attendances for the year were 3,483.

ANTE-NATAL SECTION.

There has been an overall increase in antenatal attendances. A decrease in Caboolture attendances was balanced by increases at the other clinics.

Mothercraft lectures were continued with satisfactory attendances. Classes in ante-natal and post-natal physiotherapy have been commenced at the Woolloongabba and Fortitude Valley clinics.

The number of patients returning for postnatal examination is still disappointing. Only 40·2 per cent. of patients attended post-natally.

To gain some information as to the relation of breast feeding to ante-natal health, a survey of fifty mothers who had attended Maternal and Child Welfare Ante-natal Clinics was conducted. The results obtained are shown in Table LXXVII.

Although the number of patients was small, it represented an average cross section of patients. All these patients had an adequate ante-natal diet. Of the ten patients who fully or partly breast-fed their babies for nine months, eight were in normal health and two were anaemic from the second trimester. The cause of weaning in every case in the other groups was failure of lactation. In only one case abnormality of the nipples was a contributing factor.

Conditions complicating pregnancy were as follows:—

1	l. Ante	-nata			
Condition		J-1101-148			Number
Condition					of Cases.
Toxaemia					17
Anaemia					10
Rhesus Negative					35
(2 showed inc					(16-3%)
					2
Prolapse					
Venous Thrombos				33	2
Hypertension					6
Pyclitis					1
Hypoproteinameia				30	29
Threatened miscar					3
Miscarriage					2
Contracted pelvis			4.1		1
Danach binth					2 1 2 3
Twin pregnancy					3
Premature labour					3
(1 due to hyp	ertensi		occure	ed in	
rhesus r					
rising an					
Caesarian section			2.0		2
(due to failed			ur)		
					3
(1 followed		itate	birth :	1	
intrauter					
1 premat					
	2. Post	-natal			
Condition					Number
Containo	••				of Cases.
Postpartum Haem	orrhag	no			1
					2
Cystocele					4
Cystocele and Rec					5
					1
Pyelitis Erosion of cervix					7
Subinvolution					3
Ventral Hernia					2
	500	00000			

TABLE LXXVII

TABLE LAAVII.							
Duration of Breast Feeding.		sby Fully reast Fed.	Baby Partly Breast Fed.	Ante-natal Health.			
9 months		3	7	2 mothers were anaemic ante-natally; I had Caesarian Section			
More than 6 months		4	13	Average			
Many then O manths		21	12	Average			
Your than I month		9	7	1 elderly multipara; 1 chronic bronchiectasis; 1 toxaemia; 1 retracted nipples			
Weaned before leaving hospital		6		Includes patients in previous group			

ANTE-NATAL CLINICS.

Attendances at Metropolitan Centres-

Fortitude Valley	 	 717
Woolloongabba	 	 1,188
Caboolture	 	 230

There has been an increase in the attendances at the Fortitude Valley and Woolloongabba Ante-natal Clinics.

Lectures on Mothercraft and Hygiene of Pregnancy are given and are available to all expectant mothers, especially during a first pregnancy.

CORRESPONDENCE SERVICE FOR EXPECTANT MOTHERS,

Circular letters forwarded to expectant	
mothers	6,077
Response to circular letters	1,618
Circular letters forwarded to expectant	
mothers (other than above) re	
"Expectant Mother" books	2,315
Serial letters to expectant mothers	10,463
Letters received from expectant mothers	475
Special letters of advice sent on request	174
Copies of "The Expectant Mother" sent	***
	1 550
on request	1,552
Requests from country Centres and	
Hospitals for "The Expectant	
Mother" book	1,552
Copies of "Ante-natal and Post-natal	
Exercises" sent on request to	
expectant mothers	1,613
Requests from country Centres for	.,
"Ante-natal and Post-natal Exer-	
	040
cises ''	248
Copies of Baby Patterns sent on request	179
Copies of Maternity Belt patterns sent on	
request	54

The Correspondence Service to expectant mothers has steadily increased, and a number of smaller country Hospitals have been contacted and responded with monthly lists of expectant mothers.

Many requests are received for a supply of "Expectant Mother" books to be distributed from the Maternity Sections of Hospitals. This has shown a marked increase from the previous year.

DIRECTOR'S CONSULTANT CENTRE.

Attendances for the year ended June, 1954, were as follows:—

Number of children examined for	
admission to Sandgate Home	1,326
Number of children examined for	
admission to Red Cross Home,	
Margate	495
Number advised per phone	135
Attendances at Director's Consultant	
Centre for advice	2,205
Total number of children examined or	
advised at Centre	4.161

This shows an increase in the number of infants and toddlers whose feeding, management or behaviour has proved difficult and who were referred to the Director by Sisters in Charge of metropolitan and country Centres and by private medical practitioners. There has been an increase in the number of children medically examined and swabbed for admission to the Sandgate Home. In addition to these, as has been the practice in the past, all children admitted to the Red Cross Home, Margate, during the year were medically examined and had throat swabs taken by the Director or Deputy Director.

Of the throat swabs taken none showed positive diphtheria organisms,

One hundred and thirty blood counts, 22 urine specimens, nine cellophane swabs, seven specimens of faeces for fat analysis, and 96 rectal swabs were examined at the Laboratory of Micro-Biology and Pathology.

Forty-seven children and babies were referred to hospital, 17 to their own doctor, 19 to X-Ray Department, seven to Radium Clinic, three to Psychiatry Clinic, and three to Allergy Clinic.

Of the 325 babies and toddlers from Director's Consultant Centre and Pre-School Health Centres who had blood counts done, 120 had Haemoglobin levels below 10 gms. per 100 mls.

Of the 96 rectal swabs examined, six gave positive swabs for Salmonella and seven for E. coli III.

PRE-SCHOOL HEALTH CENTRES.


At the fifteen centres and six kindergartens, children from the age of one to six years were examined twice during the year.

The total number of examinations made during the year was 4,421, of which 1,985 were first examinations and 2,436 were subsequent examinations. The total examinations during the previous year numbered 4,388.

The following table shows the main abnormalities found at half-yearly examinations:—

TABLE LXXVIII.


		APREL T			
Enlarged tonsils					821
Knock knocs					608
Bow legs					164
Flat feet					152
Carious teeth					80
Intoeing					70
Anorexia					61
Adenoiditis					57
Umbilical Hernia			300	939	53
Skin rash		2.0			53
Thread worms			100	100	40
Tonsillitis					39
Stained teeth					34
Systolic murmur			100		32
Allergy	30	900			20
Impetigo	30			30	15
Nocturnal enuresis			-		12
Urticaria					11
Bronchitis			**		11
Eczema	• •			**	11
Chalky teeth	**	**		**	10
Squint	**			1000	10
And the second s	**			**	9
Ringworm					9
Pronated feet	**	**	2.0	**	8
Asthma		**	**	**	8
Naevus	**	**	* *	**	
	**	**	2.5	**	7 7
Hives Undescended Teste		**	**	**	6
	8	**			5
Cyst				**	
		**	**		5
Hydrocoele		* *		**	3
Prolapsed Rectum		10.00		**	
Congenital Heart		**		**	3
Geographical Tong	ao		**	2.0	3
Fissure (Anal)		2.0	2.0	1.6	2
				**	2
Measles			**	**	2
Cleft Palate			100		2 2 2 2 1
Pseudo Hypertrohi	e M	uscular	dystr	ophy	1
Carbunele					
Papilloma			**		1
Haematoma		**	* * *	**	1
Catarrh		**			1
Cellulitis					1
Chieken pox			**		1
Epilepsy		11			1
Tinea		**	**	**	1
				**	1
Laryngitis					1
Cardiac displacement	nt				1



Maternal and Child Welfare Home, Toowoomba.



Maternal and Child Welfare Home, Toowoomba.



One hundred and ninety-five blood counts, 41 specimens of urine, eight cellophane swabs were examined at the Laboratory of Micro-Biology and Pathology.

Twenty-five children were referred to their own doctors for treatment, 24 to hospital, 29 to X-Ray Department, one to Psychiatrist, five to Radium Clinic, three to Speech Therapy Clinic, one to Chest Clinic, one to Physiotherapist, and 11 to Dentists.

COUNTRY CENTRES.

The total number of examinations at country centres are as follows:—

Centre.	New Patients.	Subsequent Visits.	Total Visits.
Cairns	 194	265	459
Rockhampton	 83	33	116
Toowoomba	 58	116	174
Townsville	 130	150	280

The following table shows the main abnormalities found at half-yearly examinations:-

TABLE LXXIX.

Knock knees		 	 16
Umbilical Hernia		 	 14
Enlarged Tonsils		 	 11
Flat feet		 	 8
Infantile Eczema		 	 5
Bow legs		 	 4
Carious teeth		 	 3
Nocturnal Enures	is	 	 3
Squint		 	 2
Threadworms		 	 1
Colitis		 	 1
Congenital Heart		 	 1
Systolic Murmur		 	 1
Impetigo		 	 1
Coeliae disease		 	 1
Intoeing		 	 1
Skin rash		 	 1
Seoliosis		 	 1

Twenty-nine children were referred to own doctor, seven to dentist and two to hospital.

Owing to the small attendance of clinic Toddlers attending Rosalie Centre, permission was given to transfer same to "The Hanlon Clinic," Paddington, which is the parent centre. This arrangement is proving most satisfactory. Last clinic at Rosalie was held on 16th November, 1953, and the first held at Paddington on 30th November, 1953.

Toddlers' Clinic was held in the new building at Ipswich for the first time on 28th April, 1954, and is quite satisfactory as it enables the staff of the Ipswich Centre to hold their clinic without overcrowding, noise and moving of furniture as was necessary previously.

Kindergartens controlled by the Creche and Kindergarten Association.

Because the building in which they were housed was condemned, Woolloongabba Creche and Kindergarten closed on 9th October, 1953, the children being transferred to the Valley and Paddington Kindergartens. Lady Goodwin Kindergarten did not open after the Christmas school vacation.

Children attending Valley, Paddington, West End and Rosalie Kindergartens were medically examined twice during the year.

Prior to the transfer of Toddlers' Clinic from Rosalie to Paddington, children from Rosalie Kindergarten were examined at the clinic.

Kindergartens affiliated with the Creche and Kindergarten Association.

Community Kindergarten closed 11th December, 1953. At the request of the Director of Wynnum Kindergarten, permission was granted for the medical and nursing staff of this Department to visit the Kindergarten and examine the children. They were medically examined for the first time on 3rd and 7th June, 1954.

Children from Ashgrove Kindergarten, Devoy street, are medically examined at Ashgrove Toddlers' Clinic.

Kindergartens directed by Department of Public Instruction, State.

Children attending West Ashgrove Kindergarten were medically examined twice during the year. Children from Ipswich Kindergarten attend Toddlers' Clinic, Ipswich, for half-yearly medical examinations.

Toddlers' Clinics in Metropolitan area were closed from December 11th, 1953, to January 15th, 1954.

CORRESPONDENCE SECTION.

Birth notifications received from Centres show an increase from last year's numbers; also there has been a greater response to circulars forwarded.

A marked increase in letters concerning feeding and management have been received. Fewer letters from towns in New Guinea have been received as mothers are able to get advice from their own hospitals now.

TABLE LXXX.

	-	+					Year Ending 30-6-54.	Year Ending 30-6-52
Number of Birth Notifications received					 		 3,622	3,414
Number of circulars posted—								
(1) Within reach of Centre					 		 1,219	1,020
(2) Not within reach of Centre				200	 		 2,403	2,405
Number of follow-up circulars posted					 		 2,266	2,086
Letters to Correspondence in response to C					 		 676	587
Visits to Centres in response to Circular N	0. 1				 		 	
Letters of advice re feeding and management		t on re	quest		 		 1,478	1,246
Number of "Care of Mother and Child" s					 		 829	829
Number of extra "Care of Mother and Ch					 		 313	304
Number of Six Month Greeting Cards sent					 		 3,149	2,752
Number of Birthday Cards sent during ye							 146	80
		**	**	**	 		116	19200
Number of telephone calls re feeding and 1	nanage	ment	**	9.5	 	**	 110	**

Mothers in various islands and Mission stations are still anxious to get help through literature sent, whilst others still correspond regularly.

Diphtheria leaflets are sent regularly each month to country mothers.

List of births from the Brisbane Women's Hospital and Private Hospitals in Brisbane are sent regularly each month, together with the death notifications, to the Health Department of the City Council so regular leaflets advising regarding immunisation against diphtheria can be forwarded to these mothers.

Country mothers anticipating a visit to the city phoned for further advice requesting appointment for a visit to the Medical Director and to the Correspondence Section.

SOCIAL WELFARE SERVICE.

With the growth of the city extending into outlying suburbs, there are many new homes, not numbered, in distant and scattered areas, and many small babes, frail babes, and a number of twins in these homes, which necessitates further travelling by the cars for the care of these infants. Being new districts, many of the streets are not yet named and the roads are often in poor condition, and also it is difficult to get to the homes because of the unmade roads, which often causes delay in the finding of the place required.

The incidence of small, premature, and frail babes who are artificially fed seems to be very large. Many mothers do not seem to have much idea of breast expression and say they never could express much milk while in hospital, but shown how to express, soon manage quite well. This could be one reason for the mother's failure to establish a supply for the babe too frail to go to the breast. The greater number are due to failure of lactation but some are weaned by the doctor attending the mother.

Medical students have been fairly regular in attendance. Child Welfare trainees have appeared interested in the work. Many have said they did not realise the difficulties which could be met with in the homes, also they did not realise that some people live in such poor housing conditions.

Total Visits 3,865.

LECTURE DEMONSTRATIONS TO SCHOOL GIRLS.

The mothercraft teaching for the school year 1953 was much the same as the previous year, except that a class was held at Ipswich Girls' Grammar School and no class at the North Brisbane Intermediate. This school had moved to a smaller building and there was no suitable classroom available.

At the beginning of the school year 1954, new secondary schools were opened in the suburbs, and mothercraft classes have been arranged at the following new high schools—Banyo, Indooroopilly, Cavendish Road, and Salisbury.

Teaching girls mothercraft during their sub-junior year is most satisfactory. Unfortunately a number of girls do not attend a secondary school, and so miss these lessons.

Mothercraft lessons were again given by the sister on the Rail Car in all centres at which the car called, at both State and Convent schools.

The sister at Mount Morgan had classes at the Intermediate School and convent.

In the metropolitan centres the usual functions were held towards the end of the school year when the certificates and prizes were presented. In the country centres the sister on the Rail Car this year presented certificates and prizes at functions held at the schools, and at Mount Morgan they were presented at the school breaking-up ceremony.

TABLE LXXXI.

REPORT FOR SCHOOL YEAR ENDING 1953.

D	ate.		Schoo	1.			-	Number in Class.	Number sat for Examination.	Number obtaining over 60 per cent.
February			Petrie Terrace					19	17	17
April			Milton					50	46	43
apare			Rainworth		10		10	19	18	18
			South Brisbane Intermedia				24	46	34	31
day			Inswich Technical College				30	70	57	53
In lan			Ipswich Girls' and Infants'			150		34	32	32
uly	155		Domestic Science High-		100		100		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
			Sub-Seniors					16	15	15
			Practical Juniors					40	38	32
			State Commercial High			**		100	55	44
lugust			Brisbane Girls' High	**	- 1.7	**		14	14	13
December	**	**		**	**			17	15	15
December			Brisbane State High	**	**	***		40	99	22
			Brisbane State Righ					***		
			Totals					465	363	335
			Country Centres-							P ROTTE
			Mount Morgan Intermediate	o, Gr	rade 8			19.	19	17
			Mount Morgan Intermediate					29	29	20
			Mount Morgan Convent					11	11	9
			Winton Convent			4.4		10	10	10
			Winton State School					8	8	8 3 1
			Richmond State School			**		3	3	3
			Julia Creek State School			-	10	1	1	1
			Hughenden State School					8	8	8
			Hughenden Convent				-	8	8	8
			Totals					97	97	84

Co-operation with Other Services.

Two series of eight lectures for the "Child Care Badge" of the Girl Guides Association were given at Herschell Street during the year. Twenty of the twenty-two Guides received their badges.

Miss Waugh, Sister in Charge at Mount Morgan, has given lectures to the members of the Ambulance Brigade in Home Nursing.

Miss Foley, Sister in Charge at Herschell Street, gave a series of five lectures on Mothereraft to the Housekeepers' and V.A.D. section of the Red Cross.

Two lectures were given to the students of the Kindergarten Training College, one on "Skin," and the other on "Infections," and a demonstration on the normal development of the young child was also given.

Kindergarten students visit the St. Paul's Terrace Home and the Administrative Centre, and observe the activities of the various sections of the service. Trained nurse trainees from St. Paul's Terrace, untrained girls from Clayfield Home, visit the Lady Gowrie Centre, and the untrained girls are given lectures on the pre-school child, play materials, &c.

MEDICAL STUDENTS.

Lectures and demonstrations were given to fourth, fifth, and sixth year medical students, as in the previous year.

Fourth year medical students were given lectures on "Development of the Normal Child," "Aims and Activities of the Maternal and Child Welfare Service," and one on "Maternal and Infant Mortality."

Fifth year students were given lectures on the care, feeding, and management of infants during early life, as well as demonstrations on the normal baby-foods used in infant feeding. These demonstrations were given at the St. Paul's Terrace Home, and the students were shown the babies in residence, and a brief history of each babe was given.

Final year students attended the Fortitude Valley, Woolloongabba, and Herschell Street Centres, each student attending once weekly for five consecutive weeks. They also accompanied the Social Service Sisters on their visits to mothers unable to attend the various centres,

A seminar was held at the end of each term as previously.

NEWSPAPER ARTICLES.

Articles dealing with Infant and Pre-School Child Management were forwarded each month to 61 newspapers in the State. Among the articles written were:—"The Importance of Mothercraft Training," "Behaviour Problems," "Safety First in the Holidays," "Prevention of Accidents," "Behaviour Problems following Arrival of a New Baby," "Abdominal Pain in Childhood," "The Importance of Feeding Your Baby Correctly," "Tonics in Winter," and "The Dummy Habit."

PUBLICATIONS OF THE SERVICE.

The work of revising the booklet "The Expectant Mother" is practically complete and the revised manuscript will shortly be forwarded for printing.

"Care of Mother and Child," "Problems of Prematurity," and "Ante-Natal and Post-Natal Exercises" are in constant demand.

BABY CLINIC SOCIAL CLUB.

In June the members of the Social Club said "Good-bye" to Miss A. Small, who has retired from the service. Miss Small had been on the staff for 27 years, and had served in many parts of the State. Miss Small was presented with a wallet of notes.

The sum of £13 3s. 7d. has been forwarded to the Queensland Branch of the Serve the Children Fund.

VISITORS FROM OVERSEAS.

On Saturday, 28th August, 1953, Dr. Ronald McKeith, Guy's Hospital, London, gave a lecture to the trained staff on "The Child as an Individual." This lecture was well attended despite very inclement weather, and was most informative.

TABLE LXXXII.

VISITS TO NEWBORNS, SUBSEQUENT AND TOTAL VISITS.

Year.	Visits to Newborns.	Subsequent and Other Visits.	Total Visits.	
1951-1952	25,801	1,593	27,394	
1952-1953	25,298	939	26,237	
1953-1954	25,284	913	26,197	

TABLE LXXXIII.

ATTENDANCES AT CENTRES.

Number of New Cases seen at the Centres.

Infants-	1951-52.	1952-53.	1953-54
Under one year One to two years	18,076 4,935	18,180 5,310	17,736 4,750
Over two years	2,244	2,201	1,851
Total	25,255	25,691	24,337
Expectant mothers	732	827	783
Total new cases	25,987	26,518	25,120

TABLE LXXXIV.

Attendances of Infants and Children at Maternal and Child Welfare Centres and Sub-centres. Metropolitan.

_	1951-52.	1952-53.	1953-54.
Fortitude Valley	16,925	17,611	16,448
Branches-			
Caboolture (to			
5-1-52)	416		
Clayfield	1,139	1,484	1,086
Dayboro (to			
5-1-52)	184	**	2.0
Enoggera (to			
30-11-51)	929	2200	
Hamilton	1,026	1,425	1,095
Hendra	1,566	1,380	1,264
Mitchelton (to	100		
30-11-51)	499	802	1,042
Newmarket-Grange	976	802	1,042
Wacol Immigration			
Centre (opened		453	1,112
7-1-53) Windsor	1,912	1.812	2,676
windsor	1,315	1,012	2,010
	25,572	24,967	24,723
Herschell Street	12,356	11,225	11,606
Branches—			
Ashgrove (to			
30-11-51)	1,436		
Bardon (to			
30-11-51)	616	*****	22
Corinda	2,053	2,036	2,051
Darra	718	683	933
Enoggera (from		1	1 000
1-12-51)	911	1,523	1,685
Graceville	2,426	2,105	2,182
Immigration Centre Enoggera (opened			
7-1-53, closed			
23-10-53)		398	178
Indooroopilly	1,252	1,213	1,042
Kelvin Grove (to	1,202	1,210	1,042
30-11-51)	474		
Mitchelton (from			
1-12-51)	701	1,509	1,903
Paddington (to		-10-0	-,
30-11-51)	770		
Rosalie (to	1		
30-11-51)	669		
St. Lucia	548	497	629
Toowong	1,536	1,648	1,376
1000	26,466	22,837	23,585
	20,400	22,001	20,000

1951-52				
Branches		1951-52.	1952-53.	1953-54.
Chermside (opened 10-6-54)	Branches-	5,808	5,277	5,374
Sandgate Grom 1-12-51 Sandgate Grom 1-12-51 Solitor Sandgate Grom 1-12-51 Solitor Sandgate Grom 1-12-51 Solitor Solitor Sandgate Grom 1-12-51 Solitor Solitor	Chermside (opened 10-6-54)			56
Northgate (opened 10-4-53 138 301	5-1-52)		746	859
Redeliffe (to 5-1-52) 1,006 1.703	Kedron Northgate (opened		3,462	3,099
Sandgate (to 5-1-52) 1,703	Redeliffe (to	1.000	138	301
Wavell Heights (opened 4-12-52) 174 390 Zillmere 667 1,026 1,449 13,494 10,823 11,528 Paddington (from 1-12-51) 1,861 4,381 4,382 Branches—Ashgrove (from 1-12-51) 604 987 994 Kelvin Grove (from 1-12-51) 661 1,364 1,107 Branches—(from 7-1-52) 1,896 4,159 4,166 Branches—(From 7-1-52) 504 1,173 1,246 Cribb Island (from 7-1-52) 168 389 268 Dayboro (from 7-1-52) 988 2,415 2,339 South Brisbane Subcentres—Archerfield (opened	Sandgate (to			and the
Paddington (from 1-12-51) 1,861 4,381 4,382 1,1-2-51) 1,861 4,381 4,382 1,1-2-51) 1,861 3,951 4,138 1,1-2-51) 1,861 4,381 4,382 1,1-2-51) 1,861 3,951 4,138 1,1-2-51) 1,861 4,381 4,382 1,1-2-51) 1,861 1,301 1,1-2-51) 1,801 1,301 1,301 1,1-2-51) 1,301 1,301 1,301 1,1-2-51) 1,301 1,301 1,301 1,1-2-51) 1,301 1,301 1,301 1,1-2-51) 1,301 1,301 1,301 1,1-2-51) 1,301	Wavell Heights		174	390
Paddington (from 1-12-51) 1,861 4,381 4,382 Branches— Ashgrove (from 1-12-51) 2,261 3,951 4,138 Bardon (from 1-12-51) 604 987 994 Kelvin Grove (from 1-12-51) 501 1,301 990 Rosalie (from 1-12-51) 501 1,301 990 Rosalie (from 1-12-51) 501 1,364 1,107 6,193 11,984 11,611 Sandgate (from 7-1-52) 1,896 4,159 4,166 Branches— Caboolture (from 7-1-52) 168 389 268 Dayboro (from 7-1-52) 168 389 268 Dayboro (from 7-1-52) 168 389 268 Redeliffe (from 7-1-52) 988 2,415 2,339 3,681 8,429 8,327 South Brisbane Subcentres— Archerfield (opened 5-11-51) 194 396 466 Bulimba 2,181 2,168 2,232 Camp Hill 1,850 2,191 2,122 Bulimba 2,435 2,538 2,060 Morningside 2,018 2,420 2,429 Stones Corner 969 1,030 821 9,647 10,743 10,180 West End 7,709 7,752 6,499 Branch— Beenleigh 546 634 734 8,255 8,386 7,233 Woolloongabba 18,533 20,507 19,468 Branches— Coopers' Plains (opened 3-11-52) 346 680 Branches— Coopers' Plains (opened 3-11-52) 346 680 Exibit 1,006 1,066 1,305 Holland Park 7,799 7,752 6,499 Branch— Beenleigh 546 634 734 8,255 8,386 7,233	Zillmere			
1-12-51 1,861 4,381 4,382 Ashgrove (from 1-12-51) 2,261 3,951 4,138 Ashgrove (from 1-12-51) 604 987 994 Ashgrove (from 1-12-51) 501 1,301 990 Ashgrove (from 1-12-51) 501 1,301 990 Ashgrape (from 1-12-51) 966 1,364 1,107 Ashgrape (from 1-15-2) 1,896 4,159 4,166 Ashgrape (from 7-1-52) 504 1,173 1,246 Ashgrape (from 7-1-52) 168 389 268 268 Ashgrape (from 7-1-52) 125 293 308 Ashgrape (from 7-1-52) 125 293 3		13,494	10,823	11,528
1-12-51	1-12-51) Branches—	1,861	4,381	4,382
Tell	1-12-51)	2,261	3,951	4,138
Rosalie	1-12-51)	604	987	994
Sandgate (from 7-1-52) 1,896 4,159 4,166 Branches— Caboolture (from 7-1-52) 504 1,173 1,246 Cribb Island (from 7-1-52) 168 389 268 Dayboro (from 7-1-52) 125 293 308 Redeliffe (from 7-1-52) 988 2,415 2,339 3,681 8,429 8,327 South Brisbane Subcentres— Archerfield (opened 5-11-51) 2,181 2,168 2,282 Camp Hill 1,850 2,191 2,122 Holland Park 2,435 2,538 2,060 Morningside 3,018 2,420 2,429 Stones Corner 969 1,030 821 9,647 10,743 10,180 West End 7,709 7,752 6,499 Branch— Beenleigh 546 634 734 8,255 8,386 7,233 Woolloongabba 18,533 20,507 19,468 Branches— Coopers' Plains (opened 3-11-52) 346 680 Ekibin 1,006 1,066 1,305 Holland Park T.H.E 729 694 430 Ipswich Road 1,753 1,398 1,564 Rocklea T.H.E 729 694 430 Ipswich Road 1,753 1,398 1,564 Rocklea T.H.E 961 979 778 Salisbury 729 855 929 Yeronga 1,487 1,711 1,539	1-12-51) Rosalie (from			
Sandgate (from T-1-52) 1,896 4,159 4,166	1-12-51)			
Tanches—Caboolture (from 7-1-52). 1,896 4,159 4,166 Caboolture (from 7-1-52). 504 1,173 1,246 Cribb Island (from 7-1-52). 168 389 268 Dayboro (from 7-1-52). 125 293 308 Redcliffe (from 7-1-52). 988 2,415 2,339 3,681 8,429 8,327 South Brisbane Subcentres—Archerfield (opened 5-11-51) 194 396 466 5-11-51) 194 396 466 Morningside 2,181 2,168 2,282 Camp Hill 1,850 2,191 2,122 Holland Park 2,435 2,538 2,060 Morningside 2,018 2,420 2,429 Stones Corner 969 1,030 821 9,647 10,743 10,180 West End 7,709 7,752 6,499 Branch—Beenleigh 546 634 734 Woolloongabba 18,533 20,507 19,468 Bran		6,193	11,954	11,611
7-1-52) 504 1,173 1,246 Cribb Island (from 7-1-52) 168 389 268 Dayboro (from 7-1-52) 125 293 308 Redeliffe (from 7-1-52) 988 2,415 2,339 3,681 8,429 8,327 South Brisbane Subcentres—Archerfield (opened 5-11-51) 194 396 466 5-11-51) 194 396 466 6-11-51) 194 396 466 6-11-51) 194 396 466 8-11-52) 2,181 2,168 2,282 Camp Hill 1,850 2,191 2,122 Holland Park 2,435 2,538 2,060 Morningside 2,018 2,420 2,429 Stones Corner 969 1,030 821 9,647 10,743 10,180 West End 7,709 7,752 6,499 Branches—Beneleigh 546 634 734 8,255 8,386 7,233	7-1-52) Branches—	1,896	4,159	4,166
7-1-52). 168 389 268 Dayboro (from 7-1-52). 125 293 308 Redeliffe (from 7-1-52). 988 2,415 2,339 3,681 8,429 8,327 South Brisbane Subcentres— Archerfield (opened 5-11-51) 194 396 466 Bulimba 2,181 2,168 2,282 Camp Hill 1,850 2,191 2,122 Holland Park 2,018 2,420 2,429 Stones Corner 969 1,030 821 9,647 10,743 10,180 West End 7,709 7,752 6,499 Branch— Beenleigh 546 634 734 Woolloongabba 18,533 20,507 19,468 Branches— 346 680 Ekibin 1	7-1-52)	504	1,173	1,246
7-1-52) 125 293 308 Redeliffe (from 7-1-52) 988 2,415 2,339 3,681 8,429 8,327 South Brisbane Subcentres—	7-1-52)	168	389	268
3,681 8,429 8,327	7-1-52)	125	293	308
South Brisbane Subcentres	7-1-52)			
Centres— Archerfield (opened 5-11-51) 194 396 466 391 396 466 391 391 392 392 393 394 396 394 396 395		3,681	8,429	8,327
5-11-51) 194 396 466 2,282 Camp Hill 2,181 2,168 2,282 Camp Hill 1,850 2,191 2,122 Holland Park 2,435 2,538 2,060 2,429 2,429 2,429 2,429 2,429 821 821 9,647 10,743 10,180 821 9,647 10,743 10,180 821 8,255 8,386 7,233 7,744 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,255 8,386 7,233 8,255 8,386 7,233 8,255 8,255 8,386 7,233 8,255 8,255 8,255 8,255 <td< td=""><td>centres—</td><td></td><td></td><td></td></td<>	centres—			
Camp Hill 1,850 2,191 2,122 Holland Park 2,435 2,538 2,060 Morningside 2,918 2,420 2,429 Stones Corner 969 1,030 821 9,647 10,743 10,180 West End 7,709 7,752 6,499 Branch— 8,255 8,386 7,233 Woolloongabba 18,533 20,507 19,468 Branches— 346 680 Ekibin 1,006 1,066 1,305 Holland Park 7.29 694 430 Ipswich Road 1,753 1,398 1,564 Rocklea T.H.E. 961 979 778 Salisbury 729 855 929 Yeronga 1,487 1,711 1,5539	5-11-51)			
Morningside 2,018 2,420 2,429 Stones Corner 969 1,030 821 9,647 10,743 10,180 West End 7,709 7,752 6,499 Branch— 8enleigh 546 634 734 8,255 8,386 7,233 Woolloongabba 18,533 20,507 19,468 Branches— Coopers' Plains (opened 3-11-52) 346 680 Ekibin 1,006 1,066 1,305 Holland Park 729 694 430 T.H.E. 729 694 430 Rocklea T.H.E. 961 979 778 Salisbury 729 855 929 Yeronga 1,487 1,711 1,539	Camp Hill	1,850	2,191	2,122
West End	Morningside	2,018	2,420	2,429
Branch—Beenleigh 546 634 734 8,255 8,386 7,233 Woolloongabba 18,533 20,507 19,468 Branches—Copers' Plains (opened 3-11-52) 346 680 Ekibin 1,006 1,066 1,395 Holland Park 729 694 430 Ipswich Road 1,753 1,398 1,564 Rocklea T.H.E. 961 979 778 Salisbury 729 855 929 Yeronga 1,487 1,711 1,539				-
Branch—Beenleigh 546 634 734 8,255 8,386 7,233 Woolloongabba 18,533 20,507 19,468 Branches—Copers' Plains (opened 3-11-52) 346 680 Ekibin 1,006 1,066 1,395 Holland Park 729 694 430 Ipswich Road 1,753 1,398 1,564 Rocklea T.H.E. 961 979 778 Salisbury 729 855 929 Yeronga 1,487 1,711 1,539				
S,255 S,386 7,233	Branch—			
Woolloongabba . 18,533 20,507 19,468 Branches— Coopers' Plains (opened 3-11-52) . 346 680 Ekibin 1,006 1,066 1,305 Holland Park T.H.E 729 694 430 Ipswich Road . 1,753 1,398 1,564 Rocklea T.H.E 961 979 778 Salisbury 729 855 929 Yeronga . 1,487 1,711 1,539	Beenleigh			
Branches—Copers' Plains (opened 3-11-52) 346 680 Ekibin 1,006 1,066 1,305 Holland Park T.H.E. 729 694 430 Ipswich Road 1,753 1,398 1,564 Rocklea T.H.E. 961 979 778 Salisbury 729 855 929 Yeronga 1,487 1,711 1,539		8,255	8,386	7,233
(opened 3-11-52) 346 680 Ekibin 1,006 1,066 1,305 Holland Park 729 694 430 Ipswich Road 1,753 1,398 1,564 Rocklea T.H.E. 961 979 778 Salisbury 729 855 929 Yeronga 1,487 1,711 1,539	Branches—	18,533	20,507	19,468
Ipswich Road 1,753 1,398 1,564 Rocklea T.H.E. 961 979 778 Salisbury 729 855 929 Yeronga 1,487 1,711 1,539	(opened 3-11-52) Ekibin Holland Park			
Rocklea T.H.E	T.H.E			
Yeronga 1,487 1,711 1,539	Rocklea T.H.E	961	979	778
25,198 27,556 26,693				
		25,198	27,556	26,693

Metropo	litan-continued.	

Country-continued.

		-					
	1951-52.	1952-53.	1953-54.	A In Land	1951-52.	1952-53.	1953-54.
				Cairns	9,732	8,849	7,388
Wynnum	9,502	8,174	7,339	Branches—			
Branches-	500	014	770	Cooktown	240	340	325
Cleveland	728	614	759	Earlville	554	501	382
Manly (opened	547	1,230	710	Edge Hill	1,050	1,351 538	875 420
9-11-51)	947	1,230	710	Davidson I.	899	937	917
	10,777	10,018	8,808	Kuranda	177	168	143
	10,111	10,010	-	Mossman	828	923	944
					13,921	13,607	11,394
	Country.						
	1	1	1	Charleville	3,581	4,512	4,413
_	1951-52.	1952-53.	1953-54.	Branches—			
				Cunnamulla	657	1,077	899
			3 3 3 3	Morven (opened		110	***
Atherton	2,089	2,201	2,087	3-4-52)	8	140	142
Branches-		000	000	Quilpie	184	327	377
Herberton	415	303 641	337 721		4,430	6,056	5,831
Malanda	687 768	665	537		2,200	0,000	0,001
10	725	691	646				
Yungaburra	159	160	197				
Aungardana		-		Charters Towers	3,110	3,557	3,449
	4,843	4,661	4,525				
	-						
				TV 11	0.010	0.000	0.000
			1000	Dalby	2,846	2,803	2,879
		1	100	Branches— Chinchilla	1,410	1,715	1,453
Ayr (from 18-5-54)		**	407	Mil-	674	659	527
Branches-				Miles	0.13	000	0.01
Clare (opened 31-5-54)			16		4,930	5,177	4,859
Giru (from	***						
18-5-54)			76				
Home Hill (from		200		Carlo Carlo	21222	1222	1101000000
18-5-54)			214	Emerald	1,157	774	1,025
	-			Branches—	264	149	115
		**	713	Blair Athol	137	SS	74
				Clamana	327	116	330
				Springsure	349	181	173
				- Innegative			
Barcaldine	1,381	1,206	849		2,234	1,308	1,717
Branches-	-						
Alpha	196	254	188				
Aramac	197	196	188	0 11	1.000	1 005	1 010
Jericho	170	105	126	Gayndah	1,200	1,265	1,613
	2011	1 201	1 951	7013	220	188	310
	1,944	1,761	1,351	Monto	1,309	1,228	1,084
	THE REAL PROPERTY.			Mulgeldie	164	182	99
		135		Mundubbera	918	1,026	832
			A STATE OF THE PARTY OF THE PAR				
Biloela	3,426	3,865	4,602		3,811	3,889	3,938
Branches-						-	
Baralaba	379	423	577				
Goovigen	224	249	331	Gladstone	4,881	5,043	4,742
Jambin	163	188 162	154 308	Branches—	1,001	0,010	2,142
Moura	177 400	350	423	Calliope	165	250	157
Thangool	523	376	451	Mount Larcom	945	853	712
Wowan	497	547	699				
					5,991	6,146	5,611
	5,789	6,160	7,545				
			Charles and Control				
	102		EL STREET	Goondiwindi	1,458	681	1,032
	1000			Branches—	10000	2.0	
Bowen	1,996	2,138	2,057	Dirranbandi	300	233	265
Branches-	1,000		The same of	Inglewood	693	390	667
Collinsville	833	1,180	1,348	Texas	449	291	475
Murroona	324	436	439	Yelarbon	284	163	107
Proserpine	1,196	1,120	1,233		3,184	1,758	2,546
	4,349	4,874	5,077		0,104	1,100	2,010
	4,010					2000	
				Gympie	6,255	6,445	4,851
	100000000000000000000000000000000000000		-	Branches-		ore	7 440
Bundaberg	8,019	7,047	7,171	Cooran	349	353	152
Branches-	1000			Imbil	330	559	289
Gin Gin	590	411	423	Kandanga	219 451	188 459	148 491
Miriam Vale	245	227	262	Pomona	401	400	401
	0.054	7,685	7,856	1912	7,604	8,004	5,931
	8,854	7,000	7,000		,,,,,		

	mary comm	******			mary commi		
_	1951-52.	1952-53.	1953-54.		1951-52.	1952-53.	1953-54.
Ingham Branches— Cardwell	2,618 263	2,180 76	2,442 220	Maryborough Branches— Biggenden	7,621 613	8,067 691	6,844 824
Halifax	711	257	791	Childers Howard	572 616	543 574	553 584
	3,592	2,513	3,453	Pialba	696	753	647
					10,118	10,628	9,452
Innisfail Branches—	4,169	5,260	5,031				
Babinda	991 185	1,107	881 101	Mount Isa	3,987	3,412	3,072
Mourilyan	120 142	128 183	96 138	Camooweal	114 489	94 837	99 761
South Johnstone	192	291	249	Cloneurry			
Tully	7,126	1,499 8,607	7,695		4,590	4,343	3,932
			- 1				- Chief
				Mount Morgan Branches—	2,727	2,871	2,721
Ipswich Branches—	12,200	11,303	11,789	Red Hill	422 61	302 48	207 61
Boonah	1,185 503	1,239 432	1,127 403		3,210	3,221	2,989
Laidley Lowood	688 161	488 162	- 100				
Rosewood	1,275 151	1,042 126	970 79				
Toogoolawah	613	773	461	Murgon	1,801	1,748	1,299
	16,776	15,565	15,560	Branches— Goomeri	914	1,052	524
				Hivesville	45 260	81 227	81 143
				Proston	238	233	79
Kingaroy	2,874	2,407	2,397	Wondai	1,348	1,061	876
Branches	280	300	295		4,606	4,402	3,002
Nanango	476 180	378 215	524 129				
	3,810	3,300	3,345	Nambour	3,550	3,555	3,189
				Branches— Buderim	78 406	172 350	104 277
Longreach (closed	1 207	051		Cooroy	826	1,138	879
3-6-54) Branches—	1,397	651	725	Eumundi	252 184	274 266	201 164
Blackall	1,331	693	680	Maroochydore	480 342	614 321	373 166
Muttaburra (opened 3-8-51)	80	26	16	Yandina	209	329	146
	2,808	1,370	1,421		6,327	7,019	5,499
Mackay	7,407	7,172	7,054	D-3			
Branches— Calen	128	201	180	Railway Car— Winton	579	684	683
Finch Hatton	399 170	497 200	333 310	Hughenden	1,173	1,545	1,370
Koumala	291	312	335	Julia Creek Maxwelton	558 164	746 135	686 159
North Mackay Sarina	1,891 1,550	2,128 1,402	1,895 1,808	Richmond	261	507	558
West Mackay (opened 8-6-54)			56		2,735	3,617	3,456
(opened 8-0-34)	11,836	11,912	11,971				
Mareeba	2,251	3,132	2,994	Rockhampton Branches— North Rock-	14,211	11,689	11,737
Branches— Dimbulah (closed	/	133153		hampton Ogmore	1,551 280	1,540 189	1,569 181
3-8-53) Mount Mulligan	550 245	255 223	19 151	St. Lawrence Yeppoon	332 1,067	272 856	122 687
THE RESERVE	3,046	3,610	3,164	2005 1073	17,441	14,546	14,296

_	1951-52.	1952-53.	195354.	_	1951-52.	1952-53.	1953-54
Roma	1,350	2,260	2,476	Townsville	14,122	13,510	12,908
Dulacca	49	125	139	Ayr (to 18-5-54)	4,340	4,149	3,258
Jackson	93	85	175	Giru (to 18-5-54)	653	593	499
Mitchell	768	910	1,233	Home Hill (to			
Surat	211	236	341	18-5-54)	2,693	2,023	1,596
Wallumbilla Yuleba	97 214	134 160	152 225		21,808	20,275	18,261
	2,782	3,910	4,741				
				Warwick	3,670	4,368	5,094
	10000000	100000000000000000000000000000000000000		Branches-			
Southport	2,539	3,001	3,330	Allora	396	638	666
Branches-	1 400	1 965	1 000	Killarney	397	468	390
Beaudesert	1,496	1,365	1,286	Stanthorpe	1,681	1,620	2,586
Burleigh Heads Coolangatta	2,548	2,598	2,739		6,144	7,094	8,736
Coolangatta	2,040	2,003	2,100		0,144	1,00%	8,100
	7,354	7,706	8,046				
				Social Welfare			
Toowoomba	9,640	9,261	8,586	Services	4,191	4,133	3,865
Clifton	443	298	206				
Crow's Nest	589	587	682		v		
Forrest Hill	157	98	34	TOTAL ATTENDANCE			HILDREN
Gatton	1,201	1,216	968	AND E	XPECTANT 1	HOTHERS.	
Harristown	685	603	641	3,000,000		1	
Oakey	633	641	645	1951-52.	1952-53.	1	953-54.
Pittsworth	1,065	860	1,136				
	14,413	13,564	12,898	367,748	372,326	3	362,008

TABLE LXXXV. Ante-natal Clinics.

STOPPAN PRODUCTION OF THE PARTY		1951-	1951-52, 1951		-53.	1953-54.				
		Centre.			New Cases.	Attend- ances.	New Cases.	Attend- ances.	New Cases.	Attend- ances.
Fortitude Valley			 		67	519	74	540	74	718
Woolloongabba			 		111	778	132	1,076	133	1,193
Caboolture			 		28	188	38	260	21	236
Herschell Street			 		13	19	17	22	5	8
West End			 		12	24	13	18	6	12
Totals			 		231	1,528	274	1,916	239	2,167

DIVISION OF SCHOOL HEALTH SERVICES.

Chief Medical Officer: P. R. Patrick, M.B., B.S. (Q'ld.) Chief Inspector, School Dental Services: E. W. Haenke, L.D.Q.

Staff .- Numerically the medical and nursing staff remained approximately the same during the year. Six nurses were appointed to fill vacancies, and at the end of the year there were sufficient nurses to staff all school health districts. New appointees undergo a two months' preliminary training in Brisbane before allocation to a district. They work with a senior sister, visit special educational centres, and finally perform medical inspections at schools under the supervision of the Chief Medical Officer. In many country centres school nurses work unsupervised, and from time to time special problems arise about which they need further advice. At present these problems are solved only after much correspondence with headquarters. The appointment of additional school medical officers in the proportion of one medical officer to three or four country sisters would improve the service. It would allow children with special problems to be seen at their school, and would also permit complete medical examination where at present only screening examinations are performed by school

The school dental section was again handicapped in its work by shortage of staff. There have been two vacancies for the whole of the year, and three of the existing staff left the service at the end of June, 1954. One fellowship holder was allotted to School Dental Services, but advertisement for additional staff produced no suitable applicant.

At the end of the year the field staff consisted of :—

Chief Medical Officer.
Two full-time Medical Officers.
One part-time Medical Officer.
Chief Dental Inspector.
Sixteen full-time Dental Officers.
One part-time Dental Officer.
Senior Sister.
Twenty-one School Sisters.

ROUTINE MEDICAL INSPECTIONS.

The following procedure is adopted in carrying out routine medical inspections of school children in Queensland. In Brisbane, Ipswich and North Queensland where school medical officers are stationed, their services are utilised in examining children commencing school and those children from the upper grades who have been referred by the school nurse, teacher or parent. In other centres the school nurse performs medical examinations within the limits of her training. In all areas when children are found to be suffering from defects about which further medical opinion is considered advisable parents are notified in writing and urged to consult their own practitioner. The private practitioner is requested to give his diagnosis of the case and treatment on the notification form which is returned to the head

teacher. Checks are made by the teacher, first after one month and then after two months regarding the action taken to secure further medical opinion. The follow-up by the teacher and the school nurse is instrumental in achieving the important phase of the procedure of securing attention for defects found.

During the year medical officers and school sisters examined 76,801 children. Of these 24,871 were in Brisbane schools and 51,930 in the country. Of the Brisbane children 5,707 were examined by the school medical officer. These included new admissions to school and special referrals from upper grades. The number of schools visited in conducting routine medical examinations were 766, including 69 Brisbane schools and 697 country schools.

Of the children examined 3,319 were considered to have medical defects worthy of further opinion. This constitutes approximately 4.0 per cent. of all children examined. From returns received during the year from head teachers it was noted that at least 72 per cent. of parents acted on advice from school health officers. It is certain that the actual percentage would be higher as in some cases children leave school or transfer out of the district making follow-up difficult. In country areas children may have to wait a considerable time before obtaining appointments due to lack of professional services. These appointments in some cases take place after the head teacher has forwarded his final reports on the medical inspection. This applies particularly in the case of children with defective vision in those country areas where refractions are performed by visiting optometrists only at intervals.

COMMUNICABLE DISEASES IN SCHOOLS.

The year was not marked by any serious outbreak of communicable disease in school children. The only notifiable disease in which the number of cases was at all large was Scarlet Fever. During the winter of 1954 Morbilli which occurs in Brisbane every two or three years in epidemic form was again prevalent.

Diphtheria.—The number of diphtheria cases reported amongst school children was less than last year. The actual numbers were 11 in Brisbane schools and 41 in country schools as against 23 and 68 respectively in the previous year. It is believed that the decrease is due to the increased attention being paid to the giving of booster immunisation doses. At present the exact percentage of children who have received both initial and booster diphtheria immunisation doses is unknown. This valuable information will be collected during the next year. The percentage of children who have had initial immunisation courses for diphtheria was 93 per cent. in Brisbane schools and 92 per cent. in country schools.

Scarlet Fever.—The number of cases of scarlet fever notified in school children was 193 in Brisbane and 60 in the country. The actual number of cases occurring would, it is felt, be much higher at least in Brisbane. While the class contacts of cases were being examined, cases were found in which the rash was very transient and the child not sick enough for the parent to call medical attention and thus escape notification. For the most part the cases were of a sporadic nature but in two schools the disease occurred in epidemic form. This occurred in the spring months of 1953, and during June, 1954. On the whole the cases were mild and responded rapidly to treatment.

Poliomyelitis.—The number of cases of poliomyelitis reported from school children was the least for four years. Only 12 cases were notified from Brisbane schools and 21 from the country. This total of 33 was much less than the totals of 95, 151, and 356, which have occurred in school children during the previous three years. As previously the cases occurred mainly as single cases from a school.

Other Communicable Diseases.—Of the remaining notifiable diseases which occurred in school children, it is noted that 11 cases of tetanus were reported, seven from the Brisbane area. While immunisation against tetanus is increasing it has not as yet decreased the number of cases reported.

Rheumatic fever was made a notifiable disease during the year and 13 cases occurred in school children.

Of 17 cases of tuberculosis reported, 10 came from the Thursday Island and Torres Strait areas.

Immunisation.—The staff of School Health Services assisted local authorities in Brisbane and Ipswich in their immunisation campaigns. School sisters helped the Brisbane City Council give initial diphtheria immunisation to 553 children, diphtheria booster doses to 7,871 and tetanus immunisation to 2,593 at Brisbane schools.

At Gatton Agricultural College, School Health Services staff immunised 251 students against tetanus. This included initial immunisation courses and booster doses.

MANTOUX TESTING OF SCHOOL CHILDREN.

From the beginning of the 1954 school year, the Director of Tuberculosis arranged Mantoux testing of Primary school leavers in Brisbane. All children who intend to leave Primary school during the current year are included in the testing. Negative reactors are given B.C.G. vaccination if the parents wish. Positive reactors report to the Chest Clinic for X-ray. During the first half of 1954 the number of children tested was 2,732. Of these, 575 children gave positive reactions. No active case of tuberculosis has been definitely diagnosed but two recent migrants from Scotland with suspicious X-rays are being investigated further. It is pleasing to note that very few parents refuse the opportunity of having their children receive B.C.G. vaccination. The percentage of positive reactors remained at approximately 20 at the 91 schools visited, except one. Here the percentage was 46, and when all the schools in that particular district have been visited, the higher incidence will be investigated,

SERVICE TO REMOTE AREAS.

The policy of giving priority to country children was continued throughout the year. Of the 22 school sisters on the staff, only five worked in Brisbane schools. Except for treatment to children at Homes under the supervision of the State Children Department, no school dentist worked in the capital city. In country areas where Hospital Board Dental Clinics are situated it had been official policy for school dentists to inspect children at schools close to the clinics to which centre they were referred for treatment. From the beginning of 1954, inspection by school dentists at such schools ceased and the responsibility for dental treatment for their children is left to the parents who may avail themselves of facilities at the Hospital Board Clinics. This gave the remote areas a still further opportunity for a service by the school dentist. During the year dentists visited 150 schools and examined 3,865 children at schools away from public transport, hiring private transport, the cost of which was borne by the Department. School sisters hired transport to examine 7,502 children at 293 similar schools. In addition, dentists and school sisters use official vehicles to visit schools "off the-line." The children treated by school dentists included 58 children receiving correspondence lessons.

SPECIAL EDUCATION.

During the year School Health Services co-operated with the Department of Public Instruction in investigating children who were suffering with defects which could hinder their education. The main groups of children investigated were the educationally subnormal, children with hearing defects and those with visual defects. The procedure followed is one of mutual referral between School Health Services and the Research and Guidance Branch of the Education Department. Children found during the routine medical inspection to need special investigation are referred to the Research and Guidance Branch. Likewise officers from that Branch refer children to School Health Services and a special medical examination, including an interview with the parents, is conducted.

The Educationally Sub-normal Child.—
During the year medical inspections were conducted at the Opportunity Schools at Dutton Park, Valley and Ipswich and similar classes at Sandgate and Petrie Terrace. As a result of routine medical examinations 95 children were referred to the Research and Guidance Branch as likely cases for special education at Opportunity Schools. The majority of these children came from Brisbane schools. It is to be hoped that such facilities will be extended to all country children. At present children in the country who need this special examination have to journey to Brisbane.

At School Health Services main office, 83 children were closely checked to find a cause for educational backwardness. Of these, 44 were referred from the Research and Guidance Branch. The remainder came from the Remedial Education Centre at the Queensland University. This latter group consisted mainly of children with normal intelligence but who were not making progress at school in keeping

with their ability. Many of them had a specific backwardness, such as a reading difficulty or failure in mathematics.

The Deaf Child.—The expected decrease of children attending the Deaf School during 1954 mentioned in the last annual report eventuated. This decrease was due to the deaf children resulting from the rubella epidemic in 1938 reaching leaving age. The figures dropped from 219 to 168. It is interesting to note that at the present time there are very few new cases of rubella deafness. The last rubella epidemic of any magnitude in this State was in 1941 and produced many deaf children. When these children leave the Deaf School in two or three years time the attendance will drop further.

During routine medical examinations school health officers pay particular attention to hearing defects. At Townsville, Ipswich and the South Coast areas, school sisters used portable pure-tone audiometers supplied by the Commonwealth Acoustic Laboratory. Of 4,477 children examined, 92 were found to have some degree of hearing loss. In other country centres the tests used were voice and watch tick tests. In Brisbane by using both audiometric and voice tests 35 children were referred to the Commonwealth Acoustic Laboratory for further examination.

The number of blind children attending the Blind School continued at a low figure. The present enrolment is 19.

HEALTH EDUCATION.

Routine medical examinations take up the bulk of the time of the medical and nursing staff. Such work while it is extremely important is only one aspect of the total school health programme. Another aspect of the programme, probably equally important, is that of health instruction. School health education includes all the learning experiences which can be used to promote health during school hours. It includes direct health instruction during the period set aside for such instruction. It also includes many indirect learning experiences as the inspection by the school doctor, nurse, and dentist, the immunisation procedures at school, school milk distribution, and many others. During the year the class teachers continued their programme of direct health education using "Subject Health" as a guide. During the next few months the Queensland Health Education Council expect to distribute to schools a health primer which comprises stories on health subjects for those children who have just learnt to read for themselves.

The School Health Co-ordination Committee, consisting of representatives from the Queensland Health Education Council, the Department of Public Instruction, the Teachers' Training College, the Physical Education Branch, and the School Health Services held meetings throughout the year. The Committee drew up a health education programme which was followed by the schools during National Health Week 1953, and at present is examining the health instruction programme for teachers both at the Training College and in the field. It is hoped to

recommend to the Department of Public Instruction a student teacher health programme which will fit teachers to make better use of the time allotted to health instruction and better use of the various incidental opportunities for health instruction which occur during school time. For the teacher in the field it is expected that recommendations will be made to include health education as a subject for discussion in the various district seminars.

SCHOOL HEALTH AND THE TEACHER.

The teacher plays an important part in the school health programme and the role is not restricted to one aspect only. He is the main figure in health education, he is responsible for notification of defects in the environment of the school, and not only helps to select children for special attention during the medical examination but also helps in the follow-up of children with defects. It is therefore imperative that both the student teacher at the Training College and the teacher in the field should have instruction in school health matters. The School Health Services Branch examined 450 student teachers during the year. The examination which includes Mantoux Testing by the Chest Clinic staff is complete as possible. It is used not only to decide medical fitness but also as an educational experience in health examination.

By the co-operation of the Physical Education Branch, student teachers discussed school health subjects under the supervision of the Chief Medical Officer at camps held at the National Fitness Camp at Tallebudgera.

The whole training of teachers in health education is at present under review by the School Health Co-ordination Committee.

STAFF CONFERENCES.

In August, 1953, two staff conferences for the medical and nursing staff were held, one at Brisbane, and one at Townsville. All aspects of the professional side of school health work were discussed and it is felt that all members taking part benefited. Country sisters particularly were grateful for the opportunity to discuss with their colleagues problems which present themselves during their work. Two important improvements resulted from the conference. They are the publication of a Manual of Procedure for school sisters and a decision to revise many of the printed forms used. The Manual of Procedure which has been distributed to all sisters should prove particularly helpful to new sisters and country sisters. It contains information on most aspects of the work. The most important revision in the printed form is the form which parents complete prior to the child's medical examination. It is felt that the revised form will help to collect a much more valuable medical history than the old form. Amongst other facts it should make possible a better knowledge of the child's immunisation status as it contains questions regarding tetanus and diphtheria booster immunisation doses which were absent from the old form.

It is believed that similar staff conferences should be held in the future as much benefit is derived not only by the individual staff member but also the service as a whole.

HOOKWORM CAMPAIGN.

In North Queensland two school sisters stationed respectively at Cairns and Innisfail assist in the Hookworm campaign. In addition to routine school work sisters collect and examine specimens both from school children and other members of the community. During the year the number of school children investigated for the disease was 2,337. Of these only 14 children showed positive specimens.

TRACHOMA SURVEY.

Since its inception some 40 years ago Queensland School Health Services has been particularly interested in the diseases which affect the eyes of children in Western Queensland. When Dr. Rogers, the first ophthalmolo-gist, was appointed in 1912 he found that 20 per cent. of the children in that part of the State suffered from trachoma, many of them The campaign against included health education in the schools, the appointment of the local medical practitioners as part-time ophthalmic officers, and the opening of the Wilson Ophthalmic School Hostel to treat severe cases. Gradually the disease has lessened both in incidence and severity. In 1952 the Wilson Ophthalmic Hostel was closed as a trachoma centre due to lack of patients. However, the disease still existed and in order to ascertain the present position, Dr. E. O. Marks, Ophthalmologist, made another survey of West-ern Queensland schools. From his report the following facts emerge:-

Trachoma still exists in a mild form. Out of 143 cases diagnosed as trachoma, only two children needed any special attention. The remainder needed treatment which could be given by the local practitioner. Central Western Queensland is relatively free of the disease. There has been little change in the incidence in North-Western Queensland and South-Western Queensland. The former has the highest incidence.

The majority of cases occur in coloured chil dren. Dr. Marks believes this to be due not to a racial susceptibility but to the poor hygiene observed in the home environment.

In an endeavour to still further reduce the incidence, action is being taken to advise the Local Authorities concerned that one factor in the disease is the poor hygiene of the homes; the Queensland Health Education Council is preparing a campaign against the disease and the School Health Co-ordination Committee will consider a renewal of eye health education in the schools.

SCHOOL DENTAL SERVICES.

Elsewhere in this report mention has been made of the present shortage of dental staff which prevents a regular dental service to those children who are eligible, as frequently as desired. In only one dental district was the desired standard of an annual visit attained. This was along the Great Northern Railway serviced by Rail Dental Clinic No. 4. As this district is the furthest from Brisbane it is in keeping with departmental policy that it should receive the best service. In other areas the school dentist visits each school in rotation according to the period it has been waiting for a service, approximately once every two and a-half years.

Of 39,424 children inspected at schools, 2,509 children had naturally sound mouths. This means that only 6 per cent. the children examined had not at some time suffered from dental caries which is by far the greatest defect found amongst children.

In Brisbane, school sisters referred 540 children with obvious caries for dental treatment. The actual number with caries would, of course, be much higher.

With a view to having an accurate assessment of the affect that fluoridation of water may have on dental caries, should it be introduced in this State, Dr. B. J. Kruger of the University Dental Department is making arrangements to inspect a number of Brisbane school children. His findings will give the caries-rate at the present time and will be available for comparison in the event of fluoridation at a future date.

LXXXVI.

Table of Findings—School Health Services 1953-1954.

Number of visits paid to Schools on Medical Inspection by School Sisters—

Metropolitan	 	 	69
Country	 	 	697

Number of children examined by School Sisters-

Metropolitan	 	 	24,871
Country	 	 	51,930

Number of children whose parents were notified of child's defect—

Metropolitan	 	 	1,060
Country	 	 	2,259

Number of homes visited by School Sisters-

Metropolitan	 	 	7
Country	 	 	277

Number of parents interviewed at schools by School Sisters—

Metropolitan	 	 	5
Country	 	 	135

Apparent physical defects discovered by metropolitan and country School Sisters—

Defect.	Metropolitan.	Country.	Total.
Defective Vision	415	744	1,159
Strabismus	4	126	130
Other Eye Defects	18	40	58
Deafness	25	116	141
Ear Discharge	13	9	22
Nasal Defects	8	381	389
Tonsils	307	771	1,078
Swelling in Groin	37	72	109
Swelling in Scrotum	18	41	59
Spinal Defects	32	39	71
Other Defects	214	389	603
Teeth	540		540
Scabies	12	52	64
Impetigo	107	304	411
Pediculosis	332	355	687
Other Skin Defects	24	171	195

Number of cleanliness visits made by School Sisters...

Metropolitan	 ***	 	25
Country	 	 	21

Number of children examined—cleanliness visits by School Sisters—

Metropolitan	 	 	5,820
Country	 	 	1,999

Defects	found	on specia	l cleanliness	visits	by
			School Sis		

Defect.	Metropolitan.	Country.	Total.
Impetigo Other Skin Defects	3 293	42 73 15	45 366 15
Number of eas Children—	es of Dip	ohtheria in	n School
Metropolitan . Country	: ::	:	11 41
Number of case Children—	s of Scarl	et Fever i	in School
Metropolitan .	: ::	:: ::	193 60
Number of case Children—	es of Police	omyelitis i	n School
Chambre	: ::	:: ::	12 21
Number of cases Children—	s of Lead	Poisoning	in School
Metropolitan .	: ::	:: ::	2

Number Children—	of	cases	of	Mala	ria	in	School
Metropoli Country		::	::	::	::		1 2
Number Children—	of	cases	of	Mening	itis	in	School
Metropoli Country		::					2 4
Number Children—	of	cases	of	Tetan	us	in	School
Metropolit Country		::			::		7
Number Children—	of	cases (of T	ubereu	losis	in	School
Metropolis Country		::		::			3 14
Number Children—	of	cases	of	Typho	oid	in	School
Metropolis Country			::	::	::		2 5
Number o Children—	f ea	ises of	Rhei	umatic l	Feve	er in	School
Metropolit Country				.:			5 8

SCHOOL DENTAL INSPECTION.

INSPECTION.

Table LXXXVII. gives results of examinations carried out by dental officers during the year :-

TABLE LXXXVII.

4	stined ssional	Number Regul	of Childr ar Dental	en under Care.	Number Sound	er with Mouths.	seth e oent).	eeth able nent).	Ceeth.	Toeth od.	d.
Number of Children Examine	Number No for Profe Attention	Clinie.	School Dental Officer,	Private Dentist.	Natural.	Opera- tively Re- stored.	Carlous Tec Saveable (Perman	Carlous Tee Unsaveal (Perman	Temporary Carlous 7	Permanent Lost or Extracte	Six-year M. Extracte
39,424	8,381	2,980	7,145	6,986	2,509	6,428	46,312	4,876	55,291	14,283	10,164

TABLE LXXXIV .- continued.

4	d.	Sta	te of Mou	ith. •	Use o	f Tooth B	trush.†	. exi	40	ber hild.
Permanent Teeth Fille	Teeth Fille	Α.	В.	C.	A.	B.	c.	Percentage of Children wi Dirty Mout	Total Numbe of Defective Permanent Teeth.	Average Num of Defectiv Permanent Toeth per (
68,324	14,121	10,732	24,563	4,129	11,233	21,177	7,014	9	51,188	1-02

*State of Mouth-

- A—Good Standard of Mouth Health. B—Fair Standard of Mouth Health. C—Bad Standard of Mouth Health.

†Use of Tooth Brush-

- A—With a full measure of effectiveness. B—With a partial measure of effectiveness. C—With no effectiveness.

CLINICAL PHASE OF SERVICE.

Table LXXXVIII. summarises the particulars of treatment performed during the year. The summary does not include treatment performed throughout the State at the various Hospital Board Clinics, for children who were referred to such Clinics by officers of the School Health Services.

TABLE LXXXVIII.

TOTAL TREATMENT FOR YEAR.

Number of Children Treated.	Number of Extractions.	Number of Fillings.	Number of Other Treatments.
31,043	43,994	87,235	48,113

TABLE LXXXIX.

TREATMENT FOR CORRESPONDENCE PUPILS.

Number of Children Treated.	Number of Extractions.	Number of Fillings.	Number of Other Treatments.
58	61	124	63

DIVISION OF MENTAL HYGIENE.

Director of Mental Hygiene: B. F. R. Stafford, M.B., B.S.

The past year established two trends in general policy which must promote advances in the care and treatment of the mentally sick. Firstly, came the official and then public acceptance of an enlightened attitude towards so called "escapees." Almost from the beginning of organised civilisation the care of the mentally sick has emphasised custodial care. It is very certain that such care must be an essential element in the treatment of certain forms of mental sickness, but it is equally certain that a custodial regimentation of all patients leads to unpopularity and stigma in respect to admission to mental hospitals, and prejudices the recovery of some patients already admitted.

It is now recognised that an efficient classification of mental patients is of paramount importance, if only to the extent of dividing the hospitals into security wards and nonsecurity wards. Patients who leave security wards without authorisation are escapees, and patients who leave non-security wards, abscond. Very often it is found that an absconding patient has merely anticipated his discharge by a few days.

This principle must be developed further by the expansion of voluntary patient accommodation within the Mental Hospitals.

The second important principle that has been established officially, is the recognition of the need to closely co-ordinate services designed for mental sickness. The implications of this attitude involve re-orientation to nursing training as well as buildings, facilities, and equipment. The Nurses and Masseurs' Registration Board has for many years been responsible for the standards of training for mental nurses. It is confidently hoped that a closer co-ordination of all curricula and teaching schools will greatly benefit all branches of the nursing profession.

Progress in the Mental Hygiene Service is probably the better for being evolutionary rather than revolutionary. It therefore transpires that in reviewing the past year, trends of progress are more often seen than actual milestones of achievement. It also follows that certain problems are in the process of solution and others are awaiting solution.

A review of problems may be considered under four headings—patients, nursing staff, medical staff, and equipment.

Patients.—As in previous years accommodation is an urgent matter. Patients suffering from senility still account for 30.5 per cent.

of admissions. The establishment of special accommodation for seniles in association with general hospitals will ultimately provide relief for those requiring skilled nursing care. The Dalby Hospitals Board is managing the Jubilee Hospital for female senile patients. The Toowoomba Hospitals Board manages the Mount Lofty Hospital for senile male patients. This policy of caring for the aged in their own residential area, and amongst their own relatives and friends has much to commend it. Approved expansion of Eventide Homes is designed to meet the need of the more competent seniles. However, it would appear necessary to provide a special geriatric hospital apart from general hospitals to serve the Metropolitan region.

There is urgent need for actual facilities to care for and to train the Backward Persons of this State. Some progress has been made in that a farm colony institution is being constructed adjacent to the farm lands of the Brisbane Mental Hospital. There still remains the need for greater accommodation for the very young children at Ipswich and more segregate accommodation for those at Toowoomba. In addition to the Backward Persons in mental hospitals, there is a large number in the community needing the advantages that special training and vocational centres could provide.

The overcrowding generally has been attacked. The new mental hospital at Charters Towers is still proceeding towards the first projected accommodation of 500 beds. The admission unit is expected to be opened early in July, 1954.

Unless other large projects are commenced the increasing population will give an added admission rate which will in turn maintain a serious accommodation lag.

 Nursing Staff.—The situation in respect to female nursing staff still gives concern. It is true, that at the Brisbane and Ipswich Mental Hospitals, a numerical strength has been reached practically equivalent with establishment.

At the Toowoomba Mental Hospital the numerical strength of female staff remains seriously below establishment. At all hospitals a disquieting development is the increase of untrained and inexperienced staff in relation to trained and senior staff. It would appear that vital statistics have been affected by factors outside departmental control such as birth rate, marriage rate, and industrial development. The situation has been met by the employment of married women, but unless these officers are permitted to train and qualify as mental nurses, the staff position must continue to be unstable.

3. Medical Staff.—The medical fellowship scheme adopted by the Government has provided three excellent young practitioners and continued recruitment of officers from fellowship holders augurs well for the future of the service. Dr. Neville Parker has obtained Part I. D.P.M. Queensland and is now on leave for the purpose of obtaining Part II. and the full Diploma at the Melbourne University.

In order to achieve the policy of recognising mental sickness as a generic term including numerous different sicknesses and conditions, more medical officers will be necessary. Without ample medical staff progressive therapy will inevitably deteriorate into routine treatment.

4. Equipment.—This is a phase of mental hospital administration that has shown most progress. In each hospital there is a continual arrival of new equipment to ensure better nursing and medical treatment. Domestic conditions are improved by the installation of modern labour saving devices. Amenities for recreation and social activities are being progressively developed. As examples can be cited, the establishment of a canteen at the Ipswich

Mental Hospital (the other hospitals already having this facility); the establishment of a hairdressing salon at the Toowoomba Mental Hospital (Ipswich Mental Hospital patients are provided with transport to enable them to use the facility already at the Brisbane Mental Hospital); and the provision of new recreational facilities at the Brisbane Mental Hospital consisting of bowling greens for male and female patients, and tennis courts, croquet lawns, and vigoro area for female patients.

An overall survey of patients in Mental Hospitals as at the 30th June, 1954, is shown in appended statistical tables. Important trends shown in these tables are:—

TABLE XC.

-	1952-53.	1953-54.	Increase or Decrease.
1. No. of patients admitted	1,138	1,128 713	- 10
2. No. of patients discharged 3. No. admitted suffering from senility	642 306	345	+ 71 + 39
4. No. admitted suffering from mental deficiency	86	138	+ 52

The Spiritual needs of the patients of all the Mental Hospitals have been well catered for by visits and by regular services conducted by visiting clergy of the various denominations.

BRISBANE MENTAL HOSPITAL.

Medical Superintendent: C. R. Boyce, M.B. (Syd.).

The Medical Superintendent reports that during the year a total of 634 patients received electro therapy and 93 insulin coma therapy.

Occupational therapy continues to expand and nine non-qualified teachers are daily occupied with upwards of 100 patients in the arts of wood-work, leather-work, many types of handicrafts, pottery, and book-binding.

Arrangements have been made for a display of occupational therapy articles at the Brisbane Exhibition in August, 1954.

Music therapy has progressed to the extent that several concerts were provided by patients for their fellow patients.

Callisthenics continue to be popular and a beneficial form of treatment.

The female sports ground and cafeteria provide an outlet from the crowded female wards for a large percentage of the female population, different wards providing personnel daily.

Beneficial therapeutic effects are noticeable from the activities of the canteen, and the hairdressing salons.

Motor outings for picnics, seaside trips, visits to churches, &c., are always well attended.

It is regrettable that larger establishments of nursing staff are not provided for more intensive and more extensive psychotherapy throughout the wards.

The standard of living of patients progresses steadily as indicated by improvements in food service, clothing, ward furnishings, amenities, recreations and wider social activities.

A movement has begun to establish a new artisans' block and already the harness and saddle maker and the blacksmith have been installed in more modern and better equipped shops. Moving the plumbers is under way, and it is hoped that the remaining artisan staff will complete the new colony and their erstwhile abodes transformed into a beauty spot for visiting relatives of patients.

The female cafeteria in their new sports ground is completed and in use.

The hospital mortuary has been completely modernised.

A group of three buildings is taking definite shape in a commanding position on the farm area as the nucleus of a backward persons' colony.

A modern cottage has been altered to become a general lecture centre to include tuition in invalid cooking, and installation of electric power is awaited to enable completion of the centre.

Considerable hospital artisan labour has been entailed in building a new dairy and this structure is nearly ready for electric and machinery installation.

The farm irrigation scheme has been completed and is satisfactorily in operation.

A shelter shed has been erected in the yard of Female Ward 12.

Extensive alterations of Female Wards 1 and 2 are in progress and are being effected by the Public Works Department.

Considerable alterations to and enlargement of the hospital kitchen has proceeded throughout the year and the final stages are in sight.

The full-sized bowling green for male patients has reached the grass planting stage, and sporting facilities in the female recreation ground are nearing completion.

Conversion of an old building into a convalescent and final rehabilitation ward for sixteen female patients nears completion and will soon be in use.

Our thanks are extended to the various voluntary organisations who have provided entertainments, social, and festive activities for the patients, and in particular the Country Women's Association, Silver Hut, Presbyterian Girls' Fellowship, Seventh Day Adventists, Mrs. Smibert's Concert Party, Monty Bloom's Concert Party, Mrs. Kelly's Concert Party, Relatives and Friends Association, Goodna Methodist Sunday School, Salvation Army Band, Methodist Prison Welfare, Scripture Gift Mission, Mrs. Horsman, Red Cross Home, Chelmer, and Mrs. Bestman's Party.

Pictures and dances are well patronised by hundreds of patients, and the Annual Patients' Fancy Dress Ball was a huge success, and a credit to the organising committee headed by the Matron and the Chief Male Nurse.

WACOL REPATRIATION PAVILION.

This division of the Brisbane Mental Hospital continues to render excellent service to ex-servicemen. It is unfortunate that all exservicemen cannot reside in the open wards of the Pavilion, and it is hoped that a closed ward may some day be built to eater for those not at present considered suitable for open wards

During the year 130 cases were admitted, 83 cases were discharged, two died and 44 were transferred elsewhere.

Considerable progress has been made in beautifying the grounds. A considerable area of lawn surface has been top-dressed, and more garden beds are appearing.

The sports oval is slowly but surely developing under enthusiastic voluntary patient labour, and turf-laying has actually begun.

Occupational therapy groups keep busy with woodwork and handicrafts, and several patients take the opportunity of having daily tuition by visiting the hospital's main occupational therapy centre on days other than the twiceweekly classes at the Pavilion.

The Anzae Day ceremony grows annually in magnitude and in solemnity, and the offices of the Ipswich Model Band were much appreciated. Educational and recreational films in the theatrette of "B" Block are well-patronised. They are conducted by Repatriation officers. The hall has recently had modern ventilation installed.

Motor bus outings, pienies, and visits to subbranches of the R.S.S.A.I.L.A. are efficiently organised by the Goodna Sub-branch of the Department of Repatriation.

TOOWOOMBA MENTAL HOSPITAL.

Medical Superintendent:

J. H. B. Henderson, M.B., B.S. (Syd.)

The passing of another year has seen further improvements and some disappointments at this Hospital, though the trend is still progressive.

Predominant among the latter is the failure to procure an occupational therapist, the presence of whom would have put our therapeutic activities on a very satisfactory basis.

Restriction of building improvements, in particular to ward sculleries, is regretted, but active progress is now being made with alterations and improvements to the Nurses' Quarters, and the construction of the X-ray Department.

The portable X-ray has been a great boon and with its installation in the new rooms its utilisation will be greatly enhanced.

Internal and external painting of the wards by our own painters and the Public Works Department is proceeding, whilst other minor improvements to the wards for the benefit of patients and staff are continually being effected.

Cold bitumen paths are gradually being constructed to link up the various wards and their ancillary blocks.

A start has also been made on the installation of steam heated calorifiers throughout the wards to enable a constant supply of hot water to be maintained.

A full diet, recreation, entertainments, dances, canteen facilities, reading matter, and bus trips all tend to make the patients' lives happier and their behaviour more natural, whilst it is hoped that the bus trips can be made a more regular feature for their entertainment.

The staffing position on the female side has not improved as anticipated and there is still a considerable shortage together with a dearth of trainees.

Admission figures have dropped somewhat on last years numbers, but a gratifying feature is that over 56 per cent. of these admissions were of the voluntary type. Of the remainder a large proportion were senile and mental defective cases from whom recovery could not be expected.

The Jubilee Home at Dalby and the Mount Lofty Home at Toowoomba have accepted quite a proportion of our elderly patients, all except one or two of whom have adjusted themselves well to their new environment and earned the approval of the staff at these homes.

Numerous children have been admitted during the year and many of them are attending the school at the Epileptic Home where Miss King is doing a remarkable job in attempting to educate and train them. The Psychologist is doing very useful work here, at the General Hospital, and the Epileptic Home, whilst the local Stipendary Magistrate and the Education Department have also called on his services.

IPSWICH MENTAL HOSPITAL.

Medical Superintendent: J. A. Hede, M.B., B.S. (Melb.)

During the past twelve months the number of infant admissions has steadily increased. This has necessitated the provision of additional nursery facilities in the Hospital Ward. In addition, the special nursing required by these children has further aggravated the overall problem created by the steady depletion of trained staff on the Female Division.

Electro-therapy has been instituted and is now available daily. Occupational and recreational activities have commenced in the Male Occupational Therapy Block and Male Ward 2, and it is proposed eventually to extend these therapies to all wards.

The Senior Psychologist, Brisbane Psychiatric Clinic, has visited the Hospital to administer psychological tests and advise on the activities of the patients' school. Additional educational and recreational materials have been supplied, and in the schoolroom more emphasis has been placed on adaptation to institutional environment.

A small laboratory has been provided in the administration block equipped to allow routine pathological investigations. A lecture and demonstration room for nurses has been provided also.

Alterations to the grounds and landscape have been proceeding with the technical assistance of the Acting Superintendent of Institutional Gardens.

Regular entertainment has been provided in the form of dances, band recitals and weekly picture shows. The patients have been entertained also by concert parties under the direction of Mrs. Kelly and Miss Smith.

The children have been visited by Miss Hinton and party, and also Mrs. Maher and members of the Silver Hut Committee. On each occasion gifts have been distributed and a special Christmas tree and party was organised by Miss Hinton

The Country Women's Association have visited regularly and distributed sweets and presents in addition to their monthly donation of ice cream.

The local Sub-branch of the R.S.S.A.I.L.A. has continued to entertain Returned Servicemen with bus trips and visits to the theatre.

The various visiting clergy have conducted regular religious services and catered for the spiritual needs of the patients.

The "Courier-Mail" Toy Fund provided a generous donation for the purchase of Christmas gifts for juvenile patients.

Picnic outings to Sandgate were arranged for male and female patients, and catering provided by the Eventide Home. Suitable children have been taken on picnic excursions to the playground in the Queens Park, Ipswich.

CHARTERS TOWERS MENTAL HOSPITAL.

This hospital has reached the stage when final arrangements for the opening were completed and the official ceremony and proclamation of the premises as a Mental Hospital fixed for the 1st July, 1954.

The planning and developmental stages have necessitated several visits to Charters Towers by the Director of Mental Hygiene. This opportunity is taken to acknowledge the cooperation and assistance by all officers and branches of the Public Works Department. Appreciation is also expressed for the interest and help extended by the members and officers of the Charters Towers Hospitals Board.

The Acting Superintendent and staff of the Eventide Home have at all times been willing to assist

A very extensive programme of ground development and beautification has been completed to the credit of the Assistant Supervisor of Institutional Gardens and the staff of the Hospital itself.

It is proposed to open the hospital with the completion of the admission section. Opportunity has been taken to embody modern ideas of construction throughout the building. Supervision—the fundamental ingredient in the care and treatment of the mentally sick—has been unobtrusively blended with ideas providing beauty, utility and amenities.

The development of a mental hospital approximately 900 miles from the central administration is a situation unique in Australia and will, of course, bring its peculiar problems.

However, it is confidently believed that the regional development of the State will solve all major difficulties and harmonious relationships already established with existing services will ensure a necessary and efficient service for Northern Queensland.

EPILEPTIC HOME.

Superintendent: E. G. KENYON.

As at June 30th there were 108 patients under treatment at the Home—comprising 48 males and 60 females—14 of whom were under 15 years of age. There were 17 admissions—12 males and five females; six were discharged—four males and two females; two males and two females were discharged to the Toowoomba Mental Hospital; four male patients died.

The Epileptic Home is ideally situated at Willowburn in a rural setting on the outskirts of the city of Toowoomba. The salubrious climate is all that could be desired as is evidenced by the general health of the patients, which was good during the year.

Applications for admission during the year were numerous and the majority accepted belonged to the younger age group.

Dr. Henderson, Medical Superintendent of the Toowoomba Mental Hospital, is Visiting Medical Officer and he reports as follows:—

"As Visiting Medical Officer I feel very satisfied with the advantages which the inmates of the Home enjoy in the way of interests, hobbies, food and clothing etc., and, in particular, with the training and education which the majority of the younger ones receive.

"From a therapeutic point of view, one is at a disadvantage since many of the patients admitted are either aments, or have run the gamut of therapy over a period of years beforehand, and are already in some state of mental deterioration. Nevertheless, newer drugs such as mesantoin and mysoline are being tried, and beneficial results are frequently seen in the patients."

The teacher in charge of the Home School states 19 boys and 14 girls are enrolled, including 11 children from the Toowoomba Mental Hospital.

An important event during the year was the opening of the new school which is situated in the grounds adjacent to the Home. This school replaces the old one, which was in the main building, and acted as the education centre for 14 years.

The school was built mostly of timber from an old home that stood on a property purchased some years previously. Painted internally in soft, light, pastel shades, the school room presents an aesthetic appearance, and being fitted with electric heaters, it becomes a bright happy atmosphere for the little folk during their school period.

Several new pupils for the school created a problem concerning their social rehabilitation and assimilation into the school community. In any case this must be a slow and exacting task. Some pupils are assessed as being ineducable according to normal educational standards, but provided they can be trained to attain reasonable social habits their attendance at the school is encouraged.

It has happened that some children, previously difficult to handle, have found expression for pent-up emotion in water and pastel colouring scenes of their own choice.

General school work according to each child's wavering temperament and changing capabilities continues slowly, but satisfactorily.

At the present time the exterior of the Home is being painted and when completed will present quite a colourful appearance.

Various repairs and improvements have been attended to by the Public Works Department. A Laundryette has been built for female patients and this will be of great advantage to patients who can do their personal laundry. Copper piping is taking the place of galvanised pipes in the hot water system. This installation will overcome the bad corrosion that has taken place in the galvanised piping over the years. The boiler, too, has been repaired, and this, it is hoped, will improve the supply of hot water.

A scheme to heat the wards with steam is under consideration and it is hoped that it will not be long before something definite is done. Patients rising at 6 a.m. on cold winter mornings with the temperature below freezing point will very much appreciate such comforts.

The farm produced adequate supplies for the Home and some excellent crops of tomatoes, beans, cabbage, beetroot, and potatoes were grown. Many patients were taken out on leave by parents and relatives for various periods and all returned happy and contented. Visits to the City of Toowoomba were made by quite a number of patients, and with a pound or two to spend, they all returned with perhaps a present for a friend, or something that took their eye while shopping.

Recreation and entertainment are always looked for and appreciated by patients. Bus outings to various spots on the Downs were provided during the year. Three buses are hired for these outings and if it were not for this method of outing, many patients would never see beyond the gates of the Home.

Concert parties paid visits during the year and rendered programmes much to the enjoyment and delight of patients. The weekly dances and picture evenings are always popular.

Religious services were held by various denominations on each Sunday during the year and the Salvation Army Band continues to provide a musical programme periodically.

The staff position is adequate at present, but in the not far distant future it might be necessary to provide an extra female nurse in order to cope with the increase in female patients who are more or less confined to bed.

PSYCHIATRIC CLINIC.

A large staff turnover has made this an upsetting year for the Clinic. The extra psychiatric
sessions which it was hoped could be provided
were not feasible owing to interruptions of
visits by medical officers from the Brisbane
Mental Hospital through examinations, transfers
and leave. The Psychology and Speech Therapy
sections were each obliged to function under
a single officer for several months. Delays in the
replacement of staff necessarily restrict the
service available to the public and necessitate
the imposition of long delays before appointments
can be offered. The advertised vacancy for
Welfare Officer has not yet been filled.
Psychology and Speech Therapy Sections are
now fully staffed.

The number of prisoners on remand referred by the Justice Department for psychiatric examination showed a marked increase during the year. The policy of giving a full psychiatric and psychological examination to these prisoners, most of them sexual offenders, is being followed. It is gratifying to note that the Court has taken full consideration of the results of these examinations and the recommendations of the reports in passing sentences upon the offenders. This is regarded as a continuing advance in the contribution of psychiatry to forensic medicine in this State. There has also been more extensive interaction between the Clinic and the State Children's Department.

Provision of Play Therapy to emotionally disturbed and maladjusted children has continued. Older children and adolescents are now better catered for through art and eraft work which comprises the major part of the associated activity in group therapy sessions.

Counselling for selected groups of mothers of maladjusted children is now being conducted. Through this method simultaneous handling of parent and child can be effected with a minimum of delay even when large numbers of new patients are being registered. The group procedure, too, has certain advantages in counselling over the usual individual method.

Visits of psychologists to the Ipswich and Brisbane Mental Hospitals have continued. Some guidance was provided on the drawing up of a curriculum for the special training classes for children at the Ipswich Mental Hospital. The members of these classes, regarded as ineducable under ordinary formal teaching methods, are children some of whom would qualify for admission to an Occupation Centre, the need for which in this State is becoming more and more pressing.

Although there is still a waiting list for Speech Therapy, any case needing urgent attention is taken immediately.

Numerous country children who are unable to obtain speech therapy in their home towns have been given intensive treatments over a period of a few weeks. Results obtained have been rewarding.

The regular half-day weekly service provided by each of our Speech Therapists for treatment of children at the Queensland Spastic Children's Welfare Centre was terminated recently following the appointment of their own speech therapist. The extra time now available to the Clinic will quicken the reduction of the waiting list. Groups of children from the Queensland Bush Children's Health Scheme Home at Redeliffe are still treated at the Clinic regularly each week.

TABLE XCI.

	1952-53.	1953-54,	Increase or Decrease.
1. No. of patients admitted	1,138	1,128	- 10
2. No. of patients discharged 3. No. admitted suffering	642	713	+ 71
from senility	306	345	+ 39
from mental deficiency	86	136	+ 50

TABLE XCII. QUEENSLAND MENTAL HOSPITALS.

	ı
	ı
	ı
	ı
	ľ
	ı
#	ı
26	ı
-	1
15	ı
K	1
5	ı
=	ı
E	1
3	ł
0	1
Ä	1
K	ı
14	1
5	1
H	I
H	-
1	ı
8	ı
-	1
ž	1
=	ı
00	ı
	1
E	ı
1	ı
H	ı
	ı
9	ı
3	ı
90	ı
G.	ı
8	ı
	ı
80	ŀ
5	ı
	ı
88	ı
0	ı
88	1
9	ı
A	ı
2	ı
24	1
00	1
X	I
ži.	ı
18	ı
×	ı
F	ı
0	1
N	ı
W	1
10	1
60	1
	1
	1
	1
	1
	1
	1
	ı

	SHOWIN	G AD	MISSIO	NS, INEA	DMISSIO	SHOWING ADMISSIONS, KEADMISSIONS, DISCHARGES AND DEATHS, DURING THE LEAR ENDED SVIH JUNE, 1805.	HARGE	S AND	DEAT	HS, DO	RING T	og T gp	R END	20 00	On HE	(E) LOS				1	1	-	1
	44.		Brisbane	Brisbane Mental Hospital.	fospital.			Тоожоо	Toowoomba Mental Hospital	otal Hos	pital.		Ip	wich M	Ipswich Mental Hospital.	spital.				Totals		1	
	~	M. F.	T.	W.	F.	T.	M.	F.	T.	M.	F. 1	T. M.	F.	F.	M.	F.	T.	M.	F.	T.	M.		T.
On the Books of the Hospitals on 1st July, 1953	53	989	0 29.0	1,288	1,340	2,628	::9	. 60	-	630 6	630 1,2	1,260	00		358	203	561	481	-		8,276 2,173	777	4,449
Readmitted		-	-	468	452	920	17	17	34	78	10 1	148		9 01	38	22	09	103	117	220	584 5	544 1,1	1,128
Totals All Hospitals	:			-										-						oî.	2,880 2,717	_	5,577
:	:		: 61	: 4			24	40	19				-	- 00							-		
::	::			01	60	10	:-	::	-	192	40		: :		00	-	0	I E	10	100	-	10	
"Total number under care during the year	- 1		-	1,758	1,795	3,553			1.	733	740 1,4	1,473			404	228	630			-			
:::	 88 98 96	237	**	25 89 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			2001	2002	899				(m c) -	0001				8885	268 46 46 46	496 67 67		-0.00	
Voluntarily left	* 488	110	8 22	0+0	1		9 : 25	- :=	76: 12	1	1	1 : 60		. 00		1	7 10	184 22	100000	234	1	7	
Total Number Discharged and Died	:			374	429	803				96	119 2	211	-		33	18	20		13		498 5	566 1,0	1,064
Transferred to Brisbane	: : :		100 64:	. 4 %	4	64	7:-	60 : :	→ :-	01	60	10	:	:	01		01		9 19				
Total number discharged, died, &c., during year	ar	-	H	405	470	875				94	122 216	9	-		34	18	52		H				
Remaining on Books of Hospitals on 30th June,		-	- 17	1,353	1,325	2,678				629 6	618 1,257	22			370	280	578			08	2,362 2,151		4,513
Average Number Daily Resident	:			1,236	1,202	2,438				617 6	605 1,222	93	1 8		358	201	559	1	1	οέ	2,211 2,008		4,219
Number on leave of absence on 30th June, 1954	54			09	105	165				18	17	35			7	1	10				82	123	202
Proportion of Mentally Sick to each 1,000 of population as at 31st December,	opulati	on as	at 31s	t Decem	ber, 1953	:	:	:	:	:	:	:	:	:		:		:	:	:	3.66	3-44 3	3-55
Proportion of Admission per 10,000 of population for year ended 31st December, 1953	tion for	year	papua	31st De	semper,	1953		:								:				-:	9.04 8.7		88.88
White the state of																							

* These totals include interhospital transfers.

TABLE XCIII.

Admissions, Discharges, and Deaths, with the Proportions of Recoveries and Deaths per cent. during the Year ended 30th June, 1954.

	Br	isbane M Hospita			roomba M Hospital			wich Mer Hospital.			Totals.	
_	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.
Total Admissions	468	452	920	78	70	148	38	22	60	584	544	1,128
Recovered	235	307	542	37	32	69	6	3	9	278	342	620
Relieved	9	7	16	13	38	51		2	2	22	47	69
Not Improved	4	1	5	7	8	15	3	1	4	14	10	24
Died	126	114	240	35	41	76	23	12	35	184	167	351
Average Number Daily Resident Percentage of Recoveries on	1,236	1,202	2,438	617	605	1,222	358	201	559	2,211	2,008	4,219
Admissions	50-21	67-92	58-91	47-43	45-71	46-62	15-79	13-63	15.00	47-60	62-86	54.96
on Admissions	1.92	1.54	1.74	16-66	54.28	34-45		9-09	3-33	3.76	8-64	6-46
	10-19	9.48	9-84	5-67	6.77	6-21	6.42	5-97	6-26	8-32	8-31	8-31

TABLE XCIV.

FORMS OF MENTAL DISORDERS IN PATIENTS ADMITTED DURING THE TWELVE MONTHS ENDED 30TH JUNE, 1954.

	Bris	bane Me Hospital	ntal	Toow	oomba 3 Hospital	fental	Ips	wich Me Hospital	ntal		Totals.	
-	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals
1. Appective Reaction Types-	1		11000							2000		1
(a) Manic Depressive Psychosis (b) Acute Mania	8	23	31	**	- 11	15500	5	**	. 5	13	23	36
Mania	2	11	13	5	3	8	22		**	7	14	21
Melancholia	3	3	6	**	**			**	**	3	3	0
Depression	23	19	42	9 2	8	17	4.4		11	32	27	55
Recurrent Depression			2	22.73		2	- 00	**	11	9000		18
Hypomania	12	12	18 12	2	3		::	11	**	12 2	15	18
2. SCHIZOPHRENIC REACTION TYPE-												1
(a) Schizoid Personality	166	160	326	13	14	27	- 4	***	- 4	183	174	357
Schizophrenia Depression	21		·60	2	2		,			24	41	65
(b) Paraphrenia		39				4	*	**			41	04
Paranoia		**		**	**	**			**	**		
(c) Paranoid Reaction		**	2.5	**	**	**	**	***				
3. ORGANIC REACTION TYPES— (a) Organic Dementia	3	-30	3		1	1			44	3	1	4
Organic Dementia (Huntington's Chorea)	1		1							1		1
Organic Psychosis	6	2	8	**	4.5			4.0	**	6	2	8
Alcoholic Acute Hallucinosis	2		2	3		3	2		2	7		7
Alcoholic Acute Hallucinosis Alcoholic Psychosis Alcoholic Psychosis (Korsakov's)	10	1	10 11	1.1	11					10	1	10
Confusional Psychosis Dementia Paralytica				**		1.0	- 11		**	3		
Dementia Paralytica	3	1	3	**			4.4	**	**	3	1	3
Cerebral Syphilis	'i1	6	17	::	***	**	::	- 11		iı	6	17
Arteriosclerotic Psychosis	1 1	3	7	5	3	8		**	**	9	6	15
Disseminated Scierosis	1	**	1	::	**		11	**	**	1	9::	i
Presentle Psychosis	82	2 86	168	1.1	**		**		**	82 82	2 86	168
Senile Dementia	15	21	36	6	6	12	::	**		21	27	48
. EPILEPTIC REACTION TYPES-	500		1000		- 3	773	100		7,35			
Epileptic Psychosis	3	7	7	2	3	5	- 22	24	**	2	10	12
Epilepsy	3	**	3	**	**		**		**	3		3
5. PSYCHONEUROTIC REACTION												
Types— Psychoneurosis	14		14	3/4	1000	100				14		14
Psychoneurotic Anxiety State		6	6	7	18	25				7	24	31
Hysteria	1.0	**		**	1	1	**		**	2.5	1	1
6. MENTAL DEFICIENCY-	21	24	100		17.5	1600	- 11/2			21	24	45
(a) Mental Deficiency — Congenital		24	45		**	***			17	24	24	40
Syphilis		2		3	2	- 5	7	7	14	iı	in	100
Mental Deficiency (Mongol)	6	1	7	1	1	9	4.4			7	2	9
Mental Deficiency (with Epilepsy Mental Deficiency (with Schizo	5	3	8	2	1	3	3	**	3	10	4	14
Mental Deficiency (with Schizo- phrenia)	1.0	3	4			100	1	4.	1	2	3	5
(b) Idiocy	2	***	2	4	3	7	3	7	10	9	10	19
Idiocy with Epilepsy (c) Imbecility	1	***	1	2	1	3	11	7	18	14	8	99
(d) Moral Deficiency	11	4.0	2.5	**	**	14.85		**	**			
(e) Sub-normal	- "			**	**	**		***		**		
7. Appletios—	25	5	30	10		10	1		21	35	5	40
Alcoholism	- 00		2	10	::	10	- ::	**	::	2		9
Psychopathic Personality	3	1	- 4			-	12.11			3	1	4
I sychopanioc renominal												

TABLE XCV.

CAUSES OF DEATHS WHICH OCCURRED DURING PERIOD ENDED 30TH JUNE, 1954.

		bane Mer Hospital.		Toov	roomba Mospital	Cental	Ipsv	wich Men Hospital.	tal		Totals.	
Carried Control	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.
GENERAL DISEASES—		9									-	
Carcinoma of Breast		2	2				**				2	2
Careinoma of Thyroid Glands Diabetes Mellitus	1	::	1	**	1		***		**	1	"1	1 2
Exhaustion	î	111	î	::		3.0			::	1		ĩ
Gangrene of Foot	1		1							1		1
Gangrene of Heel	***	1	1								1	1
Hanged	1			::		::	2	2	4	1 2	2	4
Toxaemia	1	1	2							1	1	2
DISEASES OF NERVOUS												
System— Cerebral Degeneration	2	3	5	2		2	9.83			- 4	3	7
Cerebral Haemorrhage	5	3	8	ı	**	î			***	6	3	9
Cerebral Thrombosis	4	4	8		2	2	2		2	6	6	12
Congenital Hydrocephalus						**	1	1	2	1	1	2
Dementia Paralytica	**	1	1				1	**			1	1
Senility	2	2	- 4	::		**				2	2	4
Status Epilepticus							1		1	1		1
DISEASES OF CIRCULATORY	1			1000		2000	100		100			
System— Acute Myocardial Failure	2	3	5	100	200					2	3	5
Acute Myocarditis				2	1	3				2	1	3
Arteriosclerosis	4	1	5							4	1	5
Auricular Fibrillation	41	34	75				10	4	14	120	1	89
Cardio Vascular Degeneration Congestive Cardiac Failure	23	33	56	::					14	51 23	38	56
Coronary Occlusion	15	4	19	4	5	9	2		2	21	9	30
Left Ventricular Failure	5	1	6							5	1	6
Myocardial Degeneration				17	20	37			1	17	20	37
Diseases of Respiratory		***							•			
System-			95		-	1	0.0			- 10		
Broncho Pneumonia	3	4 2	7	4	4	8	2	3	5	9	11	20
Hypostatic Pneumonia	î		3	11	1	1	::		1	1	2 2	3
Pneumonia	5	1	5	11						5		5
Pulmonary Tuberculosis	2	3	5							2	3	5
Terminal Pneumonia	4	3	7			1			**	4	3	7
Traumatic Asphyxia DISEASES OF ALIMENTARY			**	**	1	-					1	-
System—												
Acute Pancreatitis					1	1					1	1
Carcinoma of Colon	**			"1	1	1	11	1.5	***		1	1
Carcinoma of Pancreas		**	111		::		2	11	2	2	::	2
Gastro-Enteritis		1	1								1	1
Subphrenic Abscess		1	1	2		2				2	1	1 2
Haemorrhage into Stomach Intestinal Obstruction		**	-:-	1	1	2		**	**	1	1	2
Malignant Neoplasma of Liver		2	2								2	2
Secondary Carcinoma of	100		1					13076	1000			
Lungs		1	1	**		**	**		**	**	1	1
DISEASES OF GENITO-URINARY SYSTEM-	1			7 4								
Enlarged Prostrate	1		1						***	1	***	1
Ovarium Cystadenocarcinoms		1	1								1	1
Toxaemia Due to Renal Abscess		1885	1000	23.5	1	1					1	1
Uraemia	11	1	1	1	2	3		1	1	1	3	4
Vaginal Carcinoma		1	1								1	1
Totals	126	114	240	35	41	76	23	12	35	184	167	351
Totals	120	114	240	33	-	.0	20	12	00	104	101	201
		-	-	•			-	-	-	-		

TABLE XCVI.

BODILY HEALTH AND CONDITION OF PATIENTS ADMITTED DURING THE YEAR ENDED 30TH JUNE, 1954.

		bane Me Hospital.			oomba M Hospital.		Ips	wich Mer Hospital.	ital	1	Totals.	
	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.
In apparently good health and condition	258	209	467	54	42	96	33	16	49	345	267	612
reduced condition	113	176	289	19	18	37	5	6	11	137	200	337
condition	97	67	164	5	10	15				102	77	179
Totals	468	452	920	78	70	148	38	22	60	584	544	1,128

TABLE XCVII.

BIRTH PLACES OF PATIENTS ADMITTED DURING PERIOD ENDED 30th June, 1954.

					bane Me Hospital.		Toom	oomba M Hospital.	ental	Ips	wich Men Hospital.	tal		Totals.	
int.				Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals
Ducensland				248	292	540	48	54	102	26	21	47	322	367	689
New South Wa	ales			54	46	100	13	7	20	5	1	6	72	54	126
Victoria				15	8	23	9		2	2		9	19	8	27
outh Australi				6	3	9	1		1				7	3	10
Vestern Austr	alia			5	1	6			See S				5	1	1
Casmania				5	4	9		1	1				5	5	10
New Zealand				1	5	6	1		1				2	5	1
England		1.		48	41	89	6	3	9	2		2	56	44	10
cotland				13	12	25		1	1				13	13	2
reland				10	14	24	1	1	2				11	15	2
Vales				4	1	5					10.00		4	1	1000
ndia		1.		2		2	1		1				3	100	1
outh Africa		1.		1	1	2		1	1				1	2	inlig
Ostonia			-	2	1	3					0.1		2	1	1 8
vorway		1.			1	1				1.0				1	100
atvia		1.		3		3						1020	3		10 133
Thina				2	1	3							2	1	11 300
Denmark				1		1			- 2.				1	200	HI WA
inland				2		2				9.3	133		2	1	100
rance					1	1								1	Indi
Jermany				5	3	8		1	1		100		5	4	1
Freece				2		2					100		2		7000
taly				12	4	16			100	1		1	13	4	1
Holland					1	1		13				100		Î	1
Poland				7	4	11	1	13	1	2	100	2	10	4	1
Roumania			- 20		1	1	3.00					1	100	1	1000
Russia			33	3	1	4		130	1	1		100	3	1	100
Hungary				1		1		99.1	1 1				1	1	O.J.
ava				1		1		133				1	1	100	100
zechoslovaki				2	100	2		100	1				2	1	1
United States				1	13	1	100	933	1	800	0.3	1	l ī	1100	1000
Yugoslavia				1	1	2		133		300	13	100	Î	1	A LONG
Unknown				11	5	16	4	1	5	100	111	1	15	6	9
											-			1000	200

TABLE XCVIII.

DISTRICTS WHENCE PATIENTS WERE RECEIVED DURING THE YEAR ENDED 30TH JUNE, 1954.

		bane Me Hospital.		Toov	roomba l Hospital		Ips	wich Men Hospital.	tal		Totals.	
_	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.
Northern and North-Western	89 23 356	43 22 387	132 45 743	78	1 69	1 147	3 6 29	2 1 19	5 7 48	92 29 463	46 23 475	138 52 938
Totals	468	452	920	78	70	148	38	22	60	584	544	1,128

TABLE XCIX.

AGE GROUPS OF PATIENTS WHOSE ADMISSIONS, DISCHARGES, OR DEATHS OCCURRED DURING THE YEAR, AND THOSE WHO REMAINED IN THE HOSPITAL ON 30TH JUNE, 1954.

	-	-	REMA	INED IN	N THE	HOSPITA	AL ON	30rn J	UNE, 19	54.		and a	I I I I	or wh	
MAT -1 THE						Disc	harges.						1		
Age Group.		Admiss	ions.	1	Recovered	d.	Rel	ieved and Improved	l not		Deaths,			Remain	dng.
	Male	rs. Fe-	es. Total	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males	. Total.
A STATE OF THE STA				Bi	RISBANE	MENT.	AL Hos	SPITAL.							
Under 5 years 5 years and under 10 years 10 years and under 15 years 15 years and under 20 years 20 years and under 30 years 30 years and under 40 years 40 years and under 50 years 50 years and under 60 years 60 years and under 70 years 70 years and under 80 years 90 years and under 90 years 90 years and under 90 years 91 years and under	6 13 84 97 59 56 53 62 33 4 1	14 53 93 72 61 53 68	1 1 7 4 27 3 137 3 190 2 131 1 117 3 106 3 130 63 5 10	3 5 52 62 50 27 23 9 4	111 45 72 76 42 40 18 3	3 16 97 134 126 69 63 27 7	3 4 2 4	1	3 1 4 4 3 1 1 1 4 	4 3 4 11 22 52 25 5	1 5 4 12 18 35 33 6 6	5 8 8 23 40 877 588 11	9 25 164 278 248 255 207 120 38 7 2	2 16 115 231 270 290 174 149 69 9	5 41 5 279 509 518 545 381 269 107
Totals, Brisbane Mental Hospital	468	452	920	235	307	542	13	8	21	126	114	240	1,353	1,325	2,678
Under 5 years 5 years and under 10 years 10 years and under 20 years 15 years and under 20 years 20 years and under 40 years 10 years and under 50 years 10 years and under 60 years 10 years and under 70 years 10 years and under 80 years 10 years and under 90 years 10 years and over 10 years and over	1 3 5 2 9 14 16 7 13 5 2 1	2 2 1 6 7 9 15 14 9 3 2	3 5 6 8 16 23 31 21 222 8 4 1	Too	3 5 5 6 8 5	4 10 13 17 11 14	7AL Ho	SPITAL	 1 1 5 3 6 11 11 11 13 4		 1 1 4 5 11 10 6 3	1 1 1 6 10 21 19 14 4	1 6 9 9 36 74 121 120 146 80 29 2 6	2 3 5 14 28 55 111 154 152 25 1 6	3 9 14 23 64 129 232 274 298 142 54 3 12
Totals, Toowoomba Mental Hospital	78	70	148	37	32	69	20	46	66	35	41	76	639	618	1,257
Indon 5 years				Irs	wich y	IENTAL	Hospr						000	010	Apadi
Inder 5 years 5 years and under 10 years 5 years and under 15 years 5 years and under 20 years 0 years and under 40 years 0 years and under 50 years 0 years and under 60 years 0 years and under 70 years 0 years and under 70 years 0 years and under 80 years 0 years and under 90 years 0 years and under 90 years 0 years and under 90 years 10 years and under 90 years 10 years and over 10 years and over 10 years and over 10 years and over 10 years and under 90 years	12 10 3 7 2 2 2 2 	12 7 2 1	24 17 5 1 7 2 2 2 2 		3	3 2 1 1 1 	1 1 1		1 1 1 1 1 1	5 1 1 1 1 4 3 2 6 	6 1 1 1 1 2	11 1 2 1	9 39 38 15 19 18 55 71 69 28 7 1	16 24 22 23 14 24 20 23 25 14 2 2	25 63 60 38 33 42 75 94 42 9 1 2
Hospital	38	22	60	6	3	9	3	3	6	23	12	35	370	208	578
Grand Totals all Hospitals	584	544	1,128	278	342	620	36	57	93	184	167	351 2,	362 2	,151	4,513

TABLE C.
OCCUPATIONS OF PATIENTS ADMITTED DURING THE YEAR ENDED 30TH JUNE, 1954.

	_			Bris	bane Me Hospital.	ntal	Toow	oomba M Hospital.	ental	Ips	wich Men Hospital.	ital		Totals.	
				Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.
Accountant				4		4	2		2				6		6
Architect				2		2							2		2
Artist				1		1					**		1		1
Baker				1		1						**	1		1
Bank Manager			**	1		1					**	**	1		1
Barman Billiard Marke			**	73275	**	- 1	11	**	1		**	**	1		1
Blacksmith				2		2		**				22	2	2.	2
Boarding House					1	1					-			1	ī
Boilermaker				2		2							2		2
Boundary Rid	or			1		1					**	200	1		1
Bus Driver				11						1		1	1		1
Bus Proprietor		**		2		2	1		1	**	- **	33	1 2		1 0
Butcher Cabinet Maker	**	**	**	17,000	***	1000	1	**	1	***	330	**	1		1
Carpenter				. 5		5	2	**	2	::	**	13	7	**	7
Carters				1		1	3		3	4.	0.00	90	4		4
Chemist		2.0		1	1	2					2.00		1	1	2
Children				4	1	5				24	22	46	28	23	51
Cleaner				3		3							3	10	3
Clerk				19	10	29	2	1	3	1		1	22	11	33
Cook				6	2	8	1	1	2	**			7	3	10
Dancing Instru		**			1	1	1		1	**	**		1	1	1
Dentist Domestic Duti	na.	10		**	45	45	11	iı	iı	::	11	30	**	56	56
Dresser	08				40		1		1			- 22	1		1
Dressmaker					5	5					100	- ::		5	5
Drover				1		1	1		1				2		2
Electrician				2		2							2		2
Engineer				5		5					**		5		5
Factory Hand				11.	4	4	***					**	**	4	4
Farmer		** *		45		45	5		5	**	**	**	50		50
Farm Hand		**	**	1	1	1	7.53	0.55	1	**	**	**	1	1	2
Ferry Worker Fireman		**	**	A. C. C. C. C.			1	**	1		3.5	33	1		î
Fisherman				1		1							î	**	i
Fitter				2		2							2	0.	2
Floral Decorat					1	1								1	1
Garage Proprie	etor			1		1							1		1
Gardener				3	***	3	2		2				5		5
Gas Worker		**		1	**	1			**	**	3.5	**	1	2.5	1
Glass Beveller			**	1 2	**	1 2		**			**	**	1 2	**	1
Grazier Grocer			**	2		2		10		11	**	**	2		2
Hairdresser			.:		2	2						00		2	2
Household Du	ties	0.0						2	2			20	9.0	2	2
Housewife					227	227		32	32					259	259
Insurance Insp	pector			2		2							2		2
Jockey				1		1	4.4			**		- 3.6	1		1
Journalist	::			1		1	**	**				**	1		1
Laboratory As				130	1	130	15		15	iı		iı	156	1	100
Labourer Linesman	::	11	**	1		1			10		***	100	100	200	156
Machinist				i		î						10	î	11	î
Manufacturer		11		1		1	11						î		î
Meatworker				10		10							10		10
Mechanic	:-			7		7	1		1				8		8
Medical Practi		**		1		1							1		1
Miner				3 2		3				**			3	**	3
Moulder Moulder				1000	2	2 2	**			**	**	**	2	2	2 2
Music Teacher News Seller			**	1		î	**			**	**	**	1		î
Nil				3	12	15	19	14	33	**	::	11	22	26	48
Nurse				2	11	13		4	4			- 80	2	15	17
Packer				3	2	5						-	3	2	5
Painter				5		5	1		1				6		6
Pearl Diver				1		1	**						1		1
Pensioner				83	94	177	5	2	7		1.5		88	96	184
Phonogram O				**	1	1	***			***				1	1
Plantation Ma		**	**	1		1	1	**		**	**	**	1		1
Plasterer			**	i		i	- 13	**	***	**		**	1	**	1
Plumber		**		2	33	2		**	***	**			2		2
Policeman Postmistress	1.				1	ĩ		**		::		11		1	î
Presser				1.				1	1					î	i
Priest				1		1				2.0		10	1		î
Prison Wardre					1	1								1	1
Prospector				1		1							1		1
Publisher				1		1							1		1
R.A.A.F.			1	1		1				**			1		1
No. 31 on a			50.0	1		1				4.4		4.4	1		1
Radio Technic Railway Empl				13		13	1		1				14		14

TABLE C.—continued.

Occupations of Patients Admitted During the Year Ended 30th June, 1954.—continued.

_			Bris 1	bane Me Tospital.	ntal	Toowy	oomba M Hospital.	ental	Iper	wich Mer Hospital.	ntal		Totals.	
			Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.	Males.	Fe- males.	Totals.
Ringbarker						1		1				1		1
Road Contractor			2		2							2	1.1	2
Salesman		4.7	6		6							6		6
School Teacher			2	3	5							2	3	5
Seaman			1		1							1		1
Shed Hand						1		1				1		1
Shop Assistant			2	4	6	2	1	3				4	5	9
Showman			1		1			100				1		1
Soldier			1		1							1		1
Solicitor			1		1							1		1
Station Hand	1		6		6	1		1				7		7
Station Manager			3		3							3		3
Stenographer				6	6		1	1					7	7
Stockman						1		1				1		1
Storekeeper					1.00	1		1				1		1
Storeman			2		2	2		2				4		4
Student		2.	1		1							1		î
Tailoress			2	5	7							2	5	7
Telephonist				1	i								1	i
Timber Worker			6		6			1000	1.0	1		6		6
Truck Driver			3	-	3				1	1	1	4	1000	4
Unknown		750	13	6	19	1000			7.7		13	13	6	19
Waiter		**	1		1		- 11	111	1::	***	**	1		1
127-14		**			î	1000		1000					1	i
Wattress	**	**	-1		1		**		**	**				1
Watersider Worker			9	**	9		**					9		0
117-1-1			100		100	1	**					1		1
107-11 D	100	• •		**			**	4	**			-		1
W1 (W												**	**	31.1
Vandagen		20					**	**	**			**	**	
							**	1.1	**				2.5	
Zoologist			1		1			2.5			**	1		1
Totals			468	452	920	78	70	148	38	22	60	584	544	1,128

TABLE CI.

MARITAL STATUS OF PATIENTS WHOSE ADMISSIONS, DISCHARGES AND DEATHS OCCURRED DURING THE YEAR AND OF PATIENTS WHO REMAINED IN HOSPITAL ON 30th June, 1954.

							Disch	arges.								
Marital	Status.	1	dmissio	DA.	1	tecover	ed.	Rel	ieved or mprove	r not		Death	8.	R	emainin	E-
		Males	Fe- males.	Total.	Males	Fe- males.	Total.	Males.	Fe- males.	Total.	Males	Fe- males.	Total.	Males.	Fe- males.	Total
					Bar	SBANE	MENT	TAL H	OSPITA	L.						
Single		. 266	122	388	156	110	266	8	2	10	36	28	64	1,002	599	1,601
Married			215	364	67	164	231	4	6	10	58	31	89	264	498	762
Widowed		. 45	106	151	10	31	41	1		1	31	53	84	59	211	270
Divorced		. 8	7	15	2	2	4	**	**	**	1	2	3	16 12	16	32
Unknown			2	2		• •	**		**	2.				12	1	13
Totals.	Brisban				100	10/18	200	Total Control		1	1000	La constitución de la constituci	1	Same	The same	10000
	Hospital .	468	452	920	235	307	542	13	8	21	126	114	240	1,353	1,325	2,678
					Toon	оомв	Men	TAL E	LOSPIT	AT.						
Single		. 1 41	35	76	17	9	26	14	16	30 1	20	22	42	533	342	875
Married	:: :		25	56	14	20	34	5	18	23	12	10	22	69	216	285
Widowed			9	15	5	3	8	1	11	12	2	7	9	15	43	58
Divorced			1	1	1		1		1	1	170	2	2	5	13	18
Unknown											1		1	17	4	21
Totals, 7	Coowoomb															
Menta	al Hospita	1 78	70	148	37	32	69	20	46	66 I	35	41	76	639	618	1,257
					Irs	WICH	MENT	AL Ho	SPITAL							
Single		. 1 34	22	56	3	3	6	3	1	4 1	20	8	28	306	154	460
Married				3	2		2		1	1	2	3	5	45	37	82
Widowed					1		1		1	1	1		1	5	9	14
Divorced		. 1		1										4	6	10
Unknown							11	17.7				1	1	10	2	12
Totals, Ments	Ipswic al Hospita		22	60	6	3	9	3	3	6	23	12	35	370	208	578
Grand Hospi		204	544	1,128	278	342	620	36	57	93	184	167	351	2,362	2,151	4,513

TABLE CII.

Length of Residence in the Hospital of the Patients who were Discharged or who Died during the Year and of those who Remained on the Books of the Hospital on 30th June, 1954.

			Dischi	arges.								
	В	ecovere	d.		lieved a			Deaths.		- 1	Remainin	g.
	M.	F.	T.	M.	F.	T.	М.	F.	T.	M.	F.	T.
The state of the s	Bar	SBANE	MENT	AL H	OSPITA	L.					-	
Under I month	1 32	18	50	5		5	34	19	53	53	30	83
1 month and under 3 months	57	99	156	3	1	4	20	17	37	58	75	133
3 months and under 6 months 6 months and under 9 months	75 24	92 37	167 61	2	5	5 3	20	19	39 15	71 54	71 64	142
9 months and under 12 months	13	23	36	î		1	4	5	9	50	41	91
1 year and under 2 years	22	18	40	î		i	10	13	23	135	149	284
2 years and under 3 years	6	7	13				7	6	13	109	106	215
3 years and under 5 years	4	7	11	1	1	2	9	8	17	133	143	276
5 years and under 7 years	1 :	2	2 2	**			3 2	6 5	9 7	100	129	229
7 years and under 10 years	1	3	3	::	* *		3	3	6	64	66	130
10 years and under 12 years	i		1				1	1	2	96	110	206
15 years and under 20 years							5		5	103	92	195
20 years and over				- 11			1	4	5	209	120	329
Totals, Brisbane Mental Hospital	235	307	542	13	8	21	126	114	240	1,353	1,325	2,678
	Thomas		Manue									
Under I month	100W	6	15	TAL H	5	13	3	1001	3	9 1	6	15
I month and under 3 months	15	11	26	2	11	13	2		2	4	4	8
3 months and under 6 months	8	4	12	2	2	4		8		9	15	24
6 months and under 9 months	1	3	4		2	2		1	1	9	9	18
9 months and under 12 months	2		6	1	3 7	4	2	1	1	7	10	17
1 year and under 2 years	1	5 2	2	5	í	12	3	2	4	23 14	22	45 34
3 years and under 5 years		ĩ	ĩ	11	î	1	3	2	5	43	34	77
5 years and under 7 years						0.0	1	2	3	37	26	63
7 years and under 10 years	1		1		1	1		5	5	59	46	105
10 years and under 12 years	**			1	1	2		1	1	28	21	49
12 years and under 15 years	**				2	2	3 2	2 4	5	50 89	43 73	93 162
15 years and under 20 years	**		::	ï	10	11	16	20	36	258	289	547
Totals, Toowoomba Mental Hospital	37	32	69	20	46	66	35	41	76	639	618	1,257
Totals, Toomoonion menini Hospital	0,	0.0	00	20	30	00	00	41	"	000	010	1,607
	Irs	WICH	MENT		SPITAL				40	4		
Under I month		The second second		100							4	8
Under I month		**		1	**	1 2	2 4	2 0	6		2	9
1 month and under 3 months	1	i	2	2	1.2	2	4	2	6	7 9	2 7	9 16
1 month and under 3 months 3 months and under 6 months 6 months and under 9 months			2 3				1		6	7 9 9		16 10
1 month and under 3 months	1 1	i	3	2		2	1	2	6 1 2	7 9 9 7	7 1	16 10 7
1 month and under 3 months	1 1 1	1 2	3	2	··· ·i	2	4 1 2	2	6 1 2 2	7 9 9 7 40	1 14	16 10 7 54
1 month and under 3 months	1 1 1 1	1 2	2 3 1	2	:: ::	2	4 1 2 1	2	6 1 2 2 1	7 9 9 7 40 23	7 1 14 13	16 10 7 54 36
1 month and under 3 months 3 months and under 6 months 6 months and under 9 months 9 months and under 12 months 1 year and under 2 years 2 years and under 3 years 3 years and under 5 years	1 1 1 1 1 1	1 2	2 3 1 1	2	:: i	2 1	4 1 2 1 1	2	6 1 2 2 1 1	7 9 9 7 40 23 26	7 1 14 13 18	16 10 7 54
1 month and under 3 months	1 1 1 1	1 2	2 3 1	2	:: ::	2	4 1 2 1	2	6 1 2 2 1 1 2 2	7 9 9 7 40 23 26 15 49	7 1 14 13 18 22 17	16 10 7 54 36 44 37 66
1 month and under 3 months	1 1 1 1	1 2	2 3 1 1	2	``	2	4 1 2 1 1 1	2	6 1 2 2 1 1 2 2 1	7 9 9 7 40 23 26 15 49 30	7 1 14 13 18 22 17 35	16 10 7 54 36 44 37 66 65
1 month and under 3 months 3 months and under 6 months 6 months and under 9 months 9 months and under 12 months 1 year and under 12 years 2 years and under 3 years 3 years and under 5 years 5 years and under 7 years 7 years and under 10 years 10 years and under 12 years 12 years and under 12 years	1 1 1 1	1 2	2 3 3 1 1 1	2	i ::	2 1 1	1 1 1 1 1	2 2 2 1	6 1 2 2 1 1 2 2 1 1 1	7 9 9 7 40 23 26 15 49 30 29	7 1 14 13 18 22 17 35	16 10 7 54 36 44 37 66 65 40
1 month and under 3 months 3 months and under 6 months 6 months and under 9 months 9 months and under 12 months 1 year and under 2 years 2 years and under 3 years 3 years and under 5 years 5 years and under 7 years 7 years and under 10 years 10 years and under 12 years 11 years and under 15 years 12 years and under 29 years	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2	2 3 3 1 1 	2	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	2	4 1 2 1 1 1 1 1 4	2	6 1 2 2 1 1 2 2 1 1 4	7 9 9 7 40 23 26 15 49 30 29 41	7 1 14 13 18 22 17 35 11 23	16 10 7 54 36 44 37 66 65 40 64
1 month and under 3 months 3 months and under 6 months 6 months and under 9 months 9 months and under 12 months 1 year and under 12 years 2 years and under 3 years 3 years and under 5 years 5 years and under 7 years 7 years and under 10 years 10 years and under 12 years 12 years and under 12 years 12 years and under 15 years 15 years and under 20 years 20 years and Over	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2	2 3 1 1 1	2	i i i i	2 1 1 	4 1 2 1 1 1 1 1 4 5	2 2 	6 1 2 2 1 1 1 2 2 1 1 4 8 8	7 9 9 7 40 23 26 15 49 30 29 41 81	7 1 14 13 18 22 17 35 11 23 41	16 10 7 54 36 44 37 66 65 40 64 122
1 month and under 3 months 3 months and under 6 months 6 months and under 9 months 9 months and under 12 months 1 year and under 2 years 2 years and under 3 years 3 years and under 5 years 5 years and under 7 years 7 years and under 10 years 10 years and under 12 years 12 years and under 12 years 15 years and under 15 years 15 years and under 20 years	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2	2 3 3 1 1 	2	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	2	4 1 2 1 1 1 1 1 4	2	6 1 2 2 1 1 2 2 1 1 4	7 9 9 7 40 23 26 15 49 30 29 41	7 1 14 13 18 22 17 35 11 23	16 10 7 54 36 44 37 66 65 40 64

TABLE CIII.

EXPENDITURE TABLE FOR THE TWELVE MONTHS ENDED 30TH JUNE, 1954.

the top of the lates of the lat	Bris Mental	bane Hosp		Toowo Mental H			Ipaw Mental H		ital.	Total a Average (
Average Number Daily Resident.	2,4	138.		1,23	22.		551	9.		4,219		
Sales	£ 738,749 2,618 736,130	5 10	10	318,138 903 317,234	17	7 0	£ 226,799 610 226,189	3	d. 1 0 1	£ 1,283,687 4,132 1,279,554 Average	4 9 14	11
Net cost per Patient per annum			5	260 259 5 4	12	0					5 5 17 16	3 8 0 8

TABLE CIV.

STATEMENT SHOWING EXPENDITURE BY THE DEPARTMENT OF PUBLIC WORKS AT MENTAL HOSPITALS AND THE EPILEPTIC HOME DURING THE FINANCIAL YEAR ENDED 30TH JUNE, 1954.

		_								Expenditure	0, 19	33-51			
							Reve	nue.		Los	n.		Total.		
Mental Hospitals— Brisbane (Excluding	Expe	enditure	nt	the	Repatria	ation	£	8.	d.	£	8.	d.	£	8.	d.
Hospital)							1,497	8	2	89,149	5	9	90,646		
Charters Towers							82	4	2	85,909	7	4	85,991	11	6
Ipswich							918	2	6	1,039	1	7	1,957	4	1
Toowoomba							4,614	10	3	2,762	16	6	7,377	6	9
Epileptic Home—Toowo	omba						1,722	11	3	538	15	5	2,261	6	8
							£8,834	16	4	£179,399	6	7	£188,234	2	11

	DETAIL	S OF	EXPENDITURE ON MAJOR WORKS.	Expendi 1953-		
Mental Hospitals-				£	n.	d.
Brisbane			Erection of Various Buildings, &c.,			
			Recreation Grounds for Female Patients Additions and alterations to Lavatories,	1,188	9	7
			Bathrooms, &c., Nurses' Quarters	5,309	18	8
			Erection of Ward A-Farm Colony	46,410	12	4
			Additions and alterations to Kitchen, &c. Installation of Sewerage System—Farm	46,410 25,521	15	2
			Ward Colony Dining and Recreation Block—Farm	1,722	10	8
			Colony	5,149	16	6
			Wards 1 and 2	2,657	8	3
Charters Towers			Erection of Male and Female Admission Wards	81,533	15	11
			Wards Erection of Admission Ward Fences	1,666		
			Construction of Footpaths, Service Roads	2,000	10	-
			and Water Channelling	1,326	15	4
Toowoomba			External Painting of Various Buildings Alterations and Improvements to Nurses'	3,082	4	2
			Accommodation	1,580	8	9
Epileptic Home-				1 119	0	6
Toowoomba	**		External Painting, &c	1,113	20	0

TABLE CV.

Population Changes at Epileptic Home during the year 1253-54. Patients at 30th June, 1953: Males 45; Females 60; Total 105. FOR YEAR ENDED 30TH JUNE, 1254.

				Admit	ted.	Discha	arged.	To Men	t. Hosp.	Des	ths.	R	emaining	d.
	Ac	0.		м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	Total
Under 5			 	1		2								
5-10			 		1	4.4						1	1	12
10-15			 	6	2	2	1	2				7	5	12
15-20			 	5	1							8	7	15
20-25			 									3	3	6
25-30			 							1		9	6	15
30-35			 		1		1			2		2	6	8
35-40	* 35		 						1			1	7	8
40-45			 							1		6	8	14
45-50								1	1			6	4	10
50-55			 - 1	11							4.4	1	5	6
55-60	- 10		 										4	4
60-65	1.		 		100		1.3					4	2 2	6 2
Over 65			 	110	100	139	1.3	1	1				2	2
0101 00			 	111			-	-			-		-	-
	Totals		 	12	5	4	2	2	2	4		48	60	108

PATIENTS RESIDENT	r-			
Under 5 years		 	 	 3
5-10		 	 	 -
10-15		 	 	 3
15-20		 	 	
Owen 90			30	

CAUSES OF DEATH—

Male aged 42. Corenary Occlusion, Broncho-pneumonia.

Male aged 34. Cerebral Thrombosis, Cerebral Degeneration, Epilepsy.

Male aged 34. Acute Myocarditis, Chronic Epilepsy, Jacksonian Fracture of Skull and Surgical Decompression.

Male aged 26. Cerebral Softening, Chronic Epilepsy, Mental Deficiency.

TABLE CVI.

EXPENDITURE TABLE, EPILEPTIC HOME, FOR THE TWELVE MONTHS ENDED 30TH JUNE, 1954.

Average Number Daily Resident—108.

			£	8.	d.
Gross Expenditure	 	 	29,337	16	8
Collections	 	 	9,749	19	6
Net Expenditure	 	 	19,587	17	2
Gross cost per patient per annum	 	 	271	12	11
Net cost per patient per annum	 	 	188	6	11
Gross cost per patient per week	 	 	5	4	6
Net cost per patient per week	 	 	3	12	5

TABLE CVII.

Yearly Summary of Patients Treated at the Psychiatric Clinic, classified in age groups according to Diagnosis, 1953-54.

	0-	4.	5-	9.	10-	14.	15-	19.	20-	29.	30-	-39.	40-	49.	50-	-59.	60&	over	To	tal.	
_	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	м.	F.	M.	F.	M.	F.	Total.
Schizophrenia Manic-Depressive Depressional Involutional Paranoic and Para, States Organic	i					1			6 1 3	17	11 2 1	14 2	5	5 1 1 2 1	1 1 3	3 1 3 1	1 5	3 1 2 1	24 6 1 21	40 9 3 7 6	64 15 3 8 27
																			52	65	117
Anxiety	1		1		1 1 1		2	3 1	5 1 2 4	4 1 1	3 1 2	14 1 2		5 2 1	1	4		1 :: i	15 3 2 7 1 7	29 7 1 1 2 4	44 10 3 8 3 11
																			35	44	79
Alcoholism and Drug Addic- tion							• •		1	1					1	2	1		3	3	6
Inadequate and Immature Personality Deviant Personality				2 1	3 4	5	2 8	4	21 33	2	5					:::			13 24	2 13	15 37
																			37	15	52
Epilepsy	1		3	2	4		3		4	1	1	3	1	1			**		17	7	24
Behaviour Problem	11	3	31	10	19	9	1		• •				**						62	22	84
Mental Deficiency Borderline Deficiency	8	4	6		1	3	1	4	4	2	3	2	::					1	23 2	25 4	48 6
																3			25	29	54
Educational Backwardness			3	1	2	2					**						• •		5	3	8
Stammering Alalia Dyslalia and Ret. Sp. Devt. Cleft Palate. Aphasia Laryngectomy Partially Deaf Aphonia and Dysphonia Other	3 4 19 3 3	2 1 7 2 1	11 18 2 2 1	8	1	1 1	4 1 1 1	3	6 1 1 	1 i 	1 i 	1 1 2	3		i		1 2	i	33 4 40 6 3 2 9 2	12 2 17 3 1 1 8	45 6 57 9 4 3 17 2
														-					100	47	147
N.A.D	5		5	3	4	3	4	3	1	3	1	1	1		1	1			22	14	36
Not yet diagnosed	2	•	3	1	2	1	2			1	2	1	1	1		1			12	6	18
Grand Total	61	21/	104	47	51	31	34	26	49	35	34	44	18	24	9	16	10	11	370	255	625

Diagnostic Testing at Brisbane Mental Hospital—Males 4; Females, 7; Total, 11. Referred by Mental Hospitals—Males, 15; Females, 32; Total, 47.

TABLE CVIII.

Showing Admissions, Discharges, and Deaths at the Wacol Repatriation Pavilion during the Year ended 30th June, 1954.

Total number of patients or June, 1953 Transferred from Brisbane				101 90	Total number of patients on books as at 30th June, 1954	05
Transferred from Ipswich 1				1	Total number of patients on leave as at 30th June, 1954	8
Discharged, recovered Discharged, not improved	::		23 1	192	Total number of patients in residence as at 30th June, 1954	97
Discharged, Section 49 Voluntary left	::	::	6 2		Average number of patients daily resident 9	94
Transferred to Brisbane M	ental H	Iospital _	51	87		

DIVISION OF LABORATORY SERVICES.

LABORATORY OF MICROBIOLOGY AND PATHOLOGY.

Director: J. I. Tonge, M.B., B.S. (Syd.), Dip. Clin. Path. (Syd.).

Deputy Director: M. J. J. O'Rehly, M.B., B.S. (Syd.).

Senior Bacteriologist and Technical Supervisor: H. E. Brown.

1561	nor Dacteriologist a	2001111					
1. STATISTICAL S 2. LABORATORY I						CIX.—continued	
(a) Accommod	lation Requirements		A. 8	pecimen	s of	Human Origin-contin	ued.
(b) Staff. (i.) Additio (ii.) Haemat	nal Medical Officer.		Speci	men.		Mode of Examination.	Number.
	gy Technician.						
Origin."	THE "PYREXIAS OF U	NKNOWN	Eye			Culture	8 5
(a) Leptospire (b) Q. fever. (c) Serub Typ			Nose			Culture Culture Culture	1 1 4
4. Bacteriology.		Poisoning	Mouth			Antibiotic Sensi- tivity Tests	23
(a) Investigat Attributed t	o Ice Cream.	oisoning	Scalp			Culture Direct Smear	2
(b) Bacteriolo	gical Examination	of Desic-	Pertioneum			Direct Smear	1
(c) Isolation	nut, of Salmonellas.		Sinus			Culture	1
5. Tuberculosis	Laboratory.					Culture	8 2 2
6. Biochemistry			Leg			Antibiotic Sensi-	2
7. CITY MORGUE						tivity Tests	17
			Toe			Culture Direct Smear	1
8. Publications.						Culture	1
	TABLE CIX.		Neck	**		Antibiotic Sensi-	
A. Specimens of Hu	BACTERIOLOGY.					Culture	9
A. Specimens of Hui	I I		Skin			Antiboitic Sensi-	
Specimen.	Mode of Examination.	Number.				Culture	9 34
Swabs—			D			Direct Smear	23
Throat	Culture	2,563	Pus	**	**	Antibiotic Sensi-	
Nose	Antibiotic Sensi-	63	Pleural Flu	id		Culture	162 14
	tivity Tests	122				Microscopical	18 43
Urethra	Culture	871	Cerebrospin	nal Fluis	d	Culture	99
Cervix Bartholin's Gland	Antibiotic Sensi-	4,760	Seminal Fl			Animal Inoculation Microscopical	21
Anus	tivity Tests	47					
			Synovial F	luid		{Culture Microscopical	2 2 2
Ear	Culture	19 16	Ascitic Flu	id		Culture Microscopical	2 4
Ear	Antibiotic Sensi-		Pericardial	Fluid		Culture	i
	tivity Tests!	95				Microscopical	

TABLE CIX.-continued.

Specime	n.	Mode of Examination,	Number.
		Culture	1
Hydrocoele Fl	uid	Microscopical Antibiotic Sensi-	1
		tivity Tests	9
		Culture	1
Prostatic Fluid	i	Direct Smear	1
		Antibiotic Sensi-	
PL:36		tivity Tests	9
Fluid from Cy	st	Microscopical	2
Fluid from Sin	1110	Culture	1
Fidel Hom Sir	Lus	Antibiotic Sensi-	1
		tivity Tests	9
		Direct Smear	2,878
Serous Exudat	e	Dark Ground Micro-	7.77
		scopy	7
0		Culture	44
Sputum .		Direct Smear	38
		Antibiotic Sensi- tivity Tests	61
Blood .		Culture	48
		Direct Smear	1
		Culture	781
Urine .		≺ Microscopical	1,667
		Antibiotic Sensi-	
		tivity Tests	878
Faeces .		Culture	440
racces		Microscopical Antibiotic Sensi-	29
		tivity Tests	18
Gastrie Conten	ts	Culture	1
		Direct Smear	2
Post-Mortem	Swabs	Culture	41
and Tissues		Direct Smear	29
Virulence Tes			
Corynebacte Diphtheriae			68
Dipitatoriao			08
			16,197

TUBERCULOSIS SECTION.

Specimen.		Mode of Examination.	Number.
		Culture	3,031
Sputum		Direct Smear	3,031
		Sensitivity Tests	6
Gastrie Contents		Culture	1,718
		Animal Inoculation	929
Laryngeal Swab		Culture	652
Urine		Culture	47
Urine		Microscopical	47
		Sensitivity Tests	40
		Culture	10
Pus		Direct Smear	10
	-	Animal Inoculation	6
		Culture	17
Pleural Fluid		Microscopical	17
	100	Animal Inoculation	16
		Culture	2
Cerebrospinal Flui	id	Microscopical	2
		Animal Inoculation	2
		Culture	1
Synovial Fluid	1000	≺ Microscopical	1
		Animal Inoculation	1
		Culture	1
Peritoneal Fluid		Microscopical	1
		Animal Inoculation	1
A YEL . C.A.		Culture	1
Ascitic Fluid	**	Microscopical Animal Inoculation	1
		Culture	1
Pericardial Fluid		Microscopical	1
reneardian riuld		Animal Inoculation	î
		Culture	î
Sinus Discharge	0.91	Direct Smear	î.
The Principal Po		Animal Inoculation	1
		Culture	1
Gland		Direct Smear	1
		Animal Inoculation	1
Bronchial Swab		Culture	1
		Direct Smear	1
			0.000
			9,606

TABLE CIX,-continued.

B. Foods and Waters.

Spe	cimen.		Mode of Exan	nination.	Number
			Culture .		209
Water	100	13.3	Plate Count		204
	- 00		Microscopica		7
			Culture .	0.00	366
Milk			Plate Count		371
	- 50		Reductase T		202
Ice Cream			Culture .		24
Ice Blocks	0.		Plate Count	100	10
Bottled Be	er		Culture		1
Oysters			Culture		8
			Plate Count		19
Salmon			Culture		3
Herrings i	n Ton	nato	200		-
Sauce			Culture		1
Prawns			Culture		1
Sardines			Culture		1
Sausage			Culture	9 9 9	1
Cheerios			Culture		1
Frankfurts			Culture		1
Saveloys			Culture		1
Corned Me			Culture		1
Tinned Har	m		Culture		1
Tinned Mu		8	Culture		1
Bread			Culture		20
Yeast			Culture		4
Flour			Culture		15
Bakerine			Culture		1
Dough			Culture		1
Volmoyst			Culture		1
Dripping			Culture		1
Jam			Culture		2
Apricots			Culture		1
Walnuts			Culture		2
Rice			Culture		1
Desiccated		t	Culture		126
Whole Cocc	nuts		Culture		2
Coconut Sw	reets		Culture		9
Coconut Ch	ocolate		Culture		1
Dates			Culture		2
Coconut Oi	1		Culture		1
Vegetol			Culture		1
Coconut Bi			Culture		1
Skim Milk			Culture		4
Vanilla Fla	vour		Culture		1
Gelatine			Culture		1
Curried Sav			Culture		1
Monosteara			Culture		1
lee Cream S	coop R	inse		7	
Water			Plate Count		12
				-	1,646

C. Various Materials.

Specimen.	Object of Examination.	Number.
Disinfectants and	Rideal-Walker Co-	
Antiseptics	defficient	39
10000000	Germicidal Value	5
	Rideal-Walker Co-	
Detergents	defficient	2
	Germicidal Value	6
	Sterility	1
Liquid Soap	70 (1 - 1 707 - 11 (1 -	
	efficient	2 2
Washing Podwer	Germicidal Value	- 2
Deodorant Fluid	Rideal-Walker Co-	
	efficient	1
Eumenthol Jujubes	Germicidal Value	2
Bottles	Sterility	39
Glasses	Sterility	13
Jam Tin		1
Glass Container	Sterility	1
	[Identification	33
Bacterial Cultures		
	tivity Tesrs	85
Catgut	Presence of Cl. tetani	2
Tissue	Presence of Cl. tetani	1
Cardboard Wads	Sterility	2
Sterile Wool and		
Dressings		1
Field Dressings		12
Polaroid Viewers		3
Wool	Presence of B.	
	anthracis	8

F8 1	W7	Material	
	E-CEPTOMAR	33 GREENSY	

Specimen.	Object of Examina	ation-	Number
Material	Culture		19
Glass Washings Swabbings from Milk	Culture		23
Vat	Culture		10
Flock Filling	Culture		2
Kapok Filling	Culture		2 2 11
Fibre Filling	60 10	- 33	11
Septie Effluent	69 3.		1
Floor Scrapings	Ct. 34		1
Skin Scrapings	75	gi	7
Hair	Presence of Fun		1
Rats (? Rat Leprosy)			2
			340

2. Serology.

	Number.
Serum Agglutination Tests—	1
Eberthella typhosa (O)	2,330
Salmonella paratyphi (H)	2,270
Salmonella schottmülleri (H)	2,272
Proteus OX19	
Proteus OXK	2,272
Brucella abortus	2,457
Leptospira icterohaemorrhagiae	2,590
Leptospira canicola	2,591
Leptospira australis A	2,590
Leptospira australis B	2,590
"Robinson" Strain of leptospira	2,591
Leptospira pomona	2,590
Leptospira mitis	2,590
Leptospira medanensis	2,591
"Kremastos" Strain of leptospira	2,591
"Szwajizak" Strain of leptospira	2,591
"Celledoni" Strain of leptospira	2,592
Leptospira grippotyphosa	986
Leptospira bataviae	50
Coxsella burnets	2,635
Paul Bunnell Tests	109
Leptospiral Strains Typed (28)—	
Agglutination Tests Performed in Typing	1,300
Leptospiral Antisera Prepared	30
Complement Fixation Tests—	
Coxiella burneti-	
Routine	1,877
Quantitative	273
Rickettsialpox (Soluble)—	
Routine	1,745
Routine	170
Typhus Fever Murine (Soluble)—	
Routine	9
Quantitative	19
Lygranum C. F	19
Eagle Wassermann (Serum)—	
Routine	5,507
Overstitution	109
Eagle Wassermann (C.S.F.)	148
Flocculation Tests—	140
The state of the s	5,703
37 1	1,049
Ann	1,045
minge Conodian Gold Reaction	104
	64,214

3. BIOCHEMISTRY.

Specimen.		Examine	d for.	Number.
Whole Blood		Urea Sugar Uric acid Pigments Chloride (as Cholesterol Calcium Creatinin	NaCl)	 330 42 46 4 23 21 5

Specimen.	Examined for.	Number.
Diamo	Chloride (on NoCh	
Plasma	Chloride (as NaCl)	1
	Protein	2
Serum	Calcium	38
	Protein	465
	Cholesterol	43
	Bilirubin	248 29
	Sodium (as Na)	30
	Acid phosphatase	28
	Alkaline phosphatase Inorganic phosphate	250 15
	Potassium	12
	Amylase	22
	Phosphorus	î
	Fouchet test	1
	Thymol flocculation	235 235
	Zine sulphate	2000
	Albumin alabulia	235
	Albumin - globulin ratio	238
	Urobilinaemia	19
Cerebrospinal Fluid	Protein	93
Jeros sopular r mid 17	Globulin	86
	Chloride (as NaCl)	82 90
	Sugar Urea	14
Fluid from Cyst	Cholesterol	1
Pericardial Fluid	Urea	1
	Protein	1
	Albumin - globulin	1
	ratio	1
Urine	Albumin	1,780
	Sugar	1,792
	Pigments Bile pigments	2
	Bue	2
	Urea	5 7
	Protein	i
	Vitamin C	1
	Aceto-acetic acid	i
	Chloride (as NaCl)	1
	Bilirubinuria Urobilinuria	1
2		- 100
Faeces	Total, Split and Un- split Fats	59
	Occult Blood	61
	Creatorrhoea	8
	Trypsin	1
Duodental Contents	Trypsin	9
Stomach Contents	Occult Blood	1
	Free Acid	1
	Combined Acid	1
Renal Calculi	Chemical constitution	10
		6,752
		At Street
	North Control of the last	
	No. of the last of	
Functional Tests	Glucose tolerance	150
	tests Urea clearance tests	159 81
	Urea concentration	
	tests	101 162
Andrew Control of the	Fractional test meals	102

503

TABLE CIX .- continued. 4. HAEMATOLOGY.

7					Number.
Cell Counts—				i	
Red Cells (Total)					3,158
Red Cells (Stipple					682
Reticulocytes				100	19
White Cells (Total		1000	100	- 00	3,434
White Cells (Diffe				0.1	3,048
Platelet Count				2000	56
Haemoglobin					5,177
		**	**	35.5	
Haematocrit Sedimentation Rate					2,377
					207
Coagulation Time					34
Bleeding Time					33
Prothrombin Time					5
Red Cell Fragility					16
Blood Grouping (A.B.	0.)				2,083
Blood Grouping (Rh)					2,095
					22,424

5. PARASITOLOGY.

Specin	nen.		Number.	
Faeces Pus Blood Helminth Arthropods			Amoebae (Cysts and vegetative) Helminth ova Trichomonas viginalis Microfilariae Plasmodium sps. Identification Identification	91 240 8 4 25 6
				381

6. VARIOUS TESTS.

-			Number.
Male Toad Test (Pregnancy Casoni Skin Test)	::	 1,600 3 3
			1,606

7. HISTOLOGY.

Ti	Number.		
Human—			1
Biopsy	 	 	4,178
Post-Mortem	 	 	901
Animal—			
Guinea-pig	 	 	6
Guinea-pig Rabbit	 	 	6
		160	
			5,091

TABLE CIX .- continued.

8. Medico-Leg.	AL.			
Clothing-				
Blood				87
Spermatozoa				99
Various Articles—				
Blood			**	23
Spermatozoa				15
Smears—				
Gonorrhoea				2
Spermatozoa				19
Tissue-Examination .				26
Blood-Grouping				2
Blood-Stained Articles-De	termi	nation	of	
Blood Group of Stains				15
				1
			11	_
				289
			-	_
Post-Mortem Examinations	1			569
Attendances at Courts-				
Supreme Court .				20
Dallas Count				15/5
Police Court			5.5	22
Commonly Count				20
Coroner's Court .				

9. Examination of Rodents.

Rodents received for examination from Brisbane City

THE PARTY OF THE P				
Classification— Rattus norvegicus			1	1,262
Unclassified			1	1,554
Mus musculus			!	5,633
			18	3,449
			-	
0 117	- DI			
Special Examinations fo		que-		
Rats fully dissected	**			29
Spleen smears exan	ined			29
No rat was found infected	with	Pasteur	ella pe	stis.

Rat Smears received from other Centres-

Maryborough			144		44
Gympie					78
Sandgate					477
Wynnum					492
Meatworks (B)	risbane	area)			168
				-	1,259

10. MATERIAL SUPPLIED.

One hundred and sixty requisitions were supplied during the year to hospitals, private practitioners and local authorities consisting of 2,552 swabs, 2,490 McCartney bottle, 324 urine bottles, 140 blood bottles, 264 Wright's capsules, 54 facces tins, 134 media plates, 64 broth cultures and 36 glass slides.

2. Laboratory Development.

During the past year there has been an During the past year there has been an increase in the volume of work carried out in almost every section and each year increasing demands are being made for laboratory service. The sections mainly involved are those concerned with Clinical Pathology, i.e., serology, haematology, bacteriology and the examination of biopsies. It would thus appear that the National Health Service, providing, as it does, payment for private pathological investigations, has had no effect on the volume of work has had no effect on the volume of work referred to this laboratory. It may be antici-pated that this increase will continue in the

future. In order to illustrate this trend an analysis of the number of tests performed in the years 1948-49, 1952-53 and 1953-54 are set out hereunder in Table CX.

TABLE CX.

_	1948-49.	1952-53.	1953-54
Bacteriology	17,305	17,514	18,184
Serology	14,089	51,828	64,714
Tuberculosis Laboratory	1000	7,444	9,606
Biochemistry	3,247	5,943	7,255
Haematology	7,544	20,061	22,424
Parasitology	1,447	377	381
Various Tests (Pregnancy Tests, &c.)	209	1,737	1,606
Medico-Legal Investigations Histology—	102	388	289
(a) Biopsies	1,003	3,497	4,178
(b) Post-Mortem Tissues	579	1,640	901
Total	45,525	110,429	129,538
Post-Morton Examinations	487	541	569

It is gratifying that the scope of the investigations carried out and the service which this laboratory supplies to the State as a whole should be increasing, but this expansion presents many problems and these are mainly concerned with laboratory accommodation. In the past this department has received the utmost co-operation and consideration in that whatever space could be made available has been allotted to it, but the plain fact remains that further expansion is not possible as long as the laboratory remains in its present site or unless substantial additions are to be made. Trained staff are obtainable nowadays but additional laboratory accommodation is not. Since several new properties have recently been acquired by the State Government it is hoped that the provision of this additional accommodation will receive priority.

Increasing demands are constantly being made for laboratory services and already it is a cause of grave concern that some of these demands cannot be met. Several investigations commenced either at the Queensland Institute of Medical Research or in this laboratory as research projects have proved to be of such value that they should continue as routine practice and as such it is our province to continue them. As an example the bacteriological examination for gastro-enteritis of staff and children admitted to infant homes in the metropolitan area proved to be of such value in improving the standards of hygiene and the reduction of cross-infection in these homes that such examinations should now be made routinely.

Our knowledge of the cause of the "pyrexias of unknown origin" in Queensland has so markedly increased since 1951, that now each serum is submitted to a battery of twenty-two different antigens instead of the twelve previously used. As a result between 30 to 40 per cent. more cases of leptospirosis are now diagnosed in Queensland than previously.

Diagnostic kits should be prepared, sterilized and packed for despatch to all country centres where laboratory facilities do not exist. This would be a most valuable means of improving the general standard of medicine throughout the State

This laboratory should serve as a reference and training centre for hospital technicians and laboratories and facilities should be available for technicians to attend periodically for refresher courses and training in new techniques.

This laboratory has a record of which it may justifiably be proud and it has a vital function to perform for the city and the State as a whole. It must be able to undertake new investigations to meet whatever demands are made upon it, and to provide a more comprehensive and better service for country centres. These ideals cannot be attained with the present very limited accommodation.

Additional Medical Officer.—Since 1937 there have been two full-time medical officers attached to the laboratory and during the intervening seventeen years the laboratory has grown enormously. In 1937-38, 92 biopsies were examined, whereas in the present year the number of biopsies examined was 4,178. Autopsies performed were 272 in 1937-38 and in the present year 569. In addition the medical staff are responsible for the supervision of all laboratory work. It is therefore obvious that the appointment of a third medical officer is essential if acceptable standards of work are to be maintained. The appointment of this extra medical officer was not asked for since no accommodation was available for him but a rearrangement of staff accommodation has overcome this difficulty and provision for an extra medical officer is being asked for in the 1954-55 Estimates.

Haematology.—The demand for haematological investigations is great and always there is a backlog of patients for such tests. Recently the Red Cross Transfusion Service has requested that the routine screening of sera for Rh antibodies should be undertaken by this laboratory, an investigation which they previously undertook. Space is available for a third technician in the haematology laboratory and it is considered that a third technician is needed in the section to relieve the pressure of work and to avoid patients having to wait sometimes up to one week for such investigations. Provision will therefore be made for such appointment in the Estimates for this year.

Histology.-It will be seen from Table CX that the number of biopsies submitted to the laboratory for examination has steadily increased and the preparation of these sections is almost a full-time task. Since biopsies require immediate attention fewer post-mortem tissues have been sectioned during the year. This is most undesirable and many more sections from post-mortem tissues should be available for examination. Many of the autopsies carried out by the department medical officers are on persons dying from some unexpected cause and many have medico-legal importance. In addition all sudden and unexpected deaths in the neonatal period and in childhood have to be investigated and without a full and most thorough histological study it is often quite impossible to arrive at a correct diagnosis. A request for the appointment of an extra technician will be made during the coming year.

3. The Serology of the "Pyrexias of Unknown Origin."

The investigation of the "pyrexias of unknown origin" in Queensland has been very active during the year in that more than two thousand and five hundred sera have been examined. Of these, 860 sera (773 human, 87 animal) were from the Queensland Institute of Medical Research; the remainder have been submitted by practitioners and hospitals throughout the State, as well as from New South Wales, New Zealand and elsewhere.

Sera are screened with the following battery of tests: Widal and Weil Felix, agglutination with Coxiella burneti, Brucella abortus and the eleven strains of leptospirae known to occur in Queensland. Leptospira grippotyphosa has recently been introduced into the routine screen test and with some sera L. bataviae is now also included. Complement fixation tests with Coxiella burneti and Rickettsia akari are also carried out on all paired sera or where the clinical history is suggestive. When indicated Complement fixation tests with Rickettsia mooseri and "Lygranum" also Paul Bunnell tests were performed. An agglutinating suspension of Streptococcus MG is available when the diagnosis of Atypical Pneumonia is suspect, but this test is not performed, as yet, as a routine.

Many practitioners now appreciate the necessity for submitting paired sera since it is often most misleading to interpret the results obtained from the examination of a single specimen of serum. Some difficulty is still experienced, however, in obtaining early specimens where their value is still not realised.

(a) Leptospirosis.—We have maintained during the year close collaboration with the Field Station of the Queensland Institute of Medical Research at Innisfail, and from them cultures and sera have been forwarded for examination. As a result our knowledge of leptospirosis in North Queensland has greatly increased and a mass of most valuable data has been accumulated for analysis and subsequent publication. During the year a joint paper was published describing the serological classification of 89 strains of leptospirae from North Queensland, including five serotypes new to Australia.

TABLE CXI.

The Serotyping of 104 Cultures of Leptospirae from Queensland.

(August, 1951-July, 1954).

Serogroup.	Serotype.	Number
Icterohaemorrhagiae	L. icterohaemorrhagiae	4
Canicola	L. canicola	8
Australis A	L. australis A	23
Pyrogenes	L. australis B	32
	"Robinson"	7
Hyos (syn. mitis (Johnson)	L. mitis (Johnson)	8
Pomona	L. pomona	3
Hebdomadis	L. medanensis	3 2
	"Kremastos"	15
	" Szwajizak "	5
	"Celledoni"	6
Total		113

During the year 28 cultures of leptospirae were typed. One of these cultures (*L. pomona*) was obtained from a patient in Southern Queensland, the remainder were all from North Queensland. In the past three years 113 cultures of leptospirae have been typed and Table CXI sets out in detail the results. All but three of these 113 cultures were from North Queensland.

All the cultures were obtained from patients except for one strain (*L. australis* A) which was isolated from a *Rattus conatus* captured on a cane farm near Babinda in North Queensland.

From this experience we have obtained fairly complete knowledge of the serotypes of leptospirae which are likely to be encountered in North Queensland and it is worthy of note that of the 113 cultures in this series 38 per cent. are of serotypes which were not known to exist in Queensland prior to 1951. By using these eleven strains in our routine screen tests we are now able to diagnose between 30-40 per cent. more cases of leptospirosis than formerly. Unfortunately few cultures have been examined from Southern Queensland, only three in this series, and we have knowledge of only three serotypes of leptospirae occurring in that area, namely, L. icterohaemorrhagiae, L. pomona and L. hyos (L. mitis Johnson). Every effort will be made to obtain cultures from cases in Southern Queensland in the future.

Blood culture is a most efficient method of diagnosing leptospirosis provided cultures are made in the first three or four days of illness while the patients are still febrile and before the administration of antibiotics. Cultures are slow to grow, taking a week or more, but they may still be positive before agglutinins appear and they do allow of the definite identification of a strain. One of the disadvantages of the cultural method is that special media is required and experience is needed to avoid contamination during the inoculation of the media. The risk of contamination is reduced and the chances of successful culture increased by inoculating two tubes of media.

From the examination of paired sera from the Research Institute's field station we were able to diagnose twenty-seven cases of leptospirosis during the year. The serotypes involved in these are as follows:—L. australis A—9; L. australis B—5; L. pomona and L. medanensis—2; L. hyos (L. mitis Johnson), L. canicola and "Celledoni"—1. Undetermined types—6. From other parts of North Queensland significant titres were found in patients for L. australis A. and L. pomona.

From the sera submitted from various sources in Southern Queensland significant rises in titre were observed for L. pomona, L. hyos (L. mitis Johnson) and L. icterohaemorrhagiae in decending order of frequency. Two hundred and forty-five sera were submitted from outside Queensland and of these 178 were from New Zealand, 32 from Thursday Island, 27 from New South Wales, also three each from Western Australia, Victoria and one each from Manus Island and the Northern Territory. Leptospiral antibodies were found in eight of the sera from New South Wales, in five from Thursday Island and in one from Western Australia.

The New Zealand sera were of interest since there were forty-three patients from whom two or three serum specimens were examined. Of these 43 patients serum agglutination results were consistent with leptospiral infection in 31 cases and the frequency of the probable types causing the infections was L. pomona—21, a member of the Hebdomadis serogroup 4, L. hyos (L. mitis Johnson)—2, and indefinite—4.

In the diagnosis of leptrospirosis by the examination of human sera it is absolutely essential that paired sera be available. One should aim at obtaining a serum specimen as soon after the onset of illness as possible to serve as a "base line" and a second specimen in the third week. Specific antibodies in leptospirosis appear in the second week of illness and in general increase rapidly to a maximum titre in the third to fourth week. Specific antibodies may persist for years. In our experience if antibodies for a certain serotype are present in the first week of illness one may conclude that they are not due to the organisms causing the present illness. Antibodies present in the first week of illness are most probably due to residual titres from some previous infection. examination of the second specimen of serum, obtained after the second week of illness, will in most cases show clearly a rise in titre for the specific infecting strain but not infrequently confusion will occur due to anamnestic reactions, co-agglutinins, or residual titres from previous infections. In certain cases agglutinin-absorption tests may be necessary to reveal the specific antibody. In general a "significant rise" in titre may be defined as a tenfold increase attaining a maximum of at least 100, but there are many exceptions to this rule. In some cases, proven by culture this "significant rise" in titre was not attained and in other cases heterologous titres were found to be higher than those for the infecting strain. As an example of this the serum of a patient from whose blood L. pomona was cultured showed on the third day of illness no antibodies, yet on the 24th day the serum gave titres of 1: 3,000 with L. australis A and gave only 1:1,000 with L. pomona. In this particular case the possibility of a previous infection with L. australis A. was carefully excluded. In general, however, the heterologous titres tend to fall away whereas the homologous titres will persist. This fact emphasises the necessity for obtaining in some cases further sera during the convalescent period if the infecting strain is to be ascertained by examination of sera alone.

From our study of the agglutinin curves in cases proven by culture much has been learned of the co-agglutinins that occur with the strains of leptospirae that are known in Queensland, and the study of them is continuing with a view to publication.

To be assured of detecting all cases of leptospirosis it has now become necessary to employ eleven leptospiral serotypes in our routine tests and this has become a burdensome and time-consuming task when large numbers of sera are to be examined. What is urgently required is some means of screening these sera to exclude the negative with some broad spectrum antigen. The most hopeful reports in this regard relate to a haemagglutination

technique applied by Chang in U.S.A. to leptospirosis and it is hoped to investigate this technique in relation to those strains occurring locally. Complement fixation techniques for leptospirosis appear to show less promise.

Examination of Animal Sera and Other Investigations.-Sera collected from 152 domestic and wild animals from various localities in North Queensland were submitted for leptospiral agglutination tests, in an endeavour to search for the animal carriers of the disease. highest titre observed was 1:30,000 for the "Szwajizak" strain in the two I. obesulus captured near Mossman. The results of this survey are set out in Table CXII, and for simplicity all titres of less than 1:100 have been neglected. In many sera, particularly those from horses, the results were complex and low titres with numerous different serotypes were obtained. The incidence of agglutinins appeared lower in wild than in domestic animals. The one Rattus conatus from which L. australis A. was cultured, had an antibody titre of 1:300 with this strain. Also tabulated are the results of the examination of a series of animal sera from Central and Southern Queensland. An examination was also made of 138 sera from wild rabbits from New South Wales and these were negative with the eleven leptospiral serotypes occurring in Queensland as well as to L. grippotyphosa. These sera were made available by courtesy of Proffessor F. Fenner.

During the year a preliminary study was made of the survival of leptospirae in soil as it apeared to us that additional data on this subject was desirable and that it was a matter of very great epidemiological importance. Soil from an area where leptospirosis was known to occur was obtained and a series of experiments were carried out involving the inoculation of the soil with L. australis A. in Fletcher's medium. The soil was moistened and after periods ranging from eight to 43 days the soil was flooded with rain water. Then after a further three days the excess surface water was collected and run into the subcutaneous tissues of guinea-pigs by continuous drip method. It was found that guineapigs could be infected from the surface water with leptospirae which had survived in the moistened soil for periods up to 43 days. It is intended to continue this investigation and to study the survival time of leptospirae in relation to soil types, Ph, moisture, etc.

As the majority of running waters in North Queensland are distinctly acid in their reaction, in areas where leptospirosis is known to occur it was decided to investigate the behaviour of leptospirae in acid media. In our limited expiriments we found that all the Queensland strains would multiply in a modified Schüffner medium, having a Ph of 6·6. The strains were deleteriously affected after exposure to a Ph of 6·2 and died out after several days. In such experiments we found it essential to determine the Ph of the Schüffner medium after the addition of the rabbit serum since the serum caused an appreciable rise in the Ph of our Schüffner base.

Subcultures of the newly isolated Queensland leptospiral strains have been forwarded to New Zealand, Amsterdam, London, Washington D.C. and to the School of Tropical Medicine in Sydney.

(b) Q. fever.—Both the complement fixation and the agglutination tests are used as a routine and an attempt has been made to evaluate the efficiency of the two methods of investigation. Considerable difficulty has been experienced in this evaluation, however, due to marked variation in the sensitivity of various batches of the agglutinating suspension of Coxiella burneti commercially available. The complement fixation antigen obtained from overseas appears to give consistent and reproducible results. No satisfactory commercial complement fixation antigen for C. burneti is as yet available in Australia. In our hands the complement fixation test seems to give more reliable and consistent results and appears to be the more useful test for general use. The evaluation of the two techniques is continuing.

A survey of as many of the earliest known cases of Q, fever as could be found has been completed and both agglutination and complement fixation tests have been carried out on their serum. It is hoped to publish in the near future a detailed analysis of the duration of both agglutination and complement fixing antibodies in these cases, some of which were infected as long ago as 1935.

(c) Scrub Typhus.—Agglutination tests with Proteus OXK have been made on all cases of Scrub typhus which were confirmed by inoculation of mice in the series from the Field Station of the Queensland Institute of Medical Research and this has afforded a unique opportunity for the assessment of the efficiency of the agglutination test in the diagnosis of this disease. Serub typhus was diagnosed in 31 cases by mouse inoculation and agglutination tests carried out on paired sera from these patients gave the following results:

Titres Titres	with with	Proteus Proteus	OXK OXK	of of	titre titre	20 80	than 20	 8 7 3 13
	Tota	1						 31

If one is to regard a titre of 1:100 as being the lowest acceptable diagnostic titre these results show that only 42 per cent. of proven cases have been diagnosed by the Weil Felix test. This finding is disturbing in that the agglutination test with *Proteus OXK* is the only readily available method of diagnosing this disease in most laboratories. Due to the wide variation in strains is has not been possible to prepare a satisfactory complement fixation antigen and this test is at present regarded as being considerably less reliable than the Weil Felix test. Mouse inoculation is obviously not a method for routine diagnosis as it is too expensive and cumbersome.

The diagnosis of Scrub typhus thus presents a major problem and the most hopeful avenues would appear to lie in a continued search for a strain from which a broad-spectrum complement fixation antigen can be prepared.

During the year we have encountered further examples of sera giving agglutination titres with Proteus OXK from patients who have diseases quite unrelated to Scrub typhus. These have

TABLE CXII.

EXAMINATION OF ANIMAL SERA FOR LEPTOSPRIAL AGGLUTININS.

Species,			Number Examined.	Number Positive at 1:100 or greater,	icterohaemorrhagiae.	caniola,	australie A.	australis B.	pomond.	Ayros.	medanensis.	" Celledoni."	"Robinson."	" Uremastos."	"Szwajizak."	Undetermined.
					No	rth Q	reensla	nd.		house	-	-		Parent .	la mari	
Horse				10			7									
CI.	**	**	28	13	2		1		3	5						4
The state of the s		**	30	14		i	5	2	1	1	ï	**		2	**	1
Dog Bandicoots—			30	14	4.4	-	0	-	1		1			2	20.0	1
Isoodon obesulus			15	5			1		1						2	,
Perameles nasuta	::	2.5	2	1				1000		**	**	i	0.1	00		1
Unidentified			6	2		**	ï			**	**	170	**	**	ï	
Possum—		**		-	**	**		***				**		***		**
Trichosurus vulpe	arla		15	1							1					
Rattus rattus			15	ô				11	2.3	3.						**
R. conatus	70		1	i			i		.:	1	**			100	***	**
Other rats			11	0				100		10						
Various animals		100	8	0		3.0								10		
A ON INCIDENTIAL PROPERTY.	10	100		1957											-	
			160	47	2	1	10	2	10	7	2	1	**	2	3	7
					Central	and S	outh (Dunne	land				3			
					entra	and c	outh (Sucem	stand.							
Horse			2	1	1											**
*Sheep			20	0												
Bandicoot-				-	110									100	2022	
. Isoodon obesulus		1.1	5	1	1	22.20		**	***	1.00	**	35.53	2.5	2.5		
			9	1						1	**			**		
			9	0							**					
R. rattus																
R. culmorum			16	0	**											
R. rattus			1	0												
R. rattus			700				10000		53333		92			::		::
R. rattus			1	0								10000				

^{*} These sera were examined at the Queensland Institute of Medical Research.

probably been due to either blood or urinary infections with various members of the *Proteus* group. The results of agglutination tests with *Proteus OXK* must always be interpreted with caution.

4. Bacteriology.

- (a) Investigation of Food Poisoning Attributed to Ice Cream .- Early in the year an outbreak of food poisoning occurred in various suburbs of Brisbane which was attributed to the consumption of ice cream of a particular brand. As a result, samples of ice cream, as well as the various ingredients were submitted for bacteriological investigation. Subsequently, swabbings were made from various containers and parts of the manufacturing plant. Exhaustive bacteriological examination failed to produce any pathogenic organisms in culture. The nature of the outbreak and the behaviour of the patients affected was entirely consistent with a staphylococcal toxin being the causative agent. Support for this was lent by the following incident. Among the samples of ice cream received was an ice cream block which had been examined bacteriologically then stored in the deep freeze at -25°C. When all tests showed negative results the ice cream was eaten by four members of the laboratory staff. One member became violently ill with vomiting, diarrhoea and prostration three hours afterwards and was admitted to hospital where he remained for 15 hours before recovering. The other three consumers of the ice cream were unaffected. It is of interest that the staphylococcal toxin should have produced such an acute illness in only one of four
- (b) Bacteriological Examination of desiccated Coconut.—As a result of outbreaks of Typhoid fever attributed to desiccated coconut in Southern States, various samples of this product were submitted for bacteriological examination from many sources. In all 112 samples of coconut were examined, as well as coconut-containing sweets and whole coconuts.
- S. typhosa was not isolated, but from 14 of the samples of desiccated coconut, salmonellas were isolated and from one other Shigella flexneri was grown. All the samples from which salmonellas were recovered were of Papuan origin, whilst that infected with the shigella was from Ceylon. It is noteworthy that this latter sample was brought in by a private householder whose family had had an attack of "dysentery" so the sample may have been previously infected in the house.

Of the Salmonellas, five different types were represented, e.g., S. senftenberg, S. daytona, S. thompson, S. bovis-morbificans and S. typhimurium. For the final typing of the Salmonellas we are indebted to Miss Nancy Atkinson, of Adelaide.

(c) Isolation of Salmonellas.—During the year the following Salmonellas were isolated from faeces: S. bovis-morbificans (2), S. derby (2), S. adelaide (1), S. norwich (1) and S. typhimurium (9). This was the first isolation of S. derby, S. adelaide and S. norwich in this laboratory.

5. Tuberculosis Laboratory.

In the current year 5,494 specimens have been examined and of these 3,031 were sputa, 1718 gastric lavages, 652 laryngeal swabs and 93 miscellaneous. All specimens have been cultured on four tubes of Lowenstein-Jensen medium which is prepared in one ounce McCartney bottles. The cultures are read weekly for a period of six weeks at which time they are discarded if there is no evidence of growth.

Smears for acid-fast bacilli are not examined from gastric lavage, but all other specimens are examined microscopically. Whenever possible all gastric lavage and miscellaneous specimens were injected into guinea-pigs as well as being cultured, but due to a shortage of animals this was not possible in all cases.

Whenever typical cultures were isolated, these were investigated by guinea-pig inoculation and four strains suspected of being bovine were inoculated into both guinea-pigs and rabbits. One bovine strain was isolated from the sputum of an abattoir worker. Six further suspicious cultures are being investigated at present.

Due to the difficulty in maintaining a sufficient supply of guinea-pigs for the laboratory, an investigation has been commenced to study the adaptability of white mice for routine diagnostic use. This work is still in progress.

A comparative study is being made of the efficiency of gastric lavage and laryngeal swabs in the diagnosis of tuberculosis. Already 652 laryngeal swabs and gastric lavage specimens have been cultured and it is hoped to analyse the results when a larger series is available.

Careful records are maintained of the laboratory work and monthly statistical summaries are prepared. By this means it is possible to check the technique.

A statistical analysis of the work carried out from January to December 1953 revealed the following:—

Total number of specimens examined	4,299
Total number of sputa examined	3,000 (70%)
Total number of gastric lavage specimens	
examined	1,213 (28%)
Total number of miscellaneous specimens	
examined	86 (2%)
Percentage of total specimens giving positive	
cultures	24-9%
Percentage of sputum specimens giving	
positive cultures	24-6%
positive cultures	
positive cultures	26-7%
Percentage of miscellaneous specimens giving	
positive cultures	5.8%
Percentage of positive slopes from specimens	
giving positive cultures (4 inoculated in	
each culture)	78%
Percentage of acid-fast saprophytes (total	
specimens)	-41%
Percentage of acid-fast saprophytes(sputum)	-39%
Percentage of acid-fast saprophytes (gastrics)	-52 %
Percentage of slopes showing contamination	
(total)	8-2%
Percentage of slopes showing contamination	
(spu tum)	9-0%
Percent age of slopes showing contamination	
(gastrics)	5-5 %
Percentage of slopes showing contamination	
(miscellaneous)	19-5 %

These results are satisfactory in that the contamination rate is low, also the technique and media are good in that 35·7 per cent. more sputa were found to be positive by culture than by smear. (Most authorities state that 30 per cent. increment by culture can be expected if the techniques are satisfactory). The fact that 7·3 per cent. of positive sputa had positive smears but were negative on culture is somewhat disturbing. The most probable explanation is that many of these specimens were a long time in transit to the laboratory, also chemotherapy may well have been a factor. This matter is being investigated.

The guinea-pig culture correlation points in favour of guinea-pig inoculation as a diagnostic test but the numbers are small and a much larger series must be studied before any opinion can be expressed as to the relative efficiency of these two methods of diagnosis in our hands.

In a survey of sputa from certain employees in factories engaged in processing asbestos, asbestos bodies were found in eleven individuals.

6. BIOCHEMISTRY.

Much of the increased work in this section is due to the institution of a battery of tests which are carried out on sera in which abnormalities of the proteins are suspected, mainly in patients suffering from some form of hepatic disease. These tests include total serum protein, alkaline phosphatase, serum bilirubin, thymol turbidity and flocculation, zine sulphate turbidity and electrophoretic analysis of the serum protein by means of the filter paper technique. Up to the present the interpretation of the electrophoretic pattern has been qualitative and subjective, but a photo-electric scanner has now been installed and when preliminary work has been completed an objective and more quantitating assessment of the serum protein fractions will be available.

7. CITY MORGUE.

During the year modifications to the refrigerated chamber were made in order to increase its effective capacity. Even so there are times when the space available is inadequate and with a steady upward trend in the number of autopsies performed each year, such occasions must inevitably occur with greater frequency. For this reason, together with its closeness to a sand and gravel depot producing almost continuous noise and dust, it would seem desirable to give some thought to the possibility of building a new morgue more adequate for the demands made upon it, more in keeping with modern designing and perhaps more readily accessible to the facilities of the laboratory.

8. Publications.

*Tonge, J. I. (with Inglis, J. A., and Derrick, E. H.) (1953): "Regional Non-bacterial Suppurative Lymphadenitis and its Relation to 'Catscratch Disease'," Medical Journal of Australia, volume II, page 81.

*Tonge, J. I., and Brown, H. E. (with Derrick, E. H., and Berry, A. H.) (1953): "Fevers of the Mackay District, Queensland," Medical Journal of Australia, volume II, page 121.

Smith, D. J. W., Brown, H. E., and Tonge, J. I. (with Sinnamon, C. N., MacDonald, V. M., Ross, C., and Doherty, R. L.) (1954): "The Serological Classification of Eighty-nine Strains of Leptospirae from North Queensland, Including Five Serotypes New to Australia," Australian Annals of Medicine, volume III, page 98-105.

^{*}Previously reported as being in the Press.

GOVERNMENT CHEMICAL LABORATORY, 1953-54.

Government Analyst and Chief Inspector of Explosives: S. B. Watkins, M.Se., F.R.A.C.I.

Deputy Government Analyst and Inspector of Explosives: A. S. Hurwood, B.Sc., A.R.I.C., A.R.A.C.I.

Accommodation.—A building to house ore grinding and other equipment and to contain a small laboratory for coal testing has been completed and awaits the installation of the machines and work benches and other laboratory facilities. This will be of additional benefit to the laboratory and will obviate daily excursions to the Executive Building where existing ore preparing machines have remained since the laboratory was transferred from that building to its present location.

The total number of submissions from all sources for the year was 21,894 and in the table below this figure is included with the corresponding ones for the previous nine years.

TABLE CXIII.

	 	WARRENT.
Year.		Total Submissions.
1943-44	 	14,105
1944-45	 	15,434 (Record year)
1945-46	 	11,875
1946-47	 	12,834
1947-48	 	13,629
1948-49	 	17,564 (Record year)
1949-50	 	18,840 (Record year)
1950-51	 	14,137
1951-52	 	15,675
1952-53	 	26,014 (Record year)
1953-54	 	21,894

Last year's record figure of 26,014 was accountable to the work involved in estimating the arsenical residues in over 11,000 samples of tobacco leaf. This year's figure, the second highest on record, cannot be ascribed to any one specific factor although it does include over 3,000 clinical, thermometers which a local importer submitted for testing for which he paid.

In the following table, a five years' dissection is given covering the number of examinations for the four sections of the laboratory.

TABLE CXIV.

_	Section 1.	Section 2-	Section 3.	Section 4.
1949-50	6,290	1,395	3,376	7,149
1950-51	5,148	1,031	3,463	4,495
1951-52	5,590	1,207	4,069	4,809
1952-53	16,602	1,442	3,868	4,102
1953-54	7,762	1,647	4,295	8,190

The figures for the present year show a more even spread of the work among the various sections. In section 4 it was necessary to arrange overtime to meet the demand for service. A chemical service to be of value to those authorities it serves must be kept well up to date. There should be as little delay as possible in the issue of certificates when dealing with the quality of foods and drugs, standards of acceptance of other substances covered by the Health Act, the valuation of coal, the assay of ores and metals, the release of goods from bond or through customs, the payment of contracts for painting, the letting of tenders, the

search for poisons, biochemical determinations as guides to medical treatment, and investigations associated with industrial medicine and hygiene.

An analysis of the year's total according to origin is disclosed in the following table:—

TABLE CXV.

Authority.			mber of
State Departments-			
Health and Home Aff	fairs	 	6.936
Police		 	302
Geological Survey		 	491
3.00			114
Coal Board		 200	185
Irrigation and Water			643
Portmaster (Explosiv			2,326
			336
Main Roads Commiss			94
200 May 180 Ma		20	588
95 2 21 927 1			349
Tile Testing Station			289
			19
Others			1,135
		 **	1,100
Commonwealth Departs	nents-		
Trade and Customs		 	2,476
Commerce and Agricu	lture .	 	1,213
Ch. 12		 	300
No. 1. 1. 12. 1.			259
			91
Public			3,748
		200	REGISTRATE OF THE PARTY OF THE
Total		2	21,894
		-	

Equipment.—During the past few years consideration has been given to the acquisition of some pieces of modern equipment to facilitate the output of work and to improve general efficiency of the various Sections. In this regard an Eel Flame Photometer for the determination of sodium and potassium materially reduces the time involved in the estimation of these two elements previously assessed by the time honoured Lawrence Smith technique. Investigations with a newly-acquired Polarograph indicates that this instrument will speed up many determinations whilst the installation of more electric furnaces and a standard bomb calorimeter has assisted the work on coals.

Additional chemical balances of modern construction have also proved their worth. Several new ovens including vacuum types contribute to general efficiency. Among other additions essential to the growing needs of the laboratory which might be mentioned are a Hortvet Cryoscope (for determination of the feezing point of milks), a Stormer Viscometer for paint analyses, a gyratory sieve holder for the fractionation of finely divided solids, a Rotameter and a Velometer for testing air and gas velocities, a modern Lovibond Tintometer, a standard barometer, an Abbe Refractometer, two up-to-date binocular microscopes, a potentiometric titration set, and an aromatic hydrocarbon detector. Careful consideration is always given to determining the general usefulness of such high-priced equipment prior to recommending purchase.

SECTION 1.

Foods, Drugs and Waters.

A. S. HURWOOD, B.Sc., A.R.I.C., A.R.A.C.I., Deputy Government Analyst, Officer-in-Charge.

The following table gives the number and source of the samples examined.

TABLE CXVI.

	No. of Samples.						
Health		6,032					
Irrigati	639						
	overnm		Departi	ments			637
Local G	overnm	ent					260
Public							194
	Total			100			7,762

SUMMARY OF SAMPLES OF FOODS AND DRUGS EXAMINED FOR THE DEPARTMENT OF HEALTH AND HOME AFFAIRS

Nature	No. of Samples.				
Beverage or Cordial					210
Bread			4.4		171
Cereal					96
Condiment					8
Disinfectant					151
Drugs or Medicine					108
Fish					18
Flock and Fibre					33
Fruit or Fruit Juice					416
Jam or Jelly	100				58
Meat		1000			137
Milk-Official			11		2,036
Milk-Unofficial		1000			309
Milk Product				1000	23
Paint	000				338
Spirituous Liquor		**		***	142
Takanaa	355	- 11	**		949
TP.			**		15
	**				
Minnellanes					13
Auscenaneous					595
Total					5,826

The miscellaneous samples include confectionery, essence, toilet preparations, cotton wool, enamel mug, whalemeat and a large number of samples of mixed groceries from a suburban store submitted for examination as to taint from insect spray.

Details of legal samples taken by Inspectors in accordance with the provisions of "The Health Acts, 1937 to 1949."

TABLE CXVII.

Nature of Sample,	Number Examined.	Passed.	Falled.
Milk	2,036	1,532	504
Paint	151	85	66
Minced Meat	64	20	44
Sausage and Sausage Meat	42	19	23
Spirituous Liquor	45	2	43
Ice Cream	5	5	Nil
Brown Bread		2	3
Summer Drink	5 3	Nil	3 3
Miscellaneous	18	5	13
Total	2,369	1,670	699

The miscellaneous samples include cream, phenyl, tobacco, naphthalene—D.D.T. preparation and foodstuff contaminated with filth.

High Standard of Foods and Drugs.

As mentioned in previous annual reports it is largely the lines of doubtful purity that are submitted to the analyst for examination, and the normal good quality lines are seldom sampled. The vast majority of the foods and drugs marketed in Queensland are in sound clean condition and conform with the standard prescribed in the Food and Drug Regulations.

Milk.

The quality of the milk supply as judged by the samples submitted was somewhat below the high standard of last year.

TABLE CXVIII.

DETAILS OF LEGAL SAMPLES OF MILK SUBMITTED FOR ANALYSIS.

District.	Total Number of samples.	Number of samples which passed the standard.	Number of watered samples.	Number of samples below the standard in fat (3·3 per cent.) but not watered.	Number of samples below the standard in total solids (12 per cent.) and/or solids not fat (8·5 per cent.) but not watered nor deficient in fat.	Proportion of watered samples. (per cent.)	Average proportion of added water, (per cent.)
Greater Brisbane	768	604	59	73	32	7-7	13-3
Beaudesert	46	39	Nil	2	5	Nil	
Caboolture	227	153	14	37	23	6.2	4-1
Cairns	61	26	111	10	14	18.0	5-0
Charleville	7	5	Nil		Nil	Nil	
Cleveland	23	20	Nil	2 2 7	1	Nil	
Cloneurry	9	2	Nil	7	Nil	Nil	
Gympie	8	8	Nil	Nil	Nil	Nil	1.0
Hughenden	5	4	Nil	1	Nil	Nil	
Ipswich	145	121	6	9	9	4.1	4.8
Kingaroy	8	7	1	Nil	Nil	12.5	17-0
Maryborough	46	42	3	Nil	1	6.5	7-7
Nambour	101	97	Nil	3	1	Nil	
Rockhampton	197	147	24	15	11	12.2	6-3
Roma	11	7	1	3	Nil	9-1	9-0
South Coast	168	90	3	35	40	1.8	5.0
Toowoomba	163	140	5	13	5	3.1	12-6
Townsville	43	20	1	12	10	2.3	3.0
Total	2,036	1,532	128	224	152	6-3	9-4

TABLE CXIX.

(SUMMARY OF TABLE CXVIII).

MILK	Samples	TAKEN	IN	GREATER	BRISBANE.
	1				

(SUMMANI OF TABLE CAVILLY.						The second second	
	Percentage of total number of Samples,		čear.	Number of Samples.	Proportion of Total Samples.	Proportion Adulterated with Water.	
Samples adulterated with water Samples deficient in fat but not watere Samples below the standard in tota solids and/or solids not fat only. Samples which passed the standard.	. 6-3 d 11-0 al	1946-47 1947-48 1948-49 1949-50 1950-51 1951-52 1952-53 1953-54		 1,358 1,261 1,221 1,154 732 878 813 768	Per cent. 62·7 55·2 49·3 53·0 43·2 41·8 42·1 37·7	Per cent. 2·2 1·6 1·7 1·7 6·5 4·3 0·7 7·7	

TABLE CXX.
Showing the Average Fat Content of the Legal Samples of Milk in Winter and Summer in Town and Country.

Number Sampl	Greater Br	risbane (or "ount	ry.		Season		Months		Average Fat Content.
										Per cent.
2,036	 Both			0.0	Overall		 	July-June	 	3.81
176	 Brisbane				Winter		 	July-September		3-65
695	 Country				ditto		 	ditto	 	3.82
871	 Both				ditto		 	ditto	 	3-79
374	 Brisbane				Summer		 	October-March	 	3-67
417	 Country				ditto		 	ditto	 	3-66
791	 Both				ditto		 	ditto	 	3-67
218	 Brisbane				Winter		 	April-June	 	4-10
156	 Country				ditto		 	ditto	 	4-30
374	 Both				ditto		 	ditto	 	4.18

Note :- "Country" in this table means outside the Greater Brisbane Area.

TABLE CXXI.
SHOWING THE MILK POSITION COMPARED WITH PREVIOUS YEARS.

Year.		Number of Legal Samples.	Percentage showing Deficiency in Fat but not Watered.	Percentage Below the standard in Total Solids and/or Solids not Fat only.	Percentage of Watered Samples.	Added Water (Average amount per cent.)		
1947-48		 		2,283	1.8	7-4	2.5	10-0
1948-49		 		2,476	9-4	4.0	4-3	10-0
1949-50		 		2,179	9-6	3.5	3-1	9-0
1950-51		 		1,695	9-7	2.7	8-7	8-5
1951-52		 		2,100	13-7	9-6	8-0	9-5
1952-53		 		1,934	7.8	3.5	2.8	10-2
1953-54		 		2,036	11-0	7.5	6-3	9-4

The various brands of pasteurised milk, including the milk issued to schools under the free milk scheme were regularly examined.

Complaint samples from the public, concerning dirty milk bottles were received and suggestions for the better supervision in the bottle washing departments of the industry were made by departmental inspectors.

The following observations are made from a survey of the above tables:—

Of the official milk samples examined 37.7 per cent. came from the Greater Brisbane area and 62.3 per cent. from the rest of Queensland.

The proportion of milks adulterated with water was 7·7 per cent. in Greater Brisbane and 5·4 per cent in the rest of Queensland. This high figure for adulteration in the milks obtained in the Greater Brisbane area was due to intensive sampling in suspected areas.

There was a greater number of milks deficient in fat and also more naturally poor milks than last year. The average fat content of all the legal milks was 3.81 per cent. compared with 3.9 per cent. last year. This average figure for fat shows little variation from year to year.

There was little difference between Brisbane milk and country milk as regards fat content.

The country districts of Cairns and Roekhampton showed a high incidence of watered milks.

Reend

One hundred and seventy-one (171) samples of bread were examined including samples taken from quality surveys in the country centres of Bundaberg, Cairns, Rockhampton, Ipswieh, Innisfail, Mossman, and Ravenshoe. The quality of the white bread was remarkably good and few underbaked or poor quality loaves were received. With brown bread and wholemeal bread, deficiency in wholemeal content was a common fault.

A number of samples of mouldy bread was submitted for examination, usually with the complaint that the bread from a particular baker showed a greater tendency to mould than normal bread but this was never confirmed by investigation. Properly baked bread as it leaves the oven is practically sterile and if properly handled at the bakehouse, properly delivered in the vans, and finally stored under clean conditions should not mould over its normal useful life of two or three days.

The risk of infection with air-borne mould spores is ever present from the time the bread leaves the oven, and the greatest risk of such infection is in the final storage of the bread in home or institution. This risk can be reduced to a minimum if the following points are carefully observed:—

Loaves of bread should never be stored singly or in bulk until properly cold. All old bread should be taken from the crock, tin or cupboard prior to the storage of a fresh delivery.

Bread containers should at times be wiped free of crumb and washed with a germicidal solution of chlorinated soda (0.5 per cent. available chlorine) used at the rate of one pint to three gallons of cold water and finally rinsed with clean water and thoroughly dried. The high humidities and temperatures of summer days in Queensland provide optimum conditions for mould growth.

If however, careful attention is paid to the several points outlined above the high incidence of mould in bread in Queensland during summer months, could be considerably reduced.

Flour.

Ninety-six samples in all were examined. The flours from the several mills in Brisbane were regularly examined with satisfactory results. The protein content of the white flours varied from 11·2 per cent. to 13·2 per cent. and the quality of the flour was consistently good. No evidence of chlorine bleaching has ever been obtained from Queensland milled flours. Quality certificates were issued on flour exported to Eastern ports and 19 inspections were made by officers of the Section at mill, wharf or railway siding.

Meat.

A record amount of work was done in connection with meat and 137 samples were examined.

Despite prosecutions for the offence and unfavourable press publicity many butchers persist in adding chemical preservative to mineed meat and excess preservative to sausage meat.

Of 64 legal samples of minced meat examined 44 samples contained sulphur dioxide.

Of 42 legal samples of sausage or sausage meat examined 23 samples failed to conform with the prescribed standard through excess preservative, deficiency in meat or, in the case of one sample, excess starch. One minced meat yielded sulphur dioxide at the rate of 73 grains to the pound; the highest figure recorded in this laboratory and needless to say the butcher concerned was among those prosecuted for selling adulterated meat.

Frankfurts and saveloys were examined for composition with satisfactory results.

A number of people were sick after eating sausages, adulterated with sulphur dioxide at the rate of 15 grains to the pound.

Use of the word "Cocktail."

Certain lines of canned fruit and soft drinks examined were described on the labels as Cocktails, a word that could with advantage be restricted to alcoholic preparations and prohibited in the labelling of any food containing less than two per cent, proof spirit.

The food value of Canned Vegetables.

Several enquiries were received from the public on this subject.

The food value of canned vegetables usually compares favourably with the food value of similar vegetables cooked by careful household methods and is often better than that of vegetables carelessly cooked in the home.

With the canned product the vegetables are freshly picked and cooked under ideal conditions whereas in domestic cooking the vegetables are often purchased after long storage in a shop, over-cooked and the cooking water discarded.

Coumarin Questioned as a Food Flavour.

Coumarin has long been used in essence form as a food flavour.

Recent work overseas has shown it to be a toxic substance and it has now been deleted from the list of permitted food flavours in the United States of America.

A check was made on the extent to which this substance is used as a food flavour in Queensland and a number of samples of essence and ice cream was examined for coumarin content with negative results.

Bedding and Upholstery Filling Material.

Of thirty-three samples of flock and fibre examined, 20 samples failed to attain the standard of cleanliness required under The Bedding and Upholstery Regulations of 1948.

Domestic Dry-cleaning Fluids.

Five brands of dry cleaning fluid as used in the home were examined. Two were composed of trichlorethylene, one was white spirit, another a mixture of 85 per cent. trichlorethylene and 15 per cent. white spirit and the remaining brand was a mixture of 95 per cent. white spirit and 5 per cent butyl acetate.

Ascorbic Acid (Vitamin C) Tablets.

Nine brands of Ascorbic Acid (50 mgm.) tablets were examined with satisfactory results. With the exception of one brand which contained slightly less than the prescribed minimum of ascorbic acid, all the brands complied with the standard of The British Pharmacopoeia. The size of the tablets varied considerably between brands from 2·0 to 6·2 grains the excipient being chiefly lactose and starch.

Teething Powders.

The several proprietary lines of "teething powders" were examined.

Two of the brands were composed of commercially pure lactose and were at least harmless although of doubtful value for the purposes claimed.

Two other brands contained in addition to lactose, 0.4 grains and 0.8 grains per powder, respectively, of mercurous chloride (calomel).

Legislation has now been introduced in Queensland to the effect that—"No person other than upon the written prescription of a medical practitioner, shall sell any teething powder, soothing powder, infants' powder, or similar preparation containing mercurous chloride for internal use by children under the age of five years.

Aerated Drinks and Cordials.

A large volume of work was done in this direction and 210 samples examined. Soft drink and cordial surveys were more in many of our country towns.

The quality of the drinks made in most of our country centres, compares favourably with the quality of those made in Brisbane. Judged by the nature of the samples submitted, all too many artificially coloured and flavoured preparations are consumed in Queensland and all too few genuine fruit drinks.

Drugs and Medicines.

One hundred and eight samples in all were examined. Survey lines, such as hydrogen peroxide were checked against prescribed standards. Complaint samples of medicine from the public were checked for accuracy in dispensing. New proprietary lines of medicine were examined for restricted drugs or poisons and a criticism made of the claims advanced for these preparations. The most serious complaint sample from the public was one said to have caused sickness when taken as directed. It was shown to be zine sulphate and not sodium sulphate as prescribed.

TABLE CXXII.

SHOWING THE COMPOSITION RANGE OF SIX BRANDS OF MEAT TENDERISING POWDERS FROM THE LOCAL MARKET.

Moisture (per cent.)	0-7 to 4-5
(per cent.)	60-5 to 87-7 Nil to 15-5
Vegetable substance (including a small proportion of the proteo-	
lytic enzyme papain) (per cent.) pH of aqueous Extract	8·3 to 37·1 5·9 to 7·1

The preparations did not contain any harmful ingredient and all had some value, although a variable one, for the purpose claimed.

Extravagant Chicken Claims,

Extravagant claims have been made recently in newspaper advertisements concerning chicken flavoured food products including noodles, soup powders and sandwich spreads. A number of such samples was examined. They contained small proportions only of chicken flavouring substances insufficient to justify any claims concerning improved food value due to chicken content.

TABLE CXXIII.

Showing the Composition Range of Beers from Queensland and from Southern States.

Queensland Beers. (14 samples) (8 brands).	Maximum.	Minimum.	Mean.
Extract (per cent.)	4-9	2.8	3.7
Reducing Sugar (per cent.)	1.08	0.50	0.73
Ash (per cent.)	0.14	0-09	0-11
Proof Spirit (per cent.) Acidity (as lactic acid) (per	8.0	5-8	7.2
cent.)	0.25	0-11	0.18
pH (de-aerated product)	4-4	3-7	
Lead (parts per million) Sulphur Dioxide (grains per	0.35	0-00	0-13
gallon) (2 samples only)	0.8	0-4	0.6

Interstate Beers. (8 samples) (7 brands).	Maximum.	Minimum.	Mean.
Extract (per cent.)	4-7	3-3	4.0
Reducing Sugar (per cent.)	1.78	0-64	1.05
Ash (per cent.)	0.13	0-10	0.12
Proof Spirit (per cent.) Acidity (as lactic acid) (per	8-3	6-3	7-4
cent.)	0.19	0-12	0.16
pH (de-aerated product)	4-35	4-20	
Lead (parts per million)	0-07	0.00	0.02
Sulphur Dioxide (grains per gallon) (one sample only)	0-4		

The lead content of some of the local beers was slightly more than the maximum proportion permitted. In an endeavour to locate the source of the trouble 50 samples of beer at various stages of manufacture at the brewery, together with three samples of hops and seven samples of heading compounds were examined for lead.

Tobacco.

Nine hundred and forty-nine samples of tobacco leaf and prepared tobacco were examined. Samples of the leaf was less intensive than in the previous survey and resulted in the submission of 788 samples for examination as to arsenic content.

The position as regards contaminated leaf showed a marked improvement on last year although there were still growers spraying the leaf excessively with lead arsenate.

One hundred samples of eigarettes and pipe tobacco were examined for quality and arsenic content and 61 samples of contraband eigarettes and other lines of prepared tobacco from the Queen's Warehouse were examined as to suitability for sale.

Paint and Paint Scrapings.

In this section of the work 338 samples were examined. Soluble lead by the prescribed method was determined in most of the samples. Under Queensland legislation paint containing more than 5 per cent. "soluble lead" is not permitted to be put on any fence or on the outside of any building to which portion, children under the age of fourteen years have easy access.

The composition of the paint as declared on the label was checked on a number of samples.

New Paint Regulations.

In the Paint Regulations of 1954 standards are prescribed for lead and zine pastes and paints and for iron oxide paint. Paints with pigments containing more than 50 per cent. barium sulphate must be labelled "Barium Sulphate Mixed Paint".

Barium sulphate, calcium carbonate, clay, ferric oxide, lead chromate, and siliceous material when present in a paint must be described as such in the composition of the paint as declared on the label.

Soluble lead must be declared in a prescribed form.

In the prescribed method for the determination of "soluble lead" one-half gram of the pigment is added 500 grams of a 0.25 per cent. aqueous solution of hydrogen chloride, and stirred continuously for one hour at a temperature of 25°C and at a rate just sufficient to keep the whole of the pigment in continuous suspension. The soluble lead (as Pb0) is taken as a percentage of the dry pigment.

Spray Residues on Fruits and Vegetables.

Judged by the few complaint samples received, most of the vegetables marketed must have been in clean condition and reasonably free of spray residues.

Of the 13 samples submitted for examination, three samples only were condemned because of spray or dust residues:—

Tomatoes containing lead arsenate.

Potatoes heavily plastered with inert dusting powder.

Brussell Sprouts containing cabbage aphids and heavily contaminated with D.D.T. residues.

The position concerning fruit was open to improvement and samples of apples, pears, grapes, bananas, and oranges submitted for examination contained excessive proportions of spray residues. In all 416 samples were examined including 342 samples of apples.

As a spray residue, arsenate of lead adheres firmly to the fruit and is not removed to any significant extent by simply washing in water. Peeling is the best method for the removal of spray residues although vigorous wiping of the fruit with a wet cloth followed by polishing is effective in reducing spray residues to a safe level. That part of the fruit close to the stalk and difficult to clean by wiping, should be discarded.

Toffee apple manufacturers should polish their apples prior to treatment with toffee syrup.

Most insecticides are toxic to humans and insects alike and great care must be exercised in their use on food crops.

Under existing legislation "No person shall send any fruit or any vegetable to market for sale unless and until it is clean and free from any spray residue or any other foreign substance which is deleterious, objectionable or injurious to health.

Farmers should be conversant with this Regulation because in the interests of Public Health it must be rigidly enforced.

Miscellaneous.

Four samples were submitted from coastal towns in the search for ambergris and one specimen from Double Island weighing 19 pounds was genuine and of scientific interest as one of the largest, if not the largest find of ambergris on the Queensland Coast.

A sample of meat was again received from the public with the complaint that it glowed in the dark. This was due to the presence of non-pathogenic luminous micro-organisms, a bacterial infection due to unclean storage conditions.

Ice blocks were examined for lead with negative results.

A jam survey contributed 58 samples for examination. Most of the brands were of fair average quality and conformed with the proposed standard for jam which requires a minimum fruit content of 40 per cent.

As regards filth in foodstuff most of the complaint samples were associated with milk and bread.

A large number of detergent preparations were examined and accepted as approved detergents under "The Cafe Regulations of 1952."

Many samples of insecticides were examined as to whether they came within the scope of the Poisons Regulations of 1947 and whether they were labelled in accordance with "The Health (Insecticides) Regulations, 1953."

Black headed "greasy back" prawns, with heads contaminated with mud were condemned as unfit for human consumption.

Spirituous liquors to the total number of 142 samples were examined,

Of 45 legal samples examined 43 samples were adulterated with water. The highest adulteration was 28 per cent. excess water in a sample of rum, equivalent to slightly more than seven ounces excess water to the 26 ounce bottle.

Samples of highly coloured popcorn containing excessive proportions of coal tar dye were examined.

A large volume of work was again done for the Brisbane and South Coast Hospitals Board including 84 samples of soap and a number of samples of bread, tablets, and tinetures.

From the Department of Health, Port Moresby, 11 samples of canned foodstuff were submitted for examination and report.

For miscellaneous Government Departments 169 samples in all were examined. These included breakfast foods for the Army, tender samples of soap, cordial, tea, and coffee for the Repatriation Department, human milk for Child Welfare Centres, drinking straws for the Department of Public Instruction, olive oil, tobacco, and biscuits for the Prices Commissioner, and various samples for the P.M.G. Department and for the Department of Native Affairs.

Eighteen samples were submitted direct from the public.

Waters.

The number of samples of water (1,749) examined in the Section was the highest on record and the table indicates the Government Departments seeking this service and the figures for these and the public.

For comparison the previous year's figures are listed:—

Department.	Samples 1953-54.	Samples 1952-53.
Health	206	209
Irrigation and Water Supply	639	679
Local Government	260	306
Harbours and Marine	316	
Miscellaneous Government Depart-		-
ments, including the Commonwealth	152	*258
Public	176	173
Totals	1,749	1,625

^{*} Includes Harbours and Marine.

The significant increase in the work for the Department of Harbours and Marine was due to an increased number of samples of Brisbane River water taken from several stations along the river for the purpose of estimating the chlorides and silt at various deptus and tide levels. For the Department of Health the work involved evaluation of town and rural waters as regards potability and general suitability for human consumption. Samples from the Irriga-tion and Water Supply Department were collected throughout the State and were sub-mitted to ascertain their quality regarding human consumption, stock watering, and irrigation. The Department of Local Government is interested in the analyses of waters in connection with projected town water schemes and existing supplies.

In the case of the public, the samples were from individuals in rural areas who desired information as to the quality of waters on their holdings.

SECTION 2.

TOXICOLOGY, BIO-CHEMISTRY AND INDUSTRIAL HYGIENE.

I. L. B. HENDERSON, B.Sc., Officer-in-Charge.

The total number of specimens submitted for examination by this Section was 1,647.

POLICE DEPARTMENT.

Specimens submitted by this department during the year numbered 293, of which 189 were in connection with 65 post mortem examinations.

Poisons found included barbiturate (22), chloral (4), strychnine (3), nicotine (1), paraldehyde (1), parathion (1), bromide (1), thiocyanate (1), arsenic (1), cyanide (1), fluoride (1), hydrochloric acid (1).

The remaining 27 post mortem examinations did not disclose any poison. Many of the latter are routine examinations to exclude the possibility of poison where the Government Pathologist's preliminary examination does not indicate the cause of death.

As may be seen from the table, over-dosage of barbiturate drugs is now the popular method of committing suicide.

Animal poisonings involving 31 examinations were also investigated.

Other specimens examined for this department included blood, urine, anaesthetics, baits, foodstuffs, waters, clothing, paint scrapings, &c.

BIO-CHEMISTRY.

Work of this nature is performed for the Laboratory of Micro-Biology and Pathology, the Government Medical Officer, the Queensland Institute of Medical Research, the Director of Industrial Medicine, Hospitals, and Medical Practitioners.

The nature, significance and number of specimens submitted are shown in the following table:—

Nature of Spe Significan	eime	en and		-	mber of ecimens.
Blood and Urine other drugs	for	alcohol,	ether	or	468
Urine for lead					223
Urine for mercury					25
Urine for 17 keto-s	tero	ids			11
Bone for lead					121
Hair, nail and urin	e for	r arsenie			60
Miscellaneous					125
Total					1,033

The alcohol determinations in blood and urine were for the Government Medical Officer in connection with drunken driving charges and for the Government Pathologist in post mortem examinations.

Since February this year analysis of urine for 17 keto-steroids has been undertaken. The number of samples being received is larger than expected and this work may have to be discontinued due to the length of time involved in the determination and lack of staff in the Section.

The analyses of human bone for lead content represent a further series for the Queensland Institute of Medical Research in the investigation as to the cause of the abnormal incidence of chronic nephritis in Queensland.

INDUSTRIAL HYGIENE.

Dust and ventilation surveys were carried out at nine coal mines in Queensland.

Ventilation tests were performed at a city building, three Fire Brigade Watchrooms and the X-Ray Room, Goodna Mental Hospital.

Dust surveys were conducted in two local fibro-cement factories, a foundry, a quarry and a mineral grinding plant.

Investigation of a peculiar odour in a city retail store which caused streaming eyes showed the presence of formalin vapour in the air. This was being evolved from fresh sheets of bonded plywood being used for alterations in the store. Fresh bondwood evolves a considerable quantity of formalin and care should be taken when using it in confined spaces.

V. R. CUNDITH, B.Sc., A.R.A.C.I., A.M.Aus. I.M.M., Officer-in-Charge.

The table shows the sources of work done by this Section and the number of samples from each, to account for the total of 4,295:—

Department.				Number of Samples
Geological Survey and M	lines	Departme	ent	587
Coal Board				185
Portmaster (explosives)				2,326
Other Departments				*844
Public (chiefly Tanker ex	cami	nations)		353
				4,295

* Including 289 tiles.

MINES DEPARTMENT AND GEOLOGICAL SURVEY.

The greater proportion of the work was in assaying ores of gold, silver-lead, copper, tin, manganese, tungsten, and other metals.

Some of the Mn ores assayed 80 per cent. MnO₂ by available oxygen.

Clays were tested as to suitability for brick manufacture.

Deposits of iron ores at Iron Range (Cape York Peninsula) and Mount Philp in the Cloncurry District were surveyed and 112 samples were received for analysis; mainly for silica and iron, and some for phosphorus, sulphur, titanium and manganese.

The receipt of a number of samples for the determination of uranium content reflects increasing interest in the search for likely prospects. The highest proportion of U₃O₈ found in the samples submitted was 1·2 per cent.

A sample received for determination of vermiculite content yielded 11 per cent. vermiculite after being subjected to expansion treatment at 1000°C.

A metal submitted as a mineral from the Mount Coot-tha area consisted of brazing alloy (copper phosphide). It carried a patina, and no doubt was a relic of the occupation of the area by American forces during the war.

Complaints arising with the presence of sulphuretted hydrogen in working places were investigated at the coal mines and in all cases the concentrations were below two parts per million and thus well below the accepted permissible concentration of 20 parts per million for prolonged exposure.

Since the use of diesel engines underground visits have been made to collieries for the checking of exhaust gas compositions to determine contamination (if any) of the ventilation air flow. The position was satisfactory although in some instances the scrubber solutions needed more regular attention.

Mine air samples were examined to determine incipient heating in collieries and analyses of bore gas taken in connection with the search for oil were also completed. Three hundred and one samples received from the Government Geologist and Coal Board were examined for calorific value, proximate analyses, fusion point of ash and washability tests.

A particularly lengthy job involved washability tests on three ton samples of coal from Box Flat Colliery, Ipswich coal field.

Sink and float tests were carried out at gravities from 1-35 to 1-85 by 0-5 rises on various sizings, with further work on middlings obtained. The work entailed 240 ash determinations with 10 proximate analyses and calorific values on each sample.

The ash content of the fractions ranged from 4.4 to 75.6 per cent. From these results the economics of recoveries and quality can be related to the method which might be employed to beneficiate the run of mine coal.

OTHER DEPARTMENTS.

The work involved consultation as well as examination of a wide range of samples, such as bore deposits, corrosion products, roofing (289) and floor tiles, building materials, adhesive, rubber, explosimeters, soils, casket discs, aviation oxygen, water softeners, and the testing of cargo spaces for the presence of toxic gases and dust.

In respect of corrugated galvanised iron, aluminium fittings, and ridge capping, some samples received had been seriously affected by "sweating" during storage. The corroded areas showed the white corrosion product typical for each metal and failure in usage would be fairly rapid, not because of the quality of the zinc coating or aluminium alloy but because of the damage already sustained.

The life of sheeting is the life of the base metal at the laps and the use of "white rusted" metal for dwelling roofing should be condemned.

Close liaison established with firms engaged in the "phosphating" of steel for the Royal Navy has led to solution of problems relating to the process.

Degreasing, pickling and phosphating techniques were examined, solutions analysed and thickness of coating determined.

The aviation oxygen is tested to determine agreement with specification.

A number of clays were examined; an opportunity which permitted follow through experimental work subsequent to the milling of the clay, pressing, drying and firing of the bricks was of material assistance in improving the quality of the bricks.

Sizing tests on four samples of bricklayer's loam showed each sample to be excessively fatty, containing 22-32 per cent. -200 mesh material. Water absorption tests were carried out on the bricks, but lack of strength with mortar made from the sands indicated the effect of excessive silt and organic matter.

Of the soil samples submitted for report as to possibility of corrosive properties to cast iron and cement asbestos piping, one sample showed 0.62 per cent. of soluble solids inclusive of 0.26 organic matter. High chloride and organic matter content and consequent low

electrical resistance would necessitate protective waterpoof coating and sand bedding to obtain good drainage in soils of this type.

A sample of chemical extinguisher was found to be essentially sodium bicarbonate with some metallic soap present to retain the powder in dry free running form.

In a hand extinguisher, in which inert gas such as CO₂, or nitrogen is used as the propelling agent, the pressure of the gas is sufficient to blow the dry chemical a distance of over 25 ft. A respirator to prevent inhalation of dust or a self-contained apparatus would be needed when using the extinguisher in cramped, poorly ventilated places.

It is practically impossible to prevent compaction with these powders, hence, the container should be jolted and regularly reversed momentarily to ensure a free running powder.

In respect of extinguishers using solutions, the gas pressure is considerable, while in use and if containers are not pressure checked at least annually a serious explosion may result through the use of a corroded or plugged outfit. In most cases the container receives no check other than replacement of solutions.

The presence of sulphuretted hydrogen and sulphate reducing bacteria in some samples of water indicated an additional corrosion factor to those already incidental to ports with estuarine conditions and mangrove flats.

A well sinker was asphyxiated at 3.30 p.m., 25th November, 1953, at Batavia Downs (130 miles north of Coen, North Queensland) when lowered into a shaft (52 ft. deep) containing an atmosphere of 12·3 per cent. carbon dioxide, 87·7 per cent. nitrogen (black damp).

The circumstances attending this unfortunate occurrence were rather unusual in that the worker had been working all the morning at the bottom of the dry shaft (52 ft. deep) and had made no comment on conditions below when brought up at lunch time 1.0 p.m. on 25th November, 1953.

Apparently a crack was exposed while working the bottom walls and floor just prior to leaving the shaft for dinner. Black damp was released from the break and subsequently the shaft was filled to a height of 21 ft. by displacement of air.

Examination of the shaft by the Sergeant of Police a fortnight later disclosed the following conditions:—

D	ate.		Time.	Level of black damp in shaft.				
6-12-53			8.30 p.m.	15 ft. from bottom				
7-12-53			1.30 p.m.	3 ft. from bottom				
7-12-53		10.1	2.30 p.m.	6 ft. from bottom				
7-12-53			3.15 p.m.	21 ft. from bottom				
7-12-53			3.40 p.m.	21 ft. level maintained				

The variations seem to follow a cycle which was initiated in the shaft on the day when the fatality occurred; and may indicate the effect of the vagaries of ventilation and barometric pressure.

However, it does emphasise the absolute necessity for the careful testing of air conditions prior to any entry or continued occupation of wells, shafts or other badly ventilated workings.

INFLAMMABLE LIQUIDS AND GAS.

A great proportion of the work for the public is represented by examination of tankers, road wagons, fuel oil tanks, and containers to determine the presence of toxic or dangerous proportions of inflammable vapour prior to entry for cleaning and repairs.

One unusual examination involved the testing for methane, in a coal bunker. Rivetting and cutting work was required on the bunker floor. The hazard of dust ignition proved to be the more likely with the coal present, but with the coal well wetted the job was finished successfully.

EXPLOSIVES.

During the year 2,326 samples, mostly from imported stocks, were examined for the Portmaster, Officer-in-Charge of the Government Magazines to ascertain their suitability for storage, transport, and use. All imported explosives were found to be in a satisfactory condition.

The following table details the type, origin and quantity of industrial explosives imported into the State during the year ended 30th June, 1954.

TABLE CXXIV.

List of Imports into Queensland of High Explosives, Etc., during the Year Ended 30th June, 1954.

Type.	Australian.	Overseas.
	Cases.	Cases.
60 % Gelignite S.N	. 679	
A.N. Gelignite " 60 "	43,496	
Geophex	3,134	
Plastergel	2,973	
Polar Quarigel	3,549	
Ajax and Polar Ajax	17,876	
Moreol	401	
Semigel	5,124	
Quarry Monobel	2,209	
Monograin	4,997	
Blasting Powder	356	
The many spilling in	84,794	
No. 6 Detonators	1,950,000	- 11
Electric Detonators No. 6 x 54"	90,000	
Electric Detonators No. 6 x 72"	960,000	1000
Electric Detonators No. 6 x 96"	30,000	
Electric Detonators No. 6 x 144"	90,000	
Electric Detonators No. 8 x 72"		1000
Submarine	1,750	
Submarine	1,000	720
Gasless Delay Detonators No.		
6 x 120"	60,000	
Gasless Delay Detonators No.		
6 x 144"	110,000	**
Short Delay Detonators No.		
6 x 84"	148,800	
	Feet.	
Safety Fuse	3,996,000	Feet.
Plastic Cordtex	10000	300,000

Consequent on inspection of licensed explosive magazines Mr. A. D. Murray, Inspector of Explosives, destroyed the following explosives:—

25 pounds of A.N. Gelignite.80 pounds of S.N. Gelignite.4 pounds of gunpowder.

all of which were found to be in a deteriorated condition and unfit for use.

Fees were collected for the following licenses issued for the storage of explosives:—

Bulk Magazines	 	14
Retail Magazines	 	207
Fireworks Magazines	 	14

In the case of magazines maintained by Government Departments it is customary to waive fees for the issue of licenses. Of these the Main Roads Department controls 197, the Forestry Department, 36 and the Water and Irrigation Department one.

Since the appointment of a full-time Inspector of Explosives it has been possible to give more detailed attention to inspections of licensed magazines. During the year the magazines in the area from Townsville north were included in the Inspector's itinerary and in many cases on-the-spot directions were given to licensees to accord with the requirements of the Act and There Regulations in one or more regards. appears a general laxity on the part of licensees when keeping explosives mainly it would appear from ignorance of their obligations under the law even though the conditions appertaining to the maintenance of explosive magazines are printed on the reverse of the licenses. The Inspector has been able to rectify the position from personal contact and in most cases licensees have been ready to co-operate in the directions indicated. In addition to the Far North, magazines were inspected in and about Brisbane, Ipswich, Eumundi, Caboolture, and Stanthorpe. In the latter centre the French Rockets imported for hail dispersion by a special Committee set up in the district were inspected.

During the Royal National Show an Inspector of Explosives was present at all the fireworks displays.

Attention was also given to the storage, display, and sale of fireworks in and about Brisbane, a great improvement effected in the interest of public safety.

No accidents were reported with home-made fireworks, the manufacture of which is illegal.

SECTION 4.

FEDERAL DEPARTMENTS, STATE STORES, MAIN ROADS, PUBLIC WORKS &C.

J. ADAMSON, A.R.A.C.I., Senior Analyst, Officer-in-Charge.

There was an increase in the total number of samples examined by this Section when compared with the previous year's figures. This increase was attributable chiefly to a large batch of faulty clinical thermometers which was tested for a local importer.

With the exception of the Department of Public Works and the Main Roads Commission all other departments from which this Section received work increased their demands.

The following table details the samples examined by this Section:—

	**			2,471
Agricultu	re			1,212
Departmen	ıt.			318
oard				564
ommission				83
eworks)				218
				18
Governmen	at Dep	partmer	nts	118
				3,188
				8,190
	Department oard ommission eworks) Government	ommission	Agriculture	Agriculture

The Federal departments of Customs and Commence and Agriculture provided the bulk of the work for this Section. This work covered a very wide field and consisted chiefly of analyses for tariff classification for the Customs Department and the maintenance of export standards for the Department of Commerce and Agriculture.

The advice of this Section was frequently sought by officers of both these departments. Large numbers of paints were submitted by both the Public Works Department and the State Housing Commission. The general standard of the paints was good, and there was a commendable lack of lead pigments. This Section working in conjunction with the foreman painter of the Public Works Department has caused a marked improvement in the quality of paints used on Government contracts and has eliminated many inferior paints previously supplied.

The State Stores Board submitted a wide variety of work to this Section—textiles, inks, detergents, insecticides, disinfectants, paper, &c. The samples were submitted by the Board with a view to ascertaining the most suitable and most economical article for service requirements. The Officers of the Board also have frequently sought the advice of the officers of this Section.

Samples of bitumen, tar, bitumen emulsions, and creosote were submitted by the Main Roads Commission for testing purposes.

The examinations of imported fireworks was again carried out, and one batch of fireworks containing an arsenical compound was prevented from entering the State.

DIVISION OF NURSING.

Adviser in Nursing: D. Bardsley, A.T.N.A., F.C.N.A.

Introduction.

The establishment of a Division of Nursing within the Department of Health and Home Affairs was published in the Government Gazette of 14th February, 1953, with the announcement of the secondment of Miss Doris Bardsley, A.T.N.A., F.C.N.A., Superintendent of the Maternal and Child Welfare Service, to the position of Adviser in Nursing, for a period of 12 months in the first instance.

Special leave was granted Miss Bardsley to attend as the official delegate of the Australian Nursing Federation, the meetings of the Board of Directors and Grand Council, and the tenth Quadrennial Congress of the International Council of Nurses held in Sao Paulo, and Petropolis, Brazil, 6th to 18th July, 1953.

This was followed by a visit of one week to a large university hospital in New York City. and one week in London, studying the training of nurses in the United States and England, including group and affiliated hospital training schools of nursing. Discussions also included the training and registration of nurses, and Queensland problems in this regard with the General Nursing Council for England and Wales (nurse registration authority). Nursing Division of the Ministry of Health was visited, and several experiments in nurse training which are now being carried out under the aegis of the Ministry were examined. In addition the Adviser had valuable discussions with senior nurses from Commonwealth and other countries at the International Congress.

This work supplemented experience and information gained by her in 1950, when, during a visit abroad she undertook a Study Tour which included work at the Division of Nursing, Ministry of Health, London, visits of observation to general and maternity hospitals, chest hospitals, geriatric units, and child welfare centres, and also attendance at the Paediatric Congress held in Zurich, Switzerland, in that year.

VISITS TO PUBLIC HOSPITALS.

In pursuance of the responsibilities outlined for her, the Adviser in Nursing has commenced a programme of visits of inspection to Queensland public hospitals.

On each first visit to a hospital, it has been found necessary, in order to appreciate fully any problems which may arise, to inspect thoroughly every ward and department of the hospital itself, together with the training school accommodation and equipment, living quarters for matrons and nurses, library and recreation accommodation and equipment for nurses, both indoor and outdoor, and staff and training school records. It will be appreciated that this procedure involves a considerable amount of time and the taking of detailed notes on the spot. However, much valuable information is being accumulated as a result.

During the period covered by this report the following hospitals have been visited:—

Base Hospitals.—Brisbane, Ipswich, Toowoomba, Warwick, Maryborough, Rockhampton, Townsville, and Charleville.

District Hospitals.—Chinehilla, Dalby, Miles, Roma, Warwick, Stanthorpe, Bundaberg, Gayndah, Gympie, Childers, Monto, and Kingaroy.

Others.—South Brisbane Auxiliary, Rosemount, Mount Lofty, Jubilee, Mitchell, Lady Musgrave Maryborough, Lady Chelmsford, Bundaberg, Gin Gin, Mount Perry, Biggenden, Mundubbera, Eidsvold, Nanango, Nanango Maternity, Wondai, Murgon Maternity, Cherbourg, and Chermside Sanatorium.

Visits to eight Northern hospitals, including the base hospitals at Mackay and Cairns, are already arranged for early July, 1954.

During these visits to hospitals opportunity has been taken to discuss nursing matters and problems not only with the matrons and sister tutors, but also with the medical superintendents, managers or secretaries, and other interested officers.

In one town, the president of the local branch of Rotary requested that a talk on nursing be given to the senior classes (girls and boys) in the luncheon break, and this was arranged. At several hospitals visited matrons have requested talks to nursing staffs and friends on nursing conditions abroad and these have been given. Where possible senior student nurses at hospitals have been met. Secretaries of

hospitals board advertise the time of the visit in the local press, and over the radio, and any girls interested in nursing, and their parents, are invited to interview the Adviser in Nursing during her visit to the town. Sufficient response has been received to make this a useful form of publicity for the hospitals.

MATRONS' CONFERENCES.

During the period covered by this Report the Adviser in Nursing has attended in her official capacity two Conferences of the Matrons' Association of Queensland. At the Conference in May 1954, she conducted two sessions, one by request, on the organisation of the Maternal and Child Welfare Service in Queensland and the other, suggested by herself, entitled "Can I Help You". It is found on visiting hospitals that a number of matrons have developed procedures or routines designed to add to the efficiency of hospital working or the teaching of nurses and the Adviser was of the opinion that these should be exchanged with other

matrons. The Session which elaborated this idea proved very popular and the matrons have asked that it be included in each year's Conference programme.

The President of the Matrons' Association during the Conference expressed the appreciation of the matrons that a Departmental nursing officer has been made available to whom they can appeal for advice and guidance in their many problems.

GENERAL.

Requests for advice on nursing matters have been received from a large number of people, in some cases by telephone, and others in a personal interview. Matrons of hospitals, trained nurses requiring information or guidance re postgraduate nursing courses or positions in Queensland, officers from other Government Departments employing nurses have sought help or information and girls interested in nursing or their parents have requested information or advice.

DIVISION OF SOCIAL SERVICES.

Welfare Officer: Mrs. V. Wills.

Each year, the scope of activities of the Division of Social Services is extended. For example, its assistance has been sought by doctors who have found that patients who should enter hospital are unable to do so through domestic trouble or family responsibilities, and also in respect of patients who require building up before hospitalization but have insufficient means to do this. Another activity which has been added is assistance in cases with which the Royal Society for the Prevention of Cruelty is unable to deal.

There are still nine temporary housing areas, in which hundreds of families live, and where there is constant need for vigilance. It is encouraging to note that the standard of hygiene in these areas has so improved that in recent outbreaks of gastro-enteritis the number of cases has decreased. However, there are still some families who need to be constantly checked. During these inspections anyone found to need medical attention is urged to consult a doctor, and where necessary assistance is given in obtaining it.

Complaints to the State Housing Commission, regarding unhygienic conditions at State rental homes, are investigated and follow-up visits paid until these homes are brought up to the required standard of hygiene. Other routine hygiene inspections have been carried out.

Numerous complaints regarding neglected children are investigated. In one case, both parents were working, and a girl of eight years of age was left in charge of five younger children, and in another a 12-year-old boy was left to care for a five months-old baby.

Arrangements were made for the admission to Eventide of many aged people reported to the Department as living under poor conditions and having no one to care for them.

As in previous years, assistance has been given to unmarried mothers, deserted wives and families, such as providing layettes, and finding accommodation and employment.

Appointments have been made for persons needing psychiatric treatment; patients on leave from hospital have been visited; and patients have been conveyed to hospital for special treatment. Assistance has also been given regarding Social Service pensions.

Domestic help has been obtained for families while the parents were ill, and expectant mothers have been helped in attendances at antenatal clinics, and in respect of medical examination of their children. Admission to maternal and child welfare homes has been arranged for children during their mothers' confinement.

Liaison is maintained with Her Majesty's Prison, and every effort has been made to rehabilitate female prisoners on discharge. They have also been assisted financially, and in regard to accommodation until employment has been obtained. The sick and aged have been visited in homes and hospitals, and private business of an urgent nature has been attended to at their request. Many families have been helped in obtaining accommodation, and the continuous co-operation of the Queensland Housing Commission in this connection is greatly appreciated.

Assistance has been given in the recruitment of trainee nurses for the Mental Hygiene Service.

LEGISLATION.

On 28th April, 1954, "The Trade Descriptions (Textile Products) Act of 1954", was assented to. This Act will come into operation on a date to be proclaimed, and repeals "The Trade Descriptions (Textile Products, Acts, 1944 to 1947." (The Proclamation was issued on 15th July, 1949, giving the 1st August, 1954, as the date upon which such Act would come into operation, and Regulations under the Act operating from the same date also appeared in the Gazette of 16th July, 1954).

"The Health (Insecticides) Regulations, 1946", were repealed and replaced by "The Health (Insecticides) Regulations, 1953", which were gazetted on 6th August, 1953. These Regulations give added protection to the householder by insisting that all insecticides be appropriately labelled.

To meet advances in science with new drugs and medicines coming on the market three separate amendments of the "Poisons Regulations of 1947", were gazetted, i.e. on 24th September, 1953, 9th July, 1953, and 18th February, 1954. In addition to adding certain preparations to the Schedules of Poisons, Restricted Drugs, and Dangerous Drugs, the amendment of 9th July, 1953, authorised dentists to use antibiotic substances (for local application only) in the treatment of their patients, and provided that no wholesale seller of poisons shall sell any restricted drug to any person other than on the written order of a medical practitioner, veterinary surgeon, pharmaceutical chemist, or a dentist as provided for in the Regulations. The amendment of 18th February, 1954, provided inter alia, that no person shall sell or use any electrical or other heating device for the vapourisation of any poison unless such electrical or other heating device had been approved by the Director-General for such purpose. Included in the amendments were powers to deal effectively with certain organic phosphates used as pesticides-these are highly toxic.

As forecast last year, "The Paint Regulations of 1953", were gazetted on 6th August, 1953.

The danger of mercurous chloride being indiscriminately used in teething powders for children resulted in an amendment of "The Food and Drug Regulations of 1939", on 17th June, 1954. Its sale is now prohibited for internal use by children under the age of five years, other than upon the written prescription of a medical practitioner.

The "Cafe Regulations of 1952", were repealed, and "The Cafe Regulations of 1953", were gazetted on 22nd October, 1953. The powers were extended to all Local Authorities in the State. An amendment to these Regulations on 17th June, 1954, gave powers to license to certain Local Authorities in the State.

On 13th March, 1954, acute rheumatism (including rheumatic fever and chorea) was declared to be a notifiable disease under the Health Acts, 1937 to 1949, with respect to the whole of the State of Queensland. Notification of the disease will enable the extent of the problem to be determined.

ACKNOWLEDGMENTS.

I desire to express my thanks to all members of the staff for their unfailing and conscientious attention to duty. Thanks are also given to Government Departments, particularly to the Government Statistician (Mr. S. E. Solomon) for his assistance in preparing the vital statistics section of this Report and in supplying other statistical details sought from time to time throughout the year, and to the Department of Public Works for their ready co-operation in complying with requests made to them.

The Queensland Health Education Council has again been most co-operative and the work carried out by this body is a most important part of the preventive medicine of this State.

Our relations with the British Medical Association have been most cordial and their cooperation is appreciated.

I would thank those of my colleagues who have during the past year given me the benefit of their experience, and would particularly mention Dr. O. S. Hirschfeld, Chancellor of the University of Queensland and Senior Physician of the Brisbane Hospital, and Dr. A. D. D. Pye, General Superintendent of the Brisbane Hospital.

APPENDIX A.

REPORT OF THE NATIONAL MOSQUITO CONTROL COMMITTEE FOR 1953-54.

The work of the Committee during the year has been concerned with identification of specimens, preparation of descriptions for publication, preparation of keys to species and further field work in south-eastern Queensland.

Identification included naming unidentified material and checking for other workers identifications of groups on which study is in progress here. Specimens were received from the following:—State Health Dept; Dr. Marshall Laird, R.N.Z.A.F., Fiji; Mr. A. K. O'Gower, School of Public Health and Tropical Medicine, Sydney; Dr. A. R. Woodhill, Dept. of Zoology, University of Sydney; Mr. S. H. Christian, Health Officer, Minj, New Guinea; Mr. G. W. Douglas, Dept. of Lands and Survey, Victoria; Messrs. F. N. Ratcliffe and E. W. Lines, Wild Life Survey Section, C.S.I.R.O.; Mr. A. Neboiss, National Museum, Melbourne; Dr. E. P. Hodgkin, Zoology Dept., University of Western Australia; Mr. J. L. Wassell, Coen. In addition useful small collections were received from several private collectors.

Valuable collections of indentified material from the countries indicated were received from Dr. W. V. King (New Guinea), Dr. Leon Rosen (French Oceania), Dr. J. Muspratt (South Africa), Dr. J. N. Belkin (Solomon Island), Mr. N. V. Dobrotworsky (Victoria).

Specimens for study were received on loan from the United States National Museum, and the School of Public Health and Tropical Medicine, Sydney.

Papers.—Dr. E. N. Marks was co-author of the paper "Murray Valley Encephalitis: a survey of suspected mosquito vectors" by W. C Reeves, E. L. French, E. N. Marks, and N. E. Kent (1954, Amer. J. Trop. Med. Hyg. 3:147-159).

"A Review of the Aedes scutellaris subgroup with a study of variation in Aedes pseudoscutellaris (Theobald)" by E. N. Marks is in the press.

A paper on Australian species of Aedes (subgenus Aedes) is almost completed.

Preliminary work has been done for other papers.

Research.—The following are the principal findings during the year:—

- (1) Extension to South Queensland of the known range of Aedes purpureus (found at Redbank Plains) and Uranotaenia atra (found at Lake Cootharaba). Both species were not previously known south of Townsville.
- (2) Aedes (Ochlerotatus) cunabulanus larvae and pupae collected for the first time (Port Davey, Tasmania).
- (3) Study of specimens of Aedes (subgenus Ochlerotatus), from many parts of Australia indicates that there are four species in Queensland still unnamed, as well as several from other States. A draft key to all known described and undescribed species of Australian Ochlerotatus was prepared to facilitate identification and assist field workers in obtaining further material.
- (4) Further collections by Mr. J. L. Wassell in the Coen district added considerably to our knowledge of the biology of Aedes culiciformis, a pest species in parts of the Peninsula and Torres Strait.
- (5) Study of specimens of Aedes (subgenus Aedes) in preparation of a paper on the Australian species has necessitated very detailed work and comparison with New Guinea species, in order to discover characters by which the larvae and pupae can be identified. This study has been facilitated by the loan of specimens from other institutions.

Educational.—At the request of the Australian Broadcasting Commission a wireless talk on Mosquitoes in the Cairns district was delivered. A field demonstration on method of collecting mosquitoes was given to Medical Science students.



