### Annual report on the work of the Ministry of Public Health / Egypt.

#### **Contributors**

Egypt. Wizārat al-Şiḥhah al-'Umūmīyah.

#### **Publication/Creation**

Bulâq, Cairo: Govt. Printer., [1921]

#### **Persistent URL**

https://wellcomecollection.org/works/mgmjp2ty

#### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org


# Department of Public Health Annual Report for 1921.



Government Press, Cairo, 1923.

To be obtained, either directly or through any Bookseller, from the GOVERNMENT PUBLICATIONS OFFICE, Ministry of Finance, Dawawin P.O., Cairo.

Price - - - - P.T. 20.









# Department of Public Health Annual Report for 1921.



Government Press, Cairo, 1923.

To be obtained, either directly or through any Bookseller, from the Government Publications Office, Ministry of Finance, Dawawin P.O., Cairo.

Price - - - P.T. 20.

Government Press 9756-1922-250 ex.

.....

100

## CONTENTS.

													F	AGE.
INTRODUCTORY NOTE								***						1
I.—REPORT ON THE WORK OF SECTIO	и I :-	-												
1. Vital Statistics														7
2. Inconvenient, Unhealthy														8
3. Cemeteries and Private														19
4. Birkas														16
5. Mosques														17
6. Slaughtering Houses and									***					18
7. Sewage Dépotoirs														18
8. Prostitution						-411	***							18
9. Medico-legal Examination	ns and	Rep	orts											20
II.—REPORT ON THE WORK OF SECTIO	II no	_												
														-
1. Hospitals											***	***	***	21
2. Children's Dispensaries a														
3. General Dispensaries		****	***	***		***	***	***	***		***	***	***	73
4. Inspectorate of Pharmac	1es	***			***	***					***			74
III.—REPORT ON THE WORK OF SECTI	ION II	I:-												
Ophthalmic Hospitals														70
Opininamite Hospitais		***	***		***		***			***	***	***	****	1.0
IV.—REPORT ON THE WORK OF SECTION	or IV													
IV.—REPORT ON THE WORK OF SECTION	ON IV													
Infectious Diseases		***				1000			***		***	***		81
V REPORT ON THE WORK OF THE PO	UBLIC	HEAL	TH	LABO	DRAT	ORIES								
														100
1. Introduction		***	***				***		***			***		90
2. Bacteriological Section			***						***					91
		***	***		***	***	***	***	***		***	***		91
		***					***						***	93
5. Vaccine Institute		***	***	***	***	***	***	***	***	***		***	***	93
6. Antirabic Institute			***		***	***	***	***	***	***		***	***	94
VI.—REPORTS ON THE WORK OF SUBS	IDIARY	SER	VICE	s:-	-									
1. Budget and Staff		***						***	***	***	***			99
														101
3. Stores									***					104
4. Legal												***		115
5. Medical and Allied Perm													***	118

Digitized by the Internet Archive in 2019 with funding from Wellcome Library

# ANNUAL REPORT OF THE DEPARTMENT OF PUBLIC HEALTH FOR THE YEAR 1921.

#### INTRODUCTORY NOTE.

The question of the reorganization of the Health Services of the country, which has been under consideration for some time, has been delayed to some extent by the derangements which have resulted from the recent political vicissitudes through which the Government of the country has passed. A decision upon this question is, therefore, still pending, but the general recommendations, put forward by the Cadre Commission in its report on conditions of Government service generally, have foreseen the necessity for some reorganization as regards Health Administration and have been based upon a modification of the scheme originally proposed by the Government Commission which was convened in the beginning of 1918 to advise on the future organization and work of the Department of Public Health. The details of application of this modified scheme have now been worked

out and put forward for consideration.

During the past few years, evidence has shown itself of a progressive and serious increase in the number of persons in this country who are gradually becoming addicted to a habitual use of narcotic and stupefacient drugs. This appears to be particularly the case as regards cocaine, and proposals have been put forward by the Public Health authorities with the object of dealing with the position. As a first step in this direction, it has been considered advisable to institute a more stringent control over the importation and exportation of stupefacient drugs and to this end legal enactments have been drafted and are at present under consideration, prohibiting all importation and exportation of drugs of this nature except by special licence for each consignment which will only be granted when the Health Authorities have been satisfied that the drugs in question are required for legitimate medicinal purposes. This, combined with certain readjustments of the measures of control over the internal traffic in these drugs, will, it is hoped, to some extent, improve the position, but the whole question can only be adequately dealt with when circumstances will permit of the enactment of laws equally applicable to foreigners and natives which will provide a sufficiently deterrent punishment for illicit trafficking in such drugs.

During the year, a non-Egyptian doctor was deported for abusing his privileged

position to facilitate traffic in cocaine.

The budgetary provision for the Health Services of this country for 1921-1922 was L.E. 742,839, as compared with L.E. 720,425 in 1920-1921. This does not include the grants for repairs and new buildings which, as was the case last year, are now shown in

the budget of the Ministry of Public Works.

The increased supervision over unhealthy, noxious, and dangerous establishments which has been rendered possible by the arrangements referred to in my last Report is being gradually extended and 135 Ministerial Arrêtés, laying down additional measures to improve the sanitary conditions of various establishments, have been drawn up by the Department of Public Health during 1921, as compared with ninety in 1920 and seventy-nine in 1919. This increase has been due to the more careful and regular inspections which have been rendered possible by the arrangements now in force and which have resulted in a considerably greater improvement in the general sanitary condition of existing establishments than is actually indicated by the number of arrêtés put into force, as it has been the policy of the Administration to have recourse to a legal imposition of whatever additional measures are required in individual cases only when it has been found impossible to persuade the owner of the establishment to carry out the necessary alterations without this. During the year, 478 applications were received for new licences for the more important establishments enumerated in Schedule I of the Law as compared with 263 in the previous year. From the apparent total increase of 215 there should, however, be deducted, in making a comparison, 118 applications for licences for public bakeries which during the year were transferred from Class II to Class I of the Schedule.

The total number of controlled establishments actually existing in the country at the end of 1921 was 50,487, of which 4,208 were establishments of Class I, 39,871 of Class II, and 6,408 of Class III, as compared with 4,279, 36,999, and 6,072, for Classes I, II, and III,

respectively in the previous year.

Twenty-nine new cemeteries were established in 1921 and eight existing cemeteries were enlarged. Five were partially or totally condemned and twenty-two passed out of use. Definite limits were laid down during the year for 292 of the older cemeteries and the boundaries assigned to these indicated by pillars. During the year, permission was given in four cases for burial in private tombs outside decreed cemeteries. Five hundred and thirty-eight cases of alleged encroachment on cemetery lands were examined during the year. Legal action was taken in fifteen cases. In nine of these, the decision was in favour of the Government and in six an adverse judgment was given. In 113 cases the evidence was insufficient for further action or the case was capable of a private adjustment. Four hundred and ten cases remained under consideration at the end of the year.

During the year, action was taken under Law No. 5 of 1914 for the enforcement of drainage or filling in in the case of 110 privately-owned ponds of stagnant water or marsh land covering an aggregate area of approximately 140 acres. Twenty-eight similar ponds of a total area of 36,915 square metres existing on Government lands were filled in.

Action was taken in 1921 in the case of 1,151 private mosques, as a result of the unsatisfactory conditions of their ablution and drainage systems. Of these, sixty-two were opened for use after repair, 651 are actually under repair, whilst 438 have been closed owing to failure to take the necessary steps to rectify the condition complained of. In the case of two private mosques, new ablution and drainage systems were installed during the year and the mosques opened for use. A sum of L.E. 2,500 was allotted in the 1921–1922 budget for the sanitation of the mosques appertaining to the Ministry of Waqfs. In the case of ten of these mosques, plans and estimates for sanitary installations were approved in 1921, and the work is now in progress. The sanitary installations of eleven of the mosques belonging to the Ministry of Waqfs for which plans were approved in 1920 were completed and opened during the year.

No new slaughter-houses were opened during the year. In the case of three villages where no slaughter-houses existed, sites for the slaughtering of animals for food were

fixed by the Department of Public Health.

The number of prostitutes registered in Egypt in 1921 was 6,369. The number of examinations of these made during the year was 169,484. Diseased conditions were found at 6,349 of the examinations of registered prostitutes, 985 being cases of syphilis, 4,522 of gonorrhœa, and 842 of other venereal diseases. During the year there were 7,632 admissions to Government hospitals of prostitutes suffering from venereal diseases. Of these admissions, 1,769 were for syphilis, 4,803 for gonorrhœa, and 1,058 for other diseases.

During the year, 64,580 medico-legal examinations of injured persons were carried out by the Medical Officers of the Department of Public Health. Of these, 12,920 were accidental injuries and 51,660 were criminal cases. Death occurred in the case of 5,705 of the injured persons and was the result of criminally inflicted injuries in 1,765 cases.

The position as regards the provision of hospitals for the treatment of the sick poor remains the same as last year. Government hospitals now exist in the chief towns of the various provinces, but these do not afford adequate relief for the sick in the more remote districts and should be supplemented by the provision of a smaller type of hospital in each district or markaz. A general provision of such by the State, however, would impose too great a financial burden upon the Government, and this local need must fall to be met by local effort. As mentioned in my last report, evidence of an increasing public interest in the provision of hospital treatment for the poor is shown by the readiness of the prominent residents in many localities to aid in the provision of hospitals by donations of land and money and by assistance in the collection of funds for the erection and upkeep of these. The existing economic and political conditions have stood in the way of full advantage being taken of the interest thus shown, but it is in this direction that a solution of the problem of the provision of adequate sick relief to the poor throughout the country is most likely to be found.

Cairo, a city of three-quarters of a million inhabitants, is still without a lying-in hospital, but a Maternity Section has been added to Qasr el 'Aini Hospital where the poorer women of the city can be attended to, and where suitable provision can be made for the practical instruction of Egyptian women who are desirous of taking up the profession

of midwifery.

In view of the high standard of medical treatment now provided in the Government hospitals, the provision made for the nursing of the sick leaves much to be desired. The existing attendants are, generally speaking, drawn from a low class and are ignorant, lacking in intelligence, and consequently incapable of being properly trained, with the result that they have no adequate conception of their responsibilities towards the sick. An attempt has been made to improve matters by the appointment of English nursing

sisters to supervise the nursing, but this is not altogether satisfactory, and the real solution of the difficulty must be found in the provision of a higher grade of Egyptian attendant. The present pay of hospital attendants is insufficient to attract a satisfactory class of employee. In order that recruits may be drawn from a more intelligent and educated source, it will be necessary to offer a scale of pay considerably above that at present given. Experiments in this direction are being made at the Government hospital at 'Abbasîya where a certain number of high class male and female attendants are engaged as probationers at an improved rate of pay which is further increased at the end of the first year and again at the end of the second on passing an intermediate and a final examination in nursing.

The number of in-patients treated in Government hospitals in 1921 was less than in the previous year, there having been only 57,901 admissions in 1921 as compared with 62,493 in the previous year. The number of out-patients was, however, greater, and 285,983 out-patients were treated in Government hospitals in 1921, as compared with 274,557 in 1920. The hospital returns show a progressively increasing number of operations, there

having been 17,370 in 1921, as against 12,797 in 1920 and 9,051 in 1919.

The cost of maintenance in 1921 was L.E. 242,482, as compared with L.E. 230,612 in 1920. The average cost of upkeep for each bed during 1921 was L.E. 59·041 milliemes as against L.E. 56·370 milliemes in 1920, whilst the average daily cost per patient was 251 milliemes as compared with a cost per patient in 1920 of 246 milliemes. Hospital receipts were L.E. 15,299 in 1921, as compared with L.E. 15,938 in 1920 and L.E. 18,097 in 1919.

The special Anthelmintic Annexes previously established in connection with Qasr el Aini, Qalyûb, Benha, and Mansûra General Hospitals for the free treatment of out-patients suffering from ankylostoma, bilharzia, and other worm infections, continued to function. A similar annex in connection with the Tanta General Hospital was opened during the year. In these annexes, 142,492 cases received treatment during the year, 31,314 being cases of ankylostoma infection and 111,030 of bilharzia. In addition, 3,581 ankylostoma and 9,890 bilharzia cases were treated in the Government General Hospitals during the year.

A travelling Anthelmintic Hospital has just been established at Shebîn el Kôm by the Provincial Council of Minufîya Province, and it is to be hoped that the good example of this Council will be followed by the local institution of similar establishments in other

provincial centres.

The twelve Children's Dispensaries in the provinces worked steadily throughout the year, i.e. at Damanhûr, Tanta, Mansûra, Zagazig, Shebîn el Kôm, Port Said, Gîza, Faiyûm, Beni Suef, Beba, Wasta, and Minya. Their work as Infant Welfare Centres is bearing fruit, but progress is necessarily slow on account of the primitive housing conditions still prevailing throughout the country. The lack of a proper water supply, the absence of any system of sanitation, the mud brick homes of the fellaheen, must all be borne in mind when judging results, since such adverse conditions necessarily must seriously handicap the efforts of the dispensary matrons to instruct the mothers in clean methods. Not until each town and village can be provided with a proper water supply and a satisfactory sanitary system can one expect the higher standard of cleanliness which is aimed at.

Nevertheless, there is a noticeable difference in this respect, evidenced in the case of both mothers and children attending the older dispensaries, where daily teaching has been given over a long period of years, and the value of these dispensaries from this educational

point of view alone, is very great.

It is also a matter for congratulation that the local medical practitioners are in many cases taking an increasing interest in the work of the dispensaries, and at some dispensaries attend daily and give valuable help in the more difficult cases.

The total number of attendances at the Children's Dispensaries in 1921 was 379,955,

and the number of children receiving treatment 78, 819.

In Cairo, useful work is carried out by charitable committees in the Mohamed Ali Dispensary at Abdın and in the Lady Cromer's Dispensaries at Manshıya and Madbuli. The last named is a commodious new building finished this year and situated on the borders of the Bulaq District.

The Maternity Schools for the training of the local midwives established at Damanhûr, Mansûra, Zagazig, Shebîn el Kôm, Faiyûm, Minya, Sohâg, and Tanta continued working during the year and steadily gained in popularity. At Zagazig an intern department (the first to be instituted in connection with these schools) was established during the year in an adjoining building. It comprises a large airy ward of six beds, operation room, and lecture room, with the usual annexes.

This was opened in January by H.H. the Sultan, when he visited the school, and has been much appreciated by patients from distant villages who, owing to abnormal conditions, have been advised by their local midwives to seek the more skilled help which can be obtained at these schools. The number of such cases sent in time for further assistance is, it is satisfactory to record, tending to increase as the districts become gradually staffed by former pupils of the school, able to realize the need of further assistance when abnormal

conditions are present.

There is increasingly less difficulty experienced in obtaining pupils for training than was the case formerly, and some schools have now even a waiting list. Candidates are even refused when there is already a sufficient number of trained midwives in the town or village to which they belong. Women from eighteen to thirty are usually selected. The younger women are more easily trained, and it is found that even a very young midwife will have the confidence of her patients should her mother or grandmother have been practising as a midwife before her. For this reason, young pupils are selected, whenever possible, from those families which have furnished village midwives in the past.

The total number of midwives trained in the Provincial Maternity Schools during the year was 160, as compared with 171 in 1920. Of these, seven failed to pass their examination. The decrease in the number under training was due to the closure of the Mansûra

School in 1921 from July to December.

Two new matrons were appointed during the year. The schools carry out their work in close co-operation with the Principal Medical Officers and Assistant Medical Officers of the Government hospitals and the local District Medical Officers who respond to the matrons' calls for help, when possible, in operative cases, and give systematic courses of lectures each term to the pupils on infectious disease, signs of death, etc.

Testimony is frequently given by private practitioners as to the cleaner methods and greater efficiency of the midwives trained in these schools as compared with Egyptian

midwives otherwise trained.

The higher efficiency taught in these schools is maintained by frequent inspection of the work of the midwives in their villages. These inspections are made by English travelling inspecting sisters. During the year, 789 midwives were visited by these in the provinces of Beheira, Sharqîya, Gharbîya, Qalyubîya, Gîza, Faiyûm, Minya, Asyût, Gîrga, and Qena, and in the towns of Port Said, Suez, Luxor, and Aswân.

The number of maternity cases attended from the schools during the year was 4,742. Of these, 1,015 were abnormal and included one case of triplets, two Cæserian sections,

and two craniotomies

The matron and pupil midwives paid 48,107 visits to the patients in their homes during

the vear.

The valuable work carried out by the Ophthalmic Hospitals was continued during the year, and 113,000 new patients were treated in these, and over a million attendances of out-patients were recorded. The number of eye-operations performed was 65,000. In a country such as Egypt, where eye diseases are extremely prevalent and where over 95 per cent of the population are affected with chronic trachoma, the benefits conferred by these institutions are incalculable. During the year, 15,000 patients applied for treatment who have already become blind in one or both eyes. That the work is highly appreciated is shown by the fact that there are fifteen specially built Ophthalmic Hospitals in the fourteen provinces which, though maintained by the Government, have been erected and equipped by local effort. Two further hospitals also are in course of construction at Qena and Gîza. In addition to the ophthalmic benefits to the general population provided in these hospitals, a high standard of training is given therein to the Medical Officers of the Service, and it is satisfactory to record that the ophthalmic hospitals throughout the country are now entirely staffed by highly efficient Egyptian ophthalmic surgeons working under the British Director.

In connection with these hospitals, ophthalmic inspection and treatment of the pupils in Government schools forms an important feature of the work of the Ophthalmic Section

of the Department of Public Health.

The diminished incidence in the principal infectious diseases in 1920, to which allusion was made in my previous report, has been repeated to an even greater extent during the year under review. The reduction has been most marked in the case of smallpox, typhus fever, and relapsing fever, of which diseases only 92, 4,476, and 1,217 cases respectively were recorded for the whole country in 1921, as compared with 3,004, 13,279, and 2,876 cases of each of these diseases in the previous year. The smallpox figures are the lowest on record for this disease, and the greatly diminished incidence is largely to be ascribed to the vaccination campaign which, begun in 1919, was completed only in 1921, and during the course of which a total of six million persons were revaccinated. The favourable position with respect to the occurrence of infectious disease generally in the country is

in large part the result of improved methods of control, which are gradually showing their effects in a general tendency towards a progressive reduction of cases.

In my report of last year, reference was made to the dangers attending the use of shaving brushes imported from Japan which, investigations had shown, were largely infected with anthrax. The measures then in force were found to be insufficient to give reasonable security, and during the year the Department of Public Health found it necessary to have an arrêté issued definitely prohibiting all importation of shaving brushes manufactured in Japan. Since the imposition of this embargo, there has been evidence that a serious effort is being made by the Japanese authorities to deal with the source of danger, and it is probable that in the near future it may be possible to moderate the stringency of the measures now in force.

During the year, the occurrence in the country of several cases of Encephalitis Lethargica rendered it necessary to include this disease in the schedule of Notifiable Infectious Diseases.

No unusual occurrence of malaria was noted during 1921. It is a matter for congratulation that in spite of the introduction of a considerable measure of infection through the movements of troops during the war, there has been, so far, no obvious spread of the disease in the country. In this respect, it has been fortunate in having had a series of very moderate Nile floods, resulting in a diminished prevalence of the malaria-bearing mosquito. The position as regards malarial prevalence, however, requires careful watching, and this more especially since the employment of large numbers of Egyptian labourers on works in the Sudan has undoubtedly increased the possibilities of a dissemination of the infection. For the purpose of minimizing as far as possible the risks from this source, certain measures of precaution have been adopted in agreement with the Sudan Government.

The valuable work carried out by the anti-malarial Commission has been continued during the year, though the money grant assigned to it in 1921, to be expended on major works, had been cut down to about a third of the normal amount owing to the financial stringency. In consequence, new works had to be confined to those districts in which they were most urgently required, namely, Dirr—which was seriously infected in 1919—Shellal, Kharga Oasis, Siwa, and the Faiyûm. Certain works, also, which had been commenced

in the town of Zagazig in 1920, were completed during the year.

For the destruction of mosquito larvæ, 160 ponds and over 700 wells were stocked with fish.

During the year, 114,553 passengers and immigrants from countries infected or suspected to be infected with cholera landed in Egypt. Measures of control and observation at their destinations were taken in the case of 106,323 of these, or 92.8 per cent. The number of persons, therefore, who were lost sight of before completing their periods of observation was 8,230, a notable increase upon the proportion of such hitherto obtaining. This is to be attributed to the large number of Palestinian emigrants who, disembarking at one of the Egyptian ports, proceed almost directly to Palestine without any notification of their departure and who appear therefore as untraced persons in the returns of this control.

The number of pilgrims from Egypt proceeding on the pilgrimage to Mecca in 1921 was 2,834. As usual all were vaccinated against cholera before their departure from Suez. The size of the pilgrimage, which during the war had become greatly reduced until in 1919 only 438 pilgrims left this country, is, therefore, slowly but progressively increasing, though it still falls far below the pre-war numbers which averaged annually 13,000 persons.

No undue prevalence of epidemic disease during the pilgrimage was reported from the Hedjaz, though a case of cholera in the person of a returning Egyptian pilgrim occurred at the Quarantine Station at Tor. The arrangements in force for the observation of returned Egyptian pilgrims at their homes were carried out as usual, and the stools of all those showing any intestinal symptoms bacteriologically examined. No further cases occurred.

In connection with the regulation prohibiting the landing in Egypt of non-Egyptian pilgrims returning from the Hedjaz to countries north of Suez, certain difficulties were experienced during the year. These arose mainly from the fact that the Governments concerned with such pilgrims had taken no steps to arrange shipping facilities for such of their nationals as were returning from the pilgrimage. The lack of such arrangements resulted in the receipt by the Public Health authorities of numerous requests from the various sources to agree to a suspension of the regulation. Obviously, however, if Egypt is to obtain a full measure of protection from her own arrangements, she can scarcely consent to the landing of parties of non-Egyptian pilgrims who, usually without means, merely trickle slowly through the country, where they constitute a floating and uncontrolled

population, exposing the general populace to the same dangers as the State, as far as its

own pilgrims are concerned, is making every effort to avoid.

It is highly desirable, in the interests of an unhindered return of such non-Egyptian pilgrims, that the Governments concerned should foresee either the necessary arrangements for their direct sea transport or make such financial provision as will permit of their proper supervision while on Egyptian territory and of their repatriation at the earliest possible opportunity.

The Medical Officer in charge of the Mahmal escort in 1921 has reported that facilities for the hospitalization and treatment of sick pilgrims are practically non-existent in the Hedjaz, and that in consequence the stock of drugs which he had taken with him for the treatment of Egyptian pilgrims was exhausted on the return journey before he reached Jeddah. As regards this, the Egyptian Department of Public Health has under consideration at the present moment the whole question of the provision of a properly organized service for the treatment and hospitalization, during the pilgrimage, of the sick from amongst its own pilgrims, but the full benefit of a medical control furnished by a provision of this nature could only be possible if similar arrangements were made by other countries from which pilgrims proceed to the Hedjaz. A pilgrimage, controlled from each country of origin, on the lines of the existing Egyptian arrangements, and accompanied by a medical service provided by each Government for its own nationals, would do much to reduce the constant menace to the world's health resulting from the present unsatisfactory position.

The usual measures for the prevention of the return of Egyptian and other I ilgrims by unauthorized land routes, with the object of avoiding quarantine, were again put in force in 1921, and desert patrols were maintained for this purpose in the Sinai Peninsula and on the Red Sea Coast. Twenty-one pilgrims were intercepted by the Sinai patrols. None

were found by the patrols operating on the Red Sea littoral.

During the year, 327 authorizations were given to practise the medical or allied professions as compared with 376 during 1920. Of the persons licensed, 197 were doctors, thirty-two were pharmacists, ten assistant pharmacists, nine veterinary surgeons, thirty-three certificated midwives, six dentists with registrable qualifications, and forty persons, specially authorized to practise dentistry under the transitory section of the Dental Law mentioned in my last report, whose authorization had been delayed from last year pending certain inquiries which it was considered desirable to make. The number of midwives given above only includes those midwives who are registered on a regular certificate or diploma issued by a recognized institution. The provincial midwives or dayas are not included in this figure, but are registered separately. Of the 327 persons authorized as above, under the law regulating the practice of medicine and its allied branches, 207 were Egyptians and thirty-nine were Ottoman subjects, whilst eighty-one were foreigners of various nationalities.

During 1921, 11,165 persons were examined by the Central Medical Commission. Of these 5,527 were for admission into Government service, 4,034 were for sick leave, 1,445 for invaliding from the service, and 159 for various other reasons. The number of examinations carried out by the eighteen Provincial Medical Commissions was 15,167, of which 7,094 were examinations for admission into the service, 5,893 for sick leave, 1,488 for invaliding from the service, and 692 for various other reasons.

In addition, in connection with the work of these Commissions, 12,314 Nizami ghafirs were examined by the District Medical Officers, either for admission to the service or for extensions of their periods of service. The work carried out by the Medical Comissions is rapidly increasing and now has become a very important part of Government service.

The amount of vaccine lymph issued from the Vaccine Institutes during 1921 was 2,094,115 doses. This represents a more normal issue than the previous year, when 10,098,720 doses were prepared and issued for the purpose of an extensive campaign of general revaccination, which was in that year carried out by the Epidemic Service of the Department of Public Health for the purpose of stamping out or reducing the continual occurrence of outbreaks of smallpox in Egypt.

In 1921, a total of 1,323 persons were treated in the Antirabic Institute. Three of the patients were treated for bites by rabid human beings and two were accidentally infected in the Laboratory. The bites were inflicted by divers animals, but dog bites furnished the bulk of the cases, there being 1,015 patients treated for bites by that animal. July, September, October, and November were the months in 1921 in which the numbers of cases

were largest.

In the following pages will be found detailed reports on the work of the various Sections of the Administration.

#### I.-REPORT ON THE WORK OF SECTION 1.

#### 1.—VITAL STATISTICS.

The usual tables are appended:-

TABLE I.—ANNUAL GENERAL RETURN OF BIRTHS AND DEATHS REGISTERED IN EGYPT DURING THE YEAR 1921.

			BIRT	rus.		we's	DEAT	HS.	
GOVERNORATES AND PROVINCES.	POPULATION CALCULATED.	Egyptians	Foreigners.	Total.	Per Thousand	Egyptians.	Foreigners.	Total.	Per Thousan
GOVERNORATES.									
Cairo Alexandria	765,200 449,300	35,113 18,460		35,792 19,969	44.4	23,075 12,109	583 941	23,663 13,050	29.0
Canal   Ismailia Port Said	32,400 79,800	1,350 3,069	96 235	1,446 3,304	44.6	731 1,668	58 180	789 1,888	24 .
Damietta Suez	32,700 32,100		122	1,477 1,404	45·2 43·7	797 914	74	797 988	30
Eastern Desert Province Western Desert	36,300	1,346	2	1,348	37.1	807	-	807	22.
Province Sinaï Province	5,200 4,300		16 1		*142·7 * 92·6	282 241	5 1	287 242	* 55.5
Тотац	1,437,300	63,217	2,663	65,880	* 45.8	40,624	1,847	42,471	* 29 -
Provinces.  Lower Egypt:—									
Beheira	925,900		2	33,901	36.6	23,148	4	23,152	
Daqahliya Gharbiya	1,704,400	70,919	41	44,992 70,96	43.8	28,079 47,932	26 40	28,105 47,972	28
Minûfîya Qalyûbîya Sharqîya	548,900		5 6 25	47,597 22,535 37,994	42.8 41.1 39.4	29,891 13,976 23,481	7 14 26	29,898 13,990 23,507	26 · 25 · 24 · 4
Тотац	6,281,900	257,859	120	257,979	41.1	166,507	117	166,624	26.
Upper Egypt:—									
Asyût Aswân	257,400	7,892	6 2 5	47,606 7,894	30.7	25,357 5,858	5 4	25,362 5,862	24 . 22 . 22 . 22 . 22
Beni Suef Faiyûm	489,900 535,200	21.065 24,672	5 5	21,070 24,677	43.0	10,389 13,297	5 5	10,394 13,302	21.
Girga Giza	010 100	38,099 26,914	2 2 7	38,101 26,916	41.5 46.2	18,818 14,026	1 7	18,819 14,033	20.
Minya Qena	810,500 878,700	35,406		35,413 33,362		18,974 18,584	10	18,984 18,588	23.
Тотац	5,517,700	235,010	29	235,039	42.6	125,303	41	125,344	22.
(	13,236,900 9,500	556,086	2,812	558,898	42.3	332,434	2,005	334,439	25 -
GENERAL TOTAL	13,227,400								

<sup>\*</sup> The high rates of births and deaths in the Western Desert and Sinai Provinces are presumably due to the unfavourable conditions under which the census was carried there in 1917. Their population was certainly underestimated.

TABLE II.-TOTAL POPULATION, BIRTHS, DRATHS, AND INFANT MORTALITY IN THE TWENTY PRINCIPAL TOWNS DURING THE YEAR 1921.

ALITY.	From 1-10 Years.	To Deaths.		25.9	32.2	7.63	0 #7		200	26.9	28.7		25.7	32.3	27.9	53.0	29.0	730.4	27.4
PROPORTION PRE CENT OF INPART.		To Deaths. To		32.8	24.0	296.5			9 50	6.12	27.0		37.1	31.4	41.1	9.95	41.4	30-9	32.1
PER CENT OF	Deaths under 1 Year,	To Births.		20.6	17.5	16.0	70.01	-	18.5	13.5	17.2		7.55	24.1	58.0	52.8	355.7	13.1	50.0
ORTALITY.	From 1-10	Years.		6,550	155	233	04.7	-	# 12 F	384	300		381	389	202	001	282	681	15,615
INPANT MORTALITY.	From 0-1	_		7,756	137	<b>48</b> 3	*17		62	180	308		551	378	74	466	403	241	18,318
	Por	Thousand.		30.6	20.1	82.28	0.00		267 200 200 200 200 200 200 200 200 200 20	27.75	26.7		28.5	96.98	39.2	0.98	9.17	36.9	30.1
4		Total.		23,663	308	1,848	604		1,468	1,428	2,248		1,485	1,205	1,811	1.274	974	622	180,75
DEATHS.		Foreigners.		588	8	180	2		<del>*</del> ;	24 00	17		010	P4	00	21 -	1	1	1,922
		Egyptians.		23,075	308	1,668	FIG		1,467	1,407	2,231		1,483	1.201	1,808	1.970	973	778	55,159
	Por	Thousand.		4.74 44.4	43.3	7.07	- 01	0	70.0	7.67	9.97		46.7	6.97	26.0	55.4	52.7	51-7	46.2
*		Total.		35,792 19,969	785	3,304	1,101	***************************************	2,287	1,298	3,529		2,432	1,533	2,572	1,960	1,233	1,001	87,603
BIRTHS.		Foreigners.		679	8	20 00 8	2 2 2 2		D 29 ;	5	888		9	N KO	100	N 10	1	1	2,786
		Egyptians.		35,113	689	3,069	1,202	*00	2,285	1,293	3,493		2,426	1,528	2,567	1,954	1,233	1,090	84,817
	Population estimated up	outy 1, treet.		765,200 449,300	15,300	32,700		000	49,700	26,300	41,800		52,100	32,700	45,900	35,400	23,400	21,100	1,895,500
-	-			11	::	111			::	::	::		:	: :	:	: :		:	:
			88	::	::(:	: :			::	: :	: :		:	: :	:	: :		:	:
	Towns.		GOVERNORATES.	Cairo Alexandria		Port Sand Damietta	PROVINC	Lorer Egypt :	Damanhûr	Shibîn el Kôm	Tanta Zagazig	.: jdh	Asyūt	Beni Suef	m	Minva			Тотац

#### 2.—UNHEALTHY, INCONVENIENT AND DANGEROUS ESTABLISHMENTS.

In my report for 1920 I dealt fully with the reorganization which has taken place of the work performed by the Department of Public Health under the Etablissements Insalubres Law. This reorganization comprised the appointment of special overseers, the institution of special registers for établissements insalubres, the revision of the Health Division of the Schedule of établissements insalubres, the revision and reprint of the volume of "Model Conditions," and the revision of the instructions given to applicants for licences, etc., etc. There is nothing more to add in this connection this year except that depots and establishments for the sale of butter and butter substitutes have been added to the Health Division of the Schedule of établissements insalubres under Class II, Category A, by Arrêté of the Ministry of the Interior dated September 25, 1921, published in the Journal Officiel No. 87 dated October 3, 1921.

#### Work done during the Year.

The number of applications for licences for establishments falling under Class I dealt with during 1921 was 478, as compared with 263 in 1920, 141 in 1919, 194 in 1918, 203 in 1917, and 204 in 1916. This large increase in the number of applications during 1921 is partly due to the increased prosperity of the country and partly to the fact that public bakeries, for which there were 118 applications, have been transferred from Class II to Class I in the revised schedule.

A statistical table (Table III) showing in detail the types of Class I establishment

for which licences were applied for in 1921 is attached.

The total number of Ministerial Arrêtés laying down additional conditions to improve the sanitary state of various existing establishments which were made use of by the Administration during 1921 was 135, as compared with 90 in 1920 and 79 in 1919. It should not, however, be presumed that this increase means that the sanitary condition of the existing establishments is on the down grade. It is really due to the more careful and constant inspection exercised by the Public Health Inspectors, Medical Officers, and Overseers of établissements insalubres (whose number was increased in the middle of 1920) in conformity with the instructions given to them by the Central Administration. The policy of the Administration is still to only have recourse to a Ministerial Arrêté as the last resort and always to try to persuade the owner of an establishment requiring repairs or alterations to carry these out of his own free will without using the machinery of the law to force him to do so. It can confidently be stated that the general sanitary condition of the existing establishments in most localities shows a marked improvement. A statistical table showing in detail the Ministerial Arrêtés dealt with in 1921 is attached (Table IV).

A general statistical table showing the numbers of all types of establishments licensed under the Health Division of the Schedule of établissements insalubres in the whole of Egypt, up to December 31, 1921, is also attached. It will be seen from this table that the number of Class I establishments is 4,208, Class II establishments 39,871, Class III establishments 6,408, and the total number of the three classes is 50,487. Although this table may be considered as more accurate than that given in last year's Report, it cannot yet be taken as absolutely accurate as there are probably a certain number of establishments not yet shown in the établissements insalubres registers. However, by means of constant inspection and by increasing the number of overseers it is hoped that this table will be, in a few years' time, an exact census of these establishments.

#### Overseers of Etablissements Insalubres.

The number of overseers of établissements insalubres remains the same as last year. The six more posts required to complete the programme and which were asked for in 1921–1922 budget have not yet been granted. They have consequently been reinserted in the proposals for next year's budget. These posts are intended to be allotted as follows: one each to Damietta, Gharbîya Province (2nd post), Gîza, and Aswân, and two Relief Posts at Central Administration. In addition to these six posts it will probably be necessary, owing to the increase in the work, to add to the number of overseers attached to Cairo City Inspectorate so as to be able to allot one overseer to each qism of the City.

#### Ministerial Arrêtés.

The following table gives details of the applications for licences for establishments falling under Class I of the Law of August 1904 (public and cattle markets included) which were dealt with in 1921.

TABLE III.-INCONVENIENT, UNHEALTHY, AND DANGEROUS ESTABLISHMENTS.

NATURE OF ESTABLISHMENT.	Approved.	Refused.	Given up.	Under Consideration	TOTAL
Aerated water factories	12	_	2	5	19
weetmeat factories	18	2	6	6	32
Pastry and alimentary paste factories	17	1	3	4	25
Sugar-cane crushing factories	6		2	2	10
Iolasses factories	2		_		2
Oil pressing mills	3			1 1 1 1 1	3
oil pressing mills and sweetmeat factories	1	7/11/20/11/1			1
oil pressing, corn mill, and rice husking	2				3
			4	1	20
Rice husking establishments	15	- 1	3	1	
Rice husking and corn mills	26	1	9	5	35
	4		- 0		4
Cheese factories	2		2		4
Dairies	16	4	1	8	29
Dairies and cheese factories	1	1			2
leat curing and preserving factories	-	-	1	1	2
ce factories	3	-	-	1	4
ce cream factories	2	_		2	4
astry establishments	1	-	_	_	1
lacaroni factories	1	-	-	-	1
Iacaroni and corn mill factories	1	-	_	_	1
eer-bottling establishments	-	-	1	_	1
ublic bakeries	78	2	16	22	118
rying ovens	18	2	1	3	24
Bean cooking establishments	4	-	1	2	7
Osromill ovens	-	-	1	1	2
ish halaqas	9	1	- 6	3	19
oap factories	1	-	4	4	9
otton ginning mills	7	-	-	2	9
ublic and swimming baths	7	-	2	2	11
anneries	4		1	4	9
fanure establishments	-	-	-	1	1
ewage depots	4	-	-	1	5
lospitals	1	-	-	-	1
0istilleries	7	-	4	10	21
ndiarubber factories	1	-	-	-	1
obacco and cigarette factories	3	-	-	2	5
lax scutching and rope factories	. 5	1 to -	4	-	9
andle factories	2	-	_	-	2
utter and butter substitute factories	-	-	-	1	1
epots for chemical products	1	10-2	-	3	4
ublic and cattle markets	9	5	-	3	17
Total	294	19	65	100	478

The draft arrêtés laying down additional conditions for establishments possessing permits under the Law of August 23,1904 (Etablissements Insalubres) were dealt with in 1921 as follows:—

TABLE IV.-MINISTERIAL "ARRÊTÉS."

						1000			_	4	-	-	N. 10.00
N	ATUE	E OF	Est.	ABLIS	HMEN	T.				Approved.	Refused.	Under Consideration	TOTAL.
Alexandria	:-												
Public stables										22	-	-	22
Bakeries Butchers' shops		•••	***				***	***		25 13		-	25 13
Grocers' shops					***			***		7			7
Public kitchens										7	_	_	7
Milk shops										2	-	-	2
Frying and roasti		stabl	ishn	ients						19	-	- 1	19
Sweetmeat factor	ies				***		•••			3 2	_	_	3
Dye Shops Shops for sale of	nor	lter	***	***		***			***	1			2
Cattle zeribas	por								:::	3	_	-	3
Wood depots										1	-	-	1
Distilleries										1	_	-	1
l'riperies										1 2	-	-	1
Pastry cook shops Vegetable shops										1			2
Shops for the sale	of i	fesikh			***					î	_	_	1
Alcohol depots										1	-	-	1
Cairo :-									1000				
										,			
Public bakeries Búza factories				***	***		•••		***	1			1
					***	***	***						
Gharbiya 1	Prov	ince:	-										
Public kitchens										1	_	-	1
Process' shops									•••	1 1	_	-	1
roners Public stables									***	1			1
					***				••••	-			
Minufiya I	rov	ince :	-						-44				
Potteries										1	-	-	1
Public baths	***		***				•••	***		1	-	_	1
Qalyúbiya .	Pro	cince	:-										
Public bakeries										2	_	-	2
Dye shops										1	-	-	1
Daqahliya	Pro	rince											
lotton ginning n									-	1	-	_	1
				***	***					-			1
Beheira P	rovin	ice :-	-							No. 1			
Public baths										1	-	-	1
Canneries Skin stores				•••						1	-	_	1
	***				***					1			1
Damietta :-	-												
anneries	200									-	1	_	1
weetmeat factor	ries									-,	1	-	1
ublic bakeries		***	***		***			***		1	_	_	1
Suez :-													
astry cook shops										1		_	1
										1000			
Beni Suef												1	1
ime kilns	***					***	•••	•••		-	1	_	1
Faiyim Pr	ovin	ce :-	-										
lour mill				***						-	-	1	1
Asyút Pro										0		The state of the s	1
ublic bakeries				***		***	***	***	***	2	-		2
Girga Pro	vince	:											
			1000							1	-	-	1
	***	***											
Public bakeries					***					3	_	-	3
Public bakeries Dye shops					***					3	_		3

		-				-	-	-	-	-	-	G	OVE	RNORA	TPO		
					-	-	CAI	RO.					O E	ALSO IL	LIBS.	1000	
NATURE OF ESTABLISHMENT.			(ya.			ab.	137.	01							-le		
	Ezbekíya,	cAbdin.	Babel Shafriya.	Muski.	Gamaliya,	Sayeda Zeinab	Darb el Ahmar.	Buliq 1 and 2	Waily.	Shubra.	Khalifa,	Old Cairo.	Zeitün	Helwán.	Mina el Bassal.	El Labbán.	El Attarin.
Aerated water factories		1 18 7 - 18 7 - 15 4 6 6 1 1 1 - 2 1	2 			1		17 - 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 2 - 1 - 1	4 - 3 28 3 - 7 - 2 1 - 1 - 1 - 2 1 2	1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3-3-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	-		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-4 -3 4 1 1 2 1 2 1 3
Total Class I	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Class II.—Category A.																	
Groceries (baqqals)	23 6 41 - 59	245 1 -40 -22 - 1	280 18 - 38 1 16 - - 7	245 18 5 52 1 35 —	492 28 1 64 - 57 - 1	403 14 - 44 5 24 1 - 1	485 — 81 — 17 — 17 3	427 64 - 67 3 13 - 14 3	285 1 -1 19 -11 - - 2	345 - 27 27 11 - -	236 23 -44 -10 - -4	151 33 -16 -4 -3	177 10 - 1 - 7 - - 7	167 10 - - - 8 - - -	219 - 25 - 16 1 - 1	234 6 10 32 - 33 2 - 4	395  24 1 53  

AND III, LICENSED IN EGYPT UP TO DECEMBER 31, 1921.

				-	-		-								P	ROVI	NCES.							
A	LEXAN	DRIA.							mailia.															
Moharrem Bey,	El Gumruk.	El Mina.	Karmûs.	El Raml and Hadra.	Maryût.	Manshiya.	Suez.	Damietta.	PortSaldand Ismailia.	Beheirn.	Gharbiya.	Daqahiiyn.	Sharqiya.	Minuffyn.	Qalyūbiya.	Giza.	Faiyûm.	Beni Suef.	Minya.	Asyūt.	Girga.	Qenn.	Aswin.	TOTAL.
	17 -6 -17 		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 - 2 - 2 - 3 - 1 400 1 - 18 1 5 - 2 2 4 - 3		2 2 2 2 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	- 9 - 10 - 1 - 48 5 2 1 2 2 - 2 7 1 1	10 2 1 1 2 - 1 1166 13 - 7 4 13 6 6	3 - 1 2 - 566 25 4 2 2 1 2 18 18 2 3 2 2 1 2 18 18 2 3 2 2 18 18 2 1 3 2 18 18 2 18 2 18 2 18 2 18	6 1 - 4 6 6 - 127 80 19 7 7 - 2 - 1 10 34 19 5 5 17 - 15 1	6 3 - 2 - 8329 - 3 5 3 - 1 - 9 1 1 3 6 55 1 3 - 6 1 3	9 1 - 48 43 - 3 - 5 1 44 1 1 9 19 3 3 1 1 7 30 - 2 1	-33 21 -8 -211	2         1	-	2	3	4 2 - 3 - 93 14 - 2 - 5 3 4 1 1 5	7 3 4 - 28 3 - 1 53 3 1 2 4 - 2 1 19 - 3 1 1	1 - 3 - 1 - 6 7 - 4 - 1 - 1 3 7	2		103 8 48 15 1 20 9 42 35 3 1,780 466 20 258 55 291 70 10 5 12 7 99 49 26 5 5 12 3 103 108 141 46 — — — — — — — — — — — — —
78	1 -10	111111	357 7 63 - 23 2 3 2	-3 18 - 29 -	=	315 180 28 26 66 —	110 - 35 - 28 - 2	95 -6 -8 -	365 127 71 —	1660 64 5 8 - 27 - 4	317 37	280 7 13 4 66 3	46 3 6 75 1 16	42	27 1	91 14 62 -	113 1 1 - 23 - 2	1 16	91 -1 -76 9 11	74 12 36 - 77 97	44	43 - - 45	95	25

												G	OVE	RNORA	TES.		
	2						CAI	RO.									
NATURE OF ESTABLISHMENT.	Ezbekiya.	cAbdin.	BabelSha'riya.	Muski.	Gamaliya.	Sayeda Zeinab.	Darb el Ahmar.	Buláq 1 and 2.	Waily.	Shubra.	Khalifa.	Old Cairo.	Zeitûn.	Helwán.	Mina el Bassal.	El Labbán.	El Attarin.
Oil mills		-21 1 - 4 4	9 1 7 7 8 26	2 1 1 2 4 4	5 5 1 1 - 3 64 12 12	-4 7 2 1 - 10 1 1 - 1 - 1 - 2 - 3 6	100	7 188 3 - 9 333 2 - 3 2 - 1 - 1 - 1 - 6 - 2 - 2 - 2	-5 -6 - 1 	2 10 — 5 23 1 1 1 — — — 1 — — 1 3	3 3 1 1	3 2 2 1 5 1 1 18 47	-3 -1 -5 1	-4 1 3 -15 2 2 3 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1	2 7 7 - 1 - 5 - 4 222 3 1	4 4 4 6 6 - 14 15 2 1 - 2 2	1 2 3 3 - 1 3 3
CLASS II.—Category B.  Public stables	_	14 -5 - -3 135 -		-I -	- 82 - 5 116 - -	45 16 - 1 8 117 - -	-8 - 17	152 - - 11 237 - -	35 1 - - 3 79 - -	196 10 - - 4 171 -	37 6 - - 5 98 -	51 - - 4 11 -	1 4 - = 29 1 -	17 -2 -1 30 1	120 8 - - 79 -	72 6 - - 69 -	20 - - - 84 - -
Class III.—Category A.  Retting of hemp and flax for trade purposes Lime and gypsum kilns, temporary  Brick fields, temporary  Tile works temporary  Potteries, temporary  Clothes ironing establishments  Depots of cement and gypsum  Class III.—Category B.	_ _ _ _ 133	_ _ _ _ 115		_ _ _ _ _ 36 4		_ _ _ _ _ _ _ 66 15	- - - 61 5	- 8 - 39 13	- - - - 71	-1 -5 - 16 20	_ _ _ _ _ 23 4	_ _ _ _ _ 11	_ _ _ _ 45	1 	- - - - - - 4 9	- - - - 10 13	- - - - 64 9
Butchers' shops	79 21 22 5 — — —	- 8 4 - - - -	51 1 3 7 - - -	61 15 41 67 — — —	33 -2 33 - - - -	1 6	68 1 7 1 — — —	47 -5 33 - - - -	- 46 - 14 23 	54 11 6 28 - - - -	30 -3 23 - - - -	28 - 6 - - -	19 1 3 2 - - - -	49 -6 -	11 -4 75 - - -	21 2 7 32 — — —	48 1 7 82 — — —

AND III, LICENSED IN EGYPT UP TO DECEMBER 31, 1921 (continued).

	-	-		-			-				-					Prov	INCES			-				
-	ALE	XANDI	RIA.						aillia															
Moharrem Bey.	El Gumruk.	El Mina.	Karmûs.	El Baml and Hadra,	Maryût.	Manshiya.	Suez.	Damietta.	Port Said and Ismailia	Beheira.	Gharbiya.	Daqahliya.	Sharqiya.	Minuffya.	Qalyābiya.	Giza.	Falyûm.	Beni Suef.	Minya.	Asyūt.	Girga.	Qena.	Aswin.	TOTAL.
	=		2 9 2 1 - 14	- - - - 3	=	14	-2 3 2 3 4	11 20 - - - 18	1 5 1 8 - 8	10 32 6 — 169	26 124 21 5 13 390 92	31 71 — 3 1 219	43 31 18 - 5 338 76	2 6 7 2 8 596 125	9 40 - 2 8 184	4 36 - 4 2 367 37	5 31 1 - 5 196	- 22 4 2 9 398 45	-5 15 530	6 68 9 1 7 275	12 3 - 304	76 20 6 - 4 183	17 2 - - 13	411 726 125 44 118 4,499 840
			- - - - - - - - - - - - - - - - - - -					3 3 3 1 - - - - - - 8 - 10 8		3 2 - 8 20 1 - - -	6 - - - - 37 36 - - - - - - - - - - - - - - - - - -		8 12 18 5	125 — — — — — — — — — — — — — — — — — — —	- 2 - 14 8 - 10 10 18 1 3 - 1		2 1 1 · · · 6 · 2	8 9 - 5 12		14 - 3 12	3 - - 1 14 - - - - - - - 2	5 1 	1 2 1 2 2 2	52 51 25 8 4 157 206 2 - 24 83 10 34 34 123
109	7	= =	345 95 - - 3 112 1	53 22 - - 1 58 1	11111111	3 - 4 8 57 -	29 -5 -2 48 -	9 - - 7 19 1	42 24 - 3 2 71 -	21 - - 13 65 4	158 43 28 — 65 401 27	89 - 2 14 165 6	47 - - 23 148 9 -	-6 3 2 49 167 17 -	12 1 - - 14 84 9	6 13 - - 2 156 1	5 - 1 7 70 9	11 19 - 3 59 15	9 - 10 82 19	8 1 - 19 129 39 -	2 6 3 - 59 44 33	3 - 1 5 49 48 -	9	1,938 275 224 22 396 3,792 246 39,871
17 2	_ _ _ _ _ 20 5	1111111	_ _ _ _ _ _ _ _ _ _ 19			_ _ _ _ 18 5		- - - - 11 3	- - - - 48	- 1 1 - 12 17 -	1 - 42 9 124 15	1 - - - 48 4	- - - - 45 8	9 9 4 -20 36 5	22 1 - 20 -			_ 5 _ 22 _	_ _ _ _ 47	3 10 1 - - 51 1	3 2 - 5 23 -	- - - 46 31 -	_ _ _ _ _ 14	40 33 25 49 98 1,537 213
3 1 14 — —	6	=	41 68 1 68 — — —	27 9 6 45 — — —		83 18 14 85 — —	21 -6 25 - - -	13 9 -20 - - -	53 6 8 41	73 5 1 27 — —	363 7 5 90 — — —	136 19 1 63 - - -	123 2 -51 	134 1 1 4 - -	134 -3 -19  	136 4 - - - -	72 1 24 — — —	86 1 - 6	125 4 -12   	234 1 - 17 - - -	112 14 5 6	149 9 3 15 - - -	-	2,917 175 198 1,123 6,408 39,871 4,208 50,487

#### 3.—CEMETERIES AND PRIVATE TOMBS.

The outstanding features in the cemeteries work during 1921 were :-

(1) The preparation of a Draft Decree delimitating the Moslem Cemeteries in Cairo lying at the foot of Moqattam Hills.

(2) The preparation of a Draft Law instituting a special Committee to deal with the internal organization and maintenance of the Cairo Moslem Cemeteries.

Both this decree and law have been forwarded to the Council of Ministers for approval.

(3) The preparation of a Draft Law instituting special Committees in Towns and Bandars provided with Municipal or Local Commissions to be entrusted with the control and maintenance of Moslem Cemeteries and the reorganization of the duties and discipline of grave diggers and undertakers.

This law is now in the hands of the Contentieux for examination.

The attached tables show the work done during 1921 in connection with newly created cemeteries or additions to existing cemeteries; special authorizations given by the Department during 1921 for burial in private tombs not situated within cemeteries; Cases of encroachments on cemetery land dealt with by legal action.

TABLE VI .- (a) WORK DONE IN CONNECTION WITH CEMETERIES DURING 1921.

		NEW CE	METERIA	18.			OLD CEM	ETERIES	4	
GOVERNORATES	ent.	ent.	2 18	ler ion.	1 by	.j.	- <del>1</del>	od.		PECTED.
AND PROVINCES.	Establishment.	Enlargement.	Roads for Cemeteries.	Cases under Consideration.	Surrounded 1	Authorized.	Portion Condemned,	Condemned.	Already disaffected.	Under
GOVERNORATES.										
Cairo	1	-	-	14	-	-	-	-	-	-
Dowt Soid	8	_	_	8 8	=	_	_	=	=	=
Provinces.										
Gharbîya	3	-	2 1	129 60	72 85	17 19	-1	1 2	4	16
Minûfîya	. 1	1	_	68	2	2	_	-	3	2 14 6 8 5
Sharqiya	3	1	1	59 28	35 8	- 1	_	1	1 3	6
Oalmahima		2		35	-	_	_	_	6	5
Giza	2	-	-	20	-	1	-	-	-	4 2 4 2 10
Beni Suef	. 1		1	16 28	26	_	_	_	1	4
Minya	. 3	1	2	28	_	_		100	_	2
Asvût		-	-	18	64	1	-	-	3	10
Oone	1	1	1	39 21	=	5				21
Same	=	-	=	14	=	-	-	-	-	21 2 3
TOTAL	29	8	8	593	292	50	1	4	22	99

Table VII.—Special Authorizations given by the Department of Public Health during 1921 for burial in Private Tombs not situated within Cemeteries.

	Prov	inces.			Number of Authorized Tombs.	Cases Under Con- sideration
Beheira				 	_	1
Sharqîya				 	1	2
Qalyûbîya				 	_	2
Daqahliya				 	1	-
Faiyûm				 	-	2
Minûfîya				 	1	1
Minya				 	_	1
Gîza				 	1	
Gharbîya				 	-	2
		To	TAL	 	4	- 11 -

Several other applications for private tombs were submitted to the Department and routine inquiries resulted in their refusal.

TABLE VIII .- LEGAL ACTIONS: ENCROACHMENTS ON CEMETERY LANDS DURING 1921.

GOVERNORATES AND PROVINCES.	Judgment in Government's Favour.	Judgment against Government.	Encroachments adjusted or not proved.	Cases under Consideration,
Governorates.				
Cairo	-	-	_	8
Suez	-	_	_	1
Damietta	-	-	-	3
Provinces.				
Gharbiya	1	2	20	79
Sharqiya	1	-	29	83
Qalyûbîya	-	-	7	22
Beheira	2	3	9	42
Daqahliya	_	_	6	36
Minûfîya	_	-	8	35
Beni Suef	_	1	-	10
Faiyûm	3	-	8	39
Giza	_	_	5	7
Girga	1016 - 10 m	_	1	7
Asyût	1		2	11
Minya	1	on the local	5	14
Aswân	-	19-19-19	1	3
Qena	-	-	12	10
TOTAL	9	6	113	410

#### 4.—BIRKAS.

The Department of Public Health continued taking the necessary steps, during 1921, to enforce Law No. 5 of 1914 relating to the filling in or draining of such private birkas as constituted a danger to the public health. This law became applicable to foreigners by Law No. 18 of 1916.

The State Domains, as well as other Government Administrations concerned, have

been requested to fill in or drain insanitary birkas on their property.

The number of private birkas inspected during 1921 and found to constitute a danger to public health to which consequently the said law was applied amounted to 110, covering an area of 140 feddans.

TABLE IX.-Number and Area of Government Birkas filled in during 1921.

								Number of		TOTAL	AREA.	
	P	ROVIN	CES.					Birkas filled in.	Feddâns.	Qiriits.	Sahms.	Square Metres.
Gharbiya	 							3	/SI-37	21	_	3,676
Beheira	 							2	-	13	-	2,275
Sharqiya	 							5	-	19	2	3,340
Daqahliya								2	_	8	12	1,488
Minufiya	 					***		1	1	_	_	4,200
Qalyûbîya								1	_	9	-	1,575
Gîza	 							2	_	16	-	2,801
Beni Suef	 							3	2	-	17	8,526
Minya	 							4	1	10	12	6,039
								5	-	17	3	2,995
				Ton	TAL		200	28	8	18	22	36,915

#### 5.-MOSQUES.

#### (a) PRIVATE MOSQUES.

The following is a statement of the work which has been carried out in connection with the improvement of the ablution and drainage systems of private mosques throughout the country:—

	Cairo.	Provinces.	Total.
Ablution systems of private mosques newly constructed and opened for use		2	2
Number opened for use after repair	_	62	62
,, closed for want of repair	-	438	438
" under repair	_	651	651

#### (b) Mosques belonging to the Ministry of Waqfs.

A sum of L.E. 2,500 has been granted in 1921–1922 budget for the sanitation of mosques belonging to the Ministry of Waqfs. This sum represents the Government share of the cost of the sanitary installations for these mosques, some of which have already been finished and some of which are still under execution.

The following is a statement showing the work done in connection with these mosques up to end of 1921:—

Plans and estimates of sanitary installations approved (work still in progress)	 	10
Sanitary installations approved in 1920 but work completed and drainage		
system opened in 1921	 	11

### 6.—SLAUGHTER-HOUSES AND SLAUGHTERING SITES.

No new slaughter-houses were approved by the Administration during 1921.

Sites for the slaughter of animals for food, in villages where no slaughter-houses exist, were approved in the following villages:—

Kôm el Nûr (Daqahlîya). Sandabast (Gharbîya). Badrshein (Gîza).

#### 7.—SEWAGE DÉPOTOIRS.

One sewage dépotoir was approved by the Administration during 1921 at Sohâg Bandar.

#### 8.—PROSTITUTION.

The following tables indicate the places to which the Regulations regarding *Maisons* de *Tolérance* were applied and also certain information regarding the prostitutes examined during 1921.

TABLE X .- STATISTICS REGARDING EXAMINATION OF PROSTITUTES DURING 1321.

			PLAC	YE.					Number	Number		SICK OF	
			A IA	Dr.					Prostitutes.	Examinations.	Syphilis.	Gonorrhœa.	Other Diseases
	-	-	-	-		_		-					
		Gov	ERNO	RAT	ES.								
Jairo	1	Na	tives						1,654	35,483	148	2,191	19
		Eu	rope	ans					327	9,795	18	252	2
Alexandria	1	Nat	tives	***					1,481 182	46,653 10,669	206 27	315 121	380
Port Said		Eu	ropes	ns					88	2,893	2	53	3
Ismailia	}		tives						126 13	3,582 226	9 3	48 15	
Suez		Eu	ropes	ins		***			101	4,529	15	250	45
Damietta									2	85	1	1	
		Pi	ROVE	NCES.									
Beheira :-				-						1			
Damanh									194	4,544	44	65	
Shubrak						•••			8	284	1	_	_
Gharbiya : Tanta									307	6,738	100	63	20
Disûq									26	525	4	5	-
Mahalla	el E	Cubr							64	1,977	1 6	3 5	
Kafr el		at	•••	***					48	1,048	0	9	
Minufiya : Shibin e		m							18	386	2	4	1
Minûf									10	425	1	-	-
Sharqiya:									****		00		
Zagazig Bilbeis				***		***	•••		180 25	2,009 928	38 6	114 22	17
Faqûs									13	355	13	12	1
Ibrahim									40	380	-	20	15
Daqahliya Mansûra									176	4,667	80	96	
Mit Gha	mr						***		47	1,615	19	1	
Simbillà	weir	1							40	628	5	8	-
Qalyûbîya	:								20	0.500	00	07	
Benha				***	•••	•••		•••	69	3,588	29	27	3
Giza :— Giza						orr			40	849	1	2	_
Imbâba									33	1,198	4	18	5
Faiyûm :-										2 017	0		
Faiyûm		***		***					61	2,017	8	17	4
Beni Suef . Beni Su	-F								71	2,268	25	63	5
Minya:-	U.S.			•••			•••	•••		2,200		00	
Minya									135	3,079	41	210	:
Beni Ma	zár								35	1,509	3	19	-
Asyút :- Mallawi								Mary I	23	1,312	2	1	
Asyût									156	1,862	45	182	1
Rôda									16	42	1	9	-
Manfalû Abu Tîg	t			***		***			30 55	730 48	2 7	37	
Girga :-		***	***	***				•••	00	10		0.	
Sohag									97	2,484	13	93	-
Tahta Akhmin									25 15	506 562	1	32	1
Girga	1	***							49	916	7	27	1
Balyana									62	966	10	16	
Qena :-										1 101		0.5	
Qena Luxor	•••		***					***	76 60	1,491 1,251	11 19	35 8	_
Qûs									5	160	_	25	_
Dishna									10	52	1	3	
Nage Ha Farshût	ımm	adı		***		***			43 23	1,119 543	_ 2	6 3	
Aswân :-		1		-	1	-							
Aswân									10	508	3	17	
					1111	5015							
					1	Гота	L		6,369	169,484	985	4,522	84

TABLE XI.—NUMBER OF PROSTITUTES TREATED IN GOVERNMENT HOSPITALS DURING 1921.

												Number		DISEASES.	
				Но	SPIT	ALS.						of Prostitutes.	Syphilis,	Gonorrhæa.	Other Diseases,
		(1	Hôd	el M	arsû	l for	r Nat	tives				3,581	913	2,418	250
Cairo .								opean				332	21	284	27
		( T	ock	Hos	pital	for	Nati	ves				914	241	306	367
Alexand	iria.	/ Î	ock	Hos	nital	for	Enro	pean			660	484	84	146	254
Suez				ALUS	Prior	101	But	Proun			***	314	15	250	49
Port Sa		***	****					***				195	33	117	45
Damiet				***	****			***	***		***	3	1	i	1
Fanta					***	***	***	***	***			196	81	101	14
Damanl		***	***		***	***	***		***	***		117	44	65	8
Mansûr		***	***	****	***		***	***	***	***		176	80	96	_ 0
		***		***	***	***	***	***		***		169	38	114	17
Lagazig	1 17	***	***	***			***		***			109	2	4	
Shibin e Benha	M IS	om	***	***	***	***	***	***	***	****	***	59	29	27	1 3 2
Beni Su		***	***	***	***	***	***	***		***	***		25	63	9
		***	***	***	***				***	***	***	90	8		
aiyum	***	***	***	***	***			***	***	***		29		17	4
Minya	***			***			***			***		256	41	210	5
Asyút									***	***		228	45	182	1
Sohag	***	***			***		***	***		***		218	34	184	
lena .		***						***				166	27	132	7
sna												76	4	71	1
Aswân												22	3	17	2
							Т	OTAL				7,632	1,769	4,805	1,058

## 9.—MEDICO-LEGAL EXAMINATIONS AND REPORTS.

TABLE XII.—STATISTICS.

LOCALITY.	SLI	GRT.	SER	ious.	FAT	ral.	То	TAL.
TANADITI.	Accident.	Criminal.	Accident.	Criminal.	Accident.	Criminal.	Accident.	Criminal
Governorates.								
Cairo	1,219 192 38	8,382 2,897 873 343 385	138 327 31 2	167 217 15 5 15	166 317 55 19 25	198 4 - 6	1,368 1,863 278 59 35	8,609 3,312 892 348 406
Provinces.								1
Lower Egypt:—	1000			- Ton		200		F Intel
Beheira            Gharbîya            Minûfîya            Daqahlîya            Sharqîya            Qalyûbîya	758 261 285 338	2,583 3,906 3,828 2,718 2,347 1,240	129 309 220 155 201 114	303 339 228 103 186 104	304 460 286 277 319 153	137 230 87 66 87 62	724 1,527 767 717 858 436	3,023 4,475 4,143 2,887 2,620 1,406
Upper Egypt :-			10.1	1 -				
Gîza Faiyûm Beni Suef Minya Asyût Girga Qena Aswân	. 146 277 104 405 185 151	1,836 1,478 2,055 2,023 3,900 2,735 1,560 531	121 71 73 148 442 136 133 57	200 128 196 318 1,108 298 251 91	208 84 75 195 334 324 237 102	126 63 86 132 243 100 75 6	514 301 425 447 1,181 645 521 254	2,162 1,669 2,337 2,473 5,251 3,133 1,886 628
TOTAL	6,173	45,620	2,807	4,272	3,940	1,768	12,920	51,660

#### II -- REPORT ON THE WORK OF SECTION II.

#### 1.—HOSPITALS.

New Works.—It is to be regretted that owing to lack of funds, much of the building programme, already so far behind, has had again to be postponed. The proposed new pavilion for Alexandria, the foundations of which were laid some years ago, still awaits completion. Work on the new hospital at Damietta has also been interrupted though the foundations have already been completed. Many other pressing requirements have similarly had to be postponed.

At Qena, L.E. 500 was raised by private subscription to supply the hospital with the electric plant necessary for lighting and for X-ray work. A further amount, however, is required to cover the cost, and until it has been possible to provide the additional

sum required, it will be necessary to postpone the installation.

The following new buildings and extensions have been completed:—
(1) An infectious block of two pavilions (fifty beds) at Suez Hospital.

(2) A house for nursing sisters at the Port Said Infectious Hospital.(3) The extension of the nursing sisters' residence at Abbassia Fever Hospital.

- (4) New quarters for eight assistant nurses and three hakimas at Abbassia Fever Hospital.
  - (5) Quarters for three nursing sisters at Zagazig Hospital.

(6) An out-patient section at Damanhûr Hospital.

(7) Remodelling of the drainage system of Asyût Hospital.

General.—The number of in-patients treated in the Government hospitals during the year is less than in 1920. The number of out-patients receiving treatment is, however, greater, and a larger number of operations were performed as compared with the previous year. The following shows the comparative figures for 1920 and 1921:—

	1920	1921	Increase or Decrease.
Number of in-patients	62,493	57,901	- 4,592
Number of out-patients	274,557	285,983	+11,426
Number of operations	12,797	17,370	+ 4,573

X-rays.—Alexandria, Suez, Port Said, Zagazig, Tanta, Damahûr, Benha, Mansûra, Qaliyûb, Qas el 'Aini, Beni Suef, and Asyût Hospitals are now equipped with X-ray apparatus. Difficulties of upkeep during the war resulted in some deterioration in the older installations and on the report of the expert of the Physical Department, Ministry of Public Works, it has been necessary to stop the further use of some of the apparatus pending repairs and the provision of the necessary new material to replace worn parts. It is hoped, however, that in the near future the X-ray installations of all the hospitals will again be in satisfactory working order.

Treatment of Prostitutes in Government Hospitals.—The present system of admitting prostitutes suffering from venereal disease to general hospitals for treatment is not altogether satisfactory. In most of the hospitals these are treated in special sections, but in some they are accommodated in special wards in the general hospital and sometimes, owing to want of space, it is necessary to treat them in the wards provided for other women patients.

These women are lawless, undisciplined, and most difficult to manage, and when the hospitals are near the streets, their presence as inmates leads occasionally to a congregation of their friends outside who call to them over the walls and often attempt to pass in wines, spirits, unsuitable food, and money. Such a state of things is objectionable to the other patients and tends to relax the general discipline of the hospitals. It would be better if suitable accommodation for these women were provided in special hospitals and the space now occupied by them in the general hospitals used for more legitimate hospital cases.

Qasr el Aini and Alexandria Hospitals.—The detailed work of these two large Government hospitals will be found in the special reports which are appended.

Ankylostoma and Bilharzia.—In the month of July 1921 an Anthelmintic Annex in connection with the General Hospital was opened at Tanta.

Similar annexes have already been attached to the General Hospitals of Mansûra, Benha, and Qalyûb, and a special out-patients section for the treatment of patients suffering from these diseases exists at Qasr el Aini Hospital.

Besides such special treatment centres, ankylostoma and bilharzia patients are treated in all the general hospitals.

The number of patients treated in each annex and in each general hospital is shown in Tables XIII and XIV.

Owing to the prevalence of these diseases in Egypt, it is most desirable, should the necessary funds be forthcoming, that anthelmintic annexes should be added to all general hospitals.

The Provincial Council of Minufiya have established a travelling anthelmintic hospital at Shibîn el Kôm, and it is hoped that other Provincial Councils will follow their example.

While there is no doubt that these treatment contres are doing a considerable amount of good, still the results are not as satisfactory as one would wish, mainly due to the irregular attendance of patients, a considerable percentage failing to return for a full course of treatment.

Appended to the report of this Section will be found in Tables XV to XXII complete statistical details of the work carried out in the Government hospitals generally. Special statistical tables for Qasr el Aini and Alexandria will be found accompanying the previously mentioned special reports of these hospitals which have been appended to this Section.

Table XIII.—Number of Patients examined and treated at the Ankylostoma and Bilharzia Annexes from January 1 to December 31, 1921.

			ANK	YLOSTON	IA PATI	ENTS				BiL	HARZIA	PATIE	STS.		
Hospital		Ex	amind :	for Ova		Treat	ment	E	xaminat	ion fo	r living	Ova.		Treatm Numb	ber
HOSPITAL	8.	New C	lases.	Old (	Cases.	giv	en.	New C	ases.	-	of 4 eks.	Afte		of Patie	
		Pos.	Neg.	Pos.	Neg.	New.	Old.	Pos.	Neg.	Pos.	Neg.	Pos.	Neg.	treated.	Number of
Mansûra		1,647	398	5,329	838	1,995	5,995	3,866	213	336	847	16	73	26,622	6.8
Tanta*		1,360	413	41	103	1,695	1,443	5,000	204	217	286	22	28	32,929	6.6
Benha		4,808	1,217	468	702	6,085	6,307	5,008	852	167	358	30	27	31,039	6.2
Qalyûb		3,128	165	3,843	233	3,297	4,077	2,726	89	74	63	11	-	16,800	6.2
TOTAL		10,943	2,193	9,681	1,876	13,062	17,922	16,600	1,358	794	1,554	79	128	107,390	_

<sup>\*</sup> Tanta Hospital worked from July 1, 1921.

TABLE XIV.—ANKYLOSTOMA AND BILHARZIA CASES TREATED IN GENERAL HOSPITALS DURING 1921.

	ANKYLOST	OMA CASES.	BILHARZ	IA CASES.
Hospitals.	Number o	f Patients.	Number o	f Patients.
	In-Patients.	Out-Patients.	In-Patients.	Out-Patients
Qasr el 'Aini	_	568	_	4,188
Alexandria	36	_	182	388
Suez	31	-	136	93
Port Said	25		80	_
Damietta	68	12	257	204
Damanhûr	37	2	102	3
Mansûra	33	_	175	-
Canta	-	_	70	303
Lagazig	33	50	153	133
Shibîn el Kom	45	1,013	- 70	426
Benha	295		388	
Qalyûb	5		5	-
Beni Suef	12	71	101	701
aiyûm	87	_	319	731
Minya	26	-	36	65
Asyût	120	-	328	215
Sohâg	68	_	22	_
Qena	807	_	105	_
sna	30	-	28	_
Aswân	17	_	32	59
TOTAL	1,765	1,816	2,381	7,509

TABLE XV.—COMPARATIVE GENERAL STATISTICS.

	1920	1921	Increase or Decrease
Number of hospitals	24	24	_
" beds	4,091	4,021	- 70
in notionts treated	62,493	60,312	- 2,181
Of which voluntary patients	34,074	31,522	- 3,552
Death-rate for in-patients per cent	6.433	5.706	- 0.727
Number of days of treatment	936,239	884,360	- 51,879
" new out-patients	274,557	285,983	+ 11,426
" out-patients' visits	578,789	679,119	+ 90,330
Major operations	12,797	17,370	+ 4,573
Cost of upkeep L.E.	230,612.232	235,340.520	+ 4,728.288
Receipts ,,	15,938.012	13,580.661	- 2,357.351

TABLE XVI.—COMPARATIVE DETAILED STATISTICS.

YEAR.	Number of Beds.	Number of In-Patients.	Number of Days of Treatment.	Number of New Out-Patients.	Number of Out-Patients' Visits.	Total C of Mainter			er Bed	Cost per Patient per Day
						L.E.	м.	L.E.	м.	М.
1908	2,263	31,802	556,543	_	_	_		_		_
1909	2,491	34,221	598,539	144,509	353,409	_		-		_
1910	2,385	35,065	579,796	152,733	312,152	-		-		
1911	2,385	37,018	621,350	173,401	385,062	_		-		-
1912	2,346	38,887	614,921	192,227	424,707	77,992	867	33	245	127
1913	2,409	42,794	627,813	207,882	417,845	83,698	539	34	744	133
1914	2,485	44,914	681,680	179,338	346,673	92,189	050	37	098	135
1915	3,320	50,483	858,878	152,329	340,774	114,843	117	34	591	134
1916	3,825	55,489	946,557	178,788	392,961	123,379	860	32	256	130
1917	3,872	56,289	871,228	209,909	471,742	114,591	683	29	595	131
1918	4,543	75,002	1,117,791	215,417	436,035	166,218	433	36	588	149
1919	4,592	64,704	1,021,498	219,573	402,996	183,141	974	39	883	179
1920	4,091	62,493	936,239	274,557	578,789	230,612	232	56	370	246
1921	4,021	57,901	884,360	285,983	679,119	235,340	520	58	527	266

Table XVII,—Hospital Receipts during 1921.

	Total	Total. Receipts	L.E. M. L.E. M.		881 648 1 749 661		215 915	1	830 790	825 2.882	880 472	385 493	990 412	110 285	150 272		665 366	075 431	865 211	290 432	510 471	800 249				46 620 52 630		678 698 13 580 661
ES.		Milliemes.	L.E. M.	1	98 988	-	0 165	1	1	0 000	1	0 045	0 400	0 420	0 010	15 240	0 082	0 945	0 005	1	3 210	1 520	1	0 200	1	089 6	1	54 918 8 678
OUT-PATIENTS FEES	10	Milliemes.	L.E. M.		409 140	1	80 330	1		90 260						51 110			1 420		-	142 060	1	1 300	1	1 740	1	997 150
OUT-	90	Milliemes.	L.E. M.		367 700	926 480	0 720	1	1					31 020	61 320	61 860	111 640	38 460	20 420	207 960	1	5 220	1	29 600	1	35 200	1	81 660 9 314 900 1 997 150
	10	Milliemes.	L. E. M.	-	80 820	1	1	1	1	1	1	I	1	1	0 840	1	1	1	1	1	1	1	1	1	1	1	1	81 660
		Total	L.E. M.	1 063 800			834 380	1	707 630	2,585 328				211 460		170 278							-			010 9	1	895 185 076 9 909 033
		Other Rates.	L.E. M.	1	67 708	10 005	1	1	1	1	1	20 200	6 180	1	1	7 218	1 075	1	1	58 485	1	5 530	1	1	7 500	1 180	1	185 076 9
		10 Milliemes.	L. E. M.	1	26 500	13 370	0 390	1	20 150	6 210	9 780	7 251	6 450	7 180	1 810	1 960	4 690	3 170	2 310	5 928	0 610	0 080	1	0 910	1	0 080	1	118 895
	Third Class.	20 Milliemes.	L.E. M.	1	72 320	50	13 180	1	24	53	00	6 420	10 920	11	+	50	00	-	G1	12	0 160	1 720	1	4 500		0 160	1	910 980 119 118
FEES.	T	30 Milliemes.	L.E. M.	1	5 250		1	1	4 320		0 030	-	-		0			1 050		2 670	1	-	1	1		0 030	1	16
IN-PATIENTS		40 Millienses.	L.E. M.	1	689 240	152 931	47 760	1	291 400	199 720	124 680	236 800	186 600	84 120	170 840	83 900	206 310	257 320	127 440	93 340	353 72(	83 050	1	85 520	I	4 560	1	3,479 351
D	Consults!	Class.*	LE. M.	1	1	1	83 950	1	38 250	1,295 385	1	1	1	1	1	1	1	1	1	1	1	1	I	1	1	1	1	.417 585
	Class.	200 * Milliemes.	L.E. M.	* 738 200	-	228 600	1	1	298 400	1	1	100 400	108 400	97 800	1	84 000					71 200	10 800	63 000	42 400	58 400	1	1	1.278 770 1.110 700 2.015 400 1.417 585 3.479 351
	Second Class.	300 Milliemes.	L.E. M.	1	1	1	297 900	1	1	632 200	180 600	1	1	1	1	1	Ī	1	1	1	1	1	1	1	1	1	1	1.110 700
	First Class.	400 Milliemes.	L.E. M.	* 395 600	1	1	391 200	1	30 570	422 800	12 400	3 600	7 200	10 400	ı	22 000	1	1	1	1	1	1	1	17 800	35 200	1	1	1.278 770
	Hospitals.			Abhásiva		Alexandria	Suez	-	Asyût	Port Said	Mansûra	Zagazig	Tanta	Minya	Damanhûr	Beni Suef	Benha	Shibîn el Kôm	Sohâg	Paiyûm	Qena	Damietta	Qalyûb	Aswan	Port Said Infectious	Isna	Tanta Infectious	Torat.

\* These sums include full and half (children) rates.

TABLE XVIII.—PATTENTS AND COST, 1921.

Cost per Patient per Day.		M.	871	245	271	. 219	98	380	352	206	292	213	196	195	244	232	200	177	235	177	278	232	352	755	295	452			266
Cost per Bed per Annun.		×	350	447	588	966	523	829	309	245	645	763	373	227	292	975	634	091	437	486	418	532	826	344	685	579			527
		LE	28	92	88	40	19	31	36	22	83	89	22	51	77	11	67	81	7.4	35	85	65	91	63	80	19			28
		N.	841	968	677	701	832	835	213	620	386	217	067	635	994	112	944	989	429	072	256	739	188	724	236	207			520
	TOTAL.	L.E.	25,514	50,845	29,669	12,872	5,856	5,856	15,821	7,789	10,037	7,770	5,648	4,200	5,845	5,848	5,004	5,919	5,359	6,474	4,954	3,538	4,132	2,153	2,501	1,724			830 235,340
KREP.	9 mi	×	678	529	680	838	736	835	215	306	689	897	052	524	846	892	200	057	743	999	363	701	240	373	538	332		1	830
COST OF UPREEP	Salaries of Staff.	L.E.	13,914	13,692	10,215	5,246	1,036	2,919	5,429	2,265	3,499	2,601	2,716	1,620	2,820	2,297	1,520	2,302	2,084	3,327	2,064	1,470	1,729	1,074	206	881			87,639
	, etc.	×	163	367	997	863	660	98	866	314	697	320	015	111	148	220	744	639	989	206	893	038	948	351	869	875			069
	Rations, Equipment, etc.	L.E.	11,600	37,153	19,453	7,625	4,820	2,937	10,391	5,524	6,537	5,168	2,932	2,580	3,025	3,550	3,484	3,617	3,274	3,146	2,889	2,068	2,405	1,079	1,593	842			147,700
Number	of Operations.		1	5,106	4,536	267	1	806	446	616	579	753	340	297	516	186	303	249	373	677	237	280	229	1	172	1			17,370
	Patients' Visits.		I	291,405	133,054	166'6	5,091	12,412	27,676	18,775	9,266	22,810	14,695	5,570	9,308	11,637	11,584	13,829	17,994	11,269	20,710	22,497	4.752	-1	4.764	.			611,629
Number	of New Out-patients.		1	106,622	39,354	7,178	210	9,487	14,043	7,436	8,405	8,365	5,948	4,945	6,830	6,364	7,948	5,961	8,028	7,092	10,01	12,916	5.934	. 1	3.866	. 1			285,983
Number	of Days of Treatment.		29,289			24,802			44,918		-	- 41		21,487			- 4			-		15,283				3.810	rs.		884,360
Number	of In-patients.		1,983	12,174	8,260	2,483	3,581	2,967	2,821	1,891	2,065	2,044	1,664	1,641	1,359	1,317	1,907	1,649	1,255	2,505	1,126	1,247	727	284	590	361			57,901
Number	of Beds.		006	550	352	314	300	185	166	141	120	113	102	85	85	75	74	73	72	02	58	54	45	34	31	28			4,021
	-		:	:		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:					;
			:		:	**	::	:	:		:	:	:	:	:	:	:	:	:	:	:		:	:					:
	2		(0)	. :	***	:	::	:		:					:	:	:	:	:	:	:	;							:
Hospitals.		100000000000000000000000000000000000000	Fever, 'Abbâsiya (Cairo)	Qasr el 'Aini (Cairo)	Alexandria	Suez	-		_				:	m			Kôm							Infectious	Isna	Infections			TOTAL

											IABL	E AIA	
Sections.				Fever (Abbiniya,	Quer el CAini	Alexandria.	Suex.	Hod el Marsôd.	Asyūt.	Port Said.	Mansúra.	Zagazig.	
Medical:—													ı
Alimentary :-					10				0.5				ı
Diseases of stomach . Tuber, peritonitis				_	48	74 19	12 3	=	25	10	9	6 2	ı
Dysentery				-	106	166	93	-	27	50	6	16	ı
Diarrhoea and enteritie				-	52 34	107	36	=	29	132	30	30	ı
Liver					99	24 86	14		5	15 38	28	6	ı
Respiratory ;—				- 0.0	70		0=		100			20	ı
Pneumonia Phthisis	 			26	73 229	72 159	25 19	=	19	30 79	6	20	ı
Pleurisy				-	28	35	15	-	3	15	1	4	ı
Other diseases Circulatory :—	 ***			-	246	253	34	-	2	122	33	135	ı
Heart	 			_	243	85	28	-	2	37	-	10	ı
Other diseases	 			-	13	45	3	-	-	2	4	-	ı
Urinary :- Nephritis	 			20	103	60	42	-	26	33	13	5	ı
Other diseases				-	68	139	6	-	2	23	25	57	ı
Blood:— Spleen					175	62	4	-	2	5	_	17	ı
Other diseases	 			-	82	47	3	-	-	46	_	5	
Nervous :— Brain					187	9	4		-	21	1 2 3	1	
Spinal cord	 			_	68	5	-	_	-		_	1	
Other diseases	 				42	95	3	-	-	33	8	10	
Constitutional :— Rheumatism	 			_	40	118	45	-	24	46	17	18	
Diabetes	 			-	28	31	1	-	10	8	2	_	
Senility Debility	 			_	96	61	31	_	6	31 57	7 15	19	
Parasitie :	 						1		0	31	10		
Malaria	 			67	27	99	202	-	100	17	2	23 42	ı
Ankylostomiasis Filaria					166	35	- 11	_	126	43	39	- 42	П
Pellagra				-	119	1	11	-	13	11	47	22	ı
Poisoning:— Alcohol	 			-	148	125	7	_	3	12		13	ı
Other poisons				-	151	36	3	-	4	22	7	17	ı
Lunatics Other medical diseases				1,935	642	167	17 647	_	12 231	48 311	371	18	
Surgical:—	 			1,000	012	1	01.		201	311	311	101	ı
Fractures:						217	44		73	70	95	62	
Simple Compound	 			_	830	80	13	_	60	78	35	30	ı
Tumours:-					7 - 6								ı
Malignant Non-malignant					200	39 36	5 2	=	26	20	1 4	10	
Traumatic injuries				_	-	785	43	-	588	182	244	339	
Burns Bilharziasis		•••		=	206 52	157 193	52 28	_	254	45 93	15	30 163	
Fistula in ano				_	28	120	10	_	35	40	33	49	
Liver abscess				-	314	16	47	-	194	14	1	-00	
Hernia					125	288 256	18	_	124 63	102 62	47 37	68 36	-
Appendicitis		***		-	26	- 27	10	-	-	12	1	1	
Vesical calculus Other surgical diseases					2,798	1,114	378	_	12 524	12 384	21 349	27 289	
Ophthalmic				_	1,381	459	59		_	68	11	6	
Skin Diseases Venereal:—	 ***				318	407	39	253	29	64	18	82	1
Syphilis	 				344	231	75	934	249	139	190	127	
Gonorrhœa	 			-	62	78	297	2,575	264	195	116	133	
Soft Sores					366	54 54	-6	_	15	20	18	13	
Gynæcological diseases				-	305	194	28	_	31	61	8	44	
Foundlings Relatives accompanying patients	 			-	*1,261	32 215	64	=	23	- 54	13	-7	
Fevers				-	-	877	-	_	-	-	-	-	
Nothing	 			-	-	186	-	-	-	-	-	-	
	Гот			9,000	19 717	9 = 10	9.500	2 700	2.000	900	1.000	0.110	1
	Готаі		***	2,028	12,717	8,548	2,560	3,762	3,092	2,941	1,899	2,140	
	 	-		-	-			-		-		-	-

<sup>\*</sup> Antirabic.

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$																
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Tanta.	Minya.	Damanhûr.	Beni Suef.	Benha	Shibin el Kôm	Faiyûm.	Qena	Damietta.	Sohåg.	Qulyûb.	Aswân.	Port Said Infectious.	Isna.	Tanta Infectious.	TOTAL.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	11 2 8 29 5 4	10	49 49	7 2 5 10 6 6	=	14 25	1 20 5	53 11	8	15	16	2 29 8		-	= =	91 738 615 168
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 2 1	4 5	4	3	4	4	8 7 1	2 10	6 5	1 4 2 29	4 6	4 26 12	1	9	=	359 592
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	13	2 6	6	2 4	=	1 2	30 13	1 8	14	_8				5 3		508
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	29 11	17 10	16 3	15 12		13 15	5 8	7 19	17	11 7	21 —	2 8	=	5	=	451 413
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	11 1		22	3 5	1000	9 12	10 18		23	1 64	5 26	3 3				329
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 8 8	-	_	- 1 9	-	Ξ	= 9	-	=_7	_ _ 9	3 2 1	-	_	-	_	230
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	-	4	1	=	-	-	4 1 3 17	15	7 1 2 19	9 7	=	13 3 3 12	-	5 2 1 6		117 135
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1	1	6	5	2	18	20 929	74	4	17	14	-	_	2	597
24         22         23         16         7         4         9         15         —         16         —         7         — </td <th></th> <td></td> <td>33</td> <td>1</td> <td>-6</td> <td>1 220</td> <td>12</td> <td>4</td> <td>30</td> <td>7</td> <td>-6</td> <td>10</td> <td>100000000000000000000000000000000000000</td> <td></td> <td></td> <td></td>			33	1	-6	1 220	12	4	30	7	-6	10	100000000000000000000000000000000000000			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	15 9 24 68	10 8 22 154	23	8 12 16 85	4 7 262	4	1 4 9 123	7 15 65		9 16 64	_ _ _ 17	8 2 7 46	=	=	=	361 327 561 6,559
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	74 62	74 43	35 36	8 15	24 14	68 18	22 35	51 45	9 13	68 34	7 18	56 18		_1		1,006 1,394
161     120     102     102     39     54     68     165     57     126     90     72     —     32     —     3,477       114     243     73     73     37     11     42     164     11     205     1     55     —     76     —     4,725       17     15     6     4     3     20     2     3     5     3     8     1     —     —     —     —     579       24     5     22     2     5     26     —     1     15     20     38     10     —     1     —     840       27     22     25     50     11     29     11     20     19     20     5     10     —     —     —     1,886       —     —     —     —     —     —     —     —     —     —     —     —       2,126     1,747     1,695     1,429     1,391     1,876     1 320     2,593     1,170     1,713     1,281     1,153     290     608     366     60,445	5 480 33 70 30 2 73 44 2 20 482	4 336 31 53 16 2 53 23 - 22 250	1 307 15 146 22 1 30 30 - 30 271	6 225 14 133 33 - 115 21 - 25 290	1 393 25 96 12 — 20 27 — 267 —	1 520 26 83 30 1 52 26 2 24 431	1 135 14 181 17 - 55 12 2 24 204	18 213 13 133 10 2 48 26 — 17 222	1 72 7 242 18 — 26 13 — 13 236	5 324 12 22 18 - 44 9 2 7 275	10 159 3 5 20 66 24 9 18 489	30 171 10 57 16 — 26 17 — 5 212		39 1 28 - 12 - 1		362 5,555 749 2,219 557 50 1,610 869 94 383
114     243     73     73     37     11     42     164     11     205     1     55     —     76     —     4,725       17     15     6     4     3     20     2     3     5     3     8     1     —     —     —     —     579       24     5     22     2     5     26     —     1     15     20     38     10     —     1     —     840       27     22     25     50     11     29     11     20     19     20     5     10     —     —     —     —     1,886       —     —     —     —     —     —     —     —     —     —     —       2,126     1,747     1,695     1,429     1,391     1,876     1 320     2,593     1,170     1,713     1,281     1,153     290     608     366     60,445	43	19	15	21	31	45	27	49	14	16	8	16	-	1	-	
24     5     22     2     5     26     —     1     15     20     38     10     —     1     —     1     —     840       27     22     25     50     11     29     11     20     19     20     5     10     —     —     —     —     1,886       —	114	243	73	73	37	11	42	164	11	205	_1	55	=	76	=	4,725
2,126     1,747     1,695     1,429     1,391     1,876     1 320     2,593     1,170     1,713     1,281     1,153     290     608     366     60,445	24	5	22	_2	5	26	_	_1	15	20	38	10	=	_1	=	840
	1000		-	-		-	=			-	-		-	-	-	1,886
	2,126	1,747	1,695		1,391	1,876	1 320	2,593	1,170	1,713	1,281	1,153	290	608	366	60,445

Table XX.—Admissions and Discharges, 1921.

Hospitals.	ADM	ITTED.	TOTAL	1	Discharged		Remaining	
HOSPITALS.	Existing	Admitted.	10121	Cured.	Died.	Improved.	remaining	
Fever, 'Abbâsîya (Cairo)	45	1,983	2,028	1,732	159	65	72	
Qasr el 'Aini (Cairo)	602	12,174	12,776	5,415	1.130	4.486	529	
Alexandria	288	8,260	8,548	3,751	694	3,806	297	
Suez	77	2,483	2,560	1,937	141	384	98	
Hôd el Marsûd	181	3,581	3,762	18		3,744	90	
Asyût	125	2,967	3,092	2,320	111	523	138	
Port Said	120	2,821	2,941	1,567	132	1,073	105	
Mansûra	108	1,891	1,999	1,012	123	777	87	
Zagazig	75	2,065	2,140	1,306	94	627	84	
Fanta	82	2,044	2,126	1,852	107	68	99	
Minya	83	1,664	1,747	1,218	91	386	52	
Damanhûr	54	1,641	1,695	1,179	94	349	73	
Beni Suef	64	1,359	1,423	869	86	407	61	
Benha	74	1,317	1,391	861	51	421	58	
Shibîn el Kôm	69	1,907	1,976	1,552	78	265	81	
Faiyûm	65	1,255	1,320	676	63	524	57	
Qena	88	2,505	2,593	2,257	40	164	81	
Damietta	44	1,126	1,170	749	36	342	43	
Sohâg	65	1,649	1,714	1,278	93	297	45	
Qalyûb	34	1,247	1,281	260	41	944	36	
Aswân	39	727	766	466	16	223	26	
Port Said Infectious	6	284	290	259	25	-	6	
Isna	18	590	608	392	10	195	11	
Tanta Infectious	5	361	366	339	27	-	4	
TOTAL	2,411	57,901	60,312	33,265	3,442	20,070	2,233	

Table XXI.—In-patients (Voluntary, Police, and Military Cases), 1921.

Hospitals.	Voluntary Cases.	Police Cases.	Military Cases.	Total Number of Cases.	Total Number of Days of Treatment.
Fever, 'Abbâsîya (Cairo)	. 1,676	228	79	1,983	29,289
A I tale! (Chies)	7,127	5,021	26	12,174	207,631
Managadaia	. 3,803	4,457	-	8,260	109,236
Suez	. 2,143	337	3	2,483	24,802
Hôd el Marsûd		3,581	-	3,581	67,904
Asyût :	. 1,598	1,369	-	2,967	15,411
Dont Cold	2.013	735	73	2,821	44.918
Mansûra	964	927	_	1,891	37,687
Zagazig	887	1,144	34	2,065	33,960
Tanta	833	1,211	_	2,044	36,485
Minya	627	1,037		1,664	28,780
Domanhûn	1,253	388	-	1,641	21,487
Beni Suef	792	562	5	1,359	23,895
Benha	462	853	2	1,317	25,187
Shibîn el Kôm	697	1,210		1,907	25,044
Faiyûm	680	550	25	1,255	22,838
Qena	1,793	707	5	2,505	36,451
Damietta	949	177	-	1,126	17,792
Sohâg	780	862	7	1,649	33,435
Qalyûb	981	266	_	1,247	15,283
Aswân	400	298	29	727	11,707
Port Said Infectious	271	10	3	284	2,850
Isna	449	141		590	8,468
Tanta Infectious	344	17	-	361	3,810
TOTAL	31,522	26,088	291	57,901	864,750

TABLE XXII.—OUT-PATIENTS' DIVISION, 1921.

HOSPITALS.	Number of Patients.	Number of Attendances.	HOSPITALS.	Number of Patients,	Number of Attendances
	To the Land		Brought forward	211,993	550,775
Fever, 'Abbâsiya Qasr el 'Aini Alexandria Suez Hôd el Marsûd Asyût Port Said Mansûra Zagazig Tanta Minya Damanhûr	106,622 39,354 7,178 210 9,487 14,043 7,436 8,405 8,365 5,948 4,945	291,405 133,054 9,991 5,091 12,412 27,676 18,775 9,266 22,840 14,695 5,570	Beni Suef	6,830 6,364 7,948 8,028 7,092 10,051 5,961 12,916 5,934 	9,308 11,637 11,584 17,994 11,269 20,710 13,829 22,497 4,752 4,764
Carried forward	211,993	550,775	Total	285,983	679,119

### REPORT ON THE WORK OF QASR EL 'AINI HOSPITAL.

The number of in-patients admitted during the year was 12,174. The following table shows the continuous increase in the number of in-patients admitted in the Hospital during the last five years:—

Y	EAR.		Number of In-patient							
1917	***	 	9,615							
1918		 	10,708							
1919		 	11,531							
1920		 	11,784							
1921		 	12,174							

In 1906 the number of in-patients was 6,691; in 1921 it was 12,174. The number of in-patients has therefore nearly been doubled during a period of sixteen years.

The death-rate of in-patients was 9.13 per cent, as against 9.35 per cent in 1920—almost the same figure.

5,039 operations were performed, as against 3,736 in 1920.

106,622 persons attended the Out-patients Departments, the number of attendances being 291,405. In 1920 the out-patients numbered 119,499, the attendances being 282,970. In 1911, 52,199 patients attended the Out-patients Department.

The Bilharziasis and Ankylostomiasis Section.—4,188 patients attended the Section. Of these 3,620 were cases of bilharziasis, and 568 cases of ankylostomiasis. In 1920, 1,768 patients attended the Section. Of these 1,634 were cases of bilharziasis and 134 cases of ankylostomiasis. It is impossible to exaggerate the benefit which patients suffering from bilharziasis get from the discovery of the specific treatment of this disease by tartar emetic. The wide recognition and appreciation of the value of this treatment is shown by the fact that the number of cases of bilharziasis who attended the Section in 1921 was more than double that in 1920.

Endemic Splenomegaly and Cirrhosis.—The aetiology of this disease which is common in Egypt remains quite obscure. 186 patients suffering from it were admitted during the year. Splenectomy, in suitable cases, still holds the only prospect of arresting the progress of the disease. Eighteen splenectomies for this disease were performed during the last year. Of these four cases died while in hospital.

Pellagra.—As the result of the work done during the last few years by various workers, amongst whom was Professor Wilson of our School of Medicine,\* it has become very probable that the cause of this disease is a dietetic deficiency, the latter being in these proteins of "high biological value." Pellagra is accordingly put down under the heading of deficiency diseases.

Lethargic Encephalitis.—This disease, first recognized in 1917, has made its appearance in Egypt. The first cases admitted in the hospital were only in 1921, three in all, of whom two died. One of the latter showed the characteristic histological appearances described by Marinesco, the authority on the pathology of the disease.

Diabetes Mellitus.—Allen's treatment of Diabetes Mellitus by starvation and graduated feeding, now extensively used as a routine treatment of this disease, has been tried in the hospital. Its success depends a great deal upon the faithful co-operation of the patient, and where that is forthcoming, the result is as a rule very satisfactory. It is undoubtedly a definite improvement in the treatment of this as yet incurable disease.

Blood Transfusion.—This has been performed twenty-one times: three times for acute primary hæmorrhage in accident and after operations, seven times for secondary hæmorrhage after accident or post-operative, and eleven times for secondary anæmias following ankylostomiasis and bilharziasis especially. It has been notably successful in raising the hæmoglobin index in these grave anæmias and, particularly, in order to prepare such cases for subsequent operation, e.g. splenectomy. The method used was the transference of the blood of the donor to the recipient by means of a Kimpton's tube. Compatibility of the recipient's blood with that of the donor was tested in each case beforehand.

Bone Grafting has been performed eleven times, once for ununited fracture of radius and ulna, once each for ununited fracture of humerus and ulna, and eight times for ununited and spiral fracture of tibia. Autogenous grafts from tibia or crest of ilium have been used. Results were satisfactory in seven cases in producing union and stimulation of formation of a great quantity of callus. Four cases have been lost sight of.

Bone grafts in suitable cases promise to replace metal plates in bone surgery.

#### Qasr el 'Aini Hospital Anthelmintic Section.

During the year 1921 the work of the section has more than doubled. In all, 4,188 new patients were sent to the section as compared with 1,768 in 1920, the first of its existence. About ten per cent of the patients were females. The services of a *Temargia* are now available and greater privacy is secured.

Bilharzia Division.—3,620 patients.

Bladder disease accounted for over 95 per cent of these patients; only about four per cent suffered from pure Bilharzia Mansoni. Of the total number of patients received, over 20 per cent took no injection. A single negative result on examination of the dejecta is unreliable so long as blood or pus cells are found. Considerable variations in the appearance of the urine and number of ova present occur in most cases at different times. Also a urine showing much blood may contain but few ova, while a clear specimen may show some hundreds in a slight mucoid deposit. Of the first thousand cases treated by injections in 1921:—

289 (28.9 per cent) took less than five injections.
274 (27.4 ,, ) ,, between five and nine injections.
343 (34.3 ,, ) ,, between ten and fourteen injections.
94 (9.4 ,, ) ,, fifteen or more injections.

Thus over 40 per cent received ten or more injections, corresponding to a minimum of eighteen and a half grains of tartar emetic for an adult's course. This method of reckoning

<sup>\*</sup> Professor Wilson's work was published in the Journal of Hygiene of July 15, 1921.

by the number of injections or doses administered, rather than by the total amount of the drug given, is adopted since it is irrespective of the age and size of the patient. Otherwise a child of eight years who had received fifteen injections might appear in statistical returns to have had insufficient antimony.

The success of the treatment depends very largely on the regular attendance of the patients. An intensive course of daily injections has been found unsuitable for outpatients, but every effort should be made to give injections on alternate days, that is three times a week. The usual maximum dose is two grains, and this should not be exceeded unless the patient exhibits unusual tolerance. The regular course consists of twelve injections.

An analysis of the results shows that both the rapidity of effect and a permanent cure are less dependant on the total amount of antimony given than on a regular tri-weekly sequence of injections; which secures an adequate saturation of the system with the drug.

Example: Case 1162.

Weeks :	 1	2	3	4	5	6	7	8	9	10
Number of injections	 3	1	1	2	0	3	1	1	0	3

Total dose 281 grains.

At the finish three dead ova were found in the specimen taken.

Five weeks later three living and twenty-five dead ova were found.

Fifteen weeks later (i.e. twenty weeks from the end of treatment) 200 living ova were found in the specimen passed.

Experiments in vitro show that individual ova vary much in their sensitiveness to the drug and the parent worms probably differ in the same way. Doses at infrequent intervals may possibly render the parasites resistant. Hence in the interest of the patients it is necessary to insist on regular attendance. An excellent rule adopted at Qalyûb is to keep defaulters waiting until all the patients who have attended regularly have received their injection.

Exceptional cases are sometimes encountered in which the usual course of injections fails to kill all the ova, and more treatment is required. To discover such cases before the patient is dismissed, it is best to examine the urine as a matter of routine when the eleventh injection is given, instead of at the end of the usual course (twelfth injection).

Drugs used.—During the course of the year sodium antimony tartrate was substituted for the ordinary potassium compound (tartar emetic). It is hoped that statistics will soon be available by which the relative efficiency of the two compounds may be judged. On the evidence at hand there does not appear to be much difference. Emetine was used for some cases in children. When small doses are employed on account of intolerance or the youth of the patient the urine should be examined after a fortnight's treatment to make sure that the drug is having a definite effect.

One great disadvantage in the use of antimony is the very severe inflammation excited by the escape of even a minimal quantity of solution into the subcutaneous tissues around the vein. Should a definite swelling associated with burning pain appear in the arm immediately after an injection has been made, it is best to inject some two per cent novocaine solution into the swelling and incise carefully as soon as the anaesthetic has acted. A small leakage of the vein, due to puncture of both walls during an injection, may cause an acute inflammation to be evident next day. In such cases the swelling will usually subside with repeated poulticing and requires incision.

A great many experiments were carried out in the hope of finding a substitute for antimony. Of the metals, copper gave satisfactory results in vitro, but the great affinity of this metal for hæmoglobin robbed it of parasiticidal action in the presence of blood. Professor Gibson kindly prepared some organic and other compounds which showed less affinity for hæmoglobin, but, though used in fairly large doses on patients (after testing on animals), only a very moderate effect was produced on the ova.

The antiseptic fluid "Yadil" (trimethenal allylic carbide) had a distinct effect on the ova after one dose only, but this effect was off on succeeding days although the dose was pushed up to 10 c.cm. intravenously. Flavine dyes had little if any effect. For septic

infections of the urinary tract, which complicate so many cases of old-standing bilharziasis, various remedies were tried. Urotropine has a certain value when the urine is acid. For foul alkaline urine, the administration of acriflavine or proflavine had a decided beneficial effect (dose 0.05 to 0.10 t.d.s.) but the condition quickly relapsed on discontinuing the drug.

In addition to the bilharzia cases a few patients suffering from other diseases were sent to the section to receive a course of antimony injections. These included a case of

leprosy, one of Oriental sore (Leishmaniasis) and two cases of chyluria (Filariasis).

The treatment of diseases other than those due to worm infection was found inconvenient to carry out at the Section and involves some risk of infecting other patients: the practice was discontinued.

### Ankylostoma Division.

568 patients were sent to the Section during the past year with a provisional diagnosis of ankylostomiasis. The examination of the stools obtained (554 cases) gave the following result:—

Ankylostoma in	fection	on (F	ure	or n	nixed	1)	 	 	 330
Ascaris only							 	 	 8
Tape worm only	y						 	 	 2
Oxyuris only							 	 	 4
Heterophyes							 	 	 1
Chronic Dysent	ery:	-							
Bilharzial							 	 	 28
Amoebic							 	 	 15
Bacillary, e	tc.						 	 	 14
Negative cases	***						 	 	 152

It must be remembered that in Cairo marked cases of ankylostomiasis are uncommon. They usually come from some distance and so have to be admitted to the wards. But both at Qasr el Aini and at provincial sections it has been found that ankylostoma patienss are most unsatisfatory in their attendance; either the treatment does not appeal to them or they are overcome by the apathy begotten of their disease. Thus about 23 per cent of the patients whose stools had been examined failed to return for treatment. And of those who returned a large proportion were satisfied with only one treatment, as shown below:—

Took	one treatment	 	 	 138	patients.
"	two treatments				"
**	three or more	 	 	 36	,,

But whereas a single dose of antimony is valueless for the relief of bilharziasis, one treatment with an effective vermicide may do much to clear the intestinal tract of worms. Hence it is recommended that oil of chenopodium (or thymol) be administered to every patient suspected of ankylostomiasis at the first visit without waiting to examine the stool beforehand. The hæmoglobin value of the blood should be determined and a specimen of the stool obtained during treatment.

The results of the routine examination of stools above detailed show that a clinical diagnosis may often be mistaken. But the important class of chronic dysenteries may be recognized at once by naked eye examination of the stools, which are generally semi-liquid

and contain an excess of mucus, pus, and often traces of blood.

The examination of stools for ova should occupy little more time than the examination of urine for bilharzia ova. A temargi can be trained to apply the floatation method to non-dysenteric stools. He should be shown how to emulsify a portion of stool in saturated saline solution and to pour this through two layers of gauze bandage into a suitable receptacle, which is then filled up with saturated saline solution. A row of test tubes in a stand serves admirably. The Medical Officer on arrival simply has to transfer the top film to a slide by means of a wire loop, taking care to include the sides, where ova may congregate more than in the centre of the top layer. Similarly a temargi may be taught to count worms in the stools passed after treatment. At present we are experimenting with another anthelmintic, carvaerol, obtained from oil of origanum. This drug is an isomer of thymol, but is a liquid and hence better able to come into close contact with the worms. The results so far have been very encouraging and the drug does not appear more toxic to patients than is thymol. A dose of 1.5 c.c. is about the minimum effective dose, but we are now giving 3 and 3.5 c.c. without ill-effects to in-patients.

### Maternity Welfare Centre.

The following table shows the number of cases of labour admitted during the years 1918, 1919, 1920 and 1921:—

YEAR		Normal Labours.	Difficult Labours.	Caeserian Sections.	Eclampsia Cases.	Twins.	
1918		 40	23	4	3	2	
1919		 49	21	2	3	2	
1920		 63	45	3	4	2	
1921		 123	49	4	7	3	

The above figures show the greater relative increase of normal as compared to difficult labours. The number of the former in 1921 is nearly double that in 1920; a testimony of the appreciation and confidence of the hospital class of patients in the new Department.

### Child Welfare Clinic.

The child welfare clinic was first started in the hospital in November 1919, i.e. a little over two years ago. The principle of the work, here as elsewhere, is the education of the mother in all matters pertaining to the welfare of her child. Both collective and individual teaching are carried out, the former in classes given by a trained nurse, the latter by the doctor in attendance.

A somewhat novel feature of the work here is the issue of fresh milk daily for the babies who have passed their first year, with the object of helping in the process of weaning of the child.

Out-patient experience showed that a large number of the gastro-intestinal disturbances of the second period of infancy, and the marasmus consequent thereon, date, even by the mothers' own admission, to the time when the child was weaned. There is no wonder at that, when the process of weaning, as ordinarily practised, is remembered. The baby, who has been almost exclusively suckled on the breast for one and a half or two years or even more, is suddenly shifted on to whatever food is available, mostly unsuitable and indigestible articles. The nipples are smeared with myrrh or some other nasty preparation and the child is forced to take whatever is offered it in the way of food. It was no good advising the gradual weaning and the accustoming of the child to take animal milk in increasing amounts till it can be completely taken off the breast. The average earning of a working-class family in Cairo probably does not exceed P.T. 7 or 8 a day. Out of that sum it cannot be expected that the father will be able to provide the required amount of milk—say one and a half rotls a day at a cost of P.T. 21 to 3—a sum which would absorb 30 to 40 per cent of his total income. It was these considerations which first suggested the idea of distributing milk as before mentioned, and the results have fully justified the procedure.

The education attempted is both theoretical and practical, hygienic and domestic. Demonstrations in the proper methods of nursing babies and in the preparation, cutting and sewing of babies' clothes are given, the clothes made being afterwards distributed to the mothers gratis or against the payment of P.T. 1.

The cost of material distributed as clothes and the price of milk issued are all paid out of contributions kindly offered by many Egyptian ladies who have visited the clinic

and who have shown great interest in the work.

Registration at the clinic is strictly limited to the mothers who have been attending the Gynæcological out-patient of the hospital, and to those who were delivered in the lying-in wards. Owing to the marked shortage of institutions in Cairo and the suburbs, these mothers come from all over the town and even from as far as Gîza and Meâdi. It is therefore a practical impossibility to do any home visiting at present from the hospital as a centre. When, however, the new district midwifery scheme is in full working order, it will be feasible to limit the attendance at the welfare clinic to the mothers living within the district served by the midwives of the hospital, and it will be possible then to do home visiting.

The number of mothers registered at the end of the first year was thirty-four, at the end of the second year it was 134. Of these, 100, or 74 per cent, have been attending fairly regularly at least once a month, fifteen have been lost sight of, eleven are not attending

regularly, and eight babies are known to have died during the year.

These figures are too small to allow yet of any comparison of the death-rate at various age periods of those attending the welfare clinic with the corresponding average death-rate for Cairo.

TABLE XXIII.—ANALYSIS OF 12,188 IN-PATIENTS DISCHARGED AND DIED DURING THE YEAR 1921.

SECTION.	Total.	Males.	Females.	Cured.	Relieved.	Unrelieved.	Died.
Medical Surgical	3,500 4,465 187 1,381 661 733 1,261	2,831 3,564 124 864 — 570 917	669 901 63 517 661 163 344	904 1,496 115 924 525 199 1,252	1,573 2,026 36 359 71 421	572 327 26 95 43 111	451 616 10 3 22 2 9
Grand total	12,188	8,870	3,318	5,415	4,486	1,174	1,113
	Total.	Males.	Females.	Cured.	Relieved.	Unrelieved.	Died.
Medical 1	In-patie	ENTS.					
Specific Infectious Diseases :—	1	1				1	
Bacterial Diseases :					-		
Diphtheria Erysipelas Influenza Typhoid fever Lobar pneumonia Bronchopneumonia Tetanus.	2 6 40 8 42 31 9	4 27 8 29 24	7	1 5 32 1 19 7	- 6 - 10 10 10	_ 7	- - 1:
Tuberculosis:—							
Miliary tuberculosis	2 229 40 2	183 23	46 17	- - -	105 29 2	4	68
Protozoal Diseases :—					-		
Amœbic dysentery	114 27			35 17			
Metazoan Parasites:—  Trematodes:— Bilharzia of urinary tract Bilharzia of intestinal tract Bilharzia of urinary and intestinal tracts	82 80 15	76	4	7 7 2	52	15	
Cestodes :—							
Tænia	4	2	2	2	2	-	-
Ankylostomiasis	166				4 0000	1	_10
Infectious diseases of doubtful or unknown Ætiology:—							
Measles Varicella Typhus Mumps Rheumatic fever Unspecified	1 5 1 40	- - 33	1 7	- 1 2 - 20 21	20		-

	-	-			_	_							
							Total.	Males.	Females.	Cured.	Relieved.	Unrelieved.	Died.
								'	1		1		
			MED	ICAL	In-	PATI	ENTS (c	ontinue	d).				
Intoxications and Poisons							1	1		1		1	
Alcohol							148	141	7	147	_	_	1
Ammonia							1	1	-	1		-	-
Arsenic Carbolic acid				***			10	2 8	- 2	2 5	- 2	_	- 3
Corrosive sublimat		***					2	2	- 1	2		_	_ "
Cocaine  Manzûl						•••	13 18	12 18	1	13 17	-	-	-,
Datura						***	49	47	- 2	44		1	4
CO		***				***	5	5	-	5		-	-
Opium Petroleum	***	***			***	•••	6	5 2	1 3	2	- 1	- 1	2
Potassium perman	gan	ate					1	1	_ "	1	- 1	- 1	_ '
Ptomaine							26	16	10	25	-	-	1
Suspected poison		***	***	***		•••	13	12	1	7	4	-	2
Deficiency Diseases:—													
Pellagra				***		***	119	112	7	3	65	40	11
Diseases of Metabolism:-	-												
Diabetes mellitus Rickets							29 4	23 1	6 3	_	11 2	17 2	_ 1
Diseases of the Digestive	Sust	em :-	_										
Diseases of the teeth a Pyorrhœa alveolar	and						3	3	_	_	3	_	
Diseases of the tonsils													
Tonsilitis					300	200	23	11	12	19	4	_	_
Diseases of the pharyn			***	***	***	-							
Pharyngitis	IX						8	6	2	6	2		
		***	***		***	***	0	,	-	0	-		
Diseases of the stomac	:n :-	-					20	00	10	7.4	00	0	0
Gastritis Dilatation			•••				39	29	10	14	20	_ 3	_ 2
Ulcer							8	7	1	1	. 5	1	1
Diseases of the intesting	nes:	_											
Colitia							16	10	6		11	1	4
Diarrhœa							52	44	8	24	19	2	7
Appendicitis Constipation	***	***	***	•••		***	3 8	2 7	1	1 3	1 4	_ 1	- 1
Colie							32	30	2	27	5	-	1
Diseases of the Liver:	_												
Hepatitis							9	8	1	3	5	-	1
Perihepatitis							1	1	-	1	-	-	
Jaundice Gall-stones	***						17	15	2	5	9	_	3
Cholecystitis					•••		2	2		_ ^	1	1	
Cancer							4	3	1	-	-	1	3
Abdominal tumours			***	***	***	***	7	3	4	-		"	-
Diseases of the Respirator	ry S	yster	n:-	-0			-	1 1994	le se	100	1		1300
Bronchitis Bronchial asthma		***	***				233	220	13	62	141	11	19
Emphysema		***	***		***		5	4	1 2	- 1	5	_	1
Bronchiectasis		***				***	5	4	1	-	4	-	1
Pleurisy							26	19	7	5		3	1
Empyema Pneumothorax		***	***	***	***		2 2	_ 2	- 2		1	1	
Gangrene	****						2	2	-	-	-	-	2
Malignant disease					***		3	2	1	-	-	3	-

TABL	TABLE AATT (communes).												
			Total.	Males.	Females.	Cured.	Relieved.	Unrelieved.	Died.				
					Th.								
MEDICAL	L 1N-1	PATH	ENTS (C	ontinue	a).								
Diseases of the Urinary System:  Nephritis			103	80	- 23	5	68	10	20				
Uræmia			8	7	1	-	1	-	8				
Renal colic	***	***	60	58	2	30	29	-	1				
Anæmia			73	59	14	10	51	7	5				
Purpura	***		1 6	- 4	1 2	_ 1	- 2		_				
Lymphatic leukæm			1	1	- 1	-	ĩ	-	_				
Lymphadenoma		***	1	1	-	-	1	-	-				
Diseases of the Circulatory System:— Diseases of the Pericardium:—													
Pericarditis	***	***	4	4	-	-	2	-	2				
Diseases of the Myocardium :—  Myocarditis			2	9			1	1					
Auricular fibrill			4	2 3	1	_	4	- 1	_				
Extra-systoles			1	1	_	-	- 1	1	=				
Cardiac hypertrophy			1	î	-	-	1	-	_				
Cardiac failure			169	131	38	- 1	93	14	62				
Diseases of the Endocardium :—								199					
Mitral regurgitation			13	10		-	4	5	4				
Mitral stenosis regurgitation Mitral stenosis			45 15	28 10	17 5	_	38 14	3	4				
Aortic regurgitation			1	1	-		1						
Aortic stenosis and regurgitation Aortic and mitral and regurgitation	on		5	4	_ 1	_	4	_	1				
Diseases of the Blood Vessels:—													
Arteriosclerosis Phlebitis	• • • • • • • • • • • • • • • • • • • •		8	7 2	1	-,	3 2	2	3				
Raynaud's disease			1	1	- 1	_ 1	1	_	_				
Intermittent claudic			1	1	-	-	1	-	-				
Diseases of the Ductless Glands:— Diseases of the Spleen:—													
Primary splenomegaly (Banti's dis	sease)		175	137	38	-	125	29	21				
Diseases of the Thyroid :													
Cretinism			1		1	=	1	_	_				
Diseases of the Nervous System :-													
Diseases of the Brain :— Mental diseases			115	97	18	12		103					
General paralysis of the insane			5	- 5	- 10	- 12	1	4	_				
Hysteria Epilepsy			12 15	5 13	7 2	5	1 8	6	-				
Neurasthenia			3	3	-	1	2		-				
Hemiplegia			129	101	28	-	56 1	48	25				
Cerebral tumours			4	3	1	-	3	-	1				
Cerebellar tumour Paralysis agitans			1 2	- 2	_ 1	_	- 1	1	_				
Chorea			4	3		3	1	-	-				
Tetany			3	_ 2	1	3		=	_ 1				
Aphasia			1 1	1	-,	-	-,	1	-				
Epidemic encephalitis			3	_	3	_	1	_	- 2				
Hydrocephalus			2	1	1	-	-	1	1				
			1		1				-				

TABLE AAII (communea).												
				Total	Males.	Females.	Cured.	Relieved.	Unrelieved.	Died.		
		20.00										
		DICAL	IN-PAT	IENTS (	continue	a).						
Diseases of the Spinal Co												
Lateral sclerosis Myelitis				9.5	20 29	7 6	_	11 21	15 12	1 2		
Disseminated sclorosis				3	2	1		1	2			
Progressive muscular Locomotor ataxia				1 1	1 4	1	-	1 3	1			
Syringemyelia				1	1	_	_	1	- 1	_		
Diseases of the Nerves :-						-						
Facial paralysis				. 8	7	1	_	8		_		
Neuritis		***		21	18	3	3	16	2	-		
Neuralgia Sciatica				11	1 9	- 2	3	1 5	- 3	_		
Herpes zoster				1	1		1	-	-	-		
Diseases of the Locomotory S	System :-						-	4-1-10				
Osteo-arthritis				13	10	3	-	9	4	-		
Pleurodynia Lumbago				77	4 7	-	3 4	1 3	-	-		
Lumbago Fibrositis				90	29	1	15	14	1	_		
Pseudo-hypertrophic	muscular			0	2		-		2	-		
Miscellaneous Diseases :-												
Æsthenia					68	.28	5	31	32	28		
Scorpion sting Snake bite				4	51	76	115	_	_	12		
Electric shock				1	î	"	1	1	_	_		
Malingering Under observation				1 8	1 5	- ,	1	-		-		
Undiagnosed				91	23	3 8	5	- 6	3	16		
				1								
		SUI	RGICAL	IN-PATIE	NTS.							
Non-specific Pyogenic Infects	ions :-			1 1	1	1	1	-	1			
Abscess				133	113	20	74	50	5	4		
Cellulitis				142	118	24	43	81	5	13		
Sinus Septicæmia				17 8	12 6	5 2	3	10	2	2 8		
Pyæmia		***		7	7	_ 2	_	_ 2		5		
Ulcers				61	52	9	19	32	5	5		
Skin grafting		***		9	2	_	2	_	_	_		
		***		90	10	19	4	10		15		
D 11 11				0	10	19	*	2		10		
Cancrum oris				4	1	3	1	2	_	1		
Downs and Castle				900	00	107	31	68	6	101		
Burns and Scalds		***		206	99	107	31	08	0	101		
Specific Infectious Diseases :				0.5				0.0		1-		
Erysipelas Tetanus		***		85	71	14	44	26	_	15 1		
Tuberculosis :—												
M.V.				1	1			-		1		
Tubercular abscess				12	9	3	3	8		1		
Tubercular ulcer						1	-	1	- 1			
Madura foot Oriental sore		***		2	2 11		4	7	_ 1	_		
	2007 1919	1000		1	- 3	11/11		0 83				

									Total.	Males.	Females	Cured.	Relieved.	Unrelieved	Died.
					Surg	ICAL	In-	PATI	ENTS (	continue	ed).				
Tumour	rs and Cysts:	_						-	1	1	1	1	1		
Tume	ours :										1				
8	Sarcoma								23	18	5	3	8	11	1
	Lipoma								13	4	9	12	-	1	-
				***					2	- 1	2	2	-	-	-
	Epithelioma								6	3	3	1	_	6	-
1	Papilloma			***					1	1	-	- ,	1	-	_
-				***	***	***			1	1	-	1	-	-	
	ons and wound Contusions		-						70	50	14	90	97		
	Contusions Contused wour	nds			***		***		73 45	59 39	14	36 16	37 28	1	
	ncised wound								45	37	8	13	32		-
	acerated wou								92	77	15	19	61	5	7
	Punctured wou Junshot woun								46	42	4	17 12	27	- 1	2 13
	11	as					***		64 117	102	3 15	12	38 64	_ 1	53
	171.741								17	11	6	11	6	_	_
									9	5	4	1	6	2	-
	Keloid Keedles in tiss								1 9	1 5	- 4	- 6	.1	- 1	-
				***		***	•••	***	0	0	2	0	-	1	
	of the Arterio			sm		70.00	3.0		1	1	_		_	1	_
	of the Veins				***										
									9	6	3	3	4	1	1
	21.1 1.1.1			***	***				5	3	2	4	1	_ 1	_ '
1	Varicose veins.								7	6	1		6	1	-
		•••	***		***		***		5	1	4	2	1	2	-
	of the Lymp			sten	-: 1										
I	ymphangitis ymphangioma			•••	***		***		4	3	1	1	3	-	-
Î	Elephantiasis								6	1 5	1	1	3	2	_
	Septic lympad								18	11	7	4	11	3	-
7	Cubercul. lym	ph.	glan	ds					81	27	54	30	44	6	1
	ymphosarcom			***	***	***			7	4	3		3	4	
	of the Nerve	8 :													
				•••		***	•••		2	2	-		-	2	-
	of the Skin:	-								120		- 38		-	
					***	***	***	***	27	21	6	15	12	-	1
	Carbuncle Corn				***	***	***	***	7	6	_ 1	_	_ 7	- 1	
8	Sebacious cyst								3	2	1	3	_	_ 1	_
	Rodent ulcer								9	7	2	3	4	1	1
iseases	of the Muscl	es,	Tend	lons	, and	Bus	rsæ:								
	Rupture of mi	ascle							1	_	1	1	-	-	-
									4	4	-	1	2	1	-
	4 40								3 2	3 2	-	-	3	- 1	_
									3	3	_	1	2	1	
	ties :-													16.65	
									1		1	_	Vine 1	1	-
I	Kyphosis								1	Printer.	î	-	1		-
	Congenital disl		tion	of	hip				1	-	1		-	1	-
	loxa vara								1	1	-	-	-	1	
(															
(	Genu valgum Calipes equino								1 2	- 1	1	-	1	- 1	

								Total.	Males.	Females.	Cured.	Relieved.	Unrelieved.	Died.
				SURG	ICAL	In-	PATI	ENTS (	continue	ed).				
Fractures :-							1		- 1			1	- 1	
Nasal bones :														
Compound								10	9	1	-	10	-	-
Zygoma :— Simple Compound								1	1	- 1	-	- 1	-	1
Superior maxilla:		***	***	***	***	***		1		1		1		
Compound								3	2	1	-	3	-	_
Inferior maxilla :-	_													
Compound						***		12	10	2	-	9	1	2
Ribs:—								40	00			0.7		
Simple Clavicle :—	***	•••	***	***	***		•••	48	39	9	-	37	2	9
Simple								34	29	5	-	34		_
Scapula :		***		***	***					Ĭ				
Simple								4	4	-	-	4	-	_
Humerus :														
Simple Compound								56 11	45 9	11 2	_	55 10	_ 1	- 1
Ulna:— Simple								33	28	5		33		
Compound								8	8	_ "	_	7	_	1
Radius :-														
Simple Compound								30 1	25 —	5 1	=	28 1	_ 2	_
Radius and ulna	:								-			0.00		
Simple Compound			***		***			28 17	27 13	1 4	=	27 15	1 1	- 1
Carpus :— Simple								2	2		_	2	_	_
Metacarpus and p	hala	inges	:											
Simple Compound								11 2	11	- 1	=	11 2	=	Ξ
Pelvis :— Simple								14	9	5	_	8	_	6
Femur, neck :-														
Simple							.	16	11	5	-	12	-	4
Femur, shaft:								00	00	0.0				
Simple Compound							:::	83	60	23	_	79	_	5
Femur, condyles :				***					. 4					
Simple Compound								5 2	4 2	_ 1	=	5 2	=	=
Patella:—														
Simple								5	5	,	-	4	1	-
Compound Tibia :—		***	***	***	***	***		1		1	-	1		
Simple								24	22	2		22	1	1
Compound								8	8	-	-	8	-	-
Fibula :-									2			7.7	100	
Simple Compound								6 2	6 2	_	_	6 2	=	_

Surgical In-patients (continued).   Fractures (continued):—	4 - 11
Tibia and fibula  Simple	-
Simple Compound       68       55       13       —       64       42       —         Tarsus, calcaneous:—       Simple       3       2       1       —       3       —       —       3       —       —       3       —       —       3       —       —       —       —       2       —       —       —       2       — <t< td=""><td>-</td></t<>	-
Compound       53       43       10       42       —         Tarsus, calcaneous:—       3       2       1       —       3       —         Simple       3       2       1       —       2       2       —       2       —       1       —       —       1       —       —       1       —       —       1       —       —       1       —       —       1       —       —       2       2       2       3       —       12       —       —       —       —       —       1       — </td <td>-</td>	-
Simple       3       2       1       -       3       -         Metatarsus:—       3       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       2       1       -       1       -       2       1       -       1       2       -       1       -       1       -       1       -       1       -       1       -       1       -       1       -       1       -       1       -       1       -       1       -       2       -       1       -       1       -       -       1       -       -       1       -       -       2       -       1       -       -       1       -       -       2       -       1	
Metatarsus:—       3       2       1       —       2         Compound       1       1       —       —       1         Multiple:—       Simple       25       22       3       —       12         Compound       17       15       2       —       5       —         Diseases of Bone:—       Periostitis.       7       6       1       2       4       4       —       Acute osteomyelitis       14       9       5       4       4       —       Necrosis       54       39       15       10       33       33       Tubercular osteitis       35       22       13       4       22       22       2       2       1       1       1       2       4       2       3       2       1       1       1       3       3       3       3	
Simple       3       2       1       —       2         Compound       1       1       —       —       1         Multiple:—       Simple       25       22       3       —       12         Compound       17       15       2       —       5       —         Diseases of Bone:—       7       6       1       2       4       4       —       5       4       4       —       5       4       4       —       33       15       10       33       33       33       33       35       22       13       4       22       22       2       1       1       2       4       4       —       4       4       2       2       2       1       1       1       1       1       —       1       1       1       1       1       1       1       —       1<	-
Compound       1       1       —<	1 -
Simple       25       22       3       —       12         Compound       17       15       2       —       5       —         Diseases of Bone:—       7       6       1       2       4       4       —       Acute osteomyelitis       14       9       5       4       4       —       Acute osteomyelitis       54       39       15       10       33       —       33       Tubercular osteitis       35       22       13       4       22       22       2       1       4       22       2       2       1       1       1       1       1       1       4       45       18       —       1       1       1       — <td>-</td>	-
Compound   17   15   2   5   5   5   5   5   5   5   5	
Periostitis       7       6       1       2       4         Acute osteomyelitis       14       9       5       4       4       -         Necrosis       54       39       15       10       33         Tubercular osteitis       35       22       13       4       22         Sarcoma       9       7       2       -       1         Injuries of Joints:-       Sprains       63       49       14       45       18       -         Penetrating wounds       1       1       -       1       -       -       -	1 12 12
Acute osteomyelitis	1
Necrosis	1 - 6
Sarcoma	7 4
Sprains           63       49       14       45       18       —         Penetrating wounds           1       1       —       1       —       —	3 6 5 3
Penetrating wounds 1 1 - 1	
	-
Dislocations :—	-
	1 -
Elbow 11 9 2 - 9	2 -
Wrist	1 1
Knee 1 1 1 -   -	1 -
Ankie	1 -
Metatarsus 1 - 1 1	1-
Diseases of Joints:-	1 .
Synovitis	1 - 1
Septic arthritis:-	100
Elbow	-
Knee 11 9 2 - 2	1 8
	-
Tubercular Disease :—	
Elbow 13 4 9 - 1 9 Wrist 11 1 1 - 1 - 1	3 _ 1
Hip 39 28 11 — 23	2 4
Knee	3 -
Tarsus 2 1 1 1 1 —	-
Multiple	_
Charcot's joint 1 1 1 - 1 -	
Foreign body 1 1 - 1	10000
Ankylosis 10 7 3 — 9	*****
Injuries of the Spine:-	1 -
Sprains           13     12     1     -8     2     -       Fractures          21     16     5     -8     6     -	3

								Total.	Malos.	Females.	Cured.	Relieved.	Unrelieved	Died.
				SUR	GICA	L IN	-PAT	LENTS (	(continu	ed).				
Diseases of the	Spine:-	-												
Spina b Pott's d	ifida lisease							2 70	40	2 30	1 7	41	1 16	- 6
Diseases of the	Scalp an	d C	aniu	ım :-	-									
	ma of sc							9	8	1	2	4	1	2
	of the s						•••	111	100	11	38	64	3	6
	fracture		***					10	8	2	3	1 5	_ '	- 2
Depresse	ed fractur							78	62	16	30	15	2	31
Fracture	of base			***			***	66	54	12	17	15	1	33
Diseases of the	Brain :-	-												
Concussi								53	40	13	27	15	2	9
Cerebral	abscess					•••	•••	1 2		1 2			- 1	1
100000000000000000000000000000000000000	thrombo	sis						1	1	_ 1			_ 1	1
	ic epilepe							1	1	-	-	-	-	1
Diseases of the	Lips and	l Jai	vs:-	_										
Harelip								4	1	3	2	1	1	
Epithelio	oma of li	р						3	3	-	2		1	-
	is				***			5	4	1	4	1		-
Alveolar	abscess a alveola	ric	***		***		***	2	2	_	_	2		-
Carious								10	10	_	6	2	2	
Epulis								1	1	-	-	1	-	-
Necrosis			***	***		***		24	21	3	8	13	1	2
Sarcoma	of jaw	***						7 2	4	3	2	_	5 2	
Diseases of the			***			***								
Glossitis	Id oden .							1	1	_	200	1		
Ulcer of	tongue							î	î	-	1	- 1		
Cancer of	of tongue							5	5	-	-	-	4	1
Parotitis Parotid		***				***		5	3	2	1	2	1	1
	tumour		***	***	***			2 3	2 2	1	1 2	_ 1	1	
	llary fist							1	1	-	-	1	_ 1	****
Ranula								8	6	2	6	1	1	
Diseases of the	Neck :													
Blood cy								1	_	1	1	_		_
Cut thro	at							1	1		1			_
Goitre								29	7	22	17	4	6	2
Vincent's	angina	***	***	***	***	***		7	6	1	5	-	-	2
Diseases of the														
Contusio								14	12	2	6	8 7	,	-
Necrosis Cold abs			***		***			12	8 2	4	3	1	- 1	_ 1
	etrating v							14	11	3	10		-	
Penetrati	ing wound	ds						7	5	2 3	2 2	3	-	2
Empyem			***	***				15	12	3	2	*	20%	9
Diseases of the								10	0	10	7	10		-
Abscess of Tubercule								18	_ 2	16	_ '	_10		1
Cancer of				***				9		9	3	-	2	4
Elephant								1	-	1	1	-	-	-
											- 1	-		

# Table XXIII (continued).

								Total.	Males.	Females.	Cured.	Relieved.	Unrelieved.	Died.
				SURG	ICAL	In-	PATI	ENTS (	continue	ed).				
Diseases of the Abd	omer							1	1		1			
Contusion Intra-abdom Abdominal t	inal	hæm	orrh	_				5 4 7	1 3 5	4 1 2	- 4	_		1 4 2
Abdominal Wall		ur	***		***	***			0	-	1		*	-
Abscess								19	12	7	7	12	-	_
Non-penetrat					***	***		8	7	1	5	3	-	
Penetrating Urachal cyst					***		***	21	20	1	8		_	13
Epithelioma								1	1		-	-		1
Peritoneum :-														
Peritonitis	47							6	4	2	4	-	-	2
Tubercular p	erito	nitis		***		***	***	1	-	1	-	-	1	-
Stomach :— Ulcer								,	,					
	***	***	***	****	****	***		1	1		1	-		-
Intestines :-									*		,	190		
Rupture Appendicitis			***					5 26	23	3	18	- 5	_	3
Fæcal fistula								2	2	-	1		-	1
Bilharziasis Cancer	***	***	***	***		***	***	2	1.	_ 2	_ 1	_ 1	-	1
Intestinal ob	struc	tion						8	7	1	3	-	-	5
Volvulus								3	2	1	3	-	-	-
Liver:-														
Rupture Abscess				***			***	1 8	1 8	_	- 4	- 9	_	1 2
Cholecystitis						***		3	3	-		2	2	-
Gall-stones			***	•••				1		1	1	-	-	1
Spleen :—														
Rupture Abscess		***	***	***	***			3	3	_	2	-	-	1
Splenomegaly								11	8	3	_	5	1	5
Pancreas :													1	
Cancer								1	1	-	-	1	-	-
Hernia:-											1200			
Inguinal								248	246	2	224	-	20	4
Femoral Umbilical		***	***					1 3	1 2	- 1	1	-	- 1	- 1
Ventral								9	2 2	7	9	-	-	
Irreducible Strangulated			***	***		***		8 38	8 38	-	8 24	- 4	- ,	- 9
Recurrent								7	- 7	_	6	- 1	1	_
Diseases of the Rectu	ım a	nd A	lnus	-								112	14 11	
Congenital na	rrow	anu	s					2		2	2	-	-	-
Imperforate a Artificial anu								7	- 1	7	5	-	-	2
Anal abscess								6	6	-	5	_	1	_
Ischio-rectal a Fistula in an				***				9 28	9	-	- 97	9	- ,	-
Anal fissure					***			11	28	- 2	27 11		1	
Bilharz, of pe	rinet	ım						- 6	6	-	-	6	-	-
Piles Prolapse					***			125 13	115 11	10	66	43	14	2
Bilharz. of re-	ctum		***					15	14	1	2	11	2	-
Polypus Stricture of re				***				1 2	1	- 1	1 2	-	1	
Cancer of rec								6	5	1		-	1	5
							176	- 41			100	-		

									Total.	Males.	Females.	Cared.	Relieved.	Unrelieved	Died.
				8	SURG	ICAL	In-	PATII	ENTS (	continue	d).		,		
)isease:	s of the Kidne	ys:						- 1		1		1	1	1	
1	Rupture								5	4	1	2	2	-	
	Hydronephrosis			***	***				14	4 9	- 5		3 9	- 9	
	Pyonephrosis Renal calculus								13	13	_ "	5	3	2 5	_
									9	9		-	8	1	-
	Perinephric ab	sces	8						7	7	-	-	2	2	
	Cumour Uræmia	•••		***	***	***			2 2	- 2	2	_	_	1	
	s of the Bladd		1	Penet	ata :	***	•••		-	-					
	Ectopia vesica		I	rost					1		1			1	
	Rupture of bl								1	1	_ 1	_	-	1	
(	Cystitis								16	14	2	-	6	4	
	Cancer of blac			***					12	11	1	-	-	8	
	Vesical calculu Bilharz, of bla				***		***		65 37	56 34	9	58	29	6	
	Incontinence of								1	1		_	1	_ "	_
1	Retention of a	arine	e						2	2		-	1		
	Enlarged pros				***		***		27	27		3	10	5	
	Malig. dis. of	ā.,					•••		1	1	-		-		
	s of the Ureth														
	Hypospadias				***		***		2	2	-			2	-
	Periurethral a Rupture						***		11	11		1	7	-	-
	Impacted stor						***		16	15	1	15			
- 3	Stricture		***		***				13	13	-	-	11	1	
	Urinary fistul	a							69	69	-	18	40	6	
Disease	s of the Penis	:-							11 4						
	Gangrene								1	1	_	-	1	-	
	Bilharziasis								6	6	-	1	3	2	-
Disease	es of the Testi.	s Co	ord a	nd I	Scrot	um:-	-			1					
Testi	is :														
	Abscess								3	3	_	2	_		
	Orchitis	***	***				***		13	13	-	5	8	-	-
	Epididymitis								2	2	-	2	-	-	-
	Bilharziasis Hernia testis			***	***	***	***	***	1	1		1			
	Hydrocele								102	102	_	96	_	5	
	Hæmatocele								5	5	_	4	-	_	
	Tuberculosis								3	3	-	-	3	-	577
Cord															
	Hæmatoma		1000	7000	S SOR	1000	The same	202	1	1	_	1	1	-	
	Funiculitis		***	***	***				41	41	_	13	25	2	
	Hydrocele								2	2	_	2	-	-	-
	Varicocele								13	13	-	13	-	-	500
	Neuralgia Sinus		***	***					1	1	-	1	-	-	-
		***	•••	***	***	***	***	***	1	1	100			1	-
	tum :												1 -19		
	Abscess					***	***	***	9	9	-	3	4	2	_
	Gangrene				***	***			17	17	-	3	9	****	1
	Lymph-scrotu Elephantiasis			***	***	***	***	***	1 7	1 7	-	- 2	1 4		-
	Enchuatitiasis	***	***	***			***	***	-	- 1		2	4	1000	
Inder	Observation		***						4	4	-	2	2		****
	mosed								29	19	10	4	17	6	
7 7 7										10	10	- 4	177		

								Total.		Males.	Females.	Cared.	Relieved.	Unrelieved	Died.
			E	AB, I	Nose	, AN	D T	HRO	AT I	N-PATIE	NTS.				
Diseases of the E	lar:								1	1	1	1		. 1	
Foreign b	ody								1	1	-		1	-	-
								1000	1	1	- ,	1			-
Boil		***	***	***					4	3	1	4	- 1		
Abscess		***							3 2	2 2	1	2	1	1	
Tumour Otitis med	 i:.			***		***			32	23	9	15	13	4	
Acute ma					***		***		25	10	15	13	8	2	
		***		***	***				3	3	10	10	2	-	
Polyp									0	9		1	-		
Diseases of the I	Vose an	d Ac	cesson	ry S	inuse	s:-	8				- 10				
Epistaxis									2	-	2	2	-	-	-
Boil		***		***	***		***		1	1		1		- ,	-
Deflected	*		***	***	***	***			1	1	-	- 0	-	1	-
			***	***	***	***		185	9	5	4	8		2	-
Polyp									9	8	1	7	-	2	-
Papilloma			***	***					1		1	1		- 1	-
Gumma		***	***						1		1		-	1	-
Adenoids		***		***	***				1		1 2	1	-	- 0	-
Rhinoscler		***	****						6	4	2	-	4	2	-
Sebacious		***	***	***	***	***	***		1	1	-,	1		-	-
		***							3	2	1	2	-	1	-
Granulom			***	***					1	-	1	1	-		-
Empyema	ol iro	nt. si	nus						1	1		1	-	-	
Diseases of the T	Chroat :-	-								35					
Tonsilitis .								100	23	16	7	21	_	2	_
Enlarged									24	15	9	20		4	-
Tonsilar a						***			4	4	_ "	4			_
Retro-pha	rvn ah								1		1	1	_	_	
Sarcoma	of fance	MR						100	1	1	_ 1				
									1	1					
Diseases of the 1	Larynx:	-													
Laryngitis	s				1000				2	2	_		2	-	-
Tuberc. la									1	1		-	1		_
Foreign b	ody								1	1	-	1	-	-	113
Œdema									2			-	-	_	
Obstruction										2	-	-	1	Printer.	
Papilloma								-	2 3	2 2 3	-		i	2	-
Carcinoma									3	2	1	-	î	2	
Diseases of the C	Esopha	gus :-													
Obstruction									1	1		1			
Foreign b		***	***	***	***	***		100	1 3	1	3	2	1		
Stricture		***	***	***	***	***			1	1	3	1		- 1	
Stricture		***	***	***				-	1	1	1	1	-	-	
Under Observation	200							1	0	0	Same !	1	1		
haer Goservatio	m	***	***	***	***	****	***		2	. 2		1	1		
Undiagnosed							7.00		6	2	4	4		1	

								2 (60/10/1/1	,			
				1				Total.	Cured.	Relieved.	Unrelieved,	Died.
								L IN-PATII	auma			
						COLO	GICA	L IN-PATH	INIS.			
Diseases of the Vulv			agine	a:-							THE REAL PROPERTY.	The second
Abscess of lal Vaginal steno					***	***		1 2	_ 1	- 2	_	
Pendulous lab								1	1	-	_	-
Vaginitis							***	1		1	-	-
Cyst of vagin Fibroma	a							4	_ 4		- 1	-
Granuloma								î	1	-	-	-
Bilharziasis		***				***		6	1	5		-
Elephantiasis				***		***		4	2	- 1	- 1	-
Epithelioma Cystocele								8	6		2	
								5	5	-	-	-
Cysto-rectocel		***	***					23 17	19	3 6	1 3	-
Vesico-vaginal Recto-vaginal	fist	ula	***	***				6	3	2	1	'
				***		1000	***					
Diseases of the Uteri	18:-											
Body :				. 39								
Dextro-version	n							2	-	1	1	
Ante-version-f	dexic							4	2	2	-	10 To 10
Recto-version-								25 21	23 17	1 3	1	
Prolapse Endometritis			***		***		***	21	16	2	3	
Pyometra					***	***		1		1	-	-
Fibro-myoma								26	18	4	. 4	-
Cancer of boo	iy				***	***	***	3	100	-	2	1
Cervix :												
Hypertrophy					***			3	3	-	-	-
Cervicitis			***		***	***		1 2	- 1	-	1	-
Laceration Erosion		***		***	***	***	***	3	2	1	_ 1	
Stenosis							***	8	8	_	_	_
Polyp								5	4	-	1	-
Cancer			***	***	***	***	•••	2	_	-	2	-
Diseases of the Fallo	pian	Tu	bes:	-								
Salpingo-ovari	itis	***						31	17	11	3	-
Hydrosalpinx								1 5		1	-	-
Pyosalpinx		***	•••	***			***	5	5	_		
Diseases of the Ovari	ies :-	-										
Prolapse	***							2	2	-	-	-
Ovarian cyst						***		15 2	10 2		5	-
Ovarian derm Solid ovarian							***	2	1	_	1	_
Malignant ova					***		***	3	1	-	1	1
						CJI	Jan					
Diseases of the Pel Tissue :—	esc	I eri	one	en.	und	Ceu	war					
Parametritis								15	11	2	1	1
Perimetritis						***		11	7	4	-	
Abscess of Do	ougla	s po	ouch	***				5	2	1	2	-
Diseases of the Abdo	mino	ıl W	all :									
Sinus			***				***	2	1	1	-	_
	-			***			***					Part of
Miscellaneous :-												
Dysmenorrhœ Leucorrhœa				***				1 2	- 1	1		
Dencottines	***	***	***	***	***	***	***	-				

# Table XXIII (continued).

	Total.	Cured.	Relieved.	Unrelieved	Died.
Obstetric I	N-PATIENT	s.			
Normal Pregnancy	65	65	- 1		-
Abnormal Pregnancy:—					
Vomiting Albuminuria Eclampsia Bronchitis Aortic and mitral diseases Hydatidiform mole	3 1 8 1 1	2 1 5 1 1			- 1 - 3 
Abortion :—				400	
Complete	31 28 3 13 2 1	31 28 3 13 1			= = = = = = = = = = = = = = = = = = = =
Normal Labour	88	87	-	-	and a
Abnormal Labour :	14.89			Shirty G	and a
Occipito-posterior position Face presentation Breech presentation Transverse presentation Twin Premature labour Precipitate labour Delayed labour Contracted pelvis Ruptured uterus Retained placenta Post-partum hæmorrhage Forceps delivery Perforation  Puerperium:—	2 1 3 7 5 8 1 3 15 1 5 1 8 6	1 1 3 7 5 8 1 2 - 5 1 8 6			
Normal	6 4 10 6 1	6 3 6 4	- 1 2 -	= = = = = = = = = = = = = = = = = = = =	-
Undiagnosed	9	7	- 1	2	177-
Not Pregnant	10	10	auragas	-	10-

## Table XXIII (continued).

SELECTION AND ADDRESS OF THE PARTY OF THE PA								rr (con	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-				
								Total	Males.	Females.	Cured.	Relieved,	Unrelieved.	Died.
								1						
					Орн	THAI	MIC	IN-PATI	ENTS.					
Diseases of the Lids	:							1			1			
Trichiasis								465	265	200	425	29	11	-
Blepharitis					***			2	1	1	2	-	-	-
Ectropion Entropion								11 56	7 30	4 26	.5 30	6 26	-	
Meibomian cy	vst		***					5	4	1	5			
Stye								2	1	1	1		1	
Cellulitis								1	1	-	-	1	-	_
Ulcer Ptosis		***	***					1 2	- 1	1	1 2		-	-
Injury	***		***			***		1	1	_ 1	1			
Gangrene								î	1	-	-	1	_	_
Tumour			***					1	-	1	-	-	1	-
Closed canthu								1	1	-	1	-	-	******
Diseases of the Conj		va:-	-					335	1	111 123	7725	111111111111111111111111111111111111111	12.00	
Conjunctivitis Trachoma								73 96	66	7 31	54 54	17	2	-
Xerosis			***	***		***	***	96	65 1	- 31	1	42		
Purulent opht					***		***	3	2	1	3	_		
Symblepharon	1		***					2	2	-	2	-	-	
Amyloid conj				***				1	1	-		1		-
Pterygium Injury				***	***	***		15	12	3	12	2	1	
Injury Diseases of the Corne		***	***	***		***		-	-		-			
Abscess								1	- Ogo	1	1000	1	1000	
Ot 1 1							***	143	103	40	84	52	7	
Perforating ul				***		***		31	15	16	14	16	1	_
Hypopion ulco	er		***			***		9	5	4	4	5,		-
Infiltration	***	***	***	***	***	***		34 64	29	5 24	22 37	9 22	2 4	1
Leucoma adhe Staphyloma	erenc	е						33	40 15	18	. 11	18	4	_ 1
. Keratitis								3	3			3		3
Rough cornea		***		***	***	***		7	7	-	2	5	-	-
Rupture								6	5	.1	2	2	2	-
Diseases of the Lachr			pare	ttus:	-			100						
Dæro-cystitis				***		***		14	4	10	9	4	1	-
Lachrymal ab Lachrymal fist						***		1 8	3	5	2	1 5	1	
Mucocele	****	***				***		2	2	_	2	-	-	-
Diseases of the Lens .														
								127	59	68	74	30	22	1
Dislocation	***		***					2	2	-	2	-	-	-
Diseases of the uveal	Tra	ct :	-					100						
Choroiditis			***	***				1	-	1	-	-	1	-
Iritis				***	***			12	12	0	2	10	- 1	
Closed pupil Membranous p				***	***	***	***	2	1	_ 2	1	_	_ 1	_
Diseases of the Globe	-	***			****	***	***	1			1			
Panophthalmit								19	11	8	5	14	_	
Glaucoma								79	51	28	37	30	12	-
Proptosis								2	2	-	-	2		-
Rupture	***	***						4	4		- 3	1	3	-
Shrunken glob Tumour	е		***	***	***	***	***	4	4		_ 0		1	
Diseases of the Retine		***		***	***		***	1	-					
							100	4	4	-	-		4	-
**				***				1	1	-	_	1		_
Diseases of the Optic													100	
Optic neuritis								3	3	-	-		3	-
Optic atrophy								6	6	-	-	-	6	-
The state of the s							1	1		1	1	1	1	

								Total	Males.	Females.	Cured.	Relieved.	Unrelieved	Died.
			0	РНТН	ALM	c Is	V-PAT	TENTS	(contin	ued).				
riseases of the Eye	Mus	scles :	_				1	1	1	1	1			
								3	1	2	1	-	2	-
iseases of the Ort	nit:-													1
Cellulitis	***				***			1	-	1	-	-	1	-
Tumour					***			7	4	3	5	2	-	-
Iiscellaneous :														
Insect bite		***	***	***	***	***	•••	1	1		1	-	777	-
Indiagnosed								3	2	1	2	1	-	-
				SKI	N AN	D V	ENER	EAL IN-	PATIEN	TS.				
riseases of the Ska	n:													
Acne				***		***		2	2		1	1	-	-
Auto-intoxic Dermatitis	ation					***		1 14	1 9	- 5	1 8	- 5	1	_
Dysiderosis								2	2	-	1	1	-	-
Eczema		***						36	27	9	4	28	4	-
Erythema n Favus			***	***	***	***		17	3 12	1 5	2 6	1 7	1 4	
Granuloma		***						2		2	1		1	-
Ichthyosis			***		***			1	1	_	1	-	-	-
Impetigo			***	***				7	7	-	2	5	-	-
Keloid Leprosy							***	1 6	1 6	-	_	_ 1	- 6	
Lichen plan				***	***			2 3	2 2	_	_	2	_	-
Lupus eryth	emat	osis	***			***		3		1	1	1	1	-
Lupus vulge Oriental sor			***			***		8 2 2	4	4		8 2	-	-
Pediculosis	e					***		2	1	î	2			
Pemphigue								3	2	1	-	1	2	-
Ptyriasis			***		***	***		8	6 7	2 4	2 3	5 8	1	-
Prurigo Psoriasis						***		6	4	2	1	5	200	
Pyoderma								29	28	1	15	14	=	-
Ringworm			•••					1	1	-	1	-	- ,	-
Rodent ulce Scabies					***	***		2 126	111	15	105	18	3	-
Scleroderma								3	2	1	_	2	1	-
Seborrhœa								5	5		-	5	-	-
Sycosis Urticaria								6 3	6 3	-	5 2	1	-	-
Undiagnosed								5	3	2	3	2	-	_
enereal Diseases :	_													
Gonorrhœa								62	45	17	28	25	9	0
Syphilis								344	255	89	-	268	74	1
Soft sore	***		***		•••	***		9	9	- 1	4	3	2	-
					A	TIR/	BIC	IN-PATE	ENTS.					
og bites							]	1,144	818	326	1,144			4
amel bites		***				***		21	20	1	20		-	
at bites onkey bites					***			6	4 5	2	6		-	-
uman bites								7	3	4	7			
lorse bites			***			***	***	17	14	3	16	-	-	
lonkey bites								2	1 3	. 1	2	-	-	-
lule bites ig bites	***		***	***		***		3 2	2		3 2	_	-	
Volf bites	***						***	46	42	4	46	-	-	
ydrophobia	1355							7	5	2		-	-	

# Operations.

The following table shows the number of operations performed in the various theatres and the anaesthetic used:—

		i		Anæst	HETIC.	
THEATRE,	cen		Total.	General.	Spinal.	Local.
General surgical		 	1,407	796	597	12
Ear, nose, and throat		 	165	164	_	1
Gynæcological		 	157	36	121	-
Obstetric		 	70	70	_	
Ophthalmie		 	1,164	241		923
Wards out-patients and reception-room			2,076	1,729	-	347
To	OTAL	 	5,039	3,036	718	1,283

In two of the operations no anæsthetic was administered.

TABLE XXIV.

ANÆSTHETIC.

						- 1				1 30		
							Total.	Males.	Females.	General	Spinal.	Local.
OPERATI	ONS PER	FORM	ED I	N TH	E G	ENEI	RAL SUI	RGICAL '	Гнеатв	ES.		
Excision of Tumours and C						1	1	1			1	
Simple :									links.			
Lipoma		1000	33.55	2500			7	4	3	6	1	-
Tribana a							6	3	3	5	1	_
Manalana		***	***	***	***	2003	1	1			_ ^	
A CONTRACTOR OF THE PARTY OF TH	*** ***	***	***	***			2	_ ^	2	1 2 1		Name of
0.1		***	***	***	***	***	1	1		1		
		***		****			1	1		1	120	
Papilloma '		***	***	***		***	1			1		
Malignant :										745		
Carcinoma :—											Man H	
Lid							1	1		1		-
Lip							1		1	1		-
Scalp							2	2		2	_	_
Abdominal wall							1			1		_
CI.:						18338	5	1 2 1	3	4	1	_
m					***		1	1		1		_
D			***		***		7	_ 1	7	7		
D .		•••	***	***			1	1	'		1	
0	****	***	***				î	-	1	1		
Caecum	*** ***					***			-	-		
Sarcoma :											No. T	
Jaw	**** ***		***		***		8	6	2	8		-
Orbit		***	***			***	3	2	1	3		-
Buttock							3	2 2 5	1	3		-
Lymphosarcoma	*** ***						5	5	******	4	1	-
Myosarcoma							2	2		-	2	-
Endothelioma							3	1	2	3	-	-
Rodent ulcer							7	5	2	7	-	-
Cysts :											17.11	
Retention							3	2	1	3	-	-
Ranula							5	5	-	5	-	-
Diagnostic excision							1	1		-	1	-

### Table XXIV (continued).

													As	ASTRETIC	2.
										Total.	Males.	Females.	General.	Spinal.	Local.
							G		0		(Pare - m)	/-		,	
	TION	S PEI	RFOR	MED	IN	THE	GEN	ERAI	1 100	RGICAL	THEAT	and (c	ontinued	,	
Amputations : For crush :															
m : 1										2	2	_	2		-
Leg	***									9	2 8	1	9		
Foot	***									2	2	-	2	-	-
Toe	***	***	***	•••	***	***	***		***	1	1		1	-	
For gangrene :						70			N		-				
Hand Finger									***	1	1 1	_	1	_	_
Thigh										2	2 2	_	- 1	2	-
Foot										2	2	-	-	2	-
Toe	***	***	***	***	***		***	***		1	1	-		1	
For tuberculosis	:-										1				
Knee	***	***		***	***	***	***		***	2	2	-	2	-	-
For sarcoma					***			***		3	2	1	2	1	-
Reamputation										2	1	1	1	1	-
Operations on the S	Skin	and .	Subc	utan	eous	Tis	sues	-							
Erasion of s										15	13	2	12	3	-
Excision for	elep	hant	iasis							7 37	6 30	1	31	5	-,
Incision for Removal of										45	. 39	7 6	42	5 3	1
Suture of w	ound	s								7	5	2	6	1	
Excision for Excision for										1	1	1	1	-	
Excision for										3	3	_	2	_	1
Operations on Bone															
Excision :—	8														
Ribs										13	11	9	12		1
Sternum										3	1	2 2	3	_	- 1
Lower jaw										1 3	1	-	1 3	-	-
Humerus			•••	***	***		***	***	***	3	. 3	-	3	-	-
Erasion :														A THE	
Upper jaw Metacarpus					***	***	***			1 3	- 2	1	1 3		
Femur										1	1	- 1	1	-	_
Sequestrectomy:	_										10			ME	
Frontal bon		***		***						1	1	-	1	_	-
Lower jaw										7	4	3	7	-	-
Humerus Femur				***			***			8 14	7 12	1 2	8 9	- 5	
Tibia										11	9	2 2	10	1	-
Tarsus		***								2	2	-	-	2	
Osteotomy			***	***		***	***			7	5	2	6	1	-
Screwing										1	1	-	1	-	-
Wiring:-									-				4		
Clavicle	***	***				***				1	1	-	1	-	_
Humerus Radius and	nlne				***					1	1	-	1	-	-
Pelvis	ulna	***		***	***					1 1	_ 1	- 1	1	_	-
Patella	***	***								2	2	-	1	1	-
Tibia Fibula	***	***		***	***		***			2 2 2	2 2 2	-	2	- 1	-
Liouin	***	***	***	***		***		***		2	2	No.	1	1	-

# TABLE XXIV—(continued).

A STATE OF THE STA			-						AN	ASTRET	c.
						Total.	Males.	Females.	General.	Spinal	Local.
							1				
OPERATIONS PERFORM	RMED I	N THE	E GE	NERA	L S	URGICA	L THEAT	TRES (co	ontinued	).	
Plating:-					1						and I
Radius and ulna	***					1	1	77	1		100
Tibia Femur			***			2 3	2	- 2	1 2	1	-
Setting	0.000.0					10	8	2	9	1	
Trephining:						- 1				Hydr	
For depressed fracture						83	76	7	* 83		
For gunshot wound			***			1	1		1	100	_
For traumatic hemiplegia						3	3	-	3	-	-
For cerebral tumour Laminectomy			***	***		1	1	_ 1	1		_
								340	1		
Operations on Joints:—										3	
Excision :—									100	1991	
Shoulder Elbow				***		1 2	1	-	1	1	-
Wrist						1	2 1		1		
Hip						1	-	1	1		-
Knee			***		***	2	2	- 1	2		_
			****			Î					
Erasion :—										mi wati	
For tub. elbow						1	-	1	1	-	-
Arthrotomy :—							- 7		lu huit	Dipura A	
For suppurative arthritis						6	3	3	6		-
For loose cartilage			•••	***		1	1	-		1	-
Aspiration :—							1000	1100	la grad	TO THE	
Shoulder						1	- ,	1	1	-,	-
Reduction of dislocation			***	***	***	7	2	- 5	7	_ 1	_
Movement for ankylosis						3	2	1	3	1	
Removal of Baker cyst Removal of bursa			***			1	1		- 1	1	WE.
Examination under anæst						î	1		1		-
Plastic Operations :—										120-6-3	
Harelip			1240			4	3	1	4	-	-
Ectopia vesicæ						1	1	-	1	-	-
Spina bifida Contracted scar						1 4	- 2	1 2	1 4	=	
Tenotomy for talipes						7	4	3	6		1
Stitching of cut tendons						2	2		2	-	-
Osteotomy for talipes Skin grafting						1 16	11	1 5	1 16	_	_
For hypospadias						4	4	-	4	-	-
Repair of scrotum For tanglion						4	4	-	1	3	-
				***		1			1		
Operations on the Respiratory Tre	act:-						194			HE WAS TO	
Tracheotomy	**** **		***	***		2	2	-	1	-	-
For Empyema:—								-	1		
Resection of rib	****			***		10	9	1	10	-	-
Aspiration				***		*3	2	1	1		1
						- DIV	3 1 1	10000	11111	JE 50 1	

<sup>\*</sup> No anæsthetic was administered in one case.

											An	ASTRETI	0.
								Total.	Males.	Females.	General.	Spinal.	Local.
							- 1	-	1	1	,	,	
Operations pe	nmor			entrio.	Con	rpn i	, Q,	POTCAT	Tupar	pro (m	mtinuad	1	
	REOF	COLECT	, IN	Int	O.E.	NENA.	L SSC	MOTORI	Innai	ooj can	ne in the te	,	
Abdominal Operations:—													
Exploratory Laparotomy		• • • •	***					31	23	8	29	2	
Laparotomy for :									4	-		A PARTIE	
Internal hæmorrhage								5	4	1	5		-
Septic peritonitis						***		6	6		5 2		1
Tuberc, peritonitis Ruptured stomach					***			2	2		1	_	
Ruptured cæcum								1	1		1		-
Cancer of liver								2 2	1	1	2		-
Bilharz. of colon Bilharz. of sigmoid			***		***	***		1	- 1	2	2		
Perforating typhoid u								1	î	-	î		
Subdiaphragmatic ab	scess							1	1		1		-
Ascites								1	1	-	1	_	
Ruptured liver Perforating wound of					***	***		1 5	1 4	- 1	5	_	_
Extra-peritoneal rupt								3	3		3	_	-
Intra-peritoneal ruptu	ire o	f bl	adde	r				1	1	-	1	-	-
Intestinal obstruction Volvulus : untwisting								3	3 2	- 1	3		_
Mesenteric cyst					***			1	1		1	2	_
Resection of Intestine :-							133						
For intussusception								2	2		2		
For rupture							***	6	6		6		_
Evacuation of absces	s							1	. 1		1	-	-
Incision of appendix								8 16	7	1 2	7 16	1	-
Appendicectomy Gastro-enterostomy	***	***					***	10	14	2	10		
Drainage of liver abs	cess							5	5		5		-
Aspiration of liver al	bsces	s						1	1		1		-
Splenectomy :													
For ruptured spleen								2	2	-	2		-
For splenomegaly								18	11	7	18	-	-
Ovariectomy		***			***			2	-	2	2	-	-
Cholecystotomy								1	1	-	1		-
Partial gastrectomy								1	1	-	1		-
Exploration of abdominal	wal	1						2	2	-	2	-	_
Operations for Hernia:				-						19		Tobal	1
Radical cure of ingui	nol l	horn	ia					232	230	2	40	192	
Radical cure of femo	ral h	erni	a				***	1	1		1		
For umbilical hernia								1	1		1	-	-
For ventral hernia For strangulated hern		•••			***			9 32	32	6	8		-
		***	***		***	***	***	32	32		0	20	
Operations on the Rectum:	-												
For piles :											4	1	
Ligature		***						43	42	1	7	36	-
Whitehead		***		***	***			18	17	1	4	14	-
For prolapse Excision of bilharz.	mass		***		***			7	7	-	_ 2	5	-
For fistula	***							6	6		_	6	-
For anal fissure								2	2	-	-	2	-
Excision of polyp.  For imporferate anus	***		***	***	***			1 6	5	- 1	1 6	_	-
Incision of ischio-rect	al al	bsce	88					3	3		2	1	
							000					100	

										As	ÆSTRETE	O.
							Total	Males.	Females.	General	Spinal	Local
OPERATIONS P	ERFORME	ED IN	тн	e Ge	NER	AL S	URGICAL	Тнеат	RES (c	ontinued	).	
Operations on the Genito-Ur						1	1	1	-		1	
Kidneys :												
											- 1	
Nephrectomy :-							,		1	1		
For renal calculus For ruptured kidney		***					9	8	1	9	_	_
Nephrotomy :												
For renal calculus							3	3	_	3	-	_
For hydronephrosis							3	3	- 0	3	-	-
For pyonephrosis For perinephric abso	ess	***			***	***	3	3	_ 3	3	_	
Nephropexy :										100	-7	
Bladder :												
Lithotrity							35	33	2	2	33	-
Suprapubic cystotomy	-											
For vesical calculus For piece of catheter			•••	•••			25	25 1	_	_ 12	13	_
For cancer of bladde							1	1	-	_	î	-
For extravasation of For bilharziasis	urine		***				2 3	2 3	-	2	- 2	-
			***	***		***	3	0		1	-	
Perineal cystotomy:— For vesical calculus							4				,	
			***	***		***	4	4	-		4	
Prostate:-	1:-							11		100	10	
Prostatectomy : supr	ариыс	***	***	***	***	***	11	11		-	10	1
Urethra:												
External urethrotomy Extraction of stone	y		***	***	***	***	7	7		5	- 2	_
Excision of urinary							40	40	-	3	37	-
Penis:-							TO A					
Excision of bilharz.							1	1	-	-	1	-
Decortication for elep	phant.		•••	***	•••		1	1	-	-	1	-
Scrotum :-	y 25						-					
Excision of skin for Excision of skin for	elephant	t. e	•••		•••		6	6	-	-	6	-
Incision for abscess	Bankten						2	2	_	1	1	_
Spermatic cord :												
Varicocele	***		***	***			12	12	-	_	12	_
Funiculitis Hydrocele of cord							16	16	-	1	15	-
Hæmatoma of cord							2	2	_		2	
Testis :							the It	9-11				
Hydrocele							106	106	-	6	100	- marin
Hæmatocele							5	5	-	-	5	-
Epididymectomy Orchidectomy		***	***			***	4 2	4 2	_	_	4 2	
Labium :-	1		200						3 7	100		
Excision of bilharz, 1	nass						2		2	2		
Cystoscopy							1	1		-	1	-
Catheterization of ur	eter		***	***	***	***	1	-	1	1	-	-
						1	1		1	1	4	

## Table XXIV (continued).

										A	NÆSTHET	i Co
							Total.	Males.	Females	General.	Spinal.	Town
Operations i	ERFORM	ED IN	THE	GE	NERA	L Su	RGICAL	Тнеат	TRES (co	mtinued	D.	
perations on the Lymphat						1			1			1
Excision of tuberc.							39	14	25	39	-	-
Excision for lympha							1	1	- 1	1	Time	-
Excision of gland for Lymphangioplasty	or exam			***	***	***	1	1	- 1	1	_	-
Operations on Nerves :-									(make			
Suture of cut nerve							1	1	-	1	-	-
Operations on Arteries :-									1004			
Ligature of carotid	artery						1	1	_	1	-	
			7									
Operations on the Thyroid	criana :-					-			3		Tarley.	
Thyroidectomy:—												
For goitre For exophthalmic g							20	3	17	20	-	-
			***	***	***	***	1		1	1	Opens,	
Per coute most id	1 nroat .						,	,	Tearle	THE PER	111111111111111111111111111111111111111	
For acute mastoid Tonsillectomy			***	***	***		1	1	1	1		-
					0.700							
OPERATION	S PERFO	RMED	IN '	THE .	EAR,	Nos	SE, ANI	Тнко.	AT THE	ATRE.		
Operations on the Ear:—			IN '	THE		Nos	SE, ANI	THRO.	ат Тне	ATRE.	6-00	1
			IN	THE	EAR,	Nos	1 5	THRO.	AT THE	ATRE.	Garage St.	1 100
Perations on the Ear:  Removal of foreign Removal of polyp. Excision of tumour	body 		IN	THE			1 5	1 4 2	THE	1 5 2	111	1 1 1 1 1 1 1
Removal of foreign Removal of polyp. Excision of tumour Scraping	body 		IN :	THE .			1	1 4 2 2 19	- 1 - 1 - 11	1	11111	21 1 1 1 1
Perations on the Ear:  Removal of foreign Removal of polyp. Excision of tumour	body						1 5 2 2	1 4 2 2	- 1 - 1	1 5 2 2	111111	1 1 1 1 1 1 1 1 1
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid	body	enoida	  1 abs	  scess			1 5 2 2	1 4 2 2	- 1 - 1	1 5 2 2 30		21 1 11 1 1 1 1 1
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp	body	enoida	  1 abs	  scess			1 5 2 2	1 4 2 2	- 1 - 1	1 5 2 2 30	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21 1 1 1 1 1 2
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Operations on the Nose and Scraping :—	body	enoida	l abs	  scess			1 5 2 2 2 30 1	1 4 2 2 2 19	- 1 - 11 11 1	1 5 2 2 2 30 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Decrations on the Nose and Scraping:— For hypertrophic rh For lachrymal fistul	body poro-sphe	enoida	  1 abs	  scess			1 5 2 2 30 1	1 4 2 2	- 1 - 1	1 5 2 2 30	11 11111 3	
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Departions on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy	body poro-sphe	enoida	 l abs	  scess			1 5 2 2 2 30 1	1 4 2 2 2 19 —	- 1 - 11 11 1	1 5 2 2 2 30 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Departions on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal	body booro-sphel Accesse initis a sinus	enoida	l abs	  scess			1 5 2 2 30 1	1 4 2 2 2 19	- 1 - 11 11 1	1 5 2 2 2 30 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Perations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla	body  ooro-sphel Access  initis a sinus	enoida	l abs	  scess s :			1 5 2 2 30 1	1 4 2 2 19 -	- 1 - 11 1 1 1 4 2 1 1 - 1	1 5 2 2 30 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Operations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of sebacion	body  poro-sphel Access  initis a sinus ry polyp	enoida	11 abs	scess			1 5 2 2 30 1	1 4 2 2 2 19 —	- 1 - 11 1 1 1 4 2 1 1 - 1	1 5 2 2 30 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Operations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of sebacion Excision of tumour Excision of granulous	body  poro-sphel Access  initis a sinus ry polypis cyst of nose na	enoida	l abs	scess			1 5 2 2 30 1	1 4 2 2 19 — — — — — — — — — — — — — — — — — —	- 1 - 11 1 1 1 4 2 1 1 - 1	1 5 2 2 30 1		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COL
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Decrations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of sebacion Excision of tumour Excision of turbinat	body  booro-sphell Accesse initis a sinus ry polyr us cyst of nose na ee bone	enoida	11 abs	scess			1 5 2 2 30 1 5 3 1 1 7 1 1	1 4 2 2 2 19 —	- 1 - 11 1 1 1 4 2 1 1 - 1	1 5 2 2 30 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Operations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla Removal of sebacion Excision of tumour Excision of turbinat Operations on the Throat:—	body  booro-sphel Access  initis  sinus  ry polyr  scyst of nose na  te bone	enoida	l abs				1 5 2 2 30 1 5 3 1 1 7 1 1	1 4 2 2 19 — — — — — — — — — — — — — — — — — —	- 1 - 11 1 1 1 4 2 1 1 - 1	1 5 2 2 30 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Operations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla Removal of sebacion Excision of tumour Excision of tumour Excision of turbinat Operations on the Throat:— Tonsillectomy and of	body  poro-sphel Access  initis a sinus ry polyr is cyst of nose na te bone carrettage	enoida	l abs				1 5 2 2 30 1 5 3 1 1 7 1 1 1 1 1 1	1 4 2 2 19 — 1 1 1 — 1 5 1 — — 1 41	- 1 - 11 1 1 1 4 2 1 1 - 1	1 5 2 2 30 1 1 5 3 3 1 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Perations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla Removal of sebacion Excision of tumour Excision of tumour Excision of turbinat Perations on the Throat:— Tonsillectomy and of Incision of retro-phs	body  ooro-sphel Access  initis a sinus ry polyr is cyst of nose na te bone curettage	enoida ory Si	l abs				1 5 2 2 30 1 5 3 1 1 7 1 1 1 1 1	1 4 2 2 2 19 — — — — — — — — — — — — — — — — — —	- 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 5 2 2 30 1 1 5 3 3 1 1 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Derations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla Removal of sebacion Excision of tumour Excision of tumour Excision of turbinat Derations on the Throat:—  Tonsillectomy and of Incision of retro-pha Excision of tumour	body  booro-sphell Access  initis  a  ry polypus cyst  of nose na  e bone  curettage aryngeal  of soft	enoida ory Si	l abs				1 5 2 2 30 1 5 3 1 1 7 1 1 1 1 1 1 1	1 4 2 2 19 — 1 1 1 — 1 5 1 — — 1 41	- 1 - 1 1 1 1 1 - 2 - 1 1 1 1 - 2 - 48 - 48 - 48	1 5 2 2 30 1 1 5 3 3 1 1 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Derations on the Nose and Scraping:— For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla Removal of sebaciou Excision of tumour Excision of tumour Excision of turbinat Derations on the Throat:— Tonsillectomy and of Incision of retro-pha Excision of tumour Excision of tumour	body  poro-sphel Access  initis a sinus ry polyr is cyst of nose na e bone curettage aryngeal of soft	enoida ory Si	l abs				1 5 2 2 30 1 1 5 3 1 1 1 7 1 1 1 1 1 1	1 4 2 2 2 19 — 1 1 1 — 1 5 1 — 1 — 1 1 — 1 — 1 — 1 —	- 1 - 1 1 1 1 1 - 2 - 1 1 1 1 - 2 - 48 - 48 - 48	1 5 2 2 2 300 1 1 5 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Derations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla Removal of sebacion Excision of tumour Excision of tumour Excision of turbinat Derations on the Throat:—  Tonsillectomy and of Incision of retro-phs Excision of tumour Derations on the Larynx of Tracheatomy Examination of lary	body  booro-sphell Access  initis  sinus  ry polyr  scyst  of nose  na  te bone  curettage  aryngeal  of soft  and Trace  rax	enoida ory Si  ory Si	l abs				1 5 2 2 30 1 5 3 1 1 7 1 1 1 1 1 1 1	1 4 2 2 2 19 — 1 1 — 1 5 1 — 1 — 1 — 1 — 1 — 4 1 — 4 5 5	- 1 - 1 1 1 1 1 - 2 - 1 1 1 1 - 2 - 48 - 48 - 48	1 5 2 2 30 1 1 5 3 3 1 1 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Derations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla Removal of sebacion Excision of tumour Excision of tumour Excision of turbinat Derations on the Throat:— Tonsillectomy and of Incision of retro-phs Excision of tumour Compensations on the Larynx of Tracheatomy	body  booro-sphell Access  initis  sinus  ry polyr  scyst  of nose  na  te bone  curettage  aryngeal  of soft  and Trace  rax	enoida ory Si  ory Si	l abs				1 5 2 2 30 1 1 5 3 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 4 2 2 2 19 — 1 1 1 — 1 5 1 — 1 — 1 — 41 — 4	- 1 - 1 1 1 1 1 - 2 - 1 1 1 1 - 2 - 48 - 48 - 48	1 5 2 2 2 300 1 1 5 3 3 1 1 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1		
Removal of foreign Removal of polyp. Excision of tumour Scraping For acute mastoid Trephining for temp Derations on the Nose and Scraping:—  For hypertrophic rh For lachrymal fistul Dacrocystectomy Drainage of frontal Removal of polyp Removal of maxilla Removal of sebacion Excision of tumour Excision of tumour Excision of turbinat Derations on the Throat:—  Tonsillectomy and of Incision of retro-phs Excision of tumour Derations on the Larynx of Tracheatomy Examination of lary	body  booro-sphell Access  initis  a  ry polypus cyst  of nose na  e bone  curettage aryngeal of soft  and Trace  ry gn body	enoida ory Si  ory Si	l abs				1 5 2 2 30 1 1 5 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 4 2 2 2 19 — 1 1 — 1 5 1 — 1 — 1 — 1 — 1 — 4 1 — 4 5 5	- 1 - 1 1 1 1 1 - 2 - 1 1 1 1 - 2 - 48 - 48 - 48	1 5 2 2 2 300 1 1 5 3 3 1 1 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1		

# Table XXIV (continued).

ANÆSTHETIC.

			420000000000000000000000000000000000000	
	Total.	General	Spinal.	Local.
OPERATIONS PERFORMED IN THE GYP	v Poot ooto:	Tunima.		
OPERATIONS PERFORMED IN THE GYT	NÆCOLOGICA	L IHEATRI	S.	
Intra-abdominal Operations:—	1			
Laparotomy:—				
For tubercular peritonitis	1		1	-
For breaking uterine adhesions	1	-	1	-
Cæserian section	8	8	-	-
Hysterectomy :				
	0		0	
Total	2 17	- 8	9	
Ventral suspension	22	4	18	8
Myomectomy	5	1	4	
Salpingo-ovarectomy	7	3	4	
Ovarectomy	13	5	8	
Excision of parovarian cyst	1	1		y =
For ventral hernia	2	î	1	-
Extra-abdominal Operations:—	Liberty !	0		
Alexander Adam's	5 1	- 1	_ 5	=
Vacinal Organians		Ren		
Vaginal Operations :—				
Examination	1	-	1	
Anterior colporrhaphy	23		2 23	
Colpo-perineorrhaphy	15	-	15	_
For vesico-vaginal fistula	15	1	14	3 -
For recto-vaginal fistula	4	1	3	-
Excision :—				
Bilharzial mass	4	-	4	-
Elephantiasis of labia	3	1	2	-
Pendulous labium	1 1	T.	1	111020211
Urethral prolapse	1		1	-
Urethral ulcer	1	-	1	
	and the same of th			
Operations performed in the O	BSTETRIC T	HEATRE.		
Parana	01.1	21		
Perforation	21 21	21		-
Decapitation	2	2	_	
Evisceration	1	1	-	-
Version	12	12	-	-
Manual removal of placenta	4 4	4 4		
Evacuation of hydatidiform mole	1	1		-
Perineorrhaphy	2	2	-	
Incisions	2	2	- 1	-

												Anasti	EETIC.
									Total.	Males.	Females.	General.	Local.
										1	1	1	
0	OPERATION	S PE	RFO	RMEI	IN	THE	OPE	THA	LMIC THE	ATRE (co	mtinued).		
	ations on the Lids:—												
Fo	r trachoma :									-		-	-
	Expression Excision of cartilage			***	***				114	66	48	27	87 5
IV.	r Trichiasis :—									-the	-	10 TO	
ro	0 11 1								470	281	189	23	447
	Van Millingen's								59	30	29	5	54
	Epilation								1	1	-		1
Fo	r Ectropion :							1	1			- lerel	
	Snellen's		***						11	10	1	-	11
	Cauterization Excision of cartilage								1 3	- 3	1	-	3
		***	***		***	***		***	0	9		1000	1
Fo	r Entropion :-										A COLUMN		
	Van Millingen's Removal of skin		***	***	***			***	10	5	5	_ 4	6
	Excision of cartilage					***			3	2	1	-	3
	Snellen's Canthoplasty			***					29 11	17	12	7 5	22 6
	For symblepharon								2	2		_ "	2
	For meibomian cyst			***		***			10	7	3	1	9
	For sebacious cyst For ptosis					***	***		1 3	1 2	1	2	1
	Excision of granulon								2	1	1	2	-
Opera	ations on the Cornea :-									- 89	thinly	torners!	
	Inversion of pterygiu								10	7	3	-	10
	Excision of pterygiun	n -							5	4	1	-	5
	Staphylectomy Removal of foreign l	ody				***			4	2	_ 2	1	_
	Paracentesis								2	2	- 0	2	-
	Scraping Cauterization		***	***		***		***	17 8	9 7	8	2 5	15
										-			
Opera	tions on the Lachryma	Ap	para	tus:	-							1000	
	Drainage Scraping				•••	•••			7 4	3 2	4 2	1 4	_ 6
	Splitting of canalicul	us							3	1	2	1	2
	Excision of lachryma	l sac	D			***	•••		6	-	6	4	2
Opera	tions on the Lens :-							147		THE REAL PROPERTY.	1		
	Cataract extraction								105	57	48	9	96
	Needling Curette evacuation								22	9 5	13	9 6	13
	Extraction for dislocation	ation							1	1	-	1	-
	utions on the Iris:-							1000			100	in the	
Omore											11.	- 19 79 1	
45.00									51	97	74	90	
45.00	dectomy for :-			***	244	***	***		51 18	37	14	22 8	51 12
45.00	Leucoma adherens	lcer						244	4.00			0 1	12
45.00	Leucoma adherens Perforating corneal u Prolapse of iris								11	6	5	7	32
45.00	Leucoma adherens Perforating corneal u Prolapse of iris Glaucoma	lcer							11 17	6	5 11	7 5	32 2
45.50	Leucoma adherens Perforating corneal u Prolapse of iris Glaucoma Iritis Closed pupil	lcer							11 17 4 3	6 3 2	5 11 1 1	7	32 2 9 4
445	Leucoma adherens Perforating corneal u Prolapse of iris Glaucoma Iritis	lcer							11 17 4	6 3	5 11 1	7 5 1	32 2 9

and or worth the part of the root than									ANASTI	EFFIC.
						Total.	Males.	Females.	General	Local.
					1					101
OPERATIONS PER	FORME	D IN	THE	OP	нтна	ьміс Тні	EATRE (co	ontinued).		
Operations on the Globe:-					1	. 1	1	1	. 1	
Trephining for glaucoma Evisceration for panophthalmitis	s					44 24	36 18	6 8	3 24	41
Enucleation for :-										
Staphyloma						19 4 4 8	10 2 2 2 5	9 2 2 3	19 4 4 8	
Operations on the Eye-Muscles :-										
Tenotomy						2		2	-	1
Operations on the Orbit :-									-	
For orbital tumour Scraping of frontal sinus						3 1	1 1	_ 2	3	-

### Foundlings.

214 foundings were present in the home during the year 1921. Of these 80 were carried over from the year 1920 and 134 admitted during the year 1921. 109 died and 14 were adopted during the year. 91 were carried over to the year 1922.

The following is an analysis of the causes of death of the 109 cases :-

Gastro-intestinal Diseases :—           Gastro-enteritis            Enteritis            Enterocolitis	14 9 5	Erysipelas Influenza Acute cervical adenitis Congenital syphilis			2
Diseases of Nutrition :-		Varia:		23 133	
Marasmus	18	Prematurity			4
Pulmonary Diseases :-		Exposure and collapse			
Pneumonias	15	Hæmorrhage neonatorum			4
Bronchitis	8	Pyelitis			
Specific Infectious Diseases :-		Status lymphaticus Pyæmia			
Whooping cough	3	Inanition			
Chicken pox	1	Septicæmia			:
		Tor	AL		109

### REPORT ON THE WORK OF ALEXANDRIA GOVERNMENT HOSPITAL.

8,260 patients were admitted to the hospital during the year: 6,575 males and 1,685 females. This is a decrease of 474 cases compared with the number of admissions during 1920. With the addition of 288 cases (remaining at the end of 1920) to the total number of admissions, we get a total of 8,548 in-patients.

In great contrast with the diminution of the admissions, there was an enormous increase in the number of out-patients as shown by the following table:—

	1920.	1921.
New cases that attended at the Out-patients Departments during the year, admissions not included Old cases that attended at the Out-patients during the year	24,038 41,296	39,354 85,440
Admissions - to 7 mg and government page that the contract to 12		124,794 8,260
GRAND TOTAL	74,068	133,054

This means that while the admissions were 474 cases less than 1920, the out-patients attendances were nearly doubled.

The number of beds in this hospital is at present too small for the City of Alexandria and the environs and, had it been possible to accommodate more cases, the admissions would have shown a big increase.

Some other factors take part in the causation of the diminution :-

- (a) The outbreak of infectious diseases was distinctly milder this year than during any of the past five years, so much so that there was no need for opening the Chatby Isolation Hospital, and the few beds in the Infectious Section of the General Hospital were enough to accommodate the cases that required isolation and treatment.
- (b) No military cases at all were dealt with during this year, in contra-distinction to preceding years, when the military admissions used to increase the general list of takings-in.

The number of admissions previously stated does not include the women who received treatment at the Lock Hospital for native prostitutes (the Ex Austro-Hungarian Hospital at Moharrem Bey). These were 914 in number, which, with the addition of thirty-eight cases remaining in hospital on December 31, 1920, gives a total of 952 in-patients. This number is about 200 less than that of last year, and about 500 less than the year 1919.

Table XXV shows the nature and results of these cases.

The following table shows the total number of cases dealt with as in-patients under the Direction of this hospital during the year 1921:—

lumber	of ca	uses t	reated a	t (	Gener	ral I	Iospi	tal	***	***	8,251
17	11		"		Lock	Ho	spital	l			914
,,,	**		remainin	g :	at th	e en	d of	1921	:		
	At G		al Hospit								297
			Hospital.								38
										_	
							T	OTAL			9,500

The table given below demonstrates the progressive increase in the admissions and the out-patients during the past sixteen years. The admissions have gone progressively up from 4,232 in 1906 to 10,407 in 1918 and then showed a decrease. The out-patients were only 3,829 in 1906 and were 39,354 this last year, which is over ten times as much. This does not include the old cases nor the admissions:—

YEAR.	Admissions.	Out-patient New Cases.
1906	4,232	3,829
1907	4,653	3,799
1908	5,296	4,717
1909	5,676	8,623
1910	6,032	10,000
1911	6,114	11,111
1912	6,523	12,109
1913	7,288	18,449
1914	7,531	17,565
1915	7,907	18,931
1916	9,599	20,388
1917	9,963	16,399
1918	10,407	18,771
1919	9,278	18,061
1920	8,734	24,038
1921	8,260	39,354

With the addition of 8,260 admissions to 39,354 other new cases at Out-patients Department we get a total of 47,614 new cases attending at the Hospital during the year.

The total number of cases discharged from the hospital during 1921 was 8,251: 6,565 males and 1,686 females. The following table shows the results attained:—

							Males.	Females,	TOTAL.
Cured							 2,854	897	3,751
Improved							2,829	492	3,321
No improvement							 359	126	485
Died	***	***					 523	171	694
				T	OTAL	ū	 6,565	1,686	8,251
Under treatment	at	the	end	of th	ie ve	ear	 234	63	297

The daily average of patients in the hospital was 299.

The total number of deaths was 694, which is approximately 8.4 per cent of the total number of cases that were treated at the General Hospital. It is to be noted that the deaths due to infectious diseases only is 137, which, if added to the deaths due to burns and serious casualties explains the causation of half the total number of deaths.

#### CLASSIFICATION OF THE 8,260 ADMISSIONS.

Cases admit									1,934
27 22	at th	eir	own	requ	iest		***	***	 3,803
Policemen									 694
Prisoners : n	atives								 133
	Europeans								12
Administrati	ions								 1,383
Ghafirs									 301
						Too	CAT.		 8,260

Table XXV.—Results of Treatment of the 8,251 Cases that were discharged from the Alexandria Government Hospital during the Year 1921.

							Cur	red.	Impr	oved.	Impro	No rement.	D	ied.	Te	tal.	
100	1	DISEA	SES.	10.			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	GRAND TOTAL
	Ali	meni	ary.														
Diseases of a Tubercular I Dysentery Diarrhœa an Liver Other diseas	oerit	oniti	is				51 4 78 51 9 76	4	4 3 41 30 13 7	4	1	- 2 - 2 - -	3 2 15 10 2 1	1 2	58 11 135 95 27 84	8 20	19 155
	Res	pira	tory.				17.70									100	Part of the last
Pneumonia Phthisis Pleurisy Other disease	 es						33 1 12 90	=	7 49 14 116	1	47 1 6	2 1 1	20 35 6 15	-	60 132 33 227	10 22 2 16	70 154 35 243
Heart Other circula		culat		s			1 1		37 14	11 10	6 3	4 5	17 5	5 2	61 23	20 19	81 42
Nephritis	<i>U</i> <sub>1</sub>	rina	ry.	***		***	1	5	23	8	4	-	6	9	34	22	56
Others						•••	75	5	41	2	9	-	6	-	131	7	138
C-1	I	Blood	1.				19		0.4						50	0	61
Spleen Others							12	3 2	24 22	3 6	4 2	_1	6	-1	53 37	8	61 45
	Ne	rvou	8.														
Brain Spinal cord Others							2 - 18		2 2 47	_ _ 4	_ 	3	5 1 4	- 1 2	9 3 83	1 10	9 4 93
Co	nstit	utio	nal.														
Rheumatism Diabetes Senility Debility							66 — 1 5	-9 - 2	33 16 10 23	7 4 4 4	7 9 5	- 2 4 3	1  15 12	- 1 3 6	100 23 35 45	16 7 11 15	116 30 46 60
Debility		rasit		***	***		,	2	20	*	9	3	12	0	40	15	00
Malaria Ankylostoma							28 12	- 1 -	43 5 27 1	10 _ _ _	5 - 3 -	1	32 1 1	2 - -	84 34 43 1	13 1 —	97 35 43 1
	Pois	oni	ıg.														
Alcohol Other poisons							105 22	7 3	11 7	1 2	_	=	1 2	_	117 31	8 5	125 36
Lunatics			***	***			-	-	31	14	88	32	2	-	121	42	167
Other Medical	dise	ases	***		•••		33	13	22	7	4	1	6	2	65	23	88
Simple Compound	Fra	cture					11 13	9	134 49	27 5	4	1	18	2 1	167 69	39	206 76

# Table XXV (continued).

					Cure	ed.	Impre	oved.	Improv	covement,	D	ied.	To	otal,	
Dise	ASES.				Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males,	Females.	GRAND TOTAL
Tum	ours.														
Malignant Non-malignant Traumatic injuries Burns Bilharziasis Fistula in ano Liver abscess Hernia Hæmorrhoids Appendicitis Vesical calculus Other surgical disea					5 13 108 10 56 22 4 205 81 13 19 272	-4 18 3 1 3 1 7 8 1 -52		1	10 2 4 2 10 6 - 21 11 1 47	10 3 1 4 - 1 - 1 1 - 1 1	74 23 9 1 2 7 - 2 5 38	. 8 50 2 - 8	26 686 67 185 110 12 265 218 24 27	8 77 79 2 8 2	38 36 763 140 187 118 14 276 240 27 27 1,066
Ophthalmic		***	***	***	176	77	110	55	10	3	-	-	296	135	43)
Skin		***		***	218	14	141	22	1	1	1	2	361	39	400
Vene	reals.														
Syphilis Gonorrhœa Soft sores					28 20 21	10 4 —	149 47 28	34 5 —	3 - -	_1 			180 67 49	45 9 —	225 76 45
Midwifery					-	44	-	.3	-	3	-	2		52	55
Gynacology					-	148	-	19	-	15	-	3	_	185	188
Foundlings					14	18	-		1		-		14	18	3:
Relatives accompar	ying	patie	nts		50	159	-	_	_	-	-	-	50	159	209
Fevers					559	153			+	_	101	36	660	189	849
Cases under observ			d to	be	126	59	-		_	-	1	_	126	59	18
GRA	ND T	OTAL			2,854	897	2,829	492	359	126	523	171	6,565	1,686	8,25

### SUMMARY.

		F	RESUL	T.				Males.	Females.	TOTAL.
Cured							 	2,854	897	3,751
Improved .				***			 	2,829	492	3,321
No improvem	ent			***	***		 	359	126	485
Dine		150			***	***	 ****	523	171	694

Table XXVI.—Differential List of the Operations, Surgical and Gynæcological, performed at the Alexandria Government Hospital during the Year 1921.

Ori	ERATION	8.				Cured.	Improved.	No Improvement.	Died.	Under Treatment.	TOTAL.
Laparotomies						119	7	2	29	7	164
Ierniotomy :-											Land I
Inguinal	*					216	3	-	4	9	232
Ventral Femoral			***	***		4				1	5 5
Umbilical						î	-	-	_	-	1
Strangulated hernia	:										
						13	1-	-	4	***	17
Umbilical	***			***	***	-	-	-	1	-	1
Hydroceles and hær		eles				155	1	-	1	3	160
Varicocele						44	2		1		45
Frephining						25	1	-	3	1	30
Prostatectomy						2	1 9	-	1 2	-	4 9
Kidney operations Benign tumours and				***		4 29					29
Malignant tumours						8	31	-	4	1	44
Goitre			***			3	1	-	-	-	4
Amputations :-											- Standard
Due to injury			***	***		34	. 2	-	5 2	1	42 20
Due to disease			***	***	***	14	4	-			
Lithotrity	*** **		***	***	***	8	-	-	3	-	11
Lithotomy :											
Suprapubic Perineal						_7	4	_	3 4	= 1	10 8
Cystotomy :-											
Suprapubic Perineal						=	1 4	_	8 4	_	9 8
Mastoid						2	3	-	-	1	6
Circumcision	*** **		***			3	-	-	-	-	3
Fistula :											
Anal			***			67	7	-	-	1	75
Urinary	*** **		***	***	***	7	3	-	1	1	12
Condylomata :—							1				1000
Piles and fissures Anal and ischio-rec	tal ab		***	***		175 39	45 11			1 2	221 52
Necrosis				***	***	63	22	-	3	15	103
Plastics				***		5	1	-	1	2	9
Skin-grafting Empyema thoracis			***	***	***	18	9		3	2	29 12
bscesses, cellulitis,			ers,	etc.		102	89		5	9	205
Elephantiasis						2	_	-	-	-	2
fare-lip Prolapse of rectum			***	***		3 8	1				3 9
The second secon						4			_	-	4
Papillomata of rect			***			11	4	-		-,	15
Decortication			***	***		18	3	_	2	1	23
Dilatation of urethr	a					1	-	-	-	-	1
Frimming operation Sunshot wounds					***	30	14	-	1 9	3	48 35
dishot wounds			***	100	***	24	2		9		90
3											
Bone operations :— Plating and wi						2	2		1	1	5

Table XXVI (continued).

Оря	ERATIONS.				Cured	Improved,	No Improvement	Died.	Under Treatment.	TOTAL
Nasal polypi				 	4 3 3 2 13	1 - - 3 -	111111		1 - 1 -	6 3 3 6 13
Knee	r ble chlorofe				- - 1 3 1 1 1 31 4 5 5 3 - 10 3	- 1 - 2 - 2 - 5 - 1 - 1 - 1 - 1 1 1 1 1 1 1 1 1 1 1			1 — 1 — 1 — 3 — 2 — — — 1 — — 1 — — 1 — — — — — — — —	1 1 1 3 2 1 3 3 4 8 6 3 1 21 4
Major Gynæce (see La Minor Gynæce	parotom ological	ies). Oper	ation							
Bartholinectomy Vegetations and war Vaginal cyst Colpo-perinorrhaphy Anterior colporrhaph Posterior colporrhap Colpocleisis Vaginal drainage Polypus of uterus Dilatation of cervix. Curettage Evacuation of uterus Mideorceps Podalic version	hy s for al		on		1 4 2 1 6 11 9 1 1 5 24 67 11				- - - 1 1 - 1 - 1 - 1 - - 1	1 4 2 1 7 12 10 1 4 69 11 1 3 1
		Тот	AL	 	1,554	313	2	113	83	2,065

## SUMMARY.

Cured			***		1,554
Improved					313
No improvement		***			2
Died					113
Under treatment					83
				-	
	7	OTAL			2,065

This shows that the mortality of the operation cases was nearly 5.4 per cent.

TABLE XXVII.—DIFFERENTIATION OF THE 164 LAPAROTOMIES PERFORMED DURING THE YEAR.

OPERATIONS.	Cure	l. Improved.	Same.	Died.	Under Treatment.	TOTAL
Surgical Operations, Male and Female						
Exploration Splenectomy Liver abscess Thalama's Appendicectomy Tubercular peritonitis	1	7 =	111111	2 6 1 - 3 -	- - - 1 -	7 24 8 3 15 5
Intestinal obstruction:—  Volvulus		3 - 1 - 1 - 1 - 2 - 1 1 - 1 - 1 - 1 - 1 -		- - 4 3 2 - 1 - 1 1 1		3 1 1 5 5 7 2 2 2 2 1 1
Angioma of liver	 ten-	8 — 1 — 3 —				8 1 3
ing of round ligaments, etc  Pyosalpinx, tubo-ovarian abscess, abs of broad ligament, etc  Ovarian tumours and cysts  Malignant ovary  Wertheim's operation for cancer of cervi	1	2 2		3	2 - 2 -	27 17 12 1 1
TOTAL	11	9 7	2	29	7	164

## SUMMARY.

0 1				770
Cured		***	***	119
Relieved	*** ***	***	***	7
Same condition				2
Died		***		29
Under treatment				7
			-	
	TOTAL			164

The mortality of all laparotomies was approximately 17.5 per cent.

TABLE XXVIII.—LIST OF THE INFECTIOUS DISEASES
TREATED AT THE ALEXANDRIA GOVERNMENT HOSPITAL DURING THE YEAR 1921.

		-					Cu	red.	D	ied.	T	otal.	GRAND
		Dis	EASE	8.			Males.	Females.	Males.	Females.	Males.	Females.	TOTAL
Typhus					***	 	51	31	27	10	78	41	119
Relapsing	feve	r				 	35	5	-	-	35	5	40
P.O.U.O.						 	296	45	18	7	314	52	366
Influenza				-		 	22	3	3	-	25	3	28
Smallpox	***					 	- 3	1	-	-	3	1	4
Chickenpoz	ĸ					 	1	2	-	-	1	2	3
fumps				***	***	 	7	2	_	-	7	2	9
C.S.M.			***			 	4	1	1	1	5	2	7
Measles						 	4	2	-	-	4	2	6
Diphtheria						 	3	-	1	2	4	2	6
Plague						 	65	28	23	11	88	39	127
Erysipelas		***	***			 	67	28	18	1	85	29	114
Tetanus						 	1	1	8	2	9	3	12
Typhoid						 	-	-	2	_	2	_	2
Puerperal	feve	r				 	_	4	_	2		6	6
				Ton	CAL	 	559	153	101	36	660	189	849

This shows that the total number of infectious diseases received this year was only 849, as compared with 1,440 during 1920. There was no need to open Chatby, whereas last year 1,089 other cases had to be isolated and treated there.

### The Chatby Isolation Hospital.

As mentioned in former pages, the outbreak of infectious diseases during the year 1921 was distinctly milder than during any of the past five years.

The following table shows the difference :-

YEAR.	Number of	Cases treated	at Chatby.		Number of Cases treated at Infectious Section of General Hospital.					
I EAN.	Males.	Females.	Total.	Males.	Females.	Total.	TOTAL			
1920	799	290	1,089	1,167	273	1,440	2,529			
1921	_			660	189	849	849			

This shows that the number of infectious diseases dealt with during 1921 was only one-third of the number we received during the preceding year, and was milder still than the four years before.

### The Ophthalmic Section.

The work in the Ophthalmic section has increased during this year as is indicated hereunder:—

New cases at the Ophthalmic Out-patients Department during the year were 6,110.

Old cases attendances were 37,647.

The total number of ophthalmic, old and new, 43,757.

Total number of ophthalmic admissions was 445.

Total number of ophthalmic operations, minor and major, was 2,471.

#### The Lunacy Section.

167 cases of lunacy were admitted to the hospital which is only one case more than last year. Eleven other cases were admitted to the hospital under observation for lunacy and were found sane and subsequently discharged.

These cases were disposed of as follows:-

								Males.	Females.	Total.
ases sent to A	sylun	n :					-	C. Length		100(0)
Certified by	Poli	ce M	Iedic	al C	ffice	r		87	32	119
Certified by	Hos	pital	l Me	dical	Off	icer		1	-	1
ases discharged	:									
Cured								_		_
Not insane								8	3	11*
29 - 733 5								31	14	45†
Died				***	***	***		2	-	2
				To	TAL			129	49	178

### The Lock Hospital for Native Prostitutes.

914 cases received treatment at the Lock Hospital at Moharrem Bey during this year, as compared with 1,057 cases during the year 1920. With the addition of 38 cases remaining in hospital under treatment at the end of the year, we get a total of 952.

The following table demonstrates the nature and results of treatment of these cases:-

Diseases.	Cured.	Transferred to General Hospital.	Total.
Syphilis	241	_1	241
Gonorrhœa	306		306
Soft sores	164	-	164
Skin diseases	10	_	10
Relatives accompanying patients	14	-	14
Under observation (found non-contagious)	160	19	179
Total	895	19	914

#### SUMMARY.

Cases	existing at beginning of 192	1	 78
Cases	admitted during the year		 874
Cases	discharged during the year	***	 914
	remaining at end of 1921		 38

#### The Anthelmintic Annex.

### (A short note on the treatment of Bilharzia and Ankylostoma).

Prior to February 1921, all bilharzia cases that required a course of tartar emetic were admitted to the hospital and treated in the medical ward; since that date an Anthelmintic Annex was attached to the Out-patients Department, and owing to the lack of place and inconvenience of the work in the mornings, arrangements were made for carrying out the treatment in the afternoons, which arrangements did not cause the attending patients any troubles.

<sup>\*</sup> These eleven cases appear in the general list of the discharges of the hospital under the heading "cases under observation found to be nothing" and are not included under the heading "lunatics."

† These cases were discharged to their relatives or to different Consulates, still insane but quiet and harmless.

- (1) Choice of Cases.—There was no choice of cases; all stages of bilharzial infections had to be treated. Mild cases were instructed to attend regularly as out-patients, while severe infections, complicated or otherwise, and thus requiring prolonged medical treatment or surgical interference, were admitted to the hospital. Patients, however, coming from distant places, policemen, ghafirs, Municipality labourers, etc., had to be admitted.
- (2) Nature of the Cases.—The great majority of the cases treated as out-patients were urinary infections, while those treated in the wards were mostly intestinal; double infections formed a small percentage.

Of 301 cases treated as out-patients, 82 per cent were urinary, 11 per cent intestinal,

and 7 per cent mixed infection.

Of 180 cases treated in the wards, 40 per cent were urinary, 52½ per cent intestinal,

and 71 per cent double infections.

Of a total 481 cases treated by the hospital during the year, 322, i.e. 67 per cent, were urinary, 123, i.e. 26 per cent, were intestinal, and thirty-five cases, i.e. 7 per cent, were double infections.

This shows that urinary cases predominate in the out-patients; intestinal cases are the majority of those treated in the wards, while double infections are about the same proportion in both.

- (3) Age.—Patients of all ages attended as out-patients; the youngest being seven years and the oldest forty-five.
- (4) Attendance.—About 40 per cent of the cases in the out-patients have not attended regularly in spite of the treatment being free, and some stopped coming altogether. In-patients were persuaded to finish the course, and Government employees had to stay, and in this way it was possible to maintain regularity in the wards.
- (5) Dosage.—It was a routine to start with half a grain (of tartar emetic) as an initial dose, then one grain, then one and a half, and then two grains. In strong robust subjects a bigger initial dose could be given, and in weak and debilitated patients the maximum dose of two grains could not be reached. A 6 per cent solution of tartar emetic was prepared and this rendered easy the use of an ordinary 2 c.c. record syringe. The injections were given regularly every second day and, sometimes, due to serious reaction, a period of rest had to be given to the patient. In mild cases improvement was noticeable after the fifth injection, i.e. after only seven grains, but usually an average total of twenty-three to twenty-seven grains had to be given. In some cases as few as thirteen grains, in others as many as thirty grains, and even thirty-five in one case, was a complete cure. Two deaths were recorded in the course of treatment and two cases of relapse, surely not new infections, one after thirteen grains, and the other after seventeen grains, and both had to have more injections. No patient was signed cured before three or four repeated microscopical examinations, all negative, of urine or stools or both, according to the nature of the case, and a fifth examination after fifteen days.
- (6) Reactions and Remote Effects.—Nausea, vomiting, irritative cough, rigors, insomnia, pains all over the body, anorexia, wasting, and debility were the general bad reactions experienced by the patient. A sense of dysuria was a frequent complaint. Stomatitis and diarrhoea in the course of antimony treatment are signs of danger.
- (7) Value of the Tartar Emetic Treatment.—The tartar emetic is a definite cure in early mild cases, especially the vesical. Combined with further treatment in complicated cases, it can still be considered a complete specific cure. A relapse may either be due to insufficient dosage during the treatment or a new infection.

(8) Sex.—Two women only attended for tartar emetic treatment, while the whole number was exclusively males.

### Ankylostomiasis.

All patients suffering from ankylostoma were admitted to the hospital and treated in the medical wards. Forty-three cases were treated during the year 1921, some of them required concomitant treatment for other affections. Oil of chenopodium was the routine anthelmintic, while thymol had occasionally to

be used when chenopodium failed, sometimes with very satisfactory results.

Three c.c. of the chenopodium given in three successive doses, with two hours' interval, repeated on the fourth and eighth day was the usual dosage for an adult. Thymol used to be given in doses from one to three or four grammes, according to the age and consitution of the patient.

No untoward symptoms or signs were observed beyond giddiness, epigastric

discomfort, and whistling in the ears.

As many as eighty worms have been expelled on the first day of treatment.

It was a rule to purge the patients on vermifuge before and after the administration and to fast them in between. Stools for twenty-four hours were next collected, emulsified, strained with gauze and examined.

Some cases, though negative microscopically, contained worms, which were expelled by the anthelmintic, and *vice versa* other cases, positive under the microscope, could not be made to pass worms.

After a course of treatment most of these cases gained in hæmoglobin, added body weight, and felt great improvement.

Oil of chenopodium proved to be a good vermifuge in Ascariasis.

### The Out-patients Department.

The work in the different Out-patients Departments of this hospital has increased enormously during this year. The total number of cases that attended, whether old or new, went up to 133,054, which is about double the number of 1920.

The new cases that attended at all sections of the Out-patients was 39,354, while it

was only 24,038 during 1920 and 18,061 during 1919.

In the former pages of this report, I gave a list showing the continuous increase in the numbers of the cases that attended at the Out-patients during the past sixteen years. From 3,829 cases in 1906, we arrived at 39,354 in 1921, which is over ten times as many.

A certain number of minor operations are performed at the Out-patients Department by the Resident Medical Officers, such cases as would not deserve admission. The following is a list of these operations:—

Incisions of	absc	esses	, et	e			 474
Extraction of	f fo	reign	boo	lies		***	 4
Excision of							37
Circumcision	8	***	***				 4
Plastics							 68
Extraction of	f ca	rious	tee	th			 18
Tappings							 17
Amputation		***		***			 1
				т	OTAL		623

#### X-ray Department.

From April 23 till July 9, the switch table was under repair due to a burn in its coils. During the remaining part of the year 192 cases required examination by the rays, and were, according to the nature of the case, either screened or photographed. The following is a list of these cases:—

X-R	AY	Exa	MINA	TIONS		Hull			
Fractures									screenings
,,,			***	***	***	***		64	plates.
Dislocations			***	***	***	***	***	4	
,,								1	plate.
Kidney cases			***		****			21	screenings
Tumours								12	plates.
Other diseases	•	***	***	***		***	***	37	
A 22022 - CONTRACTOR -			***	***	***	***	***	-	
Foreign bodies		***	***	***	***	***	***	6	
Bismuth meal		***		***	***			1	
				T	OTAL			192	and was to

694 policemen and 301 ghafirs were admitted during the year as compared with 727 and 303 last year and 716 and 263 the year before respectively.

145 prisoners: 133 natives and 12 Europeans received treatment as in-patients during the year, as compared with 198 last year: 169 and 29 respectively.

125 cases of drunkenness were admitted during the year, which is fifteen cases less than last year. Eight of these were females.

Thirty-two foundlings were sent to the hospital, fourteen males and eighteen females. This makes four less than last year, and of these there was a mortality of about 50 per cent.

Fourteen barbers and twenty dayas received instruction this year, of which thirteen

barbers and eighteen dayas passed the examination.

3,097 examinations and re-examinations have been made by the Medical Commission, which is 138 cases more than during the year 1920 and about double the number seen during 1918. Of these 3,097 examinations, 156 cases were seen outside the hospital.

1,290 medico-legal reports have been dealt with by the Resident Medical Officers of the hospital, of which 1,209 were small reports and eighty-one long ones, including sixteen autopsies.

The number of patient-days was 109,236.

The cost per bed per annum was L.E. 84.289 milliemes.

The cost per patient per day was L.E. 0.271 milliemes.

The expenditure of the hospital has been L.E. 29,669-677 milliemes.

Treatment fees received from in-patients was L.E. 541-349 milliemes.

Treatment fees received from out-patients was L.E. 934·700 milliemes.

Spent from the Sulfa L.E. 996.033 milliemes.

## 2.—CHILDREN'S DISPENSARIES AND MATERNITY HOMES.

The useful work carried out by these was continued. An Intern Section was added during the year to Zagazig Maternity Home. This has been installed in an adjoining building and comprises a six-bedded ward, operation room, lecture room, chief daya's room, kitchen, bathroom, etc. It is of considerable use in dealing with patients coming for treatment from distant villages.

In the attached tables, Nos. XXIX to XXXIII, will be found details of the work carried out during the year in these Children's Dispensaries and Maternity Homes.

TABLE XXIX.—CHILDREN'S DISPENSARIES. CASES AND ATTENDANCES DURING 1921.

DISPENSABIES.	New Cases.	Old Cases.	Total Attendances.	Period.
Damanhûr	10,173	37,549	47,722	294 days
l'anta	7,977	28,627	36,604	278 ,,
Mansûra	9,807	28,522	38,329	287 ,,
Zagazig	2,266	11,910	14,176	298 "
Shibîn el Kôm	5,288	21,320	26,608	296 ,,
Fiza	5,340	25,653	30,993	290 ,,
Faiyûm	4,567	18,666	23,233	281 ,,
Beni Suef	7,809	36,465	44,274	298 ,,
Biba	4,738	24,194	28,932	302 ,,
Wasta	5,527	18,291	23,818	303 ,,
Minya		21,734	28,156	299 ,,
Port Said	8,905	28,205	37,110	286 ,,
TOTAL	78,819	301,136	379,955	Average. 293 days
Total in 1914	47,601	202,088	249,689	
Total in 1915	48,923	206,159	255,082	_
Total in 1916	70,223	320,587	390,810	293 days,
Total in 1917	69,233	314,474	383,707	295 days.
Total in 1918	70,061	312,188	382,249	289 days.
Total in 1919	55,384	235,831	291,215	231 days.
Total in 1920	71,292	320,411	391,703	282 days.
Total in 1921	78,819	301,136	379,955	293 days.
Increase or Decrease	+ 7,527	- 19,275	- 11,748	+11 days.

Table XXX.—Children's Dispensaries. Analysis of Cases during 1921.

Cases.	Damanhür,	Tanta.	Mansûra.	Zagazig.	Shibin el Kôm.	Giza.	Paiyûm,	Beni Suef.	Biba,	Wasta.	Minya.	Port Said.
Eyes Skin Ears Chest Abdomen Surgical General Infectious	1,113 114 1,140 6,163 301 1,314 26	402 1,175 3,963 426 988	373 1,969		148 720 2,513 61	34 977	63 724 147 789 1,704 58 978 104	255 1,670 312 1,033 3,748 185 563 43	1,053 584 162 411 2,251 26 234 17	745 738 211 755 2,528 42 506 2	690 103 700 2,220 22	1,010 356 1,022 4,428 692
Total number of new cases Number of old			9,807				4,567 18,666	7,809 36,465		5,527 18,291	6,422	8,905
TOTAL Number of working days				14,176	-			44,274 298	28,932			-

TABLE XXXI.—MATERNITY SCHOOLS. ANALYSIS OF ABNORMAL CASES DURING 1921.

Cases.	Damanbûr,	Tanta.	Mansûra.	Zagazig.	Shibin el Kôm.	Faiyûm.	Minya.	Sohäg.	TOTAL
White Died									
Multiple Births :—  Twins  Triplets	12	14	2	17	14	6	2	7	74 1
Abnormal Presentations:—	77-11-1								
Breach ordinary	16 - 1 1 - - 1	14 1 -6 3 3 7 2	3 - - 1 - -	15 2 7 4 7 2 3 2	12 - 1 5 1 -	13 2 - 2 - 1 4 -	6 4 - 3 3 - -	10 5 - 3 2 -	89 14 7 14 23 12 14 5
Forceps	3 	<u>-</u>	4 =	$\frac{14}{1}$	20 1 —	14	4 1 —	4 =	63 2 2
Complications:—									
Post-partum hæmorrhage Ante-partum " Placenta previa Retained and adherent		$\frac{5}{1}$	<u>-</u>	8 12 1	- 1	<u>_1</u>	$\frac{3}{1}$	- 2 -	17 15 5
placenta Uterine inertia Contracted pelvis		4 3 2 1	=	3 4 2	2 - 2	- 4 -	_ 5	1 =	10 11 11 1
Gangrene of cervix Cicatrised Os and vagina Rigid Os		1	=			=	_ _ 1	=	1 1 1
Œdema cervix and growths Cancer Laceration of perineum	=	7	<u>-</u>	1 8	_ 	=	=	=	3 1 19
", of vagina Ruptured uterus Hydramnios	Ξ		Ξ		=	1 1		=	1 1 5
Carried forward	35	79	12	115	63	50	35	34	423

# TABLE XXXI (continued).

Cases.	Damanhûr.	Tanta.	Mansûra.		Shibîn el Kôm.	Faiyûm.	Minya.	Sohäg.	TOTAL.
Brought forward	35	79	12	115	63	50	35	34	423
Albuminuria Gen. Œdema (Heart)	=	_	_	3	_	_	_	_	3
Eclampsia	1	2	1	2	-	-	1	-	7
Syphilis		4	-	-	-	-	-	-	4
Gonorrhœa Undiagnosed fever		2	_	1		_	_	_	1 2 2 1
Renal colic		î		1		_			2
Syncope and aphasia		-	-	1	-	-	-	-	
Leprosy		-	-	1	-	-	-	-	1
Baudl's ring Metritis		=	=	1		_	_	_	1
Hare-lip						_	_	1	î
Ascitis in infant		-	-	-	-	1	-	-	1
Monster		1	-	1	1	-	1	1	5
Hydrocephalus		1	-	_	_	1	1	1 1	2 3
Spina bifida Fractured humerus	_	1	_	2		_		_	2
Ophthalmia neonatorum		1	-	_	_	_	_	_	ī
Illness complicating Puerper- ium :-									
	1	9	1	6	10	7	_	_	27
Puerperal fever Sapræmia	722	2	1	-0	10	3	_		3
Puerperal ulcer		1	-	-	-	_	-	-	1
Abscess of breast		-	1	1	-	-	-	-	2 4
Albuminuria		-	-	3	_		_	_	4 2
Fever, three days Fever, undiagnosed	10000	3	_	4	2			3	3 12
Influenza		-	3	3	_	_	. 3	_	9
Malaria	1	7	2	-	-	-	-	-	9
Dysentery		-		1	-	-	-	-	1
Cystitis Pneumonia,		1	_	_	3	_	_	1	4
Bronchitis		_	_		1		_	_	î
Phthisis	-	-	-	3	-	-	-	-	3
Pulmonary embolism	-	1	-	-	-	1	-	-	2
Thrombosis Pelvic cellulitis		1	_	1	_	_	=	1	3 2 2 1
, abscess				i			_	_	1
Puerp. mania		-	-	_	1		-	-	1
Rheumatism	-	-	-	-	-	-	1	-	1
Maternal Deaths :-				Hoy 1					
Pneumonia	_	_	_	-	-	-	_	1	1
Puerperal fever	1	-	1	-	2	2	1	1	8
Gangrene, cervix	4	1	-	-	-	-	_	_	1
Rupture, heart Heart failure	222	=		_	_	3		_	3
Rupture uterus		_		_	_	1	-	-	1
Embolism	-	1	-	-	-	1	-	-	2
Collapse	. 2	-	-	-	-	-	1	-	1 3 1 2 3 1 2 1 2 1 2 3
Nephritis Eclampsia		_		1	1	_	1	_	2
Dysentery		_	_	1	_	_			1
Phthisis	1	-	-	1	-	-	1	-	2
Hæmorrhage	-	-	-	1	-	-	1	2	3
Fever, unknown	-	1	-	-	-	100	1	-	1
Infant Mortality:-									1
Still-births Died after birth		20 8	6 5	31 17	28 19	31 6	11 5	20	167 65
Premature Births :-		11 50							
Viable	. 5	31	1	24	25	20	9	6	121
Non-viable (abortions)	1	15	19	14	4	4	7	15	79
TOTAL	72	183	52	250	160	131	79	88	1,015
Total number of cases attended	708	572	285	972	957	567	370	311	4,742

TABLE XXXII.—Schools for Dayas. Statistics for 1921.

Cases.	Damanhûr.	Tanta.	Mansûra.	Zagazig.	Shibin el-Kôm	Faiyûm.	Minya.	Sohåg.	Total.
Abortions	1	15	19	17	4	4	7	15	82
Deliveries	534	335	173	595	671	367	244	160	3,079
B.B.A	23	27	12	11	-	3	23	39	138
Primipara	100	85	51	164	153	107	44	* 36	740
Abnormal Comp	12	47	13	77	32	22	20	26	249
Premature births	5	31	1	23	25	20	9	7	121
Still-born	21	20	6	31	29	29	11	20	167
Deaths   Mother	4	2	1	3	8	7	5	4	34
Child	5	8	5	17	20	8	5	-	68
In-patients	3	2	4	34	15	-	2	4	64
Total number of cases	708	572	285	972	957	567	370	311	4,742
Number of visits of matrons and dayas	9,981	2,754	2,547	13,268	6,927	4,278	4,733	3,619	48,107
Number of working days	299	175	206	322	336	317	246	245	Average. 268
Number of dayas trained	19	8	16	36	20	24	20	17	160

Table XXXIII.—Maternity Homes. Number of Dayas who passed Examination and those who failed in 1921.

	Sci	HOOLS	s		Passed.	Failed.	Total.
Damanhí	ir				 18	1	19
Tanta					 8	-	8
Mansûra					 15	1	16
Zagazig					 36	-	36
Shibin el	Kô	m			 17	3	20
Faiyûm					 24	-	24
Minya					 20	-	20
Sohâg					 15	2	17
							-
		T	OTAL	***	 153	7	160

Number of E											-
homes											
Number of th	ose who	passed	the	exa	mina	tion	 	 	 	 	153
*,	**	failed					 	 	 	 	7

## 3.—GENERAL DISPENSARIES.

33,112 patients were treated in the various Government Dispensaries during the year. The detailed attendances at each dispensary are given in Table XXXIV.

The receipts for medicines supplied are given for each dispensary separately in Table XXXV.

Table XXXIV.—Out-patients treated gratuitously in Government Dispensaries during 1921.

DISPENSARIES.	Number of Patients.	DISPENSARIES.	Number of Patients.
Rosetta El 'Atf Itvåi el Barûd Dilingåt Shubrakhit Baltîm (Brullus) Barrage Fariskûr Tel el Kebîr Shirbîn Fûwa Santa Quwesna Bilqås Mataria (Manzala) Kafr el Dauwâr El Saff	1,695 621 231 71 3,281 151 227 445 4 2,033 526 100 676 3,724 1,147 182 502	Brought forward  El Dirr Beni Mazār Samallūt Abu Qurqās Wasta Dairūt Manfalūt Abnūb Abu Tīg El Badāri Tema Akhmim Girga Balyūna Basyūn Nagʻ Hammādi Dishna	16,885 224 2,705 1,871 815 1,016 225 693 125 589 154 623 1,626 2,576 859 278 731 57
tsa	715	Idfu	33,112

TABLE XXXV.—DISPENSARIES RECEIPTS DURING 1921.

DISPENSABIES.	RECEIPTS.	DISPENSARIES.	RECEIPTS.		
	L.E. M.		L.E. M.		
	Montale 9 re	Brought forward	264 652		
Rosetta		Beni Mazâr	7 120		
Cl 'Atf	15 506	Samallût	8 340		
tyâi el Barûd	7 197	Abu Qurqâs	13 620		
Dilingât	8 432	Wasta	16 449		
Shubrakhît	10 880	Dairût	4 735		
Baltim (Brullus)	£ 519	Manfalût	11 530		
Barrage	6 255	Abnûb	29 365		
ariskûr	12 207	Abu Tig	4 923		
'el el Kebir		El Badari	7 017		
Shirbin	15 425	Tema	12 267		
ûwa	91 975	Akhmim	15 470		
anta	7 290	Girga	11 220		
)uwesna	17 060	Balyâna	23 326		
Bilqâs	30 336	Basyûn	14 595		
Intaria (Mangala)	19 855	Nage Hammadi	24 012		
Cafr el Dauwâr	20 591	Dishna	10 250		
01 Saff	9 000	Qûs	5 866		
Biba	90 009	Idfu	17 965		
ten	7 419	El Dirr	2 985		
188					
Carried forward	264 652	TOTAL	505 707		

### 4.—INSPECTORATE OF PHARMACIES.

#### CONTROL OF PHARMACIES AND THE DRUG TRAFFIC.

During the year certain modifications have been introduced into the arrangements for the authorization of wholesale poison dealers, with the object of effecting a more satisfactory control over the traffic in cocaine, morphine, opium, heroine and cannabis indica and the preparations and derivatives of these. Under the old arrangements it was found that there was increasing tendency showing itself for certain persons to apply for authorizations as wholesale poison dealers less with the object of embarking on the general wholesale chemical trade than with the idea of engaging mainly in the more lucrative traffic in stupefacient drugs, which, under existing laws, are possible by legitimate courses of being directed to undesirable ends. This tendency was rapidly leading to a position in which the number of authorized wholesale poison dealers was becoming so great as to be difficult of effective control and out of all proportion to the needs of the community. During the previous year, as a result of this, the issue of new authorizations was entirely suspended for a time, as a temporary measure. The difficulty under the old arrangement was that no person could import or deal in poisons unless first provided with an authorization to do so. Any person therefore wishing to engage in the wholesale chemical trade, unless he excluded poisons which was not feasible, had of necessity to obtain his authorization before he took any steps to set up his business. At that time, however, it was impossible for the controlling service to foresee whether the applicant would eventually establish a bona-fide wholesale chemical or drug business or merely or mainly use his authorization for the purpose of importing and dealing in stupefacient drugs. Under the new scheme which came into force towards the end of the year two forms of authorizations are issued :-

- A. An authorization to deal in all poisons except cocaine, morphine, opium, heroine, and cannabis indica and the preparations and derivatives of these. This authorization is accorded to all persons producing the required certificates and is valid for five years.
- B. An authorization to deal in the narcotic drugs excluded from A. This is renewable every year and is only issued to pharmacists or persons who, under A, have shown that they are engaged in a legitimate wholesale general drug trade, or are the accredited agents of reputable drug manufacturers.

This arrangement permits of new firms establishing the bona-fides of their businesses under permit A and later obtaining permit B, as soon as it has been shown that they really

intend to engage in a legitimate wholesale drug business.

Firms authorized previous to the new arrangements coming into force have, under the old authorization, the rights of trade now conferred upon dealers holding both permits A and B under the new.

The distribution of the authorizations issued to wholesale poison dealers up to end of 1921 are given below together with the results of the legal proceedings taken against persons who have failed to comply with the law regulating this trade.

TABLE XXXVI.—AUTHORIZED POISON DEALERS.

	Cairo.	Alexandria,	Provinces.	TOTAL
Authorizations issued up to end of 1921	43	38	12	93
Contraventions against Poisons Law No. 14 1904:—				
Authorized dealers Unauthorized dealers	1 =1	1 =1	5 =5	$\frac{1}{6} = 7$
Judgments given against contraveners :-				
Authorized dealers Unauthorized dealers	1 =1		1 =1	$\begin{vmatrix} 1 \\ 2 \end{vmatrix} = 3$
Cases pending:—				
Unauthorized persons			4	4

#### PHARMACIES.

The additional pharmacist attached to the Inspectorate of Pharmacies last year for the purpose of extending the control over outside pharmacies has greatly facilitated the carrying out of inspections of these, and during the year nearly every pharmacy has been visited by one or other of the Inspectors. The few which have not been inspected are those which have opened recently and this for the reason that it is of but little use to inspect such until they have been in existence at least three months and have had an opportunity of establishing themselves on the lines upon which they propose to run.

It is to be regretted that a large percentage of pharmacies still fail to give entire

It is true that in most cases they conform to the law but many of them leave much to be desired in the way of cleanliness and sufficiency of drugs and implements. On such points the Inspectors have no power to take any legal action. The most they can do is to advise an amelioration. Under the law it is not necessary that the owner of a pharmacy should be a qualified pharmacist provided that the actual work in the pharmacy is done by a qualified person. A greater tendency to unsatisfactory conditions is found in the pharmacies owned by unqualified persons than is found in those belonging to qualified pharmacists.

In table XXXVII are given details of the inspections held during the year.

TABLE XXXVII.—CONTROL OF PHARMACIES.

Pharmacies.	Cairo.	Alexandria.	Provinces.	TOTAL
Total of pharmacies existing at end of 1920:—				
Qualified proprietors Unqualified proprietors	61 =153	$\frac{41}{36}$ =77	$\frac{68}{77}$ $\left\{ =145\right\}$	$\begin{vmatrix} 201 \\ 174 \end{vmatrix} = 375$
Opened during 1921 :—				
Qualified proprietors Unqualified proprietors	$\frac{9}{7}$ = 16	$\begin{vmatrix} 4 \\ 4 \end{vmatrix} = 8$	$\frac{9}{7}$ = 16	$\begin{vmatrix} 22 \\ 18 \end{vmatrix} = 40$
Closed during 1921:—			in a self	Anna .
Qualified proprietors Unqualified proprietors	$\begin{array}{c c} 5 \\ 8 \end{array} = 13$	$\frac{2}{2} \Big  = 4$	$\begin{vmatrix} 3 \\ 11 \end{vmatrix} = 14$	$\frac{10}{21}$ = 31
Existing at end of 1921:—				
Qualified proprietors Unqualified proprietors	96 ( =156	$\begin{vmatrix} 43 \\ 38 \end{vmatrix} = 81$	$\begin{vmatrix} 74 \\ 72 \end{vmatrix} = 146$	$\begin{vmatrix} 213 \\ 170 \end{vmatrix} = 383$
Inspected during 1921:—				
Qualified proprietors Unqualified proprietors	64 = 161	$\begin{vmatrix} 39 \\ 39 \end{vmatrix} = 78$	$\begin{vmatrix} 59 \\ 73 \end{vmatrix} = 132$	195 ( =371
Satisfactory Inspections :—				
Qualified proprietors Unqualified proprietors	$\begin{bmatrix} 87 \\ 53 \end{bmatrix} = 140$	$\begin{vmatrix} 36 \\ 32 \end{vmatrix} = 68$	$\begin{vmatrix} 51 \\ 61 \end{vmatrix} = 112$	$\begin{vmatrix} 174 \\ 146 \end{vmatrix} = 320$
Unsatisfactory Inspections:—			Seal State of	
Qualified proprietors Unqualified proprietors	$\begin{vmatrix} 10 \\ 11 \end{vmatrix} = 21$	$\frac{3}{7}$ = 10	$\begin{vmatrix} 8 \\ 12 \end{vmatrix} = 20$	$\begin{vmatrix} 21 \\ 30 \end{vmatrix} = 51$

#### TABLE XXXVIII.

			Cairo,	Alexandria.	Provinces.	Total.
Samples of drugs, etc., sent for analysis:—	to Labor	atories				
Conform Not conform	:		_	=	_	$\left\{ \begin{array}{c} 209 \\ 101 \end{array} \right\} = 310$
Contraventions against the No. 14 of 1904:—	Pharmacy	y Law				
Qualified proprietors ,, managers Assistant pharmacists Apprentices Unqualified proprietors Unauthorized persons			$\begin{vmatrix} 3\\3\\-\\6 \end{vmatrix} = 12$	$\begin{vmatrix} 2\\3\\1\\1\\4\\6 \end{vmatrix} = 17$	$\begin{vmatrix} \frac{2}{6} \\ \frac{1}{11} \end{vmatrix} = 20$	$\begin{vmatrix} 7 \\ 12 \\ 1 \\ 2 \\ 4 \\ 23 \end{vmatrix} = 49$
Judgments given against con- Qualified proprietors			-1	1)	2)	3 )
,, managers Assistant pharmacists Apprentices			$\begin{vmatrix} -1\\ -1 \end{vmatrix} = 1$	$\begin{vmatrix} 1\\2\\1\\1\\1\end{vmatrix} = 6$	$ \begin{vmatrix} \frac{2}{3} \\ -\frac{1}{3} \end{vmatrix} = 8 $	$\begin{vmatrix} 5\\1\\1\\4 \end{vmatrix} = 15$
lases pending:—						
Qualified proprietors ,, managers Apprentices Unqualified proprietors Unauthorized persons			$\begin{vmatrix} \frac{3}{3} \\ -\frac{1}{5} \end{vmatrix} = 11$	$\begin{vmatrix} \frac{1}{1} \\ \frac{3}{6} \end{vmatrix} = 11$	$\begin{vmatrix} -\frac{3}{3} \\ \frac{1}{8} \end{vmatrix} = 12$	$ \begin{vmatrix} 4\\7\\1\\3\\19 \end{vmatrix} = 34$
Cases filed :					I strange	1 - 22 - 157 -
Qualified proprietors Unqualified proprietors				_}= 0	$\frac{1}{-}$ = 1	$\binom{1}{1} = 2$

#### PHARMACISTS.

During this year thirty-two new pharmacists were authorized to practise in Egypt. Of these only twelve qualified in Egypt. Of the 949 registered pharmacists in the country in 1921, only 183 were pharmacists with Egyptian qualifications. All the remainder had foreign diplomas. As a result of this, great difficulty is often experienced by this Department in obtaining a sufficiency of Egyptian qualified pharmacists for its service. The difficulty is further increased by the objection of many of them to serve in the Provinces when satisfactory employment is obtainable in pharmacies in Cairo and Alexandria. In spite of this, however, it is satisfactory to report that it has been possible to replace all the assistant pharmacists who were formerly in charge of some of the Government hospital pharmacies by properly qualified men.

#### ASSISTANT PHARMACISTS.

Eleven persons have been registered as assistant pharmacists during the year, of whom ten have qualified from the School of Medicine in Cairo and one from Cyprus.

The question of assistant pharmacists and pharmacy apprentices will probably in the near future call for fresh consideration. Law No. 20 of 1911 was formulated principally partly in order to regularize the position of unauthorized persons who had been practising pharmacy for some years and partly to cope with a serious shortage of qualified pharmacists. The supply of assistant pharmacists, however, at present tends to be greater than the demand for them to meet the requirements of pharmacies.

Thus of the 298 persons registered as assistant pharmacists only about two-thirds are actually working in pharmacies; the remainder are either engaged in wholesale drug

business or have given up pharmacy entirely. There are at the present time 225 apprentices who are registered as serving in pharmacies and at the end of four years a large proportion of these will have obtained their certificates as assistant pharmacists. For reasons of economy pharmacists are accepting apprentices instead of assistants and in consequence the latter find it difficult to obtain situations. This difficulty will continue to increase if the number of apprentices is not limited.

It may be necessary therefore in the near future to raise the standard of the entrance examination for the registered apprentices considerably. Assistant pharmacists who are proprietors of pharmacies continue to evade the law by registering their pharmacies in the name of some near relative or other person. They engage a qualified manager in name only and exploit the pharmacy themselves. A number of procès-verbaux have been drawn up during the year against these men for working on their own responsibility during hours not permitted by law and efforts are being made to put an end to this offence.

Assistant pharmacists authorized to practise	298
Apprentices training in pharmacies and registered at	
the school	225
Apprentices struck off the register during the year for	
various reasons	21
Apprentices admitted to the school during the year	
after entrance examination	13

TABLE XXXIX.

			Cairo.	Alexandria.	Provinces.	Total.
ontraventions against Law Qualified proprietors ,, managers			 	1 3	3)	1 7
Assistant pharmacists Apprentices Unauthorized persons		 	 $\begin{vmatrix} 1 \\ 1 \end{vmatrix} = 2$	$\begin{vmatrix} 2\\1\\-\end{vmatrix} = 7$	$\begin{vmatrix} 3\\1\\-1 \end{vmatrix} = 5$	$\begin{vmatrix} 7\\3\\2\\1 \end{vmatrix} = 1$
idgments given against con				TO THE		
Qualified managers Assistant pharmacists Apprentices		 	 $\left  \frac{-}{1} \right\rangle = 1$	$\begin{bmatrix} 2\\2\\- \end{bmatrix} = 4$	$\begin{bmatrix} 1 \\ - \\ - \end{bmatrix} = 1$	$\left. \begin{array}{c} 3 \\ 2 \\ 1 \end{array} \right\} =$
ases pending:-				A STATE OF THE STA		
Qualified proprietors		 	 -1	1	1	1 \
,, managers Assistant pharmacists Apprentices			 $\begin{vmatrix} 1 \\ - \end{vmatrix} = 1$	$\left  \frac{1}{1} \right  = 3$	$\begin{vmatrix} 2\\1\\-\end{vmatrix} = 4$	1 =
Unauthorized persons	***	 	 _		1	î)

Traffic in Poisonous Plants.—Five new permits have been granted during the year for dealing in various poisonous plants, bringing the total up to thirty-eight. These are mostly issued to dealers either for the purchase of locally cultivated plants mainly for export or for the admission of such into Egypt from surrounding countries largely for re-exportation.

Opium.—A considerable amount of opium is introduced into the country, largely in crude form, from the countries in which it is grown.

Thus in 1921 approximately 7,083 kilos. of the drug were imported into Egypt, of which 3,825 kilos. came from Syria, 1,573 from Persia, 717 from Turkey, 486 from Smyrna, 300 from British India, 64 from the United Kingdom, 52 from Greece, 45 from Palestine, and 21 from other countries. These amounts were imported by regularly authorized dealers.

In addition to the quantity thus introduced from outside a certain quantity is produced within the country. Previous to the war a certain amount of cultivation of the Opium Poppy took place in this country, there being, in 1912, 655 acres and in 1913 561 acres under such cultivation. During the war, with the object of increasing grain supplies, the cultivation of opium within the country was prohibited, and during the period 1914–1920 practically no cultivation of this plant took place in the country. The

restriction, however, was removed at the end of that period and in 1921 there were 1,599 acres under cultivation with the Opium Poppy. The ordinary yield of opium varies from 3.6 to 5.4 kilos. per acre or an average of 4.5 kilos. This would give an approximate yield of crude opium of 7,195.5 kilos. in 1921. This added to the 7,083 kilos. imported gives a total of 14,278.5 kilos. either brought into or produced within the country. As against this the recorded exports in 1921 were 6,318 kilos., leaving 7,960 kilos. apparently remaining in Egypt. Allowance, however, must be made for the unrecorded quantities of this which are taken out of the country by trading caravans. In the subjoined table are given the relative figures for 1919, 1920, and 1921.

TABLE XL.

Year.	Quantity of Opium Imported in Kilos.	Estimated Yield of Opium from Cultivation within the Country in Kilos.	Recorded Exports of Opium.
1919	112.550	144	-
1920	499-954	4.5	-
1921	7,082.965	7,195-5	6,318

Other Narcotic Drugs.—The authorized imports of cocaine, morphine, heroine, dionine and ext. cannabis indica for the years 1919, 1920 and 1921 are shown in the subjoined comparative table.

TABLE XLI.

			Kilogr	ammes.	
Year,	Morphine,	Cocaine.	Heroine.	Dionine.	Extract Cannabi Indica,
1919	22.935	30.800	2.810	1.730	65.000
1920	22.690	69-213	4.495	6.928	23.000
1921	24.170	81 - 435	2.528	0.743	15.000

It must be understood that these figures simply represent the quantities imported through the regular channels by pharmacists and authorized poison dealers for medicinal use. The quantities introduced illegally by unauthorized persons cannot of course be ascertained. Some small deduction should be made from the quantities imported to allow for re-exportation, but the amount of this is probably small.

With the object of restricting as far as possible undesirable traffic in such narcotic drugs, legislation is at present under consideration by the Government for the purpose of providing a more stringent control over the introduction of these into the country.

#### III.-REPORT ON THE WORK OF SECTION III.

#### OPHTHALMIC HOSPITALS.

The Ophthalmic Hospitals of Egypt are distinguished in the fact that twenty special ophthalmic hospitals are grouped under oned irection. This not only enables a large amount of clinical work to be done (113,000 new patients were treated, 65,000 operations were performed, and over a million attendances of out-patients were recorded during last year), but also facilitates the systematic trial of various methods of operation or of treatment.

The travelling hospitals are five in number, three of these are large and completely equipped hospitals in which every sort of ophthalmic operation can be performed and two

are smaller though useful units.

There are fifteen specially ophthalmic hospitals in the fourteen provinces of Egypt. These have been provided by local effort and are maintained mostly by the Government, but some by Provincial Councils. Also hospitals are in the course of construction at Qena and Gîza.

The staff of the hospitals is entirely Egyptian with a British Director.

The months of the year during which the pressure on the hospitals is greatest are from June to October. It is probable that this depends on the increased temperature during these months. The exact role, if any, played by flies in the propagation of eye-disease is not exactly known, but is under investigation.

There is a great distinction between acute ophthalmias and the chronic disease trachoma. The acute ophthalmias may, without treatment, cause blindness in a few days, and are the cause of the great increase of patients at the hospitals during the hot weather. The chronic trachoma affects more than 95 per cent of the population; it results very frequently in a depreciation of vision, though less often in blindness.

The ophthalmic inspection and treatment of the pupils in the Government Schools is an important feature of the work of the Ophthalmic Section of the Department of Public

Health.

In view of the more restricted interest in the details of ophthalmic work depending upon its peculiarly specialized character, it has been found convenient to exclude the detailed account of the work of this Section from the General Departmental Report and to issue it in the form of a separate publication. Under this arrangement, the annual reports of the Director of Ophthalmic Hospitals are published separately and contain a large amount of special information as well as detailed statistics of various kinds.

TABLE XLIL-Synopsis of Work of Hospitals since 1904.

	=	1904 to 1910*	1161	1913	1913	1914	1915	9161	1161	8161	1919	1920	1931
	111111	2 56,165 807,039 44,24 1,616	20,488 14,323 14,323	28.029 341,211 21,315 909	5 10,670 544,267 30,648 1,807	50,126 686,012 40,710 2,071	22,752 735,919 42,146 2,274	68,304 849,366 54,205 2,454	81,529 903,751 59,581 2,847	82,316 922,614 54,277 3,264	76,525 906,961 49,974 3,613	5 15 1,921 1,064,509 4,232	113, 201 1,322,074 1,322,074 65,378 4,513
Patients examined		84,228 8,228 8,628 5,247 25,247 7,412	2, 274 2, 620 2, 620 3, 136 7, 811 3, 933	28,688 7,200 7,200 1,4,2,115 1,115 6,942	62, 233 40,670 5,344 5,380 11,329 11,700	75, 388 10, 554 10, 554 6, 425 7, 624 16, 542 16, 543	7,752 7,752 7,753 7,765 19,29 19,19 19,19	98, 50, 50, 50, 50, 50, 50, 50, 50, 50, 50	100,410 81,529 9,675 9,385 4,611 27,341 30,200	28,396 82,316 8,316 8,963 8,963 4,261 28,890	83,577 76,525 1,467 8,537 20,052 24,611	94,921 6,400 6,400 25,154 27,081	113, 221 113, 201 6, 727 10, 566 2, 653 28, 245 28, 939
rr age :	11111	1,220 6,8121 3,618 81,481	1,903 1,101 1,00,2 1,00,2	1, 495 3, 317 3, 210 2, 588	2,700 4,631 3,799 3,253	2, 472 6,334 5,634 4,570 3,949	5,762 5,762 5,229 6,531 4,491	4,031 7,865 6,985 6,275 5,752	5.168 7.1938 7.1965 6.748	8,434 8,607 8,483 8,483 6,826	4,824 8,562 9,097 7,479 6,159	6,306 11,277 10,544 10,126 7,096	
	~~~~~ !!!!!!!!!	11,204	6,116	8,167	12,679	17,257	18,492	14,379	28,028	26,904	25,671	30,732	2016.00 00 00 00 00 00 00 00 00 00 00 00 00

\* in 1904 there was only one travelling obpthalmic hospital and there was no permanent ophthalmic hospital until 1907.

### IV .- REPORT ON THE WORK OF SECTION IV.

#### INFECTIOUS DISEASES.

The declension in the number of cases of the principal infectious diseases noted as occurring in 1920, has been continued in 1921, and has been much more marked.

During this year, there has been 97 per cent less smallpox, 67 per cent less typhus fever, 58 per cent less relapsing fever, and 25 per cent less plague, than in the previous year.

The following table shows the total number of cases of the principal infectious diseases during the years 1920-1921, with death-rates in each.

TABLE XLIII.

Diseases.	193	10.	193	1.
Diseases.	Total of Cases.	Death rate.	Total of Cases.	Death rate
		Per Cent.		Per Cent.
Smallpox	3,004	26.48	92	26
Typhus fever	13,279	26.4	4,476	28.4
Relapsing fever		14.6	1,217	16.27
Plague		58-2	356	42.9

#### SMALLPOX.

It will be seen that the total number of cases recorded is ninety-two as compared with 3,004 in 1920. This is the smallest number of smallpox cases recorded in this country in any one year during the last twenty-five years. The diminution is due to the effect of the vaccination campaign begun in 1919 and finished early in 1921 during which a total of six million persons were revaccinated.

The following list shows the distribution of smallpox cases which occurred during the years 1920-1921:—

					1920	1921
Cairo	 				171	8
Alexandria	 				411	9
Port Said	 				84	8
Ismailia					13	
Suez	 ***	***	****	***	67	3
Damietta	 				17	
Frontier Dis					4	2
Beheira	 				247	1
Daqahliya	 				318	6
Gharbîya	 				417	13
Minûfîya	 				275	2
Qalyûbîya	 				164	1
Sharqiya	 				113	6
Gîza	 				12	1
Beni Suef	 ***				7	2
Faiyûm	 				17	
Minya	 				16	8
Asyût	 				189	18
Girga	 				53	3
Qena	 				222	1
Aswân	 				187	

The following table shows the number of cases and deaths recorded from smallpox during the last twenty years.

TABLE XLIV.

Year.	Cases.	Deaths.	Death rate
			Per cent.
1902	1,225	280	22.85
1903	2,357	565	23.97
1904	4,336	1,093	25.20
1905	4,186	851	20.32
1906	1,965	409	20.50
1907	2,130	573	26.90
1908	2,578	620	24.04
1909	4,046	1,023	25.28
1910	3,117	648	20.78
1911	2,824	737	26.09
1912	1,985	456	22.97
1913	2,934	706	24.06
1914	7,097	1,564	22.03
1915	5,222	1,262	24.16
1916	2,972	902	30.35
1917	1,567	409	26.10
1918	1,198	306	25.54
1919	7,895	1,926	24.39
1920	3,004	796	26.48
1921	92	24	26.00

#### TYPHUS AND RELAPSING FEVER.

The diminution in these diseases is very satisfactory. Some part of this declension may be attributed to increase in knowledge among the populace of the part played by the louse in the dissemination of these diseases.

The methods of delousing have also been considerably improved and the disinfecting staff is now becoming much more practised in the various procedures.

The following table shows the number of typhus fever cases and deaths recorded during the last ten years:—

TABLE XLV.

YEAR,	Cases,	Deaths.	Death rate.
			Per cent.
1912	1,658	220	13.2
1913	4,936	1,438	28.9
1914	9,508	2,533	26.6
1915	17,096	4,216	25.2
1916	30,507	7,096	23.2
1917	18,569	4,147	22.4
1918	24,953	6,589	26.4
1919	16,970	5,569	32.8
1920	13,279	3,512	26.4
1921	4,476	1,273	28.44

The following table shows the incidence of cases and deaths of relapsing fever during the last ten years:—

TABLE XLVI.

YEAR.	Cases,	Deaths.	Death rate.
			Per cent.
1912	220	19	8.63
1913	432	45	13.15
1914	211	28	13.27
1915	761	72	9.46
1916	10,494	862	8-21
1917	11,162	1,043	9.34
1918	12,642	829	6.55
1919	3,272	598	18.24
1920	2,876	430	14-60
1921	1,217	198	16.27

#### PLAGUE.

The total number of plague cases in 1921 was 356 as compared with 462 in 1920. The number of deaths in 1921 was 153, showing a mortality of 42.9 per cent. The mortality in 1920 was 58.2 per cent.

The death-rate in 1921 is the second lowest recorded since 1899. This is partly due to the diminution in the proportion of pneumonic cases, the most fatal form of the disease. In 1921, the proportion of the pneumonic cases was 3.7 as compared with 7.7 in 1920.

This is satisfactory as indicating the improvement in control which has rendered possible the taking of prompter measures on the first appearances of the disease. This form of the disease is much more susceptible to the effect of preventive work than the bubonic and septicæmic types.

The majority of the cases occurred in the three principal Ports, Alexandria, Port Said, Suez, and in Tanta. These places contributed 268 cases out of the total 356.

The following table gives a recapitulation of the plague statistics from 1899 to 1920 :-

TABLE XLVII.

YEAR.	Cases.	Deaths.	Death rate.
			Pur cent.
1899	93	45	48.0
1900	127	60	47.2
1901	205	102	49.5
1902	481	291	60.0
1903	303	160	52.7
1904	854	501	58.66
1905	266	181	68.0
1906	631	475	75.2
1907	1,253	914	72.9
1908	1,511	780	51.6
1909	513	207	40.5
1910	1,238	615	49.7
1911	1,656	1,041	62.9
1912	884	441	49-9
1913	654	304	46.5
1914	21,9	111	50.7
1915	235	120	51.0
1916	1,702	828	48.7
1917	732	399	54.5
1918	357	153	42.8
1919	877	473	53.9
1920	462	269	58-2
1921	356	153	42.9

The following table gives details of plague cases occurring in 1921\*:-

TABLE XLVIII.—DETAILS OF PLAGUE CASES DURING 1921.

7.000		-Su	Nev	CASE	3.		EATES HOSPIT		-ja	ing.	DEAT	HS OUT	r or	ince Com-	aths.
Town or District.	GOVERNORATE OR PROVINCE.	Existing.	Bubonic.	Septicaemic.	Pneumonie.	Bubonic.	Septionmic.	Pneumonic.	Cared.	Remaining.	Babonic.	Septicaemie.	Pneumonie.	Total Cases since Com- mencement of the Year.	Total Deaths.
Egyp	tians.				O.E.O.								7 100	lies iles	
Alexandria .	Governorate	-	113	1	_	31	, 1	-	79	3	8	1	-	123	41
Port Said .	., ,,	-	23	1	_	10	1	-	12	1	4	-		28	15
Suez	"	-	62	1	1	27	1	1	30	5	23	1	4	92	57
Tanta	Gharbiya		25	-	_	1	_	-	24		1	-	-	26	2
Kafr el Zayat	,,	-	4	-	-	-	-	-	4	700	-	-	-	4	-
Tel el Kebir .	Sharqîya		-	1	_	-	-	-	1	-	-	-	-	1	-
Biba	Beni Suef		1	-	200	1		-	-	-	-	-	-	1	1
Etsa	Faîyûm		1	-	-	1	-	-	-	-	-	-	-	1	1
Minya	Minya		4		_		-	-	4		1		-	5	1
Beni Mazâr	,,		8	-	7770	1	-	-	7	-	1	-	-	9	2
El Fashn	,,		10	-	-	1	-	-	9	-	2	-	-	12	3
Maghâgha	,,		-	_	-	-	-	-	-	-	-	-	1	1	1
Samallût	,,		1	-	-	-	-	-	1	-	1	-	-	2	1
Mallawi	Asyût		10	1	-	3	1	-	7	-	2	2	-	15	8
Deirût	,,		2	-	-	1	-	-	1	-	2	1	-	5	4
Sohâg	Girga		3	-	-	-	-	-	3	-	-	-	-	3	-
Tahta	,,		-	-	5	-	-	5	-	-	-	-	2	7	7
Qûs	Qena		-	-	-	-	-	-	-	-	-	1	-	1	1
	TOTAL		276	5	6	77	4	6	182	9	45	6	7	336	145
For	reigners.														
	Governorate	_	14	_	-	5	_	_	8	1	_	-	_	14	5
Port Said	,,	1	4	100	_	1			3	-	_	1	-	5	2
	,,	-	_	-	_	_	-	-	-	-	1	-	-	1	1
		-	-		-	-	-	-		-	-	-	-	-	
	TOTAL		18	_	_	6	=	-	11	1	1	1	_	20	8
	GRAND TOTAL .	-	285	5	6	83	4	6	193	10	46	7	7	356	153

### MALARIA.

The amount of malaria in the country was normal. So far, there has been no obvious spread of the disease in spite of the introduction of a large amount of infection as a result of the movement caused by the war. In this respect, the country has been fortunate in having a series of very moderate nile floods during the past few years. In 1921, the money granted to the Anti-Malaria Commission for the purpose of carrying out major works had to be cut down to about one-third of the normal amount owing to financial stringency.

<sup>\*</sup> A special pamphlet entitled "Plague in Egypt in 1921" is being published.

Under these circumstances, the new work was confined to the most urgent areas, namely Dirr, Shellal, Oases of Kharga and Siwa, and the Fayûm. In addition, certain works in the town of Zagazig, which had been commenced in the previous year, were finished.

During the year, 160 birkas and over 700 wells were stocked with fish.

The following table shows the number of malaria cases notified during the year 1920 and during the year 1921:—

TABLE XLIX.-MALARIA CASES.

1	OCAL	ITY.		1920	1921	LOCALITY.	1920	1921
						Brought forward	150	295
Cairo				 18	6	Sharqiya	13	19
Alexandri	a			 16	2	Daqahliya	1	2
Port Said				 15	24	Giza	1	1
Ismailia				 2	29	Beni Suef	9	3
Damietta			***	 46	74	Faiyûm	38	22
Suez				 14	131	Minya	14	5
Beheira				 9	9	Asyût	19	8
Gharbîya				 4	10	Girga	1	1
Minûfîya				 19	4	Qena	30	10
Qalyûbîy:				 7	6	Aswân	1,594	1,646
	Carie	d for	ward	 150	295	Total	1,870	2,015

#### INFLUENZA.

There was no serious outbreak of influenza. The type was mild. The number of cases notified during the year was 5,811.

In Table L are given the statistical figures of the notifiable infectious diseases recorded throughout governorates and provinces of Egypt during 1921 with the deaths occurring therefrom.

#### ANTHRAX AND SHAVING BRUSHES.

During the year, the Department found it necessary to issue an arrêté prohibiting the importation of all shaving brushes manufactured in Japan.

Similar action has been taken by several other countries, including Great Britain. In the autumn, numerous communications from the Japanese authorities were transmitted to the Department showing that a serious effort was being made in Japan to eradicate the danger and in consequence a partial removal of the embargo on the importation of Japanese shaving brushes into this country was under consideration at the end of the year in review.

### ENCEPHALITIS LETHARGICA.

Owing to the occurrence of several cases of encephalitis lethargica, this disease was added to the schedule of the notifiable infectious diseases. Six cases were notified.

### MULIDS.

The Department gave its opinion regarding the holding of sixty-six mulids, the period of each varying between seven and fifteen days.

Table L.—Notifiable Infectious Diseases recorded throughout Governorates and Provinces of Egypt and Deaths occurring thereprom during 1921.

Cairo.  1.7 Cairo.  1.7 Cairo.  1.8 Cairo.  1.9 282 283 135 107 129 139 139 139 139 129 129 129 129 129 129 129 129 129 12		Cairo.  Col. Co. Co. Co. Co. Co. Co. Co. Co. Co. Co	1   1   1   1   1   1   1   1   1   1	LOWER BOYPT. TOTAL	Suez. Suez. Promiera Promiera Administration. Beheira. Administration. Charblya. Asynt.	4     -     1     1     3     -     -     1     44     44     44       1     1     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -		9 — 3 19 59 25 1 4 — 3 12 32 12 12 12 12 12 13 10 20 88 7 95 —		42 256 14 5 6 47 — —	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9     73     7     7     37     37     7     1     15     55     7     7     24     20     6     19     29     1,880     1,803       2     15     1     1     3     19     2     1     2     16     2     3     9     7     2     3     1     346     426       426     426	177 592 858 3 39 141 178	357 190 977 951 886 78 322 146 232 96 162 51 59 155 3 27 79 396 228 224 12 43 28 39 16 29 16 10 21	4161,1921,4241,8122,254 142 5361,10¢ 753 215 271 466 295 6 38 338 542 441 560 26 107 585 170 40 67 183 66 1	96,196	
Covera Borrers   Cove	Coversonants   Cove	Coverne Borne   Coverne Cove	Coverne Borne   Coverne Cove			03	11				11	6 1				-,	1	199 598
Coveres converges   Cove	Coverno Barres.   Coverno Ba	tis: (C 232 288 2 13 4 4 12 50 60 194 73 213 2 1	tis (C 232 288 2 13 4 4 12 50 60 194 73 21 2 2 2				1 1		11	41	11				••	-	1	
Coverson Attention	Coverence of the contraction of	Coverson Attraction	Coversonatories, C 15	YPT.			113	212 22 23 25 2	11	256 1	11	61 -	1-01	858	886	_	1	
Coverno Arrest   Cove	Coverson Arres.    Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Arres.   Coverson Ar	Coverence of the contract of t	Coverence tisses.    Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Coverence tisses.   Cover	WER EG		63 63 44	11		98 63		00	S +	37			01	1	
Coverence of the contrary of t	Coverno Arrest   Cove	Coverence of the series of the	Coverence of the series of the	Lo	Daqabilya.	64	113	194 13	11	00 61	00	1 6	55 85	177	396	,424 1,	1	880
CANALL  1.7 Canno.  Correspondence.  Cor	Governonates.    Contensor   C	Government is a constant of the constant of th	Government is a constant of the constant of th		Beheira.	10	11	n n 8 8	11	17	11		E	845	190	1,192 1	1	186
GOVERNORATES.  GOVERNORATES.  GARAL  23.26  2.82  2.82  2.82  2.82  2.82  2.83  2.83  2.84  4.45  1.09  1.09  1.09  1.09  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00  1.00	Correspondence    Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Correspondence   Corre	Coverson Arress.  Coverson Alexandria.  Cove	Coverson Arress.  Coverson Alexandria.  Cove		Districts	1111	11	1 1 25 2	11	11	11	64		11	357	416	1	10
Carachartia.    Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carachartia.   Carac	Governonarias Characterias (C 2.32 2.88 61 10 18 17 17 19 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Governonarias  Covernonarias  Governonarias  Govern	Governonarias  Covernonarias  Governonarias  Govern		Suez.	1 1	11		88.	1	. 1	00		1- 9		7.7	ار	
Cairo. 177   136   138   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139	(C D C D C D C D C D C D C D C D C D C	## ## ## ## ## ## ## ## ## ## ## ## ##	## ## ## ## ## ## ## ## ## ## ## ## ##	VTES.	Damietta.	444	11	1	11	1	11	11		11			1	
Cairo. 177   136   138   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139   139	(C D C D C D C D C D C D C D C D C D C	## ## ## ## ## ## ## ## ## ## ## ## ##	## ## ## ## ## ## ## ## ## ## ## ## ##	VERNOR.	Port Said.	101 4	1 1		33		11	00 61					1	
2, 282 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	DC D	tis	tis	Go	JeiliemsI		1.1		11		11	11					1	
	29 29 29 29 29 29 29 29 29 29 29 29 29	* * : : : : : : : : : : : : : : : : : :	* * : : : : : : : : : : : : : : : : : :		Alexandria.	10	11									-,	1	
					Cairo.	235	113	13. 13. 10. 10.	11	168	E	~~	168		2,36		1	188
	Notitives Discrete Di	Normal n mal n manth manth manth manth man n mar 1 mar			INF	ro-spi	Cholera	Diphtheria Measles	Plague	sing	t fev	xod	oid fe	us (ex	not not sis dis		-	S rat
Notitiable infections of the consess	NOTIFIAE  INTECTIOUS DI  RO-Spinal menin  Bar  Bar  Sar  Sar  Sar  Sar  Sar  Sar  Sar  Sar  Sar  Tever  id fever  id fever  Sar diseases.  (Year 1921  L  (Tear 1921  L  (Tear 1921  L  (Tear 1921  L  (Tear 1920  A rate of	Nor INTECTION  INTERIOR  IN	Interior Int			bi ke	er	at sle	n	d	9	H	po	hu	and on	· E		-

#### PILGRIMAGE.

The total number of pilgrims proceeding from Egypt this year was 2,834. They were all vaccinated against cholera before leaving Suez. The size of the pilgrimage is gradually increasing. The figures since 1916–1921 are as follows:—

YEAR.	Figures.	YEAR.	Figures.
1916	1,076	1919	444
1917	281	1920	1,657
1918	464	1921	2,959

Previous to the war, the number of pilgrims averaged about 13,000 per annum.

No epidemics were reported from the Hedjaz during the pilgrimage. A case of cholera occurred at Tor among the returning pilgrims, the patient being an Egyptian.

The Egyptian pilgrims were, as usual, carefully traced on their return to Egypt, and those who showed any intestinal symptoms whatever had their stools bacteriologically examined. No further cases occurred.

In connection with international regulation forbidding the landing in Egypt of non-Egyptian pilgrims returning from the Hedjaz to countries north of Suez, the Department received numerous requests from various sources to permit the suspension of this regulation.

The necessity for these requests being made was due to the fact that the Governments concerned had not taken steps to insure returning shipping facilities for such of their nationals as had made the pilgrimage.

It will be necessary before the 1922 pilgrimage to take steps to bring to the notice of the Governments concerned that the landing of parties of the pilgrim class in Egypt, where they form a floating and uncontrolled population, exposes this country to the risk of a danger which it is not prepared to accept.

The Medical Officer in charge of the Mahmal Escort reported that facilities for hospitalization of pilgrims in the Hedjaz in Jedda and Mecca are practically non-existent. His stock of drugs which he takes with him for the Egyptian pilgrims was exhausted before he reached Jedda on the return journey owing to the importunate demands of the notables of Mecca.

Under these circumstances, it will be necessary to consider the whole question of the provision of treatment and hospitalization for the Eyptian pilgrims in the Hedjaz and the Department is drawing up a scheme for this purpose.

The desert patrols were maintained in Sinai and the Red Sea littoral for the purpose of stopping Egyptian pilgrims returning by an unauthorized route to escape quarantine. These patrols intercepted a total of twenty-one pilgrims, all of which came by the Sinai route and none by the Red Sea.

## PASSENGER AND IMMIGRANT CONTROL.

Under this system, 114,553 persons arriving from countries infected or suspected to be infected with cholera had their addresses taken. Of these 106,323 were traced.

The control of passengers returning to Egypt via Qantara referred to in previous reports has been continued during the year.

The following list shows the number of men returning to Egypt via Qantara in 1921 :-

Total number	 	 	 		 	 		***	73,581
Observed									67,151
Not observed	 	 	 ***		 	 			6,430
Percentage found	***			****	 ***	 	***	***	91.26

TABLE LI.-PASSENGER CONTROL FIGURES.

	Alexandria.	Port Said.	Suez.	Total Passengers landed.
Found Not found	17,722 85	12,991 855	7,143 860	37,856 1,800
TOTAL	17,807	13,846	8,003	39,656
Percentage found	99-52	93-85	89-3	95-4

190 sailing ships arrived at Damietta with sixteen passengers and 1,316 sailors, all of whom were found and observed.

The usual passenger control figures are given on the following table.

TABLE LIL-ANNUAL STATISTICS FOR 1921 OF PASSENGERS WHO LANDED AT ALEXANDRIA FROM SHIPS COMING FROM CHOLERA-INFECTED COUNTRIES.

TOTAL OF SHIPS DURING 1921.

	Jan.	Feb.	Jan. Feb. March April. May. June. July. Aug. Sept. Oct. Nov. Dec. Toral.	April.	May.	June.	July.	Aug.	Sept.	Oet.	Nov.	Dec.	TOTAL	Fou
From Ports "Under Arretts" or "Supplementary Measures" 62 51 69 72 70 84 98 95 103 113 69	23	10	8	21	02	**	86	38	108	113	8	8	943	Not
From other ports 93 50 93 80 91 85 107 120 123 118	88	99	98	80	16	12	107	120	123	118	86	16	1,188	Total (

TOTAL NUMBER OF PASSENGERS.

Found ... ... 17,722 Not found ... .83 Percentage of passengers found, 59:52 per cent

Total (general) ... 17,807

Table LIII.—Total Passengers entering Egypt through Port Taufiq and Result of Observations during 1921.

MONTHS.		Cairo.		Ale	exandri	ia.		Canal.		1	nterior			TOTAL		ntage
MONTHS.	F.	N.F.	T.	F.	N.F.	T.	F.	N.F.	T.	F.	N.F.	T.	F.	N.F.	Total.	Percentage
January	53	13	66	24	1	25	412	8	420	73	65	138	562	87	649	86
February	52	4	56	11	4	15	317	5	322	81	55	136	461	68	529	87
March	77	21	98	57	14	71	290	12	302	86	67	153	510	114	624	82
April	68	2	70	30	8	38	458	-	458	189	31	220	745	41	786	95
Мау	45	17	62	38	12	50	440	2	442	72	22	94	595	53	648	91
June	33	8	41	18	15	33	272	-	272	94	45	139	417	68	485	86
July	32	12	44	21	8	29	388	21	409	93	37	130	534	78	612	87
August	22	16	38	23	7	30	231	15	246	92	58	150	368	96	464	80
Septembre	131	7	138	64	18	82	327	6	333	169	33	202	691	64	755	91
October	83	18	101	136	14	150	621	7	628	202	45	247	1,042	84	1,126	92
November	55	1	56	22	2	24	427	5	432	116	36	152	620	44	664	93
December	90	10	100	20	1	21	432	5	437	56	47	103	598	63	661	90
TOTAL	741	129	870	464	104	568	4,615	86	4,701	1,323	541	1,864	7,143	860	8,003	8
Percentage	85	14		81	18	_	98	1	_	71	29	_	89	10	_	-

Table LIV.—Detailed Statistics of Passengers who landed in Port Said from Cholera-infected Countries during 1921.

	181	AND 2ND CL	A88.	3RD CLASS	AND DOCK P.	ASSENGERS.
DESTINATION.	Found.	Not found.	Percentage of found.	Found.	Not found.	Percentage of found.
			Per Cent.		Green Base	Per Cent.
Cairo	 1,360	159	86	1,508	276	95
Alexandria	 267	48	85	341	104	77
Interior	 198	- 6	97	1,071	195	85
Fort Said	 805	32	96	7,441	30	99
TOTAL	 2,630	245	91	10,361	605	94

Total passengers of all classes landed at Port Said from cholera-infected countries in 1921, 13,846; total found, 12,991; total not found, 850; not yet reported on, 5; percentage of found of all classes, 93.85 per cent.

## V.—REPORT ON THE WORK OF THE PUBLIC HEALTH LABORATORIES.

#### 1.—INTRODUCTION.

The total number of examinations carried out in the laboratories during the year was 20,075, as compared with 18,411 in 1920, showing, as usual, a steady increase.

The extension of the laboratories was completed during the year and the new rooms

taken over in the autumn.

Arrangements were made by the Ministry of Public Works that as little interference as possible should be caused in the routine work of the laboratories, but as the extension involved not only the construction of a new wing but also the re-arrangement of much of the old building, work was naturally carried out under considerable difficulties.

The building is now practically completed and provides adequate accommodation for the routine work as well as provision for special investigation into some of the more

important diseases of the country.

The Department has entered into negociations with the London School of Tropical Medicine with a view to obtaining the services of a professor of the School for a period during the coming year for investigation work into the actiology of anchylostoma and bilharzia. Professor Leiper visited Egypt at the end of the year to make preliminary arrangements, and it is hoped that the work will begin in April next.

Arrangements have also been made with the governing body of the Lister Institute for two members of their staff to work at the question of typhus fever in the Public Health Laboratories for five months in 1922, and this work will begin early in February.

In connection with the Malaria Census carried out by the Epidemic Service of the Department during the year, a large number of blood films were examined and three Medical Officers attached to the Epidemic Service were selected by a board and drafted to the laboratories for this and other epidemic work.

Three Egyptian bacteriologists were given special leave for study in Europe: they attended courses of Tropical Medicine in the London School of Tropical Medicine and two obtained the diploma in Tropical Medicine of the University of London. One of these bacteriologists also attended courses in Public Health and carried out a bacteriological research at the Lister Institute, London.

During the time of the pilgrimage a bacteriologist and a laboratory-attendant were detailed to Suez and worked in the laboratory there carrying out the necessary bacterio-

logical examinations in connection with the returning pilgrims.

As stated in previous reports, apart from the question of diagnosis, the laboratories are constantly referred to by the different Services of the Department of Public Health and other Government Administrations for advice and assistance on various questions of a scientific nature pertaining to public health, and public health projects such as water supplies, drainage installations, etc., are submitted for technical opinion. This branch of the activities of the laboratories is becoming increasingly important, and the steadily increasing number of questions passed to the laboratories for study and technical advice together with work in connection with a number of committees now occupies a large amount of the time of the Director and the Sub-Director.

Assistance in the form of advice, vaccine, cultures, etc., has been given to the Palestine

Medical Service as well as to the British Forces in Egypt.

A considerable amount of research and investigation has been carried out during the year; this has been mainly in connection with the routine work of the laboratories

the year; this has been mainly in connection with the routine work of the laboratories and special points referred to the laboratories by other sections of the Government Administrations.

In regard to the Wassermann tests which are regularly made in the laboratories, an investigation has been commenced on the relations to this reaction of some of the flocculation methods which have been recently advocated.

A stock of standard cultures of various organisms has been obtained from the National

Collection, London, and a register instituted.

#### 2.—BACTERIOLOGICAL SECTION.

The following table gives a list of the examinations made under their several headings. The figures do not include the specimens of water examined bacteriologically; these are given in the report on the Water Service:—

TABLE LV.

NATURE OF SPECIMENS.	Government.	Private.	TOTAL.
Cholera	71		71
Pl	713	1	714
Constant and a series of the	6	7	13
D'ald at	559	868	1,427
Malaria and mlandon farma	7,315	49	7,364
Cultural examination for enteric	32	10	42
" dysentery (and microscopic)	13	19	32
Agglutination reaction for Malta fever	134	14	148
	912	241	1,153
Wail Falis	1,207	41	1,248
Influenza	316		316
Wassermann reaction	638	8	646
Films for gonorrhœa and Spirochseta pallida	1,453	2	1,45
Sputum for tuberculosis	368	6	374
Urine and faeces for bilharzia ova	28	7	3.
Anthrax	434	_	43
Miscellaneous	49	11	60
Grand Total	14,248	1,284	15,533

### 3.—CHEMICAL SECTION.

The following chemical analyses have been performed during 1921:-

TABLE LVI.

	çe.	HAL!	WA.		TTER AT.	В	UTTE	B.		IBLE ILS,		MIL	к.		odium Salt.			
SAMPLES RECEIVED FROM	Water and Sewage.	Present.		Genuine.	Adulterated by admixture with other Fats.	Genuine.	by admixture   North other fats,   12	Containing an excessive amount of water.	Genuine.	Adulterated by admixture with other Oils.	Genuine.	Adulterated.	Doubtful (kind of milk not stated).	Abnormal.	Magnesium Sulphate, Sollium Sulphate and Epsem Salt,	Drugs, etc.	Miscellapeous.	TOTAL.
Government Administrations	114	12	11	28	11	5	7	_	34	3	1,207	335	50	56	191	251	288	2,603
British Army	3	-	-	-	-	-	-	-	-	-	-	-	-	_	-	6	7	16
Priv. individuals	3	-	-	4	-	-	_	-	1	-	1	-	-	-	-	1	3	13
GRAND TOTAL	120	12	11	32	11	5	7	-	35	3	1,208	335	50	56	191	258	298	2,632

In addition to the above, the following analyses were performed:-

12 samples of condensed milk for the Department of Public Health.

I sample of human milk.

The miscellaneous analyses in the preceding table are made up as follows:-

TABLE LVII.

NA.	TURE	OF S	SPECI	MENS.			Government.	Military.	Private.	TOTAL.
Alum							 2	-	-	2
Bleaching pow	der					***	 109	7	-	116
Bread							 18	-	-	18
Canned foods							 24	-	-	. 24
Cheese							 8	-	-	8
Coffee							 4	-	1	5
Disinfectants			-				 20	-	_	20
Flour							 8	-	2	10
Fruits and jam	s						 44	-	-	44
Rice							 3	-	-	3
Sand	***						 5	-	-	5
Stomach conter	its						 4	-	/	4
Геа							 7	-	-	7
Vinegar							 14	-	-	14
Various					***		 18	-	-	18
		(	GRAN	o T	OTAL		 288	7	3	298

### MILK ANALYSES.

The collection of samples of milk by the Cairo City Health Inspectorate and the Provincial Health Offices was continued in 1921. 1,250 samples were collected in Cairo and 370 in the provinces. A summary of the results (which are included in the table of chemical analyses) is appended:—

TABLE LVIII.--MILK ANALYSES.

nples rsed						ADULTER.	ATED.			
Num of Sar Analy	GEN	UINE.	Wat	ered.	Skin	nmed.			То	tal.
1,206	No. 986	Per Cent 81 · 7	No. 82	Per Cent	No. 101	Per Cent	No. 37	Per Cent	No. 220	Per Cent
116	94	81	20	17.2	1	.9	1	-9	22	19
94	59	62.8	34	36.2	1	1	-		35	37 - 2
88	49	55 -7	33	37.5	5	5.7	1	1.1	39	44.3
14	12	85 - 7	2	14.3	-	-	-	-	2	14.3
1,518	1,200	79	171	11.3	108	7.1	39	2.6	318	21
56 46				d of mil	k not	being st	ated).			
	116 94 88 14 1,518 56	No.  1,206 986  116 94 94 59 88 49  14 12  1,518 1,200  56 Found 46 Result	No. Per Cent  1,206 986 81·7  116 94 81  94 59 62·8  88 49 55·7  14 12 85·7  1,518 1,200 79  56 Found abnorm  46 Result doubth	No.   Per Cent   No.   1,206   986   81 · 7   82   116   94   81   20   94   59   62 · 8   34   88   49   55 · 7   33   14   12   85 · 7   2   1,518   1,200   79   171   56   Found abnormal.   46   Result doubtful (kine	No.   Per Cent   No.   Per Cent	No.   Per Cent   No.   Per Cent   No.	No.   Per Cent   No.   Per Cent   No.   Per Cent	No.         Per Cent         Per Cent         No.         Pe	No.   Per Cent   No.   Per Cent   No.   Per Cent   No.   Per Cent	No.   Per Cent   Per Cent   No.   Per Cent   Per

### 4.—WATER SERVICE.

The number of analyses of water, aerated waters, etc., made for all purposes during 1921, were as follows:—

TABLE LIX.

	Number of Samples.	Examined for Total Bacteria.	Examined for Lactose Fermenters.
Bacteriological.		Discussion	2 crimenters.
Cairo :—			10
Rôd el Farag supply	448 274	448 274	439 271
Me'adi supply	341 292	341 292	333
Helwan clarification plant	50	50 11	50 11
Other supplies	11	11	11
Cairo	393	_	393
Ismailia	-00	_	6 22
Suez	59	2	59
		-	
Total	1,898	1,418	1,586
Chemical.			
Water :-			
Public supplies Private supplies	108		_
Military supplies	3 3	_	_
Sewage :-		_	_
Cairo Drainage Department Port Said Health Inspectorate		-	-
TOTAL	120*	_	_

## 5.—VACCINE INSTITUTE.

The amount of vaccine lymph issued in 1921 was 2,094,115 doses. This issue was made up as follows:—

out man ar											Doses.
Public Health Inspec	tors	(bar	ndar	3)							145,665
" " "		(vill	ages	)				***	***		1,002,935
Extra to Public Hea								***			425,290
Cairo City Health In	spec	tora	te	***					***	***	115,135
Ministry of Educatio	n				***						22,100
Prisons Department			***				***				160
Ministry of Waqfs											800
Egyptian Army											18,700
Lunatic Asylums											3,360
Frontier Districts Ad	lmin	istra	tion			***		***			20,405
Alexandria Municipal	lity										64,500
Suez Canal Company											3,910
British Army											3,040
Sudan Government				***							199,100
Miscellaneous sales											57,800
Miscellaneous gratis		***									11,215
						To	TAL				2,094,118

Each batch of the vaccine, before issue, is tested by a special medical officer attached to the Inspectorate of the City of Cairo. The results of these tests are given in the appended table.

<sup>\*</sup> These analyses are already included in the table of chemical analyses.

Table LX.—Results of the Tests caried out by the Cairo City Health Inspectorate of Batches of Calf Lymph manufactured during 1921.

menning	ain rolling			RESULTS.			
Number of Batch.	Number of Children vaccinated.		Succi	SSFUL.		Failed.	
	vaccinated.	4 Pustules.	3 Pustules.	2 Pustules.	1 Pustule.	ratiou.	
156	22	18	0	0	3	1	
157	23	21	2	0	0	0	
158	53	33	13	3	2	2	
159	24	15	3	2	2	2 2	
160	20	17	2	0	1	0	
161	46	28	6	3	5	4	
162	42	31	5	5	1	4 0 2 0	
163	39	23	9	4	1	2	
164	26	21	3	1	1	0	
165	26	21	1	2	2	0	
166	Seed vaccine.		EA.		N. Committee		
167	47	36	6	0	1	4	
168	39	31	3	3	2	0	
169	43	35	3 7 2 3 8	1	0	0	
170	34	30	2	2	0	0	
171	46	37	3	3	2	1	
172	59	44	8	5	1	1	
173	56 '	38	13	4	1	0	
174	61	50	10	1	0	0	
175	60	52	3	3	1	1	
176	78	59	8	6	2	3	
			-		20	-	
RAND TOTAL	844	640	107	48	28	21	
ercentage		75-8	12.7	5.7	3.3	2.1	

## 6.—ANTIRABIC INSTITUTE.

In 1921, a total of 1,323 persons were treated in the Institute. From this number the following deductions should be made:—

Nine persons who ceased to attend for treatment without a satisfactory reason.

143 persons whose treatment was discontinued as being unnecessary, the observation of the animal for a period of ten days or more having shown it not to be rabid.

Eleven persons whose treatment, although completed, must be considered useless, the animal inflicting the bite having been proved healthy by inoculation of rabbits.

The statistics, therefore, comprise 1,160 patients. This figure is an increase of 125 over the number treated in 1920.

#### (a) Monthly Incidence.

The monthly incidence of the 1,160 cases dealt with in the statistics is shown below :-

	onth	•		Persons
January		***	 	87
February			 	91
March			 	87
April			 	89
May			 	85
June			 	86
July			 	119
August			 	92
September			 	114
October			 	115
November			 	108
December			 	87

## (b) Topographical Distribution.

The 1,160 persons treated may be subdivided as follows:-

Egyptians ... ... ... ... ... ... 1,008 persons. Foreigners resident in Egypt ... ... 128 ,... Foreigners not resident ... ... ... 24 ,,

Their place of origin was :-

Governorates :				1	Provinces :	
Cairo		 	 	 198	Gîza 44	
Alexandria		 	 	 55	Beni Suef 23	,
Suez Canal		 =	 	 60	Faiyûm 52	
Damietta		 	 	 3	Minya 38	,
Provinces :-					Asyût 53	
Qalyûbîya		 	 	 61	Girga 16	
Sharqîya		 	 	 95	Qena 17	
Daqahliya				1083	Aswân 6	
Manûfîya		 	 	 45	Palestine 29	)
Gharbîya	***	 	 	 141	Syria 1	
Beheira		 	 	 56	Sinai Peninsula 3	,

## (c) Classification of Biting Animals.

The injuries to the 1,160 patients were inflicted by :-

Dogs		 	 	1,015	cases.	Camels 8 cases
Cats		 	 	35	,,	Sheep 1 "
Wolves		 	 	72	,,	Pig 1 "
Monkeys		 	 	4	,,	Rat 1 ,,
Donkeys	***	 	 	12		Ichneumon 1 ,,
Horses		 	 	4	,,,	Rabid human being 3 "
Mule		 	 	1	,,	Infected in the Laboratory 2 ,

#### (d) Positions of the Injuries.

106 cases were bites on the head.
587 cases were bites on naked skin:—
120 serious.
467 slight.

467 cases were bites through clothing.

## (e) Notes on the Animals inflicting the Bites.

(1) It is to be noted that the number of persons bitten does not correspond to the number of the animals causing the bites reported by the Veterinary Service, as in several cases one animal caused the injury to more than one person.

(2) As a result of their observation by the Veterinary Service, 136 animals, having

bitten 143 persons, were found to be non rabid.

(3) Experimental inoculation of rabbits undertaken at the Institute showed that nine dogs, having bitten eleven persons, were healthy.

(4) In a certain number of cases, definite diagnosis could not be established, and these cases are considered as suspect. The details are as follows:—

478 animals escaped and could not be found.

Fifty-four animals were killed and the carcase destroyed.

135 brains of animals arrived at the institute in state of decomposition and no investigation was possible.

Twenty-three animals remained suspect, the rabbit inoculated being inconclusive.

The total of suspected animals is therefore 690.

(5) Rabies was considered to be proved in the case of fifty-six animals, having bitten 167 persons. The diagnosis was determined:—

By Veterinary Inspectors in the case of six animals (five dogs and one cat) having

bitten thirteen persons.

By rabbit inoculation in the case of fifty animals (forty-seven dogs, one cat and two donkeys), having bitten 154 persons.

(6) In the case of ten animals, having bitten twenty-six persons, positive diagnosis of rabies is presumed by the death of one or more of the patients bitten.

### (f) METHOD OF TREATMENT.

No change was introduced, during the year, in the methods of preventive vaccination and the serotherapy described in the 1916 report.

### (g) Statistics.

In accordance with the practice in other Antirabic Institutes the statistics only comprise deaths occurring more than fifteen days after the treatment was completed.

Amongst the persons treated in 1921, there occurred eight deaths. Table LXI attached gives the names and other particulars concerning each of these cases. The corrected mortality-rate, representing the cases in which the treatment failed, is therefore 0-6 per cent.

In addition to the above, it is necessary to record the death of four other persons who died either during treatment or less than fifteen days after its completion. The gross mortality comprising all deaths is therefore 1.03 per cent. Table LXII gives a classification of the cases treated and the mortality-rate.

TABLE LXI.—Notes on Patients who died in 1921.

	-		-	-	-						-			
NAN	NAME OF PATIENT.		Ag	Age. Se	Sex. t	Place where the Accident occurred,	Position of Injuries.	Nature and Number.	Bitten by	Date of Bite,		Dates of Treatment.	Dute of Death.	
Ahmed	Ahmed Aly Morad		*** ***		M. A	Asyût Bandar.	Left cheek.	1 slight 5 v. n	Dog. Diagnosis impossible.	Feb. 9		Feb. 15 to March 7.	March 27, 1921 :— 45 days after the bite. 19 ,, , treatment.	
Ibrahim	Ibrahim Ahmed Yousif	:		7 N	M. I	Ismailia.	Left hand.	1 slightly severe.	Dog. Diagnosis impossible.	January 26	Ja	Jan. 29 to Feb. 18.	March 31, 1921:— 63 days after the bite. 40 ", " treatment.	
Mohame	Mohamed Hemaid Aly		8 :		M. I	Faiyûm Bandar.	Nose Lip.	1 slight sev. 1	Wolf. Diagnosis impossible.	Feb. 22	4	Feb. 25 to March 17.	April 12, 1921;— 48 days after the bite, 25 ", treatment,	
Abdel I	Abdel Razek Abdel Latif		12		M. B	Benha, Qalyûbiya.	R. and L. cheeks R. finger. and L. arm R. high.	3 severe. 2 severe. 4 severe.	Wolf. Diagnosis impossible.	Sep. 20		Sept. 22 to Oct. 12.	December 21, 1921:— 91 days after the bite. 69 " " treatment.	
Gnd el	Gad el Moula Mohamed		: :		M. I	Beni Mazar Minya.	R. hand.	5 slight.	Dog. Diagnosis impossible.	Nov. 13		Nov. 16 to Dec. 6.	January 3, 1922 :— 50 days after the bite. 27 ", " treatment.	
Abdel 1	Abdel Raouf el Saiid		:	8	м. э	Mansura, Daqahliya,	Face R. hand.	4 slight. 1 severe.	Dog. Diagnosis impossible.	Dec. 2	200	Dec. 4 to 24.	January 10, 1922;— 38 days after the bite. 16 , , treatment.	
Ibrahin	Ibrahim Farahat	:	70		M. F	Faiyûm District,	L. arm.	4 slight sev. 5 slight.	Wolf. Diagnosis impossible.	Dec. 6		Dec. 8 to 28.	January 29, 1922;— 53 days after the bite. 31 ,, treatment.	
Abdel I	Abdel Hamid Abdel Aziz				M. F	Faiyûm District.	Upper lip R. hand.	1 v. severe. 3 slight.	Wolf. Diagnosis impossible.	Dec. 6		Dec. 8 to 28.	February 14, 1922 :— 69 days after the bite. 47 ,, ,, treatment.	
													STATE OF THE PARTY	

TABLE LXII.-RESULT OF ANTIRABIC TREATMENT IN CAIRO DURING 1921.

			NJURIES THE HE.		ON 3	NAKED S	KIN		NJURIES GH CLOT			TOTALS.	
		Treated.	Died.	Mortality per Cent.	Treated.	Died.	Mortality per Cent.	Treated.	Died.	Mortality per Cent.	Treated.	Died.	Mortality per Cent.
Class .	A	 21	0	0.0	108	0	0.0	. 51	0	0.0	180	0	0.0
,,	В	 1	0	0.0	8	0	0.0	4	0	0.0	13	0	0.0
"	С	 84	5	5.9	471	2	0.4	412	1	0.4	967	8	0.8
		106	5	4.6	587	2	0:3	467	1	0.5	1,160	8	0.6

Class A.—The animal causing the bite proved to be rabid by the development of rabies in patients bitten or by experimental inoculation.

Class B.—The animal causing the bite was declared to be rabid by the Veterinary Surgeon.

Class C.—The animal causing the bite was suspected of rabies.

### VI.-REPORT ON THE WORK OF SUBSIDIARY SERVICES.

### 1.—BUDGET AND STAFF.

The Budget for the year from April 1, 1921 to March 31, 1922, was fixed at ... L.E. 742,839
That for 1920-1921 was fixed at L.E. 720,425, but actual expenditure amounted to , 754,432
The total estimate for 1921-1922 is therefore less than the actual expenditure during 1920-1921 by ... L.E. 11,593

## 1. Budget, 1921-1922.

Table LXIII.—Comparison between Anticipated Expenditure in 1921-1922 and Actual Expenditure in 1920-1921.

		Budget 1921-1922	Actual Expenditure 1920-1921	Increase 1921-1922	Decrease 1921-1922
		L.E.	L.E.	L.E.	L.E.
rt.	Salaries, wages, and allowances     Transport, transfer, and travelling	337,430	297,334	40,096	-
23	allowances	27,127	31,692	-	4,563
**	3. Food	97,019	104,379	_	7,360
11	4. Forage	1,960	3,617	-	1,657
**	5. Rent, water, light, etc	16,264	14,054	2,210	_
75	6. Books and periodicals	407	337	70	-
**	7. Telephones and telegrams	2,356	2,334	22	_
**	8. Petty expenses	5,000	7,186	_	2,186
**	9. Purchase of animals	1,635	2,035	-	400
,,	10. Free water fountains	3,105	3,246	_	14
**	11. Stores	196,219	234,019	-	37,800
	12. Uniforms	482	2,337	-	1,85
	13. Upkeep of material and equipment	2,200	2,060	140	_
	14. Supplies to Provincial Councils	1,750	1,574	176	-
	15. Allowances to sanitary barbers	521	316	205	-
	16. Disinfecting ships at the ports	6,000	5,500	500	-
2	17. Transport of stores	6,000	9,229	-	3,22
"	at Gabbary	4,560	3,690	870	_
	19. Sanitary improvements in mosques	2,500	1,453	1,047	_
	20. Allowances for dentist examination	300	772		473
	21. Prophylactic measures against:				
"	(a) Ankylostoma	9,000	8,980	20	_
	(b) Cholera 22. Maintenance of lock hospitals for	5,172	- •	5,172	-
**	Europeans	9,333	13,115		3,78
	23. New works	9,150	7,141*	2,009	
,	-	.,			
		745,490	756,400	52,537	63,44
	To deduct:		The second second		
R	decoveries for services rendered	2,651	1,968	683	_
	-	*10.000		** 0**	20.11
	TOTAL	742,839	754,432	51,854	63,44
	Net decrease			11,	593

<sup>•</sup> Expenditure on Prophylactic measures against Cholera was shown in 1920-1921 under Art. 23 "New Works."

## NEW WORKS 1921-1922. ESTIMATED EXPENDITURE.

	1921-1922
Equipment for new buildings :-	L.E.
(a) Qasr el 'Aini Hospital :—	
Extern Maternity Section	250
(b) Qena Ophthalmic Hospital	3,200
New quarters for Assistant Nurses and Hakimas	150
(d) Central Laboratories	1,500
(e) Benha Hospital:—	2,000
Administration block	300
(f) Port Said Ophthalmic Hospital	1,000
(g) Suez Hospital:-	
Two infectious pavilions	1,000
(h) Damanhûr Hospital :-	
Out-patient's section	300
(i) Central Administration:—	400
New Storey	600
(j) Port Said Infectious Hospital :-	950
Sister's Quarters	350
(k) Ophthalmic treatment in Government Schools of Damietta, Port Said, and	150
Additional Fanisment Vassina Institute	100
Additional Equipment, Vaccine Institute	100
0 1 001	250
System of Cairo	200
Trans.	0.150
TOTAL	9,150

2.—Staff.

## TABLE LXIV .- PERMANENT STAFF.

CATEGORY.	1921	1920	CATEGORY.	1934	1920
TECHNICAL.			Brought forward	404	393
Under Secretaay of State	1			1	1
Dinastan Consul	1	1	Asst, Chief Inspector of Pharmacies	9	9
1 - 1 - D! - 1 - C! - 1		1	Pharmacists, 2nd class	6	2
- C 1	1	1	141	23	16
	4	4	Autotop de la constata	13	14
1 TV . 1 P C . 1	3	3	0 1 1 1 1	10	1
0.1.00	1	1	0.1	1	1
	2	2	Stamped "	1	100
	19	19	Townston of wildows	î	1
0 1 1	20	20	Inspector of vidange		1
2-4	13	13	Administrative.		1
President, Medical Commission	1	1	Director, Administrative Service	1	1
Vice-President, Medical Commission	1	î	Director of Service	î	1
Director of Technical Institutes	î	î	Sub-Director, Administrative Service	1	1
Sub-Dir. " "	î	i	Sub-Director of Service	1	1
Director, Antirabic Institute	1	1	Secretary	î	1
Bacteriologists, 2nd "	4	4	Chof do burgan	2	1 5
" 3rd "	2	2	Sous-chef de bureau	6	1
,, 4th ,,	8	8	Clerks, 1st class	10	10
Chemists, 2nd class	3	3	, 2nd ,	23	25
" 3rd "	2	2	, 3rd ,	61	6
, 4th ,	3	3	, 4th ,	225	18:
Director, Alexandria Hospital	1	1			1000
" Fever Hospital, Abbasiya	1	1	STOLES.		
Medical Officer, 1st class	1	1	Director of Stores	1	1
,, ,, 2nd ,,	4	4	Chief Store officer	1	1
" " 3rd "	18	18	Inspectors of stores	2	2
" " 4th " A	22	22	Storekeeper, 1st class	1	1
" " 4th " B	224	212	" 2nd "	2	1
Midwives	40	42	" 3rd "	10	1
Chief Inspector of Pharmacies	1	1	" 4th "	27	21
Carried forward	404	393	Total	829	76

TABLE LXV .- TEMPORARY STAFF.

CATEGORY.	1921	1920	CATEGORY.	1921	1920
Inspector of Stores Sub-Director of Stores Inspectors (Epidemics) Medical Officers Food and Nuisance Inspectors Inspector of Disinfection Assistant Inspector of Disinfection Sanitary Engineer Draftsman Foremen of Works Electricians Inspector of Overseers Overseers	1 3 41 4 1 1 1 1 2 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 3 52 4 1 1 1 1 2 2 1 18	Brought forward  Superintendent Matrons Nursing sisters Housekeepers Kablas Sewing woman Inspector Provincial Clerical work Shorthand-typists Clerks Storekeepers Assistant storekeeper Moawen	1 11 42 2 24 1 1 3	88 1 9 40 2 16 1 1 167 2 1
Carried forward	-	88	Total	332	330

### TABLE LXVI.-HORS CADRE STAFF.

CATEGORY.	1921	1920	CATEGORY.	1921	1920
Chief attendants, Hospitals  Male , , ,  Female , , ,  Moawens  Laboratory assistants, 1st class  2nd ,  3rd ,  4th ,	116 508 198 38 - 5 12 17	105 472 173 38 1 5 12 12	Brought forward  Disinfectors, 1st class Disinfectors, 2nd ,, Cooks Printers Overseers Sanitary barbers Mechanics Various categories	894 14 36 58 3 56 46 2 882	818 14 35 51 3 54 45 2 858
Carried forward	894	818	Тотац		1,88

### 2.—MEDICAL COMMISSIONS.

#### CENTRAL MEDICAL COMMISSION.

During the year 1921, the Central Medical Commission issued 11,165 medical certificates. Out of this total 4,034 employees were examined for sick leave, of which number 227 were refused. The number of applicants for retirement from the service on grounds of physical unfitness was 1,445, of these 183 were found fit for further service.

The above figures are set out in Tables LXVI and LXVII.

The number of applicants and examinations for admission to service was 5,527, and the failures amounted to 2,554, and of these failures, 1,882 failed in the vision tests.

The numbers of medical certificates issued by the Central Medical Commission during the last five years are as follows:—

1917							6,773
1914	111		***	***	***	***	 0,110
1918	***		***			***	 8,430
1919							 9,028
1920							 12,640
1921		7318	2333				11.165

#### PROVINCIAL MEDICAL COMMISSIONS.

As can be seen from the attached Table LXVI 15,167 medical certificates were issued by the Provincial Medical Commissions during 1921.

This shows an increase of 3,089 as compared with 1920.

Nizami Ghafirs.—The number of nizami ghafirs who were examined by the Medical Officers of the Markazes on admission to service and for extension of their voluntary period of service are as follows:—

					Fit.	Unfit.	Total.
For admission to service	 			 	11,853	8,387	20,240
For extension of service	 			 	461	93	554
		To	TAL	 	12,314	8,480	20,794

Statistical details of the work of the Medical Commissions will be found in the accompanying Tables XLVI to XLVIII.

TABLE LXVI.—MEDICAL EXAMINATIONS MADE BY THE CENTRAL MEDICAL COMMISSION OF CAIRO DURING 1921.

	0	BJECT	OF	MEDIC	AL F	MAX	INATI	ON.							NDID	
		2	NUMBE	ER OF C	ASES.				DISEASES OF							
MONTHS.	For Admission to Service.	Fe Sick I		Invali from S	ding	Por Determination of Age.	Other Examinations If any.	TOTAL.	Defective Vision.	Urinary System.	Respiratory System.	Circulatory System.	Nervous System.	Digestive System.	Other Miscellancus Diseases.	TOTAL
	To Ad	Granted.	Refused.	Enfit.	Fit.	Dete	Exa		Q -		Res	S. S.	N 30	Z so	Mile	
January February March April May June July September October November December December	541 361 515 530 335 403 434 546 597 472 408 385	292 289 335 298 301 261 292 347 338 399 318 337	19 11 12 17 14 31 31 18 11 27 23 13	121 97 98 89 93 91 94 96 135 144 103	8 6 7 20 18 14 13 -14 14 33 19 17	6 1 3 2 3 3 8 3 6 4 6 2	2 2 7 31 25 11 24 3 2 4 1	989 767 977 987 789 814 896 1,027 1,103 1,083 878 855	179 119 186 171 127 131 177 171 182 169 141 129	20 18 11 13 8 10 33 60 73 43 43 18	6 4 2 - - 2 6 16 5 9 13	15 10 5 7 8 8 13 9 33 31 21 13			6 2 2 2 8 13 9 9 7 10 5	226 153 206 193 151 163 234 256 315 255 224 178
Total		3,807	227	1,262	183	47	112	11,165		-	63	173	1	3	82	2,554

TABLE LXVII.—DETAILS OF THE EXAMINATIONS FOR SICK LEAVE AND INVALIDING CARRIED OUT BY THE CENTRAL MEDICAL COMMISSION DURING 1921.

		SI	CK LEA	VES.			12	VALIDI	NG.	
	GRAN	NTED.	REFU	SED.		VI CERTIF	DE ICATES.	BY CE MED.		
MONTHS.	Vide Certificates approved.	Ву С. М. С.	Vide Certificates.	Ву С. М. С.	TOTAL.	Approved.	Disapproved.	Unfit.	Fit for Duty.	Total.
January	147 180 173 165 150 191 193 183 251 184	135 142 155 125 136 111 101 154 155 148 134 143	minimin	19 11 12 17 14 31 31 18 11 27 23 13	311 300 347 315 315 329 323 365 349 426 341 350	93 79 72 69 72 73 72 73 92 98 77 74	- - - 1 - - - - - - - -	28 18 26 20 21 18 22 23 43 46 26 27	8 6 7 18 17 14 13 14 14 14 32 17 17	129 103 105 109 111 105 107 110 149 177 122 118
TOTAL	2,168	1,639	_	227	4,034	944	6	318	177	1,44

TABLE LXVIII.- MEDICAL EXAMINATIONS MADE BY THE CENTRAL AND PROVINCIAL MEDICAL COMMISSIONS DURING THE YEAR 1921.

		Ila- TOTAL.	968.		82 2,554	96	2 39	5 83	2	2 58	7 197	118	3 154	203	7 152	99	1 58	2 129	3 234	129	73	7 103	2 18	
PLYING		Other Miscella-	-1		∞	1			-		17	_		-		-				-	1			
VICE.		Nervous			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
P CANDID	SES OF	Digestive	1		60	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
ADMISSIO	DISEASES	Circula- tory	System.	Sini	173	1	1	1	1	1	1	6	20	23	4	1	1	1	24	5	1	1	1	
CAUSES OF REJECTION OF CANDIDATES APPLYING FOR ADMISSION TO SERVICE.		Respira- tory	System.		63	01	1	1	1	1	1	01	1	-	-	1	1	00	1	1	1	1	1	1
CAUSE		Urinary	-		350	21	1	10	1	1	60	11	25	74	77	1	91	65	82	46	1	9	9	
		Defective			1,882	52	36	89	10	47	177	81	123	105	63	65	54	59	201	78	11	06	10	
		TOTAL.	NO.		11,165	3,097	201	408	86	850	1,541	1,066	1,199	1,171	629	654	724	414	898	685	731	617	184	-
		Other Examina-	if any.		1112	112	1	1	1	01	01	!	27	23	1	1	1	4	1	00	60	01	1	-
EXAMINATION		For Determi-	of Age.		47	94	15	12	04	221	17	36	15	21	1	6.5	1	+	16	01	9	6	01	
	828.	diding rvice.	Fithe buty.		183	40	10	19	13	32	24	53	47	45	59	20	30	50	30	20	57	18	19	
F MEDICAL	NUMBER OF CASES.	For Invaliding from Service.	Tedt.		1,262	170	91	51	91	29	119	11	54	74	38	33	20	13	32	28	20	53	23	
OBJECT OF	NON	save.	Refused.		227	267	6	14	07	36	47	36	-84	13	33	-	00	1	23	19	5	9	9	
0		For Sick Leave.	Granted.		3,807	1,706	59	85	43	348	464	192	486	353	140	293	251	129	178	203	157	144	83	
	100	For	to Service.		5,527	208	95	227	55	152	898	682	522	602	332	298	414	244	588	350	483	409	51	-
- 111					:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
					m.	:	:	:	:	:	:	:	:	:	-		:	:	:	:	:	:	:	
	N.O.	.00			201	:	:	:	. :	:	:	:	:	:		:	:	:	:	:	:	:	:	
	0100	0100			edica	::	:	:	:	1	:	:	:	:	:	:	:	:	:	:	:	:	:	
	1	COMMISSIONS.			M P	ndris	:	Said	tta	F	iya	iya	liya	lya.	biya	Giza	8	Suef	:	:	:	:		
	200	3			Central Medical Com.	Alexandria	Suez	Port Said	Damietta	Beheirn	Gharbiya	Minûfiya	Daqahliya	Sharqiya	Qalyūbiya	iza	Faiyûm	Beni Suef	Minya	Asyût	Girga	Qena	Aswân	

### 3.—STORES.

The financial stringency referred to in last year's report continued during the year and restricted expenditure on Stores in all branches. With the exception of drugs, supplies have been cut down to a minimum. No new surgical apparatus or installations have been possible. As regards general stores the desire to avoid over-stocking led to postponed buying, which often resulted in inconvenience to the Department. Instead of the usual yearly contracts being placed, six months' contracts were introduced by the Ministry of Finance. This measure doubled purchase work and handicapped the work of issuing to a considerable extent.

As 28,000 requisitions are dealt with yearly, any change in procedure which interferes with facilities of purchase is a serious matter, and it is satisfactory to report that the extra pressure was met without needing to increase the staff or resulting in any accumulation of unfilled requisitions.

The inadequacy of staff referred to last year continues to hinder efficiency in several

directions. The section is still short of its full complement of staff.

A further serious disadvantage is the want of store buildings at Headquarters. The Department has had to open two large stores in different parts of the town, namely at Faggala and Bulâq. This is not a good arrangement and the work suffers by the separation. As the Workshops also require three times the present accommodation the problem of providing adequate buildings will prove ultimately to be a matter of some difficulty and expense.

Early in the year a revision of the equipment allowed to Health offices was undertaken. These offices are in general scantily furnished and compare badly in this respect with the Provincial offices of other Departments. It is found that roughly L.E. 18,000 are required to put them on a better footing, and it is hoped to obtain the first instalment of this

sum, L.E. 6,000, in the Stores' Estimates of 1923-1924.

A fuller allowance of clothing for Epidemic Staff was also worked out and fortunately provision for same could be maintained in next year's budget.

#### BUDGET AND SUPPLIES.

The universal fall in prices has had a marked effect in reducing expenditure on Stores and Rations.

The following Budgetary Comparison evidences this:-

				1921-1922	1922 - 1923
				L E.	L.E.
Stores		 	 ***	 198,900	136,760
Rations		 	 	 122,600	92,180

The actual expenditure for 1921–1922 has even been below the reduced budgetary figures shown above, resulting in an economy of L.E. 76,640 for stores and L.E. 16,313 for rations.

Such a large economy is unusual, and results from an abnormal difference between estimated rates and the prices actually paid. The explanation of this is to be found in the rapid fall of prices during the year. The Stores' budget is compiled about nine months in advance. With a falling market, economy is bound to follow. But two other factors have intervened to modify the figure of actual expenditure, namely the foreign rate of exchange and the accumulation of large stocks in the Cairo market. The rate of exchange has been most marked in its effects in the Drugs Section. Local druggists have bought largely in Germany and as a result of this it is probable that during the coming year the Department will be using German products to a considerable extent.

In general stores, local merchants have been anxious to get rid of accumulated stocks, specially in textiles. Sales are effected at prices much below the cheapest home rates and it is doubtful whether the Department will ever again be in such a favourable position.

A third important saving has been contributed by the Epidemic Service. Through the declension of epidemics the wastage on equipment has been abnormally low. Unused stocks have in consequence accumulated at Headquarters, leading in turn to a reduction in the estimates for the following year.

Fortunately, any uncertainty felt as to the Store position if a recrudescence of epidemics takes place is relieved by the maintainance of full establishments in the provincial stores.

TABLE LXIX.

The second secon	1919-1920	1920-1921	1921-1922
Stores bought locally (by limited tenders) L.E.	8,750	35,950	28,300
" abroad (through Inspecting Engineer's Office) "	90,200	107,810	42,130

1,252 orders, local and foreign, have been dealt with.

TABLE LXX.

	1919-1920	1920-1921	1921-1922
Number of contracts made during the year	130	140	356
Total value of contracts of the Department, including rations, etc	214,648	345,700	208,466
Value of supplies for Central Stores:—  Equipment ,,	50,564	103,735	59,644
Drugs ,,	44,300	56,123	62,755
Instruments ,,	9,500	6,743	8,633

TABLE LXXI.—THE FOLLOWING IS A COMPARATIVE STATEMENT OF CONTRACTS PLACED BY THE DEPARTMENT IN THE YEARS 1919-1920, 1920-1921 AND 1921-1922.

		UNIT RATES.	11-11	TOTAL V	ALUE OF CO	STEACTS.
NATURE OF CONTRACT.	1919-1920	1920-1921	1921-1922	1919-1920	1920-1921	1921-1922
	Milliemes.	Milliemes.	Milliemes.	L.E.	L.E.	L.E.
Milk, in tins per tin	501	48	48	1,054	1,760	563
Meat for Qasr el 'Aini Hospital:-						
Mutton per kilo.	105	$107\frac{1}{2}$	-70	1		- 6001
Beef ,,	981	$107\frac{1}{2}$	70	1		
Meat for Fever Hospital, 'Abbâsiya :				8,967	11,799	5,594
Mutton per kilo.	105	1071	70	1		
Beef ,,,	981	$107\frac{1}{2}$	70			
Petroleum per tin.	-	-	-	714	1,320	1,25
rude Oil per kilo.	-	-	-	1,111	1,085	1,060
Vative bread:—				No. of the		1 77
Qasr el 'Aini Hospital "	25%	28.7	18.7	1	7,492	1.900
Fever Hospital, 'Abbasiya ,,	25%	28.2	19.3	7,787	1,432	4,389
Alcohol per kilo.	-	-	-	1,530	3,241	8,680
[ce per block	0,000	86.4	105	2,658	2,166	2,884
Drugs,	100	-	_	44,300	56,123	32,038
Equipment, etc	_	_	_	97,000	103,735	33,572
Coal		_	-	2,837	9,742	9,240
Disinfecting drums	1	_	_	2,769	640	315
SERVICE THE REAL PROPERTY.	1 200	_	_	16,208	17,019	8,068
				20,200		1,000
Rations:—  For Cairo hospitals	_	-	_	47,690	46,025	30,221
For provincial hospitals	1	_		62,759	76,576	61,959
Instruments	_		-	9,500	6,743	8,633

TABLE LXXII.—STATEMENT OF COMPARATIVE PRICES OF SOME OF THE MAIN ITEMS OF EQUIPMENT AND DRUGS FOR THE YEARS 1919-1920, 1920-1921 AND 1921-1922.

	d answer							R	ATE IN MILLIES	tes.
Index No.	DESCRIP	TION	OF ITE	:м.				1919-1920	1920-1921	1921-1922
									the little of th	
				Eq	uipn	nent.				
729	Gallabiyas, large							692	1,199	764
852	Jackets, calico							308	280	135
1071	Mattresses, bed, felt							440	509	464
1448	Sheets, 2nd class							951	1,720	390
1451	" draw, thick							240	700	290
1475	Shoes, tamurghis							345	670	200
1501	Slippers							235	244	135
1126	Soap, washing					per l	ilo.	65	77	45
							,			
				7	Drug					
800					rug					
380	Aspirine							1,560	919	650
383	Acid, boric						***	120	119	110
389	" carbolic					•••		132	70	-
427	Alcohol					•••		331/2	60	45
534	Bismuth carbonas							2,890	2,490	1,700
638	Copper sulphas		•••		•••			294	117	200
807	Glycerine					•••		176	-	200
871	Iodine, pure							3,500	3,120	2,400
1004	Magnesium sulphas							39	30	40
1121	Castor oil							171	174	104
1127	Turpentine							201	276	150
1131	Opium							9,026	-	2,490
1219	Potassium iodide							1,852	1,901	1,995
1212	" bromide							1,570	641	-
1272	Quinine sulphas							8,541	-	9,000
1325	Sodium bicarbonas							26	22	23
1154	Vaseline							166	233	. 179
1342	Sodium salicylas							536	523	300
1117	Cod liver oil							320	270	250
869	Iodoform							2,875	2,598	2,890

	1919-1920	1920-1921	1921-1922
Number of preparations made in the Pharmacy Stores	789	891	1,053

Medicine to the value of L.E. 4,511 were sold in the various dispensaries of the Department as against L.E. 3,934 for the year 1920-1921.

TABLE LXXIII.—Comparison of Budgetary Estimates of 1921-1922 and 1922-1923.

					1921-1	922	1922-1	923
EQUIPMENT:—					L. E.	M.	L.E.	м.
Permanent, by contract					70,555	210	34,341	000
Consumable, by contract	***	***			)		24,018	000
Permanent, locally		***			2,494	815	1,703	000
Clothing new demands enidemia		***		***	6,543 7,110	219	2,873	000
Clothing, new demands, epidemic Uniforms					459	250	4,519 2,515	000 (1)
Tentage					9,160	282	7,177	000 (2)
Disinfecting apparatus					106	100	-,	(3
Disinfectants					1,426	000	-	(4
New demands (epidemic)	***				5,587	500	6,069	000
ORUGS	***	***			76,097	252	55,037	000
NSTRUMENTS					8,632	800	8,877	000
Transferred from 1921–1922 Budget							18,029	000
					188,172	628	165,158	000
'o deduct for issues on payment					12,500	000	5,000	000
					175,672	628	160 150	000
To add 5 per cent margin					8,783	631	160,158	000
o and o per cent margin	***			***	0,100	001	7,349	000
					184,456	259	167,507	000
lo add for repairs				***	2,200	000	2,404	000 (5
					186,656	259	169,911	000
Hospital requirements of fuel, petroleum, fire-					_		1,000	000
Stores, recurrent expenditure for Qena Ophth				***	-		500	000
Excise duty on medicinal alcohol New demands, Alexandria Hospital					5,200	000	4,100	000
Drugs, for Egyptian State Railways					1,700	000 (6)		
Kitchen stove					200	000	_	
l'ime recorder for Qasr el 'Aini Hospital					100	000	_	
To connect gas and electric installation at P.					650	000	-	
X-ray programme					2,000	000 (7)	-	-
Recurring expenditure for Alexandria and Lux Drugs for State Domains	or L	ock r	tospi	tals	165 400	000 (s)	-	
Drugs for State Domains		***			2,730	000 (°)		
The state of the s	• • • • • • • • • • • • • • • • • • • •		***	***	2,100	000 ()		
De deduct for economy in unless of electric	nlam	+ a+	000	n al	199,801	000		
To deduct for economy in upkeep of electric 'Aini Hospital					900	000	-	-
					198,901	000		
Prophylactic Measures against Ankylostoma					9,000	000	9,000	000
New Works (Special Credits)					8,900	000	30,133	000
					-			

<sup>(1)</sup> This includes epidemic clothing, also clothing, normal equipment for the whole Department.

<sup>(2)</sup> Last year the bulk of the uniforms was supplied by the Police Stores and included in their budget.

<sup>(3)</sup> Included under "New Demands."

<sup>(4) ,,</sup> under "Drugs."

<sup>(5)</sup> Including the sum of L.E. 204 for maintainance of Disinfecting Stations.

<sup>(\*)</sup> Included under "Drugs."

<sup>(7) ,,</sup> under "New Works" Special Credit.

<sup>(\*),(\*)</sup> Included under "Drugs."

TABLE LXXIV, -STORE TRANSACTIONS.

		REQUISITION	RS VOUCHERS.	
	Iss	ied.	Stores received	at Headquarters.
The state of the s	1920	1921	1920	1921
Permanent	. 5, 406	5,399	1,843	1,538
Consumable	5,938	5,876	2,022	1,846
Drugs	6,438	5,417	1,642	1,544
Faggala Store	1,507	1,490	263	199
Surgical Instruments	3,118	2,762	712	633
Kohna Store	6,046	4,263	3,019	3,021
Forage	147	163	116	137
Hygienic Institute	24	29	24	27
TOTAL	28,624	25,399	9,461	8,945

Military States	1920	1291
Number of charges of permanent stores in the Department	300	300
Value of stores issued on payment L.E.	19,022	12,185
Value of stocks at annual stock-taking:—		
Instrument Store ,,	10,276	12,093
Drug Store ,,	48,112	58,537
Permanent Store ,,	102,116	81,707
Consumable Store ,,	23,064	17,158
Kohna Store ,,	2,340	1,019
Faggala Store ,,	15,413	55,156
William of the state of the sta	202,321	225,670

	Inco	MING.	Осто	Tomas	
	Arabic.	English.	Arabic.	English.	TOTAL.
Number of letters dealt with during the year	23,432	7,504	11,255	6,739	48,930

List showing Repairs and New Work made by the Workshops from April 1921 to April 1922.

# BLACKSMITHS' WORKSHOPS.

# Repairs.

Dressing box 2	Brackets for lantern, motorcar 10
Coal box 5	Sides of bedsteads, 2nd Class 4
Angles, iron, for boxes 166	Bedsteads, 1st Class 37
Ice-chest zinc 8	Bedsteads, various, 2nd Class 1,615
Unions, i.g., for Vaccine Institute 2	Candles inco
	I Ivan hadataada ahildum 90
36 37 6 7	Dad marshla mine
	Methania
" " boxės 6	Mattresses, wire 99
" for press copying 4	Lathes, iron 5
Mangling machines 2	Poles, iron, mosquito-nets 49
Machine for cleaning carpets 2	,, for carriages 5
Hair clipper 1	Poles, upright, operation tents 15
Brackets, iron, small 16	Unions, iron, for tent poles 280
Typewriters 6	Pins, iron, for tent poles 58
Cylinder for mangling machine 2	Rings, iron, for tents 91
Grinders, coffee 3	Carts, hand 15
Stands, iron, for barrels 4	Tanda carts 34
" " double, for irrigators 1	Carts, tank 11
" " for zîr 20	Carts, 4 wheels 19
for Gold leattles 10	Inon handles for hand costs
for bosins 45	Hanting storms and
f (1) 1 1 0	Staves applies 7
for everynous etc.	Parana
" " funnels 6	New Control   New Control   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111   111
dressing tables 6	Scrapers, iron 43
Holders for leg of operation table 2	Filters, portable 19
Stands for irons 5	,, 1-candle 6
Boilers, steam 2	Iron, flat, for ironing 44
Chimney for boiler 1	Pans, dust 2
Corkscrew 1	Splints, various 50
Hinges, brass 5	Axes with handles 20
,, iron 22	Couplings, various 37
Hooks, door, etc 2	Pumps, water 24
Espagnolette for window 1	Pump, oil 1
Latch, brass 1	Springs, wire, for X-Ray, K.A.H 12
Knobs, iron 32	" for window 4
Bags, leather, correspondence 15	Spuds, weeding 1
Trolleys for dressings 6	Morrows gondon 7
The black of the december 19	Doords iven shorting
for allowaters 11	The last to a second of the se
	33 2000 1000003 110000 111 111 111 111 111
Tables, iron, operation 4	
,, ,, galv., travelling 47	I.G. bath, long 1
Brass frame for dressing table 1	fron bars, for window
Shelves, i.g., for tables, sick 10	Shamsia (Umbrella), Ophth 2
Stools, operations 2	Cupboard for insts 1
Brass case for wheel 6	Taps for Labs 6
Washer, i.g., for stoves 5	Chair, revolving 1
Rails for towels 14	Brackets, iron, various 2
Spanner 1	Perforator, paper 1
Keys, doors, tables, etc 503	Bars, iron, for lanterns 100
Benches for tools 2	Tell-tale clock 1
Locks for benches 9	Drums, disinfecting 254
,, various 190	,, butter 1,168
Knife, mincing, vegetable 1	Stretcher, iron, without wheels 1
Litaban 8	
" Kitchen	

## BLACKSMITHS' SHOPS.

## New Articles.

Thomas splints for arm and foot 201 Splints, various 13	Tube, brass, for Labs
Splints, various 13 Frames for Thomas splints, iron 6	Costs for besting store
Belts, iron, for splints 30	
Angles, iron, for splints 325	Ironing stove 1
Instrument cupboards 4	Metre canes for drains 85
Stands for formaline apparatus 2	Mattresses, wire 22
" for operation table 4	Brass casting, large, for revolving chair 2
,, tripods for evaporating dishes,	Keys for oxygen cylinders 3
funnels, etc 40	
Stands for irrigators, double and single	
Rests, foot and arm 44	Hinges, iron 19
Back rests for bedsteads 20	
Shelves, zinc, copper, and iron for tables,	Brackets, iron, for shelves 12 Skewers 3
dressings and operation 11 Dressing tables 8	Hasha for hadatanda 100
Operation tables 8	
Instrument tables, glass shelves	
" " copper shelves	Stands for basin, wash-hand 2
Tables (trolley), operation	Union for fire hose, taps, etc 3
Examination table	Trolleys, operation 3
Iron bedsteads for operations	
INSTRUMENT	S' WORKSHOPS,
INSTRUMENT	S WORKSHOTS,
-	
Neu	Work.
Discs, lead, Oph. Hospt 124,400	Bracket, brass, electric 1
Pieces, connecting, for syringes 36	
Re	pairs.
Aspirators, Potain's 14	Scissors, straight 1,325
Batteries, electric 35	Scissors, straight 1,325
Batteries, electric	Scissors, straight 1,325 ,, eye 240 ,, P.M 54
Batteries, electric	Scissors, straight 1,325 ,, eye 240 ,, P.M 54 Speculas, vaginal 30
Batteries, electric       35         Catheters, metal       55         Curettes and spoons       71         Directors and probes       27	Scissors, straight 1,325 ,, eye 240 ,, P.M 54 Speculas, vaginal 30 ,, eye 19
Batteries, electric       33         Catheters, metal       55         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54	Scissors, straight 1,325 ,, eye 240 ,, P.M 54 Speculas, vaginal 30 ,, eye 19 Autoclaves 7
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46	Scissors, straight 1,325 ,, eye
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377	Scissors, straight
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         "dressings       431	Scissors, straight
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         ,, dressings       431         ,, bone       41	Scissors, straight       1,325         ,, eye       240         ,, P.M.       54         Speculas, vaginal       30         ,, eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15
Batteries, electric         36           Catheters, metal         58           Curettes and spoons         71           Directors and probes         27           Stethoscopes, binaural         54           Droppers, chloroform         46           Forceps, artery         377           ", dressings         431           ", bone         41           ", eye         30	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       32
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         ", dressings       431         ", bone       41         ", midwifery       16         ", midwifery       16	Scissors, straight       1,325         ,, eye       240         ,, P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         ,, dressings       431         ,, bone       41         ,, eye       30         ,, midwifery       16         ,, tooth       18	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       32         Thermo-cauteries       9         Hammers       22
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         ,, dressings       431         ,, bone       41         ,, eye       30         ,, midwifery       16         Gags       2         Gonges       12	Scissors, straight
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         ", dressings       431         ", bone       41         ", eye       36         ", midwifery       16         Gags       2         Gouges       134	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         ,, dressings       431         ,, bone       41         ,, eye       30         ,, midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       13	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       35         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         """, dressings       431         """, bone       41         """, eye       30         """, midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       108	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       35         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44         "mincing machine       229
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         """, dressings       431         """, bone       41         """, eye       30         """, midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44         "mincing machine       229
Batteries, electric       36         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         ", dressings       431         ", bone       41         ", eye       30         ", midwifery       16         ", tooth       18         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knivtouries, amputation       106         Bistouries, encurved and straight       108	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44         "mincing machine       229         Stands, sterilizers       1
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       100         Cartilage knives       152         Scalpels       3,233         , eye       2,480	Scissors, straight       1,325         "eye       240         "P.M.       54         Speculas, vaginal       30         "eye       19         Autoclaves       7         Sterilizers, instruments       5         "water       10         Drums, dressings       83         Syringes, brass, wounds       15         "hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44         "mincing machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       108         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53	Scissors, straight         1,325           "eye         240           "P.M.         54           Speculas, vaginal         30           "eye         19           Autoclaves         7           Sterilizers, instruments         5           "water         10           Drums, dressings         83           Syringes, brass, wounds         15           "hypodermic         32           Thermo-cauteries         9           Hammers         22           Trephines         12           Trocars         31           Pillows, water         4           Knives, bandages machine         44           "mincing machine         229           Stands, sterilizers         1           Tubes, tracheotomy         3           Centrifuges, various         3           Scarificators         2           Suture, inst. set         1
Batteries, electric       33         Catheters, metal       55         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       106         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114	Scissors, straight         1,325           , eye         240           , P.M.         54           Speculas, vaginal         30           , eye         19           Autoclaves         7           Sterilizers, instruments         5           , water         10           Drums, dressings         83           Syringes, brass, wounds         15           , hypodermic         32           Thermo-cauteries         9           Hammers         22           Trephines         12           Trocars         31           Pillows, water         44           Knives, bandages machine         44           , mincing machine         229           Stands, sterilizers         1           Tubes, tracheotomy         3           Centrifuges, various         3           Scarificators         2           Suture, inst. set         1           Compass, P.M.         1
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         , midwifery       16         , tooth       18         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       108         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114         Needles, syringe       2,532	Scissors, straight       1,325         , eye       240         , P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       44         Knives, bandages machine       44         , mincing machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3         Centrifuges, various       3         Scarificators       2         Suture, inst. set       1         Compass, P.M.       1         Boxes, scalpels       3
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       108         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114         Needles, syringe       2,532         , suture       193	Scissors, straight       1,325         , eye       240         , P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       44         Knives, bandages machine       44         Knives, bandages machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3         Scarificators       2         Suture, inst. set       1         Compass, P.M.       1         Boxes, scalpels       3         Drill, bone       1
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       100         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114         Needles, syringe       2,532         , suture       193         Perimetres       8	Scissors, straight       1,325         , eye       240         , P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       44         Knives, bandages machine       44         , mincing machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3         Scarificators       2         Suture, inst. set       1         Compass, P.M.       1         Boxes, scalpels       3         Drill, bone       1         Sheets, Kelleys       2
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       100         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114         Needles, syringe       2,532         , suture       193         Perimetres       8         Razors       398	Scissors, straight       1,325         , eye       240         , P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44         Knives, bandages machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3         Scarificators       2         Suture, inst. set       1         Compass, P.M.       1         Boxes, scalpels       3         Drill, bone       1         Sheets, Kelleys       2         Repositors, iris       3
Batteries, electric       33         Catheters, metal       55         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         , tooth       18         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       106         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114         Needles, syringe       2,532         , suture       193         Perimetres       8         Razors       398         Retractors       2	Scissors, straight       1,325         , eye       240         , P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       44         Knives, bandages machine       44         , mincing machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3         Scarificators       2         Suture, inst. set       1         Compass, P.M.       1         Boxes, scalpels       3         Drill, bone       1         Sheets, Kelleys       2         Repositors, iris       3         Rack, scalpels       1
Batteries, electric       33         Catheters, metal       55         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       106         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114         Needles, syringe       2,532         , suture       193         Perimetres       8         Razors       398         Retractors       2         Saws, amputation       22	Scissors, straight       1,325         , eye       240         , P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44         , mincing machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3         Scarificators       2         Suture, inst. set       1         Compass, P.M.       1         Boxes, scalpels       3         Drill, bone       1         Sheets, Kelleys       2         Repositors, iris       3         Rack, scalpels       1         Hair-clippers       1
Batteries, electric       33         Catheters, metal       55         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       106         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114         Needles, syringe       2,532         , suture       193         Perimetres       8         Razors       398         Retractors       2         Saws, amputation       22         , finger       20	Scissors, straight       1,325         , eye       240         , P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44         , mincing machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3         Centrifuges, various       3         Scarificators       2         Suture, inst. set       1         Compass, P.M.       1         Boxes, scalpels       3         Drill, bone       1         Sheets, Kelleys       2         Repositors, iris       3         Rack, scalpels       1         Hair-clippers       1         Bottle, thermo-
Batteries, electric       33         Catheters, metal       58         Curettes and spoons       71         Directors and probes       27         Stethoscopes, binaural       54         Droppers, chloroform       46         Forceps, artery       377         , dressings       431         , bone       41         , eye       30         , midwifery       16         Gags       2         Gouges       134         Guillotines       23         Hooks       11         Knives, amputation       100         Bistouries, curved and straight       108         Cartilage knives       152         Scalpels       3,233         , eye       2,480         , P.M.       53         Lancets       114         Needles, syringe       2,532         , suture       193         Perimetres       8         Razors       398         Retractors       2         Saws, amputation       22         Saws, amputation       22	Scissors, straight       1,325         , eye       240         , P.M.       54         Speculas, vaginal       30         , eye       19         Autoclaves       7         Sterilizers, instruments       5         , water       10         Drums, dressings       83         Syringes, brass, wounds       15         , hypodermic       32         Thermo-cauteries       9         Hammers       22         Trephines       12         Trocars       31         Pillows, water       4         Knives, bandages machine       44         , mincing machine       229         Stands, sterilizers       1         Tubes, tracheotomy       3         Scarificators       2         Suture, inst. set       1         Compass, P.M.       1         Boxes, scalpels       3         Drill, bone       1         Sheets, Kelleys       2         Repositors, iris       3         Rack, scalpels       1         Hair-clippers       1

## INSTRUMENTS' WORKSHOPS,-REPAIRS (continued).

m.i						
Tube, perineal				1	Cords (electric) for keeping tables warm	
Baths, electric Trays, needle				2 2	Reels, metal, ligature sterilizer	-
Frames, trial lenses				2	Oxygen bags	1
Buttons, Murphy's				2	Splint, arm	î
Clover's crutch				1	Loop, platinum	1
Skin grafting inst				1		88
Shelves, tables	***			2		21
Wafer machine				1	Soldering stoves	4
Arm bath				1	Kitchen stoves, 2 pans	3
Water beds		***	***	2	Lamps, table, spirit	8
Stand, test tubes		***	***	1		20
Mirror, laryngeal			***	1	", indiarubber	8
Dilator, urethral Axis, test type boxes				1	Casseroles, steel	8 5
Strainers, insts. sterilizers	***			î	Pans, steel	14
Lithotrites				7		11
Tourniquets				7	Burners for spirit lamps	2
Lamps, insts. sterilizers				6	Scissors for plants	1
,, gas				4	Numbering machines	4
Clips, drainage tubes				4	Pans, frying	1
Kettles, bronchitis				5	Perforators	2
Evacuators, Milton's				6	Machines for mincing meat	6
Baths, infants				2		33
Syringes, serum	***			74	,, bread	1
,, blood				19	Bell, portable	1
Tape, measure			***	9 2	Machine for fire-extinguishing	4
606 apparatus Scale, hand	***	***		2	for total and annual	1
Dilators, uterine, set	***	***		1		18
Incubator				1	201.00	
		-				
		TI	NSM	ITHS'	WORKSHOPS.	
				New	Articles	
				New .	Articles.	
Discs, zinc				New 321		6
Rings for inventory boards					Sterilizers, copper, for syringes Pans for steam apparatus	6
Rings for inventory boards Zinc boxes, dressing				321 71 20	Sterilizers, copper, for syringes	6
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets).	 7 di	 ivisio	ns .	321 71 20 52	Sterilizers, copper, for syringes	6 6 2
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,, ,, various	, 7 di	 ivisio	ns	321 71 20 52 7	Sterilizers, copper, for syringes	6
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,, ,, various ,, for cards	, 7 di	 ivisio	ns	321 71 20 52 7 6	Sterilizers, copper, for syringes  Pans for steam apparatus  Irrigators, surgical  Pails, 50 lit,	6 2 2 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various	, 7 di	ivisio	ns	321 71 20 52 7 6 28	Sterilizers, copper, for syringes	6 6 2 2 1 13
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various ,, for cards Moulds, sweet, tin, various Strainers for refuse	, 7 di	ivision	ns	321 71 20 52 7 6 28 76	Sterilizers, copper, for syringes	6 6 2 2 1 13 8
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,, ,, various ,, for cards Moulds, sweet, tin, various Strainers for refuse Drums with tap	, 7 di	ivisio	ns	321 71 20 52 7 6 28 76 6	Sterilizers, copper, for syringes	6 6 2 1 13 8 2
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large	, 7 d	ivision	ns	321 71 20 52 7 6 28 76	Sterilizers, copper, for syringes	6 6 2 2 1 13 8
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes	, 7 d	ivisio	ns	321 71 20 52 7 6 28 76 6	Sterilizers, copper, for syringes	6 6 2 1 13 8 2 2
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter	, 7 d	ivision	ns	321 71 20 52 7 6 28 76 6 2	Sterilizers, copper, for syringes	6 2 2 1 13 8 2 6
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests	, 7 d	ivisio	ns	321 71 20 52 7 6 28 76 6 2 8 5	Sterilizers, copper, for syringes	6 6 2 1 13 8 2 6 5
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter	, 7 d	ivisio	ns	321 71 20 52 7 6 28 76 6 2 8 5 3	Sterilizers, copper, for syringes	6 6 2 1 13 8 2 6 5
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests	, 7 di	ivisio	ns	321 71 20 52 7 6 28 76 6 2 8 5 3	Sterilizers, copper, for syringes	6 6 2 1 13 8 2 6 5
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests	, 7 di	ivisio	ns	321 71 20 52 7 6 28 76 6 2 8 5 3	Sterilizers, copper, for syringes	6 6 2 1 13 8 2 6 5
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various , for cards  Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee	, 7 di	ivisio	ns	321 71 20 52 7 6 28 76 6 2 8 5 3 5 1	Sterilizers, copper, for syringes	6 6 2 2 1 13 8 2 2 6 5 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee Tins, soldering	, 7 d	 ivision	ns	321 71 20 52 7 6 28 76 6 2 8 5 3 5 1	Sterilizers, copper, for syringes	6 6 2 2 1 13 8 2 2 6 5 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee Tins, soldering Kilos wire, cutting into bundles	, 7 di	 ivision	ns	321 71 20 52 7 6 28 76 6 2 8 5 3 5 1	Sterilizers, copper, for syringes	6 6 2 2 1 13 8 2 2 6 5 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin	, 7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 Repo	Sterilizers, copper, for syringes	6 6 2 2 1 13 8 2 2 6 5 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases	, 7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 Repo	Sterilizers, copper, for syringes	6 6 2 1 13 8 2 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various ,, for cards Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards	, 7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 Repo	Sterilizers, copper, for syringes	6 6 2 1 13 8 2 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,,, various Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards Candlesticks	, 7 d	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 Repo	Sterilizers, copper, for syringes	6 6 2 2 1 13 8 2 2 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various ,, for cards Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards Candlesticks Traps, rat	, 7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 Repo	Sterilizers, copper, for syringes	6 6 2 2 1 13 8 2 2 6 5 1 1 1 1 3 8 2 2 6 7 7 7 7 8 7 8 7 8 7 7 7 7 7 7 7 7 7 7
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various ,, for cards  Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards Candlesticks	, 7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 Repo	Sterilizers, copper, for syringes	6 6 2 1 13 8 2 2 6 5 1 1 1 3 8 2 2 1 1 3 2 1 2 1 2 1 2 1 2 1 2 1 2 2 1 2 2 2 2
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various ,, for cards  Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards Candlesticks Traps, rat Drums, cleaning and soldering Disinfecting sprays Pails, 18 lit	, 7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 Repo 3,556 793 178 100 223 70 734 639 114 183	Sterilizers, copper, for syringes	6 6 6 2 1 13 8 2 6 5 1 1 1 8 9 9 7 7 8 2 1 1 3 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various ,, for cards  Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards Candlesticks	, 7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 1 Repo 3,556 793 178 100 223 70 734 639 114 183 558	Sterilizers, copper, for syringes  Pans for steam apparatus  Irrigators, surgical  Pails, 50 lit,  Mugs, tin, 200 grammes  Set copper discs (1–60)  Cans with covers, for flour, sugar, etc  Cans for tea, ¼ litre  Cans, 10 litres milk  Copper baths, round, for labs. tubes  Baths, zinc, for arm  """, long  """, for children  Lantern, hospital pattern  Stamping teshts, copper  Cans, watering, gardener  Glass, sheets, fitting  Zinc warmers, foot  Pails, W.C  Mugs, tin  Cages for rabbits, Labs  Lamps, table, kerosene  Lamps, table,	6 6 6 2 1 13 8 2 2 6 5 1 1 1 3 8 2 2 6 5 1 1 1 3 2 1 1 1 3 2 1 1 1 1 1 1 1 1 1 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various ,, for cards  Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards Candlesticks	, 7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 1 Repo 3,556 793 178 100 223 70 734 639 114 183 558 151	Sterilizers, copper, for syringes  Pans for steam apparatus  Irrigators, surgical  Pails, 50 lit,  Mugs, tin, 200 grammes  Set copper discs (1–60)  Cans with covers, for flour, sugar, etc  Cans for tea, ¼ litre  Cans, 10 litres milk  Copper baths, round, for labs. tubes  Baths, zinc, for arm  , , , long  , , for children  Stamping teshts, copper  Cans, watering, gardener  Glass, sheets, fitting  Size warmers, foot  Pails, W.C  Mugs, tin  Cases, for rabbits, Labs,  Cages for rabbits, Labs,  Lamps, table, kerosene  Heating stoves, kerosene  Lating  Lating  Lamps, table, kerosene  Lating  Lat	6 6 6 2 1 13 8 2 2 6 5 1 1 1 3 8 2 2 6 5 1 1 1 3 1 3 2 1 3 1 3 1 3 1 3 1 3 1 3 1
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various ,, for cards  Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards Candlesticks Drums, cleaning and soldering Disinfecting sprays Pals, 18 lit Plates, tin	7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 1 Repo 3,556 793 178 100 223 70 734 639 114 183 558 151 130	Sterilizers, copper, for syringes  Pans for steam apparatus  Irrigators, surgical  Pails, 50 lit,  Mugs, tin, 200 grammes  Set copper discs (1–60)  Cans with covers, for flour, sugar, etc  Cans for tea, ‡ litre  Cans, 10 litres milk  Copper baths, round, for labs. tubes  Baths, zinc, for arm  , , long  , , for children  Stamping teshts, copper  Cans, watering, gardener  Glass, sheets, fitting  Example  Stamping teshts, copper  Cans, watering, gardener  Glass, sheets, fitting  Lantern, hospital pattern  Stamping teshts, copper  Cans, watering, gardener  Call  Covers for pails, W.C  Pails, W.C  Lamps, table, kerosene  Lamps, table, kerosene  Heating stoves, kerosene  Cans, tin, for spirit  Cans,  Cans,  Cans, tin, for spirit  Lamps, table, kerosene  Cans, tin, for spirit  Cans,  Cans	6 6 6 2 1 13 8 2 2 6 5 1 1 1 8 9 50 77 82 13 13 13 13 13 13 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16
Rings for inventory boards Zinc boxes, dressing Boxes, zinc (test type sheets) ,,, various ,, for cards  Moulds, sweet, tin, various Strainers for refuse Drums with tap Ice chest, large Stands, copper, for test tubes Cylinders for spirit lamp Zinc cover for perimeter Basins for ice chests Pot for coffee  Tins, soldering Kilos wire, cutting into bundles Spirit stove, tin Tin covers for cases Aluminium boards Candlesticks	7 di	 ivision		321 71 20 52 7 6 28 76 6 2 8 5 3 5 1 1 Repo 3,556 793 178 100 223 70 734 639 114 183 558 151	Sterilizers, copper, for syringes  Pans for steam apparatus  Irrigators, surgical  Pails, 50 lit,  Mugs, tin, 200 grammes  Set copper discs (1–60)  Cans with covers, for flour, sugar, etc  Cans for tea, ‡ litre  Cans, 10 litres milk  Copper baths, round, for labs. tubes  Baths, zinc, for arm  ", long  ", for children  Stamping teshts, copper  Cans, watering, gardener  Glass, sheets, fitting  Zinc warmers, foot  Covers for pails, W.C  Pails, W.C  Mugs, tin  Cases, for rabbits, Labs  Cages for rabbits, Labs  Cans, tin, for spirit  Eantry, for spirit  Cans, tin, for spirit  Eantry, hospital pattern  Cans, tin, for spirit  Cans, tin, for spirit  Cans, tin, for spirit  Eantry, and an experience  Cans, tin, for spirit  Cans, tin, for spirit  Cans, tin, for spirit  Eantry, and an experience  Cans, tin, for spirit  Cans, tin, diet	6 6 6 2 1 13 8 2 2 6 5 1 1 1 8 9 50 77 82 13 13 13 13 13 13 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16

## TINSMITHS' WORKSHOPS .- REPAIRS (continued).

Ammonia apparatus			18   Pressers for potatoes	8
Nozzles for watering cans			32 Box, iron, for pots	7
Coffee cans, metal		***	14   Trays, tin, for pots	9
Strainers, tin, soap	***		22 Sterilizers, air	5
Boxes, lining with zinc		***	12 Baths, water	3
Poles, wooden, bedsteads			28 Stands for tubes	4
Lamps, copper, hosptital pattern			23   Egg beaters	3
Cans, W.C			12   Chamber pots, copper	2
Baths, zinc, large			20 Apparatus for warming chest	2
Cups, tin, feeding			15   Tandas, cart	2
Ladles, small, large			13   Can, ironing	1
Kettles, i.g			5 Tables, covering with zinc	5
Seats, W.C			14 Safes, meat	3
Dishes carrier, zinc			15 Freezers, ice	2
The state of the s				

## TENT-MAKERS' WORKSHOPS.

# Repairs.

Tents, patient, 2 poles	195	Pillow, for children 5
" W.C. (latrine screen)	278	Mats, felt, floor 51
" Doctor, 2nd Class, large and small	47	Felt pieces for cleaning floor 10
,, one pole	83	Bottle, aluminium, felt cover 21
" Inspector, 1st Class, large	7	Covering, Zamzamia with leather 1
,, stable, large	8	Canvas pieces for portable bedsteads and
Operation tent	4	stretchers 284
Tents, W.C., Indian	9	Curtains for windows 8
" Inspector, small	3	Covers, motor-cycle and carts 2
Shamsia, Dr. tent, large and small	47	Stretchers with wheels 8
tant 9 malan	213	Sacks, grain 49
1 3.1.	39	,, disinfecting 18
operation tent	11	Carpets, various 15
The state that land	9	Ko cotton, cleaning 2,062
	14	Covers for sheds, kohna calico 45
m / 11 / 11 /	12	Rubbish baskets, to cover with canvas 40
	14	
y, ,, ,, operation tent	89	and the same and t
Valise, packing, tents	2	,, upholstered 2
Shamsia (umbrella)	200	,, long, upholstered 1 Sofas, upholstered 3
Mattresses, crin végétal	329	
,, cotton	289	Upholstered legs for operation table 2
,, children	9	Water skin 1
" felt	1	Apparatus, head extension 2
Cases for mattresses	104	Clover's crutch 1
Pillow, cotton, large	298	Bags, leather, for correspondence 7
" cotton, round, chair	42	Linoleum, laying 3
,, for Assiouti chair, back and seat	10	Pairs, sandals 16
" crin végétal	188	Baskets, large, for bread 2
,, cotton, square	24	

## New Articles.

Mattresses, cotton			***	320	Sacks for packing operation ten	ts a	nd p	oles	6
" crin végétal …				544	Carpets				6
Pillows, crin végétal				540	Curtains, window				12
" cotton, various				13	Chairs, office, upholstered				8
Mats, felt, floor				80	Sofas, upholstered				2
Shamsia, Dr. tent, large				1	Stands for operation table				2
Canvas pieces for stretchers				32					2
Operation stretchers					Leather belts, centrifuge				8
Tandas (sun-blinds)					Leather bag for syringe boxes				1
Covers, calico, for Tanda cart				- 8	Irrigators, surgical, zinc				6
Covering a kiosk (garage) with	can	vas		1	Thomas splint for back				1
Nets, curtain, for mosquitoes		******	***		Felt covers for foot warmers				30

## PAINTERS' WORKSHOPS.

## Articles Painted.

Tables			379	Brackets, wooden 8
Desks (Office tables)			40	Stretchers 6
Bedsteads			277	Splints, iron 51
Cupboards			75	Stands, Ophth. tables 8
Boxes			535	Rakes, garden 1
Shelves, various			134	Angles, books, iron 250
Shelves, zinc			8	Scrapers, iron 13
Boards, tin			195	Copying presses 6
Ice chests			99	Bottles, medicine, ophth 56
Electric baths	*** ***		27	Chests of drawers 2
Seats, wooden, for garden			28	Iron bars for oven 6
Trays, wooden			10	Pumps 8
Racks, paper			6	Bags, correspondence 21
Poles for flag			3	Tin covers, various 181
Stands, basin			45	Cans, tin 11
Stands, tubes, etc			143	Buffet 1
Boards, wooden, notice, e			. 172	Pontonatona
Motor-cars			. 2	Tampa 91
Floorings, wooden (pieces)			13	Stores cooling besting etc. 7
Painting floors of rooms			11	Partitions mooden
Screens			43	Polos for curtains
D . / / .			100	C1-1 ( 1
Meat-mincing machines			16	Tathan inam
Bases for safes			4	Autoslava
Baskets	***		90	Apparatus, formaline, etc 2
Racks, clothes			9	Payrole 00
Holders (pegs) for clothes			99	Chamber note
on 1			5	Drawow wooden Labo
T			14	Wine mattheway
Deser				Come Lad anti-et
** *			2	T 31
12:14			6	Wooden stand for operation room 1
Canto			55	Painting furniture, Gamaliah H.O.
	*** ***		9	T 1
Kiosks, Ghaffir	*** ***	*** *	2	
Mirrors	*** ***		900	" " Suez Hospital.
Chairs	*** ***		309	,, ,, Tanta Hospital.
Brushes, floor			13	,, ,, Kasr el 'Aini Hospital.
Sofas	*** ***		3	,, Port Said Hospital.
Safes, meat			019	,, Mansoura Ophth. Hospital.
Drums, iron	*** ***		213	,, Tanta Ophth. Hospital.
Windows			14	" Beni Suef Ophth. Hospital.
Disinfecting machines	*** ***		6	

## CARPENTERS' WORKSHOPS.

## New Articles.

Poles, various				355   Cages for monkeys	6
				00 Challes alilate	0
Handles for brooms	*** ***			98 Stand for amphitheatre	
Tables			***	29 Ladders, wooden	
Cupboards				10 Kiosks, gaffirs, etc	4
Stretchers				3 Drawers, wood, Labs	200
Boxes, small, for post	parcels			988   Crutches	650
,, filters			***	4 Splints, wooden	31,910
Cases, wooden, small, f	for tubes	, etc.		658 Boards, notice, etc	
Crates, packing, woode	n			527 Trays, wooden	13
Wooden board for cart				1 Holders for curtains	10
Screens				22 ,, for clothes	
Racks, paper				4 Shelves	
				59 Windows	
77				15	

## CARPENTERS' WORKSHOPS (continued).

## Repairs.

Ice chests			 	 	 21	Seats, garden	4
Tables			 	 	 76	Racks, paper	4
Chairs			 	 	 572	Electric baths	7
Boards, wood	en,	meat	 	 ***	 3	Racks, various	105
Brushes						Baskets, wooden, various	10
Cupboards						Mallets	48
Stretchers						Cages for bottles	7
Boxes, filters					1	Ladders	2
Boxes, cantee						Cylinders for mangling machine	4
Packing cases						Boards, notice, diet, etc	74
Cases for tub						Flooring, wooden, for tent	3
Hoes handles						Shelves	9
					21	Windows	3
64					2.00		

# TAILORS' WORKSHOPS.

## New Articles.

Suits, khaki					 	14	Coats, white, doctors				 	21
Caps for Kablas,	etc.	***	***		 	147	Aprons, mackintosh					54
Protectors, eye, c.	alico	(Op	htha	lmie)	 		Sheets, mackintosh					4
Chevrons, arm						551	Mosquito nets			***	 ***	16
Gallabias							Covers, screen, calico					21
Shirts for babies	***			***	 ***		Cases, pillow					56
Drawers			***		 	3	Covers, felt, for foot	warme	ers		 	30

# Repairs.

Suits, Sha	wis	hes		 	 	 125	Towels, bath	 ***		 	***	2
							Sheets					
							Cases, pillow	 	***	 ***		13
Gallabias .		***		 	 	 29	Blankets, woollen					
Drawers .		***	***	 ***	 	 32	Mosquito net	 ***		 ***	***	1
Shirts .				 	 	 81						

### 4.-LEGAL.

The legal enactments concerning the work of the Department which were published during 1921 are mentioned hereunder:—

Arrêté du 28 mars 1921 ajoutant à la première partie du Tableau des Maladies Infectieuses annexé à la Loi No. 15 de 1912 les maladies suivantes :—

l'Encéphalite Léthargique, La Polio-Encéphalite Aiguë et La Polio-Myélite Aiguë.

 $Arr{\'e}t\'e$  du 17 avril 1921, prohibant l'importation des pinceaux à barbe provenant du Japon.

Arrêté du 25 septembre 1921, ajoutant à la Classe II, Catégorie A, des Établissements Incommodes Insalubres et Dangereux, les dépots et établissements pour la vente du beurre naturel et des produits pouvant remplacer le beurre.

Below is given the usual table regarding prosecutions for infractions of public health legislation and the result of same.

Table LXXV.—List of Contraventions against Public Health Legislation during 1921.

TOTAL.	985	83	60	2,511	155	e e	0 8	56	19	108	1	335	106	1	258
-uenssy		1	1	51	1		1	1	1	i	1	332	1	1	1
депи-	1	64	1	176	1		1	1	1	1	1	1	1	1	1
Girga.	1	01	1	143	1		1	1	1	1	1	1	. 1	1	25
Asylta	1	60	1	184	1		1	1	5	96	1	60	1	- 1	125
Minya.	1	1	1	265	12		1	FI	1	10	1	1	48	1	32
Beni Suef.	1	10	1	46	1		_	1	0.1	1	1	1	1	1	-
Falytim.	60	10	1	91	1		-	1	-	00	1	1	1	1	1
Gizae	1	4	1	107	1		1	1	1	1	1	1	99	1	17
Beheira.	0.1	6	1	257	43		1	1	10	1	1	1	1	1	-
Shardiya.		17	1	105	01		-	1	11	1	1	1	-	1	0.1
Dagahliya.	191	6	-	202	21		7 :	=	11	1	1	-1	1	1	60
.exiduadi)	26	13	1	271	21		-	1	15	- 1	1	1	9	1	1
.extbools.	1	0.	1	139	1	;	17	1	1	-	1	1	- 1	1	1
.erjidiirja,	01	-	1	96	1-		-	1	1	1	1	1	1	1	1
Damietta.	91	-	1	20	16		1	-	. 1	1	1	1	- 1	-	7
saes.	11	-	1	1	1		1	1	1	1	1	1	93	1	91
-siliameI	-	1	1	9	1		1	1	1	1	1	-1	1	1	1
.bias mof	118	1	1	36	1		1	1	1	- 1	1	1	1	1	1
Cairo.	529	01	1	321	32		1	1	1	1	1	1	1	1	19
NAME OF LAW, BTC.	Vidange and dépotoirs, Arrêté of November 8, 1886. modified by Arrêté of June 2, 1910	Practice of medicine and its branches. Arrêté of June 13, 1891	Practice of Dentistry. Law No. 14, 1920	Vaccination. Decree of December 17, 1890, modified by Decree of August 6, 1897, and by Law No. 9, 1917	Enclosure of waste lands. Arrêté of June 15, 1893	CEMETERIES:— Inhumation, exhumation, and transport of bodies abroad. Regulations of September 15, 1876, and	March 26 and October 30, 1877	Transfer of cemeteries. Decree of January 29, 1894	Enclosure of cenreteries; unauthorized inhumation.  Decree of March 12, 1898	Prophylactic Measures:— Permanent and exceptional measures to prevent epidemics. Arrêtés of May 11, 1895, and December 19, 1904	Oysters and shell-fish during epidemics. Arrête of June 16, 1912	Cholera. Arrete of October 17, 1895, and supplementary Arrete of May 30, 1896	Plague and cholera. Decree of May 27, 1899, modified by Laws No. 3 of February 16, 1911, and No. 10 of April 27, 1913	Disinfection of houses during epidemics. Arrêtés of May 23 and June 26, 1901	Passenger control in case of cholera abroad. Arreté of January 21, 1911

i	1,120	1,948	1	56	75	4	-	6	72	2,375	2,072	259	412	21.9	13,665	10,807 186 628 2,044
1	62	1	1.	1	1	, 1	1	1	1	53	00	1	1	1	206	392 3 111
1	240	71 6	- 1	1	1	1	1	1	1	640	46	1	1	1	1,822	1,700 3 112 107
1	52	392	1	-	1	1	1	1	01	328	93	1	1	-1	1,072	888 11 6 6
1	72	9	1	-	1	1	- 1	1	10	108	293	1	1	1	832	641 163 163
1	35	73	- 1	500	-	. 1	1	1	7.0	261		87	1	9	878	83 83
1	5	11	1	-	1	- 1	-	1	-	65	6.0	1	1	00	214	173
1	6	29	1	-	-	1	1	1	1	82	87	1	1	- 1	349	197 112 37
1	40	1	1	1	1	1	- 1	1	-	20	00	1	1	1-	329	249 10 243 243
1	156	36	1	1	60	1	- 1	1	-	211	25	-1	10	53	898	776 10 9 73
1	36	112	1	1	. 1	1	- 1	1	90	104	99	21	00	23	530	375 9 28 118
1	83	41	1	-	4	60	1	1-	18	92	254	6	60	12	939	533 43 121 242
1	93	214	1	14	01	1	1	1	13	141	300	1	47	100	1,270	931 7 57 275
1	255	149	1	7	-	1	1	01	21	184	£	1	00	287	1,095	914 90 87
1	-	47	1	1	- 1	1	1	1	-	28	01 1-	1.		1	218	165
1	1	1	1	1	60	- 1	-	1	1	1	77	24	-	1	152	40.88
1	7	- 1	- 1	1	-	- 1	1	1	- 1	1	81	123	24	16	193	188
1	1	01	1	1	1	1	1	1	1	60	. 4	-	31	-	86	07   241
1	-	1	i	-1	60	1	1	1	1	9	27	1	23	- 1	214	157
1	1	- 67	1	1	15	-	1	1	1	16	624	89	211	215	2,098	1,597 47 89 365
Navigation on the Mahmüdia Canal in time of cholera.	Prophylactic measures against infectious diseases. Law No. 15 of June 12, 1912	Prophylactic measures against Cholera. Law No. 10 of June 26, 1917, and No. 3 of 1918	Prophylactic measures against Anthrax. Law No. 21 of 1920 and Arrete of June 7, 1921	Excavations and birkas near habitations. Decree of April 26, 1900	Pharmacy and sale of poisons. Law No. 14 of September 15, 1904	Assistant pharmacists. Law No. 20 of November 17, 1911, modified by Law No. 15 of 1918	Transport of rags during epidemics. Law No. 1 of March 10, 1906, and Arrete of October 30, 1913	Control of returning pilgrims. Arrêté of June 14, 1914	Public latrines and dépendances of mosques and zawias.  Law No. 14 of July 1, 1911	Births and deaths. Decree of August 11, 1912	Etablissements incommodes, insalubres et dangereux. Law No. 13 of August 28, 1904, and Arrêté of August 29, 1904, completed by Arrêté of June 11, 1905	Cleanliness of streets. Arrêté of June 7, 1913	Adulteration of milk. Article 302 of the Native Penal Code	General sanitary contraventions. Native Penal Code, Arts. 334, 335, and 336, and Mixed Penal Code, Art. 333, para. 6	Toral number reported	Convictions obtained Filed

### 5.—REPORT ON THE MEDICAL AND ALLIED PERMITS OFFICE.

During the year 1921, permits to practise their professions in Egypt were issued to :--

- 197 Doctors.
- 32 Pharmacists.
- 10 Assistant pharmacists.
- 9 Veterinary Surgeons.
- 33 Midwives.
- 6 Dentists (with registrable qualifications).
- 40 Dentists (without registrable qualifications, but who satisfied the provisions of Article 15 of Law No. 14 of 1920).

327

Table LXXVI gives in detail the numbers of permits issued in 1921, the nationalities of the persons authorized, and the figures for 1920 for purposes of comparison:-

TABLE LXXVI.—AUTHORIZATIONS TO PRACTISE THE MEDICAL AND ALLIED PROFESSIONS IN 1920-1921, SHOWING THE NATIONALITY OF THE LICENCERS.

								N.	ATION	ALIT	Υ.							
Profession.		ogyptians.	1000	Drittan.	French.		Italians.			Amer cans.	0	Outomans.	-	Oreeks.		Officers	Тот	ral.
	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920
Doctors Pharmaceutical :—	118	69	25	15	7	1	4	6	1	3	28	27	5	10	9	11	197	143
Pharmacists Assistant pharmacists	17	18 4	1 1	3	2	1	1	1	_	1	7	10	3	7	1	1	32 10	4:
Veterinary surgeons Midwives Dental :—	7 19	3 11	7	3	1	=	1	1	_	=	1	3	2	1	2	=	9 33	1
Dentists (Diplomated)	1 36	3 122	=	- 2	_	1	=	_ 5	=	=	2	11 13	=		3 4	2 5	6 40	14
Totals	207	230	34	23	11	3	6	13	1	4	39	65	10	18	19	20	327	37

Table LXXVII shows in detail the place of origin of the various qualifications held by the persons authorized :-

TABLE LXXVII.—Showing the Place of Origin of the Various Qualifications HELD BY PERSONS AUTHORIZED IN 1921.

	PLACE				Doctors.	Pharmacists.	Assistant Pharmacists.	Dentists.	Veterinary Surgeons.	Midwives
Egyptian Sch	nool	of Me	edicin	ie	65	12	9		7	19
Great Britain					48	2	1		-	7
France					11	1	_	_	1	
Italy					3	1	_		_	1
Constantinop	le	.,.			14	4	_	1	1	2
Syria					31	8	-	.1	-	_
Greece					6	1	-	-	-	1
America					3	1	-	1	-	
Russia					2	-	_	3	_	-
Switzerland					9	2	-	-	-	-
Belgium					1	_	_	_	_	1
Germany					3	-	_	-	-	1
Austria					1	-	-	-	-	1
	Т	OTAL			197	32	10	6 40‡	9	33
								46	7 193	

<sup>\*</sup> Includes Belgians, Roumanians, Bulgarians, Swiss, Russians, Austrians, Germans.
† Dentists without registrable qualifications, but who satisfied the provisions of Art. 15 of Law No. 14 of 1920.
‡ 40 Dentists without registrable qualifications, but who satisfied the provisions of Art. 15 of Law No. 14 of 1920.

The number of permits issued to doctors, *i.e.* 197, shows a considerable increase over the total of 142 issued in 1920, and is, in fact, by far the largest number of doctors ever authorized to practise their profession in Egypt in any one year. The total of 197 comprises 118 Egyptians and seventy-nine of other nationalities. Of the 118 Egyptians, sixty-five were in possession of the Qasr el 'Aini (Cairo) Medical Diploma; the remaining fifty-three held the following qualifications:—

27 from Great Britain.

- 4 " France.
- 1 ,, Italy.
- 6 .. Switzerland.
- 1 ,, America.
- 9 " Beyrout (Syria).
- 2 ,, Constantinople.
- 3 ,, Germany.

During the year, the Official Lists of Doctors, Veterinary Surgeons, Dentists, Midwives, Pharmacists and Assistant Pharmacists, were thoroughly revised with a view to the publication of an up-to-date edition complete to December 31, 1921. The system hitherto adopted in these Lists of publishing in the "address" column the name of the town only in which licencees resided had proved insufficient, and it was decided to make an effort to insert in the new edition the full address of every person whose name appears therein. Use was made of various forms of publicity in order to make this decision as widely known as possible. Announcements were inserted in the Journal Officiel, the local press (both lay and medical), circular letters were sent to all administrations employing professional staff, and to consuls. A very considerable and gratifying measure of success was attained. In the case of doctors, veterinary surgeons, dentists and midwives, the legal powers were found to be sufficient to enable the Administration to omit from the printed lists the name of any member of the above profession who did not furnish an address. In the case of pharmacists and assistant pharmacists, the same power does not exist, with the result that a number of persons authorized to practise these two professions, whose whereabouts are unknown, have had to be left in the lists for the present.

The following table shows the numbers of the various professions comprised in it as made up to December 31, 1921 :—

TABLE LXXVIII.

	Pro	FESSI	ons.			Egyptian Diplomas.	Foreign Diplomas.	Total on December 31 1921.
Doctors				 	 	419	730	1,149
Veterinary surgeo	ns			 	 	80	15	95
Dentists				 	 	-	106	284*
Midwives				 	 	99	53	152
Pharmacists				 	 	183	766	949
Assistant pharmac	cists			 	 	289	9	298

It would appear from this table that the six professions in question can hardly be described as overcrowded in this country, when it is considered that the population of Egypt, as recorded by the Census of 1917, is 12,718,255.

In the case of doctors, for example, the above figures give a ratio for the whole country of one doctor to 11,156 inhabitants. It must be borne in mind, however, that an appreciable number of the doctors included in the total of 1,149 whose names appear in the lists hold official positions which permit of no private practice being done, so that the ratio of persons per doctor is in fact actually greater than the figure given above.

This figure includes 178 persons without registrable qualifications, but who satisfied the provisions of Art. 15 of Law No. 14 of 1920.

The following table shows the number of doctors in six of the principal towns, with the population and ratio:—

TABLE LXXIX.

Town.	Number of Doctors.	Population according to Census of 1917.	Ratio of population to each Doctor.	
Cairo and suburbs	. 498	790,939	1,588	
Alexandria	. 219	444,617	1,574	
Port Said	. 28	70,873	2,531	
Suez	. 17	30,996	1,823	
Tanta	. 38	74,195	1,979	
Asyût	. 16	51,431	3,214	

It is to be remarked that the ratios of Cairo and Alexandria are almost exactly the same. In revising the "Official Lists," numerous cases were found of persons practising under names totally different from those registered in the Department and borne on the permits issued to them. Nearly all the persons concerned were graduates of the Turkish Imperial Faculty of Medicine, according to whose system of nomenclature only the graduate's baptismal name and his father's baptismal name are written on the diploma, no family name or surname being mentioned. This system is apparently based upon the usual custom in Mohammedan countries. Hitherto in Egypt, permits to practise have been issued in the name borne on the diploma. Discrepancies have therefore subsequently resulted between the name written on the permit and the name under which the practitioner was working in the case of those practitioners who prefer to make use of their family name. It is clearly undesirable that a person should practise his profession under a name different from that appearing on his permit and in the Official Lists, so that whenever a case of this description came to light, the person concerned was invited to produce evidence of his right to use the name in question, and when this was done the necessary correction of the permit and other records was made.

During the year, a non-Egyptian doctor was deported for abusing his privileged

position to facilitate traffic in cocaine.

During 1921, the last batch of permits, forty in number, were issued to those dental practitioners who, having no registrable qualifications, were allowed to sit for the technical examination held in July, August and September 1920 in accordance with Article 15 of Law No. 14 of 1920. The delay in the issue of these permits was due to the fact that in every case some point arose which required verification and adjustment before finally granting the authorization. The total number of licences issued under Article 15, above referred to, is 178.







