

Annual clinical record : 1930 / Cardiff Royal Infirmary.

Contributors

Cardiff Royal Infirmary (Cardiff, Wales)

Publication/Creation

Cardiff : Roberts, 1930

Persistent URL

<https://wellcomecollection.org/works/mz7nbcu7>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Slip 9.E

Cardiff Royal Infirmary.

00

**ANNUAL
CLINICAL RECORD
1930.**

00

CARDIFF:
S. GLOSSOP & SONS, LTD., NEW STREET.




22501924870

CARDIFF ROYAL INFIRMARY.

ANNUAL CLINICAL RECORD

FOR THE YEAR

1930.



Contents.

	PAGE
Medical and Surgical Staff	3
The Surgical Treatment of Cardio Spasm	6
Volvulus of the Caecum	8
A Case of Pregnancy complicated by a Toxoc Ademoma of the Thyroid	10
Treatment of Lupus Erythematosus	12
Medical Index	15
Surgical Index	26
Gynæcological Index	52
Ophthalmic Index	59
Aural Index	63
Dermatological Index	68

CARDIFF ROYAL INFIRMARY.

MEDICAL AND SURGICAL STAFF AND OFFICERS OF THE INSTITUTION.

Consulting Physician.

H. R. VACHELL, M.B.

Consulting Surgeons.

Prof. A. W. SHEEN, C.B.E., M.S., F.R.C.S.
Sir JOHN LYNN THOMAS, K.B.E., C.B., C.M.G., F.R.C.S.
H. G. COOK, C.B.E., M.D., B.S., F.R.C.S.

Physicians.

W. MITCHELL STEVENS, M.D., F.R.C.P.
CYRIL LEWIS, M.D.
Prof. A. M. KENNEDY, M.D., M.R.C.P.

Surgeons.

CORNELIUS A. GRIFFITHS, F.R.C.S.
WILLIAM MARTIN, M.B., C.M., M.A., B.Sc.
Prof. A. W. SHEEN, C.B.E., M.S., F.R.C.S.
J. W. GEARY GRANT, F.R.C.S.

Assistant Physicians.

ALFRED HOWELL, M.D., M.R.C.P.
IVOR J. DAVIES, M.D., F.R.C.P.
HERBERT T. EVANS, M.D., M.R.C.P.

Assistant Surgeons.

J. O. D. WADE, O.B.E., M.S., F.R.C.S.
D. J. HARRIES, M.D., B.S., D.Sc., F.R.C.S.
T. E. HAMMOND, F.R.C.S.

Ophthalmic Surgeons.

F. P. S. CRESSWELL, M.B., B.S., B.Sc., F.R.C.S.
D. LEIGHTON DAVIES, M.D., M.S., F.R.C.S.

Assistant Ophthalmic Surgeon.

J. W. TUDOR THOMAS, M.O., M.S., F.R.C.S.

Gynaecologist.

Prof. Sir EWEN J. MACLEAN, M.D., C.M., F.R.C.P., F.R.S.E.

Assistant Gynaecologists.

B. K. TENISON COLLINS, M.D., B.C., M.A., F.R.C.S.E.
G. I. STRACHAN, M.D., Ch.B., F.R.C.S., M.R.C.P.

Ear, Nose and Throat Surgeon.

ROBERT D. OWEN, B.Sc., M.R.C.S., L.R.C.P., F.R.C.S.E.

Assistant Ear, Nose and Throat Surgeon.

A. A. PRICHARD, M.D., M.A., M.R.C.S., L.R.C.P.

Dermatologist.

JAMES BEATTY, M.D., M.R.C.P., D.P.H., M.A.

Medical Officer to the Department of Diseases of Children (Medical).

ALFRED HOWELL, M.D., M.R.C.P.

Medical Officer in Charge of the Psychiatric Department.

P. K. McCOWAN, M.D., M.R.C.P., D.P.M.

Pathologist.

H. A. SCHOLBERG, M.B., M.R.S.C., L.R.C.P., D.P.H.

Dental Surgeons.

W. KITTOW, L.D.S.

CLEMENT SPIRIDION, L.D.S.

JAMES McFARLANE, L.R.C.P., and S., L.D.S.

Electrical Department.

OWEN L. RHYS, M.D., B.Ch.

Medical Officer in Charge of the Physiotherapeutical Department.

THOMAS GARFIELD EVANS, M.D., B.S., M.R.C.S., L.R.C.P., D.M.R.E.

Anæsthetists.

A. HASTINGS, M.A., M.B., Ch.B.

T. WALLACE, M.B., B.Ch.

J. A. FREEMAN HATCH, L.R.C.P., L.R.C.S.

H. G. GREAVES, M.B., B.Ch.

FRANK Y. PEARSON, M.R.C.S., L.R.C.P.

ALEXANDER DOWER, M.D.

Medical Superintendent.

R. ARMSTRONG, M.B., Ch.B.

Resident Registrar.

J. MERVYN THOMAS, M.B., B.Ch., B.Sc.

Secretary.

LEONARD D. REA, F.C.I.S.

RECORDS SUB-COMMITTEE.

J. W. TUDOR THOMAS, M.D., M.S., F.R.C.S.

D. J. HARRIES, M.D., B.S., D.Sc., F.R.C.S.

J. BEATTY, M.D., M.R.C.P., M.A., D.P.H.

G. I. STRACHAN, M.D., Ch.B., F.R.C.S., M.R.C.P.

R. ARMSTRONG, M.B., Ch.B.

J. MERVYN THOMAS, M.B., B.Ch., B.Sc.

FIFTH ANNUAL CLINICAL RECORD.

In this, the Fifth Clinical Record, the general plan of the previous issues has been retained.

The Official Nomenclature of Diseases (1918) has been adhered to as closely as possible in order to follow some stable form of classification.

The tables show the total number of males and females who were discharged from the Infirmary and who died in the year 1930.

The names of the Physicians and Surgeons in charge of cases are shewn by capital (index) letters :—

Physicians.

- AA. Dr. Mitchell Stevens.
- AB. Dr. Cyril Lewis.
- AC. Medical Unit
- AD. Dr. Alfred Howell.
- AE. Dr. I. J. Davies.
- AF. Dr. Herbert Evans.

Surgeons.

- BB. Mr. Cornelius A. Griffiths.
- BC. Mr. William Martin.
- BD. Surgical Unit.
- BE. Mr. J. W. Geary Grant.
- BF. Mr. J. O. D. Wade.
- BG. Mr. D. J. Harries.
- BH. Mr. T. E. Hammond.

Gynaecologists.

- CA. Prof. Sir Ewen J. Maclean
- CB. Dr. B. K. Tenison Collins.
- CC. Dr. Gilbert I. Strachan.

Ophthalmic Surgeons.

- D.A. Mr. F. P. S. Cresswell.
- DB. Mr. D. Leighton Davies.
- DC. Mr. J. W. Tudor Thomas.

Ear, Nose and Throat Surgeons.

- EC. Mr. R. D. Owen.
- ED. Mr. A. A. Prichard.

Dermatologist.

- FA. Dr. James Beatty.

Deaths are indicated by an asterisk following the index number.

This volume will undoubtedly prove as interesting as the previous numbers, and its value will increase as time advances.

I am indebted to the Members of the Honorary Staff for their valued contributions and co-operation to this record.

J. MERVYN THOMAS,
Registrar.

THE SURGICAL TREATMENT OF CARDIO SPASM.

Recorded by—

Dr. CYRIL LEWIS, Mr. R. D. OWEN, & Mr. J. O. D. WADE.

G. V., age 19 years (male) residing in Penarth was admitted as an emergency into the Cardiff Royal Infirmary complaining of pain in the stomach and vomiting.

He says that 2 years before admission he began to have attacks of vomiting but without pain. These have continued at intervals up to the present time, but latterly they have been more frequent.

On February 15th, 1930, he had pain in the pit of the stomach for the first time, about 20 minutes after taking a meal of "egg and chips" at a Cafe in Cardiff. As soon as he left the Cafe he vomited but the pain was not relieved. It got worse and he returned to Penarth and went to bed. The vomiting and inability to keep down food continued, so on February 18th, he was transferred to the Cardiff Royal Infirmary.

On examination no abnormal physical signs could be detected but on careful questioning the fact was elicited that he had felt for some time that the food he swallowed did not seem to get into the stomach properly, and that for some time he had been troubled with acid eructations coughing up stringy mucus and nasty taste in his mouth.

On February 28th, 1930, he was sent for X-ray Examination and Dr. Owen Rhys reported that the oesophagus was tight at the diaphragmatic opening and dilated above that point for about 4 inches, ? spasmoidic.

On March 28th, 1930, he was examined by Mr. Robert D. Owen, who reported that under a general anaesthetic direct oesophagoscopy was performed. The oesophagoscope showed a dilated sac at the lower end of the gullet. The mucosa appeared very congested and was thrown into longitudinal irregular folds. The Cardia itself appeared very contracted and the introduction of a bougie showed it to be tightly gripped. This was gently coaxed into the stomach. Larger sized bougies were then passed to give a maximum dilatation.

Subsequent treatment by the passage of a mercury tube aggravated rather than benefited the condition and as he got no better, the question of surgical dilation was discussed and welcomed by the patient.

Mr. J. O. D. WADE was asked to see the case and the following is his report of the operation :—

Operation June 19th, 1930. Right pararectal incision, six inches long with centre of incision above the level of the umbilicus.

The stomach and duodenum appeared to be normal. The left crus of the diaphragm was better developed than the right, otherwise there was nothing abnormal in the abdomen. The anterior surface of the stomach was exposed and the abdominal cavity around the stomach was packed off with abdominal pads.

An incision about three and a half inches long was made on the anterior surface of the stomach parallel to the long axis of the stomach and midway between the lesser and greater curvatures. The stomach wall was of normal thickness and the mucous membrane appeared to be quite healthy. The right hand was introduced into the stomach cavity and the index finger inserted into the cardiac orifice. The tip of the finger only could be introduced without pressure into the oesophagus as there appeared to be a narrowing of the latter about a quarter of an inch above the orifice. There was no scarring of the oesophagus, but the finger was gripped by a muscular action.

Firm pressure of the finger dilated the oesophagus and then the index and middle fingers were pushed through, followed by the addition of the ring finger and the little finger and eventually the whole hand in the form of a cone was inserted up to the metacarpo-phalangial joints. The opening in the anterior wall of the stomach was sutured with two layers of fine catgut and the abdominal wall sutured with two layers of thick catgut with interrupted silkworm gut sutures in the skin.

The patient was seen 6 months later when he reported that he could take ordinary diet with no difficulty in swallowing or discomfort afterwards.

VOLVULUS OF THE CAECUM.

Recorded by—

Mr. D. J. HARRIES, M.D., D.Sc., F.R.C.S.

Two cases of Volvulus of the Caecum were admitted under my care at the Royal Infirmary during the last month. The condition is not common, as it can only occur when the caecum and ascending colon have a complete mesentery continuous with the mesentery of the small intestine. Normally the mesentery of the ascending colon is obliterated before birth, and this portion of the large intestine is directly applied to the posterior abdominal wall, with only its inner anterior and outer surfaces covered by peritoneum.

The following notes were prepared for me by my House Surgeon, Mr. C. H. A. Sims :—

CASE 1.—A male 44 years old, was seized with acute abdominal pain and vomiting the day before admission. When seen by his own Doctor, he had a tender, distended and slightly rigid abdomen. Pulse 88, Temperature normal. An enema produced a poor result. He was known to have mitral and aortic disease.

When admitted to the Infirmary the man was very ill and in great pain. The abdomen was rigid and not moving with respiration. Tenderness was most marked in the epigastric area. Per rectum nothing abnormal was made out.

The heart showed murmurs due to mitral stenosis and aortic incompetence.

Operation under local Anesthesia.

Right paramedian incision. Coils of small and large intestine, black and almost gangrenous were found in the upper half of the abdominal cavity. These were rapidly brought outside, and the abdomen closed round them. The condition of the patient was such that no further operative measures could be carried out, in fact, he died 15 minutes after he was taken back to his bed.

Post Mortem :—By Acting Professor Duguid.

Heart shows mitral stenosis and aortic incompetence. Caecum and ascending colon mobile. Volvulus present, involving two feet of small intestine, the caecum, ascending colon and hepatic flexure. These are blackened and congested, but not actually gangrenous. Volvulus is clockwise, the appendix being in the position of the splenic flexure.

Amount of rotation 360 degrees.

The diagnosis suggested before operation was :—Intestinal obstruction due to an embolus lodged in the superior mesenteric artery.

CASE 2.—A female, 50 years old, was suddenly seized with acute abdominal pain and vomiting eight hours before admission into the Infirmary. Her condition got rapidly worse and when admitted she had a poor pulse, looked extremely ill, and complained of severe pain in the abdomen, mainly around the umbilical region.

The abdomen showed some distension, more marked in the right half, giving the impression, on palpation, of a lax cystic swelling occupying the right iliac and lumbar regions. The abdomen moved well with respiration and was not very rigid.

Operation under local Anæsthesia.

Right paramedian incision. The caecum was found enormously distended and filling the pelvis and right half of the abdomen. The caecal peritoneum was ruptured in several places by the distension. On pulling the caecum outside the abdomen it was found that the ascending colon had a complete mesentery and that the Volvulus implicated the last six inches of the small intestine, the caecum and the ascending colon. After untwisting the Volvulus the contents started running into the transverse colon but as the caecum did not contract well it was decided to empty it completely through a small incision and tie in a catheter, which was brought out through the abdominal incision. Before closing the abdomen the caecum was fixed to the abdominal wall anteriorly to prevent recurrence of the volvulus.

Amount of rotation 360 degrees.

The diagnosis suggested before the operation was :—Intestinal obstruction due to entanglement of small intestine round the pedicle of a ventrally fixed uterus. This was done in 1927.

The progress of the patient was satisfactory. On the third day after the operation the caecum became distended, and had to be washed out through the catheter.

The catheter came away on the 7th day and the fistula closed in another week.

During the operation the patient absorbed two pints of saline administered subcutaneously.

A CASE OF PREGNANCY COMPLICATED BY A TOXIC ADENOMA OF THE
THYROID CAUSING DYSPNOEA APHONIA AND DYSPHAGIA WITH
V.D.H.

Recorded by—

Dr. B. K. TENISON COLLINS & Mr. LAMBERT ROGERS.

Mrs. N. was admitted to the Maternity Department 8 months pregnant on the 6th of May, 1930. She was in great distress caused by a large toxic adenoma of the thyroid. Her voice was husky and weak. She had considerable difficulty in swallowing even fluids, also marked dyspnoea and V.D.H. We saw the case and considered that owing to her condition the patient should be relieved from the strain of natural labour and that Caesarean Section should be performed. We considered that this operation should be performed before the thyroid condition was attacked so that labour should not follow operation on the neck or be brought on as the result of operation. That the pregnancy being relieved the thyroid condition would immediately improve rendering the thyroid operation possibly easier. This decided on, the question of anaesthetic was discussed and general anaesthesia with chloroform mixture, or gas and oxygen ruled out because of the patient's difficulty of breathing. Spinal anaesthesia contra indicated because of the fall in blood pressure. Local anaesthetic was decided on, and on the 9th of May, the patient was transferred to the Gynaecological Department and taken to the Theatre. The skin was infiltrated with Novocaine 1%, and after a few minutes, the patient's head being screened off, an abdominal incision was made. The muscle layer was then infiltrated and the abdomen opened. The anterior midline of the uterus was infiltrated and the uterus opened and a living child with placenta removed. The operation was finished in the usual way. The patient felt no discomfort and chatted freely to us.

On the 14th of May, the skin clips were removed, and while the abdomen was unsupported by dressings and bandages the patient had a very violent fit of coughing, bursting open the wound—the intestine protruding from the wound. Within a

quarter of an hour she was taken to the theatre. The edges and layers of the wound were infiltrated with Novocaine 1% and after washing the intestine and wound it was re-sutured and some silk-worm through and through sutures were put in for extra support.

The patient progressed favourably, the thyroid condition improved, the adenoma becoming less swollen, the voice and dyspnoea markedly improving and the patient was able to take her food, fluid and solid, without difficulty.

On the 23rd of May, the silkworm sutures were removed, the surface of the wound was discharging freely. On the 28th of May the wound was drier and edges holding well together. On 5th of June, patient was put to sleep out of doors, the wound being moist only. On the 12th of June, patient was given first application of artificial sunlight to abdomen. Applications were carried out twice a week and on the 24th of June patient was discharged quite healed and very much improved, both in health and in the thyroid condition. She was told to report in 6 weeks, but up to this time she has not re-appeared for the second operation.

The points of interest seem to be :—

- (1) Procedure in this case of pregnancy.
 - (2) Order of the operations.
 - (3) Anæsthetic to be used.
 - (4) The use of fresh air and artificial sunlight as an aid to healing.
 - (5) That such an operation may be performed without danger or distress to the patient under local anæsthesia.
-

TREATMENT OF LUPUS ERYTHEMATOSUS.

Recorded by :—

J. BEATTY, M.A., M.D., M.R.C.P., *Dermatologist.*

This has been one of the bêtes noires of dermatologists and especially so because while most of the others could be relieved, if only temporarily, nothing seemed able to influence the progress of this. The disease would even recur, and sometimes more violently, in the scars produced by curettage or carbon dioxide snow. It is all the more pleasant, therefore, to record that very considerable progress has been made in therapeutics at this point.

The opinion, which is not entirely borne out by the facts, that the disease is a manifestation, not of Tuberculosis, but of an abnormal reaction in a person affected either recently or at some past time by Tuberculosis suggested the use of preparations of gold. Sanocrysin and later Krysolan have been employed, in both cases intravenously, with fairly successful results, but in both the dangerous dose is so close to the therapeutic that their application seems undesirable. Aurophos, Lopion, and Solganal are less dangerous and appear to be equally effective. All three are used intravenously.

In considering the treatment of these cases it appeared to me that the fact that the patient was not generally affected in any way, and that the main complaint was the disfigurement, put the disease outside the category of such a generalized disease as syphilis in which if untreated dangerous sequelae might easily occur, and that, therefore, risks quite justifiable in the case of syphilis were not justified in Lupus Erythematosus. One wished to find a treatment free from the risk of haemolytic shock, or local inflammation when entry into a vein had not been perfectly carried out. Subcutaneous injection was barred as all these substances caused inflammation in it when injected. Intramuscular injection, however, seemed possible as fluid injected is rapidly carried away by the lymph channels.

I began by using Aurophos, injections being given weekly, commencing with 0.001 gm. and steadily increasing to a maximum of 0.1 gm. Though the product as supplied was meant for intravenous use I found it well borne. There was some pain and stiffness noted in the leg for 24—48 hours but the amount was not sufficient to deter patients from continuing the treatment. Aurophos was used exclusively for over a year and is still occasionally. Lopion was then introduced by the Bayer Co. as less toxic. It was tried but was less suited for intramuscular injection as it was decidedly

more painful. Solganal manufactured by Schering, which is claimed to be the prototype of all the more recent gold compounds, is marketed in two forms, Solganal proper for intravenous injection, and Solganal B, described as aurothioglucose, for intramuscular. Later treatment has been mainly with the latter. With it there is very little pain.

There does not appear to be any difference of moment in the results whatever preparation of gold be used. Apparently the essential agent is the element itself. The results have been very encouraging. Three or four early cases (under 12 months) cleared up entirely. Of the others, in some of whom the condition had been present over 20 years, great improvement was noted in all cases where the treatment was persevered with. In these chronic cases treatment is prolonged; twenty, thirty, and even more weekly injections have been given. It has been interesting to find that there were scarcely any ill effects. One or two patients have complained of slight dizziness on the day of injection; in another the injections were stopped for a time because of menorrhagia, whether as a consequence or a coincidence is not clear, but in the vast majority of cases there were no complications. In all regularly attending cases the injections were persevered with till improvement appeared to cease, when bismuth in the form of Bisoxyl injections was substituted and the improvement would recommence. If after a time this also lost its effect the gold injections were resumed and with benefit. As with gold no ill effects appeared with Bisoxyl in 2 cc. doses. Mouth trouble—gingivitis, etc.—looked for was not found. In obstinate cases sources of local infection were searched for and dealt with to the great benefit of the patient both locally and generally. Improvement in all cases, excluding these apparently cured, has varied from 40% to 80% depending on the length of the treatment and its regularity.

These complex salts of gold, as supplied, are very expensive, a single injection of the usual dose costing, even at hospital prices, 2/6—3/-. I was, therefore, much interested to find that Haxthausen had been using gold chloride intravenously in simple 0.1% solution, and claimed results as good as those obtained by the complex salts. The problem from my point of view was to modify this so as to make it suitable for intramuscular injection since it was obvious that a weak solution in distilled water could not be other than painful. Pain is usually avoided by using normal saline as the menstruum, but AuCl_3 is a very reactive substance and easily precipitated. It seemed better to use a fluid which would preserve the gold in a colloidal form should precipitation occur either while being prepared or after injection. A 5% solution of glucose is approximately isotonic with the fluids of the body and seemed as if it might prove suitable for the purpose. It is, however, impossible to

prepare a permanent sterile fluid containing gold chloride and glucose in the correct proportions by ordinary methods as autoclaving caramelizes part of the sugar in this combination. Two solutions are, therefore, prepared, one of 0.2% trichloride of gold, and the other of 10% glucose; these are autoclaved and supplied for use in rubber capped bottles. When required, an equal amount is drawn from each bottle and mixed in a gallipot which has been sterilized in boiling water. The mixture contains 0.1% chloride of gold and 5% glucose, and it is injected in gradually increasing amounts weekly. One must see that the gallipot is not hot or the two substances will react, and also one must remember to withdraw the gold solution first, else the small amount of glucose remaining on the needle and introduced into the gold solution bottle may cause the gold to deposit on its sides.

This form of gold injection is now on its trial. So far it has not been found to cause any more pain than the best of the others and results seem to indicate that it will be equally effective. The expense of each injection is negligible.

MEDICAL INDEX.

Disease	Total	Dis-ch'ged	Died		Index Nos.	
			M	F	M	F
BACTERIAL DISEASES.						
Gonococcal Infection	...	1	...	1	...	AC 21906
Influenza	...	4	3	1	...	AC 19201 AD 20380, 21130
Pneumonia	...	32	14	7	7	AA 18600 AB 19071*, 19450, 20624*, 20578, 20830, 20825 AC 20079, 20129, 19366, 19333, 21212, 21538*, 22463* AD 19723, 20269*, 19516, 20130, 19451, 18871, 18967*, 21726, 20756, 19819, 23616
Septicæmia	...	4	2	...	1	AA 20139, 19897 AC 9020*
Tuberculosis	...	25	13	6	5	AA 19022, 20051* AB 20767*, 20033, 13497, 21676 AC 19362, 20357*, 20409*, 18880, 18499, 20835 AD 19968*, 20161, 19197, 21512, 21237
Typhoid	...	2	...	2	...	AB 22648 AC 19658
Whooping-Cough	...	1	1	AD 19282
Parasites	...	1	...	1	...	AD 22194
INFECTIONS OF UNKNOWN ORIGIN.						
Measles	...	2	1	1	...	AD 23051
Rheumatic Fever	5	2	3	AA 19642 AB 20858 AC 19120, 18417, 20072
Poliomyelitis	...	1	...	1	...	AD 20688

Disease	Total	Dis-ch'ged		Died		Index Nos.	
				M	F	Male	Female
INTOXICATIONS AND POISONS.							
Iodine Poisoning ...	1	...	1		AD 21299
Lead Poisoning ...	1	1	AA 23419	
Coal Gas ...	2	2	AC 21341, 23355	
METABOLISM : DISEASES OF.							
Diabetes Mellitus...	46	20	19	3	4	AA 19676, 19043, 20621, 21847, 15009, 23538, 23535 AB 20152, 21199	AA 19509, 19298*, 19137, 21183, 23268, 23593, 21037* AB 23164, 22115, 22435, 22186, 22206, 9724, 20857*, 21420* 21702 AC 20208, 9922, 22025, 23369
Rickets ...	4	2	2	AC 23223, 19782, 19926, 9020*, 20409*, 12940, 19782, 21020, 22041*, 19782, 23373 AD 18727, 21751, 23055	AD 22644, 20170, 19591
Gout ...	1	...	1	AD 18871, 21852	AD 18544, 20756
DIGESTIVE SYSTEM.							
Mouth—							
Pyorrhœa							
Alveolaris ...	4	3	1	AA 19592, 20091, 20136	AA 19742
Tonsils ...	1	...	1		AC 21732
Oesophagus ...	1	1	AB 19402	
Obstruction and Spasms ...	1	1	AD 23403	
Tumours—							
Malignant ...	4	3	...	1	...	AA 18797 AB 22917 AC 22242*, 22191	
Stomach—							*
Congenital							
Hypertrophy of Pylorus ...	4	2	1	1	...	AD 18828, 18966, 23207*	AD 19657
Dyspepsia...	4	2	2	AA 23410 AB 23210	AB 16789, 22679
Gastrotaxis ...	3	1	2	AA 19065	AA 18564, 23312

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	
		M	F	M	F		
Inflammation	19	10	9	AA 19592, 20136, 18336, 11407 AB 20860, 21196 AC 21370, 17760 AD 21704, 22089	AA 20281, 20441, 19018, 19742, 21230, 21869, 21167, 18778 AD 21387
Ulceration	45	29	15	1	...	AA 19209, 20897, 20613, 18877, 21623, 15167, 23551, 21962, 18877, 14018 AB 19688, 18819, 18696, 20954, 21014*, 17949, 22080, 5487, 22432, 23646 AC 19865, 19606, 18565, 21120, 21927, 21503, 9950, 22523 AD 22312, 18129 AB 20793*	AA 8863, 20869, 22926, 22933, 23017, 22663, 22416, 23322, 23221 AB 20397, 19426, 22238, 21158 AC 21511, 22686
Perforation	1	1	...		
Neurosis	3	2	1	AC 11078, 21504	AB 23165
Tumours—							
Malignant	19	6	4	5	4	AA 19208, 19091, 18777* AB 22521*, 22357, 23094 AC 21364, 21428*, 22689, 21304*, 22017	AA 18818, 18669, 18240*, 22150 AB 21825 AC 19746*, 19255*, 22017*
DUODENUM :							
DISEASES OF.							
Ulceration...	7	7	AA 19978, 19807 AB 19684, 21014, 22317, 20307, 23294	
Perforation	2	2	...	AC 21776*, 22683*	
Intestines—							
Appendicitis	2	1	1	AA 18167	AD 22189
Colitis	8	5	3	AB 20506, 22606, 23246 AC 19605, 12453	AA 19430, 21281 AB 15175
Enteritis	4	1	3	AC 21055	AA 19430 AC 20680
Constipation	19	10	9	AA 18737, 20394 AB 21065, 20860, 23507 AC 17421, 21925 AD 20984, 21999, 19502	AD 20484 AA 19741, 19645, 19983, 20355 AB 20725 AC 12580, 19663 AD 21853, 23269

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Enteralgia ...	1		1				
Coeliac Disease ...	2	1	..	1	..	AD 21327*, 21949	
TUMOURS, RECTUM.							
Non-Malignant..	1	1	AD 19753	
Malignant ..	2	1	...	1	..	AB 19031 AC 21538*	
LIVER : DISEASES OF.							
Abscess	1	1	AC 21497	
Cirrhosis	5	3	1	1	..	AA 11480, 21102, 22965*	
						AB 19995	AB 20064
Tumours—							
Malignant	4	2	1	1	..	AB 20526 AC 14238 AD 21327*	AC 19271
GALL BLADDER AND							
DUCTS.							
Cholecystitis ..	4	3	1	AA 23553 AB 19249 AC 20410	AB 19322
Choletithiasis ..	2	..	2		AB 19139
Jaundice	1	1		AD 19015 AD 21040*
Tumours—							
Malignant	1	1		AC 21125*
PANCREAS.							
Tumours—							
Malignant	1	1	AA 20029	
PERITONEUM.							
T.B. Peritonitis ..	11	4	5	1	1	AA 19425, 15218 AC 20622 AD 20354*, 20161	AB 19144, 19765, 20609* AC 19236, 20506, 20712
KIDNEY.							
Albuminuria ..	2	1	1	AA 19930	AC 19367
Hæmaturia—							
Essential ..	1	1	AD 19282	
Degeneration ..	1	1	..	AC 9020*	
Nephritis	45	16	19	8	2	AA 18650, 19880, 18532, 20845, 21845, 23375*, 23442*, 10224 AB 19690*, 19764, 21526, 21953, 23298*, 23615, 23461*, 23442*	AA 19017, 19810, 23386, 20041, 20395, 20786, 20938 AB 19181, 19036, 17636, 20702, 20153, 20516, 20703, 21940, 21635*
						AC 20184, 19267, 22041*, 12947 AD 22916*, 19240, 20984, 21382	AC 10553, 20789 AD 13157*, 20700, 20414

Disease	Total	Disch'ged		Died		Index Nos.	
						Male	Female
Pyelitis ...	12	1	11	AD 23409	AA 17622, 22215 AB 12068 AC 19048, 20437, 20402, 20866, 23227 AD 18626, 22327, 23280
Pyonephrosis ...	2	..	1	..	1		AB 20719, 22300*
Renal Calculus ..	5	4	1	AA 19544 AB 21531, 22317 AC 22694	AB 21156
Tumours and Cysts	4	2	1	..	1	AB 19790 AC 4635	AB 22604* AC 21156
Uræmia ...	4	..	1	2	1	AC 22763*, AD 22916*	AA 19810 AB 22604*
Displacement— Non-traumatic ...	5	1	4	AB 21555	AB 19207, 16001, 18770, 22722
Bladder ...	4	..	3	..	1		AB 20600, 22300* AC 21118 AD 22514
HEART.							
Pericarditis ...	7	3	..	4		AA 23375* AB 23461*, 17192 AC 20679*, 19184, 22290* AD 19370	
Endocarditis ...	11	7	2	1	1	AA 19582 AC 19184, 18211, 22290 AD 19370, 19654, 22681*, 23225	AA 19213, 19956 AB 21857*
Aortic Incompe- tence ...	5	3	1	1		AA 19788 AB 23338*, 23624 AC 22193	AB 13646
Aortic Stenosis ..	2	2		AA 18574 AC 17797	
Mitral Incompe- tence ...	9	4	3	1	1	AB 22189 AC 18561, 17797, 20974*, 20348	AC 18127, 20440, 20921*, 20406
Mitral Stenosis ...	15	3	10	2		AA 20944 AC 19854, 20677*, 21166*, 8908	AA 20509, 23334, 17990 AB 20057 AC 17728, 18127, 19934, 18882, 17728, 21923

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	
		M	F	M	F		
Myocardium Degeneration ...	4	1	1	2	...	AA 18937* AB 20301* AC 20359	AA 22034
Hypertrophy ...	2	..	1	1	..	AC 20377*	AA 20395
Myocarditis ...	6	1	3	2	..	AB 19358*, 20660* AC 19184	AB 18869, 20702, 19754
DISTURBED CARDIAC ACTION.							
Angina Pectoris ...	1	1	..	AC 20668*	
Auricular Fibrillation ...	4	..	3	1	..	AA 18774* AB 21687, 23144	AA 23311
Tachycardia ...	3	1	2	AB 19688	AA 18681, 17933
DISEASES OF THE BLOOD AND SPLEEN.							
Anæmias—							
Pernicious ...	20	11	4	2	3	AA 19885, 20948*, 18362, 23517 AB 20219*, 19194 AC 19627, 21213, 21367, 20371 AD 20442, 18968, 21334	AA 22540 AB 19715, 21733*, 20341 AC 20367, 18879*, 19081*
Secondary... ...	10	4	5	..	1	AA 20091 AB 16896 AC 21506 AD 20121	AA 20395*, 19816 AB 19673, 20106, 21982 AC 19848
BLOOD VESSELS.							
Arterio-Sclerosis ...	14	8	3	2	1	AA 19643, 23235, 21799 AB 21357, 21652 AC 19318, 19618*, 19844, 20754*, 22535	AC 19112, 20040, 22027, 20024*
Thrombosis ...	2	2	AC 21360 AD 20130	
Aneurysm ...	12	10	1	1	...	AA 23012 AB 19033, 21536, 22029, 23603* AC 19307, 20618, 20342, 20689, 22463, 23187	AA 23417

Disease	Total	Dis-ch'ged	Died		Index Nos.	
			M	F	M	F
Leukæmia—						
Acute ...	3	1	...	2	...	AA 19049* AB 20862* AD 19680
Chronic ...	2	1	1	AD 16211
Purpura ...	2	2	AC 21120 AD 18957
Hæmophilia ...	3	2	...	1	..	AB 21017* AD 16628, 23460
SPLEEN.						
Splenic Anæmia ...	5	2	1	1	..	AB 15489 AC 23364, 21120*
RESPIRATORY SYSTEM.						
Nose Infection ...	2	1	...	1	..	AC 20073, 20377*
Bronchi ... (Bronchitis)	14	10	2		2	AA 19676 AB 18701, 19012, 23038 AC 19943, 19845, 21026, 12714 AD 20240, 23135
Bronchial Asthma...	9	3	5	1	...	AA 20140 AB 21087 AC 12714, 20073*
Bronchiectasis ...	6	4	1	...	1	AA 19436 AB 22218 AC 20556 AD 22043
Foreign Body ...	1	1	AD 22196
Tumours—						
Malignant ...	2	1	...	1	..	AB 21368 AC 22683*
LUNGS.						
Collapse ...	5	4	...	1	...	AA 20871 AB 19303 AC 9020*, 19362 AD 22971
Emphysema ...	2	2	AB 19012 AC 19845
Tumours— Malignant ...	3	2	1	AD 23505 AC 21980
Pneumokoniosis ...	1	1	AB 20012

Disease	Total	Dis-ch'ged	Died			Index Nos.	
				M	F	M	F
PLEURA.							
Inflammation ..	8	6	2	AA 19599, 20650 AC 20685, 20838, 20679, 16043	AA 19879 AB 21372
Inflammation & Effusion ..	15	10	4	1	..	AA 20784, 29204, 21275 AB 17468, 18959, 16835, 21622, 23444 AC 20677, 21487 AD 19806*	AA 18764, 23139, 21350 AC 21250
Empyema... ..	1	1	AC 22290	
MEDIASTINUM.							
Tumours	5	4	1	AB 18427, 20731 AC 21055 AD 21477	AA 13020
NERVOUS SYSTEM.							
Meninges—							
Pachymeningitis ..	2	1	..	1	..	AB 21204*, 21820	
Leptomeningitis ..	8	1	..	5	2	AB 22154* AC 20357*, 21707 AD 19968*, 20269*, 21543*	AC 19846* AD 22601*
Meningism	5	3	2	AB 20186, 23572 AD 22934	AD 20911, 21340
CEREBRUM.							
Encephalitis	2	2	AA 19211, 20614	
Cerebral Hæmorrhage ..	10	2	..	6	2	AA 19505*, 18341, 17301, 19049* AB 21057* AC 19080*, 19082* AD 20130*	AC 21784*, 23092*
Cerebral Embolism	5	2	2	1	..	AA 19582 AB 21643* AC 22159	AC 20021, 20171
Cerebral Thrombosis ..	8	6	2	AA 20013, 16460, 18341, 18628 AB 21517 AD 18563	AC 22068 AD 20159
Tumours	8	2	4	2	..	AA 20614 AB 10871* AC 18926, 21434*	AA 19451, 19045, 21907 AB 21818

Disease	Total	Dis-ch'ged	Died	Index Nos.	
				Male	Female
Cerebral Abscess ...	3	2	...	M 1	F ...
				AA 19006	
				AB 18011, 22442*	
SYPHILIS OF NERVOUS SYSTEM.					
Meninges ...	3	2	...	M 1	F ...
				AB 21820*	
				AC 23422	
Gumma ...	1	1	...	M ...	F ...
				AA 20550	
G.P.I. ...	5	3	1	M 1	F ...
				AA 20727, 18745,	
				21098	
				AB 19032*	
Tabes ...	13	9	4	M ...	F ...
				AA 20340, 20945,	
				22670, 6654, 23694	
				AB 22048	
				AC 11078, 21365,	
				22241	
CEREBRAL PALSIOS OF CHILDREN.					
Cerebral Diplegia	2	2	...	M ...	F ...
				AB 22412	
				AC 21958	
Cerebellum— Tumour...	3	1	1	M 1	F ...
				AC 18950*	
				AD 19368	
GENERAL DISEASES WITHOUT RECOG- NISED BASIS					
Chorea ...	23	6	17	M ...	F ...
				AB 20757, 22081	
				AC 20348	
				AD 18963, 21713,	
				20812	
Epilepsy ...	7	2	5	M ...	F ...
				AA 21791	
				AB 23008	
				AC 20836, 20440,	
				20406	
				AD 18943	
Infantile Convul- sions ...	2	1	...	M 1	F ...
				AD 21704*, 21887	
Migraine ...	1	...	1	M ...	F ...
				AA 22530	
Neuralgia ...	2	...	2	M ...	F ...
				AA 22432, 22582	
Tetany ...	3	2	1	M ...	F ...
				AD 18871, 21704	
PSYCHONEUROYSIS.					
Hysteria ...	2	...	2	M ...	F ...
				AC 4956	
				AD 19543	

Disease	Total	Dis-ch'ged		Died	Index Nos.	
					Male	Female
Neurasthenia	12	M 8	F 4	M ...	F ...	AA 18472, 19008, 20730, 19345, 20897, 20317, 18511 AB 23689
						AB 21575 AC 19964, 23137 AD 18709
CRANIAL NERVES.						
C.N. v. ...	2	1	1	AA 23087
						AA 18946
SPINAL CORD.						
Tumours ...	5	5	AA 21597, 10193 AC 19106, 20882 AD 20151
Sub-acute Degeneration	3	1	1	AD 21913
						AA 21721 AB 18720* AD 23360
Myelitis ...	1	1	AC 22690
Disseminated Sclerosis	4	4	AA 19700 AC 7926, 21744, 21640
Syringomyelia	1	1	AA 19403
SYSTEM DISEASES.						
Bulbar Paralysis ...	2	1	...	AC 9897*
						AD 21793*
SPASTIC PARAPLEGIA.						
Primary ...	3	1	2	AC 20267
						AB 17083 AC 21080
Secondary...	6	2	4	AB 21564
						AA 19017, 20562, 22383 AC 21761
SPINAL NERVES.						
Peripheral Nerves	2	1	1	AB 18686
						AB 22201
SCIATICA.						
Primary ...	7	5	2	AA 13562, 18471 AB 23258 AC 21968 AD 18386
						AA 20102 AB 20104
MUSCLES, JOINTS, AND BONES.						
Charcot's Osteo- arthropathy	2	2	AC 21951 AD 22659
Rheumatoid Arthritis	15	4	11	AA 22962, 22742 AC 19328
						AD 21661
						AA 18147, 19744, 19741, 23119, 23390 AB 18632, 13950, 21890, 21047 AD 19159, 19501

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Inflammation of Muscles & Fasciae	6	4	2	AB 20169 AC 21117, 20198, 22699	AA 13639, 22363
Inflammation of— Chronic (Joints)	4	3	1	AA 20139 AB 22053 AC 21906	AB 22684
Hypertrophy ..	2	2	AA 22024 AB 22184	
Atrophy ...	3	3	AA 23405 AB 19247 AC 19717	
LYMPHATIC GLANDS.							
Lymphadenoma ..	7	6	...	1	...	AA 19977 AB 21027 AC 20069, 20612, 20518, 143 AD 21237*	
Inflammation of ..	1	1	AA 20093	
ENDOCRINE GLANDS.							
Pituitary ...	2	...	1	1	...	AB 22743*	AB 17821
Supra-renal	1	1	AB 18729	
Thyroid and							
Parathyroid ...	22	7	15	AA 20150, 18973, 18774, 22294	AA 18933, 19675, 19547, 18916, 20368, 21271, 21870, 23080, 23315
						AB 21686	AB 14969, 18689, 1813
						AC 22253	AC 21221, 20312, 18785
						AD 22032	
MISCELLANEOUS.							
Visceroptosis ...	4	...	4		AA 18800 AB 21982, 20797, 20210
Marasmus...	2	1	1	AD 22350	AD 20627
Debility ...	3	...	3		AB 19121, 19681 AC 18809
Various ...	37	22	15	AA 20370, 20295, 19802 AB 19325, 20305, 22003, 19071, 22022, 19473, 22654 AC 21361, 22374, 22295, 19041, 19422, 23061 AD 19369, 442, 2166, 20637, 22042, 23397	AA 20752, 20289, 19635, 19009, 19533 AB 21493, 19319 AC 21356, 21095, 21519, 16582 AD 23858, 21629, 21340, 19560

SURGICAL INDEX.

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
ABDOMINAL WALL.							
Foreign Body	2	2	BC 21908 BG 20646	
Inflammation	20	10	10	BB 19817, 20188, 20827, 23040 BC 23183 BD 21777, 21866, 20157 BE 23696	BB 19508, 19037, 20826, 21660 BC 20356, 21909
Injury	8	8	BE 18787, 18433, 18735 BG 21826	BG 20790
Malformation	1	1	BE 21280	
Tumours—							
Non-Malignant..	4	..	4		BB 20956, 22728 BF 19514 BG 23389
Malignant	1	..	1		BD 20461
ANUS.							
Hæmorrhoids	13	9	4	BB 19421 BC 19393 BD 18145, 19830, 23190 BE 18738, 20764 BG 21892, 23798	BD 18905, 19598 BE 22957, 23640
Inflammation	1	..	1		BC 22932
Malformations	2	..	1	1	..	BC 22468*	BD 19595
Tumours—							
Malignant	2	1	1	BD 17455	BC 21694
ARTERIES—							
Injury	2	2	BD 19379, 20226	
AXILLA—							
Abscess	2	1	1	BE 23201	BB 20525

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
APPENDIX.							
Inflammation—							
Acute	283	124	154	3	2	BB 16876, 18980, 20465, 20412, 20464, 20657, 20658, 20190, 19739, 20789, 20632, 20711, 19120, 19622, 19808, 21063, 20145, 20008, 21559, 21841, 21560, 21494, 22715, 22520, 23279, 23163, 23287, 23339	BB 18983, 19295, 19622, 19905, 20276, 20659, 20138, 19565, 19638, 19227, 20593, 20563, 18978, 18917, 21073, 20956, 21175, 21068, 21027, 21437, 21391, 22613, 23224, 23411, 23398, 23342, 22168, 22448, 22166, 9126, 21754, 20714, 23336
						BC 18935, 19966, 20194, 20983, 19751, 21122, 21798, 22352, 20874, 23109, 23233	BC 18627, 20247, 20420, 20734, 17792, 20788, 18679, 19251, 19054, 18962, 20183, 19531, 21982, 20914, 21094, 20149, 21315, 22008, 21775, 22264, 21801, 12918, 22636, 22677, 22613, 23300, 23213, 23712, 21149, 19152
						BD 18605, 18834, 19769, 20044, 20099, 19772, 19061, 20802, 20745, 20225, 19986, 20428, 20429, 20749, 20798, 20253*, 18985* 21844*, 21928, 22321, 21322, 21722, 21919, 22952, 22695, 23302, 23719, 23556	BD 19109, 22036*, 19939, 19064, 19972, 19822, 19766, 19326, 17866, 20811, 20875, 21256, 21518, 21430, 22036, 21263, 21373, 20046, 20934, 20991, 22732, 22629, 22524, 22370, 14497, 22946, 22949, 22953, 23357, 23136, 23303
						BE 19461, 19339, 19263, 18892, 19778, 18967, 19397, 20259, 19398, 20162, 20639, 19999, 19215, 4012, 19270, 18564, 19795, 20855, 20208, 21001, 21937, 21599, 23102, 23268, 23159, 11944, 23686, 23738, 23329, 23573, 22155	BE 20060, 19841, 19534, 19556, 18846, 18847, 19014, 19078, 20444, 20400, 19789, 20002, 21285, 21157, 21432, 21773, 22060, 23277, 23275, 23574, 23516, 10142, 23458, 22110
						BF 20868, 29297, 20019, 21404, 23167, 23829	BF 20018, 20651, 21024, 21614, 22310, 22173, 23095, 23042
						BG 19349, 20179, 20951, 27619, 19123, 19026, 20815, 20773,	BG 20065, 19495, 20856, 18789, 19892, 21014, 21227, 21338,

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Acute with General Peritonitis ..	9	5	1	2	1	21389, 21381, 21513, 21600, 22348, 22703, 22986 BH 21418, 18581, 21618, 21698, 23184, 23532, 23418, 21455	21337, 21379, 21191, 21436, 21601, 21547, 21946, 23622, 23621 BH 21662, 21573, 10553, 21572, 21620, 21419, 23415, 23540, 21386, 21413, 23658
Acute with Local Peritonitis ..	14	7	6	1	...	BC 18753 BD 18726, 19001, 23255 BE 22712* BG 19893* BH 20805	BB 22092* BC 18756
Acute with Abscess	28	14	9	1	4	BB 22522 BC 22981 BD 18953, 20255*, 20229, 23256, 23379 BE 21231	BB 23218 BC 21859 BD 21827, 23254
							BE 23091, 23332
Subacute, Chronic Quiescent ...	141	64	76	..	1	BB 18737, 18440, 22603, 22324, 22912, 20664, 22593, 16173 BC 19321, 18821, 18820, 20533, 20432, 19342, 19702, 20653, 21286, 20204, 19655, 20322, 22688, 22459, 22720 BD 18860, 18998, 18024, 18082, 18994, 19717, 19760, 21952, 21203, 21288, 21905, 20525, 21817, 21785, 23282, 22429, 22618, 20610, 18860, 18998,	BB 19794, 22158, 23219*, 22094* BC 22623, 22678, 21725 BD 18782*, 18995*, 18781, 22100, 23558 BH 23232
							BB 20261, 20028, 20896, 20567, 21610, 21443, 21535, 21924* 21697, 20921, 22417, 17954 BC 20852, 19395, 19852, 20857, 20914, 20284, 20392, 20682, 19388, 19973, 19174, 21964, 22189, 17533, 23083, 23004 BD 18873, 19286, 19928, 20796, 19243, 18776, 21006, 21399, 20193, 21472, 21532, 20286, 20489, 22989, 23113, 18932, 19382, 20158, 20148, 19286, 19382

Disease	Total	Dis-ch'ged	Died		Index Nos.	
			M	F	M	F
					BE 21185, 21546, 22536, 20075, 18226, 19834	21133, 18838, 22176, 23571, 20165, 19834
					BF 21449, 7285	19039, 21194, 19931, 19898, 20831
					BG 21664, 18956, 21718, 19538	21287, 20965, 23381, 21086, 19991, 20792, 20447
					BH 23629, 23474	
BLADDER.						
Calculus ...	2	2	BD 19984	
					BF 19946	
Injury ...	1	1	BD 19773	
Inflammation ...	15	6	5	4	BC 19410*, 19755 BD 20664, 18012*, 20157, 21973*, 21188*, 20985 BE 19524	20538, 19039, 21194, 19931, 19898, 20831 21287, 20965, 23381, 21086, 19991, 20792, 20447
Obstruction ...	1	1	BE 21603	
Paralysis ...	1	...	1	...		BD 19585
Tumours—						
Non-Malignant...	7	5	...	2	BC 19336*, 19260, 20742, 19012, 19223 BE 21760, 20667*	
Malignant ...	1	1	BD 21307*	
BLOOD.						
Anæmia ...	1	1	BD 18702	
Leukæmia...	1	1	BD 18702	
Pyæmia ...	6	1	1	2	BD 17563, 21109*, 21973*	BC 19847 BD 19762* BF 22109*
Septicæmia ...	7	2	2	2	BB 17713, 21297 BD 20500* BE 22009*	BC 19540, 20735* BF 23744
BONES.						
Displacements ...	5	4	1	...	BB 22500 BC 20678, 18357, 19897	BD 19374
Inflammation—						
Acute ...	25	18	2	5	BB 17713, 21374, 20326, 20327, 22480, 18608 BC 20975*, 20299, 22147	BB 19549

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	
		M	F	M	F		
						BD 19492, 21109*, 19942, 21828, 13932, 22263, 23056*	BD 21186
						BE 18742, 20813, 19644, 22009*, 21836*, 22750	
						BG 21858	
Chronic . . .	37	25	12	BB 21693 BC 18732, 19093, 18395	BB 20293, 23499 BC 19389, 23209	
					BD 19212, 18725, 20372, 19875, 20098, 20114, 20523, 19940, 20941, 22325, 22724, 20094, 21972, 13932	BD 21257, 21186, 23421, 19604	
					BE 14952, 20139, 19465, 18547, 19266, 19790, 19644	BE 22178, 22199, 23275, 23654	
INJURY.							
Fractures—							
Base . . .	34	19	7	7	1	BB 19138, 21961, 7169, 18741*	BB 18754, 21124
						BC 18755*, 18714, 20917, 20681, 20038	BC 19211
						FD 20994, 20221, 21141, 21474, 21325*	BD 20311, 20371, 23594
						22331, 23718, 21710	
						BE 20768*, 21056, 20396, 20638, 23202	BE 21942
						BG 21386	G 21561*
						BH 21582*, 21617*, 23541*	
Clavicle . . .	11	9	2			BB 20323, 22903, 23692	
						BC 21070	
						BE 21056, 21114, 2157, 22104, 23380	BE 21336
							BF 22721
Femur . . .	69	49	19	1	...	BB 19948, 19149, 20548, 18643, 20166, 20452, 19079, 22164, 22122, 23478*	BB 18250, 21942, 23162, 19135
						BC 20473, 19302, 20918, 21486, 21353, 21912, 22465, 20962, 22531	BC 18545, 18766, 20424, 20303, 23784
						BD 18771, 18951, 20697, 19771, 20494, 20744, 20842, 18297, 21051, 20981, 21107, 22019, 22372, 23250	BD 20222, 21822, 22336, 23729

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	Female
		M	F	M	F		
Frontal Bone	8	7	1	BE 20241, 19348, 20531, 21165, 21649, 21224, 21728, 22072, 22747, 23089, 23196	BE 19836, 21872
						BG 19955, 21552, 21851, 22711	BG 21022, 21090
						BH 20460	BH 21574, 23292
						BC 22466	
						BD 22101, 23576, 13391	
						BE 20701, 21766, 22055	BG 19406
						BB 19176, 20323, 21558*, 20922	
						BC 19708, 20567, 20423, 22011	BC 18546, 21792
						BD 20848	
						BE 6588, 21547, 21981, 23079, 22640	BE 19167, 21123, 22058, 23156
Mandible	5	5	BG 21679, 20952	BG 20863
						BB 21072	
						BC 20264, 22985	
Metacarpal	5	5	BE 20272, 18272	
						BB 19178	
						BD 21471, 21142	
Metatarsal	3	3	BE 22108	
						BG 23271	
						BD 16240, 21591	
Nasal	2	1	1	BC 20097	
						BB 22760	BD 21207
Patella	13	9	4	BB 16589, 21674, 22664, 22525, 22360, 20713	
						BC 4826	BC 21301
						BE 20234	BD 20579
						BD 21920	BF 19902
							BH 23292
Pelvis	17	13	1	3	...	BB 19299, 19693, 23692, 20778, 22248*, 19907*, 18741*	BB 19234
						BC 19050, 20422, 21309, 21861	
						BD 19773, 19660	
						BE 20939	
						BG 18615, 17992	
						BB 19357	
Phalanges	1	1	BC 20837, 20304	
						BE 21736	BE 22238, 20164,
						BH 21770	21540

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Radius and Ulna ...	7	5	2	BB 21658 BD 21255, 21690, 20848 BG 22745 BB 21402*	BB 22246
Ribs	... 10	8	1	1	...	BC 20304, 22692, 22502 BD 20373 BE 20396, 21376, 23380 BG 18642 BD 19381 BG 21740, 19407	BG 21388 BC 22144
Scapula	... 4	3	1		BD 23054
Spine	... 10	10	BB 17310, 18919, 21058, 17839 BC 19897, 20978, 19815 BD 18477 BE 19725 BG 21551	
Sternum	... 2	...	1	1	...	BB 21402*	BD 22559
Tarsal	... 1	1	BC 20545	
Tibia	... 21	15	5	...	1	BB 19124, 21663, 12298 BD 14009 BE 20678, 21735, 21483 BC 21189, 22765, 3333, 20425, 23545 BG 20399, 21883, 17251	BC 21550, 20979, 21762, 22144 BD 19066*
Tibia and Fibula ...	48	39	8	1	...	BB 18338, 20383, 18865, 22247, 23229, 20413, 21239, 21343, 20955, 22970, 23341, 23778, 22066, 10370 BC 22921	BB 21342, 21495, 22093, 23582 BC 20980
						BD 18952, 19060, 20738, 20686, 20626, 21865, 21473, 21784, 22283, 21706, 21593, 21108, 23001, 18602 BE 22114, 22231, 22709, 22156, 20814, 21483 BF 22667* BG 17407, 20814 BH 22145, 20473	BD 22020, 23728 BG 19559

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	
		M	F	M	F		
Ulna	3	3	BB 21757 BD 22505 BE 21481	
Vault	13	12	1	BB 19416, 19138, 19671, 21659, 18854, 20009 BC 20358 BD 20630, 21628 BE 20398 BG 19954, 21139	BB 20656
Malformation	7	...	7		BB 19486, 22450, 19677 BD 21812 BE 20326 BF 21316 BG 20554
Tumours—							
Non-Malignant...	2	..	2		BB 19824 BE 22322
Malignant	14	8	5	1	..	BB 10928 BC 188, 20920 BD 19971, 19155, 18707 BE 21482 BG 19105, 17543	BC 19727, 20710, 22650 BD 21772, 21326
BREAST.							
Hypertrophy	1	1	BD 22657	
Inflammation	19	1	18	BD 22228	BB 19871, 16635, 23450 BC 23082 BD 19347, 19693, 18866, 19380, 20296, 20478, 20899, 21366, 22409, 23554 BE 19666, 19522 BG 21739, 22478
Tumours and							
Cysts—							
Non-Malignant ..	12	..	12		BB 20901, 19548, 21609 BC 20125, 19261, 19375, 21955 BD 20899, 22437, 19195 BE 21045, 23265

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Malignant	60	56	4			BB 19838, 20101, 20263, 19489, 23295, 21340, 21335, 18751* 21918, 22406, 22190, 22162, 22457, 22549, 22088, 22546 BC 15390 BD 19222, 19116, 20458, 17791, 20365, 22292, 22265, 21957, 21653, 21605, 21809, 21750, 3611, 21831, 23404, 10744, 5595, 21476, 20314, 21171, 21347, 23574 BE 20577, 19593, 21121, 22002*, 22226, 22454, 23065*, 23490, 23655, 21926, 23297 BF 18934, 19346, 21470, 22726, 22195 BG 20621, 19204, 17003* BH 23006, 23543	
BRONCHI.							
Tumours and Cysts—							
Malignant	1	1	BE 19628	
BURSÆ	3	3	BD 21119 BB 18922, 22087	
Inflammation							
CÆCUM.							
Displacements—							
Non-traumatic	1	1	BE 19186	
Tumours and Cysts—							
Malignant	2	1	1	BB 20828	BE 19733*
CHEST WALL.							
Inflammation	1	1	BD 19192	
Tumours and Cysts—							
Non-Malignant	1	1	BC 20288	
Malignant	4	1	3	BB 22090 BF 19447, 19462	
COLON.							
Inflammation	10	2	4	2	2	BD 19767* BE 20539, 22598, 23469*	BB 16566, 19499, 210647, 23205* BD 21608 BE 20910

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	
		M	F	M	F		
Injury ...	1	1	BD 18785	
Malformation ...	1	..	1		BE 19186
Obstruction ...	2	1	1	BE 18836	BC 21855
Tumours—							
Malignant ...	0	11	4	4	1	BB 14986, 19835, 16587, 20598*, 20828, 20594, 19305, 23032 BD 21052*, 20580, 21970* BE 19455*, 20741, 23707 BH 21839	BB 19980 BC 19148*, 17532 BD 17319 BE 21161
DIAPHRAGM.							
Subphrenic Abscess	2	1	1	BE 22176	BD 15018*
DUODENUM.							
Ulcération—							
Chronic ...	24	17	4	2	1	BB 19030, 18093*, 11119, 22050, 22413, BD 19805, 20103, 20533 BE 18500, 20349, 23011, 20300, 23859, 22461* BF 19057 BG 19993, 19581, 22456	BC 22304* BD 20675, 22299, 23314 BF 20894
Perforation ...	23	17	2	3	1	BB 19415, 18977 BC 18768* BD 20227, 22637, 20223, 18646, 18825 BE 20644*, 21265, 23396* BF 20955, 21069, 21756 BG 20772, 14692, 21500, 17197, 22600 BH 23299	BB 18855* BD 20795 BG 20817
Malformation ...	2	...	2		BE 18316, 20907
EAR.							
Tumours—							
Malignant ...	4	4	BC 21860 BD 22105, 18889 BG 20439	
EPIDIDYMYIS.							
Inflammation ...	2	2	BD 19441 BG 19265	

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	
		M	F	M	F		
EYE.							
Injury.	1	1		BC 22984
Tumours—							
Malignant	2	2	2		BB 22945 BD 18694
FACE.							
Foreign Body ..	2	2	BD 19874, 20369	
Injury	4	4	BB 20228, 21498 BE 22649, 22723	
Inflammation ..	11	6	5	BB 18981 BC 18395, 20794 BD 22553, 21323 BE 20249	BB 21922 BC 19540, 19182 BD 21783, 19289
Tumours—							
Non-Malignant..	2	1	1	BE 23059	BD 23493
Malignant ..	24	16	7	1	BB 1083, 21463, 23564 BC 21282 BD 7570, 19396, 22323, 20970, 20427, 23361, 20970, 16467, 19396 BE 21278 BH 21077, 19105	BD 20477, 20054 BE 21938, 21995*, 5486, 23835, 19820, 21530
FALLOPIAN TUBES.							
Inflammation ..	6	6		BB 19905, 21059 BD 21684 BE 21268, 19884 BG 20128
GALL BLADDER AND DUCTS.							
Calculus ...	45	12	27	2	4	BB 15180, 21559, 19807 BD 22339, 22217, 23173, 12237 BE 19557, 18713, 19526, 19793, 20177 BG 19108* BH 23659*	BB 20559, 20418, 20268, 20100, 21344 BC 20284, 17431, 15641, 20851, 18902 BD 18975, 19659, 19861, 20569, 20909 19139, 21348, 22305*, 23195 BE 19264, 19025, 18765, 18810, 19616, 20940*, 19584, 21808, 21803, 22706*, 23257* BF 19239

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	Female
		M	F	M	F		
Inflammation	51	15	32	3	1	BB 19743, 22254, 22407, 11593 BD 18082, 22376* BE 19557, 19526, 19793, 19219, 21895*, 22415, 23496, 23130 BF 22667 BG 23776, 19108*, 20275	BB 20313, 11068, 21344, 21950, 7683, 22417, 22729, 23191 BC 20281, 17431, 19701, 15641, 20147, 19051, 19672, 20914, 21731, 22379, 22073*, 22754, 23753 BD 18975, 21743 BE 18409, 19264, 19025, 20206, 18316, 23276, 23424* BF 21810 BH 23296, 23182
Injury	2	...	1	1	...	BD 18783*	BE 21990
HEART.							
Aneurysm	1	1	BC 21252	
HERNIA.							
Inguinal	70	56	14	BB 20613, 21406 21436, 14769, 22204, 19151, 23565, 18506, 19151, 18910, 19281, 20266 BC 20782, 20481, 21009, 22661, 18733, 19010, 19967, 19914, 20248, 19310, 18992, 19626 BD 20480, 21425, 21005, 21829, 18142, 21577, 21044, 22731, 23708, 19474, 19335, 19757, 19230, 18996, 19745, 19383, 19413, 19067 BE 19034, 19343, 19532, 18550, 22375, 22725, 22906 BF 19915, 20191 BG 20645, 21306, 19914, 20077, 19994	BB 13810 BD 19774, 19472, 21463, 20201, 22120 BE 23125, 23263, 20867, 19268
Femoral	9	2	6	...	1	BC 18881 BD 19612	BB 19275, 21607, 22411 BC 19364 BD 17890 BE 18668* BF 19090

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Umbilical and Ventral	... 13	2	10	...	1	BC 18716	BB 18331, 21916 BC 20665, 21862*, 21951 BD 21148, 22605, 19990 BE 21796 BG 19510, 20805
STRANGULATED HERNIA.						BE 16842	
Femoral 6	...	4	...	2		BB 19409*, 23743 BD 23441, 20846 BE 18668, 19268*
Inguinal 21	17	2	2	...	BB 20747, 20777, 21300, 22067, 21992, 23340 BC 23245 BD 19383, 21078, 21823*, 23440 BE 21554, 21646, 20689 BF 20958, 23547 BG 20645, 21346*, 21380	BB 22541 BD 19774
Umbilical and Ventral 4	...	1	...	3		BB 19554* BC 21862* BF 21899* BG 20805
INFECTIONS.							
Erysipelas...	... 11	4	3	3	1	BB 19949*, 23290 BD 20043, 23756*, 23614* BG 17251 BH 21415	BD 20501, 19863. 913 BE 20510*
Tetanus 4	3	1	BD 20231, 21471 BE 21545	BG 21388
Diphtheria 1	1	BC 19536	
Mumps 1	1	BD 20230	
MULTIPLE INJURIES...	65	34	24	2	5	BB 19948, 19517, 19569, 21402, 22123, 22122, 22124, 22384 BC 19435, 19241, 21088, 22007, 21863, 21860, 21917, 23106, 23107*, 23804, 23793 BD 20629, 18602, 21431, 21126, 22153, 23068*, 22373, 23673, 23669 BE 22744, 22746, 23331, 23326, 23000 BG 21163, 23735 BH 23492	BB 20143, 21238, 21959, 22116, 20277, 23100, 22602* BC 19750*, 19522, 19363, 19602, 19077, 21615, 22530, 23414*, 23819, 22347 BD 19483*, 19482, 20995, 21140, 21589, 23249* BE 16104, 19405, 20879, 20376, 22006, 14196

Disease	Total	Dis-ch'ged		Died		Index Nos.	
				M	F	Male	Female
INTESTINES.							
Displacements—							
Non-traumatic	3	...	3		BB 19653, 19417, 21174
Foreign Body	...	1	...	1	...		BD 21688
Gangrene	...	1	1		BB 22651*
Malformations	...	2	1	1	...	BE 21274	BE 23520
Inflammation	...	2	2	BD 19494 BE 21665	
Obstruction	...	19	10	4	2	BB 22064, 21655 BC 22969, 12449 BD 23301, 19720, 18591 BE 19625, 21274* BF 23782* BG 20512, 17619	BB 20959 BC 20419*, 21862* BD 22151 BE 19889 BG 19506 BH 21699*
Enteralgia	...	17	14	3	...	BB 18790, 22443 BD 19493, 19597, 20479, 20803, 21259, 6800, 21276, 21103, 9312, 23076, 22988 BH 23354	BB 20715, 22458 BD 23758
Strangulation—							
Various	...	4	1	1	1	BC 20963* BG 23859	BC 4372 BD 22151*
Intussusception	...	13	3	8	2	BC 19651*, 21083* BD 22199, 20549 BE 22650	BB 21073, 19127, 23641 BC 19087, 21855 BD 21524, 20934 BE 22061
Tumours—							
Non-Malignant...	1	1	BC 19284	
Malignant	...	1	1	BE 21816	
JOINTS.							
Foreign Body	...	2	1	1	...	BD 19046	BE 23155
Displacements—							
Traumatic	...	7	6	1	...	BB 21401 BE 18708, 19779, 21981 BD 21929, 22553	BD 22202
Inflammation	...	7	3	3	...	1	BC 20735* BE 20176, 19035 BE 18150, 18740, 20590

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Injury ...	1	1	BD 20196	
Malformations ...	1	1	BG 19199	
KIDNEY.							
Calculus ...	24	12	11	...	1	BB 19360, 22316 BC 21729, 19262 BD 21332, 19984, 21447, 22951 BE 20821, 21507 21944, 14823	BB 18978* BC 18340 BD 19232, 19759, 19027 BE 19011, 20454, 22460, 23499, 21898, 18832 BF 23826
Renal Colic ...	8	8	BB 19858 BC 22272, 22075, 23052 BE 20242, 20258 BF 21960 BH 21515	
Displacements—							
Non-traumatic ...	10	1	9	BB 21555	BB 18770, 19096, 23555, 16001, 8098, 19909 BC 21856 BE 20237, 15207
Hæmaturia—							
Unknown Origin ...	6	5	1	BB 23207 BE 18553, 21765, 22155 BH 21475	BB 21534
Inflammation ...	37	16	19	1	1	BB 20664, 23626 BC 20870, 19655, 10353 BD 19291, 19285, 19713, 18012, 20691, 20552, 23436 BE 22708, 19528, 19524*, 20199 BF 12606	BB 18623, 19610, 21846, 25658 BC 21187, 21190, 20447, 19624*, 20912, 19399, 23036 BD 19862, 19596, 18720, 18594, 18784 BE 20237, 19997, 21738 BF 19226
Injury ...	1	1	BE 18132	
Malformation ...	2	...	2		BD 19021 BE 19437
Uraemia ...	1	1	BH 21667	
Tumours—							
Non-Malignant...	2	1	1	BD 20460	BH 23546
Malignant ...	2	1	1	BC 18993	BD 21528

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
LIMBS.							
Foreign Body ...	5	2	3	BB 20663 BD 16814	BD 21427 BE 21570 BH 23209
Gangrene ...	5	3	1	...	1	BB 22000 BC 22680 BD 1933	BG 20592*, 8714
Malformation ...	10	8	2	BB 21670 BC 22444 BD 21833, 23141, 23365, 23176 BE 10896 BF 23643	BG 22192, 23445
Inflammation ...	46	34	12	BB 19293, 19200, 20329, 20663, 19857, 20188, 19418, 19718, 20291, 23185, 23631, 23586, 23800 BC 18807, 20492, 19176, 21311, 23234 BD 19877, 19162, 19988, 19936, 19608, 19377, 19440, 19552, 19611, 22035, 22594, 22995 BE 19619, 19662, 20061 BH 23186	BB 20189, 19083, 22977 BC 21245, 20981, 23752 BD 15588, 19989, 20964, 21358 BG 17613 BH 23711
Injury ...	38	35	3	BB 16975, 19140, 20007, 20328, 19171, 19749, 20517, 20278, 19073, 21464 BC 19819, 20092, 19530, 20250, 19646 BD 18780, 20629, 20581, 21626, 21202, 21705, 22037, 23072, 21369, 21594 BE 18849, 19504, 19558, 20270, 18272, 21837, 23737 BG 20951, 21226 BH 21514	BD 20873, 21143 BE 18945
Tumours—							
Non-Malignant ...	4	2	2	BB 21228, 22110	BE 20699, 22026
Malignan ...	3	2	1	BB 18113 BD 17455	BC 19095

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
LIPS.							
Malformation	... 3	3	BB 23452 BC 18912 BG 18913	
Tumours—							
Malignant	... 7	7	BB 19368, 22513 BC 20338, 23081 BD 21956, 23575 BG 19053	
LIVER.							
Inflammation	... 2	1	1	BB 19233	BD 20799
Tumours—							
Non-Malignant	... 3	...	3		BB 21030 BC 20724, 20930
Malignant	... 4	1	3	BB 15164	BB 21329 BC 19727 BE 22229
LUNGS.							
Inflammation	... 27	15	8	3	1	BB 19920*, 21058, 22362, 19303, 23589 BC 22527, 20083 BD 19365, 20223, 19455*, 20570, 21325 BE 23093*, 21160, 21308, 18736 BG 21038, 20090	BB 20141, 21924 BC 23653, 22304* BD 19214, 19683, 20934, 19192, 23069
Injury	... 1	1	BD 11510	
Tumours—							
Malignant	... 1	1	BB 21448	
LYMPH GLANDS.							
Inflammation	... 9	5	4	BC 19576 BD 19312, 19245, 19312 BE 19803	BB 19088, 20081, 22167 BC 20022
Tumours—							
Non-Malignant	... 2	1	1	BE 20000	BC 20654
Malignant	... 2	...	2		BB 18870 BE 19378
LYMPH VESSELS.							
Obstruction	... 1	1	BC 19284	
Malformation—							
Special	... 2	2	BC 18357, 21252	
MEDIASTINUM							
Tumours—							
Malignant	... 1	1	BC 21035	

Disease	Total	Dis-ch'ged	Died	Index Nos.	
				Male	Female
MESENTERY.					
Inflammation	3	2	1	BD 20750 BG 19711	BD 20712
MOUTH	...	1	1	BD 17563	
Inflammation	...	1	1		
Tumours—					
Non-Malignant...	1	...	1	BC 20853, 19114,	BD 19115
Malignant	14	12	2	22910, 21764, 19142 BD 21076, 23282, 18947, 17488 BE 21304 BG 20888, 22203	BD 20565 BF 22021
MUSCLES.					
Injury	...	1	1	BE 19665	
Tumours—					
Malignant	...	2	...		BC 19052 BE 22329
NECK.					
Injury	...	3	2	BC 19535 BD 20874	BB 18625
Inflammation	...	24	13	BB 19359, 19519, 19726 BC 23242	BC 20095, 20795, 21084
				BD 19245, 20582, 21421, 21824, 21048 BE 19401, 21771, 22708, 16930	BD 18904, 21129, 21505, 22224, 23142
Malformation	...	2	1	BD 22118	BE 23515 BG 19996 BH 23665
Tumours—					
Non-Malignant...	4	2	2	BC 19729, 20195	BD 19475 BC 20977 BH 23318
Malignant	...	12	7	BB 13278 BC 21035 BD 19975, 18889, 19975 BE 18566 BG 19063	BB 20810, 16581 BC 20573, 19052 BD 23146
NERVOUS SYSTEM.					
Concussion	...	146	112	BB 19641, 17257, 19747, 19707, 18984, 21673, 19463, 21658, 19235, 21790, 22911, 22445, 22998, 23703, 19082, 20334, 20185, 17839, 18868, 21176, 21233, 21403	BB 11774, 21612, 22978, 20832, 20011, 19842, 21124, 21612

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	Female
		M	F	M	F		
						BC 19536, 19098, 19477*, 19434, 19150, 20212, 20250, 19542, 19575, 21182, 19911*, 20512, 20604, 21312, 21352, 21804, 22076, 22275, 22274, 22985, 23050	BC 19539
						BD 19104, 20252, 20230, 19615, 19161, 19163, 19829, 19981, 19941, 20220, 20739, 20687, 21594, 20503, 20045, 20992, 21041, 21053, 19603, 21930, 22038, 21631, 21710, 21711, 21725, 22338, 22213, 22333, 22907, 22214, 23757, 23671, 23372, 23134, 23511, 23559, 22384, 20806	BD 23728, 23560, 22506, 21260, 20696, 21625, 20872, 21630, 20993, 19553, 21207
						BF 18845, 19024, 20710, 19794, 21112, 21164, 21114, 21370, 21642, 21647, 21641, 21644, 21650, 22289, 22284, 22002, 22347, 22414, 22380, 23326, 23327, 23684, 23259	BE 22057, 22721, 20323, 22647, 21839, 20062, 21838
						BG 19407, 17992, 20886, 20131, 21550, 22710, 23333	BG 21548, 21649, 19269, 20647, 18613
						BH 21701, 21759, 21758, 21501, 23416	
Laceration...	2	1	...	1	...	BC 22260 BD 23358*	
Malformation	1	1		BD 18763*
Tumours ...	8	1	...	4	3	BC 10871* BD 20555*, 18950*, 17162, 22762*	BD 20115*, 21508*, 21818*
SPINAL CORD.							
Tumours ...	3	1	2	BB 21807 BD 21096	
Shock ...	6	5	1	BD 20822 BC 19535 BD 19000, 19938, 19165 BH 21667	BD 19066*
NEURALGIA.							
Trigeminal	7	4	3	BB 19823, 23151 BC 22128 BD 19685	BB 22943 BD 22119, 22956

Disease	Total	Dis-ch'ged	Died			Index Nos.
				Male	Female	
Inflammation	2	2	...	M	F	BD 21989, 22762
PERIPHERAL NERVES	6	5	1	M	F	BC 19646, 21270, 21761 BD 22270, 23143
Neurosis	3	3	...	M	F	BD 20209, 19106, 19864
OESOPHAGUS.						
Foreign Body	1	1	...	M	F	BH 21461
Obstruction	1	...	1	M	F	BD 21769
Tumours—						
Malignant	11	2	4	3	2	BB 18797* BD 21248*, 22242*, 22191 BG 22285
ORBIT.						
Inflammation	1	...	1	M	F	BB 22303
OVARY.						
Inflammation	2	...	2	M	F	BB 1597 BC 18878
Strangulation	2	...	2	M	F	BB 12560 BE 20271
Tumours—						
Malignant	6	...	5	M	F	BC 14664 BE 19884, 23678, 23734 BF 19002, 22462*
PALATE.						
Malformation	6	5	1	M	F	BB 19443 BC 18912, 23495 BD 22161 BG 18913
PANCREAS.						
Inflammation	7	2	2	1	2	BB 20561 BD 20319 BH 23659*
Tumours—						
Malignant	2	1	...	M	F	BB 20561
PENIS.						
Malformation	1	1	...	M	F	BD 18823
Tumours—						
Malignant	3	3	...	M	F	BB 23566 BC 20820 BD 23428

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	
		M	F	M	F		
PERINEUM.							
Injury ...	1	1	BB 23528	
PERITONEUM.							
Inflammation ...	12	4	3	4	1	BB 20595*	BB 19038
						BC 19056	BD 23348*
						BD 19768*	
						BE 21133, 21544*, 23396	BE 22346
						BG 21389, 19108*	BG 19506
Malformation ...	15	9	6	BB 11708	BB 22010
						BC 19158	BC 19146, 16276,
						BE 19156, 18856, 19945, 13606, 4217	19814, 20309
						BF 19568	
						BG 20078	BG 20729
Pituitary— Tumour... ...	1	1		BD 23291*
POISONING ...	2	2	BD 19721, 20502	
PROSTATE.							
Hypertrophy ...	22	16	...	6	...	BB 20382*, 20847*, 23039	
						BC 20606, 20601*, 21252	
						BD 18949, 19587, 20426, 21719, 20985*, 23216, 22638	
						BE 19072*, 20557, 21737, 21634, 22261, 22341	
						BF 19694	
						BG 20887	
						BH 23018*	
Tumours— Malignant ...	8	6	...	2	...	BC 20391*	
						BD 18925, 20031, 21920	
						BE 20078, 20746	
						BG 20547	
						BH 23438*	
RECTUM.							
Displacement ...	1	1	BB 21696	
Inflammation ...	1	...	1		BC 22262
Malformation ...	1	...	1		BD 18914
Obstruction ...	2	1	1	BD 23301	BB 19515

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	
		M	F	M	F		
Tumours—							
Non-Malignant...	2	1	1	BB 19695	BD 19221
Malignant	40	18	7	11	4	BB 22256*, 22452*, 22064, 22914* BC 20916, 18907, 19390 BD 21815, 21747*, 23149, 20988, 18551 BE 21988*, 22507, 22345, 23262, 19630, 20764, 21536, 20973*, 21111*, 20173, 20030, 19185*, 19159*, 19976, 23577* BF 20463 BG 21450*	BB 20905 BD 22306, 22402, 20384* BE 18901, 20154*, 20950, 21273, 22244 BG 20541*, 17494
SALIVARY GLANDS AND DUCTS.							
Calculus ...	4	1	2	1	...	BD 20929, 22736*	BB 23319 BD 19987
Inflammation	...	1	1	BB 22704	
Tumours ...	6	3	3	BB 21002, 21661, 22704	BC 18730, 19686, 14557
SCALP.							
Inflammation	...	1	...	1	BB 19177
Injury	...	21	18	3	...	BB 19172, 19518, 19641, 18984, 20007, 21122, 21233, 21345, 22979 BC 19536 BD 19000, 20698, 21830, 71510, 22907 BG 23797 BH 21579, 23413	BB 19076 BE 22641 BG 18613
Tumour—							
Malignant	...	1	...	1	BE 22352
SKIN.							
Acanthosis Nigricans	...	3	...	3	BB 22091 BD 21314 BC 22403
SPERMATIC CORD.							
Hydrocele	...	1	1	BE 19344	
SPLEEN.							
Injury	...	2	1	1	...	BD 21195	BB 21240

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
STOMACH.							
Foreign Body	5	4	1	BB 22004 BD 18994, 23049 BD 18994, 23049 BH 21581 BB 22254 BC 22271, 18909 BE 21903	BE 21601 BE 21601
Inflammation	7	4	3		BD 22548, 22551 BE 22318
Ulceration...	27	16	9	...	2	BB 19421, 20661 BC 22908, 20390, 23945 BD 20640, 12026, 21927, 21813, 23935, 23812, 19085 BE 22165, 21619, 19276	BB 7399 BC 22216, 23654, 19330 BD 19384, 18890
Perforation	41	27	2	9	3	BB 19633*, 16803, 18490, 23780, 22979, 22257 BC 20195, 22622* BD 21781, 21054, 20493, 19828, 19720, 18997, 18721, 23720*, 23073, 21867 BE 23620*, 20063, 19306 20716*, 19734, 22044, 22590*, 22519 BF 21850*, 22065, 22666, 20716* BG 22287, 21038 BH 12905*, 22276, 23823, 12117	BE 22458*, 20900, 21409, 23430* BH 23401
Malformation	7	2	4	1	...	BB 18828 BC 23704* BE 21541	BE 21290, 21153*, 19007* BG 19894* BH 22751
Tumours ...	46	21	8	12	5	BB 15277*, 18924, 20707*, 21671*, 21392 22521, 23604, 18777, 22321* BC 23140*, 22225, 19173, 21034, 19958, 20854, 12977, 20844*, 22622* BD 20566, 21985, 19613, 18911*, 21704, 22689, 21385, 21390*, 19599, 21248* BE 20528, 19577 BG 22964*, 23437*, 20344	BB 16603 BE 23520, 18316 BF 22049 BC 19094, 19231, 22403, 20720* BD 20623, 19746*, 19255*, 20675* BE 9467, 21573, 21825, 22230 BG 21269*

Disease	Total	Dis-ch'ged	Died	Index Nos.	
				Male	Female
TEETH AND GUMS.		M	F	M	F
Inflammation	4	2	2
				BC 20603	
				BD 20331	BD 19388, 21397
Malformation	1	...	1
Tumours	5	2	3
				BD 19253	BB 21695
				BE 22692	BC 19389
					BE 18547
TENDON.					
Inflammation	1	...	1
Injury	7	5	2
				BB 22256	BE 19839
				BC 22313	
				BD 22153	
				BE 22455	BD 22730
				BG 22599	BF 20461
TESTICLE.					
Atrophy	4	4
				BC 18992, 21168	
				BD 23633	
				BH 23625	
Displacements	5	5
				BC 19292, 19813	
				BD 18860, 19413,	
				19230	
Hydrocele	9	9
				BB 21802, 23363	
				BD 23486, 21870,	
				22023, 19371	
				BE 18712, 23529,	
				19432	
Inflammation	1	1	BC 22359
Strangulation	1	1	BD 18724
Tumours—					
Malignant	2	2	BC 14533
					BD 14772
THYROID AND PARATHYROID.					
Tumours—					
Non-Malignant	36	5	31
				BD 22607, 19589,	BB 19485, 20476,
				23539	22086
				BE 9230	BC 91457, 20508
				BG 23725	BD 22670, 22268,
					21753, 21749, 21903,
					23592, 21954, 21134,
					21136, 21200, 21004,
					23533, 20928, 20315,
					20146, 19847, 19649,
					23648, 19250, 19308,
					19761, 22176, 23197
					BF 20455
					BG 22308, 21716

Disease	Total	Dis-ch'ged		Died		Index Nos.	
				M	F	Male	Female
VULVA. Inflammation	...	1	...	1	...	BB 22944	
Tumour— Malignant	...	1	...	1	...	BF 20704	
VEINS. Varicocele...	...	3	3	BB 20105 BC 21761 BD 19974	
Varicose	2	...	2	...	BD 19876, 21746	
MISCELLANEOUS	23	16	7	BB 21974, 22046, 23325 BC 20564, 23400, 23487 BE 21457, 22738, 21936, 23124, 22737, 23125, 23521, 23745 BG 18822, 22987	BB 23221, 22357 BE 23115, 22139 BG 22597, 23114, 23522

GYNAECOLOGICAL INDEX.

Disease	Total	Dis-ch'ged	Died	Index Nos.			
				Male	Female		
				M	F	M	F
AMENORRHœA	1	...	1	CB 21978
BARTOLIN'S GLAND. Tumour— Innocent	1	...	1	CB 18747
CERVIX UTERI. Hypertrophy	1	...	1	CA 19278
Inflammation— Chronic	128	...	128	CA 19442, 19070, 19205, 18670, 19607, 19513, 19901, 19912, 20016, 20068, 14197, 20175, 20156, 20172, 20364, 20421, 20217, 20760, 20759, 20438, 20451, 20883, 20843, 20743, 21032, 16274, 21029, 20987, 11385, 21235, 21416, 21411, 21295, 21531, 21480, 21127, 21414, 21611, 22381, 405, 22475, 22354, 22582, 22584, 22543, 780, 20477, 23148, 23192, 23504, 23427, 23465, 23323, 23181, 23770, 22550, 22691, 17494, 23467 CB 19932, 19623, 20279, 20324, 20497, 15584 CC 18928, 19373, 19315, 19313, 19392, 18976, 19872, 19714, 20436, 20346, 19816, 20330, 19811, 19962 9424, 20596, 20587, 20733, 20967, 21023, 21081, 20748, 21465, 21247, 21077, 21510, 21782, 21215, 12580, 13583, 21682, 21639, 21712, 22146, 21878, 22250, 22358, 22908, 6953, 22587, 22581, 18916, 21345, 23406, 23317, 23519, 23304, 23324, 23609, 23455, 22586, 23063, 23205

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Lacerations	5	5	5	CA 19961, 21485 CB 23045, 19329 CC 7424	
Tumours—							
Non-Malignant	5	5	5	CA 19545 CC 18675, 21013, 21782, 21656	
Malignant	65	60	5	CA 18715, 18671, 18948, 19277, 20168, 19825, 20280, 19691, 19706, 20144, 19960, 19959, 20731, 20617*, 21121, 22355, 19706, 21587, 23464, 23468, CB 18743, 20110, 19929, 21097, 21074, 22106, 22166, 13848*, 23732, 3320	
DYSMENORRHœA	16	16	CC 19126, 19650, 19189, 19979, 20298*, 19763, 18562, 20071, 20511, 18682, 21010, 20942, 20693, 21167, 18034, 21562, 22174, 22249, 22449, 21919, 21464, 22542, 22733, 21723, 22252, 22054, 22171, 22982*, 23126*, 23086, 23090, 22913, 23749, 18646, 23666	
ECTOPIC GESTATION	8	8	CA 19656, 19692, 15647, 20283, 20900, 20475, 22353 CB 18839, 18746, 21911 CC 19276, 19414, 19965, 20834, 21637, 23664	
FALLOPIAN TUBES.							
Infection	13	13	CA 19070, 18816, 18918, 18970, 19069, 19469, 23523, 23330, 23632 CB 20193, 23150, 23251 CC 20083, 22524	

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	Female
		M	F	M	F		
Inflammation with Abscess	... 22	...	22	CA 15319, 15647, 20947, 21485, 22474 CB 20751, 21246, 21467, 21417, 22588, 19785, 22923, 23246 CC 18343, 20134, 21060, 20238, 22070, 22125, 21976, 22257, 17593
Cyst—Fimbrial	... 2	...	2	CA 20059 CC 19086
FISTULÆ	... 2	...	2	CC 16682, 12114
MENORRHAGIA AND METRORRHAGIA	... 5	...	5	CA 19656, 23320 CB 2467 CC 21197, 22187
OVARIES AND BROAD LIGAMENTS.							
Inflammation	... 3	...	3	CA 19469 CB 20499 CC 21677
Cystic Ovaries	... 34	...	34	CA 18826, 19146, 19197, 19786, 19648, 23030, 22980, 23578 CB 18840, 18749, 18839, 18798, 19428, 3010, 19129, 19210, 19620, 18133, 19913, 14561, 20387, 21277, 9173, 21113, 20388, 20499, 22108, 22204, 22208, 22210, 22595, 22315, 23252 CC 19652
Ovarian Cyst	... 13	...	13	CA 20417, 20290, 21156, 22583, 23286, 23426 CB 20751 CC 18803, 18876, 19652, 21977, 22039, 22515
Tumours and Cysts.							
Non-Malignant	... 3	...	3	CA 19648 CB 18590 CC 20490
Malignant	... 4	...	4	CA 18858, 18772 CB 20439 CC 22515

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
PERINEUM.							
Deficiency...	18	...	18	CA 19929, 19278, 21537, 21478, 23382, 23569
						CB 19429, 18840, 18749, 19623, 19445, 19130
						CC 21247, 21469, 12580, 22440, 6953, 23178
PERITONEUM AND PARAMETRIUM.							
Inflammation	6	...	6	CA 19844, 4614, 20676
						CC 20308, 23567
Pyelitis	1	...	1	CA 19139
Sterility	12	...	12	CA 21553, 21454, 22911, 23122, 23123, CC 20834, 22149, 22250, 22524, 23179, 23425, 23650
URETHRA.							
Inflammation	2	...	2	CA 21295
						CC 18682
Tumours—							
Non-Malignant...	6	...	6	CA 19442, 20166
						CB 19929, 22433
						CC 20882, 23317
UTERUS.							
Abortion—							
Incomplete	7	...	6	...	1	CB 9173, 19147
						CC 22441, 23316, 20244, 22171, 20292*
Pregnancy	23	...	23	CA 22691, 22809, 19020, 19826, 19668, 20055
						CB 21305, 23588, 19179, 22048, 20107, 20839, 20513, 20986,
						CC 23563, 23639, 23687, 22597, 18803, 20037, 20351, 18470, 20902
Cæsarian Section....	4	...	4	CA 19258, 19947
						CB 18894
						CC 18850

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Prolapse 34	...	34	CA 19089, 18862, 21167, 21214, 8973, 21279, 20854, 21135, 21236, 22476, 22912, 22910 CB 18936, 18830, 18525, 18133, 20963, 21881, 21864, 22015, 22319, 22315, 23062, 18590 CC 19869, 18382, 21424, 21835, 21714, 22047, 22501, 22473, 23044, 22473
Endrometritis ...	125	...	125	CA 16598, 18670, 19607, 18970, 19682, 20316, 19812, 20066, 19961, 19901, 20023, 20052, 14197, 21075, 20156, 20172, 20155, 20421, 20317, 20217, 20760, 20759, 20438, 20733, 20883, 20843, 20743, 21032, 20987, 21029, 11626, 21235, 11385, 10393, 20903, 21214, 21127, 21480, 21531, 21295, 21411, 21416, 21414, 21576, 21611, 22475, 405, 22381, 22545, 22584, 22582, 22765, 780, 23550, 22585, 23148, 23192, 25181, 23323, 23465, 23427, 23504, 23467, 23304, 23382, 23649, 17494, 23770 CB 19932, 20234, 20497, 22200, 22665, 23067 CC 18829, 19248, 19315, 19317, 19392, 18976, 19704, 19869, 19872, 19714, 19816, 19811, 19962, 7424, 20596, 20451, 20587, 20967, 21023, 21081, 20748, 21247, 21465, 21077, 21510, 21215, 21639, 21682, 13583, 21712, 22146, 21878, 22358, 6953, 22908,

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Metritis ...	34	... 34	22586, 19816, 22581, 22587, 23063, 23177, 23317, 23324, 23519, 23609, 23567, 23455 CA 19188, 19513, 19529, 19458, 19372, 20070, 20068, 10602, 20539, 20589, 20780, 20655, 21362, 10356, 23580 CB 18936, 19758, 21902, 22923, 22811, CC 18928, 20436, 21097, 20598, 18928, 21468, 21585, 22028, 23014, 23188, 23013, 23197, 23205, 23581	
Foreign Body ...	1	...	1	CC 21882	
Tumours—							
Non-Malignant...	40	...	39	...	1	CA 19900, 20137, 19748, 19427, 19783, 20347, 20881, 20430, 21046, 20616, 22537, 22431, 22673, 22764*, 23236, 23061 CB 19210, 19019, 20203, 20207, 20684, 21834, 22210, 22069, 3320, 22687, 23033, 23031 CC 19092, 19086, 19887, 18389, 20546, 21606, 21584, 21877, 22079, 22307, 21976, 23705	
Malignant ...	5	...	5	CA 19376, 19279 CB 22013 CC 20547, 22685	
VAGINA.							
Inflammation ...	2	...	2	CA 20166 CB 19047	
Tumours—							
Non-Malignant...	2	...	2	CA 19059 CC 23705	
Malignant ...	11	...	10	...	1	CA 23034, 21586 CB 22223, 23583, 21241 CC 18759, 19356, 19805, 20943, 21043*, 22907	

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
VULVA.							
Inflammation	2	...	2	CA 20903, 21217
Tumours—							
Non-Malignant	2	...	2	CA 12838, 14197
Malignant	1	...	1	CA 22696
MISCELLANEOUS	14	...	14	CA 19446, 19731 CB 3537, 19752, 19838, 20729, 21523, 21811, 2358 CC 19621, 20472, 20133, 21468, 21876

OPHTHALMIC INDEX.

Disease	Total	Dis-ch'ged	Died	Index Nos.	
				Male	Female
CHOROID.					
Malignant	1	1	1		DC 5524
CILIARY BODY.					
Tumours—					
Non-Malignant	1	1	1		DA 20108
CONJUNCTIVA.					
Inflammation	1	1	1		DC 23761
Injuries	6	6	6	DB 20546, 19438 21138, 21115 DC 21788, 20524	
Tumours—					
Non-Malignant	1	1	1		DC 20537
Pterygium	1	1	1	DB 19636	
CORNEA.					
Inflammation—					
Superficial	8	7	1	DA 19252, 22175 DC 18999, 19667, 23548, 23762, 23481	DB 20949
Deep	36	29	7	DA 19252, 19924, 19478, 19705, 20923, 20889, 20816, 21232, 23596 DB 18773, 19355, 19439, 20232, 20913, 16946, 21484, 22337, 22470, 22776, 22308, 23239 DC 21264, 21703, 21758, 18667, 19570, 19003, 20181, 18999	DA 20558, 20529, 21947, 21685 DB 22045, 20850, 20949
Injuries	24	20	4	DA 20119, 20515, 20889, 20923, 18833, 20896, 22521, 22591, 23289, 23543 DB 20770, 20913, 21302, 21962, 22693 DC 22163, 20611, 21709, 22367, 22771	DA 20558 DB 20796, 20949, 23446
Opacities	1	1	1	DB 19836	

Disease	Total	Dis-ch'ged	Died	Index Nos.		Female
				Male		
EYELIDS.						
Inflammation	...	1	1	DB 21180
Injuries	...	4	3	1	...	DB 21398, 22777 DC 22351
Malformations	...	3	2	1	...	DA 21636 DB 20366 DC 22739
Ptosis-Congenital	..	2	1	1	...	DA 20124 DC 18863
Tumours—						
Malignant	...	3	3	DA 23651 DB 14015, 23856
IRIS.						
Inflammation—						
Acute	...	1	1	DB 18773
Chronic	...	4	2	2	...	DA 22175 DC 11480
Injury	...	12	11	1	...	DA 19541, 20034, 18833, 22591, 23485 DB 19780, 20116, 20755, 21302, 23480 DC 20611
LACHRYMAL SAC.						
Inflammation—						
Acute	...	35	7	28	...	DA 23084 DB 19559, 21008, 22314, 22430, 22517, 23436, 23726
						DC 20946, 21124, 21681, 21854, 21874, 21939, 22220, 21680, 22377, 22775
Chronic	...	6	1	5	...	DC 2367
Obstruction	...	6	2	4	...	DA 1428 DB 20758
LENS.						
Cataract—						
Complete	...	126	65	61	...	DA 20496, 8879, 19327, 18634, 18872, 20893, 18405, 21131, 21395, 21419, 21638, 17474, 21502, 22160, 22137, 22267, 22269, 22221, 22609, 1112, 23284, 23237, 23439
						DA 20336, 21007, 20761, 21445, 19340, 19331, 19044, 22121, 14243, 23066, 22075, 23590, 23710, 23706, 19821, 19131, 18827

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	Female
		M	F	M	F		
						DB 20551, 19202, 19827, 19546, 20435, 20262, 18931, 21099, 21216, 21396, 18842, 19316, 20708, 20898, 22205, 22634, 13327, 23225, 21393, 22052, 21875, 23147, 23047, 23610, 23600	DB 19113, 2390, 19985, 20264, 20363, 19246, 20729, 18859, 19073, 19982, 2390, 19937, 20765, 21935, 21969, 18637, 23215, 23362, 23473, 20035
						DC 20434, 19400, 21128, 21062, 21748, 22018, 17158, 4596, 15842, 15582, 13347, 23129, 13788, 23293, 23172, 22085, 23605	DC 19712, 20025, 21003, 21328, 21101, 19112, 20126, 19525, 19242, 20026, 22328, 9272, 14307, 22508, 7765, 20352, 21752, 21967, 22084, 23482, 23686, 20411, 20285, 21971
Partial	... 14	6	8	DA 17378, 18405 DB 23035, 19160, 19854	DA 18795, 19128 DB 18635, 18958, 9724, 21262, 22773,
Dislocation	... 2	1	1	DC 19866 DA 20084	23729 DA 18633
MUSCLES OF EYE-BALL.							
Concomitant Squint	... 10	6	4	DA 18523, 20032, 20891, 20034 DB 21154 DC 12861	DA 21234, 21129 DB 20265 DC 21983
Paralysis—Internal	6	2	4	DA 20256 DC 21934	DB 20265, 20890 DC 21745, 23483
External	13	9	4	DA 19433, 21490, 22707 DB 21879 DC 17192, 19664, 21843, 22083, 22281, 23046	DB 20265, 19456, 22219 DC 23085
OPTIC NERVE.							
Optic Neuritis	... 2	1	1	DC 19618	DC 21942
Injuries	... 1	1	DC 22055	
Tumours	... 1	1	DC 21760	
ORBIT.							
Inflammation	... 1	...	1		DA 572
Tumours—Malignant	... 1	1	DB 20553	

Disease	Total	Dis-ch'ged	Died	Index Nos.	
				Male	Female
RETINA.		M 4	F 4	M ...	F ...
Detachment	...			DA 20036 DB 22610 DC 20013, 22495	
Inflammation—					
Chronic	...	1	...	1	...
Injuries	...	1	...	1	...
SCLEROTIC.					
Injuries	...	1	1
EYEBALL.					
Glaucoma—					
Acute	...	8	4	4	...
				DA 18971 DB 18972 DC 19412, 23120	DA 20895, 21125, 8903 DC 20182
Sub-acute	...	3	1	2	...
				DC 23608	DA 21007, 22121
Chronic	...	12	4	8	...
				DA 21638, 23484 DB 18837, 19220, 21151	DA 21317 DB 21400, 21806, 22518 DC 19886, 18606, 21842, 21759
Buphthalmus	...	1	...	1	...
Panophthalmitis	...	3	3
				DB 19908, 20004, 20297	
Contracted Socket	1	...	1
Injury	...	4	3	1	...
				DA 23818, 23815 DB 20770, 23133 DC 20628, 23717	DA 572 DB 20718
MISCELLANEOUS	...	1	1
				DB 21184	

AURAL INDEX.

Disease	Total	Dis-ch'ged	Died	Index Nos.			
				Male		Female	
	M	F	M	F			
DISEASES OF THE FOOD TRACT. *							
BUCCAL CAVITY.							
Tumours—							
Non-Malignant...	1	...	1		ED 22722
Malignant	...	2	...	2	EC 5585, 22226
FAUCES.							
Tumours—							
Malignant	...	1	1	EC 19040
PALATE.							
Tumours—							
Malignant	...	5	4	1	EC 19698, 19040, 21251 ED 18762*, 13757
PHARYNX AND NASO-PHARYNX.							
Hypertrophy of Contents—							
Adenoids	4	2	2	EC 23132 ED 22615
Tonsils	...	178	75	103	EC 20459, 20535, 20608, 20717, 20534, 19191, 19029, 18920, 20080, 19678, 20158, 20159, 20171, 19777, 20005 20332, 20819, 20753, 20818, 19670, 18965, 21439, 21446, 21091, 21028, 21451, 21201, 21886, 21893, 21722, 22278, 22279, 22297, 22095, 22366, 20500, 20162, 20375, 20401, 23053, 23015, 22471, 22619, 23169, 23128, 26623, 23433, 23274, 23214, 23208, 23203, 23335, 23715, 20202, 18650
							EC 20339, 20530, 19288, 18895, 18814, 19868, 19953, 21840, 12312, 22111, 22096, 22197, 22183, 22170, 22110, 21354, 22077, 22401, 22544, 22555, 22539, 20361, 22691, 22335, 22614, 22957, 23029, 22999, 22543, 22671, 23377, 23526, 23273, 23350, 23306, 23272, 23730, 19952, 19216, 19855, 19859, 20571, 20485, 20076, 20180, 19799, 19594, 19787, 21018, 23652, 23378, 23238, 23619, 23660, 20774, 19075, 17821, 20776, 19600, 20289, 21371, 21377, 21283, 21456, 21452, 21272, 21210, 21442, 21441, 21170, 21172, 21178, 21795, 21954, 22005

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	Female
		M	F	M	F		
						ED 22963, 23506, 23509, 23524, 23349, 23706, 23283, 23285, 22239, 22343, 20404, 20405, 19575, 21031, 19218, 19144, 18884, 20049, 19567, 23383	ED 19637, 2574, 18814, 20668, 22616, 23060, 22503, 23097, 22620, 23716, 22236, 22140, 22346, 22961, 22714, 19827, 20288, 20122, 20672, 18885, 19639, 20837, 21412, 21407, 21408, 21032, 21135, 23503
Tumours— Malignant	... 2	1	1	ED 18763	EC 21253
OESOPHAGUS. Foreign Body	... 12	7	5	EC 20113, 19860, 21254, 21324, 22273, 23345 ED 20310	EC 21089, 21173, 20522, 23161 ED 21192
Dysphagia with Anæmia	... 16	7	9	EC 18906, 21904, 21520, 22914 ED 20047, 21147, 20466	EC 19404, 19972, 20825, 21079, 20721, 21169, 22702 ED 20487, 19561
Achalasia 1	...	1		EC 20935
Tumours— Malignant	... 4	2	1	1	...	EC 21800, 22917* ED 19028	EC 20470
AIR PASSAGES AND NOSE. Infections 3	3	EC 20543 ED 19916, 21319	
Deformities	... 4	2	2	EC 20971, 20972	EC 20362 ED 23389
SEPTUM. Deviation 68	53	15	EC 19190, 19130, 18811, 20333, 18805, 20486, 20632, 20633, 19776, 18857, 20726, 21292, 21446, 21155, 21966, 21720, 21796, 21767, 21894, 21715, 22097, 22031, 22291, 22126, 20337, 22365, 22538, 22547, 22646, 22672, 22669, 23096, 23228, 23432, 22991, 22305	EC 19798, 20841, 20965, 21868, 22405, 22408, 22472, 23116, 23127, 22211, 23821

Disease	Total	Dis-ch'ged		Died		Index Nos.	
						Male	Female
		M	F	M	F		
						ED 18857, 20010, 19179, 20926, 20123, 20015, 19574, 19534, 21410, 21491, 22504, 22959, 22621, 22718, 23525, 23714, 11091	ED 18886, 20572, 22148, 23691
Injury ...	1	1	EC 21355	
MUCOSAL INFECTIONS	20	5	15	EC 20160	EC 20542, 20536, 18915, 20178, 21359, 21082, 21284, 22177, 23456 23454, 23627
						ED 20584, 20015, 21220, 22141	ED 20048, 20861, 23514, 8838
SINUS INFECTION.							
Ethmoid ...	24	13	11	EC 19728, 19674, 19669, 19870, 21787, 21384, 22179, 23434	EC 19424, 19100, 19969, 19290, 19775, 19696, 20350
Frontal ...	23	17	7	EC 19780 19856, 18824, 19294, 17292, 20999, 22378, 23009, 23636, 23742, 23394 ED 20876, 21489, 22628, 22615, 23395	EC 19196, 20690, 21987, 23007, 23138 ED 21522, 21218
Maxillary ...	14	7	7	EC 20998, 21378, 21444, 21440, 23198 ED 20666, 23387	EC 19023, 18653, 20823, 21000, 19617 23668, 23536
Complications ...	2	...	2		EC 20042, 22364
Tumours—							
Malignant ...	1	1	EC 19454	
LARYNX.							
Stenosis ...	1	1	EC 18484	
Tumours—							
Malignant ...	13	5	3	4	1	EC 19110, 21889, 23313*, 18549, 23010*, 19166*, 19689 ED 20927*, 19028	EC 21772, 20470, 19301, 22924*
EAR.							
Auricle Infections	3	3	EC 19837, 22446 ED 21128	
Malformations ...	2	1	1	EC 18556	EC 22336

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Tumours— Malignant	1	1	EC 18325	
External Meatus— Foreign Body	2	1	1	EC 21249	EC 21888
Infections	6	4	2	EC 22418, 23908, 23403 ED 23288	EC 22966 ED 23512
Tumours— Non-Malignant..	5	2	3	EC 20471 ED 20074	EC 20540, 19577, 21049
Middle Ear— Acute ...	12	5	7	EC 18804, 21519, 20966, 20544 ED 21339	EC 28769, 19254, 19223, 21901, 19507, 20360, 23018
Chronic	35	16	17	2	...	EC 19840, 19386, 20370, 21963*, 20146, 21794*, 21787, 21780, 20737 ED 18540, 20295, 19228, 20671, 19921, 21492, 20671, 23077, 22627	EC 20540, 19187, 21019, 20448, 21991, 20800, 21116, 21313, 15230, 22078, 22557 ED 18861, 18867, 21656, 21219, 21602, 22512
COMPLICATIONS.							
Lateral Sinus Thrombosis	2	1	1	EC 22364*	EC 22983*
Meningitis...	3	2	1	EC 19629 ED 17169	EC 21656
Cranial Abscess	1	1	EC 18903	
Facial Paralysis	1	...	1		EC 18438
Mastoiditis— Acute ...	63	24	34	2	3	EC 19840, 19629*, 19084, 20736, 20088, 20408, 18733, 20469, 21242, 20919, 16679, 19452, 20394, 19240, 22682, 22986* ED 9278, 17169, 18462, 20936, 20403, 18788, 20933, 20877, 20375, 20885	EC 18438, 18852, 19296, 20769*, 20833, 20648, 20636, 21429*, 21293, 21986, 23166, 23777, 22983, 21462, 29353, 20315, 19481, 19895, 19198, 19496, 19408, 22374*, 17445, 18791 ED 18982, 20785, 21645, 18844, 18552, 20298, 18639, 21622, 22127, 20020, 19137, 20431, 20112

Disease	Total	Dis-ch'ged	Died		Index Nos.	
			M	F	M	F
Sub-acute	4	3	1	...	EC 18900 ED 20701, 22701	EC 22142
Chronic	13	8	4	...	EC 18249, 18775, 20586, 11723, 18903 ED 19228, 18540, 20880	EC 19738, 21211*, 26156 ED 18867, 18861
Mastoid Glands	5	1	4	...	EC 19883	EC 22074, 17445, 19133, 18875
Inner Ear—						
Labrynthitis	1	1	ED 22698	
MISCELLANEOUS						
Abscess of Neck	1	1	EC 20585	
Suppurative Glands of Neck	1	1	ED 21632	
Epistaxis	8	4	4	...	EC 21092, 21943 ED 24197, 22288	EC 19053, 22369, 22915 ED 21230

DERMATOLOGICAL INDEX.

Disease	Total	Dis-ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
ECZEMA. Chronic ...	3	1	2	FA 19062	FA 20674, 22516
ERYTHEMATOSUM SQUAMOSUM. Psoriasis ...	4	1	3	FA 19411	FA 21106, 19533, 19523
MICROBIC INFECTION. Erysipelas...	1	1	FA 22736	
VARICOSE ULCER ...	1	1		FA 21948
XERODERMIA ...	1	...	1		FA 19062
RODENT ULCER ...	2	1	1	FA 21145	FA 16443



