

Annual clinical record : 1931 / Cardiff Royal Infirmary.

Contributors

Cardiff Royal Infirmary (Cardiff, Wales)

Publication/Creation

Cardiff : Roberts, 1931

Persistent URL

<https://wellcomecollection.org/works/kedmmgp4>

License and attribution


This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Shove 9.1E



CARDIFF ROYAL INFIRMARY

ANNUAL
CLINICAL RECORD
1931

ROBERTS & CO., SALISBURY ROAD, CARDIFF

WELLCOME
LIBRARY
Ann Rep
WX28
.BW3
C26C26
1931



22501924914

CARDIFF ROYAL INFIRMARY.

ANNUAL CLINICAL RECORD

FOR THE YEAR

1931

CONTENTS.

	<i>Page.</i>
Medical and Surgical Staff 	3
Observations on Perforated Gastric and Duodenal Ulcers	6
The Winnet Orr Treatment of Osteomyelitis and Compound Fractures 	8
Two Interesting Emergencies 	12
Annual Report of the Maternity Department for the Year 1931 	14
Medical Index 	19
Surgical Index 	31
Gynaecological Index 	60
Ophthalmic Index 	64
Aural Index 	68
Dermatological Index 	73

CARDIFF ROYAL INFIRMARY.

MEDICAL AND SURGICAL STAFF AND OFFICERS OF THE INSTITUTION.

Consulting Physician.

H. R. Vachell, M.B.

Consulting Surgeons.

Prof. A. W. Sheen, *C.B.E.*, M.S., F.R.C.S.

Sir John Lynn Thomas, *K.B.E.*, *C.B.*, *C.M.G.*, F.R.C.S.

H. G. Cook, *C.B.E.*, M.D., B.S., F.R.C.S.

C. A. Griffiths, F.R.C.S.

J. W. Geary Grant, F.R.C.S.

Consulting Dental Surgeon.

W. Kittow, L.D.S.

Physicians.

W. Mitchell Stevens, M.D., F.R.C.P.

Cyril Lewis, M.D.

Prof. A. M. Kennedy, M.D., M.R.C.P.

Surgeons.

William Martin, M.B., C.M., M.A., B.Sc.

Prof. A. W. Sheen, *C.B.E.*, M.S., F.R.C.S.

J. O. D. Wade, *O.B.E.*, M.S., F.R.C.S.

D. J. Harries, M.D., B.S., D.Sc., F.R.C.S.

Assistant Physicians.

Alfred Howell, M.D., M.R.C.P.

Ivor J. Davies, M.D., F.R.C.P.

Herbert T. Evans, M.D., M.R.C.P.

Assistant Surgeons.

T. E. Hammond, F.R.C.S.

J. Berry Haycraft, *M.C.*, M.B., Ch.B., F.R.C.S.

D. Ioan-Jones, M.B., B.Ch., B.Sc., F.R.C.S.

Ophthalmic Surgeons.

F. P. S. Cresswell, M.B., B.S., B.Sc., F.R.C.S.

D. Leighton Davies, M.D., M.S., F.R.C.S.

Assistant Ophthalmic Surgeon.

J. W. Tudor Thomas, M.D., M.S., D.Sc., F.R.C.S.

Gynaecologists.

Prof. Sir Ewen J. Maclean, M.D., C.M., D.Sc. (*Hon.*), F.R.C.P., F.R.S.E.

Assistant Gynaecologists.

B. K. Tenison Collins, M.D., B.C., M.A., F.R.C.S.E.

G. I. Strachan, M.D., Ch.B., F.R.C.S., F.R.C.S.E., F.R.C.P.

Ear, Nose and Throat Surgeon.

Robert D. Owen, B.Sc., M.R.C.S., F.R.C.S.E.

Assistant Ear, Nose and Throat Surgeon.

A. A. Prichard, M.D., M.A., M.R.C.S.

Dermatologist.

James Beatty, M.D., M.A., M.R.C.P., D.P.H.

Medical Officer to the Department of Diseases of Children (Medical).

Alfred Howell, M.D., M.R.C.P.

Medical Officer in charge of the Psychiatric Department.

P. K. McCowan, M.D., M.R.C.P., D.P.M. Barrister-at-Law.

Pathologist.

H. A. Scholberg, M.B., M.R.C.S., L.R.C.P., D.P.H.

Dental Surgeons.

Clement Spiridion, L.D.S.

James MacFarlane, L.R.C.S., L.R.C.P., L.D.S.

A. Lindsay Murray, L.D.S.

Electrical Department.

Owen L. Rhys, M.D., B.Ch.

Medical Officer in Charge of the Physiotherapeutical Department.

Thomas Garfield Evans, M.D., B.S., D.M.R.E.

Anaesthetists.

A. Hastings, M.B., Ch.B., M.A.

T. Wallace, M.B., B.Ch.

H. G. Greaves, M.B., B.Ch.

Frank Y. Pearson, F.R.C.S.E.

Alexander Dower, M.D.

H. M. S. Stanley, M.R.C.S., L.R.C.P.

Medical Superintendent.

R. Armstrong, M.B., Ch.B.

Resident Registrar.

J. Mervyn Thomas, M.B., B.Ch., B.Sc.

Resident Radium Registrar.

R. G. Maliphant, M.D., M.R.C.P., F.R.C.S.

Secretary.

Leonard D. Rea, F.C.I.S.

RECORDS SUB-COMMITTEE.

J. W. TUDOR THOMAS.

D. J. HARRIES.

J. BEATTY.

G. I. STRACHAN.

R. ARMSTRONG.

J. MERVYN THOMAS.

SIXTH

ANNAL CLINICAL RECORD.

In this, the Sixth Clinical Record, the general plan of the previous issues has been retained.

The Official Nomenclature of Diseases (1918) has been adhered to as closely as possible in order to follow some stable form of classification.

The tables show the total number of males and females who were discharged from the Infirmary and who died in the year 1931.

The names of the Physicians and Surgeons in charge of cases are shown by capital (index) letters :—

Physicians.

AA. Dr. W. Mitchell Stevens.
AB. Dr. Cyril Lewis.
AC. Medical Unit.
AD. Dr. Alfred Howell.
AE. Dr. Ivor J. Davies.
AF. Dr. Herbert Evans.

Surgeons.

BC. Mr William Martin.
BD. Surgical Unit.
BF. Mr J. O. D. Wade.
BG. Mr D. J. Harries.
BH. Mr T. E. Hammond.
BJ. Mr J. Berry Haycraft.
BK. Mr D. Ioan-Jones.

Gynaecologists.

CA. Prof. Sir Ewen Maclean.
CB. Dr. B. K. Tenison Collins.
CC. Dr. Gilbert I. Strachan.

Ophthalmic Surgeons.

DA. Mr F. P. S. Cresswell.
DB. Mr D. Leighton Davies.
DC. Mr J. W. Tudor Thomas.

Ear, Nose and Throat Surgeons.

EC. Mr R. D. Owen.
ED. Mr A. A. Prichard.

Dermatologist.

FA. Dr. James Beatty.

Deaths are indicated by an asterisk following the index number.

It is hoped that this number will prove as interesting and instructive as the previous numbers.

I am indebted to those members of the Honorary Staff who have contributed to this record for their valued contributions.

J. MERVYN THOMAS,

Registrar.

OBSERVATIONS ON PERFORATED GASTRIC AND DUODENAL ULCERS

by

Mr D. J. HARRIES.

This article is a summary of observations made with the object of testing the reaction of the fluid escaping into the peritoneal cavity through perforated Gastric and Duodenal ulcers. The procedure adopted was this. The abdomen was opened und a small mop, held in an artery forceps, was dipped in the intra-peritoneal fluid. This was handed to the Registrar for immediate testing with litmus paper. The free fluid was then removed by suction or mopping. Fluid was then squeezed out through the perforation on to another mop and tested. If no fluid could be squeezed out, the tip of an artery forceps was inserted through the perforation and rubbed against the mucous membrane of the stomach or duodenum, and the film of fluid on it examined. During the suturing of the ulcer it was observed that the inflamed peritoneum secreted a moderate amount of fluid. This was also tested.

During the last eighteen months sixteen cases were investigated, of which seven were gastric, eight duodenal, and one with a perforation on each side of the pylorus.

In every case the free fluid in the peritoneal cavity was alkaline, including the pool of fluid actually lying over the gastric perforation. The fluid squeezed out of the gastric perforation was acid in every case, but in the duodenal six were alkaline and two neutral. The double perforation was interesting, as the fluid was acid in the gastric but alkaline in the duodenal perforation. The fluid secreted by the peritoneum during the operations was alkaline.

One of the duodenal cases, perforated 4 hours before operation, burst his abdominal incision 48 hours later, during a fit of coughing. He was immediately resutured and at the operation it was observed that there was no free fluid in the peritoneum and no matting of the intestines by flakes of lymph. This case had not been drained ; in fact it illustrates the futility of drainage in these cases, and the ability of the peritoneum to look after itself.

Comments. It is assumed by most Surgeons that a reflex contraction of the pyloric sphincter is produced as a result of irritation of the peritoneum by the fluid escaping through a perforation in the stomach or duodenum. The above findings seem to confirm this, and the absence of hydrochloric acid in the fluid escaping from a duodenal perforation is explained. This reflex is an advantage in duodenal perforations, as the irritating acid contents of the stomach are prevented from escaping into the peritoneal cavity. In gastric perforations it has the reverse effect.

Some of the gastric cases were operated upon within four hours of perforating, but at operation the free fluid in the peritoneal cavity was alkaline. This result could only be obtained by the secretion of an alkaline fluid by the peritoneum. When the amount of gastric juice in the stomach is considerable and highly acid, a corresponding drain of alkaline salts must take place from the blood and tissues generally. This may be one of the reasons why a perforated gastric ulcer has a higher mortality rate than a duodenal, as in the latter there is no acid fluid to be neutralised by the peritoneal secretion. Professor D. P. D. Wilkie, of Edinburgh, has shown that, in intestinal obstruction, the abstraction of salts from the blood plays a prominent part in producing fatal collapse in this condition. It has already been stated that in gastric perforations alkaline fluid continues to be secreted by the peritoneum after the operation is completed, but that the fluid is afterwards absorbed. It is well known that draining the abdomen after operation raises the mortality rate, and it is reasonable to suppose that the continued loss of the alkaline peritoneal secretion through the drainage tube may be responsible for this.

Other factors influencing the results obtained by operation on these cases are dealt with in articles published in *The Practitioner* of April, 1930, and in the Clinical Records of the Cardiff Royal Infirmary of 1926-7-8.

I am indebted to Mr R. V. Cooke, of the Surgical Unit, and Mr Mervyn Thomas, Registrar, Royal Infirmary, for allowing me to include cases operated upon by them in this article.

THE WINNET ORR TREATMENT OF OSTEOMYELITIS AND COMPOUND FRACTURES

by

Mr D. IOAN-JONES.

Being impressed by the Winnet Orr treatment of osteomyelitis and compound fractures, I record the results obtained in three cases, each being of a different type.

1. Acute osteomyelitis.
2. Chronic osteomyelitis with pathological fracture.
3. Compound fracture upon which sepsis intervened.

Briefly the main principles of this treatment are—

1. Institution of adequate drainage.
2. Maintenance of wide open drainage by sterile vaseline plug.
3. Primary antisepsis or asepsis.
4. Rest to inflamed parts by immobilisation in plaster.
5. Absence of daily dressings, irrigations or antiseptics.
6. Maintenance of all parts in correct anatomical position during healing process.

The technique demands a large incision over the area involved whilst the periosteum should be disturbed only sufficiently to provide proper access. The bone is opened over the whole area of the disease and should be thorough to permit of adequate drainage. Having cleaned out the wound, complete haemostasis is secured and the cavity is swabbed with iodine followed by spirit, ether, etc., to provide primary antisepsis in the case of infection (osteomyelitis and septic fractures) or primary asepsis in compound fractures immediately treated by this method. On no other occasion is any antiseptic employed. Drainage is now secured and maintained by packing the cavity widely open with sterile vaseline gauze. The parts are placed in the correct anatomical position for rest, this being finally secured by the application of plaster of Paris. The plaster is not split nor are any windows cut in it. The wound and its surrounding parts are not disturbed till the first or subsequent dressing becomes necessary. In the presence of bad sepsis this may be required in two weeks, but in mildly septic or clean fracture cases a period of one month or more may be allowed to elapse. For dressing, the plaster is removed, the wound replugged and the plaster again applied.

Orr's method thus provides adequate drainage. The absence of daily dressings or antiseptics saves disturbance of the wound and prevents re-infection or mixed infection, a common occurrence in cases of osteomyelitis which delays healing for weeks or months and increases sequestrum formation. Also the avoidance of antiseptic saves much irritation of the wound. An adequately drained wound will heal of its own with but little or no dressing or without the constant irrigations and antiseptics so commonly employed. Indeed such antiseptics often do more harm than good. The maintenance of rest by immobilisation in plaster inculcates one of the fundamental principles of treatment of inflammation; whilst the enclosure of the wound in plaster prevents contamination or infection from without. It is the inadequate exposure, insufficient removal of bone, inefficient drainage, together with lack of rest and frequent disturbance of the wound by dressings, etc., that lead to all the failures in the treatment of osteomyelitis, namely the long time before healing is affected, relapses, extensive sequestrum formation or recurrence of infection even after healing has ensued. One is only too familiar with the number of patients who return to hospital after being discharged with their wounds healed—some keep on returning. And even before the first discharge many patients have to undergo two or more operations for the removal of sequestra, open up new pockets, etc. With Orr's method one operation will usually suffice. Metastatic abscesses elsewhere are not so common, the mortality rate is lower, and wounds once healed usually remain so. Failure to secure good results usually means some lack of attention to all the details required. Furthermore, the healing time is less; whilst the absence of frequent dressings makes for economy and save the patient much pain, more particularly as a large percentage of cases of osteomyelitis occur in children who regard the dressings performed with something akin to horror. The period of healing should be practically apyrexial, pyrexia usually meaning inadequate institution of drainage or the formation of a soft tissue abscess.

In treating compound fractures, manipulation to effect a good position of the bony fragments is undertaken in the usual way before applying plaster of Paris. This may be aided by calipers, fracture pins, etc., which can be incorporated with the plaster till it has set and dried. If the fracture area is infected the wound is treated as for osteomyelitis. Once a good position is obtained the plaster guarantees that such a position is not disturbed. The usual method of treatment frequently leads to delayed healing, poor anatomical result in the shape of malunion, deformities and shortening of the limb; also non-union or poor function, whilst a

number of such cases eventually lead to amputation. This latter is rarely needed with Orr's technique. I know of no method that effects such a good position of the fracture, maintains it, and at the same time overcomes the sepsis.

But prophylaxis is the best expedient and all compound fractures should be cleaned, etc., in the usual way, débridement performed, primary asepsis obtained with iodine and spirit, the wound plugged openly with vaseline gauze, the limb manipulated to provide correct alignment and plaster applied. Thus the risk of infection is reduced to a minimum whilst a good anatomical and functional result is invariably to be expected. When infection occurs in a wound that has been cleaned up, damaged tissue excised, and sutured immediately after the accident it probably results from the organism admitted at the time of the trauma. Closure of such a wound merely shuts up the infecting organism; and as we have no means of distinguishing between wounds likely to heal per primum and those likely to break down, it is better to treat all such cases by the open method of Orr.

B.R. Aged 14.

23-3-31. Admitted with acute osteo-myelitis of L. Fibula. Abscess in soft parts. T.104.8, P.120. Immediate operation. Most of diaphysis found to be affected. "Sauceration" performed and wound plugged open in usual manner.

28-3-31. Much pain and swelling round ankle joint; joint explored with negative results. Wound now packed with vaseline gauze and plaster applied.

25-4-31. T.102. Plaster removed. Abscess found in soft tissues; incised. Both wounds packed with vaseline gauze and plaster re-applied.

16-5-31. Plaster removed. Diaphysis separated as sequestrum. Plaster omitted.

12-6-31. X-rayed. New bone formation in whole of area previously separated.

4-7-31. Discharged.

J.W. Age 28.

22-11-31 (Sunday). Admitted with obvious large abscess of R. upper arm. Four weeks previously patient had spontaneous fracture of humerus with gradually increasing swelling. Abscess incised.

23-11-31. X-rayed. Osteo-myelitic cavity with fracture; angulation and shortening.

27-11-31. Wound plugged with vaseline gauze. Plaster applied.

22-12-31. Dressed, re-plugged and plaster renewed. Several bony fragments removed.

22-1-32. Plaster omitted. Wound much smaller. X-ray shows fracture united in good position.

12-2-32. Patient discharged. Apyrexial throughout.

V.T.H. Age 33.

26-11-31. Admitted with bad compound fracture of Rt. Tibia and Fibula. Wound cleaned and usual débridement performed. Wound closed and splintage applied.

7-11-31. Wound badly infected with marked cellulitis. Also fracture in poor position. Wound laid thoroughly open, plugged with vaseline gauze and limb completely enclosed in plaster. X-ray now shows good position.

5-1-32. Wound dressed, re-plugged and new plaster applied. Wound healing well and appearance of bone healthy. X-ray position not so good as formerly.

3-2-32. Wound again dressed, etc. Loose fragment of bone removed but appearance of wound satisfactory. X-ray shews some callus formation and an improvement in position of fracture.

Patient has been discharged to his home in between dressings and his temperature has been normal throughout.

TWO INTERESTING EMERGENCIES

by

Mr J. MERVYN THOMAS.

The following two cases came under my care during the year and exemplify the difficulties in diagnosis of some of the more obscure surgical cases.

No. 1. John W—. Age 46 years, occupation, a haulier, was admitted on the 9th August, 1931. He had been a healthy man until nine weeks previously when he had suffered a stabbing pain in the epigastrium with vomiting. A consultant was interviewed, who diagnosed hydatid cyst of liver. Rest in bed for three weeks dispersed the condition and he resumed work. Patient was now quite well again until the day of admission, when the only history he gave was a painless distention of the abdomen of 24 hours' duration, not accompanied by vomiting or other symptoms.

On examination he appeared very collapsed and pale. Pulse 122, temperature, 99.4, respirations, 32. The tongue and mucous membranes were anaemic. Although the abdomen was very distended, it was not tender or rigid, but the liver was felt to be enlarged and nodular and free fluid was present in the flanks. A diagnosis of ruptured hydatid cyst of liver was made and an immediate operation performed.

Operation. The abdomen was opened by a right paramedian incision, and the distention disappeared on opening the peritoneum when bright red blood with clots escaped. The coelom was then mopped dry as quickly as possible of a great amount of blood and the source found to be a ruptured coronary artery about two inches away from the pyloric end of the stomach on the lesser curvature. With difficulty the bleeding artery was doubly ligated. The liver was hard, nodular and reached below the umbilicus. It appeared to be an extensive carcinoma. The stomach was not involved and appeared normal. The abdomen was then closed in layers without drainage and two pints of glucose and gum acacia given intravenously. Patient, however, became weaker and died 24 hours later.

Autopsy—

1. Large primary carcinoma of liver. Normal liver structure was not found in any of the sections taken.

2. Infarct of liver about 4 x 2 inches on the posterior surface.

3 Portal vein held a thrombus 1 inch long at its proximal end.

4. Stomach quite normal and showing ligated coronary artery in situ.

5. Sections were taken from other organs including the prostate but all appeared normal.

No. 2. Clifford, T. Age 24 years, occupation, collier, attended at the Out-patient Department 28th July, 1931, complaining of intermittent attacks of pain, localised to a spot left of the umbilicus. He had suffered in this way at six monthly intervals, for the last four years, each attack lasting four to five days, and beginning five minutes after a meal. The pain was of a dull aching character and bore no other relation to the taking of food. The attacks were followed by persistent vomiting, occurring as frequently as four to five times a day, but no haematemesis or melaena. Appetite was good but bowels were constipated during the attack. Micturition was less frequent at this period. Clinical examination was negative.

X-Ray 14th July, 1931. Bismuth meal revealed no abnormality. 17th August, 1931, patient was admitted as an emergency with acute abdominal pain with vomiting of three days duration. On examination the temperature, 99.6; pulse, 124 and respirations, 22. He was restless. The abdomen was distended and there was marked rigidity of the left rectus muscle. a query mass was also felt on this side near the umbilicus, rectal examination revealed nothing.

Operation. Immediate laparotomy was performed through a right paramedian incision. The condition found was a much fibrosed and adherent Meckel's Diverticulum. The proximal gut was distended to about 1½ inches in diameter and the distal completely collapsed, being acutely kinked by angulation at the umbilicus. An attempt was made to free the diverticulum, but the distended, thinned gut broke. The two ends of the gut were then freed and an enterectomy to include the diverticulum of three inches, performed. A lateral anastomosis was made between the ends of the gut and the abdomen closed without drainage after one fluid ounce of olive oil had been introduced into the coelom. 20cc. of anti-gasgangrene serum were given intramuscularly to combat ileus.

Subsequent treatment consisted of ½ cc doses of pituitrin until the bowels acted. Although patient suffered considerable shock from the above operation he made an uneventful recovery and walked out of hospital three weeks later having after begun to put on weight.

ANNUAL REPORT OF THE MATERNITY DEPARTMENT
FOR THE YEAR 1931.

By Dr. R. G. MALIPHANT.

This short record of the maternity work of the Hospital for 1931, is the skeleton upon which it is proposed to issue a more detailed report in future years.

Particular attention is being paid at the present time to the maternal damage and loss of foetal life incident to child-birth. There were seven maternal deaths in the hospital during the year. This represents a mortality of 1.3 per cent. of the 520 cases admitted. Of the 443 patients delivered, four died (0.9 per cent.) and 46 (10.4 per cent.) had a pathological puerperium.

When the question of foetal damage is considered, three sets of figures are of interest—the number of fresh stillbirths, which is an index of the complications of labour, the number of macerated stillbirths, an index of the complications of pregnancy, and the neonatal death rate. The fresh stillbirth rate was 11.9 per cent., and 4.4 per cent. of the children born were macerated. The neonatal death rate was 3.3 per cent.

In addition to a short analysis of the types of cases admitted during the year, an account of the maternal deaths is included in the report.

Of the seven maternal deaths, *three* were due to *placenta praevia*, and *two* to *puerperal septicaemia*. One patient died in the early months of pregnancy of *hyperemesis gravidarum*, while the other fatal case was one of pregnancy complicated by *heart disease*. This patient passed through labour satisfactorily, only to die ten days later of cardiac failure.

In the two cases ending fatally from puerperal septicaemia, premature labour had been induced surgically, but more important factors in the etiology seem to have been the necessity, in one case, for the manual removal of the placenta, and in the other, the presence of an underlying pregnancy toxaemia.

Twenty-two cases of *placenta praevia* were treated during the year, and three of the mothers died. A mortality rate of 13.5 per cent. is sufficient to impress the seriousness of all cases of antepartum haemorrhage and the need for institutional treatment. Death in these cases is not usually due to the actual loss of blood, but to the overwhelming shock which is so conspicuous a feature of the condition. Two of the fatal cases died of shock while still undelivered, and in the third case, the supervention of severe postpartum haemorrhage was a deciding factor.

CARDIFF ROYAL INFIRMARY.

Maternity Department.

Report for Year 1931.

	No. of Cases	Result to—			
		Mother.		Child.	
		Alive.	Dead.	Alive.	Dead.
Deliveries—					
Total number	443	—	—	—	—
Normal occipito anterior	340	340	0	330	10
Occipito posterior	53	53	0	43	10
Breech	26	26	0	13	13
Face	4	4	0	0	4
Shoulder	3	3	0	0	3
Brow	2	2	0	1	1
Complications of Pregnancy—					
Albuminuria with toxic symptoms	53	52	1	43	7
Eclampsia	8	8	0	6	2
Placenta praevia	22	19	3	8	14
Accidental haemorrhage	12	12	0	8	4
Heart Disease	13	12	1	4	0
Hyperemesis Gravidarum	1	0	1	0	1
Complications of Delivery—					
Contracted pelvis	54	54	0	42	11
Prolapsed cord	5	4	1	4	1
Premature rupture of membranes	24	24	0	23	1
Obstetric Operations—					
Induction of premature labour	91	89	2	74	17
Caesarean Section	9	9	0	8	1
Forceps extraction	73	73	0	48	25
Version	16	15	1	9	7
Perineal repair	109	109	0	—	—
Episiotomy	71	71	0	—	—
Manual removal of placenta	7	6	1	—	—
Craniotomy	1	1	0	—	—
<p><i>No. of Cases admitted—</i></p> <p>from Cardiff</p> <p>Antenatal clinic</p> <p>otherwise</p> <p>from areas outside Cardiff</p> <p>Total number of cases admitted</p> <p>..... 520</p>					
<p><i>Average number of Patients in Hospital—</i></p> <p>Mothers</p> <p>Babies</p> <p>Multiple Pregnancy—</p> <p>Twins</p> <p>Triplets</p> <p>..... 28</p> <p>..... 16</p> <p>..... 7</p> <p>..... 1</p>					
<p>Maternal Morbidity</p> <p>..... 46 (10.4 per cent.)</p> <p>Maternal Deaths</p> <p>..... 7 (1.3 per cent.)</p>					
<p><i>Infants' Report—</i></p> <p>Number born</p> <p>Alive</p> <p>Stillborn</p> <p>{ fresh</p> <p>{ macerated</p> <p>54 (11.9 per cent.)</p> <p>20 (4.4 per cent.)</p> <p>74 (16.3 per cent.)</p> <p>Neonatal Deaths</p> <p>..... 15 (3.3 per cent.)</p>					

Note. The cases referred to in the above figures may be included in more than one section.

REPORT ON MATERNAL DEATHS FOR THE YEAR 1931.

Case No. 37.

Mrs G. Ll. 27 years of age. Primipara.

Expected date of delivery—10-3-31. Presentation L.O.A.
Cardiac lesion. *Mitral stenosis. Enlarged heart. Auricular Fibrillation.*

October 1930—Admitted to antenatal ward with cardiac failure complicating a four months' pregnancy.

November 1930—Discharged.

16-2-31.—Watson's Medicinal Induction.

17-2-31.—Krause's Surgical Induction. Weak pains commenced on the same day, but the membranes did not rupture until 3 p.m. 22-2-31.

22-2-31.—Forceps delivery of a male living child.

Placenta expelled normally. Condition of patient was satisfactory. Total duration of labour—23 hours.

25-2-31.—Complained of acute pain in the abdomen.

27-2-31.—Lochia slightly offensive.

2-3-31.—*Died of cardiac failure.*

Uterus well involuted and no pyrexia except the evening before death.

Case No. 171.

Mrs N. M. 36 years of age. Primipara.

Expected date of delivery—16-5-31. Presentation R.O.P.
Nutrition good.

4-5-31.—Admitted.

5-5-31 (2 a.m.)—*Surgical Induction.* (Stomach tube).

6-5-31 (2.10 a.m.)—Pituitary $\frac{1}{2}$ -cc. given.

(3.30 p.m.)—Pains began.

7-5-31 (12.30 p.m.)—Normal delivery. Female living child.

Placenta retained.

(2.10 p.m.)—*Manual removal of placenta.* This was followed by haemorrhage and an intrauterine douche was given. 2 s.w.g. for torn perineum. Total duration of labour—22½ hours.

Puerperium.

Temperature 104F. soon after delivery, and pyrexia continued until death 11 days later. Foul offensive and profuse vaginal discharge.

Gram positive diplococci isolated from *septic spot on face.*

Treatment.

Scarlatina antitoxin.

Intrauterine douche.

Erbolin.

19-5-31.—Patient died. (*Puerperal Septicaemia*).

Case No. 270.

Mrs E. R. P. Aged 30 years. Gravida 2.

Expected date of delivery—30-8-31.

7-7-31 (2.10 p.m.).—Admitted as an *emergency* with severe ante partum haemorrhage—vagina packed previous to admission.

Central Placenta Praevia.

Internal version performed and traction applied to child.

(6.45 p.m.)—*Died of shock (undelivered).*

Case No. 316.

Mrs M. L. Aged 31 years. Primipara.

This patient had been attending the antenatal clinic for two months, and everything seemed normal until 6-8-31, when she was admitted in a state of "pre-eclampsia." There was now a faint trace of albumen in the urine.

9-8-31.—*Bougie Induction.*

11-8-31.—Albuminuria .01 per cent.

16-8-31.—Normal delivery—twins. One living, one stillborn

18-8-31.—Lochia offensive.

20-8-31.—Pyrexia. Drowsy. Rigor. Antistreptococcal serum. Vaginal douches.

Oedema of legs. Weaker.

26-9-31.—Died. (*Puerperal Septicaemia*).

P.M.findings. Septic endometritis. Nephritis. Pericarditis and Endocarditis.

Case No. 358.

Mrs R. M. Aged 37 years. 10 Para. (Normal).

Lateral Placenta Praevia. Vagina plugged before admission.

3-9-31 (1.45 a.m.).—Admitted as an *emergency* with ante-partum haemorrhage. Very shocked.

Os two fingers. Vagina repacked.

(10-15 a.m.).—Willests forceps applied with 1lb extension.

No further haemorrhage, but in spite of intra-venous saline, etc., patient died undelivered at 12.53 p.m. on the same day. Death from *shock*.

Case No. 455.

Mrs N. G. Aged 36 years. Grav. 3.

Expected date of delivery—5-5-31.

11-11-31.—Admitted as an emergency complaining of excessive vomiting for four months.

No albuminuria.

17-11-31.—Albuminuria .5 per cent.

21-11-31.—Albuminuria .9 per cent.

22-11-31.—Died. (*Hyperemesis Gravidarum*).

Case No. 484.

Mrs M. M. Aged 27 years. Gravida 2.

Expected date of delivery—25-12-31. L.O.A. presentation.

3-12-31.—Admitted as an emergency with ante-partum haemorrhage.

21-12-31.—Recurrence of haemorrhage.

(2.20 p.m.).—Os three fingers dilated. *Placenta Praevia*.

Willetts's forceps applied with 1lb extension.

$\frac{1}{4}$ cc. pituitrin.

Subcutaneous saline.

9.20 p.m.—*Delivery of stillborn child*. (Prolapse of cord).

Severe post-partum haemorrhage, with retention of placenta and membranes.

Rectal salines, brandy, etc.

22-12-31 (6.45 a.m.).—Died.

P.M. findings.—Atonic dilatation of uterus, with retained placenta.

Septic spleen.

Cloudy swelling of liver and kidneys.

MEDICAL INDEX.

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Bacterial Diseases							
Cerebro-Spinal Fever	1	1				AB 25173	
Dysentery	2		2				AD 26773, 26797
Gonorrhoea	1	1				AC 24534	
Influenza	2	1		1		AB 26863 AD 24422*	
Septicaemia	1				1		AB 26881*
Pneumonia	56	34	14	5	3	AA 24273, 23733, 22293*, 24513*, 24393, 24342*, 24564, 24563, 25151, 25772, 27203, 27105 AB 23832, 5327, 24961*, 25757, 5327, 27974, 28660 AC 24050, 24667, 25633, 25874, 25759 AD 24012, 25374, 25497*, 25082, 24929, 26510, 26708, 26720, 27493*, 27568, 28123, 27318, 28034, 26967, 27215	AA 24520*, 25471, 24644 AB 25810, 24739, 28956 AD 24708*, 24673, 24636, 24239, 25751*, 27104, 27872, 28685, 28338, 27510, 28762
Tuberculosis	26	12	5	6	3	AA 26727, 28570 AB 2390*, 23845*, 22067, 26078, 8698, 27782, 27615 AC 24129, 25834*, 25189, 15554, 25112, 26016* AD 24981*, 25117*, 26493, 26530	AA 24227, 24761* AB 24613, 24376*, 25343 AD 25257*, 25706,
Typhoid	1		1				AC 27226
Whooping Cough	1	1				AD 24988	
Parasites Tapeworm	4	2	2			AD 24169, 24175	AA 26114 AD 22194

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Infections of Un- known Origin.							
Rheumatic Fever	8	4	4			AB 24257 AC 24090 AD 3370, 27417	AA 26021, 27912 AC 26687 AD 27653
Intoxications and Poisons.							
Iodine Poison- ing	1		1				AD 26470
Lysol Poisoning	1		1				AA 26837
Rat Poisoning	3		2		1		AC 26336 AD 26470, 26048*
Snake Bite	1	1				AB 26670	
Coal Gas	1	1				AA 28254	
Toxaemia	1			1		AA 20139*	
Metabolism.							
Diseases of :							
Diabetes Mellitus	35	14	15	1	4	AA 23978, 25669, 23535 AB 26864, 27113, 11699, 27896, 28523, 28634 AC 13092, 7748, 25360, '26382*, 27297 26299 AD 24930, 25775, 25973*, 26425	AA 23401*, 13858, 25258, 23901, 25673, 24867*, 26107, 27562* AB 25182, 26449*, 24702, 26866, 26993, 28616 AC 23369, 19922, 24457, 26628, 25726,
Rickets	4	3		1			
Infantalism	1	1				AD 24137	
Digestive System.							
Oesophagus, Obstruction and Spasms	5	1	2	2		AA 28098*, 28195 AB 26062*	AA 24299, 25592
Stomach— Congenital Hypertrophy of Pylorus	6		3	3		AD 24700*, 25481*, 25803*	AD 24361, 26406, 24754

Disease	Total	Dis-chi'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Dyspepsia	33	18	15			AA 23895, 25186, 26475, 26824, 27703, 28003, 28012, 28438, 28485 AB 24063, 23180, 24019, 24718, 25493, 26864, 27021 AC 25595, 26277	AA 24173, 26874, 27483, 25777, 26448, 27900, 27307, 7720 AB 24611, 27061 AC 23552, 26218 AD 18277, 26981, 26801
Ulceration	53	41	11	1		AA 23875, 28585, 23805, 28524, 24482, 25044, 24858, 25407, 26148, 25625, 25750, 26547, 25389, 26379, 27182, 25902, 28066, 28170, 26322, 24682 AB 24170, 24788, 25519, 25392, 25906, 26186, 26300, 26372, 26143, 26373, 27527, 27342, 26939, 26969, 26937, 27100, 27643, 27906 AC 23918* 24139, 26581 AD 9975	AA 24744, 25820, 25354 AB 28162, 24036, 24663, 25971, 25489, 27036 AC 24758, 4558
Tumours— Malignant	13	5		6	2	AA 24593*, 25879, 25861, 27754*, 27488, 27743*, 27280*, 27783, 10093 AC 24181*, 24374*	AB 22404* AC 22017*
Duodenum : Diseases of : Ulceration	11	9	1	1		AA 6893, 26220, 25423, AB 23883*, 24904, 25881, 27340 AC 22237, 25437 AD 28500	AB 23701
Intestines— Constipation	3	2	1			AB 24642 AC 26452	AD 24644
Inflammation Appendicitis	2		2				AB 25223, 28220
Colitis	6	3	3			AC 12453, 26069, 21975	AA 12621, 28070 AD 27053

Disease	Total	Dis- ch'ged		Died		Index No.	
						Male	Female
		M	F	M	F		
Enteritis	10	5	5	AA 25049. AD 28185, 28704, 27253, 27697	AD 26987, 27932, 26492, 27163, 27432
Tuberculous Caecum	1	1		AD 25723
Malformation Visceroptosis	1	1		AD 24863
Intestinal Obstruction	1	1	AD 25259	
Intussusception	1	1	AD 25847*	
Liver : Diseases of :							
Cirrhosis	4	1	3	AA 11480, 27494* AC 21496*, 28045*	
Coeliac Disease	2	2		AD 26204, 25426
Tumours— Malignant	3	3	AA 23990, 24174, 24414	
Rectum							
Tumour Non-malignant	2	2	AB 25886. AD 24415	
Gall Bladder and Ducts.							
Cholecystitis	3	3	AA 25391, 25819 AD 24711	
Cholelithiasis	1	1		AB 28116
Pancreas.							
Tumours Malignant	1	1	AB 25913	
Peritoneum.							
Adhesions	3	1	2	AC 28662	AA 23681 AD 24716
T.B.Peritonitis	12	5	3	2	2	AA 24869*. AB 23845*, 28169 AC 23911, 26335 AD 28644, 26 680	AB 19765 AC 24743* AD 24268, 25237, 25422*

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Kidney.							
Calculus	2	1	1			AA 27447	AB 25896
Displacement — Non-traumatic	15	1	14			AB 6897	AB 24130, 24521, 24912, 24398, 25366, 16100, 24290, 24752, 25883, 27544, 26990, 27316, 28162, 27398,
Nephritis	42	12	11	10	9	AA 24033*, 24500*, 24465, 27201*, 25737* AB 23934*, 21953, 24790, 25466, 24822, 26845*, 27673* AC 23986, 8598, 24586*, 23986, 27554*, 26552* AD 24080, 26512, 26692, 27067	AA 24271*, 24840, 25482*, 24807* AB 24767, 24398, 24084, 24662*, 24861, 13000, 20703, 26315*, 23337*, 27092, 28479, 27582, 25657* AC 26455* AD 24388*, 26604, 27422
Pyelitis	9		7	1	1	AA 26818*	AA 23984 AB 24690, 5944. 25096, 27690, 27826*, AD 28486, 27880
Uraemia	11	1	1	4	5	AA 24033*, AB 25485* AC 24586, 25122*, 25466*	AA 24807*, 25482* AB 27090* AC 26455* AD 25699, 24755*
Bladder.							
Inflammation	2		2				AA 22084 AD 26511
Heart.							
Dextro-Cardia	1	1				AC 22480	
Endocarditis	8	2	3		3	AA 23680, 24916	AA 25903 AB 24363* AC 25310, 26217* AD 26268*, 28424
Infarct	1			1		AA 24273*	
Pericarditis	2	1		1		AB 25582 AC 21980*	

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Mitral Incom- petence	8	2	5	1	AB 25488, 27861	AB 20804, 24420, 25708, 21941, 26857 AC 22950*
Mitral Stenosis	6	2	3	1	AC 22668, 26185	AA 25494 AB 24067, 25916 AC 22920*
Pulmonary Stenosis	1	1	AB 25061	
Myocardium Degeneration	3	1	1	1	AA 24270*, 27494	AA 7985
Myocarditis	7	4	2	1	AA 28719 AB 22249*, 24947, 27044*, 28440 AC 27058	AC 27443*
Disturbed Cardiac Action Auricular Fibrillation	3	3		AA 25101, 27599 AB 23844
Extra Systoles	1	1	AC 24284	
Tachycardia	2	2		AB 27581 AC 24335
Diseases of the Blood and Spleen.							
Anaemia— Pernicious	19	9	7	2	1	AA 23887, 24854, 19914* AB 27433 AC 5030*, 25264, 24234, 25438, 24365, AD 19914, 26216	AA 26286*, 27032, 27785, 27908 AB 19205, 27576 AC 25068 AD 27947
Secondary	5	1	4	AB 23606	AB 22900, 11063. AC 24428, 25743
Splenic	5	2	1	1	1	AB 27232* AC 17013, 25219	AA 25701. AC 24454*
Haemophilia	2	2	AC 25758 AD 12593	
Purpura	4	1	3	AD 28645	AB 24163 AD 2790, 27665

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male.	Female
Thrombocy- topenia	1	1	AC 27109	
Blood Vessels.							
Aneurism	6	5	1	AA 24030, 25740 AB 25187*, 26212 AC 25965, 25966	
Aortitis	1	1	AB 24934	
Arterio- Sclerosis	12	8	2	1	1	AB 22249*, 25622 AC 24284, 24766, 24325, 24993, 25811, 24832, 24758	AA 24271*, 25176 28152
Endarteritis Obliterans	3	1	1	1	AA 28028* AB 23871	AA 24520*
Leukaemia— Acute	5	1	1	3	AB 26816 AD 25652*	AA 28145* AB 24211*, 28346*
Chronic	1	1	AA 27897	
Myeloid	7	3	2	1	1	AC 35979, 26929*, 26557 AD 16211	AA 28145* AB 22216 AC 23070
Respiratory System.							
Tonsils and Adenoids	4	1	3	AD 23873	AB 23491, 28012 AD 25517
Bronchi (Bronchitis)	8	5	1	1	1	AA 13218 AB 23488, 24076, 24934 AC 24284 AD 24000*	AA 23401* AC 24135
Bronchial Asthma	10	6	4	AA 25891, 12177 AB 27761 AD 25423, 27160 27577	AA 25985, 27264 AB 25878, 25967
Cardiac Asthma	1	1		AA 17933
Bronchiectasis	3	1	2	AB 16052	AA 26766 AC 26471

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Tumours— Malignant	3	3	AA 24282*, 24342* AC 26017*	
Lungs.							
Emphysema	1	1	AB 24787	
Pulmonary Embolism	3	2	1	AB 25114*, 25235*	AB 24189*
Pneumothorax	1	1	AB 13562	
Tumours— Malignant	6	4	1	1	AC 21980, 26834, 26015 AD 26076	AA 26484* AD 26432
Fibrosis	3	3	AC 24262, 24382, 26015	
Silcosis	1	1	AB 25470	
Pleura.							
Inflammation	4	2	2	AB 25736 AC 24777	AA 25519 AC 27214
Inflammation with Effusion	21	14	7	AA 27287, 28404, 28187 AB 23392, 24570, 26078, 25016, 25106, 26381, 26437 AC 24894, 26168, 26164 AD 25539	AA 23577, 27548 AB 26419 AC 25551, 25919 AD 25511, 26160
Empyema	7	3	2	1	1	AA 23589, 28388 AB 23803, 25441*	AB 26430 AC 24895* AD 25034
Nervous System.							
Inflammation Herpes Zoster	1	1		AC 7613
Meninges Leptomenin- gitis	15	5	3	3	4	AA 27933*, 28258 AB 26610, 23930*, 23845*, 24686 AD 25069, 26142	AB 27170*, 28652* AD 25287* 26045, 26815 27551*, 28348

Disease	Total	Dis- ch'ged		Died		Index Nos.	
						Male	Female
Cerebrum.		M	F	M	F		
Encephalitis Lethargica	2	2		AB 25848, 26819
Cerebral Embolism	6	3	1	1	1	AA 24724*, 24685, 27453 AB 27696	AA 23866* AB 27826
Cerebral Thrombosis.....	5	3	1	1	AB 5327 AC 22159, 26118 AD 26731*	AC 23270
Cerebral Tumour	5	1	2	1	1	AB 27159 AC 27298*	AA 21907 AB 24907, 25290*
Syphilis of Nervous System.							
Gummatous Meningitis	2	1	1	AD 27760	AC 26067
G.P.I.	14	7	6	1	AA 26923 AC 23988, 27136 AD 24075, 25920, 25631, 26707	AA 25704, 25301 AB 25218 AD 24333, 25630, 26203, 27448*
Tabes Dorsalis	17	10	7	AA 25297, 25734, 23124, 28032, AB 24018, 25522, 27755 AC 24300, 25266 AD 25528	AA 20197, 25432, 24628 AB 26948, 27033 AC 27339 AD 26071
Cerebral Palsies of Children.							
Cerebral Diplegia	2	1	1	AB 22412 AD 24000*	
General Diseases without Recognised Basis							
Chorea	20	6	13	1	AA 26821 AB 24327 AD 24042, 26306, 27619, 28615	AA 22617, 24456, 25859, 27704, 27532, 28634. AB 20804, 23557, 2954, 27940 AC 27883* AD 24730, 14142, 25540

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
						Male	Female
Epilepsy	6	M 1	F 5	M	F		AA 24152 AB 26409 AC 25739 AD 27881 AD 24038, 23174
Parkinsonism	3	2	1			AA 24789 AC 25118	AB 26537
Rickets	1		1				AD 28120
Tics	1		1				AD 20507
Psychoneurosis.							
Hysteria	9		9				AA 24032, 25159, 2666, 26206, 26265 AB 24380, 27022, 27092 AC 23906
Neurasthenia	12	4	8			AA 28175 AB 24174 AC 25306 AD 24717	AA 24023, 24341, 25216, 26120, 23685 AB 24380, 28113, 27629
Insanity	4	3	1			AA 25042, 25492 26548	AC 24402
Cerebellum							
Tumours	2	2				AC 26225, 26833	
Spinal Cord.							
Tumours	1		1				AC 25970
Myelitis	3	1	1		1	AC 28401	AB 23618* AC 22690
Syringomyelia	1	1				AC 23346	
Disseminated Sclerosis	7	2	5			AA 25353, 25318	AA 26395 AB 23568, 26110, 28112 AD 24276
Subacute Com- bined De- generation	3	2	1			AA 17324. AC 25438	AD 27947
Spastic Para- plegia	3	2	1			AA 28033 AD 26737	AC 21080

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Ataxic Paraplegia.							
Freidriechs							
Ataxy	3	2	1			AC 25357, 26447	AC 23769
Spinal Nerves.							
Peripheral							
Nerves	5	4	1			AA 27489, 25530 AC 26183, 27689	AA 24219
Muscular							
Dystrophy	1	1				AC 26651	
Sciatica	2	1	1			AC 23547	AC 23950
Muscles, Joints & Bones.							
Osteitis							
Deformans	1		1				AB 26565
Inflammation							
fascia, etc.	1		1				AC 24842
Arthritis.							
Rheumatoid	9		9				AA 24806, 25430, 27486 AB 26866, 25584, 26182, 28407 AC 21761 AD 26828
Tuberculous	1	1				AB 22067	
Infective							
Arthritis	4	1	3			AA 25926	AA 24833 AB 24731 AC 27135
Lymphatic Glands.							
Lymphadenoma	4	1	2	1		AA 17104* AB 26502	AA 23920, 25790
Endocrine Glands.							
Pituitary	2	2				AC 25078, 25939	
Thyroid and							
Parathyroid	17		16	1			AA 23948, 20455 24416, 23401*, 23388, 26309, 28242, 27303 AB 22740, 21819, 23508, 24197, 27679, 27403, 27166 AC 20368, 26688

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Suprarenals.							
Tumours—							
Malignant	1	1	AC 24826*	
Miscellaneous.							
Visceroptosis	6	1	5	AC 26503	AA 24647, 24426, 26052, 26311 AB 27116
Marasmus	8	3	4	1	AD 24511, 26084, 23909	AD 25424, 24574, 25425, 26113, 27448*
Various	25	12	11	2	AA 24245, 27260, 27457* AB 24378, 24792, 15147, 25178, 26730, 25235* AC 24086, 24409 AD 25674, 22284, 23870	AA 26324, 27051 AB 26404, 26856, 19319, 25138 AC 23983, 26083 AD 23903, 25724, 26354

SURGICAL INDEX.

Disease	Total	Dis- ch'ged		Died		Index Nos.	
						Male	Female
Abdominal Wall.		M	F	M	F		
Inflammation.....	22	13	9	BC 27598, BD 24091, 24102, 26156, 25695 BF 17324, 24726 BG 27009, 27271, 27427, 28199, 28309 BK 27169	BC 26466 28256 BD 25427, 27889, 27926 BF 28646 BG 24321, 27198 BJ 26077
Injury	6	6	BC 25598, 27828 BD 26685 BG 25768 BJ 26774 BK 26248	
Tumours— Non-malignant	12	1	11	BC 27207	BC 25373 BD 26827, 23306 BF 24736, 27391 BG 24885, 26275 BH 24509, 26915 BJ 27725, 27463
Malignant	3	3	BD 12710 BF 25611 BG 28094	
Anus.							
Haemorrhoids	18	9	9	BD 23908, 26631, 25441 BG 24503, 25763, 27007, 28192, 28226 BJ 28588	BC 24876, 28277, 27974, 26826 BD 27335 BG 28137 BH 27099 BJ 26553, 24475
Inflammation.....	6	6	BC 28104 BF 24565 BG 27628, 26007, 24492 BJ 27469, 26007,	
Malformations	7	4	3	BD 24249, 25771 BG 26007, 28732	BD 25520 BF 26570 BG 23927
Tumours— Malignant	4	2	2	BG 22298, 16406	BC 24986, 26180
Arteries.							
Thrombosis	1	1		BH 26418*

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Appendix.							
Inflammation—							
Acute	271	165	199	3	4	BC 23657, 23995, 24150, 23949, 24648, 24640, 24745, 24756, 25018, 24886, 25289, 25480, 24367, 25420, 25371, 25547, 25544, 27344, 27824, 27827, 27941, 27604, 27765, 28428, 28427, 28371, 28433 BD 23867, 23723, 23996*, 24049, 24855, 24367, 25253, 25999, 25300, 24535, 27247, 28067, 28216, 28068, 27890, 27954, 28381, 28183 BF 24028, 23801, 25846, 25586, 26589, 26241, 26624, 26410, 25975, 26415, 26239, 26626, 25975, 26467, 26796, 26749, 26740, 27440, 27482, 27400, 27399, 27117, 26242, 27517, 27920, 27688, 28048, 28157, 28253, 28326, 28446, 28522, 26944, 27852, 28047, 24294, 24516, 25211	BC 28302, 24327, 24311, 24650, 25136, 25345, 25541, 26758, 26959*, 26822, 27073, 26963, 27321, 28485, 27574, 27601, 27606, 27596, 27702, 27767, 26616, 28049, 27996, 25976, 28492, 28370, 24213, 28603, 25976 BD 24224*, 23709, 24056, 24762, 24549, 24533, 26006, 25978, 25552, 26615, 26769, 26872, 26647, 25609, 25710, 25872, 26871, 25608, 25873, 27127, 27176, 27371, 27370, 28181, 28078, 28333, 26370 BF 23928, 23407, 23985, 23899, 24136, 23863, 24518, 17954, 25067, 20566, 25223, 25227, 25473, 25463, 24680, 26224, 25844, 26023, 25969, 26240, 26405, 26344, 26347, 26263, 26413, 26236, 25627, 26588*, 26747, 27388, 27387, 26886, 27680, 27683, 27748, 27806, 27592, 27931, 28053, 28100, 28158, 27972, 28538, 28535, 25627, 26886, 28303
						BG 23862, 23917, 24068, 25050, 24567, 24495, 24772, 25324, 25203, 25512, 25560, 25441, 25835, 26166, 25954, 26111, 26885, 26814, 27272, 27384, 27545, 27284, 28081, 28445, 28456, 13766, 28400, 28460	BG 23919, 23971, 24183, 23792, 22838, 24291, 24925, 23854, 24450, 24924, 25943, 25510, 25616, 25615, 25385, 25570, 26061, 26167, 27088, 26812, 26875, 27031, 27317, 27374, 27199, 27631, 27630, 27484, 27737, 24315, 28082, 27863, 28291*, 28397, 28398, 28232, 28639, 28699, 25959, 28460

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male.	Female
Acute with General Peritonitis	22	12	4	2	4	BH 24085, 24688, 24954, 26037, 26750, 26808, 26894, 26791, 26996, 27110, 27211 28159, 28777	BH 26693, 26888, 26994, 27122, 27106, 27165, 27175, 25537
						BJ 24497, 24037, 25661, 26451, 26010, 26618, 26783, 26681, 26780, 26986, 27475*, 27793, 27768, 28470	BJ 23822, 23598, 24771, 24828, 24992, 26401, 26728, 26622, 26781, 27736, 28516, 26779
						BK 24797, 25019, 24267, 24653, 25230, 25733*, 25707, 26040, 26136, 26140, 25898, 26141, 25754, 26423, 26421, 26652, 26901, 26896, 26902, 26494, 26895, 26711, 26965, 27415, 27416, 27014, 27951, 28311, 28316	BK 24942, 25015, 24579, 24757, 24385, 24590, 24706, 25467, 24909, 25229, 25336, 25589, 25636, 25761, 26042, 25931, 26518, 26097, 26098, 26187, 26102, 26307, 26696, 26154, 26598, 26952, 26597, 26656, 26907, 26998, 27011, 27228, 26656, 27269, 28176, 28318, 28206, 28220, 27259, 28206
						BC 25814	
						BD 24709, 27571	BD 26867*
						BF 23280, 27480, 28599, 28597	BF 24881*, 25907, 25397*, 25070*
						BG 23897, 28143*	BG 24924, 26887
						BH 25635	
						BJ 25680, 26519, 26562*	BJ 24568
						BK 24948	
Acute with Local Peritonitis	24	15	7	1	1	BC 25013*, 17785 BD 23840, 15543, 26004, 25933, 25829, 26054, 26365, 26804, 26003, 26005, 27188, 28182, 28002, 28103	BD 25094, 24900, 27017*, 25605, 28074
Acute with Abscess	47	23	17	4	3	BC 24257, 26859*, 27640, 28172 BD 23957, 27372, 27181, 27887, 28067, 27423 BF 24512*, 25174*, 20008, 25982*, 26235, 25842	BC 21725 BD 26049, 26200, 27244 BF 25963*, 25574, 26463, 26738, 28588, 25907*

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
						Male	Female
		M	F	M	F		
Subacute, Chronic Quiescent	183	83	99	1		BG 26853, 27189, 27309, 27693, 28107, 28197 BH 28161 BK 25234, 27225, 24328, 28114	BG 24870, 25144, 26446 27137, 28142 BK 25025*, 26039, 26247, 25017, 26362
						BC 28480, 23785, 23771, 23591, 14023, 23635, 24303, 6345, 10112, 25666, 25377, 26388, 26443, 28733	BC 2614, 23965, 24047, 24779, 25108, 24875, 24985, 26211, 26883, 27312, 27860, 28343, 28140, 28723, 28684
						BD 23206, 24044, 23872, 24545, 25495, 26224, 26668, 24540, 25372, 26215, 27660, 28499	BD 21905, 25602, 12357, 26669, 26949, 26869, 26181, 25717, 25252, 26689, 23841, 23672, 24017, 23912*, 24148, 25081, 23939, 27728, 26854, 26709, 28180, 28566, 27063,
						BF 21102, 24504, 16173, 24171, 23865, 20561, 24267, 25506, 25460, 24729, 25000, 24995, 24775, 25804, 24237, 26456, 27235, 27323	BF 24253 6782, 24634, 24592, 24596, 24996, 25825, 25507, 27401, 28392, 24933, 25806, 28772, 28595
						BG 24172, 23810, 24322, 24259, 25367, 25261, 24659, 24657, 24343, 24715, 10817, 25055, 25741, 25713, 25641, 26117, 27098, 27382, 27516, 28570, 28212, 28110	BG 24053, 23836, 25250, 25382, 25654, 25201, 25249 25882, 25894, 26073, 26439, 27026, 27057, 27270 27322, 27360, 27523, 25777, 28142, 28342, 24748, 24699, 28754
						BH 26304, 26931	BH 26086, 26638, 26919
						BJ 24372, 24102, 24710, 25416, 25942, 26431, 26634, 26627, 26653, 26714, 27658, 27888, 28262	BJ 24419, 25895, 26231, 25840, 26778
						BK 17908, 28154	BK 26031, 26317, 26464, 26135, 24204, 24691, 28193
Axilla.							
Inflammation	7	3	4			BD 25242, 25787 BF 27738	BD 24345 BF 23698, 24308 BG 17493

Disease	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Tumour— Malignant	1		1				BG 21697
Bladder. Inflammation	16	7	8	1		BC 25466*, 28040, 28663 BD 23814, 24719, 25773, 26516	BC 20447 BD 24917 BH 24508, 25053, 25529, 26974 26989, 28394
						BK 28117	
Calculus	6	5	1			BC 26389 BD 24405, 25311, 26603 BH 26508	BC 25168
Fistula	1		1				BD 24695
Tumours— Non-malignant	3	1		2		BH 27444*, 27224, 27787*	
Malignant	5	4		1		BD 22734, 25472 23806 BF 23207* BH 24967	
Blood. Anaemia	3	2	1			BF 23881 BG 23230	BG 24088
Septicaemia	3	1		1	1	BG 24838* BH 27286	BC 10038*
Bones. Inflammation— Acute	32	21	8	2	1	BC 26345*, 27766, 26945 BD 24677, 24920, 24002, 20941, 26047, 26741 BF 24857* BG 24947, 25676, 25757, 26908, 27842, 27944 BJ 25508, 26335, 26723, 27758 BK 25705, 26540, 26897	BC 24143 BD 23193, 24487, 24843 BF 25156, 26350, BG 25257, 25265, 27308*

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Chronic	26	9	16	1		BD 19942, 27811, 27961 BF 25890 BG 23969, 24666, 25265, 12458 BK 28310	BC 23773 BD 23739, 4649, 24001, 15588, 4226*, 24488, 25180, 25295, 26716, 26270, 2552, 27611 BF 23499 BG 25838, 26284, 24320
Injury.							
Fractures—							
Base	42	26	8	8		BC 24905, 28037*, 27552, 28432*, 28357, 24943 BD 27184, 26321, 26545, 27610, 28128, 21457 BF 24029, 25079*, 25400, 25033*, 25532, 25526, 27441, 25554, 28473*, 27797, 25748 BG 24177, 25327*, 25559*, 25795, 26281, 26887 BJ 26726 BK 25937, 26139, 26904*, 27217	BC 26137 BD 27731, 26613, 26617, 26860 BF 26529, 28248 BG 26115
Clavicle	12	8	3		1	BD 24106, 26272, 26923 BF 23692, 27935 BG 24255 BH 26793 BJ 26734	BH 26792 BJ 25796, 25748* BK 26697
Femur	67	47	19	1		BC 23108, 24892, 24192, 25138*, 25288, 25546, 27174, 26752, 27499 BD 24604, 26772, 25711, 26002, 26205, 27249 BF 23932, 23779, 23584, 25585, 23831, 23603, 24569, 24753, 25801, 26473, 26625, 26063, 25809, 25815, 28200	BC 25590, 25709, 24362 BD 28126, 28127, 24975 BF 25693, 26025

Disease	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
						BG 23861, 23126, 23122, 24868, 25559, 25569, 26130, 26682, 28385, 28383, 28519 BJ 24821, 25653, 26527, 28520 BK 26194, 26046, 26496	BG 26926. 28396, 23796, 24668, 24070, 25328 BJ 28518, 24672 BK 26249, 26196, 27288 BD 28076 BG 27467
Fibula	4	2	2			BG 10370, 27843	
Humerus	18	12	6			BC 24891, 4826 BD 26059, 27249 BF 25524, 25095 BG 24371, 24484, 25325, 27573 BJ 28450 BK 26597	BD 23727, 23788 BF 24138, 25843, 26691 BG 27537
Mandible	10	8	2			BC 28213 BF 26128, 26289 BG 24565, 11183, 26932, 27977, 28558	BD 21218 BH 27275
Metacarpal	2	1		1		BC 24581* BK 27146	
Metatarsal	1		1				BD 26985
Nasal	1		1				BF 28053
Os Magnum	1	1				BH 26920	
Patella	8	6	2			BD 25826 BF 27936 BG 25364, 25927, 27041 BK 27168	BF 28650 BG 25127
Pelvis	13	12		1		BC 23356, 23820, 28314, 25697 BD 26103, 24914 BF 23692, 25841, 28475*, 25915 BG 18615, 27429 BK 26903	
Radius	5	4	1			BC 25407 BF 26085 BG 24371, 24484	BJ 28227

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Radius and Ulna	10	4	4	2		BC 24881*, 25161, 35161, 28067* BF 25749, 26399 BH 26716	BD 23954, 26560 BG 25571, 27537
Ribs	18	12	2	3	1	BC 23893, 25627* BD 23755, 24852 BF 24244, 25154, 27397, 28475* BG 24484, 15950, 26112, 26934 BH 27096, 27162 BJ 24122*	BG 26523 BH 27275 BJ 25148*
Scapula	5	4	1			BC 24646 BF 26026, 26745 BH 27096	BJ 25748
Spine	19	15	1	3		BC 23356, 24581*, 24946, 25637*, 25697, 28178* BD 25355 BF 23747, 24111, 24244, 28099, 28461 BG 24434, 24768, 15950, 26363 BJ 23351, 25206	BD 25591
Tarsal	1	1				BD 27579	
Tibia	18	14	4			BC 24153, 25053 BD 26805, 25934, 25362, 27026 BF 26170 BG 25145, 25445, 25325, 26273 BH 26794 BJ 27958, 16028	BC 28602 BF 25980, 26984, 24468
Tibia and Fibula	59	49	6	3	1	BC 24153, 3333, 24349, 24836, 25165 BD 23763, 21593, 27027, 25900, 26611, 26506, 26104, 24822, 27246, 27368, 26979, 27730, 19060, 27520, 28128, 28330 BF 24466, 24467, 24514, 22066, 25683, 26243, 26746, 27934*, 27752	BC 25419, 27675, 28693 BD 28077, 20626

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
						BG 24011, 22231, 24015, 25142, 25559*, 25744, 25675, 26008, 28637, 16722, 28707 BH 27587* BJ 27547, 7026, 28761 BK 25993, 25160, 25297, 26855, 28317, 28118, 25479	BJ 25148*, 26403
Ulna	6	6				BD 24664, 26359, 25711, 26202 BF 26587, 27593	
Vault	4	4				BD 24339, 27295 BF 28087 BH 27873	
Malformation	20	8	10	1	1	BC 25063 BD 28198 BF 24505*, 25738 BG 16421, 25888, 27516 BH 26676 BJ 24220	BC 27540, 28196 BD 18361, 26092, 27294, 27314, 27622*, 28619 BF 25658 BG 25909 BH 27139
Tumours— Non Malignant	8	6	2			BC 27521 BD 24626 BF 19599 BG 27773 BJ 8907 BK 24944	BD 25390, 26607
Malignant	15	12	3			BC 188, 9821 BD 24601, 26290, 27753, 26290 BF 24446, 25275, 26893 BG 23839, 24721, 25732	BD 4226, 23189 BF 27745
Breast. Inflammation	20	2	18			BD 27421	BC 27922 BD 22657, 24417, 26955, 27749. BF 25924, 26477, 25498, 28474, 27991, 27989

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Tumours— Non-malignant	17	1	16	BK 28250 BC 25286	BG 26632, 26811, 22910, 27867 BJ 27369 BK 26033, 28275 BC 24678 BD 24178 BF 24598, 2923, 25395, 28508 BG 24530, 24972, 25387, 26549, 24366, BH 26973, 25692, 28046 BK 27362, 26485
Malignant	56	2	51	3	BD 27981 BF 26414	BC 25046, 12832, 25752, 25369, 25320, 26192, 27310, 27195. 27727, 27672, 28339, 28731 BD 25222, 24458 21476, 17508, 18360, 26176, 25518, 27687, 26925, 27354* BF 24277*, 22195, 24133, 24727, 24913, 24701, 25394, 26035, 27361 BG 7068, 22752, 24322*, 24968, 26134, 28301, 25880, 26637, 16861, 27223, 27343, 22454, 27884 BH 26302, 26909, 28028 BJ 12113, 25672, 25702, 28437 BK 23427, 26440, 26936
Bronchi. Inflammation	1	1	BF 26154	
Tumours— Malignant	1	1	BD 28184*	
Bursae. Inflammation	16	11	5	BC 27396, 27223 BD 25755, 27723, 25002	BC 27988 BD 27834, 27757 BF 28347

Disease	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Tumours— Non-malignant	1	1	BG 23513, 24817, 27729, 28288 BH 28352 BK 26906	BG 24214
Caecum. Volvulus	2	1	1		BG 25133
Tumours— Malignant	4	1	1	2		BG 24077 BJ 28402*
						BJ 26634	BC 23882*, BD 27925*, BG 25646
Chest Wall. Injury	2	1	1	BD 24165	
							BC 25477
Colon. Inflammation	4	2	1	1	BD 24103*, BG 24120 BJ 24117	BC 28758
Tumours— Malignant	31	9	9	6	7	BC 25129, 14751, 28305 BD 26499*, 26271 BF 25429, 26151, 28103 BG 26639, 26853*, 26786, 26787*, 27039*, BH 26474*	BC 22751, 24606 BD 28613*, 27928* BF 26421, 26524, 26465*, 24831*, 25070* BG 23683*, 25644, 27652 BJ 26705, 27584*, 26150 BK 24802
						BK 27118*	
Duodenum. Ulceration Chronic	14	13	1	BF 25460, 25045, 25580, 27821, 28509 BG 23859, 27004 BJ 26660, 26146, 26714, 26653, 27239, 27724	BG 26910*
Perforation	18	12	1	5	BC 25392 BD 26159, 27780, 25938, 26500, 25558*, 27424*	

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Ear.							
Tumour—						BF 25226, 25746, 25747*, 25805, 26298*, BG 24232, 10984 BH 26567 BJ 28039* BK 24332	BF 26169
Malignant	4	3	1			BC 27097 BF 24238 BJ 24375	BK 27075 BF 26469
Epididymis.							
Inflammation	2	2				BD 26502, 28452	
Eye.							
Tumour—							
Malignant	1		1				BC 24161
Face.							
Inflammation	11	6	5			BC 27289, 28689, 28358 BD 26671 BK 24796, 26594	BC 25406, 28716 BD 27305, 26763 BF 28980
Tumours—							
Malignant	5	1	4			BK 13943	BC 28750 BD 27539 BG 24412, 28138
Malignant	17	9	8			BD 12354, 24728, 19396 BF 10928, 26227 BG 23830, 24987, 26515, 27010	BC 25449, 25667 BD 14932 BF 26468, 25331 BG 24490, 17207 BK 28191
Fallopian Tubes.							
Inflammation	5		5				BD 24813, 25037 BF 24101, 26478 BK 26364
Ectopic Gestation	4		4				BD 24225, 24665 BH 26325 BK 25232
Gall Bladder and Ducts.							
Calculus	51	7	46	1	7		BC 25270, 25330, 27524* 27256, 27825*, 27939

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
						BD 24142, 26375	BD 24285, 23670, 23912*, 24356, 23195, 24805, 25307, 26612, 27063, 27613, 28228*, 27664, 27618, 3740, 27706
						BF 24774, 25342*, 26068, 27775, 28606	BF 10343, 23946 23966, 23979, 24304, 12237, 24908, 25735, 26144, 25620, 26036*, 25461, 27401, 27276, 28464,* 28234, 28116, 28151
						BK 27227	BG 24510, 24824*, 24506, 24798, 26231, 25892, 26951, 28005, BJ 25840, 25895, 26580, 26559, 28366, 26191
Inflammation.....	35	8	25		2		BC 25550, 25270, 24040, 24303 BD 24055, 25718, 25721 BF 10343, 25072, 27276 BF 11953, 20561, 27770 BG 27646, 28430 BH 26968 BJ 25942, 26146 BK 26034*, 2477
Tumour— Malignant	4		3	1		BD 25361*	BC 23550 BJ 25904, 26337
Hernia. Inguinal	126	106	17	3		BC 24026, 24127, 24697*, 24082, 23978, 24625, 24724, 2604, 24638, 25368, 26398, 27855, 28340 BD 23489, 23947, 24318, 24808, 24212, 24525, 24684, 25056, 26417, 26201, 24400, 26663, 26219, 25291, 25691, 25798, 27838, 26868, 1909, 28374	BC 15647, 23968, 27320, 28096 BD 24025, 23962, 26251

Disease	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
						BF 24275, 24156, 24429, 24889, 24910, 25104, 25116, 25163, 25164, 25271, 25436, 25789, 26116, 27124, 27675, 27751, 27791, 28510, 28130	BF 24655, 25715
						BG 24207, 23964, 23921, 23987, 24027, 24261, 24297, 24524, 24526, 24970, 25134, 25293, 25296, 24389, 25647, 25316, 25816, 23708, 25960, 25955, 26093, 26109, 26285, 26274, 26778, 26917, 26865, 27245, 27373, 27879*, 27949, 28083, 28010, 27716, 28132, 28453, 28711*, 28061	BG 25007, 26427, 28439
						BH 26288, 27070, 26970	BH 27147
						BJ 25088, 25135, 25303, 26147, 26393, 26742, 26675, 27451, 27882, 27816, 28119, 28065	BJ 24200, 25143, 26739
						BK 24305, 25818, 25989, 27258, 27014, 28016, 28369	BK 27119
Femoral	8	2	6			BC 24892 BJ 24064	BC 24556, 27671 BD 26251 BG 26733, 26448 BH 26131
Umbilical and Ventral	20	8	12			BC 25210 BD 24838 BG 24622, 25453, 25411, 1659, 26913, 25645	BC 18583 BD 25388, 24356 BF 24859, 26454 BG 25435, 25899, 25568 BH 26924 BJ 24830, 27474, 26724
Strangulated Hernia. Inguinal	27	21	2	3	1	BC 27641 BD 26504, 27132, 27304, 28015, 28271, 28280, 27563	

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
						BF 23931, 24470, 26684*, 27930 BG 24121, 25206, 25326, 26876, 27273*, 28641 BH 2048, 27064 BJ 25677* BK 26476, 26799, 27083	BF 23699 BG 24613*, 26340
Femoral	6		5	1		BD 26664*	BD 23754, 25252 BF 23874 BG 28788 BJ 28678
Umbilical and Ventral	2				2		BC 26246* BF 27491*
Infections. Erysipelas	4	2	2			BD 24918 BG 25468	BC 24473, 28716
Multiple Injuries.	53	31	18	4	4	BC 24384, 24199, 25130, 26409, 25698, 26181, 26711, 28423, 28302 BD 23956*, 24338*, 24660, 25332, 26879, 27128, 25600, 27968, 27969, 28073, 27617, 27722, 28179, 27513, 28016 BF 24358 BG 26918, 26877, 28188, 28354, 28672, 28638 BH 25903*, 26790, 26809 BK 24580*	BC 24140, 24310, 26089, 25696, 27218, 26759* BD 27134, 28553, 28221, 24215*, 25038, 24180, 25932, 26108, 26366 BF 24675, 26591, 23099, 28054* BG 24820* BK 26258 27454
Intestines. Constipation	10	5	5			BC 28663 BD 24288 BJ 24394, 27848 BK 26954	BC 27830, 24831 BD 24820 BJ 24461, 26699
Enteralgia	21	9	12			BC 23897 BD 20493, 11407, 25760, 25837, 27131, 27832, 27520	BD 25175, 11641, 25830, 25831, 27129, 27074, 27565, 27739, 28014, 27425, 27460

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Intussusception	15	9	2	2	2	BJ 28360 BC 26538, 15753* BD 24921, 16296, 27649 BF 24302*, 25787, 27278, 28089 BJ 25839 BK 25981	BK 25921 BC 25022, 25421 BD 26000* BK 24956*
Obstruction	29	12	8	5	4	BC 24410*, 26757, 27612, 25140* BD 23190, 26543*, 23379 BF 23865 BG 16155, 27133*, 28086 BH 26997, 28416 BJ 25682 BK 25140, 26497, 27118*	BC 24364*, 16101, 26959*, 27473*, 28370 BD 23253, 25998* BF 26074 BG 24379, 27472 BJ 25655 BK 24383
Tumours— Malignant	1	1				BG 23839	
Joints.							
Dislocation	17	10	5	1	1	BC 24153, 28115 BD 21929, 27055 BF 24632, 24571*, 26348 BG 24369 BH 26806 BJ 28471 BK 26138	BC 18357, 27255 BF 24571*, 27699 BK 25020, 26096
Inflammation	3	2		1		BD 26145 BF 28534* BJ 28136	
Displaced Cartilage	11	11				BC 27829, 27973, BD 21833. BF 25503 BG 24887, 24722, 25642, 26083, 26776 BJ 26491, 28737	
Kidney.							
Calculus	23	12	10	1		BC 24209, 2334 BD 23787, 26719, 25475 BF 24775*, 25410, 27329 BG 25944	BC 28112 BD 24681, 26056, BF 23662, 24583, 27742

Disease	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Displacements	6	1	5	BH 27481 BJ 24114, 25476, 25679 BG 26999	BH 25096, 27781, 27213, 27107 BC 27358 BF 24752 BG 24137, 24912 BK 27921
Inflammation	29	10	19	BD 23260, 16686 BF 24360, 19817, 26065, 24617 BG 27431, 26914, 24160 BK 26278	BC 25455, 25168, 27518 BD 24780, 24917, 25071, 16364, 26760, 27798, 24917, 20402 BF 24661, 24783 BG 2919, 27847 BH 26162, 24882 BJ 27983, 27733
Nephralgia	2	1	1	BD 23261	BD 24104
Tumours— Non-malignant	4	1	3	BC 27206	BG 23827 BH 24911 BK 27921
Malignant	5	1	2	2	BC 24643* BD 24772 BG 28740*	BH 25684* BJ 25305*
Larynx. Tumour— Malignant	1	1		BD 27049
Limbs. Foreign Body	6	4	2	BC 24321 BG 24263 BJ 25149 BK 26234	BF 26012 BJ 26729
Inflammation	61	34	24	1	2	BC 23891, 24191, 25597, 27446, 27506, 28171, 28434 BD 24330, 21405, 23642, 23542, 24337, 25041, 25089, 25719, 26648 BF 24274, 24618, 25005, 25064, 25448*, 26544	BC 24651*, 25596*, 27609, 27719, 27252 BD 24052, 23864, 22589, 26977, 27650, 27541, 28667 BF 26077, 24031, 23879, 26686

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
						BG 24112, 1538, 25499, 25381, 25940, 27508, 27520, 27787, 28576 BH 24351, 28203 BK 25928, 26906	BG 26119, 26436, 24071, 24694, 27620, 28144, 28386, 28565, BH 27212 BK 25927
Injury	37	28	9			BC 25077, 24803, 26751, 27720 BD 24851, 25648, 26921 BF 23702, 25155, 26640, 27807, 25002, 28415, 28546, 28259 BG 26382, 27040, 27095, 27152, 27971, BH 25536, 26807 BJ 25513, 26573, 28771 BK 27414, 26655, 25853	BC 26301 BD 25358, 24057, 26771, 27567 BF 25121 BG 27094, 26935 BH 26995
Malformation	17	8	9			BC 24898 BF 28393, 12330 BG 25131, 24594 BJ 26633, 26370 BK 25884	BD 26127, 24884 BG 24315, 24280, 25146, 6083, 26370, 27047 BJ 24865
Tumours— Non-malignant	4		4				BG 27190 BJ 24749, 28095 BK 26480
Malignant	7	4	2	1		BC 23644 BF 24425*, 28113, 27692, 28147	BC 26861 BG 24418
Lips. Malformations	5	2	2	1		BG 27705, 24381* BJ 26371	BF 24699 BJ 28725
Tumours— Malignant	10	10				BC 27208 BD 23848, 24397, 25194, 26545 BF 26224, 26577 BG 25217, 27851 BH 25577	

Disease	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Liver.							
Inflammation.....	5	2	3	BF 19233 BJ 26634	BC 25384 BF 26642, 24036
Injury	1	1	BD 28062	
Tumours— Malignant	1	1	BH 26893*	
Lungs.							
Embolism	1	1		BD 23912*
Inflammation.....	14	9	5	BC 26858 BD 26770, 25716 BF 26287, 23589 BH 26943 BJ 27945 BK 25202, 24582	BC 25922, 25465 BD 26430, 25522 BG 28011
Lymph Glands.							
Tumours— Malignant	2	1	1	BD 23808	BC 27208
Mediastinum.							
Tumours— Malignant	2	1	1	BD 24601* BG 25561	
Meninges.							
Tumours— Non-malignant	1	1		BF 26368
Mesentery.							
Mesenteric Glands	6	1	4	1	BD 23557	BD 26320, 27076 BF 26294, 27528 BG 28029*
Mouth.							
Tumours— Non-malignant	2	1	1	BG 24927	BD 26563
Malignant	10	9	1	BD 23936 BF 24274, 25333, 25505, 25604 BG 21304, 24198, 25491, 28166	BD 24631
Neck.							
Inflammation.....	39	23	16	BC 27645, 28214	BC 26245, 28490, 28390

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Tumours— Non-malignant	10	3	6	1	BD 23958, 18482, 25179, 25100, 25173, 24463, 21421, 27126, 25866, 27293, 27525 BF 27514, 27441 BG 24816, 26768, 27466, 27732, 28484 BJ 26232, 28167 BK 26943	BD 24353, 24809, 26507, 27072, 27511 BF 28201, 26064,, 8582 BG 26060, 24010, 24448 BJ 26700, 26310
Malignant	11	4	7	BC 25382 BD 24352, 26638*, 27726	BC 16861 BD 22620, 26533 BG 25408, 27678 BJ 28050
Nervous System. Concussion	147	121	36	BC 24507 BD 23005, 24983, 13481	BC 25667 BD 23146 BF 16581, 28251 BG 23944, 24203 BJ 24081
						BC 23816, 24205, 24652, 24698, 15515, 24190, 24265, 24193, 24840, 25298, 26532, 27597, 27603, 27874, 27608, 28691, 28709 BD 24106, 24479, 24287, 24550, 25496, 26272, 26922, 26923, 26001, 27028, 25606, 25486, 27568, 27512, 26424, 25348, 27367, 26614, 26542, 26199, 25828, 26980, 26803, 26802, 26509, 27018, 28373, 27967, 10259 BF 24073, 24734, 25074, 25280, 25634, 25628, 25629, 26587, 25525, 26525, 26237, 26643, 26735, 27698, 28246, 28236, 28060, 28193, 28489 BG 24179, 24289, 24565, 24821, 24926, 25229, 25363, 15950, 25958, 26273, 26281, 26161, 26280, 26572,	BC 2554 9, 28692 BD 24432, 24546, 24850, 2974, 26609, 26715, 26108, 26764, 27084, 25871, 26267, 25720, 28511, 27130, 28552, 28076, 28077 BF 24186, 25217, 25228, 26584, 28248, 27634, 27471, 27694, 28772 BG 24566, 24815, 26222, 26984, 28577,

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
						26112, 25817, 26932, 26878, 26884, 26933, 27274, 27151, 27572, 27913, 28755 BH 25047, 24874, 26842, 26839, 26792, 26843, 26840, 26841, 27161, 27164, 27445 BJ 24614, 25206, 25330, 26672, 26782, 26316, 26522, 26574, 26558, 27385, 28292, 26840 BK 27016, 25994, 26195, 26094, 25987, 25995, 25856, 25988	BH 27059 BJ 25796, 25961
Inflammation.....	2	2				BD 22101, 25349	
Injury	2	1	1			BD 26462	BD 26748
Neuralgia.							
Trigeminal	12	2	10			BD 27967 BG 23813	BD 23991, 24554, 25725, 26313, 26132, 26789, 25393, 27543, 27370, 23991
Neoplasms.	30	16	9	3	2	BC 12180 BC 23118, 22631, 23905, 24298*, 23905, 22631, 25033*, 25962, 27366, 26225, 26833, 27405, 22631, 26695, 27292, 27910, 27155 BK 28177*	BC 4905* BD 25483, 22729, 26788, 25314, 25970, 27354, 27505, 27357* BF 27594, 27595
Nose.							
Tumours— Malignant	4	3	1			BD 27985, 28026 BF 4557	BK 26481
Oesophagus.							
Dysphagia	1		1				BF 23833
Fistulae	1	1				BD 23721	
Tumours— Malignant	7	3	3	1		BC 27492* BD 25870, 27893 BF 27091	BD 28754, 25756 BG 28324

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Omentum.							
Malformation	1	1	BF 24953	
Ovary.							
Tumour—							
Non-malignant	4	3	1		BC 24227. BD 23500*, 27187 BG 11623
			1		
Malignant	1	1		BC 27355
Palate.							
Malformation	12	6	5	1	BC 25220 BD 24880 BF 28019, 28229 BG 27705, 24381* BJ 24523	BD 24692, 4154, 14660 BG 23942, 24776
Tumour—							
Non-malignant	1	1	BD 24312	
Malignant	2	2	BF 26885 BK 26254	
Pancreas.							
Inflammation	4	2	1	1	BD 23940*, 22700 BF 27775	BG 26339
Tumour—							
Malignant	3	1	1	1	BG 25124 BK 27394*	BF 24368
Parotid.							
Inflammation	1	1	BG 25065	
Tumours—							
Non-malignant	5	1	4	BD 25578	BC 19686, 27363 BD 27942, 28765
Penis.							
Malformation	3	3	BD 14828 BF 26367, 28328	
Tumour—							
Malignant	3	3	BF 3087 BJ 27243, 27364	
Perineum.							
Inflammation	1	1	BD 27077	

Disease	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Injury	2	1	1			BD 25785	BD 26873
Peritoneum.							
Inflammation	10	5	1	2	2	BD 27189 BF 23607*, 25225*, 25738, 27695 BG 25619 BH 28204	BD 25439* BG 25836*, 28004
Malformation	14	4	10			BC 24447 BG 3114, 2552 BJ 25682	BF 24427, 25824, 27327, 28051 BG 27262, 9521, 27360, 27986
Tumours— Malignant	1				1		BF 25684*
Pharynx.							
Tumours— Malignant	6	2		3	1	BD 24230, 25092*, 26683 BG 28166*, 28269*	BD 26825*
Pituitary.							
Altered Function	1		1				BD 23671
Pleura.							
Pleurisy	2	2				BC 28584 BG 28146	
Prostate.							
Inflammation	2	2				BG 23775, 27945	
Hypertrophy	29	18		11		BC 23421*, 22528*, 23811, 23894 BD 23423, 22635, 25623, 10536, 26978* BF 23352, 26575*, 27328, 28192*, 23929* BG 12712, 27495*, 27468, 27978 BH 24560, 24125, 25456*, 26066, 26303, 27339*, 27068*, 27123, 26207, 26854* BJ 24222 BK 25544	

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Tumour— Malignant	7	6	1	BD 24313*, 25109 BG 26384 BH 24108, 26727, 27479 BK 26491	
Rectum.							
Inflammation	2	2		BC 28207 BF 24932
Stricture	1	1		BG 27254
Tumours— Non-malignant	3	2	1	BG 24045 BJ 26391	BF 23471
Tumours— Malignant	29	21	3	3	2	BC 24801, 25457, 25365 BD 10362, 18345, 27800*, 27686, 28483 BF 23310, 24785*, 24839*, 24973, 26489, 25694, 27651 BG 23904, 22222, 27035, 26501, 28732 BJ 24558, 25517 BK 21193, 27118	BC 23963, 24701, 25578* BF 26465* BG 21273
Salivary Glands and Ducts.							
Calculus	2	2	BD 24919, 26899	
Inflammation	4	3	1	BC 25992 BF 24616 BG 4035	BG 25914
Tumours— Malignant	1	1	BD 26863	
Scalp.							
Inflammation	1	1		BG 25144
Injury	18	15	3	BC 23816, 26257, 28105, 27950 BD 25557 BF 24683, 25399, 26412 BG 25123, 27089 BH 25047, 24741, 25004	BC 27501 BF 24742

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Tumours— Non-malignant	2	1	1			BJ 25330 BK 27173 BG 27104	BK 25021 BG 25323
Scrotum. Injury	1	1				BF 26087	
Skin. Malformation	1	1				BD 26337	
Tumours Malignant	1	1				BD 18889	
Spleen. Injury	1		1				BK 26964
Splenic Anaemia	3	3				BD 21952, 17013 BH 27020	
Stomach— Inflammation	9	7	2			BC 24720 BD 26534, 26765, 27590, 13509 BJ 28168, 28455	BG 24982, 25766
Hypertrophy	8	3	2	3		BD 23955, 26975* BF 24469, 26690*, 17475 BK 24471*	BF 27965 BJ 26406
Ulceration	37	21	12	2	2	BC 24623, 25213, 27607, 26846, 28285 BD 23733, 23459, 25797*, 27150, 28364*, BF 24369, 3656, 26971, 27586 BG 14018, 25008, 14661 BJ 24078, 24559, 26431, 26482, 27238, 28287	BC 23876*, 25107 BD 25817, 24980 28197, 27909* BF 24119, 12973 BG 26848, 27221 28071, BH 27538 BJ 25339, 27261
Perforation	27	16	3	8		BC 26761 BD 23959*, 13380, 28079*, 25428*, 27248* 28669* BF 23780, 24835 BG 24449*, 25268*, 25204, 23591, 25610, 28295	BF 11666, 23880 BG 24107

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Tumours— Non-Malignant	22	12	4	5	1	BH 24689, 26298 BJ 23896, 26513, 27476 BK 26259, 26905, 26962, 28215*	BC 26262*, 28675 BD 26736
Tumours— Malignant	11	7	2	2		BD 23925, 23105, 25534*, 24548, 26930, 27455, 25723, 21285 BF 25039, 26575*, 27930, 27423 BG 24620*, 24877, 26810*, 27813*, 21506 BJ 24746, 24279, 25054, 25474, 25950, 27741*, 28265 BK 24435*, 26261	BF 25660, 25917 BJ 25368 BK 26479
Teeth and Gums. Tumours— Non-malignant	6	2	4			BD 24999, 25624	BC 21257 BD 28560 BG 23834, 24228
Tendon. Injury	6	4	2			BD 25188 BF 28461 BG 27383 BK 24799	BD 28315 BF 25111
Tumours— Malignant	1	1				BG 26330	
Testicle. Atrophy	10	10				BC 24082, 24462 BD 23402 BG 24411, 25566, 25487, 26070, 28327, 28730 BJ 28447	
Inflammation	5	5				BD 15090 BF 25823 BG 25565, 27001 BH 26972	
Hydrocele	10	9		1		BD 23953, 24486, 26411 BF 24009, 25490, 26677, 28247*	

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
						BG 24389 BH 11168 BJ 26442	
Spermatocele	1	1	BD 23937	
Tumours— Malignant	1	1	BC 27519	
Thyroid and Parathyroid. Tumours— Non-malignant	72	7	61	2	2	BC 25115 BD 17931, 27856*, 25043*, 25184 BF 27259, 2619 BG 27112 BK 28155	BC 24046, 25671, 25664, 28467 BD 23939, 23731, 23993, 23992, 24022, 24202, 20368, 24141, 24424, 24176, 24878, 25181, 24883, 2129, 26483, 26564, 26410, 25650, 24424, 25060, 25769, 25800, 25464, 25219, 26488, 26536, 26535, 27315, 27048, 27497, 27546, 27928, 27895, 27589, 27060, 28230, 28527*, 28378, BF 13679, 24541, 24902, 25502, 27674, BG 24054, 25572, 26578, 25893, 27050, 27578, 27948*, 27923, 18974, 28239, 28313, BJ 28344, 28243, 27713, 24197 BK 26210
Tumours— Malignant	1	1		BG 14947
Tonsils. Tumours— Malignant	5	3	2	BC 20779 BG 28739 BJ 24354	BF 25254 BG 26250
Tongue. Tumour— Malignant	23	20	2	1	BC 23740*, 24079, 24630, 24258, 25447, 27684, 27487 BD 24460, 24866, 25946, 25451	

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Umbilicus.							
Inflammation.....	1	1				BF 20825, 24430, 24759, 20925 BG 26090, 26820, 150, 28269, 28736 BJ 25974	BF 25732, 25283
Ureter.							
Calculus	7	6	1			BD 24976 BC 24087, 23628 BF 24316, 26374, 28308 BH 28598	BG 25765
Urethra.							
Calculus	2	2				BH 25285 BK 4465	
Injury	27	23	1	3		BC 19804, 25281, 28488* BD 25137, 25691, 26978* BF 24254, 24941, 22667, 25794, 27569, 27982, 27858, 27735 BG 25269, 26276, 27030, 27621, 27531* BH 24098, 16851, 14739, 11974, 1187, BJ 24240, 26209	BF 25662
Uterus.							
Fibroid	1		1				BF 28546
Veins.							
Inflammation	1		1				BD 26383
Varicocele	3	3				BD 25102 BJ 24594, 25248	
Varicose	1	1				BJ 25086	
Miscellaneous	63	27	33		3	BC 24793, 24879, 24529, 25048, 25238 BD 23945, 26378, 27893	BC 27575, 28035, 25594, 25171, 25033, 25260, 24627, 28734, 24585, 26760* BD 24357, 22686, 25315, 26296, 27778, 28418, 26956, 28017,

GYNAECOLOGICAL INDEX

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
						BF 24517, 25802, 26623, 25897	BF 23697, 26636, 24455*
						BG 23828, 18822, 27862, 27915, 28760, 28759, 28574	BG 28457, 28329, 24769, 10448, 28571
						BH 25581, 27019, 24306, 18358	BH 25119, 25239*, 29326
						BJ 27680, 28110, 28578	BJ 27964, 27005, 26486, 26230, 24196
						BK 26961	BK 25813, 24069

GYNAECOLOGICAL INDEX.

Disease.	Total	Dis- ch'ged	Died	Index Nos.
				Female.
Abortions.				
Incomplete	21	21	CA 26349, 26444, 26402 CB 24522, 24551, 24864, 25200, 26602, 27523, 28454, 28513, 28608 CC 23997, 24396, 25447, 26346, 25864, 26846, 26900, 27413, 12560
Cervix Uteri.				
Inflammation				
Chronic	77	77	CA 23825, 23869, 23786, 23868, 24401, 24445, 24609, 24216, 24577, 24996, 25040, 25198, 10543, 26635, 26287, 22584, 26358, 26709, 26520, 26755, 26460, 27002, 27560 CB 23847, 9521, 24250, 24635, 24809, 18133, 25058, 27502, 23523, 27626, CC 23768, 23765, 23851, 24236, 23849, 24536, 24693, 24750, 7424, 5729, 25968, 23583, 25845, 26228, 26314, 26678, 26673, 26823, 26830, 27006, 26953, 27115, 27193, 212, 27194, 27458, 27462, 27533, 27406, 27657, 27623, 23882, 27868, 27558, 27901, 28635, 27899, 28482, 28064, 28245, 28252, 28297, 28445, 28628
Erosion	16	16	CA 24837, 25120, 13830, 27461 CB 24784, 25554, 28022 CC 24246, 24836, 24248, 25776, 26641, 27449, 27712, 27661, 27815
Laceration	7	7	CA 23030, 14620 CB 24332, 24787, 25152, 25196, 28232
Tumours—				
Non-malignant	4	4	CA 24763 CC 25656, 26122, 27642
Malignant	44	44	CA 23524, 2731, 9899, 25655, 25855, 26124, 25996, 26679, 25996, 23468, 25868, 26396, 19706, 27296, 20731, 26679 CB 23472, 24115, 23645, 26582, 23732, 27627, 28683 CC 24331, 17206, 24408, 22541, 24818, 25006, 21562, 22542, 25431, 25553, 25418, 26165, 26665, 26229, 26891, 26361, 17154, 25431, 21167, 27154, 28746
Dysmenorrhoea.....	9	9	CA 26125 CB 23582, 27631, 24024, 24097, 8672 CC 7424, 26457, 28063
Ectopic Gestation	9	9	CA 24185, 1463, 26416, 26713 CB 24707, 27779, 27891 CC 23999, 25309

Disease.	Total	Dis- charged	Died	Index Nos.
				Female.
Fallopian Tubes.				
Inflammation.....	35	34	1	CA 23772, 23781, 24478, 24966, 25209, 25484, 25583, 26712, 26795, CB 25152, 25689, 25614, 25956, 25997, 26226, 27779, 27591, 12407, 27911 CC 14536, 20238, 24014, 22125, 24752, 24782, 25157, 24747, 25183, 24990, 27042*, 26813, 24813, 28086, 28231, 28332
Fistulae	1	1	CA 24915
Menorrhagia and Metrorrhagia.	3	3	CA 24862 CB 24825 CC 27313
Ovaries and Broad Ligaments.				
Cystic Ovaries	15	15	CB 23857, 24144, 3925, 24250, 24332, 25575, 106, 27125, 12407, 27535, 28024, 28103, 28605, 28530 CC 24620
Ovarian Cyst Twisted	6	6	CA 27459 CB 17912, 28476 CC 24687, 25278, 25685
Tumours and Cysts— Non-malignant	24	23	1	CA 24589, 26032, 26175, 26172, 26179, 26629, 27196, 27431* CB 23766, 23685, 24221, 25990, 27870 CC 23933, 25409, 26579, 27066, 27121, 27192, 27419, 27430, 27818, 28365, 27714
Malignant	3	1	2	CA 25105* CB 28395 CC 20546*
Perineum.				
Deficiency	26	26	CA 24442, 24561, 24964, 25849, 26459, 26829, 27093 CB 23907, 24144, 25500, 27380, 27626, 2684, 28122, 28134, 28210, 28122, 24145 CC 24764, 24860, 25742, 25659, 26852, 27558, 27818, 28445
Peritoneum and Parametrium.				
Inflammation.....	7	7	CA 24587, 25860, 26357, 25808, 27566 CC 26911, 27449

Disease.	Total	Dis- ch'ged	Died	Index Nos.
				Female.
Pyelitis	1	1	CC 28272
Sterility	10	10	CA 24966, 24901, 24965, 26674 CC 24024, 24476, 24483, 26958, 27378, 26369
Urethra.				
Caruncle	3	3	CA 13021 CB 25259 CC 27229
Uterus.				
Pregnancy	9	9	CA 24109, 26795 CB 23578, 27337, 27822, 28581 CC 25171, 26081, 27667
Caesarean Section	15	15	CA 24188, 24307, 19298, 26129 CB 7065, 22752, 26541, 28186, 28763, 28355 CC 23961, 27349, 27836, 28557, 28775
Prolapse	31	31	CA 24223, 25413, 23058, 26253, 26756, 27507 CB 24126, 24242, 23693, 16471, 24984, 25687, 23582, 25668, 25504, 26356, 26851, 27008, 27648, 27715, 28304, 7012 CC 24039, 25162, 26057, 25686, 26850, 9114, 28330, 28442, 28441
Endometritis	62	62	CA 26755, 26709, 22584, 23786, 23869, 1113, 24445, 24401, 24609, 24216, 24577, 15462, 24853, 24996, 25120, 25040, 10543, 25198, 26287, 22585, 19786, 27300, 27461 CB 9521, 24149, 25359, 24807, 11395, 27502, 27134, 23503, 28389, 22200, 28523 CC 23849, 24236, 23851, 23910, 24536, 24750, 5729, 26673, 26675, 26314, 26228, 27006, 26834, 26823, 26953, 27154, 27144, 212, 27193, 27462, 27458, 27657, 27661, 27901, 27899, 28252, 28245, 28635
Metritis	37	37	CA 19372, 23868, 16067, 24247, 23886, 24092, 24155, 24712, 25710, 25350, 25362, 25110, 25770, 26121, 26079, 26174, 26505, 27003, 27311, CB 10179, 23367, 26585, 26767, 26766, 19789, 27600, 27814 CC 23938, 26583, 26849, 17510, 27815, 27774, 4194, 28235, 28729, 28628
Tumours— Non-malignant	34	32	2	CA 24438, 24459, 24589, 6930, 25379, 26084 26030, 26800 CB 24336*, 24332, 24519, 25901, 25869, 25675, 26171, 27023, 27504, 27639, 27820, 24519, 15277, 28391

Disease.	Total	Dis- charged	Died	Index Nos.
				Female.
				CC 24099, 24437, 25344, 25733, 26386, 26283, 27419, 27025*, 27902, 28135, 28241, 28367
Malignant	8	7	1	CA 25991 CB 24555*, 26312, 27299 CC 24795, 24937, 17294, 28211
Vagina				
Inflammation	1	1	CB 12407
Tumours—				
Malignant	8	8	CB 24421, 23583, 25279, 24894, 26180 CC 18905, 19805, 28075
Vulva.				
Inflammation	2	2	CA 26123 CB 24423
Tumours—				
Malignant	7	6	1	CA 25352, 26029 CB 22223, 18094 CC 23399, 24403, 28307*
Miscellaneous.	8	7	1	CA 23824, 25256, 25663, 27024 CB 27668, 27669 CC 27987, 27183*

OPHTHALMIC INDEX.

Disease	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Choroid.							
Tumours—							
Malignant	1		1				DB 27927
Ciliary Body.							
Tumours—							
Malignant	1	1				DC 27500	
Conjunctiva.							
Inflammation.....	6	2	4			DC 25538, 25404	DC 24034, 24547, 24770, 25346
Cornea.							
Inflammation							
Superficial	20	15	5			DA 35277, 25593, 26404 DB 24370, 24800, 24654, 25299, 26434, 28651 DC 25233, 25240, 25255, 25972, 26571, 27850	DB 28163, 2851 DC 24034, 26342, 28190
Deep	20	16	4			DA 24072, 25977, 25533, 27205, 28023, 28718 DB 24266, 2290, 26433, 26991, 25737 DC 25786, 25347, 26341, 26244, 27157	DB 27756, 28449 DC 28314, 24773
Eyelids.							
Ectropion	4	2	2			DB 24531 DC 24751	DA 24846 DC 28031
Tumours—							
Non-malignant	5	3	2			DA 24340, 27959 DC 26308	DC 26027, 28379
Malignant	3	1	2			DB 20553	DB 25791 DC 25334
Iris.							
Inflammation—							
Chronic	11	4	7			DB 24834, 28634, DC 24502, 18507	DB 24491, 24444, 25191, 25621, 25031, 26385 DC 27697
Prolapse	6	6				DB 25403, 25514, 28056, 28886 DC 25029, 25657	

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Lachrymal Sac.							
Inflammation							
Chronic	28	5	23			DB 8385, 25321, 26057, 27777, 10661	DA 26292 DB 24235, 23888, 24431, 24126, 24413, 25322, 25945, 26661, 26701, 26882, 27257, 27365, 27721, 22430, 28121, 28238, 28441, 28749 DC 26576, 27580, 24275, 27220
Obstruction	4	1	3			DA 27404	DA 26518 DC 26586, 27103
Mucocele	2		2				DB 26429 DC 25312
Lens.							
Cataract							
Complete	132	76	56			DA 24194, 24016, 23976, 24890, 26208, 27845, 25764, 26106, 26439, 10545, 27034, 26208, 27071, 25764, 19327, 27612, 27625, 12934, 28745, 28649, 28375, 28548, 7516, 28548 DB 13244, 24334, 10661, 24278, 13971, 24794, 25030, 24713, 25862, 25703, 25949, 25942, 26428, 26892, 26702, 20708, 27263, 27267, 27402, 27210, 27777, 27771, 28025, 28020, 28284, 28283, 28443, 28465, 28341, 28345 DC 24062, 24656, 24621, 24540, 24735, 5185, 24997, 25889, 26184, 26331, 26149, 26441, 26649, 26608, 27656, 27984, 25123, 26649, 28107, 28165, 28173 28425	DA 27302, 28582, 25523, 25850, 25863, 26152, 25851, 23889, 24116, 17160, 23901, 24451 DB 24243, 24201, 24847, 24849, 24925, 25469, 25501 6439, 25885, 26051, 25943, 23729, 26355, 2390, 26662, 28121, 28648, 26992, 8410, 27282, 17868, 27515, 25863 DC 25437, 25482, 16000, 21967, 16790, 26153, 23482, 26013, 26178, 26471, 12220, 26704, 21003, 27220, 27219, 21752, 27823, 27804, 28694, 28006, 28649
Partial	4	3	1			DA 24110, 26333 DB 25857	DB 27158

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Congenital	5	3	2	DA 28290 DB 28561 25319	DA 23902 DC 26472
Dislocation	2	1	1	DC 24760	DC 13168
Tumours— Malignant	1	1	DB 28665	
Muscles of Eyeball. Concomitant Squint	10	3	7		DA 25770 DB 26487, 26517, 27209 DC 26173, 26777, 26163, 25908, 26743 26053,
Paralysis— Internal	8	1	7		DA 25183, 28559 DB 24128, 25080 DC 24066, 25542, 28747 DB 24629
External	1	1	DC 24158	
Optic Nerve. Optic Neuritis	1	1		DC 24760
Orbit. Tumour— Malignant	1	1		DC 25334
Retina. Detachment	9	7	2	DA 12554 DB 24812, 27772 DC 24464, 24732, 24619, 26214	DA 24113, 26295
Inflammation— Chronic	2	2	DC 21953, 23986	
Sclerotic Staphyloma	3	2	1	DB 24578, 28547	DA 21947
Eyeball. Glaucoma— Acute	4	1	3	DA 9252	DA 25294, 21312 DB 23794
Chronic	26	15	11	DA 21484, 8762, 24888, 27236 DB 23807, 24208, 27691, 28284 DC 23120, 24324, 18067, 25714, 26190, 26649, 8521	DA 28003, 28583 DB 26606, 27764 DC 24233, 24897, 25770, 26706, 27647, 28055 27999

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
Panophthal- mitis	6	3	3	DC 24645, 25014, 25626	DA 24452, 27624 DB 15640
Ruptured Globe	15	12	3	DA 27037 DB 24182, 25128, 25402, 25678, 27065, 26836, 26817, 27428, 28056 DC 27038, 4275	DB 25317 DC 25964, 27470
Ophthalmia Neonatorum	3	3	DB 25095 DC 25076, 26870	
Contracted Socket	3	3		DA 25601 DB 25084 DC 27101
Miscellaneous	1	1		DA 27452

AURAL INDEX.

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Face.							
Tumours—							
Non-malignant	1	1	EC 12394	
Pharynx and Naso-Pharynx							
Hypertrophy of Contents							
Tonsils	191	80	111	EC 24472, 24958, 24481, 24676, 25370, 25375, 25098, 24844, 24960, 25555, 25452, 25515, 25052, 24940, 25728, 25085, 26072, 26058, 25984, 25953, 25935, 26744, 26255, 26566, 26645, 26621, 26619, 26592, 26550, 26422, 26332, 26458, 26450, 18240, 25833, 26768, 26730, 27049, 26593, 27378, 27794, 27389, 27796, 27740, 27875, 27907, 28468, 28199, 28289, 28708, 28594, 28255, 25380	EC 28370, 28426, 24329, 23913, 24572, 24576, 24702, 24088, 24670, 24184, 24269, 24704, 24373, 23777, 25516, 25243, 25057, 25338, 25337, 25576, 25778, 25784, 24154, 25640, 24977, 23760, 25563, 25855, 25986, 26101, 26099, 26100, 23618, 26264, 26343, 26329, 26320, 26353, 26352, 26526, 26529, 26666, 26754, 26551, 26983, 27080, 26916, 26717, 24809, 27325, 27332, 27179, 27283, 27559, 27560, 27206, 27477, 27700, 17980, 25401, 28008, 27637, 27844, 27865, 27191, 27919, 27379, 28084, 27677, 28466, 28521, 28195, 28085, 27746, 28267, 28320, 28030, 28026, 28564, 28477
						ED 28398, 23977, 24058, 24005, 24481, 25398, 25197, 25011, 25012, 26011, 25612, 26188, 26694, 26596, 26397, 18135, 27237, 27356, 27530, 27141, 27437, 27784, 27805, 27854, 27899, 27955, 28323	ED 7927, 24440, 23885, 23890, 24542, 25009, 25304, 25415, 25199, 24319, 25166, 24440, 25912, 26189, 26266, 26595, 27062, 26950, 27046, 27045, 27234, 27438, 27333, 27956, 27857, 27803, 27435, 28148, 28325, 28321, 27266
Tumours—							
Non-malignant	3	2	1	EC 23435, 26319	EC 25564
Malignant	6	5	1	1	EC 23395 ED 23981, 27951, 28637	EC 21253*, 27411

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
Oesophagus.							
Foreign Body.....	4	2	2	EC 26075, 28294	EC 26297, 27879
Dysphagia with Anaemia	12	1	11	ED 27241	EC 24123, 23926, 25087, 25951, 26050, 24597, 26531, 27845, 27392 ED 24060, 24641
Tumours— Non-malignant	1	1	ED 27709	
Malignant	10	8	1	1	EC 22410	EC 22924, 24391, 25284, 25756, 25284, 27251, 27992 ED 27804, 26198*
Air Passages and Nose.							
Foreign Body.....	2	2	EC 24955 ED 24543	
Polypi	24	14	10	EC 25556, 25458, 26043, 25741, 26718, 26554, 26982, 26286, 25525 ED 23974, 25414, 25730, 24544, 27177	EC 8362, 24939, 12932, 26644 ED 24439, 24441, 26329, 27082, 27799, 27963
Turbينات	41	21	20	EC 24960, 24845, 25727, 25947, 25926, 25562, 24765, 26221, 24943, 28196, 28257, 28377, 27866, 28458, 28349, 28658 ED 27102, 27439, 28059, 28223, 28224	EC 25587, 24936, 27496, 27555, 27376, 27410, 27635, 28350, 28092, 28361, 28351, 28421 ED 27159, 26293, 27345, 27240, 27536, 24986, 27142, 27853
Deformities	1	1	EC 27393	
Tumours— Malignant	2	2		EC 22495, 5585
Septum.							
Deviation	75	59	16	EC 22538, 24679, 24584, 24296, 25244, 25097, 25099, 25167, 25231, 25643, 15444, 25462, 25638, 25639, 25401, 24731, 25788, 25941, 22078, 26426,	EC 24093, 25019, 25852, 25454, 26223, 27012, 26322, 26912, 27324, 27635, 27410, 28097

Disease.	Total	Dis- ch'ged		Died.		Index Nos.	
		M	F	M	F	Male	Female
						26528, 26620, 26667, 26753, 26725, 26646, 26630, 27078, 26889, 27265, 27377, 27636, 27501, 27180, 27043, 27744, 27876, 27917, 28090, 28563, 28554, 28472, 28183 ED 24357, 24350, 24187, 25302, 25010, 25051, 25103, 25613, 25911, 26014, 27079, 27334, 27172, 27708, 28150, 28526	ED 24167, 27054, 27171, 28149
Mucosal Infections.							
Hypertrophic Rhinitis	11	6	5			EC 23924, 27877, 24007, 23998 ED 24059, 27233	ED 27717, 27707, 27710, 24127, 26291
Sinus Infection.							
Ethmoid	5	3	2			EC 24008 ED 27148, 27149	EC 24386, 24231
Frontal	19	13	4		2	EC 24229, 24035, 25782, 25781, 24783, 24499, 24480, 18824 ED 24443, 24814, 26498, 27055, 28344	EC 25091, 24740* 24004 ED 25126*, 26390, 28222
Maxillary	9	4	4	1		EC 23663, 27593, 24963, 27654	EC 24069*, 25774 ED 22958, 26988, 27081
Tumours— Malignant	2	1	1			EC 17614	EC 25545
Larynx.							
Stenosis	1			1		EC 21092*	
Tumours— Non-malignant	1	1				EC 27993	
Malignant	6		3	2	1	EC 26762*, 27464*	EC 23266, 24100, 24841 ED 25195*, 23975
Ear.							
Tumours— Malignant	1	1				EC 26890	

Disease	Total	Dis- ch'ged		Died		Index Nos.	
		M	F	M	F	Male	Female
External Meatus— Infection	20	16	4	EC 23412, 23764, 24124, 24969, 24786, 24552, 24407, 26590, 26555, 26976, 27291, 27306, 27937, 28319, 28505 ED 23366	EC 25125, 24938 28643 ED 26785
Middle Ear— Acute	6	4	2	EC 23914, 24051, 27795 ED 25599	ED 24725, 27970
Chronic	31	18	12	1	EC 23799, 24295, 23915, 24433, 23630, 22656, 24006, 25059, 25780, 23842, 25585, 26256, 26650, 26158 ED 23722, 24164*, 26020, 24637, 24538	EC 23211, 23790, 21093, 23767, 24292, 25236, 26801, 28764 ED 22344, 23521, 23982, 26019
Complications.							
Lateral Sinus Thrombosis	1	1	EC 24241	
Meningitis	1	1	ED 24164*	
Mastoiditis	132	63	69	EC 23027, 23448, 22919, 24286, 23248, 24931, 14723, 25193, 24872, 24781, 25335, 25090, 25272, 25205, 24498, 24696, 24436, 24738, 25273, 24283, 24573, 25446, 24281, 25875, 24600, 23877, 26041, 25439, 26088, 25837, 23247, 26658, 26798, 26926, 26323, 26435, 27285, 27375, 27734, 27418, 27426, 25282, 27953, 28336, 28405, 27952, 28057, 22919, 28281, 25459 ED 7819, 25535, 25208, 26599, 23370, 26349, 26947, 26938, 27549, 25208, 27250, 28225, 28202	EC 23220, 23624, 23344, 24021, 24346, 24406, 23952, 24395, 23951, 25274, 25224, 24848, 23462, 24615, 24922, 24871, 24344, 25588, 25340, 24945, 24979, 24605, 25649, 25632, 24736, 25832, 25983, 23760, 24603, 24612, 25573, 24729, 25245, 26556, 26157, 26260, 26670, 26927, 27281, 26835, 25236, 27498, 24703, 27178, 27990, 27837, 27834, 27918, 27663, 28293, 27681, 28495 ED 23370, 20488, 24040, 25313, 24256, 24539, 24553, 24707, 24978, 25779, 26600, 21219, 23041, 27810, 27809, 28329, 28542

Disease	Total	Dis- ch'ged		Died		Index Nos.	
						Male	Female
Mastoid Glands	2	M	F	M	F	ED 25026, 27769	
Miscellaneous.							
Abscess Neck	2		2				EC 24226, 18025
Epistaxis	2	2				EC 23412 ED 23736	
Bronchiectasis	2		2				EC 23160, 24493
Non-classified	14	5	9			EC 23922, 25341, 9789, 27557 ED 26305	EC 23595, 23431, 24950, 25215, 23960, 27769, 28568, 28564 ED 27534

DERMATOLOGICAL INDEX:

Disease	Total	Dis- ch'ged		Died		Index Nos.	
						Male	Female
Dermatitis		M	F	M	F		
Herpetiformis	1	1		FA 25177*
Dermatitis							
Seborrhoeic.....	1	1		FA 26396
Eczema,							
Chronic	4	3	1	FA 19062, 27846	FA 22516
Erythematosum.							
Psoriasis	2	1	1	FA 24607	FA 25518
Lichen Planus	1	1	FA 24061	
Pityriasis Rubra	1	1	FA 20575	
Pruritus Ani	1	1	FA 25192	
Ulcers Varicose	1	1		FA 25854
Xerodermia	2	2	FA 19062, 27846	
Miscellaneous	1	1		FA 28701*

DERMATOLOGICAL INDEX

Disease	No. of Cases	Sex	Age	Date	Ref.	Notes
Acne	1	M	18	1901	1	
Eczema	2	F	25	1902	2	
Scabies	1	M	30	1903	3	
Psoriasis	1	F	40	1904	4	
Syphilis	1	M	50	1905	5	
Herpes	1	F	20	1906	6	
Impetigo	1	M	10	1907	7	
Ringworm	1	F	15	1908	8	
Urticaria	1	M	22	1909	9	
Neurodermatitis	1	F	35	1910	10	
Pruritus	1	M	45	1911	11	
Paronychia	1	F	12	1912	12	
Onychomycosis	1	M	60	1913	13	
Trichomycosis	1	F	28	1914	14	
Trichotillomania	1	M	38	1915	15	
Trichostema	1	F	18	1916	16	
Trichotrichomania	1	M	48	1917	17	
Trichotillomania	1	F	28	1918	18	
Trichotrichomania	1	M	48	1919	19	
Trichotillomania	1	F	28	1920	20	
Trichotrichomania	1	M	48	1921	21	
Trichotillomania	1	F	28	1922	22	
Trichotrichomania	1	M	48	1923	23	
Trichotillomania	1	F	28	1924	24	
Trichotrichomania	1	M	48	1925	25	
Trichotillomania	1	F	28	1926	26	
Trichotrichomania	1	M	48	1927	27	
Trichotillomania	1	F	28	1928	28	
Trichotrichomania	1	M	48	1929	29	
Trichotillomania	1	F	28	1930	30	

