Reports of the Surgical Registrar, Resident Medical Officer, Obstetrical Registrar, Pathologist and Radiographer: 1916 / North London or University College Hospital.

Contributors

University College Hospital (London, England)

Publication/Creation

[London]: [publisher not identified] 1916

Persistent URL

https://wellcomecollection.org/works/zrgrx43z

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org 181 a

NORTH LONDON

OR

UNIVERSITY COLLEGE HOSPITAL

GOWER STREET, LONDON, W.C.

REPORTS

OF THE

SURGICAL REGISTRAR,

RESIDENT MEDICAL OFFICER,

OBSTETRICAL REGISTRAR,

PATHOLOGIST,

AND

RADIOGRAPHER

FOR





CONTENTS.

1916.

SURGICAL REGISTRAR'S REPORT :-

TABLE I.—Classified Table of Diseases and Injuries.

APPENDIX TO TABLE I.

RESIDENT MEDICAL OFFICER'S REPORT: -STATISTICAL TABLES.

OBSTETRIC REGISTRAR'S REPORT: -GYNÆCOLOGICAL CASES.

PATHOLOGIST'S REPORT.

RADIOGRAPHER'S REPORT.



NORTH LONDON

OR

UNIVERSITY COLLEGE HOSPITAL

GOWER STREET, LONDON, W.C.

REPORTS

OF THE

SURGICAL REGISTRAR,

RESIDENT MEDICAL OFFICER,

OBSTETRICAL REGISTRAR,

PATHOLOGIST,

AND

RADIOGRAPHER

FOR

1916

London:

PRINTED BY JOHN BALE, SONS & DANIELSSON, Ltd. 83-91, GREAT TITCHFIELD STREET, OXFORD STREET, W.

Digitized by the Internet Archive in 2019 with funding from Wellcome Library

REPORT

OF THE

SURGICAL REGISTRAR

FOR

1916

PREFACE.

THE Surgical Report consists of a Classified Table of Diseases and Injuries, followed by an Appendix, in which the cases are referred to individually by their number in the Hospital Register.

Cases treated by the Ear, Nose, and Throat Department are included in the total admissions for the year, but are not classified in the Table or Appendix.

The Notes are bound in the order in which they are arranged in the Report.

Cases in the Military Wards do not appear in these lists.

C. E. SHATTOCK,

Surgical Registrar.

January 21, 1917.

1916.

SURGICAL	CASES	The second secon		Hospital		31,	107
Do.	do.	admitted					1,492
							1,599
SURGICAL 1916		remaining	in	Hospital,	De	31,	99

CLASSIFIED TABLE OF DISEASES AND INJURIES.

TABLE I.

Showing Total Number of Cases of each Disease or Injury which were Discharged or Died during 1916.

Note.—This Table only includes those Patients actually admitted into the Wards, so that the figures only approximately indicate the number of cases treated surgically.

Malformations.	Total	М.	D			- 10
Malformations.			F.	M.	F.	Appendix
MALFORMATIONS.						Page
						11150
Cleft palate	6		6			
Hare-lip	1		1	:		
Congenital torticollis	2		2 2			1
,, talipes and equino-varus Undescended testis	8	2 8	2	***		
Radio-ulnar synostosis	1		1			
? Cervical rib	1		1	***		
Congenital stenosis of colon	1			1		
,, dislocation of hip	11	9	2			
Thyroglossal cyst	5	3	2 5			
Pharyngeal pouch	1	1				
		100	TENER	1 199	THE .	1
DEFORMITIES FROM INJURY OR DISPASE.						
Dupuytren's contraction	2	2				
Ingrowing toe-nail	1	***	1			
Hammer toe	2 3		2 3			
Hallux valgus	3	ï	2		***	
Kyphosis	1	1				
Scoliosis	2	1	1			
Talipes equino-varus following anterior						
poliomyelitis Deformity of fingers after injury	2	3	1 2			
Contraction of knees	1	ï				
Continued of Anoco						1. 1. 18
Nervous System.						1
Epilepsy	3	3				
? Chronic meningitis	1	. 1				
Spastic paraplegia	2	1	1			
Trigeminal neuralgia	4	1	3	ï		1 7 3 1
Cerebellar cyst? Cerebellar cyst	1	ï				
Cerebral tumour	1	i				1
Sarcoma of dura mater	1		1			1
Tumours of nerves	2	2				1
Pain following nerve injuries Injuries to nerves	5	3 5	2			
	0	0	-			
Nose.						
Carcinoma of maxillary antrum	1		1			
Epithelioma of nose	1	1	***	***		

DISEASES	Total	Discharged		Died		Reference
DISEASES	Total	M.	F.	M.	F.	Appendix
						Page
RESPIRATORY SYSTEM.			Viney's	one of	NA HE	2015
Carcinoma of larynx	1	1 .				
? Tuberculous laryngitis	1	1				
Syphilitic laryngitis	1		1	***		Carried States
Bronchitis	2	1	1		*	all years
Bronchiectasis.: Tuberculosis of lung	2 7	6	1	7773	***	billing T
Empyema	16	5	7	4		1
	10		200	7		
THYROID GLAND.				WEN !		
Adenoma	14	2	12			
Colloid goitre	14 %	3	11			Barrie !
Exophthalmic goitre	12	1	11			SCHOOL .
CIRCULATORY SYSTEM.				lo anui	NEW TOWN	glisti
	200	-		all 1	ianol s	mois3
Varicose veins	24	11	13			
Diabetic gangrene	3		2 2	. 1	- 17.8	
Senile gangrene	2 1	1	The state of			
Aneurism	3	2		ï	lo'time	DE ONL
Nævus	1	1				
Elephantiasis	1	1				
Acute endocarditis	1		***		1	
LYMPHATIC SYSTEM.		3/2			-	
Syphilitic glands of neck	2.	2		10000		
Lymphadenoma	1		ï			
Sarcoma of axillary glands	2	2				BANDS I
Malignant glands of neck	9 .	7	2			BUDE !
,, inguinal glands	1	1		14.		
Suppurative adenitis of neck	5	2	3			1
Chronic adenitis of neck	1 4	2	1 2	/		
Tuberculous mediastinal gland	1	1				
,, glands of mesentery	1		1			
,, inguinal glands	2	1	1			NISH OF B
,, axillary glands	5	2	3			12113-
,, glands of neck	71	25	46		***	
MOUTH AND SALIVARY GLANDS.		1		1011111		
Alveolar abscess	1	4 14 3	1	- T	TO IN	Paris 1
Mal-erupted molar tooth	1	1	١		8	
Acute suppurative glossitis		1				
Chronic superficial glossitis	1	1	***			-
Tuberculous tongue	1	1				The same
Papilloma of tongue	2	2	ï		***	1
Mucous cyst of tongue	1		1	***	***	

	*	Disch	arged	Died		Reference
DISEASES	Total	M.	F.	M.	F.	Appendix
						Page
MOUTH AND SALIVARY GLANDS (continued).		-				
Ranula	2	1	1			
Fibrous epulis	3 2		3 2			
Epithelioma of lip	7	7				Pan a
,, ,, floor of mouth	1 6	1				BANK
,, ,, tongue	2	6	1			
Endothelioma of gum	1	ï	1			
Syphilitic ulceration of palate	. 2		1 2			
Malignant tumour of parotid Tuberculous disease of parotid	1		1			
Chronic tonsillitis	1		1			
PHARYNX AND ŒSOPHAGUS.					A TOTAL	
Carcinoma of pharynx, ,, esophagus	2 6	2 3	3			
,, esopnagus	0	,	3	***		Trans.
STOMACH.		-				
Dyspepsia	1 1	1	ï	A		
? Gastric ulcer	6	5	1			Marie 1
Pyloric obstruction from scar	3 2	1 1	2	ï		
Perforated gastric ulcer	7	1	2	1	3	
Carcinoma	18	8	5	3	2	
Duodenum.	-					
Duodenal ulcer	3 3	3 2		ï		-
Intestines.		17/25				
Abdominal pain	7	4	3	-		15.5
Constipation	5 4	2	5 2			1911
Fæcal fistula Tuberculous enteritis	1				1	12000
Incomplete intestinal obstruction Intussusception	3 2	1	2	- 1	1	
Acute obstruction by band	16	6	6	2	2	

		Disch	narged	D	ied	Reference
DISEASES	Total	M.	F.	M.	F.	Appendix
						Page
APPENDIX.						
Appendix removed during quiescent period	35	15	-20			
? Appendicitis	14 5	5	9 2			
Acute appendicitis—	0	0	2	***		
i. Operation, no drainage	33 12	11	22			
ii. Operation, drainage	12	5	7		***	The second
i. Appendix removed	30	13	17			
Appendicitis with spreading peritonitis	7	5	2 2	***		
,, ,, general peritonitis	4	1	1	1	1	
Residual abscess following appendicitis	4 1 2	2	1	***		1 3 3
Typhlitis ? appendicitis	1	1200	1			tion to be
Sinus following operation for appendicitis	.4	3	1			tuned:
RECTUM AND ANUS.						
Internal hæmorrhoids	11	7	4		***	
? Hæmorrhoids	1	1			***	
Fistula in ano	10	6	4			
Prolapse of rectum	2 .	1	1.	***	2	10015
Papilloma of rectum	3	***	3		***	
Chronic indurative proctitis	1	*	1			
Carcinoma of rectum	23	10	7.	6	***	
LIVER AND BILE PASSAGES.						
Cholelithiasis	25	5	19	1		
Acute non-calculous cholecystitis	1 4		1 4			
Obstruction of common duct	1		1		***	
Carcinoma of gall-bladder	1				1	
? Liver abscess Enlargement of liver	1 1	1	1		***	
Cirrhosis of liver	2	1		1		OU THE
PANCREAS.			2-0-1			
Carcinoma of pancreas	2			1	1	Total I
Pancreatic cyst	2		2			DESIGNATION !
Acute pancreatitis	3		3		***	
PERITONEUM.			1166	No. of the	4	West !
Tuberculous peritonitis	5	2	3			
Pneumococcal peritonitis	1 1		***		1	1
Processing Particular					-	

		Disc	harged	D	ied	Reference
DISEASES	Total	M.	F.	M.	F.	Appendix
						Page
HERNIA.						
Inguinal	89	71	18			
,, recurrent	2	2				
Femoral Umbilical	7 3	2	5 2	***		
Hernia through linea alba	1	1	2		***	
,, ,, abdominal scars	. 7	6	1			1776
Strangulated—					1	
Inguinal Femoral	5 10	3	8	1	1000	
Umbilical	2		1		1	
	No.	1		1		
URINARY TRACT.						
Manabla bidasa	E		F	7.7		1
Movable kidney	5		5			
Hæmaturia ?cause	4	3	1			
Pyelitis	2	1	1		112	
Hydronephrosis	2 2 1	1			1	
Malignant tumour of kidney Perinephric abscess	2	2		1		
Tuberculosis of kidney	5	2	2	1		
Renal calculus	5	3.	. 2	***		
? Renal calculus	1		1		192	
Ureteric calculus	1 2 4	1 2	***	***		
Vesical calculus	4	2	2			
Carcinoma of bladder	. 3	3				
Recurrent papilloma of bladder	1	1		***		
MALE GENERATIVE ORGANS.			100		10000	
Varicocele	2	9	1030		0.14	
Hydrocele of cord	1	1	***			1000
Encysted hydrocele of epididymis	3 7	3				195
Hydrocele of tunica vaginalis	7 4	7	***			
Tuberculous epididymitis	1	4				
Urethral stricture	10	9		1		3
Malignant growth of testis	3	3				214000
Senile enlargement of prostate	16	12		4		
? Enlarged prostate	1 2	1 2	***	***		
Hæmaturia from tuberculous prostate Carcinoma of prostate	4	3		i		
	10 19 19					
FEMALE GENERATIVE ORGANS.						
Ruptured ectopic gestation	1		1			
Refroversion of uterus	1		1			
Fibroid of uterus	1 1		1			
Prolapse of ovary	1		1			

* Digital Control	Tarel	Disch	arged	Di	ed	Reference	
DISEASES	Total	М.	F.	М.	F.	Appendix	
FEMALE GENERATIVE ORGANS (continued).						Page	
Ovaritis Ovarian cyst Salpingitis and pelvic peritonitis Retained pessary	1 1 5 2	:::	1 1 5 2				
Breast. Fibro-adenoma Chronic mastitis	4 16 56 7	 1 	4 16 54 7		 1		
Typhoid osteomyelitis Osteomyelitis Sinus following osteomyelitis Syphilis Tuberculosis ? Psoas abscess Hysterical spine. Cross-union between radius and ulna. Osteitis fibrosa Exostosis Secondary carcinoma Sarcoma ? Sarcoma	1 7 9 8 21 2 1 1 2 1 5	1 3 7 4 11 1 1 	3 2 4 10 2 1 1 1 1 4	i			
Tuberculosis Ankylosis Internal derangement of knee Subluxation of patella Fibroma of synovial membrane Osteo-arthritis Rheumatoid arthritis. Subacute infective arthritis	41 9 9 1 1 1 1 7	12 4 8 1 1 4	29 5 1 1 1 3				
Bursæ— Suppurative bursitis Tuberculosis Chronic bursitis	1 1 4	3	1 1 1 1		•••	The state of the s	

		Discl	narged	I D	Pied	Reference
DISEASES	Total	M.	F.	M.	F.	Appendix
Muscles and Fasciæ.		-				Page
Hypertrophy of muscle	1	1				
Chronic suppuration in muscle	1	120	2	1		
Sarcoma of muscle	2	1	2	***	***	
SKIN AND SUBCUTANEOUS TISSUES.						
Sinus	7	4	3			
Cellulitis	5	3	1 2	***		
Popliteal abscess	1	1	-			
Varicose ulcer	1		1			
Herpes of face	1		1			
Lipoma	2 1	1	1	***	***	100/2-11
Actinomycosis of face	2	100	2			ham is a
Rodent ulcer	4	3	1			
Lupus	1		1	***		
Lupus-carcinoma	1		1			
Epithelioma of face	1 2	1	2			Man Man
Sarcoma	4		-	***		2
Injuries.						-
Burns	3	1	1	44	1	
Wounds	5 3	3	1 3	1		MARKET !
Foreign bodies Stab-wound	1	1		***		
Whitlow	8	5	3	***		
Traumatic asphyxia	1	1				
Ruptured muscle	1	1				
Laceration of rectum	1	1		1 19	111	
Ruptured liver, small intestine	1			1		
Bruised urethra	2	2				
Crushed limbs	4	2	2	1		-
Sprains	2	2				
Dislocations	3	1	2			
Fractures— Radius	2	2				
Olecranon	4	ĩ	3			
Humerus	7	7				STATE OF
Ribs	1	2	2			ALL THE
Tibia	8	1 3	5			
Patella	2	2				
Femur	7	4	3			DENE !
Pelvis	2	2				
Compound fractures— Tibia	2	2	1 4 1	000 10		
Skull	13	9	2	2		
Spine	2	2				-
Malunited fractures	3	3				
Ununited fractures	8	6	2			
	-	-	-	-		

APPENDIX.

The letter with each number is the initial of the Surgeon, in whose Case Book the complete record of the case will be found. The number is the registered Hospital number. In each Case Book the records will be found indexed under Name, Disease or Injury, and Hospital Number.]

MALFORMATIONS.

CLEFT PALATE.

T. W. Aged 15. Previous operation on lip. Uranoplasty. 2067.

148. Aged 2 months. Uranoplasty.

W. 2284. Aged 1 year 8 months. Uranoplasty.

 W. 803. Aged 3. Previous operation on lip. Uranoplasty.
 W. 4854. Aged 4. Previous operations on lip and palate. Repair of residual cleft.

W. 429. Aged 8. Uranoplasty.

HARE-LIP.

W. 2720. Aged 8 months. Also had cleft palate. Operation on lip.

CONGENITAL TORTICOLLIS.

T. 4308. Aged 12. Tenotomy of sterno-mastoid.
 W. 4331. Aged 9. Tenotomy of sterno-mastoid.

CONGENITAL TALIPES EQUINOVARUS.

W. 2543. Aged 2 years 9 months. Wrenching and plaster.

W. 1703. Aged 10. Astragalectomy.
W. 4232. Aged 3. Wrenching and plaster.
W. 4181. Aged 1 year 6 months. Also had absence of both patellæ. Splinted.

UNDESCENDED TESTIS.

4078. Aged 22. Left side. Unsound mentally. No opera-J. tion.

J. 4180. Aged 19. Bilateral. Both testes returned to abdomen. Bassini operation on both herniæ.

T. 135. Aged 38. Left side. Testis removed. Bassini operation on hernia.

T. 2220. Aged 19. Left side. Testis removed. Bassini operation on hernia.

T. 2589. Aged 37. Left side. Testis removed. Bassini operation on hernia.

D. 694. Aged 14. Left side. Testis removed. Bassini operation on hernia.

D. 1294. Aged 22. Left side. Testis removed. Bassini opera-

tion on hernia.

W. 2054. Aged 15. Left side. Also had tonsillitis. No operation.

Radio-Ulnar Synostosis.

W. 769. Aged 10. Unilateral. Fusion of upper portions of radius and ulna. False joint made in shaft of radius just below synostosis.

? CERVICAL RIB.

T. 399. Division of accessory band of insertion of scalenus medius into first rib, causing symptoms of cervical rib.

CONGENITAL STENOSIS OF COLON.

W. 3603. Aged 12 days. Cæcostomy for obstruction. Death Post-mortem 163. Stenosis of descending and sigmoid colon, commencing abruptly at splenic flexure.

CONGENITAL DISLOCATION OF HIP.

W. 1089. Aged 4. Right side. Previously reduced. Plaster renewed.

W. 1773. Previous case. Plaster discarded.

W. 2665. Aged 5. Bilateral. Reduced by Lorenz's method.

3877. Previous case. Plaster renewed.

614. Aged 4. Left side. Previously reduced. Plaster W. renewed.

W. 2196. Aged 2 years 4 months. Left side. Reduced by Lorenz's method.

W. 4304. Aged 6. Bilatered. Reduction failed. Plastered in abducted position.

W. 1303. Previous case. Reduction again failed. Plastered in abducted position.

W. 2579. Previous case. Reduced by Lorenz's method.

THYRO-GLOSSAL CYST.

4021. Excised. J. 4388. T. 1105. W. 755. Fistula. Excised, after division of hyoid.

Excised. Fistula. Excised.

W. 755. W. 2890. Excised.

BRANCHIAL CYST.

J. 3589. Aged 17. Excised. J. 4633. Aged 28. Excised.
 W. 2563. Aged 30. Excised. Aged 33. Excised. Aged 29. Excised.

W. 3804. W. 4477. W. 1406. Aged 30. Had suppurated and been drained previously. Excised.

PHARYNGEAL POUCH.

T. 4543. Aged 49. Dysphagia for twenty years. Gastrostomy performed elsewhere. Pouch excised.

DEFORMITIES FROM INJURY OR DISEASE.

DUPUYTREN'S CONTRACTION.

D. 2812. Indurated tissue excised.
 W. 3063. Indurated tissue excised.

INGROWING TOE-NAIL.

D. 1002. Nail removed and bed scraped.

HAMMER-TOE.

J. 2729. Head of phalanx excised. J. 1521. Toe removed.

HALLUX VALGUS.

 T. 875. Bilateral. Osteotomy of metatarsals.
 T. 875. Bilateral. Osteotomy of metatarsals. W. 1511. Suppurating bursa. Drained.

GENA VALGUM.

 J. 149. Aged 41. Unilateral. Osteotomy.
 J. 1420. Previous case. Malunion. Cuneiform. Osteotomy. J. 2786. Bilateral. Plastered.

KYPHOSIS.

W. 2001. Postural.

Scoliosis.

W. 3862. Ricketty. Jacket applied.
W. 3782. Ricketty. Jacket applied.

Talipes Equinovarus following Anterior Poliomyelitis.

T. 3655. Lengthening of tendo achillis and tibialis posticus.
W. 341. Tenotomy of tendo achillis.
W. 2854. Tenotomy of tendo achillis.
W. 2011. Tenotomy of tendo achillis.

DEFORMITY OF FINGERS AFTER INJURY.

 J. 4410. Extensor tendon freed from scar.
 T. 3100. Scar tissue excised and raw surface grafted from abdominal wall.

CONTRACTION OF KNEES.

T. 4684. Following pressure on spinal cord by neurofibromata. Tenotomy of hamstrings.

DISEASES OF THE NERVOUS SYSTEM.

EPILEPSY.

T. 1292. Fits since childhood, starting in one leg and arm.
 No injury. Exploration showed only slight thickening of dura.
 T. 3964. Fits since infancy, starting on one side of body. No

injury. Exploration. Nil found.

D. 452. Fits following injury to head three years previously. Definite aura. Exploration. Nil found.

? CHRONIC MENINGITIS.

T. 601. Previously explored for fits on left side. Recurrence of fits and development of right hemiplegia. Exploration on left side. Nil found.

SPASTIC PARAPLEGIA.

T. 3478. Aged 10. Some posterior roots divided at previous operation. Second operation with division of fifth lumbar and first sacral posterior roots on both sides. Considerable improvement.

W. 1306. Aged 12. Previous operation elsewhere for division of posterior roots. Marked spasticity and contractures of lower limbs. No further operation.

TRIGEMINAL NEURALGIA.

J. 385. Second division. Alcohol injections. Relieved.
T. 2996. Third division. Alcohol injection into foramen ovule. Relieved.

T. 2064. Second and third divisions. Previously treated by alcohol injections. Fifth root divided on central side of Gasserian

ganglion. Relieved.

T. 143. All three divisions. Previously treated by alcohol injections and avulsion of supra- and infra-orbital nerves. Intradural division of fifth nerve performed. Nerve divided close to pons. Complete relief of symptoms.

CEREBELLAR CYST.

T. 3800. Optic atrophy. Almost total blindness, hystagmus, weakness of right side of body, vomiting, headache, ataxy, and falling to right side. Two-stage operation. Large cyst evacuated on right side of cerebellum and portion of wall removed. Death later. Post-mortem 210. Cyst completely collapsed.

? CEREBELLAR CYST.

D. 333. No symptoms while in hospital.

CEREBRAL TUMOUR.

T. 1935. Headache, vomiting, optic neuritis. No fits. Nystagmus, unsteady gait. Temporal decompression. High tension and internal hydrocephalus. Relieved by insertion of sinus forceps into lateral ventricle.

SARCOMA OF DURA MATER.

J. 2000. Five years' history of trigeminal neuralgia. First and second divisions. No other signs or symptoms. Exploration showed a large malignant tumour in region of Gasserian ganglion, apparently originating in dura.

TUMOURS OF NERVES.

J. 4180. Aged 12. Large neurofibroma of great occipital trunk with multiple tumours on the smaller branches. Tumour and smaller nodules excised. The main mass appeared to extend into spinal canal and was cut across at this spot.

W. 1842. Chondro-sarcoma of muscular branch of musculo-

spiral. Tumour excised and the cut ends of nerve sutured.

PAIN FOLLOWING NERVE INJURIES.

1496. Amputation stump. Reamputated.

J. 1496. Amputation stump. Reamputated. T. 2181. Following operation on foot. Bulbous end of external saphenous excised.

 T. 1974. Amputation stump. Bulbous end of radial excised.
 T. 970. Following crushed finger. Intradural division of posterior roots.

T. 2655. Previous case readmitted with recent fracture of

phalanx.

INJURIES TO NERVES.

J. 4006. Contusion of brachial plexus with fractured clavicle.
T. 2132. Secondary suture of ulnar nerve.

T. 1382. Secondary suture of ulnar nerve.

D. 1238. Injury to ulnar, with dislocation of elbow and fracture of internal condyle, reduced seven weeks previously. Neuro-

W. 3874. Fractured humerus plated elsewhere six months previously, followed by musculo-spiral palsy. Nerve found crushed beneath plate. Musculo-spiral grafted into median above and below injury.

W. 4572. Cut above elbow with complete division of musculo-

spiral. Secondary suture.

DISEASES OF THE NOSE.

CARCINOMA OF MAXILLARY ANTRUM.

J. 2002. Excision of upper jaw.

EPITHELIOMA OF NOSE.

T. 3657. Removal of growth which had completely replaced the external nose.

DISEASES OF THE RESPIRATORY SYSTEM.

CARCINOMA OF LARYNX.

T. 4227. Inoperable. Tracheotomy.

? TUBERCULOUS LARYNGITIS.

W. 3583.

SYPHILITIC LARYNGITIS.

J. 1333. Tracheotomy.

BRONCHITIS.

T. 2521. D. 439.

BRONCHIECTASIS.

D. 4000. Old case of rib mobilization. D. 147. Previous case readmitted.

Tuberculosis of the Lung.

Т. 1078.

D. 335.

335. Unilateral. Artificial pneumothorax.
355. Unilateral. Unsuccessful attempt to produce pneu-D. mothorax.

Unilateral. Artificial pneumothorax.

D. 4314. W. 3678. 3678. Old artificial pneumothorax. Admitted for rib mobilization. Refused operation.

W. 4570. Extensive bilateral disease.

W. 2087. Unilateral. Artificial pneumothorax.

EMPYEMA.

J. Operation.
 J. 3102. Operation. Streptothrix present in pus. Chest wall

became infiltrated. Death. Post-mortem 147.

T. 4488. Old empyema with sinus following phthisis and spontaneous pneumothorax. Thoraco-plastic operation. Death. No post-mortem.

D. 627. Old empyema with sinus. Thoraco-plastic operation.

Gauze drain found in cavity. Recovery.

D. 4150. Old empyema with sinus. Thoraco-plastic operation.

Recovery.

D. 3544. Phthisis with pleural effusion, repeatedly aspirated,

finally fibrinous material evacuated by open operation.

D. 1496. Old empyema with sinus, also abscess of lung. Wilm's rib resection performed with improvement. Died after discharge from hæmorrhage from sinus.

D. 4636. Chronic streptothrix empyema. Purulent infiltration of perinephric tissues with sinuses. Previous operation for appendix abscess. Death. Post-mortem 211.

W. 1297. Old empyema with sinus. Thoraco-plastic operation.

Recovery.

W. 102. Empyema opened elsewhere through intercostal space. Rib resected, but discharge persisted. Subsequent thoraco-plastic operation.

EMPYEMA (continued).

W. 2937. Operation.

W. 2203. Old empyema with sinus. Thoraco-plastic operation. Recovery.

W. 1949. Operation. W. 4648. Operation. W. 1655. Old empyema with sinus. No operation owing to whooping-cough.

W. 1565. Empyema with osteomyelitis of rib. Drainage. Death. Post-mortem 96.

DISEASES OF THE THYROID GLAND.

ADENOMA.

Enucleation.

J. 1776, 1003, 337. T. 1662, 1402, 1587, 3060, 4158, 2455, 4264. D. 901. W. 4419, 2807.

No operation.

T. 298. Had nephritis.

COLLOID GOITRE.

Partial thyroidectomy.

J. 4579, 3640, 1937, 4116. T. 2464, 83, 608, 1800, 2066, 4164, 4351, 4534. W. 4523, 696.

EXOPHTHALMIC GOITRE.

Partial thyroidectomy.

T. 642, 1067, 1102, 1827, 3395, 3785, 2586, 3812.
T. 828. Recurrence of symptoms after partial thyroidectomy. Further portion of gland removed.

D. 3230. Previously treated by X-rays. W. 1347, 4217.

DISEASES OF THE CIRCULATORY SYSTEM.

VARICOSE VEINS.

Operation.

J. 116, 202, 1723, 1249, 1851, 1863, 2737, 3009, 2979, 4208. T. 1708, 2935, 2626, 4082. D. 4161, 863, 530, 527, 31, 1505.

W. 2859, 1670, 3400, 862.

DIABETIC GANGRENE.

J. 2217. Dry gangrene. Supra-condylar amputation. Developed gangrene in other foot, but refused further treatment at

T. 1675. Dry gangrene. Supra-condylar amputation. W. 2976. Dry gangrene. Supra-condylar amputation. Coma.

Death. Post-mortem 145.

SENILE GANGRENE.

J. 1251. Aged 61. Amputation through lower third of thigh. Early gangrene of other foot, but refused further treatment. T. 2172. Aged 66. Supra-condylar amputation.

GANGRENE DUE TO ENDARTERITIS OBLITERANS.

J. 3853. Aged 37. Negative Wassermann. Supra-condylar amputation.

ANEURISM.

T. 1165. Traumatic aneurism of subclavian. Refused opera-

T. 1177. Aged 90. Amputation through middle of thigh for gangrene with an unruptured popliteal aneurism. Developed gangrene of other foot. Death. Post-mortem 71.

D. 668. Cirsoid aneurism of scalp. Previously operated upon.

No further operation.

NÆVUS.

D. 1064. Angeioma of cheek. Excised.

ELEPHANTIASIS.

W. 2288. Of one lower limb, with nævoid anus. Amputation through middle of thigh.

ACUTE ENDOCARDITIS.

T. 1489. Died with general peritonitis. Post-mortem 89. No lesion of abdominal viscera.

DISEASES OF THE LYMPHATIC SYSTEM.

SYPHILITIC GLANDS OF NECK.

J. 968.J. 3670. Previous case readmitted.

LYMPHADENOMA.

T. 3832.

SARCOMA OF AXILLARY GLANDS.

J. 1300. Recurrent case. Main mass removed. Radium treatment to mass in groin and chest wall.

D. 1551. Glands in axillæ, groins and neck. Exploratory

operation.

MALIGNANT GLANDS OF NECK.

J. 1706. Primary tongue. Recurrent glands removed.
J. 4722. Primary tongue. Recurrent glands removed.
J. 3309. Primary cheek. Neck cleared.
J. 2610. Primary tongue. Neck cleared.
J. 1693. Primary carcinoma of upper jaw. Recurrent growth

treated with radium. Recurrent glands removed.
T. 1987. Primary growth in palate. Neck cleared.
T. 3155. Primary lip. Neck cleared.
W. 2463. Mass of squamous carcinoma on right side. No

primary growth discovered. Neck cleared.

W. 1713. Mass of spheroidal-cell carcinoma on right side. No

primary growth discovered. Explored.

MALIGNANT INGUINAL GLANDS.

J. 1207. Iliac glands involved after orchiectomy for malignant growth of testis. Treated by Coley's fluid without improvement.

SUPPURATIVE ADENITIS OF NECK.

T. 43, 1163, 2045, 1837.

D. 361.

SUPPURATIVE ADENITIS OF GROIN.

W. 3892.

CHRONIC ADENITIS OF NECK.

J. 4596. Excised.

2369. Excised. 1483. Tonsils removed.

W. 146. No operation.

TUBERCULOUS MEDIASTINAL GLAND.

W. 1506. External abscess curetted.

TUBERCULOUS MESENTERIC GLANDS.

T. 86. Operation for abdominal pain. Adhesions and caseous glands present.

TUBERCULOUS INGUINAL GLANDS.

J. 1719. Abscess curetted. Calcareous nodule in cavity.
 W. 4724. No operation.

TUBERCULOUS AXILLARY GLANDS.

T. 398. Abscess curetted. D. 1100, 1097. Glands excised. W. 625, 1296. Glands excised.

TUBERCULOUS GLANDS OF NECK.

Excision of glands.

J. 3095, 2734, 2714, 2000, 27, T. 319, 3334, 3144, 1569, 1992, 1591. 3095, 2734, 2714, 2086, 87, 2451, 1540, 1340.

D. 1079, 435.

W. 1485, 1647, 1817, 2185, 3142, 1484, 2675, 3656, 2170, 2434, 4228, 2024, 1450, 1861, 1772, 1825, 1923, 456, 672, 684, 754, 245, 244, 2096, 4217.

Curetted.

J. 150, 51, 682, 893, 1041, 4853, 2608, 3631, 3913, 3299. T. 1196, 4862, 2219. W. 3064, 2993, 551, 2718, 2580, 2001, 2439, 1642, 2245, 1947, 1262, 610, 874, 4273.

No operation.

J. 4040. Also had phthisis.

D. 4276. Also had phthisis.
 W. 3333. Also had glands in axillæ and abdomen.

DISEASES OF THE MOUTH AND SALIVARY GLANDS

ALVEOLAR ABSCESS.

T. 1257.

MAL-ERUPTED MOLAR TOOTH.

T. 4320.

ACUTE SUPPURATIVE GLOSSITIS.

W. 3506. Abscess following injury by fish bone.

CHRONIC SUPERFICIAL GLOSSITIS.

J. 1661.

TUBERCULOSIS OF TONGUE.

I. 2078. Aged 60. With phthisis. Small nodule excised.

PAPILLOMA OF TONGUE.

W. 3022. Teeth extracted.

W. 3308. Previous case readmitted. Growth excised.

MUCOUS CYST OF TONGUE.

T. 4014.

RANULA.

J. 2651. W. 4.

FIBROUS EPULIS.

J. 683. T. 4451. W. 2452:

MYELOID EPULIS.

T. 1327. W. 2193.

EPITHELIOMA OF LIP.

J. 3305. Excised. Gland operation on same side.

T. 3656. Excised. No gland operation during this admission.
T. 374. Excised. No gland operation during this admission.
T. 375. Recurrent growth excised. No gland operation.
T. 996. Excised. No gland operation during this admission.
T. 3490. Recurrent growth excised. Gland operation on same side.

W. 2450. Refused operation.

EPITHELIOMA OF CHEEK.

W. 4348. Recurrence twelve months after removal of growth from lip. Extensive involvement of lower jaw with growth. Growth removed with portion of jaw. To return for gland operation.

EPITHELIOMA OF FLOOR OF MOUTH.

W. 2925. Growth in region of frænum removed with adjoining part of tongue without splitting lip or jaw. Bilateral gland operation.

EPITHELIOMA OF TONGUE.

J. 4093. Cheek split. Removal of anterior two-thirds of tongue. Gland operation on same side.

J. 1816. Growth removed by buccal route. Bilateral gland operation.

T. 1628. Complete removal of tongue down to hyoid after splitting jaw. Bilateral gland operation.

T. 2738. Cheek split. Growth excised. Bilateral gland opera-

T. 1694. Cheek split. Growth excised. Bilateral gland operation.

T. 4230. Inoperable. Admitted with hæmorrhage from growth.

EPITHELIOMA OF GUM.

T. 495. Involving palate. Jaw divided and growth removed.
 To return for gland operation.
 W. 1813. Refused operation.

ENDOTHELIOMA OF GUM.

T. 3057. Previously treated with radium. Gland operation on same side. Growth in glands. Primary growth removed after division of jaw.

EPITHELIOMA OF PALATE.

T. 1717. Inoperable.

SYPHILITIC ULCERATION OF PALATE.

T. 3989.

SALIVARY CALCULI.

T. 1128. Recurrent calculi in Wharton's duct. Calculi removed through mouth and submaxillary gland excised.
D. 550. Calculi in Wharton's duct removed through mouth by

opening duct.

Malignant Tumour of Parotid.

W. 1841. Removal of whole parotid for carcinoma.

? Tuberculous Disease of Parotid.

T. 4487. Bilateral. Curetted.

CHRONIC TONSILLITIS.

W. 4621. Tonsils removed.

DISEASES OF THE PHARYNX AND ŒSOPHAGUS.

CARCINOMA OF PHARYNX.

T. 1631. Inoperable.

T. 3604. Gland operation attempted, but found inoperable.

CARCINOMA OF ŒSOPHAGUS.

2581. No operation.

J. 1095. Gastrostomy.
T. 344. No operation.
T. 2269. No operation.
T. 3343. No operation.
T. 1497. No operation.

DISEASES OF THE STOMACH.

DYSPEPSIA.

T. 4164.

Perigastric Adhesions.

J. 1982. Band passing from stomach to scar of former operation. Band divided.

? GASTRIC ULCER.

J. 1399. Laparotomy. Nil found.

J. 4009, 3896. No operation.

CHRONIC GASTRIC ULCER AT PYLORUS.

J. 2013, 1152, 687, 321, 4266. Gastro-enterostomy.
 T. 2240. Gastro-enterostomy.

Pyloric Obstruction from Scar following Ulcer.

2905. Gastro-enterostomy. Gastro-enterostomy. W. 3228. Gastro-enterostomy.

OPERATION FOR ACUTE HÆMATEMESIS.

J. 373. Not very severe. Chronic ulcer on small curvature. Gastro-enterostomy. Bleeding continued. Death. Post-mortem

W. 1614. Not very severe. Chronic ulcer towards pylorus.

Gastro-enterostomy.

PERFORATED GASTRIC ULCER.

J. 1302. Eighteen hours' duration. Perforation close to upper end of greater curvature closed. Drained down to stomach.

J. 3424. Thirty-six hours' duration. Perforation on lesser curvature two inches from pylorus closed. Drained down to stomach.

J. 2433. Localized left subphrenic abscess drained. Chronic gastric history. Developed left empyema, drained. Death. No

post-mortem.

J. 1559. Several operations for abscess in left chest wall. Developed thrombosis of iliac and subclavian veins and inferior cava. Death. Post-mortem 116. Chronic left subphrenic abscess with adherent lung. Perforated ulcer in left portion of stomach.

T. 4942. Twenty-two hours' duration. Abdomen full of pus and gas. Perforation on lesser curvature half-way between pylorus

and cardia closed. Drainage to stomach, both loins, and pelvis.

Death. Post-mortem 206.

W. 3586. Five hours' duration. Perforation close to pylorus closed. Gastro-enterostomy. Pelvis drained.

W. 2523. Twenty-four hours' duration. Localized abscess in pelvis drained. Perforation had been closed by adhesions; ulcer not looked for. Developed left subphrenic abscess, drained. Repeated hæmorrhages from stomach. Death. Post-mortem 138. Chronic ulcer at fundus with eroded artery on floor. No sign of the perforation.

INTERNAL FISTULA AFTER GASTRO-ENTEROSTOMY.

J. 1141. Fæcal vomiting. Laparotomy. Nil found. Death. Post-mortem 64. Peptic jejunal ulcer perforated into transverse colon, fistula of long standing. Puckered scar at pylorus. Gastroenterostomy had been performed in June, 1914, for pyloric stenosis.

CARCINOMA.

2973. Gastro-enterostomy, followed nineteen days later by partial gastrectomy under intravenous alcohol. Case never came

J. 300. Explored. Inoperable growth of body.

J. 600. Explored. Inoperable growth of pylorus. Gastroenterostomy.

CARCINOMA (continued).

 J. 4185. Explored. Inoperable growth of body.
 J. 470. Explored. Inoperable growth of pylorus. Gastroenterostomy.

 J. 1820. Inoperable. Not explored.
 J. 1239. Explored. Inoperable growth at pylorus with large secondary deposits.

J. 1342. Explored. Inoperable growth at pylorus with large secondary deposits. Death. No post-mortem.

J. 3205. Explored. Inoperable growth of body and cardia.
J. 3590. Explored. Inoperable growth of body.
J. 3837. Inoperable. Not explored.
J. 2789. Explored. Inoperable.
T. 2006. Explored. Inoperable growth at cardiac and lower portion of esophagus.
Gastrostomy.

J. 4315. Explored. Inoperable growth of body. Death. Post-

mortem 204.

T. 2006. Explored. Inoperable growth at cardia and lower portion of esophagus. Gastrostomy. Death. Post-mortem 129. General peritonitis from perforation close to growth.

T. 1803. Inoperable. Not explored.

T. 1008. Inoperable. Not explored. Death. Post-mortem 73.

W. 3213. Inoperable. Not explored.

DISEASES OF THE DUODENUM.

DUODENAL ULCER.

J. 4154. Gastro-enterostomy.

T. 247. No operation. D. 979. No operation.

PERFORATED DUODENAL ULCER.

J. 1884. Twenty-four hours' duration. Perforation closed. Gastro-enterostomy. No drainage. Death on seventh day. Postmortem 111. Bilateral empyema.

D. 1133. Eight hours' duration. Perforation closed. Gastro-

enterostomy. No drainage.

W. 2000. Fourteen hours' duration. Perforation closed. Gastro-enterostomy. No drainage.

DISEASES OF THE INTESTINES.

ABDOMINAL PAIN.

J. 4812. No operation.

J. 4015. Explored. Nil found. T. 4484, 1288. No operation. W. 1582. Explored. Nil found. W. 3459, 1768. No operation.

CONSTIPATION.

830, 1040, 4491. T. 269, 4069.

FÆCAL FISTULA.

 J. 3056. Temporary colostomy closed.
 W. 2888. Following operation elsewhere for pyosalpinx. Fistula closed.

W. 1254. Following appendix abscess. Fistula closed.

W. 3830. Following operation elsewhere for pyosalpinx. Track led down into upper rectum, and was laid open and drained. Fistula healed.

TUBERCULOUS ENTERITIS.

J. 623. Previously explored. Death. Post-mortem 107.

INCOMPLETE INTESTINAL OBSTRUCTION.

J. 2886. Previous operation for volvulus of cæcum and appendicectomy. Chronic obstruction. Band found running across

base of cæcum and ascending colon. It was divided.

J. 1873. Aged 62. Exploration showed dilated pelvic colon and adhesions in pelvis. Distended pelvic colon resected and anastomosis, followed by acute obstruction necessitating transverse colostomy, which was closed at a later admission. Death early in 1917. Tubercular peritonitis and tubercular meningitis.

D. 4262. Old case of tuberculous peritonitis. Laparotomy

showed general adhesions and no localized obstruction.

INTUSSUSCEPTION.

J. 78. Four days' duration. Gangrenous enteric intussusception. Bowel drained. Death. Post-mortem 7.

W. 376. Twenty-four hours' duration. Spontaneously reduced when laparotomy performed under stovaine. Died on table. Post-mortem 24.

ACUTE OBSTRUCTION DUE TO BAND.

W. 3404. Band in connection with chronic pelvic peritonitis. Band divided.

CARCINOMA OF COLON.

J. 575. Acute obstruction. Inoperable growth at hepatic

flexure. Cæcostomy. Death. No post-mortem.

J. 576. Chronic obstruction. Inoperable growth of cæcum and mass in liver. Growth later ulcerated through wound. Death. No post-mortem.

J. 1419. Growth of transverse colon with early invasion of stomach. Resection of growth with involved part of stomach.

Ileo-sigmoidostomy. Death. Post-mortem 98.

J. 2522. Acute obstruction. Growth in pelvic colon. Sigmoid colostomy with subsequent removal of growth, including the colostomy and anastomosis. Good recovery. CARCINOMA OF COLON (continued).

J. 723. Previous resection of growth in pelvic colon five years go. Recurrence of symptoms, probably recurrence in small intestine. No operation.

T. 4034. Acute obstruction. Inoperable growth of lower pelvic colon. Colostomy.

T. 4427. Growth of cæcum. Resected. Ileo-colostomy. Good recovery.

T. 3607. Acute obstruction. Inoperable growth of pelvic

colon. Colostomy.

T. 2557. Inoperable growth of lower pelvic colon. Colostomy. T. 292. Growth in pelvic colon, with masses of colloid growth in omentum. Nil further done.

T. 3721. Recurrence at colostomy three years after removal of growth of pelvic colon with permanent colostomy. Mass excised and fresh colostomy made.

W. 4819. Laparotomy for general peritonitis. Death. Post-

mortem 200. Perforated carcinomatous ulcer of pelvic colon. W. 613. Growth of descending colon excised. Lateral anastomosis between transverse and pelvic colon. Good recovery.

W. 1814. Subacute obstruction. Cæcostomy, with subsequent removal of growth in pelvic colon and lateral anastomosis between

transverse and lower pelvic colon. Good recovery.
W. 2459. Acute obstruction. Cæcostomy, with subsequent removal of growth in lower pelvic colon and end-to-end union of upper rectum and lower descending colon, the suture line being invaginated by drawing on tube fixed into upper portion and

brought out through anus. Good recovery.

W. 3352. Growth of lower descending and upper pelvic colon adherent to mesentery of small intestine. Mass removed with, in addition, about 1 ft. of ileum whose mesentery was involved. Small bowel anastomosed. Permanent colostomy in region of splenic flexure. Good recovery.

DISEASES OF THE APPENDIX.

APPENDIX REMOVED DURING QUIESCENT PERIOD.

J. 2629, 2518, 2410, 2177, 1159, 4176, 14, 26, 188, 4167, 3554, 2982, 2824.

T. 1358, 894, 759, 1083, 139, 60, 4259, 196, 4317, 4029, 3019, 967.

454.

W. 1344, 856, 4322, 4794, 3017, 3531, 3421, 2822, 3602.

? Appendicitis.

Appendix removed.

1763, 1853, 2366, 4140, 4155, 3424.

3008.

W. 1777, 2967, 3910.

No operation.

J. 2898, 857.

? APPENDICITIS (continued).

Laparotomy.

J. 1559. W. 2137.

APPENDIX REMOVED AFTER HEALING OF ABSCESS.

J. 368, 436. W. 891, 3307, 4384.

ACUTE APPENDICITIS.

I. Operation. No drainage.

J. 1039. Suppuration in abdominal wall.

J. 1555, 1341, 2831, 391, 440, 300. T. 4033. Suppuration in abdominal wall. T. 1052, 756, 710, 998, 1717, 3716, 1552, 2668, 3876, 4333, 905.

D. 1139, 367, 4245, 393. W. 2204. Suppuration in abdominal wall. W. 2209. Suppuration in abdominal wall. W. 182, 2312, 2295, 2906, 1672, 3713, 1549, 1594.

II. Operation. Drainage.

J. 4726, 2513, 443. Peritoneum drained.

4641. Peritoneum drained.

W. 3894, 4229. Peritoneum drained. W. 3279, 4010, 2146, 2646, 3664, 1998. Abdominal wall drained.

APPENDICITIS WITH ABSCESS.

I. Appendix removed.

J. 4124, 553, 546.

 4450. Portion of appendix removed, the rest sloughed away later.

T. 3745, 2223, 1831, 3729, 975, 2981, 4100, 939.
T. 8. Appendix not removed, but sloughed away. Developed

fæcal fistula.

T. 1309. Developed fæcal fistula and rigors. Recovery.
D. 1414, 4254, 118.
W. 519, 1182, 2008, 3883, 2192, 2222, 3653, 1709, 3495, 3106, 24.
W. 3385. Developed pelvic abscess. Drained per rectum.
W. 4016. Developed pelvic abscess. Drained per rectum.

II. Appendix not removed.

J. 4173, 4145, 51, 4387, 3014.

D. 137. W. 48. Developed femoral thrombosis and glycosuria. Recovery.

APPENDICITIS WITH SPREADING PERITONITIS.

J. 1584. Appendix removed. Drainage.

T. 1517, 4084. Appendix removed. Drainage.

D. 4243. Appendix removed. Drainage.

W. 4303, 4100, 3011. Appendix removed. Drainage.

APPENDICITIS WITH GENERAL PERITONITIS.

T. 2050. Gangrenous appendix removed. Drainage.

D. 630. Appendix not removed. Drainage. Death. Post-

mortem 36.

W. 884. Appendix removed. Drainage. Became very distended. Wound opened up, but nil found. Death nineteen days after original operation. Post-mortem 62. Pus in both iliac fossæ

and pelvis.

W. 1893. Gangrenous appendix removed. Drainage. Developed pelvic abscess and left iliac abscess; both drained. Developed abscess above umbilicus which discharged spontaneously, and a ? subphrenic abscess which was caught up. Also had fæcal fistula. Sent home; to return for closure of fistula.

? Appendix Abscess.

J. 1408. Large abscess in right iliac fossa drained extraperitoneally.

Residual Abscess following Appendicitis.

T. 3485. Appendicectomy during acute attack five years previously. Developed swelling in abdominal wall, which was a chronic abscess leading down to cæcum.

W. 2060. Appendix abscess drained five months previously. Appendix not removed. Developed large intraperitoneal abscess.

Drained.

Typhlitiis. ? Appendicitis.

J. 4171. Inflammatory mass involving cæcum, appendix, tube and ovary. Appendix could not be found. Tube and ovary removed.

SINUS FOLLOWING OPERATION FOR ACUTE APPENDICITIS.

J. 515. Curetted.

T. 3959, 3629. Curetted. W. 4028. Laid open.

DISEASES OF THE RECTUM AND ANUS.

INTERNAL HÆMORRHOIDS.

Excision.

J. 1547, 2083. T. 2544, 1627. D. 996. W. 2708, 1654, 2588, 1651.

Ligatured.

J. 3097, 2880.

? Hæmorrhoids.

J. 3419. No operation.

FISTULA IN ANO.

J. 34, 729, 699, 1036, 2077, 4007. T. 612, 3. W. 1979.

W. 2058. Multiple fistulæ causing stricture of rectum. Fistulæ laid open and temporary colostomy performed.

ISCHIO-RECTAL ABSCESS.

J. 4191.

Prolapse of Rectum.

T. 2002, 203. Colopexy.

Papilloma of Rectum.

T. 1498, 2583. Excised. W. 814. Excised.

SIMPLE ULCER OF RECTUM.

J. 1664.

CHRONIC INDURATIVE PROCTITIS.

J. 726. Old case with colostomy and incomplete obstruction from contraction of colostomy. Colostomy dilated.

CARCINOMA OF RECTUM.

I. Radical operation.

J. 3671. Aged 52. Abdomino-perineal excision and permanent colostomy. Recovery.

D. 315. Aged 28. Abdomino-perineal excision and permanent

colostomy. Recovery.

W. 3793. Aged 34. Resection of growth in transverse colon five years previously. Admitted with growth in rectum. Abdo-mino-perineal excision and permanent colostomy. Recovery,

W. 3207. Aged 52. Abdomino-perineal excision and permanent colostomy. Death. *Post-mortem* (1915) 151. Sutures sound.

Abdominal wounds gangrenous.

W. 758. Aged 74. Abdomino-perineal excision and permanent colostomy. Death. Post-mortem 49. Abdomen nil. Multiple

acute ulcers in stomach, causing hæmatemesis before death.
W. 897. Aged 46. Acute obstruction. Left inguinal colostomy with subsequent abdomino-perineal excision. Death. Post-

mortem 76. Bowel perforated where it was closed at second operation just below original colostomy opening.

W. 4517. Aged 48. Abdomino-perineal excision and permanent colostomy. Death. Post-mortem 193. Pelvic floor had given way and small intestine had escaped. General peritonitis. Secondary growth in lungs and bronchial glands, but not in abdomen.

CARCINOMA OF RECTUM (continued).

II. Perineal excision.

J. 2933. Aged 60. Excision of small growth after splitting vagina into rectum. Subsequent suture of sphincter and anal canal. Recovery.

III. Sacral excision.

T. 532. Aged 49. End-to-end anastomosis in sacral wound after resection of growth. Anastomosis leaked, but closed gradually.

IV. Palliative colostomy.

 J. 3015, 1529, 1044.
 T. 3396, 3058.
 T. 3206. Death. Post-mortem 159. Perforation of colon close to colostomy.

T. 1193. Colostomy for acute obstruction. Death. Postmortem 70. Bowel perforated close to growth.

W. 1440.

V. No operation.

J. 2039, 2644, 4261. T. 2546. W. 2126, 3774.

DISEASES OF THE LIVER AND BILE PASSAGES.

CHOLELITHIASIS.

Operation.

I. Stones in gall-bladder.

Chronic cholecystitis.

J. 3012. Colic and jaundice. Bladder full of stones. Cholecystectomy.

J. 2975. Colic. Bladder full of stones. Cholecystectomy. J. 1539. Colic and jaundice. Bladder full of stones. Cholecystectomy.

J. 656. Colic and jaundice. Bladder full of stones. Cholecystectomy.

52. Colic. Stones in bladder. Cholecystectomy.

J. 1206. Colic and jaundice. Stones removed from bladder. Cholecystostomy.

T. 2049. Colic and jaundice. Stones removed from bladder. Cholecystostomy.

T. 1674. Colic and jaundice. Bladder full of stones. Cholecystectomy.

T. 579. Colic. Previous cholecystostomy for acute cholecystitis. Shrunken bladder removed containing a few stones.

T. 1761. Colic. Stones removed from bladder. Cholecystostomy.

T. 2293. Colic and jaundice. Bladder full of stones. -Cholecystectomy. Cystic duct drained.

T. 3756. Operation after subsidence of acute cholecystitis. Bladder full of stones. Cholecystectomy.

W. 68. Colic. Thickened bladder full of sand and mucosa

speckled with cholesterin. Cholecystectomy.

W. 3932. Colic and jaundice. Single large stone in bladder.

Cholecystectomy. Cystic duct drained.

W. 4306. Colic and jaundice. Stone in bladder. Chole-

cystectomy.

ACUTE CHOLECYSTITIS.

T. 1250. Past history of colic and jaundice. Large number of stones removed from bladder. Cholecystostomy.

T. 2056. Past history of colic. Stones removed from bladder.

Cholecystostomy.

II. Stone in common duct.

W. 1510. Colic and jaundice. Many stones removed from bladder. Small stone in ampulla allowing passage of bougie into duodenum. Common duct sutured. Stone left in ampulla. Cholecystostomy.

W. 1043. Colic, jaundice and rigors. Single large stone in bladder and single stone in common duct. Stone removed from

common duct, which was drained. Cholecystectomy.
W. 2456. Colic and jaundice. Stones in bladder and single stone in common duct, which was removed and common duct drained. Cholecystectomy.

W. 3869. Colic, jaundice and rigors. Stones in bladder and multiple stones in common duct. Common duct drained after

removal of stones. Cholecystectomy.

W. 3994. Colic, jaundice and rigors. Stone in common duct removed and duct drained. No stones in bladder, which was left.

ACUTE CALCULOUS CHOLECYSTITIS.

No operation.

T. 3763. Death soon after admission. Jaundice and general peritonitis. Post-mortem 165. Perforated gall-bladder. No calculi in bladder. Two calculi in common duct.

T. 210. Also had phthisis and mitral disease. The attack

subsided spontaneously.

D. 4042. Developed thrombosis of both femoral veins. The attack subsided spontaneously.

ACUTE NON-CALCULOUS CHOLECYSTITIS.

T. 724. Aged 17. No previous attack. Distended bladder containing mucopus and no stones. Areas of gangrene in wall. Cholecystostomy. Recovery.

? CHOLELITHIASIS.

J. 1919. Mitral disease. No operation. J. 3899. Laparotomy. Nil found.

D. 1157. No operation. W. 1442. Previous operation for gall-stones. Recurrence of pain. No further operation.

OBSTRUCTION OF COMMON DUCT.

D. 4050. Jaundice. Previous operation elsewhere. No stone found, but calcified endothelioma in small omentum pressing on common duct. The tumour was removed.

CARCINOMA OF GALL-BLADDER.

J. 740. Explored for stones. Inoperable carcinoma of bladder found. Death. Post-mortem 57. Stones in hepatic ducts and common duct. No stone in bladder. Carcinoma of gall-bladder. Fistula between gall-bladder, transverse colon, and second part of duodenum.

? LIVER ABSCESS.

J. 4879. Previously explored elsewhere and nil found. No further treatment.

Enlargement of Liver.

J. 4068. Explored for mass. ? Kidney.

CIRRHOSIS OF LIVER.

W. 312. Explored for pain.

W. 2700. Peritoneal cavity drained into thigh through crural canal by decalcified bone tube. Two weeks later omentum fixed to abdominal wall inside rectus sheath. Death from coma. Postmortem 155.

DISEASES OF THE PANCREAS.

CARCINOMA OF PANCREAS.

J. 4382. Jaundice. Inoperable growth in head of pancreas with secondary growths in portal fissure obstructing cystic duct.

Nil further done. Death. No post-mortem.

W. 401. Jaundice. Gall-bladder previously explored for calculi. Growth in head of pancreas. Posterior gastro-enterostomy. Head of pancreas and part of duodenum excised and raw surfaces united. Common duct sutured into duodenum. Developed external biliary and pancreatic fistula. Death. No post-mortem.

PANCREATIC CYST.

W. 3503. Mass pushing forward the stomach and small omentum. Aspirated and drained. Finger could pass into small sac behind the cyst. Pure pancreatic juice drained for a time. Wound healed finally,

W. 4301. Previous case readmitted. Slight discharge from wound.

ACUTE PANCREATITIS.

T. 132. Pancreas drained through peritoneal cavity. Wound subsequently enlarged and pus and sloughs of pancreas removed. Recovery.

W. 93. Much pain in left loin and abdomen. Tenderness in left loin and epigastrium. Pancreas drained through peritoneal

cavity. Recovery.

W. 915. Previous case readmitted for pain and pyrexia, which subsided spontaneously.

DISEASES OF THE PERITONEUM.

TUBERCULOUS PERITONITIS.

J. 678. Much fluid and miliary tubercles. Appendix removed. Wound broke down. Developed fæcal fistula.

J. 623. Multiple ulcers of small intestine causing strictures of

bowel. Miliary tubercles.

J. 1934. Much fluid, miliary tubercles and enlargement of glands.

D. 3885. Much fluid evacuated and oxygen blown through

peritoneal cavity.

D. 1696. Previous operation for tuberculous peritonitis. Wound broken down.

PNEUMOCOCCAL PERITONITIS.

W. 4898. Aged 6 years 11 months. General peritonitis. Drained. Death. Post-mortem 202. Small empyema.

STREPTOCOCCAL PERITONITIS.

J. 2899. Aged 9 years 9 months. General peritonitis. No source of infection found in abdomen. Drained. Death. No post-mortem.

HERNIA.

INGUINAL.

I. Bassini operation.

J. 4262, 3710, 3881, 2982, 2709, 2710, 2800, 1838, 2082, 2081, 2080, 2247, 2227, 2367, 1681, 644, 747, 909, 70, 249.

T. 4485, 2802, 3148, 1567, 1398, 256.

D. 1352, 998, 287, 441, 744, 700, 764, 106, 220, 4167, 4159. W. 4411, 3047, 1835, 2094 3797, 2768, 2731, 2727, 2730, 1815, 2728, 2679, 3276, 3388, 873

II. Ligature of sac and suture of external oblique.

J. 2057, 2734, 2963, 3833, 4721, 1721, 2251, 2079, 1930, 1981, 1872, 1864, 1922,

1872, 1864, 1922. W. 276, 493, 433, 383, 343, 624, 647, 756, 23, 4661, 4918, 4525, 4662, 3012, 3021, 3882, 3499, 1356. INGUINAL (continued).

III. Silver fligree inserted, with Bassini operation.

W. 3897.

IV. No operation.

T. 184, 4629. W. 2811, 1572.

RECURRENT INGUINAL.

D. 4310. Filigree and Bassini operation.W. 2286. Bassini operation.

FEMORAL.

Radical operation by inguinal route.

J. 2128, 467, 4311. T. 1400.

D. 442. W. 2851, 2053.

UMBILICAL.

Radical operation.

T. 1103, 1402, 1090.

HERNIA THROUGH LINEA ALBA.

J. 1475. Radical operation.

HERNIA THROUGH ABDOMINAL SCARS.

No operation.

J. 1910. Following appendix abscess. Had bronchitis. Radical operation.

J. 1984. Following appendix abscess.
T. 1290. Following appendix abscess.
T. 811. Following subumbilical laparotomy.
Following appendix abscess.

W. 272. Following appendix abscess.W. 3461. Following abscess in groin.

W. 3152. Following subumbilical laparotomy.

STRANGULATED HERNIA.

I. Inguinal.

J. 4191. Aged 75. Twenty-two hours' duration. Bowel reduced. Recovery.

J. 1324. Aged 48. Eighteen hours' duration. Bowel reduced. Recovery.

J. 829. Aged 41. Four days' symptoms. Bowel strangulated by adhesion between sac and its omental contents. Bowel reduced. Recovery.

T. 4400. Aged 68. Twelve hours' duration. Congenital sac.

Bowel reduced. Recovery.

D. 645. Aged 37. Three days' symptoms. Bowel gangrenous. One foot resected. Lateral anastomosis. Death ten days later. Post-mortem 46. Anastomosis gangrenous. General peritonitis.

STRANGULATED HERNIA (continued). II. Femoral.

J. 305. Aged 38. Two days' symptoms. Richter's hernia. Apex invaginated and bowel reduced. Recovery.

J. 3136. Aged 31. Six days' symptoms. Strangulated omen-

tum temoved. Recovery.

T. 1798. Aged 56. Previous operation for appendix abscess pointing in thigh through crural canal. Five days' symptoms. Strangulated omentum resected. Recovery.

T. 4681. Aged 58. Twenty-four hours' duration. Bowel re-

duced. Recovery.

T. 1258. Aged 45. One week's symptoms. Strangulated omentum removed. Recovery.
D. 1145. Aged 72. Three days' duration. Richter's hernia. Bowel reduced. Collapsed on table, and death a few hours later. Post-mortem 63.

D. 394. Aged 77. Twenty-four hours' duration. Doubtful bowel resected. End-to-end anastomosis. Recovery.

W. 750. Aged 34. Twelve hours' duration. Bowel reduced. Recovery.

W. 1953. Aged 17. Two hours' duration. Bowel reduced.

W. 3908. Aged 34. Two days' duration. Bowel reduced Recovery.

111. Umbilical.

W. 3641. Aged 50. Three days' duration. Previous operation for umbilical hernia. Operation under novocain infiltration.

Bowel reduced. Recovery.

W. 1468. Aged 69. Three days' duration. Previous operation for umbilical hernia. Operation under stovain. Death on table. Post-mortem 83. Gangrenous perforated bowel. General peritonitis. Fatty heart.

DISEASES OF THE URINARY TRACT.

MOVABLE KIDNEY.

861. Nephropexy. J. 801. Nephropexy.
 T. 2173. Nephropexy. T. 2139. Nephropexy.

W. 1575, 4406. Previous nephropexy elsewhere. Capsule apparently had not been stripped. Return of symptoms. Nephropexy performed.

RENAL PAIN.

W. 311, 151, 4662. No cause found.

HÆMATURIA. ? CAUSE.

J. 1938, 2519, 3415. T. 4712.

PYELITIS.

W. 145, 3893.

HYDRONEPHROSIS.

W. 4355. Due to kinking at pelvi-ureteral junction. Nephrec-

tomy. Recovery.

W. 1951. Due to accessory renal artery crossing in front of upper part of ureter. Efflux seen from other ureter. Nephrectomy. Death from uræmia thirteen days later. Post-mortem 119. Similar condition on opposite side.

MALIGNANT TUMOUR OF KIDNEY.

T. 3382. Pyuria and cystitis. Kidney explored. Inoperable growth. Death. Post-mortem 176.

PERINEPHRIC ABSCESS.

J. 3021. One month's history. Drained. No pyuria before or

after operation.

W. 120. Thought to be appendicitis. Appendicectomy. Developed turbid effusion in shoulder. Drained. Culture: Staph. aureus. Later perinephric abscess was opened. Culture: Staph. aureus. Kidney was injured and secondary hæmorrhage occurred. Nephrectomy. Recovery.

Tuberculosis of Kidney.

D. 361. Congenital cystic kidney with a mass of tubercle in

one portion adherent to cæcum. Nephrectomy. Recovery. W. 1760. Nephrectomy for tuberculosis twelve months previously. Disease now in opposite kidney, bladder, prostate and vesiculæ.

W. 4177. Nephrectomy. Recovery.
 W. 1122. Nephrectomy. Some tuberculous infection of wound

occurred. Slow recovery.

W. 4187. Nephrectomy. Whole wound became infected with tubercle. Death. Post-mortem 104. Miliary tubercle of lungs, peritonium, liver, bladder and prostate.

RENAL CALCULUS.

J. 172. Previous operations for calculi on both sides. Calculi recurred on one side; removed by nephrotomy.

 J. 4137. Nephrolithotomy.
 J. 3107. Calculous pyonephrosis. Nephrolithotomy. Drainage.
 T. 500. Bilateral calculi. Previous operations on both kidneys and bladder. Pyelotomy. Multiple calculi removed from one kidney.

W. 2891. Previous removal of calculi from bladder and both

kidneys. No further calculi.

? Renal Calculus.

W. 1852. Pyelotomy and nephrotomy. Old blood-clot, but no stone found.

URETERIC CALCULUS.

W. 3011. In lower end of ureter. No operation.

? URETERIC CALCULUS.

J. 1001. W. 1978.

VESICAL CALCULUS.

J. 1323. Two very large stones removed suprapubically.
 W. 2588, 2988. Lithotrity.
 W. 274. Removed suprapubically.

CARCINOMA OF BLADDER.

 J. 3208. Inoperable.
 T. 1832. Exploratory suprapubic cystostomy. Inoperable.
 T. 1843. Previous removal of papilloma of bladder. Multiple skin nodules present.

RECURRENT PAPILLOMA OF BLADDER.

W. 1858. Previous operation for papilloma. Nil further done.

DISEASES OF THE MALE GENERATIVE ORGANS.

VARICOCELE.

T. 1151

D. 2440.

HYDROCELE OF CORD.

J. 3605.

ENCYSTED HYDROCELE OF EPIDIDYMIS.

J. 1927, 1055. D. 4316.

HYDROCELE OF TUNICA VAGINALIS.

Radical operation.

J. 4259, 3786. D. 33. W. 3884, 2853, 841.

No operation.

W. 1153.

TUBERCULOUS EPIDIDYMITIS.

 J. 1477. Unilateral, with sinus. Chest nil. Orchidectomy.
 J. 685. Bilateral, with sinus. Previous pleural effusion. Bilateral epididymectomy.

J. 173. Unilateral, with involvement of prostate and vesicula. Chest nil. Orchidectomy.

TUBERCULOUS EPIDIDYMITIS (continued).

W. 2016. Bilateral, with sinus on one side. Involvement of prostate and vesicula. Phthisis. Testis, vas, and vesicula removed through inguinal incision.

Periurethral Abscess.

W. 1052. No stricture. Abscess did not communicate with urethra.

URETHRAL STRICTURE.

J. 1550. External urethrotomy.

2458. Ruptured urethra and extravasation. External urethrotomy and multiple incisions. Recovery.

 T. 1302. External urethrotomy.
 T. 2849. Internal urethrotomy followed by severe hæmorrhage from prostate necessitating external urethrotomy and plugging of prostatic urethra around drainage tube. Recovery.

D. 499. Periurethral abscess External urethrotomy.
 D. 1390. Periurethral abscess. External urethrotomy.

D. 1164. External urethrotomy under stovaine. Became comatose during operation and died two days later. Post-mortem 72. Hæmorrhage into pons. Granular kidneys.

W. 1415. External urethrotomy. W. 3210. External urethrotomy. W. 3306. Internal urethrotomy.

MALIGNANT GROWTH OF TESTIS.

J. 4619. Sarcoma. Orchidectomy. J. 3561. Carcinoma. Orchidectomy.T. 4300. Sarcoma. Orchidectomy.

SENILE ENLARGEMENT OF PROSTATE.

Suprapupic prostatectomy.

J. 295. Aged 82. Retention. Suprapubic drainage and subsequent prostatectomy.

 J. 3999. Aged 64.
 J. 3636. Aged 68. Retention. Suprapubic drainage and subsequent prostatectomy. Much hæmorrhage. Bladder packed. Death later from chronic uræmia. Post-mortem 172.

T. 2285. Aged 66. Chronic glycosuria. Retention. Supra-

pubic drainage. Subsequent prostatectomy.

T. 1871. Aged 55. D. 1006. Aged 62. Enlarged tender kidney and vomiting. Suprapubic drainage. Subsequent prostatectomy. Good recovery. W. 1762. Aged 74. Retention. Suprapubic drainage. Subsequent prostatectomy.

W. 3397. Aged 70. W. 3401. Aged 63. Retention. Suprapubic drainage. Subsequent prostatectomy.

W. 1685. Aged 67. Retention. Suprapubic drainage. . Subse-

quent prostatectomy.

W. 2997. Aged 70. Retention. Suprapubic drainage. Subsequent prostatectomy, followed by hæmorrhage and death. Postmortem 146.

No operation.

I. 3880. 734.

W. 4637. W. 1473. Suppression of urine. Death. No post-mortem.

? ENLARGED PROSTATE.

J. 2434, 879. Bladder explored. Nil found.

ENLARGED PROSTATE.

J. 250. Retention. Suprapubic drainage. Coma. Death. Post-mortem 28. Large adenomatous prostate. Primary carcinoma of bronchus with secondary growths in kidneys.

HÆMATURIA FROM TUBERCULOUS PROSTATE.

D. 740. Previous case readmitted.

CARCINOMA OF PROSTATE.

J. 1325. Inoperable.
T. 29. Suprapubic partial removal. Permanent drainage.
D. 1775. Inoperable. Previous nephrectomy for papillomatous carcinoma of pelvis of kidney.
W. 4098. Suprapubic partial removal. Death. Post-mortem 189. Secondary deposits in liver and lungs.

DISEASES OF THE FEMALE GENERATIVE ORGANS.

RUPTURED ECTOPIC GESTATION.

J. 289.

RETROVERSION OF UTERUS.

J. 4193.

FIBROID OF UTERUS.

W. 2630. Twisted subperitoneal fibroid. Removed.

PROLAPSE OF OVARY.

W. 3801.

OVARITIS.

T. 2051.

OVARIAN CYST.

J. 3110. Cyst removed.

SALPINGITIS AND PELVIC PERITONITIIS.

1316.

W. 899, 3594. W. 3887. Inflamed appendix removed. Bilateral pyosalpinx left in situ.

W. 719. Bilateral pyosalpinx. Removal of right appendages and inflamed appendix.

RETAINED PESSARY.

W. 1682, 3791.

DISEASES OF THE BREAST.

FIBRO-ADENOMA.

4761. Large soft tumour with cystic degeneration. Tumour J. enucleated.

T. 4630. Enucleated. D. 528. Removed.

W. 4654. Large firm tumour. Whole breast removed.

CHRONIC MASTITIS.

With small cysts. Partial excision of breast. 523.

1707. With multiple cysts. Bilateral. Partial excision of both breasts.

J. 2992. J. 4011. J. 4679. T. 3988, With single cyst. Partial excision of breast. With single cyst. Partial excision of breast.

4679. No cysts. Partial excision of breast.
3988, 3527, 1701, 944. With multiple cysts. Removal of whole breast.

T. 1070. Bilateral. No operation.

With single cyst. Partial excision of breast. 197. D.

W. 1576. Male. Removal of breast.

W. 679. With multiple cysts. Partial excision of breast.

With single cyst. Aspirated.

With multiple cysts. Excision of whole breast.

W. 708. W. 3777. W. 3145. Bilateral with multiple cysts. Both breasts removed.

CARCINOMA.

I. Operation with removal of both pectorals.

J. 2368, 2138, 1476, 4279, 693, 3971, 278, 4330, 76, 4187, 4567, 4449, 3792, 4005, 4452, 4653, 869.

 J. 526, 1176. Duct carcinoma.
 T. 4165, 1712, 3662, 400, 3819, 582, 382, 639, 2104, 1401, 1661, 1913.

1997. Death on next day. Post-mortem 113. Extreme fatty degeneration of heart.

T. 864. Male. D. 187, 1077.

D. 997. Posterior triangle also cleared.

W. 3065, 1053, 3676, 4038, 3146, 3831, 2442, 314, 745, 732, 1481.

W. 3773. Posterior triangle also cleared.

W. 2042. Bilateral growths. Bilateral radical operation in two stages.

II. Local removal.

J. 1999. Breast removed. Growth found to invade chest wall.
 T. 3556. Aged 75. Breast removed for extensive growth.

T. 3556. Aged 75. Breast removed for extensive growth. D. 4058. Partial extension of breast for cyst. Microscope showed early carcinoma in wall of cyst. No further operation.

III. Inoperable.

J. 3557. T. 4213. Much glycosuria.

T. 4260. Abscess in superficial tissues with skin ulcerated over growth.

W. 4353.

? RECURRENT CARCINOMA.

T. 3086. Two nodules beneath clavicle. Excised. Found to be scar tissue around ligatures.

RECURRENT CARCINOMA.

1. Operation.

J. 4207. Radical operation eight-months ago. Mass in axilla excised.

W. 4663. Radical operation five years ago. Multiple nodules in opposite posterior triangle, which was cleared.

II. Inoperable.

J. 3805. Incomplete operation elsewhere four years ago.

Growth beneath scar and in posterior triangle.

D. 3197. Radical operation twelve months ago. opposite breast with extensive skin involvement, also growth in chest.

W. 4123. Radical operation two months ago. Growths in

posterior triangle, liver and chest.

W. 2287. Incomplete operation elsewhere twelve months ago. Growth in skin, axilla, posterior triangle and chest.

DISEASES OF BONE.

TYPHOID OSTEOMYELITIS.

J. 3307. Typhoid one year previously. Tibia.

OSTEOMYELITIS.

Tibia. Chronic. Previous acute attack. Operation. Tibia. Chronic. Previous acute attack. Operation. Femur. Subacute. Operation. 2646. D. 4305.

W. 224.

Rib. Subacute abscess. Operation. Death. Post-W. 4061. mortem 184. Old phthisis.

W. 1382. Femur. Operation.
W. 1819. Tibia. Chronic. Previous acute attack. Operation.
W. 2441. Rib. Acute. Operation.

SINUS FOLLOWING OSTEOMYELITIS.

J. 2002. Sequestrum removed from septic amputation stump. Femur.

J. 2214. Sequestrum removed from old compound fracture. Tibia.

Old compound fracture. Femur. Opened up and J. 464. scraped.

Tibia. T. 3399. Old compound fracture. Opened up and scraped.

Old compound fracture. Tibia. Sequestrum re-T. 1830.

moved. T. 1629. Chronic alveolar abscess. Embedded stump Taw. removed.

Jaw. Old fracture. Sequestrum removed.

W. 1774. W. 3654. moved. Jaw. Chronic alveolar abscess. Sequestrum re-

W. 906. Previous acute osteomyelitis. Fibula. Sequestrum removed.

SYPHILIS.

Necrosis of palate. Sequestrum removed. 1603.

Necrosis of nasal septum. Sequestrum removed.
Necrosis of upper jaw. Sequestrum removed.
Gummatous periostitis of tibia.

1839. Periostitis of tibia.

W. 524. Gumma of manubrium sterni.

W. 3283. Gumma of neck of femur, with coxa vara.

W. 3773. Previous case readmitted.

TUBERCULOSIS.

Rib.

With sinus. Operation. J. 4000. With sinus D. 422. Operation.

CLAVICLE.

D. 360. Spontaneous fracture of middle of bone. Explored and thought to be growth. Clavicle excised. Microscope showed tubercle.

HUMERUS.

4036. Upper end, with abscess. Operation. D. 284. Lower end, with abscess. Operation.

VERTEBRAL COLUMN.

J. 1724. Dorsal. Old laminectomy for paraplegia, which had recovered. Cystitis.

810. Dorsal. Plaster jacket.

350f. Dorsi-lumbar. Also had phthisis. 4008. Dorsal. Lumbar abscess. Operation.

 4073. Dorsal. Previous laminectomy for paraplegia, which had recovered. Sinus. Amyloid disease.

T. 71. Dorsal.

D. 2286. Lumbar. Psoas abscess. Aspirated.

VERTEBRAL COLUMN (continued).

D. 3822. Dorsal. Psoas and lumbar abscess. Also had tuberculous wrist and humerus.

W. 2501. Dorsal. Psoas abscess.

W. 4086. Dorsi-lumbar. Psoas abscess.

W. 1812. Lumbar.

W. 3342. Dorsal. Lumbar and psoas abscesses.
 W. 4048. Dorsal. Psoas abscess reaching to ankle, with sinus.

W. 3274. Dorsal.

W. 842. Cervico-dorsal.

W. 1572. Dorsi-lumbar. Bilateral psoas and gluteal abscesses.

? PSOAS ABSCESS.

Т. 1168.

W. 3929.

HYSTERICAL SPINE.

T. 144.

CROSS-UNION BETWEEN RADIUS AND ULNA.

T. 82. Following fracture. Bridge of union removed.

OSTEITIS FIBROSA.

J. 1170. Aged 8. Following scarlet fever. Tibia. Diseased tissue scraped away, containing multiple small cysts.

EXOSTOSIS.

T. 4307. Tibia. W. 2184. Rib.

SECONDARY CARCINOMA.

W. 4405. Femur causing spontaneous fracture. Radical operation for carcinoma of breast ten months ago. Extensive recurrences in deep fascia.

SARCOMA.

J. 4309. Local recurrence after removal of upper jaw eight years ago. Treated with radium.

J. 388. Aged 12. Myeloid of tibia, upper end. Scraped and

cavity packed.

J. 2670. Preceding case recurrent in bone and soft parts.

Amputation through lower third of femur.

D. 2016. Aged 43. Myeloid of lower end of tibia. Resected,

the upper portion of opposite fibula being grafted into place.
W. 1350. Aged 8. Fibula. Treated by radium, but growth fungated. Amputation through thigh. Periosteal sarcoma.

? SARCOMA.

T. 2852. Tibia. Refused operation.

DISEASES OF JOINTS.

TUBERCULOSIS.

Shoulder.

J. 541. With sinus. Opened and scraped.

Elbow.

Plaster. J. 1287.

W. 1554. With sinus. Opened and scraped.

 W. 2139. With abscess. Aspirated.
 W. 2672. With abscess. Opened and scraped. Also had tuberculosis of finger, which was amputated, and knee, which was plastered.

Wrist.

W. 3826. Old case. Healed.

Sacro-iliac.

T. Abscesses. Aspirated. Also had tuberculous hip. 254.

T. 4012. Doubtful case.

Hip.

J. J. T. With sinus. Scraped. 2371.

3998. With abscess. Opened.

2105. With abscess. Aspirated.

With sinus. Scraped. 1143.

With sinuses. Sequestrum removed. Scraped. D. 4307.

W. With abscess. Aspirated. 600.

W. Extension and splint. 718. W. 3153. Extension and splint.

W. 1705. Plaster. W. 1850. Extension.

W. 3838. Bony ankylosis. Healed.

W. 3508. Plaster.

Knee.

J. 2238. Amputations through thigh. Also had sinuses about hip, ankle and perineum.

T. 3385. Old excision. Healed.
T. 2590. Old excision. Plaster

Old excision. Plaster reapplied.

Excised. 1395.

3066. D. Old excision for removal of wire.

W. 878. W. 5279. Plaster.

With sinuses. Excised.

Plaster.

W. 1553. W. 1731. Excised. Also had tuberculous wrist, which was plastered.

Fibrous ankylosis and abscess. Abscess scraped. W. 995. Plaster.

W. 1727. Bilateral, with periarticular abscess. scraped. Plaster.

W. 4099. Periarticular abscess. Scraped. Plaster.

 W. 3483. Had phthisis. Amputation through thigh.
 W. 1771. With sinus, which was scraped. Also had tuberculous dactylitis with sinus.

? TUBERCULOUS KNEE.

W. 3883, 1384.

Ankle.

1261. With abscess. Scraped. 3816. With sinuses. Removal of astragalus and lower end of tibia and fibula. Also had tuberculous epididymitis and com-pound palmar ganglion; the latter was dissected away.

W. 3801, 1703. With sinus. Plaster.

W. 1779. Bilateral, with sinuses. Also had phthisis, tuberculous rib, and fistula in ano.

ANKYLOSIS.

448. Elbow, following arthritis. Fibrous union. Moved under anæsthetic.

J. 1125. Knee, with flexion. Fibrous union following injury.

Corrected by weight extension. 2813. Knee with flexion. Fibrous union following gonorrhœal arthritis. Corrected by extension.

D. 695. Knee, with flexion, following arthritis. Fibrous union. Massage and manipulation.
W. 3807. Knee, with flexion. Bony union after excision for tubercle. Wedge excised. Hamstrings divided. Weight extension.

W. 498. Knee, with flexion. Bony union after tuberculous

disease. Wedge excised.

W. 2453. Knee, with flexion. Bony union after tuberculous disease. Wedge excised and plated.

W. 4717. Knee, with flexion. Fibrous union after tuberculous

disease. Weight extension.

W. 3840. Knee, with flexion. Fibrous union. Old case of acute osteomyelitis. Arthroplasty. Movable joint obtained.

INTERNAL DERANGEMENT OF KNEE-JOINT.

Removal of internal semilunar cartilage.

J. 2736. T. 4120, 4205.

D. 72, 4312. W. 1174, 2457, 1284.

W. 2364. Removal of partially detached portion of cartilage.

SUBLUXATION OF PATELLA.

T. 340. Gracilis sutured to ligamentum patellæ.

FIBROMA OF THE SYNOVIAL MEMBRANE.

J. 4725. Growing in connection with astragalo-navicular joint. Tumour excised.

OSTEO-ARTHRITIS.

W. 4522. Of elbow, with much lipping.

RHEUMATOID ARTHRITIS.

D. 703. Of wrists, fingers, shoulders and knees.

D

SUBACUTE INFECTIVE ARTHRITIS.

T. 270. Old osteomyelitis of humerus with effusion into elbow. W. 1417. Old osteomyelitis of femur with effusion into knee. Aspirated.

W. 2101. Aged 10 months. Knee, with effusion, after broncho-

pneumonia. Aspirated. Culture showed streptococci.

W. 3007. Aged 1 year 6 months. Elbow.
W. 3784. Knee. Plaster.
W. 522. Knee, ankle and wrist. Knee opened, washed out and closed.

W. 1728. Elbow, wrist and knee. Knee plastered.

DISEASES OF BURSÆ.

SUPPURATIVE BURSITIS.

J. 4400. Prepatellar bursa.

TUBERCULOSIS.

J. 2085. Over great trochanter.

CHRONIC BURSITIS.

J. 3096. Prepatellar bursa.
W. 1579. Adventitious bursa over shoulder.
W. 3195. Semi-membranous bursa.
W. 1543. Subsartorial bursa.

DISEASES OF MUSCLES AND FASCIÆ.

HYPERTROPHY OF MUSCLE.

D. 889. Thought to be semi-membranous bursa, but proved to be enlarged inner head of gastrocnemius.

CHRONIC SUPPURATION IN MUSCLE.

W. 1508. In muscles of pelvis and buttock, with sinuses. Death. Post-mortem 112. Amyloid disease. No bone disease found.

SARCOMA OF MUSCLE.

W. 1528. Of calf muscles. Radium inserted. W. 1755. Previous case readmitted. Amputation through thigh.

GANGLION.

J. 3350. Lying in aponeurosis over gastrocnemius.

DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUES.

SINUS.

J. 1069. After breast operation.
J. 1066. After amputation.
J. 3796. After amputation.
J. 681. After laparotomy.
T. 348. After breast operation.
T. 817. After compound fracture.
W. 4175. After laparotomy.

CELLULITIS.

J. 542, 840. Submaxillary.
D. 670. Of leg.
W. 739. Submaxillary. Death. Post-mortem 45. Pericarditis and pleurisy.

SUBCUTANEOUS ABSCESS.

J. 3802. Tuberculous.
 J. 2716. Tuberculous. Also had phthisis.

J. 1191. Pneumococcal, of leg. T. 2027. Gummatous. W. 4080. Tuberculous

POPLITEAL ABSCESS.

D. 4031.

VARICOSE ULCER.

J. 2609.

HERPES OF FACE.

T. 3064.

LIPOMA.

J. 4389. Abdominal wall. J. 1031. Buttock.

THICKENED SCAR AFTER BURN.

T. 2221.

ACTINOMYCOSIS OF FACE.

T. 3813. Trismus. Carious tooth. Abscesses in temporal fossa and neck.

T. 181. Previous case readmitted. Sinuses scraped.

RODENT ULCER.

J. 1818, 3354. Of face. X-ray treatment.
T. 1328. Of face. Excised.
W. 2290. Of face. Extensive resection of portion of skull with growth. Healed well.

LUPUS.

J. 1286. Old case. Foci on face curetted.

LUPUS-CARCINOMA.

J. 2186. Lupus on face for forty years, with development of epithelioma, which was excised. No gland operation performed.

EPITHELIOMA OF FACE.

J. 910. Aged 77. Excised. No gland operation.

SARCOMA.

J. 4301. Recurrent case. Growth on buttock and thigh. Excised. J. 255. Of neck. Excised.

INJURIES.

BURNS.

J. 806. W. 2908. W. 881. Death. No post-mortem.

WOUNDS.

J. 1072. T. 5008. W. 746. W. 1634. Scalp. Face.

746. Laceration of leg. Death. No post-mortem.

Scalp. W. 2669. Face.

FOREIGN BODIES.

T. 3979. Needle in knee. Removed.
 W. 4980. Needle in thumb. Removed.
 W. 1299. Needle in leg. Removed.

STAB WOUND.

T. 3002. Chest wall.

J. 2123, 1867, 3137, 313. Involving tendon sheaths. Incision and drainage.

J. 1866. W. 3447. Involving tendon sheaths. Drainage. W. 1920. Involving tendon sheaths. Secondary hæmorrhage from ulnar artery.

W. 868. Involving tendon sheaths. Drainage.

TRAUMATIC ASPHYXIA.

W. 2061. Recovery.

RUPTURED MUSCLE.

W. 1588. Rectus femoris.

LACERATION OF RECTUM.

T. 2775. Due to fall on a spike. Laparotomy. Complete tear of rectum sutured. Recovery.

RUPTURED LIVER.

T. 472. Buffer accident. Laparotomy. Right lobe was crushed. It was packed. Death. Post-mortem 29.

RUPTURED SMALL INTESTINE.

J. 1581. Weight fell on abdomen. Laparotomy. Suture of ruptured jejunum. Death. Post-mortem 94. Also had retroperitoneal tear of second part of duodenum.

Bruised Urethra.

T. 4095. Injury to perineum. Bleeding and retention. Cathe-

ter passed and tied in.

W. 4231. Injury to perineum. Retention. Attempts to catheterize failed and caused hæmorrhage. Suprapubic cystostomy showed enlargement of prostate. Metal sounds passed via bladder and urethra met easily in the urethra. Suprapubic drainage. Recovery.

CRUSHED LIMBS.

D. 635. Train accident. Amputations through one leg, one

thigh, and one forearm. Recovery.
W. 4272. Fingers. Amputated.
W. 3906. Foot. Amputated.
W. 1597. Foot. Amputated.

SPRAIN.

T. 713. Back. W. 1471. Ankle.

DISLOCATIONS.

T. 1038. Recent, of shoulder. Reduced.

W. 3836. Old case, of shoulder, unreduced. Also had malunited fracture through surgical neck of same humerus. No operation.

W. 4246. Old case, of head of radius, unreduced. Reduced by open operation.

FRACTURES.

Radius.

W. 2199. Plated. W. 4418. For removal of plate.

Olecranon.

T. 4097, 4707. Screwed.T. 4791. For removal of wire.D. 1154. Wired.

Humerus.

T. 17. Supracondylar T fracture into joint. Chronic osteitis of humerus. Splinted.

FRACTURES (continued).

W. 2216. Upper one-third of shaft. Extension in abducted position.

W. 2801. Middle of shaft. Musculo-spiral nerve also bruised.

Plated.

Fracture-separation of lower epiphysis of humerus.

W. 2065. Aged 6. Reduced by open operation. W. 3536. Aged 71. Reduced by open operation. W. 2741. Aged 7. Reduced by open operation.
 W. 2698. Aged 3. Reduced by open operation.

Ribs.

4788. J. 3823. Developed pleurisy. J. 3823. T. 2376, 4669.

Tibia.

J. 2855. Plaster.

Tibia and fibula.

Upper ends.

J. 1304. Splinted.

Shafts.

J. 1606. Tibia plated.
 T. 3551, 4111. Tibia plated.
 W. 3947. Aged 66. Splinted.

Pott's.

W. 3253. Internal malleolus screwed.

W. 4651. Refused operation. Splinted.
 W. 659. Internal malleolus screwed. Fibula plated.

Patella.

J. 1073. Wired. W. 3055. Wired.

Femur.

Neck.

T. 1220. Extracapsular. Splinted.

37. Intracapsular. Splinted.

W. 4215. Impacted extracapsular. Sand-bags. Shaft.

W. 4163, 1878, 3346. Plated.
 W. 2909. Aged 7½. Treated with Gallow's splint.

Pelvis.

16. Acetabulum fractured.

T. 1680. Old case.

COMPOUND FRACTURES.

J. 549. T. 691. Tibia. Tibia.

SKULL.

Concussion.

J. 3455. T. 986, 986, 1519. D. 1441, 1161.

W. 4910.

Fracture.

J. 545. Base. Bleeding from ear. Recovery.

J. 3781. Vault. Compression. Operation. Extradural hæmorrhage. Death. Post-mortem 167. Bruised temporo-sphenoidal lobe and hæmorrhage into pons.

W. 4304. Vault. Fissured fracture. No operation. Recovery. W. 3909. Compound depressed fracture of vault. Operation. Death. Post-mortem 190. Meningitis.

W. 3928. Base. Bleeding from ear. Compression and hemiplegia. Operation. Contrecoup bruise of brain. Recovery with slight hemiplegia.

? FRACTURED BASE.

J. 1121. W. 2642.

SPINE.

T. 3330. Fracture dislocation of eleventh and twelfth dorsal vertebræ. Slight displacement. No paraplegia. Recovery.
 T. 3636. Fracture dislocation of lumbo-sacral region. Cauda

equina lesion. No operation. Marked improvement.

MALUNITED FRACTURE.

 J. 277. Radius. Fragments cleared and plated.
 W. 3658. Lower end of tibia with inversion of foot. Wedge removed from tibia and plated in reversed position. Portion of fibula resected.

W. 3050. Old adduction fracture dislocation of ankle. Frag-ments cleared and replaced. Internal malleolus screwed. Fibula plated.

UNUNITED FRACTURE.

J. 92. Old compound tibia and fibula. Fibrous union. Tibia cleared, medulla drilled in several places. Plated.
T. 21. Radius. Previously plated. No further operation.
T. 4209. Tibia. Fibrous union. Aged 67. Multiple gouty joints and skin ulcerated over fracture. No operation.

T. 3888. Intracapsular neck of femur. Aged 46. Cleared and

screwed.

T. 3087. Intracapsular neck of femur. Aged 64. Marked contracture of adductor muscles, which were divided. further treatment.

W. 127. Olecranon. False joint. Fragments cleared and

screwed.

W. 714. Tibia. Fragments cleared, medulla drilled in

several places. Plated.

W. 3505. Base of fifth metatarsal. Sliding graft made from fifth metatarsal.

The same of the sa

MEDICAL AND SURGICAL REPORT

1916

(RESIDENT MEDICAL OFFICER'S PORTION.)

SUMMARY.

DISEASES		es tre		Disch	arged	Di	ied REMARKS	
	М.	F.	Total	м.	F.	М.	F.	
TABLE .								
1. General Infective Diseases	33	40	73	32	37	1	3	
2. Tuberculosis	63	52	115	51	44	12	8	
3. Constitutional, Metabolic, and Dis-		19						
eases of the Ductless Glands	14	12	26	9	9	5	3	
4. Diseases of the Alimentary Tract	86	82	168	78	76	8	6	
5. Diseases of the Liver, Gall Passages,								
Spleen, Peritoneum and Pancreas	20	16	36	15	14	5	2	
6. Diseases of the Respiratory System		1						
and Mediastinum	64	41	105	56	36	8	5	
7. Diseases of the kidney and Genito-		-						
Urinary Tract	44	25	69	37	20	7	5	
8. Diseases of the Blood	13	17	30	9	15	4	2	- Mana
9. Diseases of the Cardio-vascular		7	Phy.	4				MINIOTA TO
System	54	61	115	43	50	11	11	
10. Diseases of the Nervous System	59	59	118	45	52	14	7	
11. Gynæcological and Obstetrical								
Cases		8	8		8			
12. Poisons and Chronic Intoxications	2	6	8	2	6			
3. Various	6	4	10	6	4			
Totals	458	423	881	383	371	75	52	

Part I.-STATISTICAL TABLES.

TABLE I.—GENERAL INFECTIVE DISEASES: INCLUDING ACUTE SPECIFICS.

DISEASES		es trea		Disch	arged	Di	ed	REMARKS
	М.	F.	Total	М.	F.	М.	F.	and a
1. Enteric Fever— Paratyphoid	3 1	2	5 2	3 1	2 1			
,, carrier		. 1	1		1	***	***	
2. Diphtheria— A. Faucial— Uncomplicated	9	11	20	9	10		1	
Complicated with— i. bronchitis		1	1		1		***	Mar Book day
B. Laryngeal With tracheotomy C. Nasal	1	3	4		1	1	2	
3. Catarrhal laryngitis	1	1	2	1	1			
4. Infective arthritis (rheumatic)— A. Acute—								
i. Uncomplicated ii. With mitral disease B. Subacute-	1 2	3 2	4	1 2	3 2			
i. With mitral disease	···i	3	3	···	3			and interest
5. Osteo-arthritis		1	1		1		,	obsider to 3
6. Rheumatoid arthritis— A. Subacute B. Chronic	1 2	1 4 1	2 6 1	1 2	1 4 1			Coential Co
7. Pyæmia	3		3	3				
8. Dysentery	2		2	2				
9. Malaria	1		1	1		***		0
10. Pertussis		1	1		1			
11. Morbilli	1	1	2	1	1		***	
12. Influenza	2	2	4	2	2			
13. Congenital syphilis	1		1	1				
Totals	33	40	73	32	37	1	3	

TABLE II.—TUBERCULOSIS.

DISEASES		es trea		Disch	arged	Die	ed	REMARKS
DISEASES : ENGLICOING	М.	F.	Total	M.	F.	М.	F.	
1. Chronic Pulmonary—								
A. Early tuberculosis— ? Early tuberculosis	2 12	1 9	3 21	2 12	1 9			4 12 1
B. Advanced, with—								
i. Consolidation ii. Fibrosisiii. Fibrosis and cavitation	14 1 14	6	20 1 24	14 1 9	6 7	5		real Charles at a
iv. Laryngitis	1 1	4	5 2	1	4	···		- Name of the
vi. Meningitis	1	1	1		1	1		-third in-
2. Acute miliary tuberculosis	3	. 4	7			3	4	
3. Tuberculous peritonitis—								
i. Ascitic	5 3 2	2 4 2	7 7 4	5 1 2	2 4 2	2		Il foliosist I
4. Genito-urinary tuberculosis	1		1	1		***		AND A STREET
5. Spinal caries	1	1	2	1	1			alough at the same
6. Tuberculous adenitis		5	5		5			
7. Tuberculous abscess of rib	1	***	1	1				
8. ? Tuberculous dactylitis	1		1	1				Can an a
9. ? Tuberculous enteritis		2	2		2			alphapmonts
Description of			1	138				Control of
				1	1		-	. Opening
		1	1					
			-				1	
	1					1		
								stationes
Totals	63	52	115	51	44	12	8	

TABLE III.—CONSTITUTIONAL, METABOLIC AND DISEASES OF THE DUCTLESS GLANDS.

		JEANDS.						
DISEASES		es trea		Disch	arged	Di	ed	REMARKS
	М.	F.	Total	М.	F.	М.	F.	
1. Thyroid— Graves's disease Myxædema		3 1	3		3			
2. Constitutional diseases producing skeletal changes— i. Rickets	 1	1	1 1	ï	1			Landing W
3. Disorders of nutrition— i. Marasmus	4	6	10	1	3	3	3	
4. Gout	1		1	1				
5. Diabetes— Uncomplicated Complicated with—	4	1	5	4	1			Constant and
Coma	1		1	 1 1		1 1		
	-							
					-			interest in the second
								Coults
						1		Consequence in
				1	1 155	1		ALC:
								General Control of the Control of th
				1000	-	1	100	in almost to
				1		1991		II. In the second of
								Land to part 18.
Totals	14	12	26	9	9	5	3	

TABLE IV.—DISEASES OF THE ALIMENTARY TRACT.

DISEASES		Cases treated during 1916		Disch	arged	Di	ed	REMARKS
	М.	F.	Total	М.	F.	М.	F.	
Diseases of tonsils— i. Follicular tonsillitis	2	1	3	2	1		No.	bunnet "
ii. Parenchymatous tonsillitis	1		1	1				and the same of
2. Carcinoma of œsophagus	4		4	3		1		
3. Disorders of stomach— i. Gastralgia (neuroses)	7	23	30	7	23			
ii. Gastric irritationiii. Chronic gastritis		1 3	1 11		1 3		•••	
iv. Spasmodic hour-glass		2	2		2			District of the last
v. Gastric dilatationvi. Pyloric stenosis	3	1	4 4	4 2	1	1		
vii. ? Hypertrophic pyloric stenosis viii. Gastric ulcer —		1	1		1			
Uncomplicated	9	7 3	16	9	7 2			al ways
With hæmatemesis With hæmatemesis and melæna	1	2	2		2		1	
Hour-glass stomach? Ulcer	2	3	3	2	2		1	
Pain after gastro-enterostomy	1		1	1				
ix. Carcinoma ventriculi	6 5	3	9 5	4	2	2	1	
? Carcinoma		1 3	1 3		1 3			
x. Gastroptosis	2	5	7	2	5			
5. Duodenal ulcer—								
Uncomplicated With hæmatemesis melæna	6		6	6		···	***	
? Duodenal ulcer	1		1	1				
6. Appendicitis— i. Not requiring operation		1	1		1			
ii. Requiring operation	3	4	7	3	4			
iii. ? Appendicitis	1		1	1				
7. Constipation	7 2	7 2	14	7	7 2	2		
8. Malignant disease of colon	1	***	1	1				
? Carcinoma of colon		1	1		1			
9. Colitis— Mucous	2	3	5	2	3			
Ulcerative	1	2	3	1		***	2	
10. Enteritis	2	1	3	2	1			
11. Eyot of small intestine		1	1				1	
12. Intestinal colic	3		3	3				
13. Helminthiasis	1		1	1				
Totals	86	82	168	78	76	8	6	1

TABLE V.—DISEASES OF THE LIVER, GALL PASSAGES, SPLEEN, PERITONEUM AND PANCREAS.

DISEASES		Cases treated during 1916 Discharged				Di	ed	REMARKS
	М.	F.	Total	М.	F.	М.	F.	
1. Jaundice— Catarrhal Obstructive		3 1	3 2	 1	3 1			
Acholuric	1	2	3	1	2			
2. Cholecystitis	1	100	1	1				Management I
3. Cholelithiasis— Uncomplicated With cholecystitis ? Cholelithiasis	1 2 	3 1 1	4 3 1	1 2 	3 1 1			Sendiculari
4. Cirrhosis of liver— Multilobular ? Syphilitic	1 2	1	2 2	1 2			1	
5. Carcinoma of liver	3		3	1		- 2		
6 Splenomegaly ? cause	1		1	1				
7. Peritoneum— Malignant disease of Hydatid of Abscess with general peritonitis Chronic peritonitis	1	1 1 1 1	2 1 1 1	1	1 1 1		 ïi	
8. Pancreas— Carcinoma of? Carcinoma of	3 1		3 1	2 1		1		mairon a se
9. Carcinoma of bile duct	1		1			1		
10. Congenital stenosis of bile ducts	1		1			1		
								annieligi S
								and immediate and the
						1 N	100	design design and
Tatala	- 20	16	96	15	14	5	2	
Totals	20	16	36	15	14	5	2	

TABLE VI.—DISEASES OF THE RESPIRATORY SYSTEM AND MEDIASTINUM.

		ses tre		Discl	harged	D	ied	
DISEASES	М.	F.	Total	М.	F.	M.	F.	REMARKS
1. Lobar pneumonia— Uncomplicated		12	17 3 2	5 2 1	12	 1 1	*	Total State of the
Broncho-pneumonia— Uncomplicated With Pericarditis and peritonitis	21	16	37 1	18	13	3	3 1	
3. Asthma	2	1	3	2	1			
4. Bronchitis— Chronic—uncomplicated, with asthma	3 1	1	4 1	3 1	1			The second of th
5. Emphysema	1		1	1				
6. Fibrosis of lung	1		1	1				
7. Bronchiectasis	2		2	2				
8. Pleurisy— Dry	3 4 1	1 5 	4 9 1	3 4 1	1 5 			Carponell
9. Empyema	4	1	5	3	1	1		The planter of
10. Malignant disease of lung	2		2	1		1		
11. Mediastinal disease	1 1 1	1 1 	2 2 1	1 1	1		``i	o sundante di La ferminalia
12. Epithelioma of larynx	1		1	1				
13. Catarrhal laryngitis		1	1		1			
14. Œdema of glottis	1		1	1				
15. Acute cedema of lungs	1		1	1				
16. Glands pressing on bronchi	3,		3	3				
							-	
	-						-	
Totals	64	41	105	56	36	8	5	

TABLE VII.—DISEASES OF THE KIDNEY AND GENITO-URINARY TRACT.

DISEASES	du	ring 1	916	Disci	arged	- D	ied	REMARKS
	М.	F.	Total	M.	F.	M.	F.	
1. Tumour of kidney—			1			,	1	
Carcinoma	1	***	1	***	***	1		Company is
2. Nephrolithiasis?	1	1	2	1	1	***		
3. Nephritis— Acute		4	9	5	4			
Subacute	5	1	6	5	1	***	***	The second second
4. Chronic renal disease— A. With hypertension—								
Uncomplicated Complicated with—	3	***	3	3			***	
i. Anasarcaii. Anasarca, bronchitis and em-	6	6	12	6	3		3	main a
physema iii. Anasarca, uræmia	3	1	3	2		1	···	
iv. Uræmia	3	1	3	1 2		1	1	
vi. Pericarditis	1		1			1	***	
i. With anasarcaii. Without anasarca	2 2	2	2 4	2	2	ï		
iii. Uræmia with hemiplegia		1	1		1		***	
5. Albuminoid kidney	1		1	1				
6. Pyelitis	2	4	6	1	4	1		
7. Hydronephrosis	1	1	2	1	1			
8. Perinephritic abscess	1	***	1	1				
9. Paroxysmal hæmoglobinuria	1	1	2	1	1	-111		
10. Cystitis	2		2	2				
11. Bacilluria	1	2	3	1	2			
12. Disease of prostate	1		1	1				
	1							
	,							
Totals	44	25	69	37	20	7	5	

TABLE VIII.—DISEASES OF THE BLOOD.

DISEASES		es trea		Disch	arged	Di	ed	REMARKS
	М.	F.	Total	М.	F.	М.	F.	
Pernicious anæmia Pernicious anæmia	3	7	10 2	3	6		1	
2. Leukæmia— Spleno-medullary Lympathic Leucocythæmia cutis	1 1 1	2	3 1 1	1 1	1	 1	1	amuniot 2
3. Purpura simplex		1	1		1 1			
4. Lymphadenoma—	1 2	1 3	2 5	1 1	1 3	1		merco MATA
5. Chloroma	2		2			2		
6. Lymphosarcoma	1		1	1				
7. Scurvy Rickets		. 1	1		1			coloring of
							Constant Con	
							618)	
Lassi Little Hill							ents	Skattered (6 18)
American Property and the second								- Annie Allier
								1000000
								Contract 1
						-	1	a lamater of
	1				-			
					1			
Totals	13	17	30	9	15	4	2	

TABLE IX.—DISEASES OF THE CARDIO-VASCULAR SYSTEM.

DISEASES		ses tre		Disc	harged	D	ied	REMARKS
	М.	F.	Total	М.	F.	M.	F.	
Diseases of the veins— Thrombosis superior mesenteric vein		1	1				1	And the state of t
2. Arterio-sclerosis— Uncomplicated With hypertension and cardiac		1	1		1			
hypertrophy With myocardial degeneration and dilatation With gangrene.	8 1		8	7 1		1		and and
3. Congenital morbus cordis	1	3	4		2	1	1	
4. Abnormalities of cardiac rhythm— Functional tachycardia	1	1	1 1		1			
5. Mitral regurgitation— Uncomplicated With erythems. With bronchitis	2 1 	3 1	5 1 1	2 1 	3			
6. Mitral stenosis— Uncomplicated With respiratory conditions With auricular fibrillation With pregnancy	2	4 1 1 1	6 1 1 1	2	4 1 1			
7. Double mitral disease— Uncomplicated	2 3 3 1 	13 4 7 2 1 3	15 7 10 1 2 1 6	2 3 1 1 	12 3 5 2 1 2	 2 1	1 1 2 1	
8. Aortic regurgitation	1		1	1				
9. Aortic stenosis	1		1	1	***			
10. Double aortic disease— Uncomplicated With pulmonary tuberculosis	6	1	7	4	1	2		
11. Aortic and mitral disease— Uncomplicated With pleural effusion	4	4 2	8 2	4	4 1		ï	
12. Myocardial degeneration	1		1			1		

DISEASES OF THE CARDIO-VASCULAR SYSTEM—continued.

DISEASES	Cas	es tre	ated 916	Disch	arged	D	ied	REMARKS
	М.	F.	Total	M.	F.	М.	F.	
13. Pericarditis— Acute with effusion		3	3	•••	2		1	
14. Malignant endocarditis— Usual type ? Malignant endocarditis	6	2 1	8 2	3 1	1 1	3	1	
15. Aneurysm— Ascending aorta Arch with sympathetic paralysis and brachial plexus paralysis	1	1	2	1	1			
· and brachial plexus paralysis Abdominal	1		1	1	***			a hangest
								Name of the last
								Treference as
								and the same
							-	min man
Totals	54	61	115	43	50	11	11	and the same of
Totals	O'T	OI	110	40	00	11	11	

TABLE X.—DISEASES OF THE NERVOUS SYSTEM.

DISEASES		es tre		Disch	arged	Di	ed	REMARKS
	М.	F.	Total	М.	F.	М.	F.	
1. Meningitis— Tuberculous Cerebro-spinal Posterior basic Pneumococcal ? Meningitis	5 2 1 1	1 4 1 	6 6 1 1 2	 1 1	1 2 1	5 1 1	 2 1 	
2. Diseases of the brain— Cerebral hæmorrhage Sinus thrombösis Hemiplegia	5 1 1	1 1	6 1 2	 1	 ï	4 1	1	
3. Hydrocephalus	***	1	1		***		1	
4. Tumor cerebri— Gumma Glioma Medullary tumour with miliary tubercle	1 1	1 1	3 2	2 1	1		ïi	The state of the s
5. Intracranial syphilis— Pachymeningitis	2		2	2				
6. Diseases of the spinal cord— Syphilitic meningo-myelitis Acute transverse myelitis Anterior poliomyelitis—	2 1		2 1	2 1				
Acute Subacute Progressive muscular atrophy Tabes dorsalis Disseminate sclerosis ,, , (syphilitic) Subacute combined degeneration Amyotrophic lateral sclerosis	2		1 3 2 5 8 1 1	2	 2 5 1	ïi ::: ::: :::		
7. Peripheral neuritis	2	2	4	2	2			
8. Functional diseases— ? Epilepsy	 	3 1 	3 1 1	 i	3 1			
9. Hysteria— General type With sensory changes		3 1	3 1		3			
10. Neurasthenia— General type Traumatic and post-operative Shell shock	7 3 1	8	15 3 1	7 3 1	8			

DISEASES OF THE NERVOUS SYSTEM-continued.

DISEASES		Cases treated during 1916			Discharged		ied	REMARKS
	М.	F.	Total	М.	F	М.	F.	
11. Myopathies—			1	,				-tiponale
Personal type	1	1	2	1	1		***	ANTICAL STREET
13. Amyotonia congenita		1	1				1	
14. Disorders of movement—								
Chorea— Uncomplicated	3	6	9	3	6			Salara A
Complicated with— Endocarditis	1	7 2	8 2	1	7 2			Harris and the same of the sam
Pregnancy		2	2		2	***	***	
Raynaud's disease	2	1	2	2	1			
Migraine		1	1		1		***	The same of the sa
								and the second
								and the same of th
								The same of the sa
	- 8							
	1							
						2116		
								Treatment of
								and the same of
							-	
Totals	59	59	118	45	52	14	7	

TABLE XI.—GYNÆCOLOGICAL AND OBSTETRICAL CASES ADMITTED TO MEDICAL WARDS.

DISEASES		Cases treated during 1916			Discharged		ed	REMARKS
	М.	F.	Total	М.	F.	М.	F.	
1. Vaginitis		1	1		1			and the same of
2. Pelvic Congestion		1	1		1			i name
3. Fibrous uterus		1	1		1			
4. Salpingitis		1	1		1			
5. Ovarian tumours		1	1		1	***		
6. Phlebitis with pregnancy		1	1		1			
7. Miscarriage		. 2	2		2			
				13				
				-				
					-	100		
	1					13		
				1				
				1 38			1	
			1					
				1				
Totals	-	9	8		8	-		
Totals		8	8		0			

TABLE XII.—POISONS AND CHRONIC INTOXICATIONS.

DISEASES	Cas	Cases treated during 1916			Discharged		ied	REMARKS
	M.	F.	Total	М.	F.	М.	F.	
1. Acute poisoning—								
Mercuric chloride		1	1		1			
Ptomaine	2	3	5	2	3	***		
2. Chronic poisoning—								
Lead, with pregnancy		1	1		1			
Tri-nitro-toluene		1	1		1			
			-					
						-		
	i vi							
			,					
			_			-		
Totals	2	6	8	2	6			

TABLE XIII.—VARIOUS.

DISEASES	Cas	Cases treated during 1916		arged	ed Died		REMARKS	
жапы	M.	F.	Total	М.	F.	М.	F.	
1. P. U. O	1		1	1				
2. Erythema nodosum		1	1		1			
3. Erythema following use of linament		1	1		1			
4. Fractured ribs	1		1	1		***		
5. Asthenia	1		1	1				
6. Tuberculous elbow		1	1		1			
7. Whitlow	***	1	1		1			
8. Primary optic atrophy	1		1	1				
9. ? Cause	2		2	2				
								91
			9					
							te de la constitución de la cons	COMPANY OF
alk out agency and agency								
THE RESERVE THE PERSON				1 1 1				
					779			
								at a
							6	
					1			
				-14	- 44	*		
								1217 F
					1			
Totals	6	4	10	6	4			

Part II.-CASE INDEX.

TABLE I.

GENERAL INFECTIVE DISEASES INCLUDING ACUTE SPECIFICS.

I. ENTERIC FEVER.

Uncomplicated:

Poynton—Male, 2829, 1447. Bolton—Male, 2818. Martin—Female, 3765. Shaw—Female, 4088.

Complicated with:

Paratyphoid:

Martin-Male, 1190. Bolton-Female, 3397/15.

Carrier:

Bradford-Female, 2087.

2. DIPHTHERIA.

A. Faucial:

Uncomplicated:

Bradford—Male, 1836, 1729, 1921, 1499; Female, 1691, 2143. Shaw—Male, 110, 3657; Female, 637, 98, 125. Poynton—Male, 989, 1061; Female, 1061, 898, 942, 2780 (post-mortem).

Bradford—Female, 1520. Martin—Male, 3507; Female, 4239/15.

Complicated with:

Bronchitis:

Shaw-Female, 349.

B. Laryngeal:

With tracheotomy:

Bradford—Male, 2930 (post-mortem 143).
Martin—Female, 3059.
Poynton—Female, 5035 (post-mortem 2), 2780 (post-mortem 137).

c. Nasal:

Poynton-Male, 66.

3. CATARRHAL LARYNGITIS.

Bradford—Male, 1849. Poynton—Female, 3746.

- 4. Infective Arthritis (Rheumatic).
 - A. Acute:
 - 1. Uncomplicated:

Martin—Male, 3058/15; Female, 3810/15. Bolton—Female, 371, 3010.

2. With mitral disease:

Bradford—Male, 2125. Poynton—Male, 3665. Shaw—Female, 748, 1127.

B. Subacute:

With mitral disease:

Martin—Female, 2628.

Bolton—Female, 2636, 1829.

c. Gonococcal arthritis:
Poynton-Male, 349.

5. OSTEO-ARTHRITIS.

Martin-Female, 3743.

- 6. RHEUMATOID ARTHRITIS.
 - A. Subacute:

Bradford—Male, 2465. Martin—Female, 2834.

B. Chronic:

Bradford—Female, 3457, 703. Shaw—Male, 2043; Female, 1840. Poynton—Male, 3876; Female, 198.

With double mitral: Shaw-Female, 85.

7. PYÆMIA.

Bradford—Male, 812, 1137. Martin—Male, 2110/15.

8. Dysentery.

Poynton—Male, 3961/15. Bradford—Male, 4762.

9. MALARIA.

Martin-Male, 4185.

10. PERTUSSIS.

Bolton-Female, 2046.

11. MORBILLI.

Shaw—Male, 2373. Bolton—Female, 2175.

12. INFLUENZA.

Martin-Male, 3141, 1060; Female, 2200, 770.

13. CONGENITAL SYPHILIS.
Shaw—Male, 4113/15.
Syphilitic glaneous tissue:
Shaw—1668.

TABLE II.

TUBERCULOSIS.

- 1. CHRONIC PULMONARY.
 - A. Early tuberculosis:

1. With bacilli:

Bradford—Female, 3259. Shaw—Male, 4241/15, 4037.

2. ? Early disease:

Bradford—Male, 3304, 513, 275; Female, 1516, 3553, 3721. Martin—Male, 1348, 4426, 4352, 4031. Poynton—Male, 2856; Female, 2876, 2561. Shaw—Male, 1541, 2180, 2044, 3069; Female, 548, 1578, 1711. Bolton—Female, 1669.

B. Advanced:

1. With consolidation:

Bradford—Male, 1504, 3724, 4319, 387; Female, 3799, 1802, 126.

Martin—Male, 852, 4062; Female, 1048, 2365. Shaw—Male, 1692, 2218; Female, 1665. Poynton—Male, 2892, 2962, 3006, 2667, 4060/15, 3890.

2. With fibrosis:

Bradford-Male, 4224.

3. Fibrosis and cavitation:

Bradford—Male, 3389/15, 3584, 3422, 4092, 4808, 128; Female, 278, 3302, 509 (no post-mortem), 4172, 4186.
Martin—Male, 1321 (post-mortem 86), 1078 (no post-

mortem).

Poynton—Male, 2252, 2542 (post-mortem 140), 4188/15; 4315/15 (no post-mortem), 4175/15, 377 (post-mortem 34); Female 2755 2235

Female, 3755, 2235. Shaw—Female, 1797 (post-mortem 164), 1607, 3366/15 (no post-mortem).

4. With laryngitis:

Bradford—Male, 175; Female, 130. Martin—Female, 801, 1355. Shaw—Female, 3511/15.

5. With tuberculous peritonitis:

Bradford—Female, 1939 (post-mortem 153). Shaw—Male, 2242 (no post-mortem).

1. CHRONIC PULMONARY (continued).

6. With meningitis:

Martin-Male, 981 (no post-mortem).

7. With double mitral:

Shaw-Female, 4172/15.

2. ACUTE MILIARY TUBERCULOSIS.

Bolton—Male, 4560 (post-mortem 209), 1973 (post-mortem 144), 450 (post-mortem 27); Female, 2215 (post-mortem 124), 2771 (post-mortem 139), 2249 (post-mortem 126), 1598 (post-mortem 95).

3. Tuberculous Peritonitis.

Chronic:

Ascitic:

Bradford—Male, 687 and Johnson, 1934 and Johnson, 865, and Johnson, 391 and Johnson; Female, 623 and Johnson. Bolton—Male, 2292 and Williams; Female, 3953/15.

Glandular:

Martin-Female, 1602. Poynton-Female, 2188.

Bolton-Male, 3590/15 (no post-mortem), 190, 658 (post-mortem 90), and Johnson; Female, 1142, 2122.

? Tuberculous peritonitis:

Bolton-Male, 1714, 876; Female, 1514, 1679.

 GENITO-URINARY TUBERCULOSIS. Bradford—Male, 4187/15.

5. SPINAL CARIES.

Bradford—Male, 3035/15. Bolton—Female, 979.

6. Tuberculous Adenitis.

Shaw—Female, 4040/15, 4064, 4528. Poynton—Female, 3669/15. Bolton—Female, 427.

- 7. Tuberculous Abscess of Ribs. Martin—Male, 808.
- 8. ? Tuberculous Dachylitis.
 Povnton—Male, 3013.
- 9. ? TUBERCULOUS ENTERITIS.

 Martin—Female, 721.

 Bolton—Female, 2997.

TABLE III.

CONSTITUTIONAL, METABOLIC, AND DISEASES OF THE DUCTLESS GLANDS.

1. THYROID.

Graves's disease:

Martin—Female, 36. Shaw—Female, 2882. Poynton—Female, 3147.

Myxædema:

Martin-Female, 4399.

2. CONSTITUTIONAL DISEASES PRODUCING SKELETAL CHANGES.

Rickets:

Bolton-Female, 2511.

Infantilism:

Shaw-Male, 3814.

3. DISORDERS OF NUTRITION.

Marasmus:

Bolton—Male, 1493 (post-mortem 85), 4532 (no post-mortem), 3526, 938 (post-mortem 54); Female, 4563 (post-mortem 207), 3783, 354 (post-mortem 39), 1332 (post-mortem 82).

Poynton-Female, 2178, 4182.

4. GOUT.

Martin-Male, 1733.

5. DIABETES.

Uncomplicated:

Bradford—Male, 2806, 263, 1099. Poynton—Male, 552; Female, 807.

Complicated:

Coma:

Bradford-Male, 4759 (post-mortem 199).

Peripheral neuritis:

Martin-Male, 308.

Pulmonary tuberculosis:

Martin-Male, 2182 (post-mortem 122).

Gangrene of foot:

Martin-Male, 3802.

TABLE IV.

DISEASES OF THE ALIMENTARY TRACT.

1. DISEASES OF TONSILS.

Follicular tonsillitis:

Bradford—Male, 4499; Female, 1467. Shaw—Male, 3660.

Parenchymatous tonsillitis:

Martin-Male, 2803 and Tilley.

2. CARCINOMA OF ŒSOPHAGUS.

Martin-Male, 843 (post-mortem 56). Shaw-Male, 2437, 3398, 4481 and Johnson.

3. DISORDERS OF STOMACH.

Gastralgia (neuroses):

Bradford—Male, 3898, 4527, 4272, 3428; Female, 4084/15, 4321/15, 892, 663, 1140, 1593, 3216, 3212, 3387, 2195, 3817, 3871, 3722.

Martin-Male, 2370, 1054; Female, 53, 4130, 4001. Poynton-Female, 1667, 1518, 2673, 722.

Shaw—Male, 4863; Female, 725, 386, 1801.

Gastric irritation:

Bolton-Female, 1797.

Chronic gastritis:

Bradford—Male, 1239, 3226, 3780, 46; Female, 1512. Martin—Male, 266. Shaw—Male, 219; Female, 2987, 4526. Poynton—Male, 54, 2560.

Spasmodic hour-glass:

Bradford-Female, 2889, 3228.

Gastric dilatation:

Bradford—Male, 3214, 1725, 3704. Martin—Male, 635.

Pyloric stenosis:

Bradford-Male, 2905 and Johnson (no post-mortem); Female, 470. Martin-Male, 1152 and Johnson, 1353.

? Hypertrophic pyloric stenosis:

Bolton-Female, 3023.

Gastric ulcer:

Uncomplicated:

Bradford—Male, 1150, 1453, 1718, 2198, 2456, 1633, 1614/15, 687; Female, 1799, 4265, 4729, 3992, 310. Shaw—Male, 2433; Female, 458. Poynton—Female, 531.

With hamatemesis:

Bradford—Female, 2639, 2907. Shaw—Male, 586; Female, 260 (post-mortem 22). 3. DISORDERS OF STOMACH (continued).

With hamatemesis and melana:

Martin-Female, 4240/15, 3266.

Hour-glass stomach:

Bradford—Female, 907 and Johnson, 3200. Martin—Female, 877 (post-mortem 55).

? Ulcer:

Martin—Female, 2014. Shaw—Male, 2965.

? Recurrent ulcer following operation for perforated gastric.

Poynton-Male, 1976.

Pain after gastro-enterostomy:

Bradford-Male, 3770.

Carcinoma ventriculi:

Bradford—Male, 969; Female, 1037 (post-mortem 61) and Martin 4319/15.

Shaw—Male, 762, 3590. Martin—Male, 2003.

Poynton—Male, 2088 (post-mortem 130), 1318 (post-mortem 81); Female, 100.

Treated by operation:

Bradford-Male, 3824 and Johnson, 4162 and Johnson.

Martin-Male, 4185/15 and Johnson.

Poynton-Male, 2789 and Johnson, 1342 and Johnson (no post-mortem).

? Carcinoma:

Poynton—Female, 1478.

Gastroptosis:

Bradford—Female, 1071, 222. Martin—Female, 827.

4. ACUTE GASTRO-ENTERITIS.

Bradford—Female, 2654. Shaw—Male, 2974. Bolton—Male, 3098; Female, 4178, 4163, 587, 2671.

5. DUODENAL ULCER.

Uncomplicated:

Bradford—Male, 2968, 443 and Johnson, 2808, 543, 2239 and Johnson.
Shaw, Male, 741.

With hamatemesis and melana:

Bradford-Male, 979 (post-mortem 91).

? Duodenal ulcer:

Bradford-Male, 3344.

6. Appendicitis.

Not requiring immediate operation: Bradford—Female, 1059. 6. APPENDICITIS (continued).
Requiring operation:

Bradford-Female, 26 and Johnson.

Martin-Male, 3017 and Williams; Female, 4597 and Williams.

Shaw—Male, 546 and Johnson, 454 and Davis; Female, 4176/15 and Johnson.

Bolton-Female, 2202 and Johnson.

? Appendicitis:

Poynton-Male, 2918.

7. CONSTIPATION.

Bradford—Female, 4316, 1947, 3867/15. Martin—Male, 2830, 1175, 3462. Poynton—Male, 304, 3905, 2969. Shaw—Female, 890. Bolton—Male, 3464; Female, 2904, 3254, 2224.

8. Malignant Disease of the Bowel.

Carcinoma of colon:

Bradford—Male, 1764 (post-mortem 109); Female, 2522 and Johnson, 3205 and Johnson.
Poynton—Male, 1419 (post-mortem 98) and Johnson.

Carcinoma of rectum:

Poynton-Male, 3771.

? Carcinoma of colon:

Shaw—Female, 1247.

o. COLITIS.

Mucous:

Bradford—Male, 3303; Female, 2237, 129. Bolton—Male, 1032; Female, 191.

Ulcerative:

Bradford—Female, 4094/15 (post-mortem 17). Martin—Female, 2850 (post-mortem 152). Bolton—Male, 4141.

10. ENTERITIS.

Bolton-Male, 3723, 4070.

11. CYST IN SMALL INTESTINE.

Bolton—Female, 4170/15 (post-mortem 2).

12. INTESTINAL COLIC.

Bradford—Male, 4390. Bolton—Male, 4085, 1586.

13. HELMINTHIASIS.

Bradford-Male, 4652.

TABLE V.

DISEASES OF THE LIVER, GALL-PASSAGES, SPLEEN, PERITONEUM AND PANCREAS.

1. JAUNDICE.

Catarrhal:

Bradford—Female, 3872. Martin—Female, 2983. Bolton—Female, 3870.

Obstructive:

? Cause:

Poynton-Male, 1263; Female, 1880.

Acholuria:

Poynton-Male, 2545; Female, 2169, 1394.

2. CHOLECYSTITIS.

Martin-Male, 1761.

3. CHOLELITHIASIS.

Uncomplicated:

Bradford—Male, 1539 and Johnson; Female, 3674, 52 and Johnson.

Martin—Female, 656 and Johnson.

With cholecystitis:

Martin—Male, 2975 and Johnson. Poynton—Male, 3587. Shaw—Female, 1674 and Trotter.

? Cholelithiasis:

Martin-Female, 2778.

- 4. CIRRHOSIS OF LIVER.
 - A. Multilobular:

Shaw—Male, 2700. Bradford—Female, 3351 (post-mortem 178).

B. ? Syphilitic cirrhosis:

Martin—Male, 2190. Bolton—Male, 3708.

5. CARCINOMA OF LIVER.

Bradford—Male, 3213 (post-mortem 166). Shaw—Male, 1650. Martin—Male, 4533 (post-mortem 191).

6. Splenomegaly. ? Cause.

Bradford-Male, 5.

7. PERITONEUM.

Malignant disease:

Poynton—Male, 1167. Bradford—Female, 428.

Hydatid of:

Bradford-Female, 468o.

Chronic peritonitis:

Martin-Female, 3768.

Abscess with general peritonitis:

Bradford—Female, 4413 (post-mortem 194).

8. PANCREAS.

Carcinoma:

Martin-Male, 1632 (post-mortem 99). Shaw-Male, 3509 and 4382 and Johnson.

? Carcinoma of:

Bradford-Male, 2828.

9. CARCINOMA OF BILE DUCT.

Poynton-Male, 4568 (post-mortem 1).

10. CONGENITAL STENOSIS OF BILE DUCTS.

Bolton-Male, 379 (post-mortem 32).

TABLE VI.

DISEASES OF THE RESPIRATORY SYSTEM AND MEDIASTINUM.

I. LOBAR PNEUMONIA.

Uncomplicated:

Bradford—Male, 1454; Female, 1410, 55, 1704. Martin—Female, 913. Shaw—Male, 1255; Female, 3211. Poynton—Female, 629, 2937, 2726, 3402. Bolton—Male, 3822, 2012, 3899; Female, 1322, 1204, 4039

Complicated with:

Empyema:

Poynton-Male, 3675. Bolton-688 (no post-mortem), 363 and Williams.

Pleural effusion:

Martin-Male, 1210 (post-mortem 67). Shaw-Male, 971.

2. Broncho-Pneumonia.

Uncomplicated:

Martin—Female, 97. Shaw—Male, 3530.

Bolton—Male, 342 (post-mortem 31), 1178, 2809, 2676, 47, 1562, 3488, 264, 4634, 4665, 4797, 4578, 3282, 325, 1132, 1311, 3558, 870, 1828 (post-mortem 103), 5009 (no post-mortem); Female, 4531, (post-mortem 187), 2932, 5010, 152, 91, 4576, 2248, 4807, 4266/15, 79, 90, 2773, 4811, 1316 (post-mortem 75), 1796 (post-mortem 99).

Complicated with:

Pericarditis and peritonitis:
Bradford—Female, 1334 (post-mortem 80).

3. ASTHMA.

Shaw—Male, 2460. Bolton—Male, 1470. Poynton—Female, 3150.

4. Bronchitis.

Chronic:

Uncomplicated:

Bradford—Male, 4482, 727. Shaw—Female, 4385. Poynton—Male, 1834.

With asthma:

Shaw-Male, 4486.

5. EMPHYSEMA.

Martin-Male, 1202.

6. Fibrosis of the Lung. Poynton—Male, 40.

7. Bronchiectasis.

Poynton-Male, 815, 147.

8. PLEURISY.

Dry:

Bradford—Female, 1197. Martin—Male, 2510. Shaw—Male, 2767. Poynton—Male, 972.

With effusion:

Bradford—Female, 1469. Martin—Male, 2638. Shaw—Male, 3285, 4173; Female, 1563, 291, 2171. Bolton—Male, 1209; Female, 437.

? Pleurisy:

Martin-Male, 1580.

9. EMPYEMA.

Bradford—Male, 3102 and Johnson (streptothrix). Shaw—Male, 1949. Bolton—Male, 4623 and Williams, 32 (post-mortem 23). Poynton—Female, 4250/15 and Davis.

10. MALIGNANT DISEASE OF LUNG.

Sarcoma:

Shaw-Male, 911 (post-mortem 69), 1686.

11. MEDIASTINAL DISEASE.

Bradford—Female, 1155. Bolton—Male, 882.

Tumour:

Bradford—Female, 4275/15 (post-mortem, 8). Martin—Male, 1057.

Suppurating mediastinal cyst:

Poynton-Male, 3841 (post-mortem 169).

- 12. EPITHELIOMA OF LARYNX.

 Bradford—Male, 4227 and Trotter.
- CATARRHAL LARYNGITIS.
 Bolton—Female, 186.
- ŒDEMA OF GLOTTIS.
 Bolton—Male, 3157.
- Acute Œdema of Lungs. Martin—Male, 1293.
- 16. GLANDS PRESSING ON BRONCHI.
 Bolton—Male, 3716, 3222, 882.

TABLE VII.

DISEASES OF THE KIDNEY AND GENITO-URINARY TRACT.

1. TUMOUR OF KIDNEY.

Carcinoma with secondary deposits in bone:
Shaw—Male, 3496/15 (post-mortem 12).

2. NEPHROLITHIASIS.

? Nephrolithiasis:

Bradford—Male, 3196. Shaw—Female, 2291.

3. NEPHRITIS.

Acute:

Bradford—Male, 1030; Female, 1413. Martin—Male, 4238/15. Poynton—Male, 4650. Bolton—Male, 1879, 4267/15.

With pregnancy:

Shaw—Female, 1129. Bolton—Female, 3497, 2509/15.

Subacute:

Bradford—Female, 265. Shaw—Male, 1273, 369. Poynton—Male, 3688/15, 4033/15, 2211.

4. CHRONIC RENAL DISEASE.

A. With hypertension:

Uncomplicated:

Poynton—Male, 2052, 3301. Martin—Male, 1821.

Complicated with:

Anasarca:

Bradford—Male, 3103; Female, 3588 (post-mortem 161).
Martin—Male, 4195; Female, 1676, 3787.
Shaw—Male, 4035/15, 1574, 1991 and 3257; Female, 2812
and 3427 (post-mortem 154).
Bolton—Female, 2201 (post-mortem 132).

Anasarca, bronchitis and emphysema:

Shaw-Male, 4108/15, 2883.

Poynton-Male, 326 (no post-mortem).

Anasarca and uræmia:

Martin-Female, 962 (post-mortem 58).

. Uræmia:

Martin-Male, 976 (post-mortem 58); Female, 3138 (no post-mortem).

Poynton-Male, 3825.

Retinitis:

Martin—Male, 3633/15 and 298/16 (post-mortem 26). Poynton—Male, 4649.

Pericarditis:

Shaw-Male 2674 (post-mortem 135).

- B. Chronic renal disease without hypertension:
 - (a) With anasarca:
 Bradford—Male, 4182/15.
 Shaw—Male, 826.
 - (b) Without anasarca:

Bradford—Male, 1544. Shaw—Male, 3620/15 (post-mortem 40); Female, 1343, 2735.

- 4. CHRONIC RENAL DISEASE (continued).

 C. Uræmia with hemiplegia:

 Shaw—Female, 3299.
- 5. ALBUMINOID KIDNEY.
 Bradford—Male, 1988.
- 6. Pyelitis.

 Bradford—Male, 4161.
 Shaw—Female, 540, 4581.
 Martin—Female, 3899/15.
 Poynton—Male, 1314 (no post-mortem); Female, 1418.
- 7. Hydronephrosis:
 Bradford—Male, 632; Female, 4713 and Johnson.
- 8. PERINEPHRITIC ABSCESS.

 Bradford—3021 and Johnson.
- 9. ABNORMAL URINARY SECRETIONS.

 ? Paroxysmal hæmoglobinuria:

 Bolton—Male, 3376; Female, 4536.
- 10. DISEASES OF BLADDER.

 Cystitis:

 Poynton—Male, 2507.

 Tuberculous cystitis:

 Shaw—Male, 2015.
- Martin—Female, 2026, 2631. Bolton—Male, 3418.
- 12. DISEASES OF PROSTATE.
 Shaw—Male, 1006.

TABLE VIII. DISEASES OF THE BLOOD.

I. PERNICIOUS ANÆMIA.

Bradford—Male, 2934; Female, 2294.
Martin—Male, 701; Female, 1795, 3661 (post-mortem 162).
Shaw—Female, 3278.
Poynton—Male, 3335; Female, 1479, 2062, 3775.

? Pernicious anæmia:

Bradford—Male, 2880. Poynton—Female, 1062. 2. LEUKÆMIA.

Spleno-medullary:

Martin—Male, 4304/15.
Bradford—Female, 3569/15 (post-mortem 5).
Poynton—Female, 27.

Lymphatic:

Shaw-Male, 3767.

Leucocythæmia cutis:

Shaw-Male, 3056 (post-mortem 181).

3. PURPURA.

Shaw-Female, 2179.

Rheumatic:

Martin-Female, 4171/15.

4. LYMPHADENOMA.

Apyrexial:

Bradford—Female, 3832. Bolton—Male, 4559.

Relapsing pyrexia:

Martin—Female, 3456. Shaw—Female, 2520, 1162. Bolton—Male, 3873 and 4730 (post-mortem 208).

5. CHLOROMA.

Shaw-Male, 854 (post-mortem 60), 641 (post-mortem 42).

6. LYMPHOSARCOMA.

Shaw-Male, 1658.

7. SCURVY RICKETS.

Bolton-Female, 1124.

TABLE IX.

CARDIO-VASCULAR DISEASES.

1. DISEASES OF THE VEINS.

Thrombosis superior mesenteric vein:

Bradford—Female, 3820 (post-mortem 177).

2. ARTERIO-SCLEROSIS.

Uncomplicated:

Bradford-Female, 742.

Complicated with:

2. ARTERIO-SCLEROSIS (continued).

Hypertension and cardiac hypertrophy:

Shaw—Male, 761. Poynton—Male, 1548.

Myocardial degeneration and dilatation:

Bradford-Male, 1558, 2019, 395 and 4201/15.

Martin-Male, 3916, 3663.

Shaw-Male, 4004, 4401 (post-mortem 186).

Gangrene:

Martin-Male, 3835/15 and Johnson.

3. Congenital Morbus Cordis.

Shaw—Female, 1063, 3606.

Bolton—Male, 4538 (post-mortem 192); Female, 3454 (post-mortem 155).

4. Abnormalities of Cardiac Rhythm.

Functional tachycardia:

Bradford-Female, 1452.

Auricular fibrillation:

Bradford—Male, 2461.

5. MITRAL REGURGITATION.

Uncomplicated:

Bradford—Female, 4381. Martin—Female, 1933. Shaw—Female, 825. Poynton—Male, 2005. Bolton—Male, 737.

Complicated with:

Erythema:

Povnton-Male, 1640.

Bronchitis:

Poynton-Female, 1695.

6. MITRAL STENOSIS.

Uncomplicated:

Bradford—Female, 555.
Martin—Female, 3149, 1140, 1227.
Shaw—Male, 1495 and 2636.

Complicated with:

Respiratory conditions:

Bradford-Female, 299.

Auricular fibrillation:

Martin-Female, 4235/15 (post-mortem 14).

Pregnancy:

Poynton-Female, 362.

7. DOUBLE MITRAL DISEASE.

Uncomplicated:

Martin—Female, 2505, 2025, 1501, 3815. Shaw—Male, 1929, 4081; Female, 2007, 4101/15, 3310, 1596. Poynton—Female, 824, 666, 1833, 3754 (no post-mortem), 589.

Complicated with:

Bronchitis:

Martin—Male, 223, 4169/15, 4330/15; Female, 813. Poynton—Female, 1117 and Bradford 380, 3866 (post-mortem 173).

Pleural effusion:

Bradford—Male, 42 (post-mortem 41).
Martin—Male, 4274/15; Female, 3203 and 4319.
Shaw—Male, 766 (post-mortem 50); 3417 and 4454 (no post-mortem).

Poynton-Female, 525/15, 2438/15, 2893 (no post-mortem).

Nephritis:

Martin-Male, 267.

Cerebral embolism:

Shaw—Female, 1683. Poynton—Female, 189.

Pneumonia:

Poynton-Female, 4045/15.

Auricular fibrillation:

Martin-Male, 1590 and 836, 1208 (no post-mortem); Female, 3906/15 and 468 (post-mortem 33). Shaw-Female, 752.

8. AORTIC REGURGITATION.

Shaw—Male, 138.

9. AORTIC STENOSIS.

Bradford-Male, 2038.

10. DOUBLE AORTIC DISEASE.

Uncomplicated:

Martin-Male, 4234, 4308/15 and 434 (post-mortem 37), 880 (post-mortem 52).
Poynton-Male, 728, 902; Female, 4142/15.

With pulmonary tuberculosis:

Shaw-Male, 203.

II. AORTIC AND MITRAL DISEASE.

Uncomplicated:

Poynton—Male, 1091, 1451; Female, 3230. Martin—Male, 512, 706; Female, 2559. Shaw—Female, 4188, 3674. 11. AORTIC AND MITRAL DISEASE (continued).

Complicated with:

Plural effusion:

Shaw-Female, 1200 (post-mortem 97), 4265.

12. Myocardial Degeneration.

Shaw-Male, 4601 (post-mortem 195).

13. PERICARDITIS.

Acute (with effusion):

Shaw—Female, 584. Bolton-Female, 4317/15 (no post-mortem), 1058.

14. MALIGNANT ENDOCARDITIS.

Usual type:

Bradford—Male, 3314/15. Martin-Male, 3156 (post-mortem 188); Female, 4035/15. Shaw-Male, 2881, 3990 (post-mortem 180); Female, 6 (post-mortem 19).

Poynton-Male, 2028 (post-mortem 128). Bolton-Male, 618.

? Malignant endocarditis:

Martin-Male, 2634. Shaw—Female, 4279/15.

15. ANEURISM.

Ascending aorta:

Bradford-Male, 4038/15. Martin-Female, 469.

Arch of aorta:

With sympathetic paralysis and paralysis Shaw-Male, 1051.

left side:

Abdominal:

Bradford-Male, 887.

TABLE X.

DISEASES OF THE NERVOUS SYSTEM.

1. DISEASES OF THE MENINGES.

Tuberculous:

Shaw—Male, 2466 (no post-mortem).
Bradford—Female, 2547.
Bolton—Male, 206 (post-mortem 21), 1248 (post-mortem 78), 1452 (post-mortem 84), 4821 (post-mortem 205).

1. DISEASES OF THE MENINGES (continued).

Cerebro-spinal:

Shaw—Male, 987 (post-mortein 74).
Bolton—Male, 616; Female, 2234 (no post-mortem), 1092.
2793/15.

Poynton-Female, 667 (post-mortem 38).

Post-basic:

Bolton-Female, 3839 (post-mortem 174).

Pneumococcal:

Bolton-Male, 3075 (post-mortem 117).

? Meningitis:

Bolton-Male, 765; Female, 3377.

2. DISEASES OF BRAIN.

Vascular lesions:

Hæmorrhage:

Bradford—Male, 1793 (post-mortem 115).
Martin—Male, 4383, 3552 (post-mortem 158).
Shaw—Male, 3482 (post-mortem 168; Female, 30 (post-mortem 6).

Poynton-Male, 631 (post-mortem 43).

Hemiplegia:

Martin—Male, 3672. Poynton—Female, 2885.

Sinus thrombosis:

Bradford-Male, 4328 (post-mortem 182).

3. CEREBRAL AND CEREBELLAR LESIONS OF INFANCY.

Hydrocephalus:

Bradford—Female, 1732 (post-mortem 102).

4. TUMOUR CEREBRI.

Medullary tumour with miliary tuberculosis: Poynton-Male, 908 (post-mortem 53).

Gumma:

Poynton-Male, 2652. Martin-Male, 447; Female, 3491.

Glioma:

Martin-Male, 720; Female, 3250 (post-mortem 160).

5. Intracranial Syphilis.

Pachymeningitis:

Bradford—Male, 3874/15. Poynton—Male, 3256. 6. DISEASES OF THE SPINAL CORD.

Syphilitic meningo-myelitis:

Bradford-Male, 1515. Poynton-Male, 3659.

Acute transverse myelitis:

Bradford-Male, 1941.

Anterior poliomyelitis:

Acute:

Bolton-Male, 3001/15.

Subacute:

Bolton-Male, 3229, 306; Female, 3552.

Progressive muscular atrophy:

Shaw-Male, 964. Poynton-Male, 3224.

Tabes dorsalis:

Uncomplicated:

Bradford—Male, 4222. Poynton—Male, 4318; Female, 2774.

Shaw—Female, 131.

Complicated with:

Empyema:

Shaw-Male, 2127 (post-mortem 142).

Disseminated sclerosis:

Usual type:

Bradford-Male, 1289; Female, 140.

Shaw-Male, 1148, 1538; Female, 2041, 1875, 4022.

Poynton-Female, 1945.

Disseminated syphilitic sclerosis:

Poynton-Male, 307.

Subacute combined degeneration of cord:

Poynton—Female, 3775 (see also Table VIII).

Amyotrophic lateral sclerosis:

Shaw—Female, 103.

7. DISEASES OF THE NERVES.

Peripheral neuritis:

Shaw-Male, 294. Poynton-Male, 4386; Female, 1950, 3900.

8. Functional Diseases.

? Epilepsy:

Shaw-Female, 2615.

Bolton-Female, 2512, 323.

Spasmodic torticollis:

Bolton-Female, 3282.

8. FUNCTIONAL DISEASES (continued).

Coma. ? Cause:

Bolton-Male, 1319.

o. Hysteria. -

General type:

Bradford—Female, 1826. Shaw—Female, 1600. Poynton—Female, 457.

With sensory changes:

Bradford-Female, 2142.

10. NEURASTHENIA.

General type:

Bradford—Male, 1166, 4025; Female, 1412, 4428, 3887. Martin—Female, 1474, 638. Shaw—Male, 4079, 4569; Female, 3788, 3744. Poynton—Male, 4036, 3198, 3218; Female, 3886.

Traumatic and post-operative:

Martin-Male, 4032. Shaw-Male, 2163, 662.

Shell-shock:

Bradford-Male, 4625.

11. MYOPATHIES.

Peroneal type:

Poynton-Male, 2001.

12. Myositis.

Poynton—Female, 554. Martin—Male, 3018.

13. AMYOTONIA CONGENITA.

Bolton-Female, 4542 (post-mortem 203).

14. DISORDERS OF MOVEMENT.

Chorea:

Uncomplicated:

Poynton—Male, 760, 3907/15; Female, 2654, 3902. Shaw—Female, 1028, 4103/15. Bolton—Male, 660; 4143/15, 529.

Complicated with:

Endocarditis:

Bradford—Female, 494. Martin—Female, 1035, 101. Poynton—Male, 1604; Female, 106. Bolton—Female, 1865, 4211/15, 657. 14. DISORDERS OF MOVEMENT (continued).

Pregnancy:

Bradford—Female, 2506. Martin—Female, 1130.

15. VASOMOTOR DISTURBANCES.

Raynaud's disease:

Bradford-Male, 3048 and Johnson, 4182/15.

Migraine:

Martin-Female, 525.

Ménière's disease:

Bradford-Female, 1228.

TABLE XI.

GYNÆCOLOGICAL AND OBSTETRICAL CASES ADMITTED TO MEDICAL WARDS.

1. VAGINITIS.

Bolton-Female, 4816.

2. PELVIC CONGESTION.

Martin-Female, 436o.

3. FIBROIDS OF UTERUS.

Martin-Female, 646.

4. Salpingitis.

Martin-Female, 193.

5. OVARIAN TUMOURS.

Shaw—Female, 3062.

6. Phlebitis.

Shaw-Female, 4483.

7. MISCARRIAGE.

Shaw—Female, 2585, 2007.

TABLE XII.

POISONS AND CHRONIC INTOXICATIONS.

ACUTE POISONING.

Mercuric chloride:

Shaw-Female, 2814.

PTOMAINE POISONING.

Shaw—Male, 531. Bradford—Male, 1763; Female, 3429. Martin—Female, 1854, 2999.

CHRONIC POISONING.

Lead with pregnancy:
Shaw—Female, 1065.

TRI-NITRO-TOLUENE.

Poynton-Female, 4309.

TABLE XIII. VARIOUS.

- 1. PYREXIA (UNKNOWN ORIGIN). Shaw—Male, 1986.
- 2. ERYTHEMA NODOSUM.

 Bradford—Female, 1279.
- 3. ERYTHEMA FOLLOWING USE OF LINIMENT. Shaw—Female, 1531.
- 4. Fractured Ribs.
 Shaw—Male, 95.
- 5. ASTHENIA. Shaw—Male, 301.
- 6. Tuberculous Elbow.
 Poynton—Female, 1975.
- 7. WHITLOW.

 Martin—Female, 2772.
- 8. Primary Optic Atrophy.
 Martin—Male, 4190.
- 9. ? CAUSE. Shaw—Male, 1237. Bolton—Male, 4141.

REPORT

OF THE

OBSTETRIC REGISTRAR

FOR

1916

REPORT.

THE Report is on the same lines as previous years.

TREVOR B. DAVIES,

Obstetric Registrar.

PART I.

TABLE I.-GYNÆCOLOGICAL CASES.

DISEASES OF EXTERNAL GENERATIVE ORGANS.

Vulvitis.

425. Gonorrheal. Several warts cauterized.

3555. Gonorrheal in a child of 6½. Local application partially succeeded, then hymen dilated and vagina swabbed out with 1-500 perchloride of mercury. Left hospital considerably improved.

Pruritus vulva.

75. Diabetes mellitis present.

Bartholin's gland.

217. Cyst excised.

4083. Abscess opened and drained.

Cysts of labium majus and minus.

3052. Excised.

Leukoplakia of vulva.

338o. Vulva excised.

3051. Carcinoma of clitoris removed by Dr. Spencer, May, 1914.

Malignant gland in right groin removed and X-ray treatment employed. Extensive area of leukoplakia completely excised by Dr. Blacker.

3504. Palliative treatment.

Biperforate hymen.

671. Hymen split and curettage done.

Complete rupture of perineum.

Treated by perineorrhaphy-

15. 973. 128. 2143.

Vaginismus.

4673. Treated by stretching vaginal orifice.

DISEASES OF VAGINA.

Ulceration of vagina.

177. Septic. Similar condition two years ago. Rapid improvement with rest and douching.

142. Septic, secondary to ulceration in mouth. Died few hours after admission from septic pneumonia.

Carcinoma of vagina.

Recurrent nodules-

3484. After primary carcinoma of vagina. Radium treatment. 4944. After carcinoma of cervix. Radium treatment.

Para-vaginal tumour.

4425. Myxo-fibroma of para-vaginal connective tissue removed from below.

4 DISEASES OF CERVIX. Cervicitis. Palliative treatment. 1530. 2246. Palliative treatment. 3819. Cervix split up and curetted. Traumatic ulceration. 1253. Due to pessary. Palliative treatment. 4640. Due to pessary. Palliative treatment. Erosion of cervix. 178. Amputation of cervix. 1702. Portion removed for microscopic section. 1857. Portion removed for microscopic section. 4094. Portion removed for microscopic section. Polypi of cervix. Mucous-901. 4416. Fibro-adenomatous-4518. Fibroid-4820. PROLAPSE AND DISPLACEMENTS. Prolapse of the uterus. Palliative treatment— 3, 698, 3280. Anterior colporrhaphy-3281, 4271. Colpo-perineorrhaphy-1047, 1847, 2244, 3199, 3379. Anterior colporrhaphy and colpo-perineorrhaphy-115, 216, 497, 1082, 1503, 1805, 3143. Colporrhaphy and amputation of cervix-2050, 4087, 4095, 4269. Ventral fixation and colporrhaphy— 331, 2902. Colporrhaphy and vaginal hysterectomy-3818. Vaginal fixation-961. Retroversion and retroflexion. Palliative treatment-643, 735, 1527, 3154. Curettage-1118, 1256, 2375, 3515. Ventral fixation-1524. Gilliam's operation-940. With appendicectomy.

Dysmenorrhœa-Dilatation-1446, 1918, 2504, 4208, 4639, 4796, 4814.

Disorders of menstruation.

Prolapse and Displacements (continued).

Dilatation and Pozzi's operation—

278, 1250, 1345, 1649, 1756, 3458, 3951.

Curettage-

44, 330, 1050, 1274, 2879, 3053, 4072, 4368, 4624. Vaginal hysterectomy—

4356. Dilatation done four times.

Bleeding at Menopause.

Curettage-

516, 1131, 1981.

Vaginal hysterectomy-

800. Uterus perforated by dilator. Complete tear also repaired.

Bleeding at puberty.

111. Under-development marked.

Carcinoma of cervix.

(1) Treated by the extended abdominal operation. 86. Salpingo-oöphoritis present on each side.

Enlarged glands removed with the cellular tissue on each side.

767.

Done with spinal anæsthesia. 916. 1116. Done with spinal anæsthesia.

1592.

Small nodules felt in the cellular tissue proved to be 2174. "phleboliths."

2229. Mucous polypus present in the body of uterus.

3492. Done under spinal anæsthesia.

All the cases were of the "squamous-celled variety" except 3402, which was an "adeno-carcinoma.

(2) Treated by Doyen's panhysterectomy.

4138. Tubo-ovarian cysts present on each side. Double salpingo-oöphorectomy done. Body of the uterus contained a fibroid.

(3) Treated by vaginal hysterectomy.

2825. Several small subperitoneal fibroids in uterus. Query if growth began in anterior vaginal wall.

(4) Exploratory laparotomy done.

4071, 1033, 4252.

(5) Inoperable cases treated with radium.

332, 1283, 1859, 2197, 2230, 2635, 2983, 3420, 4277, 4302, 4305, 4323, 4667.

(6) Recurrent cases after extended abdominal operation.

Treated with radium.

1149, 1181, 1914, 3463, 3494, 3217.

(7) Palliative treatment.

2197, 2983, 3217.

4622. Spinal anæsthesia. Died ten minutes from onset of operation of respiratory failure. Fatty heart.

DISEASES OF THE BODY OF THE UTERUS.

Endometritis (glandular).

Treated by curettage.

12, 859, 886, 960, 2231, 1568, 3673, 3829, 3993, 4901.

DISEASES OF THE BODY OF THE UTERUS (continea).

Endometritis (senile).

Treated by curettage. 356, 2048, 3496, 3525.

Polypi.

1075. Adenomatous. Curettage. 4599. Mucous. Curettage.

Carcinoma of the body.

1184. Panhysterectomy with right salpingo-oophorectomy. Adeno-carcinoma. 4096. ? Carcinoma. Refused operation.

Fibrosis uteri.

Treated by curettage. 2816, 4119. Treated by panhysterectomy. 1487, 2611.

Adenomyoma of uterus.

1277. Panhysterectomy with right ovariotomy for a cyst adenoma of ovary. 2232. Doyen's panhysterectomy done.

Fibromyomata.

Refused operation. 2084, 2000, 3103, 3105. Treated by curettage. 867, 1046, 3991. Myomectomy.

73 and 185. For subperitoneal fibroid.
4179. Three months pregnant. Red degeneration of fibroid.

Radium treatment.

4277.

Subtotal hysterectomy. 469. Weight 2 lb. 7 oz. Hyaline degeneration. Appendicectomy.

1405. Double salpingo-oöphorectomy also done for salpingooöphoritis.

3666. Weight 2 lb. 4 oz. Left salpingo-oöphorectomy and appendicectomy.

Panhysterectomy. Ordinary method-

463. Weight 1 lb. 2 oz. Right salpingo-oöphorectomy and appendicectomy.

Doyen's hysterectomy-

426. Weight 2 lb. 7 oz. Hyaline degeneration.
1116. Weight 4 lb. 12 oz. Red degeneration. Double salpingooöphorectomy.

1156. Right salpingo-oöphorectomy. Weight 3 lb. 2 oz.

Weight 4 lb. 5 oz. 1445. Weight 13 oz. 1916.

2612. Weight 4 lb. 12 oz. Hyaline degeneration.

3720. Weight 1 lb. 3 oz. Right salpingo-oöphorectomy.

DISEASES OF THE FALLOPIAN TUBES. Salpingitis.

Palliative treatment.

899, 1298, 1927, 2502, 3580, 4248, 4415.

· Curettage.

1278, 3156.

Salpingo-oöphorectomy.

 4218. Double with curettage.
 7. Double pyosalpinx and double ovarian abscess present.
 577. Right salpingo-oöphorectomy, left salpingectomy, appendicectomy and hysteropexy.

4093. Right salpingo-oophorectomy and appendicectomy.

Tubal pregnancy.

Acute tubal rupture.

289. Right salpingectomy.

390. Right salpingo-oöphorectomy.

Tubal mole.

668. Left salpingectomy. 4263. Partial salpingectomy.

Pelvic hæmatocele.

1280. Double salpingectomy. Hydrosalpinx also present.

1329. Palliative treatment. Hæmatoma in broad ligament.

4210. Rupture of left pregnant tube into broad ligament. Tube preserved.

DISEASES OF THE OVARY.

Cyst adenoma.

Cases treated by ovariotomy.

88. Left.

Twisted pedicle.

Right. Left ovary also cystic; removed. Accumulation of fluid in the abdomen after operation necessitating tapping twice and then incision with drainage. Did well.

1076. Right. 1346. Right.

Twisted pedicle. 2640.

Right, twisted pedicle. 3139.

Left ovariotomy. 3383.

3776. Bilateral double ovariotomy.

2823. Twisted pedicle.

Partial salpingectomy of left tube also. Salpingitis. 3873.

Left. 4074. Left. 4214.

Twisted pedicle, left. 4275.

Papillomatous cyst.

814. Removal.

Dermoid cyst.

Twisted pedicle, left ovariotomy. 2887.

Left ovariotomy.

4056. Solid portion of this cyst proved to be a large roundcelled sarcoma.

DISEASES OF THE OVARY (continued).

Lutein cyst.

619. Bilateral. Excised. Ovaries preserved.

Suppurating ovarian cysts.

2078. Laparotomy and posterior colpotomy.
4033. Very adherent, fæcal fistula followed. Died of gangrene of the lung.

4013. Very adherent to bowel, enterectomy had to be done. Lateral anastomosis. Left salpingo-oöphorectomy and right salpingectomy. Did well.

Lutein abscess.

1316. Panhysterectomy with double salpingo-oöphorectomy.
2017. Double hydrosalpinx also present. Double salpingooöphorectomy.

Parovarian cyst.

4402. Twisted pedicle. Right salpingo-oöphorectomy.

Broad ligament cyst.

174. Left side enucleated

Malignant ovarian tumours.

370. Formed a multilocular cystic tumour, microscopic section of its wall showing it to be carcinoma. (Right.) Left ovary cystic also removed.

1525. Exploratory laparotomy. Inoperable. Left inguinal colotomy done.

3062. Exploratory laparotomy. Secondary growths all over peritoneum. Ascites.

3215. Paracentesis performed for the ascites. Inoperable

growth.

4603. Double ovariotomy done in October, 1916, for cystadenomata of both ovaries. Admitted with nodular masses in Douglas's pouch. Very wasted and marked bronchitis, so operation not advised.

Diseases of the Pelvic Peritoneum and Cellular Tissue. Pelvic peritonitis.

Palliative treatment.

180, 1637, 1770, 2931, 2964, 3140, 3384, 3529, 3591, 3705. Exploratory laparotomy. 1663.

Tubercular peritonitis.

359. Palliative treatment.
1502. Laparotomy. Free fluid evacuated.
4218. Double salpingo-oöphorectomy and curettage. Tubercular endometritis present.

DISEASES OF THE URINARY SYSTEM.

Urethral caruncle.

Removal with cautery-218, 1068, 872.

DISEASES OF THE URINARY SYSTEM (continued).

Stricture of wrethra.

Treated by dilatation-

123, 1944.

Peri-urethral abscess.

3336. Opened and cavity plugged with gauze.

Fistulæ.

Vesico-vaginal-

4212. Following vaginal hysterectomy for carcinoma of cervix. Plastic operation.

Vesico-vaginal and recto-vaginal-

Following radium treatment for recurrence after Wertheim's operation. Plastic operation.

Urethro-vaginal-

3677. Plastic operation.

Bladder.

Carcinoma of bladder-

1765. Died fifth day after admission. Inoperable growth.

Kidney.

4391. Cystic swelling removed from abdomen. Arose apparently in the omentum. Microscopic section showed it to be renal in nature. Anterior colporrhaphy and colpo-perineorrhaphy also done for prolapse.

MISCELLANEOUS DISEASES.

Appendicitis.

3608. Refused operation.

3887. Transferred to Surgical side.

4166. Abscess opened and drained. Appendix removed.

Carcinoma of pylorus.

3006. Exploratory laparotomy. Malignant peritonitis also present.

Hernia.

Incisional-

1351, 1381, 3904. Repair done in each case.

Constitution.

999, 1526, 3992.

Fæcal fistula.

3830. Transferred to Surgical Ward.

Abdominal pain.

? Cause—

959, 4397.

Following ventral fixation-

578. Exploratory laparotomy done. Nothing found.

Due to adhesions— 3054.

Chronic bronchitis.

3588. Transferred to Medical Ward with signs of cardiac failure.

Carcinoma of cæcum.

1033. Inoperable. Lateral anastomosis done.

TABLE I.

ABDOMINAL OPERATIONS.

TIDD OMITTALE.					-		
Hysterectomy:-					Cases	I	Deaths
(1) Sub-total—							
					~		. 0
Fibro-myoma	***	111	***	***	3	***	0
(2) Total—							
Fibro-myoma	***	***		***	1		.0
Adeno-myoma	***	***	***		1		0
Carcinoma of body		***	***	***	1	***	0
Ovarian abscess		***			1		0
(3) Doyen's panhysterectom;	y						
Fibro-myoma		***	222		7	***	0
Adeno-myoma					I		0
Fibrosis uteri					I		0
Carcinoma of cervix					1		0
(4) Wertheim's operation			***		10		0
(5) Cæsarean hysterectomy					1		0
Myomectomy :							
Fibro-myoma					3		0
Salpingo-oöphorectomy, unilater	al				2		0
" bilatera	1				8		0
Salpingectomy					4		0
Ovariotomy, unilateral					17		I
", bilateral					3		0
Enucleation of broad ligament of					I		0
Cæsarean section					14		. 0
Appendicectomy. Appendix also					3		
operated upon for other rea-					2		0
Exploratory laparotomy :-				-			
Carcinoma of cervix					4		1
Malignant peritonitis					2		0
Malignant ovarian tumour	***				. 3		0
Usestonon							0
Wanted I amedia	***				4	***	0
NT 1	***				3		
Nephrectomy					1		0

VAGINAL OPERATIONS.

Vulva:-				Cases	D	eaths
Bartholin's cyst	 	 		I		0
	 	 				0
Cysts:—					1	
Mucous cysts	 	 		1		0
Leukoplakia:						
Excision of vulva Removal of recurrence	 	 	.,.	2		0
				1		0
,, hymen	 	 		I		0
Vagina:-						
Vaginismus	 	 		I		0
Vaginal hysterectomy-						
Prolapse	 ***	 ***	***	I	***	0

Perforation of uterus			 	1		0
Cancer of cervix			 	1		0
For dysmenorrhæa			 	1		0
Vaginal fixation			 	I		0
Para-vaginal tissue :		4				1
Removal of myxo-fibroma			 	I		Ö
Urethra:-						
For stricture			 	2		0
Removal of caruncle, cauter	V		 	3		0
Peri-urethral abscess			 	I		0
Fistulæ :						
Vesies reginal			 	2		0
Recto-vaginal			 	I		0
Urethro-vaginal			 	I		0
Perineorrhaphy :-						-
For prolonge			 	12		0
TOT PROMEDUC III						
						0
For complete tear			 	5		0
For complete tear Colporrhaphy						0
For complete tear Colporrhaphy Cervix :—			 	5 5		0
For complete tear Colporrhaphy Cervix :— Removal of polypi, mucous			 	5	•••	0
For complete tear Colporrhaphy Cervix:— Removal of polypi, mucous ,, fibroid fibro ado			 	5 5		0 0 0
For complete tear Colporrhaphy Cervix:— Removal of polypi, mucous fibroid fibro-ade	 nomat	 ous	 	5 5 1 1		0 0 0
For complete tear Colporrhaphy Cervix :— Removal of polypi, mucous ,, ,, fibroid ,,, fibro-ade Amputation of cervix for pro-	 nomat	 ous	 	5 5		0 0 0 0
For complete tear Colporrhaphy Cervix :— Removal of polypi, mucous ,, ,, fibroid ,,, fibro-ade Amputation of cervix for pro-	 nomat	ous	 	5 5 2 1 4 1		0 0 0 0 0
For complete tear Colporrhaphy Cervix:— Removal of polypi, mucous ,, ,, fibroid ,,, fibro-ade Amputation of cervix for pro ,, for ero Partial amputation for erosio	nomat lapse osion	ous	 	5 5 2 1 4 1 3		0 00000
For complete tear Colporrhaphy Cervix:— Removal of polypi, mucous ,, ,, fibroid ,,, fibro-ade Amputation of cervix for pro Partial amputation for erosion Cauterization	nomat lapse osion on	ous	 	5 5 2 1 4 1		0 000000
For complete tear Colporrhaphy Cervix:— Removal of polypi, mucous ,, ,, fibroid ,, ,, fibro-ade Amputation of cervix for pro ,, for ero Partial amputation for erosio Cauterization Dilatation	nomat lapse osion on	 ous 	 	5 5 2 1 4 1 3 3 7		0 0 0 0 0 0 0
For complete tear Colporrhaphy Cervix:— Removal of polypi, mucous ,,,, fibroid ,,, fibro-ade Amputation of cervix for pro ,,, for ero Partial amputation for erosio Cauterization Dilatation Curettage, including abortion case	nomat lapse osion on	ous	 	5 5 2 1 4 1 3		0 000000

OBSTETRICAL CASES.

ABORTION.

Threatened.

3777, 4810, 3750.

Complete abortion.

324, 3712, 3046.

Incomplete.

Uterus cleared out-

179. Fifteenth week.

392. Fourteenth week.

751. Twelfth week.

1409. Eighth week. 1684. Twenty-four week.

Fighth week

2124. Eighth week.

2779. Fourteenth week.

Hæmorrhage following abortion.

Uterus cleared out-

1264, 1989, 2143, 2524, 4255, 4685.

Curettage-

4404.

Hydatidiform mole.

4174. Admitted for bleeding. Slight bleeding occurred for four weeks after admission, then labour pains came on and typical vesicles were expelled from the uterus. Uterus cleared out under an anæsthetic. The physical signs on admission were those of an ordinary pregnancy except that no ballottement could be obtained.

L	abour no	rmal.		12				
	Multipar	ra, L.O.	A.					
	19.	261.	461.	1113.	1243.	1335.	1336.	1415.
	1445.	1685.	1961.	2070.	2137.	2225.	2549.	2713.
	2804.	2827.	3018.	3703.	3970.	4075.	4312.	4473.
	4605.	4708.	4710.	4801.	4966.			
	R.O.A.							
	282.	673.	821.	887.	982.	1275.	1532.	1560.
	1658.	1758.	1924.		2496.	2957.	2971.	3003.
	3206.	3272.	3766.	3808.	3827.	4221.	4403.	5074.
	5306.							
	Primipa	ræ, L.O.	.A.					
	214.	252.	317.	338.	502.	715.	948.	1087.
	1338.	1791.	1883.	2165.	3347-	2511.	2513.	2553.
	2762.	2959.	3101.	3270.	3339.	3500.	3512.	3513.
	3806.	3878.	4023.	4825.	4803.	4850.		
	R.O.A.							
	432.	832.	991.	1171.	1179.	1443.	1808.	2068.
	2498.		3392.	3394.	3600.	3864.	4271.	4513.
	4540.	4671.	4658.	5080.				
F	orceps d	elivery.						
	For pro	longed 1	abour.					
	810.	1241.	1806.	2162.	2551.	3000.	4200.	4515.
	After m							13-3-
	2072.	2506.	2004.					

Labour with contracted pelvis. Induction by bougies.

Induction by bougies.										
Register No.	Parity	Weeks	Inter- spinous	Inter- crystal	Ext. Conj.	Diag.Conj.	Weight of Child	Result	Time in hours	Notes
459 537	M M	36 37	10 10½	101/4	7 61 8	4 3 ⁷ / ₈	1b. oz. 5 6 6 4	M. C. G. D. G. G.	60 168	Stillborn child 9th induction, all done well.
538	M	39	10	101	63	43	6 7	G. G.	24	Breech presen- tation
634 655 707 834 837 838 977 1245 1393 1486 1570 1648 1657 1931	P M M P P P P P M M P P	36 36 36 37 38 39 38 35 36 36 36 36 37 38 37 38 37 38 38 38 36 36 36 36 36 36 36 36 36 36 36 36 36	9½ 10 9¾ 10 11 8½ 10 9½ 10 10 10 10 10	10 1 10 1 10 1 10 1 10 1 10 1 10 1 10	67.84 6½ 7 7.84 7 7½ 7 7½ 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	41 43 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	5 0 3 10 5 15 6 0 4 10 5 6 6 11 5 9 5 6 5 14 4 12 5 5	G. G	83 99 ¹ / ₂ 7 ¹ / ₂ 72 96 72 24 24 24 96 80 8 ¹ / ₂ 164 220	Stillborn child Stillborn child Macerated foetus Manual removal of placenta
2134 2135 2764 3262 3274 4220	M M M P M M	36 36 35 37 36 38 38	94 9 92 10 8 104 9	10 ½ 10 10 ½ 10 ½ 10 11	71 7 71 71 71 72 74 62 62	44 4 44 44 42 4	6 5 4 11 6 3 6 0 5 0 8 4	G. G	48 96 24 22 38 96 36	8th induction Stillborn child
1	Frea	ted l	by fo	rceps	deli	very.	Nilsi.	ANTE DESIGNATION	Mariana	Manual Co.
Register No.	Parity	Weeks	Inter- spinous	Inter- crystal	Ext. Conj.	Diag. Conj.	Weight of Child	Result	N	Votes
5079 1535	P M	40 40	10½ 9	11½ 10	8 1 7½	4 1 4 1 4 1	lb. oz. 6 6 7 8	M. C. G. G. G. G.	Small outle	et
7	Crea	ted l	by cr	aniot	omy.				4	S. S. C.
2164	М	38	93	10	7	31/2	lb. oz.	M. C. G. D.		
3340	М	40	91/2	10	71	3 ¹ / ₂		D.	Died of ed	clampsia
3810	M	40	10	101	71	4		G.	Prolapse of then perf	f cord. Version, foration

Treated by Cæsarean section.

			100								
35	M	39	***				6		G.		Third Cæsarean section
108	P	36	$9\frac{1}{2}$	103	7	34	6	0	D.	D.	First induced. No result. Died of peritonitis
1126	P	38	71	8	51	3	4	03	G.	D.	A cretin, age 30
1186	M	39	103	103	71	44		115		G.	Slight hydrocephalus in
				-			-	-			child
1198	M	40	101	101	61	38	5	1	G.	G.	Third Cæsarean section
3894	M	36	10	104	7	4	5	6	G.	D.	Mother had Tabes dor-
					1		-				salis
768	P	40	II	II	7	31	6	13	G.	G.	
2187	P	39	105	111	7	4	7	0	G.	G.	
2168	M	39	11	12	7	33	5	6	G.	G.	
3219	M	40					5	103	G.	G.	Small outlet
3707	P	40	91	101	61	3 3 4	7	31	G.	G.	
3803	P	40	IO	H	7	47	6	6	G.	G.	
4324	M	40	10		7	39		4	G.	G.	
4580	P.	40	83	101	67	44 34 34 34	7 6	9	G.	G.	Myxœdema in mother
4500			- 3	20	8	34		,	7		
	_										

Labour with placenta prævia.

Register No.	Parity	Туре	Term	Treatment	Result
221 885 1074 1671 2514 3895	M M M M	Central Partial Partial Partial Central	32 wks. 32 ·, 38 ·, 33 ·, 34 ·,	Bipolar version De Ribe's bag Bipolar version Bipolar version Bipolar version	M. C. G. D. G. Lived 6 hours G. D. G. Lived 18 hours G. D.

Labour with concealed accidental hamorrhage.

2514. Internal version done. Child extracted. Cervix torn on right side. Tear plugged, but bleeding did not cease.

Twin pregnancy and labour.

1187. Mother and child did well. 1994. Mother and child did well.

3997. Mother treated for albuminuria during her pregnancy. All did well.

5076. Mother suffered from epilepsy. All did well.

Breech presentation.

504. External version done. 38. Extended legs and arms. Child born in white asphyxia. Both did well.

104. Extended legs. 4656. Extended arms. Developed pneumonia day after de-livery. Mother and child did well.

Brow presentation.

2506. Converted into vertex and delivered with forceps. Mother had chorea. Both did well.

Shoulder presentation.

1534. Impacted. Decapitation performed.

Prolapse of cord.

648. Child stillborn.

Pregnancy complicated by-

Fibroids-

1282. Palliative treatment.

3489. Cæsarean hysterectomy done near full term.

4179. Myomectomy done at third month of pregnancy for a subperitoneal fibroid, undergoing red degeneration. Admitted for severe abdominal pain. Patient did well.

Displacements of the uterus-

Prolapse-

510. Palliative treatment. Seven months pregnant. Phlebitis also in left leg.

2208. Cervix protruding through vulva. Six months pregnant. Ring inserted.

Retroversion-

2055. Admitted for "retention of urine." Uterus righted itself on keeping bladder empty.

Gonorrhœa-

2161. Admitted at "full term" with numerous warts on the vulva. Patient went into labour a few hours after the warts were removed. Forceps delivery. Mother and child did well.

4718. Acute vulvitis with very marked œdema. Seven months pregnant. Heart and kidneys normal. Gonococci in the discharge. Swelling rapidly subsided with rest in bed. Readmitted later. Normal confinement and puerperium. Mother and child did well.

Pyelitis-

3220. Pure culture of streptococci obtained from urine. Six months pregnant. Patient discharged herself day after admission.

Chorea-

2506. Improved rapidly after delivery at full term.

Pregnancy in one born of a bicornuate uterus.

? Admitted as a case of "extra-uterine gestation with symptoms of bleeding and acute abdominal pain. Laparotomy disclosed bicornuate uterus. Panhysterectomy done. Left kidney was very low down—at the level of the pelvic brim.

Puerperium complicated by-

General peritonitis-

Drainage. Death four days later. *Post-mortem*. Two ulcers found in colon which had perforated.

Sapræmia-

212, 1391. Portion of placenta in uterus in each case.

Following infection of a torn perineum-

Abscess over pubes-

834. Developed three days after delivery. Opened and drained.

Bare area of pubic bone felt at bottom of abscess cavity.

Patient did well.

Jacksonian epilepsy-

3795. Had been treated in O.P.D. for epilepsy for many years. Admitted fourth day after normal labour, with history of "fits." Now comatose. Forty fits before admission. Postmortem. "Cavernous angeioma" in right motor area with thrombosis in one part of the tumour.

Inversion of the uterus-

225. Irregular bleeding since instrumental delivery nine months before admission. Lost a good deal of blood at the confinement. Complete inversion of uterus on examination. Replacement of the uterus occurred forty-eight hours after Aveling's repositor had been applied. Morphia necessary for the relief of pain caused by the instrument. Patient left the hospital quite well.

Labour complicated by cardiac disease.

362. Mitral stenosis. Bougie induction at thirty-seventh week. Manual removal of adherent placenta. Mother and child did well.

2445. Mitral stenosis. Normal labour and puerperium.

3511. Mitral stenosis. Forceps delivery. Mother and child did well.

3863. Mitral stenosis. Face presentation. Bougie induction. Normal labour. Sudden cardiac failure two days later; patient died on fourth day of puerperium.

3884. Uncompensated mitral stenosis. Rapid improvement

after a normal labour.

Eclampsia.

633. Fits at thirty-eighth week. Easy labour three days after admission and rapid improvement afterwards. Child stillborn.

1876. Patient had eight fits before labour induced with bougies. Forceps delivery. Mother and child did well.

Epilepsy.

3632. Normal labour. Mother and child did well.

REPORT OF MATERNITY DISTRICT.

During the year 1,334 cases were attended—1,160 cases by students, and 170 by pupil midwives. This is exclusive of cases delivered in hospital.

In 1915, 1,567 cases were attended. The cases were made up as

follows :-

				V	Iultipara	Primiparæ.	
Vertex	***				1096		181
Breech					23		6
Face					2		I
Twins				***	20	***	2
Transverse		***		***	I		I
Abortions					2		0
					-		
			2		1143		101

MORTALITY.

Maternal.-Nil.

Fætal.—30. This includes children stillborn or dying before the tenth day, also abortions and macerated fœtuses, which numbered 10.

		e.	Primiparæ.		
Vertex	 	 	15		6
Twins	 	 	2		0
Breech	 	 	5		I
Transverse	 	 	I		0
			23		7

Forceps were applied in 20 cases—16 on account of primary uterine inertia, and 4 on account of contracted pelvis.

Prolapse of the cord occurred twice. Cord pulseless in one case, living child in the second. Both mothers did well.

Placenta prævia.—Two cases, both admitted into hospital. See notes.

Accidental hæmorrhage.—One case. Child stillborn. Mother did well.

Post-partum hamorrhage.—Twelve cases, of which four were severe and requiring manual removal of placenta. All the cases did well.

Occipito-posterior positions were persistent in 16 cases; 14 of these were delivered unreduced.

Complete tear of perineum occurred in one case.

The state of the s

REPORT

OF THE

PATHOLOGIST

FOR

1916



REPORT OF THE PATHOLOGIST FOR 1916.

The numbers are those of the P.-M. Register

CHLOROMA: 42, 60.

CHOREA: 4.

DIABETES: 122, 145, 199.

DIPHTHERIA: 77, 137, 171.

ECLAMPSIA: 150, 170.

EPIDEMIC CEREBRO-SPINAL MENINGITIS: 38.

LEAD POISONING: 154.

LEUKÆMIA: 5, 42, 181.

MEASLES: 123.

Pernicious Anæmia: 162.

STATUS LYMPHATICUS: 24, 185.

PERICARDIUM.

Adhesions: 33, 41, 68, 69, 71, 86, 97, 175, 176, 188.

Carcinoma: 28, 166, 179.

Hæmorrhage: 197.

,, petechial: 4, 33, 60, 97, 148, 175, 180, 182, 188. Hydropericardium: 1, 4, 12, 14, 16, 18, 19, 21, 28, 30, 37, 40, 48, 50, 92, 103, 104, 107, 108, 116, 121, 128, 132, 136, 148, 154, 161, 162, 166, 168, 173, 178, 181, 186, 195, 208.

Laceration: 197.

Pericarditis: 26, 42, 45, 80, 135.

HEART.

Atrophy: 30, 56, 57, 61, 104, 107, 160, 181, 194. Carcinoma: 12. HEART (continued).

Chloroma: 42, 60.

Coronary disease: 135, 149, 158, 179.

Dilatation: 3, 4, 5, 14, 15, 19, 21, 23, 33, 34, 37, 40, 41, 43, 50, 51, 52, 60, 80, 83, 86, 87, 90, 95, 97, 99, 110, 121, 127, 128, 135, 136, 137, 145, 147, 148, 149, 154, 168, 173, 175, 179, 180, 186, 187, 188, 195, 198, 201.

Endocarditis, acute: 1, 4, 14, 19, 20, 40, 86, 89, 128, 148, 153, 168, 175, 180, 183, 188.

chronic: 14, 19, 33, 37, 40, 41, 50, 52, 68, 86, 97, 106, 128, 154, 173, 175, 180, 188.

Fatty degeneration: 42, 60, 113, 147, 162.

Hæmorrhage, petechial: 60, 150.

Hypertrophy: 14, 19, 26, 33, 34, 37, 40, 41, 43, 50, 52, 58, 72, 83, 97, 110, 128, 135, 136, 148, 149, 154, 158, 161, 168, 173, 180, 186, 188, 195, 201.

Malformation: 13, 155, 192.

Thrombosis: 14, 186.

Valvular incompetence, aortic: 37, 40, 52, 97, 110, 128, 168, 180, 188.

, mitral: 14, 33, 37, 40, 41, 50, 52, 128, 135, 148, 186, 188.

stenosis, aortic: 40, 52, 97, 106, 168.

,, mitral: 14, 19, 33, 41, 50, 97, 154, 173, 175. Tricuspid: 41, 97.

ARTERIES.

Atheroma and arteriosclerosis: 10, 26, 37, 43, 58, 71, 72, 109, 110, 115, 118, 131, 135, 136, 142, 145, 149, 154, 158, 179, 195, 198, 201.

Persistent ductus arteriosus: 15, 155, 192.

Thrombosis: 182.

Transposition of aorta: 155.

VEINS.

Atresia (portal vein): 177.

Carcinoma: 12, 99.

Sarçoma: 8.

Thrombosis: iliac: 12, 30, 116, 166.

inferior cava: 30.

internal jugular: 8, 48, 116.

,, lateral sinus: 48, 182.

VEINS (continued).

,, longitudinal sinus: 182. ,, superior mesenteric: 177.

uterine: 20.

Varicose: 135.

LYMPHATIC GLANDS.

Carcinoma: 12, 28, 56, 61, 73, 81, 129, 130, 166, 189, 191, 193, 204.

Chloroma: 42. Leukæmia: 42.

Lymphadenoma: 208.
Pernicious anæmia: 162.
Status lymphaticus: 24, 185.
Suppuration: 120, 126, 175.

Tubercle: 10, 21, 58, 68, 78, 80, 84, 92, 95, 107, 108, 113, 120, 124, 126, 127, 139, 144, 153, 164, 175, 209.

SPLEEN.

Abscess: 27.
Amyloid: 112.
Atrophy: 71.
Carcinoma: 81.
Chloroma: 42, 60.

Infarct: 1, 19, 20, 86, 128, 168, 175, 180, 182, 188.

Leukæmia: 5, 42. Lymphadenoma: 208.

Perisplenitis and adhesions: 52, 107, 110, 116, 118, 119, 136,

153, 161.

Pernicious anæmia: 162. Status lymphaticus: 24, 185.

Syphilis: 118, 177.

Tubercle: 21, 27, 68, 95, 108, 124, 126, 139, 144, 205, 209.

NASAL FOSSÆ AND AIR SINUSES.

Epistaxis: 106. Sinusitis: 38, 106.

NECK.

Cellulitis: 45.

LARYNX.

Carcinoma: 179.

Diphtheria: 77, 137, 143, 171.

Leukæmic deposits: 181. Œdema: 137, 157, 179.

THYROID AND THYMUS.

Goitre: 26, 113.

Hypertrophy of thymus: 24, 51, 77, 185.

TRACHEA.

Compression: 26. Diphtheria: 77.

Leukæmic deposits: 181.

Tracheo-œsophageal fistula: 44.

BRONCHI.

Bronchiectasis: 59, 73, 189, 191.

Bronchitis: 9, 44, 52, 54, 58, 78, 83, 85, 137, 145, 157, 167.

Carcinoma: 28.

Obstruction: 8, 99, 189, 191. Ulceration and perforation: 120.

LUNGS.

Abscess: 28, 48, 69, 111, 116, 120, 176, 183, 189, 191.

Broncho-pneumonia: 1, 9, 13, 15, 26, 37, 66, 69, 75, 82, 87, 90, 95, 96, 99, 101, 105, 112, 115, 117, 120, 121, 129, 157, 158, 160, 185, 187, 188, 192, 203, 210.

Carcinoma: 28, 191.

of bronchial glands: 12, 28, 130, 166, 189, 191,

193.

secondary: 12, 81, 90, 130, 166, 193.

Chloroma: 42, 60.

Chronic pneumonia: 14, 23, 31, 59, 108.

Collapse: 5, 8, 9, 13, 28, 37, 40, 50, 62, 69, 96, 97, 116, 132,

135, 141, 148, 155, 194, 211.

Emphysema: 9, 10, 31, 52, 87, 93, 95, 108, 137, 139, 140, 143,

147, 160, 172, 179, 182, 187. Gangrene: 15, 27, 28, 48, 189.

Hæmorrhage: 10, 77.

petechial: 3, 182.

Lungs (continued).

Infarct: 4, 14, 37, 41, 52, 137, 148, 186.

Laceration: 197.

Lobar pneumonia: 67, 80, 111, 168, 201.

Œdema: 1, 14, 15, 16, 19, 20, 26, 37, 40, 42, 52, 59, 60, 64, 71, 72, 76, 79, 80, 89, 93, 94, 98, 99, 106, 111, 112, 113, 115, 119, 120, 125, 128, 135, 136, 138, 142, 145, 147, 154, 160, 162, 172, 173, 175, 178, 180, 181, 182, 186, 198, 206.

Red induration: 14, 41, 173.

Sarcoma: 8, 69.

Suppurating bronchial glands: 120, 126, 175.

Tubercle, apical scarring: 40, 52, 65, 93, 109, 136, 167, 189.

acute pneumonic: 107, 108, 126, 144.

,, caseous and calcareous bronchial glands: 21, 58, 68, 84, 92, 108, 113, 120, 124, 126, 127, 139, 144, 164, 205, 209.

, chronic: 10, 11, 30, 34, 53, 68, 86, 92, 113, 118, 122, 124, 127, 140, 142, 153, 164, 184, 204.

miliary: 21, 53, 84, 95, 104, 124, 126, 139, 205, 209.

PLEURA.

Adhesions: 1, 4, 8, 10, 11, 12, 14, 16, 18, 19, 20, 21, 23, 30, 31, 33, 34, 35, 36, 37, 40, 50, 52, 53, 59, 60, 68, 69, 71, 73, 80, 83, 84, 86, 92, 93, 94, 96, 97, 103, 107, 108, 110, 112, 115, 116, 118, 120, 122, 127, 129, 131, 136, 137, 140, 144, 147, 153, 164, 166, 168, 170, 179, 181, 184, 188, 189, 191, 193, 197, 198, 204, 209, 211.

Carcinoma: 12.

secondary: 103.

Hæmorrhage: 18, 197.

,, petechial: 19.

Hydrothorax: 8, 14, 15, 18, 26, 37, 40, 50, 52, 69, 97, 103, 110, 116, 119, 121, 128, 135, 148, 149, 154, 161, 162, 173, 181, 186, 188, 191, 208.

Laceration: 18.

Pleurisy: 80, 94, 99, 138, 165.

suppurative: 23, 28, 48, 79, 96, 111, 140, 142, 147, 157, 189, 194, 202, 211.

with effusion: 1, 15, 41, 42, 45, 67, 208.

Pneumothorax: 30.

Pneumotnorax: 30

MEDIASTINUM.

Carcinomatous glands: 28, 56, 73, 99, 166, 189, 191, 193. Chronic mediastinitis: 45.

Hæmorrhage: 18.

MEDIASTINUM (continued).

Lymphadenomatous glands: 208. Obstruction of large veins: 8, 11.

Sarcoma: 8.

Suppuration: 157, 169.

Tuberculous glands: 84, 92, 108, 120, 124, 126, 153, 164, 205.

MOUTH AND FAUCES.

Diphtheria: 77, 143, 171.

Hypertrophy of tonsils: 24, 51.

Leukæmic deposits: 181. Pyorrhœa alveolaris: 15. Tonsillitis: 19, 182.

SALIVARY GLANDS.

Parotitis: 16.

PHARYNX.

Adenoids: 51. Carcinoma: 179.

ŒSOPHAGUS.

Carcinoma: 56, 129, 179.

Dilatation: 44, 73, 120, 133, 196.

Diverticula: 28.
Foreign body: 157.
Perforation: 120, 157.
Stricture: 44, 196.

Tracheo-œsophageal fistula: 44.

Ulcer: 196.

STOMACH.

Adhesions: 35, 41, 55, 116.

Carcinoma: 61, 73, 81, 129, 130, 134, 151, 204.

Chronic gastritis: 17, 35, 52, 55, 64, 73, 81, 85, 88, 97, 119, 131, 136, 148, 152, 154, 186.

Cicatrices: 56, 64.

Dilatation: 2, 5, 10, 12, 17, 35, 57, 64, 79, 81, 82, 83, 88, 91,

119, 120, 131, 133, 154, 161, 162, 204. Hæmorrhage: 12, 22, 35, 49, 73, 131, 138.

petechial: 17, 79, 161.

Hour-glass: 55, 196, 206. Perforation: 88, 116, 129, 206. STOMACH (continued).

Pyloric stenosis: 61, 204.

Round worm: 79.

Ulcer: 22, 35, 49, 55, 61, 81, 88, 116, 129, 131, 138, 204, 206.

INTESTINES.

Adhesions: 16, 41, 103, 109, 116, 153.

Appendicitis: 36, 62, 68.

Atresia and stenosis: 57, 133, 163. Carcinoma, colon: 98, 109, 200.

rectum: 49, 70, 76, 159, 193.

secondary: 81.

Colitis, acute: 16, 70.

,, chronic: 31, 152.

Cyst: 2.

Dilatation: 2, 66, 80, 83, 153, 200.

Diverticula: 30, 81, 102. Duodenal ulcer: 91, 111.

Enteritis, acute: 19, 20, 60, 82, 85, 87, 101, 121, 126, 207.

chronic: 17, 31, 85, 97.

Fistula: 57, 64.

Gangrene: 7, 36, 83, 109, 177.

Hæmorrhage: 91.

petechial: 20, 112, 180, 188.

Hernia, femoral: 63.

inguinal: 25, 71, 88.

,, umbilical: 83.

Hirschsprung's disease: 65.

Hypertrophy of adenoid structures: 24.

Intussusception: 7, 24.

Obstruction, acute: 63, 83, 163.

,, chronic: 2, 49.

Perforation: 7, 16, 36, 62, 68, 70, 83, 109, 111, 153, 158, 183, 200.

Pericolic abscess: 16, 109, 200.

Rupture: 94.

Strangulation: 7, 25, 63.

Thrombosis, mesenteric: 177.

Tubercle: 30, 84, 92, 95, 107, 108, 126, 153, 164, 205, 209.
,, caseous and calcareous mesenteric glands: 10, 21, 60, 78, 80, 84, 92, 95, 107, 108, 113, 126, 164, 205, 209.

Ulceration of rectum: 15, 62.

PERITONEUM.

Adhesions: 16, 34, 41, 57, 61, 62, 63, 68, 103, 107, 109, 110, 116, 118, 119, 136, 153, 177, 183, 184, 198, 209, 211.

Ascites: 5, 12, 14, 33, 34, 37, 40, 41, 42, 50, 56, 58, 61, 97, 103, 118, 119, 128, 132, 136, 148, 154, 161, 166, 173, 178,

180, 181, 186, 191, 204.

Carcinoma: 57, 61, 81, 103, 130, 134, 204. Chloroma: 42.

Hæmorrhage: 18, 29, 125, 150, 197.

Laceration: 125, 150.

Mesenteric glands, carcinoma: 56.

Peritonitis, acute general: 7, 16, 25, 36, 70, 76, 79, 80, 83, 88, 89, 94, 109, 111, 129, 132, 158, 161, 164, 165, 177, 193, 194, 196, 200, 202, 206.

,, localized: 20, 62, 68, 116, 138, 183.

,, chronic: 11, 81, 104, 153, 161, 211.

Tubercle, acute miliary: 104.

chronic adhesive: 104, 153, 209.

, ,, serous: II.

RETRO-PERITONEUM.

Abscess: 16, 62, 93, 109, 194.

Carcinoma: 99, 130. Hæmorrhage: 18.

Lymphadenomatous glands: 208.

. LIVER.

Abscess: 189, 194.

Adhesions: 41, 55, 57, 61, 103, 104, 153, 183, 184, 198, 209.

Angioma: 119. Carcinoma: 166.

,, secondary: 12, 81, 90, 109, 129, 130, 189, 191.

Chloroma: 42, 60.

Chronic perihepatitis: 136, 161.

venous congestion: 14, 33, 37, 41, 50, 52, 97, 110, 135, 147, 148, 149, 168, 173, 180, 186.

Cirrhosis, atrophic: 68, 131, 178.

,, biliary: 165.

syphilitic: 56, 118, 177, 183.

LIVER (continued).

Fatty degeneration: 15, 19, 20, 30, 67, 95, 107, 132, 150, 152, 153, 164.

Gumma: 174. Leukæmia: 5.

Obstruction of inferior vena cava: 12.

Rupture: 18, 29, 125, 197.

Tubercle: 11, 21, 95, 120, 124, 126, 139, 144, 153, 205, 209.

GALL-BLADDER AND DUCTS.

Adhesions: 41, 57, 83, 110, 116, 165.

Carcinoma: 57.

Cholecystitis and cholangitis: 110, 165.

Congenital stenosis of ducts: 32. Dilatation: 4, 32, 165, 166, 178, 196.

Fistula: 57.

Gallstones: 4, 49, 50, 57, 83, 110, 113, 146, 165, 178. Perforation: 57, 165.

Pericholecystitis: 57, 165.

PANCREAS.

Carcinoma: 65, 81, 99.

BRAIN AND MEMBRANES.

Abscess: 20, 100. Adhesions: 47. Angioma: 170.

Arteriosclerosis and atheroma: 115, 201.

Chloroma: 60. Cyst: 53, 210. Endothelioma: 6. Glioma: 47, 53, 150. Gunshot injury: 156.

Hæmorfhage: subcranial: 167.

subarachnoid: 60, 114. subdural: 114, 182.

cerebral: 43, 72, 115, 158, 167.

ventricular: 114, 158.

Hydrocephalus: 6, 21, 74, 78, 84, 100, 117, 124, 139, 174, 205, 210.

Meningitis: 27, 38, 74, 100, 117, 174, 190.

tuberculous: 78, 84, 124, 139, 205.

Brain and Membranes (continued).

Œdema: 26, 40, 42, 60, 113, 160, 181.

Pyocephalus 117.

Softening: 6, 43, 149, 168, 197.

Thrombosis: 182 (basilar).

of venous sinus: 182.

Tubercle, acute miliary: 21, 78, 124, 139.

chronic caseous: 108.

SPINAL CORD AND MEMBRANES.

Meningitis: 38, 117, 174.

EYE.

Leukoma: 42. Retinitis: 26.

EAR.

Mastoiditis: 48, 100. Otitis media: 27, 117.

ADRENAL GLANDS.

Carcinoma: 12, 28, 194.

Tubercle: 59, 209.

KIDNEY.

Abscess: 1, 20, 126, 131, 181, 189.

Amyloid: 11, 112.

Arteriosclerosis: 58, 135.

Carcinoma: 176.

secondary: 12, 28.

Chloroma: 42, 60.

Congenital atrophy: 58.

Cyst: 146, 198. Deformities: 191. Hæmorrhage: 18.

,, petechial: 19, 72, 188. Hydronephrosis: 56, 81, 119, 130, 166. Infarct: 4, 41, 97, 128, 165, 168, 188.

Laceration: 17, 125. Lymphadenoma: 208.

Nephritis, acute parenchymatous: 40, 180.

chronic interstitial and arteriosclerotic: 26, 49, 58, 68, 72, 86, 110, 132, 135, 136, 154, 158, 161, 189, 201.

chronic parenchymatous: 11, 59, 112.

KIDNEY (continued).

Paranephritis: 1, 93.

Pyelitis and Pyelonephritis: 93, 131, 161, 172, 176.

Tubercle, caseous: 104.

miliary: 10, 68, 95, 124, 126, 127, 144, 205, 209.

URETER.

Dilatation: 81, 93.

BLADDER.

Carcinoma: 90, 103.

Cystitis: 1, 28, 93, 104, 131, 150, 172, 189.

Dilatation: 72, 93.

Hæmorrhage, petechial: 20.

Hypertrophy: 72, 93. Paravesical abscess: 1, 16.

Rupture: 125. Sacculi: 93. Tubercle: 104.

PROSTATE AND VESICULÆ.

Abscess: 104. Carcinoma: 189.

Hypertrophy: 1, 28, 49, 93, 146, 172.

Tubercle: 104.

URETHRA AND PENIS.

Laceration: 125. Stricture: 72.

TESTIS AND SCROTUM.

Abscess: 189. Tubercle: 189.

Undescended testis: 23, 82.

VAGINA.

Ulcerative vaginitis: 15.

UTERUS.

Adhesions: 16. Carcinoma: 198. Uterus (continued).

Fibromyoma: 6, 113, 197.

Parametritis: 15. Rupture: 150.

FALLOPIAN TUBE.

Adhesions: 16. Pyosalpinx: 196.

OVARY.

Abscess: 183. Adhesions: 16. Cyst: 83, 183, 197.

BREAST.

Carcinoma: 113.

SKIN AND SUBCUTANEOUS TISSUES.

Abscess: 184, 211.

Burns: 161.

Carcinoma: 130.

Cellulitis: 111, 112, 132, 195.

Cicatrices: 56, 59, 118, 135, 201, 208.

Contusion: 18. Gangrene: 71, 145

Hæmorrhages: 9, 19, 20, 41, 123, 148, 181, 188, 189.

Herpes: 67, 80.

Jaundice: 12, 14, 32, 41, 50, 57, 79, 80, 133, 150, 162, 165,

175, 177, 178, 186, 188, 189, 192, 195.

Leukæmic deposits: 181.

Lipomatosis: 83.

Œdema: 8, 11, 12, 14, 30, 37, 41, 52, 56, 110, 116, 132, 136, 148, 161, 162, 166, 173, 181, 186, 188, 195, 208.

Pigmentation: 12, 56, 59, 118, 152, 181, 207.

Sinus: 112. Ulcer: 27, 31. Wound: 18, 190.

BONES.

Carcinoma: 179.

Caries: 184. Chloroma: 42, 60.

Bones (continued).

Flattened pelvis: 20.

Fracture:

fibula: 125.

ribs: 18, 125, 197.

pelvis: 125. skull: 167, 190, 197.

femur: 125.

sternum: 125, 197.

,, tibia: 125. Hypertrophic pulmonary arthropathy: 60.

Lateral curvature: 203.

Necrosis: 96. Sarcoma: 69.

JOINTS.

Suppuration: 1.

MUSCLES.

Atrophy: 149, 203.

EXTREMITIES.

Clubbed fingers: 34, 69, 178.

Gangrene: 71, 145.

INDEX TO ABSTRACT OF POST-MORTEM EXAMINATIONS, 1916.

	-						
DMD	Hosp.	P.M.R.		Hosp.	D 34 1		Hosp.
P.M.R.	Register	46		Register	P.M.I		Register 980
1 (1915)				645	91		
2 (1915)		47		720	92		658
	I.I.D.	48		617	93		-
4 (1915)		49		758	94		1581
5 (1915)		50		766	95		1598
6		51		904	. 96		1565
7		52		88	97		1200
8 (1915)	4275	53		908	98		, ,
9	79	54		938	99		1032
10 (1915)		55		877	100		1643
11		56		843	IOI		1796
12 (1915)		57		740	102		1732
13		58		962	103		1765
14 (1915)	4235	59		976	104	(1915)	4187
15	142	60		854	105		1828
16	119	, 61		1037	100		1844
17 (1915)	4094	62		884	107		623
18	5	63		1145	108		1311
19	6	64		1141	100		1764
20	108	65		1029	110		1985
21			В	.I.D.	III		1884
22	260	67		1210	112		1508
23	32	68		1078	113		1997
24	376	69		911	114		2073
25	438	70		1193	115		1793
26	298	71		1177	110		1559
27	450	72		1164	117		2075
28		73		1008	118		2145
29	472	74		987	119		1951
30 (1915)		75		1316	120	***********	1797
31	342	76		897	121		2242
32	379	77		1330	122		
33	468	78		1248	123		2182
34	377	79		777	124		2216
35	373	80		1334	125		.I.D.
36	630	81	• • • • • • • • • • • • • • • • • • • •	1318	126		2349
37	100				127		2242
38	667.			1468	128		2028
39	354			1452	129		2006
40 (1915)		0.7			130		2088
41	42				131		
42	641		0.		132		
43	631			1486	133		
44	621				134		
45	739	90		1378	135		2674

INDEX TO ABSTRACT—continued.

	Hosp.	1	Hosp.		Hosp.
P.M.R.	Register	P.M.R.	Register	P.M.R.	Register
136	2556	162	3661	188	3156
137	2780	- 163	3603	189	4098
138	2523	164	1794	190	3909
139		165		191	4533
140	2542	-66	3213		4538
	. B. I. D.	167	0-		4517
142	2127	168	0 -		4413
143	2930	169	-0		4601
144		170		v - E	3200
145		171	DID		B. I. D.
146		172	-6-6	198	4622
-147		173	066	***	4759
148	3265	174	-0		4819
149		175	0.0	201	4649
150		176	0-	202	4898
151		177	-0	203	4542
152	0	178		204	4315
153		170	-0	2.2.2	4821
154		180		2	4942
155		181		207	4563
156	0	182	0	0	4730
157		183			4560
158		184			3800
159		185			4636
160	0	186			4030
161	00	187	12-0		

RADIOGRAPHER'S REPORT

FOR

1916.

RADIOGRAPHER'S REPORT FOR 1916.

FRACTURES AND DISLOCATIONS.

Upper Limbs:

Phalanges. B 72, D 483, D 560, D 750.

Metacarpals. C 99, D 150, C 448, C 760.

Radius. D 1, C 2, B 3, D 411, D 749, C 1163, D 1250, C 1341,

D 1521, D 1533, C 1614, C 1619, D 1734, C 3856, D 8634,

D 9653. Ulna. C 104, B 442, C 538, B 631, B 1653, D 3854, B 8964, B 9056.

Olecranon. C 465, C 510, D 941. Humerus. C 37, C 103, B 138, B 437, C 490, C 531, C 560, C 752, B 821, B 961, D 1100, D 1121, D 1231, C 1354, D 1393, C 1856, C 2963, D 8051, C 8961, D 9701. Clavicle: C 42, B 83, D 470, C 882.

Scapula: C 9068, D 10081.

Ribs: A 9158, A 10381, A 10185.

Colles': D 86, C 167, C 322, D 425, D 731, D 772, D 780, C 874, D 1100, D 1145, C 1359, D 1438, C 2936, D 3048, D 8056, C 9381.

Lower Limbs:

Femur. A 146, A 168, B 438, B 1110, C 1263, B 1356, B 1938, C 2968, C 3021, D 8678, A 9044, A 9763, A 10164, C 10195, C 10218, A 10314.

Tibia. B 384, C 986, C 1268, C 1564, B 1953, B 2864, C 8964, B 9673.

Fibula. B 308, C 450, C 864, B 1236, C 1833, B 2934, C 8361,

C 9563.
Tibia and Fibula. B 431, C 983, D 1264, C 2904, B 2861, B 8463, B 9874, C 10386.
Pott's Fracture. B 700, C 779, B 8634, C 10394.
Phalanges. D 149, D 384, D 563, D 1131, D 2371, C 8342,

Os Calcis: D 1156, D 2354, D 10,184. Metatarsal: C 5, C 2563, D 9176. Hip: B 2947, A 8271, A 9671, B 10346. Jaw: B 981, C 3054, C 8641, D 9201. Cervical Rib: B 1171, B 1351, B 3026, C 9031. Sequestræ: C 639, C 1263, D 1921, C 8361, D 9075.

Diseases of Bones and Joints.

Tuberculosis:

Wrist. B 32, D 561, C 1220, D 2963, C 9231. Knee. C 8361, C 9361.

Diseases of Bones and Joints (continued).

Hip. A 246, C 2971, A 8961, B 10,173.

Chest. B 983, A 1201, A 1991, B 9387.

Sarcoma: B 906, B 1222, A 8203, A 9261.

Rheumatoid Arthritis:

Knee. C 84, B 2831, C 8426, B 9261. Hand. C 388, D 2863, D 8540, D 9261, C 10190. Shoulder. A 348, B 963, B 1262. Wrist. D 1146, C 1291, C 2662, C 8231. Ankle. D 1923, C 3001, D 8961, C 9326. Hip. B 54, A 767, A 1229, A 1897, B 8701.

Periostitis: C 2376, D 2963, C 8742, C 9873.

Osteomyelitis: C 222, C 398, D 921, C 2973, C 8763, C 9763, C 10317.

Synovitis: B 971, C 1208, D 1901, D 3051, D 8521, C 9076.

Osteoarthritis: A 321, B 989, A 1471, B 1638, C 2990, A 3003, B 8761, B 9376, C 10176, D 10187.

Charcot's Disease: C 3022, C 8371, D 9276, C 10236, C 10207.

DISEASES OF SOFT PARTS.

Aneurisms: B 392, A 656, B 876, A 9361.

Empyema: A 8764, A 9031, B 10205.

Tuberculosis (lungs): A 313, B 936, A 1260, A 1361, A 8654.

Pleuritic Effusion: B 10194.

Mediastinal Glands: B 332, B 976, A 1942.

,, Growths: A 404, A 906, A 9376.

CALCULI.

A 1052, A 1231, A 1926..., B 8976, B 10346.

FOREIGN BODIES.

Forearm: C 21, C 394, D 564, C 1884, C 8216, D 9014.

Humerus: B 382, B 936, C 3022, C 8242, B 9028, C 10210.

Hand: D 631, D 1212, D 1532, C 2976, C 8124, D 9114, D 10121.

Scapula: B 332, B 921, A 1220, B 8212.

Chest: A 562, A 922, A 8760, A 10234.

Skull: C 148, C 394, B 921, B 1216, B 2836, B 8632, B 9631.

Abdomen: A 98, A 226, B 961, B 1061, A 2631, A 8762.

Spine: A 969, A 1236, A 8654, A 9227, A 10218.

Hip: C 626, B 758, B 1224, B 1926, A 8764, A 9261.

Femur: B 410, B 961, C 2061, B 2923, A 3022, A 8291, A 9989.

Tibia and Fibula: B 706, C 923, B 1231, C 1876, B 8998, A 10201.

Foot: B 926, C 907, B 1201, C 3001, B 8961, C 10219.



