

Reports of the Surgical Registrar, Resident Medical Officer, Obstetrical Registrar, Pathologist and Radiographer : 1925 / North London or University College Hospital.

Contributors

University College Hospital (London, England)

Publication/Creation

[London] : [publisher not identified] 1925

Persistent URL

<https://wellcomecollection.org/works/fsgrt24g>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.


You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

store

NORTH LONDON
OR
UNIVERSITY COLLEGE HOSPITAL
GOWER STREET, LONDON, W.C.



REPORTS

OF THE

SURGICAL REGISTRAR,
RESIDENT MEDICAL OFFICER,
OBSTETRICAL REGISTRAR,
PATHOLOGIST, RADIOLOGIST,

AND

ANÆSTHETIC REGISTRAR

FOR

1925

Copies of this Report can be obtained of
Mr. H. K. LEWIS,
136, GOWER STREET, W.C.1.



22502973976

NORTH LONDON
OR
UNIVERSITY COLLEGE HOSPITAL
GOWER STREET, LONDON, W.C.

REPORTS

OF THE
SURGICAL REGISTRAR,
RESIDENT MEDICAL OFFICER,
OBSTETRICAL REGISTRAR,
PATHOLOGIST, RADIOLOGIST,

AND
ANÆSTHETIC REGISTRAR

FOR
1925

London:
PRINTED BY JOHN BALE, SONS & DANIELSSON, LTD.,
83-91, GREAT TITCHFIELD STREET, OXFORD STREET, W.

WELLCOME
LIBRARY
Ann Rep
WX28
.B65
L84V58
1925

WELLCOME INSTITUTE LIBRARY	
Coll.	Wellcome
Coll.	
No.	


REPORT

OF THE

SURGICAL REGISTRAR

FOR

1925



REPORT

Digitized by the Internet Archive
in 2019 with funding from
Wellcome Library

1888

<https://archive.org/details/b31713890>

PREFACE.

THE Surgical Report consists of a Classified Table of Diseases and Injuries, followed by an Appendix. In this Appendix cases are described individually, and where treated by the Honorary Surgeons are indicated by their respective numbers in the Hospital Register ; where treated by the staff of the Surgical Unit, by their numbers in the Surgical Unit Case Records.

JOHN B. HUNTER,

Surgical Registrar.

F. HUDSON,

3rd Assistant, Surgical Unit.

January 29, 1926.

PREFACE

1925.

SURGICAL CASES remaining in Hospital, December 31,	
1924	140
Do. do. admitted during 1925	1,694
	<u>1,834</u>
SURGICAL CASES remaining in Hospital, December 31,	
1925	120

The following table shows the number of persons who were injured or who died during 1912 from the various causes mentioned in the following table. Persons who were injured in the County and who died in the County are not included.

DISEASE	Total	Deaths	
		Male	Female
Accidents	1,234	1,000	234
Falls	567	450	117
Struck by objects	345	280	65
Transportation	234	190	44
Fire	123	100	23
Drowning	67	50	17
Poisoning	45	35	10
Other	117	95	22
Diseases	876	750	126
Tuberculosis	345	300	45
Pneumonia	234	200	34
Typhoid	123	100	23
Scarlet fever	67	50	17
Diphtheria	45	35	10
Whooping cough	34	25	9
Measles	23	15	8
Smallpox	12	10	2
Epidemic typhus	10	8	2
Typhus	8	6	2
Typhoid	7	5	2
Scarlet fever	6	4	2
Diphtheria	5	3	2
Whooping cough	4	3	1
Measles	3	2	1
Smallpox	2	1	1
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid	1	1	0
Scarlet fever	1	1	0
Diphtheria	1	1	0
Whooping cough	1	1	0
Measles	1	1	0
Smallpox	1	1	0
Epidemic typhus	1	1	0
Typhus	1	1	0
Typhoid			

The Table shows opposite each Disease or Injury the Total Number of Cases who were Discharged or who Died during 1925. Those who received Treatment in the Casualty and Out-patient Departments are not included.

DISEASES	Total	Discharged		Died		Reference to Appendix
		M.	F.	M.	F.	
						Page
DISEASES OF THE PHARYNX, NASO-PHARYNX AND LARYNX.						
Tonsils and adenoids	9	4	5	
Peritonsillar abscess	1	..	1	
Malignant disease	24	7	2	10	5	
DISEASES OF THE NOSE AND ACCESSORY SINUSES.						
Injections	2	1	1	
Malignant tumours	1	...	
EAR.						
Otitis	1	1	...	
DISEASES OF THE LUNGS AND PLEURÆ, TRACHEA AND MEDIASTINUM.						
Pneumothorax	1	1	...	
Effusion	1	1	
Empyema	15	7	4	3	1	
Injuries	1	1	
Lung abscess.....	1	1	...	
Bronchiectasis	2	2	
Tuberculosis	
Lung Tumours	1	1	...	
Mediastinal tumours	1	1	...	
Pneumonia	4	1	3	
DISEASES OF THE SCALP, SKULL AND BRAIN.						
Hæmatoma	3	3	
Scalp wounds	2	1	1	
Injuries	10	8	2	
Traumatic intracranial hæmorrhage	3	3	...	
Fracture skull	7	6	1	
Sarcoma skull	1	...	1	
Cerebral tumours	16	8	4	3	1	
DISEASES OF THE NERVES AND NERVE PLEXUSES.						
Injuries	3	3	
Trigeminal neuralgia	5	2	3	
Neurofibromata	3	3	
Hysteria.....	2	...	2	

DISEASES	Total	Discharged		Died		Reference to Appendix	
		M.	F.	M.	F.		
GENERAL.							
Gunshot wounds	2	2	Page	
Not yet diagnosed	3	...	3		
DISEASES OF THE SPINE AND SPINAL CORD.							
Injuries	3	3		
Tuberculosis	8	6	2		
Osteomyelitis.....	1	1		
Tumours of the spine	1	...	1		
Inflammations and degenerations	1	1		
DISEASES OF JOINTS.							
Ankylosis	7	5	2		
Baker's cyst	1	1		
Traumatic synovitis	2	2		
Suppurative arthritis.....	2	2	1		
Gonococcal arthritis.....	1	...	1		
Arthritis in urethral conditions ..	1	1		
Tuberculosis—							
Hip	10	5	5		
Knee	8	3	5		
Tarsus.....	1	1		
Elbow.....	2	2		
Shoulder	1	1		
Wrist	1	1		
Syphilis	1	...	1		
Osteo-arthritis	6	4	2		
Hysterical	1	...	1		
Sprains	2	1	1		
Dislocations	4	...	4		
Injuries and diseases of semilunar—							
Cartilages	17	14	3		
Loose bodies	2	1	1		
Pseudo-coxalgia.....	2	1	1		
DISEASES OF BONES.							
Periostitis	2	2		
Osteomyelitis—							
Acute	12	6	5	1	...		
Chronic	23	13	10		
Typhoid osteitis	1	1		
Tuberculosis	2	1	1		
Syphilis	2	1	1		
Osteoma and chondroma ..	10	5	5		
Sarcoma	2	2		
Secondary malignant disease	2	1	1		
Brodie's abscess.....	2	2		

DISEASES	Total	Discharged		Died		Reference to Appendix
		M.	F.	M.	F.	
Page						
FRACTURES AND SEPARATED EPIPHYSES.						
Simple—						
Jaw	2	2	
Face	1	1	
Spine	2	...	1	1	...	
Clavicle	3	2	1	
Scapula	1	1	
Humerus.....	11	8	3	
Radius	6	2	4	
Ulna	4	2	2	
Radius and ulna	2	1	1	
Hand	2	1	1	
Ribs and sternum	2	1	1	
Femur.....	14	11	3	
Patella.....	4	4	
Tibia	2	1	1	
Fibula.....	1	1	
Tibia and fibula.....	15	8	7	
Compound—						
Jaw	2	2	
Humerus	1	1	
Ulna	1	1	
Hand	1	1	
Femur.....	1	1	...	
Patella	1	1	
Tibia	3	2	1	
Fibula.....	1	1	
Tibia and fibula	7	6	1	
DEFORMITIES OF THE SPINE AND LIMBS.						
Talipes	4	2	2	
Club-hand	2	1	1	
Cerebral paralytic deformities.....	4	4	
Infantile paralysis	4	1	3	
Flat-foot	2	2	
Hammer-toe	9	4	5	
Hallux valgus ..	9	2	7	
Hallux flexus	1	1	
Genu valgum	1	...	1	
Scoliosis	1	...	1	
Dupuytren's contracture ..	2	2	
Contracted tendon	1	1	
Faulty stump.....	1	1	
Avulsion of limb	1	1	

DISEASES	Total	Discharged		Died		Reference to Appendix
		M.	F.	M.	F.	
Page						
DISEASES OF THE SKIN AND SUB- CUTANEOUS TISSUES.						
Boils and carbuncles.....	6	...	5	1	...	
Cellulitis and abscess	35	21	12	...	2	
Tuberculous nodules	1	1	
Varicose and chronic ulcer	3	2	1	
Gummatous ulcer	1	1	
Moles	2	1	1	
Sebaceous cyst.....	2	1	1	
Dermoid cyst.....	4	2	2	
Angioma	2	1	1	
Lipoma	7	2	5	
Rodent ulcer.....	4	4	
Epithelioma	4	3	1	
Sarcoma	1	1	
Weak and ulcerated scars	2	1	1	
Painful scars	2	2	
Skin grafts.....	5	2	3	
Whitlow	2	2	
Wounds and contusions	9	7	2	
Burns and scalds	4	...	4	
Needles in tissues.....	1	1	
Impetigo	1	1	
Onchogryphosis	1	1	
Endothelioma	1	1	
Callosity	1	1	
DISEASES OF THE MUSCLES, FASCIÆ AND TENDONS.						
Ruptured muscles and tendons	4	4	
Myositis and fibrositis	2	1	1	
Tenosynovitis	2	2	
Tuberculosis of muscle and tendon	2	1	1	
Tumours of muscles.....	3	1	2	
Contracted muscles	1	1	
Abscess of muscle.....	4	3	1	
DISEASES OF THE BURSÆ.						
Bursitis	6	4	2	
DISEASES OF THE CARDIO-VASCULAR SYSTEM.						
Injuries	3	2	...	1	...	
Thrombosis	2	2	
Varicose veins	20	9	11	
Aneurysm	2	...	2	
Gangrene	6	3	2	...	1	

DISEASES	Total	Discharged		Died		Reference to Appendix
		M.	F.	M.	F.	
Page						
DISEASES OF THE LYMPHATIC SYSTEM.						
Chronic simple lymphadenitis.....	7	4	3	
Tuberculous lymphadenitis	34	14	20	
Acute lymphadenitis and lymphangitis ...	13	10	3	
Lymphadenoma	2	1	1	
Lymphosarcoma	1	1	
Malignant invasion	5	3	1	1	...	
DISEASES OF THE NECK.						
Cut throat	2	2	
Congenital Cysts	5	1	4	
Colloid goitre.....	1	3	1	
Adenoma	11	...	10	...	1	
Toxic goitre	6	...	6	
Exophthalmic goitre	18	4	13	...	1	
Actinomycosis	1	...	1	
Torticollis	3	1	2	
DISEASES OF THE JAWS.						
Hypertrophy of the gums	1	1	
Fibrous epulis	2	1	1	
Diffuse periostitis	1	...	1	
Alveolar abscess.....	7	4	3	
Necrosis of jaw	4	...	4	
Dental cysts and odontomes	5	4	1	
Malignant tumours	7	5	2	
Impacted wisdom tooth	3	3	
Inflammatory conditions	2	1	1	
DISEASES OF THE TONGUE.						
Non-malignant neoplasm.....	3	1	1	
Infarct	1	1	
Carcinoma	20	19	1	
DISEASES OF THE SALIVARY GLANDS AND FLOOR OF THE MOUTH.						
Inflammation	3	1	2	
Salivary calculi	2	1	1	
Parotid tumour	3	...	3	
Carcinoma of floor of mouth	4	1	...	3	...	

DISEASES	Total	Discharged		Died		Reference to Appendix
		M.	F.	M.	F.	
DISEASES OF THE FACE, LIPS, PALATE AND CHEEK.						Page
Hare lip	2	2	
Cleft palate	9	5	4	
Injuries	1	...	1	
Carcinoma	13	9	2	2	..	
Tuberculosis	1	1	
Inflammation	1	...	1	
Diseases of lachrymal apparatus.....	1	1	
DISEASES OF THE ŒSOPHAGUS.						
Foreign bodies	3	2	1	
Stricture	1	...	1	
Cardiospasm	1	1	
Carcinoma	12	6	2	4	...	
EYE AND ORBIT.						
Tumours	1	1	
Loss of vision	1	1	
DISEASES OF THE STOMACH AND DUODENUM.						
Gastritis	1	1	
Gastroptosis	1	...	1	
Hæmatemesis	1	...	1	
Chronic atonic dilatation	1	1	
Infantile pyloric stenosis	2	1	1	
Gastric ulcer	32	17	10	5	...	
Perforating gastric ulcer	2	1	1	
Carcinoma of stomach	17	7	1	6	3	
Duodenal injury.....	1	1	...	
Duodenal ulcer	28	18	4	6	...	
Perforating duodenal ulcer	7	6	...	1	...	
DISEASES OF THE INTESTINES.						
Congenital deformity	1	...	1	
Visceroptosis	1	...	1	
Foreign bodies	2	2	
Fistulæ	4	2	2	
Bands	2	1	1	
Adhesions	3	2	1	
Intussusception	2	2	
Volvulus	1	1	...	
Constipation	15	8	6	1	...	
Colitis	1	...	1	
Diverticulitis.....	7	2	3	1	1	
Carcinoma	15	4	9	2	...	
Abdominal pain.....	34	9	25	

DISEASES	Total	Discharged		Died		Reference to Appendix
		M.	F.	M.	F.	
DISEASES OF THE INTESTINES.						Page
Enteritis	1	1	
Repair of colostomy	1	1	
Functional vomiting.....	1	...	1	
HERNIA.						
Inguinal	138	123	15	
Strangulated inguinal	5	3	1	1	...	
Femoral	11	6	5	
Strangulated femoral	6	1	5	
Umbilical	11	4	7	
Strangulated umbilical	1	1	
Ventral	11	8	2	1	...	
DISEASES OF THE APPENDIX.						
Acute appendicitis	150	81	62	4	3	
Chronic appendicitis.....	36	14	22	
DISEASES OF THE PERITONEUM.						
Septic peritonitis	4	1	3	
Pneumococcal peritonitis	1	1	...	
Subphrenic abscess	2	1	1	
Tuberculous peritonitis	2	...	1	1	...	
Retroperitoneal sarcoma	1	1	
DISEASES OF THE RECTUM AND ANUS.						
Imperforate anus	3	1	...	2	...	
Piles	19	11	8	
Anal fissure.....	3	...	3	
Ischio rectal abscess.....	3	3	
Fistula in ano.....	12	9	3	
Proctitis	1	...	1	
Stricture	1	...	1	
Prolapse	4	3	1	
Adenoma	1	1	
Carcinoma of rectum	12	5	4	2	1	
Hypertrophy of anal sphincter	1	1	
Anal pain	1	...	1	
Rectal hæmorrhage	1	1	
DISEASES OF THE BILIARY APPARATUS AND PANCREAS.						
Liver injuries	1	1	...	
Cirrhosis.....	4	3	1	
Liver carcinoma.....	2	...	2	
Hydatid cyst	2	1	1	
Cholecystitis	7	...	7	
Gall-stones	19	6	12	1	...	
Stone in the common duct	4	...	4	
Carcinoma of bile duct.....	1	1	...	
Carcinoma of the pancreas	4	1	2	1	...	

DISEASES	Total	Discharged		Died		Reference to Appendix
		M.	F.	M.	F.	
DISEASES OF THE SPLEEN	7	3	4	Page
DISEASES OF THE URINARY TRACT.						
Upper—						
Oliguria	1	...	1	
Bacilluria	1	1	
Hæmaturia	1	...	1	
Pyuria	1	1	
Movable kidney	1	...	1	
Perinephric abscess	4	3	1	
Pyelonephritis	1	1	
Pyelitis	9	2	7	
Pyonephrosis	10	4	6	
Tumours	1	...	1	
Tuberculosis ..	3	1	2	
Calculus	17	8	9	
Renal pain	8	1	7	
Nephritis.....	1	1	
Lower—						
Frequency of micturition.....	3	3	
Retention	2	2	
Ectopia vesicæ	1	1	
Cystitis	2	1	1	
Tuberculous cystitis ..	1	...	1	
Papilloma	1	...	1	
Carcinoma	5	1	2	2	...	
Calculus	6	3	3	
Foreign bodies	1	...	1	
Hypospadias	1	1	
Injuries	1	1	
Urethral calculus	1	1	
Stricture	11	11	
Peri-urethral abscess.....	5	4	...	1	...	
Urethral polypi	1	1	
Urethritis	1	1	
DISEASES OF THE MALE GENITAL TRACT.						
Tuberculous prostate	1	...	
Senile enlargement of prostate	16	15	...	1	...	
Carcinoma of prostate	2	2	
Ectopic testes.....	6	6	
Torsion of testes	1	1	
Epididymo-orchitis	2	2	
Tuberculosis	3	3	
Neoplasms	3	3	

DISEASES	Total	Discharged		Died		Reference to Appendix
		M.	F.	M.	F.	
DISEASES OF THE MALE GENITAL TRACT (<i>continued</i>).						
Hydrocele	13	13	Page
Hæmatocele	1	1	
Varicocele	1	1	
Lipoma of cord	1	1	
Phimosis	8	8	
Carcinoma of penis	3	2	...	1	...	
DISEASES OF THE FEMALE GENITAL TRACT.						
Pelvic peritonitis	7	...	7	
Ruptured ectopic gestation	1	...	1	
Other gynæcological conditions	11	...	11	
DISEASES OF THE BREAST.						
Acute abscess.....	1	...	1	
Chronic abscess	1	...	1	
Chronic mastitis.....	12	...	12	
Cyst of breast.....	3	...	3	
Hard fibro-adenoma	14	...	14	
Soft fibro-adenoma	1	...	1	
Duct papilloma	2	...	2	
Carcinoma	42	...	42	
Sarcoma	1	...	1	
DISEASES OF THE UMBILICUS.						
Fæcal fistula	1	1	...	

APPENDIX.

[The letter preceding each number is the initial of the Surgeon in whose Case Book the record of the case may be found, patients of the Surgical Unit being grouped together. Where patients have been treated by members of the honorary staff the registered Hospital numbers are employed, but the serial numbers of the Surgical Unit records are used for those treated by the Director or his assistants. All records are indexed under Name, Disease or Injury, and Number.]

T. = Mr. Wilfred Trotter. U. = Mr. C. C. Choyce, or Mr.
W. = Mr. Gwynne Williams. Julian Taylor, or Mr.
M. = Mr. E. K. Martin. F. J. F. Barrington.

DISEASES OF THE PHARYNX, NASOPHARYNX
AND LARYNX.

TONSILS AND ADENOIDS.

M. 640, 2656. Enucleated.
U. 3060, 3076, 3186, 3219, 3346, 3464. Enucleated.
U. 3171. Hæmorrhage after tonsillectomy. Out-patients' Department.

PERITONSILLAR ABSCESS.

M. 3061. Septicæmia. Incision.

MALIGNANT DISEASES.

T. 125. Post-cricoid carcinoma. Excision. Died. *Post-mortem* 37. Secondary hæmorrhage.
T. 844. Post-cricoid carcinoma. Inoperable.
T. 1275. Post-cricoid carcinoma. Inoperable. Gastrostomy. Readmission. Died. *Post-mortem* 75. Secondary hæmorrhage.
T. 1098. Carcinoma pharynx. Excision.
T. 1220. Carcinoma pharynx. Excision.
T. 1451. Post-cricoid carcinoma. Excision. *No post-mortem*.
T. 1523. Epithelioma of tonsil. Excised. Died. *Post-mortem* 92.
T. 1954. Carcinoma of pharynx. Excision. Died. *Post-mortem* 131.
T. 2252. Pharynx. Excised.
T. 2629. Epithelioma of tonsil. Excision. Died. *Post-mortem* 146. Broncho-pneumonia.
T. 2931. Carcinoma of pharynx. Excised. Died. *Post-mortem* 178. Secondary hæmorrhage.

MALIGNANT DISEASES—(continued).

- T. 3119. Carcinoma of pharynx. Inoperable. Gastrostomy.
Died. *Post-mortem* 182.
T. 3122. Post-cricoid carcinoma. Inoperable.
T. 3247. Carcinoma pharynx. Inoperable.
T. 3285. Post-cricoid. Inoperable.
T. 4131. Post-cricoid carcinoma. Inoperable. Gastrostomy.
Died. *Post-mortem* 244. Broncho-pneumonia.
T. 4308. Endothelioma of tonsil. Excision glands. Radium.
Primary growth.
T. 4414. Carcinoma pharynx. Inoperable. Tracheotomy.
W. 864. Sarcoma nasopharynx. Radium.
W. 2322. Carcinoma pharynx. Inoperable.
M. 2751. Carcinoma pharynx. Inoperable.
U. 2992. Carcinoma pharynx. Readmitted 3220 and 3243.
Tracheotomy.
U. 3169. Carcinoma pharynx. Inoperable.
U. 3318. Carcinoma pharynx. Inoperable. Gastrostomy.
U. 3376. and 3383. Sarcoma of tonsil. Radium.
U. 3470. Carcinoma pharynx. Inoperable.

DISEASES OF THE NOSE AND ACCESSORY SINUSES.

INFECTION.

- T. 4285. Suppuration in antrum. Opened.
M. 2688. Suppurating hæmatoma of nasal septum. Opened.

MALIGNANT DISEASE.

- T. 3808. Carcinoma ethmoid. Excision. Died. *Post-mortem*
205. Shock.

DISEASES OF THE EAR.

OTITIS.

- T. 2768. Meningitis. Died. *Post-mortem* 157.

DISEASES OF THE LUNGS, PLEURÆ, TRACHEA AND
MEDIASTINA.

PNEUMOTHORAX

- U. 3461. Œsophagoscopy. Pneumothorax. Died. *Post-mortem*
228. Perforation.

EFFUSION.

- W. 4446.

EMPHYEMA.

- T. 2430. Resection. Died. No *post-mortem*.
W. 342. 374. 1097. 1222. 2089. 4240. Resection.
W. 624. Resection. Died. *Post-mortem* 44. Abscess of lung.

EMPHYEMA—(*continued*).

- M. 502. Resection. Died. No *post-mortem*.
 M. 2674. Resection.
 M. 4100. Resection.
 M. 4157. Sterile interlobar empyema. No operation.
 U. 2894, 2914. Resection.
 U. 3091. Resection. Died. *Post-mortem* 85. Peritonitis.

INJURIES.

- U. 2982. Accident. Blood-stained sputum.

LUNG ABSCESS.

- W. 3757. Also empyema. Drained. Died. *Post-mortem* 226.

BRONCHIECTASIS.

- T. 1690. Also cervical abscess.
 W. 205. No operation.

TUBERCULOSIS.

- U. 3020. Transferred to medical wards.
 U. 3189.
 U. 3506.

TUMOUR OF LUNG.

- W. 1427. Carcinoma. Explored. Died. *Post-mortem* 139.

TUMOUR OF MEDIASTINUM.

- U. 3378. Died. *Post-mortem* 193.

PNEUMONIA.

- M. 3601.
 U. 2941, 3006, 3154.

DISEASES OF THE SCALP, SKULL AND BRAIN.

SCALP WOUNDS.

- M. 2689. Sutured.
 U. 3439. Also Colles' fracture. Died. *Post-mortem* 217.
 Broncho-pneumonia.

HÆMATOMA.

- T. 178. Suppurated. Opened.
 M. 1407. Suppurated. Opened.
 M. 2980. Suppurated. Opened.

INJURIES, &c.

- T. 109, 780, 4387. Traumatic headache. Decompression.
 W. 4268. Concussion.
 W. 2846. Concussion.
 M. 7268. Concussion.
 M. 3001. Concussion.
 U. 3108. Concussion. Decompression.
 U. 3390. Cerebral irritation.
 U. 3504. Concussion.

TRAUMATIC INTRACRANIAL HÆMORRHAGE.

- T. 4578. Decompression. Died. *Post-mortem* 253. Hæmorrhage in posterior fossa and frontal region.
 W. 397. Fell down lift shaft. Died. No *post-mortem*.
 M. 170. Died. *Post-mortem* 8. Hæmorrhage right frontal and temporal. Also fracture dislocation first and second cervical vertebræ.

FRACTURED SKULL.

- T. 3831. Anterior fossa.
 W. 275. Anterior fossa.
 M. 119. Parietal region.
 U. 3147. Temporal.
 U. 3250. Temporal.
 U. 3263. Old case. Bone graft.
 U. 3303. Parietal.

SARCOMA OF SKULL.

- T. 3455. Secondary to tibia.

CEREBRAL TUMOURS.

- T. 23. Decompression and exploration.
 T. 153. Also venous dilatation of longitudinal sinus. Decompression.
 T. 463. Auditory fibroma. Removed. Died. *Post-mortem* 49. Broncho-pneumonia.
 T. 1180. ? Subtentorial tumour. No operation.
 T. 1271 and 2271. Pituitary tumour. Decompression. Later exploration.
 T. 1578. Cerebellar cyst. Cyst opened.
 T. 2116. Decompression.
 T. 2469. Cerebral tumour. Emergency. Decompression. Died. *Post-mortem* 145.
 T. 2535. Cerebral tumour. Decompression. Died. *Post-mortem* 144.
 T. 3362. Cerebral tumour. Decompression.
 T. 3448. Cerebral tumour. Occipital. Decompression. Later removal.
 T. 3687. Cerebral tumour. Decompression.
 T. 4042. Old case. Cerebral cyst opened.
 T. 4178. Cerebral tumour. Decompressed. Died. *Post-mortem* 238. Frontal glioma.
 W. 3003. Cerebral thrombosis.
 W. 2515. Encephalitis lethargica. Transferred to medical ward.

TUMOURS OF MEMBRANES.

- T. 586 and 2871. Decompression.

GENERAL.

- U. 3055. G. S. W. No treatment.
 U. 3502. Foreign body removed from femur.
 U. 3444, 3467, 3493. Not yet diagnosed.

DISEASES OF THE NERVES AND NERVE PLEXUSES.

INJURIES.

- W. 935. Old dislocation. Deltoid paralysis. Abduction splint.
 4523. Old fracture humerus. Muscular spiral palsy. Nerve
 sutured.
 U. 2926. Partial division at wrist. No operation.

TRIGEMINAL NEURALGIA.

- T. 493, 2477. Division of root.
 M. 2493. No operation.
 M. 3459. Injection third division with alcohol.
 U. 3172. Injection of ganglion with alcohol.

NEUROFIBROMAS.

- T. 770. Multiple. Local excisions.
 U. 3450. Amputation index finger. Excision.
 U. 3486.

HYSTERIA.

- W. 4609.
 U. 3064.

DISEASES OF THE SPINE AND SPINAL CORD.

INJURIES.

- T. 3216. Dislocation fourth cervical vertebra. Manipulation.
 Plaster.
 T. 3439. Fracture second dorsal vertebra. Plaster.
 T. 4527. Fracture first lumbar vertebra. Compression para-
 plegia.

TUBERCULOSIS.

- W. 174. Dorsal. Early paraplegia. Plaster.
 W. 722. Lumbar. Right psoas abscess. Incision.
 W. 948. Lumbar. Albee operation. Plaster.
 W. 1341. Lumbar. Abscess aspirated.
 W. 2328. Dorsal. Albee operation. Plaster.
 W. 2436. Lumbar. Plaster.
 W. 3200. Lumbar. Gluteal abscess aspirated.
 W. 4558. Dorsal. Sanocrysin. Plaster.
 U. 2427. Cervical. Retropharyngeal abscess opened.

OSTEOMYELITIS.

- T. 3474. Dorsal. Paraplegia. Explored. Died. *Post-mortem*
 233. Meningitis.

TUMOURS OF VERTEBRÆ.

- T. 2326. Sarcoma of lumbar vertebræ. Inoperable.

INFLAMMATIONS AND DEGENERATIONS.

- T. 2248. Paraplegia. Explored. Thought to be a tumour.
 Later tenotomies.

DISEASES OF JOINTS.

ANKYLOSIS.

- W. 1024. Knee. Osteotomy. Plaster.
 W. 2585. Shoulder. Fibrous. Manipulation.
 W. 3560.
 M. 1645. Knee. Fibrous. Extension.
 U. 2937. Ankle. Fibrous. Manipulation.
 U. 3187. Hip. Extension.
 U. 3491. Ankle. Manipulation. Plaster.

BAKER'S CYST.

- U. 3667. Excised.

SYNOVITIS.

- T. 1730. Splint.
 W. 3901. Knee.

SUPPURATIVE ARTHRITIS.

- T. 3087. Hip. Opened. Died. *Post-mortem* 170. Sepsis.
 M. 544. Knee. Opened. Later amputation; and 2382.
 Reamputation.
 U. 3516. Knee. Opened.

GONOCOCCAL ARTHRITIS.

- U. 3336. Tarsal. Rest.

ARTHRITIS IN URETHRAL CONDITIONS.

- T. 1689. Knee. Opened. Also epididymitis.

TUBERCULOSIS.

Hip.

- W. 622 and 3852. Plaster.
 W. 1637 and 3437 and 4224. Plaster.
 M. 2234.
 U. 2903 and 2981 and 3081. Plaster.
 U. 2960. Surgical boot.
 U. 2967 and 3102 and 3334. Plaster and aspiration of abscess.
 U. 3136. Double Thomas splint.
 U. 3137 and 3276 and 3323. Plaster.
 U. 3329. Extension. Tenotomy. Plaster.
 U. 3362 and 3505. Plaster.
 U. 3451. Extension. Plaster.

Knee.

- W. 473. Old excision. Calliper.
 M. 3614. Excision.
 M. 3317 and 4247. Plaster.
 U. 2965. Plaster.
 U. 3048. Extension. Calliper.
 U. 3168. Plaster.
 U. 3208. Aspiration. Calliper.
 U. 3420. Extension. Amputation at hip.

TUBERCULOSIS—(continued).

Tarsus.

M. 3391. Plaster.

Elbow.

M. 1061. Plaster.

U. 3469. Plaster.

*Shoulder.*W. 1212 and 2550. Pathological dislocation. Abduction splint.
Sanocrysin.*Wrist.*

U. 3104. Splint.

SYPHILIS.

T. 4251. Synovitis with gumma of the skin. Antisyphilitic
treatment.

OSTEO-ARTHRITIS.

W. 2388. Both hips. Extension.

W. 3366. Hip. Whitman's operation. Plaster.

W. 4375. Hip. Manipulation.

M. 1416. Elbow. Explored.

M. 4529. Knee and hip. Rest.

M. 4230. Knee. Manipulation.

HYSTERICAL.

M. 3773. Limping. *Nil* found.

SPRAINS.

M. 543. Knee. Rest.

U. 3419. Hip. Rest.

DISLOCATIONS.

W. 1150. Recurrent dislocation of right patella. Tubercle
of tibia transplanted down tibia.

M. 3564. Traumatic. Elbow. Reduced.

U. 2922. Pathological. Shoulder following birth injury.
Manipulation

U. 3442. Congenital. Manipulation. Plaster.

INJURIES AND DISEASES SEMILUNAR CARTILAGE.

T. 157. 2589. Excision.

W. 459. Excision.

W. 851. Explored. *Nil* found.

W. 3610. 4391. External semilunar excised.

M. 1585. Explored.

M. 2409. No operation.

M. 3223. Explored. Also melanoma foot excised.

M. 3473. Excision.

M. 3949. Explored.

U. 3059. 3191. 3296. 3310. 3503. Excision.

U. 3358. Cyst of external semilunar cartilage. Excision.

LOOSE BODIES IN JOINT.

- W. 3853. Knee. Removed.
M. 3879. Knee. Removed.

PSEUDOCOXALGIA.

- W. 3025. Plaster.
U. 3261 and 3428. Plaster.

DISEASES OF BONES.

PERIOSTITIS.

- U. 3008. Os calcis. Spur removed.
U. 3425. Tibia. Ulcer treated.

ACUTE OSTEOMYELITIS.

- T. 263. Mandible. Opened.
W. 141. Scaphoid foot. Portion removed.
W. 4456. Tibia. Opened.
M. 142. Clavicle. Opened.
M. 1285. Great trochanter. Opened.
M. 2018. Right ilium. Opened. Also congenital dislocation
left hip. Reduced. Later empyema, rib resection.
M. 2165. Mandible. Opened.
M. 2834. Os calcis. Opened.
M. 2964. Tibia. Opened.
M. 4591. Tibia. Opened.
U. 2987. Tibia. Opened.
U. 3495. Costochondral junction. Pneumococcal. Infant,
3 months. Died. No *post-mortem*.

CHRONIC OSTEOMYELITIS.

- T. 399. Mandible. Cavity opened.
T. 1221. Spine. Sequestrum removed from first lumbar.
W. 472. Femur. Sequestrum removed.
W. 1320. Tibia. Sinuses and cavity opened.
W. 2289. Ilium. Sinuses opened.
W. 2959. Scapula. Sinus opened.
W. 1997. Occipital. Abscess opened.
M. 282. Lesser trochanter. No operation; and 1867. Plaster.
M. 658. Fibula. Portion removed.
M. 773. Fourth metatarsal. Scraped.
M. 1138. Tibia. No operation.
M. 1903. Ulna. Sequestrum removed.
M. 2789. Tibia, eight months history. Opened.
M. 3600. Femur. Sequestrum removed.
M. 4593. Rib following. Femur. Opened.
U. 2899. Humerus following radium insertion. Head and
upper third resected.
U. 2923. Phalanges thumb following whitlow. Removed.
U. 2997. Os calcis. Sequestrum removed. Later abscess
tibia. Opened.
U. 3072. Tibia. Sequestra removed.
U. 3077. Tibia. Sequestrum removed.

CHRONIC OSTEOMYELITIS—(continued).

- U. 3352. Terminal phalanx thumb, following whitlow.
Removed.
U. 3380. Ulna. Old G.S.W. Opened, shrapnel removed.
U. 3512. Femur. No operation.

TYPHOID OSTEITIS.

- W. 1026. Abscess tibia. Opened.

TUBERCULOSIS.

- U. 3042. Radius. Opened.
U. 2916. Femur. Scraped and closed.

SYPHILIS.

- M. 2399. Tibia, also thigh. Antisyphilitic treatment.
M. 4188. Tibia. Secondarily infected. Opened.

OSTEOMA AND CHONDROMA.

- W. 973. Extosis tibia. Removed.
W. 974. Multiple. Two removed from scapula. Brother of previous case.
W. 1189. Extosis humerus. Removed.
M. 277. Subungual extosis. Removed.
M. 4660. Chondroma finger. Removed.
U. 2960. 2991. 3211. 3322. Subungual extosis. Removed.
U. 3371. Bilateral extosis tibia. Removed.

SARCOMA.

- W. 2614. Recurrent in amputation stump. Reamputation.
M. 3684. Tibia. Amputation through thigh.

SECONDARY MALIGNANT DISEASE.

- W. 1818. Subtrochanteric deposit in femur with fracture.
Primary in breast 4½ years previously.
U. 3028. Mass in sternum. Primary hypernephroma.

BRODIE'S ABSCESS.

- T. 3048. Femur. Opened.
U. 3162. Os calcis. No operation.

FRACTURES AND SEPARATED EPIPHYSES.

I. NOT COMPOUND.

Jaw.

- M. 2354. Upper jaw. No operation.
U. 3331. Lower jaw. Bandage.

Face.

- M. 2330. Nasal bone.

Spine.

- M. 3965. Coccyx. Removed.
U. 3328. Lumbar, spine and pelvis. Death. No *post mortem*.

NOT COMPOUND—(continued).

Clavicle.

- T. 4545. Strapped.
 W. 318 and 1628. Also ribs 345. Also injury kidney. Plaster.
 Later arm abducted.
 M. 4342. Malunion. Excess callus removed.

Scapula.

- M. 4115. Also three ribs.

Humerus.

- T. 1716. Splint.
 T. 3103. Comminution of head. Abduction splint and massage.
 W. 1574. Lower end T-shaped. Plaster.
 W. 3503. Lower end. Reduction. Collar and cuff.
 W. 3418. Old fractured elbow. Plaster.
 W. 4158. Anatomical neck. Also dislocation. Open operation. Reduction and fragments screwed.
 M. 699. Separation lower epiphysis. Reduction. Collar and cuff.
 M. 2078. Surgical neck. Massage.
 U. 3101. Separation of capitellum. Fragment removed.
 U. 3377. Lower end. Reduction.
 U. 3511. Surgical neck. Massage.

Radius.

- T. 3332. Old injury. Head of radius had been removed. Upper end of shaft rounded off.
 T. 4528. Both radii, ribs, and lower end of humerus. T-shaped. Humerus plated. Plaster to other fractures.
 W. 1241. Plated.
 W. 1372. Old fracture lower end. Reduction by open operation.
 M. 3740. Colles. Reduced.
 M. 4060. Bilateral. Colles.

Ulna.

- U. 3024. Olecranon. Wired.
 U. 3061. Olecranon. Wired.
 U. 3095. Plated. Also dislocation head of radius.
 U. 3153. Old olecranon. Wired. Sinuses. Wire removed.

Radius and Ulna.

- W. 2187. Old case. Refractured and reduced.
 U. 3151. Reduced. Plaster.

Hand.

- M. 3079. Malunion of phalanx. Replaced by open operation.
 U. 3438. Scaphoid. Removed.

Ribs and Sternum.

- U. 2982. 3381. Ribs strapped.

Femur.

- T. 575. Fracture through old ankylosis of knee. Back splint.
 T. 964. Shaft. Extension and calliper.

NOT COMPOUND—(continued).

Femur—(continued).

- T. 835. Shaft. Plated. Osteomyelitis. Plate removed.
 M. 1440. Shaft. Extension and plaster.
 M. 2514. Shaft. Extension and plaster.
 M. 3305. Extracapsular. Extension and calliper.
 M. 4130. Impacted. Neck of femur. Calliper.
 U. 2883. Shaft. Extension and plaster.
 U. 2966. Shaft. Extension and calliper.
 U. 3075. Extracapsular. Plaster. And 3392. Calliper.
 U. 3326. Shaft. Extension and calliper. Also tabes.
 U. 3401. Shaft. Wired.
 U. 3466. Shaft. Plated.
 U. 3173. Shaft. Also internal and external malleoli.
 Plated.

Patella.

- W. 4283. Also old poliomyelitis. Massage and calliper.
 M. 1964. Bilateral. Right Wired.
 U. 3023. Wired.
 U. 3084. Wired.

Tibia.

- M. 78 and 346. Delbet. Plaster sore. Back splint.
 U. 3347. Ununited. Bone graft. Later suppurated and graft removed.

Fibula.

- W. 4610. Delbet.

Tibia and Fibula.

- T. 1316. Pin extension and plaster.
 T. 2103. Involving knee joint. Pin extension and plaster.
 T. 2796. Delbet.
 T. 3088. Pin extension and Delbet.
 W. 2015. Old Pott's. Fibula plated. Tibia screwed.
 W. 3544. Upper third. Delbet with Thomas splint.
 W. 3922. Screwed. Delbet.
 M. 132. Pott's. Delbet.
 M. 346. Ununited tibia plated. Later plate removed.
 Plaster.
 M. 2030. Delbet.
 M. 3071. Delbet.
 M. 4088. Also dislocation of astragalus. Screwed.
 M. 4596. Extension and plaster.
 U. 2938 and 3437. Pott's. Fibula plated. Later removed.
 U. 3199. Plated.

2. COMPOUND.

Jaw.

- T. 2733. Mandible.
 T. 4150. Maxilla.

Humerus.

- T. 3398. Involving elbow. Joint plated.

COMPOUND—(continued).

Ulna.

W. 1112. Screwed.

Hand.

U. 3053. First metacarpal. Wound excised.

*Femur.*U. 3431. Crushing accident. Amputation. Death. No *post-mortem*.*Patella.*

T. 3366. Sutured.

Tibia.

W. 233. Old ununited fracture. Sequestra removed.

W. 1936. Old case. Sequestra removed.

U. 3364. Wound excised. Pin extension. Non-union.

Fibula.

U. 3501. Wound excised. Secondary suture.

Tibia and Fibula.

T. 4517. Pin extension. Delbet.

W. 418. Old case. Foot drop. Walking iron.

W. 746 and 1527. Upper end. Wound excised. Secondary suture. Screw extension. Plaster.

W. 1834. Wound dressed. Later plaster.

W. 4246. Old case. Delbet.

W. 4294. Excision of wound. Pin extension. Delbet.

M. 1307. Excision of wound. Pin extension. Later plated.

DEFORMITIES OF THE SPINE AND LIMBS.

TALIPES. (EQUINOVARUS.)

M. 2414. 3950. 4653. Tenotomy and plaster.

M. 4175. Plaster.

CLUB HAND.

M. 4274. Webbed fingers. Plastic.

U. 3343. Webbed fingers. Plastic.

CEREBRAL PARAPLEGIC DEFORMITIES.

T. 3646. Monoplegia left arm with athetosis. Posterior root division.

W. 1808. Hemiplegia. Tenotomy of tendo Achillis. Nerves to calf muscles injected with alcohol.

W. 3303. Hemiplegia. Arthrodesis of right wrist. To Cheyne.

U. 3429. Stoffel's operation.

DEFORMITIES DUE TO INFANTILE PARALYSIS.

W. 1920. Left and right legs. Tenotomy of tendo Achillis. Transplantation of flexor longus hallucis.

W. 3187. Both legs. Plaster.

W. 3679. Right leg. Transplantation of peroneus longus. Plaster.

W. 3283. Old case. Left leg. Splints.

FLAT FOOT.

- U. 2901. Sole plate.
U. 3311. Tenotomy of peronei. Plaster.

HAMMER TOE.

- T. 1405. Excision of interphalangeal joint.
M. 1498. Excision of interphalangeal joint.
U. 2931. 2993. 3057. 3232. 3233. 3234. 3344. Joints excised.

HALLUX VALGUS.

- T. 3275. Bursa and exostosis removed.
W. 199. 1960. Bursa and exostosis removed.
M. 1334. 3321. 4656. Bursa and exostosis removed.
M. 380. Suppurating bursa. No operation.
U. 3022. and 3190. Bursa and exostosis removed. Cuneiform osteotomy on left side.
U. 3268. Pain. Special boot.

HALLUX FLEXUS.

- U. 2912. Metatarsophalangeal joint excised.

GENU VALGUM.

- M. 663. Bilateral. Osteotomy.

SCOLIOSIS.

- W. 2937. Plaster.

DUPUYTREN'S CONTRACTURE.

- T. 2004. Excision.
U. 2958. Excision.

CONTRACTED TENDON.

- M. 1031. Little finger. No operation.

FAULTY AMPUTATION STUMPS.

- W. 2288. Left index finger. No operation.

AVULSION OF LIMB.

- W. 1085. Right arm. Amputation.

DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUES.

BOILS AND CARBUNCLES.

- W. 702. Excision. Secondary suture.
W. 3876. Incision.
M. 3025. Excision.
M. 4087. Excision. Died. *Post-mortem* 220. Acute endocarditis and septicæmia.
M. 4365. Incised.
U. 3292. Incised.

CELLULITIS AND SUBCUTANEOUS ABSCESS.

- T. 185. Face. Incision.
 T. 3098. Foot. No operation.
 T. 3833. Stitch abscess. Opened.
 T. 4559. Popliteal abscess. Opened.
 W. 2516. Forearm. Opened.
 W. 2826. Abdominal wall. Incised.
 W. 2836. Face. Cavernous sinus thrombosis. Died. No
post-mortem.
 W. 2861. Face. Opened.
 W. 3868. Leg. Incised.
 W. 3877. Leg. Incised.
 W. 4253. Leg. Incised.
 M. 108. Axilla. Incised.
 M. 709. Axilla. Incised.
 M. 1312. Neck. Incised.
 M. 1388. Ankle. Incised.
 M. 1596. Cheek. Incised.
 M. 1624. Face. Incised. Cavernous sinus thrombosis. Died.
Post-mortem 89.
 M. 2014. Abdominal wall. Incised.
 M. 2021. Palm. Incised.
 M. 2361. Leg. Incised.
 M. 2663. Neck. Incised.
 M. 2990. Face. Incised.
 M. 3287. Left arm. Incised.
 M. 3431. Neck. Incised.
 M. 3533. Foot. Incised.
 U. 2905. Forearm. Incised.
 U. 2919. Forearm. Incised.
 U. 3056. Popliteal abscess. Incised.
 U. 3079. Leg. Incised.
 U. 3142. Palm. Incised.
 U. 3254. Hand. Incised.
 U. 3421. Hand. Incised.
 U. 3433. Face. Incised.
 U. 3502. Sole. Incised.
 U. 3513. Foot. Incised.

TUBERCULOUS SUBCUTANEOUS NODULES.

- U. 3167. Incised.

VARICOSE ULCERS AND CHRONIC ULCERS.

- U. 3065. Varicose ulcer.
 U. 3283. Chronic ulcer.
 U. 3294. Varicose ulcer. Excision and suture.

GUMMATOUS ULCERS.

- U. 3145. Elbow. Antisyphilitic treatment.

MOLES.

- W. 545. Excised. Graft.
 M. 217. Excised. Graft.

SEBACEOUS CYST.

T. 3653. Excised.
U. 3515. Excised.

DERMOID CYSTS.

M. 4043. Implantation cyst. Excised.
U. 3023. 3297. 3446. Excised.

ANGIOMAS.

U. 3035. 3089. Excised.

LIPOMAS.

T. 2379. Excised.
M. 1149. 1533. 2827. Excised.
U. 3098. 3218. 3473. Excised.

RODENT ULCERS.

T. 1195 and 2721. Rodent of face. Excised. Plastic.
W. 2686. Old case. Tube graft.
W. 4148. Scalp. Diathermy.
M. 1849. Forehead. Excised.

EPITHELIOMAS.

W. 2323. Diathermy.
M. 2502. Face. Also multiple ulcers.
M. 3673. Pinna. Excised.
U. 3418. Hand. Excised.

SARCOMA.

M. 3166. Foot. Local excision. Removal of glands of groin.

SCARS. WEAK AND ULCERATED.

U. 3070. Following R.I.H. Healed.
U. 3073. After ingrowing toenail. Plastic.

PAINFUL SCARS.

U. 3244. Finger. Amputation.
U. 3332. Following amputation of finger. Reamputation.

SKIN GRAFT.

T. 883. Injury. Face.
M. 280. Following burnt hand.
W. 826. Avulsion of heel.
U. 3237. Following breast operation.
U. 3251. Injury. Leg.

WHITLOWS.

M. 4089. Thecal. Opened.
U. 3227. Thecal. Amputation.

WOUNDS AND CONTUSIONS.

W. 926. Tattooed scar. Excised.
W. 1046. Cut hand. Sutured.
W. 1078. 1787. Contusions.
W. 4317. Cut arm. Sutured.

WOUNDS AND CONTUSIONS—(*continued*).

- U. 3060. Contusion.
- U. 3109. Cut scalp.
- U. 3193. Contusion.
- U. 3284. Cut forearm.

BURNS AND SCALDS.

- M. 3181. 4128. 4367.
- U. 3319.

NEEDLES IN TISSUES.

- U. 3159. Hand. Removed.

IMPETIGO.

- U. 3430.

ONYCHOGRYPHOSIS.

- U. 3001.

ENDOTHELIOMA.

- U. 2946. Lobulated tumour in thigh. Excised.

CALLOSITY.

- W. 212. Excised.

DISEASES OF THE MUSCLES, FASCIÆ AND TENDONS.

RUPTURE AND DIVISION.

- W. 1786. Extensor tendons wrist. Sutured.
- W. 1832. Tibialis anticus. Sutured.
- W. 2306. Extensor tendons thumb. Sutured.
- M. 134. Quadriceps tendon. Rest.

MYOSITIS AND FIBROSITIS.

- W. 3085. Rest.
- W. 3680. Exploratory incision thigh.

TENO-SYNOVITIS.

- T. 2415. Flexors hand. Incised.
- U. 3087. Extensor tendons forearm. Suppurative. Incised.

TUBERCULOSIS.

- U. 2906. Forearm. Incised. Primary suture.
- U. 2910. Peroneal tendons. Incised. Primary suture.

TUMOURS.

- M. 1138. Sarcoma of triceps. Removed. Later gland operation.
- M. 3602. Myxoma thigh. Removed.
- U. 2909. Recurrent endothelioma. Thigh. Excised. X-ray.

CONTRACTED MUSCLES.

- U. 3455. Dystrophy. Transferred to medical side.

ABSCESS OF MUSCLE.

- T. 1008. Gluteal. Incised.
 W. 362. Quadriceps. Incised.
 W. 2817. Gluteal. Incised.
 M. 1982. Thigh. Incised.
-

DISEASES OF THE BURSAE.

- T. 3752. Gonococcal. Bursitis. No operation.
 M. 381. Semimembranosus. Excised.
 M. 1251. Acute prepatellar bursitis. Incised.
 U. 3202. 3405. Semimembranosus. Excised.
 U. 3275. Acute prepatellar bursitis. Incised.
-

DISEASES OF THE CARDIO-VASCULAR SYSTEM

ARTERIES, INJURIES.

- T. 2732. Division of radial. Ligature.
 W. 2206. Divided brachial. Ligature.
 W. 3908. Rupture ileo-colic. Died. *Post-mortem* 204

THROMBOSIS.

- W. 2476. Brachial.
 U. 3043. Saphenus varix.

VARICOSE VEINS.

- T. 3566. Excision.
 T. 3705. With ulceration. Rest.
 W. 2320. 2694. 4146. Excised.
 M. 74. 307. 1863. 2512. 2632. 2840. 4562. Excised.
 U. 2904. 3011. 3200. 3222. 3384. 3387. 3464. Excised.
 U. 3308. No operation.

ANEURYSM.

- T. 2463. Ruptured aneurysm forearm. Vessel ligatured.
 W. 3037. Occipital. Ligature and excision.

GANGRENE.

- W. 713. Senile. Amputation.
 W. 854. Arterio-sclerotic. Arterio-venous anastomosis. Later local amputation. Later amputation thigh.
 W. 3788. Diabetic. Amputation.
 M. 111. Diabetic. Refused operation.
 M. 4320. Diabetic gangrene. Syme's amputation. Later amputation through thigh.
 U. 3443. Thrombotic. Amputation thigh. Died. No *post-mortem*.

DISEASES OF THE LYMPHATIC SYSTEM.

CHRONIC SIMPLE LYMPHADENITIS.

T.	2885.	Neck.	No operation.
W.	4035.	Neck.	Glands excised.
M.	955.	Neck.	Enucleation of tonsils.
M.	1380.	Neck.	No operation.
M.	1618.	Axilla.	Biopsy.
M.	1947.	Neck.	Biopsy.
U.	3085.	Neck.	No operation.

TUBERCULOUS LYMPHADENITIS AND LYMPHANGITIS.

T.	742	and 3601.	Lymphangitis of face.	No operation.
T.	2627.	Neck.	Excision of glands.	
T.	2859.	Abdominal.	Appendicectomy.	
T.	2953.	Abscess neck.	Opened.	
T.	3046.	Generalized.	No operation.	
W.	460.	Neck.	No operation.	
W.	1151.	Neck.	Excision of glands.	
W.	2611.	Abscess neck.	Aspiration and sanocrysin.	
W.	3047.	Abscess neck.	Opened.	
M.	187.	1084.	1140.	1417.
M.	1497.	3789.	3110	and 3987.
Neck.	Glands excised.			
M.	475.	Parotid region.	Ulcer scraped.	Gland removed.
M.	568.	Inguinal.	Glands removed.	
M.	4176.	Sinus neck.	Scraped.	
U.	2920.	2970.	2989.	3096.
U.	3143.	3160.	3247.	3248.
U.	3341.	3447.	3489.	Neck.
U.	2053.	Axilla.	Glands excised.	
U.	3121.	Abscess neck.	Burst.	No operation.
U.	3217.	Neck.	No operation.	
U.	3383.	Abscess neck.	Opened.	

ACUTE LYMPHADENITIS AND LYMPHANGITIS.

T.	1346.	Lymphangitis forearm.
W.	1121.	Abscess groin. Opened.
W.	4597.	Axillary abscess. Opened.
M.	619.	Abscess neck. Opened.
M.	1237.	Abscess groin. Opened.
M.	2984.	Abscess neck. Opened.
M.	3775.	Abscess neck. Opened.
M.	3875.	Abscess axilla. Opened.
M.	4428.	Lymphangitis forearm.
U.	2891.	Suppurating cervical gland. Excised.
U.	2892.	Lymphangitis groin. No operation.
U.	3178.	Abscess groin. Opened.
U.	3299.	Abscess neck. Opened.

LYMPHADENOMA.

M.	262.	Biopsy.
U.	3293.	Biopsy.

LYMPHO-SARCOMA.

T.	145	and 2066	and 4034	and 4510.	Radium.
----	-----	----------	----------	-----------	---------

MALIGNANT INVASION.

- T. 2482. Neck. Excision. Died. *Post-mortem* 141.
 W. 2303. Axilla. Excision.
 W. 3428. Neck. Excised.
 M. 21. Lumbar glands. Laparotomy.
 U. 3278. Neck. Biopsy. Radium.

DISEASES OF THE ORGANS OF THE NECK.

CUT THROAT.

- M. 1631. Sutured.
 M. 3021. Sutured.

CONGENITAL CYSTS.

- W. 4111, 4525. Thyroglossal cyst. Removed.
 M. 1491. Thyroglossal sinus. Excised.
 U. 3210. Dermoid neck. Excised.
 U. 2948. Branchial cyst. Removed.

COLLOID GOITRE.

- T. 2853. Hemithyroidectomy.
 T. 3957. Intrathoracic. Partial thyroidectomy.
 W. 46. Hemithyroidectomy.
 U. 3474. Hemithyroidectomy.

ADENOMA OF THYROID.

- T. 555. Partial thyroidectomy.
 T. 2888, 3700, 3706. Enucleation.
 W. 1600. Enucleation.
 W. 3264. Enucleation.
 M. 281. Hemithyroidectomy.
 M. 1400. Toxic symptoms. Lugol's iodine.
 M. 2621. Hemithyroidectomy.
 M. 3931. Enucleation.
 U. 3411. Intrathoracic. Enucleated.

TOXIC GOITRE.

- T. 914. Partial thyroidectomy. Died. *Post-mortem* 81.
 Dilated and hypertrophied heart.
 T. 2375, 2886. Partial thyroidectomy.
 M. 843, 2800. Partial thyroidectomy.
 M. 1148. No operation.

EXOPHTHALMIC GOITRE.

- T. 88. Transferred to infirmary with mania.
 T. 115, 766, 1262, 2431, 2587, 2856, 3226, 3573, 3742. Partial thyroidectomy.
 T. 1047. No operation.
 M. 660. Superior thyroid arteries tied.
 M. 862. Superior thyroid arteries tied.
 M. 1477. No operation.
 M. 2560. Hemithyroidectomy.
 U. 3027, 3452. Partial thyroidectomy.
 U. 3327. Partial thyroidectomy. Died. No *post-mortem*.

ACTINOMYCOSIS.

T. 4410. Incisions. Potassium iodide.

TORTICOLLIS.

T. 3007. Portion of sternomastoid removed.

M. 3581. Portion of sternomastoid removed.

U. 3454. Portion of sternomastoid removed.

DISEASES OF THE JAW.

HYPERTROPHY OF GUMS.

W. 3438 and 3730. Removed by diathermy.

FIBROUS EPULIS.

U. 3021, 3161. Removed.

DIFFUSE PERIOSTITIS.

U. 2927. Incision and drainage.

ALVEOLAR ABSCESS.

T. 1314, 3189. Drained.

M. 2619, 3668. Drained.

U. 3165 and 3359, 3185. Drained.

U. 3277. No operation.

NECROSIS.

T. 1012. Old case. Plastic.

W. 4497. Opened and drained.

M. 4290. Sequestrectomy.

M. 4650. Drained.

DENTAL CYSTS AND ODONTOMES.

W. 132, 2119. Removed.

W. 2120. Dentigerous cyst. Excised.

U. 3206. Old case. Dental cyst. Discharging sinus. Opened.

U. 3465. Dentigerous cyst. Opened and scraped.

MALIGNANT TUMOURS.

T. 1167. Carcinoma upper jaw. Excised. Died. *Post-mortem*
67.

W. 1581. Carcinoma of gum involving upper jaw. Diathermy.

W. 1612 and 3199 and 4521. Carcinoma of upper jaw. Excision
with glands. Later radium.

W. 3202 and 4172. Carcinoma of upper jaw. Excision. Later
recurrence removed with diathermy.

M. 957. Carcinoma of gum involving lower jaw. Removed
with glands.

M. 2863. Carcinoma of lower gum involving jaw. Removed.

U. 3349. Carcinoma of hard palate. Removed. Died. *Post-*
mortem 165.

IMPACTED WISDOM TOOTH.

- T. 2056. Removed.
 T. 2956. No operation.
 U. 3280. Removed.

INFLAMMATORY CONDITIONS.

- U. 3082. Mass over ramus. Excised. Actinomycosis.
 U. 3100. Inflammatory mass excised. No evidence of actinomycosis.

DISEASES OF THE TONGUE.

NON-MALIGNANT NEOPLASMS.

- M. 777. Papilloma. Excised.
 U. 2940. Salivary tumour projecting from anterior aspect. Removed.

INFARCT OF TONGUE.

- M. 3674. Excised.

CARCINOMA.

- T. 324. Excised. Recurred in glands. Glands excised
 T. 1766. Excised.
 T. 2704. Inoperable.
 T. 3273. Recurrence. ? Secondaries in liver.
 T. 3296. Inoperable.
 T. 3565. Local recurrence. Removed.
 T. 4336. Recurrence in glands. Removed.
 W. 30 and 1058. Inoperable. Alcohol injection for pain. Later 5th nerve divided.
 W. 458. Diathermy. Glands excised.
 W. 2368. Local recurrence. Diathermy.
 W. 2559 and 3302. Recurrence. Radium.
 W. 3541. Inoperable. Radium.
 W. 4499. Diathermy. Glands inoperable.
 M. 2243. Refused operation.
 U. 3080. Diathermy. Glands removed. Recurred.
 U. 3257. Inoperable.
 U. 3335. Excision. Glands removed.
 U. 3339. Local excision.
 U. 3459. Excision and glands. Recurred.
 U. 3478. Excision and glands. Recurred.

DISEASES OF THE SALIVARY GLANDS AND FLOOR OF MOUTH.

INFLAMMATION OF THE SALIVARY GLANDS.

- T. 3122. Submaxillary abscess. Opened.
 U. 3182. Enlargement of deep portion of submaxillary. Excised.

SALIVARY CALCULI.

- U. 3209. Parotid abscess. Opened.
 T. 2957. Submaxillary. Removed.
 M. 656. Submaxillary. Spontaneous discharge.

PAROTID TUMOUR.

- T. 3230. Excised.
 U. 3144. Recurrence. Nodules excised.
 U. 3457. Excised.

CARCINOMA OF FLOOR OF MOUTH.

- T. 1469. Excision. Died. No *post-mortem*.
 T. 3286. Excision. Died. *Post-mortem* 208. Broncho-
 pneumonia.
 M. 1066. Excision with glands.
 U. 3111. Glands excised. Died. *Post-mortem* 90. Cerebral
 thrombosis.

DISEASES OF THE FACE, LIPS, PALATE AND CHEEKS.

HARE-LIP.

- W. 1856. Old case. Incisor tooth turned into nasal cavity.
 Extraction.
 M. 646. Plastic.

CLEFT PALATE.

- W. 1658. No operation.
 W. 4225. Repair.
 W. 3722. Teeth extracted.
 M. 1322. Repair.
 M. 1965. Repair.
 M. 2958. Repair.
 M. 3820. Repair.
 U. 2985 and 3083. Teeth extracted and repair.
 U. 3071. Repair.
 U. 3954. Repair.

INJURIES.

- T. 2870. Cheek.

CARCINOMA.

- T. 54. Cheek. Excised with glands.
 T. 401. Old case. Lip. Recurrence glands. Excised. Died.
Post-mortem 41. Broncho-pneumonia.
 T. 1183. Orbital margin. Excised with eye. Recurrence.
 T. 1481. Inoperable. Recurrence. Lip.
 T. 3989. Cheek. Excised with glands.
 T. 4021. Cheek. Excised.
 T. 4434. Lip. Excised.
 W. 29. Palate. Recurrence in glands. Inoperable. Collosol
 copper.
 W. 45 and 2615. Local recurrence cheek. Diathermy. Later
 removal of sequestrum.

CARCINOMA—(*continued*).

- M. 175. Soft palate. Inoperable.
 U. 2947. Lip. Glands excised. Died. *Post-mortem* 25.
 Mesenteric thrombosis.
 U. 2996. Cheek. Local recurrence. Excision.
 U. 3265. Lip. Local excision.

TUBERCULOSIS.

- U. 3078. Upper lip. Diathermy.

INFLAMMATION.

- M. 2229. Sinus orbital margin. Excised.

CARCINOMA OF LACHRYMAL DUCT.

- M. 3144. Refused operation.

DISEASES OF THE ŒSOPHAGUS.

FOREIGN BODIES.

- M. 3160. Pin. Not found.
 U. 2950. Bone. Removed.
 U. 3353. Bone. Not found.

STRICTURE.

- T. Old case. Post-cricoid. Carcinoma. Opened from neck and allowed to close.

CARDIOSPASM.

- W. 1666. Dilated from stomach.

CARCINOMA.

- T. 3719. Gastrostomy.
 W. 554, 1663, 2967, 3090. Gastrostomy.
 W. 2291. Gastrostomy. Growth removed trans-pleural route.
 Died. *Post-mortem* 140. Broncho-pneumonia.
 W. 2537. Gastrostomy. Trans-pleural exploration. Inoperable.
 W. 3379. Gastrostomy. Growth exposed trans-pleural route.
 Œsophagus exposed in neck and growth drawn up through it.
 Died. No *post-mortem*.
 W. 3741. Tracheotomy.
 W. 4002. Growth brought to surface over flap by trans-pleural route. Died. *Post-mortem* 219. Broncho-pneumonia.
 M. 4516. Gastrostomy. Died. *Post-mortem* 251. Peritonitis.
 U. 2911. Gastrostomy.

DISEASES OF THE EYE AND ORBIT.

TUMOUR.

- T. 2240. Recurrent melanotic sarcoma orbit. Glands. No operation.

LOSS OF VISION.

- T. 2593. No cause found.

DISEASES OF THE STOMACH AND DUODENUM.

GASTRITIS.

W. 3576. Functional. Transferred to medical side.

GASTROPTOSIS.

U. 3274. No operation.

HÆMATEMESIS.

U. 3216. No operation.

ATONIC DILATATION.

U. 3350. Gastric lavage.

INFANTILE PYLORIC STENOSIS.

U. 3330, 3346. Ramsted's operation.

GASTRIC ULCER.

- W. 47. Sleeve resection.
 W. 243. Old case. No operation.
 W. 320. Posterior gastro-enterostomy.
 W. 841. Posterior gastro-enterostomy.
 W. 1146. Ulcer invaginated. Gastro-enterostomy. To posterior wall over the colon.
 W. 2112. Hour-glass. Sleeve resection.
 W. 2281. Pyloric stenosis. Posterior gastro-enterostomy.
 W. 2909. Ulcer invaginated. Posterior gastro-enterostomy.
 W. 3005. Old case. No operation.
 W. 3692. Posterior gastro-enterostomy.
 W. 3779. Ulcer invaginated. Posterior gastro-enterostomy.
 W. 3810. Partial gastrectomy. End to side.
 W. 4115. Ulcer freed from pancreas and invaginated.
 W. 4221. Ulcer freed from pancreas and invaginated.

(In the above cases the diagnosis was confirmed by the gastroscope.)

- M. 261. Old case. Readmitted with jejunal ulcer. Resection and closure of gastro-enterostomy.
 M. 1268. Sleeve resection.
 M. 1297. Partial gastrectomy end to side. Died. *Post-mortem* 120.
 M. 1497. Hour glass. Partial gastrectomy. Duodenum to stomach.
 M. 1480. Sleeve resection.
 M. 1486. Posterior gastro-enterostomy.
 M. 1758. Pyloric stenosis. Posterior gastro-enterostomy. Died. *Post-mortem* 102. Patent vessel in ulcer.
 M. 2076. Posterior gastro-enterostomy.
 M. 2461. Posterior gastro-enterostomy.
 M. 3059. Hour-glass. Sleeve resection.
 M. 2727. Posterior gastro-enterostomy.
 M. 3787. Severe hæmatemesis. Vessels to ulcer tied. Died. *Post-mortem* 200. Hæmorrhage.
 M. 4141. Hour-glass. Ulcer adherent to spleen. Partial gastrectomy and splenectomy. End to side suture.
 M. 4252. Hour-glass. Partial gastrectomy. Died. *Post-mortem* 240. Broncho-pneumonia.

GASTRIC ULCER—(continued).

- U. 2925. Partial gastrectomy. End to side.
 U. 3016. Pyloric stenosis. Thought to be stricture of œsophagus. Gastrectomy. Died. *Post-mortem* 63.
 U. 3301. Posterior gastro-enterostomy.
 U. 3321. Refused operation

PERFORATING GASTRIC ULCER.

- T. 3429. Sutured.
 M. 3415. Subphrenic abscess. Opened.

CARCINOMA OF STOMACH.

- T. 549. Laparotomy. Inoperable. Died.
 T. 853. Inoperable. Jejunostomy.
 T. 1956. Inoperable. Laparotomy.
 W. 1290. Anterior gastro-enterostomy. Died. No *post-mortem*.
 W. 1315. Partial gastrectomy. End to side.
 W. 1643. Partial gastrectomy. End to side. Died. No *post-mortem*.
 W. 2045. Cardiac end. Gastrostomy.
 W. 3986. Perforated. Abdomen drained. Growth inoperable.
 M. 624. Posterior gastro-enterostomy. Died. *Post-mortem*
 60. Acute dilatation.
 M. 685. Partial gastrectomy. Died. *Post-mortem* 55.
 M. 860. Partial gastrectomy. Died. No *post-mortem*.
 M. 1961. Laparotomy. Died. *Post-mortem* 112. Broncho-pneumonia.
 M. 3008. Partial gastrectomy. Died. *Post-mortem* 164.
 M. 3481. Posterior gastro-enterostomy.
 U. 2902. Laparotomy. Inoperable.
 U. 3062. Laparotomy. Inoperable.
 U. 3456. Partial gastrectomy. End to side. Died. *Post-mortem* 220. Perforation of acute gastric ulcer.

DUODENUM INJURIES.

- U. 3497. Traumatic rupture. Abscess opened. Faecal fistula. Died. *Post-mortem* 249. (Coroner.)

DUODENAL ULCER.

- T. 2952. Posterior gastro-enterostomy.
 W. 788. Partial gastrectomy. End to side.
 W. 1040. Blood transfusion. Ulcer invaginated. Posterior gastro-enterostomy.
 W. 1292. Posterior gastro-enterostomy.
 W. 4110. Posterior gastro-enterostomy.
 W. 4139. Posterior gastro-enterostomy. Appendicectomy.
 M. 67. Pyloric stenosis. Resection posterior end to side.
 M. 719. Resection end to side.
 M. 782. Resection. Posterior end to side.
 M. 1583. Posterior gastro-enterostomy.
 M. 1604. Resection. Posterior end to side.
 M. 1988. Posterior gastro-enterostomy. Died. *Post-mortem*
 138. Broncho-pneumonia.
 M. 2155. Resection. Anterior end to side. Died. No *post-mortem*.

DUODENAL ULCER—(continued).

- M. 2196. Pyloric stenosis. Resection. Posterior gastro-enterostomy. Died. *Post-mortem* 133. Broncho-pneumonia.
 M. 2348. Partial gastrectomy. Resection. Posterior end to side.
 M. 2470. Posterior gastro-enterostomy.
 M. 2743. Posterior gastro-enterostomy.
 M. 3225. No operation.
 M. 4255. Posterior gastro-enterostomy. Died. *Post-mortem* Patent vessel in duodenal ulcer.
 M. 4616. Old case. Posterior gastro-enterostomy. Opening enlarged.
 M. 4647. With cholecystitis. Posterior gastro-enterostomy and cholecystectomy.
 U. 2885. Posterior gastro-enterostomy.
 U. 2963. Posterior gastro-enterostomy.
 U. 3067. Old case of perforation. Pylorotomy.
 U. 3116. Posterior gastro-enterostomy.
 U. 3141. Posterior gastro-enterostomy. Burst. Resutured. Died. *Post-mortem*, 101.
 U. 3458. Pylorotomy. Died. *Post-mortem* 234. Pneumonia.
 U. 3517. Posterior gastro-enterostomy.

PERFORATION.

- T. 1339. Suture and posterior gastro-enterostomy.
 W. 3497. Suture and posterior gastro-enterostomy.
 M. 12. Suture and posterior gastro-enterostomy. Died. *Post-mortem* o. Pneumonia.
 M. 733. Suture and posterior gastro-enterostomy.
 M. 1667. Suture.
 M. 2038. Suture.
 U. 2852. Suture and posterior gastro-enterostomy.

DISEASES OF THE INTESTINES.

CONGENITAL DEFORMITY. DIVERTICULA.

- M. 2824. Laparotomy. Diverticulum from jejunum.

VISCEROPTOSIS.

- U. 3174.

FOREIGN BODIES.

- U. 2990. Perforation small intestine. Sutured. Entero-anastomosis.
 U. 3267. Pin in large intestine. No operation.

FISTULA.

- T. 1827. Fæcal fistula. Supposed to have had appendix removed. Track excised and appendix removed.
 W. 82. Fæcal fistula. Abdomen full of adhesions. Probably tuberculous peritonitis.
 W. 1156. Fæcal fistula following appendicectomy. Numerous operations healed. Patient also had anterior poliomyelitis (leg).
 U. 3386. Following appendicectomy. Closed.

BANDS.

- T. 1359. Strangulation by band. Band divided. Died.
Post-mortem 75.
 W. 1398. Strangulation by band. Perforation. Resection of
 gut. Died. *Post-mortem* 77.

ADHESIONS.

- T. 1428. Adhesions in right iliac fossa. Freed.
 W. 3830. Adhesions. Freed.
 M. 2439. Acute obstruction. Freed.

INTUSSUSCEPTION.

- U. 2932. 3212. Reduced.

VOLVULUS.

- U. 2159. Freed. Died. *Post-mortem*. 122.

CONSTIPATION.

- T. 4000. Enemata.
 T. 4277. Enemata.
 W. 336. Laparotomy. Died. *Post-mortem* 35. Pulmonary
 embolism.
 W. 760. Enemata.
 W. 1320. 1893. Sigmoidoscopy.
 W. 4313. Enemata.
 M. 906. 3756. 3945. 4137. Enemata.
 U. 3213. Sigmoidoscopy.
 U. 3241. Laparotomy.
 U. 3293. 3397. Enemata.

COLITIS

- U. 3224. No operation.

DIVERTICULITIS.

- T. 164. Chronic obstruction. Pericolic abscess. Drained.
 Cæcostomy. Died. No *post-mortem*.
 W. 716. Perforation. General peritonitis. Drained. Died.
Post-mortem 52.
 W. 3953. No operation.
 U. 2999. Laparotomy.
 U. 3102. No operation.
 U. 3385. Pericolic abscess. Drained.
 U. 3417. Previous colostomy. No further operation.

CARCINOMA.

- T. 1928. Acute obstruction. Inoperable. Pelvic colon.
 Cæcostomy. Later colostomy.
 T. 3423. Pelvic colon. Pericolic abscess. Drained. Cæco-
 stomy. Later colostomy.
 T. 3567. Inoperable. Descending colon. Cæcostomy.
 T. 3974. Pelvic colon. Inoperable. Colostomy.
 W. 430. Acute obstruction. Splenic flexure. Cæcostomy.
 Died. *Post-mortem* 40. Pulmonary embolism.
 W. 1751. Small subcutaneous nodule found and removed (in
 abdominal wall). Primary growth not found.

CARCINOMA—(continued).

- W. 2158. Acute obstruction. Cæcostomy. Died. *Post-mortem* 120.
 W. 3766. Pelvic colon. General peritoneal dissemination. Laparotomy. X-rays.
 W. 4249. Transverse colon. Cæcostomy. Resection.
 M. 2634. Pelvic colon. Also gastric ulcer. Growth resected. Cæcostomy.
 M. 258. Abdominal carcinoma with ascites. No operation.
 U. 3007. Pelvic colon. Inoperable. Pericolic abscess drained. Anastomosis of transverse and pelvic colons.
 U. 3094. Descending colon. Inoperable. Colostomy. Later ileosigmoidostomy.
 U. 3375. Pelvic colon. Acute appendicitis. Appendicectomy and cæcostomy. Later transverse colostomy.
 U. 3509. Ascending colon. Inoperable. Ileotransverse colostomy.

ABDOMINAL PAIN.

- T. 2393. Laparotomy.
 T. 2950. 3049. 3165. 4013. No operation.
 T. 3072. Appendicectomy.
 W. 210. 1063. 1291. 2803. 3546. 3850. 3998. 4635. No operation.
 W. 1003. Laparotomy.
 W. 2910. Cystoscopy.
 M. 2153. 2477. Appendicectomy.
 M. 2685. No operation.
 U. 2949. 2955. 3026. 3041. 3103. 3126. 3148. 3198. 3262. No operation.
 U. 2888. 3052. Appendicectomy.
 U. 2893. 3074. 3183. Sigmoidoscopy.
 U. 3184. Four months pregnant. Laparotomy.

ENTERITIS.

- U. 3135.

REPAIR OF COLOSTOMY.

- M. 2308.

FUNCTIONAL VOMITING.

- T. 3121.

HERNIA.

INGUINAL.

Removal of Sac.

- T. 1389.
 M. 1055. 1709. 1790. 3290. 3403.
 U. 2896. 2915. 2917. 2933. 2952. 2956. 2959. 3014. 3030. 3032. 3033. 3049. 3090. 3134. 3164. 3260. 3382. 3494.

Removal of Sac and Repair of Abdominal Wall.

- T. 160. 764. 2447. 2591. 2639. 2866. 3033. 3657. 4018.
 W. 139. 565. 907. 923. 1506. 1871. 1975. 2179. 2449. 2645. 2722. 2966. 3097. 3368. 3393. 3395. 4127. 4413.

INGUINAL—(continued).

Removal of Sac and Repair of Abdominal Wall—(continued).

M.	1.	81.	678.	1057.	1175.	1243.	1496.	1754.	1853.	1861.
2265.	2161.	2391.	2581.	2788.	2793.	2897.	2962.	3163.	3191.	
3460.	3954.	4518.	4541.							
U.	2895.	2897.	2021.	2035.	2036.	2043.	2962.	2071.	3058.	
3130.	3139.	3146.	3152.	3194.	3201.	3207.	3215.	3236.	3238.	
3245.	3253.	3256.	3270.	3286.	3305.	3313.	3342.	3354.	3355.	
3356.	3366.	3368.	3369.	3370.	3380.	3394.	3406.	3448.	3472.	
3479.	3487.	3514.								

Recurrent.

M.	1845.	2635.	2695.
U.	2961.	3228.	

No Operation.

T.	4.				
W.	215.				
M.	1230.				
U.	2994.	3097.	3150.	3179.	3374.

With Femoral Thrombosis.

M. 1488.

*With Hydrocele.*W. 550.
M. 2698.*With Undescended Testicle.*W. 3203.
U. 3235.*With Cyst of Epididymis.*

W. 140.

*Strangulated.*T. 1729. 3380.
W. 714.
U. 3140. Died. No *post-mortem*.
U. 3271.

FEMORAL.

T. 4353.
W. 958.
M. 2763. 2791. 3442.
U. 2913. 3246. 3260. 3395. 3413.*With Hydrocele.*

W. 4359.

*Strangulated*T. 4215.
W. 2174.
M. 521. 3736.
U. 3115. 3252.

UMBILICAL.

W.	4067.					
M.	290.	1127.	1633.	3404.		
U.	2939.	2957.	3004.	3133.	3188.	3518.

Strangulated

W. 2045.

VENTRAL.

W.	2305.	4432.	4552.		
M.	668.	1171.			
M.	1232.	Died.	No <i>post-mortem</i> .	Pneumonia.	
M.	1375.	Also	faecal fistula.		
U.	3003.	3069.	3176.	3449.	

DISEASES OF THE APPENDIX.

ACUTE APPENDICITIS.

Appendix Removed. No Drainage.

T.	208.	246.	269.	970.	992.	1370.	1687.	1701.	1718.	2080.
	2155.	2378.	2405.	2458.	3058.	3812.	4202.	4271.		
W.	303.	313.	333.	364.	721.	908.	1060.	1409.	1434.	1862.
	1822.	1846.	2200.	2202.	2472.	2812.	2843.	3143.	3200.	3502.
	3550.	4248.	4254.	4462.	4498.	4618.				
M.	45.	66.	469.	500.	874.	918.	920.	1313.	1622.	1649.
	1760.	1788.	2024.	2339.	2671.	2976.	3009.	3042.	3328.	3334.
	3670.	3686.	4101.	4109.	4138.	4341.	4356.			
U.	2968.	3012.	3019.	3068.	3015.	3124.	3177.	3180.	3182.	
	3230.	3273.	3340.	3391.	3510.					

Appendix Removed. Drained.

T.	569.	566.	585.	1347.	1731.	2102.	2387.	3450.	3810.
	3841.	4564.							
W.	684.	1430.	1433.	2811.	3156.	3177.	3489.	3545.	3924.
	4377.								
W.	1459.	Faecal fistula and femoral thrombosis.							
W.	258.	Died.	<i>Post-mortem</i> 15.	General peritonitis.	Also				
	diabetic.								
W.	284.	Died.	<i>Post-mortem</i> 56.	General peritonitis.					
W.	1376.	Died.	<i>Post-mortem</i> 87.	General peritonitis.					
W.	1824.	Died.	<i>Post-mortem</i> 107.	General peritonitis.					
W.	2837.	Died.	No <i>post-mortem</i> .						
M.	76.	121.	499.	868.	1282.	1634.	1973.	2029.	2349.
	2350.	2378.	3698.	3735.	3741.	4395.			
M.	1200.	General peritonitis. Died. No <i>post-mortem</i> .							
U.	2979.	3106.	3107.	3180.	3205.	3255.	3258.	3285.	3298.
	3315.	3361.	3409.						
U.	3015.	Residual abscess. Faecal fistula.							
U.	3054.	Femoral thrombosis.							
U.	3403.	Faecal fistula.							

With Abscess. Appendix not Removed.

T. 1323. Died. *Post-mortem* 105. Abscess in lung.
 T. 4001.
 W. 1902.
 M. 2061. 3025.
 U. 2904.

Residual Abscess after Closure.

M. 887.

CHRONIC AND SUBACUTE APPENDICITIS AND INTERNAL OPERATIONS.

T. 80. 110. 365. 645. 763. 1218. 2105. 2505. 3527. 3762.
 3973.
 W. 27. 387. 2367. 2973. 4023. 4098. 4147.
 W. 1161. Also salpingectomy and removal of fibroid.
 M. 541. 1565. 2267. 2313. 2479. 2790. 2907. 3452. 3984.
 4651.
 M. 3446. Also ventral hernia repaired.
 U. 2884. 3017. 3476. 3490. 3496. 3500.

PERITONEUM.

T. 231. Septic peritonitis. Drained. Died. *Post-mortem*
 13. Pneumonia.
 T. 2434. Subphrenic abscess, later empyema. Both drained.
 W. 1087. Septic peritonitis, later subphrenic abscess. Drained.
 Died. No *post-mortem*.
 M. 2050. Septic peritonitis. Appendicectomy. Drained.
 M. 3304. Pneumococcal peritonitis. Drained. Died. *Post-mortem* 172.
 M. 1862. Retroperitoneal sarcoma. Inoperable.
 U. 2975. Septic peritonitis. Drained. Died. *Post-mortem* 43.
 Tubo-ovarian abscess.
 U. 3372. Subhepatic abscess. Drained.
 U. 2976. Tuberculous peritonitis. Pelvic abscess drained.
 Later faecal fistula. Died. *Post-mortem* 42.
 U. 3408. Tuberculous peritonitis. Laparotomy.

DISEASES OF THE RECTUM AND ANUS.

IMPERFORATE ANUS.

M. 3306. Colostomy. Died. No *post-mortem*.
 U. 2898 and 2978. Discharged. No operation.
 U. 3485. Rectum opened through perineum. Death eight
 weeks later from malnutrition. *Post-mortem* 242.

PILES.

T. 7. 2887. 4631. 1435. Excised.
 W. 2551. 3740. 4553. Excised.
 W. 2718. 3728. Carbolic injection.
 M. 1431. 3457. Excised.
 U. 2918. 3047. 3138. 3166. 3264. 3481. 3482. 3507. Excised.

ANAL FISSURE.

M. 1393. 2795. Opened.
U. 3163. Opened.

ISCHIORECTAL ABSCESS.

T. 649. Opened.
T. 965. Opened.
W. 4632. Spontaneous discharge.

FISTULA IN ANO.

W. 2035. Opened.
M. 265. 661. 961. 1959. Opened.
M. 3503. Colostomy.
U. 3117. 3120. 3240. 3320. 3410. 3488. Opened.

PROCTITIS.

U. 2984. Flavine washout.

STRICTURE.

W. 4039. Colostomy. Transferred as mental.

PROLAPSE.

W. 3665. 3723. Portion excised.
M. 3125. No operation.
U. 3231. Portion excised.

ADENOMA.

M. 2860. No operation.

CARCINOMA.

T. 267. Inoperable. Colostomy.
W. 1657. Refused operation.
W. 3197. Colostomy. Perineal excision. Died. *Post-mortem*
188. Both ureters involved.
W. 3910. Inoperable. Colostomy.
W. 4394. Colostomy. Perineal excision.
M. 3475. Colostomy. Perineal excision.
M. 4302. 4522. Inoperable. Colostomy.
U. 2909. Inoperable. Colostomy.
U. 3092. Acute obstruction. Cæcostomy. Died. *Post-mortem*
84. Perforation of Ulcer.
U. 3214. Colostomy. Perineal excision.
U. 3423. Inoperable. Colostomy. Died. *Post-mortem* 212.
Peritonitis.

HYPERTROPHY OF ANAL SPHINCTER.

M. 3920. Dilated.

ANAL PAIN.

T. 1246. Examination.

RECTAL HÆMORRHAGE

W. 2085. No cause found.

DISEASES OF THE BILIARY APPARATUS AND PANCREAS.**LIVER INJURIES.**

U. 3149. Ruptured liver. Laparotomy. Death. Coroner's *Post-mortem*. Also rupture of right kidney.

LIVER CIRRHOSIS.

U. 2951. Talma-Morrison operation. Died. *Post-mortem*. Cirrhotic liver with carcinoma.

U. 3272. No operation.

U. 3414. Talma-Morrison operation. Died. Hepatic insufficiency.

U. 3475. Transferred to medical side.

LIVER CARCINOMA.

W. 1625. Laparotomy.

U. 3424. Laparotomy.

LIVER HYDATID.

M. 996. and 4226. Calcified hydatid removed.

U. 3306. Opened and drained.

CHOLECYSTITIS.

T. 2057. Cholecystectomy.

T. 2440. Cholecystectomy.

W. 285. No operation.

W. 3711. Cholecystectomy.

M. 3860. Cholecystectomy.

U. 3259. Laparotomy. Adhesions divided.

U. 3471. No operation.

GALL-STONES.

T. 938. 1449. Cholecystectomy.

T. 998. Cholecystectomy.

W. 1424. 1513. 3128. 4551. Cholecystectomy.

W. 1766. Cholecystectomy.

W. 626. Cholecystectomy. Wound burst. Resutured. Died.

No post-mortem.

M. 1494. 1955. 2263. 3130. Cholecystectomy.

U. 3221. 3086. 3242. 3281. 3445. Cholecystectomy.

U. 3351. Cholecystectomy.

STONES IN COMMON BILE DUCT.

W. 3559. Cholecystectomy and stone removed.

W. 4329. Stones removed.

M. 3894. Cholecystectomy. Stone removed.

U. 3436. Cholecystectomy and stones removed.

CARCINOMA OF BILE DUCT.

W. 4594. Explored. Died. *Post-mortem* 10.

CARCINOMA OF PANCREAS.

W. 193. Operation for double inguinal hernia. Died. *Post-mortem* 20. Growth then found.

W. 3956. Cholecystgastrostomy.

M. 2061. Laparotomy.

U. 3435. Cholecystgastrostomy.

DISEASES OF THE SPLEEN.

- T. 3826. Rupture. Recovery.
 W. 1136. Hæmolytic jaundice. Splenectomy and cholecystectomy.
 W. 2077. Septicæmia. Splenectomy.
 W. 3488. Infarct of spleen. Splenectomy. Died. *Post-mortem*
 207. Coarctation of aorta.
 M. 3520. Acholuric jaundice. Splenectomy.
 U. 2889. Acholuric jaundice. Splenectomy.
 U. 3029. Abnormal mobility of spleen. Splenectomy.

DISEASES OF THE UPPER URINARY TRACT.

OLIGURIA.

- U. 3155. *Nil* found.

BACILLURIA.

- U. 3338. Medical treatment.

HÆMATURIA.

- W. 3154. Cystoscopy.

PYURIA.

- W. 1913.

MOVABLE KIDNEY.

- U. 2037.

PERINEPHRIC ABSCESS.

- W. 2162. Opened and drained.
 M. 2060. Calculus. Nephrectomy.
 M. 2411. Calculus removed. Later perinephric abscess opened.
 U. 3379. Accident. Suppurating hæmatoma. Spontaneous rupture into ureter.

PYELONEPHRITIS.

- U. 2954. Old case of prostatectomy.

PYELITIS.

- T. 1607. 2744.
 M. 2026. 2031. 2364.
 U. 2837 and 2986.
 U. 2964. Renal pelvis washed out with silver nitrate.
 U. 3099. Cystoscopy.
 U. 3388.

PYONEPHROSIS.

- T. 2529 and 4112. Bilateral. Nephrostomy. Died. No *post-mortem*.
 T. 4657. No operation.
 W. 3887. Nephrectomy.
 M. 3203. Kidney calcified. No operation.

HYDRONEPHROSIS.

T. 613. 1371. Nephrectomy.
 W. 315. Bilateral. Nephrostomy.
 W. 2995. 3630. Nephrectomy.
 W. 4529. No operation.
 U. 3039. 3519. Nephrectomy.
 U. 3045. 3088. No operation.

TUMOURS.

T. 4276. Old case of nephrectomy for hypernephroma. Removal of recurrence in scar.

TUBERCULOSIS.

U. 2974. Cystoscopy.
 U. 3125. 3363. Nephrectomy.

CALCULUS.

W. 635. Stone passed.
 W. 1659. Pyelotomy.
 W. 1988. No operation.
 U. 2977. Ureteric. No operation.
 U. 3005. Nephrectomy.
 U. 3119. Explored. ? appendix. Later nephrectomy.
 U. 3127. Pyelotomy.
 U. 3196. Ureteric. Removed.
 U. 3197. Ureteric. Removed by operating cystoscope.
 U. 3226. No operation.
 U. 3287. Bilateral. Four stones removed from right kidney.
 Later 3407. Stone removed from left.
 U. 3288. No operation.
 U. 3290. Right nephrectomy.
 U. 3291. Bilateral. Left nephrectomy. Later right pyelotomy.
 U. 3302. Pyelotomy.
 U. 3416. Nephrectomy.
 U. 3498. Nephrotomy.

RENAL PAIN.

T. 2118. 4239.
 W. 2839. 3577.
 M. 471. Laparotomy.
 U. 2930. 3063. 3195. Cystoscopy and pyelography.

NEPHRITIS.

W. 3011. Decapsulation.

DISEASES OF THE LOWER URINARY TRACT.

FREQUENCY OF MICTURITION.

M. 1178. Nocturnal.
 U. 3314. No cause found.
 U. 3324. Nocturnal.

RETENTION.

U. 2890. 3462. No cause found.

ECTOPIA VESICÆ.

U. 2998.

CYSTITIS.

U. 3373. 3396.

TUBERCULOUS CYSTITIS.

W. 732. Cystoscopy.

PAPILLOMA.

U. 3044. Fulgurated.

CARCINOMA.

T. 2350. Inoperable. Exploration. Died. *Post-mortem* 132.
 T. 2011. Suprapubic removal.
 T. 3433. Inoperable.
 U. 2945. Suprapubic removal.
 U. 3316. Inoperable. Died. No *post-mortem*.

CALCULUS.

U. 2908 and 3156. 3018. 4212. Litholapaxy.
 U. 3113. 3440. Removal by suprapubic route.
 U. 3132. Removed by Kelly's tube.

FOREIGN BODIES.

T. 2123. Glass tube in bladder. Removed.

HYPOSPADIAS.

M. 1972. Plastic after suprapubic drainage.

INJURIES.

U. 2929. Ulceration of posterior urethra.

URETHRAL CALCULUS.

U. 2073. Meatotomy.

STRICTURE.

T. 625. Dilatation. Catheter fever.
 W. 2156. Dilatation.
 M. 3039. Extravasation of urine. Drained.
 M. 4059. Dilatation.
 U. 3002. Internal urethrotomy.
 U. 3034. Dilatation.
 U. 3229. Retention. External urethrotomy.
 U. 3304. Dilatation.
 U. 3398. Pyelonephritis. Dilatation.
 U. 3415. Traumatic. Permanent suprapubic drainage.
 U. 3422. Retention. External urethrotomy.

PERIURETHRAL ABSCESS.

T. 966. 1668. 2397. Opened and drained.
 W. 4601. Drained.
 U. 3157. Stricture. Extravasation of urine. External urethrotomy and drainage. Died. *Post-mortem* 109.

URETHRAL POLYPI.

U. 3051. Fulgurated.

URETHRITIS.

U. 3393. [Gonorrhœal. Irrigated.]

DISEASES OF THE MALE GENITAL TRACT.

TUBERCULOSIS OF THE PROSTATE.

U. 3460. No operation. Died. *Post-mortem* 224. Generalized tuberculosis.

SENILE ENLARGEMENT OF THE PROSTATE.

T. 1124. 2725. 2955. 3227. Prostatectomy.

T. 847. No operation.

W. 483. Prostatectomy.

M. 2356. No operation

M. 2633. Prostatectomy.

M. 4060. Prostatectomy. Died. *Post-mortem* 14. Empyema and broncho-pneumonia.

U. 2886. 3000 and 3289. 3179. 3312. 3337. 3345. Prostatectomy.

U. 3223. No operation.

CARCINOMA OF PROSTATE.

W. 1721. Inoperable. Suprapubic cystotomy.

W. 4401. Inoperable. Colostomy.

ECTOPIC TESTIS.

T. 4400. Testis removed.

W. 2951. No operation. Bilateral.

M. 3580. Testis removed. Hernia repaired.

M. 4550. Testis replaced in abdomen. Hernia repaired.

U. 3013. Bilateral. Right removed. Left placed in scrotum.

U. 3204. Testis removed.

TESTIS TORSION.

T. 4040. Testis removed.

EPIDIDYMO-ORCHITIS.

M. 1391. No operation.

U. 2972.

TUBERCULOSIS.

M. 3663. Bilateral. Both testes removed.

U. 3131. Right testis removed.

U. 3399. Epididymectomy.

NEOPLASMS.

M. 104. Recurrence in lumbar glands. X-ray.

M. 3377. Sarcoma. Testis and cord removed. Inoperable.

U. 3348. Sarcoma. Inoperable.

HYDROCELE.

W. 386. Excised.
 M. 2093. 2264. 2336. 3823. Excised.
 U. 3036. 3239. 3325. 3365. 3404. 3441. 3453. Excised.
 U. 3110. No operation.

HÆMATOCELE.

T. 1020. No operation.

VARICOCELE.

W. 4072. Excised.
 U. 3040. Excised.

LIPOMA OF CORD.

M. 3067. Also filaria. Lipoma. Excised.

SPERMATOCELE.

T. 1071. Removed.

PHIMOSIS.

T. 1673. 1942. Circumcision.
 W. 400.. 874. 2324. Circumcision.
 U. 3050. 3360. 3484. Circumcision.

CARCINOMA OF PENIS.

W. 3942. Old case. Acute retention. Suprapubic cystotomy.
 M. 706. Amputation. Died. *Post-mortem* 59.
 U. 2928 and 3158. Amputation and gland operation.

DISEASES OF THE FEMALE GENITAL TRACT.

PELVIC PERITONITIS.

T. 2730. Drained.
 T. 2465. 4579. No operation.
 W. 4338. No operation.
 M. 132. Right salpingectomy and appendicectomy.
 M. 2963. No operation.
 U. 2924. Right salpingectomy and appendicectomy.

RUPTURED ECTOPIC GESTATION.

W. 1441. Tube removed. Auto-transfusion.

OTHER GYNÆCOLOGICAL CONDITIONS.

T. 4479. Fibroids.
 W. 2699. Malignant ovarian tumour. Colostomy.
 M. 1310. Ovarian cyst. Removed.
 M. 1589. Malignant Ovarian Tumour. Inoperable.
 M. 2036. Twisted ovarian cyst. Removed.
 M. 2895. Ovarian cyst. Transferred to gynæcologist.
 M. 486. Dysmenorrhœa.
 M. 2990. Abscess rectovaginal wall. Opened.
 U. 3031. Ruptured lutein cyst. Ovariectomy.
 U. 3266. Carcinoma of cervix. Transferred.
 U. 3282. Malignant ovarian cyst. Laparotomy.

DISEASES OF THE BREAST,

ACUTE ABSCESS.

U. 3240. Opened.

CHRONIC ABSCESS.

M. 4242. Amputation.

CHRONIC MASTITIS.

T. 8. With cysts. Sector removed.
 T. 343. Amputation.
 T. 2450. With intracystic growth. Amputation.
 T. 2687. With cysts. Sector removed.
 T. 3012. Amputation.
 W. 2721. Amputation.
 W. 2899. Thought to be carcinoma. Radical removal
 W. 4011. Amputation both breasts.
 W. 4448. With cysts. Sector removed.
 U. 2944. Bilateral. Both axillary tails removed.
 U. 3225. No operation.
 U. 3499. Bilateral. Amputation both breasts.

CYST OF BREAST.

W. 2065. 2904. 3210. Cyst excised.

HARD FIBRO-ADENOMA.

T. 354. 1604. 1714. Excised.
 T. 1855. Also cystic mastitis. Amputation both breasts.
 W. 614. 615. 817. 2255. 364. 4418. Excised.
 M. 570. Excised.
 U. 2983. 2995. 3123. Excised.

SOFT FIBRO-ADENOMA.

U. 3463. Excision.

DUCT PAPILLOMA.

W. 3352. Excised.
 U. 3432. Excised.

CARCINOMA.

T. 325. 972. 1799. 2137. 2626. 2638. 3265. 3874. Radical
 operation.
 W. 1805. 1935. 3045. 3458. 3642. 4192. 4502. Radical
 operation.
 M. 321. 466. 861. 1034. 1056. 1685. 2242. 2874. 3501. 4663.
 Radical operation.
 M. 1484. No operation.
 U. 2980. 2988. 3093. 3118. 3295. 3300. 3317. 3357. 3402.
 3434. Radical operation.
 U. 3129. Inoperable.

Recurrence.

- T. 538. In scar. Excised.
 T. 4333. Inoperable.
 M. 4143. Inoperable.
 M. 1756. Opposite breast. Radical operation.
 U. 3122. Skin. Excised.

SARCOMA.

- W. 3149. Melanotic. Radical operation.
-

DISEASES OF THE UMBILICUS.

- M. 1759. Fæcal fistula. Excised. Died. *Post-mortem* 106.
 Peritonitis.

JOHN B. HUNTER,
Surgical Registrar.

REPORT

OF THE

RESIDENT MEDICAL OFFICER.

1925.

PREFACE.

As in previous years this report deals only with cases admitted to the wards, and is in two parts. Part One consists of a set of statistical tables. Part Two is a case index arranged to correspond with the tables in Part One.

The case papers of each member of the staff are bound together, those for males and females being in separate volumes. They are indicated in this report by (1) the initial of the member of the staff as given below, (2) the sex of the patient, and (3) the hospital registered number. An index of these numbers is given at the beginning of each volume.

Exceptions to this arrangement are :—

(1) Those from the children's ward are bound together without regard to the sex of the child.

(2) Those of Sir Thomas Lewis are filed in the Cardiological Department.

(3) Those of the Surgical Unit are filed by the Unit.

- S. = Dr. Batty Shaw.
- P. = Dr. F. J. Poynton.
- B. = Dr. C. Bolton.
- E. = Dr. T. R. Elliott.
- L. = Sir Thomas Lewis.
- W. = Dr. F. M. R. Walshe.
- W. T. = Mr. W. Trotter.
- G. W. = Mr. G. E. O. Williams.
- S. U. = The Surgical Unit.
- F. J. B. = Mr. F. J. Barrington.
- E. K. M. = Mr. E. K. Martin.

G. O. MONTGOMERY.

PREFACE

As in previous years, the report deals only with cases admitted to the wards and is in two parts. Part One consists of a list of patients under 17 and 18 years of age, and is arranged in chronological order. The case papers of each patient in the ward are bound together in one book and contain notes on reports received. They are arranged in the order in which the patient was admitted to the ward. Part Two consists of the list of the patients and of the hospital case notes, the index of these numbers is given at the beginning of each volume.

1. Those from the wards who are under 17 years of age at the date of the report.
2. Those from the wards who are 17 or 18 years of age at the date of the report.

1. Dr. J. H. B. Jones
2. Dr. F. I. Johnson
3. Dr. C. Jones
4. Dr. J. H. Jones
5. Dr. J. H. Jones
6. Dr. J. H. Jones
7. Dr. J. H. Jones
8. Dr. J. H. Jones
9. Dr. J. H. Jones
10. Dr. J. H. Jones

G. O. Montgomery

TABLE I.—GENERAL INFECTIVE DISEASES : INCLUDING ACUTE SPECIFICS.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Enteric fever	5	1	3	...	1	
2. Tetanus	1	1	
3. Rheumatoid arthritis	17	...	17	
4. Osteo-arthritis	12	6	6	
5. Arthritis	9	4	5	
6. Acute rheumatism.....	29	10	18	...	1	
7. Glandular lymphatic enlargement	1	1	
8. Influenza	7	4	2	1	...	
9. Pertussis.....	1	1	
10. Continued fever.....	2	2	
11. Peliosis rheumatica	1	...	1	
Totals	85	30	52	1	2	

TABLE II.—TUBERCULOSIS.

DISEASES	CASES TREATED DURING 1925.				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Miliary	1	1	
2. Pulmonary	75	26	27	11	11	
3. Peritonitis	6	3	3	
4. Glandular	4	1	2	...	1	
5. Tabes mesenterica.....	1	...	1	
6. Meningitis	9	4	5	
7. Spine	3	2	1	
8. Psoas abscess	1	1	
9. Laryngitis	1	1	
10. Abscess of thigh	1	1	
Totals.....	102	35	34	15	18	

TABLE III.—CONSTITUTIONAL AND METABOLIC DISEASES AND DISEASES OF THE DUCTLESS GLANDS.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Diabetes mellitus	60	31	25	2	2	
2. Diabetes insipidus.....	1	...	1	
3. Splenic anæmia	2	...	2	
4. Graves' disease	30	8	21	...	1	
5. Obesity	6	1	5	
6. Myxœdema	1	...	1	
7. Gout	4	3	1	
8. Cretinism	2	...	2	
9. Debility	7	1	6	
10. Marasmus	10	4	4	1	1	
11. Addison's disease	1	1	
12. Mongolism	1	...	1	
13. Goitre	6	...	5	...	1	
14. Static œdema	1	...	1	
15. Acromegaly	2	...	2	
16. Acholuric jaundice	1	...	1	
Totals.....	135	49	78	3	5	

TABLE IV.—DISEASES OF THE ALIMENTARY TRACT.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Stomatitis	1	1	
2. Diseases of tonsils	8	3	5	
3. Dental caries	1	1	
4. Oesophageal spasm	2	1	1	
5. Carcinoma of oesophagus	9	6	1	1	1	
6. Diseases of stomach—						
i. Dyspepsia	12	5	7	
ii. Gastric neurosis	24	8	16	
iii. Gastric irritability	1	1	
iv. Abdominal pain ? cause.....	10	8	2	
v. Hæmatemesis.....	6	2	4	
vi. Gastritis, chronic	13	9	4	
vii. Gastric ulcer	49	25	21	3	...	
viii. Carcinoma of stomach	28	10	9	5	4	
ix. Gastric dilatation	1	1	
x. Pyloric stenosis	5	5	
xi. Pylorospasm	1	1	...	
xii. Vomiting.....	1	1	
xiii. Diverticulum of stomach ...	1	...	1	
7. Duodenal ulcer	21	17	1	3	...	
8. Perigastric adhesions ..	1	...	1	
9. Appendicitis.....	7	5	2	
10. Enteritis	6	5	1	
11. Chronic intestinal obstruction	1	1	
12. Colitis	13	2	10	...	1	
13. Carcinoma of colon	3	2	1	
14. Perforation of bowel	1	1	
15. Constipation	23	9	14	
16. Hæmorrhoids	1	...	1	
17. Proctitis ...	1	1	
18. Carcinoma of rectum	2	2	

DISEASES OF THE ALIMENTARY TRACT—*continued.*

DISEASES	CASES TREATED DURING 1925					REMARKS
	Total	Discharged		Died		
		M.	F.	M.	F.	
19. Diarrhoea	3	...	3	
20. Gastro-enteritis	23	8	9	4	2	
21. Visceroptosis	15	...	15	
22. Abdominal neoplasm	1	...	1	
23. Pseudocystis	1	...	1	
24. Tapeworm	2	...	2	
25. Sprue	1	1	
26. Abdominal injury	1	1	
27. Colonic neurosis.....	1	...	1	
28. Epistaxis	1	1	
Totals	302	142	134	17	9	

TABLE V.—DISEASES OF THE LIVER, GALL-BLADDER AND BILE PASSAGES, PANCREAS AND PERITONEUM.

DISEASES	CASES TREATED DURING 1925.					REMARKS
	Total	Discharged		Died		
		M.	F.	M.	F.	
1. Jaundice	8	3	5	
2. Cholecystitis.....	7	2	5	
3. Cholelithiasis	19	6	13	
4. Cirrhosis of liver	10	...	7	3	...	
5. Carcinoma of liver	2	...	1	1	..	
6. Carcinoma of common bile duct	1	...	1	1	...	
7. Family jaundice.....	2	1	1	
8. Banti's disease	3	1	2	
9. Enlargement of liver	1	1	
10. Acute necrosis of liver	1	...	1	
11. Splenomegaly	1	1	
12. Carcinoma of pancreas	10	2	2	5	1	
13. Peritonitis	1	1	
14. Ascites.....	1	1	
Totals.....	67	18	37	10	3	

TABLE VI. — DISEASES OF THE RESPIRATORY SYSTEM AND MEDIASTINUM.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Laryngeal spasm	1	...	1	
2. Bronchitis	38	16	20	2	...	
3. Lobar pneumonia	29	14	8	3	4	
4. Broncho-pneumonia	36	16	14	4	2	
5. Influenzal pneumonia	5	2	1	2	...	
6. Bronchiectasis.....	8	3	4	1	...	
7. Abscess of lung	4	2	...	1	1	
8. Neoplasm of lung	4	4	
9. Pulmonary fibrosis.....	14	9	4	1	...	
10. Carcinoma of bronchus.....	4	4	...	
11. Mediastinal tumour	9	5	2	2	...	
12. Empyema	9	5	2	1	1	
13. Pneumothorax—spontaneous	1	...	1	
14. Pleurisy	28	20	8	
15. Hæmothorax	1	...	1	
16. Thickened pleura	3	3	
17. Pleural adhesions	1	...	1	
18. Asthma	3	1	2	
19. Hæmoptysis	4	1	3	
Totals.....	202	101	72	21	8	

TABLE VII.—DISEASES OF THE KIDNEY AND GENITO-URINARY SYSTEM.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Nephritis, acute.....	10	3	6	...	1	
2. Nephritis, chronic.....	19	10	6	3	...	
3. Albuminuria	3	...	3	
4. Hæmaturia	2	...	2	
5. Renal glycosuria	3	1	2	
6. Pyuria	2	1	1	
7. Polyuria	1	...	1	
8. Coli bacilluria.....	2	1	1	
9. Hydronephrosis	1	1	
10. Congenital cystic disease of kidneys	1	...	1	
11. Renal calculus	7	4	3	
12. Pyelonephritis.....	1	1	
13. Pyelitis	5	...	5	
14. Cystitis	1	...	1	
15. Vesical neoplasm	1	1	
16. Dysuria	1	1	
17. Nocturnal enuresis	5	2	3	
18. Uræmia	2	1	1	
19. Renal colic	2	1	1	
20. Nephroptosis	2	1	1	
21. Perinephric hæmorrhage	1	1	
Totals	72	29	37	4	2	

TABLE VIII.—DISEASES OF THE BLOOD.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Symptomatic anæmia	4	...	4	
1. Pernicious anæmia	11	6	4	...	1	
3. Aplastic anæmia	1	1	
4. Chlorosis.....	1	...	1	
5. Leukæmia	8	4	3	1	...	
6. Polycythæmia vera	1	1	
7. Lymphadenoma.....	5	3	2	
7. Purpura	7	5	2	
8. Acetonæmia	1	...	1	
10. Septicæmia..	1	1	...	
Totals.....	40	19	17	2	2	

TABLE IX.—CARDIO-VASCULAR DISEASES.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Hypertension	14	6	6	1	1	
2. Disorders of rhythm—						
(i) Paroxysmal tachycardia	2	2	
(ii) Auricular fibrillation	24	16	6	...	2	
(iii) Disordered action of heart	2	1	1	
(iv) Auricular flutter	6	4	1	1	...	
(v) Bradycardia	1	...	1	
(vi) Sinus arrhythmia	1	...	1	
3. Congenital heart disease	6	5	...	1	...	
4. Mitral stenosis	64	24	31	4	5	
5. Double mitral disease	12	8	4	
6. Aortic disease.....	7	2	4	1	...	
7. Angina pectoris	6	4	1	...	1	
8. Rheumatic endocarditis	2	1	...	1	...	
9. Malignant endocarditis	16	4	1	7	4	
10. Rheumatic carditis	5	2	2	1	...	
11. Myocardial degeneration	8	5	2	1	...	
12. Aneurysm of aorta.....	8	6	...	2	...	
13. Aortic and mitral disease	37	24	6	6	1	
14. Coarctation of aorta	3	3	
15. Intermittent claudication	1	1	
16. Cerebral arterial degeneration	1	...	1	
17. Cerebral thrombosis	3	3	
18. Thrombo-angiitis	1	1	
19. Arterio sclerosis	4	2	1	1	...	
20. Thrombo phlebitis.....	2	1	1	
21. Senile gangrene of foot.....	1	1	
22. Functional cardiac condition	1	1	
23. Coronary artery disease	1	1	...	
Totals	239	126	70	28	15	

TABLE X.—DISEASES OF THE NERVOUS SYSTEM.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Diseases of the Meninges—						
(i) Meningitis	3	...	3	
(ii) Subarachnoid hæmorrhage.....	2	2	
(iii) Extradural hæmorrhage	1	1	
(iv) Endothelioma of falx	1	1	
(v) Endothelioma of dura	1	1	
2. Diseases of the Brain—						
(i) Cerebral tumour	12	2	3	5	2	
(ii) Bulbar paresis	1	...	1	
(iii) Cerebellar ataxy	2	...	2	
(iv) Cerebral hæmorrhage	1	1	
(v) Hemiplegia	9	5	4	
(vi) Encephalitis	1	1	
(vii) Hydrocephalus.....	1	1	...	
(viii) Encephalitis lethargica	11	5	6	
(ix) Post-encephalitic syndrome	9	4	5	
(x) G.P.I.	4	4	
3. Diseases of the spinal cord—						
(i) Meningo-myelitis.....	4	3	1	
(ii) Disseminated sclerosis.....	11	2	9	
(iii) Syringomyelia	2	1	1	
(iv) Paraplegia.....	5	2	2	...	1	
(v) Monoplegia	1	1	
(vi) Anterior poliomyelitis	8	5	2	1	...	
(vii) Tabes dorsalis	7	7	
4. Diseases of the Nerves—						
(i) Peripheral neuritis	4	1	3	
(ii) Bell's palsy	1	1	
(iii) Sciatica	9	7	2	
(iv) Neuralgia	2	...	2	
(v) Trigeminal neuralgia	1	...	1	
5. Functional—						
(i) Functional nervous disorder	13	3	10	
(ii) Neurasthenia	18	7	11	
(iii) Hysteria	2	1	1	
(iv) Facial tic	1	...	1	
(v) Spasmodic torticollis	1	...	1	
(vi) Migraine	2	1	1	
(vii) Epilepsy	9	3	6	
6. Chorea.....	25	7	18	
7. Huntington's chorea	1	..	1	

DISEASES OF THE NERVOUS SYSTEM—*continued.*

DISEASES	CASES TREATED DURING 1925.				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
8. Vestibular vertigo	1	...	1	
9. Ménière's syndrome	1	1	
10. Mental disorders—						
(i) Mental deficiency	2	1	1	
(ii) Amentia	1	1	
(iii) Dementia	2	1	1	
(iv) Delirium tremens.....	1	...	1	
(v) Paranoia	1	...	1	
11. Myasthenia gravis.....	2	1	1	
12. Primary myopathy.....	2	2	
13. Transient amauroses	1	1	
14. Papilloedema	4	2	2	
15. Angioneurotic oedema	1	...	1	
16. Neuromata	1	1	
17. Sacral tabes	1	...	1	
18. Hæmatorachis	1	...	1	
19. Charcot joint	1	1	
Totals.....	199	87	108	7	7	

TABLE XI.—GYNÆCOLOGICAL AND OBSTETRICAL CASES ADMITTED TO MEDICAL WARDS.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Twisted dermoid ovarian cyst	1	...	1	
2. Malignant ovarian cyst	2	...	2	
3. Pregnancy	4	...	4	
4. ? Carcinoma of uterus	1	1	
5. Carcinoma of cervix	1	...	1	
6. Hyperemesis	1	...	1	
7. Sterility	1	...	1	
8. Salpingitis	1	...	1	
9. Vaginitis	1	...	1	
Totals	13	...	12	...	1	

TABLE XII.—POISONS.

DISEASES	CASES TREATED DURING 1925				REMARKS	
	Total	Discharged		Died		
		M.	F.	M.		F.
1. Luminal	1	1	
2. Paraldehyde	1	...	1	
3. Thyroid gland	1	...	1	
4. Food	3	3	
5. Lead	1	1	
Totals	7	5	2	

TABLE XIII.—VARIOUS.

DISEASES.	CASES TREATED DURING 1925.					REMARKS
	Total	Discharged		Died		
		M.	F.		F.	
1. Periostitis	1	1	
2. Hypertrophic osteoarthropathy	1	...	1	
3. Epiphysitis	1	...	1	
4. Osteitis deformans.....	1	...	1	
5. Osteomyelitis of rib	1	1	...	
6. Sclerodermia	1	1	
7. Erythema nodosum	1	...	1	
8. Mastoid	2	1	1	
9. Otitis media	1	1	
10. Lymphosarcomatosis	3	...	1	1	1	
11. Teratoma testis	1	1	
12. Melanotic sarcoma.....	1	1	
13. Carcinoma of pelvis	1	...	1	
14. Abdominal tumour	1	1	
15. Carcinoma of prostate	2	2	
16. Granuloma of bladder	1	1	
17. Endothelioma of thigh.....	1	...	1	
18. Muscular strain	1	...	1	
19. Coeliac disease	1	1	
20. Convulsions	2	1	1	
21. Parotitis	1	...	1	
22. Lumbar pain	2	2	
23. Chronic abscess of neck	1	1	
24. Effort syndrome	1	1	
25. Nil abnormal detected	5	...	5	
26. Umbilical hernia	1	...	1	
27. Cleft palate.....	1	1	
28. Tetanus	1	1	
29. Non compos mentis	1	...	1	
30. Lumbago	2	1	1	
31. Caisson disease	2	2	
Total	43	19	18	2	4	

Part II. CASE INDEX.

TABLE I.

GENERAL INFECTIVE DISEASES INCLUDING ACUTE SPECIFICS.

1. ENTERIC FEVER.

- P.—Female, 2653 (*B. typhosus*, no *post-mortem*).
 B.—Female, 1369, 2483 (Para B.).
 E.—Male, 2514 (Para B, epiphysitis).
 E.—Female, 768 (broncho-pneumonia).

2. TETANUS.

- E.—Male, 3711 (recovered).

3. RHEUMATOID ARTHRITIS.

- S.—Female, 3947/24, 657, 1168, 1217, 1896 (mitral regurgitation; ? splenic anæmia), 2189, 2508 (temporo-maxillary), 2125, 3448, 3624 (mitral regurgitation).
 P.—Female, 4652/24, 389.
 B.—Female, 1475, 1917, 4140.
 E.—Female, 3548, 4590 (achondroplasia).

4. OSTEO-ARTHRITIS.

- S.—Male, 948 (spine; Albee's operation, G. W.), 1567, 3706 (right shoulder); Female, 1958.
 P. Male, 1678; Female, 3985/24, 101.
 B.—Male, 550; Female, 16.
 E.—Male, 2388 (manipulation, G. W.); Female, 1030, 3622 (rheumatic effusion, both knees; Wassermann reaction negative; extraction of teeth).

5. ARTHRITIS.

- S.—Female, 421.
 P.—Male, 4401, 809; Female, 3251 (old anterior poliomyelitis).
 B.—Female, 220, 3539 (gonococcal).
 E.—Male, 4546/24, 417; Female, 4491/24.

6. ACUTE RHEUMATISM.

- S.—Male, 1969; Female, 2167, 2755 (subacute).
 P. Male, 195, 775, 1802, 2620 (subacute), 3865; Female, 259 (carditis), 484, 903, 1137, 1368, 2019, 2072, 2160, 2437 (endocarditis, pericarditis, no *post-mortem*), 2672, 2677 (arthritis, carditis), 2898, 3570, 3763 (mitral stenosis).
 B.—Male, 1900 (muscular), 2748 (mitral regurgitation; fluid right knee).
 B.—Female, 2218 (abscess of breast; drainage, S. U.).
 E.—Male, 1550, 2268; Female, 4, 3453.

7. GLANDULAR LYMPHATIC ENLARGEMENT.
P.—Male, 218.
8. INFLUENZA.
S.—Male, 3425 (pyorrhœa).
P.—Male, 532; Female, 4315.
B.—Male, 331.
E.—Female, 3794.
L.—Male, 4354 (basal artery thrombosis, *post-mortem* 237), 1281.
9. PERTUSSIS.
P.—Male, 1746 (broncho-pneumonia).
10. CONTINUED FEVER.
S.—Male, 2283 (? endocarditis, streptococci in blood).
P.—Male, 2752 (secondary gluteal abscess, broncho-pneumonia).
11. PELIOSIS RHEUMATICA.
S.—Female, 3365.

TABLE II.
TUBERCULOSIS.

1. MILIARY.

S.—Male, 3965/24 (with tuberculous pleural effusion).

2. PULMONARY.

S.—Male, 3605/24 (hæmoptysis), 196, 812, 934, 1015 (*post-mortem* 73), 1325 (no *post-mortem*), 1420 (no tubercle bacilli found), 1540 (*post-mortem* 97), 1541 (*post-mortem* 116), 2013, 2216 (malignant endocarditis, *post-mortem* 129), 2278, 4365, 4393, 4461 (patent ductus arteriosus, empyema); Female, 797 (renal calculus), 863 (*post-mortem* 84), 1053, 1239, 1276 (no *post-mortem*), 1332 (*post-mortem* 86), 1425, 1426, 1500, 1744, 1750, 1777, 1783, 1854 (pleural effusion; empyema; resection of rib, G. W.; *post-mortem* 173), 1997 (left artificial pneumothorax), 2002 (artificial pneumothorax tried), 3744 (left artificial pneumothorax, no *post-mortem*), 4384, 4474 (pregnant).

P.—Male, 184, 245, 3604 (tuberculous enteritis, *post-mortem* 197); Female, 956, 1225, 3506 (tuberculous enteritis, *post-mortem* 198).

B.—Male, 4091/24, 4473/24, 84 (diabetes, hæmoptysis, no *post-mortem*), 179 (*post-mortem* 17), 204 (empyema, amyloid disease), 799, 2394 (right artificial pneumothorax), 2761 (tuberculous broncho-pneumonia, *post-mortem* 158), 2943 (tubercle bacilli present, right artificial pneumothorax), 3035, 3089, 3167 (left artificial pneumothorax), 3562, (*post-mortem* 216), 3691 (ischio-rectal abscess, drained, S. U.),

2. PULMONARY—(continued).

4187; Female, 4664/24 (with empyema, artificial pneumothorax, *post-mortem* 6/25), 4080/24 (no *post-mortem*), 542, 698 (intestinal obstruction, tuberculous enteritis, *post-mortem* 58), 735 (fits), 793, 2800, 2927, 3161 (left artificial pneumothorax), 3162 (right artificial pneumothorax), 3404, 3904 (ulceration of larynx, *post-mortem* 221), 4570 (diabetes, *post-mortem* 255).

E.—Male, 3330/24 (sanocrysin; glands of neck excised, E. K. M.), 694 (myxœdema), 2285, 3946 (Addison's disease, *post-mortem* 247); Female, 3830/24 (sanocrysin), 710, 1833.

3. PERITONITIS.

S.—Female, 3633 (laparotomy, S. U.).

P.—Male, 605, 609.

B.—Male, 4287/24.

E.—Female, 3779/24, 1768.

4. GLANDULAR.

P.—Male, 3584; Female, 4036.

E.—Female, 1611 (ulceration, *post-mortem* 98), 1797 (pulmonary tuberculosis, Bazin's disease).

5. TABES MESENTERICA.

W.—Female, 3091 (old fracture fifth lumbar vertebra).

6. MENINGITIS.

S.—Female, 1745 (no *post-mortem*).

P.—Male, 674 (*post-mortem* 54), 888 (*post-mortem* 61, miliary tuberculosis), 3521 (no *post-mortem*); Female, 1382 (no *post-mortem*), 1528 (no *post-mortem*).

B.—Female, 4020 (*post-mortem* 213).

E.—Male, 1715 (*post-mortem* 99).

W.—Female, 335 (primary, Fallopian tube, *post-mortem* 31).

7. SPINE.

S.—Female, 4092.

P.—Male, 1806.

E.—Male, 4558/24 (plaster, G. W.).

8. PSOAS ABSCESS.

B.—Female, 3975 (ascites, amyloid disease, *post-mortem* 227).

9. LARYNGITIS.

L.—Male, 3193.

10. ABSCESS OF THIGH.

S.—Male, 3200 (operation, G. W.).

TABLE III.

CONSTITUTIONAL AND METABOLIC DISEASES AND
DISEASES OF THE DUCTLESS GLANDS.

1. DIABETES MELLITUS.

S.—Male, 4364/24, 561, 815, 1247, 1898, 3725, 4034 (septic tonsils), 4174; Female, 4260/24, 38 (retinitis), 126, 370, 602, 940, 2017, 2424, 2667, 2707 (hyperpiesia), 3480, 3611 (rheumatoid arthritis), 3727.

P.—Male, 4259/24, 35 (*post-mortem* 5), 927 (empyema, *post-mortem* 62), 921, 1361, 2173, 3296; Female, 1508.

W.—Female, 968 (psychasthenia).

B.—Male, 618, 747, 1344 (gangrene of toe).

B.—Female, 2188, 2944, 3259, 3742.

E.—Male, 6, 639, 771, 807 (gangrene right foot), 905, 1470, 1892, 2100, 2850, 3245 (bilateral glaucoma), 3718 (pulmonary tuberculosis, peripheral neuritis), 4119, 4286 (carbuncles), 3991, 4476.

E.—Female, 623 (gangrene; detached retina; operation, G. W.; *post-mortem* 46), 4640/24, 647 (osteo-arthritis), 1038 (cellulitis left foot), 261; 2253, 3212 (no *post-mortem*), 4392.

2. DIABETES INSIPIDUS.

B.—Female, 3939.

3. SPLENIC ANÆMIA.

B.—Female, 697 (splenectomy, S. U.).

E.—Male, 4059/24 (splenectomy, S. U.).

4. GRAVES' DISEASE.

S.—Male, 360, 3540.

S.—Female, 152 (acute abdominal symptoms), 1926, 2716 (incomplete, enlarged tonsils).

P.—Male, 1521 (D.A.H.); Female, 410, 468 (neuritis), 914 (hemithyroidectomy, W. T.; *post-mortem* 81), 1094 (tonsillectomy).

B.—Male, 2316.

B.—Female, 4386/24 (diabetes), 1976, 2501, 2977 (early), 3426, 4607.

E.—Male, 465, 3573 (thyroidectomy, W. T.); Female, 115 (right hemithyroidectomy, W. T.), 226, 548, 655, 862 (ligature thyroid arteries, E. K. M.), 1262 (hemithyroidectomy, W. T.), 2800 (thyroidectomy, E. K. M.), 3146.

L.—Male, 1157 (tonsillectomy), 1477 (thyroidectomy, E. K. M.); Female, 2856 (auricular fibrillation; thyroidectomy, W. T.; quinidine).

W.—Female, 2875.

5. OBESITY.

S.—Male, 495 (? pituitary); Female, 1033.
 P.—Female, 3483.
 B.—Female, 1583.
 E.—Female, 1994, 2818.

6. MYXEDEMA.

E.—Female, 644.

7. GOUT.

P.—Male, 761, 3726.
 E.—Male, 2960; Female, 2166.

8. CRETINISM.

P.—Female, 4026/24, 1859.

9. DEBILITY.

S.—Female, 112, 227, 4505, 4595.
 B.—Male, 177; Female, 4513/24.
 L.—Female, 3274 (following blood donation).

10. MARASMUS.

P.—Male, 823, 952, 1419, 1591, 1683 (no *post-mortem*);
 Female, 667, 866, 1460, 1858, 4327 (no *post-mortem*).

11. ADDISON'S DISEASE.

B.—Male, 2657.

12. MONGOLISM.

P.—Female, 2545.

13. GOITRE.

S.—Female, 1584.
 P.—Female, 3301 (colloid).
 B.—Female, 1194 (parenchymatous).
 E.—Female, 2518, 4269 (intrathoracic; removal, W. T.).
 W.—Female, 3066 (thyroidectomy, S. U., no *post-mortem*).

14. STATIC OEDEMA.

P.—Female, 886.

15. ACROMEGALY.

B.—Female, 3482.
 E.—Female, 2198 (hyperpiesia).

16. ACHOLURIC JAUNDICE.

E.—Female, 1136 (splenectomy and cholecystectomy, G. W.).

TABLE IV.

DISEASES OF THE ALIMENTARY TRACT.

1. STOMATITIS.

P.—Male, 822.

2. DISEASES OF TONSILS.

S.—Female, 3092 (enucleation).

P.—Male, 2390 (with adenoids, tonsillectomy); Female, 1274 (D.A.H.), 4212 (enucleation, G. S. H.).

B.—Male, 1899, 2848.

E.—Female, 349, 4084 (rheumatism; heart enlarged; tonsillectomy, G. S. H.).

3. DENTAL CARIES.

S.—Male, 2523 (debility, total extraction).

4. ŒSOPHAGEAL SPASM.

E.—Male, 3060 (? cause, dilatation); Female, 4669/24.

5. CARCINOMA OF ŒSOPHAGUS.

S.—Male, 3917.

P.—Female, 216 (*post-mortem* 12).

B.—Male, 4564/24, 554 (gastrostomy, G. W.), 1663 (gastrostomy; Œsophagoscopy and dilatation, G. W.), 2923 (gastroscopy, G. W.), 3719 (gastrostomy, W. T.), 4516 (gastrostomy, E. K. M., *post-mortem* 251); Female, 2537 (gastrostomy; transpleural exploration, G. W.).

6. DISORDERS OF STOMACH.

i. Dyspepsia.

S.—Male, 228 (flatulent, old thoracoplasty); Female, 4425/24, 582, 1644, 1778.

P.—Female, 4379 (nervous).

B.—Male, 197.

B.—Female, 412.

E.—Male, 4391/24, 377, 1647; Female, 241.

ii. Gastric neurosis.

S.—Male, 2603 (constipation).

P.—Female, 1563, 2460.

B.—Male, 198, 440, 767, 1404, 3973, 4171; Female, 3888/24, 4666/24, 106, 758, 1139, 1349, 1589, 1692, 1616, 1911, 2719, 3068, 4013, 4104.

E.—Male, 1219.

iii. Gastric irritability.

B.—Male, 1779

iv. Abdominal pain. ? Cause.

S.—Female, 1196.

P.—Male, 463; Female, 91.

B.—Male, 4665/24, 2084, 2464, 2524 (urticaria), 3994 (following gastro-enterostomy), 4228 (retroverted uterus.)

E.—Male, 1340.

6. DISORDERS OF STOMACH—(continued).

v. *Hæmatemesis.*

B.—Female, 4227/24 (laparotomy, E. K. M.), 2311.

E.—Female, 1089.

L.—Male, 2193, 3830 (readmission; laparotomy, G. W.; adhesions round gall-bladder; appendicectomy).

W.—Female, 1160.

vi. *Gastritis, chronic.*

P.—Male, 4397/24, 4398/24, 1406 (mastoid operation, H. T.), 3248; Female, 4584/24, 741, 776, 3375.

B.—Male, 2652, 3405, 3984 (appendicectomy, E. K. M.), 4258.

E.—Male, 168.

vii. *Gastric ulcer.*

S.—Male, 4149/24 (chronic laryngitis), 133 (with melæna), 857 (?), 1070, 2842 (pyorrhœa), 2586 (nasal obstruction), 2909 (gastro-enterostomy, G. W.), 3499, 3535, 3692 (gastroscopy; gastro-enterostomy, G. W.).

S.—Female, 37, 320 (gastro-enterostomy, G. W.), 757, 1205 (mitral and aortic disease), 1278, 4007 (sleeve resection, G. W.).

P.—Male, 1944 (pylorospasm), 3808 (enlarged heart), 3811 (kyphosis); Female, 4221/24 (laparotomy, G. W.), 47 (resection, G. W.), 2117 (excision, G. W.), 3129.

B.—Male, 3819/24 (gastroscopy and excision, G. W.), 4115/24 (gastroscopy, G. W.), 733 (perforated; gastro-jejunoscopy, E. K. M.), 814 (gastro-enterostomy, G. W.), 1578 (gastro-enterostomy, *post-mortem* 102), 1662 (carcinoma, blood transfusion, *post-mortem* 111), 2281 (gastro-enterostomy, G. W.), 3919, 3779 (gastro-enterostomy, G. W.), 4260; Female, 4583/24, 4474/24, 900, 1464, 2168, 2457, 2669, 3498.

E.—Male, 1100, 2196 (resection, E. K. M.; post operative broncho-pneumonia; *post-mortem* 133), 2213, 3609, 719 (resection, E. K. M.); Female, 789, 1817, 3941 (hourglass).

viii. *Carcinoma of stomach.*

S.—Male, 4521/24 (*post-mortem* 11), 83, 270 (melæna), 2594 (extraction of teeth), 2912 (no *post-mortem*); Female, 4477/24, 395 (*post-mortem* 50), 556 (readmission), 2634 (carcinoma; sigmoid colon; cæcostomy and resection, E. K. M.), 3890, 4196 (*post-mortem* 225).

P.—Female, 1776.

B.—Male, 997 (*post-mortem* 88), 1284, 1315 (partial gastrectomy, G. W.), 2045 (laparotomy, G. W.; inoperable), 3809 (resection, S. U.; *post-mortem* 229), 3481 (laparotomy, E. K. M.; inoperable), 4136; Female, 3008 (partial gastrectomy, E. K. M.; *post-mortem* 164), 3205 (leather bottle), 3229.

E.—Male, 2713 (*post-mortem* 156), 3770, 3812; Female, 21 (laparotomy, E. K. M.), 685, 2564 (*post-mortem* 151).

ix. *Gastric dilatation.*

B.—Male, 885.

6. DISORDERS OF STOMACH—(continued).

x. *Pyloric stenosis.*

- S.—Male, 1891.
 P.—Male, 1073 (? carcinoma).
 B.—Male, 3190.
 E.—Male, 1509 (hypochlorhydria), 1525.

xi. *Pylorospasm.*

- P.—Male, 4098 (laparotomy, S. U.; no *post-mortem*).

xii. *Vomiting.*

- S.—Male, 4507 (recurrent and functional, attributed to coal gas fumes).

xiii. *Diverticulum of stomach.*

- B.—Female, 2824 (laparotomy, E. K. M.).

7. DUODENAL ULCER.

- S.—Male, 1122, 2809 (Wassermann reaction positive), 4145 (gastro-enterostomy, S. U.), 4153, 4318; Female, 2348 (excision, E. K. M.).

- P.—Male, 788 (sleeve resection, G. W.), 3801.

- B.—Male, 1040 (gastro-enterostomy, G. W.; *post-mortem* 83), 739, 1602 (?), 1604 (resection, E. K. M.), 2209, 3485, 3497 (perforated; gastro-enterostomy, G. W.; *post-mortem* 181).

- E.—Male, 450, 559, 1804 (*post-mortem* 100), 3555, 4434.

- L.—Male, 3349 (gastro-enterostomy; appendicectomy, G. W.).

8. PERIGASTRIC ADHESIONS.

- B.—Female, 1362.

9. APPENDICITIS.

- S.—Female, 4198 (calcareous glands; laparotomy, S. U.).

- P.—Male, 4463/24 (?), 1902 (drainage, appendicectomy, G. W.).

- B.—Male, 715, 3821; Female, 1161 (appendicectomy, salpingectomy, G. W.).

- E.—Male, 898.

10. ENTERITIS.

- S.—Male, 3593 (old pulmonary tuberculosis).

- P.—Male, 2016 (worms), 3235 (*Lamblia intestinalis* found); Female, 3374.

- B.—Male, 1684.

- E.—Male, 1707.

11. CHRONIC INTESTINAL OBSTRUCTION.

- E.—Male, 58.

12. COLITIS.

- S.—Male, 3495 (stasis); Female, 603 (mucous), 1444 (mucous).

- P.—Female, 4317/24 (ulcerative), 209 (ulcerative), 470 (ulcerative), 1761 (ulcerative, readmission).

B.—Female, 2048 (colonic spasm, sarcoma of eye), 3627, 3881 (spastic colon).

E.—Male, 3056 (thickened colon after dysentery); Female, 2257 (*post-mortem* 166), 3264 (congenital deformity of hands; adenoma of thyroid; removal, G. W.).

13. CARCINOMA OF COLON.

P.—Male, 4249/24 (cæcostomy; resection, G. W.).

B.—Male, 3995.

E.—Female, 161 (transverse colostomy, S. U.).

14. PERFORATION OF BOWEL.

S.—Female, 1398 (laparotomy, G. W.; *post-mortem* 77).

15. CONSTIPATION.

S.—Male, 2067, 2728, 2942, 4410; Female, 1515 (pregnant), 4305.

P.—Male, 2648 (? Hirschsprung's disease); Female, 242, 2009, 3829.

B.—Male, 449; Female, 833, 1446, 2121.

E.—Male, 40, 3256; Female, 504, 821, 847, 1556, 3802, 4394.

L.—Male, 3530.

16. HÆMORRHOIDS.

P.—Female, 1524 (secondary anæmia; ligature, S. U.).

17. PROCTITIS.

S.—Male, 423.

18. CARCINOMA OF RECTUM.

S.—Male, 440 (colostomy, G. W.).

B.—Male, 3540.

19. DIARRHŒA.

B.—Female, 445, 3828 (? cause), 2843.

20. GASTRO-ENTERITIS.

P.—Male, 4654/24, 2010 (stomatitis), 2197, 2304, 2475 (*post-mortem* 148), 2480 (*post-mortem* 143), 2637, 3012 (no *post-mortem*), 3289, 3441, 3774, 4006 (*post-mortem* 214); Female, 4429/24, 229, 1995 (rickets), 2284, 2428, 2754, 2769 meningitis (*post-mortem* 153), 2989, 3036 (whooping-cough), 3341 (*post-mortem* 169), 4097.

21. VISCEROPTOSIS.

S.—Female, 211, 1068, 1181, 1270, 1443, 2462, 3231 (pyorrhœa), 3500, 3710, 4161.

B.—Female, 1894.

E.—Female, 481, 791, 3002 (abdominal belt), 4204.

22. ABDOMINAL NEOPLASM.
S.—Male, 3536 (primary unknown).
23. PSEUDOCYESIS.
P.—Female, 1807.
24. TAPEWORM.
P.—Female, 607.
E.—Female, 2072.
- 25.—SPRUE.
P.—Male, 3140.
26. ABDOMINAL INJURY.
B.—Male, 1865.
27. COLONIC NEUROSIS.
B.—Female, 4009/24.
28. EPISTAXIS.
S.—Male, 1719.

TABLE V.

DISEASES OF THE LIVER, GALL-BLADDER AND BILE
PASSAGES, SPLEEN, PANCREAS AND PERITONEUM.

1. JAUNDICE.

- S.—Female, 3325 (catarrhal).
P.—Male, 1445, 4165 (catarrhal), 4444 (catarrhal); Female,
4412/24, 911 (? infective + liver and spleen), 3017 (catarrhal
coli bacilluria).
B.—Female, 1132.

2. CHOLECYSTITIS.

- S.—Female, 130, 498 (? carcinoma).
P.—Male, 1199, 1438.
E.—Female, 1449 (cholecystectomy, G. W.), 3786.
W.—Female, 2406.

3. CHOLELITHIASIS.

- S.—Male, 626 (cholecystectomy, no *post-mortem*); Female,
1948, 3069.
P.—Male, 1513 (cholecystectomy, G. W.); Female, 2509,
3937, 4245 (cholecystectomy, G. W.).
B.—Male, 1265, 1725, 363, 2108 (laparotomy, S. U.);
Female, 181, 2027 (cholecystectomy, S. U.), 2673, 3044,
3073, 3701 (cholecystectomy, S. U.), 4001.
E.—Female, 794 (?).

4. CIRRHOSIS OF LIVER.
 S.—Male, 3384 (*post-mortem* 183), 4479 (hæmatemesis, *post-mortem* 245),
 P.—Female, 2543 (ascites), 2786 (syphilis, ascites), 2840 (ascites, paracentesis).
 B.—Female, 75, 553 (and pancreas, 4057) (paracentesis).
 E.—Male, 2830 (*post-mortem* 230); Female, 919.
 5. CARCINOMA OF LIVER.
 S.—Female, 1625 (laparotomy, G. W.).
 P.—Male, 873 (primary, *post-mortem* 68).
 6. CARCINOMA COMMON BILE DUCT.
 E.—Male, 4594/24 (laparotomy, G. W., *post-mortem* 10/25).
 7. FAMILY JAUNDICE.
 P.—Male, 3983; Female, 3032.
 8. BANTI'S DISEASE.
 P.—Female, 1348, 3488 (splenectomy, G. W., peritonitis, *post-mortem* 207).
 L.—Male, 2097.
 9. ENLARGEMENT OF LIVER.
 S.—Male, 3731.
 10. ACUTE NECROSIS OF LIVER.
 W.—Female, 1630 (no *post-mortem*, bilateral papill-
 œdema).
 11. SPLENOMEGALY.
 P.—Male, 3883 (? cause).
 12. CARCINOMA OF PANCREAS.
 S.—Male, 1437 (*post-mortem* 115), 4261 (*post-mortem* 252).
 P.—Male, 2362 (head), 2709 (head, *post-mortem* 103).
 B.—Male, 52 (no *post-mortem*), 2534 (?); Female, 3643 (cholecystgastrostomy, S. U.), 3956 (cholecystgastrostomy, G. W.).
 E.—Male, 180 (*post-mortem* 22); Female, 3217 (secondary stomach, transverse colostomy, jaundice, *post-mortem* 171).
 13. PERITONITIS.
 P.—Female, 3699 (pneumococcal, *post-mortem* 196).
 14. ASCITES.
 S.—Male, 2998 (? Pick's disease).
-

TABLE VI.

DISEASES OF THE RESPIRATORY SYSTEM AND
MEDIASTINUM.

1. LARYNGEAL SPASM.

P.—Female, 24.

2. BRONCHITIS.

S.—Male, 1532 (deflected septum), 2280, 4509 (laryngitis); Female, 1193, 1566 (functional aphonia), 1877, 1530 (with asthma; submucous resection, H. T.), 2982 (with emphysema), 3644.

P.—Male, 4612/24, 4617/24, 311 (emphysema), 105, 536 (*post-mortem* 51, purulent), 677, 1091, 2195 (emphysema), 2037 (with emphysema), 2178, 3104, 3512 (with emphysema, ? gastric ulcer), 4583 (convulsions); Female, 4427/24 (pleurisy), 317 (emphysema), 1103 (asthma and emphysema), 1279 (with asthma), 1962, 3027, 3131, 3376, 3902, 4210.

B.—Female, 950 (asthma), 4260.

E.—Male, 4602/24 (emphysema), 60 (with emphysema and heart failure, *post-mortem* 4); Female, 1601, 3899.

3. LOBAR PNEUMONIA.

S.—Male, 2467 (ozæna); Female, 286, 1977 (septicæmia, *post-mortem* 114).P.—Male, 587 (with effusion), 774, 2227, 2360, 2754 (pneumococcal peritonitis, drainage, *post-mortem* 149), 2896, 3663, 4219; Female, 4638/24 (with effusion, *post-mortem* 7/25), 1153 (pleurisy), 2880, 3992.B.—Male, 4636/24, 1258 (abscess of lung), 1535 (no *post-mortem*); Female, 408, 589, 2473 (*post-mortem* 137).E.—Male, 4599/24, 549, 1206, 1600 (no *post-mortem*); Female, 3923 (double), 4503 (empyema, pericarditis, *post-mortem* 248).

L.—Male, 3501; Female, 523.

4. BRONCHO-PNEUMONIA.

S.—Male, 1681 (*post-mortem* 91), 2244 (*post-mortem* 127); Female, 987 (with fibrosis).P.—Male, 4457/24, 1134, 1293, 1649, 2380, 2455, 2519, 2825, 3279, 3280, 3314, 3660, 4149, 4199, 4295 (diarrhœa, *post-mortem* 240), 4240 (pleural effusion), 4301; Female, 183, 44, 310, 737, 1135, 1429, 1573, 1621, 2452, 2949, 3114, 4117, 4149 (bronchitis, *post-mortem* 222).B.—Male, 562 (no *post-mortem*).E.—Male, 855 (no *post-mortem*), 1860.

5. INFLUENZAL PNEUMONIA.

S.—Male, 3707 (spontaneous pneumothorax, *post-mortem* 206).

P.—Male, 1207; Female, 390.

E.—Male, 409, 2092 (hæmorrhagic, *post-mortem* 119).

6. BRONCHIECTASIS.

- S.—Male, 1301, 4116 (acute bronchitis); Female, 4311.
 P.—Female, 4481/24, 3411 (early ?).
 B.—Male, 3507 (fibroid lung); Female, 332, (hæmo-
 ptysis).
 E.—Male, 4618 (amyloid disease, ascites, *post-mortem*
 259).

7. ABSCESS OF LUNG.

- S.—Male, 205 (right artificial pneumothorax), 1511
 (artificial pneumothorax); Female, 3757 (empyema; resec-
 tion rib, G. W.; *post-mortem* 226).
 P.—Male, 1427 (exploration and drainage, G. W.; *post-*
mortem 139).

8. NEOPLASM OF LUNG.

- S.—Male, 835, 2279 (readmission).
 B.—Male, 1032 (?).
 E.—Male, 2184 (secondary sarcoma).

9. PULMONARY FIBROSIS.

- S.—Male, 2113 (hæmoptysis), 1617 (no tubercle bacilli,
 no *post-mortem*), 2238 (no tubercle bacilli), 3224 (no tubercle
 bacilli); Female, 2675 (? bronchiectasis).
 P.—Male, 3004; Female, 2777 (bronchiectasis).
 B.—Male, 68, 1922, 3406 (no tubercle bacilli).
 E.—Male, 1967, 3585; Female, 3556, 4080 (bronchiectasis).

10. CARCINOMA OF BRONCHUS.

- B.—Male, 273 (*post-mortem* 16), 1561 (*post-mortem* 135).
 E.—Male, 516 (*post-mortem* 47), 3486 (*post-mortem* 190).

11. MEDIASTINAL TUMOUR.

- S.—Male, 571 (obstruction right bronchus), 3188 (radium),
 3717; Female, 3357.
 B.—Male, 1816; Female, 4634/24 (secondary).
 E.—Male, 370 (*post-mortem* 21), 3574 (*post-mortem* 193),
 1774 (obstruction superior vena cava).

12. EMPYEMA.

- S.—Male, 3612/24 (pneumococcal; drainage, S. U.); 1222
 (resection of rib, G. W.).
 P.—Male, 374 (staphylococcal; drainage, G. W.), 1097
 (staphylococcal; drainage, G. W.); Female, 4240/24
 (pneumococcal; drainage, G. W.).
 B.—Male, 1299 (pneumococcal; resection rib, S. U.; *post-*
mortem 85), 2237 (old artificial pneumothorax); Female, 342
 (pneumococcal; drainage, G. W.), 2820 (pneumococcal,
 resection rib, (no *post-mortem*)).

13. SPONTANEOUS PNEUMOTHORAX.

- E.—Female, 4560/24.

44. PLEURISY.

S.—Male, 4668/24 (with effusion, artificial pneumothorax), 2384. (with effusion), 3019 (with effusion), 3793 (with effusion), 4933 (with effusion, recurrent); Female, 725 (with effusion), 2071 (with effusion, *nil grown*).

P.—Male, 3766/24 (with effusion), 4374/24, 391 (with effusion), 451, 627 (with effusion), 867 (with effusion), 1324 (with effusion), 2164, 2500 (with effusion), 2553 (with effusion; paracentesis, ? aneurysm, ? neoplasm), 3612; Female, 2039 (with effusion), 2089 (empyema; drainage, G. W.).

B.—Male, 899 (with effusion), 4398; Female, 4355 (with effusion).

E.—Male, 1008 (with effusion); Female, 4348/24 (with effusion), 2091 (with effusion, no tubercle bacilli).

L.—Male, 3070 (diaphragmatic).

W.—Female, 3174.

15. HÆMOTHORAX.

S.—Female, 4369/24 (? carcinoma).

16. THICKENED PLEURA.

S.—Male, 2215, 2459.

P.—Male, 3386.

17. PLEURAL ADHESIONS.

E.—Female, 2453.

18. ASTHMA.

P.—Female, 1479.

S.—Female, 3916.

B.—Female, 3517.

L.—Male, 127.

19. HÆMOPTYSIS.

S.—Female, 1626 (simple consumption).

P.—Female, 2920 (no tubercle bacilli), 3844 (? pulmonary tuberculosis, Wassermann reaction positive).

L.—Male, 279.

TABLE VII.

DISEASES OF THE KIDNEY AND GENITO-URINARY SYSTEM.

1. NEPHRITIS, ACUTE.

P.—Male, 2444 (with urethral stricture); Female, 224, 1086, 1933 (subacute).

B.—Male, 1946 (blood and pus, blood-urea 72 mgms); Female, 4561/24 (blood-urea 50 mgms), 419.

E.—Female, 1450 (of pregnancy), 1632 (pregnant, *post-mortem* 94).

L.—Male, 2290 (subacute).

2. NEPHRITIS, CHRONIC.

S.—Male, 315 (suprapubic cystotomy; decapsulation of kidneys, G. W.; *post-mortem* 19).

P.—Male, 113, 942, 1067 (parenchymatous, *post-mortem* 78), 4069; Female, 1819, 1912.

B.—Male, 4324/24, 4389/24, 3011 (parenchymatous; decapsulation, G. W.), 3043 (parenchymatous).

E.—Male, 309, 1367 (broncho-pneumonia, ascites, *post-mortem* 79); Female, 1343, 1910, 2297, 1373 (parenchymatous).

L.—Male, 3363 (interstitial), 3999 (interstitial).

3. ALBUMINURIA.

S.—Female, 1328 (? cause).

P.—Female, 4296 (pregnancy).

E.—Female, 3591 (pregnancy).

4. HÆMATURIA.

P.—Female, 3157, 4012 (readmission).

5. RENAL GLYCOSURIA.

S.—Female, 1501.

P.—Female, 4082 (neuritis).

B.—Male, 3674.

6. PYURIA.

S.—Female, 415 (staphylococcal).

P.—Male, 2338 (? nephritis, ? G.P.I.).

7. POLYURIA.

P.—Female, 3080 (functional).

8. COLI BACILLURIA.

P.—Female, 3558.

B.—Male, 3914.

9. HYDRONEPHROSIS.

E.—Male, 3575 (pyelography; right nephrectomy, S. U.).

10. CONGENITAL CYSTIC DISEASE OF KIDNEYS.

B.—Female, 4230/24.

11. RENAL CALCULUS.

S.—Male, 1084, 1457, 3921.

B.—Female, 2173 (ureteral, pyonephrosis, ureterolithotomy, F. J. B.), 3518.

E.—Male, 70 (nephrectomy, F. J. B.); Female, 1821.

12. PYELONEPHRITIS.

B.—Male, 871 (pyelography, F. J. B.).

13. PYELITIS.

B.—Female, 3247 (pregnancy).

E.—Female, 4417/24, 402, 3843, 4622.

14. CYSTITIS.
E.—Female, 4181.
15. VESICAL NEOPLASM.
S.—Male, 3592.
16. DYSURIA.
P.—Male, 666.
17. NOCTURNAL ENURESIS.
P.—Male, 4335; Female, 4220/24, 411, 1726.
L.—Male, 4571/24.
18. URÆMIA.
P.—Male, 2052 (no *post-mortem*).
E.—Female, 1350 (no *post-mortem*).
19. RENAL COLIC.
P.—Female, 3577 (? cause; pyelography, G. W.).
B.—Male, 2496.
20. NEPHROPTOSIS.
S.—Female, 3065.
W.—Male, 2025.
21. PERINEPHRIC HÆMORRHAGE.
P.—Male, 2548.

TABLE VIII.

DISEASES OF THE BLOOD.

1. SYMPTOMATIC ANÆMIA.
S.—Female, 795.
P.—Female, 1088.
E.—Female, 1330, 4489 (cardiac dilatation).
2. PERNICIOUS ANÆMIA.
S.—Male, 1487, 3825, 3857.
P.—Female, 2150 (blood transfusion twice, G. W.), 2681
(*post-mortem* 150).
B.—Male, 4046/24, 2712, 3714; Female, 754 (blood trans-
fusion), 836, 2498 (subacute combined degeneration of cord).
3. APLASTIC ANÆMIA.
P.—Female, 3817 (*post-mortem* 231).
4. CHLOROSIS.
B.—Female, 4336/24.

5. LEUKÆMIA.

S.—Male, 947 (lymphocytic, *post-mortem* 65), 4074 (lymphocythæmia, large spleen); Female, 2008 (mixed-celled leucocythæmia).

P.—Male, 2913 (acute lymphatic leukanæmia).

P.—Female, 3784.

B.—Male, 748 (myeloid).

E.—Male, 3339 (myelogenous); Female, 1224 (chronic myeloid).

6. POLYCYTHÆMIA VERA.

E.—Male, 1674.

7. LYMPHADENOMA.

P.—Male, 4570 (X-ray), 3607.

B.—Male, 3105.

E.—Female, 3794 (Pel-Ebstein syndrome), 4045 (re-admission).

8. PURPURA.

S.—Male, 4071 (Henoch's, tonsillectomy); Female, 225, 792 (simplex, tonsillectomy)

P.—Male, 975 (hæmorrhagica), 3613 (hæmorrhagica).

L.—Male, 2841 (splenomegaly), 4244 (readmission).

9. ACETONÆMIA.

P.—Female, 2650.

10. SEPTICÆMIA.

B.—Male, 2468 (*post-mortem* 138).

TABLE IX.

CARDIO-VASCULAR DISEASES.

1. HYPERTENSION.

S.—Male, 4539/24, 3213 (dropsy), 3792, 3867 (no *post-mortem*), 3990 (delirium tremens, epileptic convulsions).

S.—Female, 294, 591 (glycosuria, œdema), 1646, 2758 (albuminuric retinitis), 3472 (blood-urea 158 mgms, *post-mortem* 223).

P.—Female, 692.

B.—Female, 3765 (bronchitis).

E.—Male, 600 (renal disease).

L.—Male, 3791.

2. DISORDERS OF RHYTHM.

(i) *Paroxysmal tachycardia*:

S.—Male, 278, 724 (tonsillectomy).

2. DISORDERS OF RHYTHM—(continued).

(ii) *Auricular fibrillation*:

- S.—Female, 4263.
 P.—Male, 951.
 P.—Female, 2904 (cyst of breast; removal, G. W.).
 B.—Male, 2832; Female, 2055 (*post-mortem* 118).
 E.—Male, 3694 (blood-pressure 190); Female, 4316/24, 985, 2058 (with failure), 2760.
 L.—Male, 528 (bronchitis), 540, 3094, 3444 (bronchitis), 3453, 3657 (chronic bronchitis), 3918, 4113 (normal rhythm with quinidine), 4285 (bronchitis and asthma), 4361 (normal rhythm with quinidine), 4439, 4532, 4538; Female, 3243 (cerebral embolism, *post-mortem* refused).

(iii) *Disordered action of heart*:

- S.—Female, 2343 (palpitation, tachycardia).
 B.—Male, 1176.

(iv) *Auricular flutter*:

- E.—Female, 1453 (myocardial degeneration).
 L.—Male, 414, 1014 (auricular fibrillation and aortic regurgitation), 1452, 2864 (readmission, auricular fibrillation and aortic regurgitation, *post-mortem* 177), 3659 (heart block, cardiac failure).

(v) *Bradycardia*:

- L.—Female, 3819 (facial tic).

(vi) *Sinus arrhythmia*:

- E.—Female, 4132 (general debility).

3. CONGENITAL HEART DISEASE.

- P.—Male, 610, 1267, 1767 (red blood cells 11,000,000, clubbing), 4004 (*post-mortem* 218), 4397 (bronchitis).
 E.—Male, 93.

4. MITRAL STENOSIS.

- S.—Female, 936 (*post-mortem* 64), 3084 (tachycardia), 4237 (tonsillectomy).
 P.—Male, 4570/24, 1770 (aortic regurgitation, adherent pericardium), 2258 (rheumatic), 3151 (hemiplegia).
 P.—Female, 3823/24 (with auricular fibrillation), 4166/24 (rheumatic endocarditis), 207 (with auricular fibrillation, *post-mortem* 24), 633 (rheumatic endocarditis), 778 (Reynaud's disease), 946 (with auricular fibrillation), 2561, 2821 (tonsillectomy), 3135 (uterine fibroids), 3476, 3542 (auricular fibrillation), 3944 (rheumatoid arthritis).
 B.—Male, 2623; Female, 4622/24 (with auricular fibrillation, *post-mortem* 2/25), 494, 1074, 1390, 2151 (pregnant), 2362, 3758, 4350.
 E.—Male, 3152; Female, 4402/24, 4592/24 (with auricular fibrillation), 518 (pregnant), 654 (abdominal pain), 662, 1245, 3333 (auricular fibrillation, embolus of coronary arteries, *post-mortem* 174), 3338 (pleural effusion, marked failure).
 L.—Male, 164 (auricular fibrillation), 255 (*post-mortem* 32), 366, 428 (auricular fibrillation, *post-mortem* 36), 496

4. MITRAL STENOSIS—(*continued*).

(auricular fibrillation), 879, 937, 1131, 1182 (old hemiplegia), 1229 (hæmoptysis), 1706, 1825 (auricular fibrillation), 2270, 2536 (auricular fibrillation), 2579 (? gastric ulcer), 3195 (with hæmoptysis), 3802 (auricular fibrillation and hæmoptysis), 3382 (auricular fibrillation), 4352, 4373 (*post-mortem* 239), 4648, 4687 (no *post-mortem*).

L.—Female, 18 (*post-mortem* 80), 1523, 2600 (with auricular fibrillation), 2681 (with auricular fibrillation and failure).

W.—Female, 1657 (auricular fibrillation, cerebral embolus).

5. DOUBLE MITRAL DISEASE.

S.—Male, 240 (with auricular fibrillation), 383 (with auricular fibrillation), 2172, 2269 (with aortic regurgitation), 2417 (with auricular fibrillation), 3897; Female, 1603 (tachycardia), 1830 (tonsillectomy, H. T.), 3206 (embolic hemiplegia), 3732 (rheumatoid arthritis, psoriasis).

B.—Male, 4205.

E.—Male, 230 (with aortic regurgitation).

6. AORTIC DISEASE.

S.—Female, 1765 (with mitral regurgitation), 3563 (mitral regurgitation, pelvic peritonitis, erythema).

P.—Female, 1805 (double; bronchitis; carcinoma breast; amputation, G. W.), 3938 (aortic regurgitation and mitral stenosis, subacute rheumatism).

L.—Male, 2618 (stenosis, anginal), 2906 (double; regurgitation, no *post-mortem*), 3616 (aortic stenosis and regurgitation).

7. ANGINA PECTORIS.

S.—Male, 163, 2710 (vasomotonia).

P.—Female, 1317 (with nephritis and diabetes), 2112 (syphilitic aortitis, *post-mortem* 126).

L.—Male, 2695 (diathermy), 3605 (diathermy).

8. RHEUMATIC ENDOCARDITIS.

S.—Male, 3347 (myocardial degeneration, *post-mortem* 179).

L.—Male, 868.

9. MALIGNANT ENDOCARDITIS.

S.—Male, 4543/24; Female, 4172 (*post-mortem* 110), 2829 (subacute, mitral regurgitation), 3893 (*post-mortem* 236).

P.—Male, 1569 (subacute, *post-mortem* 130), 2068 (pleural effusion, streptococcal, *post-mortem* 136), 3148 (subacute), 3478 (*post-mortem* 211); Female, 3192 (no *post-mortem*).

E.—Female, 3649/24 (streptococcal, no *post-mortem*).

L.—Male, 4152/24 (aortic regurgitation, subacute, *post-mortem* 9/25), 77, 1277 (aortic regurgitation), 3064 (mitral stenosis, *post-mortem* 162), 3750 (*post-mortem* 254), 3807 (died).

10. RHEUMATIC CARDITIS.

P.—Male, 4272/24, 3313 (no *post-mortem*), 3394; Female, 389, 2877.

11. MYOCARDIAL DEGENERATION.

S.—Female, 359 (albuminuria).

P.—Male, 337 (? angina), 598 (infarct, gastric ulcer, pericarditis, *post-mortem* 48), 2595, 3845; Female, 2993 (obesity).

E.—Male, 405.

L.—Male, 2309 (pleural effusion).

12. ANEURYSM OF AORTA.

S.—Male, 4554/24, 316, 1197 (pyopericardium, *post-mortem* 82).

B.—Male, 4055.

E.—Male, 3491 (broncho-pneumonia, *post-mortem* 191).

L.—Male, 1968 (thoracic and abdominal), 2410 (bronchiectasis), 4070 (paroxysmal tachycardia).

13. AORTIC AND MITRAL DISEASE.

S.—Male, 2590 (double aortic and mitral regurgitation); Female, 650 (mitral regurgitation), 2717 (double aortic, mitral regurgitation), 4056 (mitral regurgitation, bronchitis).

P.—Male, 235, 347 (rheumatic endocarditis), 2702 (with cardiac incompetence); Female, 4262 (hemiplegia, *post-mortem* 243).

B.—Male, 691 (*post-mortem* 45, syphilitic aortitis), 731; Female, 2708.

E.—Male, 999 (tabes dorsalis), 2214 (tabes dorsalis); Female, 1234 (mitral stenosis, broncho-pneumonia), 3510 (mitral regurgitation).

L.—Male, 87, 124, 292 (angina), 665, 726 (*post-mortem* 60), 932, 1670, 1851 (chronic bronchitis), 2148 (cardiac failure, *post-mortem* 125), 2602 (angina), 2764 (auricular fibrillation), 2804 (aneurysm), 2854, 2979 (acute rheumatism), 3013 (auricular fibrillation), 3437, 3463 (cardiac failure), 3571 (readmission, *post-mortem* 187), 3519 (pyrexia of unknown origin), 3967 (cardiac failure, *post-mortem* 210), 4580 (*post-mortem* 260), 4589.

14. COARCTATION OF AORTA.

L.—Male, 3797, 4170, 4284 (hypertension).

15. INTERMITTENT CLAUDICATION.

E.—Male, 3194 (?).

16. CEREBRAL ARTERIAL DEGENERATION.

E.—Female, 4419 (visual cortex).

17. CEREBRAL THROMBOSIS.

E.—Male, 3872, 4344 (cerebellar artery).

L.—Male, 4124 (aphasia).

18. THROMBO-ANGIITIS.
S.—Male, 3168 (Wassermann reaction positive).
19. ARTERIO-SCLEROSIS.
S.—Male, 711 (death under anæsthetic), 3943 (cerebral arterial disease).
E.—Female, 1064 (gangrene of toe).
L.—Male, 5.
20. THROMBO-PHLEBITIS.
E.—Male, 858 (saphenous); Female, 1286.
21. SENILE GANGRENE OF FOOT.
S.—Female, 3981 (amputation, G. W.; no *post-mortem*).
22. FUNCTIONAL CARDIAC CONDITION.
S.—Male, 526.
23. CORONARY ARTERY DISEASE.
L.—Male, 297 (aneurysm left ventricle, *post-mortem* 18).

TABLE X.

DISEASES OF THE NERVOUS SYSTEM.

1. DISEASES OF THE MENINGES.
- (i) *Meningitis*:
P.—Female, 4545/24 (and bronchitis), 2446 (deafness, meningococcus), 3909 (cerebro-spinal).
- (ii) *Subarachnoid hæmorrhage*:
S.—Female, 2005 (decompression, G. W.; *post-mortem* 117).
P.—Female, 368 (*post-mortem* 29).
- (iii) *Extra-dural hæmorrhage*:
E.—Male, 2248.
- (iv) *Endothelioma of falx*:
W.—Male, 1656.
- (v) *Endothelioma of dura*:
W.—Female, 2469 (decompression, W. T.; *post-mortem* 145).
2. DISEASES OF THE BRAIN.
- (i) *Cerebral tumour*:
S.—Male, 492 (glioma, *post-mortem* 39); Female, 4180 (gliosarcoma right frontal lobe, *post-mortem* 246).
P.—Male, 2918 (no *post-mortem*); Female, 3362 (decompression, W. T.).

2. DISEASES OF THE BRAIN—(continued).

(i) *Cerebral Tumour*—(continued).

B.—Male, 4467/24, 1980 (*post-mortem* 128), 2535 (glioma, decompression, W. T.; *post-mortem*, 144).

W.—Male, 2116 (decompression, W. T.), 4178 (decompression, W. T.; *post-mortem* 238); Female, 23 (decompression; exploration, W. T.), 3687 (decompression, W. T.), 4339 (glioma; decompression, W. T.; *post-mortem* 13/26).

(ii) *Bulbar paresis*:

S.—Female, 56 (bronchitis).

(iii) *Cerebellar ataxy*:

W.—Female, 2668, 2715.

(iv) *Cerebral hæmorrhage*:

B.—Female, 3026 (*post-mortem* 161).

(v) *Hemiplegia*:

S.—Male, 1801 (adenoids removed).

P.—Male, 4390/24, 2404 (syphilitic arteritis), 2576.

B.—Female, 2679 (? thrombosis).

E.—Male, 4178/24.

W.—Female, 2043 (thrombosis), 2192 (thrombosis), 4482 (pharyngeal spasm).

(vi) *Encephalitis*:

S.—Male, 1027.

(vii) *Hydrocephalus*:

P.—Male, 2194 (*post-mortem* 123).

(viii) *Encephalitis lethargica*:

S.—Male, 880, 1326 (Wassermann reaction positive), 2096; Female, 2175 (Parkinsonism).

P.—Female, 4192.

B.—Female, 953 (right hemiplegia), 1876.

E.—Male, 1019.

W.—Male, 2217.

W.—Female, 4595/24, 1594.

(ix) *Post-encephalitic syndrome*:

S.—Female, 4371/24, 4485/24, 406 (myoclonus and paresis).

P.—Male, 4195.

W.—Male, 128, 762, 1013; Female, 1610, 4328.

(x) *General paralysis of the insane*:

P.—Male, 989 (with tabo-paresis).

E.—Male, 3587.

W.—Male, 4483/24, 4541 (retention).

3. DISEASES OF THE SPINAL CORD.

(i) *Meningo-myelitis*:

S.—Male, 3838 (spastic paraplegia).

E.—Male, 2631 (syphilitic).

W.—Male, 3552 (? syphilitic); Female, 2879 (syphilitic).

3. DISEASES OF THE SPINAL CORD—(continued).

(ii) *Disseminated sclerosis* :

S.—Female, 2578.

P.—Male, 159.

E.—Female, 69.

W.—Male, 4018.

W.—Female, 44, 1161, 1842, 3513, 3913, 3970, 3986.

(iii) *Syringomyelia* :

W.—Male, 912; Female, 4477/24.

(iv) *Paraplegia* :

S.—Female, 2547.

B.—Male, 736.

W.—Male, 1815 (spastic).

W.—Female, 2050 (spastic), 3474 (*post-mortem* 233).(v) *Monoplegia* :

W.—Male, 1722.

(vi) *Anterior poliomyelitis* :

S.—Male, 3505; Female, 3187 (Delbet plaster, G. E. O. W.).

P.—Male, 10 (talipes equino varus), 3606.

E.—Male, 963 (vesical calculus; suprapubic cystotomy, F. J. B.), 3737 (*post-mortem* 194).

W.—Male, 4349/24; Female, 4083.

(vii) *Tabes dorsalis* :

S.—Male, 276 (perforated ulcer, vesical atony).

P.—Male, 2660.

B.—Male, 2419, 3529.

E.—Male, 999 (aortic regurgitation), 1780 (meningo-myelitis).

W.—Male, 1545.

4. DISEASES OF THE NERVES.

(i) *Peripheral neuritis* :

P.—Female, 3956/24, 2598, 3572.

W.—Male, 3951.

(ii) *Bell's palsy* :

E.—Male, 517.

(iii) *Sciatica* :

S.—Male, 991 (? neoplasm), 3214, 4058 (pyorrhœa); Female, 3771.

P.—Male, 4293/24, 581, 3620.

W.—Male, 1269; Female, 1318 (pregnancy).

(iv) *Neuralgia* :

P.—Female, 4464 (facial, impacted tooth removed).

B.—Female, 4213.

(v) *Trigeminal neuralgia* :

S.—Female, 2513.

5. FUNCTIONAL.

(i) *Functional nervous disorder* :

S.—Male, 1764; Female, 4370/24, 4384/24, 1785 (hystero epilepsy), 2801 (? encephalitis), 3424, 3477, 3494, 3638 (insomnia).

E.—Female, 3410 (paresis of legs, anteverted coccyx).

W.—Male, 3367, 3667; Female, 995.

(ii) *Neurasthenia* :

S.—Male, 4563/24, 1826, 3348 (dilated stomach, senile enlargement of prostate), 3469; Female, 367, 1949, 2467, 3292, 4294.

P.—Female, 162.

B.—Male, 79 (with arthritis); Female, 659, 1069 (cardiac enlargement), 4227.

E.—Male, 1305, 4577; Female, 1943, 2087.

(iii) *Hysteria* :

L.—Male, 4193.

Hart.—Female, 506.

(iv) *Facial tic* :

W.—Female, 425.

(v) *Spasmodic torticollis* :

W.—Female, 3276.

(vi) *Migraine* :

B.—Male, 3903.

E.—Female, 3538.

(vii) *Epilepsy* :

S.—Male, 3255 (tonsillectomy); Female, 1235 (?).

P.—Male, 2614, 2838; Female, 404 (grand mal), 2525 (?).

E.—Female, 573, 994 (? cause).

W.—Female, 1422 (anæmia, grand mal).

6. CHOREA.

S.—Male, 1483 (tonsillectomy); Female, 4437/24.

P.—Male, 4613/24 (endocarditis), 4475/24 (cardiac dilatation), 860, 865, 2275, 3608.

P.—Female, 3628/24, 9, 203 (rheumatic carditis), 608, 880, 1101, 1593, 1738, 2012, 2191, 3751 (hysteria), 3753, 4201, 4307 (endocarditis), 4463.

B.—Female, 3444, 3812 (left hemichorea).

7. HUNTINGTON'S CHOREA.

W.—Female, 2831.

8. VESTIBULAR VERTIGO.

W.—Female, 4095/24.

9. MÉNIÈRE'S SYNDROME.

L.—Male, 4125.

10. MENTAL DISORDERS.

(i) *Mental deficiency* :

P.—Male, 1536; Female, 606 (incontinence).

10. MENTAL DISORDERS—(*continued*).
- (ii) *Amentia*:
P.—Male, 3492 (mitral stenosis).
- (iii) *Dementia*:
S.—Female, 4259 (Wassermann reaction positive).
W.—Male, 1096.
- (iv) *Delirium tremens*:
B.—Female, 3152.
- (v) *Paranoia*:
W.—Female, 2792.
11. MYASTHENIA GRAVIS.
W.—Male, 3813; Female, 4306.
12. PRIMARY MYOPATHY.
W.—Male, 274 (acute anterior poliomyelitis), 2353
(scapulo-humeral).
13. TRANSIENT AMAUROSIS.
W.—Male, 1870.
14. PAPILLŒDEMA.
S.—Male, 586 (decompression, W. T.).
W.—Male, 1271 (decompression, W.T.); Female, 4581/24,
4402.
15. ANGIONEUROTIC ŒDEMA.
P.—Female, 4557/24.
16. NEUROMATA.
S.—Male, 4504 (cranial nerves, 5th and 7th).
17. SACRAL TABES.
W.—Female, 3664.
18. HÆMATORACHIS.
P.—Female, 1374.
19. CHARCOT JOINT.
B.—Male, 424 (? tabes).

TABLE XI.

GYNÆCOLOGICAL AND OBSTETRICAL CASES
ADMITTED TO MEDICAL WARDS.

1. PREGNANCY.

- S.—Female, 62 (with mitral disease).
P.—Female, 441 (with mitral disease), 2878.
B.—Female, 2219 (pyelitis).

2. MALIGNANT OVARIAN CYST.
B.—Female, 1586, 3648 (exploratory laparotomy, Sir George Bracker).
3. TWISTED DERMOID OVARIAN CYST.
S.—Female, 107.
4. ? CARCINOMA OF UTERUS.
E.—Female, 1635 (secondary anæmia, *post-mortem* 108).
5. CARCINOMA OF CERVIX.
L.—Female, 856.
6. HYPEREMESIS.
E.—Female, 1113.
7. STERILITY.
E.—Female, 3882 (dyspareunia).
8. SALPINGITIS
S.—Female, 2346 (leucorrhœa).
9. VAGINITIS.
E.—Female, 1916.

TABLE XII.

POISONS.

1. LUMINAL.
E.—Male, 405 (epilepsy, bronchiectasis, thoracoplasty. *post-mortem* 26).
 2. PARALDEHYDE.
E.—Female, 2033.
 3. THYROID GLAND.
S.—Female, 2515 (therapeutic, 15 grains per day).
 4. FOOD.
S.—Male, 3083.
P.—Male, 3124.
L.—Male, 3531.
 5. LEAD.
B.—Male, 3781.
-

TABLE XIII.

VARIOUS.

1. PERIOSTITIS.
S.—Male, 3537 (traumatic periostitis of the xiphisternum).
2. HYPERTROPHIC OSTEO-ARTHROPATHY.
S.—Female, 4343/24 (? pulmonary or cardiac, congenital heart disease, pulmonary tuberculosis).
3. EPIPHYSITIS.
P.—Female, 2712 (? tuberculous).
4. OSTEITIS DEFORMANS.
S.—Female, 4099.
5. OSTEOMYELITIS OF RIB.
P.—Male, 4435 (empyema; thoracotomy, S.U.; no *post-mortem*).
6. SCLERODERMIA.
S.—Male, 15.
7. ERYTHEMA NODOSUM.
B.—Female, 3863.
8. MASTOID.
S.—Male, 2077 (right radical, H. T.; splenectomy, G. W.).
P.—Female, 1283 (double).
9. OTITIS MEDIA.
P.—Male, 1228 (spleen +).
10. LYMPHOSARCOMATOSIS.
S.—Male, 2454 (venous thrombosis, *post-mortem* 152);
Female, 2423 (? carcinoma of stomach), 3159 (*post-mortem* 168).
11. TERATOMA TESTIS.
E.—Male, 104.
12. MELANOTIC SARCOMA.
E.—Female, 1065 (*post-mortem* 70, primary eye, removed 4 years before).
13. CARCINOMA OF PELVIS.
S.—Female, 476 (primary left breast).

14. ABDOMINAL TUMOUR.
S.—Male, 1188 (? spleen, ? hypernephroma).
15. CARCINOMA OF PROSTATE.
P.—Male, 800, 1721 (suprapubic cystotomy, G. W.).
16. GRANULOMA OF BLADDER.
B.—Male, 1130 (? carcinoma; growth removed,
F. J. F. B.).
17. ENDOTHELIOMA OF THIGH.
P.—Female, 3628 (secondaries, lung, and lower jaw;
previous admission under S. U.).
18. MUSCULAR STRAIN.
S.—Female, 1950.
19. CARDIAC DISEASE.
P.—Male, 1717.
20. CONVULSIONS.
P.—Male, 729; Female, 4027 (*post-mortem* 258).
21. PAROTITIS.
W.—Female, 1400 (drainage, S. U.; pneumonia).
22. LUMBAR PAIN.
E.—Male, 2578 (Wassermann reaction positive).
W.—Male, 4389.
23. CHRONIC ABSCESS OF NECK.
S.—Male, 945 (drainage, W. T.).
24. EFFORT SYNDROME.
E.—Male, 1051.
25. NIL ABNORMAL DETECTED.
P.—Female, 910 (vomiting), 1141 (wasting), 1688.
B.—Female, 2171.
E.—Female, 1895.
26. UMBILICAL HERNIA.
B.—Female, 1526.
27. CLEFT PALATE.
P.—Female, 3454 (deformity of chest, *post-mortem* 192).
28. TETANUS.
E.—Male, 3711.

29. NON COMPOS MENTIS.

S.—Female, 4050 (Wassermann reaction positive).

30. LUMBAGO.

P.—Male, 3980.

E.—Female, 4564.

31. CAISSON DISEASE.

L.—Male, 2767, 2983 (readmission, sepsis of hands).

G. O. MONTGOMERY,

Resident Medical Officer.

REPORT
OF THE
OBSTETRIC REGISTRAR
FOR
1925

REPORT.

THIS report is arranged in a manner similar to that of 1924.

The gynæcological cases are bound in alphabetical order ; the obstetric cases in the order in which they appear in the following report.

Further details of the cases treated with radium can be found in the Harker-Smith's Registrar's report.

LESLIE WILLIAMS.

PART I.

TABLE I.

GYNÆCOLOGICAL CASES.

DISEASES OF THE EXTERNAL GENERATIVE ORGANS.

- (i) *Senile changes.*
1937.
2413.
- (ii) *Vulvitis.*
155. Examination under anæsthesia.
- (iii) *Bartholm's cyst.*
3132, 3650, 3813. Excision.
- (iv) *Gonorrhœal warts.*
3764. Excision.
- (v) *Intact hymen causing dyspareunia.*
A. Vaginal introit enlarged.
939, 3882.
B. Vaginal introit enlarged and curettage.
1072.
C. Vaginal introit enlarged, curettage and inflation of Fallopian tubes.
3685, 3693.
- (vi) *Caruncle.*
A. Removal by cautery.
572, 1186, 1215, 2741, 3241.
B. Excision.
1800, 3985.
- (vii) *Complete tear of the perineum.*
A. Repair with silver wire.
1381, 1421, 1465, 2208, 2738, 3031, 3354.
B. Repair with catgut.
2041, 3150, 3594, 3678.
- (viii) *Epithelioma.*
A. Excision and removal of glands.
3462. Died 11 weeks later. Aortic stenosis also present.
B. Radium treatment.
3112.

DISEASES OF THE VAGINA.

- (i) *Cyst of the vaginal wall.*
Excision.
1029. See also under Ovarian cystadenoma.
2873.

DISEASES OF THE VAGINA—(continued).

- (ii) *Traumatic ulcer.*
3934. Examination under anæsthesia.
- (iii) *Vaginitis.*
3834. Palliative treatment.
- (iv) *Radium burns.*
1260. Examination under anæsthesia.
- (v) *Sarcoma.*
648. Case of vaginal recurrence after panhysterectomy for what was thought to be uterine fibroids. The case was examined under anæsthesia and radium implanted. Several subsequent applications of radium were given without anæsthesia.

DISEASES OF THE CERVIX.

- (i) *Chronic cervicitis.*
2412. Cervix scraped.
3747. Examination under anæsthesia.
- (ii) *Mucous polypus.*
A. Removal.
507, 4574.
B. Removal and curettage.
706, 1007, 2041 (see also under "Complete tear"), 2749, 4628.
- (iii) *Fibroid polypus.*
A. Removal.
3208.
B. Removal and radium.
4303.
- (iv) *Fibro-adenomatous polypus.*
Removal and curettage.
2750, 3246, 4644.
- (v) *Erosion.*
Excision of piece of cervix.
505.
- (vi) *Carcinoma.*
A. Palliative treatment.
350, 480, 637, 1304, 1582, 2185, 3137, 4047.
B. Examination under anæsthesia.
3422, 3443, 4533.
C. Examination under anæsthesia and radium treatment for the first time.
2, 48, 357, 651, 730, 859, 1184, 1757, 2124, 2287, 2307, 3109, 4061, 4090, 4441.
D. Radium treatment continued.
65, 151, 266, 359, 444, 1010, 1418, 1810.
E. Examination under anæsthesia and vaginal implantation of radium needles.
1580.

DISEASES OF THE CERVIX—(continued).

(vi) *Carcinoma*—(continued).

F. Radium treatment by the vaginal route, supplemented by laparotomy and implantation of radium needles in the pelvic cellular tissue.

1480, 3176, 3835.

G. Examination under anæsthesia, and later incomplete Wertheim's operation.

2680.

H. Examination under anæsthesia and later Wertheim's operation.

1268. Returned, shortly after discharge, with retention of urine. This cleared up well under strychnine, &c.

I. Examination under anæsthesia, Wertheim's operation, and prophylactic radium.

286, 1694, 2554, 4235.

J. Wertheim's operation.

2272.

K. Recurrence after operation.

3647. Radium treatment.

L. Complicated by pyometra.

2532. Cervix dilated.

DISEASES OF THE BODY OF THE UTERUS.

(i) *Endometritis*.

3133. Curettage.

(ii) *Mucous polypus*.

2169. Curettage and radium.

(iii) *Fibroid polypus*.

A. Removal.

14, 2416.

B. Removal and curettage.

154.

(iv) ? *Hæmatometra*.

755. Palliative treatment.

(v) *Fibromyoma*.

A. Palliative treatment.

1938.

B. Curettage and radium.

63, 98, 176, 206, 752, 1050, 1300, 1302, 1467, 1489, 1599, 1769, 2007, 2456, 3402, 3554, 3855, 4129, 4179, 4390.

C. Repetition of radium treatment.

131, 971, 2386.

D. Sub-total hysterectomy.

805. 2 lb. 11 oz. Left salpingo-oöphorectomy also.

2107.

2228. 1 lb. 12 oz.

2370. 2 lb. 3 oz. Appendicectomy also.

2555. 3 lb. 3 oz. Appendicectomy and right salpingo-oöphorectomy also.

2876. 3 lb. Bilateral salpingo-oöphorectomy.

DISEASES OF THE BODY OF THE UTERUS—(*continued*).*(v) Fibromyoma—(continued).*

2884. 1 lb. 1 oz.
 3932. 1 lb. 14 oz.
 E. Panhysterectomy.
 846. 2 lb. 5 oz.
 1328. 2 lb. 12 oz. Bilateral salpingo-oöphorectomy also.
 1619. Appendicectomy also.
 2042. 3 lb. 15 oz. Appendicectomy also.
 2558. Right ovariectomy also.
 2882. 13½ oz. Bilateral salpingo-oöphorectomy.
 2935. 8 lb. 7½ oz.
 3038. 1 lb. 6 oz. Bilateral salpingo-oöphorectomy.
 3134. 1 lb. 13 oz. Left salpingo-oöphorectomy.
 3880. 1 lb. 1 oz. Left salpingo-oöphorectomy.
 F. Abdominal myomectomy.

1298. A case of an intra-ligamentary fibroid in a woman aged 71. The increase in the symptoms was due to degeneration taking place in the tumour. Cardiac disease being present, palliative treatment was first tried. Later operative treatment became necessary and was successful.

4479. 1 lb. 7 oz.

(vi) Carcinoma.

A. Curettage and radium.

1185. Death from general peritonitis took place on the fifth day. It would appear that the curette perforated the uterus and that the hole was enlarged by necrosis due to the radium.

B. Radium treatment continued.

456.

(vii) Chronic metritis.

2700. Panhysterectomy. Left ovariectomy also for ovarian cyst.

(viii) Pyometra.

3440. Cervix dilated.

DISPLACEMENTS OF THE UTERUS.

(i) Prolapse.

A. Palliative treatment.

2531.

B. Anterior colporrhaphy and colpo-perineorrhaphy.

398, 1331, 1613, 1809.

1839. Femoral hernia also repaired.

2345, 2844, 2968, 2969, 3959. Displaced tooth excised from mandible at the same time.

4361, 4542. Curettage also done for sub-involution.

C. Anterior colporrhaphy, colpo-perineorrhaphy, and ventro-fixation.

564. Curettage also performed.

1934, 4629.

D. Anterior colporrhaphy, colpo-perineorrhaphy, and amputation of cervix.

786.

DISPLACEMENTS OF THE UTERUS—(*continued*).

(ii) *Retroversion*.

A. Examination under anæsthesia.

4278, 4357.

B. Examination under anæsthesia and inflation of Fallopian tubes.

3267.

C. Replacement under anæsthesia and pessary treatment.

455. Curettage also done.

705, 787, 902, 1378, 1386, 2701, 2934, 3297, 3646, 3790.

DISORDERS OF MENSTRUATION.

(i) *Dysmenorrhœa*.

A. Dilatation.

3955.

B. Dilatation and curettage.

2256, 2530.

C. Curettage and radium.

289, 1507, 3155, 3870. This case had previously been examined under anæsthesia and had had laparotomy performed to divide adhesions. This had relieved the intermenstrual pain, but the menstrual pain continuing, radium treatment was given.

(ii) *Menorrhagia*.

A. Curettage.

688, 1414, 1708, 1798.

2095. Perineal tear also repaired.

2310, 2541, 2557, 3228. The curette removed two silk stitches remaining after a previous Cæsarean section.

3388, 3479, 3550, 3891, 3936, 4233, 4235, 4281.

B. Curettage and radium.

1482, 1868, 1886, 2597, 3856.

(iii) *Metrorrhagia*.

1408. Diagnostic curettage.

(iv) *Menopausal symptoms*.

4091. Palliative treatment.

(v) *Menopausal hæmorrhage*.

A. Curettage.

1044.

B. Curettage and radium.

522, 978, 1485, 1654, 1693, 1914, 2425, 2556, 2723, 2746, 3063, 3514, 3776, 4443.

C. Panhysterectomy.

1957. 5½ oz. Appendicectomy also.

(vi) *Post-menopausal hæmorrhage*.

A. Examination under anæsthesia.

904, 1522.

B. Curettage.

1665.

(vii) *Sterility*.

A. Dilatation.

3556, 3806, 3961, 4646.

DISORDERS OF MENSTRUATION—(continued).

(vii) *Sterility—(continued).*

- B. Dilatation and inflation of Fallopian tubes.
2471.
- C. Dilatation and curettage.
984, 1216, 2051, 3062, 3389.
- D. Dilatation, curettage, and inflation of Fallopian tubes.
3963.
- E. Pozzi's operation.
2933.

(viii) *Dysmenorrhœa and sterility.*

- A. Dilatation.
19, 3857.
- B. Dilatation and curettage.
4440.

DISEASES OF THE FALLOPIAN TUBES, PELVIC PERITONEUM AND PELVIC CELLULAR TISSUE.

(i) *Acute pelvic peritonitis.*

- 3330. Posterior colpotomy first done for pelvic abscess. Later bilateral salpingo-oöphorectomy and sub-total hysterectomy performed.
- 4323. Examined under anæsthesia and treated by palliative measures. Fibro-adenoma of breast excised.

(ii) *Subacute or chronic pelvic peritonitis.*

- A. Palliative treatment.
3093, 3139, 3358, 3557.
- B. Examination under anæsthesia.
3516, 3568, 3748, 4039.
- C. Operative treatment.
 - 99. Bilateral salpingo-oöphorectomy and shortening of sound ligaments.
 - 190. Palliative treatment unsuccessfully tried. Laparotomy performed, but removal of tubes, &c., abandoned as impossible. Later vaginal hysterectomy and right salpingo-oöphorectomy was performed. Patient died two months later.
 - 1762. Right salpingo-oöphorectomy. Left salpingectomy and appendicectomy.
 - 2040. Bilateral salpingo-oöphorectomy and appendicectomy. Death from general peritonitis 30 hours later. *Post-mortem* 121.
 - 2510. Adhesions freed. Appendicectomy.
 - 2845. Right salpingo-oöphorectomy and appendicectomy.
 - 3111. Left salpingo-oöphorectomy. Right salpingectomy.
 - 3617. Right salpingo-oöphorectomy, left salpingectomy, and appendicectomy.
 - 3962. Left salpingo-oöphorectomy and sub-total hysterectomy.
 - 4048. Right salpingo-oöphorectomy.

(iii) *Tuberculous pelvic peritonitis.*

- 1727. Examined under anæsthesia. Later, left salpingo-oöphorectomy and right salpingectomy performed.

DISEASES OF THE FALLOPIAN TUBES, PELVIC PERITONEUM AND PELVIC CELLULAR TISSUE—(continued).

(iv) *Pelvic cellulitis.*

Palliative treatment.

271, 3170, 3288, 4014.

(v) Tubal gestation.

A. Palliative treatment.

552, 2317.

B. Operative treatment.

1254. Left salpingectomy. Severe internal hæmorrhage present. Death took place soon after the operation.

3076. Right salpingo-oöphorectomy.

DISEASES OF THE OVARY.

(i) *Cystic ovary.*

1885. Examination under anæsthesia and curettage.

3783. Examination under anæsthesia.

(ii) *Lutein cysts.*

2649. Partial left oöphorectomy. Subsequently the uterus had to be cleared out for an incomplete abortion.

(iii) *Blood cysts.*

51. Right ovariectomy. Myomectomy also.

4062. Bilateral salpingo-oöphorectomy.

(iv) "*Dermoid*" cysts.

249. Right ovariectomy. Left salpingo-oöphorectomy also for chronic pelvic peritonitis.

4297. Right ovariectomy. Appendicectomy and shortening of round ligaments also done.

(v) *Cyst adenoma.*

156. Left ovariectomy. Part of right ovary resected.

260. Left ovariectomy. Right salpingo-oöphorectomy and panhysterectomy also done because of uterine hæmorrhage. Later on this was found to be due merely to a mucous polypus.

881. Right ovariectomy.

1029. Right ovariectomy.

2351. Right ovariectomy and appendicectomy.

2895. Left ovariectomy.

3390. Bilateral ovariectomy. Appendicectomy also.

4041. Bilateral ovariectomy. Appendicectomy also.

4270. Left ovariectomy.

4300. Left ovariectomy.

(vi) *Twisted ovarian cysts.*

1095. Right ovariectomy.

1263. Right ovariectomy.

1595. Right ovariectomy.

2245. Right ovariectomy. Sub-total hysterectomy and left salpingo-oöphorectomy also done.

3261. Bilateral ovariectomy and sub-total hysterectomy.

4604. Bilateral ovariectomy. Both cysts later on were found to be dermoids.

DISEASES OF THE OVARY—(continued).

(vii) *Malignant ovarian cysts.*

351. Right ovariectomy.
 1423. Palliative treatment.
 2484. Bilateral salpingo-oöphorectomy and panhysterectomy for ovarian sarcoma. General peritonitis developed. Abdomen reopened and drainage established. Recovery.
 3648. Exploratory laparotomy.
 4063. Colpotomy and, later on, exploratory laparotomy.

(viii) *Ruptured ovarian cyst.*

2740. Diagnosis doubtful. Palliative treatment.

(ix) *Suppurating ovarian cyst.*

392. Left ovariectomy. Right salpingectomy also done for hydrosalpinx. Patient developed signs resembling those of acute yellow atrophy, but recovered.

(x) *Parovarian (fimbrial) cysts.*

1187. Removal. Right ovariectomy also.
 4506. Removal. Anterior colporrhaphy, colpo-perineorrhaphy and ventro-fixation also done for prolapse.

DISEASES OF THE URINARY SYSTEM.

(i) *Incontinence of urine following excision of vulva.*

63. Plastic operation on meatus urinarius.

(ii) *Carcinoma of the urethra.*

4044. Examination under anæsthesia and radium treatment.

MISCELLANEOUS.

(i) *Abdominal pain. ? cause.*

- A. Examined under anæsthesia.
 2250, 2407.
 B. Transferred to medical side.
 3881.

(ii) *Pelvic pain. ? cause.*

- A. Examination under anæsthesia.
 753, 1125.
 B. Palliative treatment.
 2678, 3456.

(iii) *Adhesions following laparotomy.*

293. Palliative treatment.

(iv) *Stitch abscess.*

3385. Stitch removed.
 3935. Sinus excised.

(v) *Hypodermic needle broken in abdominal wall.*

3196. Needle excised.

(vi) *Generalized carcinomatosis.*

- , Extreme anæmia present. Died one month after admission. *Post-mortem* No. 186.

MISCELLANEOUS—(continued).

(vii) *Peritoneal carcinomatosis.*

1869. Fibroid size of the uterus at the 16th week of gestation also present.

3178. Exploratory laparotomy. Died two weeks later. *Post-mortem* No. 176.

3295. Exploratory laparotomy.

(viii) *Carcinoma of colon.*

2699. Transferred to surgical side.

(ix) ? *Cholecystitis.*

2340. Transferred to surgical side.

(x) *Fæcal impaction.*

Palliative treatment.

834, 4015.

(xi) *Mesenteric cyst.*

3342. Examination under anæsthesia. Later laparotomy and excision.

(xii) *Aerophagy.*

1327. Palliative treatment.

(xiii) *Aplastic anæmia.*

1638. Admitted because of uterine hæmorrhage. Blood transfusion done. Transferred to medical side. Died. *Post-mortem* No. 108.

TABLE II.

OBSTETRICAL CASES.

PREGNANCY.

I. NORMAL.

901. Palliative treatment.

II. COMPLICATED BY :

A. Abortion.

(i) *Threatened.*

3803. Palliative treatment.

4358. Palliative treatment.

4407. Palliative treatment.

(ii) *Complete.*

2099. 19 weeks. Palliative treatment.

3420. 16 weeks. Palliative treatment.

3543. 8 weeks. Palliative treatment.

3671. 16 weeks. Palliative treatment.

4518. 18 weeks. Cervix and vagina plugged.

4603. 24 weeks. Manual removal of placenta.

PREGNANCY—(continued).

II. *Complicated by*—(continued).

A. Abortion—(continued).

(iii) *Incomplete.*

676. 16 weeks. Uterus cleared out.
 708. 16 weeks. Uterus cleared out.
 1021. 16 weeks. Uterus cleared out.
 2032. 10 weeks. Uterus cleared out. Septicæmia developed. Recovery under palliative treatment.
 2610. 16 weeks. Uterus cleared out.
 2724. 8 weeks. Curettage.
 4156. 12 weeks. Uterus cleared out.
 4217. Uterus cleared out.

(iv) *Septic.*

539. Uterus cleared out. Recovery.

(v) *Followed by hæmorrhage or subinvolution.*

1875. Palliative treatment.
 2426. Curettage.
 4582. Curettage.

(vi) *History of repeated miscarriage.*

3563. Curettage.

B. Carneous mole.

2900. Spontaneous expulsion.

C. Pyelitis.

1697. Palliative treatment.

D. Albuminuria.

(i) *Chronic nephritis.*

2970. Cæsarean hysterectomy performed because of extensive retinal changes. Good result.

(ii) *Pregnancy kidney.*

1888. Palliative treatment.
 3591. Palliative treatment. Transferred to medical ward.
 4387. Palliative treatment. Spontaneous abortion at 24th week.

E. Excessive vomiting.

1113. Palliative treatment.
 3887. Palliative treatment.

F. Asthma.

3117. Palliative treatment.

G. Hydramnios.

3417. Membranes ruptured. Stillborn premature child delivered.

H. Prolapse of anterior lip of cervix.

2779. Palliative treatment. Normal labour later.

I. Carcinoma of the cervix.

3316. Cæsarean Wertheim operation at about 36th week. Living child delivered. Male. 5 lb. 8½ oz. Technique of operation incomplete owing to vagina tearing. Later radium treatment and posterior colpotomy. Patient had a swinging temperature for weeks and left hospital at her own demand.

LABOUR.

I. NORMAL.

A. *Primiparæ, L.O.A.*

145	147	213	461	513	679	808
894	1104	1203	1294	1303	1394	1597
1638	1641	1734	1813	1837	1890	1903
1925	2063	2139	2145	2147	2251	2401
2421	2566	2640	2642	2772	2808	2946
2991	3184	3271	3865	3868	4030	4031
4169	4413	4537	4615	4616	4659	

B. *Multiparæ, L.O.A.*

256	828	1310	1346	1492	1811	2143
2295	3179	4028	4626			

C. *Primiparæ, R.O.A.*

371	378	1119	1201	2140	2617	2644
2646	2893	3052	3182	4081	4232	4605
4613	4713					

D. *Multiparæ, R.O.A.*

546	1355	1402	2205	3234	4231	4325
-----	------	------	------	------	------	------

E. V_3 rotating to V_2 .

1392, 3312, 4326, 4536, 4620.

F. V_4 rotating to V_1 .

222, 4614.

G. Spontaneous delivery "face to pubes."

3703, 3869.

H. Vertex. Position not specified.

3115, 3461, 4032, 4302.

II. COMPLICATED BY :

A. Placenta prævia.

1158. Palliative treatment. Living child delivered as a face presentation. Severe post-partum hæmorrhage followed, but the mother made a good recovery.

2403. External podalic version, followed by bringing down a leg. Child stillborn. Mother recovered.

4408. External podalic version, followed by bringing down a leg. Mother and child did well.

4608. Internal version and leg brought down. Mother and child did well.

B. Accidental antepartum hæmorrhage.

(i) "Revealed."

2062. Spontaneous expulsion of stillborn child.

(ii) "Concealed."

4027. Admitted from district with vagina plugged and a binder applied. Vagina re-plugged and pituitrin given, but patient rapidly died undelivered. *Post-mortem*: Liver flabby and fatty with small subcapsular hæmorrhages. The uterus contained a large retroplacental blood-clot.

C. Adherent placenta needing manual removal.

2807. Mother recovered. Child died on 4th day.

3268. Mother and child did well.

LABOUR—(continued).

II. *Complicated by*—(continued).

D. Uterine fibroids.

4580. Normal labour.

E. Forceps delivery.

1676. After manual rotation of an "occipito posterior."

3579.

4121. Inertia.

F. Fibroid lung. ? Tuberculosis.

4075. Mother and child did well.

G. Precipitate labour.

248. Complete tear—repaired with catgut. Mother and child did well.

H. Post-maturity.

1843. Labour induced by bougies. Duration of induction 11½ hours; of labour 24 hours. Child weighed 9 lb. 10 oz. Mother and child did well.

I. Gonorrhœa.

4324. Mother recovered. Child stillborn.

J. Twins.

3704. Mother did well. First child stillborn. Second child macerated.

K. Face presentation.

3766. Presentation diagnosed at ante-natal clinic and confirmed by X-ray examination. During labour the presentation changed to a vertex.

4292. Spontaneous delivery. Mother and child did well.

L. Breech presentation.

149. Extended legs, arms and head. Mother and child did well.

1732. Extended arms and legs. Child stillborn. Mother recovered.

1991. Version failed. Extended arms and head. Post-partum hæmorrhage. Mother recovered. Child stillborn.

2771. Mother and child did well.

4535. Version failed. Mother and child did well.

M. Mitral stenosis.

518. M₂. Rapid normal labour. Mother and child did well.

588. P. Mother and child did well.

785. M₄. Spontaneous delivery. Mother and child did well.845. M₁. Normal labour. Mother and child did well.

909. P. Normal labour. Mother and child did well.

1110. P. Breech with extended legs. Leg brought down. Spontaneous delivery. Mother and child did well.

2136. M. Spontaneous delivery. Child did well. Mother also had pyelitis, which cleared up under palliative treatment.

2151. M₁. Spontaneous delivery. Mother and child did well.

LABOUR—(continued).

II. Complicated by—(continued).

M. Mitral stenosis—(continued).

3320. M. Spontaneous delivery. Mother and child did well.

3777. M₂. Spontaneous delivery. Mother and child did well.

4623. M₁. Spontaneous delivery. Mother and child did well.

N. Contracted pelvis.

(i) Spontaneous premature labour.

1345. Breech presentation. Child stillborn. Mother did well. Diagonal conjugate 4½ in. Outlet narrow.

3185. Old Cæsarean section case. Mother and child (6 lb. 6 oz.) did well.

(ii) Forceps delivery.

92. Diagonal conjugate 4½ in. Mother recovered. Child stillborn.

(iii) Premature labour induced by administration of ol. ric., quinine sulphate and enemata.

Register No.	Parity	Weeks	Inter-spinous	Inter-cristal	Ext. Conj.	Diag. Conj.	Weight of Child	Result		Time in hours	Remarks
								M.	Ch.		
2203	M ₂	37	9½	10½	7½	—	lb. oz. 6 10	G.	G.	12	2 previous bougie inductions.
3050	P	37	9½	10¼	6¾	4¼	6 0½	G.	G.	55	4 previous inductions and one Cæsarean section.
3175	M ₃	37	8	9½	7	—	6 14½	G.	G.	7	
3702	M ₁	38	10¼	10¾	7½	4	7 15½	G.	G.	10	

(iv) Premature labour induced by bougies.

Register No.	Parity	Weeks	Inter-spinous	Inter-cristal	Ext. Conj.	Diag. Conj.	Weight of Child	Result		Duration of induction in hours	Duration of labour in hours	Remarks
								M.	Ch.			
3	M ₂	37	—	—	—	—	lb. oz. 7 0	G.	G.	9	8¼	2 previous spontaneous labours. Previous child, breech with extended legs.
71	P	37	9	10	8	4¼	6 13	G.	G.	59	24	2 previous inductions
188	P	37	10½	11¼	7¼	4¼	5 8½	G.	G.	24	17	
257	M ₂	37	9	10¾	7	4¼	5 10	G.	G.	9	1	

LABOUR—(continued).

(iv) Premature labour induced by bougies—(continued).

Register No.	Parity	Weeks	Inter-spinous	Inter-cristal	Ext. Conj.	Diag. Conj.	Weight of Child		Result		Duration of induction in hours	Duration of labour in hours	Remarks
							lb.	oz.	M.	Ch.			
352	M ₁	37	10	10 $\frac{3}{4}$	7	4 $\frac{1}{4}$	4	2	G.	D.	3 $\frac{1}{2}$	6 $\frac{1}{4}$	1 previous induction. Present child died soon after birth. P.M. intracranial hæmorrhage found.
379	M ₁	37	9 $\frac{3}{4}$	10 $\frac{2}{3}$	7 $\frac{2}{3}$	4 $\frac{1}{4}$	5	14	G.	G.	1 $\frac{1}{2}$	10 $\frac{1}{4}$	1 previous induction.
482	P	37	9	10	7	4 $\frac{1}{4}$	4	11	G.	G.	5	33 $\frac{1}{4}$	
511	M	37	10	11 $\frac{3}{8}$	7 $\frac{1}{4}$	4 $\frac{3}{4}$	6	5	G.	G.	10 $\frac{1}{2}$	8	
531	P	37	9 $\frac{1}{3}$	10	6 $\frac{3}{4}$	4 $\frac{1}{4}$	5	1	G.	G.	3	10	
590	M ₂	39	9	9 $\frac{1}{4}$	6 $\frac{2}{3}$	4 $\frac{8}{8}$	6	6	G.	G.	20	10	
587	M ₃	37	8 $\frac{1}{4}$	10 $\frac{1}{2}$	7 $\frac{1}{4}$	4	5	9 $\frac{1}{2}$	G.	G.	10	1 $\frac{1}{4}$	1 previous induction.
683	P	37	9	10	7 $\frac{1}{4}$	—	5	14 $\frac{1}{2}$	G.	G.	54	24	
728	P	?	10 $\frac{1}{4}$	10 $\frac{3}{4}$	6 $\frac{2}{3}$	4 $\frac{1}{2}$	6	8	G.	G.	10 $\frac{1}{4}$	85	Forceps delivery for inertia.
760	M ₂	37	8 $\frac{1}{8}$	9 $\frac{3}{4}$	7 $\frac{1}{2}$	4 $\frac{1}{2}$	15	12 $\frac{1}{2}$	G.	G.	66	8	2 previous inductions.
796	P	36	10 $\frac{1}{4}$	11	7	4 $\frac{1}{4}$	5	8 $\frac{1}{2}$	G.	G.	48	30 $\frac{1}{2}$	Knee presentation. Extended arms and head
892	M	37	8		6 $\frac{2}{3}$	4 $\frac{1}{8}$	4	15 $\frac{1}{2}$	G.	G.	48	8	
893	P	39	9	10	7	4 $\frac{1}{3}$	6	7 $\frac{1}{2}$	G.	G.	1 $\frac{1}{4}$	17	
959	P	37	9 $\frac{1}{4}$	10 $\frac{1}{8}$	7	4 $\frac{1}{3}$	5	4	G.	G.	4	29 $\frac{1}{4}$	
1041	M ₁₀	37	11	12	—	4	5	5 $\frac{1}{2}$	G.	G.	29 $\frac{1}{2}$	5 $\frac{1}{4}$	
1227	M ₂	37	8 $\frac{1}{3}$	9 $\frac{1}{2}$	7 $\frac{1}{3}$	4 $\frac{1}{4}$	5	2	G.	D.	102 $\frac{1}{2}$	8 $\frac{3}{4}$	2 previous inductions with living children. Present child still-born.
1236	P	37	10	11 $\frac{1}{2}$	7	4 $\frac{1}{2}$	6	13 $\frac{1}{2}$	G.	G.	6 $\frac{1}{2}$	31 $\frac{1}{4}$	
1311	M ₁	36	9 $\frac{1}{3}$	10 $\frac{1}{3}$	7 $\frac{1}{4}$	4	4	7 $\frac{1}{2}$	G.	D.	8	19 $\frac{1}{2}$	1 previous induction with living child. Present child died eleven hours after birth.
1396	IP	38	9 $\frac{1}{2}$	10 $\frac{1}{3}$	17 $\frac{3}{4}$	4 $\frac{1}{3}$	5	7	G.	G.	264	49	5 sets of bougies required to induce labour.
1401	P	37	9 $\frac{1}{2}$	10 $\frac{3}{4}$	7 $\frac{1}{2}$	—	6	2	G.	G.	40	29 $\frac{1}{2}$	
1682	P	36	9 $\frac{1}{2}$	10 $\frac{1}{3}$	7 $\frac{1}{4}$	4 $\frac{1}{4}$	5	6 $\frac{1}{2}$	G.	G.	10	27 $\frac{1}{2}$	
2149	M ₂	37	8 $\frac{1}{4}$	9 $\frac{3}{8}$	6 $\frac{2}{3}$	4	6	6	G.	G.	111	7 $\frac{1}{4}$	2 previous inductions.
2420	P	36	9	10 $\frac{1}{3}$	7 $\frac{1}{4}$	4 $\frac{1}{4}$	5	4	G.	G.	49	16 $\frac{1}{4}$	
2533	M ₁	35	10 $\frac{1}{4}$	10 $\frac{3}{4}$	7 $\frac{1}{4}$	PNF	5	0	G.	G.	69 $\frac{1}{2}$	23 $\frac{3}{4}$	Slight pelvic contraction. First child delivered by Cæsarean section? for placenta prævia.

LABOUR—(continued).

(iv) Premature labour induced by bougies—(continued).

Register No.	Parity	Weeks	Inter-spinous	Inter-cristal	Ext. Conj.	Diag. Conj.	Weight of Child		Result		Duration of induction in hours	Duration of labour in hours	Remarks
							lb.	oz.	M.	Ch.			
2703	M ₁	37	10 $\frac{1}{2}$	11 $\frac{1}{2}$	8	4 $\frac{1}{2}$	6	2	G.	G.	19	10	
2919	P	38	9 $\frac{1}{4}$	9 $\frac{1}{4}$	7	4 $\frac{1}{2}$	6	10	G.	G.	36	11 $\frac{1}{2}$	
2929	P	38	9 $\frac{1}{2}$	10 $\frac{1}{2}$	7 $\frac{1}{2}$	4 $\frac{1}{4}$	6	0	G.	G.	72	8	
3175	M ₅	37	7	9 $\frac{1}{4}$	6 $\frac{1}{2}$	3	6	8	G.	G.	—	—	4 previous inductions and one Cæsarean section. Present labour stated to have been rapid.
3179	M	—	—	—	—	—	6	5	G.	G.	60	12	
3233	P	—	—	—	—	—	4	11	G.	G.	280	8	Induction had to be completed by De Ribes' bag.
3234	—	—	9 $\frac{1}{2}$	10 $\frac{1}{2}$	8	4 $\frac{1}{2}$	3	2	G.	G.	—	—	
3445	P	38	7 $\frac{1}{2}$	8 $\frac{1}{2}$	8 $\frac{1}{2}$	4 $\frac{1}{2}$	5	2	G.	G.	68	17	
4029	M ₂	37	9 $\frac{1}{2}$	9 $\frac{1}{2}$	7	4 $\frac{1}{4}$	5	5 $\frac{1}{2}$	G.	G.	11	36	2 previous inductions.
4168	M ₁	36	10 $\frac{3}{4}$	11 $\frac{1}{4}$	7 $\frac{1}{8}$	4 $\frac{1}{4}$	6	6	G.	G.	24	11	2 previous inductions. Some hydramnios present this time.
4530	M	37	9 $\frac{1}{2}$	10 $\frac{1}{4}$	7 $\frac{1}{2}$	4 $\frac{1}{4}$	6	9	G.	G.	111	5	1 previous induction.
4454	M	—	10 $\frac{1}{2}$	11	7 $\frac{5}{8}$	4 $\frac{1}{2}$	6	0	G.	G.	4	25	
4455	P	36	9 $\frac{3}{4}$	10 $\frac{1}{2}$	6 $\frac{1}{4}$	4	6	1 $\frac{1}{2}$	G.	G.	2 $\frac{1}{2}$	29 $\frac{1}{2}$	
4588	P	36	9 $\frac{1}{4}$	10	7 $\frac{1}{8}$	—	4	14	G.	G.	14	21	
4637	P	38	9 $\frac{1}{2}$	10 $\frac{1}{4}$	7	4 $\frac{1}{2}$	4	9 $\frac{1}{2}$	G.	G.	59	13 $\frac{1}{4}$	
4639	P	37	9	10	7 $\frac{1}{2}$	4 $\frac{1}{4}$	5	10 $\frac{1}{2}$	G.	G.	2	8 $\frac{3}{4}$	
4714	M ₁₀	37	—	—	—	4 $\frac{1}{2}$	7	2	G.	G.	5	7 $\frac{1}{4}$	

(v) Induction of premature labour followed by Cæsarean hysterectomy for obstructed labour due to shoulder presentation.

1226. Child stillborn. Mother recovered.

(vi) Delivered by Cæsarean section.

Register No.	Parity	Weeks	Inter-spinous	Inter-cristal	Ext. Conj.	Diag. Conj.	Weight of Child		Result		No. of previous Cæsarean Sections	Remarks
							lb.	oz.	M.	C.		
42	P	40	—	—	—	3 $\frac{1}{2}$	7	0	D.	D.	0	Admitted as emergency after attempts at forceps delivery with cervix not taken up. Stillborn child delivered. Mother died 1 $\frac{1}{4}$ hours after operation. P.M. extensive hepatic degeneration and renal changes.

LABOUR—(continued).

(vi) Delivered by Cæsarean section—(continued).

Register No.	Parity	Weeks	Inter-spinous	Inter-cristal	Ext. Conj.	Diag. Conj.	Weight of Child	Result	No. of previous Cæsarean Sections	Remarks
186	M ₂	39	9½	10	6¾	3¾	7 7	G. G.	2	First five confinements resulted in spontaneous delivery. The sixth and seventh were terminated by craniotomy.
334	M ₇	39	10	10½	7	4¼	7 1	G. G.	0	
1099	M ₁	39	—	—	—	3¾	6 8	G. G.	0	First child stillborn after difficult instrumental delivery.
1481	M ₁	39½	8½	8¾	6¼	—	5 14½	G. G.	1	True conjugate as measured by the abdomen 3½ in. This patient had had 1 stillborn child delivered at term and 1 induction previously. Sterilization performed at time of operation.
1543	M ₂	39½	8	9¾	7	—	8 12	G. G.	0	
2230	M ₁	39	10	10¾	7¼	—	6 8	G. G.	2	First two children stillborn. Subsequent ones all delivered by Cæsarean section.
2592	P	40	—	—	—	—	—	G. G.	0	Admitted in labour with head overlapping pelvic brim.
3146	P	40	9½	10	8	4	9 7½	G. G.	0	

PUERPERIUM.

COMPLICATED BY :

A. Tonsillitis.

3721. Palliative treatment.

B. Pyelitis.

3249. Palliative treatment.

C. Septicæmia.

2606. Treated by antistreptococcic serum and injections of quinine. Died. *Post-mortem* 147.

D. Mitral stenosis.

4402. Admitted with cardiac failure following a premature labour. Transferred to medical side.

PART II.

TABLE I.

ABDOMINAL OPERATIONS.

	Cases.	Deaths.
<i>Hysterectomy</i> :—		
(1) Sub-total	9	0
(2) Total :—		
Fibro-myomata	10	0
Carcinoma	1	0
Menopausal hæmorrhage	2	0
(3) Extended operation of Wertheim type	6	0
Myomectomy	3	0
Ovariectomy	21	0
Salpingo-oöphorectomy	8	1
Salpingo-oöphorectomy plus hysterectomy	4	0
Salpingectomy for ectopic gestation	2	1
Cæsarean section	9	1
Cæsarean hysterectomy	2	0
Cæsarean Wertheim's operation	1	0
Ventro-fixation	3	0
Exploratory laparotomy	8	1
Laparotomy and implantation of radium needles	3	0
Excision of sinus	1	0
	93	4

TABLE II.

VAGINAL OPERATIONS.

	Cases.	Deaths.
<i>Vulva and Perineum</i> :—		
Removal of caruncle	7	0
Excision of gonorrhœal warts	1	0
Excision of Bartholin's cyst	3	0
Excision of vulva and lymphatic glands	1	1
Plastic operation to enlarge vaginal introit	3	0
Plastic operation on meatus urinarius	1	0
Repair of complete tear	11	0
Colpo-perineorrhaphy	18	0
<i>Vagina</i> :—		
Removal of cysts	2	0
Colpotomy	2	0

<i>Cervix</i> :—	Cases	Deaths
Removal of polypus	2	0
Removal of polypus plus curettage	9	0
Dilatation	9	0
Pozzi's operation	1	0
Excision of "erosion"	1	0
Carcinoma : Examination under anæsthesia	13	0
Do. Do. plus		
radium	19	0
<i>Body of Uterus</i> :—		
Examination under anæsthesia	25	0
Do. plus inflation of		
Fallopian tubes	5	0
Replacement of retroversion	10	0
Curettage	38	0
Curettage and radium	41	2
Uterus cleared out	9	0
Vaginal myomectomy	3	0
Vaginal hysterectomy	1	1
	235	4

PART III.

REPORT OF MATERNITY DISTRICT.

During the year 1925, 1,438 maternity cases were attended on the district; 1,230 by the students and 208 by the midwives.

This is additional to the 195 cases delivered in the hospital and already reported in Part I.

In 1923, 1,570 cases were attended on the district, and in 1924, 1,467 cases.

This year's cases were made up as follows :—

	Multiparæ.	Primiparæ.
Vertex	1,111	198
Breech	18	1
Face	3	0
Transverse	1	0
Twins or triplets	21	2
Undetermined (B.B.A. or B.B.M.S.)	80	3
	1,234	204

MORTALITY.

Maternal.—One case died in an infirmary, of pneumonia, on the 6th day after delivery.

Fætal.—39. These can be classified as follows :—

Full term children	24
Premature or macerated	15
	39

This list includes children dying on or before the tenth day.

MORTALITY—(continued).

The presentations in these fatal cases were :—

	Multiparæ.	Primiparæ.
Vertex	23	1
Breech	2	2
Malrepresentation	2	—
Unknown	8	—
Monster	—	1
	—	—
	35	4

Forceps were applied in 23 cases.

Detail :—

After rotation of an occipito-posterior	4
Extended head	2
Inertia	8
Maternal distress	2
Cause not specified	7
	—
	23

P.P.H. is noted in 15 cases.

A.P.H.—6 cases dealt with on the district. 5 needed no special treatment. One was given pituitrin.

Manual removal of the placenta was performed on three occasions, twice for reasons not stated, and once for *P.P.H.*

Placenta prævia.—3 cases. Two were dealt with on the district and needed no special treatment, 1 was admitted to hospital.

Hydramnios.—4 cases.

Prolapsed cord.—1 case. Replaced in knee-elbow position.

Prolapsed arm with a vertex presentation.—1 case.

Craniotomy.—*Nil.*

LESLIE WILLIAMS,
Obstetric Registrar.

REPORT OF THE DISTRICT ATTORNEY
IN CONNECTION WITH THE CASE OF
JAMES EARL RAY
RE: MURDER OF MARTIN LUTHER KING, JR.
MEMPHIS, TENNESSEE, APRIL 4, 1968

On or about April 4, 1968, James Earl Ray was arrested in London, England, and returned to Memphis, Tennessee, where he is now being held in the Memphis County Jail.

On April 10, 1968, Ray was arraigned in the Memphis County Court and pleaded guilty to the murder of Martin Luther King, Jr. He was sentenced to the State Penitentiary at Joliet, Illinois, for a term of 99 years and 99 days.

On April 11, 1968, Ray was taken to the Federal House of Detention in Memphis, Tennessee, where he is now being held pending his extradition to London, England, to stand trial for the murder of Martin Luther King, Jr.

RE: MURDER OF MARTIN LUTHER KING, JR.
MEMPHIS, TENNESSEE, APRIL 4, 1968

On or about April 4, 1968, James Earl Ray was arrested in London, England, and returned to Memphis, Tennessee, where he is now being held in the Memphis County Jail.

On April 10, 1968, Ray was arraigned in the Memphis County Court and pleaded guilty to the murder of Martin Luther King, Jr. He was sentenced to the State Penitentiary at Joliet, Illinois, for a term of 99 years and 99 days.

On April 11, 1968, Ray was taken to the Federal House of Detention in Memphis, Tennessee, where he is now being held pending his extradition to London, England, to stand trial for the murder of Martin Luther King, Jr.

RE: MURDER OF MARTIN LUTHER KING, JR.
MEMPHIS, TENNESSEE, APRIL 4, 1968

On or about April 4, 1968, James Earl Ray was arrested in London, England, and returned to Memphis, Tennessee, where he is now being held in the Memphis County Jail.

On April 10, 1968, Ray was arraigned in the Memphis County Court and pleaded guilty to the murder of Martin Luther King, Jr. He was sentenced to the State Penitentiary at Joliet, Illinois, for a term of 99 years and 99 days.

On April 11, 1968, Ray was taken to the Federal House of Detention in Memphis, Tennessee, where he is now being held pending his extradition to London, England, to stand trial for the murder of Martin Luther King, Jr.

RE: MURDER OF MARTIN LUTHER KING, JR.
MEMPHIS, TENNESSEE, APRIL 4, 1968

On or about April 4, 1968, James Earl Ray was arrested in London, England, and returned to Memphis, Tennessee, where he is now being held in the Memphis County Jail.

On April 10, 1968, Ray was arraigned in the Memphis County Court and pleaded guilty to the murder of Martin Luther King, Jr. He was sentenced to the State Penitentiary at Joliet, Illinois, for a term of 99 years and 99 days.

On April 11, 1968, Ray was taken to the Federal House of Detention in Memphis, Tennessee, where he is now being held pending his extradition to London, England, to stand trial for the murder of Martin Luther King, Jr.

REPORT OF THE PATHOLOGIST FOR

REPORT

OF THE

PATHOLOGIST

FOR

1925

REPORT

OF THE

PATHOLOGIST

1925

REPORT OF THE PATHOLOGIST FOR 1925.

The numbers are those of the P.-M. Register.

GENERAL DISEASES.

Addison's Disease: 247.
 Diabetes: 5, 15, 46, 62.
 Generally Disseminated Tuberculosis: 27, 54, 61, 97, 99, 227.
 Leukæmia: 65.
 Pernicious Anæmia: 150.
 Poison: 26, 95, 261.
 Toxæmia of Pregnancy: 3.

PERICARDIUM.

Adhesions: 64, 73, 130, 144, 163, 179, 185, 195, 223, 234.
 Carcinoma: 21, 47, 112, 186, 193.
 Hæmorrhage, petechial: 23, 30, 33, 66, 71, 72, 92, 108, 118,
 152, 194, 199 (A) 236, 243, 254.
 Hydropericardium: 2, 24, 65, 77, 94, 103, 121, 125, 193, 194,
 220, 221, 236, 250, 254, 255.
 Milk Spots: 24, 42, 46, 48, 51, 58, 85, 100, 114, 115, 118, 139,
 178, 184, 188, 230, 233, 234, 247, 251, 253, 262.
 Pericarditis: 7, 16, 21, 82, 143, 248, 249.

HEART.

Abscess: 220.
 Atrophy: 1, 5, 6, 7, 10, 11, 12, 14, 16, 22, 25, 30, 31, 33, 37,
 39, 40, 43, 49, 50, 55, 57, 59, 63, 67, 68, 70, 73, 79, 83,
 88, 90, 93, 97, 98, 99, 104, 106, 113, 115, 116, 120, 128,
 131, 135, 141, 156, 166, 168, 181, 182, 184, 190, 197, 198,
 202, 207, 208, 216, 221, 229, 232, 244, 247, 255, 259.
 Carcinoma: 76, 190, 193, 225.
 Dilatations: 2, 24, 64, 72, 77, 158, 160, 162, 174, 175, 179,
 239.
 Endocarditis, acute: 2, 5, 107, 114, 129, 138, 158, 220, 239,
 243, 249.
 .. subacute: 9, 60, 110, 130, 136, 162, 211, 236,
 254, 257.
 .. chronic: 2, 24, 26, 28, 32, 45, 64, 80, 81, 115,
 129, 136, 163, 177, 178, 199, 273, 253.

HEART—(*continued*).

Fatty Degeneration: 65, 91, 94, 103, 108, 111, 145, 150, 165, 167, 176.

Fenestration of Cusp: 26, 35, 122, 146.

Fibrosis of Myocardium: 18, 35, 155, 260.

Hæmorrhage, petechial: 8, 92, 108, 199, 220, 237, 245.

Hypertrophy: 4, 19, 34, 64, 66, 94, 100, 103, 109, 117, 158, 161, 162, 174, 179, 185, 206, 209, 210, 217, 223, 239.

Infarction of Myocardium: 155, 209, 235.

Malformation: 123, 192, 201, 205, 218, 222, 254, 257.

Thrombosis: 24, 48, 115, 118, 134, 174, 179, 205.

Valvular Incompetence, aortic: 187, 215.

„ „ mitral: 144.

„ Stenosis, aortic: 250.

„ „ mitral: 2, 24, 36, 64, 80, 118, 174.

ARTERIES.

Aneurysm: 1, 82, 161, 178, 191, 210, 215.

Atheroma, moderate: 5, 7, 11, 16, 20, 29, 30, 39, 50, 51, 66, 67, 69, 79, 80, 83, 84, 85, 87, 88, 90, 93, 94, 98, 102, 105, 106, 109, 111, 115, 119, 120, 124, 132, 137, 151, 152, 156, 161, 162, 163, 173, 175, 181, 182, 184, 186, 191, 199, 200, 207, 212, 232, 234, 237, 238, 243, 244, 245, 248, 249, 262.

„ severe: 1, 8, 9, 10, 12, 14, 18, 22, 25, 33, 34, 35, 38, 40, 46, 52, 59, 62, 68, 74, 82, 97, 100, 107, 117, 128, 131, 133, 138, 139, 140, 141, 142, 146, 155, 178, 179, 185, 187, 190, 195, 206, 208, 209, 210, 211, 215, 217, 219, 220, 230, 235, 250, 251, 259, 260, 261.

„ slight: 3, 6, 13, 21, 28, 31, 32, 37, 41, 42, 44, 48, 49, 55, 57, 58, 60, 61, 63, 70, 86, 89, 91, 92, 95, 99, 104, 110, 113, 114, 116, 118, 121, 122, 126, 127, 135, 147, 150, 160, 177, 180, 183, 189, 194, 197, 198, 202, 204, 216, 221, 223, 224, 225, 226, 227, 228, 231, 247, 253, 255.

ARTERIES—(continued).

- Embolism, pulmonary: 24, 35, 40, 44, 50, 59, 87.
 Hypertrophy of Muscularis: 66, 223.
 Occlusion of Coronary: 18, 34, 126, 155, 174, 195, 209, 235.
 Persistent Ductus Arteriosus: 23, 71, 72, 154, 159, 160, 199A,
 201, 222.
 Secondary Hæmorrhage: 37, 100, 183, 199, 200.
 Stenosis of Aorta: 207, 209.
 Syphilitic Aortitis: 1, 9, 45, 82, 126, 134, 140, 161, 187, 191,
 210, 251, 260.
 Thrombus in Basilar: 237.
 „ Brachial: 27.
 „ Carotid: 123.
 „ Cerebral: 237, 243.
 „ Common Iliac: 136.
 „ Popliteal: 136.
 „ Pulmonary: 2, 25, 87, 134, 205.
 „ Renal: 123.
 „ Vertebral: 237.

VEINS

- Phlebolith: 238.
 Thrombosis of Cranial Sinus: 89, 90, 123.
 „ Femoral: 87, 115, 152.
 „ Iliac: 35, 50, 63, 98, 115, 147, 184, 205.
 „ Inferior Vena Cava: 59, 147, 157, 184.
 „ Portal Vein: 184.
 Varicosity: 183.

LYMPHATICS AND LYMPHATIC GLANDS.

- Calcareous Nodules: 12, 24, 38, 40, 45, 60, 80, 82, 86, 132,
 137, 142, 145, 147, 174, 199, 200, 227, 228, 233.
 Carcinoma: 11, 12, 16, 20, 21, 25, 34, 47, 50, 67, 68, 88, 111,
 112, 115, 132, 135, 137, 139, 141, 151, 156, 160, 164, 167,
 168, 171, 182, 190, 193, 195, 202, 212, 219, 225, 252.
 Hyperplasia: 34, 81, 82, 117, 119.
 Inflammation: 19, 36, 60, 68, 117, 137, 149, 172, 231, 234,
 241, 262.
 Leukæmia: 65.
 Sarcoma: 152, 160.
 Tubercle, bronchial: 27, 43, 53, 54, 58, 61, 73, 86, 93, 98, 99,
 104, 108, 116, 158, 197, 216, 224, 288.
 „ mesenteric: 27, 43, 58, 98, 116, 197, 204, 216, 227,
 258.
 „ unspecified: 43, 58, 98, 108, 116, 158.

SPLEEN.

- Abscess: 175.
 Adhesions: 2, 6, 36, 52, 57, 91, 106, 136, 152, 175, 223.
 Amyloid: 138, 216, 227, 259.
 Atrophy: 8, 10, 12, 63.
 Carcinoma: 11.
 Cicatrix: 48, 91, 110, 150.
 Infarct: 7, 9, 24, 48, 62, 110, 114, 115, 130, 136, 138, 152, 162, 220, 236, 243, 254.
 Inflammation, acute: 44, 46, 60, 89, 117, 134, 138, 139, 146, 147, 180, 220, 236, 240.
 Leukæmia: 65.
 Passive Congestion: 2, 4, 18, 20, 21, 26, 28, 32, 36, 45, 47, 64, 79, 80, 81, 94, 103, 118, 126, 162, 177, 179, 187, 193, 210, 215, 223, 236, 239, 250, 255, 260.
 Perisplenitis: 144, 163, 178, 182, 185, 230, 250.
 Splenunculus: 31, 67, 102, 103, 122, 149, 150, 204, 236, 247.
 Tubercle: 27, 104.

NASAL FOSSÆ AND SINUSES.

- Hæmorrhage: 109.
 Sinusitis: 69.

THYROID.

- Adenoma: 69, 132.
 Atrophy: 18, 34, 79, 82, 91, 156, 190.
 Carcinoma: 112, 131, 135, 186.
 Fibrosis: 250.
 Hypertrophy, colloid: 31, 81.
 Inflammation: 250.
 Tubercle: 61.

PARATHYROID.

- Amyloid: 227.

THYMUS.

- Hæmorrhage: 125, 199A.
 Hypertrophy and Late Persistence: 60, 64, 81, 157, 160, 204, 253.

LARYNX.

- Abscess: 163.
 Carcinoma, secondary: 146.
 Œdema: 31.
 Tubercle: 53, 58, 221.

TRACHEA.

- Compression: 191.
 Hæmorrhage, petechial: 243 254.
 Inflammation: 37, 235.

BRONCHI.

- Bronchiectasis: 8, 26, 43, 49, 96, 177, 198, 259.
 Bronchitis: 2, 4, 8, 15, 31, 34, 36, 39, 44, 46, 70, 82, 95, 107,
 117, 155, 222, 230, 231, 233, 235, 236, 248, 257, 253.
 Carcinoma: 76, 190, 225.
 „ secondary: 182.
 Hæmorrhage, petechial: 254.

LUNGS.

- Abscess: 5, 14, 44, 56, 76, 89, 105, 111, 112, 139, 147, 180,
 220, 226.
 Atelectasis: 23, 71, 72, 154, 159.
 Broncho-pneumonia: 5, 9, 14, 16, 18, 20, 25, 30, 41, 45, 49,
 51, 52, 56, 57, 62, 63, 66, 69, 79, 83, 84, 85, 90, 91, 96, 101,
 102, 103, 105, 107, 108, 109, 110, 111, 112, 113, 115, 119,
 120, 122, 125, 127, 128, 130, 131, 133, 143, 146, 149, 163,
 164, 165, 170, 179, 182, 191, 192, 196, 202, 205, 206, 207,
 208, 210, 212, 217, 219, 223, 224, 225, 226, 229, 236, 237,
 240, 244, 249, 250.
 Calcareous Nodule: 9, 12, 22, 31, 32, 77, 79, 82, 86, 107, 110,
 117, 124, 142, 211, 248.
 Carcinoma, primary: 16, 21, 47, 135, 139, 190, 193, 195, 225
 „ secondary: 11, 33, 88, 111, 112, 115, 156, 182,
 186, 202.
 Cavities: 43, 53, 58, 73, 79, 86, 93, 97, 104, 116, 173, 197,
 198, 216, 221, 225, 228.
 Collapse: 2, 4, 6, 7, 15, 28, 32, 37, 42, 44, 46, 50, 62, 65, 82,
 87, 93, 99, 107, 140, 143, 173, 190, 194, 196, 206, 219, 220,
 222, 228, 233, 236, 237, 248, 250, 254.
 Congestion: 3, 7, 9, 31, 33, 35, 39, 40, 47, 52, 55, 59, 61, 66,
 67, 76, 81, 87, 92, 94, 95, 103, 106, 110, 117, 118, 121, 123,
 124, 126, 129, 132, 138, 139, 144, 147, 151, 153, 155, 157,
 160, 168, 171, 172, 184, 185, 187, 188, 189, 194, 201, 209,
 220, 237, 245, 246, 260.
 Emphysema: 4, 8, 10, 12, 37, 42, 55, 66, 88, 91, 114, 124,
 137, 138, 141, 142, 151, 167, 178, 184, 188, 190, 194, 206,
 211, 220, 230, 231, 233, 242.
 Fibrosis: 49, 97, 124, 132, 144, 152, 190, 211.
 Gangrene: 96, 182, 225.

LUNGS—(continued).

- Hæmorrhage: 19, 24, 30, 32, 35, 37, 55, 72, 94, 95, 103, 105, 106, 162, 178, 180, 199A, 237, 239, 243, 254, 260.
- Induration, brown: 24, 32, 80, 130, 174, 177, 187, 236.
- „ red: 9, 18, 24, 34, 36, 64, 77, 110, 136, 239.
- Infarct: 2, 44, 48, 87, 162, 177, 260.
- Laceration: 8.
- Lobar Pneumonia: 13, 114, 137, 234, 241, 248, 262.
- Œdema: 3, 24, 26, 31, 34, 35, 36, 45, 47, 53, 60, 65, 66, 67, 68, 70, 77, 80, 88, 91, 94, 100, 108, 111, 112, 121, 136, 139, 141, 147, 150, 157, 168, 171, 186, 188, 199, 200, 207, 211, 216, 220, 239, 245, 254.
- Tubercle, chronic fibro-caseous: 6, 17, 43, 53, 54, 58, 61, 73, 79, 86, 93, 97, 98, 99, 116, 129, 158, 173, 197, 198, 215, 216, 221, 224, 228, 247, 255, 258, 262.
- „ miliary: 6, 27, 53, 54, 61, 73, 86, 93, 97, 98, 99, 116, 129, 197, 198, 216, 258.
- „ pneumonic: 73, 78, 104, 116.

LUNGS—PLEURA.

- Adhesions: 4, 6, 8, 9, 10, 14, 18, 20, 22, 24, 26, 28, 31, 35, 36, 38, 40, 41, 47, 51, 53, 56, 58, 61, 64, 70, 73, 79, 85, 94, 97, 99, 100, 101, 102, 104, 107, 108, 117, 124, 130, 133, 136, 139, 142, 144, 146, 152, 155, 161, 164, 166, 173, 174, 177, 179, 185, 187, 195, 196, 197, 202, 206, 209, 210, 211, 215, 216, 217, 221, 223, 230, 235, 236, 243, 245, 247, 248, 253, 255, 261, 262.
- Calcareous Nodule: 79, 86.
- Carcinoma: 112, 115, 132, 167.
- Hæmorrhage, petechial: 23, 45, 71, 72, 89, 91, 92, 106, 108, 118, 125, 180, 199A, 201, 236, 254.
- Hæmothorax: 8, 65, 140, 152, 204.
- Hydrothorax: 2, 4, 24, 28, 32, 36, 45, 50, 60, 64, 65, 82, 87, 94, 103, 130, 136, 162, 193, 236, 250, 254, 255.
- Laceration: 8.
- Pleurisy, dry: 5, 13, 18, 51, 52, 56, 57, 77, 87, 89, 90, 113, 114, 131, 133, 137, 140, 144, 172, 182, 219, 225, 229, 234, 240, 244.
- „ suppurative: 6, 7, 14, 44, 62, 85, 99, 173, 196, 208, 220, 226, 228, 248.
- „ with effusion: 16, 18, 45, 83, 118, 135, 173, 221, 223.
- Pneumothorax: 6, 206, 228.
- Tuberculosis: 58, 98, 221.

MEDIASTINUM.

- Carcinoma: 21.
 Mediastinitis: 140.

MOUTH AND FAUCES.

- Abscess: 100.
 Carcinoma of Tongue: 25.
 Cleft Palate: 192.

PHARYNX.

- Carcinoma: 244.
 Inflammation: 211, 231.
 Tubercle: 58.

ŒSOPHAGUS.

- Abscess: 19.
 Carcinoma: 12, 76, 182, 202, 219, 251.
 Corrosive Poisoning: 95.
 Ectopic Stomach in: 239.
 Hæmorrhage in Lumen: 245.
 „ petechial: 254.
 Perforation: 182, 228.
 Ulcers: 69, 98, 182.
 Varicose Veins: 33, 68, 99, 183, 230, 245, 259.

STOMACH.

- Adhesions: 20, 79, 100, 102, 208, 229.
 Carcinoma: 50, 88, 111, 151, 156, 164, 168, 251.
 Cicatrix: 79.
 Dilatation: 57, 102, 112, 201.
 Gastritis: 226.
 Hæmorrhage: 4, 48, 68, 70, 95, 100, 102, 105, 111, 154, 183,
 200, 232.
 „ petechial: 109, 254.
 Mucous Catarrh: 231, 239.
 Perforation: 229.
 Pyloric obstruction: 63.
 Syphilis: 57.
 Ulcers, acute: 3, 4, 70, 154, 181, 182, 193, 197, 207, 208, 248,
 249, 254.
 „ chronic: 48, 57, 63, 98, 100, 111, 200.

INTESTINES.

- Abscess: 220.
 Adenoma: 110.

INTESTINES—(*continued*).

Adhesions: 14, 20, 30, 31, 38, 40, 43, 56, 58, 75, 78, 93, 98
105, 107, 121, 132, 198.

Appendicitis: 105.

Carcinoma, cæcum: 68.

„ colon: 11, 40, 84, 120, 167.

„ rectum: 212.

Cicatrices: 35, 110.

Colitis: 166, 205.

Dilatation of Duodenum: 201, 240.

Diverticulum: 38, 46, 52, 81, 178.

„ Meckel's: 21, 25, 122, 155, 189.

Duodenal Ulcer: 35, 83, 100, 101, 102, 132, 181, 232.

Enteritis: 143, 148, 153, 169, 214.

Fistula: 106, 113, 121.

Gangrene: 25.

Hæmorrhage in Lumen: 83, 100, 132, 200.

„ Wall: 220, 236, 243, 254.

Hernia, femoral: 38.

„ inguinal: 8, 14, 20, 124, 190, 195.

„ umbilical: 38.

Ileus: 84.

Imperforate Anus: 242.

Lipoma of Rectum: 177.

Obstruction, acute: 38, 75.

„ chronic: 58, 122.

Parasites: 195.

Perforation: 42, 52, 78, 84, 105, 106, 181, 198.

Stricture: 201.

Tubercle: 27, 43, 58, 77, 86, 98, 99, 104, 116, 129, 173, 197,
198, 216, 221, 258.

Ulcers: 43, 58, 78, 86, 98, 99, 104, 116, 129, 148, 166, 167,
171, 173, 186, 197, 198, 205, 216, 221.

PERITONEUM.

Adhesions: 1, 6, 20, 31, 33, 43, 50, 51, 56, 57, 58, 91, 93, 106,
132, 152, 163, 178, 185, 230, 240, 250.

Ascites: 28, 36, 42, 50, 64, 65, 68, 70, 79, 103, 118, 130, 151,
162, 179, 183, 187, 215, 223, 230, 259.

Carcinoma: 11, 20, 30, 47, 50, 68, 88, 151, 156, 168, 171,
176, 186.

Hæmorrhage: 55, 65, 75, 204.

„ petechial: 108, 236, 254.

PERITONEUM—(continued).

- Peritonitis, general: 13, 15, 42, 52, 74, 77, 84, 85, 87, 106, 107, 121, 122, 149, 172, 176, 181, 196, 198, 207, 212, 227, 251.
 ,, localised: 25, 56, 104, 105, 107, 108, 175, 229, 249.
 Pneumo-peritoneum: 121.
 Pyo-pneumo-peritoneum: 249.
 Tubercle: 43, 58, 93, 98, 221, 224.

RETRO-PERITONEUM.

- Hæmorrhage: 3.
 Suppuration: 13, 56, 87, 105, 147, 229.

LIVER.

- Abscess: 10, 22, 220.
 Adenoma: 2, 69, 86.
 Adhesions: 57, 58, 106, 182, 244, 252, 259.
 Amyloid: 138, 227, 259.
 Atrophy: 1, 8, 12, 21, 25, 37, 41, 43, 50, 55, 57, 59, 63, 79, 80, 81, 84, 92, 98, 99, 100, 116, 120, 122, 128, 131, 132, 137, 141, 142, 177, 178, 181, 187, 198, 202, 205, 219, 232, 244, 245, 249, 250, 260.
 Calcified Nodule: 34, 93, 121, 124, 251.
 Carcinoma: 33, 34, 68, 184.
 ,, secondary: 11, 20, 22, 30, 47, 68, 88, 112, 115, 135, 151, 157, 168, 171, 176, 184, 186, 212, 225.
 ,, melanotic: 20.
 Cholangitis: 10, 22.
 Chronic Venous Congestion: 2, 4, 9, 18, 24, 28, 32, 36, 45, 47, 64, 79, 80, 81, 94, 103, 110, 118, 130, 136, 162, 177, 179, 184, 187, 193, 210, 223, 236, 239, 243, 244, 250, 254, 260, 262.
 Cyst: 67, 179, 202.
 Fatty Degeneration: 3, 5, 7, 24, 42, 44, 46, 80, 85, 91, 93, 98, 104, 107, 114, 121, 136, 137, 138, 139, 144, 145, 152, 169, 173, 174, 177, 180, 186, 189, 199, 205, 206, 207, 214, 220, 227, 240, 241.
 Fibrosis: 4, 9, 33, 68, 79, 82, 134, 146, 174, 177, 183, 195, 230, 245, 251, 259.
 Furrows: 4, 37, 38, 82, 90, 117, 120, 137, 142, 182, 184, 217.
 Hæmangioma: 20, 26, 35, 84, 101, 124, 146, 155, 215, 228, 260.
 Hæmorrhage: 23.

LIVER—(continued).

- Infarct: 207.
 Leukæmia: 65.
 Necrosis, focal: 3, 26, 62, 138, 221, 233, 234.
 Perihepatitis: 137, 144, 183.
 Tubercle: 27, 53, 93, 99, 104, 198, 221, 247, 258.

GALL BLADDER AND DUCTS.

- Adenoma: 142.
 Carcinoma: 10, 30, 151, 171.
 Cholecystitis: 236.
 Dilatation: 22, 66, 135, 145, 163, 168, 252.
 Gall Stones: 10, 33, 79, 93, 145, 209, 243.

PANCREAS.

- Atrophy: 5, 46, 62, 66, 68, 82, 137, 252.
 Calculus: 255.
 Carcinoma: 20, 22, 115, 135, 163, 212, 252.
 Ectopic: 107, 111.
 Fat Necrosis: 252.
 Sarcoma: 160.

BRAIN AND MEMBRANE.

- Abscess: 243.
 Arterial Disease: 34, 59, 110, 142, 155, 215, 219, 235.
 Atrophy: 11, 33, 35, 40, 41, 46, 57, 59, 68, 79, 82, 83, 100,
 113, 122, 127, 131, 132, 133, 138, 139, 151, 152, 155, 178,
 182, 183, 187, 190, 191, 195, 205, 206, 209, 215, 217, 219,
 220, 221, 245, 251, 252, 260.
 Carcinoma: 112, 135, 186, 190.
 Fibro-endothelioma: 145.
 Glioma: 39, 128, 144, 238, 246, 256.
 Hæmorrhage, cerebral: 110, 117, 142, 154, 161, 185, 254.
 „ extradural: 23, 238, 253.
 „ subdural: 1, 8, 29, 111, 124, 220, 237.
 Hydrocephalus: 35, 69, 83, 97, 99, 112, 114, 123, 129, 224,
 255, 258.
 Injury: 1, 8, 253.
 Meningitis, suppurative: 7, 22, 69, 89, 117, 153, 157, 189,
 233, 257.
 „ tuberculous: 27, 31, 54, 61, 97, 99, 116, 213, 227.
 Œdema: 11, 24, 36, 44, 64, 65, 80, 84, 92, 93, 103, 118, 130,
 137, 140, 143, 147, 149, 167, 177, 179, 187, 188, 191, 193,
 210, 215, 217, 223, 225, 230, 241, 248, 251, 259.

BRAIN AND MEMBRANE—(*continued*).

Pachymeningitis Hæmorrhagica: 130.

Softening: 24, 49, 82, 90, 136, 219, 237, 260.

SPINAL CORD.

Hæmorrhage: 8, 154.

Poliomyelitis: 194.

EYE.

Cellulitis of Orbit: 189.

Hæmorrhage: 1, 128, 142, 186.

Sarcoma: 160.

EAR.

Abscess: 210.

Hæmorrhage: 97, 186.

Mastoiditis: 116, 117, 157, 180.

Otitis Media: 97, 110, 127, 131, 148, 180, 193, 222.

Tubercle: 116.

ADRENALS.

Adenoma: 100, 178, 181, 206, 252.

Amyloid: 277.

Atrophy: 66, 156.

Carcinoma, secondary: 11, 112, 151, 156.

Ectopic: 37, 159.

Hæmorrhage: 154, 199A, 206.

Tuberculosis: 84, 247.

KIDNEYS.

Abscess: 30, 134, 220.

Adenoma: 20, 25, 70, 105, 146, 150, 209.

Amyloid: 227, 259.

Arterio-sclerosis: 100, 178, 223.

Atrophy: 1, 10, 12, 25, 33, 34, 62, 66, 67, 82, 92, 98, 106, 117, 141, 142, 156, 181, 182, 185, 205, 217, 232.

Calculus: 97, 109.

Carcinoma, secondary: 11, 76, 135, 186.

Congenital Abnormalities: 26, 143, 148, 192, 196, 199A, 201, 208.

Cyst: 1, 6, 8, 25, 26, 30, 34, 36, 40, 48, 49, 64, 66, 81, 100, 101, 105, 106, 116, 128, 130, 131, 133, 134, 141, 142, 144, 146, 152, 155, 156, 179, 181, 182, 194, 197, 202, 209, 210, 212, 215, 219, 228, 229, 238, 249, 250, 251, 252, 254, 260, 261.

KIDNEYS—(*continued*).

- Fatty Degeneration: 169, 199, 240, 241.
 Hæmorrhage: 8, 13, 65, 113, 147, 189, 209, 254.
 Hydronephrosis: 3, 13, 19, 30, 99, 132.
 Hypertrophy: 245.
 Infarct: 7, 24, 36, 60, 110, 114, 115, 123, 129, 130, 136, 162,
 205, 207, 215, 220, 254.
 Laceration: 8.
 Leiomyoma: 28, 202.
 Nephritis, acute: 211, 236.
 „ chronic: 78, 79, 94, 171.
 „ subacute: 60, 172.
 Perinephric Abscess: 138.
 Pyelitis: 59, 109.
 Pyelonephritis: 79, 109, 134, 138, 248.
 Subcapsular Fibrosis: 48, 50, 51, 82, 105.
 Tubercle: 27, 31, 104, 216, 221.

URETER.

- Carcinoma: 30.
 Congenital Abnormality: 26, 41.
 Dilatation: 19, 61, 109.

URINARY BLADDER.

- Carcinoma: 88, 132.
 Cystitis: 14, 59, 109, 134, 138.
 Dilatation: 69, 153, 157, 167.
 Diverticulum: 101, 178.
 Hæmorrhage: 211.
 „ petechial: 254.
 Hypertrophy: 14, 15, 19, 109, 120, 134, 146, 237.

VESICULÆ SEMINALE.

- Tubercle: 61, 227.

PROSTATE.

- Calculi: 16, 109, 138.
 Myo-adenomata: 18, 66, 100, 120, 138.
 Tubercle: 97, 224.

URETHRA AND PENIS.

- Periurethral Abscess: 137.
 Stricture: 109, 134.

TESTIS AND SCROTUM.

Adhesions: 237, 238.

Atrophy: 20, 63, 82, 90, 100, 115, 135, 140, 146, 178, 187, 209, 259.

Fibrosis: 9, 63, 82, 109, 119, 135, 191.

Hydrocele: 16, 100.

Inflammation: 109.

Pyocele: 109.

Tubercle: 224.

Undescended: 123, 194, 214, 218.

Varicocele: 155, 262.

VAGINA.

Laceration: 3.

Ulcer: 108.

UTERUS.

Abscess: 108.

Adhesions: 1, 31, 46.

Anti-partum Hæmorrhage: 199.

Atrophy: 198.

Carcinoma: 108, 113.

Endometritis: 24.

Fibromyoma: 38, 44, 64, 81, 117, 145, 186, 255.

Laceration of Cervix: 3, 147.

Menstruating: 2, 89.

Polyp: 34, 117, 142, 202.

Pregnancy: 13, 199.

Pyometra: 108.

Rupture: 74.

Subinvolution: 3, 13, 94, 147, 246.

FALLOPIAN TUBE.

Hydrosalpinx: 33.

Pyosalpinx: 13, 42.

Tubercle: 31, 58, 221.

OVARY.

Adhesions: 31.

Atrophy: 7, 29, 33, 34, 46, 64, 67, 70, 92, 98, 103, 142, 184, 198, 202, 248, 250.

Carcinoma: 50, 151, 168, 186, 225.

Corpus Luteum: 2, 3, 64, 80, 86, 89, 94, 117.

Cysts: 2, 3, 81, 94, 126, 142, 161, 184, 233, 244, 245.

Tubercle: 31.

BREAST.

- Atrophy: 1, 7, 81, 92, 93, 98, 188.
 Carcinoma: 186.
 Chronic Mastitis: 184.
 Cysts: 80, 114, 243.
 Fibrosis: 6, 12, 37, 44, 55, 64, 67, 225, 244, 250.
 Physiological Hyperplasia: 3, 147, 199.

SKIN AND SUBCUTANEOUS TISSUES.

- Abscess: 35, 46, 68, 148, 170, 212, 220, 227.
 Cellulitis: 46, 89, 106, 109, 192, 205, 217.
 Cicatrix: 1, 5, 21, 26, 46, 97, 152.
 Clubbing: 139.
 Contusion: 1, 179, 204, 217, 253.
 Gangrene: 136.
 Hæmorrhage, petechial: 108, 156, 211, 236, 243, 259.
 Jaundice: 10, 22, 30, 70, 115, 135, 151, 163, 186, 252.
 Lipoma: 21.
 Œdema: 2, 4, 16, 24, 28, 36, 46, 60, 65, 87, 89, 98, 115, 130,
 136, 138, 147, 149, 152, 177, 179, 183, 187, 215, 222, 230,
 255.
 Papilloma, non-pigmented: 34.
 Pemphigus: 167.
 Pigmentation: 21, 64, 88, 103, 247.
 Sebaceous Cyst: 85.
 Ulcer: 36, 46, 122, 123, 179, 192, 189.

BONES.

- Carcinoma, secondary: 88, 111, 112, 135, 156, 160, 186, 190.
 Chondroma: 142.
 Fracture, ileum: 204.
 „ radius: 217.
 „ rib: 1, 8.
 „ skull: 1, 8, 253.
 „ sternum: 8.
 „ ulna: 79.
 Fracture dislocation: vertebral: 8.
 Healed fracture: 5.
 Leukæmia: 65.
 Marrow: 16, 102, 108, 111, 115, 150, 151, 152, 193, 204, 231.
 Osteoma: 178.
 Osteomyelitis: 97, 233.
 Pelvis, contracted: 3.
 Pernicious Anæmia: 150.

BONES—(*continued*).

- Sarcoma: 160.
- Spinal Curvature: 123.
- Tuberculosis: 227.

JOINTS.

- Ankylosis: 127.
- Osteoarthritis: 22.
- Suppurative Arthritis: 7, 68, 170.

MUSCLES.

- Atrophy: 7.
- Carcinoma, secondary: 151.
- Tubercle: 98.

EXTREMITIES.

- Abnormality: 7.
- Gangrene: 136.

WILLIAM G. BARNARD,

Pathologist.

INDEX TO ABSTRACT OF POST-MORTEM
EXAMINATIONS, 1925.

P.M.R.	Hosp. Register	P.M.R.	Hosp. Register	P.M.R.	Hosp. Register
1 ... (1924)	4671	50	395	90	1715
2 ... (1924)	4622	51	536	100	1804
3	43	52	716	101	1741
4	60	53	73	102	1758
5	35	54	674	103	1453
6 ... (1924)	4667	55	885	104	863
7 ... (1924)	4638	56	284	105	1323
8	170	57	631	106	1759
9 ... (1924)	4152	58	698	107	1827
10 ... (1924)	4597	59	706	108	1635
11 ... (1924)	4521	60	726	109	1512
12	216	61	888	110 ... (1924)	4172
13	23	62	927	111	1662
14 ... (1924)	4060	63	781	112	1961
15	258	64	936	113	1757
16	273	65	947	114	1977
17	170	66	938	115	1437
18	207	67	1167	116	1541
19	315	68	873	117	2005
20	193	69	R.E.H.	118	2055
21 ... (1924)	3701	70	1065	119	2092
22	180	71	1185	120	2158
23	396	72	1311	121	2040
24	207	73	1015	122	2159
25	167	74	1185	123	2194
26	405	75	1359	124	2248
27	437	76	1275	125	B.I.D.
28	347	77	1398	126	2112
29	368	78	1067	127	2244
30	52	79	1367	128	1980
31	335	80	18	129	2216
32	255	81	914	130	1569
33 ... (1924)	4245	82	1197	131	1954
34	490	83	1040	132	2350
35	336	84	1503	133	2106
36	428	85	1299	134	2397
37	125	86	1332	135	1561
38	521	87	1376	136	2068
39	492	88	997	137	2473
40	430	89	1627	138	2468
41	401	90	1321	139	1427
42	433	91	1681	140	2291
43	429	92	1523	141	2482
44	627	93	190	142	2466
45	691	94	1632	143	2480
46	623	95	B.I.D.	144	2535
47	516	96	1617	145	2956
48	598	97	1540	146	2620
49	463	98	1611	147	2606

INDEX TO ABSTRACT—*continued.*

P.M.R.	Hosp. Register	P.M.R.	Hosp. Register	P.M.R.	Hosp. Register
148	2475	187	3571	225	4196
149	2754	188	3197	226	3757
150	2681	189	3672	227	3975
151	2564	190	3486	228	4134
152	2454	191	3491	229	3809
153	2769	192	3454	230	2830
154	2807	193	3574	231	3817
155	B. I. D.	194	3737	232	4255
156	2713	195	B. I. D.	233	3474
157	2768	196	3699	234	4051
158	2761	197	3604	235	B. I. D.
159	3010	198	3506	236	3893
160	1836	199	O. A.	237	4354
161	3026	199a	O. A.	238	4178
162	3064	200	3787	239	4373
163	2709	201	B. I. D.	240	4252
164	3008	202	3741	241	4295
165	2994	203	3867	242	2631
166	2257	204	3908	243	4262
167	2054	205	3808	244	4131
168	3159	206	3707	245	4479
169	3341	207	3488	246	4180
170	3087	208	3286	247	3946
171	3217	209	B. I. D.	248	4503
172	3304	210	3967	249	4005
173	1854	211	3478	250	3462
174	3333	212	3871	251	4516
175	2783	213	4020	252	4261
176	3178	214	4006	253	4578
177	2864	215	2148	254	3750
178	2931	216	3562	255	4570
179	3347	217	3996	256	4460
180	3294	218	4004	257	3806
181	3497	219	4002	258	4627
182	3119	220	4087	259	4618
183	3384	221	3904	260	4580
184	3484	222	4149	261	B. I. D.
185	3615	223	3472	262	O. P. D.
185	3259	224	4010		



REPORT OF X-RAY DEPARTMENT FOR 1925.

RADIOTHERAPEUTIC.

X-ray treatments (recurrent, exophthalmic goitre, &c.)	981
Superficial diseases	476
T.T. (ringworm)	260
Radium	137
								1,854

RADIOGRAPHY.

Barium	600	
Bone	2,518	
Cardiac	297	
Chest	878	
Dental	109	
Œsophagus	112	
Skull	384	
Urinary	393	
								5,921	
Total								...	5,921

R. W. A. SALMOND,
Honorary Radiologist.

REPORT
OF THE
ANÆSTHETIC REGISTRAR
FOR
1925.

REPORT OF X-RAY DEPARTMENT
FOR 1925

BY

DR. J. H. ...

REPORT

OF THE

ANESTHETIC REGISTRAR

FOR

1925

ANÆSTHETICS ADMINISTERED, 1925.

	General	Dental	Eye	Gynaecological	Throat	Total
Nitrous oxide	1,307	626	1	10	34	1,978
Ethyl chloride.....	275	95	2	...	43	415
Ether	1,289	16	11	320	343	1,979
Intratracheal	15	15
Chloroform	106	8	1	18	4	137
Intratracheal	1	1
SEQUENCES.						
Gas ether	220	29	6	255
Intratracheal	5	5
Gas ether chloroform	19	7	1	...	45	72
Ethyl chloride ether	29	2	1	6	14	52
Ethyl chloride ether chloroform	1	4	2	7
Ether chloroform	58	41	6	1	297	403
Intratracheal	2	2
Chloroform ether	4	7	...	11
Other sequences	5	5
MIXTURES.						
Nitrous oxide oxygen	11	11
Nitrous oxide oxygen ether	10	10
Nitrogen oxide oxygen and novocain injection	1	1
Chloroform ether, &c.	42	8	2	52
LOCAL, REGIONAL, SPINAL INJECTIONS.						
Local and regional —						
Novocain, &c.	355	28*	61	1	9	454
Ethyl chloride spray, &c.	6	1	7
With general anæsthetic ..	19	1	20
Sacral	3	3
With general anæsthetic ..	3	3
Spinal	8	8
With general anæsthetic ..	6	5	...	11
No anæsthetic	141	10	1	2	2	156
Anæsthetic not stated	55	13	...	3	21	92
Total.....	3,996	850	85	410	824	6,165

* Certainly incomplete.

H. N. WEBBER,
Anæsthetic Registrar.

ANESTHETICS ADMINISTERED, 1922.

Amount	Weight	Volume	Percentage	Number	Notes
1,207	88	10	2	1,207	Nitrous oxide oxygen
215	23	2	2	215	Diethyl ether
1,937	248	228	24	1,937	Diethyl ether
15	15	Diethyl ether
108	18	18	1	108	Chloroform
1	1	Diethyl ether
Sedatives					
230	0	0	...	230	Gas ether
0	0	Diethyl ether
10	15	1	1	10	Gas ether chloroform
23	14	0	1	23	Diethyl ether
7	7	7	Diethyl ether
52	207	1	5	52	Diethyl ether
2	2	Diethyl ether
1	...	7	...	1	Chloroform
2	2	Gas ether
Mixtures					
11	11	Nitrous oxide oxygen
10	10	Nitrous oxide oxygen ether
1	1	Nitrous oxide oxygen and oxygen
43	2	8	...	43	Diethyl ether, etc.
LOCAL, REGIONAL, SPINAL, EPIDURAL					
285	0	1	81	285	Local and regional
2	1	2	Diethyl ether, etc.
10	1	10	Diethyl ether, etc.
2	2	With general anesthetic
0	0	Spinal
8	8	With general anesthetic
0	0	Spinal
13	2	2	1	13	With general anesthetic
55	21	2	...	55	As stated not stated
Total	521	410	24	1,937	

* Generally incomplete.

