Publication/Creation

10 November 1925

Persistent URL

https://wellcomecollection.org/works/gc352b9n

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org NATURAL HISTORY COLLECTIONS of the late SIR VAUNCEY HARPUR CREWE, Bart.


10th Nov. 1925

1 WA/HMM/am/Sal/21/496

Tuesday, November 10th, 1925. FIRST PORTION OF THE COLLECTION of Varieties and Rarities of BRITISH BIRDS and MAMMALS.

STEVENS'S AUCTION ROOMS LTD., 38 King Street, Covent Garden, W.C.2.





BUYER

AUCTIONEERS.

Lot Lot Amount Amount d. £ S d. s. 5. lifit 249/50 Sef dif-Low 14.24 Ale 6.4.18 213/4-232/3

End

Date 10/11/25

SALE No. 13,926.

A CATALOGUE OF THE FIRST PORTION OF THE UNIQUE COLLECTION OF BRITISH BIRDS

formed by the late Sir VAUNCEY HARPUR CREWE, Bart.

This vast Collection of Varieties of British Birds, and examples of all the rarer species, has been collected by Sir Harpur Vauncey Crewe and other sportsmen and naturalists throughout Britain, and acquired privately and from the sales of all the most important collections disposed of during the last fifty years.

The many historic rarities include Black Stork, Flamingo, Glossy Ibis, Andalusian Hemipode, and others. Also such varieties as Wilson's Phalarope, American Purple Martin, and all the rarer species of all families.

Unique and remarkable varieties of nearly all the British species, Albinos, Melanic, Pied, and all other phases of variation are represented in great numbers, also a large number of Hybrids, chiefly of Game Birds.

The Collection contains varieties of

BRITISH MAMMALS,

comprising many Albinos, Pied and other forms.

Which will be Sold at

STEVENS'S AUCTION ROOMS LTD.

At their Great Rooms,

38 King Street, Covent Garden, and 15/16 Floral Street. London, W.C.2,

On TUESDAY, NOVEMBER 10th, 1925, at 1 o'clock precisely.

On view day prior and morning of sale till 11.30. Catalogues on application to the Auctioneers.

Telephone : Gerrard 1824. Telegrams : "Auks, Rand, London." Established 1760.

RIDDLE, SMITH & DUFFUS, Printers, Windsor House, 83 Kingsway, W.C.2 ; [and Forest Hill, S.E.25

CONDITIONS OF SALE.

FIRST.—The highest bidder to be the buyer, and if any dispute arise between two or more bidders the lot so disputed shall be immediately put up again and re-sold. The auctioneer reserves to himself the right to refuse any bid, also to make any alteration in the catalogue.

SECOND.—No person to advance less than one shilling; above f_2 , two shillings and sixpence; and so on in proportion.

THIRD.—The purchasers are to give in their names and places of abode, and, if required, to pay down a deposit of five shillings in the pound in part payment of the purchase-money, in default of which the lot or lots so purchased to be put up again and re-sold at any convenient opportunity during the sale or otherwise.

FOURTH.—The lots are to be taken away and paid for, with all faults and errors of description, at the buyer's expense and risk, on the day immediately following sale. The auctioneer not being responsible for the correct description, genuineness or authenticity of, or any fault or defect in any lot, and making no warranty whatever.

LASTLY.—Upon failure of complying with the above conditions, the money deposited in part payment shall be forfeited to the vendors, the lots remaining uncleared shall be re-sold by public or private sale, and the deficiency (if any) attending such re-sale, together with all incidental expenses and charges, shall be made good by the defaulters at this sale.

NO LOTS WILL BE TRANSFERRED.

The Clerk of the Sale has authority to refuse Cheques.

A CHARGE FOR WAREHOUSING WILL BE MADE ON LOTS NOT CLEARED PROMPTLY.

Telephone I-GERRARD 1824. Telegrams :---Auks, Rand, London.

att & 81

CATALOGUE.

On TUESDAY, NOVEMBER 10th, 1925, At 1 o'clock precisely.

ON VIEW :

Monday, 9.30 a.m. to 5.30 p.m. Tuesday, 9.30 a.m. to 11.30 a.m.

MAMMALS.

LOT

512

I

4

5

6

8

Mole Q, var. silver-grey, Calke Abbey, 4.11.1907; ditto, var. speckled, Staffordshire 2

- Mole Q, var. albino, Calke Abbey; ditto, speckled, Calke Abbey 2
- Mole Q, var. silver-grey, Calke; ditto, var. cream, head apricot, Calke 2
- Stoat \mathcal{Q} , changing to winter dress, Calke, 2.2.1910; ditto \mathcal{J} , changing to winter dress; Weasel \mathcal{Q} , Calke 3
- Stoat \mathcal{Q} , changing to winter, mostly white, Calke, 21.1. 1915; ditto \mathcal{J} , changing to winter, Calke; ditto \mathcal{J} , normal, fine specimen 3
- Stoat 3, changing to winter, almost complete, Calke, 24.12.1910; ditto \mathcal{Q} , changing to winter, Calke, 2.1.1914

Stoat 3, albino (tail completely white), from Mountney, late J. Cording, naturalist, Cardiff, very rare 1 Stoat 3, winter, only top of head brown, 1.2.1905; ditto 9, changing to winter, 15.2.1901 2

- Stoat 3, fine var. crown and nape white, rest of upper parts admixture white and brown, 30.12.1895, Calke 1
- Stoat 3, fine pale var., all over admixture white and brown; ditto \mathcal{Q} , changing to winter, mostly white, 5.2.1909 2
 - Stoat \mathcal{Q} , changing to winter, admixture brown and white, Calke Abbey, 11.12.1886; ditto, change almost complete, only head and nape brown 2
 - Case containing three Weasels, including one albino, one pale cream upper parts, one normal
 - Hedgehog, fine *albino*, in glass shade, Midhurst, Sussex, 8.2.1912
- Long-eared Bat, *albino*, very rare, Tunbridge Wells, Sept. 7, 1909, in case
 - Common Rat, two albino specimens, in case-
- · Badger, fine cinnamon var., mounted, Staffs ///2/2
 - Otter, albino, rare, mounted

Mountain Hare, var. almost white, mounted, 2.2.1897

19 Ditto, pure white, 2.2.1897

9

IO

II

12

13

14

15

16

17

18

28

29

- 20 Ditto 3, light buffish-grey, 5.11.1896
- 21 Common Hare, handsome pied var., middle of body and 20/legs white, set up

51- Jemson

- 22 Rabbit, var. almost melanic, Staffs.
- 23 Rabbit 3, var. albino, skin, Warslow, Staffs, 15.10.1912
- 24 Rabbit ♂, var. grey (head repaired), Warslow, Staffs, 15.10.1912; ditto, white, slightly pied, Calke, 11.11. 1911 2
- Rabbit 3, silver-grey var., Warslow, 7.10.1912; ditto, pied var., Calke, 27.11.1909
- Rabbit 3, pied var., white, sparsely spotted with brown, Calke, 30.1.1913; ditto, pale cinnamon var., Calke, 19.10.1909
- Marten, fine mounted specimen, Feb. 2, 1916; Mountain Hare ♂, slightly pied, 5.11.1896
 - Noctule Bat, cream-coloured var., very rare, set up in case, Norwich, 17.8.1879
 - Azurine (fish), Norfolk, June 1881; and 4-spined Stickleback, April 1881, Norwich, in case; Hybrid Rudd and Bream, first specimen taken in England, Small Broad, Netishead, Norfolk, weight 160z., 5.9.1910 2

BIRDS.

31

34

35

36

37

38

40

- 30 Rook ♀, var. head and body dusky-brown, finely speckled with buff, wings barred buff, rare, Calke Abbey, ///-24.5.1887 I
 - Rook ♀, var. back blotched with white, outer tail feathers white, small specimen, Norwich, Dec. 1877; ditto, 10 white var., side of head and tips of wings black, left wing and tail damaged 2
- 32 Rook 3, var. upper parts, wings and tail brown, belly grey; ditto, pale grey mottled and barred with brown 2
- Rook, var. handsome, symmetrically pied, Calke Abbey, May 16, 1885
 - Rook, var. white, Calke Abbey, 28.6.1886; ditto, var. albino 2
 - Rook, var. cream-coloured, Acle, Norfolk, Aug. 1874; ditto, var. pale drab and silver-grey, back finely barred, 19 shot at Hocken 2
 - Rook, var. ashy-grey, back and underparts barred with blackish, head and upper-breast normal, handsome adult bird, rare; ditto, var. young, heavily mottled and barred with grey and black, March 26, 1903 2
 - Rook, var. head and body dusky, wings and tail silvergrey mottled and barred ; ditto, var. cinnamon-brown
 - Rook, var. pied, young bird; ditto, var. young, head brown, otherwise cream coloured mottled with brown and black, underparts whitish, handsome and rare var.

metroli

- 39 Rook, var. brown, wings and tail whitish-buff, rare; 16ditto, var. young, pied 2
 - Rook, var. ♂ adult, Dec. 23, 1886, Calke Abbey, pied var.; ditto, young pied var.; ditto, ♀ adult var., back and underparts mottled grey and black, wings and tail grey barred with faint brown, Calke Abbey, Dec. 16, 1910 3
 - Rook, young ♀ var., grey, wings and tail tinged with buff, Calke Abbey, 22.5.1915; ditto, pied var.; Raven, one leg damaged, no data 3
 - Carrion Crow, white var. tinged with pearl-grey, very indistinctly barred, rare, Dec. 11, 1917; ditto, similar var., tail and wings frayed 2

5

- Hooded Crow, var. back mottled with black ; Jackdaw 3, pied var., handsomely marked, wings and tail normal, 27.11.1907 2
 - Jackdaw 3, white var., primaries tipped with black, grey band on crown, Calke, 16.10.1917; ditto, var. brown blotched wings, Calke, 6.5.1898 2
- Jackdaw &, var. grey, mottled and barred with darker bronze-grey, wings and tail pale ash-grey barred, rare, Calke Abbey, June 26, 1886; ditto, var. wings slightly pied 2
- Jackdaw, var. bronze-grey wing feathers, margined with cream colour; ditto ♀, var. brown blotched wings, tail frayed, 6.6.1893
- 47 Jackdaw, var. bronze-grey (wings and tail light), barred and mottled with brown and black; ditto ♀, var.
 'slightly blotched with white 2
- 48 Jackdaw ♀, var. pale drab, very faintly mottled, very rare, Calke Abbey, 16.7.1904 I
 - Jackdaw, var. rich bronze-brown
 - Jackdaw, var. head and nasal bristles mottled with white ; ditto, var. buffish-white, head repaired 2
 - Jay, var. four primaries white in right wing, white on nape
 - Jay, var. wing coverts mostly without black bars and blue very pale, adult 3, Norwich, 7.1.1887 I
 - Magpie, var. head, breast and body grey, wings and tail pale ash-grey, slightly barred with dark grey, very rare 2

Magpie, *albino* var., rare, July 27, 1906, Heathfield, Sussex I

Magpie, var. white, back mottled, primaries tipped with black, base of secondaries and coverts streaked with green-black; tail white, ends of central feathers margined and tipped with green-black, rare, handsome var.

I

Ι

T

Τ

Т

- 56 Magpie, var. splendid pied bird ♀
- 57 Nutcracker, no data, but undoubtedly British
- 58 Ditto, ditto

43

45

49

50

51

52

53

54-

- 59 Ditto, Norfolk, Nov. 11, 1911
- 60 Ditto, March 1917
- 61 Ditto, ditto
- 62 Roller shot at Shoattle, November 1916

63	Pallas's Sand-Grouse 3 9, June 19, 1888 (British) 2
64	Ditto pair 2
65	Capercailzie \mathcal{Q} , \mathcal{Q} assuming \mathcal{J} plumage 2
66	Ditto, $\varphi \varphi$ 2 Community and such that has harded 2
67 68	Capercailzie and grey-hen hybrid I Black Grouse 3, changing plumage, Feb. 6, 1896, Staffs.
00	I
69	Grey-Hen assuming 3 plumage, shot at Warslow, Staffs.,
siend.	6.2.1896, fine plumaged example, head, neck and tail
	almost complete 3 I
70	Ditto, almost a similar specimen, no data I
71	Hybrid Turkey and Black Grouse, no data
72	Hybrid Game Cock and Guinea Fowl, Darsham, Suffolk, July 6, 1886
73	Grey-Hen assuming 3 plumage (similar to lot 69), shot at
	Warslow, 1895
74	Ditto, 22.10.1898 I Hybrid Black Crowse and Conservativia J to 1806 I
75 76	Hybrid Black Grouse and Capercailzie, 1.10.1896 I Grey-Hen and Ptarmigan hybrid, wings, throat and
10	underparts white, back grey barred with black, head
	and neck speckled chestnut and black I
77	Red Grouse, dusky-grey var., almost black, marking cream
ninw 1	coloured I is a long to the second in the I
78	Pheasant 3, vr. (Bohemian Pheasant so called), buff
ar sin	var., large handsome bird, 27.1.99 I
79	Ditto, similar to lot 78
80	Ditto 9, assuming 3 plumage, head and neck almost
0-	complete 3, 23.12.1908, handsome bird I
81	Ditto 3, var. "Bohemian"
82	Ditto φ , assuming \Im plumage, 1896, similar to lot 80 I
83	Ditto, ditto, paler in colour I
84	Ditto 3, just starting change to φ plumage, Calke
	Abbey, 28.12.89; ditto \mathcal{J} , var. markings on breast and
0	flanks reduced, Calke Abbey, 5.2.1890 2
85	Ditto 3, var. "Bohemian," Calke Abbey, 16.11.1889 1
86	Ditto 3, var. upper parts, including tail, nearly all white,
	breast pale buff speckled with black, "Bohemian" var.,
Q-	31.12.1902, Melton Constable, Norfolk I
87	Ditto \mathcal{Q} , var. wholly cream and very pale buff, all mark- ings very faintly indicated, Swanton, Norfolk, 3.11.97 I

88 Pheasant 3, var. very handsome white and golden var., all upper parts white, ring on neck tinged with bronze, breast golden, flank markings silver and bronze, 25.11.92, Melton Constable, Norfolk 89 Ditto, 3 var. pure white all over, except head and neck of normal colour, and one inner secondary with small chestnut streak, bill and legs white, a strikingly handsome bird, no data Ditto hybrid, Reeves and Common, head and neck bronze-90 purple, white and chestnut, entire body deep purplecopper, tail also purplish with central markings light ochreous and black, a remarkable bird, Norwich, Feb. 6, 1888 I Ditto 9, "Bohemian " var., Calke 30.10.1889; ditto 3, 9I cross between Japanese and Chinese 2 Hybrid 3, Golden and Common Pheasant 92 Ι Golden Pheasant 3, changing to \mathcal{Q} 93 Ι Hybrid Q. Golden Pheasant and Bantam, Calke Abbey, 94 17.1.1900; and golden 3, parent of hybrid 2 Ditto 3, Pheasant and Fowl 95 Ditto \mathcal{J} , ditto, white slightly mottled with chestnut, 96 Earlham, Norwich, 1840 Ditto \mathcal{J} , Pheasant and Fowl, head, neck and tail white, 97 body chestnut with white mottlings T 98 Ditto 3, Common and Silver Pheasant, upper parts and tail black and white vermiculations, under parts deep copper, head and neck bronze-black Ditto 9, Pheasant and Black-breasted Game, Burlingham, 99 nr. Norwich, 1852 Red Grouse 3, var. right primaries and coverts white, 100 2.9.13; ditto \mathcal{Q} , var. throat and spot in centre of breast white, 25.8.1900 Red Grouse 3, var. first two right primaries white, IOI 17.9.87; ditto 3, fine specimen, Warslow, 26.9.1904 2 Red Grouse \mathcal{Q} , var. upper parts black with light cream 102 markings, 28.9.1912; ditto 9, richly coloured, 1899, Warslow Red Grouse 3, var. pied, under parts white, wings speckled 103 and barred with white, Warslow, 16.9.98 Red Grouse 9, var. greyish-white all over, markings very 104 faintly indicated, no data; ditto \mathcal{Q} , var. three outer primaries white, 3.8.02, Warslow

m

.

105	Red Grouse φ, var. greyish-white, markings faintly indicated; ditto φ, var. pied, neck, lower breast and belly white, 23.8.04 2	107 - Gunn
106	Red Grouse Q, var. outer half of primaries each wing white, 9.12.14, Warslow, Staffs. ; ditto 3, var. slightly speckled with white 2	107 du
107	Red Grouse \mathcal{Q} , var. under parts spotted with white ; ditto \mathcal{Q} , var. richly coloured, 26.9.1904 2	107 du
108	Red Grouse ♂, var. speckled white, 23.11.1906, Warslow; ditto normal ♀ 2	8/- do
109	Red Grouse 3, under parts uniformly chestnut, 9.10.1899 ; ditto ♀, richly marked, 3.8.1902 2	6f do
IIO	Red Grouse 3, dark breasted, 1899, Warslow; ditto 9, 8.9.1902 2	6- du
III	Red Grouse Q, var. small specimen, dusky wings, pri- maries margined with white, lower parts blotched with white, Warslow, 14.9.1904; Ptarmigan, two specimens	107- do
112	Partridge, var. montana 3, Norfolk, Oct. 1911 3	22/- Michol
113	Partridge 3, var. upper parts silver-grey, Dublin, 16.1.1911	207- du
114	Partridge 3, var. primaries white, Nov. 8, 1901, Staffs. ; ditto 3, var. breast blotched with chestnut, horseshoe large tail variegated, 11.10.1904 2	724/-
115	Partridge 3, var. handsomely pied, head and neck mostly white, Norfolk, 15.11.1892	michols
116	Partridge Q, var. primaries white, Calke, 30.10.1913; ditto 3, var. upper parts grey, head pale buff, 10.1.1918, Calke 2	
117	Partridge Q, var. mottled with white, 2.10.1901; ditto 3, var. upper parts pale, Calke, 10.11.1909 2	57- michilo
118	Partridge 9, 9, vars. mostly white, from White, Chelten- ham, 1899, badly set up, otherwise perfect 2	1/12/6 du
119	Ditto, var. Montana, white blotched var., Sept. 22, 1906 I	201- au
120	Ditto, var. 3, very pale, flanks and tail markings cream coloured, no data	111 du
121	Ditto \mathcal{Q} , var. grey, all usual chestnut markings replaced with pinkish-buff, Calke, 18.10.1889	10/ Gen
122	Ditto 9, var. pale cinnamon, rare, Calke, 4.2.1914 I	18/ yen

123	Red-legged Partridge Q, var. very rare form, head black	.111
	upper parts blotched and variageted flenk feather	. 6/10%.
	duplicated on the back, near Winchcombe, Gloucester	nichum
124	bitto, var. breast white, no date; Quail 3, 24.5.1893	201-
	Staffs	2 1 .0
125	Moorhen, var. hairy form, upper parts dark grey and buff	, 22 flense
126	under parts ashy-white Ditto, similar var., 3.12.1898	20-00
120	Ditto, ditto	- P/157- du
128	Ditto 9, pied var., back, tail and breast heavily blotched	1 & I Dichow
	with white, 1898, Staffs.	(L2/-Immon
129	Ditto, var. upper parts pale tawny and silver-grey, nape and under parts silver-grey	Za Jamese
130	Ditto, var. pied, River Bure, S. Walsham, Norfolk	
-3-	25.11.1916, nape, breast and mantle white, rest blotched	
	white 1	no Dichi
131	Ditto Q, var. pale brownish-buff, wings cream, under parts buffish-grey, Bexhill, Sussex, 30.9.1904	10 proces
132	Landrail 9, long-hooked bill, Norwich, 12.9.1887	57-Jansu
133	Coot, var. 3, pied, lower parts blotched with white, 2-3	
	primaries left wing white, Calke, Dec. 2, 1911	14-monu
134	Coot, var. handsomely pied, head and back white, rest uniformly mottled, primaries and secondaries black	607-bennen
135	Partridge \mathcal{J} , var. tail cream coloured, each feather with	1
-55	the shaft, margins and tip chestnut, no data; ditte	
10000	normal 3, Calke, 29.10.1886	
136	Partridge 3, var. cream-coloured tail, similar to lot 135	
	but less chestnut colouring ; ditto \mathcal{Q} , normal, 7.10.1885 Calke, horseshoe small blotch one side only	
137	Partridge 9, var. upper parts rich chestnut, Staffs.	, 12/-do
. Sauth	6.10.1896; ditto 3, var. pale wings, Staffs., 5.11.1903 2	
138	Red Grouse 3, var. all markings light cream, neck whitish	
AND I LOI	Staffs., 21.8.1896; ditto 3, malformed bill	11-1
139	Red Grouse 3, var. primaries of left wing white ; ditto Q var. all markings white, 24.8.1896	nichold
140	Red Grouse 3, var. chin and belly blotched with white	61-Janses
-	ditto Q, var. buff and cream ; ditto 3, var. under parts	
	mottled with white	57 les
141	Red Grouse pair 3, uniformly dark; \mathcal{Q} , 26.8.1907 2	J- sunsi
142	Black Grouse \mathcal{Q} , assuming \mathcal{J} plumage	9/- punsie

143	Pheasant 3, torquatus, Calke, 1.2.1913; ditto 3, chiefly
144	mongolicus, 6.11.1913 2 Blackbird &, pied var., Calke Abbey, 11.1.1916; ditto &,
- 4 4	mottled buff var., Calke, 1906 2
145	Blackbird 3, pied var., Calke Abbey, 1900 ; ditto 3, var.
+ 16	Blackhird 2 was sid as had and sack Calle Abbar
146	Blackbird 3, var. pied on head and neck, Calke Abbey, 17.2.1900; ditto 3, var. pied, Calke Park, 19.1.1905 2
147	Blackbird 2, var. pied (bill damaged), Rye Harbour,
-1/	22.2.1905; ditto 3, var. pied, Calke, 11.1.1916; ditto 3,
	var. pied, Calke Abbey, 15.12.1905 3
148	Blackbird Q, pied var. on head and nape, Calke, 27.12.1907;
	ditto 3, pied var., Calke, 8.6.1894; ditto 3, var. pied
ano ini	nape and tail, Calke, I.II.1909 3
149	Blackbird \mathcal{Q} , var. pied back and tail, 31.12.1912, Calke ; ditto \mathcal{J} , var. pied head and rump, 22.1.1903, Calke ; /
	ditto 3, var. pied mantle, scapulars and breast, 13.1.1912
	arteo (), var. pied mantie, scapitaro and breast, 13.1.1912
150	Blackbird 3, var. pied, mostly white, Brickford ; ditto 9, 7
	var., 29.5.1894, Calke 2
151	Blackbird \mathcal{Q} , var. pied, legs and bill yellow; ditto \mathcal{J} ,
	young, var. pied, Calke, 7.8.1903
152	Blackbird \mathcal{J} , var. pied; ditto \mathcal{Q} , var. very dark with white head 2
153	Blackbird 9, var. upper parts ashy-grey mottled with ashy-
-33	brown, tail grey with central dark band, under parts
	white spotted brown, very rare form, Tunbridge
	Wells, June 1910
154	Blackbird, albino var.
155	Blackbird 3, pied var., neck completely white, Staffs.,
156	27.6.01 ; ditto \mathcal{Q} , slightly pied var.2Blackbird \mathcal{J} , pied ; ditto, albino var.2
157	Blackbird 3, pied var., white on nape and wings, Calke
-57	Abbey, 1905; ditto 2, pied, remarkable tortoiseshell
	coloured var., breast chestnut spotted with dark brown
	and blotched with white 2
158	Blackbird 3, pied var., ash-grey mottled and barred with

- Blackbird 3, pied var., ash-grey mottled and barred with dark grey and black, very rare; ditto 3, var. pied on head 2
 - Blackbird 3, albino, cream and white, leg damaged, "Aug. 15, 1888, Saunders" on label; ditto 3, pied on head and neck 2

I

I.

I

I.

L

I.

I.

Ι

I

Ι

159

nechol

Blackbird 3, pied var.; Ring Ouzel 3 and \mathcal{Q} , with outer primaries left wing white

T

T

3

2

- Song Thrush 3, var. pale cinnamon, 28.8.1920
- Ditto, albino var., entirely pure white
- Ditto, albino var. (labelled Blackbird), Calke Abbey, 20.5.1890
- Wheatear 3, 3, 9, Ashbourne, April 1889, and 3, no data; 164 ditto 9, pale var., Eastbourne beach, 28.8.1912 5
- 165 Wheatear \mathcal{J} , var. cinnamon with white wings and tail
- Wheatear 3, var. white head 166

160

161 162)

163

172

174

176

177

178

- Wheatear 3, var. secondaries and coverts edged with 167 buff; ditto, normal
- Wheatear 3, var. entirely pure white, 19.4.21, Sussex 1 168
- 169 Wheatear 3, var. pied on head and mantle, Brighton, 27.9.02; ditto 9, 9, May 10, St. Leonards
- Wheatear 3, Scotland, 1912; ditto 2, 23.9.04; ditto 2, 170 no data; ditto Q, pied var., Suffolk, Aug. 1904
- Robin 3, var. white primaries left wing, 27.12.1895; 171 ditto 3, var. white tail feathers, 29.1.04; ditto 3, var. white primaries both wings, 13.1.1912; ditto 9, var. white primaries left wing, Calke, April 19, 1888 4
 - Robin \mathcal{Q} , var. pale pied, red replaced with cream, Calke Abbey, 3.4.1913; ditto \mathcal{Q} . var. buff and cream, breast normal; ditto 3, var. primaries left wing white, Calke Abbey, 15.12.02 .
 - Robin, var. young, lemon-yellow and white; Whitethroat Q, young, albino, July 30, 1880; Willow Warbler, white var. (damaged)
 - Nightingale, normal; Reed Warbler, albino 3, Crumbles, Eastbourne, 12.10.1920; Sedge Warbler, var. pale buff and cream 3-6
 - Reed Warbler, albino, Ireland; Garden Warbler 3. ¥, 3.6.1895
 - Hedge Sparrow 9, var. pale buffish-grey wings and tail, latter slightly barred, Barton, Norfolk, 18.2.1903; ditto, pied var., mottled light tawny and white, secondaries partly brown, Calke, Dec. 1899
 - Hedge Sparrow, handsome pied var.; Shetland Wren, T. Zellandicus, Q, Burravoe, Shetland, 25.1.13 124 barre Hedge Sparrow, albino
 - Ditto, ditto; Pied Flycatcher 3

180	Hedge Sparrow \mathcal{Q} , var. rich cinnamon, tail and ends of wings cream colour, Calke Abbey, 8.1.1895 I	181_
181	Black Redstart 3, 2, Calke, 25.10.1907 2	1.01
182	Shetland Wren 3, Scalloway, Shetland, 11.2.1913; ditto 2,	
	Burravoe, Shetland, 25.1.1913; Reed Warbler 3, 28.9.97; Black Redstart 3, 3	57- Jansen
183	Hedge Sparrow Q, var. cinnamon and white, grey patch	11- Recherts
great h	side of head, Barton Fen, Norfolk, 25.10.1895	II- martine
184	Nightingale \mathcal{J} , var. cinnamon, ends of wings whitish, May 1905, Castleacre, Norfolk ; Pied Flycatcher \mathcal{J} , \mathcal{Q} ,	207 do
Contrast and	Clay, Norfolk, Sept. 1893 3	
185	Pied Flycatcher 3, Calke, May 2, 1911; Gold-crest 3, Calke, 14.11.06; Fire-crest 3, near Norwich, 29.11.1879	
	discontinue of team. In the date as the arrest being to being a static of 3	1
186	Gold-crest 3, var. white, back and wings pale lemon, crest normal, beautiful and rare var., "Hutchinson, Nov. 1899"	12/f barlor
187	Fire-crest \mathcal{J}, \mathcal{Q} ; Pied Flycatcher; Black-cap \mathcal{J} 3	7/-
189	Winchat \mathcal{Q} , pied var., wings mostly white; Pied Fly- catcher, May 1902, Staffs.; Wood Warbler 3 3	267-nichols
190	Hedge Sparrow ♀, var. pied, primaries right wing, flanks, throat and belly white, 5.10.08; Stonechat, var. pied, back black, rump white; Red-breasted Flycatcher, left side damaged, Brighton 3	22/- Suffiths
191	Hedge Sparrow, var. mostly white, right side damaged; Stonechat ♂, ♀; Long-tailed Tit, var. white head 4	107-
192	Bearded Reedling 3, 2, Hickling, Norfolk, Nov. 1886; ditto 3, 3	1/13/-Demfsk
193	Coal Tit \mathcal{Q} , var. pied, Norwich, Sept. 4, 1890; Hedge Sparrow, <i>albino</i> , right side damaged; Sedge Warbler; Corn Bunting, var. young, right wing damaged 4	57- Ruchold
194	Great Tit, var. forehead, throat and breast stripe pearl- grey, wings and tail white, mantle and under parts lemon-yellow, remarkable and rare	2/107- Carrol
195	Blue Tit, var. wings pearl-grey, all the normal blue replaced by pale lavender I	407 do
196	Grasshopper Warbler, var. pied grev I	24_ nichol
197	Wren, albino, tinged with lemon all over	1.11.7 Dichards
108	Thrush young var silver-grey breast pale buff Hedge	41 V- month
198	replaced by pale lavender I Grasshopper Warbler, var. pied grey I Wren, <i>albino</i> , tinged with lemon all over I Thrush, young, var. silver-grey, breast pale buff ; Hedge Sparrow, <i>albino</i> , badly set up 2	57- motules

,

- Pine-grosbeak 9, 3, shot Feb. 2, 1917, Ashburnham Park, 24 199 Sussex 2 Ditto J, J, St. Neots, Huntingdon, 29 Jan., 1888 2 200 201 Two-barred Crossbill 3, 9 2 Crossbill \mathcal{J} , \mathcal{Q} , Chesin, nr. Derby, 4.3.1895 (\mathcal{J}) 2 202 Ditto 3, 3, 9, 9, March 14, 1910 203 4 Ditto 3, 9, Chesin, nr. Derby, 20.2.1895 204 2 Swift, pied var. white pectoral band, scapulars and rump 205 blotched with white, June 1903, from Jefferies, Tenby I-206 Sand Martin, var. buffish-white, pectoral band pale drab Ditto, var. pale silver-grey, secondaries, scapulars and 207 rump margined with orange-buff, Saxmundham, July 24, 1880 208 Ditto, pied var. wings and tail mostly white T Ditto, var. pale grey-buff 209 House Martin 3, handsome white var. mantle wings and 210 tail pied, 29.7.1896 Ditto 3, var. white, secondaries only slightly streaked 2II with black, Calke Abbey, 1897 Ditto 9, var. pale ashy-grey replacing normal black 212 Norwich, July 7, 1913 Ditto, var. pale greyish-buff, Calke Abbey, 1889 Ditto, var. albino 215 Ditto, var. similar to lot 213, Calke Abbey, 1889 216 Sand Martin, var. albino House Martin, var. outer primaries each wing white; 217 Swallow, var. pale ashy-grey, wings and tail pearl- / white, throat buff, Nov. 1889 218 Swallow, var. all normal colouring replaced by ashy-grey, 25.9.96 Ditto, var. whole of under surface chestnut, also tail spots, 219 April 27, 1917, St. Leonards Ditto, var. 9, very pale greyish-cinnamon, 19.8.93, Calke 220 Abbey I Ditto, var. ashy-grey above, pale buff below 22I I Bee-eater, two specimens 222 2 223 Nuthatch 9, malformed bill, Wells, Norfolk, Oct. 1896; Dipper 9, immature, Yorkshire Dipper 3, ad. 29.1.1861; ditto 3, ad. Dunbar, summer, 224 1854 Lesser Grey Shrike 3, 9 Sussex 1921; Great Grey Shrike, 225 Winchester, 16.1.1917 2

Chaffinch, var. cinnamon, wings mostly cream colour, flank left side damaged; ditto, var. pale-grey, back lemon, wings white, right wing damaged, 24.1.1895; ditto, var. pied, mostly white
Ditto ♂, var. pale cinnamon all over, fine specimen, Norwich, Sept. 10, 1891
Ditto, var. head, wings and tail silver-grey, back lemon; ditto ♀, var. grey, Calke, 1894
Ditto, var. chestnut replacing white on wings, also chestnut head, left side damaged; ditto, var. albino, July 22, 1903
Ditto, ♂ var., white head, Calke, 19.12.1910

226

227

228

229

230

231

232

233

238

239

240

- House Sparrow, albino; ditto Q, var. forehead white;
- ditto ♀, var. crown silver-grey, bill cream colour 3 House Sparrow ♂, var. wings and tail variegated white ; ditto ♂, pied var., Calke, 21.8.93 ; ditto ♀, wings mostly white, Calke, 7.12.05 3
- House Sparrow 3, almost melanic var., Calke; ditto, albino

I

234 Ditto 9, fine melanic specimen, 11.1.94, Calke

- House Sparrow ♂, ♂, ♀, three very dark vars., one almost melanic; ditto ♀, var. pale, head rich buff, Winchelsea, 2.6.17
- 236 Tree Sparrow 3, var. cinnamon, nr. Norwich, 22.1.92; ditto 3, pied var. 2
- 237 Greenfinch, var. pale pearl-grey and lemon-yellow; ditto ♀, albino, 20.9.94 2
 - Ditto, *albino*, fine specimen, rich lemon-yellow and white, 14 Oct., 1889
 - Bullfinch, albino, Aug. 14, 1901
 - Goldfinch, white var., wings rich yellow streaked with black, tail black and white, face slightly reddish, very handsome bird; ditto, melanic var., Radford, 9.1.95 2
- 241 Starling, var. cream and white, head ashy-grey, back and wings banded with ashy-grey; ditto, young, rump and tail white, 14.9.1904 2
- 242 Ditto, var. pearl-white all over, wings finely edged and speckled with chestnut I
- 243 Ditto, var. buff and white wings and tail, rest of upper parts light bronze, shot by Sir V. H. C.



248

249

250

251

Starling, var. pure white, 28.7.09

- Ditto, var. pale brownish-ash, wings and tail whitish; ditto, var. centre tail feathers white, 16.10.05 2
- Ditto, var. handsome silver-grey wings, tail and rump white, finely dusted with grey
- Ditto, var. head and breast drab, back wings and tail buff and white; ditto, var. Q, tail pied, 20.5.93 2 Ditto, var. Q cream, wings and tail buff, Swaffham,
 - I6.8.79
 - Ditto, var. white rump, 2.8.05, Calke Abbey; ditto, var. young, upper parts ashy-grey, finely barred 2 Ditto, var. 3, pure white ends of tail damaged, 22.1.04;
 - ditto, var. pale silver-grey, buff and white
- Starling, var. brown and buff, with white throat, Cheltenham, Oct. 1903; ditto, var. grey-black head, back sooty-brown, wings and tail dull white, June 14, 1910 2
- 252 Starling, var. pure white, tail frayed, Calke ; ditto, var. pied, buff, grey and white, 28.7.1919
- 253 Rose-coloured Starling, two fine specimens
- 254 House Sparrow ♀, var. under mandible remarkably malformed, 2in. long, melanic variety
- Tree Sparrow ♂, Calke Abbey, 6.3.91; ditto ♀, var. white in wings, Norwich, 14.1.85; House Sparrow ♂, malformed bill; ditto ♀, slightly pied
- Brambling J, var. pale head, yellow rump, Clay, Norfolk,
 9.1.07; ditto J, J, 27.3.06, ♀; House Sparrow, pied
 back
- Chaffinch, var. beautifully pied and variegated, mostly white; Brambling J, var. chin black and grey, Norwich, 16.1.95; ditto J, J, normal
- 258 Hawfinch ♀, white var., Calke Abbey, 28.2.1896, very rare; ditto ♂, ♂, 14.12.09, Calke 3
- Hawfinch 3, var. white, head pied, nr. Norwich, 16.12.
 1890; ditto 3, 3
- 260 Goldfinch &, var. pale grey-buff, Eastbourne, 9.10.1917; ditto &, var. white chin, Norwich, Jan. 1898 2
- 261 Goldfinch J, melanic var. and hybrid, very rare (on label), Norwich, July 17, 1888; ditto, var. pale cinnamon, tail damaged; ditto J, var. chin white, Norwich, Jan. 1890

262

Serin Finch 3, Rottingdean, 5.11.03

Citril Finch ♀, taken on Caistor Denes, nr. Yarmouth, Jan. 29, 1904; Hybrid ♀, "supposed hybrid between Citron Finch and Canary, 17.5.92, Calke Abbey" 2
Creeper (Australian species), "This bird was killed by

- Creeper (Australian species), "This bird was killed by Turner's father-in-law, Maynard, who hunted the Queen's Beagles 45 years ago. It was killed on Mr. Watson Taylor's estate at Erlestoke, nr. Devizes, Wilts. Restuffed and new case March 1907. T. E. Gunn," statement on case
- 265

266

267

268

271

272

274

275

276

Greenfinch, var. pale buff, Heelesdon, nr. Norwich, 27.1.85; House Sparrow Q, white tail, Calke, 15.10.1912

Greenfinch ♀, var. pale buff, Norwich, 22.12.1884; House Sparrow ♂, white in tail and wing, Calke, 22.2.99 2

Case containing Larks, with data on back: "White Skylark, Sussex. Skylark, near Cambridge 1860. Woodlark, Welchpool, Wales, 1841. Crested Lark, shot in Sussex and is the specimen figured in Yarrell's British Birds. Shore Lark caught near Brighton, Nov. 15, 1861 and kept for 20 months in aviary, see Ibis 1862, p. 86. These birds are from F. Bond's collection which I bought. J. Whitaker "5 specimens Roller, in case, very old and undoubtedly British

Roller, in case, very old and undoubtedly British Waxwings, in glass shade

Robins, two young white vars., in shade

Starling, var. light silver-grey, in shade

Ruby-crowned Wren, "Shot at T. G. Perry's, Highnam Court, nr. Gloucester, by Mr. Spring, gamekeeper, Sept. 21, 1811"

2

2

Ι

Case containing White Snipe and two Chaffinch vars., one almost white, one pied

- Snipe, var. buff coloured
- Case containing : Sand Martin J, Kingsbury, Middlesex ; Sand Martin, white var., Norfolk ; American Purple Martin J, Kingsbury Reservoir, 1842, vide Yarrell's Brit. Birds, 1st ed., vol. 2, p. 232 ; White-bellied Swift, Chobham, Surrey, Oct. 1841, from Mr. Wheeler's collection ; Common Swift, Kingsbury 5 specimens
- Case containing four Hawfinches, one pied var. and two Greenfinches \mathcal{J}, \mathcal{Q}
- 277 Shade containing White Robin, and one normal ditto
- 278 Shade containing Blue-throat

	18	1
	Case containing Sparrowhawk Q, var. upper parts pearl- grey, under parts entirely white Case containing pair of Storm Petrels and nestling; ditto Linnet, white var. wings and tail pied 2	list
	Case containing Stonechat, var. cinnamon and white; ditto Goldfinch mule 2 Case containing Wheatear, var. cinnamon and grey; ditto Robin, var. white and buff 2	rionol kel do
283 C	Case containing four beautiful Redwings, vars. one silver-grey, all markings faintly indicated, Gloucester- shire; one cream, white, and buff, fine variegated var.; one handsome pied var., Co. Clare, Nov. 1905; one	stist-
	fine cinnamon, var. Gloucestershire Case containing Red Grouse, var. 3, cinnamon, wings mostly white, Yorkshire	/
A Lack	Case containing Eastern Golden Plover (Charadrius fulvus), shot on the Thames by H. Nunn, Aug. 6, 1896 (Zoolo- gist, 1897, p. 330) Case containing Solitary Snipe; ditto Hawfinch and	Hotan
287 0	Dartford Warbler; ditto Red-necked Phalaropes 3 Case containing Fieldfare, pied var. Guillemot, mandibles crossed, picked up alive, Yarmouth	14/-
289 \	beach, June 1881 I Whiskered Tern, "Killed by J. L. Leg, Esq. at Barrow- on-Trent some few years ago and presented to me by him, now in my possession at Calke Abbey " I	1/157- Janses
nekeepst.	Case containing Glossy Ibis, Sutton, Norfolk, Sept. 13, 1868, B. S. Silcock	6/5/-
	Green-backed Gallinule, bought at Rev. Micklethwaites sale, set up in shade Gull, supposed hybrid between Common Gull and Black-	Geenr
1	headed Gull, killed near Pevensey, set up in case I Puffin, pied var., mostly white, head, neck and rump	207-
- Col	spotted, secondaries and coverts mostly black, primaries white, St. Kilda, 1895, set up in case	1
	Sooty Tern	1151
295 (Golden-eye, shot on Trent, June 1895 ; Turnstone, breed- ing plumage, set up in shade 2	Georgi
	Woodcock, cinnamon var. 224 Clarke	0 1
297 5	Scoter, American form of Common Scoter, killed nr. Rye, 1915	457

18

561

65

	Yarrell's British Birds, 4th edition, vol. IV., p. 246;
	also Saunders' Manual, 1889, p. 383, set up in case
99	Black Stork, killed in Stour Valley, Stoke, Suffolk, 1881, set up in case
00	Whimbrel, white var., pearl-grey and buff markings, shot (at Lough March, May 1915, set up in case
II	Case containing white Sand Martin, white Red-backed
	Shrike, and two normal R.B. Shrikes, 3, 9; ditto,
	cream-coloured courser, 21.8.87 2
02)	Starling, var. cream coloured
03	Case containing Woodcock, var. under parts entirely rich
	rufous-buff without markings, Orkney, Feb. 1915 1
04	Case containing Corn Bunting, var. cream and white I
05	Case containing Andalucean Hemipode, taken alive at
	Fartown, nr. Huddersfield, April 7, 1865; bought of
	two Irishmen, who thought it was a young partridge,
	for 6d. by S. D. Mosley of Huddersfield; vide quotation
06	from Goulds' Birds of Britain on back of case I Woodcook war wings and tail sinnemen with pole achy
00	Woodcock, var. wings and tail cinnamon with pale ashy- grey markings, lower parts pale, upper parts hand-
	somely variegated I
07	Ditto, var. rich cinnamon and rufous, " From Williams, Dublin "
08	Lapwing, var. white, head pectoral band, primaries and tail bronze-buff
09	Lapwing, var. upper parts white mottled with pale drab,
	wings brown, head and breast bronze-brown; Snipe,
	var. buff, 1899, from J. Cooke, Shrewsbury 2
10	Snipe, var. pale buff and grey, from Williams, Dublin; and two normal specimens
II	Ditto, albino, Norfolk, June 1913; and two normal speci-
	mens3
12	Solitary Snipe, var. cream and buff, Cambridgeshire,
	1904; Common Snipe, fine specimen, richly and
	heavily marked, light markings reduced, Sept. 1901 2

90

- Curlew Sandpiper, two-one breeding plumage, one 313 starting change to breeding plumage; Lapwing, var. upper parts greyish-buff
- Dotterell, two fine specimens, 20.5.1902; Spotted Red-314 3 shank, 22.5.99

19

Flamingo, North Staffordshire, September 1881, vide 2-

Golden Plover 3, \mathcal{Q} and 4 nestlings, Ashbourne, Derby,

Lapwing, var. four outer primaries and coverts white;

Spotted Redshank Q, shot by Sir V. H. C. at Tayford-

- on-Trent, Derby, 18.9.1916 318 Woodcock, var. cinnamon, Queens Co., Jan. 1910 Moorhen ♀, ad. pied var., Norwich, Dec. 5, 1885 319 Ruff 3, white ruff; ditto 3, ad., Aug. 31, 1885; ditto 9, 320) ad. Ruff 3, breeding plumage ; ditto 3, var. pied, head, neck, 321 back and under parts white ; ditto 3, autumn plumage, 16.8.05 Ruff 3, pied var. autumn plumage; ditto 3, breeding 322 plumage; ditto 3, just starting breeding plumage, 9.4.1888 · Ruff 3, breeding plumage; ditto 3, autumn plumage; 323 Whimbrel, small bill, barely 2½in. long, Lynn, Oct. 1885 Greenshank Q, Calke Abbey, 29.8.87; ditto Q, Aug. 20, 324
 - 1888; Dotterell, Nov. 15, 1906 32
 - 325 Knot ♂, breeding plumage, June ; ditto ♀, Calke Abbey, 13.9.87 ; ditto ♂, 26.2.97 ; Dotterell ♂, 1909 4
 - 326 Whimbrel 3, Calke, 1890; Curlew, pied var.; ditto 3, Warslow, Staffs., 6.5.93 3
 - 327 Curlew Sandpiper, breeding plumage; Knot, breeding plumage; Oystercatcher ♂, var. white collar; Golden Plover ♀, Calke, 10.4.94 4
 - 328 Woodcock, 4 nestlings; 2 Spotted Crakes 3, Calke, 27.10.1888 6
 - 329 Spotted Crake 3, 4.3.86, Calke ; ditto ; Black-tailed Godwit, breeding plumage ; ditto 4
 - 330 Caspian Plover, Romney Marsh, Oct. 1911; Golden Plover ♀, 1903; ditto ♀, 1893; ditto ♂, full breeding ℓ plumage, 10.4.94 4
 - 331 Little Bustard, Caistor, nr. Yarmouth, Sept. 1878 ; Spotted Crake _____2
 - 332 Garganey ♂, ; Pochard ♀, 19.1.93, Calke Abbey ; Tufted Duck ♀, Calke, 30.3.85 3
 - 333 Scoup &, Calke Abbey, 6.1.91; ditto &, immature, Calke Abbey, 6.1.91; Garganey & 3
 - 334 Paget's Pochard ♂, shot by Major Edwards at Hardingham; ditto ♀, shot at same time and place 2

315

316

24.5.1888

335	Widgeon 3, Calke, 15.2.89; Harlequin 3; Widgeon 9, var. cream and buffish-grey 3	24 Cum
336	Hybrid Pochard and Tufted Duck 3, 24.1.08, Calke Pond ;	
NOBE ID .	Tufted Duck 3, Calke, 6.1.91; Ferruginous Duck 3, Barton, Norfolk, 1897	25/-
337	Mallard δ , pale var., head mole colour, upper parts silvery, speculum buff and grey, tail white; Pintail φ , 29.12.	101-2
338	1900 ; Common Scoter \mathcal{Q} , 21.5.1912 3 Teal \mathcal{J} ; Shoveller \mathcal{J} , 13.3.13 ; ditto \mathcal{J} , 24.12.95 3	1 11 -
339	Red-necked Phalarope, two specimens; Grey Phalarope, two—one winter, one summer, 1903 4	22/
340	Wilson's Phalarope Q, Scalloway, Shetlands, 10 June, 1911, end of lower mandible missing, otherwise perfect	
341	Red-necked Phalarope ♂, Aldborough, Oct. 19, 1881; Grey Phalarope ♀, breeding plumage, Dungeness, 4.5.1906; ditto ♂, winter plumage; Baillon's Crake, Sandhurst, Kent, Sept. 6, 1919; Little Crake, Christ- church 5	4137-
342	Great Crested Grebe Q, var. <i>albinistic form</i> , crest and tippet light drab, upper parts mottled buff and cream, Calke, 1913; ditto 3, normal, May 29, 1905 2	107-1- michol
343 344	Red-necked Grebe, ad. and immature, two species; Eared Grebe, Aldborough, Suffolk, April, 1890 3 Scalvonian Grebe 3, breeding plumage; 3 winter and	201- Gum
	♀ winter 3	201
345	Puffin, pied var., all white except part of wings and tail, and few black speckles on head; ditto, normal specimen	374 michols
346	Little Auk 3, Calke Park, 7.2.1912; Puffin, var. ad. upper parts blotched with grey, shoulders and 3 pri-	
347	maries right wing white 2 Little Auk, caught at King's Newton by H. Wooton, Jan. 1895; ditto, Derby; ditto, summer plumage, badly mounted, old specimen 3	107-
348	Puffin, beautiful pied var., upper parts uniformly blotched with white, head mostly white; Scalvonian Grebe, winter plumage 2	
349	Puffin, pied var., back mottled with white; ditto, im- mature, Calke	18 f. Clark
350	Guillemot, var. pale greyish-drab, primaries white and coverts mottled white; Black Guillemot 2	107- nichols

501-

21

22	
 351 Eider Duck J, Farne Islands, 12.2.1901; Pintail J, Calke, 18.12.90; ditto, 2.12.90 352 Sooty Shearwater; Long-tailed Skua J, var. each wing with white carpal patch, Blakeney Harbour, 10.9.1900 	1
 353 Long-tailed Skua, ad.; White-winged Black Tern, two specimens; Sooty Tern φ 354 Dusky Shearwater, Cornwall, March 1914; Black Tern J, Calke, 4.5.89; ditto 355 Long-tailed Skua; Sooty Tern, 10 April, 1915, St. Leonards 356 Bonaparte's Gull φ, summer plumage, Pevensey, 20.4.14; Long-tailed Skua 357 Arctic Skua J, Faroe Is., 11.7.73, Saunders coll.; Mediterranean Black-headed Gull, ad. in full summer plum- 358 Mediterranean Black-headed Gull, immature, Nov. 1923; 44/- 	- Ifin
Great Shearwater, ad.2359Great Shearwater ; Long-tailed Skua, Oct. 16, 19012360Black-headed Gull &, Calke, 21.12.1893 ; Mediterranean Black-headed Gull, summer plumage2361Noddy Tern, caught under cliff at Fairlight, nr. Hastings, 21.10.1914 ; Manx Shearwater2362Kittiwake &, Calke, 23.2.1903 ; Gull-billed Tern, Yar- mouth2363Sabine's Gull, immature ; Kittiwake, ditto2364Ivory Gull, ad. "Filey Brigg," Dec. 1917 ; Kittiwake, ad.2	
 365 Bonaparte's Gull, summer, Pevensey; Black-headed Gull, immature 366 Little Gull, ad. breeding plumage, Sussex coast; Black-headed Gull, Norwich, Jan. 3.87 367 Gull-billed Tern, near Clifton, Somerset, Feb. 1911; Manx Shearwater, ad. and young bird, lower parts mottled with ashy-brown, 11.10.99 368 Slender-billed Gull, ad. nr. St. Leonards, 26.1.1914; Common Gull, almost adult 369 Bonaparte's Gull, ad. winter; Common Gull (American form), upper parts grey-brown margins of feathers, light buff apical, half tail dusky, breast and flanks mottled grey-brown, Sept. 1903, shot at North Seafield, Sussex 	

(22) 701-(30) 701

370	Long-tailed Duck 3, 18.1.86, "Eynhallow Sound";
	ditto; Golden-eye 3 ad., Feb. 1911, Farne Is3
371	Buffle-headed Duck 3, 9, Orkneys, Dec. 1918 2
372	Ferruginous Duck 3, Gloucester, April 1901; Pochard 3, mottled breast, 11.11.1915; Common Scoter 3
250	
373	Fulmar 3 ad., St. Kilda, 1905; Arctic Skua 3, var. pied on shoulders, Nov. 8, 1876, Wells
374	Fulmar, Great Skua, Stromness, June 27, 1912

END OF SALE.

CURIOS CRIM

ETHNOCE AFT

die vichard

Collection

QMA 2MAA

SALE ANNOUNCEMENT.

The remaining portion of the Collection

Second of Southerness

of Varieties of

BRITISH BUTTERFLIES AND MOTHS, will be sold On TUESDAY, NOVEMBER 24th, 1925.

STEVENS'S AUCTION ROOMS LTD. ESTABLISHED 1760.

Important to Trustees, Executors and others.

Sales regularly held at these Rooms: SCIENTIFIC, ELECTRICAL AND PHOTOGRAPHIC APPARATUS AND MISCELLANIES.

> **EVERY FRIDAY** a Sale is held which includes Microscopes, Telescopes, Cameras, Lenses, Lanterns, Cinematographs, Theodolites and Levels, and every class of Scientific Instrument; Lathes and Tools, Furniture, Silver Plate, Jewellery, Fishing Tackle, and Sporting Requisites.

CURIOS, CHINA, BRONZES, ARMS AND ARMOUR, IVORIES, ETHNOGRAPHICAL SPECIMENS, etc.

A Sale is held on TUESDAYS, twice in every month.

NATURAL HISTORY SPECIMENS.

MONTHLY Sales of Collections relating to Entomology, Ornithology, Conchology, Minerals, Heads and Horns, Cabinets, etc.

BOOKS.

Frequent Sales of Libraries relating to Natural History and kindred subjects.

Sales undertaken in Town and Country. Valuations for Probate and other purposes. Collections catalogued and arranged for sale.

Auction Rooms and Offices: 38 King Street, Covent Garden, & 15/16 Floral Street, Telegrams:-Auks, Rand, London." London, W.C. 2. Telephone:-Gerrard 1824.



