An essay upon nursing, and the management of children, from their birth to three years of age. In a letter to one of the governors of the Foundling Hospital / Published by order of the general committee for transacting the affairs of the said hospital. By a physician [i.e. W. Cadogan].

### Contributors

Cadogan, William, 1711-1797. Foundling Hospital (London, England)

#### **Publication/Creation**

London : J. Roberts, 1752.

## **Persistent URL**

https://wellcomecollection.org/works/hkpb9qqw

## License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

# ESSAY

AN

# NURSING,

## AND THE

Management of CHILDREN,

From their BIRTH to Three Years of Age.

By W. CADOGAN, Doctor of Phylick.

In a LETTER to one of the Governors of the FOUNDLING HOSPITAL.

Published by Order of the General Committee for transacting the Affairs of the said Hospital.

The FIFTH EDITION, with further Additions.


## LONDON:

Printed for J. ROBERTS in Warwick-Lane.

M DCC LII.

[Price 6 d.]

1.



(3)

## SIR,

T is with great Pleasure I see at last the Prefervation of Children become the Care of Men of Senfe: It is certainly a Matter that well deferves their Attention, and, I doubt not, the Publick will foon find the good and great Effects of it. The Foundling Hofpital may be of more Use to the World, than was perhaps at first imagin'd by the Promoters of it; it will be a Means not only of preventing the Murder of many, but of faving more, by introducing a more reasonable and more natural Method of Nurfing. In my Opinion, this Bufiness has been too long fatally left to the Management of Women, who cannot be fuppofed to have proper Knowledge to fit them for fuch a Tafk, notwithstanding they look upon it to be their own Province. What I mean, is a Philosophic Knowledge of Nature, to be acquired only by learned Obfervation and Experience, and which therefore the

the Unlearned must be incapable of. They may prefume upon the Examples and tranfmitted Cuftoms of their Great Grand-mothers, who were taught by the Phyficians of their unenlighten'd Days; when Phyficians, as appears by late Difcoveries, were mistaken in many things; being led away by hypothetical Reafonings to entertain very wild Conceits, in which they were greatly bewilder'd themfelves, and mifled others to believe, I know not what strange unaccountable Powers in certain Herbs, Roots, and Drugs; and alfo in fome fuperstitious Practices and Ceremonies; for all which Notions, there being no real Foundation in Nature, they ought to be looked upon as the Effects of Ignorance, or the Artifices of defigning Quacks; who found their Account, by pretending to great Knowledge in these occult Qualities, and imposing upon the Credulous. The Art of Phyfick has been much improv'd within this last Century; by obferving and following Nature more clofely, many useful Difcoveries have been made, which help us to account for things in a natural Way, that before feem'd mysterious and magical; and which have confequently made the Practice of it more conformable to Reafon and good Senfe. This being the Cafe, there is great room to fear, that those Nurses who yet retain many of these traditional Prejudices, are capitally mistaken in their Management of Children in general, and fancying that Nature has

has left a great deal to their Skill and Contrivance, often do much harm, where they intend to do good. Of this I shall endeavour to convince them, by shewing, how I think Children may be cloath'd, fed, and managed with much lefs Trouble to their Nurses, and infinitely greater Ease and Comfort to the little Ones.

THE Foundlings under the Care of the Hofpital, I prefume, will be bred in a very plain, fimple Manner : They will therefore infallibly have more Health, Beauty, Strength, and Spirits; I might add Understanding too, as all the Faculties of the Mind are well known to depend upon the Organs of the Body; fo that when these are in good Order, the thinking Part is most alert and active; the contrary, when they are disturbed or difeased. When these Advantages appear in Favour of Children fo brought up, as I am confident in time they will, it may ferve to convince most Nurses. Aunts, Grand-mothers, &c. how much they have hitherto been in the wrong, what Mifchief is done to Children, and what Multitudes are deftroyed or fpoiled, as well by cramming them with Cakes, Sweetmeats, &c. till they foul their Blood, choak their Veffels, pall the Appetite, and ruin every Faculty of their Bodies; as by cockering and indulging them, to the utter Perversion of their naturally good Temper, till they become quite froward and indocile.

WHEN

WHEN a Man takes upon him to contradict received Opinions and Prejudices fanctified by Time, it is expected he should bring valid Proof of what he advances. The Truth of what I fay, that the Treatment of Children in general is wrong, unreafonable, and unnatural, will in great measure appear, if we but confider what a puny valetudinary Race most of our People of Condition are; chiefly owing to bad Nurfing, and bad Habits contracted But let any one, who would be fully early. convinced of this Matter, look over the Bills of Mortality; there he may observe, that almost half the Number of those, who fill up that black Lift, die under five Years of Age: So that Half the People that come into the World, go out of it again before they become of the least Use to it, or themselves. To me, this feems to deferve ferious Confideration; and yet I cannot find, that any one Man of Senfe and publick Spirit has ever attended to it at all; notwithstanding the Maxim in every one's Mouth, that a Multitude of Inhabitants is the greatest Strength and best Support of Commonwealth. The Mifconduct, to a which I must impute a great Part of the Calamity, is too common and obvious to engage the Idle and Speculative, who are to be caught only by very refined Refearches; and the bufy Part of Mankind, where their immediate Intereft is not concerned, will always overlook what they fee daily : It may be thought a natural

tural Evil, and fo is fubmitted to without Examination. But this is by no means the Cafe; and where it is entirely owing to Mifmanagement, and poffibly may admit of a Remedy, it is ridiculous to charge it upon Nature, and suppose that Infants are more subject to Difease and Death than grown Persons; on the contrary, they bear Pain and Difeafe much better, Fevers especially, (as is plain in the Cafe of the Small-Pox, generally most favourable to Children) and for the fame Reafon that a Twig is lefs hurt by a Storm than an Oak. In all the other Productions of Nature we fee the greateft Vigour and Luxuriancy of Health, the nearer they are to the Egg or the Bud: They are indeed then most fensible of Injury, and it is Injury only that deftroys them. When was there a Lamb, a Bird, or a Tree, that died becaufe it was young? Thefe are under the immediate Nurfing of unerring Nature, and they thrive accordingly. Ought it not therefore to be the Care of every Nurfe

(7)

and every Parent, not only to protect their Nurfelings from Injury, but to be well affured that their own officious Services be not the greateft the helplefs Creatures can fuffer?

IN the lower Clafs of Mankind, efpecially in the Country, Difeafe and Mortality are not fo frequent, either among the Adult, or their Children. Health and Posterity are the Portion of the Poor, I mean the Laborious. The Want of Superfluity confines them more within the Limits of Nature: Hence they enjoy Bleffings they feel not, and are ignorant of their Caufe. The Mother who has only a few Rags to cover her Child loofely, and little more than her own Breaft to feed it, fees it healthy and ftrong, and very foon able to fhift for itfelf; while the puny Infect, the Heir and Hope of a rich Family, lies languishing under a Load of Finery, that overpowers his Limbs, abhorring and rejecting the Dainties he is crammed with, till he dies a Victim to the mistaken Care and Tenderness of his fond Mother. In the Course of my Practice I have had frequent Occasion to be fully fatisfied of this, and have often heard a Mother anxioufly fay, The Child has not been well ever fince it has done puking and crying. These Complaints, though not attended to, point very plainly to their Cause. Is it not very evident, that when a Child rids its Stomach feveral times in a Day, that it has been over-loaded? when it cries, from the Incumbrance and Confinement of its Cloaths, that it is hurt by them? While the natural Strength lasts, (as every Child is born with more Health and Strength than is generally imagined) it cries at, or rejects the fuperfluous Load, and thrives apace: that is, grows very fat, bloted, and diftended beyond meafure; like a Houfe-Lamb. But in time, the fame oppreffive Caufe continuing, the natural Powers are overcome, being no longer able to throw off the unequal Weight; the Child, now

now not able to cry any more, languishes and is quiet. The Misfortune is, these Complaints are not understood ; it is fwaddled and crammed on, till after Gripes, Purging, &c. it finks under both Burdens into a Convultion Fit, and escapes any further Torture. This would be the Cafe with the Lamb, was it not killed when it is full fat.

THAT the prefent Method of Nurfing is wrong, one would think needed no other Proof than the frequent Miscarriages attending it, the Death of Many, and ill Health of Those that furvive. But the perfuading you of it may be a needless Task; if you have ever thought about it, I doubt not but you are already convinced it is fo. However, fince you defire my Sentiments upon the Subject, taking it for granted you think with me, that most of our Nurfes are got into a wrong Method, I will endeavour, in as few Words as poffible, to tell you what I think a right one.

Yo u perceive, Sir, by the Hints I have already dropp'd, what I am going to complain of is, that Children in general are over-cloath'd and over-fed, and fed and cloath'd improperly. To these Causes I impute almost all their Difeafes. But to be a little more explicit. The first great Mistake is, that they think a newborn Infant cannot be kept too warm; from this Prejudice they load and bind it with Flannels, Wrappers, Swathes, Stays, &c. commonly called Cloaths; which all together are almoft

most equal to its own Weight; by which means a healthy Child in a Month's Time is made fo tender and chilly, it cannot bear the external Air; and if, by any Accident of a Door or Window left carelessly open too long, a refreshing Breeze be admitted into the suffocating Atmosphere of the Lying-in Bed-chamber, the Child and Mother fometimes catch irrecoverable Colds. But, what is worfe than this, at the End of the Month, if things go on apparently well, this Hot-bed Plant is fent out into the Country, to be rear'd in a leaky Houfe, that lets in Wind and Rain from every Quarter. Is it any wonder the Child never thrives afterwards? The Truth is, a new-born Child cannot well be too cool and loofe in its Drefs; it wants lefs Cloathing than a grown Perfon, in proportion; becaufe it is naturally warmer, as appears by the Thermometer; and would therefore bear the Cold of a Winter's Night, much better than any adult Perfon whatever. There are many Inftances both ancient and modern of Infants exposed and deferted, that have lived feveral Days. As it was the Practice of ancient Times, in many Parts of the World, to expose all those, whom the Parents did not care to be encumber'd with; that were deform'd, or born under evil Stars; not to mention the many Foundlings pick'd up in London Streets. These Instances may ferve to fhew, that Nature has made Children able to bear even great Hardships, before they

are

are made weak and fickly by their miftaken Nurfes. But befides the Mifchief arifing from the Weight and Heat of these Swaddlingcloaths, they are put on fo tight, and the Child is fo cramp'd by them, that its Bowels have not room, nor the Limbs any Liberty, to act and exert themfelves in the free eafy manner they ought. This is a very hurtful Circumstance; for Limbs that are not used will never be strong, and fuch tender Bodies cannot bear much Preffure: The Circulation restrained by the Compression of any one Part, must produce unnatural Swellings in fome other; especially as the Fibres of Infants are fo eafily diftended. To which doubtlefs are owing the many Diffortions and Deformities we meet with every where; chiefly among Women, who fuffer more in this Particular than the Men.

IF Nurfes were capable of making juft Obfervations, they might fee and take notice of that particular Happinefs, which a Child fhews by all its Powers of Expression, when it is newly undrefs'd. How pleas'd! how delighted! it is with the new Liberty, when indulged for a few Minutes with the free Use of its Legs and Arms. But this is not to last long; it is swaddled up as before, notwithstanding all its Cries and Complaints.

I would recommend the following Drefs: A little Flannel Waistcoat without Sleeves, made to fit the Body, and tie loofely behind;

to

to which there should be a Petticoat few'd, and over this a kind of Gown of the fame Material, or any other, that is light, thin, and flimfy. The Petticoat should not be quite fo long as the Child, the Gown a few Inches longer; with one Cap only on the Head, which may be made double, if it be thought not warm enough. What I mean is, that the whole Coiffure should be fo contrived, that it might be put on at once, and neither bind nor prefs the Head at all: The Linnen as usual. This I think would be abundantly fufficient for the Day; laying afide all those Swathes, Bandages, Stays and Contrivances, that are most ridiculously used to close and keep the Head in its Place, and fupport the Body. As if Nature, exact Nature, had produced her chief Work, a human Creature, fo carelessly unfinish'd, as to want those idle Aids to make it perfect. Shoes and Stockings are very needless Incumbrances, befides that they keep the Legs wet and nafty, if they are not changed every Hour, and often cramp and hurt the Feet: a Child would fland firmer, and learn to walk much fooner without them. I think they cannot be neceffary till it runs out in the Dirt. There should be a thin Flannel Shirt for the Night, which ought to be every way quite loofe. Children in this fimple, pleafant Drefs, which may be readily put on and off without teazing them, would find themfelves perfectly eafy and happy, enjoying the free Ufe

Use of their Limbs and Faculties, which they would very foon begin to employ, when they are thus left at Liberty. I would have them put into it as foon as they are born, and continued in it till they are Three Years old; when it may be changed for any other more genteel and fashionable : Though I could wish it was not the Cuftom to wear Stays at all; not because I see no Beauty in the Sugar-loaf Shape, but that I am apprehensive it is often procur'd at the Expence of the Health and Strength of the Body. There is an odd Notion enough entertained about Change, and the keeping of Children clean. Some imagine that clean Linnen and fresh Cloaths draw, and rob them of their nourishing Juices. I cannot fee that they do any thing more than imbibe a little of that Moifture which their Bodies exhale. Were it, as is supposed, it would be of fervice to them; fince they are always too abundantly fupplied, and therefore I think they cannot be changed too often, and would have them clean every Day; as it would free them from Stinks and Sourneffes, which are not only offenfive, but very prejudicial to the tender State of Infancy.

THE Feeding of Children properly is of much greater Importance to them than their Cloathing. We ought to take great Care to be right in this material Article, and that nothing be given them but what is wholfome and good for them, and in fuch Quantity as the the Body calls for towards its Support and Growth; not a Grain more. Let us confider what Nature directs in the Cafe: If we follow Nature, instead of leading or driving it, we cannot err. In the Bufiness of Nursing, as well as Phyfick, Art is ever deftructive, if it does not exactly copy this Original. When a Child is first born, there seems to be no Provision at all made for it; for the Mother's Milk, as it is now managed, feldom comes till the third Day; fo that, according to this Appearance of Nature, a Child would be left a Day and a half, or two Days, without any Food. Were this really the Cafe, it would be a fufficient Proof that it wanted none; as indeed it does not immediately; for it is born full of Blood, full of Excrement, it's Appetites not awake, nor it's Senfes opened; and requires fome intermediate time of Abstinence and Rest to compose and recover the Struggle of the Birth, and the Change of Circulation (the Blood running into new Channels) which always put it into a little Fever. However extraordinary this might appear, I am fure it would be better, that the Child was not fed even all that time, than as it generally is fed; for it would fleep the greatest part of the time, and, when the Milk was ready for it, would be very hungry, and fuck with more Eagernefs; which is often neceffary, for it feldom comes freely at first. But let me endeavour to reconcile this Difficulty, that a Child should be born

born thus apparently unprovided for. I fay apparently, for in reality it is not fo. Nature neither intended that a Child fhould be kept fo long fasting, nor that We should feed it for Her. Her Defign is broke in upon, and a Difficulty raifed, that is wholly owing to mistaken Management. The Child, as foon as it is born, is taken from the Mother, and not fuffered to fuck till the Milk comes of itfelf; but is either fed with strange and improper things, or put to fuck fome other Woman, whole Milk flowing in a full Stream, overpowers the new-born Infant, that has not yet learn'd to fwallow, and fets it a coughing, or gives it the Hiccup: The Mother is left to ftruggle with the Load of her Milk, unaffifted by the Sucking of the Child. Thus two great Evils are produced, the one a Prejudice to the Child's Health; the other, the Danger of the Mother's Life, at least the Retarding her Recovery, by caufing what is called a Milk Fever; which has been thought to be natural, but fo far from it, that it is entirely owing to this Misconduct. I am confident, from Experience, that there would be no Fever at all, were things managed rightly : Were the Child kept without Food of any kind, till it was hungry, which it is impoffible it should be just after the Birth, and then applied to the Mother's Breafts; it would fuck with Strength enough, after a few repeated Trials, to make the Milk flow gradually, in due Proportion to the

the Child's unexercifed Faculty of fwallowing, and the Call of it's Stomach. Thus the Child would not only provide for it's felf the best of Nourishment, but, by opening a free Paffage for it, would take off the Mother's Load, as it increased, before it could oppress or hurt her; and therefore effectually prevent the Fever; which is caufed only by the painful Diftention of the lacteal Veffels of the Breafts, when the Milk is injudicioufly fuffer'd to accumulate. Here let me describe a Case of pure Nature, in order to illustrate this material Point yet further. When a healthy, young Woman lies in of her first Child, before the Operations of Nature have been perverted by any abfurd Practices, her Labour would be ftrong, and, as I have chose to instance in the Case of a first Child, perhaps difficult; but in a few Minutes after her Delivery, the and her Child, if it be not injured, would fall into a fweet Sleep of fix or feven Hours: the Mother would awake refresh'd, the Child hungry. A little thin Broth with Bread, or fome fuch light Food, should be then given her; and foon after, the Child be put to fuck. In one Hour or two the Milk would infallibly flow; and, if nothing elfe be given it, the Child would grow ftrong, and the recover perfectly in a few Days. This is the conftant Course of Nature, which is very little attended to, and never followed. The general Practice is, as foon as a Child is born, to

to cram a Dab of Butter and Sugar down its Throat, a little Oil, Panada, Caudle, or fome fuch unwholfome Mefs. So that they fet out wrong, and the Child ftands a fair Chance of being made fick from the firft Hour. It is the Cuftom of fome to give a little roaft Pig to an Infant; which, it feems, is to cure it of all the Mother's Longings. I wifh these Matters were a little more enquired into, for the Honour of the Sex; to which many Imperfections of this kind are imputed, which I am fure it does not lie under.

HERE I may be asked what is to be done with a Child born fick, that inftead of fleeping, cries inceffantly from the Birth, and is hardly to be quieted by any means. Let good Care be taken that it is not hurt by the Dreffing, or rather let it not be dreffed at all, but wrapp'd up in a loofe Flannel. If notwithftanding this Precaution, it ftill continues crying; instead of feeding it, for it is certainly a prepofterous thing to think of feeding a Child because it is fick, though possibly this may ftop it's Mouth for a little while; let it be applied to the Mother's Breaft, perhaps it may bring the Milk immediately; which would be the best Medicine for it in fuch a Cafe; or the Nipple in it's Mouth may quiet it, though it does not bring it. And it is certainly better it should be quieted without Food than with it, which must necessarily make it worse. Sometimes indeed the Child may be fo very ill,

ill, that it will not even attempt to fuck. In fuch a Cafe, which I think can happen but rarely, let the Phyfick I shall recommend a little further on, where Children are unavoidably to be dry-nurfed, be given, a little every Hour till it takes Effect; still attempting to bring it to fuck the Mother's Milk, which is the best Phyfick or Food it can take.

WHEN a Child fucks its own Mother, which, with a very few Exceptions, would be best for every Child, and every Mother, Nature has provided it with fuch wholfome and fuitable Nourishment; fuppofing her a temperate Woman, that makes fome Ufe of her Limbs; it can hardly do amifs. The Mother would likewife, in most hysterical, nervous Cafes, establish her own Health by it, tho' fhe were weak and fickly before, as well as that of her Offspring. For these Reasons I could with, that every Woman that is able, whofe Fountains are not greatly diffurbed or tainted, would give fuck to her Child. I am very fure, that forcing back the Milk, which most young Women must have in great abundance, may be of fatal Confequence: fometimes it endangers Life, and often lays the Foundation of many incurable Difeafes. The Reasons that are given for this Practice are very frivolous, and drawn from falfe Premifes; that fome Women are too weak to bear fuch a Drain, which would rob them of their own Nourishment. This is a very miftaken . mistaken Notion; for the first general Cause of most People's Diseases is, not Want of Nourishment, as is here imagined, but too great a Fulnefs and Redundancy of Humours; good at first, but being more than the Body can employ or confume, the whole Mafs becomes corrupt, and produces many Difeafes. This is confirmed by the general Practice of Phyficians, who make Holes in the Skin, perpetual Blifters, Iffues, &c. to let out the Superfluity. I would therefore leave it to be confider'd, whether the throwing back fuch a Load of Humour, as a Woman's first Milk, be most likely to mend her Constitution, or make her Complaints irremediable. The Mother's first Milk is purgative, and cleanfes the Child of its long hoarded Excrement; no Child therefore can be deprived of it without manifest Injury. By degrees it changes its Property, becomes lefs purgative, and more nourifhing; and is the beft and only Food the Child likes, or ought to have for fome time. If I could prevail, no Child should ever be cramm'd with any unnatural Mixture, till the Provision of Nature was ready for it; nor afterwards fed with any ungenial alien Diet whatever, the first three Months : For it is not well able to digeft and affimilate other Aliments fooner. There is usually Milk enough with the first Child; fometimes more than it can take: It is poured forth from an exuberant, overflowing Urn, by a bountiful Hand, that C .2

that never provides fparingly. The Call of Nature fhould be waited for to feed it with any thing more fubftantial, and the Appetite ever precede the Food; not only with regard to the daily Meals, but those Changes of Diet, which opening, increasing Life requires. But this is never done in either Case, which is one of the greatest Mistakes of all Nurses. Thus far Nature, if she be not interrupted, will do the whole Business perfectly well; and there seems to be nothing left for a Nurse to do, but to keep the Child clean and sweet, and to tumble and toss it about a good deal, play with it, and keep it in good Humour.

BUT now the Child (I mean when it is about three Months old) requires more folid Suftenance, we are to enquire what, and how much, is most proper to give it. We may be well affured, there is a great Miftake either in the Quantity or Quality of Childrens Food, or both, as it is ufually given them; becaufe they are made fick by it. As to Quantity, there is . a most ridiculous Error in the common Practice; for it is generally supposed, that whenever a Child cries, it wants Victuals; and it is accordingly fed, ten, twelve, or more times in a Day and Night. This is fo obvious a Misapprehension, that I am surprized it should ever prevail. If a Child's Wants and Motions be diligently and judicioufly attended to, it will be found that it never cries but from Pain: Now the first Senfations of Hunger are not attended

tended with Pain; accordingly a Child (I mean this of a very young one) that is hungry, will make a hundred other Signs of its Want, before it will cry for Food. If it be healthy and quite eafy in its Drefs, it will hardly ever cry at all. Indeed thefe Signs and Motions, I fpeak of, are but rarely to be obferved; becaufe it feldom happens that Children are ever fuffered to be hungry. In a few, very few, whom I have had the Pleafure to fee reafonably nurfed, that were not fed above two or three times in four and twenty Hours, and yet were perfectly healthy, active, and happy; I have feen thefe Signals, which were as intelligible as if they had fpoke.

THERE are many Faults in the Quality of their Food: It is not fimple enough. Their Paps, Panada's, Gruels, &c. are generally enriched with Sugar, Spice, and fometimes a Drop of Wine; neither of which they ought ever to tafte. Our Bodies never want them : they are what Luxury only has introduced, to the Destruction of the Health of Mankind. It is not enough that their Food be fimple, it should be also light. Several People, I find, are mistaken in their Notions of what is light; and fancy that most kinds of Pastry, Puddings, Custards, &c. are light, that is, light of Digestion. But there is nothing heavier in this Senfe than unfermented Flour and Eggs boil'd hard, which are the chief Ingredients of those Preparations. What I mean by light, to give the

the best Idea I can of it, is any Substance that is eafily feparated, and foluble in warm Water. Good Bread is the lightest thing I know; the Power of due Fermentation, in which confifts the whole Art of making it, breaks and attenuates the tenacious Particles of the Flour, fo as to give it these Qualities I mention, and make it the fitteft Food for young Children. Cow's Milk is also fimple and light, and very good for them; but it is injudicioufly prepared: it shou'd not be boiled, for boiling alters the Tafte and Property of it, destroys its Sweetnefs, and makes it thicker, heavier, and lefs fit to mix and affimilate with the Blood. But the chief Objection is, that their Food is wholly vegetable; the bad Confequence of which is, that it will turn four in their Stomachs. The first and general Cause of all the Difeafes of Infants, is manifestly this acefcent Quality of all their Food. If any of these vegetable Preparations I have named, be kept in a Degree of Heat equal to that of a Child's Stomach, it will become four as Vinegar in a few Hours time. These things are therefore very improper to feed a Child wholly with. Some Part of its Diet shou'd be contrived to have a contrary Tendency; fuch as we find only in Flesh, which is the direct Opposite to Acid, and tends to Putrefaction. In a due Mixture of these two Extremes, correcting each other, confifts that Salubrity of Aliment our Nature feems to require. As we are partly carniverous

carniverous Animals, a Child ought not to be fed wholly upon Vegetables. The Mother's Milk, when it is perfectly good, feems to be this true Mixture of the animal and vegetable Properties, that agrees best with the Constitution of a Child; readily passes into good Blood, requiring but a gentle Exertion of the Powers of Circulation to break and fubdue its Particles and make them fmooth and round, and eafily divifible. I would advife therefore, that one half of Infants Diet be thin light Broths, with a little Bread or Rice boiled in them; which last is not fo acefcent as any other kind of Meal or Flour. These Broths should be made with the Flesh of full grown Animals, because their Juices are more elaborate; especially if they have never been confined to be fatted. The Juices of a young Ox, taken from the Plough, make the fineft flavour'd and most wholfome Soup. I believe it is for the fame Reafon, the Flefh of all wild Animals has a higher Taste than that of tame, faginated ones; and is therefore most agreeable to the Palate of the Luxurious; but this is to be understood of those Creatures that feed on Corn or Herbage. The other Part of Childrens Diet may be a little Bread and Water boil'd almost dry, and then mix'd with fresh Milk, not boiled. This, without Sugar, Spice, or any other pretended Amendment whatever, would be perfectly light and wholfome, of fufficient Nourishment, something like Milk from the

the Cow, with the additional Strength and Spirit of Bread in it. Twice a Day, and not oftener, a fucking Child should be fed at first; once with the Broth, and once with the Milk thus prepared. As to the Quantity at each Time, its Appetite must be the Measure of that; its Hunger should be fatisfied, but no more; for Children will always eat with fome Eagerness full as much as they ought: therefore it must be very wrong to go beyond that, and stuff them 'till they spue, as the common Method is. They should not be laid on their Backs to be fed, but held in a fitting Posture, that fwallowing may be eafier to them, and that they may the more readily difcover when they have had enough. When they come to be about fix Months old, and their Appetite and Digestion grows strong, they may be fed three times a Day; which I think they ought never to exceed their whole Lives after. By Night I would not have them fed or fuckled at all, that they might at least be hungry in a Morning. It is this Night-feeding, that makes them fo over-fat and bloated. If they be not used to it at first, and perhaps awaked on purpose, they will never feek it; and if they are not disturbed from the Birth, in a Week's time they will get into a Habit of fleeping all, or most part of the Night very quietly; awaking poffibly once or twice for a few Minutes, when they are wet, and ought to be changed. If it be thought necessary to give

give them any thing between Meals, a little Milk and Water is beft. Their Meals, and in my Opinion their fucking too, ought to be at stated Times, and the fame every Day; that the Stomach may have Intervals to digeft, and the Appetite return. The Child would foon be quite eafy and fatisfied in the Habit; much more fo, than when taught to expect Food at all times, and at every little Fit of Crying or Uneafinefs. Let this Method be observed about a Twelvemonth, when, and not before, they may be weaned; not all at once, but by infenfible Degrees; that they may neither feel, nor fret at the want of the Breaft. This might be very eafily managed, if they were fuffered to fuck only at certain times. Were this Plan of Nurfing literally purfued, the Children kept clean and fweet, tumbled and tofs'd about a good deal, and carried out every Day in all Weathers; I am confident, that in fix or eight Months time most Children would become healthy and ftrong, would be able to fit up on the Ground without Support, to divert themfelves an Hour at a time, to the great Relief of their Nurfes, would readily find the Use of their Legs, and very soon shift for themfelves.

IF it be afked whether I mean this of Children in general, and that weakly Ones born of unhealthy Parents fhould be treated in the fame Manner; I anfwer, that it is not fo common for Children to inherit the Difeafes of their Pa-

rents,

rets, as is generally imagined; there is much vulgar Error in this Opinion; for People that are very unhealthy feldom have Children, especially if the bad Health be of the female Side; and it is generally late in Life when chronick Diseases take place in most Men, when the Bufiness of Love is pretty well over : Certainly Children can have no Title to those Infirmities, which their Parents have acquired by Indolence and Intemperance long after their Birth. It is not common for People to complain of Ails they think hereditary, 'till they are grown up; that is, 'till they have contributed to them by their own Irregularities and Exceffes, and then are glad to throw their own Faults back upon their Parents; and lament a bad Constitution, when they have spoiled a very good one. It is very feldom that young Children are troubled with Family Diftempers : Indeed when we find them affected with fcrophulous, venereal, or high fcorbutick Complaints, we may reasonably conclude the Taint to have been transmitted to them; but these Cafes are very rare in Comparison of the many others that are falfly, and without the least Foundation, imputed to Parents, when the real Caufe is either in the Complainants themfelves, or bad Nurfing, that has fixed them early in wrong Habits. In one Senfe many Difeafes may be faid to be hereditary, perhapsall those of male Formation ; by which I mean not only Deformity and Diffortion,

rents,

but

but all those Cases where the Fibres and Veffels of one Part are weaker in Proportion than the reft; fo that upon any Strain of the Body, whether of Debauch or too violent Exercife, the weak Part fails first, and diforders the whole. Thus Complaints may be produced Similar to those of the Parent, owing in fome measure to the Similitude of Parts, which poffibly is inherited, like the Features of the Face; but yet these Diseases might never have appeared, but for the immediate acting Caufe, the Violence done to the Body. Most Distempers have two Caufes; the one, a particular State of the Solids and Fluids of the Body, which dispose it to receive certain Infections and Impulses; the other, the Infection or Impulse itself. Now what I contend for is, that though this predifponent State or Habit of the Body be heritable, yet the Difeafes incident to these wretched Heirs may be avoided, by preventing the active Caufe; which may be done in many Cafes by a due Attention to the Non-naturals, as they are called; in plainer Words, by a regular, temperate Life: in Children, by good Nurfing. Therefore I conclude, that instead of indulging and enfeebling yet more, by the common Methods, Children fo unhappily born; that which I am recommending, together with the wholfome Milk of a healthy Nurfe, is the beft, the only Means to remedy the Evil, and by which alone they may by degrees be made healthy D 2 and

(27)

and strong. And thus, in a Generation or two of reasonable, temperate Persons, every Taint and Infirmity whatever, the King's Evil, and Madness not excepted, would be totally wore out.

THE plain natural Plan I have laid down, is never followed; because most Mothers, of any Condition, either cannot, or will not undertake the troublesome Task of Suckling their own Children; which is troublefome only for want of proper Method; were it rightly managed, there would be much Pleasure in it, to every Woman that can prevail upon herfelf to give up a little of the Beauty of her Breaft to feed her Offspring; tho' this is a mistaken Notion, for the Breafts are not fpoiled by grving fuck but by growing fat. There would be no fear of offending the Hufband's Ears with the Noife of the fqualling Brat. The Child, was it nurs'd in this Way, would be always quiet, in good Humour, ever playing, laughing, or fleeping. In my Opinion, a Man of Sense cannot have a prettier Rattle (for Rattles he must have of one kind or other) than fuch a young Child, I am quite at a Lofs to account for the general Practice of fending Infants out of Doors, to be fuckled, or dry-nurfed by another Woman, who has not fo much Understanding, nor can have fo much Affection for it, as the Parents; and . how it comes to pais, that People of good Senfe and eafy Circumstances will not give themselves the Pains to watch over the Health and

and Welfare of their Children; but are so carelefs as to give them up to the common Methods, without confidering how near it is to an equal Chance, that they are deftroyed by them. The antient Cuftom of exposing them to wild Beafts, or drowning them, would certainly be a much quicker and more humane way of difpatching them. There are fome, however, who with to have Children, and to preferve them, but are mistaken in their Cares about them. To fuch only I would address myfelf, and earneftly recommend it to every Father to have his Child nurfed under his own Eye, to make use of his own Reafon and Senfe in fuperintending and directing the Management of it; nor fuffer it to be made one of the Mysteries of the Bona Dea, from which the Men are to be excluded. I would advise every Mother that can, for her own fake, as well as her Child's, to fuckle it. If she be a healthy Woman, it will confirm her Health; if weakly, in most Cases it will reftore her. It need be no Confinement to her, or Abridgment of her Time: Four times in four and twenty Hours will be often enough to give it Suck; letting it have as much as it will take, out of both Breafts, at each time. It may be fed and drefs'd by fome handy, reasonable Servant, that will submit to be directed; whom likewife it may fleep with. No other Woman's Milk can be fo good for her Child; and dry-nurfing I look upon to be the

(29)

the most unnatural and dangerous Method of all; and, according to my Observation, not one in three furvives it. To breed a Child in this artificial Manner, requires more Knowledge of Nature, and the animal Oeconomy, than the best Nurse was ever Mistress of, as well as more Care and Attention than is generally beftow'd on Children: the Skill of a good Phyfician would be neceffary to manage it rightly.' I am very glad this is not the Method of the Hofpital: I believe there is not the least Colour of Objection to any Part of the Management of that most useful and excellent Charity, as far as it depends upon the Directors of it. Sending the Children out to Country Nurfes, under the Care of Infpectors, is undoubtedly the best Method they could take; but how far these Nurses and their Infpectors (who, I fuppofe, are to be fome good Gentlewomen in the Neighbourhood) may be perfuaded out of their old Forms, to treat their Nurfelings a little more reafonably, is matter of much Doubt. I fear they will be too tenacious of their Prejudices, as well as opinionated of their Skill, to be eafily convinced they are in the wrong; and who shall undertake the Tafk? However, I defpair not of feeing a Reformation one Day or other; and to contribute to it as much as lies in my Power, I will give you my Opinion as to the Precautions, neceffary to be taken, in the Choice of thefe Nurfes; and likewife a few Reafons why the

the Children, entrusted to their Care, should be treated fomewhat differently from those who are nurfed in a more natural Way, and fuck their own Mothers. I make no doubt, but great Care is taken, that the Nurfes, recommended to the Hospital, be clean and healthy Women. But this is not enough, the Preference should be given to the middleaged; becaufe they will have more Milk than the very young, and more and better than the old. This is a material Confideration, as I suppose, they have each her own Child to fuckle befides. Those between twenty and thirty are certainly of the best Age. But what I think of the utmost Confequence is, that great Regard should be had to the Time of their Lying-in, and those procured, if poffible, who have not been brought to bed above two or three Months. The Reason of this is, that Nature intending a Child should fuck about a Twelvemonth, the Milk feldom continues good much longer. About that Time, Women in general, tho' they give Suck, are apt to breed again; fome indeed, that are very fanguine, will breed fooner; thefe, notwithstanding their Milk, are apt to be troubled with the Catamenia, which difturb it greatly; and therefore are not fo proper to be made Nurses of. But, whether they breed or not, it is my Opinion, that after a Year's Time, or thereabouts, however it may agree with a Child that has fucked it from the first, their

their Milk will become ftale and vapid, at leaft very unfit for a new-born Infant; that if it be deprived of its own Mother's Milk, ought undoubtedly to have what is most like it: the newer it is, the more fuitable in all respects to its tender Nature. Yet it is a common thing for a Woman to fuckle two or three Children fucceffively with the fame Milk.

A NURSE ought to have great Regard to her Diet: It is not enough that fhe be fober and temperate, her Food fhould confift of a proper Mixture of Flefh and Vegetables: She fhould eat one hearty Meal of Flefh-meat every Day, with a good deal of Garden-ftuff, and Bread. Thin Broth or Milk would be beft for her Breakfaft and Supper. Her Drink fhould be fmall Beer, or Milk and Water; but upon no Account fhould fhe ever touch a Drop of Wine or ftrong Drink, much lefs any kind of fpirituous Liquors: Giving Ale or Brandy to a Nurfe is, in effect, giving it the Child; and it is eafy to conclude what would be the Confequence.

THE Children likewife, thus fent out, require a particular Treatment. The Plan I would lay down, could I prevail, fhould be that of Nature, excluding Art and foreign Aid entirely. But when this is broke in upon, a little adventitious Skill becomes indifpenfibly neceffary; that if we were not perfectly right in following clofely the Defign of Nature, we may

may co-operate a little, and not be totally wrong in counter-acting it, as is too often the Cafe. What I mean is, that every Child, not allowed the Mother's first Milk, whether it be dry-nurfed, or fuckled by another Woman, should be purged in a Day or two after the Birth; and this purging continued for fome time; not by regular Dofes of Phyfick, that may operate all at once; but fome lenient Laxative should be contrived, and given two or three times a Day, fo as to keep the Child's Body open for the first nine Days, or Fortnight; leffening the Quantity infenfibly, till it be left off. It should be so managed, that the Operation of the artificial Phylick may refemble that of the natural. This is fo material, that for want of it, most Children within the first Month break out in Pimples all over; the Nurfes call it the red Gum, and look upon it to be a natural thing, and that the Children will be unhealthy that have it not. So indeed they will be in all likelihood; and it is better that these Foulnesses, which become acrid and hot by remaining too long in the Body, should be discharged through the Skin, than not at all; or that they fhould be lodged in the Blood, or fall upon the Vitals, to lay the Foundation of numberless future Evils: but it is chiefly owing to the Neglect of this Method at first. A Child that fucks its own Mother, unless it be greatly over-fed, or kept too hot, will never be troubled E

bled with this Humour at all. If the Children that are brought to the Hofpital be not above a Month old, and if it be found, upon Enquiry, that they have not fuck'd their own Mothers, fomething of this kind prefcribed them would not be too late, nor improper. The following Form may be ufed: Take Manna, Pulp of Caffia, of each half an Ounce; diffolve them in about three Ounces of thin Broth. Let the Child take two Spoonfuls three times a Day, varying the Quantity according to the Effect; which at first ought to be three or four Stools in four and twenty Hours.

ORDERS should be given these Nurses to keep the Children awake by Day, as long as they are disposed to be so, and to amuse and keep them in good Humour all they can; not to lull and rock them to fleep, or to continue their Sleep too long; which is only done to fave their own Time and Trouble, to the great Detriment of the Childrens Health, Spirits, and Understanding. With regard to Feeding them, as it is not likely they fhould have Milk enough to support two, their own, and the Hofpital Child; it is best they shou'd begin immediately according to the Method I have recommended, if they or their Infpectors can be perfuaded to think it right, which, however, I wou'd not have understood fo strictly, but it might fometimes be a little varied, preferving only the Intention. I would advife, however,

however, if it be thought proper, now and then to give them a little Bread and Butter; that the Butter be perfectly fweet and fresh, and allowed but in very fmall Quantity; otherwife it will be apt to turn bitter and rancid in the Stomach, and foul all the Juices of the Body. A Child may be allowed any kind of mellow Fruit, either raw, stewed, or baked; Roots of all Sorts, and all the Produce of the Kitchen Garden. I am fure all thefe things are wholfome and good for them, and every one elfe, notwithstanding the idle Notion of their being windy, which they are only to very debauched Stomachs; and fo is Milk; but no Man's Blood wants the cleanfing, refreshing Power of Milk more than his, whose Stomach, used to inflammatory things of high Relifh, will not bear the first Chill of it. To Children, all this kind of Food, taken in Moderation, is perfectly grateful and falutary. Some may think that they carry into the Stomach the Eggs of future Worms; but of this I am not very apprehenfive: for I believe there are few things we eat or drink, that do not convey them. But then they can never be hatch'd in a healthy Infide, where all the Juices are fweet and good, and every Gland performs its Office: the Gall in particular would deftroy them: Bullocks Gall has been found to be a good and fafe Vermifuge. It is my Opinion, we fwallow the Eggs of many little Animals, that are never brought into Life within us,

except

except where they find a fit Neft or Lodgment in the acid Phlegm, or vitiated Humours of the Stomach and Bowels. Were thefe totally difcharged every Day, and the Food of yefterday employed in nourifhment, and the fuperfluity thrown off to the laft Grain, no Worms could ever harbour in our Vitals. As foon as the Children have any Teeth, at fix or eight Months they may by degrees be ufed to a little Flefh-meat; which they are always very fond of, much more fo at firft, than of any Confectionary or Paftry Wares, with which they fhould never debauch their Tafte.

BREEDING Teeth has been thought to be, and is, fatal to many Children; but I am confident this is not from Nature : for it is no Difease, or we could not be well in Health 'till one or two and twenty, or later. Teeth are breeding the greatest Part of that Time; and it is my Opinion, the last Teeth give more Pain than the first, as the Bones and Gums, they are to pierce, are grown more firm and hard. But whatever Fever, Fits, or other dangerous Symptoms feem to attend this Operation of Nature, healthy Children have fometimes bred their Teeth without any fuch bad Attendants; which ought to incline us to fufpect the Evil not to be natural, but rather the Effects of too great a Fulnefs, or the corrupt Humours of the Body put into Agitation by the stimulating Pain the Tooth causes in breaking its way out. This, I believe, never happens pens without fome Pain, and poffibly a little Fever; but if the Blood and Juices be perfectly fweet and good, and there be not too great a Redundancy of them, both will be but flight, and pafs off imperceptibly, without any bad Confequence whatever. The chief Intention of the Method I am recommending is to preferve the Humours of the Body in this State; and therefore if it fucceeds, Children fo managed will breed their Teeth with lefs Pain and Danger than are commonly obferved to attend this Work of Nature.

As I have faid that the first and general Caufe of most of the Difeases Infants are liable to, is the acid Corruption of their Food; it may not be amifs just to mention an eafy and certain Remedy, or rather Preventive, if given timely, at the first Appearance of predominating Acid; which is very obvious from the green Stools, Gripes and Purgings occafioned by it. The common Method, when these Symptoms appear, is to give the Pearl Julep, Crab's Eye, and the testaceous Powders, which, tho' they do abforb the Acidities, have this Inconvenience in their Effect, that they are apt to lodge in the Body, and bring on a Coftiveness, very detrimental to Infants, and therefore require a little Manna, or fome gentle Purge to be given frequently to carry 'em off. Instead of these, I would recommend a certain fine infipid Powder, called Magnefia alba, which at the fame time that it corrects and

and fweetens all Sourneffes, rather more effectually than the teftaceous Powders, is likewife a lenient Purgative, and keeps the Body gently open. This is the only alkaline Purge I know of, and which our Difpensatories have long wanted. I could wish it was more univerfally received among us, and think it well deferves the Rank in our Books of Pharmacy, which it already has in fome foreign ones. I have taken it myself, and given it to others for the Heart-burn, and find it to be the best and most effectual Remedy for that Complaint. It may be given to Children from one to two drams a Day, a little at a time, in all their Food, till the Acidities be quite overcome, and the concomitant Symptoms difappear entirely. I have often given it with good and great Effect, even when the Children have been far gone in Diseases first brought on by prevailing Acid.

It is always eafier to prevent Difeafes than to cure them; and as neither Children, nor indeed grown Perfons, are ever feized with chronick Difeafes fuddenly, the Progrefs of decaying Health being perceptibly gradual, it is no difficult Matter for a Phyfician of common Skill to obferve the firft Step towards Illnefs, and to foretel the Confequence, in all those whose Habit of Life is well known to him. But to Parents and Nurfes in general, these Observations may not occur; I will therefore point out a few certain Signs and Symptoms, Symptoms, by which they may be affured that a Child's Health is decaying, even before it appears to be fick. If these are neglected, the Evil increases, grows from bad to worfe, and more violent and apparent Complaints will follow, and perhaps end in incurable Difeafes; which a timely Remedy, or a flight Change in the Diet and Manner of Life, had infallibly prevented. The first Tendency to Difease may be observed in a Child's Breath. It is not enough the Breath be not offenfive; it should be sweet and fragrant like a Nosegay of fresh Flowers, or a Pail of new Milk from a young Cow that feeds upon the fweeteft Grafs of the Spring; and this as well at first waking in the Morning, as all Day long. It is always fo with Children that are in perfect delicate Health. As foon therefore as a Child's Breath is found to be either hot, or ftrong, or four, we may be affured that Indigeftion and Surfeit have fouled and disturbed the Blood, and now is the time to apply a proper Remedy, and prevent a Train of impending Evils. Let the Child be reftrained in its Food; eat lefs, live upon Milk or thin Broth for a Day or two; be carried, or walk if it is able, a little more than usual in the open Air. Let a little of this Powder, or any other mild proper Phyfick, be given; not that I would advife Phyfick to be made familiar, but one Dofe administer'd now would prevent the Necessity of of a great many, that might afterwards be prefcribed with much lefs good Effect.

IF this first Symptom of approaching Illness be overlooked, the Child, who, if it was healthy, would lie quiet as a Log all Night, will have difturbed Sleep, Reftlefnefs, terrifying Dreams; will be talking, ftarting, kicking and tumbling about; or fimiling and laughing, as is common with very young Children when they are griped, and the Nurses fay they fee and converse with Angels. After this will follow Lofs of Appetite and Complexion, Check of Growth, Decay of Strength, Cough, Confumption ; or elfe Colicks, Gripes, Worms, Fits, &c. Difeafes that require all the Skill of a good Phyfician; and happy for them, if the utmost he can employ will reftore them to any Degree of lafting Health.

THERE is one thing more which I forgot to mention in its proper Place, and therefore I must take notice of it here; that is, the Degree of Exercife proper for Children. This is of more Confequence than all the reft; for without it, all our Care in Feeding and Cloathing will not fucceed to our Wifhes: But when by due Degrees a Child is brought to bear a good deal of Exercise without Fatigue, it is inconceivable how much Impropriety and Abfurdity in both those Articles it will endure un-A Child therefore should be push'd hurt. forwards, and taught to walk as foon as poffible. A healthy Child a Year old will be able

to

to walk alone. This we may call the Æra of their Deliverance; for this great Difficulty furmounted they generally do well, by getting out of the Nurfe's Hands to shift for themfelves. And here I must endeavour to correct a great Mistake, which is, that most People think it wrong to put weakly Children upon their Legs, especially if they are the least bent or crooked; but whoever will venture the Experiment, will furely find that crooked Legs will grow in time ftrong and ftrait by frequent walking, while Difuse will make them worse and worfe every Day. As they grow daily more and more able, let their Walks be gradually increased, till they can walk two Miles on a Stretch without Wearinefs; which they will be very well able to do before they are three Years old, if they are accustomed to it every Day. To lead them fuch a Walk should be imposed as an indispensible Task upon their Maids, for to them it will be the highest Pleafure; fo far from a Burthen to them, that if they perform the daily Duty, they will from the Impulse of their own active Vigour, be found running, leaping, and playing all Day long. Thus a dull, heavy Child may be made playful and fprightly, a weakly one healthy and flrong, and confirmed in good Habits and perpetual Health.

THERE are fome other little Niceties, that, were they observed in the nursing of Children, would be of some Use to them; such as ma-F king king them lie strait in Bed; accustoming them to use both Hands alike; for employing one more than the other, will not only make the Hand and Arm so used, but also that Side of the Body, bigger than the other. This is sometimes the Cause of Crookedness. It would likewise not be amiss to forward their speaking plain, by speaking plain distinct Words to them, instead of the Namby Pamby Stile, and giving them back their own broken inarticulate Attempts; by which Means, I believe, some Children soft age. I think they cannot be made reasonable Creatures too son.

THESE few loofe Thoughts on the Subject of Nurfing Children, I fend you for your private Satisfaction, if they be lucky enough to give you any. I have neither Time nor Patience to think of Form and Order, or fupporting them by affected Demonstrations taken from mechanical Principles and Powers. All I have endeavour'd is to be intelligible and useful; and therefore I have avoided, as much as possible, all Terms of Art; together with learned Quotations, as often produced out of Vanity, and to fhew deep Reading, as for the fake of Proof. If you think it may be of any Use to publish this Letter, I am not unwilling it should appear; if not, do with it what you please. I deliver it up as a Foundling to be

be difposed of as you think proper. I shall only add by way of Persuasive to those who may be inclined to make Trial of the Method I recommend, that I am a Father, and have already practised it with the most desirable Success.

# FINIS.

