

Cox's catalogue of dispensing labels.

Contributors

Elizabeth Cox & Son.

Publication/Creation

London : E. Cox, 1828.

Persistent URL

<https://wellcomecollection.org/works/y97grdqh>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>


1
PAPAIN. CAPS.

ACID. NITRIC.

2
EXT. STRAMON.

A
The Pill
to be taken
at bed time.

B
*A Draught to be taken
night & morning.*



Z

The Mixture to be taken
as before.

5

ACID. ACET. AR.

Page 9 to 10

4

ABIE. RESIN.

1

COMP. T. BENJAMIN



D

RHUBARB POWDER

POW. COL. MBO

ACET. COLCH.

N^o1 Page 1 to 8

ACET. COLCH.

N^o2 Page 1 to 8

ACET. COLCH.

N^o3 Page 1 to 8

12

*Haute Antiquité
à la Rose
Pour menthe & aneth
à la Citronne*

Paracore Clair

Edinburgh

SOLD BY
COX & SON,
Booksellers,
St. Thomas's Street, Borough,
Eng. printing & Binding.

On the above Notice.

TINCT. HYOSCY

Page 13 to 14

T. CAMPHOR. C. F

The Mixture as before

CAN

PRINTED FOR THE

WILLIAM COLEMAN

WILLIAM COLEMAN

WILLIAM COLEMAN


No. 1

WILLIAM COLEMAN

WILLIAM COLEMAN


WILLIAM COLEMAN

WILLIAM COLEMAN



WILLIAM COLEMAN

WILLIAM COLEMAN



The Draught to be taken
immediately.

COX'S CATALOGUE OF DISPENSING LABELS,

AS PER SPECIMENS,

At 2s. 6d. per Thousand, gummed at the Back, and ready for immediate Use.

- 1 The Acid.
- 2 The acid draught.
- 3 The aperient draught to be taken directly.
- 4 The aperient draught to be taken early to-morrow morning.
- 5 The Collyrium.
- 6 The collyrium as before.
- 7 The collyrium to be used as before.
- 8 The collyrium to be used frequently.
- 9 The collyrium to be used three times a day.
- 10 The collyrium to be used night and morning.
- 11 The Decoction.
- 12 The decoction as before.
- 13 The draught to be taken early in the morning.
- 14 The draught and pills to be taken at bed time.
- 15 The draught.
- 16 The draught as before.
- 17 The draught to be taken as before.
- 18 This draught to be taken at.....
- 19 This draught to be taken at....o'clock.
- 20 This draught to be taken at noon
- 21 One of the draughts to be taken every four hours.
- 22 One of the draughts to be taken everyhours.
- 23 One of these draughts to be taken atat bed time, in the morning, and at noon.
- 24 One of these draughts to be taken three times a day.
- 25 One of the draughts to be taken..... times a day.
- 26 One of these draughts to be taken every six hours.
- 27 One of these draughts to be taken morning, noon, and night.
- 28 One of these draughts to be taken now, at bed time, and in the morning.
- 29 One of these draughts to be taken at noon, at bed time, and in the morning.
- 30 One of these draughts to be taken ato'clock, at bed time, and in the morning.
- 31 One of these draughts to be taken twice a day.
- 32 One of these draughts to be taken evening and morning.
- 33 One of these draughts to be taken at bed time and in the morning.
- 34 One of these draughts to be taken night and morning.
- 35 A draught to be taken two hours before and two hours after dinner.
- 36 One of these draughts to be taken night, morning, and noon.
- 37 The draughts to be continued.
- 38 One of these draughts to be taken morning and noon.
- 39 One of these draughts to be taken.
- 40 One of these draughts to be taken two hours before and two hours after dinner.
- 41 The pills to be taken at bed time, and this draught in the morning.
- 42 The powder to be taken at bed time in Jelly, and this draught in the morning.
- 43 The Bolus to be taken at night, and this draught in the morning.
- 44 The draughts as before.
- 45 One of these draughts to be taken at....
- 46 The draughts.
- 47of the pills to be taken everyhours with one of these draughts

- 48 The pills directly, and this draught an hour after.
- 49 One of the powders to be dissolved in a spoonful of water, to be mixed with one of these draughts and taken everyhours, in a state of effervescence.
- 50 The draughts and powders.
- 51 The draughts and pills.
- 52 This emetic draught to be taken immediately, when it begins to operate, drink plentifully of warm water.
- 53 The alkaline draughts.
- 54 One of these Alkaline draughts to be taken everyhours, mixed withtable spoonful of the acid mixture, and drink while effervescing.
- 55 One of these draughts to be taken every hours, mixed with table spoonful of Lemon Juice, and drink while effervescing.
- 56 One of these draughts to be taken times a day mixed withtable spoonful of the acid mixture, and drank while effervescing.
- 57 One of these draughts to be taken times a day, mixed withtable spoonful of Lemon Juice, and drank while effervescing.
- 58 The Composing Draught.
- 59 The night draught.
- 60 This draught to be taken at bed time.
- 61 One of these draughts to be taken everyhours while in pain.
- 62 One of these draughts to be taken at any time when in pain.
- 63 One of these draughts to be taken after every liquid evacuation.
- 64 One of these draughts to be taken when the breathing is difficult.
- 65 The Emetic Draught.
- 66 The emetic draught to be taken immediately.
- 67 This emetic draught to be taken in the evening.
- 68 The Opening Draught.
- 69 The aperient draught.
- 70 The laxative draught.
- 71 This laxative to be taken immediately.
- 72 This laxative draught to be taken immediately.
- 73 This draught to be taken in the morning.
- 74 This laxative draught to be taken early in the morning.
- 75 One of these draughts to be taken immediately, and repeated every hours until the bowels are relaxed.
- 76 One of these draughts to be taken immediately, and repeated in hour if the bowels are not relaxed.
- 77 One of these draughts to be taken early in the morning, and repeated everyhours until the bowels are relaxed.
- 78 The Drops.
- 79 The drops as before.
- 80 The drops to be taken as before.
- 81drops to be taken every hours in any liquid.
- 82drops to be taken three times a day in any liquid.
- 83 drops to be taken night and morning in any liquid.
- 84drops to be taken in each dose of the mixture.
- 85drops to be taken in each draught
- 86drops to be taken in a wine glass of water twice a day.
- 87 A tea spoonful of these drops to be takentimes a day.
- 88 A tea spoonful of these drops to be taken three times a day.
- 89drops to be taken in moist sugar twice a day.
- 90drops to be taken in a wine glass of watertimes a day.
- 91 The Composing Drops.
- 92drops to be taken every night in any liquid.
- 93 One tea spoonful to be taken every night.
- 94 The Eye Water.
- 95 The enema to be injected directly.
- 96 The embrocation.
- 97 The embrocation as before.
- 98 The embrocation to be used three or four times a day.
- 99 The embrocationspoonful to be usedtimes a day.
- 100 The embrocation to be used night and morning.
- 101 The embrocationspoonful to be used night and morning.
- 102 The embrocation to be rubbed into the side night and morning.
- 103 The embrocation. A tea spoonful to be rubbed into the forehead and temples everyhours.
- 104 The effervescent draught.
- 105 The fomentation.
- 106 The fomentation as before.
- 107 The fomentation to be used every hours.
- 108 The fomentation to be usedor times a day.
- 109 The fomentation to be usedtimes a day.
- 110 The gargle.
- 111 The gargle as before.
- 112 The gargle to be used frequently.
- 113 The gargletable spoonful to be used everyhours.
- 114 The gargletable spoonful to be usedtimes a day.
- 115 The gargletable spoonful to be used night and morning.
- 116 The injection.
- 117 The injection as before.

- 118 The injection to be usedtimes a day.
- 119 The injection to be used night and morning.
- 120 The Julep.
- 121 The camphor julep.
- 122 A wine glassful to be taken occasionally
- 123 A wine glassful to be taken three times a day.
- 124 A wine glassful to be taken.....times a day.
- 125 A wine glassful to be taken night and morning.
- 126 A wine glassful to be taken every night.
- 127 The Liniment.
- 128 The liniment as before.
- 129 The part in pain to be rubbed with this liniment night and morning.
- 130 The liniment to be used twice or three times a day.
- 131 A tea spoonful to be rubbed in two or three times a day.
- 132 The Lotion.
- 133 The lotion as before.
- 134 The lotion to be applied frequently.
- 135 The lotion to be applied three or four times a day.
- 136 The lotion to be applied twice or three times a day.
- 137 The lotion for the mouth to be used frequently.
- 138 Linen cloths to be applied to the part and kept constantly damp with the lotion.
- 139 Rub the part affected very well with the liniment.....or.....times a day.
- 140 These ingredients to be boiled in three pints of water, till it comes to a quart, and whilst hot, foment the part affected with flannels.
- 141 These ingredients to be boiled in three pints of water till it comes to a quart.
- 142 These ingredients to be boiled in six pints of water till it comes to two quarts.
- 143 The gargle to be used frequently.
- 144 The Mixture.
- 145 The mixture as before.
- 146 The mixture to be taken as before.
- 147 The aperient mixture. Two or three spoonful to be taken when required.
- 148 The aperient mixture. Three table spoonful to be taken directly, and repeated every two hours till it operates.
- 149 Opening mixture. A part to be taken in the morning, and repeated everyhours till it operates.
- 150 A.....part to be taken every.....hours.
- 151 A.....part to be taken at.....o'clock, at bed time, early in the morning, and at noon.
- 152 A.....to be taken three times a day.
- 153 A.....part to be taken at.....o'clock, at bed time, and in the morning.
- 154part to be taken evening and morning.
- 155 A quarter part to be taken every four hours.
- 156 A quarter part to be taken every.....hours.
- 157 A quarter part to be taken three times a day.
- 158 A quarter part to be taken at noon, at bed time, and in the morning.
- 159 A quarter part to be taken twice a day.
- 160 A quarter part to be taken evening and morning.
- 161 A quarter part to be taken night and morning.
- 162 A third part to be taken every four hours.
- 163 A third part to be taken every.....hours.
- 164 A third part to be taken three times a day.
- 165 A third part to be taken twice a day
- 166 A tea spoonful to be taken twice a day, with water.
- 167spoonful to be taken every.....hours.
- 168spoonful to be taken,a day.
- 169 Three table spoonsful to be taken every four hours.
- 170 Three table spoonsful to be taken everyhours.
- 171 Three table spoonsful to be taken three times a day.
- 172 Three table spoonsful to be taken morning, noon, and night.
- 173 Three table spoonsful to be taken twice a day.
- 174 Three table spoonsful to be taken night and morning.
- 175 Three table spoonsful of this mixture to be taken every four hours, with a table spoonful of Lemon Juice in a state of effervescence.
- 176 Three table spoonsful to be taken when langour comes on.
- 177 Three table spoonsful to be taken every six hours.
- 178 Two table spoonsful of this mixture to be taken when the cough is troublesome.
- 179 Two table spoonsful to be taken every hour till it acts on the bowels.
- 180 Two table spoonsful to be taken directly, and repeated after every relaxed motion.
- 181 Two table spoonsful to be taken every four hours.
- 182 Two table spoonsful to be taken everyhours.
- 183 Two table spoonsful to be taken night and morning.

- 184table spoonful to be taken..... 212 One of these powders to be taken three hours, with one of the powders. times a day in three table spoonful of this mixture.
- 185table spoonful to be taken when langour comes on. 213of this mixture to be taken..... times a day.
- 186table spoonful to be taken immediately, and repeated as often as the bowels are disturbed. 214 Third part to be taken night, morning, and noon.
- 187table spoonful to be taken immediately, and repeated every..... hours till it operates. 215table spoonful to be taken every morning fasting.
- 188 One table spoonful to be taken every four hours. 216of the pills to be taken everyhours in.....table spoonful of this mixture.
- 189 One table spoonful to be taken every hours. 217 One of the powders to be taken three times a day in two spoonful of this mixture.
- 190 One table spoonful to be taken three times a day. 218 The fever mixture.
- 191 One table spoonful to be taken night and morning. 219spoonful to be taken when the cough is troublesome.
- 192 One.....spoonful to be taken..... times a day. 220 One of these powders dissolved in a spoonful of water, to be mixed with a quarter part of this mixture, and taken everyhours, in a state of effervescence.
- 193 One.....spoonful to be taken night and morning. 221of the pills to be taken everyhours, with a fourth part of this mixture.
- 194 One of these draughts to be taken every four hours, with a table spoonful of Lemon Juice in a state of effervescence. 222 Two table spoonful of this mixture to be taken with one of the pills every four hours.
- 195 A desert spoonful to be taken everyhours. 223 Two table spoonful of this mixture to be taken forenoon and afternoon, and one pill every night.
- 196 Two tea spoonful to be taken everyhours. 224 A table spoonful to be taken in the morning.
- 197 Two spoonful to be taken night and morning. 225 Three table spoonful to be taken in the morning fasting, and repeated two hours before and two hours after dinner.
- 198 One tea spoonful to be taken everyhours. 226 One of the powders to be taken..... times a day in.....table spoonful of the mixture.
- 199 One tea spoonful to be taken three times a day. 227 A wine glassful to be taken twice a day.
- 200 One tea spoonful to be taken night and morning. 228 Two table spoonful of this mixture to be taken three times a day.
- 201 Two table spoonful to be taken twice a day. 229 The noon draught.
- 202 The pills to be taken at bed time. 230 The draught to be taken when in pain.
- 203 The mixture and pills. 231 A draught to be taken twice a day, at Eleven o'clock in the morning, and Four in the afternoon.
- 204 A wine glass of this mixture to be taken every.....hours. 232 The acid mixture.
- 205 Boil these ingredients in a.....of water and take a wine glassful..... times a day. 233 The alkaline mixture.
- 206 Pour.....of boiling water upon these ingredients, when cold take a wine glass.....times a day. 234 A..... part to be taken every..... hours, mixed with.....of the acid mixture and drank while effervescing.
- 207 Two table spoonful to be taken with one of these pills three times a day. 235 A.....part to be taken every..... hours, mixed with.....table spoonful of lemon juice, and drank while effervescing.
- 108 Two table spoonful of this mixture to be taken with one of the pills every six hours. 236 A.....part to be taken.....times a day mixed with.....of the acid mixture, and drank while effervescing.
- 209 Three table spoonful to be taken two hours before and two hours after dinner.
- 210 Two table spoonful to be taken three times a day.
- 211 One of the powders to be taken three times a day in three table spoonful of this mixture.

- 237 A.....part to be taken.....times a day, mixed with.....table spoonful of lemon juice, and drank while effervescing.
- 238 The composing mixture.
- 239part to be taken every night.
- 240spoonful to be taken every night.
- 241table spoonful to be taken every night.
- 242tea spoonful to be taken every night.
- 243spoonful to be taken when restless or in pain.
- 244table spoonful to be taken when restless or in pain.
- 245table spoonful to be taken every.....hours while in pain.
- 246spoonful to be taken after each liquid evacuation.
- 247 The cough mixture.
- 248 The emulsion.
- 249 A table spoonful to be taken often when the cough is troublesome.
- 250tablespoonful to be taken at any time when the breathing is difficult.
- 251 The linctus.
- 252 The mucilage.
- 253 The syrup.
- 254 A tea spoonful to be taken often when the cough is troublesome.
- 255spoonful to be taken frequently.
- 256 The emetic mixture.
- 257 Half to be taken immediately, and repeated in.....minutes if it does not vomit.
- 258 A.....part of this emetic mixture to be taken every.....minutes until it vomits.
- 259spoonful to be taken every..... minutes until it vomits.
- 260 The opening mixture.
- 261 The aperient mixture.
- 262 The laxative mixture.
- 263 Half to be taken immediately, and repeated in.....hours if necessary.
- 264 Half to be taken at bed time, the remainder in the morning.
- 265 A.....part to be taken early in the morning, and repeated every..... hours until the bowels are relaxed.
- 266 A fourth part to be taken immediately, and repeated every.....hour, until the bowels are relaxed.
- 267spoonful to be taken every..... hours, until the bowels are relaxed.
- 268 Three table spoonsful to be taken everyhours, until the bowels are relaxed.
- 272 Lenitive electuary.
- 273 The electuary. About the size of..... to be taken.....
- 274 The electuary. About the size of..... to be taken every.....
- 275 The electuary. About the size of..... to be taken three times a day.
- 276 The electuary. About the size of..... to be taken night and morning.
- 277 The electuary. About the size of..... to be taken at night occasionally.
- 278 The electuary. About the size of a walnut to be taken at night occasionally.
- 279 The ointment.
- 280 The ointment as before.
- 281 Elder flower ointment.
- 282 Drawing ointment.
- 283 Healing ointment.
- 284 Spermaceti ointment.
- 285 Turner's cerate.
- 286 Tar ointment.
- 287 White wax ointment.
- 288 Yellow wax ointment.
- 289 The ointment to dress the.....
- 290 The ointment to dress the blister.
- 291 Ointment for the.....
- 292 The ointment to be applied every.....
- 293 The ointment to be applied every night and morning.
- 294 The ointment to be applied every morning
- 295 The ointment to be applied to the edges of the eye-lids every night.
- 296 The pills.
- 297 The pills as before.
- 298pills to be taken with each dose of the mixture.
- 299 One pill to be taken with each dose of the mixture.
- 300pills to be taken with each draught
- 301 One pill to be taken with each draught
- 302pills to be taken morning, noon, and night.
- 303 Three pills to be taken morning, noon, and night.
- 304pill to be taken night and morning.
- 305 The composing pills.
- 306 The night pills.
- 307one of these pills to be taken every night.
- 308 of these composing pills to be taken every night.
- 309 Three of these pills to be taken every night.
- 310 Three of these composing pills to be taken every night.
- 311 One pill to be taken every night.
- 312 These pills to be taken at bed time.
- 313 This pill to be taken at bed time.
- 314 The opening pills.
- 315 The aperient pills.
- 316 The laxative pills.

Circular Labels.

- 269 The electuary.
- 270 The electuary as before.
- 271 The electuary to be taken as before.

- 317of these pills to be taken everyhours, until the bowels are relaxed.
- 318 Three of these pills to be taken everyhours until the bowels are relaxed.
- 319 Two or three of these opening pills to be taken at night occasionally.
- 320or.....of these opening pills to be taken at night occasionally.
- 321 Two or three of these aperient pills to be taken at night occasionally.
- 322or.....three of these aperient pills to be taken at night occasionally.
- 323 Two or three of these laxative pills to be taken at night occasionally.
- 324or.....of these laxative pills to be taken at night occasionally.
- 325 This pill to be taken immediately.
- 326 This pill to be taken early in the morning.
- 327 These pills to be taken immediately.
- 328 These pills to be taken early in the morning.
- 329 Two pills to be taken night and morning.
- 330pills to be taken three times a day.
- 331 Two of these pills to be taken at night and one in the morning.
- 332pill to be taken every.....hours
- 333 Two of the opening pills to be taken every other day.
- 334 Two of the opening pills to be taken night and morning occasionally.
- 335pills to be taken.....times a day.
- 336 The bolus to be taken at bed time.
- 337 One of the boluses to be taken every night.
- 349 One of the powders to be taken everyhours, in a little of any thing thick.
- 350 The powder to be taken immediately in a little
- 351 A third part to be taken night and morning.
- 352 Half a tea spoonful of this powder to be taken three or four times a day, after the operation of the.....
- 353 Mix this powder in a pint of mint tea, and take a wine glassful three times a day.
- 356 One of the powders to be taken every other morning in a little honey.
- 357 One of the powders dissolved in a spoonful of water, to be mixed withtable spoonsful of this mixture and taken every.....hours, in a state of effervescence.
- 358 One of these opening powders to be taken in the morning occasionally in a little honey.
- 359 One of the powders to be made into a poultice and applied warm.....times a day.
- 360 The eye water to be used frequently.
- 361 The acid powder.
- 362 The alkaline powder.
- 363 The composing powder.
- 364 The night powder.
- 365 This powder to be taken at bed time.
- 366 One of these powders to be taken every night.
- 367 One of these powders to be taken everyin pain, or restless.
- 368 One of these composing powders to be taken.....and repeated in.....if restless.
- 369 One of the powders to be taken in each dose of the mixture while in pain
- 370 One of these powders to be taken in each draught when in pain.
- 371 The emetic powder.
- 372 This emetic powder to be taken immediately.
- 373 The emetic powder to be taken in the evening.
- 374 One of these emetic powders to be taken immediately, and repeated in.....minutes if it does not vomit.
- 375 One of these emetic powders to be taken in the evening and repeated in.....minutes if it does not vomit.
- 376 The opening powder.
- 377 This aperient powder to be taken immediately.
- 378 This aperient powder to be taken early in the morning.
- 379 The laxative powder.
- 379 The laxative powder to be taken immediately.
- 380 This laxative powder to be taken early in the morning.

Powder Labels.

- 338 The powders.
- 339 The powders as before.
- 340 The powders to be taken as before.
- 341 One of these powders to be taken every four hours.
- 342 One of these powders to be taken everyhours.
- 243 One of the powders to be taken every four hours, in a quarter part of the mixture.
- 344 One of these powders to be taken everyhours in.....of the mixture.
- 345 One of the powders to be taken three times a day.
- 346 One of these powders to be taken.....times a day.
- 347 One of these powders to be taken twice a day.
- 348 One of these powders to be taken.....or.....times a day in.....of the mixture.

- 381 This powder to be taken immediately. 388 One of the powders to be taken in each draught until the bowels are relaxed.
- 382 This powder to be taken in the morning 389 One of the powders to be taken every morning.
- 383 One of these powders to be taken immediately, and repeated in..... hours, if necessary. 390 The powder for the fomentation.
- 384 One of the opening powders to be taken early in the morning, and repeated in..... hours, if necessary. 391 The powder for the lotion.
- 385 One of these powders to be taken immediately, and repeated every..... hours, until the bowels are relaxed. 392 The powder for the wash.
- 386 One of these powders to be taken in the morning early, and repeated every..... hours, until the bowels are relaxed. 393 The powder to be put into..... of water and applied.
- 387 One of these powders to be taken in each dose of the mixture, until the bowels are relaxed. 394 One of these papers of ointment to be rubbed in every.....
- 395 The powder to make the poultice. 396table spoonful of this powder to be put in each poultice.

Latin and English Catalogues of Labels Gratis.

MEDICAL BOOKS,

PUBLISHED BY

E. COX AND SON.

RESEARCHES, PHYSIOLOGICAL AND PATHOLOGICAL.

Instituted principally with a view to the improvement of Medical and Surgical Practice, containing Observations on the Operation of Transfusion, on Abdominal Surgery, and on the Physiology of Generation.

By JAMES BLUNDELL, M.D.

Lecturer on Physiology and Midwifery at the united Hospitals of St. Thomas and Guy. With Plates, 6s. boards.

THE LEXICON PHARMACEUTICUM, OR

PHARMACEUTICAL DICTIONARY,

Comprehending the Pharmacopœias of London, Edinburgh and Dublin, with a variety of other useful information relative to Medicine and Pharmacy. The Second Edition, with corrections, and an additional Appendix on the New Medicines.

By THOMAS CASTLE, F. L. S. M. R. C. S.

Price 9s.

THE NEW LONDON DISPENSATORY.

Price 10s. 6d.

Containing a Translation of the Pharmacopœia Londinensis of 1824; and an explanation of the Chemical Decompositions, &c. arranged according to a new method; with an appendix, giving an Account of Iodine, Hydrocyanic Acid, &c. and a Collection of Extemporaneous Prescriptions.

By THOMAS COX, M.D.

Member of the Royal College of Physicians, Fellow of the Medical Society, London, Member of the Royal Medical Society, Edinburgh, and Honorary Member of the Physical Society, Guy's Hospital.

ESSAY ON POISONS.

AN ESSAY ON ANIMAL, VEGETABLE, AND MINERAL POISONS, in which are detailed the Symptoms, Mode of Treatment, and Tests of each particular Poison, with the general Morbid Appearances on Dissection. To which is added, the Means to be employed in Cases of Suspended Animation, with Thirteen Coloured Plates of the more Poisonous Indigenous Plants. 3s. 6d.

Albinus's Folio Tables	6	6	0
Bayfield on Cupping	0	5	0
Blundell's Researches	0	6	0
Castle's Pharmaceutical Dictionary ...	0	9	0
Cullen's Nosology	0	2	0
London Dispensatory, by T. Cox, M.D.	0	10	6
On Rheumatism, ditto	0	2	6
Cox's Druggist's Price Book.....	0	1	0
———— Pocket Guide.....	0	1	6
———— Companion to Medicine Chest...	0	1	0
Denman's Midwifery, plates	1	1	0
Ditto	0	15	0
———— Aphorisms	0	2	6
Fox on the Teeth.....	2	2	0
Hunter's Plates of Gravid Uterus.....	5	5	0
Innes on the Muscles	0	2	0
Majendie's Physiology	0	12	0
Medical Botany, 2 vols.....	4	4	0
Medical Student's Companion	0	8	0
Orfila on Poisons, 2 Vols	1	10	0
Saunders on the Ear	0	8	0
Waller's Domestic Herbal	0	18	0
Coloured ditto	1	1	0
Willan on Porrigo	0	12	0
Manual of Surgery, upon the Principle and Practice of Sir A. Cooper, and J. H. Green Esq.			

Elegant Gold Labels.

ALSO OF THE SAME PATTERN,
ON GREEN AND YELLOW PAPER,

FOR

Apothecaries, Surgeons and Chemists,

As Per Coloured Specimen, 1, 2, 3.

Set in Three sizes, on Green or Yellow Paper, containing 2154 Labels	£3 0 0
— Ditto, with Painted Borders	ditto 4 4
— Large size only, containing 630 Labels	1 10
— Ditto, with Painted Borders, ditto	2 2
— Second size, containing 774 Labels	1 1
— Ditto, with Painted Borders, ditto	1 10
— Third size, containing 750 Labels	0 14
— Ditto, with Painted Borders, ditto	0 18

One Sheet of Blanks is added at the end of each Set.

Per Dozen, large size, Painted Borders	0 1 6
— Second and Third ditto	0 1 0

GOLD LABELS.

Elegant Gold Labels, complete set, in three sizes, cont. 2154 Labels	19 19 0
Set on Gold Paper, large size, containing 630 Labels	£8 18 6
— Middle size ditto 774 ditto	6 16 6
— Small size ditto 750 ditto	4 4 0
Per Dozen, large size, Gold	0 5 0
— Second and Third ditto	0 3 0

The Gold Blanks may be had in Sheets at the following Prices.

Large size, containing 10 Labels	3s. 0d. per Sheet.
Middle ditto, containing 18 ditto	3s. 0d. ditto
Small ditto, containing 50 ditto	6s. 0d. ditto

IN THREE SIZES,

As per Specimens, No. 1, No. 2, No. 3, White Paper, Copper-plate Title.

Printed also on Green, Yellow and White Paper,

AT THE FOLLOWING PRICES.

Sets in Three sizes, White Paper	£1 16 0
— Coloured Paper	2 10 0
First size, White	0 18 0
— Coloured	1 4 0
Second size, White	0 14 0
— Coloured	0 18 0
Third size, White	0 10 0
— Coloured	0 14 0
Per Dozen, White Paper, 9d.	Coloured 1s.
White Blank Labels, either size 4d. per Sheet.	
Coloured	6d. Ditto.

ELEGANT GOLD LABELS FOR CARBOY BOTTLES

ALSO

CHEMICAL CHARACTERS.

In consequence of the High Price of Gold Paper, the Gold Labels are necessarily sold for Ready Money only.

Sold at the Original Warehouse, St. Thomas's Street, Southwark.

1828.