Catalogue of fossil fish in the collections of Lord Cole and Sir Philip Grey Egerton / [Sir Philip de Malpas Grey Egerton].

Contributors

Grey-Egerton, Philip de Malpas, Sir, Bart., 1806-1881. Cole, G. J., Lord.

Publication/Creation

Chester: J. Seacombe, [1836]

Persistent URL

https://wellcomecollection.org/works/ua4u3q9h

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

CATALOGUE

OF

FOSSIL FISH,

IN THE

COLLECTIONS

OF

LORD COLE

AND

SIR PHILIP GREY EGERTON,

ARRANGED ALPHABETICALLY,

WITH REFERENCES TO THE LOCALITIES, STRATA, AND PUBLISHED DESCRIPTIONS OF THE SPECIES,

BY SIR PHILIP GREY EGERTON.

CHESTER:

PRINTED BY J. SEACOME, BRIDGE STREET ROW.

1836



PREFACE.

In offering to my scientific friends the following "Catalogue of Fossil Fish," I feel called upon to explain why I have been induced to comprise in one Synopsis two Collections so far removed the one from the other.

My acquaintance with Lord Cole commenced at Oxford in 1826, where we were together imbued with a taste for Geological pursuits by the fascinating lectures of the Professor of that science in the University.

From that period to the present day we have been joint collectors, dividing our acquisitions to such an extent, that nearly the same species are to be found in each Cabinet. To use the language of the distinguished Icthyologist of Neuchatel,—" Les espèces qui se trouvent réunies dans les collections des deux amis Anglais sont à-peu-près les mêmes: car ils se sont ordinairement partagé les plaques correspondantes des espèces qu'ils ont pu acquerir."*

Owing to this system of partnership, the two Collections are so interwoven, that (whatever clue to scientific investigation in the study of Fossil Icthyology this Catalogue may in its present form afford,) an enumeration of the species contained in one, without reference to the other, would be manifestly incomplete and unsatisfactory.

^{*} Agassiz, 4eme livraison, p. 45.

The names (with one exception) are given on the authority of Monsieur Agassiz, to whom I am rejoiced to have this opportunity expressing my obligations for the kindness and condescension with which he sacrificed a portion of his valuable time, in labelling the specimens of Fossil Fish in my Cabinet.

The species enumerated in the following pages amount to 195; in addition to these, are 30 well-characterized specimens, to which Monsieur Agassiz has not as yet assigned names. The capital letters prefixed to some of the species denote the Collection to which the specimens belong, when they are not to be found in both.

FOSSIL FISH,

IN

THE COLLECTIONS

OF

LORD COLE AND SIR PHILIP GREY EGERTON.

GENUS AND SPECIES.	STRATA.	LOCALITIES.	
Acanthoderma spinosum		Engi-Switzerland	
* Acanus oblongus		Engi-Canton Glaris	
new species not yet named		Ditto	
Acipenser, new species not yet	Lias	Lyme Regis	
Acrodus nobilis	Ditto	Ditto	
gibberulus	Ditto	Ditto	
Bronnii	Ditto	Brunswick	
Guilliardetti	Ditto	Ditto	
Amblypterus eupterygius (1)	Coal Formation	Lebach	
lateralis (2)	Ditto	Ditto	
latus (3)	Ditto	Ditto	
macropterus (4)	Ditto	Ditto	
Anenchelum dorsale	Yamas	Engi-Canton Glaris	
Glarisianum	40.0	Ditto	
heteropleurum	7	Ditto	
isopleurum		Ditto	
latum		Ditto	

* This genus is found in the Pläner Kalk.

(1)	Agassiz,	vol. ii. page	36.	(3)	Agassiz,	vol. ii.	page 37.
(2)			39.	(4)			31.

GENUS AND SPECIES.	STRATA.	LOCALITIES.
Aspidorynchus acutirostris	Oolite	Solenhofen
mandibularis	Ditto	Ditto
Asteracanthus semiradiatus	Ditto	Stonesfield
ornatissimus	Kimmeridge Clay	Shotover Hill
Atherina macrocephala	Tertiary	Monte Bolca
Belonostomus Leptosteus	Oolite	Stonesfield
Beryx ornatus* (1)	Chalk	Sussex
Carangopsis dorsalis (2)	Tertiary	Monte Bolca
Carcharias grossiserratus	Ditto	Malta
megalodon (3)	Ditto	Ditto
productus	Ditto	Ditto
macrodon	Mail:	North America
megalotis (4)	101.2 (5)	Ditto
minor	Lection	Ditto
polygyrus	The same of the sa	Ditto
subserratus	London Clay	Sheppey
† Caturus macrodus	Oolite	Solenhofen
microchirus	Ditto	Ditto
maximus	Ditto	Ditto
pachyurus	Ditto	Ditto
Chimæra Egertoni‡	Kimmeridge Clay	Shotover Hill
Clupea Beurardi§	Tertiary	Mount Lebanon
brevis		Engi-Canton Glaris
megaptera	I to the sales	Ditto
Scheuchzeri (6)	12.00	Ditto
catopygoptera	Tertiary	Monte Bolca
the state of the s	Ditto	Company of the second second
tenuis	Ditto	Sicily

^{*} Zeus Lewesiensis-Mantell.

⁺ Originally named Uræus by Agassiz.

[‡] Discovered and described by Doctor Buckland.

[§] The original specimen is in the Collection of Lord Cole.

⁽¹⁾ Geology of Sussex

⁽²⁾ Agassiz, vol. v. pl. 8.

^{(3)} iii... 29.

⁽⁴⁾ Agassiz, vol. iii. pl. 28.

⁽⁶⁾ A doubtful species.—Agassiz

GENUS AND SPECIES.	STRATA.	LOCALITIES.
Cobitis cephalotes (1)	Tertiary	Œningen
Coilacanthus, new species	Magnesian Limesto	East Thickley
Cottus brevis	Tertiary	Œningen
Ctenacanthus tenuistriatus	Mountain Limesto.	Bristol
Cybium macropomum	London Clay	Sheppey
Cyclurus crassus	100000	Engi-Canton Glaris
nemopterus		Ditto
	Lias	Lyme Regis
	Ditto	Ditto
	Ditto	Ditto
1 (-)	Ditto	Ditto
	Chalk	Sussex
	Schist	Caithness
	Tertiary	Monte Bolca
	Ditto	(Œningen
-	Lias	Lyme Regis
-0	Ditto	Ditto
Fistularia magnifica		Engi-Canton Glaris
	Tertiary	Monte Bolca
	Molasse	Switzerland
contra diameter (0)	Ditto	Ditto
(10)	Chalk	Maëstricht
	Tertiary	Monte Bolca
	Muschel Kalk	Bayreuth
	Ditto	Ditto
* De la Beche. + Mo ‡ This includes the four spe § Also found in the Chalk of (1) - Agassiz, vol. v. pl. 50. (2) page 195. (3) ii. page 190. (4) Geol. Trans. 2d series, vol. Agassiz, vol. ii. page 185.	f Sussex. (7) A (8) (9) (10)	

(7) Geol. Trans. 2d ser. vol. iii.

(12) ii. page 173. (13) 174.

GENUS AND SPECIES.	STRATA.	LOCALITIES.
Hemipristis serra (2)	Molasse	Switzerland
Holocentrum pygæum (1) Tertiary	Monte Bolca
Hybodus curtus*	Lias	Lyme Regis
incurvus	Ditto	Ditto
c grossispinus	Ditto	Ditto
ornatus	Ditto	Ditto
reticulatus	Ditto	Ditto
minor	Ditto	Old Passage, Bristol
marginalis	Ditto	Keynsham
grossiconus	Iron Sand & Oolite	Tilgate and Stonesfield
polyprion	Oolite	Stonesfield
dorsalis	Ditto	Ditto
acutus	Kimmeridge Clay	Shotover Hill
plicatilis	Muschel Kalk	Cit i dillatio energy
new species n	ot yet	
named	Oolite	Purbeck
Isurus macrurus		Engi-Canton Glaris
Labrax schizurus	Tertiary	Monte Bolca
Lamna acuminata† (3)	Chalk	Sussex
Mantellii (4)	Ditto	Ditto
appendiculata (5)	Ditto	Sussex and Maëstrich
contortidens		Switzerland
cuspidata	Ditto	Ditto
denticulata	Ditto	Ditto
hastalis‡	Ditto	Ditto
quadrans	Ditto	Ditto
obliqua	London Clay	Sheppey

^{*} This Icthyodorulite and reticulatus probably belong to the same species.

[‡] Also from Malta,

(1)	Agassiz, vol. iii. pl. 27.	(3)	Geology of	Sussex, p	1, 32.
(2)	iv. pl. 14.	(4)			
	THE SECTION OF THE PARTY OF THE	(5)			

⁺ Also from Quedlinburg.

GENUS AND SPECI	ES.	STRATA.	LOCALITIES.
plicata		London Clay	Sheppey
trigonodus		Tertiary	Malta
xiphodon		Ditto	Ditto
new species not y	et named	Molasse	Switzerland
Lebias crassicaudus		Tertiary	Sinigaglia
Leptacanthus semistria	tus	Oolite	Stonesfield
Lichia prisca (1)		Tertiary	Monte Bolca
Lepidotus fimbriatus		Lias	Lyme Regis
Fittoni* (2))	Tilgate Beds	Tilgate Forest
Mantellii* (3)	Ditto	Ditto
maximus		Oolite	Stonesfield
new species	not yet	Symbols (on Statement of the last
named	4053:50	Ditto	Ditto
minor (4)		Ditto	Portland
notopterus	(5)	Ditto	Solenhofen
new species	not yet		n de la communa
named		Lias	Boulogne
Leptolepis Bronnii		Lias	Lyme Regis
caudalis		Ditto	Ditto
contractus		Oolite	Solenhofen
dubius		Ditto	Ditto
Knorrii		Ditto	Ditto
sprattiformis	140	Ditto	Ditto
Leuciscus gracilis		Tertiary	Wurtemberg
macrurus		Papier Kohl	Rhine
papyraceus ((6)	Ditto	Ditto
Œningensis		Tertiary	Œningen
Macropoma Mantellii†	(8)	Chalk	Sussex

[†] Amia Lewesiensis.-Mantell.

(1)	Agassiz, vol. v. pl. 11, 11 a.	(5) Agassiz, vol. ii. pl. 34.
	ii. pl. 30, c. b.	(6) v. v. 56.
(3)	c.	(7) 57—58.
(4)	34.	(8) Geology of Sussex, page 239

Mallotus villosus fossilis? Megalicthys Hibbertii (1) Megalops priscus Microdon hexagonus new species not yet named Mugil princeps	Coal Formation London Clay Oolite Ditto	Greenland North Stafford Sheppey Solenhofen
Megalicthys Hibbertii (1) Megalops priscus Microdon hexagonus new species not yet named	Coal Formation London Clay Oolite	North Stafford Sheppey Solenhofen
Megalops priscus Microdon hexagonus new species not yet named	London Clay Oolite	Sheppey Solenhofen
Microdon hexagonus new species not yet named	Oolite	Solenhofen
new species not yet		amilyand the top
named		Considered Castled
	Ditto	~ ~ ~ ~
Mugil princeps		Stonesfield
	Tertiary	Aix
Myliobates angustus	London Clay	Sheppey
subarcuatus	Ditto	Ditto
Studeri	Molasse	Switzerland
Myriacanthus paradoxus	Lias	Lyme Regis
Myripristis homopterygius	Tertiary	Monte Bolca
Notidanus primigenius (2)	Molasse	Switzerland
Odontaspis raphiodon†	Chalk	Maëstricht
Ophiopsis dorsalis	Oolite	Purbeck
Osmeroides Mantellii‡ (3)	Chalk	Sussex
Osteolepis arenatus (4)		Gamrie
Palæoniscus comptus (5)	Magnesian Limesto	East Thickley
elegans (6)	Ditto	Ditto
longissimus (7)	Ditto	Ditto
Frieslebeni (8)	Kupfer Schiefer	Eisleben
magnus (9)	Ditto	Ditto
Egertoni	Coal Shale	North Stafford
Blainvillei (10)		Muse, near Autun
Duvernoy (11)	Coal Formation	Zweibrücken
	Zechstein	Ilmenau
	Ayriacanthus paradoxus Ayripristis homopterygius Notidanus primigenius (2) Odontaspis raphiodon† Ophiopsis dorsalis Osmeroides Mantellii‡ (3) Osteolepis arenatus (4) Palæoniscus comptus (5) elegans (6) longissimus (7) Frieslebeni (8) magnus (9) Egertoni Blainvillei (10) Duvernoy (11) macropomus (12)	Myriacanthus paradoxus Myripristis homopterygius Notidanus primigenius (2) Odontaspis raphiodon† Ophiopsis dorsalis Osmeroides Mantellii‡ (3) Osteolepis arenatus (4) Palæoniscus comptus (5) elegans (6) longissimus (7) Frieslebeni (8) Egertoni Blainvillei (10) Duvernoy (11) Lias Tertiary Molasse Chalk Oolite Ool

	GENUS AND SPECIES.	STRATA.	LOCALITIES.
С	Palæorynchum Colei		Engi-Canton Glaris
	Egertoni	to set the contract of	Ditto
	Glarisianum	3 colb	Ditto
	latum		Ditto
	medium	15¥ 10	Ditto
	microspondylum	- N	Ditto
	longirostris	Tourist	Ditto
	Palimphyes brevis (1)	D assent	Ditto
	longus (2)	61.0	Ditto
	Pholidophorus Bechei (3)	Lias	Lyme Regis
	latiusculus	Ditto	Ditto
	limbatus	Ditto	Ditto
	onychius	Ditto	Ditto
	latimanus	Oolite	Solenhofen
2	radiatopunctatus	Ditto	Ditto
,	taxis	Ditto	Ditto
	uræoides	Ditto	Ditto
	Placodon gigas	Muschel Kalk	Bayreuth
2	Münsteri	Ditto	Ditto
	Platysomus gibbosus (4)	Kupfer Schiefer	Mansfeld
	Pleionemus macrospondylus	43 1011 (8	Engi-Canton Glaris
	Pleuracanthus serratus	0000	Ditto
1	Psammodus magnus	Oolite	Stonesfield
	tenuis	Ditto	Ditto
	reticulatus	Kimmeridge Clay	Shotover Hill
	porosus	Mountain Limesto.	DESIGNATION OF THE PARTY OF THE
1	Pterygocephalus paradoxus	Tertiary	Monte Bolca
	Ptycholepis Bollensis	Lias	Lyme Regis
	Ptycodus altior (5)	Chalk	Sussex
		Ditto	Ditto

⁽¹⁾ Agassiz, vol. v. pl. 20.

^{(2) 19.}

⁽³⁾ Geol. Trans. 2d series, vol. i.

⁽⁴⁾ Agassiz, vol. ii. page 164.

⁽⁵⁾ Geol. of Snssex, pl. 32.

	GENUS AND SPECIES.	STRATA.	LOCALITIES.
	latissimus (1)	Chalk	Sussex
	mamillaris (1)	Ditto	Ditto
	polygyrus (1)	Ditto	Ditto
	Pyenodus Bucklandii	Oolite	Stonesfield
	parvus	Ditto	Ditto
С	new species not yet	Ditto	Ditto
	microdon	Tilgate Beds	Tilgate Forest
	gigas	ulaysi	Jura
C	Pygæus, new species not yet	Tertiary	Monte Bolca
	Semionotus rhombifer	Lias	Lyme Regis
	new species not yet named	Lias Schist	Seefeld, Tyrol
	Smerdis micracanthus (2)	Tertiary	Monte Bolca
	minutus	Ditto	Aix
	Sphærodus gigas	Oolite	Stonesfield
С	new species not yet named		Jura
C	Sparnodus altivelis	Tertiary	Monte Bolca
E	macropthalmus	Ditto	Ditto
Е	micracanthus	Ditto	Ditto
С	Sphyræna gracilis	Ditto	Ditto
	Spinacorhinus polyspondylus*	Lias	Lyme Regis
С	Tetragonolepis confluens (3)	Ditto	Ditto
	heteroderma	Ditto	Ditto
	Leachii	Ditto	Ditto
	pholidotus	Ditto	Ditto
С	pustulatus	Ditto	Ditto
	speciosus (4)	Ditto	Ditto
E	····· radiatus	Ditto	Ditto

^{*} Squaloraia dolicognathus.—Dr. Riley.

(1)	Geol. of	Sussex, pl. 32.	(3)	Agassiz,	vol. ii.	page 1	99.
(2)	Agassiz,	vol. iv. page 33.	(4)				

GENUS AND SPECIES.	STRATA.	LOCALITIES.
Tetrapterus priscus	London Clay	Sheppey
Thrissops salmoneus	Oolite	Solenhofen
Tinca furcata (1)	Tertiary	Œningen
Vomer longispinus (2)	Ditto	Monte Bolca

SPECIMENS UNDETERMINED.

	New genus allied to Palimphyes		Engi-Canton Glaris
	New genus allied to Scopelus		Ditto
E	Placoid fish not yet named	Coal Shale	North Stafford
E	Ditto ditto	Ditto	Ditto
E	Ditto ditto	Ditto	Ditto
E	Ditto ditto	Ditto	Ditto
	Scomberoid not yet named	London Clay	Sheppey
C	Ten species not yet named	Ditto	Ditto
C	New genus not yet named	Tertiary	Œningen

^[1] Agassiz, vol. v. pl. 52. | [2] Agassiz, vol. v. page 28.



