Quaestio medica ... in Scholis medicorum, die jovis 19a. Novembris / M. Ludovico Piquenot de Dragueville ... praeside. ; An in morbis epidemicis anni 1693 emetica cum Phlebotomiâ curationis tempora dividant & laudem?

#### Contributors

Piquenot de Dragueville, Louis. Chemineau, Ambros Nicolas, active 1692-1705.

### **Publication/Creation**

[Place of publication not identified]: [publisher not identified], [1693]

#### **Persistent URL**

https://wellcomecollection.org/works/c8yxdxdk

### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

# Luæstio Medica,

quodlibetariis disputationibus, mane dis-= cutienda in Scholis medicorum, die Josis 19<sup>2</sup> Novembris.

M. Ludovico Siguenot de Draqueville, Doctore médico præside.

An in morbis epidemicis anni 1693 Emetica cum Phle botomià curationis tempora dividant & laudem?

I

Morbi Enidipio dicuntur qui ijus dem generis plures ab cà dem causa non vernaculà finul corri piunt. Multifariam dividuntur: quastio plerum q; de nomine. Borum frequens hoc anno familia, omnes
pene regni regiones populata est. Banc
genuit anni tum præfentis tum elapti constitutio vere epidemica. Illa continuis pene
fine fole frigoribus horrida, nimbola, lewis
Bacchi ve muncribur infesta, ventuculi
fermento vitiato, omnes affectus a b a cido
alieno, tovustri de impuro phelegmate, nec

non Sapore poregrino, infectis humoribus oriundos impune debaccharifecit. Binc fetres maligna, ventri culi tormina atsque dejechonibus vulgo Cardialgia; alsi fluxus multiplicis forma, et alia id genus, toto anni de aveju, juo que que ordine, plurimos invadebant. Ortas fub finem hyemis febres malignas, ad Autumnum us que excepére ventriculi tormina: mox recrudes centitus Autumno febribus malignis; intere a jam abanno & amplius alvi fluxus non unius Speciei edem tenore saviebant. banum ce febrium malignarum hac exant ut plurimum fymptomata: Aigum fubito & for affiduo capitis dolore covceptum fopor altus vel deli un occupat, pulsus adest parerus, debilis, inter dum inaqualis; lingua arida fubnigra, virium infignis prastratio, mox vero intensione facto pulsu, alsus usque Jum filens folvitur continuo, tum alsi fluxus publidus ad mortem us que perfererat; (quo tempore sepius cadaver maculis pulicum morfus instar, aut petechiis distinctun apparet.) Bunc nausea, ructus, et dolor in regione ventriculi intordum cruciant, wina panco & limpida, velu ativum

colorem referent neque ullum futura orifeos aux speranda cochoris indicium pra se ferunt.

accurate MangamaII of outer mul

Cardialgia instar febrium ma lignarum vere epidemica, hisce pro more intignibus manifestam se facit. Immanis ventriculi dolor, alvi constrictio, fingultus frequens, Dispositio nau-Jeabunda, vomitus ab interrupto fapius ventriculi de intestinorum commercio enormes, (unde fit ut alimenta et leniora qua vis purgantia qualitatem forciantur emeticam,) pulsus durus, frequens, ingruente paroxismo intermittens, inaqualis: ab dominis dolor a cochittimus, agri luctuala facies, oculi flammei, totius corpois præcipites et convulsivi motus, et alia mille modis agrum fatigans. Alsi flucus, tum Dysenteria, tum Janquinis expectes ventriculum dolore ve hedrenti et quaji terabranti convellent. adest intestinorum oruciatus, tenes enus, fequitur vivium et spirituum intiquis jactura: pulsus febrilis, parvus, durles, corporis attenuationem comitatur; Dejectionibus (caro stouco cofis) aliquando intertexuntur Sanquinis quadam linea menta; Sangus interdum velut apertis fluens venis, præfens minature ecitium. Borum affectuum fontein in ventriculo delites centern qui negaverit, videat que causa pracesserit, que consitetur; perpendat accurate symptomata et oritica nature molimina; diversam percurrat sortem medentium: singula ventriculum pomiciosa humorum congerie gravatum be obsession ostendunt. Bunc niti emeticis et vacuantibus liberaveris, causa morbi non fugiente, frustra auxiliatrices adhibeas manus.

III

Ventriculus pracipua est corporiis oficina.
hujus ftructura excințigui vasorum et nervorum et novorum appareatu, figură
ad usum apprime delineată, mira fibratum diversis contextarum ordinibus ferie,
indeficienti fuccorum i glandulis ad id
destinatus featurigine con lescit; ille non
tam fili quam cateris la borat: ut primos
patitur insultus, fic in graves labitur errores, quibus ferendis universam ferme corporis
machinam infui consortium tratiis. Commercium illud instituitur ope nurvorum
ab octavo pari, nec non à plexibus pecforit top po condriorum et mesenterii prodeun
fium. Bene multarum agritudinum parens

medicis plerum que impossiste, vitima in alia borum non raro rejicitur alimentorum triduo ante affum ptorum indigesta moles, non leve est peccantis ventri culi indicium. Ventriculum a constitutione anni primario affection denotant, Disjectus ce grorum appetitus, dispositio nauseabunda, ructus acidi et ingrati, apeptia, frequentes vomitus materia viscida, mucosa, nigricanto et am ara, non--nunquam biliosoe, etviri descentis: ventri culi dolor atrox, uberior flaturem proventus, et alia abacidà, viscidà, et tovastri humorium congerie orta pathemata. Bujus ce ventri culi intemperiei causa remota et epidemica avis occulta et frigidior diathefis, Chujus intique vitium falivam et pulmones inficit, infensibilem poprimit fluorem vel impedit:) alimenta cruda, panis male formentatus, vina rancida, acido phologunate obruta, ant alienis infecta perfumenum nefas venenis: veteris bacchi corrupta aut fucata in-doles, luxuria in victu, liquorum fen spirituum widentium frequens upus, lethales gelidarum potionum et las civa delicia, &c. his vitatum ventriculi formentum ulterius Jerpens vix aut nunquam reparatur: in intestinis fuccos è cystifelleà et pan oceatis

glandulosà Substantià prodeunter corrumpin; hinc colici dolores et alvi fluxus. Mox. Sanguineum laticem subis, alienis im pregun turum fermenti; unde supra modum san quinis effervescentia.

## IV.

Matura tos reprimendis hosti bus occupata omneradhibites vires, quibus de illin victrix evaderes. Mine Spidemici morbi, (qui ppe morbus, natura conamen materia mortifice enterminationem omni ope molientis.) Jub finem hyemis congestos humores ut expelleren, febriles moture excita vis, quibus de foe catus fanguis purior erum peres. Sanguinea moter particulin crassionibus et acidir im pragnata, et spiritus lanquidiores vel humorum copi à præpediti fecrefionem vix perficient falutarem. febrium inde malignitas, fanguis corrum situr, Jucce dens diarchaa natura defectum acceleras, quem comitatur Setechiarum eruptio fym pto--matica non critica. Vide quam fit impedita toto morbi de curfu natura. Adest pulsus parvus, debitio, inaqualir, formicaus; capitis dolor comati proximus, excrementa supprimuntur, wrina fanorum fimilis aut limpida parce fluit . Jequere ulterius naturam moventem

Landialgias. Ventriculus viscidiori humorum progenie gravatus, fermentis alienis et corruptio lacestitus respuit alimenta. Juccedis gravis dolor, humores eferrescentias patientur, excandescent Spiritus, sequentur nausea, fingultus, vomitus im manes: bilis effera vesicens in confortium effunditur in ventriculum, una cum fucco pancre atico: hinc dolor atrox, alvi suppressio, emetica dispositio as inverso interinorum motu peristultico. fuc-- cedunt plerum q; afectus colici; ileon, Em farocele, ne phritis dec. Natura iisdem impe-Dità aloi fluxus orti funt: his ventriculi faburra Jese in intestina exoveraus foras pellitur. Bis glandula melentorii iisdem reforta humoribus effunduntur in interfina et per anum ejiciuntur. Illa fuccio biliofo et panereatico unita colluvies, modo diarrhocam gemuit, modo deterior facta dyfenteriam. Vn dique ingentes cruciatus, affiduo tenes mus follicitat, dejectiones mucofa avres, male olentes, coloni varii fatigant. Abdominis fendatio tristis lancinasis indefinenter exagitas: frequentes agri patientur recidivas. Vis natura jam jam peritura opem ferre? furuture latentem Epidemici affectus constitutionem, fic nothis conceditur curalaboribus. Jufigne ventriculi vitirum, num fola vena uberiovi sectione, mun re frigerantibus et narcoticis corrigore velis? Sanguinis missio par non est: refrigerantibus abunde ingestis ventriculus obruitur, non levatur, causa morbi
remanente symptomata narcoticis uni
tescent mox reditura. Num emetica ad
hibear? Illa quam bene de naturà merentur oppressa. singula tamen prudenti
commissa medico sum invenient tocum.

Curandis igitur constitutionis spidemica morbis vena fectio, provisious agriet fymptomatum ratione cham repetita, nec non Emetica, tempora curationis dividunt et tandem. sis prafertim imbe cilles natura conatus adjuti, formes morbi protinus inittebatur foras. Mox natura propriis reddita visibus, tuto, feliciter et alacriter instanrabatur. Lebre malignà corre ptis præfertim athleticis fanguis tuto metatur modo confulto. Noti cardialgias in longum protrahue, anodenorum et jule porum auxilio fretus uni-- co, vana te futura cochonis spes deludes: varia occuvant symptomata seviora prio-sibus. Alvifluxus vix solis vacuantibus et emeticis paruêre repetitis femel et iterum. Num aliunde radix brafilientis frecificum audit Dyfentoria. Vide igitur principiis obstes, Dum viger natura, dum febris mitior, lemora Jun promata: dum dolor in abdonine vagus,

Angultus infrequention Dum interhinorum motos peristalticus nondum invertus, nec Spiritus in furorem acticohiberi valent, dum materia morbifomes delitercis in ventri culo docilis, nec intestinorum ductus effera Jubit, nechumorum efferbuis om nis familia. Holi diuturnis dyfenterice formi nibus ægrum committere, vel macie confectum fanguinis uberiori mittione ad extrema perducere. Ventriculum libera prolinus: hune juvat follicitare emeticis, quo spiritus la cestiti, vitio fam faborrace ventriculi plicis ad hærentem, et aliena fermenta expellere valeans, constricts fortiter repetition vitrationibus tunica ventriculi nerveze fibris. Emeticis febris falubrior interduen apparebit occulta prius, reliquios materia morbifica expellendis aptiffiena: alous occlusa aperictur, ant comprimetur effusa: miteras dolor, purgationi parebis refiduus morbi fomes: natura primus honos reddetur: venies post mubila Shabus. Est in Emeticis moduse; Electio, Dojo, tempus, in manu Medici. Lapiens propinare festinat, que en arte paravis convenientia. Sciens de dosi sollicitus detergere amas, movere morbis convenient unetica: Man om nibus

ferunt agri; multa cardialgiam mentiumtur. Quam diversa febrium indolen? quam fiti ipp dittimiles aloi fluxus? prudem propriam dis cernal fingulis medendi rationem. Mon emetica force valent con pus infirmum, angustum pectus, debilis pulino, quad ain constitutio attasthina--tica. nocent fi ager atrophi à confumatur, hamo phthip laborer: fi calculofus: firenes infirmentur; fi abdomen inflam--matione, vel Sphacelo la bores. fin miun Emeticis utere femel et iterum, felicion inde catharfis, ufus opiatorum tutior. Tristo igitur et infolita anni constitutio, inde nu merofa morborum cohors nostris regionibus incubuit, ventriculum prima rio aggreditur: ille absque emeticor um ope vin præcipitem averten ruinam.

Ergo in morbis Epidemicis a uni 1693 Emetica cum Phlebotomia curationis tem pora dividunt et landem.

Ehemineau, fenomentis, Bacca laureus Medicus. anno 1693.



