

Handbook of suggestions on health education for the consideration of teachers and others concerned in the health and education of school children / Board of Education.

Contributors

Great Britain. Board of Education.

Publication/Creation

London : H.M.S.O., 1933.

Persistent URL

<https://wellcomecollection.org/works/m8cxddbc>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

BOARD OF EDUCATION

HANDBOOK OF SUGGESTIONS

ON

Health Education

*for the consideration of teachers
and others concerned in the health
and education of school children*

Crown Copyright Reserved



LONDON

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses

Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2

York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff

15, Donegall Square West, Belfast

or through any Bookseller

1933

Price 6d. Net

27-208-0-33

Nature's sound suggestion for real health

More than ever before competent health authorities are stressing the importance of fruit in the daily diet. Fruit in regular quantities is nature's own method of promoting health. Apples, Pears, Grapes, all these are splendid for securing the boon of a regular working system that means real fitness. Citrus fruits (Oranges, Lemons and Grapefruit)—rich in vitamins—do their part in warding off influenza and the common cold. Eat fruit every day at every meal and feel better throughout the year.

Eat More Fruit AND KEEP FIT

Fruit Trades' Federations, 10-13, New Bridge St., London, E.C.4



22500630092

BOARD OF EDUCATION

HANDBOOK OF SUGGESTIONS

ON

Health Education

*for the consideration of teachers
and others concerned in the health
and education of school children*

Crown Copyright Reserved



LONDON

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses

Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2

York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff

15, Donegall Square West, Belfast

or through any Bookseller

1933

Price 6d. Net

27-208-0-33

WELLCOME INSTITUTE LIBRARY	
Coll.	welM0mec
Coll.	pam
No.	WA 590
	1 9 33
	G 78 h

CONTENTS

	<i>Page</i>
PREFATORY NOTE	7
INTRODUCTION BY CHIEF MEDICAL OFFICER ..	9
Health and the Individual	
I.—BODY AND MIND	
(1) Three essential conditions of a full, healthy life..	13
(2) The form and functions of the body	14
(3) The brain	16
(4) Importance of a healthy mind	16
(5) School fatigue	18
(6) The common ailments of children..	18
(7) Value of a healthy outlook	19
II.—CONDITIONS OF BODILY HEALTH	
(1) Fresh air and sunlight	21
(2) Cleanliness	25
(3) Exercise and rest	26
(4) Warmth and clothing	28
(5) Care of the eyes and ears	30
(6) Care of the teeth	31
III.—THE HYGIENE OF FOOD AND DRINK	
(a) <i>Food</i>	
(1) Practical considerations	35
(2) Food requirements of the body: (Table of essential vitamins)	37
(3) What foods should be eaten, and why	38
(4) Quantity and quality of food required	39
(5) How and when to eat	39
(6) Relative cost of foods	40
(7) Source, distribution and protection	40
(8) The supply of pure milk	41
(9) Principles of school meals	43
(10) Water and other beverages	44
(b) <i>Alcohol</i>	
(1) Facts about alcohol	45
(2) The food value of alcohol	47
(3) Effect on the brain and nervous system	47
(4) Capacity for work	49
(5) Resistance to disease	50
(6) Digestion of food	50
(7) Body temperature	50
(8) The effect of continued indulgence	51
(9) Mortality tables	53
(10) Social effects	54
(11) Prevention of the evils arising	54

IV.—HEALTH EDUCATION AND THE SCHOOL CURRICULUM

(1) The place of health education in the life of the school ..	56
(2) Importance of creating a right attitude of mind towards health	57
(3) Planning a programme of health education	58
(4) Methods	60
(5) Examples of "projects" and demonstrations in health study	62
(6) The last year of school life	63
(7) Links with some of the school subjects	64

V.—THE PRACTICE OF HEALTH HABITS

(1) Fresh air and sunlight	68
(2) Cleanliness of the body	69
(3) Sleep : importance of rest	70
(4) Clothing : character, tidiness, cleanliness	70
(5) Care of the eyes and ears	70
(6) Care of the teeth	71
(7) Wholesome food and eating habits	71
(8) Clean school and proper use of equipment	72
(9) Visits of school doctor and school nurse	73
(10) Safety first	73
(11) Physical exercises, swimming and games	73

VI.—BIOLOGY AND HEALTH

(1) Elementary science as the groundwork	75
(2) Value of the study of biology	75
(3) Nature and nurture	76
(4) Life in its lowest forms	77
(5) Plants in relation to health	78
(6) Useful and harmful bacteria	78
(7) Animals in relation to health	78
(8) Spread of disease by vermin	79

VII.—MOTHERCRAFT AND INFANT CARE

(1) Mothercraft and health education	80
(2) The Infant Welfare movement	81
(3) Need for mothercraft teaching in the school	82
(4) Character of the school course	83

Health and the Community

VIII.—THE PROGRESS TOWARDS HEALTH


(1) The growth of preventive medicine	86
(2) Some great health pioneers	87
(3) More recent developments	90

IX.—CONDITIONS OF A HEALTHY ENVIRONMENT

(1) Housing and town planning	94
(2) The supply of pure water	95
(3) The disposal of refuse	95
(4) The guarding of health in factory, workshop and mine	96

	<i>Page</i>
X.—PREVENTION OF INFECTIVE DISEASES	
(1) The nature of germs	98
(2) The entrance of germs into the body	98
(3) The avoidance of germs	99
(4) The spread of infectious disease	99
(5) Resistance of the body	101
(6) Some of the commoner infectious diseases	102
(7) The fight against tuberculosis	103
(8) How to avoid communicable skin diseases	105
APPENDIX.—Table of incubation, quarantine and isolation ..	106
INDEX	108

The Government accepts no responsibility for any of the statements in the advertisements appearing in this publication.




HEALTH EDUCATION

PREFATORY NOTE

This revised Handbook of Suggestions on Health Education, like the original edition published five years ago, is complementary to the Board's "Handbook of Suggestions for Teachers". A knowledge of its contents should therefore be regarded as part of the necessary equipment of every teacher. Like the Handbook, it does not seek to prescribe for teachers any particular method, or methods, of teaching ; its purpose is to put before them, for their information and use, a statement of the generally accepted principles of hygiene upon the observance of which, in the ordinary daily life of the individual, the development and maintenance of sound bodily health depends.

E. H. PELHAM.

Board of Education,
31st July, 1933.



HEALTH EDUCATION

INTRODUCTION

Purpose and Scope of the Handbook

During the present century and particularly during the last decade Health has come to occupy a prominent position among our national, civic and personal ideals. The increasing interest in health education shown in recent years by the teaching profession reflects, and indeed has materially helped to bring about, this general awakening to the paramount importance of the health of the body and with it that of the mind. As a result, there is now general agreement that provision for the practice and study of health should constitute an essential part of any organised system of public education. It is, therefore, no longer necessary to make out a special case here for fostering in the younger generation a right attitude towards the problem of promoting the health both of the individual and the community.

This new issue of the "Handbook of Suggestions on Health Education" should be of service to all who realise the valuable results of the widespread interest in health, as well as to all those teachers who have felt that the practice and study of health should be placed in their proper perspective in relation to school life as a whole. This edition lays even greater emphasis than the last upon the need for regarding health as something more than a mere "subject" of the curriculum and more than mere routine practice of healthy habits. It presents health as an ideal, the inculcation of which is no less important for national life than is that of the ideals of truth, goodness and beauty.

The main purpose, then, of this new edition is to encourage teachers to create in the minds of boys and girls during the years of adolescence an understanding and cultivation of health. Its publication at a time when "Senior Schools" are being established and developed all over the country will, it is hoped, lead to the widespread planning of schemes of health education which will bear directly upon the lives of the pupils, appeal to their vital interests, and stimulate their intellectual curiosity. The more such schemes are designed to awaken and direct the imagination of the adolescent boy and girl, and the more they accomplish in making the practice and

study of health a constituent and vital part of the whole atmosphere of school life, the greater will be the eventual benefit to the community.

Some Local Education Authorities prefer to employ special peripatetic teachers, and also school doctors, who are not members of the regular teaching staff of the school, to undertake instruction in regard to particular subjects such as mothercraft, biology or alcohol. It is expedient that where an arrangement of this sort is made due regard should be paid to the principles of hygiene as set out in this handbook. More especially is it incumbent upon visiting teachers to ensure that their "specialist" instruction is strictly in accord with these Suggestions and suitably co-ordinated with the general body of accepted knowledge concerning Hygiene as a whole.

Much of the text of this edition is similar to that contained in the original Handbook. The incorporation, however, of the greater part of the official memoranda on "The Hygiene of Food and Drink", and "The Teaching of Infant Care and Management", hitherto issued as separate pamphlets by the Board of Education, has necessarily altered its character from that of a syllabus to that of a book of suggestion and reference for teachers. The arrangement of the material and the order which has been adopted for the chapters in the present edition reflect this change.

How the Handbook should be used

It is not intended that the subject-matter of this Handbook should be regarded as representing a course or series of courses to be systematically worked through in class lessons; nor is the sequence in which the different topics occur necessarily the order in which they would be dealt with in school. Teachers, and particularly those responsible for drawing up school programmes of health education, would do well to turn first to Chapter IV (Health Education and the School Curriculum). Here they will find discussed the place to be assigned to health education in the life of the school and various means suggested for making the practice and study of health in school a reality. They should then pass to Chapter V (The Practice of Health Habits) which outlines the health exercises and the kinds of health behaviour to which young children should, day by day, be habituated. Much

of it applies equally well to older children, and in dealing with them teachers will no doubt find it useful to draw upon the material supplied in Chapter II (Conditions of Bodily Health).

The Handbook is to be regarded as a compendium which teachers will study and consider in planning progressive courses of training and instruction appropriate to the ages of the children for whom they are responsible. The information supplied is merely an outline of the kind of health knowledge which teachers will naturally fill in for themselves as the result of wider reading and experience. Once they have been moved by the inspiration of the story of man's unceasing endeavour to conquer disease, of which Chapter VIII (The Progress towards Health) gives but a glimpse, they will seek in their turn to kindle the minds of their pupils and to give them some understanding of the great adventure and exploration in which modern communities are engaged in their life-and-death struggle against powerful and often unseen foes, against ingrained personal habits, or the thralldom of social custom, convention and vested interests, that threaten even the existence of mankind. They will have little difficulty in thinking out for themselves ways of making health a matter of lively interest to their pupils ; in devising methods for securing the regular daily practice of health habits on the part of older and younger children alike ; and in selecting those aspects of health-knowledge which should form a vital part of school life.

Thus the objects of the Handbook, which is applicable to all children in all grades of schools, are (*a*) to indicate ways in which boys and girls can be awakened to *interest* themselves in the problem of the pursuit and preservation of health ; (*b*) to deal in outline with those aspects of the Nutrition and Nurture of the human body, knowledge of which should form part of the *equipment* of every member of a modern civilised community, and (*c*) to suggest the direction in which it is desirable for children to be trained in the practice of healthy living, so that the *habits* which are thus inculcated may form the basis of ideals consciously adopted by the children as they reach adolescent and adult age. It is now admitted that Health Education should stand in the school for something much more than a mere series of routine class lessons on the facts of physiology and anatomy (which instruction in " Hygiene "

too often in the past has implied). Moreover, teachers will find in this Handbook guidance as to the way in which other subjects should contribute to the study of health, as well as suggestions as to methods by which they can arouse in their pupils an active and abiding interest in the meaning and importance of health.

Finally, the teacher should lose no opportunity of securing the child's active co-operation in all matters of health at school. This can readily be effected where some form of the "prefect system" has been adopted; and, if proper regard be paid to the capacities of individual children, a considerable degree of responsibility can be delegated to elder boys and girls in connection with practical hygiene and its application to school life. Within the school the teacher will embrace opportunities for health education in connection with the medical inspection of the child, the provision of lunch or the midday meal, the ordinary discipline and good ordering of the school, the training in domestic science, or the instruction in physical exercises and games. But the occasion is wider yet. For much may be done by the true teacher of hygiene in linking up the school with the home, in awakening the interest and responsibility of the parent, and in cultivating a larger health relation with the community as a whole. It is his privilege, in fact, to lay the foundations of a health-conscience in the minds of the English people of the next generation, and to teach the children to realise more fully the fundamental motives and means of healthy living, to understand the debt which one generation owes to another, and to cultivate a wider vision of what contributes towards "the betterment of man's estate."

GEORGE NEWMAN.

Board of Education,
July, 1933.

I

BODY AND MIND

1. Three Essential Conditions of a Full, Healthy Life

Such things as air, water, food and rest are so urgently necessary for the body that deprived of any one of them life itself ceases in a few minutes, hours, or days. But for the full healthy life and development of the civilised child there are many other essentials. The air must be fresh and moving; the food and water must be wholesome; the rest must be in quiet and prolonged sleep; and in addition, light, warmth, cleanliness, exercise, play, work, and happiness are all essential. Then comes the special care of the senses and the mind, for by these man may partly control his body. Whilst a sound body and its proper working form the foundation of health, it is also necessary to avoid or combat disease.

There are three essential conditions for the enjoyment of personal health. The first requirement is a sound body, born of good "stock," and its careful education throughout life—a matter of nature and heredity associated with nurture and training. The second requirement is the avoidance or conquest of the causes of impairment and disease—the daily conflict between man's body and its total internal and external environment, and the avoidance or control of hurtful agencies in such environment. "Perfect correspondence with environment", said Herbert Spencer, "would be perfect life", a harmony instead of a disharmony. Thirdly, there is the necessary and prompt relief or amelioration of the impairments of the body owing to such agencies, in other words, the early and effective treatment of deficiencies and diseases in the body as they occur. It is at the beginning of disease, in childhood, that control and cure are most practicable; and it is in the earliest recognition of signs of "disharmony" that disease and ill-health can most easily be prevented. Fulfilment of these three requirements, viz.: nurture and nourishment of body and mind, control of environment and prevention of disease, and necessary treatment of the beginnings of disease, constitutes the Way of Hygiene. There can be no dispute as to their validity. *For these are the Laws of Life.*

It is obvious that guidance and direction are needed by the uninitiated child if it is to find and follow this pathway. He cannot find it by chance nor can he follow it by guessing. To provide the guidance and knowledge is the task of the school teacher, though much of it is hidden in the wisdom of the body itself. Hence it is nurture rather than instruction which is

required. Yet there is a science as well as an art of Nurture, and it is the office of the teacher to make himself familiar with both. "The highest attainments of the human spirit", says Professor L. P. Jacks, "require the body as well as the mind to be enlisted in their pursuit. It is a principle with a very broad application. It applies not only to the high attainments of the mystic, the genius, the creative thinker, but to the everyday virtues of the common man: self-respect, self-control, courage, trustworthiness, decency and clean conduct in general. These also are unattainable unless the body as well as the mind is enlisted in their pursuit."

2. The Form and Functions of the Body

Though man is higher than the animals his body belongs to the animal kingdom, and its structure follows the type of other mammals. Thus it consists of head, trunk and limbs. The skull (brain case) is at the top of the back-bone (spinal column) which itself contains the spinal cord, the continuation downwards of the brain. The trunk is divided into the thorax, which contains the heart and lungs, and the abdomen, which holds the stomach, alimentary canal, and its ancillary organs. The arms and legs are designed for movement. The skeleton is jointed together as a frame-work of bone and cartilage, supported and moved by muscles. It is so designed as to give position and protection to the vital organs of the body by which we live.

The lungs, which are connected with the open air by the windpipe and nasal passages, are composed of air sacs, the thin walls of which are covered with a network of blood vessels. Here there is a circulation of air; by means of the respiratory movements of the chest which ventilate the whole of each lung, used air is breathed out, fresh air is breathed in. The blood gives up its waste products to the air in the air sac, and in exchange receives fresh oxygen to carry to all parts of the body. The blood circulates by the force of the heart, a four-chambered hollow muscle; the right side of the heart receives the used blood from the body which it pumps to the lungs for purification, the left side receives the oxygenated blood from the lungs and pumps it through the whole circulatory system—arteries, capillaries, veins—from which it returns to the right side of the heart. Thus a circulation is maintained of air in the lungs and of blood in the circulatory system, the purpose of which is to carry to the tissues of the body the oxygen which is necessary to their life. The blood also carries nutriment, which it obtains from the alimentary canal as a result of digestion and deals with harmful germs which enter the body.

The digestive system consists of mouth, teeth, muscles of mastication, salivary glands, stomach, intestines and accessory glands. Food taken into the mouth (*a*) becomes, in due course, part of the body tissues, and (*b*) is stored by them to form an available source of energy. To reach them it must first be digested, in the mouth, stomach and intestines, where it is not only churned up but is changed by ferments and other secretions as it passes down the alimentary canal. From the walls of the intestine some of it is absorbed into the lymph vessels and thus reaches the blood stream through the "thoracic duct," some of it gains direct access to the blood vessels of the intestinal wall, and some of it indirectly passes to the liver. But, in whatever way food reaches the circulatory system, it is the blood which carries it to the tissues. As the blood must obtain both the oxygen and nutriment which are necessary to the life of the body, so also it must get rid of the waste products which it gathers from the tissues. The organs which "excrete" these waste matters from the blood are the lungs, kidneys and skin—all three should be kept clean and active. Such part of the food as is not nutritious is cast out of the bowel daily.

The nervous system, consisting of the brain, spinal cord and nerves, has control (though in an unequal degree) of all parts of the body; it serves to link up and connect them and ensures harmonious working between them. The brain, in which every portion of the body is represented, is the central authority. It receives messages and sensations from the skin or other parts by way of the nerves or the spinal cord. It translates them, despatches the answering messages to the muscles, and controls and regulates the resulting actions and co-ordinations. The nerves, which conduct messages to and from the brain and cord, form a complete system among the tissues, somewhat similar to that of the blood-vessels. The brain has also control over involuntary muscles and movements, affecting the heart and circulation, respiration, and the processes of digestion.

The Senses include, besides the five faculties of *sight*, *hearing*, *touch*, *taste* and *smell*, the senses of *heat* and *cold*, of *pain* and of *muscular* activity. The organs of sense contain specially modified cells, e.g. in the skin (touch-corpuscles), in the tongue (taste-buds), in the retina (the layer of rods and cones), which are connected up by means of fine processes and nerve fibres with an appropriate central group of cells in the brain.*

* The teacher is recommended to consult Huxley's *Lessons in Elementary Physiology* (Macmillan) for further study of the structure and function of the body; revision by Professor J. Barcroft, reprinted 1929, price 6s.

3. The Brain

The brain is made up of nerve cells which are linked together and connected with one another by means of nerve processes and fibres, and it is these nerve fibres which form the paths of communication between the different parts of the brain. The functional activity of the brain depends largely upon the facilities for communication between the nerve cells; and one of the objects of education is to encourage their effective correlation and co-ordination. As the brain develops, the linking-up of the nerve cells becomes correspondingly closer and more complex. Nerve cells are grouped together in different masses of brain tissue, which are known as "centres," and these centres govern the functions and actions of all parts of the body. No part of the muscular system is unrepresented in the brain, and communication between the muscles and the brain is established by means of afferent and efferent nerves. The communication between the brain and the muscular system is thus extremely intimate, and co-ordinated movements of all kinds depend on the integrity of this harmony. In the young child many of the centres of the brain are undeveloped, and many nerve cells contained in them have not become functionally active. As growth continues new movements and activities are constantly attempted and the "coarse" massive movements are supplemented by finer and more delicate ones; all these stimulate further development of the centres of control. By means of these motor activities the brain cells of these centres are subject to constant growth and development, which does not end with childhood. Thus, normal physiological stimulation of the nerve cells is good and promotes the general as well as the local development of the brain. It is only when the stimulation is excessive or premature that harm may be done. The steady and balanced growth and working of the brain should be the aim, for the brain is the regulating centre of the whole body.

4. Importance of a Healthy Mind

The older children should be taught the intimate association between body, brain and mental health. In other portions of this Handbook the hygiene of the body will be dealt with, and is of paramount importance. It should be remembered, however, that the health of the mind is also important, and unless it is sound the whole body will tend to degenerate. Thus, physical fitness should be advocated by the teacher not only as an end in itself, but as a means to promote the mental and moral health and character of the child. The child is an individual with his own desires, emotions and propensities. The development and expression of individuality involves psychological development, just as the completion of personality

depends on social, and the balanced body on physical, factors. The duty of mental fitness may be urged because this will make the children more useful persons in the world, better able to help other people, and equipped to undertake work and occupations suited to them. They should learn that good health is not merely a matter of the body but that the child really worthy of the name of a healthy child is healthy mentally and morally as well as physically.

The key to mental hygiene lies in building up the innate character of the child. (i) First, there is a normal body with particular *senses* and sensations; secondly, there is a mind with *impulses*, emotions and will power. The guidance and cultivation of these elemental powers is necessary to health. The child instincts of movement, of play, of imitation, of curiosity and of life preservation, call for direction. Their growth is aided by emotions, by sympathy, by sociability, by sex. These are the materials out of which character and conduct are to be built. It was Ruskin who said that "education is not to teach a man to know what he does not know, but to behave as he does not behave." The task of the teacher is to take these primitive faculties and train them by inducing habits of inhibition or cultivation. (ii) To do this there must be *springs of action*, the desire for happiness and usefulness in girls; the desire for risk, adventure, fame, and service in boys. (iii) There must also be a clear conception of the *fundamental ends of life*, strength, beauty, goodness and truth, as expressed in an intelligent, adaptable and reliable child, capable of sustained endeavour. These qualities cannot come by chance. They are effects of causes. They must be constructed out of the senses, the impulses, and the primitive emotions common to mankind.

The degree of emotional control is an important index; the psychology of fear, for example, shows how ramified and complicated the child's mental structure is. A child's nature harbours all the fundamental emotions which are common to man—love, jealousy, hate, revenge, fear, shame, suspicion—and responds to emotional situations in much the same way as does the adult, except that its feelings are more direct and less controlled than in later life. The child whose conduct is due to excessive fear or morbid terror is being wrongly brought up. A child's feelings are the driving forces of his personality, and are a proper object of all educative efforts, which should aim at moulding them in the course of years to forms that are acceptable when judged by cultural standards. Without sound mental development there can be no enduring bodily health or freedom from fatigue nor yet a healthy outlook on life.

5. School Fatigue

Mental fatigue in school children, whether in the classroom or elsewhere, may be due to three or four causes. (i) Some of it is really physical fatigue, due to mild internal poisoning by the waste-products of the body itself: such bodily poisons may accumulate during sedentary tasks, and can be worked off by a little gentle exercise in the fresh air or sometimes by a few quick exercises in the classroom. Physical fatigue may also be due to lack of food, unsuitable food, indigestion, lack of exercise or fresh air. (ii) Some of the restlessness, inattention, and slow or inaccurate work, is a sort of instinctive self-defence, prompted by minor sensations of discomfort and cramp, e.g. in the postural muscles of the trunk (as after prolonged sitting), or in the small muscles of the hand (as in writing), or in those of the eye (as in reading). (iii) Most of it is probably due to mere boredom—that is, to lack of continued interest in the work itself, and to constant repression of other interests or instincts more natural to the child; change the subject at which the child is working, change the method of teaching or the teacher, introduce some new incentive or tap some fresh source of enthusiasm, and at once all symptoms of so-called fatigue may completely disappear. (iv) Something like genuine mental exhaustion—exhaustion of the brain itself, or of its nerves and nerve-cells—may occur, but it is extremely hard to demonstrate, particularly in the healthy boy or girl up to the age of about 14. What is called over-pressure or over-work is seldom due to sheer excess of brain activity. It is due not so much to intellectual exhaustion as to emotional strain, arising perhaps from excessive anxiety connected with the work itself (e.g. fear of not passing an examination), or perhaps from secret worries about more or less irrelevant conditions at home (e.g. petty domestic crises). It is commonest in delicate children with mild but chronic physical ailments, whose weakness is further aggravated by lack of exercise, sunshine, and fresh air. Much the same is true of the "fatigue" of older people.

The teacher should be on the look-out for children who seem tired and present a jaded appearance. This may be due to lack of sleep as the result of crowded conditions at home. In localities where the Public Library Authority has organised a children's library room, pupils whose home circumstances are unfavourable to study or quiet recreation should be encouraged to make full use of it.

6. The Common Ailments of Children

It is important that the earliest signs of disease should be discovered and dealt with in children of all ages, and the teacher can help considerably by bearing in mind the common

ailments from which children may suffer. These are:—(a) Undue fatigue, lassitude, malnutrition, headaches, paleness. (b) Common affections of the skin, e.g. sores, impetigo, ring-worm, scabies, chilblains. (c) Decayed teeth. (d) Mouth-breathing, enlarged tonsils and enlarged glands. (e) Defective speech and stammering. (f) Common diseases of the eye, imperfect vision, squint. (g) Imperfect hearing, deafness, and discharging ears. (h) Frequent colds and coughs. (i) Deformities, e.g. spinal curvature, flat foot, rickets. Such conditions should be reported by the school teacher to the school doctor or school nurse. The teacher should be alive to the importance of detecting the first signs of the common infectious diseases in his pupils. Vomiting or sore throat are symptoms which may sometimes herald serious illness.

In addition to the treatment of disease, the school special services provide for abnormal children and the Local Education Authorities have statutory powers for dealing with them.

These abnormal children may be classified in four groups: (i) Physically defective (cripples, tuberculous, delicate children). (ii) Blind and deaf (including "partially blind" and "partially deaf"). (iii) Mentally defective. (iv) Epileptic. In addition to the provision for mentally defective children in Special Schools, special provision is made in an increasing number of the ordinary Public Elementary Schools for dull children who are mentally sub-normal and for backward children who are retarded by bad environment or nurtural or educational neglect.

7. Value of a Healthy Outlook

To ensure that a healthy outlook is fostered in children, the prime necessity is that the body and the mind should be healthy. The child should be encouraged to interest himself in the world around him; to concentrate on the task in hand; to exert himself to overcome difficulties; and to appreciate the value of his own health and that of others. Hence the importance of cheerfulness and courage. He should gradually assume his right share in responsibility. He may begin by having certain duties in connection with order and cleanliness of the school; then with "things going right" in the school; he should learn to be, as occasion demands, either a follower or a leader. The illimitable effect of moods and actions on the world must be explained, and that to be sulky, to brood, to be irritable, greedy, seeking only his own advantage, and the like, have not only a deleterious effect on his own health and character, but have a definite influence on others, and may be positively harmful to them. "Difficult" children in particular call for special attention and for the study of these children

child guidance clinics are being established in various parts of the country, which are proving helpful to the teacher and parent. In connection with the mental health of the children there are three facts of which we may be sure. First, that mental disorders are common and as natural as physical disorders, and are due, not to "fate," but to definite causes, many of which are preventable. Secondly, if we neglect the mental health of childhood we cannot escape its results in many kinds of mental ailment—dull, backward, neurotic, "difficult," or delinquent children. True mental defect (feeble-mindedness), imbecility and idiocy are often inborn; but neglect, or unsatisfactory environment, or inadequate training and nurture will assuredly lead to abnormal development. Each child must be observed to see that mentally he "evinces a steady willingness to grow up;" that he is neither held back by "the call of the cradle," nor misdirected by the "grown-up" life becoming too threatening. The former may tend to infantilism, the latter to over-pressure and the making of little old men and little old maids. Thirdly, the child is so constructed of body, mind and spirit that he cannot live at the full height of his human capacity unless harmony between all three be attained. In so far as it is reached he has health, wholeness, oneness, the best of which his particular body is capable.

II

CONDITIONS OF BODILY HEALTH

I. Fresh Air and Sunlight

(a) Value and Need of Fresh Air

Other conditions being equal, life spent in the open air and sunshine makes stronger men and women than life lived indoors. In spite of the many advantages of the town dweller in the direction of higher wages, good sanitation, and better housing, he often does not live so long as the dweller in the country. Many men and women of uncivilised peoples have a fine physique. Their diet is of the simplest and they have few amenities of civilisation, but they live a natural life in the open air and sunlight. In brief, fresh air conveys oxygen to the body and blood, increases metabolism, and stimulates the appetite.

(b) Physical Properties of Fresh Air

It is the oxygen and the physical properties and purity of fresh air that are valuable. For its proper functioning the skin must be continually cooled, and this does not take place if the body is surrounded by an over-heated, moist, stagnant atmosphere, the results of which are that the tone and vitality are greatly decreased, pallor is increased, the muscles become flabby, and resistance to disease is lowered. Movement of air is vitally necessary. From the point of view of health, changes in the chemical composition of air are of less importance than those associated with its physical properties. In freely moving pure air there is considerably less likelihood of infection.

(c) Supply of Oxygen to the Cells of the Body

The living processes carried on in every cell of the body require oxygen. In very simple forms of life, such as the amoeba, which consists of only one cell, there is no need for oxygen to be carried to it as the cell simply takes what it needs from the water in which it is immersed. In some higher forms of life, e.g. insects, whose bodies are built up of a large number of cells most of which are beneath the surface and so unable to absorb oxygen directly, there are special contrivances through which the air can pass, and thus reach these deeper cells. In higher animals and in man the air is drawn into the lungs and oxygen enters the blood (through the tiny blood vessels spread all over the lung) by which it is carried throughout the body. In this way oxygen is brought into contact with each individual cell of which the body is made up.

The same living processes which require each cell of the body to take up oxygen produce also a waste gaseous substance to be cast out, carbon dioxide. The amoeba simply discharges it into the surrounding water, but the millions of cells in the human body cannot of course do this, and it is accordingly carried to the lungs by the blood stream just as the oxygen was brought from the lungs to the cell. Reaching the lungs it passes into the air passages and is breathed out.

(d) Need for Ventilation

Where many people are in a room together the air is continually being robbed of oxygen with each breath taken in, while at the same time carbon dioxide is being added to it with each breath breathed out. However, even in an ill-ventilated room, there is always plenty of oxygen left and very seldom an additional quantity of carbon dioxide sufficient to act as a poison. As stated above, it is the stagnant over-heated air, loaded with moisture, organic impurity and germs, that produces the ill effects, not the diminished amount of oxygen or the increased carbon dioxide.

It is now clear why we have to ventilate a room and what our arrangements for ventilation must be if it is to be effective. Briefly stated, these arrangements must (i) allow for ample admission of fresh air ; (ii) keep the air moving in the room by *cross* ventilation, inlet and outlet being opposite to each other, or some other device to ensure a *through current of air* ; (iii) maintain a proper temperature ; (iv) ensure that the moisture is neither too much nor too little ; (v) remove the disagreeable odours which arise when people are crowded together ; and (vi) prevent pollution of the air by dust and germs. In the school, the aim should be to secure in each class-room fresh, clean, cool, moving air.

(e) Temperature of a Room

The hotter we think it necessary to keep a room, the more difficult does it become to ventilate it, partly because the cold incoming air lowers the temperature and partly because of the draughts produced. Formerly, class-rooms were kept warmer than is now thought necessary or desirable. In some countries, a temperature of 65° F. or even higher is the rule ; in this country 60°—62° F. is considered to be the maximum necessary, but many people think that it is more healthy for the child to work in a temperature of between 56° F. and 60° F.

(f) Process of Breathing

As explained above, the purpose of breathing is to introduce fresh air and oxygen into, and expel carbon dioxide and used air from, the body. The wind-pipe divides into two branches,

one for the right lung, the other for the left. These branches subdivide until they form an intricate ramification of smaller tubes, which terminate in minute air sacs. Small blood vessels surround these air sacs and oxygen can readily pass from them into the blood stream. Similarly the blood stream delivers up its carbon dioxide. The air is drawn into the lungs and again forced out of them by the expansion and contraction of the chest wall.

Breathing should always be through the nose (except during violent exercise); this is necessary in order that the air may be properly filtered and dust particles removed, and that it may be warmed before reaching the lungs. Mouth breathing is a common habit among young children. It may sometimes be due to over-developed adenoids, but more frequently to the continuation of a habit formed as the result of the nose becoming blocked from nasal catarrh and from failure to keep the air passages properly free by the use of the handkerchief. Children should be encouraged to use the handkerchief regularly and in a proper manner. The nose passage must always be kept clean, clear and free from discharge. It is the gate of entry for air to the lungs.

It is important also that breathing should be deep. It is not voluntary deep breathing that is needed but the involuntary deep breathing induced by vigorous out-of-doors exercise. Only in this way can the lungs be properly expanded and the minute air sacs distended in the most remote parts of the lung. Tuberculosis is more likely to secure a hold in any part of the lung which is not thus adequately ventilated. Proper breathing will also depend on a child's habitual posture. Children who bend over their work, or loll about and carry themselves badly, will not exercise their lungs so well as children who hold themselves erect and are generally alert and vigorous.

(g) Necessity for Sunlight

The beneficial influence of sunlight in relation to health has only comparatively recently been scientifically explained. We have sometimes been apt to fear it rather than to welcome it; to think of the danger of sunstroke and of the power of the sun to fade carpets and curtains rather than to recognise that it gives health and vigour to the body, and destroys germs of disease. Provided that there is proper protection of the head and nape of the neck from a very hot sun, the more children play in the sunlight and the more we let sunlight into our rooms at home and at school the better. In our large towns much of the sun's energy is cut off, only about one-quarter of it getting through the atmosphere as compared with one-half at the seaside and three-quarters on mountain tops.

Some of the beneficent influence of sunlight is due to invisible rays. A beam of sunlight when passed through a prism or through the drops of a shower of rain, is divided up into its constituent parts and we see the seven colours of which sunlight is composed (as in the rainbow), starting with red at one side and ending with violet at the other. The invisible special health-giving rays are found beyond the violet rays and are called ultra-violet rays. Unfortunately these rays are filtered out when sunlight passes through ordinary window glass, and this is one of the reasons why being indoors is not so health-giving as being out of doors. Advantage is taken of the health-giving properties of sunlight, especially of these ultra-violet rays, to treat debility and other ailments. Its healing properties are utilised in the treatment of children suffering from such diseases as rickets and tuberculosis of the skin, bones and joints, by *heliotherapy* in the open air, or artificially by the *arc lamp*.

(h) Injury done by Smoke

The harm done by the smoke pall which hangs continually over our large cities, and by the fogs which occur with greater or less frequency, blocking out the sunlight from our homes, schools and streets, is due partly to the acids, carbon and tarry matters in the smoke which injure vegetation, corrode buildings, make houses dirty, or choke the lungs. Also, we tend to keep our windows shut to prevent unclean atmosphere and dirt coming in. In some large industrial towns from 500 to 700 tons of sooty matter charged with chemical impurities are deposited every year upon each square mile, while in some seaside and country towns the deposit may be as low as one-seventh of this, and is, moreover, less injurious. Atmospheric smoke obstructs the actinic rays of the sun more in the town than in the country or the seaside.

(i) Principles of the Open-Air School

The objects of the open-air school are to place children, especially if they are debilitated, in a school environment providing a maximum of fresh air and sunlight, and under school conditions which furnish ample opportunity for exercise, rest, proper daily feeding and medical supervision. The curriculum is also modified to make it more manual and adaptable to the requirements of such children and less likely to entail fatigue.

The open-air school is so built that it allows full and free entry of fresh air and sunlight. One side of the class-room may be entirely absent, or two or three sides may consist of windows or movable partitions; the walls of the school are so designed as to be a shelter from rain and wind but not obstructive to

air (" loose-box " method). Where the school cannot be built as an open-air school one or more class-rooms may be so constructed ; or a private house may be adapted and hutment class-rooms constructed in the garden ; where neither is possible the class may meet in the open air of the playground or park.

More important than premises are educational methods. The open-air school principle comprises (a) living as much as possible in the open air, (b) sufficient and suitable school meals, (c) organised physical exercises in the open air, (d) midday rest in horizontal position, (e) shower baths, (f) practical subjects, manual work and nature study, and (g) careful daily medical and nursing supervision.

The results are improved attendance, decrease in ailments, increase in weight, improvement in colour, energy and mental alertness, greater activity and happiness, and love of Nature.

2. Cleanliness

(a) Basis of all Healthful Living

Habitual disregard of cleanliness, whether in the individual or his surroundings, is responsible for much that is disagreeable and of social disadvantage. Uncleanliness is the cause, directly or indirectly, of many ailments and diseases. It is, unfortunately, true that many parents have an altogether inadequate conception of cleanliness, though it is only fair to say that too often the character of their surroundings and the insufficient facilities for maintaining cleanliness raise almost insuperable difficulties in maintaining a high standard. It falls to the school teachers, therefore, to take upon themselves much of the responsibility for securing personal cleanliness in the children. It is necessary to inculcate in children a love of cleanliness through its habitual practice, and to train them to understand its significance in the life of the individual and the community. The child should not come to school with dirty face, hands or body.

Habitual uncleanliness must be distinguished from occasional uncleanliness. All healthy boys and girls will get themselves dirty, and the healthier the child and the more active its life in work and play the more likely it is to become dirty at times; but occasional dirt on an habitually clean body can easily be removed.

(b) Evils of Uncleanliness

Uncleanliness of the body hinders its proper functioning, aggravates skin disease, and may complicate a slight scratch, cut or blister with inflammation and even blood poisoning. It may also beget a characteristic and unpleasant smell in the schoolroom or bedroom. Dirty hands or nails may convey

germs to the mouth or to food. Uncleanliness of the head is not only disagreeable, but it spoils the character of the hair and often gives rise to sores from which the glands of the neck may become affected. Uncleanliness of the nose and blocking of the nasal passages may contribute to mouth breathing, nasal catarrh or even adenoids. Uncleanliness of the eyes may cause their inflammation, and produce or aggravate the condition of sore eyelids and eyebrows. Uncleanliness of the ears may lead to ear-ache and inflammation and increase the seriousness of discharge from the ear. Uncleanliness of the mouth produces decay of the teeth and swelling of the gums ; harm may result through interference with proper biting of the food, by the swallowing of septic matter from the gums and teeth, and by the absorption of poisons, all of which give rise to ill-health and disease. Uncleanliness or constipation of the bowel is the root of much evil.

(c) Social Effects of Uncleanliness

The teacher would refer to the following points : the unpleasantness and risk to other people of uncleanliness ; fleas and lice flourish in dirty surroundings ; refuse left lying about forms a breeding place for flies, and these carry germ-laden dirt which they deposit on food and particularly in milk ; stagnant water breeds mosquitoes ; polluted water is a source of disease. We have already seen that the uncleanliness caused by our coal fires and factory chimneys poisons and pollutes the atmosphere ; windows in houses, schools and workshops get covered with dirt and dust which tend to keep out the light and the sun's rays ; dirty houses retain infection. Sore throats, catarrhal conditions and consumption are more frequently met with in factories where dusty conditions prevail.

3. Exercise and Rest

(a) Value of General Exercise

One of the primary needs of growing children is the exercise of the larger muscles of the body. Active forms of exercise tend to strengthen all the muscles (including the heart), develop the brain, deepen and increase the rate of respiration, induce the skin to perspire, and secure and maintain equilibrium. They are essential if proper benefit is to be derived from food, if the digestive organs and the bowels are to be kept in good working order, if proper excretion through the kidneys, skin, and lungs is to be ensured, and if harmonious control of the body is to develop. Hence the importance of the boy and girl actually playing games and not merely watching them ; and of learning to swim, taking part in school sports, organised games, and active

forms of recreation such as country and other dances. Too many children at present never acquire the *habit* of active exercise.

(b) Recreation

Recreation other than that obtained by vigorous exercise, e.g. walks, reading of books, visits to museums, art galleries or the Zoo, concerts, cinema halls, etc., may have an important influence on health, beneficial or otherwise according to circumstances. It should be remembered that, other things being equal, *enjoyment* is wholesome, and that for this reason children should be encouraged to use such forms of recreation as they prefer, provided that these are harmless to body, mind or spirit, and include some vigorous exercises in the open air. They should at the same time be encouraged to cultivate a taste for books, games and amusements.

(c) Need for Organised Physical Exercises

Active forms of free exercise of the kind referred to above should come first in the child's physical training, but they need supplementing by the more regulated and systematic forms of physical exercises which play a special part in the harmonious training of the body as a whole. Organised exercise leads to improvement in the general physique, to the prevention or correction of faulty attitudes of the body, to the acquirement and development of habits of self-control, discipline and quick response. A large though varying proportion of school children show signs of malposture (slight curvature of the spine, flat-foot, round shoulders, poking head, etc.), which may be due to bad habits in standing or sitting, to unsuitable school furniture, to fatigue and debility, or to actual disease. The application of corrective exercises is the appropriate method of treatment.

Systematic physical exercises are a valuable safeguard against danger from strain arising in the course of the more violent forms of exercise, such as running or swimming; they are of particular value to the less robust children who may need to be warned against undue strain, especially in competition with their fellows.*

(d) Good Habits of Rest and Sleep

Many children need to be encouraged to acquire good habits of rest and sleep. The difficulties in the way of children

* For a fuller statement of the advantages and limitations of organised exercise, games, dancing and swimming, the Board's Syllabus of Physical Training for Schools, 1933, should be consulted (H.M. Stationery Office, price 1s. 6d.).

getting a long night's rest may be very great in some households, but children can form the habit of sleeping through much disturbance and noise, though it should be borne in mind that sleep in quiet surroundings is more beneficial. One of the most important forms of health education is to get ingrained in the child's consciousness that "early to bed and a long night's rest" is one of the essentials of good bodily and mental growth and fitness. Both by direct influence upon the child and through co-operation with the parents the teacher should endeavour to secure that children up to twelve years of age have at least twelve hours in bed every night, the younger children as much as fourteen hours; older boys and girls need at least ten hours. The teacher should help the child to acquire the habit of repose, and tranquillity is necessary to attainment of physical and mental health. Remember that in the ancient world it was taught that "healthy sleep cometh of moderate eating."

4. Warmth and Clothing

(a) Body Heat

Body heat may be briefly explained to the children. It can be illustrated by considering how the heat of the body is created and conserved (by the living body, food, exercise, clothing, etc.), and lost (by evaporation and wet clothing), the distinction between cold and warm-blooded animals, the changing summer and winter coat of animals, the practice of hibernation and migration, the superiority of warm-blooded animals and the torpidity of cold, etc. From this the child will understand something of the purpose of clothing.

(b) Wearing of Suitable Clothing

Much can be done by the teacher to train children to wear clothing suitable both in quantity and quality. By means of needlework, laundry and domestic lessons in school, by the force of example of other children, and by getting into direct touch with the parents, the unsuitable and unhygienic clothing worn by many children can be changed into clothing that is simple, clean, attractive and adapted to the season of the year. The principles and proper methods of clothing should be taught to all older children and by the making of garments a habit of suitable clothing should be acquired. Children are probably more frequently over-clothed than insufficiently clothed.

(c) Suitable Clothing Materials

The best materials for retaining heat are fur, wool, silk; cotton and linen conduct heat from the body, taking up moisture but not retaining it. Open meshed material should

be used and the mesh should be of a character that does not shrink in washing. The reason for this kind of material is that air is trapped in the meshes and thus the material, while allowing for evaporation of moisture from the body surface, acts nevertheless as a poor conductor of heat. Flannel or wool is usually worn next to the skin in cold weather on account of this property of being a poor conductor of heat, but unless very carefully washed it tends to become hard and does not allow of the necessary air-bath around the skin. Material of cotton mesh or of a mixture of wool and cotton (or silk) is light and serviceable and suits some people equally well as ordinary woollen underclothing. It is, moreover, appropriate for all seasons.

(d) Clothing for Boys and Girls

Clothing, particularly for girls, has become considerably more hygienic and utilitarian of recent years. Close fitting unwashable stuff dresses, boned corsets, and tight bodices are seldom used now, while stiff collars are much less common among boys than formerly. Moreover, the number of garments worn has certainly decreased. This improvement is no doubt due partly to changing fashions, partly to a more practical application of the rules of hygiene in matters of dress, and partly to increasing opportunities for physical activity both in and out of school hours.

For *Girls*, light, loose and warm garments of simple pattern are the most hygienic and in the end most economical. For example, a long vest ; knickers with separate washable linings of varying thickness according to the season ; a tunic form of dress, with a washable blouse, or a jersey and skirt supported from the shoulders, with a cardigan or knitted coat for extra warmth, form a suitable and comfortable dress for every-day wear. No clothing should be tight fitting and garters should not be worn.

Boys may suitably wear garments of wool or open-meshed material next the skin (in cold weather), a cotton or flannel shirt, and knickers and stockings which leave the knees bare or covered according to the season ; braces or belts ; there should be either a woollen pull-over or a jacket, or, if necessary, both. For younger boys a jersey is convenient. Tight bands or restrictive garments of any kind should be avoided.

When extra clothing is required for warmth it is important that it should be evenly distributed over the body. Knitted woollen garments are excellent and the popularity of hand knitting has made such clothing more easily procurable. There should be adequate protection from chill and the

fashion of allowing young (particularly ill-nourished) children to go about with bare thighs and legs in cold and damp weather is not unattended with risk.

The provision of suitable footwear is less difficult than formerly, as well-shaped boots and shoes are now obtainable at a reasonable price. It may be useful to refer to three points in connection with footwear. First, while parents are willing to provide stout football boots for boys, the need of the girls for similar thick boots in which to play field games is not always appreciated. Secondly, while it is satisfactory to find that the use of rubber-soled shoes for physical activity is becoming more general, these shoes should not be worn for long periods at a time as rubber prevents evaporation of moisture. Thirdly, children quickly outgrow their footwear, but the wearing of boots and shoes that are too small leads to deformity that may last for life.

(e) Change of Clothing

All underclothing should be changed at least once a week. Whenever clothing gets wet it should, if possible, be changed, especially socks and stockings. After severe exercise, e.g. playing football or cross-country running, the clothing should be changed and the body well rubbed down with a rough towel; if a shower or ordinary bath is available so much the better. The chilling of the body through damp clothing is a source of discomfort and loss of body heat, and may be a pre-disposing cause of illness.

5. Care of the Eyes and Ears

(a) Care of the Eyesight

The light of the body is the eye. The child's eye is immature and growing. It is injured by improper exercise, poor or excessive light, the use of unsuitable reading or writing materials, or prolonged and close work. Vision comes by use, by alternate exercise and rest of the eye. Scientists, artists and craftsmen have become eminent by the use of the eye and by training in the power of observation. The extreme importance of the care of the eyesight throughout life may be impressed upon children by training them in particular habits. Thus the maximum amount of light should be allowed to come into the house; curtains should be such as can be completely drawn back to expose the whole of the window during the daytime; whenever possible the light should come from a direction to the left of the child, and in any event strong cross shadows should be avoided; school books should be of a suitable type and children should be warned against

reading badly printed books at home. The undesirability of "glare" should be recognised and the risk of looking straight at the sun or any very bright light should be explained. Children should be encouraged (a) to report any difficulty they may find in seeing what is written on the blackboard or when reading from a book, and (b) to wear glasses if medically advised to do so and at the times advised. Worried looks, frowning, blinking, face-twitching, rubbing eyes, the book held too close to the eye, and headaches are early signs of eye strain and call for attention. Short sight may be induced by allowing children to read with the book close to their eyes, e.g. when lying in bed or in other unsuitable positions. Eye strain left untreated leads to headache and nervous conditions and may affect the general health; good physique will greatly aid in maintaining good eyesight. If the eye becomes inflamed, children should learn not to rub it, and that any rag or towel used to bathe or wipe their eyes should not be used by anyone else.

(b) Care of the Hearing

Children should be taught the danger of putting any foreign body into the ear and the harm that may follow a blow upon the ear. Should wax accumulate it should be left to a doctor or nurse to remove it. The seriousness of discharging ears should be impressed on teachers and they should be encouraged to submit children suffering from this ailment to early, regular and persistent treatment. The habit of quiet talking and careful listening should be cultivated. It should be remembered that there is close relation between deafness and defect or blocking of the nose or throat.

(c) Examination of the Sight and Hearing

The importance of perfect eyesight and hearing can be further impressed on the children by interesting them in the method of the examination of the vision and hearing, and this, under the instruction of the school medical officer, may well be undertaken at regular intervals as part of the ordinary school routine. Deterioration of hearing may go on for some time before it is noticed. Slight defects in sight and hearing are important, and cold in the eye, or pain in the ear, or a discharging ear should receive prompt attention. Deafness (of any degree) should be referred to the school doctor.

6. Care of the Teeth

For the teaching of this subject to be effective and practical, it should be realised, *first*, that children are not greatly interested in their teeth, and that an appeal on this ground is likely to fail, all the more because they have no direct evidence

in childhood of ill-health arising from neglect of the teeth ; and *secondly*, that the formation of good habits, even though the reason for them is not fully understood, is likely to be of permanent value, especially in young children. For these latter, therefore, practical demonstration accompanied by frequent inspections should constitute the chief method of inculcating care of the teeth. For older children, information may be given as to the growth and construction of teeth in early years and their dependence on constitution and dietary.

(a) Value of Teeth

(i) It is obvious that teeth can be beautiful in themselves, and that they are a necessary adjunct to good looks. Children readily appreciate that the pleasing effect of a smile or laugh depends partly upon the teeth. Again, it can be shown that personal appearance has a good deal to do with success in life and that young people applying for posts often succeed or fail as their appearance impresses the employer favourably or otherwise, and in this the condition of the teeth plays a part.

(ii) Health depends upon good digestion more than anything else. To ensure good digestion an efficient set of teeth is the first requirement ; even one decayed and tender tooth may lead to the habit of swallowing food without proper mastication. The function of the teeth in cutting, crushing and grinding the food and mixing it with saliva is the first step, and one of the most important, in the process of digestion and the nutrition of the body, and is essential for the proper maintenance of physical strength and vigour.

(b) Results of Dental Decay

In order that children may realise to some extent the insidious nature of dental disease, it should be explained to them, first, that we have no means as yet of being able with certainty to prevent decay arising, however much care is exercised ; secondly, that in its early stages there are no warning signals, such as pain or disfigurement ; thirdly, that when decay has once started in a tooth it will almost inevitably proceed to the destruction of the tooth, and may spread to the other teeth, unless steps are taken for its arrest.

There are three direct results of dental decay, and they are all practically certain to occur sooner or later.

(i) *Pain*. This is nature's warning, but is often absent in the early stages of decay, and may not occur until the tooth is irreparably damaged. It is never, therefore, safe to wait until a tooth hurts before seeking attention.

(ii) *Loss of Use.* The tenderness of a single decayed tooth may prevent the proper functioning of the entire set.

(iii) *Disfigurement.* The loss of a single front tooth may seriously impair personal appearance. In neglected mouths decay tends to spread from one tooth to another, and involves a disfigurement which may be a handicap in life.

The ultimate result of dental decay is an impairment of the general health owing partly to digestive troubles due to the inability to masticate properly, and partly to the constant swallowing of poisonous matter arising from the decay. Of the many ailments which tend to impair happiness and efficiency, such as headaches, lassitude, anaemia, physical unfitness and a group of septic diseases, dental decay is probably the commonest cause.

(c) **Preservation of the Teeth**

The teacher will understand that no instructions for the care of the teeth are likely to be effective until the children have grasped the fact that such care is really worth while. The first step, therefore, is to persuade the children to take an interest and a pride in their teeth.

Cleanliness of the teeth (as with cleanliness of other parts of the body) should be insisted upon primarily not as a health measure but as a personal and social duty. It should be pointed out to older boys and girls that it is equally important, from the point of view of decency, comfort and appearance, to have clean teeth as to have a clean body or clean hair. Younger children should be taught the practice before they can appreciate the purpose. Some form of "tooth-brush drill" is desirable to attain this, preferably with actual brushes. The necessary up-and-down and side-to-side movements (inside the teeth as well as outside) should be practised, and children should be encouraged to look at their own and one another's teeth. A small tooth-brush is to be preferred to a large one, and the teeth should be cleaned daily, in the morning and at night. The cleaning at night is the more important, for it is during the hours of sleep that the injurious decay-producing agencies are active and the natural methods of cleansing are in abeyance. No food of any sort at all should be taken after the teeth are cleaned at night. The tooth-brush itself should be kept clean. More harm than good may be done by using a dirty tooth-brush.

Natural methods of cleansing teeth by the chewing of fruit, hard crusts, etc., and the rinsing of the mouth with water after a meal should be encouraged. It should be

explained to the child that many kinds of food, especially those of a starchy or sugary nature, are apt to leave a thin film on the teeth, which may form the starting point for the germs of disease. This is the reason why such articles as biscuits or sweets should not be taken after the teeth have been cleaned at night. A raw apple is an excellent cleanser of the teeth, gums and tongue.

Children should be taught that they may have it in their power to strengthen their teeth to resist decay, by getting all the sunlight and fresh air that is possible, by giving their jaws vigorous exercise on hard and fibrous foods, and by taking plenty of milk, butter, eggs and fresh green vegetables.

Finally, they should be brought to understand the privilege and value of dental inspection and treatment ; that the dentist with his skill and experience can detect the earliest beginnings of decay, and can arrest it without pain ; and that children who go regularly every year for dental inspection and follow the dentist's advice will probably, when they leave school, have a complete and sound set of teeth.

III

THE HYGIENE OF FOOD AND DRINK

FOOD

I. Practical Considerations

Food is but one factor in human nutrition, though of course an essential one. Fresh air, exercise, rest and moderation in all things play their part. Food should refresh and invigorate the body and not merely satisfy its sense of hunger or appetite ; it should produce energy and vital capacity. Healthy and complete *nutrition* is therefore something infinitely wider than the mere intake of food. It requires a healthy, receptive and responding body and it needs an active alimentary tract, if the food consumed is to be properly assimilated.

Good nutrition is of fundamental importance from the point of view of ensuring sound health during childhood and later life. The need for fostering, both in practice and in theory, a right understanding of foods and feeding should be present in the mind of the teacher through all stages of the child's education, from infancy to adolescence. The twofold method of all health education, namely, habit-training and informative instruction, has special application to nutrition.

Malnutrition.—The factors which operate to cause malnutrition are numerous, and the subject is a complex one. It is not enough that the body be supplied with food of any sort ; that of itself will not suffice. There must be the proper proportion of nutrients, sufficient protein of the right kind to meet the demand for nitrogen, sufficient carbohydrate and fat to yield heat and energy. There must be sufficient vitamins, mineral substances and water, and there must be a sufficiency also in regard to quantity.

Over and above this provision there must be healthy activity of those physiological processes which have to do with mastication and preparation, with absorption, assimilation and excretion. Healthy and complete nutrition is something more than mere feeding, mere filling of the stomach.

We must therefore take a wide and comprehensive view of nutrition, estimated not only in terms of bulk and weight, but of the ratio of stature to weight, of the general appearance and "substance" of the body and of its carriage and bearing ; of the firmness of the tissues ; of the presence of subcutaneous fat ; of the condition and process of development of the muscular system ; of the condition of the skin and the redness of the mucous membranes ; of the nervous and muscular systems as expressed in listlessness, or alertness,

apathy or keenness ; of the condition of the various systems of the body ; and of the relative balance and co-ordination of the functions and powers of digestion, absorption, assimilation of food, and of the excretion of waste products. In brief, it may be said that malnutrition is usually due to one of three causes :—

- (i) Shortage of food ;
- (ii) Unsuitable food ;
- (iii) Lack of digestive powers or assimilation.

The first and second can often be remedied by an elementary knowledge of the value of different kinds of food ; and the third by toning up the system by leading a hygienic life, by an appreciation of the value of fresh air, and by physical exercises and games.

The Prevention of Diseases due to Faulty Feeding.—" More than one-half of the chronic complaints which embitter the middle and latter part of life," said Sir Henry Thompson, the surgeon, " is due to avoidable errors in diet." One cause of error is lack of knowledge in the choice of good and evil in regard to food—its selection, nutritive value, preparation and consumption. But there are other defects and habits which have a large share in the production of disease :—(a) irregularity of meals and the consumption of food or drink between them ; (b) the unvaried monotony of the average dietary ; (c) the failure to masticate food owing to defective teeth or the habit of bolting food ; (d) drinking too much with meals ; (e) bad teeth ; (f) chronic constipation ; (g) swallowing air at the time of eating ; and (h) the abuse of tea, spices and alcoholic beverages. These may seem to be trivial matters, but it is out of the smaller habits and neglectfulness of men and women that disease is born.

As regards the subject matter of the informative instruction, older children require the same kind of practical training as that outlined for younger children, but it should be supplemented by means of the homecraft courses for older girls and science for boys. Where provision is made for teaching domestic subjects the children can be associated with the choice, selection and purchase of the food materials as well as the preparation, cooking and serving of the food. The fullest advantage should be taken of the opportunity for health education thus afforded. In addition to this practical basis, or in substitution for it where no domestic courses exist, much direct and indirect instruction in regard to nutrition can be given to older girls and boys, though it must be admitted that some of the value of the instruction will be lost where it is not founded upon or associated with the actual provision of meals.

2. Food Requirements of the Body

Our bodies are made up of countless minute cells which can be seen only under the microscope. These consist of protoplasm, the physical basis of life. While the child is growing the cells of the various tissues and organs of the body are multiplying and the protoplasm must necessarily increase in quantity. The first food requirement of the body is material which will be suitable for the building up of this living substance, protoplasm. Moreover, apart from growth, protoplasm once formed is continually breaking down and requires to be renewed. Thus we arrive at the need for what we may call *body-building foods*. These are principally *proteins* and they form a very important part of such foods as meat, fish, milk, cheese, eggs, which contain the most useful proteins, and cereal and pulse foods, e.g. flour, bread, peas, beans, lentils, which contain protein of lesser value.

The protoplasm and tissues of the body have work to do. They are not static but dynamic in purpose. They require the food materials from which power and heat can be derived. Therefore secondly, such *energy-producing* foods are needed. These are represented by two classes of substance known as *fats* and *carbohydrates*. The former occur in milk, cream, butter, suet, lard, dripping, olive oil, etc.; the latter in all the sugars, cereals, bread and foods composed mainly of starch (e.g. potatoes, rice, parsnips and other root vegetables, oatmeal). Thirdly, there are the *salts* or mineral substances needed by the body; these are plentifully contained in milk, cheese, vegetables and fruit, the last two also furnishing a considerable bulk of indigestible fibrous material, which is of value in stimulating movements of the bowels. Fourthly, there are certain substances essential for growth and nutrition known as *vitamins* present in extremely minute quantity in various foods. Several principal kinds of vitamins are recognised, and are called vitamins A, B, C, D, etc. The foods in which they are present and their dietetic value may be broadly stated as follows:—

The Essential Vitamins in Foods

Vitamin.	Chief foods in which present.	Dietetic value.
A.	Cod liver oil, milk, butter, cheese, egg-yolk, green vegetables, lettuce, water-cress, beef and mutton fat, suet, liver, carrots.	(1) Growth. (2) Maintenance of body resistance against certain infections, especially of infection of mucous membranes.

The Essential Vitamins in Foods—continued

Vitamin	Chief foods in which present.	Dietetic value.
B. Complex	Cereals (outer layers and germ), pulses, yeast, milk, egg-yolk, liver, kidney, brains, cabbage, lettuce, watercress.	(1) Growth. (2) Maintenance of nervous stability. (3) Prevention of beri-beri.
C.	Green leaves and fresh fruits (especially lettuce, cabbage, oranges, tomatoes, lemons), potatoes, swede turnips, watercress.	Prevention of scurvy.
D.	Cod liver oil, oily fishes (e.g. herrings), egg-yolk, milk, butter, animal fats.	Development of bone and teeth: (Its absence may lead to rickets).

A plentiful supply of sunlight to the skin will make up for certain deficiencies; also, it may be observed that a diet satisfactory as regards Vitamins A, C, and D, is probably complete as regards B. Vitamin C is easily destroyed by overcooking. In addition to these various requirements of living protoplasm we must add *water*. The transmission of all nutritive substances to parts of the body is done by "water transport." So, too, excretion of waste.

Above all, food must be provided for the human body in the form of a *mixed* and *varied* dietary, from which the body will draw for the supply of its particular needs. The advocacy of any special article of diet may be misleading and even fallacious if this fact be disregarded. *Fresh* food is essential.

3. What Foods should be eaten and Why

It is a somewhat strange fact that, with all the experience of the individual and of the race upon which to draw, many people know neither from experience nor from instinct what is the best diet at the different stages and in the differing circumstances of their lives to ensure sound health. Unsuitable feeding and overfeeding whether due to quantity or quality of food are both not uncommon and produce their characteristic ill-results. Broadly speaking, the simpler and plainer the food the better. Elaborate foods and sweets may spoil the taste for, and therefore the digestion of, plainer foods. Not everything that tastes nice is good for the body. In the selection of food for children the following are the chief points to bear in mind:

(i) *A sufficient supply of body-building food or protein.* This is best obtained from animal foods such as meat of all kinds, fish, milk, cheese and eggs. Other foods such as flour and bread and pulses also contribute protein. A diet containing the above substances and which is otherwise adequate in amount will almost certainly meet the body's protein requirement.

(ii) *A daily supply of vegetable food.* In addition to potatoes, some other vegetable and preferably a green one should be supplied daily; some kind of salad or fruit is desirable.

(iii) *Not less than half-a-pint of milk daily.* Butter should be given at one meal at least; margarine is also good for the supply of fat but contains little or none of the vitamins essential for proper growth, unless these have been artificially added.

4. Quantity and Quality of Food Required

This will depend upon :—

(i) *The age of the child.* If the amount of food required by an adult is taken as 100, a child under six requires 50; between six and ten, 70; between ten and fourteen, 80. Boys and girls over fourteen require as much food as an adult, and adolescents may sometimes require more than adults. After middle life the quantity of food should be reduced.

(ii) *Personal idiosyncrasies.* People of similar size and occupation may require different quantities of food because one person digests and assimilates better than another. A food that agrees well with one person, e.g. cheese or strawberries, may disagree with another. One person will dislike food that is preferred by another. In the case of children it is important to take note of these individual idiosyncrasies; but not to talk about them in the hearing of the child. Ascertain how far they are genuine or merely "fads."

(iii) *Climate and season.* Less fat and more fruit is required in hot countries, and more fat and less fruit in cold. In winter rather more fat is needed than in summer for maintenance of body heat.

5. How and When to Eat

Nutrition is not merely a matter of getting so much protein, carbohydrates, vitamins, etc., into the stomach, it is a question of getting sustenance absorbed and assimilated by the blood

and tissues. The conditions under which food is taken have much to do with the benefit the body derives from taking it. The quantity and quality of the digestive juices are influenced by the emotions associated with a meal. There is a sound physiological reason for the orderly serving of a meal, the proper appointment of the table, the display of flowers and reasonable refinement and amenities. Thus a meal should be a leisurely and sociable affair. Nothing is worse for food digestion than hurrying over a meal, apart from the fact that under such conditions the food will not be properly masticated. No strenuous game or mental work should immediately follow a meal. So far as practicable, meals should be taken at regular intervals. People vary as to their requirements in this respect: some thrive on two meals a day, some on four. For most children, three good meals a day is the best arrangement. The habit of taking food between regular meals (whatever they are) is responsible for much indigestion and ill-health. So many children are brought up to take their meals with little regard to any of the conditions mentioned that the school and school teacher should take every opportunity of impressing these facts upon their minds. Most important of all is good cooking which makes food attractive, palatable and digestible; the nutritive value of food, good in itself, is often impaired by lack of care and attention in this respect.*

6. Relative Cost of Foods

It is true that some of the most essential foods, the body-building foods, are among the most expensive, e.g. meat and fish, especially the fatty fishes, but generally speaking the cheaper qualities of meat and fish are fully as nourishing as the more expensive. A herring supplies nearly as much body-building food as the same weight of salmon and at one-tenth the cost. The cheaper kinds of cheese contain as a rule rather more body-building material than the more expensive sorts, and are as easy to digest. There is no better or cheaper green vegetable than a cabbage. An orange is as good a food as a peach.

7. Source, Distribution and Protection

Emphasis should be laid upon the necessity of food being *as fresh as possible*. Thus the best meat is usually fresh meat; the best fish, fish recently caught; the best milk is clean milk

* On the whole subject of food the teacher is recommended to consult *Food and the Principles of Dietetics*, by R. Hutchison and V. H. Mottram, 1933 (Edward Arnold & Co.); also Medical Research Council Special Report Series, No. 167.

and fresh from the cow, if the cow is healthy; the best eggs new laid eggs; the best vegetables and fruit those straight from the garden. The conditions of living to-day make it extremely difficult for people to obtain this wholesome fresh food and we have often to be content with food which has been some time in reaching us from other countries. In order that such food may remain good it has to be kept sound by canning, chilling, etc. When food is subjected to such processes there is, from the point of view of health, probably always something lost due to subtle changes in the composition of the food when no longer fresh. The canning of foods of all kinds is a skilled industry and it is often a convenience to have tinned meats fish, milk and fruit, etc. (Reference may here be made to the fresh-food value of the home and school garden and the allotment.)

There are many Acts of Parliament and Regulations designed to prevent and control the use of *preservatives* in food and its *adulteration*. Any foreign substances added to food may be harmful and, in any event, the resulting article purchased is not what is demanded. Local Authorities are charged with the duty of maintaining the purity and wholesomeness of the food supply.

Much may be learnt about the distribution and protection of foods from visits paid to local markets and attention should be drawn to the measures taken—or not taken—to prevent contamination of food by exposure to dirt, unclean and unnecessary handling.

8. The Supply of Pure Milk

Pure milk, too, helps to keep the body healthy and vigorous. Milk is the type of a "complete" food, and in order to lay the foundation of sound nutrition in infancy an abundant supply of fresh pure milk is essential. It forms for infants a model diet in itself, the solid part consisting of nearly equal proportions of body-building material (casein), fat (cream), and milk-sugar, with small quantities of a large variety of minerals especially calcium and phosphates. As children pass from infancy and are able to take other foods, milk should still form a considerable part of their diet. The purer and richer it is, of course, the more nourishing it is; but for these older children even skimmed milk, when it can be obtained fresh and pure, is an excellent body-building food, and may be used with advantage in making milk puddings, etc. But skimmed milk should not be given to infants in any form; they should have whole milk only, even if it is necessary to dilute it before use.

Milk is a fluid which readily becomes contaminated. As it leaves a healthy cow it is free from germs. It is, however, often exposed to dust and dirt at the time of milking, on its way to or at the dairy or milkshop and in the home of the consumer. The bacteria which gain access to the milk are mainly (a) those producing fermentation, (b) those found in sewage, (c) those associated with diseases such as tuberculosis derived from tuberculous cows, typhoid fever, diphtheria, scarlet fever, and epidemic diarrhoea (to which infants are specially liable).

Whenever milk is exposed to the air it runs the risk of being contaminated with these germs, and with others that cause it to turn sour.

To secure a supply of pure milk it is necessary (i) for the cows to be healthy, amid clean surroundings, and free from tuberculosis; (ii) for strict cleanliness to be observed at the time of milking; (iii) for the temperature of the milk to be kept low (by the use of the refrigerator when necessary); and (iv) for protection to be afforded on its way to the consumer against all contamination by dust or dirt. Similarly in the home every care should be taken to protect the milk and to keep it cool. It is not easy to obtain herds free from disease, especially tuberculosis, and for this reason it is preferable to use pasteurised milk, i.e. milk which has been carefully and completely heated to 145° – 150° F. for half-an-hour and then immediately cooled. This makes the milk safe and does not impair its nutritive properties to any appreciable extent. If properly pasteurised milk cannot be obtained, it should either be boiled or heated to about 180° Fahrenheit for ten to fifteen minutes. The latter is usually sufficient for all practical purposes and makes less alteration than boiling in the composition of the milk. The best brands of condensed milk and dried milk are pure, wholesome, and nutritious, but probably not so good as fresh milk owing to slight alterations in composition during the process of preparation.

Many infants and young children suffer from the lack of sufficient pure milk, whether mothers' milk or cows' milk. This lack is at the root of much of the malnutrition in infancy, is closely associated with the production of rickets, and leads to lack of stamina which renders the child less able to withstand the onset of disease or, when attacked, to recover from infectious or other diseases. For these reasons a much larger supply of good pure milk than is at present given to infants and young children is necessary.

Wherever practicable, older boys and girls should see for themselves the working out of the problem of a pure milk supply by visits to a farm and dairy. Distinction should be

drawn between a clean milk and a safe milk. Tuberculous cows may be milked in a cleanly manner but such clean milk is not safe, though it may be made safe by careful pasteurisation.

9. Principles of School Meals

The Education Act empowers a Local Education Authority, subject to certain conditions, to incur expenditure in providing school meals for children attending public elementary schools who are unable by reason of lack of food to take full advantage of the education provided for them. The purpose of school meals is educational, medical, preventive ; it is not intended to be a form of poor relief, and, in fact, a charge for meals is made to the parents, unless circumstances make it impossible for the parent to pay. School meals are intended to furnish supplementary food for children who are malnourished and who should be selected on physical grounds.

As regards the food to be provided for school meals, three factors are important, (a) the quantity and quality of the food, (b) the manner of its preparation, and (c) its service. The quality should be determined, as far as practicable, by present knowledge of the nutritional value of various foodstuffs. Probably the foods which all children need (e.g. fresh milk, butter, cheese, eggs, fish, fresh fruit, green vegetables and salads), are among those which, on the ground of expense, they do not receive at home regularly. There is a tendency to substitute for the more expensive proteins and fats the less expensive carbohydrates, in the form of starchy foods and sugar. There is the further tendency only to supply food of a "sloppy" character, such as soups, which call for no powers of mastication and have little nutritive value. The school meal should make up this deficiency as far as practicable.

From the educational point of view, the provision of school meals affords a useful opportunity of training the child to take its food in a proper manner, of a pleasant and wise discipline in dietetics. For, as already indicated, almost as important as the total ingredients of a diet are (1) their suitable selection and presentation ; (2) unhurried mastication—food should not be bolted as a letter is posted ; it needs breaking up, chewing and churning, mixing with the important ferments of the saliva ; (3) appropriate hours and intervals of feeding and not feeding (no food between meals) ; (4) cleanliness before taking food and a rest of body after ; (5) the necessary adjustment of beverages without excess, and without "washing down" the food. Further, the school meal is, if we would make it so, a peculiarly valuable occasion of education in domesticity. It brings the day elementary school a little nearer in character to the residential school, and introduces

the important element of social obligation, of nice modes and manners and even a sense of family relationship. The full value of school feeding is well demonstrated in open-air schools, nursery schools, special schools, etc.

10. Water and Other Beverages

In addition to solid food the body needs also something liquid. Water is the best fluid to drink, and man cannot exist without it in some form. If a plant is not watered, and is thus allowed to become dry, it will wither and die; in similar circumstances the human body will also die. Most foods contain a large proportion of water; and some foods, (e.g. jelly), though appearing to be quite solid, consist almost wholly of water. All fruits and vegetables contain it. There is also a considerable quantity in meat. The amount of water in food, however, is not sufficient to maintain health; it is necessary also to drink, so that food may be dissolved and made liquid. The nourishing part of the food is then in a condition to be absorbed into the blood, through which medium it is distributed to all parts of the body. Food without water would be of little or no use to the body, however good it might be in itself.

People also drink things because they like them, e.g. tea, coffee, and cocoa. Neither tea nor coffee is a real food; the only food in tea, as it is drunk in this country, is contained in the milk and sugar put into it. The difference between milk, for example, and tea lies in the fact that milk gives the body power and strength, whereas tea only stimulates the body to put forth and use the strength it has gained from real food. If people drink these things when they are tired, they feel for a short time fresher and more able to work. This is due to substances contained in tea and coffee which temporarily increase the capacity for muscular and mental work. Thus fatigue is in some degree diminished and not merely obscured; but if tea and coffee are taken too frequently, especially for the purpose of freshening up the body when it is tired, they may be harmful. When the body is tired it does not need stimulants but rest and food.

Tea should be freshly made and should not be strong. If it is left to stand long after it has been made (unless the tea has been poured off the leaves into another vessel), it soon begins to taste bitter; this is because "tannin" has been dissolved out of the tea-leaves. Besides making the tea taste bitter, the tannin is injurious to the body tissues; it hinders the assimilation of food, sometimes causes indigestion, and may do harm in other ways. Tea should be drunk, therefore, soon after it is made. Tea and coffee are not good for

children ; they should have milk or cocoa made with milk, because they are less stimulating and contain more food substance.

A great variety of " mineral waters " are also used for beverages. In addition there are beverages which contain alcohol, the properties of which are dealt with in the following pages.

ALCOHOL

" We accept the view that every child ought to receive specific and systematic instruction as to the properties of alcohol, as in all other matters which may affect future health, so that the child may at least be in possession of sound material on which to form a personal judgment when years of discretion are reached."

(Report of Royal Commission on Licensing, Dec., 1931.)

Children should not drink beer, wine or spirits of any kind. They do not, as a rule, like the taste of alcohol ; in fact, wide experience proves that alcohol is seldom any temptation to them, and yet the habit may be acquired and become a temptation later. When in health, the body does not need alcohol, whereas it is always possible that various evils may arise as a consequence of drinking beverages containing it.

I. Facts about Alcohol

The term alcohol is applied by chemists to a variety of substances having a certain type of chemical constitution, but in the ordinary use of the term it is restricted to what is called " ethylic " alcohol, which is a constituent of all alcoholic drinks, and is produced by the fermentation action of yeast upon sugar. Thus wine is produced by the fermentation of the sugar in the juice of the grape, cider by the fermentation of that in the apple. The alcohol in beer is produced by the fermentation of malt-sugar, which is produced in the process of brewing, from the action of a ferment on the starch in the barley grain. Thus alcohol is produced from the fruits of the earth and is the principal constituent of beverages which are consumed in all parts of the world. Obviously, therefore, there is something in these beverages which has been found by mankind to be attractive to those consuming them. Unfortunately, such beverages may, if misused or abused, lead not to utility or benefit but to impoverishment of body or mind. Indeed, in common experience they have been found to be as seductive as their results are elusive.

During the process of fermentation traces of various substances are produced, which give rise in the main to the characteristic flavours of the different kinds of wines and spirits; but it is the ordinary or "ethylic" alcohol which is responsible for the effects produced by the drinking of alcoholic beverages.

Pure alcohol is colourless and looks like water, but it has a peculiar smell; also, unlike water, it has not the power to quench thirst. It will burn; hence brandy and whisky, which contain a large proportion of alcohol, may take fire.

When the body loses water, whatever the cause of this loss may be, thirst is created and a renewal of the supply of water is necessary. Hence, when a person is thirsty it is water and not alcohol that is needed. Alcoholic drinks tend to make a man more rather than less thirsty.

These properties of alcohol make it very useful in certain arts and manufactures, and for some industrial purposes. As a fuel, for example, it may be used for spirit lamps or to drive motors. The chemist uses it to prepare and purify drugs and other compounds. It is employed to dry and harden substances; many articles and museum specimens are preserved in spirit; and since it is difficult to freeze alcohol, it is used instead of mercury in thermometers when it is desired to register very low temperatures.

Alcohol has a great attraction for water, and if substances containing water are soaked in alcohol, they lose this water and become dry and hard. It is not feasible to drink pure alcohol, because it causes a hot painful feeling in the mouth, throat and stomach, and also produces direct injury. Therefore it can only be taken when diluted and made weaker by mixing it with water or other liquids.

Beer, wine and spirits all contain alcohol. There is some in beer, more in most wines, and a great deal in spirits. The percentage of alcohol by volume in some of the commoner alcoholic beverages may be stated as follows:—

Cider contains 3-6 per cent.

Lager beer, draught ale, stout contain 4-6 per cent.

Bottled beer contains 4-7 per cent.

Claret, hock, burgundy, champagne contain 9-13 per cent.

Port, sherry, contain 15-22 per cent.

Spirits:—gin, rum, whisky, brandy contain 37-43 per cent.

Some of the "medicated wines," sold by chemists and others, contain a large percentage of alcohol, and, for this reason, harm may be done by their use as "tonics." A similar reservation must be made for alcoholic "cocktails."

2. The Food Value of Alcohol

The food value of alcohol has been the subject of careful research in recent years. It has already been shown that there are three main classes of foods and the respective services which each renders to the maintenance of a healthy body have been indicated, viz., that the proteins supply the material for the repair of tissue waste, while the carbohydrates and fats provide the necessary fuel for the supply of energy. Besides making use of protein for tissue growth and the repair of tissue waste, the body is able to transform some of the protein into carbohydrate and thus utilise it as a source of energy. But the supply of an adequate quantity of carbohydrate and fat renders this conversion of protein unnecessary; carbohydrate and fat act, that is to say, as protein savers.

Further, besides furnishing fuel for energy, food can be stored in the body for future use. Carbohydrate is stored mainly in the liver and muscles, but it may be transformed by the body into fat and stored in that form. Alcohol can be utilised by the body as a fuel, and it can act also as a protein saver. It cannot, however, be altered or stored by the body for future requirements, but circulates in the blood for some 15-24 hours, during which period it is very slowly burnt. Thus it is seen that if taken in large amounts, or if taken in moderate amounts frequently, alcohol exerts a more or less constant action which may be prejudicial to the body tissues.

Alcohol may, therefore, be classed as a food in that it is able, by helping to supply the immediate requirements of the body, to prevent some depletion of the reserve, but for practical everyday purposes alcoholic beverages cannot be regarded from a health point of view as a source of nourishment.

3. Effect on the Brain and Nervous System

Contrary to popular opinion, the effect of alcohol on the nervous system is to depress rather than to stimulate its functions. The apparently stimulating action, as shown by the stage of excitement through which the drinker may pass, is due to its depressing action upon the highest and latest developed part of the brain, namely, that which is associated with the exercise of the intellect and of the will. The emotions released from normal control are left free play to respond to the immediate environment in which the drinker finds himself, and this as a rule is of a convivial character.

The emotional characters of the human brain are the oldest established ; they have their bodily representation in certain lower parts of the brain which are developed early in the animal scale. Next in order of development come the nerve centres associated with the sensory and skilled motor functions ; and latest of all is developed that part of the brain connected with the higher intellectual processes.

Thus, the action of alcohol is to depress the functions of the brain from above downwards in the reverse of their development in the individual and in the race.

Among these successive steps the following may be noted :—

(i) Blunting of self-criticism.—Self-criticism represents the latest developed of the intellectual functions. When it is blunted things may be done or remarks made which may not be consistent with the usual behaviour of the individual. The resulting effects of this blunting are various to an almost unlimited degree ; but certain of them are particularly characteristic of the action of alcohol, and emerge with considerable regularity in carefully conducted tests and experiments. Among these may be cited :—

(a) inaccurate workmanship in regard to mathematical calculations or such handiwork as shorthand and typewriting ;

(b) uncritical self-satisfaction of the individual with his work and actions ;

(c) disregard of occurrences and conditions normally requiring caution of act and word ;

(d) trespass upon rules and conventions previously respected ;

(e) impaired appreciation of the passage of time ;

(f) talkativeness ;

(g) an argumentative frame of mind ; quarrelsomeness.

(ii) Interference with the performance of skilled movement. This is indicated by clumsiness of behaviour, by the slurring of words, and by insecure muscular control.

(iii) The blunting of the senses—of hearing, taste, touch, and vision.

(iv) The display of the primary emotions. Anger may be displayed at one moment, and affection at another ; similarly with boisterousness and depression, laughter and tears.

(v) The failure to respond to external stimulation and the eventual lapse into a heavy sleep.

At each successive stage in the process of "intoxication", it will thus be seen that the action of alcohol is chiefly *narcotic*.*

* See also "*Alcohol : Its Action on the Human Organism*", (Medical Research Council), H.M. Stationery Office, 1924. Price 1s.

4. Capacity for Work

The habitual drinking of beer, wine, and spirits may tend to weaken the muscles of the heart and of the body generally, and so diminish the power and capacity to work. Athletes, when training for racing, boxing, football or other sports, usually avoid alcohol because they know the harmful effect it may have on their strength and endurance. In this connection the Royal Commission on Licensing (1929-31) point out that :—

"the increasing tendency to mechanisation . . . has meant, generally speaking, an increased demand for qualities of concentration and nice judgment in the worker in all grades of industry and commerce, for which excessive drinking must unfit him," and that the use of alcohol "as an aid to work, whether physical or mental, is regarded as physiologically unsound; and the performance of the finer kinds of work, at any rate—including, it should be noted, such responsible duties as the driving of a motor car or the piloting of an aeroplane—may be temporarily impaired by even moderate doses of alcohol."

(*Report : Paragraphs 52 and 68.*)

They also observe that :—

"According to evidence given before us, it is the practice of a large majority of motor transport undertakings, municipal, public, and private, to require of their drivers total abstinence from intoxicants while on duty. We think this practice wise, and would welcome its universal adoption."

(*Report : Paragraph 704.*)

Muscular fatigue following severe exertion is far less readily recovered from if alcohol is taken during the work or exertion, and the recuperative powers of those who regularly take too much to drink are greatly lessened. Broadly, therefore, it may be said that experience shows that men engaged in very hard manual labour do their work more easily, in all respects, without alcohol.

In reporting on the health of men employed in very heavy trades, the Health of Munition Workers Committee stated, in regard to certain steel smelters :—

"A few of the workers are abstainers from alcohol in any form. These latter are usually the most reliable men. When the supply of drink was restricted by the closing of the public-houses in the district, a great improvement in the health and the time-keeping of the workmen was noticed and was admitted by the men."*

In the final report of that Committee, the various factors leading to the production of accidents are discussed, and an example is given of a fuse factory where the number of accidents among the night-shift workers fell rapidly after the restriction of alcoholic consumption.†

* *Industrial Efficiency and Fatigue*, 1917 (Cd. 8511), p. 100. (Price 1s. 3d.)

† *Industrial Health and Efficiency*, 1918 (Cd. 9065), p. 66. (Price 2s.)

In a Return*, furnished to the House of Commons in April 1915, on the causes of the serious incidence of bad time-keeping in ship-building, munitions and transport areas, it was shown that serious loss of time occurred at the end of each week and at the beginning of the next, and it was the unanimous testimony of observers in each district that drink was by far the most important factor causing this loss.

5. Resistance to Disease

Alcohol may lower the resistance of the body to disease, that is to say, a person who habitually drinks alcoholic beverages to excess is more likely to contract illness than one who does not. The devitalising of the tissues produced by chronic alcoholic poisoning lowers the defences of the body against the invasion of germs, and consequently the body is rendered more liable to develop, and less able to throw off, diseases dependent on microbial invasion such as pneumonia, tuberculosis, septicaemia (blood-poisoning), etc. Then again, wounds, sores, and cuts heal less readily in a person who regularly drinks much beer and spirits than in one who does not, and such a person is more likely to suffer from blood-poisoning.

6. Digestion of Food

Alcohol not only increases the flow of gastric juice, but also modifies its composition, and reduces the quantity of the digestive ferment, pepsin. Small amounts of alcohol have little action on the movements of the stomach, or on the chemical process of digestion, nor do they appear to exercise an appreciable influence on the absorption of digested foodstuffs. Alcohol taken in substantial quantities, however, may lead to chronic inflammation of the stomach and bowel, the digestive functions of the stomach may be interfered with, food may not be absorbed into the blood as freely as it usually is, and the general nutrition therefore suffers.

7. Body Temperature

It is important to distinguish between the surface temperature and the deep temperature. The former is usually lower than the latter, and it is also subject to more variation. The deep temperature remains in health almost constant, and this is indeed an essential condition of health.

The process of regulation of the body temperature is affected by alcohol in two ways. First, alcohol produces a general flushing of the surface of the skin through its action in leading to the dilation of the blood vessels of the skin, and to that

* Report and Statistics of Bad Time kept in Ship-building, Munitions and Transport Areas. Treasury Return [220], 1915, price 3s.

extent it causes a fall in the deep temperature ; and, secondly, by relieving the unpleasant sensation of feeling cold, it prevents the warning, to which this feeling would otherwise have given rise, from reaching the heat-regulating centre, and consequently the involuntary and voluntary muscular responses to that warning fail to be evoked. Alcohol accordingly leads to a fall of the deep temperature. Moderate doses of alcohol, taken to relieve a temporary feeling of cold, do not, of course, seriously affect the deep temperature ; but, taken before or during severe exposure to cold, may be injurious. Many arctic explorers have not permitted alcohol to be taken as a beverage by members of their expeditions, partly because it causes this loss of heat, which is especially serious in cold climates, and partly because it diminishes the muscular strength and the capacity for endurance. A man drinking much alcohol in a very cold climate is likely to suffer severely, or even die, from the cold because of the heat that is lost from the body on account of the alcohol. On the other hand, as a restorative after severe exposure to cold, it may prove of value in promoting the circulation of the blood, provided that the individual is protected from further exposure.

This action of alcohol in disturbing the normal working of the body's heat-regulating organs is also prejudicial when the external condition is unfavourable to the loss of heat ; hence alcohol has been found to predispose to sunstroke.

8. The Effect of Continued Indulgence

As a result of continued alcoholic indulgence, some of the effects of alcohol on the human system may become permanent, and the character of the individual is modified. The general intelligence, the will power, the understanding, the ability to think and to reason clearly, are injured and weakened. The judgment becomes less accurate and balanced ; the memory becomes insecure ; the power of voluntary attention is enfeebled, and that of calculation retarded. Thus mental activity generally is reduced and the work that is done becomes increasingly inaccurate, careless and untrustworthy.

Then, further, the finer emotions and sensations are blunted and the effective control of the brain over the muscles is weakened. As one result of this loss of control, accidents, such as falls, or factory mishaps with machinery, may occur. Skilled movements requiring delicacy of touch and precision in execution are affected adversely by even small doses of alcohol. The trembling shaky hands of those who take too much alcohol are characteristic of loss of control by the brain, and this is especially detrimental to the man who earns his living by skilful manual work requiring deftness of touch. Detailed investigations have been made into the effects of moderate

doses of alcohol on neuro-muscular co-ordination and particularly on the accuracy and speed of typewriting. It was shown that " [the] reaction was invariably in the direction of diminished control of the muscles, as was shown in the number of typing and adding-machine mistakes, by diminished typing speed and by increased error in pricking a target."*

The habitual excessive use of alcohol leads also to permanent mental disorder, as shown principally by failure of memory, failure to control the emotions, and a general weakening of will-power. Comparatively rarely, probably, does it produce what is ordinarily recognised as insanity, but it has a strong tendency to render active some forms of insanity that might otherwise have remained latent and unsuspected. Furthermore, since sufferers from insanity are liable to become addicted to excessive drinking, some forms of intemperance may sometimes be regarded as symptomatic.

A person who frequently takes much alcohol becomes less fit and healthy, partly owing to its cumulative effect. Neither his muscles nor his brain are capable of as much exertion as those of a person who abstains or is strictly temperate, and the quantity and quality of the work that is done invariably show more or less deterioration.

The Report of the Royal Commission on Licensing, 1931, sums up the scientific position in regard to the properties and physiological effects of alcohol as follows:—

(1) Alcohol is primarily a drug acting directly on the nervous centres.

(2) The action of alcohol is essentially narcotic and not stimulant.

(3) Alcohol taken in excess may exert, like any other drug, a poison action; and if taken habitually in excess may cause or contribute to a variety of diseases.

(4) The drug or poison action of alcohol is substantially restricted when alcohol is taken in dilute solution or with food.

(5) Alcohol has a certain food, or fuel, value, the scope of which, however, is strictly circumscribed by the disadvantages of its drug action.

(6) The use of alcohol as an aid to work, whether physical or mental, is physiologically unsound.

(7) Alcohol has no direct curative or prophylactic properties, although within a strictly limited range of conditions it has a certain therapeutic value.

(Paragraph 81).

* *The Influence of Alcohol on Manual Work and Neuro-muscular Co-ordination*, Medical Research Committee Report (H.M. Stationery Office, price 2s.), 1919, No. 34, page 57.

9. The Mortality Tables

Men and women who are occupied in the manufacture or sale of alcoholic beverages, and are therefore constantly liable to the temptation to drink them in excess, do not usually live so long as the average healthy man, and the mortality among them is even higher than in many of the so-called Dangerous Trades.

This is well exemplified by the following Table, furnished by the Registrar-General, which gives the average relative mortality, expressed in the form of a ratio, among occupied and retired males (25-65 years of age) from alcoholism and diseases of the liver, in various trades, during two periods of three years each (1900-02 and 1910-12).

The figures are based on medical certificates as to the cause of death, and cannot, therefore, do more than give an approximate estimate of the relative mortality from all causes and from alcoholism. Diseases of the liver are included because they are often so closely associated with excessive indulgence in alcoholic beverages.*

Occupation.	All causes.		Alcoholism and Diseases of the Liver.	
	1900-02.	1910-12.	1900-02.	1910-12.†
Occupied Males.	100	100	100	100
Coalheaver	122	121	109	91
Coachman, cabman ..	115	117	135	126
Fishmonger	101	95	174	165
Musician	126	122	193	170
Dock Labourer	148	143	167	187
Costermonger	200	191	230	226
Chimney Sweep	134	128	186	243
Butcher	114	112	219	243
Brewer	139	129	279	270
Inn-keeper	177	160	726	791
Inn-servant	188	148	419	322

* For further information as to "Industrial Drinking," consult *Alcoholism*, by W. C. Sullivan, M.D. (Nisbet, price 5s.), 1906, Chap. VI.

† It is impracticable to give these ratios for later years owing to a break in the continuity of the Registrar-General's classification in 1911 (due to adherence in that year to the International List of Causes of Death).

It will be understood in reading this table that the number 100 represents 100 deaths in a given population of occupied and retired males in all trades and professions, (a) from all causes, and (b) from alcoholism and diseases of the liver; while the numbers below, in each column, give the relative mortality from all causes, and from alcoholism and diseases of the liver, among occupied and retired males in certain special occupations. That is to say, that if we so choose a standard population that at the rate of mortality from alcoholism and diseases of the liver experienced by all occupied and retired males 100 deaths would have occurred, application to this population of the death rates at different ages, for coalheavers would yield 91 deaths, the brewers' rates would produce 270 deaths and so on. The figures are, therefore, not death rates, nor do they represent, of course, the actual number of deaths taking place in the years stated; but they give the relative magnitude of the mortality from all causes, and from alcoholism and diseases of the liver, among persons engaged in different occupations, demonstrating the relatively high mortality from alcoholism and diseases of the liver in certain trades as compared with what may be thought of as the standard mortality for occupied and retired males of all trades and professions.

10. Social Effects

A person who takes too much alcohol becomes unfit either for responsibility or a good day's work. Intemperance therefore tends to result in poverty. The causes which lead a man to wrong doing may be various; some may be of long standing in the life of the individual; others may have been operating only immediately before evil is done. If one takes such common offences, as, for example, assaults, cruelty to animals, damage to property, it has been held that a relatively high percentage of such offences are attributed directly or indirectly to drink.

Many families have only sufficient money to enable them to provide for essential requirements. There must therefore be curtailment somewhere, and as the rent cannot be reduced, this would probably mean that less would be spent on food and other necessities. So that quite apart from the direct effects of immoderate drinking on the individual, the aggregate sum available for food and other necessities of life is reduced if too much be spent upon luxuries, like alcoholic drinks, and some families must suffer. Yet no one can be healthy or efficient who is deprived of the actual necessities of life.

11. Prevention of the Evils arising

Recent years have shown a large decrease in the amount of alcoholic drinks consumed, and certainly a great diminution in heavy drinking. Many causes have operated to bring this

about; for example, the higher price of beer and spirits; restrictions imposed by law on the sale of drink, etc. Important social changes also have been operating, such as the influence of transport, outdoor recreations, counter-attractions, such as the cinema and wireless; and the general educational developments affecting particularly young people, including specific instruction in the subject of hygiene and temperance. There is, broadly speaking, less temptation than formerly to spend time in the public house. This growing sobriety of the nation is having a good effect, not only upon the health and capacity of the individual, but also upon the general standard of industrial efficiency.

The policy of certain *life assurance offices* of late years has been to give somewhat more favourable terms to total abstainers, as it has been recognised that such persons are on the whole likely to live longer than non-abstainers. There is no evidence that the moderate use of alcohol shortens life, but numbered among non-abstainers will inevitably be some who drink to excess. Practically all offices charge special terms on the lives of "beer-shop keepers, licensed victuallers and their servants". It is the frequent practice of accident insurance companies to allow to total abstainers a reduction of premium, varying from 5 to 10 per cent.

During the Great war, restrictions on the sale and supply of intoxicants were introduced into most areas of Great Britain and there was a remarkable decline in the number of

- (a) convictions for drunkenness (by 85 per cent.);
- (b) cases of delirium tremens;
- (c) deaths from alcoholism.*

The remedy for the evils following alcoholic indulgence rests partly with the individual and partly with the State. Further, both in the individual and in the community the habit of consuming alcohol is influenced by a great variety of factors (faulty nutrition, bad housing, overcrowding, unsatisfactory industrial conditions, inadequate facilities for healthful recreation, urbanisation, etc.).

* See Fourth Report of the Liquor Control Board (H.M. Stationery Office, price 3d.), 1918, which records these results both among men not on military service and among women; also, "*The Control of the Drink Trade in Britain*" (a contribution to national efficiency during the Great War), by Henry Carter (Longmans, Green & Co., London, 1919, price 4s. 6d.).

IV

HEALTH EDUCATION AND THE SCHOOL CURRICULUM

1. The Place of Health Education in the Life of the School

If it is to play its proper part in school life health education must have accorded to it by teachers and pupils alike a status which is very different from that enjoyed by any of the regular "subjects" in the school curriculum. The various subjects of instruction, in the Public Elementary School at least, are coming to be recognised as "activities necessary for an understanding of the body of human civilisation and for an active participation in its processes."* The various subjects are, in fact, merely the means adopted by the school to develop the pupil physically and mentally both as an individual and as a member of society. Each subject, whether it consists of the study of some branch of knowledge or a training in some form of skill, or even of both, contributes something towards that development. But health education, though it has its own special contribution to make, in the form both of knowledge and of training, differs radically from the regular subjects of the curriculum in that in health education *the learner provides in his own person the subject-matter* with which both the training and the study are concerned.

It has not, indeed, been sufficiently realised in the past that the primary aim of health education is to bring the pupil to understand and to control his own mind and body for the purpose of healthy living. "Hygiene" consequently has often been treated—in a way far too commonly adopted in the teaching of other subjects of the curriculum—as an isolated collection of facts and general principles sometimes

* *The Primary School*. (Report of the Consultative Committee of the Board of Education), p. 153.

Cf., also the following passage from the same Report (on page 93):
 "the curriculum is to be thought of in terms of activity and experience rather than of knowledge to be acquired and facts to be stored. Its aim should be to develop in a child the fundamental human powers and to awaken him to the fundamental interests of civilised life so far as these powers and interests lie within the compass of childhood, to encourage him to attain gradually to that control and orderly management of his energies, impulses and emotions, which is the essence of moral and intellectual discipline, to help him to discover the idea of duty and ensue it, and to open out his imagination and his sympathies in such a way that he may be prepared to understand and to follow in later years the highest examples of excellence in life and conduct."

presented in a way little calculated to bring home to the individual their immediate application to himself. Health education, viewed aright, involves activities and ideas the value and the significance of which should be presented in so *practical* a way that they are immediately and directly apprehended by the pupil. Its concern is pre-eminently with *health-behaviour*. Any scientific generalisations about health which it may be necessary to present to the pupil should play only a subsidiary part and should occupy his attention only when he is in a position to realise their application to his own personal experience and needs. The less he is occupied with abstractions, the more likely he will be to appreciate health as a state of physical comfort.

The curriculum already contains a number of specialised forms of training which have a direct bearing upon health. For instance, Physical Training, Organised Games, Domestic Subjects (Cookery, Laundry, Housecraft) and Infant Welfare have secured a recognised place in school work, but as yet there is no general recognition of the fact that all these activities have one ultimate aim in common, that of promoting the health of the individual and of the community. Each at present is in its own watertight compartment, and the energies of educators have been mainly directed towards the perfection of technique in instruction, and insufficient attention has been directed to the unification of all these forms of training.*

2. Importance of creating a right Attitude of Mind towards Health

The school, in addition to bringing the pupil to realise the connection between the health training he undergoes and the health studies he pursues, must make special provision for ensuring the creation in the pupil's mind of a right attitude towards health and a sense of its value to himself both as an individual and as a member of society. That it ought to be less difficult to do this in the case of health education than in that of the usual subjects of the curriculum will be obvious to all who realise how closely, and at how many points, it touches upon the living experience of the child at school. But the school will not succeed in inducing in the growing child a proper outlook towards the study and practice of health and the prevention of disease, unless it consciously places the ideal of healthy living among those other ideals which are at any rate implicit in the broader conception of the function of the school of to-day.

* Reference should also be made to "*Health and the School Child*," 1929 (pp. 37-55), the Annual Report of the Chief Medical Officer, published by H.M. Stationery Office, 2s. The teacher is advised to consult regularly these annual surveys on the health of children at school.

Health education thus interpreted will have, therefore, a far wider scope than that of any of the subjects which comprise the traditional curriculum. It will mean in fact, a programme of training and of study designed to develop in the pupil the habits, and to provide him with the knowledge, which will enable him to enjoy bodily and mental health both during schooldays and in later life. But no programme will be really successful unless it also inspires him to adopt the right attitude of mind towards all those school activities which have as their common purpose the promotion of healthful living.

3. Planning a Programme of Health Education

Some guiding Principles.—The definition here adopted of the purpose and scope of health education will at once suggest certain general principles which must be observed in framing programmes of health training and health study designed to secure the three major objectives indicated, viz., the formation of health *habits*, the acquisition of health *knowledge* and the development of the right *attitude* in relation to health.

Securing the Active Co-operation of the Pupil.—All schemes and syllabuses, in the first place, will have to take into account *the point of view of the child* as well as that of the teacher. The teacher will think of his task as consisting not only of training his pupil in habits and of equipping him with the necessary knowledge and understanding, he will have in mind also the essential need of arousing his pupil's interest and of enlisting his co-operation in the training. *Training* in health, therefore, will mean to him not merely insistence on the performance of tasks which are prescribed for him, but will include also the pursuit of activities voluntarily undertaken by the pupil. In the *study* of health, the presentation of new ideas by the teacher will be less important than the explanations which the pupils themselves ask him to give. In both the study and the training he will make every use of his own example and powers of suggestion in order to secure spontaneous effort on the part of his pupils.

Knowledge of Home Circumstances of Pupils.—In the second place, in drawing up schemes of work teachers, whilst they will naturally be guided by such knowledge as exists on the subject of the needs common to all children, will also take into account the *home* circumstances of their pupils. They will make use of their own experience and knowledge of the needs of the particular district in which the school is situated. In districts where children live in poor and overcrowded conditions, the influence of the teachers in matters of health will be directly proportional to the knowledge they themselves

possess of the home-life of their pupils, and if they use this information confidentially, sympathetically and tactfully in dealing with any particular child, they will not find it difficult to arouse in him an active interest and co-operation in carrying out the school programme.

Co-operation of the Staff.—It is essential, too, that there should be co-operation and collective consultation by *all* the members of the school staff. Only in this way is it possible to ensure that the programme is suitably graded as regards the particular habits to be fostered, the topics to be studied and the type of appeal to be made at each stage of school life.

Co-operation with other Health Agencies.—It is no less important that those responsible for drawing up and carrying out the programme of health education should avail themselves of all the help it is possible to obtain from every type of health agency, both within the school world and outside. There are many statutory bodies, central and local, and voluntary societies to which the school may turn in order to secure assistance in carrying out its programme.* Contact and co-operation with them is a material aid to the teacher in his work, particularly in dealing with his pupils as individuals. Most schools realise the importance of keeping in close contact with the work of the School Doctor and the School Nurse. The Medical Officer of Health, who is usually also School Medical Officer, is always willing to give direct information to teachers in regard to the various branches of his work, and, so far as is practicable, to arrange for them to see something of the various activities carried out by his Department. The organisation of the *Infant Welfare* work and the arrangements made for the medical care and supervision of babies and of pre-school children should be of special interest. The school *Medical Inspections* provide opportunities for the teacher to become better acquainted with the home conditions of his pupils. Information about medical, surgical and dental clinics, welfare agencies, etc., may readily be obtained through the doctor or the nurse. Further, the school doctor, the school dentist and the school nurse might occasionally be asked to give talks on health to the whole of the school.

The End to be achieved through the Programme.—Finally, the whole programme of health should be conceived with the idea that it is intended to provide the child with the experiences and the knowledge necessary to ensure his leaving school capable, as an independent individual, of maintaining himself

* *Vide* footnote on p. 92.

in health, and of putting into application, even when confronted by wholly new situations, the principles of health behaviour practised during his life at school.

4. Methods

Some General Considerations.—A programme of health education should be as flexible and elastic as possible. It must continually be readjusted as the result of experiment and trial. Similarly the methods adopted to secure the objectives aimed at must vary with the personality of each teacher and even with the personality of the individual pupil. The choice of method is the prerogative of the teacher. The suggestions made below are not intended in any way to infringe his rights. It may, however, help those responsible for carrying out the programme of health education to indicate some of the activities which have been found successful in practice. These will be briefly outlined in the two following sections, which deal respectively with the formation of health habits and the acquisition of health knowledge. So far as the third of the main objectives of health education is concerned—the development of the right attitude towards health—it is obvious that this depends upon all those influences which constitute the general atmosphere of the school community as a whole. It is not primarily a question of organisation or of method. But the successful teacher is one who knows not only when to impart knowledge of facts and principles, when to explain or demonstrate, when to set his pupils to discover facts for themselves, and when to drill or practise them in some form of skill, but also when to make special use of that *power of suggestion* which is an essential factor of all teaching where the guidance of conduct is the end in view.

Habit Formation

The desirability of arranging for a regular daily routine designed to promote the formation of healthy habits deserves to be carefully considered in connection with the drawing up of the school programme of health education. Time might profitably be found for the following activities in particular:—

Daily health inspection.—The precise aspects of health which will call for attention will vary from school to school and from stage to stage of each school. But they should include, in addition to such daily inspection as may be decided upon for the purpose of securing habits of personal cleanliness of body (face, hair, teeth, hands, etc.) and neatness and tidiness of clothing, etc., opportunities for briefly discussing with the children the health habits they are from time to time being encouraged to

form for themselves away from school. The time, too, can be used for filling in such group or individual records as may be kept in this connection. Further, the teacher will thus have a regular opportunity of noticing signs of ill-health, malaise or undue fatigue, and particularly symptoms of communicable disease on the part of his pupils.

Weight and height records.—An invaluable means of enlisting the co-operation of children in forming healthy habits is to arrange for each class to be weighed and measured at intervals. Every child is interested in his own growth, and this interest has been found to act as a real incentive to the adoption and maintenance of healthy habits. The older children in each class could be made responsible for weighing and measuring themselves and for keeping such class records as may be adopted. Individual records might also be kept for the information of parents, and thus provide an additional means of securing their co-operation in the work of the school.

At what stage of the school life these activities should be discontinued will depend entirely upon the circumstances of each case. Special importance should be attached to them right up to the end of the junior stage of the primary school, where the emphasis should be upon the practice rather than upon the study of health. Further ways in which a practical habit-training in hygiene may be given are suggested in Chapter V.

Many schools make special arrangements for children to drink milk and eat food on the premises and regard them as opportunities for inculcating sound habits of eating as well as good manners. (Reference should be made to Chapter III, p. 43.)

Instruction in Knowledge of Health

The need for introducing definite instruction in health will not be felt till the senior stage is reached. Before that point the routine activities suggested should suffice, though there is no reason why a suitable health reading book should not be used. Moreover, room might be found for many of the activities described below, though there need be no regularity regarding set lessons.

In the time-table for older children, i.e. those in the Senior Schools, it is recommended that there should be each week a period set aside for "health study." It should be employed for a variety of purposes and should on no account be devoted to a type of "class lesson," unfortunately still too common, in which the pupil is merely a passive listener. Inert ideas are at all costs to be avoided where health education is concerned.

This special weekly period should rather be used as a means of unifying the child's health experiences both inside and outside the school ; integrating all the activities included in the programme of health training ; and observing the results of the training given. The answer to the question who should be responsible for this period will be determined by the particular circumstances of each school. In the smallest schools it is obvious that specialisation is out of the question ; and in larger schools it may not always be practicable.

5. Examples of "Projects" and Demonstrations in Health Study

The older children can sometimes usefully be led to choose from a list of subjects suggested for individual investigation. These might be regarded as projects which would occupy them at intervals during the whole term, or even longer. Such information and illustrations as they might collect together would eventually be put at the disposal of the whole class, and from time to time would provide material for short lectures by the writers or for class debates.

Children would of course need help as to the sources from which information could be obtained, and should be given every opportunity of availing themselves of the School Library, the Local Library, etc., but they should otherwise be left mainly to their own efforts when they have once started. The teacher would of course take a lively interest in the progress of each of the projects, without however appearing to criticise or direct until the work is complete and has become public property.

The list would include subjects likely to tax the powers of the most capable of the children, as well as others which would give scope to the so-called backward boy or girl, or the pupil who is not of a bookish turn of mind but has plenty of practical intelligence. The wise teacher's influence would be shown mainly in giving advice as to the choice of subject.

The following are some examples of "projects" of the kind indicated :—

Where my breakfast comes from and how ; why are children vaccinated ; washing clothes in all times and in all countries ; spectacles—ancient and modern ; labour-saving appliances in the homes ; the papering of my own bedroom—choice, etc. ; electricity *v.* gas for heating and lighting ; oil stoves *v.* gas stoves ; the lighting of the town ; the lighting of the school ; how your school is ventilated—comparison of methods ; windows of all times ; how to choose a holiday place ; how to choose clothes ; footwear through the ages—how to choose shoes ; great discoveries, e.g. circulation

of the blood, use of anaesthetics ; our teeth—false teeth—animals' teeth ; fashions in hair dressing ; collections of recipes for washing hair, curing colds, common ailments, etc. ; dangers of the streets and how to avoid them ; public conveyances ; drinking utensils—ancient and modern ; baths—ancient and modern ; information about famous athletes ; value of walks ; picnics—how to make the best use of them ; good and bad toys for little children ; good and bad lunches to bring to school ; corns and chilblains ; choice of games ; rubbish dumps ; litter ; advertisements and posters ; water softeners.

Other activities might include demonstration visits in the district and subsequent discussions ; work in the practical room (e.g. kitchen, library or workshop) ; outside lectures ; library work ; monitorial duties.

6. The Last Year of School Life

In the last year of school life an attempt should be made to gather up the work of previous years. The pupil by the age of 14 should be expected to know :—

(a) how to keep himself healthy and clean (nose, ears, eyes, skin, teeth, bowels, etc.) ;

(b) how to render first aid* in case of illness and accident (stings, cuts, burns, bruises, etc.) ;

(c) how, in the case of girls, to do sick nursing and to prepare invalid food ; and to know something about Infant Care ;

(d) where the local Clinics, Welfare Centres, and Hospitals are situated ;

(e) what to do when there is a case of infectious illness with a view to protecting the general public ; reasons for such precautions as are necessary should be realised ;

(f) something about important discoveries made in medical science in the past and at the present time, and how they have benefited mankind ;

(g) something about National Health Insurance and the Hospitals Savings Associations.

* There are certain simple forms of "first aid" which every older boy and girl should be capable of rendering. It is, however, important not to expect or train children to take responsibilities in advance of their years ; it is easy in rendering first aid to do more harm than good. In some schools it may be practicable to arrange with the St. John Ambulance or similar organisation for a first-aid course, especially for older boys. Boys and girls will receive excellent training in this direction by joining the Boy Scouts, Girl Guides, Junior Red Cross Societies, or other similar bodies. Suitable elementary text-books on this subject are obtainable.

7. Links with some of the School Subjects

Opportunities of illustrating Health Principles.—Some subjects, like physical training, housecraft or infant care, may easily be regarded as constituent forms of health education. Science, too, particularly in its biological aspect, has much to contribute to the effective practice of health. There are other subjects, however, which though they do not appear to have any immediate bearing upon health, can yet be profitably linked up with its study. In particular, history and geography, which are concerned with the life and achievements of mankind under varying conditions upon the globe, can provide most valuable illustrations of the importance of observing the principles of health and throw light upon their emergence and general acceptance. Thus, in the teaching of history, attention might be drawn, when a suitable occasion offered, to the place of health or disease as a decisive factor either in the lives of individuals or in the development of communities. But the teacher would be careful to avoid anything in the nature of forced or unnatural "correlation". He would pay due regard to the logical basis on which his presentation of history is organised. Both in history and in geography neither his choice of method nor the order in which he presented his facts and principles should be affected by disproportionate emphasis upon factors connected with health. The same holds good, too, of Citizenship. It is in the light of these principles that the following sections should be read. They contain a number of points of contact with health, which should be borne in mind when the programme of health education is being drawn up or discussed by the members of the school staff.

History

The teaching of History will be found to present frequent opportunity of showing the place of Hygiene in the life of the people in different stages of civilisation. Country and town life exert an influence on habit and occupation, dietary, exercise and rest. Disease has had a direct and indirect effect upon the destiny of nations, leprosy in the East, malaria in Greece, plague in Rome in the time of Justinian, the black death in Europe, ague, smallpox, plague and cholera in England. Consider the health ideals and circumstances under the Hebrew, Greek and Roman civilisations; in Britain from the days of King Alfred, during the Middle Ages, under the Tudors, and in modern times.

The children may be taught to consider the effect upon national health of social and political changes in given periods; what has been the health effect of events since the Reform Bill of 1832; the development of the Poor Law and the Factory

System ; the creation of Municipal Corporations in 1835 ; the construction of roads by Telford, canals by Brindley, railways by Stephenson, the motor car (1885) and the aeroplane ; the Corn Laws ; the postal system, newspapers, the telegraph, telephone and wireless ; the great Exhibition of 1851 ; the Elementary Education Act, 1870 ; the franchise extensions (1832, 1869, 1884, 1918) ; the Public Health Act of 1875, Old Age Pensions (1908) and the National Insurance Act of 1911.

Not only political and historical events but social habits and customs also exert an influence on health : the form and use of houses ; window-lighting and the open window ; candles, oil, gas, electricity ; the introduction of soap and tobacco ; baths and bathing ; fashions in day clothing and night attire ; beds, bedding, and bedrooms ; life in the open air ; games and sports ; dietaries, hours of food, modes of cooking, changes and conditions of occupation ; and the introduction of new industries.

Geography

Show the children a map of the world and discuss the different climates, by longitude and latitude, illustrating the effect of climate upon physique of race and social life of the people. Some parts of the world are famous as health resorts, Egypt and California, New Zealand and Switzerland, and it is useful to consider why this is so ; other parts are unhealthy, e.g. West Africa ; and some unhealthy districts (like the Panama) have been made healthy. How ? A comparison may be made of the death rates of different countries ; and a map of the world drawn indicating the distribution of some of the great diseases, leprosy, plague, cholera, malaria, yellow fever, hook-worm. Consider also the acclimatization of races to certain diseases, and their differences between maritime and hinterland, between the mountains and the plains.

Another aspect of geographical hygiene relates to food supply. Consider the sources of the food supply of Great Britain, a dozen nations supply our breakfast table. Inter-communication, refrigeration and internationalism have changed our dietary and contributed to our health.

The magic and superstition, tribal customs, caste, social habits and institutions, and religion of many lands (e.g. India, China, Malay, Polynesia, Borneo, Labrador, Iceland, Madagascar, Thibet, Brazil, Western Europe and America) have affected the health and physique of the people. The growth of Internationalism and the creation of the League of Nations have led to international sanitary codes of great importance to Britain as a maritime power. The relation of shipping to

conveyance of infection is direct and indirect and concerns merchandise, aliens and immigrants. Insect-pests, sandstorms, prevailing winds, rainfall, heat and cold, soils, and vegetation of different tropical lands may affect health.

Citizenship

Any teaching of citizenship to elder children resolves itself in large degree into health education. The first duty of a citizen to the State is to make himself a strong, long-lived, capable citizen, able to work and produce, the guardian and maintainer of a home, an all-round man, loyal, patriotic, "a friend and helper of mankind." The Greeks taught the virtues of self-knowledge, self-control and self-devotion as the basis of citizenship. But this sort of life can only be built upon healthy physique. Hygiene is therefore one of the primary "civic" subjects, each child's first duty to the State. The older children should learn what the State gives to the individual ; (a) maintenance of security, (b) supply of material needs and public sanitation, (c) law, order and justice, (d) the common inheritance of the State, language, liberty, custom, tradition, (e) means of education and communication, postal system, and roads. These are conducive to health, and it is the citizens' duty to assist in their fulfilment and organisation. Children may be taught the ways in which the Local Authority carries out the State's requirements in regard to water-supply, sewage and refuse disposal, poor law relief, child welfare, factory supervision, food control, and the public health.

THE PRACTICE OF HEALTH HABITS

Introductory Notes on the Use of the Chapter

(i) *Need for a Regular Routine.*—This chapter deals with health exercises which, day by day, should be carried out by the child under 10 or 11 years of age. A brief explanation may be added as to the way in which it may be used. There is little need or place for instruction except in the mode of presenting such health axioms and practices, whether it be acts of personal cleanliness or bodily exercise, the care of the body and its sense organs, the ventilation of the classroom, or the eating of a meal. Apart from such individual oversight as circumstance calls for, five to ten minutes a day may well be assigned to the practical habit-training in hygiene, the method adopted varying with the age and requirements of the child. One teacher may choose to make a daily inspection of the children first thing in the morning; some particular lesson such as drawing may be utilised as an appropriate opportunity for dealing with cleanliness; lunch or a mid-day meal may furnish the occasion for a talk about the care of the teeth; simple physical exercises in the classrooms on a wet day provide a natural opportunity for discussing fresh air and open windows; and nature study readily leads to brief practical applications of physiology.

(ii) *Health behaviour the result of practice in health habits.*—However and whenever taken the health lesson should not be haphazard or diffuse, but clear cut and particular. It should be simple, direct, personal and individual, designed to the formation of healthy *habit*. For instance, the teacher should require the children to have clean faces and hands, clean hair, clean teeth; and cleanliness should be repeatedly practised by the children until it has become a habit. The teacher can accustom the children to fresh air in the school room—its necessity for the lungs and the blood, the ways to obtain it, the advantages of the open air life, the value of exercise in the open air, the health-giving virtue of sunlight. The teacher can provide every day a suitable class breathing exercise; much of the prevalent mouth-breathing, which predisposes to disease, is merely due to bad habit and ignorance. Or again, the children can find by practice the relation of activity and rest, of exercise and sleep, the peacefulness of quiet conduct and silence. There is often too much clatter and restlessness for young children to grow and ripen, and nervous conditions

may be the result of ceaseless and meaningless activities. Let them learn that composure and rest are conducive to health and mental stability. The children can be trained in their proper seating, their right posture in their seats, the personal use of their own pens and pencils, suitable habits of hygiene in the cloakroom, and the ventilation and cleanliness of the classroom. It should be remembered that the health of a nation is in large degree dependent upon the habits of the people. What they need in order to live well is not abstruse knowledge but to utilise the knowledge they possess already. Most people know a great deal about the value of cleanliness, fresh air and simple food, but they do not always practise what they know. *They have not in youth contracted the habit of doing so.*

(iii) *Application to Seniors.*—As it is important that the training given to younger children should result in the development of habits which will be lasting, it stands to reason that much of what is said here will apply also to older children. The notes, accordingly, which will be found appended to some of the sections of this chapter, relate to older as well as younger children.

(iv) *Arrangement of the Material.*—For the sake of convenience in reference, the numbers of the first six sections of this chapter have been made to correspond with the sections in Chapter II (Conditions of Bodily Health), the information in which will be found to supplement that contained in the present chapter.

It will be understood, of course, that it is not intended that the material supplied in these chapters should be directly passed on to the children, either in the order or in the form in which it appears.

1. Fresh Air and Sunlight

(a) Value and Need of Fresh Air

The value of fresh air and sunlight. Fresh air vital to the lungs ; they need *pure* air. The best air is out of doors. Hence children should play out of doors whenever possible, running about, skipping, taking part in games ; children should contract the habit of being out of doors, in the parks, etc.

Children may help in the opening of windows.

Do children sleep with open windows?

The best way to get warm is to run about, not to sit over the fire ; the best way to keep warm is to put on a coat.

(b) **Breathing : Use of Handkerchief**

(This should come principally in connection with singing and physical training.)

Children should be taught how to breathe ; deep breathing is best and it comes naturally when children run about ; breathe through the nose. Nose to be kept clean and with air passages quite free. Danger of mouth breathing ; function of nose to warm and filter air.

Every child should have a handkerchief and be taught how to use it properly ; (value of handkerchief drill and clean handkerchief). Each child should use its own handkerchief only.

Practise breathing exercises before singing lesson.

2. Cleanliness of the Body

The face, hair, ears and hands of the children should be inspected regularly.¹

Children should be clean for their own sakes and for others ; appearance ; danger of uncleanness to cuts and sores ; spoiling of books, needlework, etc. ; objectionable smell from dirty children ; unpleasant to handle food with dirty hands ; desirable to wash before eating.²

Care and appearance of the hair ; advantages of short hair ; need for frequent brushing, combing and washing ; unpleasantness and danger of unclean heads ; use of fine comb ; each child should use its own cap and hat only.³ Diseases transmitted by body parasites.

Lessons in how to wash and dry properly. Warm water best for cleansing purposes, cold for tonic ; face, neck and hands need most washing.

Special care of nails ; to be kept short and clean ; nails not to be bitten.⁴

Whole body should be washed at least once or twice a week ; or a daily sponge and rub down with rough towel.

Need for cleanliness of body inside as well as out ; bowels should be moved at least once a day, at a regular time each day (preferably early in the morning).

Notes.—¹ In schools when a link with the Junior Red Cross (see Chapter VIII, p. 93) has been formed, a pupil who is a member of the Committee is made responsible for this inspection. The children in no way resent it, but are keen to take their turn in carrying out this duty.

² The teacher of Science can create the right feeling about this with all classes in the school. The influence, in this matter, of the older pupils spreads down through the lower classes.

³ The ideal course would be for each pupil to have his own brush and comb in a bag.

⁴ Nail cleaners can easily be made by the children.

3. Sleep : Importance of Rest

(Sufficient sleep is difficult to provide for when a family lives in one or two rooms and children have to sleep in the room used by the family as a living room. The ideal conditions must, however, be put before the child.)

Importance of rest and sleep in childhood. Early to bed : how many hours in bed are the children getting? (They should have about 12.)

Advantage of well-aired room ; open window ; important to have through current of air.

Darkness (or subdued light) and quietness induce sound sleep. Value of rest in horizontal position in middle of day for young children.

4. Clothing : Character, Tidiness, Cleanliness

Clothing and boots of children should receive consideration.¹

Need for keeping clothing dry ; overcoat or mackintosh for wet weather ; drying of wet clothing.

Need for weekly change of underclothing (twice a week if necessary) ; no clothing worn during the day should be worn also at night.

Children should not wear too many clothes ; value of wearing simple clothing, loosely woven and unrestrictive ; clothing to be of washable material whenever possible ; brushing of clothes ; cleaning of boots and shoes ; importance of tidiness and prompt mending ;² buttons and tapes properly sewn on ; stockings and socks kept mended ;³ proper hanging-up of garments in cloakrooms.

Special danger of wet feet ; good boots ; utility more important than appearance ; changing and drying of wet boots.⁴

Notes.—¹ The practice adopted in some schools of using the occasion of a medical inspection to call the attention of the children's mothers to the question of suitable underwear is to be recommended.

² A "mending lesson" should be arranged for once a month in the time set apart for Needlework in the case of girls.

³ In some schools the children's feet are regularly inspected before they go for a swimming lesson.

⁴ These points should be pressed home as occasion arises in wet weather. Arrangements should be made for children to change their boots or shoes at school.

5. Care of the Eyes and Ears

Children should at once tell their teacher if they are unable clearly to see words in books or on writing paper or on the blackboard.¹

Need for getting a good light on all work : not to read or sew in a bad light at home.

Habit of bending over work or straining eyes by "fine" work should be avoided.²

Danger of putting anything hard into ears ; children should not strike each other, or be struck by anyone, on the ears.

Ears should be kept clean (well rinsed and carefully dried).

The interest of the children should be cultivated in the testing of the eyesight and hearing ; if spectacles are worn, their daily cleaning should be practised.

Notes.—¹ On the notice board of each classroom a list may be shown of those children who should wear glasses.

² The position of the books in reading should receive attention.

6. Care of the Teeth

The ivory gateway : beauty of clean set of white teeth (something to prize) ; the more teeth are used the better for them.

How to keep teeth in good condition. A lesson in cleaning the teeth ; how to use a tooth-brush ; up and down movement of brush ; use of soap, simple tooth-powder or disinfectant ; thorough rinsing of mouth.

Teeth to be cleaned just before going to bed (no food or drink afterwards) ; harmfulness of sweets and biscuits just before going to sleep.

Dentist should see children's mouths periodically ; this may save much pain and trouble later on ; do not wait till teeth ache ; any tenderness to pressure, sensitiveness to sweet things or hot and cold drinks, are danger signals.

Value of certain food in cleansing the teeth (crusts, fruit, fibrous foods, and especially raw apples).

Breathing through the mouth is harmful to the teeth ; always breathe through the nose.

Note.—Diagrams such as those published by the Dental Board should be in frequent use.

7. Wholesome Food and Eating Habits

Adequate nutrition is the best protection against illness and ensures a better and quicker recovery from fatigue.

Children should be encouraged to like such foods as milk, butter, eggs, bread that is not too new (crusts), fresh fruit, green vegetables ; avoidance of faddiness over food (often due to injudicious coaxing, a common fault in training young children).

Meals should be regular in period of time ; no food between regular meals ; eat slowly, chew food well ; not too many sweets.

Children should not eat dirty food, unripe or over-ripe fruit, the remainder of food someone else has partly eaten, or food which has harboured flies.

Advantageous to drink water when thirsty, preferably between meals ; young child better without tea or coffee ; never drink with food in mouth ; not to share glass or cup with another child.

Hands should be washed before meals.

Food should be eaten sitting down to the table in orderly fashion ; lunches and school dinners to be eaten with attention to manners.

Young children can be taught to serve meals, to wait on each other, and to clear away.

Note.—Children under 11 are quite capable of understanding the reasons for forming proper eating habits. The whole matter of diet should be made as personal as possible by giving reasons and showing what happens if rules of health in connection with feeding are neglected, and how the resulting bad effects might have been avoided.

The importance of the early formation of correct habits in feeding should be taught in connection with the course in Mothercraft and Infant Care followed by the older girls.

8. Clean School and Proper Use of Equipment

Children should be taught to take pride in their classroom and in the school generally.¹

Dusting : keeping desks and cupboards tidy.

Children should use their own school materials—especially pens and pencils ; pens and pencils should *never* be put into the mouth.

Hands should be kept clean so that school books and papers are not soiled.

Children should assist in keeping floors clean by wiping their boots on mats and changing into school shoes in wet weather.

Instruction should be given, where necessary, in proper use of sanitary closet ; importance of privacy and decency ; need for scrupulous cleanliness of body after use of closet (use of toilet paper).²

Notes.—¹ It would provide a valuable stimulus for the formation of habits of tidiness if the competitions between " Houses " now very generally adopted were extended so as to include this aspect of health education.

² The creation of the right attitude in the mind of every individual child to this aspect of health education is of great importance.

9. Visits of School Doctor and School Nurse

The visits of school doctor or school nurse are opportunities for health education of the children.

Train the child to look upon doctor or nurse as part of the ordinary school staff and as wise and practical advisers for their health.

Advantage of taking height and weight at the beginning and end of each term : it will interest the children and help to make them do all they can to keep in good health.

Note.—Discussions after Medical Inspections should take place between the teachers and the headmaster or headmistress. Information given by the doctor or the nurse should be passed to the staff and children should be encouraged to obtain the medical treatment recommended. Lessons on the teeth, eyes, tonsils, ears, adenoids, etc., might follow soon after an inspection and lessons on cleanliness of hair, etc., after an inspection by the School Nurse.

These and other suitable opportunities should be taken by teachers of urging the physical and mental disadvantages of the cigarette habit, sometimes contracted by young boys.

10. Safety First

Children should learn the right way to cross streets ; the special dangers to avoid (motor cars) ; dangers of " lorry riding " and " last across."

Young children should be warned against getting too near a fire or meddling with kettles, etc., on the fire ; of the risk of throwing orange and banana skins about ; of the danger of eating unknown berries ; of the careless use of scissors, needles, knives, forks, sticks, etc., and of walking on slippery surfaces or ponds covered with thin ice.

Other dangers against which they should be warned might include : inefficient fire-guards, celluloid toys and those made of painted tin or fluffy materials, loose floor covers on slippery oilcloth or polished wood.

Note.—The Safety First Council offers valuable advice and arranges films and essay competitions to bring home to the children the need of looking before leaping.

11. Physical Exercises, Swimming and Games

This section should be read in conjunction with the Board's Syllabus of Physical Training, 1933, with Chapter XIV of the " Handbook of Suggestions " and with the Report of the Consultative Committee on " The Primary School."

Children should be trained to play together, to use their limbs freely with increasing control, to move quietly and to develop balance ; a sense of rhythm may be fostered by music and dancing.

Games should be free and unhampered but not aimless. They should be simple, but children must learn to keep to the rules and to play "fair." Games should lead to alertness, independent action and a ready response to unexpected directions.¹

Physical exercises and games should develop in the child a bright, happy, fearless, independent spirit. The children should be encouraged to make effort, though detailed perfection in young children should not be expected.

In all physical exercises and games correct breathing is important; one of the chief advantages of physical exercises is the development of breathing capacity.

Of all games, those involving the throwing, hitting or kicking of a ball appeal most to the sporting spirit and are most successful in giving mental and physical *poise* to the child. Riding and swimming are invaluable if within reach.²

Notes.—1. The need for putting on a coat when hot after a game should be pointed out.

2. Care should be taken not to attach too much importance to racing, whether in swimming or athletic sports, especially in the case of young children. Emphasis should always be placed on the need for being a good "loser."

VI BIOLOGY AND HEALTH

1. Elementary Science as the Groundwork

The extent to which health education arises out of the teaching of elementary science must necessarily depend upon the character and amount of the science teaching, which vary considerably from school to school. Since, however, such science as may be taught to older children usually comprises nature study and physical geography, together with elementary physics and chemistry and in some schools very simple biology, it is clear that there must be many opportunities for making these lessons the groundwork of health teaching. Thus, when the properties of air and its constituent gases are being studied, demonstrations can be included to show the necessity of air (i.e. of the oxygen it contains) for combustion, and for the life of plants and animals. Considerations of "good" and "bad" air, and its diffusion and pressure, will naturally arise and the relation of these to health. Similarly, the study of the chemical and physical properties of water will have little interest to most children unless it is related to the many associations of water with health. The supply of domestic water, its origin and the methods taken for its purification before it reaches the tap afford an abundant field for science teaching of a real rather than an academic type. With these lessons may be linked up the study of such things as traps and rainwater gullies, the heating apparatus of the school, the cleaning out of cisterns, the repairing of taps and ball valves, etc. Again, the study of light, heat, sound, radiation, and the elements of chemistry and biology furnish a basis for instruction in hygiene of a living and practical kind.

2. Value of the Study of Biology

Biological knowledge is necessary for the right understanding of many matters concerned with health, including foods, their composition and origin and the principles underlying the provision of suitable diets, while much can be learnt from the study of animal life when considering the effect on the growing child of fresh air and sunlight, exercise, warmth and rest. The study of the life history of plants and animals among their lowest forms is necessary for the prevention of many kinds of disease, since it is upon these organisms that such diseases largely depend. Moreover, modern psychology is based upon biology, and behaviour in man depends largely upon instincts which have behind them a long line of ascent. It should be remembered that for the purpose of health education it is not necessary to have a special knowledge of different branches of

science. The main study is that of function rather than of form, the way plants and animals act rather than how in detail they are built up. If, combined with a sound even though elementary training, nature is watched in her manifold workings, illustrations will be found to abound bearing on the fundamental laws and requirements of healthy living. "In view of the intimate relations between Man and the rest of the living world, and between the forces exerted by the latter and all other forces, I can see," wrote Huxley in 1863, "no excuse for doubting that *all are co-ordinated terms of Nature's great progression*, from the formless to the formed, from the inorganic to the organic, from blind force to conscious intellect and will."

While it is true that the child's first interest is in itself, in the processes of its own body, it is equally true that if we want the older boy or girl to take an intelligent interest in digestive, circulatory, excretory, reproductive and other life processes, we must introduce them in their primitive forms in suitable types of the lower animals. A simple explanation should first be given of the cell and its functions, and then of a collection of cells, as bricks form a house. When this is grasped there will follow later the understanding of the differentiation of functions among cells as life forms evolve and become more complex, and, later still, of the formation of distinct and separate organs, and finally of the association of these into systems of the body. For the understanding of the working of the human body the two methods may well be employed together, the pupil's interest being secured in the structure and functioning of his own body and also in that of lower forms of life. To restrict instruction to the human body tends to lead, as experience has often shown, to what one may call spurious knowledge, a matter largely of words, notions and diagrams, and possibly even a "medical" bias. The two methods together lay a foundation of intelligent interest in health and its maintenance.

3. Nature and Nurture

It is important to remember that the form (morphology) of man's body and its functions (physiology) form two subdivisions of the one larger science of Biology, the study of life as a whole. Man is a part of the universe, of the community of all things, and he is therefore subject to the great natural laws. He is one with the plants and animals. Men differ from animals, and from each other, owing to their *nature* and the upbringing, or *nurture*, to which that nature has been subjected. The nature of man is what he inherits from his ancestry of man and animals; *heredity* and variation together have made him the species he is.

Practical applications of the knowledge of heredity can be made of much interest to children. Thus in a district in America a variety of wheat was found strong enough to withstand storms and with a head that did not burst as the grain ripened, but unfortunately it would not withstand a severe frost. By a series of experiments a strain was produced in which the desired qualities were preserved, and the undesirable eliminated. Scientific breeding has led to securing immunity from disease. A good example of this is the production of potatoes free from potato disease and of cattle free from the disease known as Texas Fever. Other practical applications include the production of varieties of plants and fruits, the increasing of eggs in fowls and milk in cows, or the breeding of rabbits, dogs, horses, and cattle, the value of which is enhanced by "pedigree." Children may learn that that good and bad qualities are both passed on from generation to generation, physical, mental and moral. Much can be done to encourage and make habitual the good qualities and discourage the bad ones.

Nurture is the impress upon man's nature of all the factors and influences which affect him, principally what we call his *environment*. This moulds him or he adapts himself to it; there is mutual reaction. He acquires skill or habits in order to survive, characteristics which though not usually inherited are continued by education. In practice, it is expedient that the opening minds of children should be directed both to the value of the principles and methods of nurture, and to what they owe to the past as a debt, and to the future as an obligation. Every advantage and privilege of their lives is a debt they owe to the children who follow them.

4. Life in its Lowest Forms

Plant and animal life have much in common, very different though they appear in outer form. When we come to the simplest forms of animal and plant life they are indistinguishable, the one from the other. The basis of the structure in each is the cell, and the lowest form of plant life and animal life consists of one cell only. As higher forms develop groups of cells become differentiated in form and function, and tissues and organisms peculiar to animals and plants respectively result.

Both plants and animals function similarly. Each *grows* up, obtaining, digesting and assimilating food; each *breathes*, through leaves in the case of higher plants and through lungs in that of higher animals; each *excretes*; each *moves*, for even plants seek the light and twine their stems round the support; each *feels*; each can *reproduce* its kind.

5. Plants in Relation to Health

Many life processes can be studied in plants ; the fact that on plants simple experiments can be carried out in regard to growth in general greatly increases their value for this purpose. Plants and fruits may be studied also from the point of view of food supply, and gardening may be made a valuable ally to health education, the children learning to be interested in the cultivation of vegetables and to acquire the habit of eating vegetables and fruits of all kinds. Then there is the use we make of plants for clothing (cotton and flax) ; for warmth (coal, wood and peat) ; for drugs in time of sickness (quinine from cinchona bark, opium, belladonna, aconite, aloes, rhubarb, digitalis from the common foxglove, gum arabic, camphor) ; for condiments (mustard, pepper, ginger, cinnamon, nutmeg, olives and cloves). The children will learn something also of the plants which are harmful to man such as poisonous plants and berries.

6. Useful and Harmful Bacteria

The bacteria in their numerous forms and countless myriads are the friends or foes of man. Among the friendly bacteria are the natural scavengers which act upon sewage and convert it into an odourless and useful fertiliser ; there are various species that aid in the nitrification of soils ; some assist in the ripening of cream, and production of butter and cheese ; others are used in the retting, tanning and pulping industries ; others abound in the large intestine of man and help to transform and render harmless the products of digestion which might otherwise lead to the formation of poisonous matter likely to get absorbed into the body. But there are also harmful bacteria which cause, as we have seen, such diseases as tuberculosis, the infective diseases, septic processes and the decay of the teeth.

7. Animals in Relation to Health

Many are the health lessons which can be learnt from the study of animals. We may study their teeth and reflect on the reasons for their perfection ; their glossy skins and hair which result from perfect health, and in the case of such an animal as the cat from careful attention to cleaning ; their poise, gracefulness and enjoyment of play, so well seen in the case of young animals and some birds, due to the health of body arising from their natural life ; their migration and hibernation ; their obedience to, and compliance with, natural law. We have seen the use that is made of plants. We owe a similar debt to animals for the clothing they provide—wool, silk, leather and fur ; for the fats they furnish which, when

treated with alkali solutions, are formed into soaps ; for the bristles they supply for making brushes to keep our bodies, hair and clothes clean ; and for all the meat foods. It should be remembered however, that household pets may be injurious to health. They may bite, convey parasites or infection, and introduce dust and dirt to the home. Dogs, cats, rabbits, birds, etc., in or about a house should be cared for and kept clean.

8. Spread of Disease by Vermin

Thus animals, like plants, may be harmful to health as well as beneficial. There is for instance the common house-fly which is responsible for much disease. It is bred on manure heaps and other refuse and the sticky hairs which cover its feet pick up dirt laden with germs and carry them wherever it goes, into the milk jug or on the food. It excretes minute deposits of filth and these it also leaves on the food it crawls over. It is responsible in this way for much of the epidemic diarrhoea among babies, and may even transmit such diseases as cholera and typhoid fever. Fleas and lice cause irritation and lower the general health ; they are agents also in the spreading of disease, for instance the trench fever of the Great War and the oriental plague (which is spread by rat fleas). The parasitic worms (hook-worm and filaria) are another example. There are also the protozoa which are responsible for such diseases as malaria, yellow fever and dysentery. In the case of malaria these protozoa are carried in the mosquito which, when it bites a person suffering from malaria, sucks up a minute drop of blood containing the protozoa which develop further in the body of the mosquito and may be then injected into the body of the next person whom the mosquito bites.

It is important that everything possible should be done to get rid of these disease-bringing animals. Thus, the number of flies can be diminished by trapping and killing, and by ensuring that no refuse or manure heaps are left lying about near dwellings. Much more could be done in this country by covering food both in houses and shops to protect it from being soiled by flies. It is most important to prevent the nesting of rats which should be exterminated whenever found, especially on board ship. Something has been done in many countries to banish mosquitoes by getting rid of their breeding grounds, namely swamps and stagnant water. Whenever possible these are drained ; in other cases spraying the surface of the water with paraffin prevents the mosquito from breeding.*

*See page 90.

VII

MOTHERCRAFT AND INFANT CARE

(For Older Girls)

1. Mothercraft and Health Education

Instruction in mothercraft may be looked upon as an important aspect of health education. The suggestion that instruction in Infant Management and Mothercraft should be given to elder girls in public Elementary Schools was put forward as long ago as 1910. It was recognised at the time that its successful introduction into any school must be dependent upon its careful handling by a teacher who should be not only experienced but interested. Since that time the importance of infant and child welfare has become a matter of common knowledge. Infant Welfare Centres are to be found in all parts of the country, and specially trained nurses have been appointed to visit homes to advise mothers in practical matters of infant hygiene.

The key note of the social health service which has thus come into being is education and training—the education of the mother in infant care, thus equipping her to look after her own child in such a way as to keep it in good health and to prevent unnecessary illness. It is to this practical education with the consequent improvement in the standard of mothercraft all over the country and particularly among working-class mothers, that the reduction in the death rate among young infants may be largely attributed. Thus, the teaching of Mothercraft to schoolgirls is not merely an additional “subject” which must be fitted into a curriculum already full, but it is the beginning of that education in care and management of little children which has achieved so much in the national campaign for the prevention of infant and maternal mortality.

The object of educating children is to equip them for the duties and responsibilities of life, and if a girl leaves school ignorant of one of the most important duties which may subsequently devolve upon her, our system of education can hardly be said to have fulfilled its aim. It may be thought that girls at the age of 12 to 14 years are too young to benefit by this teaching and that it could be given more appropriately at a later age. Unfortunately, the opportunity for instruction later in life—before marriage, immediately after marriage, or when the mother is expecting a baby—may not arise. It is difficult to collect girls together when they have left school in

the way in which we can find them in the classrooms in the Elementary and Secondary Schools. The great majority of the mothers in this country pass through the Elementary Schools and advantage should be taken during school life to teach them a subject which is a vital one both for the individual and the State. Another reason for dealing with the subject at this age is that many of the older girls in the Elementary Schools have to assist at home in the nursing and care of younger members of the family, and any instruction given at school in the feeding, clothing and care of the baby and younger children could forthwith be put into practice at home.

The training of all schoolgirls from the age of 12 to 14 in subjects of a practical nature which will help them in later life to make their own homes comfortable and healthy, and give them some real understanding of the elements of infant and child management, would have effects which can scarcely be exaggerated.

2. The Infant Welfare Movement

Of late years, and particularly since the passing of the Maternity and Child Welfare Act in 1918 which gave wide powers to Local Authorities to put into operation schemes for the welfare of mothers and little children, arrangements have been made in all areas for the supervision of the health of infants and of children below school age.

This supervision is generally carried out in two ways: first, by means of Health Visitors, and, secondly, through Infant Welfare Centres. Health Visitors are employed under the direction of the Medical Officer of Health to visit newly born infants and advise their mothers in matters of infant care and domestic hygiene. They subsequently pay periodical visits to the home to ascertain the physical progress made by the child until it goes to school. At the same time the mother is invited to take the baby regularly to an Infant Welfare Centre where she will be advised by a doctor how to keep her baby well, and will have opportunities of learning "Mothercraft" in all its aspects, through personal and collective teaching.

As a result of increased attention to public health and of the special efforts made on behalf of infant welfare, the infant mortality rate (that is, the number of deaths under twelve months of age per thousand babies born) has fallen in England and Wales from 156 per thousand in the quinquennium 1896-1900 to 68 per thousand in the quinquennium 1926-1930. This extremely satisfactory reduction in the death rate, which has been described as one of the greatest triumphs of the Public Health Service, not only means that

many lives are saved which in former years would have been lost, but also that the health of the surviving children is better because the conditions which killed some infants maimed many others, and, as these conditions are eliminated, the risk of injury diminishes too.

The reduction in infant mortality is no doubt due to the combined action of various factors, but there can be no question that one of the weapons which has been most effective in this campaign is *the education of the mother*. The healthy development of the baby and little child is mainly dependent upon the care and intelligence of the mother, upon her knowledge and good sense, upon her willingness to learn and to take advantage of such opportunities for advice and help as are available; in short, upon good mothering. No one can compel the mother to accept advice. She can ignore the Infant Welfare Centre and shut her door against the Health Visitor. The whole of the Infant Welfare movement, therefore, has been directed primarily towards persuading her to learn how to keep her baby well, rather than towards attempting to look after the baby for her by relieving her of responsibility or by treating it when it is ailing.

3. Need for Mothercraft Teaching in the School

It is mainly in the school or class for older girls, whether in the Senior Girls' School or in the Girls' Secondary School, that the foundation for this instruction can, and should, be laid.

This is the only time when we can make sure that a girl shall have some teaching in mothercraft. Once she has left school she may perhaps attend classes, but she is far more likely to have no encouragement or even opportunity to learn about infant care until after she has a baby of her own. At school the subject can be introduced in a perfectly natural way without arousing self-consciousness or embarrassment. In an elementary school nearly all the elder girls have to "mother" young brothers and sisters, and many are well accustomed to handling babies, so that the practice of mothercraft is a matter of every-day familiarity and needs only to be directed into right channels. Although the instruction which can be given to school girls is necessarily limited and is given from the point of view of an elder sister rather than of a mother, the subject is one of living practical interest and the girls are therefore likely to remember enough of what they learn to render them, when they marry, anxious to learn more and ready to welcome assistance from the Maternity and Child Welfare staff of the Local Authority.

It is somewhat disappointing to find that the instruction of elder girls in Mothercraft has made comparatively little advance in the schools compared with the education of the general public during the same period, and one of the reasons for this is no doubt the difficulty of obtaining just the right teacher to take the class. It is true that in almost every town and in certain rural areas, there is some attempt to teach the care of the baby to the older girls, and that in a few schools this is well done. The subject occurs under various names, for example, Mothercraft, Infant Welfare, Baby Care, etc.; almost every "Domestic Subjects" course includes one or two lessons in the care of the baby, and every combined "Domestic Subjects" course includes about six lessons. But this is a matter which affects all elder girls, and it is most desirable that mothercraft teaching should be given not only in all Senior and Central Schools, but to the elder girls in schools which have not been reorganised. Nowadays most of their mothers will be personally familiar with the Infant Welfare Centre and Health Visitor, and are likely to welcome practical training for their daughters.

4. Character of the School Course

Connection with School health programme.—The teaching should be a normal development of the School programme of health education, and should be given in the classroom. Lessons should include simple teaching in the general management of infants and little children and the way in which they should be bathed, clothed and fed. Attention should also be given to the personal hygiene of the child and its early training in good habits, together with its special need for warmth, fresh air, sunshine and cleanliness. The risks to health arising from unsuitable food and methods of feeding (with special attention to the dangers of dirty or contaminated milk), from dirt in any form, from insufficient or inappropriate clothing, from cold or chill, from inadequate or disturbed sleep, from lack of air and exercise, etc., should be simply explained.

Practical demonstration followed by practice.—The teaching should be made as practical as possible. Simple theory should be taught in every-day language, avoiding technical terms which would not be understood, and the girls should make careful notes. But as much as possible of the instruction should be given by means of demonstration followed by practice in which the girls take part. No expensive apparatus or equipment is required. Many of the articles needed, for example, baby-clothes, a cradle, and a baby's basket, can be made at the school, and the course should be associated

with the teaching of needlework, hygiene, and domestic subjects. It is important to secure modern patterns of the kind recommended at the Infant Welfare Centres. The cost of everything should be clearly explained and emphasis laid on the fact that it is not necessary to spend much money in order to provide everything needful for an infant's health.

A *doll* should be used for demonstration purposes. It is now possible to obtain dolls modelled on the size and weight of the real baby, which are not rigid, and which serve as an excellent substitute. The routine of the baby's bath and toilet, the best method of dressing and undressing, etc., can be demonstrated and repeatedly practised with a doll until much of the manual dexterity needed for the skilful handling of a baby is acquired. It is true that the doll is a passive instrument and that the attention of the "mother" is not diverted by the fear of injuring her fidgeting or crying charge, but this has its advantages when practising manipulations which are not yet thoroughly familiar.

Visits to Centres, Exhibitions, etc.—The classroom teaching may with advantage be supplemented by demonstration at a Day Nursery or Infant Welfare Centre where the handling of the living baby can be shown and perhaps practised; but Day Nurseries are few and far between, and the Centres where demonstrations to school girls can be given are almost equally rare, so that although such arrangements are greatly to be encouraged, only a relatively small number of girls can participate and the Centres cannot be relied upon for more than supplementary teaching.

Advantage should be taken of special propaganda in Mothercraft, such as is usually included in a local "Health Week," or may be afforded by the visit of a travelling Infant Welfare Exhibition.

If teaching can be arranged in a Secondary School and thus given to girls between, say, 16 and 18, it may suitably take a somewhat different form and be more definitely linked with science (biology or physiology), or civics, according to the point of view of the mistress in charge. The lessons may usefully include simple teaching in regard to the local health organisation, its part in preventing illness, especially among infants and children (the Maternity and Child Welfare and the School Medical Services), and its care for the health of the community as a whole.

Responsibility for the Instruction.—On the assumption that the instruction will be given as a rule at the school as part of the ordinary curriculum or at a Domestic Subjects Centre, the most suitable person to take charge is a teacher on the regular staff, provided she is willing and competent to do so. If the head-mistress is able to take the class herself, this is an advantage; otherwise it should be entrusted to a senior

member of the staff, preferably a married woman with children of her own. If none of the teachers has the necessary knowledge and experience, the co-operation of the school nurse, or a health visitor, or a district nurse may be sought, someone who has intimate knowledge of the homes from which the girls come as well as experience of infant care ; but the class teacher should always associate herself with the lesson when it is given by a visiting nurse. If it is practicable to arrange a demonstration at a Day Nursery or Infant Welfare Centre, this should be in charge of a member of the staff of the institution or a specially qualified teacher, but the class teacher should be present too.

Contact with other agencies.—It is most desirable that the teacher of Mothercraft should be in touch with local schemes for Infant Welfare. The Medical Officer of Health or his assistants (who may also be school medical inspectors) and health visitors (who may also be school nurses), are able and ready to advise how the school instruction can most suitably be linked up with infant welfare work at Centres, Day Nurseries, etc., and make suggestions as to the nature and scope of the Mothercraft course. For example, the methods of bathing, feeding and clothing an infant which are taught at the school should be similar to those recommended at the Centres to the mothers themselves, and the children should be made familiar with the reasons for taking babies to the Centre and for the visits of the health visitor to the home.

VIII

THE PROGRESS TOWARDS HEALTH

1. The Growth of Preventive Medicine

England began to learn the need for public sanitation in the early days of the Roman occupation of this country from 55 B.C. until 410 A.D. Rome had practised sanitation and hygiene throughout the Empire, including land and house drainage, the provision of water-supplies, the building of roads and hospitals, the control of food, house heating and ventilation, and the appointment of medical officers, and many remains of such applications of science are still to be found in Britain, as well as many remnants of Roman law. In the Middle Ages the English people were not infrequently faced with famine and pestilence, leprosy and its allied diseases being prevalent. Many scores of leper hospitals were built and special laws enacted for the isolation of lepers from the rest of the community. Many preventive measures in England may thus be said to date from about eight hundred years ago when, at the beginning of the twelfth century, the ravages of leprosy led to attention being directed to the insanitary conditions and unhygienic habits of the people, and the advocacy and prompt adoption of some primitive preventive measures.

Then in 1348 came the Black Death, which apparently originating in Asia, covered Europe, reaching England in August at certain ports in Dorset and Devon. It spread everywhere and is believed to have killed almost half the population. Worst of all this disease seems at this time to have established itself in England, for we have many records of its devastations down to "the great plague of London" in 1665. It is possible that the fire of London in 1666, which raged through 400 streets and destroyed 13,000 houses, may have had a beneficial effect as a drastic sanitary measure, but whether that be the case or not the plague was stayed, and has never regained foothold in England since.

After the Black Death came sweating sickness and ague; then typhus, smallpox and scurvy.

In the eighteenth century alcoholism was rampant, and also scarlet fever, diphtheria and smallpox. In the nineteenth century there were four epidemics of cholera, and influenza

was all too prevalent. All these diseases not only killed many people, but disturbed the whole population, and men began to explore ways and means of controlling them. The nation had to learn how to protect itself.

Scurvy is the outstanding example of a disease terrible in its results, but now, as we know, relatively easy to cure and prevent. Scurvy "used to cripple fleet after fleet and to waste thousands of the bravest lives." Men's minds, however, were not then turned in the direction of prevention and they were slow to co-ordinate and apply such knowledge as they had. About one hundred and fifty years ago Dr. James Lind discovered that scurvy was largely due to failure to supply, as part of the seaman's diet, fresh vegetables and fruit, especially the juice of oranges and lemons, and this discovery led at once to steps being taken to prevent the disease. In this connection the story of Captain Cook and his adventures will always interest children. "With a company of 118 men he performed a voyage of three years and eighteen days, through all the climates from 50° North to 71° South with the loss of only one man by disease." He took certain health measures, largely new in his day, and some of them probably looked upon by his contemporaries as fads. They included "proper provision of food, which was made to include lemons and oranges, sauerkraut, sugar, portable soup or broth, and malt for milling sweetwort; avoidance of too long night watches; avoidance of unnecessary exposure to weather; insistence on dry shifts and keeping persons and hammocks clean; insistence on keeping ships clean and dry; ventilation by wind-sail, and by frequent use of portable fire at bottom of well; great care for fresh water to be renewed at every opportunity; and for fresh provisions, animal and vegetable, wherever possible."

2. Some Great Health Pioneers

There are many pioneers from whom to choose, but special reference may be made to Edward Jenner, the discoverers of anaesthetics, Pasteur, Lister, and the conquerors of malaria.

(a) Introduction of Vaccination

One of the great landmarks in preventive medicine was the introduction of vaccination at the end of the eighteenth century by Edward Jenner. Up to the time of Jenner smallpox was a dreaded and loathsome disease producing ravages difficult for us nowadays to picture. The doctors of the eighteenth century sought to prevent the disease by inoculation of the healthy from mild cases, thus hoping also to reduce its severity.

Jenner believed that vaccinia, a disease of the cow, which, though not infectious from man to man, was inoculable and could protect against smallpox. He advocated and established accordingly the practice of vaccination, as better than inoculation. Vaccination consists in passing through the human being the very mild disease known as cow-pox or vaccinia. This was the first practical demonstration of the protective power of immunity. In the countries where vaccination was thoroughly practised smallpox was reduced in prevalence and mortality. Since Jenner's discovery other diseases have been prevented by a similar method.*

(b) Discovery of Anaesthesia

Another great discovery was that of the anaesthetic property of nitrous oxide ("laughing gas") by Sir Humphry Davy in 1799. Dr. Hickman of Ludlow, Dr. Morton in America, and Sir James Young Simpson, of Edinburgh, established from 1824-1847 the anaesthetic power of carbonic acid gas, ether and chloroform. They found that a small dose of these drugs produced a temporary unconsciousness of the individual and so abolished pain. Hence it was possible to obtain anaesthesia and the former excessive pain of surgical operations was removed. This opened up a vast field to the surgeon, since operations, being painless to the patient, could now be more carefully and slowly performed. Accordingly, in recent times surgeons have been able to undertake operations of a nature which before the middle of the nineteenth century would have been regarded as beyond the bounds of possibility.

* A visit to Sir Henry Wellcome's Historical Medical Museum in Euston Road would be a valuable means of illustrating to London children the historical development of medical science. This Museum shows the practical application of the discoveries and practices adopted throughout the ages and those employed at the present time for fighting disease. During their last year of school life pupils should, with permission, and if opportunity offers, visit this Museum, where they will see the work of Harvey, Galvani, Jenner, Lord Kelvin, Lister, Pasteur, Ross and other pioneers well illustrated by means of models, pictures and diagrams. There are models illustrating hospitals and surgeries of a hundred years ago, and hospitals in the time of the Great War. The Hall of Primitive Medicine provides a contrast to the methods used in modern medical science, and shows the place which magic and religion formerly took in the daily life and social customs of mankind. The charms, talismans, amulets, mascots, etc., which have all taken their place in the life of mankind are arranged in geographical order. This provides a link with the geography lessons and leads to a better and more sympathetic understanding of the life of primitive tribes.

(c) Pasteur and the Cause of Disease

In the middle of the last century Louis Pasteur, a French chemist, one of the greatest scientists of all time, discovered the part played by germs in the production of disease. His life and work, a story of heroism, can be made full of interest to children. He worked under the greatest handicaps. "As a laboratory he had but a hut—but his courage never failed him; if his difficulties were great, his perseverance was greater." To him we owe the discovery of the means of controlling silkworm disease, a matter of great importance to the French people. He discovered how to prevent woolsorters' disease (anthrax) which played havoc among flocks of sheep and was dangerous to men handling the hides of animals which had died from it. Another practical discovery of Pasteur, and most valuable to the wine-growing industry, was that of the cause of fermentation and the "souring" of wine and beer. He demonstrated the causes of infective disease, and, in particular, the means of preventing hydrophobia, formerly not uncommon in England, but now practically never seen. Through the labours of Pasteur the mortality was greatly reduced. Lastly, he discovered that the blood of an animal healed from infective disease contains substances which had destroyed the poison or toxin of that disease. This was the starting point of our knowledge of anti-bodies existing in the blood, which opened up the development of the use of antitoxins in diphtheria. It is upon his researches and the work and discoveries of his famous German contemporary, Robert Koch, that many of our present day methods for the prevention of diseases of all kinds are founded.

(d) Lister, Founder of Modern Surgery

The work of Pasteur was followed by Lord Lister, the great English surgeon who laid the foundation of modern antiseptic surgery. Thousands of people used to die after surgical operations owing to the putrefaction of the wound, thus causing blood poisoning. Lister explored the process and cause of such putrefaction, and discovered that if he could prevent the germs of disease entering the wound from the outside air, or destroy them in the wound, the patient did not suffer or die from septic poisoning. By the use of antiseptic substances he destroyed the septic germs and the patient made a good recovery. His discovery has saved an incalculable number of lives and made surgery safe and possible in many ways previously undreamed of.

(e) Conquest of Malaria

In our knowledge of malaria, Laveran was the man who discovered the blood parasite which causes the disease. Then Sir Patrick Manson demonstrated the role of a blood-sucking insect as an intermediate host in the life cycle of a human blood parasite. This he did in his research on the development of the filaria worm in the mosquito, which suggested to him investigation into the possibility of there also being an intermediate stage of the malaria parasite in the mosquito. After prolonged research in India, Sir Ronald Ross (working with Manson) revealed the cycle of the development of the malaria parasite of birds in the mosquito, and indicated the first stages of the development of the human malaria parasite in that insect. Grassi and others completed the work by exploring the various stages of the development of the human malaria parasite in mosquitoes. The whole discovery was thus the work of a number of investigators, following up each other's findings by deduction and induction.

In various parts of the British Empire and elsewhere many explorers and settlers have lost their lives through malaria and yellow fever. These mosquito-borne diseases were so rife that they were one of the chief causes which led to the giving up of the first attempts to cut the Panama Canal. Surgeon-General Gorgas, applying the new discoveries, was able to prevent such disease and so secure a band of healthy men capable of completing the enormous undertaking of the construction of the canal. Malaria is also prevented by land drainage, which removes the favourable nidus of the mosquito, and by screening the house and person from its attacks. It is treated and prevented in the individual by quinine or its derivatives.

3. More Recent Developments

Other illustrations of successful action in the prevention of disease may be drawn from the fight against smallpox, tuberculosis, diphtheria and other communicable diseases, from the work being done in the prevention of blindness, in rheumatic heart disease, crippling in its various forms, and above all in the widespread education of the people in everything which leads to a better and more resistant physique.

Sanitation.—While these doctors and scientists have been busy teaching us the circumstances, character and treatment of infective diseases, and others have been showing the way

to prevent them by modern methods and new knowledge of medicine and surgery, the sanitarians have been engaged in fighting disease as it attacked the community. This they did by separation of the sick from the healthy, by providing for the very poor unable to help themselves, by creating the "sanitary idea" in the public mind, and by improving houses and workshops. Sir Edwin Chadwick and Sir John Simon were the prominent leaders. Chadwick inquired into the bad conditions of the poor, and Simon and his colleagues investigated epidemic disease and devised effective methods of sanitary administration. Various Commissions of Inquiry were instituted, and Parliament passed a series of Poor Law, factory, educational and sanitary Acts, which resulted in (a) the formation of a central Ministry of Health; (b) the creation of Local Authorities undertaking health duties, supervised by central departments; (c) provision of grants in aid from the Exchequer; (d) local appointment of Medical Officers of Health; and (e) establishment under the Local Authority of public medical services in every district—hospitals and clinics, midwives, school doctors, nurses, child welfare centres, health insurance, etc.

Duties of Sanitary Authorities.—In addition to the many duties of Sanitary Authorities in guarding and fostering individual health and ensuring a healthy environment, they have multifarious other functions. For instance, they are vigilant to secure that the public water supply is free from harmful impurities, that milk is produced under suitable conditions and is not adulterated, that unwholesome food is not put on sale, and that the streets are kept clean from refuse. Besides the Medical Officers, the health visitor, the school nurse and the sanitary inspector are all appointed for health purposes. One of the most outstanding examples of the value of the work of the health departments is the great saving of the lives of young infants to which it has led. Thirty years ago out of every 1,000 babies born in England and Wales about 150 died before they reached their first birthday. Now the number is less than half of that. Equally important with the organised system of public medical officers and their official colleagues is the private medical practitioner. Almost every family in England consults its own practitioner; he deals with ill-health at its initial stages; and he is the missionary of hygiene and preventive medicine.

Co-operation by the general public.—The various health departments and health officers, whether central or local, depend for the success of their efforts upon the co-operation

of all citizens, including children.* Indeed, it is true to say that the public health depends more upon an educated people with a "health conscience" than upon Acts of Parliament or medical officers and sanitary inspectors. If children learn at school the importance of personal cleanliness, wholesome food, ventilation and a healthy way of life, they are likely to carry such habits into practice when they leave school, and in this way will not only assist the local sanitary department in their task, but will also do much to build up the health and secure the well-being of the community. Above all, they will tend to add to their own length of days and to their own health, capacity and happiness.

* It may be convenient to mention some of the principal statutory Authorities and Voluntary Societies concerned in public health organisation. Most of the central responsibility for matters pertaining to health falls to the *Ministry of Health*, the medical work of which consists of (i) the supervision of general sanitation, including housing, water supply, disposal of sewage, pollution of rivers; (ii) administrative control of infectious disease, including examinations of ships and port sanitation; (iii) maternity and child welfare; (iv) the control of food and the milk supply; (v) insurance medical practice; (vi) international health; (vii) vital statistics; and research. The *Board of Education* is concerned with the medical (including dental) inspection and treatment of school children (by delegation from the Ministry of Health), physical training, provision of meals, provision of special schools for various types of afflicted children, and the hygiene of the school building. The *Board of Control* is responsible for the administration of the Lunacy and Mental Deficiency Acts. The *Dental Board* (44, Hallam Street, W.1) in addition to their other duties, are concerned with dental health education and they are prepared to send demonstrators to schools to give illustrated talks to the children. Their publication on the "Hygiene of the Mouth and Teeth" (price 1s. 6d., post free) should prove particularly useful to teachers. Application for educational material in connection with dental hygiene should be made to the Dental Board, who will supply leaflets free of charge; a small charge is made for posters, charts and similar material.

The Local Authorities include the *Parish Council* which is concerned with burial grounds, lighting, and the provision of open spaces, together with limited powers in regard to water supply and nuisance prevention. The *Rural District Council* and the *Urban District Council* have much wider powers covering the field of housing and town planning; provision of water supply; arrangements for drainage and the disposal of sewage; removal of refuse and the abatement of nuisances; provision of sanitation in work places; protection of food and in particular the control of milk supplies; and the collection of vital statistics. *Borough Councils* have similar powers but the larger ones administer in addition the Maternity and Child Welfare and School Medical Services, while *County Borough Councils* provide for the administration of public assistance to the sick, treatment of tuberculosis, prevention of river pollution, and the analysis of food, drugs and fertilisers. *County Councils* have similar powers, together with certain powers of supervision over Urban and Rural District Councils.

Other bodies concerned with the work of health education include the following *Health Societies*. National Association for the Prevention

THE PROGRESS TOWARDS HEALTH

of Infant Mortality (117, Piccadilly, W.1) ; Industrial Health Education Society (Tavistock Square, W.C.1) ; Health and Cleanliness Council (5, Tavistock Square, W.C.1) ; National Milk Publicity Council (33, Gordon Square, W.C.1) ; Safety First Council (119, Victoria Street, S.W.1) ; Junior Red Cross (British Red Cross Society) (14, Grosvenor Crescent, S.W.1) ; Central Council for Health Education (1, Upper Montague Street, W.C.1) ; Royal Sanitary Institute (Buckingham Palace Road, S.W.1) ; National Association for the Prevention of Tuberculosis (Tavistock Square, W.C.1) ; The People's League of Health (12, Stratford Place, W.1). The means generally adopted in undertaking this work include conferences, lectures and demonstrations, posters, competitions, lantern slides and films, reports and other publications, participation in health weeks, etc.

IX

CONDITIONS OF A HEALTHY ENVIRONMENT

I. Housing and Town Planning

Fitness for human habitation.—In this country we spend a considerable proportion of our lives indoors. Accordingly, it is important that our houses should be healthy, i.e. fit for human habitation, and so constructed and planned that they provide us with adequate protection from the rain, wind and cold whilst affording us the maximum of fresh air, sunlight and comfort. Generally a house is regarded as fit for human habitation if it provides adequate shelter and cubic capacity for its occupants and is—

- (1) free from serious dampness ;
 - (2) satisfactorily lighted and ventilated ;
 - (3) properly drained and provided with adequate sanitary conveniences, with a sink and suitable arrangements for disposing of slop water ;
 - (4) in good general repair ;
- and is provided with
- (5) a satisfactory water supply ;
 - (6) adequate washing accommodation ;
 - (7) facilities for preparing and cooking food ; and
 - (8) a cool well ventilated store for food.

No house can be healthy unless it is dry and weatherproof, but serious dampness will seldom arise if it has a proper damp-proof course, a sound roof and the walls are kept well pointed and free from defective rainwater gutters or pipes. Low lying land should always be avoided when building a house. The requirements which may be regarded as constituting "fitness" in regard to such items as water supply, sanitary conveniences, disposal of slop-water and drainage vary considerably as between urban and rural localities. For example, in rural areas a well or rainwater storage tank, earth closet and one of several systems for dealing with slop water may well be legitimate substitutes for the piped water supply, water closet and connections to a sewer which are insisted upon in urban areas where the necessary public services are available.

Overcrowding.—The erection of too many houses to the acre leads to excessive density, and thus to overcrowding of houses on the land and unhealthy areas. The evil effects of such density may be shown by an increase of sickness and disease,

especially among young children, leading to high general and special death rates. Moreover, when people are born, live, sleep and die under conditions of serious overcrowding one cannot be surprised if the effect is shown in drunkenness, crime and misery. The extent to which serious overcrowding in both towns and the country still exists can be seen by reference to the census returns of any particular district. In London, for example, the census return for 1931 shows that more than 12,000 one-roomed homes are occupied by four or more persons. It is, unfortunately, possible in most urban areas to observe how towns and cities in the past have been allowed to grow in haphazard fashion without plan or foresight. Even yet the need for town-planning is not fully appreciated. What can be done in this direction is well shown by a visit to such garden suburbs as Bournville and Port Sunlight, and to such new towns as Letchworth and Welwyn Garden City, designed and built for healthy residential, industrial, and social life.

2. The Supply of Pure Water

A public water supply may be obtained from wells, springs, rivers or lakes. When taken from shallow wells or rivers it must usually undergo a systematic process of purification owing to possible pollution by sewage, animals, trade effluents, and sometimes house refuse. Pollution of wells by cesspools, manure heaps, or decomposing animal matter must be guarded against. In this country the water supply of towns is rarely a danger to health, as elaborate precautions are taken to prevent its contamination at the source, during transit or otherwise. The two chief risks of pollution are disease germs, such as those of typhoid fever, or chemical impurities such as lead in solution. Germs of disease may gain access to water derived from a well or river near to some source of pollution. The simple protection of boiling should be applied to any drinking water, the purity of which is open to suspicion. Lead may occur in very soft water owing to acids in the water attacking the lead pipes, if they are not coated internally with some insoluble lining. Boiling is no protection against such a danger.

In most of the larger towns in Great Britain the average supply of water per head of the population is 25-30 gallons per day. This amount includes water used for personal, municipal and industrial purposes.

3. The Disposal of Refuse

Various methods.—In rural districts it usually falls to each householder to make his own arrangement for the disposal of refuse and waste matters. There the problem of dealing with

them is, as a rule, not a difficult one as they have a certain manurial value and land is readily available where they can be dug in or buried. In urban areas, on the other hand, conditions are different and it is realised that only by combined efforts can waste matter be suitably collected and promptly destroyed mechanically and hygienically. This work is undertaken by the local sanitary authority, at the cost of the local rates. Methods of disposal are required for (a) house, trade and street refuse; (b) excreta—the waste products of the body; and (c) waste water.

The disposal of excreta in urban districts is nowadays usually effected by the water-carriage system, and in rural districts by earth closets, cesspools, etc. The two great advantages of the water-carriage system are (1) that these waste matters are removed from the vicinity of the dwelling-house at once instead of being allowed to remain in privies or pail closets for weeks; and (2) that they are carried away by underground channels, the sewers.

4. The Guarding of Health in Factory, Workshop and Mine

Statutory requirements.—Before the passing, during the last century, of the various Factory Acts many adults and children worked for long hours under insanitary conditions in all sorts of factories, workshops, and mines. Thus as industry has developed, it has been necessary to make Statutory provision for safeguarding the health of those engaged in it. There are certain general requirements applicable to all forms of industry and designed to secure in factories and workshops the provision of proper ventilation, lighting, air space, temperature, cleanliness, sanitary accommodation, and so on. Hours of labour are regulated having regard to the age and sex of those employed, and provision made for escape in case of fire, and for protection from machinery. In some occupations there are special requirements on account of the nature of the work. For example, certain harmful dusts, fumes or gases may be generated, and precautions must be taken to see that they are effectively removed from the atmosphere of the factory. In other trades, the handling of certain chemicals may produce skin disease or even poisoning after a time, and in such occupations it is particularly important that the hands of the workers should be scrupulously washed before meals.

Dangerous trades.—As examples of dangerous trades may be mentioned those connected with work in certain metals such as arsenic, mercury, phosphorus, and lead, and those associated with much fine dust, whether of animal, vegetable, or mineral

origin. Special care must be taken by men working in such processes as plumbing, dyeing, colour grinding, painting, and in the manufacture for example of red and white lead, glass, and electrical accumulators. Workers in stone may have their lungs affected by the minute particles of silica which fill the air in the process of cutting and chipping, while workers among hides and wool and hair may develop what is known as "Wool-Sorters' Disease" caused by the anthrax germs with which they may be infected. The coal miner is not necessarily an unhealthy workman, but he often works in darkness and in a strained position, is liable to inhale coal dust, and is subject to accident to life and limb.

Industrial fatigue.—During and since the War a good deal of attention has been given to the question of Industrial Fatigue, and to what is known as industrial physiology and psychology. The proper length of working hours and spacing of intervals for rest and recreation have been studied, and questions such as lighting, posture, noise, and monotony of work have received much attention. It has been shown frequently that the accuracy and output of work are more affected by these conditions than has generally been believed. Fatigue may be measured by studying the output of different workers working under different conditions, the quality of the work done, the frequency of accidents, the amount of time lost by sickness and in other ways.

Industrial welfare.—A development of comparatively recent years is the growing provision of industrial welfare schemes. Many firms and employers have realised that the efficiency of the worker is dependent largely upon his health, and have taken steps to provide canteens where good food can be obtained at a reasonable cost and partaken of in pleasant surroundings. Facilities for recreation, especially for out-of-door games, are being extended by the provision of sports-fields and club-houses, while medical, dental and nursing care are available for the employees of a number of large firms.

X

PREVENTION OF INFECTIVE DISEASES

Ordinary infectious diseases such as measles, whooping cough, scarlet fever, diphtheria and some contagious diseases such as pediculosis, impetigo, ringworm, are so common in schools that children may well learn to take an intelligent interest in these ailments, to appreciate the importance of (a) the seed, i.e. the germ, and (b) the soil, i.e. their bodies, and that both the avoidance and the spread of these diseases are often a matter concerning the individual himself rather than his surroundings. Simple facts about bacteria and their role in nature should be learnt in connection with nature study and science lessons. Unless one emphasises the beneficent work of bacteria (*see* p. 78), children come to associate bacteria only with disease and lose correct perspective.

1. The Nature of Germs

Any instruction on the subject of communicable diseases must needs be preceded by reference to the activities of micro-organisms. A popular and convenient term for all these micro-organisms is "germs," though the word is not employed in scientific books. These minute living things are so small as to be invisible to the naked eye, and some of them are too small to be seen even with the aid of the most powerful microscope. They are none the less real on that account; just as air, for example, is invisible but its existence and composition can be proved in other ways, so our knowledge of these germs is derived from the effects they produce. There are two common misconceptions about germs which should be dispelled. People often think of them as belonging to the animal kingdom, whereas most are lowly forms of plant life. Nor are they all our enemies; the varieties of germs which are capable of causing disease are very few in number compared with those which are harmless or actually essential to agriculture and industry.

2. The Entrance of Germs into the Body

Germs can obtain entrance to the body by being inhaled, by being swallowed, or through a breach of the skin. The first of these routes is by far the most common. The breath of a person suffering, for example, from influenza may contain many of the germs responsible for causing this disease, and

such a person when coughing or sneezing forcibly propels them into the atmosphere in his immediate vicinity and pollutes or "infects" it. Children will usually be familiar with the fact that a moderately heavy ball can be hit or thrown much further than a very light one. This may be used to illustrate the fact that germs are so small and light that they could not be projected for any distance by coughing and sneezing if they were not enveloped in the little drops of moisture which are expelled at the same time. These little drops of moisture can convey the germs or the "infection" all through a moderately sized room and the process is, therefore, spoken of as "droplet infection."

Such of these droplets as are not removed by ventilation or inhaled by another person settle to the ground and on articles of furniture, etc. The moisture enclosing the germs dries up, especially under the influence of sunshine, and for the most part the germs die since, like other plants, they require moisture and food to keep them alive and in addition they are accustomed to live at a temperature somewhere near that of the human body. Therefore, although articles of furniture, clothing, school books and so on may have been "infected," speaking generally the germs in them quickly die. Emphasis should, therefore, be laid on the fact that, in the case of communicable diseases, persons play a much greater part than do inanimate objects.

3. The Avoidance of Germs

We cannot hope to abolish the germ—if we could we should then, of course, get rid of the particular disease associated with it—though we can learn how to avoid it and how to make our bodies strong to resist the attack or to lessen its severity. Thus the deadly malaria has almost disappeared from many parts of some countries as the result of getting rid of the breeding places of mosquitoes, or of other methods based on the knowledge that mosquitoes are the agents that spread the disease. Typhoid fever has been almost eliminated from this country by sanitation and cleanliness, and preventing the contamination of foods, milk and water supplies by filth. Tuberculosis is being steadily reduced year by year partly because of improved sanitation and nutrition, partly because of a wider degree of natural immunity, and partly because of reduced infection and better education.

4. The Spread of Infectious Disease

The child may well be trained to understand the responsibility of each individual of the family for the spread of communicable diseases. Thus *ordinary colds* are passed on

by direct communication from one person to another. No one should ever sneeze or cough near another person without guarding the mouth and nose with a handkerchief, or otherwise. If the minute particles discharged from the mouth and nose of a person with a cold did not get passed on to another person, there would be no spreading of colds. This is why colds are so much less frequent at open-air schools and sanatoria; fresh air is always blowing about between individuals and the germs that are carried off in the minute particles discharged from the mouth get diluted. Moreover, when blown about in fresh air many germs have a very short life. It takes a large number or dose of germs from one person to start a cold in another person. It is this fact which has such an important bearing on the question of ventilation, since the movement and removal of infected air tend to dilute the infected material contained in the atmosphere of a room and its direct passage from person to person.

Scarlet Fever again may be, and indeed usually is, spread from person to person when there is inflammation of, or discharge from, the throat or nose, or ears, or possibly from the skin; the germs may pass in droplets through the air directly to another person. *Diphtheria*, still mainly associated in people's minds with drains, is spread almost entirely from person to person just as scarlet fever is. Unfortunately a person may carry the germ in his throat, even though he is not actually ill with diphtheria, and so pass it on to someone else. The part that bad drains and sanitary conditions play is to predispose to sore throats and a general lowering of the body vitality, and thus help to produce a favourable condition of the body or "soil" for the development of the diphtheria germs. *Measles* is so infectious that it is very difficult to prevent the spread of infection from one child to another in the home or school, even more difficult than to prevent the spread of a common cold; indeed, measles begins with a condition very similar to a common cold. Measles is a more serious disease than is commonly supposed and requires careful nursing. Everything possible should be done to postpone the infection until after infancy, for in infancy complications may be extremely serious.

In the prevention of infection the individual and the community have important parts to play. Some diseases are notifiable, that is, the Medical Officer of Health for the district must be informed of their occurrence and the patients must be "isolated" either in the home or in a fever hospital, and thus prevented from spreading the disease by infecting others. In addition, the Medical Officer of Health will, when he considers it necessary, provide facilities for the disinfection of infected

rooms or articles, although, as already shown, this is not so important as was formerly believed. Disinfection is carried out by the application of steam or of certain chemicals which are harmful to germs.

The individual has, however, a greater responsibility. He or she, while suffering from even a mild attack of any infectious disease or having possibly been infected, must avoid mixing with other people and particularly in travelling or resorting to places where the ventilation may be imperfect. Spitting in public, coughing or sneezing without holding a handkerchief to the mouth—these are practices to be condemned for they spread droplet infections.

5. Resistance of the Body

It has already been noted that disease can follow only if a dose sufficiently large to break down the body resistance is received. The germs which cause pneumonia are almost constantly to be found in our throats, but they do not cause disease unless our resistance is low or is temporarily lowered as for example, by a chill. Even a large amount of seed in the form of germs may not be able to grow if the soil is unsuitable, while a small amount may produce disease if the soil is favourable. How can the soil, that is the body, be made more resistant, or in other words, how can we obtain immunity, relative or absolute, from these diseases?

A person who leads a healthy life is more resistant to disease than one who does not. Fresh air, sunlight, exercise, adequate rest, proper and sufficient food, elimination of waste matters—these all help to raise the resistance of the body to the invading germs. Immunity or protection can be artificially obtained in respect of some diseases such as smallpox and diphtheria. This immunity depends on the formation in the body of certain substances which render the soil unsuitable for the growth and multiplication of the germs causing these diseases. This result may be compared with the immunity which follows an attack of one of the common diseases. For example, it is unusual for anyone to have measles more than once. One attack causes the body to produce certain substances which usually remain in the system throughout life, rendering that body an unsuitable soil for the development of the germ which causes measles. The successful prevention of many infectious diseases depends on our finding out how the body may be stimulated, without an attack of the disease, to produce such substances, but at present we know of a few diseases only which can be controlled in this way.

6. Some of the Commoner Infectious Diseases

Measles is contracted from another person suffering from the disease, possibly at a time before the other person knows he is ill. We have not been able to identify the germ responsible for the disease, but it appears to have a very short life outside the human body. The incubation period (i.e. the period elapsing between the date of infection and the manifestation of the disease) of measles is about twelve days, at the end of which time the patient shows symptoms very similar to those of a severe cold. As the rash does not appear until four days later the significance of these symptoms may not be recognised, and it is during this period that the disease is most infectious. Measles is responsible for a great many deaths, particularly of children under school age, each year, mainly through complication such as pneumonia. We must, therefore, welcome the success of any methods designed to postpone an attack of the disease.

Whooping Cough is another serious infectious disease which kills almost as many children as measles, and at about the same age as measles (under five). It is spread from child to child. The incubation period is probably about a fortnight, but this is difficult to determine as the disease usually begins in an indefinite manner and for some time the patient is suspected of having nothing worse than an ordinary cough. The termination of the disease is even more difficult to determine and children often whoop for weeks after they have ceased to be infectious.

There are other, and happily rarer, infectious diseases equally difficult to control, such as *cerebro-spinal fever* and *poliomyelitis*. They are spread from person to person, probably by means of "droplet infection" from the mouth or nose (by breathing, coughing, shouting, kissing, etc.), being conveyed generally by healthy "carriers" not actually suffering from the disease.

Scarlet Fever and *Diphtheria* may be considered together, since, although diphtheria is a dangerous disease, while scarlet fever has for many years in this country been much less harmful and death from it infrequent, they have nevertheless many points in common. The incubation period of both diseases is short, sore throat is a prominent symptom, and both diseases can be spread by "carriers." These are persons who, without showing any symptoms of either scarlet fever or diphtheria, carry in the throat, nose or ear the germs of these diseases, and as a result of so doing are capable of infecting other people. The existence of such "carriers" in a school or community may be unsuspected for some time, and they may be difficult to detect. Protection against both scarlet fever and diphtheria can be obtained by artificial

immunity. A skin test (Schick test) can be applied to show whether a child or person has acquired immunity to diphtheria, and if he has not, active artificial immunity can be given by a course of injections with diphtheria prophylactic. A similar method is available against scarlet fever, but it is much less reliable.

Enteric or Typhoid Fever is now a comparatively rare disease in communities in which a reasonable degree of personal cleanliness is observed, because the germ is conveyed not in the breath of a patient, as in measles, whooping cough, diphtheria and scarlet fever, but in the discharges from the bowel and the urine, and sanitary conditions are now such that in most populous communities these products are disposed of in a hygienic manner. The disease, however, is of interest in that at one time it was so common that when people spoke of "the fever" it was usually typhoid fever which was meant. Obviously where insanitary conditions prevailed fever of this kind was common, and even now the old idea persists in many minds that "fever" is mainly due to bad drains and similar conditions. This is true only if diseases of the typhoid group are meant; it does not apply to such diseases as scarlet fever, diphtheria or measles.

7. The Fight against Tuberculosis

The tubercle bacillus.—It is possible to interest children keenly, without engendering any morbid feelings, in the great fight against tuberculosis, the White Man's plague. They may learn how widely present in Nature is the tubercle bacillus, how it gains entrance into the body through the mouth or nose, in the case of children through drinking infected milk or putting dirty objects picked up off the floor into the mouth, or by breathing in particles of dust which have been infected by germs coming from a consumptive person. They may learn how important it is to keep their bodies healthy in every possible way in order to resist the development of any germs taken in, and to keep themselves and their surroundings clean.

The children will be interested to hear that the germs of tuberculosis are, like other *microbes*, so minute that they cannot be seen with the naked eye; they can be seen only through a microscope. When magnified many times by this means they are seen to be like little rods (hence the name *bacillus*), rather similar to a match cut into many pieces, but so small that thousands placed end to end would only measure an inch in length.

The tuberculosis germ may attack any part of the body, but most commonly the lungs (producing what is sometimes called "consumption"), and, in children, the brain, various

glands and the bowel. Hence the importance of the precautions referred to above. Other parts of the body that may be attacked by the germs are the bones (arms, legs, ribs and spine), the joints (knee, elbow, hip) and the skin. We are all liable to attack by germs, but fortunately we have in our bodies a power of defence against the enemy. If we are in good health we may be successful in this defence, and we call this having good resistance. If we are in poor health (and poor resistance) we may lose the battle. Our resisting power is kept fully up to its work by our leading healthy lives, eating nutritious foods, taking sufficient exercise in the open air, having enough sleep, and avoiding over-strain, worry and excess of various kinds. Thus it is seen that though we may inhale a few tuberculosis germs they will do little harm unless our bodies have lost their resisting powers; but what it is most important to guard against is a "large dose" (known to the doctors as "mass infection") of the germ, through sleeping in the same bed or room as a consumptive person, or in other ways coming into close contact with tuberculous persons in confined spaces. There is then a danger of so many germs entering our bodies that our power of defence is overcome.

Preventive measures.—There are many weapons that we can use, in addition to keeping the body up to its full resisting strength, to fight tuberculosis infection and prevent both ourselves and others from getting the disease. The most valuable of these weapons is knowledge. The germs of tuberculosis can live in dust for months, in dark and dirty places, especially in houses; but the germs soon die if exposed to sunshine, or they can be killed by burning, boiling or suitable disinfectants. If a pure and tubercle-free milk supply is not available, it is best to boil or pasteurise the milk.

Thus, in addition to nourishing food and fresh air and sunshine, good habits and a clean environment are our chief allies. When you cough screen the mouth with a handkerchief, or, failing that, with your hand. Tuberculosis germs may be present in the spit or phlegm, so do not spit. In any case, it is a dirty and objectionable habit. To sum up, the chief and primary means of preventing tuberculosis are fresh air and cleanliness of the hands and body and of our houses.

Tuberculosis among children occurs in rather special forms in that non-pulmonary infection is more common than infection of the lung. For instance, tuberculous meningitis (tubercle of the membranes of the brain) is responsible for nearly 50 per cent. of the mortality from tuberculosis of all forms during the

first ten years of life, as compared with 20 per cent. of pulmonary tuberculosis and 15 per cent. of intestinal and abdominal tuberculosis in the same age period. Happily there is a steady and substantial decline taking place in all forms of child tuberculosis and particularly in its non-pulmonary forms, which however are responsible for most of the mortality from this disease in the first ten years of life. After ten years of age the pulmonary form tends to increase. Tuberculosis in children may be due to the bovine or to the human type of the tubercle bacillus, though the latter predominates. The bovine tubercle bacillus gains access to the child's body in tuberculous milk, the human by infected air. In recent years much has been done to protect children from infection, and if attacked to treat them in sanatoria.*

8. How to Avoid Communicable Skin Diseases

As regards such communicable diseases as pediculosis, impetigo and ringworm children should be taught to take pride in their personal appearance. On no account must they fall below the standard of a clean head and a clean skin; as one child always catches pediculosis from another they should learn to feel that it is bad form to be the means of making another child dirty.

Children should not be accused of being dirty because they have developed ringworm which may appear in the head or body of the cleanest child. They should, however, learn that, as it always spreads directly through contact of head with head or through the exchange of hats and caps, the risk of infection may be at once stopped. Children should be taught, as far as practicable, to use their own hair brushes only and not to exchange caps or clothes with other children.

In order to avoid contracting infectious or contagious disease by the skin two rules should be followed. First, the skin itself should be kept clean and healthy, by cleansing and by muscular exercise. Secondly, actual contact with disease should be avoided. For instance, smallpox, scarlet fever, measles, ringworm, pediculosis, and certain eye diseases may be "caught" by contact, and many other infectious diseases by close association.†

* Much additional information on the subject of *Tuberculosis* may be found in a Special Report, No. 64, issued by the Ministry of Health, 1932 (Stationery Office, price 3s.).

† See also Memorandum on Closure of and Exclusion from School 1927 (H.M. Stationery Office, Price 3d.)

APPENDIX

Table of Incubation, Quarantine and Isolation*

<i>Disease.</i>	<i>Incubation.</i>	<i>Quarantine.</i>	<i>Isolation of the Infected Person.</i>
Diphtheria ..	2-10 days ..	All exposed persons until shown by bacteriological examination not to be carriers.	In no case for less than four weeks or until convalescence is complete.
Epidemic Parotitis (Mumps).	14-28 days ..	30 days ..	For not less than two weeks from the commencement—provided that one clear week has elapsed since the complete subsidence of all swelling.
Morbilli (Measles) ...	7-14 days ..	16 days ..	For not less than ten days from the date of the appearance of the rash, convalescence being satisfactorily established.
Rubella (German Measles)	9-19 days ..	21 days ..	For not less than seven days from the date of the appearance of the rash, provided there is no persistence of nasal or other symptoms.
Pertussis (Whooping Cough)	7-19 days ..	21 days ..	Until the characteristic spasmodic cough and the whooping have ceased for at least two weeks; or in cases of persistent whooping, for not less than four weeks from the onset of the spasmodic cough.
Scarlet Fever ..	1-8 days ..	10 days ..	For not less than four weeks from the date of the appearance of the rash, until convalescence is completed, and there is no sore throat, DISCHARGE FROM THE EAR OR NOSE, any suppurating or recently enlarged glands, or eczematous patches. In every case at least two weeks convalescence is advised before return to school.

* Reproduced from "A Code of Rules for the Prevention of Communicable Diseases in Schools," issued by the Medical Officers of Schools Association (Messrs. J. & A. Churchill, 40 Gloucester Place, Portman Square, W.1), 1928, price 2s. 6d.

APPENDIX—continued

<i>Disease.</i>	<i>Incubation.</i>	<i>Quarantine.</i>	<i>Isolation of the Infected Person.</i>
The Enteric Group ..	3-23 days	25 days	Until convalescence is definitely established.
Varicella (Chickenpox) ..	11-19 days	21 days	Until every primary scab has fallen off, and the skin lesions have healed, particular attention being paid to the Scalp.
Variola (Smallpox) ..	10-14 days	16 days	Until every scab has fallen off and the skin lesions have all healed.

As a general rule an attack of the above infections confers a lasting immunity

Contagious diseases of the skin. Impetigo and Tinea (Ringworm of the Scalp or Body).

Until all the lesions have healed.

The Incubation is difficult to determine in the following diseases, but the periods given have been obtained from the latest available evidence.

Disease.

Cerebro-Spinal Fever ..	1-10 days, most cases 2-5 days.
Poliomylitis (acute) and Polio-Encephalitis ..	2-10 days, usually 3-4 days.
Encephalitis Lethargica ..	Varies considerably, but two days to two weeks includes most cases. (Commonest 10 days.)

Incubation.

Epidemic Jaundice.—Under certain circumstances which are not as yet definitely known Jaundice may assume an epidemic form and special precautions may be necessary to deal with this eventuality.

INDEX

- Abnormal children, classification of, 19.
 Ailments, common, 18.
 Alcohol, action of, 48, 52.
 " continued indulgence, 51
 " effect on :—
 body temperature, 50.
 brain and nervous system, 47.
 capacity for work, 49.
 digestion of food, 50.
 family expenditure, 54
 mortality, 53.
 resistance to disease, 50.
 " excessive use of, 52.
 " facts about, 45.
 " food value of, 47.
 " in beverages, 46.
 " physiological effects of, 52.
 " prevention of evils, 54.
 " properties of, 46, 54.
 " restrictions on consumption of, 55.
 " social effects of, 54.
 Alcoholic beverages, 45.
 " " alcohol content of, 46.
 Alcoholism, deaths from, 53.
 " in eighteenth century, 86.
 Anaesthesia, discovery of, 88.
 Animals, relation to health, 78.

 Bacteria, useful and harmful, 78.
 Beverages, 44.
 " alcoholic, 45.
 Biology, value of study of, 75, 84.
 Black Death, 86.
 Blood, circulation of, 14.
 Body, cleanliness of, 69.
 " form and functions of, 14.
 " heat, 28.
 " and mind, 13.
 " resistance to disease, 50, 101.
 Boots, 70.
 " for girls in field games, 30.
 Bowels, movement of, 69.
 Boy Scouts, 63.
 Boys' clothing, 29.
 Brain, 16.
 " effect of alcohol on, 47.

 Breathing, 22, 69.
 Brush and comb for each child, 69.

 Carbohydrates, 37.
 Chadwick, Sir Edwin, 91.
 Character, instincts and emotions, 17.
 Child Guidance Clinics, 20.
 Children, classification of abnormal, 19.
 Children's Library Room, 18.
 Cigarette smoking, 73.
 Citizenship and health education, 66.
 Cleanliness, 25.
 " of body, 69.
 " of clothing, 70.
 " of school, 72.
 " inspections for, 60, 67.
 Clothing, boys', 29.
 " change of, 30.
 " cleanliness of, 70.
 " girls', 29.
 " materials, 28.
 " warmth and, 28.
 Cold, common, 99.
 Conditions of Healthy Life, 13.
 Cook, Captain, 87.
 Co-operation by parents, 72.
 " " pupils, 58.
 " " staff, 59.

 Dangerous trades, 53, 96.
 Davy, Sir Humphry, 88.
 Dental, *see* Teeth.
 Dental Board diagrams, 71.
 " decay, 32.
 " Difficult " children, 19.
 Digestion, 32, 36, 50.
 Digestive system, 15.
 Diphtheria, 100, 102.
 " Droplet " infection, 99.

 Ears, care of, 30, 71.
 Emotions, 17.
 Enteric Fever, 103.
 Environment, conditions of healthy, 94.
 Excreta, disposal of, 96.

INDEX

- Exercise and rest, 26.
 - „ value of, 26.
 - „ organised, 27.
- Exhibitions, travelling, 84.
- Eyes, care of, 30, 70.
- Eye-strain, 31.

- Factory Acts, 96.
 - „ health in, 96.
- Fatigue, industrial, 97.
 - „ mental, 18.
 - „ physical, 18.
 - „ school, 18.
- Fats, 37.
- Feeding, faulty, 36.
- Feet, care of, 70.
- First aid, 63.
- Fitness of House, 94.
- Food, 35.
 - „ quantity and quality, 38.
 - „ relative cost of, 40.
 - „ requirements of body, 37.
 - „ selection of, 37.
 - „ source, distribution and protection, 40.
 - „ vitamins in, 37.
 - „ wholesome, 71.
- Footwear, change of, 70.
- Fresh air and sunlight, 21, 68.
 - „ physical properties of, 21.
 - „ value of, 21.
- Functions of the body, 14.

- Games, 26.
- Gardening, 78.
- Geography and health education, 65.
- Germs, avoidance of, 99.
 - „ entrance into body, 98.
 - „ in production of disease, 89.
 - „ in milk, 42.
 - „ nature of, 98.
- Girl Guides, 63.
- Girls' clothing, 29.
- Gorgas, Surgeon-General, 90.
- Government Departments concerned with health, 92.
- Gymnastic training, 27.

- Habit formation in health, 60.
- Habits, clean, 72.
 - „ eating, 71.
 - „ practice of healthy, 67.
- Hair, care of, 69.
- Handkerchief, use of, 69.
- Health, attitude of mind towards, 57.
 - „ agencies, co-operation with, 59.
 - „ behaviour, 57, 67.
- Health education and citizenship, 66.
 - „ „ and geography, 65.
 - „ „ and history, 64.
 - „ „ and mothercraft, 80.
 - „ „ in relation to other subjects, 64.
 - „ „ in the school, 56.
 - „ „ programme of, 58.
- Health habits, 60, 67.
 - „ instruction, 61.
 - „ knowledge at fourteen, 63.
- Health of Munition Workers Committee, 49.
- Health "projects," 62.
 - „ Societies, 92.
 - „ Week, 84, 93.
- Healthy life, essential conditions of, 13.
 - „ outlook, value of, 19.
- Hearing, care of, 31.
 - „ examination of, 31.
- Heat, body, 28.
- Heliotherapy, 24.
- Heredity, 76.
- Hickman, Dr., 88.
- History and health education, 64.
- Home circumstances of pupils, 58.
- Hospital Savings Associations, 63.
- House-fly, 79.
- Housing, 94.
 - „ fitness for human habitation, 94.
 - „ overcrowding, 94.
- Hygiene, 56.


- Immunity, 101.
- Incubation periods, 106.
- Industrial fatigue, 97.
 - „ welfare, 97.
- Infant welfare movement, 81, 97.


HEALTH EDUCATION

- Infective diseases, notification, 100.
- " " prevention of, 98.
- " " resistance of body, 101.
- " " some commoner, 102.
- " " spread of, 99.
- " " table of, Appendix.
- Isolation, 106.
- Jenner, Edward, 87.
- Junior Red Cross, 63, 69, 93.
- Koch, Robert, 89.
- Laveran, 90.
- Lectures, 62, 63.
- Licensing, Royal Commission, 45, 49, 52.
- Life, laws of, 13.
- " lowest forms of, 77.
- Lind, James, 87.
- Lister, Lord, 89.
- Lungs, 14, 23.
- Malaria, conquest of, 90.
- Malnutrition, 35.
- Manson, Sir Patrick, 90.
- Meals, behaviour, 40, 72.
- " regularity, 40, 72.
- " school, 43.
- Measles, 100, 102.
- Medical Inspections, 59, 70, 71.
- Medicated Wines, 47.
- Mental disorders, 20.
- " fatigue, 18.
- " health, 16, 17, 19.
- Milk, as a food, 41.
- " contamination of, 42.
- " pasteurised, 42.
- " skimmed, 41.
- " supply of pure, 41.
- Mind, attitude of towards health, [57.
- " and body, 13.
- " healthy, 16.
- Mineral waters, 45.
- Mines, health in, 96.
- Ministry of Health, 92.
- Morton, Dr., 88.
- Mothercraft and health education, 80.
- " contact with other agencies, 85.
- " exhibitions, 84.
- " school course, 83.
- " teaching of, 82, 84.
- Nails, care of, 69.
- National Health Insurance, 63.
- Nature and Nurture, 76.
- Nerve cells, 16.
- Nervous system, 15.
- " " effect of alcohol on, 47.
- Notification of infectious diseases, 100.
- Nurture, 76.
- Nutrition, 35.
- Open-air school, principles of the, 24.
- Overcrowding, 94.
- Over-pressure, 20.
- Oxygen, 21.
- Pasteur, Louis, 89.
- Pets, care of, 79.
- Physical training, 27, 57, 64, 73.
- Pioneers of Health, 87-91.
- Plants, relation to health, 78.
- Posters, 63, 93.
- Posture, 18, 23, 27.
- Preventive Medicine, growth of, 86.
- Proteins, 37.
- Quarantine, 106.
- Racing, dangers of, 74.
- Recreation, 27.
- Refuse, disposal of, 95.
- Remedial Exercises, 27.
- Resistance of body to disease, 100.
- Rest, 70.
- " exercise and, 26.
- " and sleep, 27.
- Room, temperature of, 22.
- " ventilation of, 22.
- Ross, Sir Ronald, 90.
- Routine of health exercises, 67.
- Safety first, 73.
- Salts, 37.
- Sanitary Authorities, duties of, 91.
- Sanitation, 90.
- Scarlet fever, 100, 102.
- School doctor, 31, 70, 73, 91.
- " garden, 41.
- " health education in the, 56.
- " meals, 43.
- " nurse, 31, 70, 73, 91.
- " pride of, 72.

INDEX

- Science as groundwork of health, 75.
- Scurvy, 87.
- Senses, 15.
- Sewage, 96.
- Sight, examination of, 31.
- Simon, Sir John, 91.
- Simpson, Sir James Young, 88.
- Skin diseases, 105.
- Sleep, 27, 70.
- Smoke, injury done by, 24.
- Smoking, cigarette, 73.
- Statutory health Authorities, 92.
- Strain, danger of, 27.
- Sunlight, fresh air and, 21, 68.
- " necessity for, 23.
- Surgery and Lord Lister, 89.
- Swimming, 73.
- Tea, 44.
- Teeth and digestion, 32.
- " care of, 31, 71.
- " cleanliness of, 33.
- " preservation of, 33.
- " value of, 32.
- Temperature of a room, 22.
- Tinned foods, 41.
- Toothbrush drill, 33.
- Town planning, 94.
- Tuberculosis, 23, 42, 103.
- " preventive measures, 104.
- Typhoid, 103.
- Uncleanliness, 25.
- " evils of, 25.
- " social effects of, 25.
- Vaccination, introduction of, 87.
- Vegetables, 78.
- Ventilation, need for, 22.
- Vermin, disease spread by, 79.
- Vision, 30.
- Vitamins, 37.
- Voluntary health agencies, 92.
- Warmth and clothing, 28.
- Washing, body, 69.
- Water, drinking, 44.
- " supply of pure, 95.
- Welfare, industrial, 97.
- Wellcome Historical Medical Museum, 88.
- Whooping cough, 102.
- Workshop, health in, 96.





THE TEACHERS' PROVIDENT SOCIETY

Funds £4,250,000

Membership 86,000

WHICH OF THESE?

LESS THAN—
10/- MONTHLY

AGE
21

- 1/- Medical Benefit
- 3/- £1 1 0 Weekly Sick Pay
- ★ 5/- £100 Life Assurance
- 4d. Management Fee

9/4

Maturity Value
★ £158 16 0 at 50

[BONUS AT
CURRENT
RATES]

MEDICAL BENEFIT

Help towards payment of Doctor and Dentist. Over half the premiums returned to members in 1932.

LESS THAN—
30/- MONTHLY

AGE
48

- 1/- Medical Benefit
- 6/- £2 2 0 Weekly Sick Pay
- ★ 22/- £200 Life Assurance
- 4d. Management Fee

29/4

Maturity Value
★ £267 4 0 at 65

[BONUS AT
CURRENT
RATES]

SICK PAY DEPOSIT BRANCH

Over two-thirds of premiums returned to members in 1932.

For other combinations and fullest particulars apply to your Local Secretary, or Hamilton House, Mabledon Place, W.C.1.

Capt. H. N.
PENLINGTON,
M.A.

[President N.U.T., 1933]

says :—

"EVERY MEMBER of the National Union of Teachers should join the T.P.S. without delay.

It is the Finest Friendly Society in the World.

I have been a Member for over a quarter of a century and every young teacher should join at the earliest possible moment."